

HEAT PLAN - MONTHLY SUMMARY REPORT

CDCR MH-7711-1 (02/17)

Monthly Summary Report

Institution: KVSP

Memorandum

Date: July 12, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - July 2024

The following is a summary of the heat related activity for the month of July _____,
 at KVSP _____ (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 30

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____

Number of days Stage II Alert initiated: 2

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness. 0 _____ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

P. Horn

Warden Name

DocuSigned by:

Patwin Horn

F558AA9681434AE...

Warden Signature

8/6/2024

F. Beyerlein

Chief Executive Officer Name

DocuSigned by:

Fred Beyerlein

D8C48EF3A40A4F...

Chief Executive Officer Signature

8/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Central Temp. Reading Location: 3rd Tier - A-B-C Sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-1-24	0300	77	Clement
	0600	78	Medina
	0900	78	Morales
	1200	78	Morales
	1500	78	RAZO
	1800	77	RAZO
	2100	77	RAZO
	2400	71	Yanez

Tuesday

Date	Time	Temp.	Name (Print)
7-2-24	0300	71	Yanez
	0600	72°	J. Campos
	0900	72°	J. Campos
	1200	73°	J. Campos
	1500	76	RAZO
	1800	76	RAZO
	2100	74	RAZO
	2400	78°	Reynolds

Wednesday

Date	Time	Temp.	Name (Print)
7-3-24	0300	78°	Escarcega
	0600	71	Born
	0900	73	Born
	1200	78	Born
	1500	78	RAZO
	1800	77	RAZO
	2100	77	RAZO
	2400	73	Reynolds

Thursday

Date	Time	Temp.	Name (Print)
7-4-24	0300	73	Reynolds
	0600	75	Born
	0900	77	Born
	1200	77	Born
	1500	77	RAZO
	1800	77	RAZO
	2100	76	RAZO
	2400	74	Reynolds

Friday

Date	Time	Temp.	Name (Print)
7-5-24	0300	74	Reynolds
	0600	75	Born
	0900	77	Born
	1200	77	Born
	1500	77	RAZO
	1800	76	RAZO
	2100	75	RAZO
	2400	76	Chavez

Saturday

Date	Time	Temp.	Name (Print)
7-6-24	0300	74	Chavez
	0600	75	M. Sahagun
	0900	75	M. Sahagun
	1200	77	M. Sahagun
	1500	77	m. Sahagun
	1800	77	m. Sahagun
	2100	77	m. Sahagun
	2400	75	Reynolds

Sunday

Date	Time	Temp.	Name (Print)
7-7-24	0300	75	Reynolds
	0600	75	Escarcega
	0900	75	Escarcega
	1200	75	Escarcega
	1500	76	HERNANDEZ
	1800	77	Muranda
	2100	77	Muranda
	2400	78	D.V. Lopez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INS ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A1 control Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	78	J. V. Lopez
X/1 10 21	0600	77	Sorson
	0900	77	Born
	1200	78	Born
	1500	77	RAZO
	1800	76	RAZO
	2100	76	RAZO
	2400	76	Mura

Tuesday

Date	Time	Temp.	Name (Print)
7/9 24	0300	74	Mura
	0600	75	Born
	0900	77	Born
	1200	77	Born
	1500	77	RAZO
	1800	76	RAZO
	2100	76	RAZO
	2400	75	Harrison

Wednesday

Date	Time	Temp.	Name (Print)
7/10 21	0300	75	Harrison
	0600	74	Born
	0900	76	Born
	1200	77	Born
	1500	77	RAZO
	1800	76	RAZO
	2100	76	RAZO
	2400	75	Harrison

Thursday

Date	Time	Temp.	Name (Print)
7/11 21	0300	75	Harrison
	0600	74	Born
	0900	76	Born
	1200	77	Born
	1500	77	RAZO
	1800	77	RAZO
	2100	76	RAZO
	2400	76	Harrison

Friday

Date	Time	Temp.	Name (Print)
7/12 21	0300	77	Harrison
	0600	74	Born
	0900	76	Born
	1200	77	Born
	1500	77	Sorson
	1800	76	Sorson
	2100	77	Sorson
	2400	76	Harrison

Saturday

Date	Time	Temp.	Name (Print)
7/13 21	0300	75	Harrison
	0600	76	nm
	0900	78	Murphy
	1200	78	Murphy
	1500	76	Murphy
	1800	78	Sorson
	2100	78	Sorson
	2400	78	nm

Sunday

Date	Time	Temp.	Name (Print)
7/14 21	0300	78	nm
	0600	78	Kuang
	0900	78	Kuang
	1200	78	Kuang
	1500	78	Gonzalez
	1800	78	Gonzalez
	2100	77	Gonzalez
	2400	77	Rogers

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: A1 con-L Temp. Reading Location: 2nd(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/15/24</u>	0300	77	Reynolds
	0600	75	Born
	0900	76	Born
	1200	77	Born
	1500	77	Razo
	1800	76	Razo
	2100	76	Razo
	2400	76	HARRISON

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/16/24</u>	0300	75	HARRISON
	0600	74	Born
	0900	76	BORRON
	1200	77	BORRON
	1500	77	Razo
	1800	76	Razo
	2100	76	Razo
	2400	76	HARRISON

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/17/24</u>	0300	75	HARRISON
	0600	74	Born
	0900	76	Born
	1200	77	BORRON
	1500	77	Razo
	1800	76	Razo
	2100	76	Razo
	2400	77	HARRISON

Thursday

Date	Time	Temp.	Name (Print)
<u>7/18/24</u>	0300	76	HARRISON
	0600	75	Born
	0900	76	BORRON
	1200	77	Born
	1500	77	Razo
	1800	76	Razo
	2100	76	Razo
	2400	77	HARRISON

Friday

Date	Time	Temp.	Name (Print)
<u>7/19/24</u>	0300	76	HARRISON
	0600	77	Born
	0900	75	Sorenson
	1200	77	BORRON
	1500	77	Razo
	1800	76	Razo
	2100	76	Razo
	2400	77	HARRISON

Saturday

Date	Time	Temp.	Name (Print)
<u>7/20/24</u>	0300	76	HARRISON
	0600	77	A. Sofelo
	0900	77	A. Sofelo
	1200	77	A. Sofelo
	1500	77	Sorenson
	1800	77	C. Jones
	2100	77	C. Jones
	2400	77	C. Jones

Sunday

Date	Time	Temp.	Name (Print)
<u>7/21/24</u>	0300	76	Gorman
	0600	76	Jones
	0900	76	Jones
	1200	77	Jones
	1500	75	GORMAN
	1800	77	GORMAN
	2100	75	GORMAN
	2400	77	C. Jones

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A1 CNTL Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	78	C. Kyst
	0600	76	Zoey
	0900	77	Borson
	1200	78	Borson
	1500	77	Razo
	1800	77	Razo
	2100	76	Razo
	2400	80	Harrison

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	79	Harrison
	0600	77	Zoey
	0900	78	Borson
	1200	78	Borson
	1500	78	Razo
	1800	78	Razo
	2100	78	Razo
	2400	80	Harrison

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	78	Harrison
	0600	76	Zoey
	0900	77	Borson
	1200	78	Borson
	1500	78	Razo
	1800	78	Razo
	2100	77	Razo
	2400	78	Harrison

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	77	Harrison
	0600	76	Zoey
	0900	78	Borson
	1200	79	Borson
	1500	79	Razo
	1800	78	Razo
	2100	78	Razo
	2400	80	Harrison

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	78	Harrison
	0600	77	Zoey
	0900	77	Borson
	1200	78	Borson
	1500	78	Razo
	1800	78	Razo
	2100	77	Razo
	2400	80	Harrison

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	79	Harrison
	0600	80	JACOBS
	0900	80	JACOBS
	1200	80	JACOBS
	1500	80	Zoey
	1800	80	Zoey
	2100	80	Zoey
	2400	80	KYST

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	78	KYST
	0600	80	JACOBS
	0900	80	JACOBS
	1200	80	JACOBS
	1500	80	A. DUMES
	1800	80	A. DUMES
	2100	80	A. DUMES
	2400	80	KYST

Notes

NP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KISP Housing Unit: A1 CNTRL Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/29/24</u>	0300	80	<u>Lyon</u>
	0600	78	<u>Borbon</u>
	0900	78	<u>Borbon</u>
	1200	79	<u>Borbon</u>
	1500	78	<u>Razo</u>
	1800	78	<u>Razo</u>
	2100	78	<u>Razo</u>
	2400	79	<u>Harrison</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/30/24</u>	0300	78	<u>Harrison</u>
	0600	77	<u>Borbon</u>
	0900	78	<u>Borbon</u>
	1200	78	<u>Borbon</u>
	1500	78	<u>Razo</u>
	1800	78	<u>Razo</u>
	2100	78	<u>Razo</u>
	2400	78	<u>Harrison</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/31/24</u>	0300	78	<u>Harrison</u>
	0600	76	<u>Borbon</u>
	0900	77	<u>Borbon</u>
	1200	77	<u>Borbon</u>
	1500	78	<u>Razo</u>
	1800	77	<u>Razo</u>
	2100	77	<u>Razo</u>
	2400	79	<u>Harrison</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>8/1/24</u>	0300	78	<u>Harrison</u>
	0600	77	<u>Borbon</u>
	0900	78	<u>Borbon</u>
	1200	78	<u>Borbon</u>
	1500	78	<u>Razo</u>
	1800	78	<u>Razo</u>
	2100	78	<u>Razo</u>
	2400	79	<u>Harrison</u>

Friday

Date	Time	Temp.	Name (Print)
<u>8/2/24</u>	0300	78	<u>Harrison</u>
	0600	78	<u>M. Aguirre</u>
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-CONT. Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	78	JOHNSON, J.
	0600	78	C. Barajas
	0900	80	C. Barajas
	1200	80	C. Barajas
	1500	80	R. Franco
	1800	80	R. Franco
	2100	80	R. Franco
	2400	78	JOHNSON

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	78	JOHNSON, J.
	0600	80	S. Igab
	0900	80	S. Igab
	1200	80	S. Igab
	1500	80	J. Vasquez
	1800	80	J. Vasquez
	2100	80	J. Vasquez
	2400	78	JOHNSON, J.

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	78	JOHNSON, J.
	0600	80	S. Igab
	0900	82	S. Igab
	1200	82	S. Igab
	1500	80	C. Owens
	1800	80	C. Owens
	2100	80	C. Owens
	2400	78	JOHNSON, J.

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	78	JOHNSON, J.
	0600	78	D. Godin
	0900	78	D. Godin
	1200	79	D. Godin
	1500	80	C. Owens
	1800	80	C. Owens
	2100	80	C. Owens
	2400	80	C. Owens

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	80	Johnson
	0600	80	D. Godin
	0900	82	D. Godin
	1200	82	D. Godin
	1500	82	C. Owens
	1800	80	C. Owens
	2100	80	C. Owens
	2400	80	Johnson

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	80	Johnson
	0600	80	S. Igab
	0900	82	S. Igab
	1200	82	S. Igab
	1500	80	C. Owens
	1800	80	C. Owens
	2100	80	C. Owens
	2400	80	Johnson

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	78	Johnson
	0600	78	Johnson
	0900	82	Johnson
	1200	82	Johnson
	1500	80	Johnson
	1800	80	Johnson
	2100	80	Johnson
	2400	80	Johnson

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: A2-Cart. Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
7/18/24	0300	80	Herrera, D	7/19/24	0300	82	Jessengen, J.	7/10/24	0300	82	Sigala	7/11/24	0300	82	D. Godinez	7/11/24	0300	80	Aguirre	7/12/24	0300	80	C. Owens
	0600	82	C. Barajas		0600	82	Sigala		0600	82	Sigala		0600	82	D. Godinez		0600	82	C. Owens		0600	82	Sigala
	0900	82	C. Barajas		0900	82	Sigala		0900	82	Sigala		0900	82	D. Godinez		0900	82	Sigala		0900	82	Sigala
	1200	84	C. Barajas		1200	82	Sigala		1200	82	Sigala		1200	82	D. Godinez		1200	82	Sigala		1200	82	Sigala
	1500	84	C. Lopez		1500	81	Medina		1500	81	Medina		1500	81	C. Owens		1500	81	Medina		1500	81	Medina
	1800	84	C. Lopez		1800	80	Medina		1800	80	Medina		1800	80	C. Owens		1800	80	Medina		1800	80	Medina
	2100	84	C. Lopez		2100	80	Medina		2100	80	Medina		2100	80	C. Owens		2100	80	Medina		2100	80	Medina
	2400	84	Jessengen, J.		2400	82	Jessengen, J.		2400	82	Jessengen, J.		2400	82	C. Owens		2400	82	Jessengen, J.		2400	82	C. Owens
Wednesday																							
Thursday																							
Friday																							
Saturday																							
Sunday																							

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-Cent. Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/15/24</u>	0300	80	Jayson, J.
	0600	80	C. Barajas
	0900	80	C. Barajas
	1200	80	C. Barajas
	1500	80	C. Barajas
	1800	80	Lopez
	2100	79	Lopez
	2400	80	Jayson, J.

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/16/24</u>	0300	80	Jayson, J.
	0600	82	Sigala
	0900	82	Sigala
	1200	82	Sigala
	1500	82	Sigala
	1800	82	Sigala
	2100	82	Sigala
	2400	81	Nathwell

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/17/24</u>	0300	81	Nathwell
	0600	80	Nathwell
	0900	80	Sigala
	1200	80	Sigala
	1500	80	C. Owens
	1800	80	C. Owens
	2100	80	C. Owens
	2400	80	Nathwell

Thursday

Date	Time	Temp.	Name (Print)
<u>7/18/24</u>	0300	80	Nathwell
	0600	80	Nathwell
	0900	79	D. Godinez
	1200	80	D. Godinez
	1500	80	C. Owens
	1800	80	C. Owens
	2100	80	C. Owens
	2400	80	Gutierrez

Friday

Date	Time	Temp.	Name (Print)
<u>7/19/24</u>	0300	80	Talbert
	0600	78	D. Godinez
	0900	78	D. Godinez
	1200	79	D. Godinez
	1500	80	C. Owens
	1800	80	D. Godinez
	2100	80	D. Godinez
	2400	80	Jayson, J.

Saturday

Date	Time	Temp.	Name (Print)
<u>7/20/24</u>	0300	80	Jayson, J.
	0600	80	Sigala
	0900	80	Sigala
	1200	82	Sigala
	1500	82	Sigala
	1800	80	Gutierrez
	2100	80	Gutierrez
	2400	80	Jayson, J.

Sunday

Date	Time	Temp.	Name (Print)
<u>7/21/24</u>	0300	80	Jayson, J.
	0600	80	C. Barajas
	0900	80	C. Barajas
	1200	80	C. Barajas
	1500	80	C. Owens
	1800	80	C. Owens
	2100	80	C. Owens
	2400	80	Jayson, J.

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A 2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6780 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	80	P. Espinoza
7/22	0600	80	E. Samarrapion
7/22	0900	80	C. Barajas
7/22	1200	80	C. Barajas
7/22	1500	80	C. Lopez
7/22	1800	80	C. Lopez
7/22	2100	80	C. Lopez
7/22	2400	80	P. Espinoza

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	80	P. Espinoza
7/23	0600	80	Sigala
7/23	0900	80	Sigala
7/23	1200	80	Sigala
7/23	1500	80	Sigala
7/23	1800	80	J. Vasquez
7/23	2100	80	J. Vasquez
7/23	2400	80	J. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	80	P. Espinoza
7/24	0600	80	Sigala
7/24	0900	80	Sigala
7/24	1200	80	Sigala
7/24	1500	80	C. Owens
7/24	1800	80	C. Owens
7/24	2100	80	C. Owens
7/24	2400	80	P. Espinoza

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	80	P. Espinoza
7/25	0600	80	D. Godinez
7/25	0900	80	D. Godinez
7/25	1200	81	D. Godinez
7/25	1500	80	C. Owens
7/25	1800	80	C. Owens
7/25	2100	80	C. Owens
7/25	2400	80	C. Owens

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80	Kyle
7/26	0600	80	D. Godinez
7/26	0900	80	D. Godinez
7/26	1200	82	D. Godinez
7/26	1500	80	C. Owens
7/26	1800	80	C. Owens
7/26	2100	80	C. Owens
7/26	2400	80	Kyle

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	80	Kyle
7/27	0600	80	Sigala
7/27	0900	80	Sigala
7/27	1200	81	C. Barajas
7/27	1500	81	C. Owens
7/27	1800	80	C. Owens
7/27	2100	80	C. Owens
7/27	2400	80	M. Flores

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	79	m flores
7/28	0600	79	m flores
7/28	0900	79	C. Barajas
7/28	1200	80	C. Barajas
7/28	1500	81	C. Owens
7/28	1800	80	C. Owens
7/28	2100	80	C. Owens
7/28	2400	80	J. Johnson Jr.

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-Cont. Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	78	
	0600	79	C. Barajas
	0900	78	C. Barajas
	1200	78	C. Barajas
	1500	78	C. Lopez
	1800	78	C. Lopez
	2100	78	C. Lopez
	2400	78	JOHNSON, Jr.

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	78	JOHNSON, Jr.
	0600	79	Sigala
	0900	79	Sigala
	1200	80	Sigala
	1500	80	RUBEN
	1800	80	RUBEN
	2100	80	RUBEN
	2400	80	JOHNSON, Jr.

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	76	JOHNSON, Jr.
	0600	78	F. Gonzalez
	0900	78	F. Gonzalez
	1200	80	F. Gonzalez
	1500	80	F. Gonzalez
	1800	81	C. Owens
	2100	79	C. Owens
	2400	80	JOHNSON, Jr.

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7	0300	70	Mender
	0600	74	MEDIANO
	0900	74	MEDIANO
	1200	74	MEDIANO
1	1500	71°	MENDOTA
	1800	76	MENDOTA
	2100	74	MENDOTA
24	2400	72	Mender

Tuesday

Date	Time	Temp.	Name (Print)
7/24	0300	71	Mender
	0600	74	MEDIANO
	0900	74	MEDIANO
	1200	75	MEDIANO
	1500	76°	JMENDER
	1800	70°	JMENDER
	2100	71°	JMENDER
	2400	74	none

Wednesday

Date	Time	Temp.	Name (Print)
7 3 24	0300	74°	Mendoza
	0600	76	MENDOZA
	0900	74	MENDOZA
	1200	76	MENDOZA
	1500	710	Mendoza
	1800	74°	MENDOZA
	2100	710	Mendoza
	2400	76	Mendoza

Thursday

Date	Time	Temp.	Name (Print)
7 4 24	0300	76	Mesa
	0600	76	C. Barajas
	0900	76	Melchor
	1200	76	Mendoza
	1500	76	Mendoza
	1800	76	✓
	2100	76	✓
	2400	76	Mesa

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	76	me
	0600	75	
	0900	73	
	1200	75	
	1500	76	Flores
	1800	76	Flores
	2100	76	Flores
	2400	76	me 76

Saturday

Date	Time	Temp.	Name (Print)
7 6 24	0300	76	MERAN
	0600	78	MEDANO
	0900	76	MEDANO
	1200	76	MEDANO
	1500	80	ST. LORES
	1800	80	ST. LORES
	2100	80	ST. LORES
	2400	78	ST. LORES

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
7/24	0300	77	Lopez
	0600	77	VELASQUEZ
	0900	78	VELASQUEZ
	1200	78	VELASQUEZ
	1500	30	Morano
	1800	32	Morano
	2100	30	Morano
	2400	78	Morano

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	
7 18 24	0300	76	Mender	7 9 24	0300	76	D.GONZALEZ	7 10 24	0300	80	meza	7 11 24	0300	79	C.Borajus	7 12 24	0300	80	Arie	7 13 24	0300	80	Gonz	7 14 24
	0600	76	D.GONZALEZ		0600	76	Ventura		0600	80	meza		0600	80	C.Borajus		0600	80	Diaz		0600	80	Gonz	
	0900	76	D.GONZALEZ		0900	77	Ventura		0900	80	meza		0900	80	C.Borajus		0900	80	Gonz		0900	80	Gonz	
	1200	78	D.GONZALEZ		1200	78	Ventura		1200	80	meza		1200	80	C.Borajus		1200	80	Gonz		1200	80	Gonz	
	1500	79°	J.MENDOZA		1500	79°	J.MENDOZA		1500	80°	J.MENDOZA													
	1800	78°	J.MENDOZA		1800	77°	J.MENDOZA																	
	2100	78°	J.MENDOZA		2100	77°	J.MENDOZA																	
	2400	78	Mender		2400	82	meza																	
Wednesday				Thursday				Friday				Saturday				Sunday				Notes				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24				7 11 24				7 12 24				7 13 24				7 14 24				7 13 24				
7 10 24																								

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	80	Mender
15	0600	83	Aleman
24	0900	83	Aleman
15	1200	85	Aleman
15	1500	80°	JMENDOZA
24	1800	80	JMENDOZA
24	2100	79	JMENDOZA
24	2400	79	mender

Tuesday

Date	Time	Temp.	Name (Print)
7/1	0300	79	Mender
16	0600	80°	JMENDOZA
16	0900	80°	JMENDOZA
16	1200	80°	JMENDOZA
16	1500	81°	JMENDOZA
24	1800	81°	JMENDOZA
24	2100	80°	JMENDOZA
24	2400	80	mender

Wednesday

Date	Time	Temp.	Name (Print)
7/1	0300	80	maza
17	0600	80	Ventura
24	0900	81	Ventura
24	1200	82	Ventura
24	1500	82°	JMENDOZA
24	1800	80°	JMENDOZA
24	2100	80°	JMENDOZA
24	2400	80	maza

Thursday

Date	Time	Temp.	Name (Print)
7/10	0300	80	maza
24	0600	80	C. Barajas
24	0900	80	C. Barajas
24	1200	80	C. Barajas
24	1500	81	I. Jones
24	1800	81	maza
24	2100	81	maza
24	2400	80	maza

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	80	maza
24	0600	80	Chavez
24	0900	80	Chavez
24	1200	80	Chavez
24	1500	80	Holts
24	1800	80	Flores
24	2100	80	Flores
24	2400	80	MENDOZA

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	80	maza
24	0600	80	D. Godinez
24	0900	80	D. Godinez
24	1200	80	D. Godinez
24	1500	80	Flores
24	1800	80	Flores
24	2100	80	Flores
24	2400	80	HARRISON

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	80	HARRISON
24	0600	80	ESPINAL
24	0900	80	ESPINAL
24	1200	80	Espinal
24	1500	80	ESPIRAL
24	1800	80	ESPIRAL
24	2100	80	ESPIRAL
24	2400	80	MENDOZA

Notes

Temp check
 No Discrepancy
 0100 7/21/24

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
7/22/24	0300	80	Mender	7/23/24	0300	79	Mender	7/24/24	0300	81	Mesa	7/25/24	0300	81	Mesa	7/26/24	0300	82	J. M. Garcia	7/27/24	0300	81	E. Chavez	7/28/24	0300	80	Harral
	0600	80	MENDANE		0600	78	MENDANE		0600	81	C. Barajas		0600	81	MENDANE		0600	81	MENDANE		0600	80	MENDANE		0600	80	MENDANE
	0900	80	MENDANE		0900	80	MENDANE		0900	81	J. M. Garcia		0900	81	MENDANE		0900	81	MENDANE		0900	81	MENDANE		0900	80	MENDANE
	1200	80	MENDANE		1200	80	MENDANE		1200	82	J. M. Garcia		1200	82	MENDANE		1200	82	MENDANE		1200	82	MENDANE		1200	82	MENDANE
	1500	80	J. M. Garcia		1500	80	J. M. Garcia		1500	82	J. M. Garcia		1500	82	J. M. Garcia		1500	82	J. M. Garcia		1500	82	J. M. Garcia		1500	82	J. M. Garcia
	1800	80	J. M. Garcia		1800	80	J. M. Garcia		1800	82	J. M. Garcia		1800	82	J. M. Garcia		1800	82	J. M. Garcia		1800	82	J. M. Garcia		1800	82	J. M. Garcia
	2100	80	J. M. Garcia		2100	80	J. M. Garcia		2100	82	J. M. Garcia		2100	82	J. M. Garcia		2100	82	J. M. Garcia		2100	82	J. M. Garcia		2100	82	J. M. Garcia
	2400	80	J. M. Garcia		2400	80	J. M. Garcia		2400	81	J. M. Garcia		2400	81	J. M. Garcia		2400	81	J. M. Garcia		2400	81	J. M. Garcia		2400	81	J. M. Garcia

Notes

Date	Time	Temp.	Name (Print)
7/28/24	0300	80	Harral
	0600	80	MENDANE
	0900	81	MENDANE
	1200	81	MENDANE
	1500	81	M. CHAVEZ
	1800	81	M. CHAVEZ
	2100	80	M. CHAVEZ
	2400	80	Mender

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location:
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	80	Mender
	0600	80	MENDANO
	0900	80	MENDANO
	1200	80	MENDANO
	1500	81	JMENDOA
7/29	1800	80	Mender
	2100	80	Mender
	2400	80	Mender

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	79	Mender
	0600	80	MENDANIO
	0900	80	MENDANIO
	1200	80	MENDANIO
	1500	81	THOMASCA
	1800	81	MENDONCA
	2100	80	INCENBUT
	2400	80	MERS

Wednesday

Date	Time	Temp.	Name (Print)
7 31 / 24	0300	80°	MURRAY
	0600	70°	MURRAY
	0900	65°	MURRAY
	1200	65°	MURRAY
	1500	81°	IMENNOOKA
	1800	80°	IMENNOOKA
	2100	80°	IMENNOOKA
	2400	80°	MURRAY

Thursday

Date	Time	Temp.	Name (Print)
8 1 24	0300	80	Mesa
	0600	79	C. Barajas
	0900	78	C. Barajas
	1200	80°	Menjorah
	1500	80°	Menjorah
	1800	80	Mercy
	2100	80	Mend
	2400	80	Mesa

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	80	meze
	0600	80	R BARAJAS
	0900	80	R BARAJAS
	1200	80	R BARAJAS
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A 4 Temp. Reading Location: T 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/11/2014	0300	77	Reynolds
	0600	75	W. Shirey
	0900	75	DIAZ
	1200	75	DIAZ
	1500	75	Flores
	1800	75	Flores
	2100	75	Flores
	2400	74	J. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
7/12/2014	0300	74	J. Rodriguez
	0600	75	J. Fernandez
	0900	76	J. Fernandez
	1200	76	J. Fernandez
	1500	80	R. Lopez Jr.
	1800	80	R. Lopez Jr.
	2100	80	R. Lopez Jr.
	2400	74	S. Mendoza

Wednesday

Date	Time	Temp.	Name (Print)
07/03/2014	0300	74	J. Rodriguez
	0600	77	Godinez
	0900	78	Godinez
	1200	79	Godinez
	1500	80	R. Lopez Jr.
	1800	82	R. Lopez Jr.
	2100	82	R. Lopez Jr.
	2400	74	J. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
07/04/2014	0300	74	J. Rodriguez
	0600	77	Godinez
	0900	78	Godinez
	1200	80	J. Fernandez
	1500	82	M. Williams
	1800	80	M. Williams
	2100	80	M. Williams
	2400	80	J. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
07/05/2014	0300	79	Clerk
	0600	79	J. Fernandez
	0900	80	J. Fernandez
	1200	80	J. Fernandez
	1500	80	R. Angelito
	1800	80	R. Angelito
	2100	80	R. Angelito
	2400	74	J. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
07/06/2014	0300	74	J. Rodriguez
	0600	77	M. Williams
	0900	80	M. Williams
	1200	80	M. Williams
	1500	82	Vazquez
	1800	82	Vazquez
	2100	82	Vazquez
	2400	80	Perez

Sunday

Date	Time	Temp.	Name (Print)
07/07/2014	0300	80	Perez
	0600	80	Jones
	0900	80	Jones
	1200	80	Jones
	1500	83	Flores
	1800	83	Flores
	2100	83	Flores
	2400	78	J. Rodriguez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: A4 Temp. Reading Location: T
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 08	0300	76	J. Sandoval
	0600	78	J. Hernandez
	0900	80	J. Galvan-Moss
	1200	80	J. Galvan-Moss
	1500	80	E. Flores
	1800	80	S. Flores
	2100	80	S. Flores
	2400	79	J. Mireles

Tuesday

Date	Time	Temp.	Name (Print)
07 09	0300	78	J. Sandoval
	0600	78	J. Hernandez
	0900	80	J. Hernandez
	1200	80	J. Hernandez
	1500	80	C. Valdez
	1800	80	C. Valdez
	2100	80	C. Valdez
	2400	75	J. Mireles

Wednesday

Date	Time	Temp.	Name (Print)
07 10	0300	78	J. Sandoval
	0600	80	J. Hernandez
	0900	80	J. Hernandez
	1200	80	J. Hernandez
	1500	80	R. Angeles
	1800	80	R. Angeles
	2100	80	R. Angeles
	2400	79	S. Sevilla

Thursday

Date	Time	Temp.	Name (Print)
07 11	0300	79	S. Sevilla
	0600	79	S. Valdez
	0900	80	S. Valdez
	1200	80	S. Valdez
	1500	81	R. Angeles
	1800	81	R. Angeles
	2100	80	R. Angeles
	2400	82	S. Valdez

Friday

Date	Time	Temp.	Name (Print)
07 12	0300	82	J. Mireles
	0600	82	A.A. Contreras
	0900	82	A.A. Contreras
	1200	82	A.A. Contreras
	1500	82	R. Angeles
	1800	82	R. Angeles
	2100	82	R. Angeles
	2400	82	R. Angeles

Saturday

Date	Time	Temp.	Name (Print)
07 13	0300	82	J. Mireles
	0600	80	J. Hernandez
	0900	80	J. Hernandez
	1200	80	J. Hernandez
	1500	80	R. Angeles
	1800	80	R. Angeles
	2100	80	R. Angeles
	2400	80	A. Rendon

Sunday

Date	Time	Temp.	Name (Print)
07 04	0300	78	A. Rendon
	0600	81	Martinez
	0900	82	Martinez
	1200	82	Martinez
	1500	82	Flor
	1800	82	Flor
	2100	82	Flor
	2400	80	J. Mireles

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: A4

Temp. Reading Location: T
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 15	0300	79	J. H. A.
	0600	79	Castillo
	0900	79	Castillo
	1200	79	Castillo
	1500	78	Lopez
	1800	78	Lopez
	2100	78	Lopez
	2400	78	J. H. A.

Tuesday

Date	Time	Temp.	Name (Print)
07 16	0300	78	S. Angel
	0600	79	J. Fernandez
	0900	80	J. Fernandez
	1200	80	J. Fernandez
	1500	80	R. Angel
	1800	80	R. Angel
	2100	80	R. Angel
	2400	78	R. Angel

Wednesday

Date	Time	Temp.	Name (Print)
07 17	0300	78	J. H. A.
	0600	79	R. Angel
	0900	80	R. Angel
	1200	80	Fernandez
	1500	80	R. Angel
	1800	80	R. Angel
	2100	80	R. Angel
	2400	78	J. H. A.

Thursday

Date	Time	Temp.	Name (Print)
07 18	0300	78	J. H. A.
	0600	78	Fabian
	0900	78	Fabian
	1200	78	Fabian
	1500	78	Angelo
	1800	78	Angelo
	2100	78	Angelo
	2400	78	Angelo

Friday

Date	Time	Temp.	Name (Print)
07 19	0300	78	CHAVEZ
	0600	79	MARSH
	0900	74	Wright
	1200	80	Wright
	1500	75	R. Angel
	1800	80	R. Angel
	2100	80	R. Angel
	2400	80	CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
07 20	0300	78	B. Angel
	0600	78	BILLINGTON
	0900	80	BILLINGTON
	1200	82	BILLINGTON
	1500	82	Wright
	1800	80	Wright
	2100	80	Wright
	2400	80	Wright

Sunday

Date	Time	Temp.	Name (Print)
07 21	0300	80	R. Angel
	0600	80	R. Angel
	0900	80	R. Angel
	1200	80	R. Angel
	1500	81	T. Jones
	1800	81	T. Jones
	2100	81	T. Jones
	2400	80	R. Angel

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A4 Temp. Reading Location: 2nd Tier B-Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	80	Prieto
	0600	80	CASTANEDA
	0900	80	CASTANEDA
	1200	80	CASTANEDA
	1500	80	M. TAFORA
	1800	80	M. TAFORA
	2100	80	M. TAFORA
	2400	80	Prieto

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	80	Prieto
	0600	80	JACOBS
	0900	80	JACOBS
	1200	80	JACOBS
	1500	80	R. ANGULO
	1800	80	R. ANGULO
	2100	80	R. ANGULO
	2400	80	Prieto

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	80	Prieto
	0600	79	S. CASTRO
	0900	79	S. CASTRO
	1200	80	S. CASTRO
	1500	81	R. ANGULO
	1800	80	R. ANGULO
	2100	80	R. ANGULO
	2400	80	Prieto

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	80	Prieto
	0600	80	CASTRO
	0900	80	CASTRO
	1200	80	CASTRO
	1500	82	-ANGULO
	1800	82	-ANGULO
	2100	81	H. NAVARRO
	2400	80	Prieto

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80	Prieto
	0600	80	ZUMIGA
	0900	80	ZUMIGA
	1200	80	ZUMIGA
	1500	82	Angulo
	1800	80	Angulo
	2100	80	Angulo
	2400	80	Jaramillo

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	80	Jaramillo
	0600	90	A. Soto
	0900	90	A. Soto
	1200	80	A. Soto
	1500	80	R. ANGULO
	1800	80	R. ANGULO
	2100	80	A. Soto
	2400	80	D. Doss

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	80	Doss
	0600	90	L. TORRES
	0900	90	L. TORRES
	1200	80	L. TORRES
	1500	80	L. TORRES
	1800	80	L. TORRES
	2100	80	Flores
	2400	78	J. JONES

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A4 Temp. Reading Location: 2nd Tier B-Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7 29 24	0300	78	SURANO
/	0600	77	A. Cerr
/	0900	74	A. Cerr
/	1200	79	A. Cerr
/	1500	79	G. Tolos
/	1800	79	F. Es
/	2100	79	F. Es
/	2400	78	S. Jerez

Tuesday

Date	Time	Temp.	Name (Print)
7 30 24	0300	78	J. M. S.
/	0600	78	JACOBS
/	0900	80	Jacobs
/	1200	80	Jacobs
/	1500	81	Angelo
/	1800	81	Angelo
/	2100	80	Angelo
/	2400	78	Angelo

Wednesday

Date	Time	Temp.	Name (Print)
7 31 24	0300	78	W. S.
/	0600	79	car
/	0900	79	car
/	1200	80	car
/	1500	81	Angelo
/	1800	81	Angelo
/	2100	81	Angelo
/	2400	78	W. S.

Thursday

Date	Time	Temp.	Name (Print)
8 01 24	0300		
/	0600		
/	0900		
/	1200		
/	1500		
/	1800		
/	2100		
/	2400		

Friday

Date	Time	Temp.	Name (Print)
8 02 24	0300		
/	0600		
/	0900		
/	1200		
/	1500		
/	1800		
/	2100		
/	2400		

Saturday

Date	Time	Temp.	Name (Print)
8 03 24	0300		
/	0600		
/	0900		
/	1200		
/	1500		
/	1800		
/	2100		
/	2400		

Sunday

Date	Time	Temp.	Name (Print)
8 04 24	0300		
/	0600		
/	0900		
/	1200		
/	1500		
/	1800		
/	2100		
/	2400		

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAB-5Temp. Reading Location: Control Booth
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1 24	0300	80	Grauys
	0600	80	Grauys
	0900	80	Grauys
	1200	80	Grauys
	1500	80	Klopfenstein
	1800	80	Klopfenstein
	2100	78	Klopfenstein
	2400	78	Leymer

Tuesday

Date	Time	Temp.	Name (Print)
7/2 24	0300	78	Reyna M
	0600	80	Grauys
	0900	80	Grauys
	1200	80	Grauys
	1500	80	Ebel
	1800	80	Casal
	2100	78	Casal
	2400	78	D.V. Lopez

Wednesday

Date	Time	Temp.	Name (Print)
7/3 24	0300	78	D.V. Lopez
	0600	78	Ward
	0900	78	Ward
	1200	80	Ward
	1500	82	Ward
	1800	82	Ward
	2100	80	Ward
	2400	80	Champ

Thursday

Date	Time	Temp.	Name (Print)
7/4 24	0300	78	Champ
	0600	78	Champ
	0900	80	Champ
	1200	80	Champ
	1500	80	Champ
	1800	80	Champ
	2100	78	Champ
	2400	78	Reyna M

Friday

Date	Time	Temp.	Name (Print)
7/5 24	0300	78	Reyna M
	0600	78	Ward
	0900	80	Ward
	1200	80	Ward
	1500	79	M
	1800	80	M
	2100	78	M
	2400	78	R

Saturday

Date	Time	Temp.	Name (Print)
7/6 24	0300	78	Reyna M
	0600	78	R. Cosenik
	0900	80	R. Cosenik
	1200	80	R. Cosenik
	1500	82	R. Cosenik
	1800	80	R. Cosenik
	2100	78	R. Cosenik
	2400	82	Jaramillo

Sunday

Date	Time	Temp.	Name (Print)
7/7 24	0300	82	Jaramillo
	0600	82	O. Guzman
	0900	82	M
	1200	82	M
	1500	82	Klopfenstein
	1800	82	Klopfenstein
	2100	82	Klopfenstein
	2400	82	M. Chavez

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAB-5Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/08	0300	82	M. CRAVER
	0600	82	Henderson
	0900	82	Grenade
	1200	82	Grenade
7/24	1500	82	Klopfenstein
	1800	85	Klopfenstein
	2100	85	Klopfenstein
	2400	82	Grenade

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	60	Gonzales
	0600	61	Gonzales
	0900	61	Gonzales
	1200	82	Gonzales
7/24	1500	60	Clegg
	1800	80	Clegg
	2100	83	Clegg
	2400	80	Peter

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	70	Rogers
	0600	78	Clegg
	0900	86	Clegg
	1200	80	Ward
7/24	1500	80	Rogers
	1800	78	Rogers
	2100	78	Rogers
	2400	78	Ward

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	78	P. Espinoza
	0600	74	Pur
	0900	76	Pur
	1200	80	Pur
7/24	1500	80	DURAN
	1800	80	DURAN
	2100	80	DURAN
	2400	80	M. JONES

Tuesday

Date	Time	Temp.	Name (Print)
7/09	0300	82	Conrad
	0600	82	CRAVER
	0900	82	Grazer
	1200	82	Ehaver
7/24	1500	80	Conrad
	1800	70	Craig
	2100	78	Craig
	2400	80	Orenehmer

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	80	Pur
	0600	78	Grazier
	0900	80	Grazier
	1200	83	Grazier
7/24	1500	82	Craig
	1800	82	Craig
	2100	78	Craig
	2400	76	Rogers

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	79	m. JONES
	0600	78	Craig
	0900	78	Craig
	1200	80	Craig
7/24	1500	80	Craig
	1800	80	Craig
	2100	78	Craig
	2400	78	Craig

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: 45

Temp. Reading Location: 2nd Tier (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	80	In. Gmel-S
	0600	80	Chavez
	0900	80	Chavez
	1200	80	Chavez
	1500	80	M. Colón
	1800	80	M. Colón
	2100	80	M. Colón
	2400	80	Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	80	Gonzalez
	0600	80	Gonzalez
	0900	81	Gonzalez
	1200	81	Gonzalez
	1500	80	Loy
	1800	80	Loy
	2100	78	Loy
	2400	78	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	78	Gonzalez
	0600	78	Gonzalez
	0900	80	Gonzalez
	1200	82	Gonzalez
	1500	80	Loy
	1800	80	Loy
	2100	78	Loy
	2400	78	SEVILLA

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	78	SEVILLA
	0600	80	Loy
	0900	80	Loy
	1200	82	Loy
	1500	80	Loy
	1800	80	Loy
	2100	78	Loy
	2400	78	SEVILLA

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	78	Grays Jr
	0600	80	Grays Jr
	0900	80	R. Hernandez
	1200	82	R. Hernandez
	1500	80	R. Hernandez
	1800	80	R. Hernandez
	2100	78	R. Hernandez
	2400	78	Grays Jr

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	78	Grays Jr
	0600	78	West
	0900	78	West
	1200	78	West
	1500	81	West
	1800	81	West
	2100	81	West Jr
	2400	80	Grays Jr

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	80	Grays Jr
	0600	80	Grays Jr
	0900	82	Grays Jr
	1200	82	Grays Jr
	1500	82	Hernandez
	1800	82	Hernandez
	2100	83	Hernandez
	2400	83	Hernandez

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: AS

Temp. Reading Location: 1st Tier (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	83	Graul
	0600	62	Graul
	0900	82	Graul
	1200	82	Graul
	1500	82	Graul
	1800	80	Graul
	2100	78	Graul
	2400	82	Graul

Tuesday

Dat	Time	Temp.	Name (Print)
11/23	0300	82	Barry
	0600	82	Barry
	0900	83	Barry
	1200	83	Barry
	1500	83	Barry
	1800	83	Barry
	2100	81	Barry
	2400	81	Barry

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	82	Burke
	0600	83	Treble
	0900	83	Burke
	1200	83	Burke
	1500	83	Awayo
	1800	83	Awayo
	2100	83	Gates
	2400	83	Kyle

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	81	Kuff
	0600	52	Kuff
	0900	82	CHAVEZ
	1200	82	CHAVEZ
	1500	82	MARSHALL
	1800	82	REACTOR
7/24	2100	82	MARSHALL
	2400	82	J. S. S. 6

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	51	A. Sefels
	0600	51	A. Sefels
	0900	52	S-CASTRO
	1200	53	S. CASTRO
	1500	53	J. Marquez
	1800	57	J. Marquez
	2100	61	J. Marquez
	2400	80	GRAYS

Saturday

Date	Time	Temp.	Name (Print)
11/27/24	0300	81	Grays
	0600	81	Westerly
	0900	82	overcast
	1200	82	overcast
	1500	80	CLOUD
	1800	80	G. KAN
	2100	83	G. KAN
	2400	82	Grays

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	82	Grays
	0600	82	Grays
	0900	84	Grays
	1200	82	Grays
	1500	85	Klopfenstein
	1800	85	Klopfenstein
	2100	83	Blugstein
	2400	87	Grays

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	82	Grays
7/29/24	0600	82	Grays
7/29/24	0900	82	Grays
7/29/24	1200	83	Grays
7/29/24	1500	80	rt
7/29/24	1800	80	n
7/29/24	2100	80	n
7/29/24	2400	80	Gamble

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	80	Gamble
7/30/24	0600	80	Gamble
7/30/24	0900	82	Gamble
7/30/24	1200	82	Gamble
7/30/24	1500	82	RAYA
7/30/24	1800	8	RAYA
7/30/24	2100	80	RAYA
7/30/24	2400	79	Gamble

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	79	Gamble
7/31/24	0600	80	Gamble
7/31/24	0900	81	Gamble
7/31/24	1200	81	Gamble
7/31/24	1500	81	wat
7/31/24	1800	81	wat
7/31/24	2100	80	wat
7/31/24	2400	81	an

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300		
8/1/24	0600		
8/1/24	0900		
8/1/24	1200		
8/1/24	1500		
8/1/24	1800		
8/1/24	2100		
8/1/24	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300		
8/2/24	0600		
8/2/24	0900		
8/2/24	1200		
8/2/24	1500		
8/2/24	1800		
8/2/24	2100		
8/2/24	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300		
8/3/24	0600		
8/3/24	0900		
8/3/24	1200		
8/3/24	1500		
8/3/24	1800		
8/3/24	2100		
8/3/24	2400		

Notes

Date	Time	Temp.	Name (Print)
8/4/24	0300		
8/4/24	0600		
8/4/24	0900		
8/4/24	1200		
8/4/24	1500		
8/4/24	1800		
8/4/24	2100		
8/4/24	2400		

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: A Housing Unit: 6 Temp. Reading Location: 2 TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	78	R. PAROL
1	0600	78	M. MIRANDA
24	0900	78	M. MIRANDA
	1200	79	M. MIRANDA
	1500	79	MUNIZ
	1800	79	MUNIZ
	2100	79	MUNIZ
	2400	78	W. REED

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	78	W. REED
1	0600	78	M. MIRANDA
2	0900	79	M. MIRANDA
24	1200	80	M. MIRANDA
	1500	79	G. BELTRAN
	1800	78	D. BELTRAN
	2100	78	D. BELTRAN
	2400	78	W. REED

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	78	W. REED
1	0600	78	M. MIRANDA
2	0900	78	M. MIRANDA
24	1200	80	M. MIRANDA
	1500	80	X GONZALEZ
	1800	80	X GONZALEZ
	2100	80	X GONZALEZ
	2400	78	w. REED

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	78	W. REED
1	0600	78	J. CESARINA
2	0900	80	J. CESARINA
24	1200	80	J. CESARINA
	1500	79	M. MIRANDA
	1800	78	M. MIRANDA
	2100	78	M. MIRANDA
	2400	80	BELTRAN

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	74	BELTRAN
1	0600	74	BELTRAN
2	0900	80	BELTRAN
24	1200	80	BELTRAN
	1500	80	X GONZALES
	1800	80	X GONZALES
	2100	80	X GONZALES
	2400	80	CAMPUS

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	80	M. MIRANDA
1	0600	80	M. MIRANDA
2	0900	80	M. MIRANDA
24	1200	80	M. MIRANDA
	1500	80	A. CRUZ RIVERA
	1800	80	A. CRUZ RIVERA
	2100	80	A. CRUZ RIVERA
	2400	76	W. REED

Sunday

Date	Time	Temp.	Name (Print)
7/24	0300	76	W. REED
1	0600	78	M. MIRANDA
2	0900	78	M. MIRANDA
24	1200	79	M. MIRANDA
	1500	80	X GONZALES
	1800	80	X GONZALES
	2100	80	X GONZALES
	2400	78	w. REED

Notes

VG
2/2

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: A6Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8 14	0300	79	W. REED
	0600	79	CHAVEZ
	0900	80	CHAVEZ
	1200	80	CHAVEZ
	1500	79	M. MIRANDA
	1800	79	M. MIRANDA
	2100	79	M. MIRANDA
	2400	79	M. MIRANDA

Tuesday

Date	Time	Temp.	Name (Print)
7/9 24	0300	79	W. REED
	0600	80	M. MIRANDA
	0900	80	M. MIRANDA
	1200	80	M. MIRANDA
	1500	80	M. MIRANDA
	1800	79	M. MIRANDA
	2100	79	M. MIRANDA
	2400	78	W. REED

Wednesday

Date	Time	Temp.	Name (Print)
7/10 21	0300	78	W. REED
	0600	80	M. MIRANDA
	0900	80	M. MIRANDA
	1200	80	M. MIRANDA
	1500	85	X. GONZALEZ
	1800	85	X. GONZALEZ
	2100	85	X. GONZALEZ
	2400	78	W. REED

Thursday

Date	Time	Temp.	Name (Print)
7/11 21	0300	78	W. REED
	0600	78	CHAVEZ
	0900	80	CHAVEZ
	1200	80	CHAVEZ
	1500	82	X. GONZALEZ
	1800	82	X. GONZALEZ
	2100	82	X. GONZALEZ
	2400	81	BELTRAN

Friday

Date	Time	Temp.	Name (Print)
7/12 24	0300	82	BELTRAN
	0600	81	BELTRAN
	0900	80	BELTRAN
	1200	83	BELTRAN
	1500	83	X. GONZALEZ
	1800	83	X. GONZALEZ
	2100	81	X. GONZALEZ
	2400	81	BELTRAN

Saturday

Date	Time	Temp.	Name (Print)
7/13 24	0300	81	BELTRAN
	0600	80	BELTRAN
	0900	81	CROWN
	1200	81	CROWN
	1500	80	BRANDON
	1800	80	BRANDON
	2100	79	BRANDON
	2400	79	CAMPUS

Sunday

Date	Time	Temp.	Name (Print)
7/14 24	0300	79	CAMPUS
	0600	80	DUENAS
	0900	81	DUENAS
	1200	80	DUENAS
	1500	80	G. SILVA
	1800	80	G. SILVA
	2100	80	G. SILVA
	2400	80	J. REED

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-6 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	78	W. RESIN
	0600	78	W. RESIN
	0900	80	M. ALVARA
	1200	78	M. ALVARA
	1500	75	M. ALVARA
	1800	79	M. ALVARA
	2100	78	M. ALVARA
	2400	78	W. RESIN

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	78	W. RESIN
	0600	78	W. RESIN
	0900	78	M.
	1200	79	M.
	1500	79	M.
	1800	80	M.
	2100	80	M.
	2400	79	W. RESIN

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	78	W. RESIN
	0600	78	M.
	0900	78	M.
	1200	78	M.
	1500	X 80	X GONZALEZ
	1800	80	X GONZALEZ
	2100	80	X GONZALEZ
	2400	78	W. RESIN

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	81	W. RESIN
	0600	81	M.
	0900	81	M.
	1200	80	X GONZALEZ
	1500	80	X GONZALEZ
	1800	80	X GONZALEZ
	2100	80	Y. BELTRAN
	2400	80	Y. BELTRAN

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	80	Y. BELTRAN
	0600	80	Y. BELTRAN
	0900	81	M.
	1200	81	M.
	1500	80	M.
	1800	80	M.
	2100	81	Y. BELTRAN
	2400	80	Y. BELTRAN

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	80	JIN
	0600	80	E. SAMARPIAS
	0900	80	E. SAMARPIAS
	1200	80	E. SAMARPIAS
	1500	80	X GONZALEZ
	1800	80	X GONZALEZ
	2100	80	X GONZALEZ
	2400	78	W. RESIN

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	78	W. RESIN
	0600	80	JACOBS
	0900	80	JACOBS
	1200	80	JACOBS
	1500	X 80	X GONZALEZ
	1800	80	X GONZALEZ
	2100	80	X GONZALEZ
	2400	78	W. RESIN

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: FVSP Housing Unit: A - 6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/21	0300	82	P. Casilla
7/22	0600	82	P. Casilla
7/23	0900	81	P. Casilla
7/24	1200	82	P. Casilla
7/25	1500	81	M. Minor
7/26	1800	81	M. Minor
7/27	2100	81	M. Minor
7/28	2400	78	w. reedie

Tuesday

Date	Time	Temp.	Name (Print)
7/21	0300	78	w. reedie
7/22	0600	78	m. miranda
7/23	0900	79	m. miranda
7/24	1200	79	m. miranda
7/25	1500	79	m. miranda
7/26	1800	78	m. miranda
7/27	2100	78	m. miranda
7/28	2400	78	w. reedie

Wednesday

Date	Time	Temp.	Name (Print)
7/21	0300	78	w. reedie
7/22	0600	78	m. miranda
7/23	0900	79	m. miranda
7/24	1200	80	m. miranda
7/25	1500	85	X GONZALEZ
7/26	1800	85	X GONZALEZ
7/27	2100	85	X GONZALEZ
7/28	2400	78	w. reedie

Thursday

Date	Time	Temp.	Name (Print)
7/21	0300	78	w. reedie
7/22	0600	78	A. Nova
7/23	0900	80	A. Nova
7/24	1200	80	A. Nova
7/25	1500	85	X GONZALEZ
7/26	1800	83	X GONZALEZ
7/27	2100	80	X GONZALEZ
7/28	2400	80	B. Iman

Friday

Date	Time	Temp.	Name (Print)
7/21	0300	80	B. Iman
7/22	0600	81	B. Iman
7/23	0900	82	B. Iman
7/24	1200	83	B. Iman
7/25	1500	83	Rivera
7/26	1800	83	Angie
7/27	2100	81	Rivera
7/28	2400	82	M. miranda

Saturday

Date	Time	Temp.	Name (Print)
7/21	0300	82	M. miranda
7/22	0600	81	M. miranda
7/23	0900	80	M. miranda
7/24	1200	81	M. miranda
7/25	1500	81	SANDRA
7/26	1800	81	SANDRA
7/27	2100	81	SANDRA
7/28	2400	78	w. reedie

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	78	w. reedie
7/22	0600	79	M. miranda
7/23	0900	79	M. miranda
7/24	1200	80	M. miranda
7/25	1500	80	X GONZALEZ
7/26	1800	80	X GONZALEZ
7/27	2100	82	X GONZALEZ
7/28	2400	78	w. reedie

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A4 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	78	REDICK
7/29	0600	79	MARTINEZ, J
7/29	0900	79	MARTINEZ, J
7/29	1200	79	MARTINEZ, J
7/29	1500	80	Munoz
7/29	1800	79	Munoz
7/29	2100	79	Munoz
7/29	2400	78	w. REDICK

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	78	w. REDICK
7/30	0600	78	G. Cruz
7/30	0900	80	G. Cruz
7/30	1200	80	G. Cruz
7/30	1500	80	Munoz
7/30	1800	80	Munoz
7/30	2100	79	Munoz
7/30	2400	78	w. REDICK

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	78	w. REDICK
7/31	0600	75	w. DIAZ
7/31	0900	75	DIAZ
7/31	1200	75	DIAZ
7/31	1500	80	XBONNIE
7/31	1800	80	XBONNIE
7/31	2100	80	XBONNIE
7/31	2400	78	w. REDICK

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	78	w. REDICK
8/1	0600	78	J. ESPINOZA
8/1	0900	78	J. ESPINOZA
8/1	1200	79	J. ESPINOZA
8/1	1500	80	XBONNIE
8/1	1800	80	XBONNIE
8/1	2100	80	XBONNIE
8/1	2400	79	Replay

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	79	Replay
8/2	0600	79	GONZALEZ
8/2	0900	79	GONZALEZ
8/2	1200	79	GONZALEZ
8/2	1500		
8/2	1800		
8/2	2100		
8/2	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
8/3	0600		
8/3	0900		
8/3	1200		
8/3	1500		
8/3	1800		
8/3	2100		
8/3	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
8/4	0600		
8/4	0900		
8/4	1200		
8/4	1500		
8/4	1800		
8/4	2100		
8/4	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7 / 01 / 24	0300	80	Y. Beltran
	0600	80	Y. Beltran
	0900	80	Rodriguez
	1200	80	Rodriguez
	1500	76	G. IORIO
	1800	76	G. IORIO
	2100	74	G. IORIO
	2400	78	Chamber

Tuesday

Date	Time	Temp.	Name (Print)
7 / 02 / 24	0300	80	Chamber
	0600	80	Rodriguez
	0900	80	Rodriguez
	1200	80	Rodriguez
	1500	78	G. IORIO
	1800	78	G. IORIO
	2100	75	G. IORIO
	2400	75	Macias

Wednesday

Date	Time	Temp.	Name (Print)
7 / 03 / 24	0300	72	Macias
	0600	74	Rodriguez
	0900	76	Rodriguez
	1200	80	Rodriguez
	1500	77	G. IORIO
	1800	76	G. IORIO
	2100	75	G. IORIO
	2400	74	M. Macias

Thursday

Date	Time	Temp.	Name (Print)
7 / 04 / 24	0300	74	M. Macias
	0600	74	Fountain
	0900	77	Fountain
	1200	77	Fountain
	1500	76	G. IORIO
	1800	75	G. IORIO
	2100	74	G. IORIO
	2400	75	St. John

Friday

Date	Time	Temp.	Name (Print)
7 / 05 / 24	0300	72	D. Vargas
	0600	74	Kochman
	0900	76	Muthayer
	1200	80	Kochman
	1500	82	Kopfstein
	1800	82	Kopfstein
	2100	80	Kopfstein
	2400	74	Macias

Saturday

Date	Time	Temp.	Name (Print)
7 / 06 / 24	0300	74	Macias
	0600	80	Macias
	0900	80	Macias
	1200	83	Macias
	1500	83	Kopfstein
	1800	82	Macias
	2100	83	Macias
	2400	80	Macias

Sunday

Date	Time	Temp.	Name (Print)
7 / 07 / 24	0300	80	J. M.
	0600	80	D. GONZALEZ
	0900	82	D. GONZALEZ
	1200	82	D. GONZALEZ
	1500	80	D. GONZALEZ
	1800	80	D. GONZALEZ
	2100	80	D. GONZALEZ
	2400	80	D. GONZALEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
1/ 18/ 19/ 20/	0300	60	
	0600	80	Rodriguez
	0900	84	Rodriguez
	1200	85	Rodriguez
	1500	80	G. GORDON
	1800	80	G. GORDON
	2100	79	G. GORDON
	2400	78	Macias

Tuesday			
Date	Time	Temp.	Name (Print)
7/ 09/ 10/ 24/	0300	77	Macias
	0600	80	Rodriguez
	0900	82	Rodriguez
	1200	84	Rodriguez
	1500	80	G. GORDON
	1800	80	G. GORDON
	2100	80	G. GORDON
	2400	80	Macias

Wednesday			
Date	Time	Temp.	Name (Print)
7/ 10/ 24/	0300	80	Nathatt
	0600	79	Nathatt
	0900	80	Chase
	1200	82	Chase
	1500	82	Madrigal
	1800	80	Madrigal
	2100	80	Madrigal
	2400	78	Macias

Thursday			
Date	Time	Temp.	Name (Print)
7/ 11/ 24/	0300	75	Macias
	0600	78	Rodriguez
	0900	80	Rodriguez
	1200	84	Rodriguez
	1500	82	Durz
	1800	82	Durz
	2100	80	Durz
	2400	78	Macias

Friday			
Date	Time	Temp.	Name (Print)
7/ 12/ 24/	0300	74	Macias
	0600	78	Rodriguez
	0900	82	Rodriguez
	1200	84	Rodriguez
	1500	85	Klopfenstein
	1800	85	Klopfenstein
	2100	83	Klopfenstein
	2400	80	Macias

Saturday			
Date	Time	Temp.	Name (Print)
7/ 13/ 24/	0300	78	Macias
	0600	80	Boltran
	0900	80	Boltran
	1200	83	Boltran
	1500	83	Klopfenstein
	1800	83	Klopfenstein
	2100	85	Klopfenstein
	2400	82	Boltran

Sunday			
Date	Time	Temp.	Name (Print)
7/ 14/ 24/	0300	81	Boltran
	0600	81	Boltran
	0900	81	GONZALEZ
	1200	81	GONZALEZ
	1500	88	GONZALEZ
	1800	85	Moren
	2100	82	Moren
	2400	80	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/17/24	0300	40	Bellum
	0600	80	Rodriguez
	0900	82	Rodriguez
	1200	84	Rodriguez
	1500	84	C. Barajas
	1800	84	C. Barajas
	2100	84	C. Barajas
	2400	80	M. Macias

Tuesday

Date	Time	Temp.	Name (Print)
7/18/24	0300	80	M. Macias
	0600	80	Rodriguez
	0900	82	Rodriguez
	1200	82	Rodriguez
	1500	80	DIAZ
	1800	80	DIAZ
	2100	80	DIAZ
	2400	80	Macias

Wednesday

Date	Time	Temp.	Name (Print)
7/19/24	0300	78	Macias
	0600	80	Rodriguez
	0900	81	Rodriguez
	1200	82	Rodriguez
	1500	78	G. IORIO
	1800	78	G. IORIO
	2100	77	G. IORIO
	2400	77	Macias

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	74	Macias
	0600	76	Rodriguez
	0900	78	Rodriguez
	1200	80	Rodriguez
	1500	78	G. IORIO
	1800	78	G. IORIO
	2100	77	G. IORIO
	2400	77	Macias

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	77	Macias
	0600	78	Rodriguez
	0900	81	Rodriguez
	1200	80	Rodriguez
	1500	80	C. Barajas
	1800	80	C. Barajas
	2100	80	C. Barajas
	2400	78	Macias

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	78	Macias
	0600	78	ROSES
	0900	80	ROSES
	1200	80	ROSES
	1500	84	KLEINSTEIN
	1800	86	KLEINSTEIN
	2100	86	KLEINSTEIN
	2400	87	ROSEN

Notes

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600	82	GONZALEZ
	0900	82	GONZALEZ
	1200	82	GONZALEZ
	1500	83	LUKEMAN
	1800	82	LUKEMAN
	2100	81	LUKEMAN
	2400	80	LUKEMAN

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A 07 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
7/22	0300	80	Beltran	7/23	0300	80	Macias
7/22	0600	80	M. Aguirre	7/23	0600	82	Rodriguez
7/22	0900	80	M. Aguirre	7/23	0900	82	Rodriguez
7/22	1200	80	M. Aguirre	7/23	1200	81	Rodriguez
7/22	1500	80	DIAZ	7/23	1500	80	Ortiz
7/22	1800	80	DIAZ	7/23	1800	80	CHAVEZ
7/22	2100	75	DIAZ	7/23	2100	80	CHAVEZ
7/22	2400	80	Macias	7/23	2400	80	Macias

Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
7/24	0300	80	Macias	7/24	0300	80	Macias
7/24	0600	80	Rodriguez	7/24	0600	80	Lukenshaw
7/24	0900	82	Rodriguez	7/24	0900	82	Lukenshaw
7/24	1200	82	Rodriguez	7/24	1200	83	Lukenshaw
7/24	1500	82	RUBERT	7/24	1500	83	Aguayo
7/24	1800	82	Aguayo	7/24	1800	83	Aguayo
7/24	2100	80	RUBERT	7/24	2100	83	Aguayo
7/24	2400	82	Macias	7/24	2400	82	Macias

Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
7/26	0300	80	Macias	7/27	0300	78	Macias
7/26	0600	82	Rodriguez	7/27	0600	78	Rodriguez
7/26	0900	82	Rodriguez	7/27	0900	80	Rodriguez
7/26	1200	82	Rodriguez	7/27	1200	80	Rodriguez
7/26	1500	82	Rodriguez	7/27	1500	85	Klopfenstein
7/26	1800	82	Rodriguez	7/27	1800	85	Klopfenstein
7/26	2100	82	Rodriguez	7/27	2100	85	Klopfenstein
7/26	2400	80	Macias	7/27	2400	89	Beltran

Sunday				Notes			
Date	Time	Temp.	Name (Print)	Notes			
7/28	0300	83	Beltran				
7/28	0600	81	Beltran				
7/28	0900	81	GONZALEZ				
7/28	1200	81	GONZALEZ				
7/28	1500	83	Cabrera				
7/28	1800	80	Gonzales				
7/28	2100	80	Gonzales				
7/28	2400	82	Beltran				

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A7

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21	0300	83	Beltran
5/21	0600	84	Beltran
5/21	0900	84	Rodriguez
5/21	1200	84	Rodriguez
5/21	1500	84	Vasquez
5/21	1800	84	garcia
5/21	2100	82	Rodriguez
5/21	2400	82	Macias

Tuesday

Date	Time	Temp.	Name (Print)
5/22	0300	80	Macias
5/22	0600	80	Rodriguez
5/22	0900	80	Rodriguez
5/22	1200	80	Rodriguez
5/22	1500	80	Delgado
5/22	1800	80	Beltran
5/22	2100	80	Macias
5/22	2400	80	Macias

Wednesday

Date	Time	Temp.	Name (Print)
5/23	0300	80	Macias
5/23	0600	80	Rodriguez
5/23	0900	80	Rodriguez
5/23	1200	80	Rodriguez
5/23	1500	80	Perez
5/23	1800	80	Davalos
5/23	2100	80	Davalos
5/23	2400	80	Macias

Thursday

Date	Time	Temp.	Name (Print)
5/24	0300	80	Macias
5/24	0600	80	Rodriguez
5/24	0900	80	Rodriguez
5/24	1200	80	Rodriguez
5/24	1500	80	Rodriguez
5/24	1800	80	Rodriguez
5/24	2100	80	Rodriguez
5/24	2400	82	Macias

Friday

Date	Time	Temp.	Name (Print)
5/25	0300	80	Macias
5/25	0600	80	Garcia
5/25	0900	80	Garcia
5/25	1200	80	Garcia
5/25	1500		
5/25	1800		
5/25	2100		
5/25	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

N/A

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KISD Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
11/1	0300	74	SALAZAR
	0600	72	SANCHEZ
	0900	71	SANCHEZ
	1200	73	SANCHEZ
	1500	79	SANCHEZ
	1800	81	BETTS
	2100	80	BETTS
	2400	75	SALAZAR

Tuesday

Date	Time	Temp.	Name (Print)
11/2	0300	75	SABICK
	0600	75	E. SANCHEZ
	0900	75	PASCUE
	1200	76	PASCUE
	1500	77	C. FLUG
	1800	77	C. FLUG
	2100	77	C. FLUG
	2400	78	A.

Wednesday

Date	Time	Temp.	Name (Print)
11/3	0300	76	A.
	0600	74	V. FLORES
	0900	76	V. FLORES
	1200	78	V. FLORES
	1500	79	Guzman
	1800	78	Guzman
	2100	77	Guzman
	2400	77	A.

Thursday

Date	Time	Temp.	Name (Print)
11/4	0300	77	A.
	0600	76	V. FLORES
	0900	77	V. FLORES
	1200	79	V. FLORES
	1500	79	Guzman
	1800	79	Guzman
	2100	78	Guzman
	2400	77	A.

Friday

Date	Time	Temp.	Name (Print)
11/5	0300	76	A.
	0600	76	V. FLORES
	0900	77	V. FLORES
	1200	78	V. FLORES
	1500	78	Guzman
	1800	78	Guzman
	2100	78	Guzman
	2400	77	A.

Saturday

Date	Time	Temp.	Name (Print)
11/6	0300	77	A.
	0600	76	V. FLORES
	0900	78	V. FLORES
	1200	79	V. FLORES
	1500	79	HEMERA
	1800	77	HEMERA
	2100	77	HEMERA
	2400	78	HEMERA

Sunday

Date	Time	Temp.	Name (Print)
11/7	0300	80	SALAZAR
	0600	78	SANCHEZ
	0900	79	SANCHEZ
	1200	80	SANCHEZ
	1500	80	HEMERA
	1800	80	HEMERA
	2100	80	HEMERA
	2400	80	SALAZAR

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18	0300	80	SALAZAR
	0600	80	Scotto
	0900	80	Scotto
	1200	80	Scotto
	1500	80	BETTS
	1800	80	BETTS
	2100	83	BETTS
	2400	81	SALAZAR

Tuesday

Date	Time	Temp.	Name (Print)
7/19	0300	82	SALAZAR
	0600	80	Guzman
	0900	80	Guzman
	1200	80	Guzman
	1500	80	Guzman
	1800	80	Guzman
	2100	80	Guzman
	2400	78	An

Wednesday

Date	Time	Temp.	Name (Print)
7/20	0300	78	An
	0600	78	PASCUE
	0900	78	PASCUE
	1200	79	PASCUE
	1500	79	Rivera
	1800	79	Rivera
	2100	79	Rivera
	2400	78	An

Thursday

Date	Time	Temp.	Name (Print)
7/21	0300	78	An
	0600	79	An
	0900	78	An
	1200	79	An
	1500	79	Guzman
	1800	79	Guzman
	2100	79	Guzman
	2400	78	An

Friday

Date	Time	Temp.	Name (Print)
7/22	0300	78	An
	0600	78	Lynch
	0900	78	Lynch
	1200	78	Lynch
	1500	79	Guzman
	1800	79	Guzman
	2100	79	Guzman
	2400	78	An

Saturday

Date	Time	Temp.	Name (Print)
7/23	0300	78	An
	0600	78	Munoz
	0900	78	Kinney
	1200	78	Kinney
	1500	79	Munoz
	1800	79	Munoz
	2100	78	Munoz
	2400	78	An

Sunday

Date	Time	Temp.	Name (Print)
7/24	0300	78	An
	0600	78	SALAZAR
	0900	78	SALAZAR
	1200	78	SALAZAR
	1500	79	JARRELL
	1800	78	JARRELL
	2100	78	JARRELL
	2400	78	SALAZAR

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd T-tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	80	SALAZAR
	0600	80	Stevens
	0900	80	Greene
	1200	80	Greene
	1500	81	BURNS
	1800	82	BETTS
	2100	83	BETTS
	2400	80	SALAZAR

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	80	SALAZAR
	0600	80	Lynch
	0900	80	Lynch
	1200	80	Lynch
	1500	80	RIVERT
	1800	80	RUSSELL
	2100	80	RUSSELL
	2400	78	Ah

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	78	Ah
	0600	78	LEGASPI
	0900	80	LEGASPI
	1200	80	LEGASPI
	1500	80	Guzman
	1800	80	Guzman
	2100	79	Guzman
	2400	78	Ah

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	78	Ah
	0600	78	Gray
	0900	78	Gray
	1200	80	Gray
	1500	80	Guzman
	1800	79	Guzman
	2100	79	Guzman
	2400	78	Ah

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	78	Ah
	0600	80	Vaca
	0900	80	Vaca
	1200	80	Vaca
	1500	80	Guzman
	1800	80	Guzman
	2100	79	Guzman
	2400	78	Ah

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	78	Ah
	0600	78	VACA
	0900	80	VACA
	1200	82	VACA
	1500	82	HERRERA
	1800	82	HERRERA
	2100	80	HERRERA
	2400	78	On

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	78	Ah
	0600	79	Greene
	0900	79	Greene
	1200	80	Greene
	1500	80	HERNANDEZ
	1800	80	HERNANDEZ
	2100	80	HERNANDEZ
	2400	80	HERNANDEZ

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	76	Salazar
	0600	76	Savole
	0900	76	Savole
	1200	76	Savole
	1500	80	BETTS
	1800	81	BETTS
	2100	83	BETTS
	2400	80	Salazar

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	80	SALAZAR
	0600	81	CHAVEZ
	0900	81	CHAVEZ
	1200	81	CHAVEN
	1500	81	Guzman
	1800	80	Guzman
	2100	80	Guzman
	2400	78	An

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	78	An
	0600	78	Florcy
	0900	90	V. Flores
	1200	80	J. Flores
	1500	80	Guzman
	1800	80	Guzman
	2100	80	Guzman
	2400	78	An

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	78	AH
	0600	78	FLORES
	0900	78	Flores
	1200	79	Flores
	1500	80	Guzman
	1800	80	Guzman
	2100	80	Guzman
	2400	78	AH

Friday

Date	Time	Temp.	Name (Print)
7/25	0300	78	An
	0600	79	C. Flory
	0900	79	C. Flory
	1200	80	C. Flory
	1500	80	Guzman
	1800	80	Guzman
	2100	80	Guzman
	2400	78	An

Saturday

Date	Time	Temp.	Name (Print)
7/21	0300	77	A. +
	0600	77	V. FLURES
	0900	78	V. FLORES
	1200	79	V. FLORES
	1500	79	W. FERNANDEZ
	1800	79	W. FERNANDEZ
	2100	74	W. FERNANDEZ
	2400	78	A.

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	78	An
	0600	78	Selma
	0900	78	Selma
	1200	78	Selma
	1500	78	Herman
	1800	78	Herman
	2100	78	Herman
	2400	78	Salazar

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/14	0300	78	Sabrina
	0600	78	Saville
	0900	78	Saville
	1200	78	Saville
	1500	79	BETTIE
	1800	80	BETTIE
	2100	80	BETTIE
	2400	80	Sabrina

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	79	Sa <u>lazav</u>
	0600	78	V. Flores
	0900	79	V. Flores
	1200	80	V. Flores
	1500	80	Guzman
	1800	80	Guzman
	2100	80	Guzman
	2400	79	Ah

Wednesday

Date	Time	Temp.	Name (Print)
1/3	0300	78	Ahn
	0600	78	V. Flores
	0900	79	V. Flores
	1200	80	V. Flores
	1500	80	Guzman
	1800	80	Guzman
	2100	80	Guzman
	2400	80	Guzman

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7 1 24	0300	75	LEGASPI
	0600	72	SANTA
	0900	76	RAYA
	1200	78	RAYA
	1500	78	HERMELIN
	1800	78	MARICLA
	2100	78	HERMELIN
	2400	78	LEGASPI

Tuesday

Date	Time	Temp.	Name (Print)
7 2 24	0300	75	LEGASPI
	0600	75	SANTA
	0900	75	SANTA
	1200	75	SANTA
	1500	75	SANTA
	1800	77	SANTA
	2100	77	SANTA
	2400	77	PUS

Wednesday

Date	Time	Temp.	Name (Print)
7 3 24	0300	75	PUS
	0600	75	SANTA
	0900	75	SANTA
	1200	75	SANTA
	1500	77	SANTA
	1800	77	SANTA
	2100	77	SANTA
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7 4 24	0300		
	0600	75	SAN ANTONIO
	0900	75	SANTO
	1200	75	SANTO
	1500	75	CEDAR
	1800	75	CEDAR
	2100	75	CEDAR
	2400	77	RAMOS

Friday

Date	Time	Temp.	Name (Print)
7 5 24	0300	77	RAMOS
	0600	77	RAYA
	0900	77	RAYA
	1200	78	RAYA
	1500	78	CEDAR
	1800	79	CEDAR
	2100	78	CEDAR
	2400	78	PEREZ

Saturday

Date	Time	Temp.	Name (Print)
7 6 24	0300	77	PEREZ
	0600	78	A. CRUZ RIVERA
	0900	78	A. CRUZ RIVERA
	1200	78	A. CRUZ RIVERA
	1500	78	CEDAR
	1800	78	CEDAR
	2100	78	CEDAR
	2400	78	MENDOZA

Sunday

Date	Time	Temp.	Name (Print)
7 7 24	0300	78	MENDOZA
	0600	78	A. CRUZ RIVERA
	0900	78	A. CRUZ RIVERA
	1200	78	A. CRUZ RIVERA
	1500	78	CEDAR
	1800	79	CEDAR
	2100	78	CEDAR
	2400	80	A. RENDON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 2

Temp. Reading Location: 2nd Tier A B C Sec. (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-9-24

Date	Time	Temp.	Name (Print)
7/9	0300	74	RENDON
	0600	74	Santos
	0900	77	Santos
	1200	77	Santos
	1500	77	HEEREMA
	1800	78	HEEREMA
	2100	80	HEEREMA
	2400	75	LEGASPI

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	75	LEGASPI
	0600	75	Santos
	0900	75	Santos
	1200	75	Santos
	1500	75	HEEREMA
	1800	75	HEEREMA
	2100	76	HEEREMA
	2400	75	LEGASPI

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	75	LEGASPI
	0600	75	Santos
	0900	75	Santos
	1200	75	Santos
	1500	77	Patton
	1800	77	Patton
	2100	77	Patton
	2400	78	J. Beltran

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	75	J. Beltran
	0600	76	J. Beltran
	0900	82	Santos
	1200	82	Santos
	1500	82	Santos
	1800	82	SANTOS
	2100	82	SANTOS
	2400	82	SANTOS

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	81	Mendoza
	0600	80	Santos
	0900	81	Santos
	1200	81	Santos
	1500	81	Alvarez
	1800	81	Rubat
	2100	80	Rubat
	2400	80	Mendoza

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	80	Mendoza
	0600	80	A. Cruz Rivera
	0900	80	A. Cruz Rivera
	1200	80	A. Cruz Rivera
	1500	80	Creed
	1800	80	Creed
	2100	80	Ojeda
	2400	80	LEGASPI

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	80	Mendoza
	0600	80	A. Cruz Rivera
	0900	80	A. Cruz Rivera
	1200	80	A. Cruz Rivera
	1500	80	Ojeda
	1800	80	Ojeda
	2100	80	Ojeda
	2400	80	LEGASPI

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 2

Temp. Reading Location: 2nd Tier

(e.g.,

1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7	0300	80	LEGASPI
—	0600	80	S-A
15	0900	80	S-A
—	1200	80	S-A
24	1500	80	H.Frank
—	1800	80	H.Frank
—	2100	80	HEMPEK
—	2400	80	LEGASPI

Tuesday

Date	Time	Temp.	Name (Print)
7	0300	80	LEGASPI
—	0600	80	S-A
16	0900	80	S-A
—	1200	80	S-A
24	1500	80	H.Frank
—	1800	80	H.Frank
—	2100	80	HEMPEK
—	2400	80	LEGASPI

Wednesday

Date	Time	Temp.	Name (Print)
7	0300	80	LEGASPI
—	0600	80	S-A
17	0900	80	S-A
—	1200	80	S-A
24	1500	80	Orson
—	1800	80	Dunn
—	2100	79	Dunn
—	2400	79	Dunn

Thursday

Date	Time	Temp.	Name (Print)
7	0300	80	Ramsey
—	0600	80	S-A
18	0900	80	S-A
—	1200	80	S-A
24	1500	80	Orson
—	1800	80	Orson
—	2100	80	Orson
—	2400	80	Orson

Friday

Date	Time	Temp.	Name (Print)
7	0300	80	Dunn
—	0600	80	S-A
19	0900	80	S-A
—	1200	80	S-A
24	1500	80	Odeon
—	1800	80	Odeon
—	2100	80	Odeon
—	2400	80	Mender

Saturday

Date	Time	Temp.	Name (Print)
7	0300	79	Mender
—	0600	79	A.Cruz Rivera
20	0900	80	A.Cruz Rivera
—	1200	80	A.Cruz Rivera
24	1500	80	Odeon
—	1800	80	Odeon
—	2100	80	Odeon
—	2400	80	Mender

Notes

Date	Time	Temp.	Name (Print)
7	0300	80	Mender
—	0600	80	A.Cruz Rivera
21	0900	80	A.Cruz Rivera
—	1200	81	A.Cruz Rivera
24	1500	80	Odeon
—	1800	80	Odeon
—	2100	80	Odeon
—	2400	80	LEGASPI

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B2

Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	80	LEGASPI
7/22	0600	80	CHAVEZ
7/22	0900	80	CHAVEZ
7/22	1200	80	CHAVEZ
7/22	1500	80	HERRERA
7/22	1800	80	HERRERA
7/22	2100	80	HERRERA
7/22	2400	80	LEGASPI

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	80	V.CALTRIO
7/24	0600	80	San Antonio
7/24	0900	80	San Antonio
7/24	1200	82	San Antonio
7/24	1500	82	PASCUAL
7/24	1800	81	PASCUAL
7/24	2100	81	PASCUAL
7/24	2400	80	Beltreyn

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80	RAMOS
7/26	0600	80	San Cruz
7/26	0900	82	San Cruz
7/26	1200	82	San Cruz
7/26	1500	82	Ojeda
7/26	1800	82	Ojeda
7/26	2100	81	Ojeda
7/26	2400	81	Gomez

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	80	Gomez
7/28	0600	80	Arcel Rivera
7/28	0900	80	Arcel Rivera
7/28	1200	81	Arcel Rivera
7/28	1500	81	Ojeda
7/28	1800	81	Ojeda
7/28	2100	80	Ojeda
7/28	2400	80	Spannelling

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	80	LEGASPI
7/23	0600	80	San Antonio
7/23	0900	81	San Antonio
7/23	1200	81	San Antonio
7/23	1500	81	HERREIRA
7/23	1800	81	HERREIRA
7/23	2100	81	HERREIRA
7/23	2400	80	VICARTE

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	81	Beltreyn
7/25	0600	81	Beltreyn
7/25	0900	81	San Antonio
7/25	1200	82	San Antonio
7/25	1500	82	Ojeda
7/25	1800	82	Ojeda
7/25	2100	81	Ojeda
7/25	2400	81	Ojeda

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	80	Gomez
7/27	0600	80	Arcel Rivera
7/27	0900	81	Arcel Rivera
7/27	1200	81	Arcel Rivera
7/27	1500	81	Ojeda
7/27	1800	81	Ojeda
7/27	2100	81	Ojeda
7/27	2400	81	Gomez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B

Temp. Reading Location: 2nd Tier A B C (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/	0300	80	San Antonio
	0600	80	San Antonio
	0900	80	San Antonio
7/29/	1200	80	San Antonio
	1500	80	HERRERA
7/29/	1800	80	HERRERA
	2100	80	HERRERA
7/29/	2400	80	HERRERA

Tuesday

Date	Time	Temp.	Name (Print)
7/30/	0300	80	LEGASPI
	0600	80	San Antonio
	0900	80	San Antonio
7/30/	1200	80	San Antonio
	1500	80	HERRERA
7/30/	1800	80	HERRERA
	2100	80	HERRERA
7/30/	2400	80	LEGASPI

Wednesday

Date	Time	Temp.	Name (Print)
7/31/	0300	80	LEGASPI
	0600	80	San Antonio
	0900	80	San Antonio
7/31/	1200	80	San Antonio
	1500	80	Ram
7/31/	1800	80	Ram
	2100	79	Ram
7/31/	2400	78	J. ACOSTA

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	J. ACOSTA
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	77	Hulsey
	0600	78	Villareal
	0900	78	Villareal
	1200	78	Villareal
	1500	77	RAMIREZ
	1800	77	HERNANDEZ
	2100	77	HERNANDEZ
	2400	77	Hulsey

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	77	Hulsey
	0600	77	COUNTAIN
	0900	78	COUNTAIN
	1200	79	COUNTAIN
	1500	78	RAMIREZ
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	78	Hulsey

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	77	Hulsey
	0600	78	COUNTAIN
	0900	79	COUNTAIN
	1200	79	COUNTAIN
	1500	79	RAMIREZ
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	78	Hulsey

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	78	Hulsey
	0600	78	MENDEZA
	0900	78	MENDEZA
	1200	78	MENDEZA
	1500	78	Fountain
	1800	78	Fountain
	2100	78	Fountain
	2400	76	Hulsey

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	78	Hulsey
	0600	78	A.Cruz Rivera
	0900	79	A.Cruz Rivera
	1200	79	A.Cruz Rivera
	1500	79	Anaya
	1800	79	Anaya
	2100	79	Anaya
	2400	79	Anaya

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	78	Adams
	0600	78	Fountain
	0900	78	Fountain
	1200	78	Fountain
	1500	78	RAMIREZ
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	78	Adams

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	78	Adams
	0600	78	COUNTAIN
	0900	79	COUNTAIN
	1200	80	COUNTAIN
	1500	80	RAMIREZ
	1800	80	RAMIREZ
	2100	79	RAMIREZ
	2400	79	Hulsey

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	79	Hursey
	0600	79	C Fountain
	0900	80	C Fountain
	1200	81	C Fountain
	1500	81	C Fountain
	1800	81	C Fountain
	2100	81	C Fountain
	2400	81	D. LUNA

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	80	D. LUNA
	0600	80	Fountain
	0900	80	Fay-tor
	1200	80	Fountain
	1500	80	GAMORA
	1800	80	GAMORA
	2100	80	GAMORA
	2400	80	Hursey

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	80	Hursey
	0600	80	Fountain
	0900	80	Fountain
	1200	80	Fountain
	1500	80	GAMORA
	1800	81	GAMORA
	2100	81	GAMORA
	2400	80	Hursey

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	80	Hursey
	0600	80	Saville
	0900	80	Saville
	1200	80	Saville
	1500	80	ACIELLO
	1800	80	ACIELLO
	2100	80	ACIELLO
	2400	80	Hursey

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	80	Hursey
	0600	80	Aline Rivera
	0900	80	Aline Rivera
	1200	80	Aline Rivera
	1500	80	HERNANDEZ
	1800	80	HERNANDEZ
	2100	80	HERNANDEZ
	2400	80	Hursey

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	80	Lewis
	0600	80	Fountain
	0900	80	Fountain
	1200	80	Fountain
	1500	80	HERNANDEZ
	1800	80	HERNANDEZ
	2100	80	HERNANDEZ
	2400	80	Lewis

Notes

Date	Time	Temp.	Name (Print)
7/14/24	0300	80	M. Clegg
	0600	80	C Fountain
	0900	80	C Fountain
	1200	81	C Fountain
	1500	80	GAMORA
	1800	80	GAMORA
	2100	80	GAMORA
	2400	80	Hursey

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	80	Bulsen
	0600	80	D. GONZALEZ
	0900	90	D. GONZALEZ
	1200	80	D. GONZALEZ
	1500	80	CIMORA
	1800	80	CIMORA
	2100	80	CIMORA
	2400	80	Bulsen

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	80	Dursten
	0600	80	Lore
	0900	80	Lore
	1200	80	Lore
	1500	80	CIMMORI
	1800	80	CIMMORI
	2100	80	CIMMORI
	2400	80	Dursten

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	80	Hansen
	0600	80	A. Cruz Rivera
	0900	80	A. Cruz Rivera
	1200	80	A. Cruz Rivera
	1500	80	HEMERA
	1800	80	HEMERA
	2100	80	HEMERA
	2400	80	HEMERA

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	60	Lewis
	0600	80	Cantrell
	0900	80	Cantrell
	1200	81	Cantrell
	1500	80	Lewis
7/24	1800	80	Cantrell
	2100	80	Lewis
	2400	80	Lewis

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	80	JULY SEL
	0600	80	CHAVEZ
	0900	80	CHAVEZ
	1200	80	CHAVEZ
	1500	80	CHAVERA
7/24	1800	80	CHAVERA
	2100	80	CHAVERA
	2400	80	JULY SEL

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	80	Hussey
	0600	80	Soule
	0900	79	Soule
	1200	79	Soule
	1500	81	ACOCUM
	1800	81	ACOCUM
	2100	81	ACOCUM
	2400	80	Hussey

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	80	Davis
	0600	30	Fountain
	0900	80	Fountain
	1200	80	Fountain
	1500	80	L. Torres
	1800	80	L. Torres
	2100	80	L. Torres
	2400	60	Davis

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	80	Hulsey
0600	80	C Fountain	
0900	80	C Fountain	
1200	80	C Fountain	
1500	80	C Fountain	
1800	80	C Fountain	
2100	80	C Fountain	
2400	80	Hulsey	

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	80	Hulsey
0600	80	Fountain	
0900	80	Fountain	
1200	80	Fountain	
1500	80	C Fountain	
1800	80	C Fountain	
2100	80	C Fountain	
2400	80	Hulsey	

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	80	Hulsey
0600	80	Fountain	
0900	80	Fountain	
1200	80	Fountain	
1500	80	C Fountain	
1800	80	C Fountain	
2100	80	C Fountain	
2400	80	Hulsey	

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	80	Hulsey
0600	80	Silva	
0900	80	Silva	
1200	80	Silva	
1500	80	ACOCEDO, A.	
1800	80	ACOCEDO, A.	
2100	80	ACOCEDO, A.	
2400	80	Hulsey	

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80	Hulsey
0600	80	Kuang	
0900	80	Kuang	
1200	80	Kuang	
1500	80	HERNANDEZ	
1800	80	HERNANDEZ	
2100	80	HERNANDEZ	
2400	80	RAMOS	

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	80	RAMOS
0600	80	Fountain	
0900	80	Fountain	
1200	80	Fountain	
1500	80	MILLWARD	
1800	80	THOMPSON	
2100	80	THOMPSON	
2400	80	JARAMILLO	

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	80	Jaramillo
0600	80	Fountain	
0900	80	Fountain	
1200	80	Fountain	
1500	80	C Fountain	
1800	80	BEANJARTE	
2100	80	BEANJARTE	
2400	80	Hulsey	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: KVSP, B3 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/24	0300	78	HULSEY
	0600	78	Fountain
	0900	78	Fountain
	1200	78	Fountain
	1500	79	ZAMORA
	1800	80	ZAMORA
	2100	80	ZAMORA
	2400	80	ZAMORA

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	78	HULSEY
	0600	78	Fountain
	0900	79	Fountain
	1200	80	Fountain
	1500	80	ZAMORA
	1800	80	ZAMORA
	2100	80	ZAMORA
	2400	80	ZAMORA

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	79	HULSEY
	0600	78	Fountain
	0900	79	Fountain
	1200	80	Fountain
	1500	80	ZAMORA
	1800	80	ZAMORA
	2100	80	ZAMORA
	2400	80	ZAMORA

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Notes:

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B B4

Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/24	0300	79	J. Valdez
	0600	75	A. Cruz
	0900	76	A. Cruz
	1200	74	A. Cruz
	1500	80	A. Acocello
	1800	81	A. Acocello
	2100	74	A. Acocello
	2400	73	J. Valdez

Wednesday

Date	Time	Temp.	Name (Print)
5/3/24	0300	78	Boggsman
	0600	74	R. Bell
	0900	75	R. Bell
	1200	76	R. Bell
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Boggsman

Friday

Date	Time	Temp.	Name (Print)
5/5/24	0300	79	Rios
	0600	77	Rios
	0900	75	Rios
	1200	76	Rios
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	80	Rios

Sunday

Date	Time	Temp.	Name (Print)
5/7/24	0300	79	Rios
	0600	79	Rios
	0900	79	Rios
	1200	79	Rios
	1500	80	ACOCELLO
	1800	80	ACOCELLO
	2100	80	Hunter
	2400	80	Hunter

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	80	J. Valdez
	0600	79	A. Cruz
	0900	79	A. Cruz
	1200	79	A. Cruz
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	75	Boggsman

Thursday

Date	Time	Temp.	Name (Print)
5/7/24	0300	77	Boggsman
	0600	77	R. Bell
	0900	77	R. Bell
	1200	77	R. Bell
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	80	R. Bell

Saturday

Date	Time	Temp.	Name (Print)
5/6/24	0300	80	G. Lopez
	0600	79	R. Bell
	0900	79	R. Bell
	1200	79	R. Bell
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	80	R. Bell

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 64

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	78	Hunter	
0600	76	A. Cruz Rivera	
0900	78	A. Cruz Rivera	
1200	78	A. Cruz Rivera	
1500	80	ACONCUN	
1800	80	ACONCUN	
2100	80	ACONCUN	
2400	78	J. V. Lopez	

Wednesday

Date	Time	Temp.	Name (Print)
4/10/24	0300	79	Brockman
	0600	76	Rios
	0900	76	Rios
	1200	76	Rios
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockman

Friday

Date	Time	Temp.	Name (Print)
4/12/24	0300	75	Brockman
	0600	76	Rios
	0900	76	Rios
	1200	76	Rios
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockman

Sunday

Date	Time	Temp.	Name (Print)
4/14/24	0300	74	Rios
	0600	75	Rios
	0900	75	Rios
	1200	76	Rios
	1500	80	ACONCUN
	1800	80	ACONCUN
	2100	81	ACONCUN
	2400	80	M. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
4/11/24	0300	78	D. V. Lopez
	0600	78	M. Hernandez
	0900	80	M. Hernandez
	1200	80	M. Hernandez
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockman

Thursday

Date	Time	Temp.	Name (Print)
4/11/24	0300	78	Brockman
	0600	75	Rios
	0900	75	Rios
	1200	76	Rios
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockman

Saturday

Date	Time	Temp.	Name (Print)
4/13/24	0300	78	Brockman
	0600	74	Rios
	0900	74	Rios
	1200	74	Rios
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	80	Rios

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 4

Temp. Reading Location: 2nd Tier - A-B-C SECTIONS
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/15/24	0300	78	A. Hernandez
	0600	78	A. Cruz Rivera
	0900	78	A. Cruz Rivera
	1200	79	A. Cruz Rivera
	1500	81	A. Cruz Rivera
	1800	81	A. Cruz Rivera
	2100	81	A. Cruz Rivera
	2400	80	C. M. Lopez

Tuesday

Date	Time	Temp.	Name (Print)
07/16/24	0300	80	C. M. Lopez
	0600	79	A. Cruz Rivera
	0900	78	A. Cruz Rivera
	1200	78	A. Cruz Rivera
	1500	80	A. Cruz Rivera
	1800	80	Rios
	2100	80	Rios
	2400	77	Brockman

Wednesday

Date	Time	Temp.	Name (Print)
07/17/24	0300	77	Brockman
	0600	77	Rios
	0900	77	Rios
	1200	77	Rios
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockman

Thursday

Date	Time	Temp.	Name (Print)
07/18/24	0300	79	Brockman
	0600	76	Rios
	0900	76	Rios
	1200	76	Rios
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	76	Brockman

Friday

Date	Time	Temp.	Name (Print)
07/19/24	0300	76	Brockman
	0600	76	Rios
	0900	76	Rios
	1200	76	Rios
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	77	Brockman

Saturday

Date	Time	Temp.	Name (Print)
07/20/24	0300	77	Brockman
	0600	76	Rios
	0900	80	Rios
	1200	80	Rios
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	84	Gregory

Notes

Date	Time	Temp.	Name (Print)
07/21/24	0300	82	Duran
	0600	80	Perez
	0900	80	Perez
	1200	80	Perez
	1500	80	Perez
	1800	80	Perez
	2100	81	Perez
	2400	82	Lopez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B4

Temp. Reading Location: 2nd Tier

(e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/22/24	0300	76	J. Valdez
	0600	78	Alicia Rivera
	0900	82	Alicia Rivera
	1200	80	Alicia Rivera
	1500	80	Alicia Rivera
	1800	80	Alicia Rivera
	2100	80	Alicia Rivera
	2400	80	J. Valdez

Tuesday

Date	Time	Temp.	Name (Print)
5/23/24	0300	82	J. Valdez
	0600	82	Alicia Rivera
	0900	82	Alicia Rivera
	1200	82	Alicia Rivera
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockmeier

Wednesday

Date	Time	Temp.	Name (Print)
5/24/24	0300	78	Brockmeier
	0600	78	Hartman
	0900	80	Hartman
	1200	81	Hartman
	1500	82	Rios
	1800	82	Rios
	2100	83	Rios
	2400	83	Brockmeier

Thursday

Date	Time	Temp.	Name (Print)
5/25/24	0300	80	Brockmeier
	0600	81	Lunes
	0900	81	Lunes
	1200	80	Lunes
	1500	83	Rios
	1800	83	Rios
	2100	83	Rios
	2400	80	Brockmeier

Friday

Date	Time	Temp.	Name (Print)
5/26/24	0300	80	Brockmeier
	0600	80	Dubbs
	0900	80	Dubbs
	1200	80	Dubbs
	1500	82	Rios
	1800	82	Rios
	2100	82	Rios
	2400	82	Rios

Saturday

Date	Time	Temp.	Name (Print)
5/27/24	0300	80	Brockmeier
	0600	83	Rios
	0900	80	Rios
	1200	80	Rios
	1500	81	Rios
	1800	81	Rios
	2100	81	Rios
	2400	80	Rios

Sunday

Date	Time	Temp.	Name (Print)
5/28/24	0300	80	Rios
	0600	80	Rios
	0900	80	Rios
	1200	80	Rios
	1500	80	ACGEM
	1800	80	ACGEM
	2100	80	ACGEM
	2400	80	J. Valdez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: 4 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	82	LAYDOZ
7/29	0600	82	Hernandez Rivera
7/29	0900	80	Hernandez
7/29	1200	80	Hernandez
7/29	1500	80	ACADEMI
7/29	1800	80	ACADEMI
7/29	2100	80	ACADEMI
7/29	2400	82	LAYDOZ

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	82	Muniz
7/30	0600	82	Nieto
7/30	0900	82	Nieto
7/30	1200	82	Nieto
7/30	1500	81	Rios
7/30	1800	81	Rios
7/30	2100	81	Rios
7/30	2400	79	Breconner

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	76	Breconner
7/31	0600	78	Guzman
7/31	0900	79	
7/31	1200	79	
7/31	1500	80	Rios
7/31	1800	80	Rios
7/31	2100	80	Rios
7/31	2400	80	Rios

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (05/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KNSP Housing Unit: B5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	77	Fountain
1	0600	77	Rivera
1	0900	77	Cabrera
1	1200	77	Rivera
1	1500	77	Dawson
24	1800	78	Dawson
24	2100	78	Dawson
24	2400	78	Chantain

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	78	Chantain
2	0600	78	Rivera
2	0900	78	Rivera
2	1200	78	Rivera
24	1500	78	Dawson
24	1800	78	Dawson
24	2100	78	Dawson
24	2400	78	Chantain

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	78	Chantain
3	0600	78	Rivera
3	0900	78	Rivera
3	1200	78	Rivera
24	1500	78	Dawson
24	1800	78	Dawson
24	2100	78	Dawson
24	2400	78	Chantain

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	78	Chantain
4	0600	78	Rivera
4	0900	78	Rivera
4	1200	78	Rivera
24	1500	79	Dawson
24	1800	79	Dawson
24	2100	79	Dawson
24	2400	80	A. Rendon

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	78	A. Rendon
5	0600	78	A. Rendon
5	0900	79	A. Rendon
5	1200	79	Dawson
24	1500	79	Dawson
24	1800	79	Dawson
24	2100	79	Dawson
24	2400	78	Fountain

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	78	Fountain
6	0600	80	E. Welch
6	0900	80	E. Welch
6	1200	83	E. Welch
24	1500	83	Wihunt
24	1800	83	Wihunt
24	2100	81	Wihunt
24	2400	80	Chantain

Sunday

Date	Time	Temp.	Name (Print)
7/24	0300	80	Chantain
24	0600	80	Torres
24	0900	80	Torres
24	1200	80	Torres
24	1500	81	Wihunt
24	1800	81	Chantain
24	2100	81	Chantain
24	2400	81	Chantain

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LNSP Housing Unit: FBB5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18/2011	0300	80	C Fountain
	0600	80	Rivera
	0900	80	Rivera
	1200	80	Rivera
	1500	80	Davison
	1800	80	Davison
	2100	80	Davison
	2400	80	C Fountain

Tuesday

Date	Time	Temp.	Name (Print)
7/19/2011	0300	80	C Fountain
	0600	80	Rivera
	0900	80	Rivera
	1200	80	Rivera
	1500	80	Davison
	1800	82	Davison
	2100	82	Davison
	2400	80	Fountain

Wednesday

Date	Time	Temp.	Name (Print)
7/20/2011	0300	80	Fountain
	0600	80	Harmann
	0900	80	Harmann
	1200	80	Harmann
	1500	80	Davison
	1800	82	Davison
	2100	82	Davison
	2400	80	Fountain

Thursday

Date	Time	Temp.	Name (Print)
7/21/2011	0300	80	Fountain
	0600	81	Cuen
	0900	80	Cuen
	1200	80	Cuen
	1500	80	Davison
	1800	82	Davison
	2100	80	Davison
	2400	80	

Friday

Date	Time	Temp.	Name (Print)
7/22/2011	0300	80	
	0600	80	Mores
	0900	80	Mores
	1200	80	Mores
	1500	81	Davison
	1800	82	Davison
	2100	82	Davison
	2400	80	

Saturday

Date	Time	Temp.	Name (Print)
7/23/2011	0300	80	
	0600	80	E. Welch
	0900	80	E. Welch
	1200	80	E. Welch
	1500	80	Wainright
	1800	78	Wainright
	2100	78	Wainright
	2400	78	Fountain

Sunday

Date	Time	Temp.	Name (Print)
7/24/2011	0300	78	C Fountain
	0600	78	Iones
	0900	78	Iones
	1200	78	Iones
	1500	78	Wilkins
	1800	77	Wilkins
	2100	77	Wilkins
	2400	78	A. Beeson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 203^{1/2} (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KNSP Housing Unit: FBB5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	78	R. Rendon
	0600	78	RIVGCA
	0900	78	RIVGA
	1200	78	RIVCA
	1500	79	T. Davison
	1800	80	T. Davison
	2100	80	T. Davison
	2400	79	Reynaga

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	78	Reynaga
	0600	78	RIVGCA
	0900	78	RIVGA
	1200	78	RIVCA
	1500	79	Alman
	1800	79	Alman
	2100	78	Alman
	2400	78	E. Chacon

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	80	—
	0600	80	O. Welch
	0900	80	O. Welch
	1200	80	O. Welch
	1500	80	T. Davison
	1800	80	T. Davison
	2100	80	T. Davison
	2400	81	—

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	81	Lopez
	0600	80	Lopez
	0900	80	Lopez
	1200	81	Lopez
	1500	79	Wekant
	1800	79	Wekant
	2100	77	Wekant
	2400	77	C. Fountain

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	79	Reynaga
	0600	79	RIVGCA
	0900	79	Rivers
	1200	79	RIVCA
	1500	79	T. Davison
	1800	80	T. Davison
	2100	80	T. Davison
	2400	79	Reynaga

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	78	E. Quezada
	0600	78	Hartman
	0900	80	Hartman
	1200	80	Hartman
	1500	80	T. Davison
	1800	80	T. Davison
	2100	80	T. Davison
	2400	80	—

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	80	—
	0600	80	Lopez
	0900	80	Lopez
	1200	80	Lopez
	1500	78	Wekant
	1800	73	Wekant
	2100	73	Wekant
	2400	81	Lopez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2018

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KISP Housing Unit: FBB5 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	77	Cfountain
	0600	77	RIVERCA
	0900	77	RIVERCA
	1200	77	RIVERCA
	1500	77	Mendoza
	1800	77	Mendoza
	2100	77	Mendoza
	2400	80	Cfountain

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	80	Cfountain
	0600	80	RIVERCA
	0900	80	RIVERCA
	1200	80	RIVERCA
	1500	80	WICKER
	1800	80	DAVISON
	2100	82	DAVISON
	2400	82	Fountain

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	82	Fountain
	0600	82	RIVERCA
	0900	82	RIVERCA
	1200	82	RIVERCA
	1500	82	DAVISON
	1800	82	DAVISON
	2100	82	DAVISON
	2400	82	Fountain

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	82	Fountain
	0600	82	RIVERCA
	0900	82	RIVERCA
	1200	82	RIVERCA
	1500	82	DAVISON
	1800	82	DAVISON
	2100	82	DAVISON
	2400	82	DAVISON

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	82	
	0600	80	MORACE
	0900	82	MORACE
	1200	82	MORACE
	1500	82	DAVISON
	1800	82	DAVISON
	2100	82	DAVISON
	2400	82	

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	82	
	0600	80	WELCH
	0900	80	WELCH
	1200	80	WELCH
	1500	78	WELCH
	1800	78	WELCH
	2100	74	WELCH
	2400	78	Fountain

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	78	Fountain
	0600	78	LAWRENCE
	0900	79	LAWRENCE
	1200	79	LAWRENCE
	1500	78	WELCH
	1800	78	WELCH
	2100	78	WELCH
	2400	78	Fountain

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: B5

Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	78	Fountain
7/29/24	0600	78	RIVERA
7/29/24	0900	78	RIVERA
7/29/24	1200	78	RIVERA
7/29/24	1500	78	RAYA
7/29/24	1800	78	RAYA
7/29/24	2100	77	RAYA
7/29/24	2400	78	Fountain

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	79	Fountain
7/31/24	0600	79	RIVERA
7/31/24	0900	79	RIVERA
7/31/24	1200	79	RIVERA
7/31/24	1500	80	Davidson
7/31/24	1800	80	Davidson
7/31/24	2100	80	Davidson
7/31/24	2400	80	Fountain

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	78	Fountain
7/30/24	0600	78	Rivera
7/30/24	0900	78	Rivera
7/30/24	1200	78	Rivera
7/30/24	1500	80	Santos
7/30/24	1800	80	Santos
7/30/24	2100	80	Santos
7/30/24	2400	80	Fountain

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KNSP Housing Unit: B6 Central Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/01/20	0300	70	J. HERNANDEZ
0600	79	K. Camin	
0900	79	K. Camin	
1200	79	K. Camin	
1500	79	J. ACOSTA	
1800	79	J. ACOSTA	
2100	79	J. ACOSTA	
2400	79	J. HERNANDEZ	

Tuesday

Date	Time	Temp.	Name (Print)
7/02/20	0300	77	J. HERNANDEZ
0600	79	K. Camin	
0900	79	K. Camin	
1200	79	K. Camin	
1500	79	J. ACOSTA	
1800	79	J. ACOSTA	
2100	79	J. ACOSTA	
2400	79	J. HERNANDEZ	

Wednesday

Date	Time	Temp.	Name (Print)
7/03/20	0300	79	J. HERNANDEZ
0600	79	K. Camin	
0900	79	K. Camin	
1200	79	K. Camin	
1500	79	J. ACOSTA	
1800	79	J. ACOSTA	
2100	79	J. ACOSTA	
2400	79	J. HERNANDEZ	

Thursday

Date	Time	Temp.	Name (Print)
7/04/20	0300	78	J. HERNANDEZ
0600	80	E. Welch	
0900	80	E. Welch	
1200	80	E. Welch	
1500	80	A. Leal	
1800	80	A. Leal	
2100	80	J. LEAL	
2400	79	J. HERNANDEZ	

Friday

Date	Time	Temp.	Name (Print)
7/05/20	0300	79	J. HERNANDEZ
0600	79	J. HERNANDEZ	
0900	79	J. HERNANDEZ	
1200	79	J. HERNANDEZ	
1500	79	Rivera	
1800	79	Rivera	
2100	79	Rivera	
2400	79	J. HERNANDEZ	

Saturday

Date	Time	Temp.	Name (Print)
7/06/20	0300	79	J. HERNANDEZ
0600	79	C. Araya	
0900	79	C. Araya	
1200	79	C. Araya	
1500	79	J. ACOSTA	
1800	79	J. ACOSTA	
2100	79	J. ACOSTA	
2400	80	A. Rendón	

Notes

Date	Time	Temp.	Name (Print)
7/07/20	0300	80	A. Rendón
0600	80	L. Jimenez	
0900	80	L. Jimenez	
1200	80	L. Jimenez	
1500	80	J. ACOSTA	
1800	80	J. ACOSTA	
2100	80	D. Hurtado	
2400	79	~	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HUSI Housing Unit: B - 6 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/6</u>	0300	79	<u> </u>
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	79	J. HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/7</u>	0300	79	J. HERNANDEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	80	J. ACOSTA
	1800	80	J. ACOSTA
	2100	80	J. ACOSTA
	2400	80	J. HERNANDEZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/10</u>	0300	79	J. HERNANDEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	J. ACOSTA
	1800	79	J. ACOSTA
	2100	79	J. ACOSTA
	2400	79	J. HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>7/11</u>	0300	79	J. HERNANDEZ
	0600	80	E. Welch
	0900	80	E. Welch
	1200	80	E. Welch
	1500	80	A. Ceal
	1800	80	A. Ceal
	2100	80	A. Ceal
	2400	80	J. HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
<u>7/12</u>	0300	79	J. HERNANDEZ
	0600	80	J. HERNANDEZ
	0900	79	J. HERNANDEZ
	1200	79	J. HERNANDEZ
	1500	79	Censored
	1800	80	V. Heon
	2100	80	V. Heon
	2400	80	J. HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
<u>7/13</u>	0300	79	J. HERNANDEZ
	0600	80	R. Jones
	0900	80	I. Jones
	1200	80	I. Jones
	1500	80	J. ACOSTA
	1800	80	J. ACOSTA
	2100	80	J. ACOSTA
	2400	79	J. HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
<u>7/14</u>	0300	79	<u> </u>
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	80	J. ACOSTA
	1800	80	<u> </u>
	2100	80	<u> </u>
	2400	80	<u> </u>

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
7/18	0300	74	~	7/18	0300	79	J. HERNANDEZ	7/17	0300	79	K. Camin	7/18	0300	79	J. HERNANDEZ	7/19	0300	79	J. HERNANDEZ	7/20	0300	79	Gomes	7/21	0300	74	~
	0600	79	K. Camin		0600	79	K. Camin		0600	79	E. Welch		0600	79	K. Camin		0600	79	K. Camin		0600	79	K. Camin				
	0900	79	K. Camin		0900	79	K. Camin		0900	80	E. Welch		0900	79	K. Camin		0900	79	K. Camin		0900	79	K. Camin				
	1200	79	K. Camin		1200	79	K. Camin		1200	80	E. Welch		1200	79	K. Camin		1200	79	K. Camin		1200	79	K. Camin				
	1500	80	K. Camin		1500	80	J. ACOSTA		1500	80	E. Welch		1500	80	J. ACOSTA		1500	80	J. ACOSTA		1500	80	J. ACOSTA				
	1800	80	K. Camin		1800	80	J. ACOSTA		1800	80	E. Welch		1800	80	J. ACOSTA		1800	80	J. ACOSTA		1800	80	J. ACOSTA				
	2100	80	K. Camin		2100	80	J. ACOSTA		2100	80	E. Welch		2100	80	J. ACOSTA		2100	80	J. ACOSTA		2100	80	J. ACOSTA				
	2400	79	J. HERNANDEZ		2400	80	J. HERNANDEZ		2400	80	E. Welch		2400	80	J. HERNANDEZ		2400	80	J. HERNANDEZ		2400	80	J. HERNANDEZ				
Notes																											

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B6 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	79		
0600	79	MARQUEZ	
0900	79	MARQUEZ	
1200	79	MARQUEZ	
1500	79	J. ACOSTA	
1800	79	J. ACOSTA	
2100	77	J. ACOSTA	
2400	79	J. HERNANDEZ	

Wednesday

Date	Time	Temp.	Name (Print)
0300	79	J. HERNANDEZ	
0600	79	K. Camin	
0900	79	K. Camin	
1200	79	K. Camin	
1500	79	RIVERA	
1800	79	RIVERA	
2100	79	RIVERA	
2400	79	J. HERNANDEZ	

Friday

Date	Time	Temp.	Name (Print)
0300	79	J. HERNANDEZ	
0600	80	J. HERNANDEZ	
0900	80	J. HERNANDEZ	
1200	81	J. HERNANDEZ	
1500	80	CASTRO	
1800	80	CASTRO	
2100	80	CASTRO	
2400	80	J. HERNANDEZ	

Sunday

Date	Time	Temp.	Name (Print)
0300	80		
0600	79	K. Camin	
0900	79	K. Camin	
1200	79	K. Camin	
1500	80	J. ACOSTA	
1800	80	J. ACOSTA	
2100	80	J. ACOSTA	
2400	80	J. ACOSTA	

Tuesday

Date	Time	Temp.	Name (Print)
0300	79	J. HERNANDEZ	
0600	79	CAMIN	
0900	79	CAMIN	
1200	79	CAMIN	
1500	79	J. ACOSTA	
1800	79	J. ACOSTA	
2100	79	J. ACOSTA	
2400	79	J. HERNANDEZ	

Thursday

Date	Time	Temp.	Name (Print)
0300	79	J. HERNANDEZ	
0600	79	Ojeda	
0900	79	Ojeda	
1200	79	Ojeda	
1500	79	Mendoza	
1800	79	Mendoza	
2100	79	Mendoza	
2400	80	J. HERNANDEZ	

Saturday

Date	Time	Temp.	Name (Print)
0300	79	J. HERNANDEZ	
0600	79	K. Camin	
0900	80	K. Camin	
1200	80	K. Camin	
1500	80	J. ACOSTA	
1800	80	J. ACOSTA	
2100	80	J. ACOSTA	
2400	80	J. HERNANDEZ	

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KvSP Housing Unit: B6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	80	Rivin
	0600	79	K. Camin
	0900	80	K. Camin
	1200	80	K. Camin
	1500	80	J. ACOSTA
	1800	80	J. ACOSTA
	2100	80	J. ACOSTA
	2400	80	J. HANDELL

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	79	J. HERNANDEZ
	0600	79	K. Camin
	0900	80	K. Camin
	1200	80	K. Camin
	1500	80	J. ACOSTA
	1800	80	J. ACOSTA
	2100	80	J. ACOSTA
	2400	80	J. HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	80	J. Schmid
	0600	79	K. Camin
	0900	80	K. Camin
	1200	80	K. Camin
	1500	80	Lynch
	1800	80	Lynch
	2100	80	Lynch
	2400	80	J. Schmid

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KNSP Housing Unit: B7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/21	0300	77	Silva
	0600	77	J. Vasquez
	0900	78	J. Vasquez
	1200	78	J. Vasquez
	1500	80	R. URBINA
	1800	80	R. URBINA
	2100	80	R. URBINA
	2400	79	Silva

Tuesday

Date	Time	Temp.	Name (Print)
5/2/21	0300	77	A. Silva
	0600	77	R. Diaz
	0900	79	R. Diaz
	1200	79	R. Diaz
	1500	81	R. URBINA
	1800	81	R. URBINA
	2100	81	R. URBINA
	2400	81	T. Domingo

Wednesday

Date	Time	Temp.	Name (Print)
5/3/21	0300	80	F. Domingo
	0600	79	R. Diaz
	0900	80	R. Diaz
	1200	80	R. Diaz
	1500	82	R. URBINA
	1800	82	R. URBINA
	2100	82	R. URBINA
	2400	80	A. Pendon

Thursday

Date	Time	Temp.	Name (Print)
5/4/21	0300	80	A. Pendon
	0600	76	R. Diaz
	0900	80	R. Diaz
	1200	80	R. Diaz
	1500	80	Marina
	1800	80	Marina
	2100	79	Marina
	2400	79	B. Hernandez

Friday

Date	Time	Temp.	Name (Print)
5/5/21	0300	74	B. Hernandez
	0600	80	Riviera
	0900	80	Riviera
	1200	80	Riviera
	1500	80	A. Leal
	1800	81	A. Leal
	2100	80	A. Leal
	2400	79	Silva

Saturday

Date	Time	Temp.	Name (Print)
5/6/21	0300	80	Silva
	0600	80	O. GUERRA
	0900	80	Silva
	1200	70	Silva
	1500	80	Lam
	1800	80	Lam
	2100	74	Lam
	2400	79	Silva

Sunday

Date	Time	Temp.	Name (Print)
5/7/21	0300	78	Silva
	0600	80	Hernandez
	0900	83	Hernandez
	1200	84	Hernandez
	1500	85	R. URBINA
	1800	85	R. URBINA
	2100	84	R. URBINA
	2400	83	Silva

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: B7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/6/21	0300	81	J. Avila
	0600	80	S. Avila
	0900	81	S. Avila
	1200	82	S. Avila
	1500	84	R. URBINA
	1800	84	R. URBINA
	2100	84	R. URBINA
	2400	82	A. Siva

Tuesday

Date	Time	Temp.	Name (Print)
7/7/21	0300	80	A. Siva
	0600	80	S. Avila
	0900	81	S. Avila
	1200	82	S. Avila
	1500	85	R. URBINA
	1800	85	R. URBINA
	2100	84	R. URBINA
	2400	84	T. Cohns

Wednesday

Date	Time	Temp.	Name (Print)
7/8/21	0300	82	T. Raterno
	0600	81	S. Avila
	0900	82	S. Avila
	1200	82	S. Avila
	1500	83	F. Ramirez
	1800	83	F. Ramirez
	2100	83	F. Ramirez
	2400	80	T.

Thursday

Date	Time	Temp.	Name (Print)
7/11/21	0300	80	T.
	0600	80	S. Avila
	0900	81	S. Avila
	1200	82	S. Avila
	1500	83	F. Ramirez
	1800	83	F. Ramirez
	2100	83	F. Ramirez
	2400	83	V. Valler

Friday

Date	Time	Temp.	Name (Print)
7/12/21	0300	83	M. VADER
	0600	83	S. Avila
	0900	83	S. Avila
	1200	83	S. Avila
	1500	83	A. CSM
	1800	83	A. CSM
	2100	83	A. CSM
	2400	82	A. Siva

Saturday

Date	Time	Temp.	Name (Print)
7/13/21	0300	79	A. Siva
	0600	79	M. HERNANDEZ
	0900	80	M. HERNANDEZ
	1200	81	M. HERNANDEZ
	1500	80	A. Leal
	1800	80	A. Leal
	2100	81	A. Leal
	2400	80	A. Siva

Sunday

Date	Time	Temp.	Name (Print)
7/14/21	0300	79	A. Siva
	0600	79	M. HERNANDEZ
	0900	80	M. HERNANDEZ
	1200	80	M. HERNANDEZ
	1500	82	R. URBINA
	1800	82	R. URBINA
	2100	82	R. URBINA
	2400	80	A. Siva

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: XNSP Housing Unit: B7 Temp. Reading Location: Unit 1
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6381 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/1/21</u>	0300	79	Siva
	0600	74	F. Gonzalez
	0900	74	F. Gonzalez
	1200	76	F. Gonzalez
	1500	82	R. URBINA
	1800	82	R. URBINA
	2100	82	R. URBINA
	2400	81	Siva

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/1/21</u>	0300	79	Siva
	0600	79	S. Avila
	0900	80	S. Avila
	1200	81	S. Avila
	1500	83	R. URBINA
	1800	82	R. URBINA
	2100	82	R. URBINA
	2400	82	T. Robins

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/1/21</u>	0300	80	T. Robins
	0600	80	S. Avila
	0900	81	S. Avila
	1200	82	S. Avila
	1500	82	F. Ramirez
	1800	82	F. Ramirez
	2100	82	F. Ramirez
	2400	80	T. Robins

Thursday

Date	Time	Temp.	Name (Print)
<u>7/1/21</u>	0300	80	S. Avila
	0600	81	S. Avila
	0900	82	S. Avila
	1200	82	S. Avila
	1500	82	F. Ramirez
	1800	82	F. Ramirez
	2100	81	F. Ramirez
	2400	82	Youn

Friday

Date	Time	Temp.	Name (Print)
<u>7/1/21</u>	0300	82	Youn
	0600	82	S. Avila
	0900	82	S. Avila
	1200	82	S. Avila
	1500	82	A. Leal
	1800	82	A. Leal
	2100	82	A. Leal
	2400	81	Siva

Saturday

Date	Time	Temp.	Name (Print)
<u>7/2/21</u>	0300	79	Siva
	0600	79	Hernandez
	0900	80	Hernandez
	1200	80	Hernandez
	1500	81	A. Leal
	1800	82	A. Leal
	2100	83	A. Leal
	2400	81	Siva

Sunday

Date	Time	Temp.	Name (Print)
<u>7/2/21</u>	0300	79	Siva
	0600	80	Siva
	0900	82	Siva
	1200	82	Siva
	1500	83	R. URBINA
	1800	83	R. URBINA
	2100	82	R. URBINA
	2400	81	Siva

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KCSR Housing Unit: B7 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6381 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/21	0300	80	Siva
	0600	80	S. Avila
	0900	81	S. Avila
	1200	82	S. Avila
	1500	82	R. URGINA
	1800	82	R. URGINA
	2100	82	R. URGINA
	2400	81	Siva

Tuesday

Date	Time	Temp.	Name (Print)
7/23/21	0300	79	A. Rendon
	0600	80	S. Avila
	0900	81	S. Avila
	1200	82	S. Avila
	1500	83	R. URGINA
	1800	83	R. URGINA
	2100	83	R. URGINA
	2400	80	A. Rendon

Wednesday

Date	Time	Temp.	Name (Print)
7/24/21	0300	78	A. Rendon
	0600	79	S. Avila
	0900	80	S. Avila
	1200	82	S. Avila
	1500	82	J. Vazquez
	1800	82	J. Vazquez
	2100	80	J. Vazquez
	2400	80	J. Vazquez

Thursday

Date	Time	Temp.	Name (Print)
7/25/21	0300	80	S. Avila
	0600	80	S. Avila
	0900	81	S. Avila
	1200	82	S. Avila
	1500	82	F. Ramirez
	1800	82	R. RIVERA
	2100	80	R. RIVERA
	2400	80	SANDRA

Friday

Date	Time	Temp.	Name (Print)
7/26/21	0300	80	SANDRA
	0600	80	SANDRA
	0900	81	S. Avila
	1200	82	S. Avila
	1500	82	Fernandez
	1800	81	Fernandez
	2100	80	Fernandez
	2400	79	Siva

Saturday

Date	Time	Temp.	Name (Print)
7/27/21	0300	79	Siva
	0600	79	R. Arreola
	0900	79	R. Arreola
	1200	79	R. Arreola
	1500	79	L. FELIX
	1800	79	L. FELIX
	2100	79	L. FELIX
	2400	78	Siva

Sunday

Date	Time	Temp.	Name (Print)
7/28/21	0300	78	Siva
	0600	78	ESQUIN
	0900	78	ESQUIN
	1200	78	ESQUIN
	1500	80	R. URGINA
	1800	80	R. URGINA
	2100	80	R. URGINA
	2400	80	Siva

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KWSP Housing Unit: B7 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/21	0300	79	J. Sims
	0600	79	S. Avila
	0900	80	S. Avila
	1200	80	S. Avila
	1500	81	R. URBINA
	1800	81	R. URBINA
	2100	81	R. URBINA
	2400	80	A. Sims

Tuesday

Date	Time	Temp.	Name (Print)
7/30/21	0300	79	J. Sims
	0600	79	S. Avila
	0900	78	S. Avila
	1200	78	S. Avila
	1500	78	R. URBINA
	1800	78	R. URBINA
	2100	78	R. URBINA
	2400	78	T. Moore

Wednesday

Date	Time	Temp.	Name (Print)
7/31/21	0300	77	T. Robison
	0600	77	S. Avila
	0900	78	S. Avila
	1200	78	S. Avila
	1500	78	M. CHAVEZ
	1800	78	M. CHAVEZ
	2100	78	M. CHAVEZ
	2400	78	R. Moore

Thursday

Date	Time	Temp.	Name (Print)
8/1/21	0300		Reynolds
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3/21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4/21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: BRAVO B Temp. Reading Location: 1st tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01	0300	78	E.CHAVER
	0600	78	J.Hernandez
	0900	79	J.Hernandez
	1200	79	J.Hernandez
	1500	79	
	1800	79	
	2100	78	
	2400	78	E.CHAVER

Tuesday

Date	Time	Temp.	Name (Print)
07/02	0300	78	E.CHAVER
	0600	78	J.Hernandez
	0900	78	J.Hernandez
	1200	78	J.Hernandez
	1500	78	R.Viduya
	1800	78	R.Viduya
	2100	78	R.Viduya
	2400	78	E.CHAVER

Wednesday

Date	Time	Temp.	Name (Print)
07/03	0300	78	E.CHAVER
	0600	79	
	0900	79	
	1200	78	
	1500	78	R.Viduya
	1800	78	R.Viduya
	2100	78	R.Viduya
	2400	78	E.CHAVER

Thursday

Date	Time	Temp.	Name (Print)
07/04	0300	78	E.CHAVER
	0600	79	Nieto
	0900	79	Nieto
	1200	79	Nieto
	1500	79	Nieto
	1800	80	Nieto
	2100	80	Nieto
	2400	78	Zenilga

Friday

Date	Time	Temp.	Name (Print)
07/05	0300	78	Zenilga
	0600	78	Nieto
	0900	79	Nieto
	1200	79	Nieto
	1500	80	R.Viduya
	1800	80	R.Viduya
	2100	80	R.Viduya
	2400	79	J.Castro

Saturday

Date	Time	Temp.	Name (Print)
07/06	0300	78	Guzman
	0600	78	L.Acosta
	0900	78	Carrasco
	1200	79	L.Acosta
	1500	80	R.Viduya
	1800	80	R.Viduya
	2100	80	R.Viduya
	2400	79	L.Vazquez

Sunday

Date	Time	Temp.	Name (Print)
07/07	0300	79	
	0600	79	J.Castro
	0900	79	R.Arreola
	1200	79	R.Arreola
	1500	79	A.Santos
	1800	79	A.Santos
	2100	79	A.Santos
	2400	78	E.CHAVER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: BRAVO Y Temp. Reading Location: 71.5°
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
00	0300	78	E.CHAVER
1	0600	78	J.HERNANDEZ
1	0900	78	J.HERNANDEZ
1	1200	79	J.HERNANDEZ
1	1500	79	Lam
1	1800	79	Lam
1	2100	78	Lam
1	2400	78	E.CHAVER

Tuesday

Date	Time	Temp.	Name (Print)
00	0300	78	E.CHAVER
1	0600	78	J.HERNANDEZ
1	0900	79	J.HERNANDEZ
1	1200	79	J.HERNANDEZ
1	1500	78	C.MEDINA
1	1800	79	C.MEDINA
1	2100	77	C.MEDINA
1	2400	78	E.CHAVER

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	78	E.CHAVER
7/10/24	0600	78	Nieto
7/10/24	0900	78	Nieto
7/10/24	1200	78	Nieto
7/10/24	1500	79	R.Viduya
7/10/24	1800	79	R.Viduya
7/10/24	2100	79	R.Viduya
7/10/24	2400	80	E.CHAVER

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	79	E.CHAVER
7/11/24	0600	79	Nieto
7/11/24	0900	78	Nieto
7/11/24	1200	79	Nieto
7/11/24	1500	79	R.Viduya
7/11/24	1800	79	R.Viduya
7/11/24	2100	79	R.Viduya
7/11/24	2400	80	E.CHAVER

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	79	E.CHAVER
7/12/24	0600	78	Nieto
7/12/24	0900	79	Nieto
7/12/24	1200	79	Nieto
7/12/24	1500	79	R.Viduya
7/12/24	1800	79	R.Viduya
7/12/24	2100	79	R.Viduya
7/12/24	2400	82	E.CHAVER

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	82	VARILLA
7/13/24	0600	80	Nieto
7/13/24	0900	80	Nieto
7/13/24	1200	80	Nieto
7/13/24	1500	80	R.Viduya
7/13/24	1800	80	R.Viduya
7/13/24	2100	80	R.Viduya
7/13/24	2400	82	VARILLA

Notes

Date	Time	Temp.	Name (Print)
7/14/24	0300	82	VARILLA
7/14/24	0600	80	Nieto
7/14/24	0900	80	Nieto
7/14/24	1200	80	Nieto
7/14/24	1500	80	IBARRA
7/14/24	1800	80	IBARRA
7/14/24	2100	80	IBARRA
7/14/24	2400	80	CHAVEZ

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/15/24	0300	79	CHANZ
	0600	72	HERNANDEZ
	0900	82	HERNANDEZ
	1200	80	HERNANDEZ
	1500	79	A. Leal
	1800	80	A. Leal
	2100	80	A. Leal
	2400	80	CHANZ

Tuesday

Date	Time	Temp.	Name (Print)
07/16/24	0300	79	CHANZ
	0600	72	Hernandez
	0900	80	Hernandez
	1200	80	Hernandez
	1500	80	R. Viduya
	1800	80	R. Viduya
	2100	80	R. Viduya
	2400	80	Jaramillo

Wednesday

Date	Time	Temp.	Name (Print)
07/17/24	0300	80	Jaramillo
	0600	79	Nieto
	0900	80	Nieto
	1200	80	Nieto
	1500	80	R. Viduya
	1800	80	R. Viduya
	2100	80	R. Viduya
	2400	80	Campbell

Thursday

Date	Time	Temp.	Name (Print)
07/18/24	0300	80	Campbell
	0600	80	Diaz
	0900	80	Diaz
	1200	80	Diaz
	1500	80	R. Viduya
	1800	80	R. Viduya
	2100	80	R. Viduya
	2400	80	E. Colon

Friday

Date	Time	Temp.	Name (Print)
07/19/24	0300	79	E. Colon
	0600	79	Navarrete
	0900	80	Navarrete
	1200	80	Navarrete
	1500	80	R. Viduya
	1800	80	R. Viduya
	2100	80	R. Viduya
	2400	82	Lopez

Saturday

Date	Time	Temp.	Name (Print)
07/20/24	0300	82	Villalobos
	0600	82	R. Arredondo
	0900	82	Arredondo
	1200	82	Arredondo
	1500	82	Hernandez
	1800	82	Hernandez
	2100	82	Hernandez
	2400	82	Villalobos

Sunday

Date	Time	Temp.	Name (Print)
07/21/24	0300	82	Villalobos
	0600	82	Arredondo
	0900	82	Arredondo
	1200	82	Arredondo
	1500	82	A. Leal
	1800	82	Leal
	2100	82	Leal
	2400	79	Villalobos

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B8Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7 / 22	0300	79	E.CHAEL
	0600	79	Hernandez
	0900	80	Hernandez
	1200	80	Hernandez
	1500	80	A.Lee
	1800	80	A.Lee
	2100	80	A.Lee
24	2400	80	E.CHAEL

Tuesday

Date	Time	Temp.	Name (Print)
7 / 23	0300	79	E.CHAEL
	0600	79	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	79	R.Vidya
	1800	79	R.Vidya
	2100	79	R.Vidya
24	2400	79	E.CHAEL

Wednesday

Date	Time	Temp.	Name (Print)
7 / 24	0300	79	E.CHAEL
	0600	79	Navarrete, J.
	0900	80	Navarrete, J.
	1200	80	Navarrete, J.
	1500	80	R.Vidya
	1800	80	R.Vidya
	2100	80	R.Vidya
24	2400	80	E.CHAEL

Thursday

Date	Time	Temp.	Name (Print)
7 / 25	0300	79	E.CHAEL
	0600	80	M.Aguilar
	0900	80	M.Aguilar
	1200	80	M.Aguilar
	1500	80	R.Vidya
	1800	80	R.Vidya
	2100	80	R.Vidya
24	2400	80	E.CHAEL

Friday

Date	Time	Temp.	Name (Print)
7 / 26	0300	79	J.CASTRO
	0600	79	J.CASTRO
	0900	79	VELASQUEZ
	1200	80	VELASQUEZ
	1500	80	R.Vidya
	1800	80	R.Vidya
	2100	79	R.Vidya
24	2400	79	J.CASTRO

Saturday

Date	Time	Temp.	Name (Print)
7 / 27	0300	78	J.CASTRO
	0600	77	J.CASTRO
	0900	79	J.CASTRO
	1200	80	A.Ibarra
	1500	80	D.Clemente
	1800	80	D.Clemente
	2100	80	D.Clemente
24	2400	78	J.CASTRO

Sunday

Date	Time	Temp.	Name (Print)
7 / 28	0300	78	SACOLO
	0600	78	SACOLO
	0900	79	VELASQUEZ
	1200	80	VELASQUEZ
	1500	71	L.Felix
	1800	71	L.Felix
	2100	70	L.Felix
24	2400	78	San Antonio

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KESP Housing Unit: B 9 Temp. Reading Location: A B C sec
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-29-24

Date	Time	Temp.	Name (Print)
7/29	0300	78	Sahagun
	0600	77	Hernandez
	0900	76	Hernandez
29	1200	70	Hernandez
	1500	82	Sahagun
	1800	80	Sahagun
24	2100	80	Meding
	2400	80	CHANER

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	79	CHANER
	0600	79	Nieto
	0900	79	Nieto
24	1200	80	Nieto
	1500	80	R.Viduya
	1800	80	R.Viduya
	2100	80	R.Viduya
	2400	80	CHANER

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	79	CHANER
	0600	79	Hernandez
	0900	79	Hernandez
	1200	80	Hernandez
	1500	80	R.Viduya
	1800	80	R.Viduya
	2100	80	R.Viduya
	2400	80	CHANER

Thursday

Date	Time	Temp.	Name (Print)
	0300	79	CHANER
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 / 01 / 24	0300	76	Bias
	0600	79	Megrete
	0900	80	Megrete
	1200	80	Megrete
	1500	80	Hernandez
	1800	79	Hernandez
	2100	78	Hernandez
	2400	79	CHAVEZ

Tuesday

Date	Time	Temp.	Name (Print)
07 / 02 / 24	0300	79	M. CHAVEZ
	0600	79	Cabrera
	0900	79	Cabrera
	1200	79	Cabrera
	1500	80	Hernandez
	1800	80	Hernandez
	2100	80	Hernandez
	2400	78	SPARROW

Wednesday

Date	Time	Temp.	Name (Print)
07 / 03 / 24	0300	78	SHAWNA
	0600	78	Cabrera
	0900	79	Cabrera
	1200	79	Cabrera
	1500	79	
	1800	80	
	2100	80	
	2400	80	SAINTELL

Thursday

Date	Time	Temp.	Name (Print)
07 / 04 / 24	0300	80	SHAWNA
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	80	
	1800	80	
	2100	80	
	2400	80	MAIDAOI

Friday

Date	Time	Temp.	Name (Print)
07 / 05 / 24	0300	80	MAIDAOI
	0600	80	Kuney
	0900	80	Kuney
	1200	80	Kuney
	1500	80	
	1800	80	
	2100	80	
	2400	80	MAIDAOI

Saturday

Date	Time	Temp.	Name (Print)
07 / 06 / 24	0300	80	MAIDAOI
	0600	76	CLOOK
	0900	76	CLOOK
	1200	76	CLOOK
	1500	80	I Hernandez
	1800	80	I Hernandez
	2100	80	I Hernandez
	2400	80	DW

Sunday

Date	Time	Temp.	Name (Print)
07 / 07 / 24	0300	80	Bow
	0600	80	CLOOK
	0900	80	CLOOK
	1200	80	CLOOK
	1500	80	J. Alvarez
	1800	80	J. Alvarez
	2100	83	J. Alvarez
	2400	82	CLOOK

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 / 08 / 24	0300	80	SANDOVAL
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	80	Jev
	1800	80	Thig
	2100	78	Thig
	2400	78	SANDOVAL

Tuesday

Date	Time	Temp.	Name (Print)
07 / 09 / 24	0300	80	SANDOVAL
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	85	Jev
	1800	80	Thig
	2100	78	Thig
	2400	78	SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
07 / 10 / 24	0300	78	SANDOVAL
	0600	78	Cabrera
	0900	79	Cabrera
	1200	79	Cabrera
	1500	79	Cid
	1800	79	Cid
	2100	78	Cid
	2400	80	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
07 / 11 / 24	0300	80	SANDOVAL
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	82	CASTILLO
	1800	82	CASTILLO
	2100	80	MARIN
	2400	80	MARIN

Friday

Date	Time	Temp.	Name (Print)
07 / 12 / 24	0300	80	MALEK
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	80	N. VASQUEZ
	1800	80	N. VASQUEZ
	2100	79	N. VASQUEZ
	2400	79	MALEK

Saturday

Date	Time	Temp.	Name (Print)
07 / 13 / 24	0300	78	MALEK
	0600	80	C. LOOK
	0900	80	C. LOOK
	1200	80	C. LOOK
	1500	80	L. TORRES
	1800	79	L. TORRES
	2100	80	L. TORRES
	2400	80	SANDOVAL

Notes

Date	Time	Temp.	Name (Print)
07 / 14 / 24	0300	80	SANDOVAL
	0600	80	C. LOOK
	0900	80	C. LOOK
	1200	80	C. LOOK
	1500	80	L. TORRES
	1800	80	L. TORRES
	2100	80	L. TORRES
	2400	80	SANDOVAL

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 / 15 / 24	0300	80	Rios
	0600	80	Ba
	0900	80	Cabreca
	1200	80	Cabreca
	1500	80	Cabreca
	1800	80	un
	2100	80	un
	2400	80	moneles

Tuesday

Date	Time	Temp.	Name (Print)
07 / 16 / 24	0300	80	moneles
	0600	80	Cabreca
	0900	80	Cabreca
	1200	80	Cabreca
	1500	80	Liliana
	1800	80	L.N. Vasquez
	2100	79	N. Vasquez
	2400	80	SANDRA

Wednesday

Date	Time	Temp.	Name (Print)
07 / 17 / 24	0300	80	SANDRA
	0600	80	Cabreca
	0900	80	Cabreca
	1200	80	Cabreca
	1500	80	un
	1800	80	un
	2100	80	un
	2400	80	SANDRA

Thursday

Date	Time	Temp.	Name (Print)
07 / 18 / 24	0300	80	SANDRAL
	0600	80	Cabreca
	0900	80	Cabreca
	1200	80	Cabreca
	1500	80	un
	1800	80	un
	2100	80	un
	2400	80	E.S.A.

Friday

Date	Time	Temp.	Name (Print)
07 / 19 / 24	0300	80	S.Garcia
	0600	80	S.Garcia
	0900	80	Cabreca
	1200	80	Cabreca
	1500	80	Liliana
	1800	80	un
	2100	80	un
	2400	80	Luna

Saturday

Date	Time	Temp.	Name (Print)
07 / 20 / 24	0300	80	luna
	0600	80	C.Look
	0900	80	C.Look
	1200	80	C.Look
	1500	80	M. Lopez
	1800	78	M. Lopez
	2100	78	M. Lopez
	2400	78	ISWU

Notes

Date	Time	Temp.	Name (Print)
07 / 21 / 24	0300	80	Rios
	0600	80	C.Look
	0900	80	C.Look
	1200	80	C.Look
	1500	80	E.Hernandez, I
	1800	80	Hernandez, I
	2100	80	Hernandez, I
	2400	80	Rios

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 / 22 / 24	0300	80	SANDRA AL
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	80	L. Torres
	1800	80	L. Torres
	2100	80	L. Torres
	2400	80	V. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
07 / 23 / 24	0300	80	V. CASTRO
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	83	Cabrera
	1800	85	Cabrera
	2100	85	Cabrera
	2400	82	SANDRA AL

Wednesday

Date	Time	Temp.	Name (Print)
07 / 24 / 24	0300	81	SANDRA AL
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	80	F. Ruiz
	1800	80	MIREZ
	2100	80	MIREZ
	2400	81	SANDRA AL

Thursday

Date	Time	Temp.	Name (Print)
07 / 25 / 24	0300	80	SANDRA AL
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	80	Clemente
	1800	82	Clemente
	2100	82	Clemente
	2400	80	MARSHAL

Friday

Date	Time	Temp.	Name (Print)
07 / 26 / 24	0300	80	MARSHAL
	0600	80	Sanchez
	0900	81	Sanchez
	1200	83	Sanchez
	1500	81	L. TORRES
	1800	81	L. TORRES
	2100	80	L. TORRES
	2400	80	MARSHAL

Saturday

Date	Time	Temp.	Name (Print)
07 / 27 / 24	0300	80	MARSHAL
	0600	80	C. COOK
	0900	80	C. COOK
	1200	80	C. COOK
	1500	80	A. CABRERA
	1800	80	A. CABRERA
	2100	80	A. CABRERA
	2400	80	SANCHEZ

Notes

Date	Time	Temp.	Name (Print)
07 / 28 / 24	0300	80	Kicas
	0600	80	C. COOK
	0900	80	C. COOK
	1200	80	C. COOK
	1500	80	M. Lopez
	1800	80	M. Lopez
	2100	80	M. Lopez
	2400	80	SANCHEZ

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
07 / 29 / 24	0300	79	SANDRA AL
	0600	79	Cabriera
	0900	80	Cabriera
	1200	80	Cabriera
	1500	80	LUPP
	1800	79	Lopez
	2100	79	Lopez
	2400	79	R CALDERON

Tuesday			
Date	Time	Temp.	Name (Print)
07 / 30 / 24	0300	79	R. CALDERON
	0600	80	Cabre
	0900	80	Cabre
	1200	80	Cabre
	1500	80	GATHAN
	1800	79	GATHAN
	2100	78	GATHAN
	2400	78	SANDRA AL

Wednesday			
Date	Time	Temp.	Name (Print)
07 / 31 / 24	0300	78	SANDRA AL
	0600	78	Cabre
	0900	79	Cabre
	1200	79	Cabre
	1500	79	Lopez
	1800	79	Lopez
	2100	78	Lopez
	2400	78	R CALDERON

Thursday			
Date	Time	Temp.	Name (Print)
08 / 01 / 24	0300	78	R. CALDERON
	0600	78	Cabre
	0900	78	Cabre
	1200	79	Cabre
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
08 / 02 / 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
08 / 03 / 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
08 / 04 / 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: C-2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/24	0300	75	MARSHALL
	0600	75	Delgado
	0900	76	Delgado
	1200	76	Delgado
	1500	76	Sanders
	1800	75	Sanders
	2100	75	Sanders
	2400	75	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	75	Lopez
	0600	78	Delgado
	0900	78	Delgado
	1200	78	Delgado
	1500	79	Garcia
	1800	79	Garcia
	2100	78	Garcia
	2400	80	Prieto

Friday

Date	Time	Temp.	Name (Print)
7/24	0300	78	Lopez
	0600	78	Delgado
	0900	78	Delgado
	1200	78	Delgado
	1500	79	GARIBOLDI
	1800	79	GARIBOLDI
	2100	78	GARIBOLDI
	2400	78	Lopez

Sunday

Date	Time	Temp.	Name (Print)
7/24	0300	78	Perez
	0600	79	Perez
	0900	79	Perez
	1200	80	Perez
	1500	80	M. CHAVEZ
	1800	80	M. CHAVEZ
	2100	80	M. CHAVEZ
	2400	80	H. Hagan

Tuesday

Date	Time	Temp.	Name (Print)
7/24	0300	75	Lopez
	0600	75	Delgado
	0900	77	Delgado
	1200	77	Delgado
	1500	77	Sanders
	1800	75	Sanders
	2100	75	Sanders
	2400	75	Lopez

Thursday

Date	Time	Temp.	Name (Print)
7/24	0300	80	Prieto
	0600	80	Delgado
	0900	80	Delgado
	1200	80	Delgado
	1500	79	Garcia
	1800	79	Garcia
	2100	79	Garcia
	2400	78	Lopez

Saturday

Date	Time	Temp.	Name (Print)
7/24	0300	78	Lopez
	0600	78	Delgado
	0900	74	Delgado
	1200	74	Delgado
	1500	78	J. Alvarado
	1800	80	T. Alvarado
	2100	80	T. Alvarado
	2400	80	Perez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2 Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18/24	0300	80	Lopez
	0600	80	Dorothy
	0900	80	Bellagio
	1200	81	Debra
	1500	82	M. Claver
	1800	82	M. Claver
	2100	82	M. Claver
	2400	80	Lopez

Wednesday

Wednesday		Date	Time	Temp.	Name (Print)
			0300	80	Lopez
		7	0600	80	Delyne
			0900	80	Delyne
			1200	80	Delyne
		10	1500	80	Anastacia
			1800	79	RANDIENE
			2100	79	ANASTACIA
		24	2400	80	Lopez

Friday

Date	Time	Temp.	Name (Print)
7/24	0300	60	Lopez
	0600	60	Dekla
	0900	60	Daly - L
	1200	60	Daly - D
	1500	80	ANONIM
	1800	74	ANONIMO
	2100	76	ANONIMO,
	2400	79	RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
7/14/2014	0300	79	Stefan
	0600	79	Tamara
	0900	79	Ron
	1200	79	Ron
	1500	79	ANDRAE
	1800	79	ANDRAE
	2100	79	ANDRAE
	2400	80	M. GARCIAS

Tuesday

Date	Time	Temp.	Name (Print)
7	0300	80	Lopez
9	0600	80	Odegaard
1	0900	70	Rebarts
1	1200	80	Pulgar
1	1500	71	Kiratash
4	1800	62	Carberry
4	2100	61	Carberry
4	2400	64	Lopez

Thursday

Date	Time	Temp.	Name (Print)
7	0300	80	Lopez
	0600	50	Delfadis
	0900	80	Delfadis
11	1200	80	Dufail
	1500	80	Anwaranik
	1800	79	Anwaranik
24	2100	79	Anwaranik
	2400	80	Lopez

Saturday

Date	Time	Temp.	Name (Print)
7 / 13	0300	79	RODRIGUEZ
	0600	79	RODRIGUEZ
	0900	79	Delsales
	1200	79	Defkal
	1500	79	ANONIM
	1800	79	ANONIM
7 / 24	2100	78	ANONIM
	2400	79	Slater

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KNSP Housing Unit: C-2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	80	M. GARCIA
	0600	80	Delgado
	0900	82	Delgado
	1200	82	Delgado
	1500	80	ANDRADE
	1800	80	ANDRADE
	2100	80	ANDRADE
	2400	79	Lopez

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	78	Lopez
	0600	78	Delgado
	0900	80	Delgado
	1200	80	Delgado
	1500	80	Stewart
	1800	79	Stewart
	2100	79	Stewart
	2400	78	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	78	Lopez
	0600	78	Delgado
	0900	78	Delgado
	1200	78	Delgado
	1500	79	ANDRADE
	1800	79	ANDRADE
	2100	78	ANDRADE
	2400	78	Lopez

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	78	Lopez
	0600	78	Delgado
	0900	78	Delgado
	1200	78	Delgado
	1500	78	ANDRADE
	1800	78	ANDRADE
	2100	78	ANDRADE
	2400	80	Lopez

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	80	Lopez
	0600	79	Delgado
	0900	78	Delgado
	1200	78	Delgado
	1500	79	ANDRADE
	1800	78	ANDRADE
	2100	78	ANDRADE
	2400	78	Lopez

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	78	Lopez
	0600	78	Delgado
	0900	78	Delgado
	1200	78	Delgado
	1500	79	Delgado
	1800	79	Conter
	2100	79	Conter
	2400	79	Rivera

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	79	Rivera
	0600	79	N. Clark
	0900	79	N. Clark
	1200	80	N. Clark
	1500	80	ANDRADE
	1800	79	ANDRADE
	2100	79	ANDRADE
	2400	79	ANDRADE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KISP Housing Unit: C-2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22 M	0300	79	Maldonado
	0600	79	Perez
	0900	79	Perez
	1200	80	Perez
	1500	80	Cabrera
	1800	80	Cabrera
	2100	80	Cabrera
	2400	80	Rivera

Tuesday

Date	Time	Temp.	Name (Print)
7/23 W	0300	80	Rivera
	0600	80	Delgado
	0900	80	Delgado
	1200	80	Delgado
	1500	80	L. Cervantes
	1800	80	L. Cervantes
	2100	80	L. Cervantes
	2400	79	Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
7/24 T	0300	79	Sotelo
	0600	80	Delgado
	0900	80	Delgado
	1200	80	Delgado
	1500	80	ANDRADE
	1800	80	ANDRADE
	2100	80	ANDRADE
	2400	79	Sotelo

Thursday

Date	Time	Temp.	Name (Print)
7/25 F	0300	79	Sotelo
	0600	80	Delgado
	0900	80	Delgado
	1200	80	Delgado
	1500	80	ANDRADE
	1800	80	ANDRADE
	2100	80	ANDRADE
	2400	80	Araujo

Friday

Date	Time	Temp.	Name (Print)
7/26 S	0300	80	Araujo
	0600	80	Delgado
	0900	80	Delgado
	1200	80	Delgado
	1500	81	Lopez
	1800	81	Lopez
	2100	80	Lopez
	2400	80	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
7/27 Su	0300	80	J. Hernandez
	0600	80	Delgado
	0900	80	Delgado
	1200	80	Delgado
	1500	80	ANDRADE
	1800	80	ANDRADE
	2100	80	ANDRADE
	2400	80	ANDRADE

Notes

Date	Time	Temp.	Name (Print)
7/28 M	0300	80	Maldonado
	0600	80	Clark
	0900	80	Clark
	1200	80	Clark
	1500	81	ANDRADE
	1800	80	ANDRADE
	2100	80	ANDRADE
	2400	80	Hernandez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: C2 Temp. Reading Location: control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/10/18	0300	78, 78, 82	H. Agbay
	0600	80	N. Clark
	0900	80	N. Clark
	1200	80	N. Clark
	1500	80	A. CANNYR
	1800	80	A. Cabrera
	2100	79	A. Cabrera
	2400	79	D. LVNA

Tuesday

Date	Time	Temp.	Name (Print)
7/10/18	0300	78	D. LVNA
	0600	79	Delgado
	0900	79	Delgado
	1200	79	Delgado
	1500	80	L. Cenais
	1800	80	L. Cenais
	2100	80	L. Cenais
	2400	80	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
7	0300	76	Lopez
	0600	79	Delgado
	0900	79	Delgado
31	1200	79	Delgado
	1500	80	ANDRADE
	1800	79	ANDRADE
	2100	79	ANDRADE
	2400	78	Lopez

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-3 Temp. Reading Location: 2nd Tier (B)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
11/1/21	0300	76	Rimienti
	0600	78	Castro
	0900	80	Castro
	1200	80	Castro
	1500	80	Burton
	1800	80	Diaz
	2100	78	Diaz
	2400	70	Rimienti

Tuesday

Date	Time	Temp.	Name (Print)
11/2/21	0300	70	See
	0600	70	Castro
	0900	78	Castro
	1200	80	Castro
	1500	80	Burton
	1800	80	Burton
	2100	75	Gonzales
	2400	70	See

Wednesday

Date	Time	Temp.	Name (Print)
11/3/21	0300	70	See
	0600	75	Castro
	0900	78	Castro
	1200	80	Castro
	1500	80	Burton
	1800	80	Diaz
	2100	75	Diaz
	2400	70	Diaz

Thursday

Date	Time	Temp.	Name (Print)
11/4/21	0300	70	See
	0600	75	Castro
	0900	78	Castro
	1200	80	Castro
	1500	80	Burton
	1800	80	Diaz
	2100	75	Diaz
	2400	70	Diaz

Friday

Date	Time	Temp.	Name (Print)
11/5/21	0300	70	See
	0600	75	Castro
	0900	78	Castro
	1200	80	Castro
	1500	80	Diaz
	1800	80	Diaz
	2100	75	Diaz
	2400	70	See

Saturday

Date	Time	Temp.	Name (Print)
11/6/21	0300	70	See
	0600	75	Castro
	0900	78	Castro
	1200	80	Castro
	1500	80	Diaz
	1800	80	Diaz
	2100	75	Diaz
	2400	70	See

Sunday

Date	Time	Temp.	Name (Print)
11/7/21	0300	70	
	0600	75	Castro
	0900	78	Castro
	1200	80	Castro
	1500	80	Diaz
	1800	80	Diaz
	2100	75	Diaz
	2400	70	See

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-3 Temp. Reading Location: 2nd Tier (B)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	75	Pimentel
	0600	75	Castro
	0900	80	Castro
	1200	80	Castro
	1500	80	Bedolla
	1800	80	Bedolla
	2100	70	Bedolla
	2400	70	Pimentel

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	75	Castro
	0600	75	Castro
	0900	75	Castro
	1200	78	Castro
	1500	78	Bedolla
	1800	78	Bedolla
	2100	75	Sanchez
	2400	75	See

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	75	See
	0600	75	Castro
	0900	80	Castro
	1200	80	Castro
	1500	80	Bedolla
	1800	80	Bedolla
	2100	80	Bedolla
	2400	75	See

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	78	See
	0600	78	Araiza
	0900	78	Araiza
	1200	78	Araiza
	1500	80	Bedolla
	1800	80	Bedolla
	2100	80	Bedolla
	2400	80	See

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	80	See
	0600	80	C. Lopez
	0900	80	C. Lopez
	1200	80	C. Lopez
	1500	80	G. Rodriguez
	1800	80	G. Rodriguez
	2100	80	G. Rodriguez
	2400	78	W. SORIANO

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	77	See
	0600	74	E. Castro
	0900	80	E. Castro
	1200	80	E. Castro
	1500	80	G. Rodriguez
	1800	80	G. Rodriguez
	2100	80	G. Rodriguez
	2400	80	W. SORIANO

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	75	See
	0600	75	Castro
	0900	80	Castro
	1200	81	Castro
	1500	81	Bedolla
	1800	82	Bedolla
	2100	80	Bedolla
	2400	78	F. Pimentel

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-3 Temp. Reading Location: 2nd Tier (B)

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	78	T. Pimentel
	0600	78	E. Castro
	0900	78	E. Castro
	1200	80	E. Castro
	1500	80	Brodish
	1800	80	Brodish
	2100	80	Brodish
	2400	78	T. Pimentel

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	78	T. Pimentel
	0600	78	Castro
	0900	78	Castro
	1200	80	Castro
	1500	80	Brodish
	1800	80	Brodish
	2100	80	Brodish
	2400	80	Sac

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	80	Sac
	0600	80	Castro
	0900	80	Castro
	1200	80	Castro
	1500	80	Brodish
	1800	80	Brodish
	2100	80	Brodish
	2400	80	Sac

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	80	Sac
	0600	80	Araiza
	0900	80	Araiza
	1200	80	Araiza
	1500	80	Brodish
	1800	80	Brodish
	2100	80	Brodish
	2400	80	Sac

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	80	Sac
	0600	80	Clock
	0900	80	Clock
	1200	80	Clock
	1500	80	G. Rodriguez
	1800	80	G. Rodriguez
	2100	78	G. Rodriguez
	2400	78	S. Johnson

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	78	S. Johnson
	0600	78	E. Castro
	0900	80	E. Castro
	1200	81	E. Castro
	1500	81	J. Morenafarias
	1800	81	J. Morenafarias
	2100	81	J. Morenafarias
	2400	80	Hector

Notes

Date	Time	Temp.	Name (Print)
7/21/24	0300	80	Hector
	0600	80	Thompson
	0900	81	Thompson
	1200	82	Thompson
	1500	82	Brodish
	1800	81	Brodish
	2100	80	Brodish
	2400	81	SEVILLA

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-3 Temp. Reading Location: 2nd Tier (B)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1	0300	80	S. SEVILA
22	0600	80	Castro
	0900	80	Castro
	1200	82	Castro
	1500	82	Bedolla
	1800	82	Bedolla
24	2100	80	Bedolla
	2400	80	LUNA

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	80	LUNA
	0600	80	Castro
	0900	80	E. Castro
	1200	82	E. Castro
	1500	82	A. Delgado
	1800	80	A. Delgado
24	2100	80	N. Delgado
	2400	80	See

Wednesday

Date	Time	Temp.	Name (Print)
1	0300	80	See
22	0600	80	Castro
	0900	80	Castro
	1200	82	Castro
	1500	82	Bedolla
	1800	82	Bedolla
	2100	80	Bedolla
	2400	80	D.V. Lopez

Thursday

Date	Time	Temp.	Name (Print)
1	0300	80	D.V. Lopez
25	0600	80	E. Araya
	0900	80	Aqiz
	1200	80	Araya
	1500	81	Bedolla AC
	1800	81	Bedolla
24	2100	80	Bedolla
	2400	80	See

Friday

Date	Time	Temp.	Name (Print)
1	0300	80	See
26	0600	80	Castro
	0900	80	CLOCK
	1200	80	CLOCK
	1500	80	M. TAPIAS
	1800	80	M. TAPIAS
24	2100	85	M. TAPIAS
	2400	83	SANTO

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	81	SCANTON
	0600	81	Castro
	0900	81	Castro
	1200	81	Castro
	1500	80	G. RODRIGUEZ
	1800	80	G. RODRIGUEZ
24	2100	80	G. RODRIGUEZ
	2400	80	MARINADA

Sunday

Date	Time	Temp.	Name (Print)
7/28/18	0300	80	See
	0600	80	Castro
	0900	80	Castro
	1200	80	Castro
	1500	80	Bedolla
	1800	80	Bedolla
	2100	80	Bedolla
	2400	80	HERNANDEZ

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C3

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	80	Hernandez
7/19/14	0600	80	Castro
	0900	80	Castro
	1200	80	Cash
	1500	79	Torres
	1800	78	Torres
	2100	78	Torres
	2400	78	Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
7/21/14	0300	80	See
	0600	80	Cash
	0900	80	Cash
	1200	80	Cash
	1500	79	Wesir
	1800	78	Wesir
	2100	78	Wesir
	2400	80	See

Friday

Date	Time	Temp.	Name (Print)
8/1/14	0300	80	See
	0600	80	C. Look
	0900	80	C. Look
	1200	80	C. Look
	1500	80	G. RODRIGUEZ
	1800	80	G. RODRIGUEZ
	2100	80	G. RODRIGUEZ
	2400	80	S. Johnson

Sunday

Date	Time	Temp.	Name (Print)
8/4/2014	0300	80	S. Johnson
	0600	80	Castro
	0900	80	Castro
	1200	80	Castro
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	80	HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
7/29/14	0300	78	Hernandez
	0600	80	Cash
	0900	80	Cash
	1200	80	Cash
	1500	79	Aleman
	1800	80	Aleman
	2100	78	Aleman
	2400	80	See

Thursday

Date	Time	Temp.	Name (Print)
8/1/14	0300	80	See
	0600	80	Araiza
	0900	80	Araiza
	1200	81	Araiza
	1500	81	A-Cabrera
	1800	80	A-Cabrera
	2100	80	A-Cabrera
	2400	80	See

Saturday

Date	Time	Temp.	Name (Print)
8/3/14	0300	79	S. Johnson
	0600	79	Cash
	0900	79	Castro
	1200	80	Castro
	1500	80	A. Cruz Rivera
	1800	80	A. Cruz Rivera
	2100	80	A-Cruz Rivera
	2400	80	S. Johnson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4

Temp. Reading Location: 50th (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1 24	0300	77	B. Wilson
	0600	75	C. Cook
	0900	75	C. Cook
	1200	75	C. Cook
	1500	76	Rodriguez
	1800	76	Rodriguez
	2100	76	Rodriguez
	2400	77	B. Wilson

Wednesday

Date	Time	Temp.	Name (Print)
7/3 24	0300	75	J. Jones
	0600	75	J. Jones
	0900	75	O. Lopez G.I.
	1200	75	O. Lopez G.I.
	1500	75	A. Araya
	1800	76	A. Araya
	2100	76	A. Araya
	2400	76	J. Jones

Friday

Date	Time	Temp.	Name (Print)
7/5 24	0300	76	J. Jones
	0600	75	J. Jones
	0900	75	O. Lopez G.I.
	1200	76	O. Lopez G.I.
	1500	76	E. Araya
	1800	76	E. Araya
	2100	76	E. Araya
	2400	76	F. Pinuelo

Sunday

Date	Time	Temp.	Name (Print)
7/7 24	0300	76	A. Araya
	0600	76	A. Araya
	0900	76	O. Lopez G.I.
	1200	77	O. Lopez G.I.
	1500	78	B. Rodriguez
	1800	77	A. Araya
	2100	77	A. Araya
	2400	77	A. Araya

Tuesday

Date	Time	Temp.	Name (Print)
7/2 24	0300	76	J. Jones
	0600	75	J. Jones
	0900	75	C. Cook
	1200	75	C. Cook
	1500	75	L. Canova
	1800	75	L. Canova
	2100	75	L. Canova
	2400	75	J. Jones

Thursday

Date	Time	Temp.	Name (Print)
7/4 24	0300	76	J. Jones
	0600	75	J. Jones
	0900	75	O. Lopez G.I.
	1200	76	O. Lopez G.I.
	1500	76	C. Araya
	1800	76	E. Araya
	2100	76	E. Araya
	2400	76	J. Jones

Saturday

Date	Time	Temp.	Name (Print)
7/6 24	0300	76	F. Pinuelo
	0600	76	O. Lopez G.I.
	0900	76	O. Lopez G.I.
	1200	77	O. Lopez G.I.
	1500	77	S. Clark
	1800	77	S. Clark
	2100	77	N. Shewell
	2400	77	N. Shewell

Notes

6226

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4 Temp. Reading Location: 2nd Tier (B)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18/24	0300	77	Aaron
	0600	75	C. Cook
	0900	75	C. Cook
	1200	75	C. Cook
	1500	78	G. Rodriguez
	1800	78	G. Rodriguez
	2100	78	G. Rodriguez
	2400	77	M. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
7/19/24	0300	77	M. Hernandez
	0600	77	C. Cook
	0900	77	C. Cook
	1200	77	C. Cook
	1500	77	E. Araya
	1800	78	E. Araya
	2100	77	E. Araya
	2400	77	—

Wednesday

Date	Time	Temp.	Name (Print)
7/20/24	0300	77	—
	0600	77	O. Lopez G.I
	0900	77	O. Lopez G.I
	1200	78	O. Lopez G.I
	1500	78	E. Araya
	1800	78	E. Araya
	2100	77	E. Araya
	2400	78	Perez

Thursday

Date	Time	Temp.	Name (Print)
7/21/24	0300	78	Perez
	0600	78	O. Lopez G.I
	0900	78	O. Lopez G.I
	1200	79	O. Lopez G.I
	1500	79	E. Araya
	1800	78	E. Araya
	2100	78	E. Araya
	2400	78	Kuang

Friday

Date	Time	Temp.	Name (Print)
7/22/24	0300	78	Kuang
	0600	78	O. Lopez G.I
	0900	78	O. Lopez G.I
	1200	79	O. Lopez G.I
	1500	79	E. Araya
	1800	78	E. Araya
	2100	78	E. Araya
	2400	78	F. Pimentel

Saturday

Date	Time	Temp.	Name (Print)
7/23/24	0300	78	F. Pimentel
	0600	78	O. Lopez G.I
	0900	78	O. Lopez G.I
	1200	79	O. Lopez G.I
	1500	80	N. Clark
	1800	80	N. Clark
	2100	79	N. Clark
	2400	78	F. Pimentel

Sunday

Date	Time	Temp.	Name (Print)
7/24/24	0300	78	F. Pimentel
	0600	78	O. Lopez G.I
	0900	77	O. Lopez G.I
	1200	77	O. Lopez G.I
	1500	77	E. Baker
	1800	78	E. Baker
	2100	77	E. Baker
	2400	77	J. Johnson

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4

Temp. Reading Location: Booth level L (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	77	BUNYON
	0600	80	C. LOOM
	0900	80	C. LOOM
	1200	80	C. LOOM
	1500	80	G. RODRIGUEZ
	1800	80	G. RODRIGUEZ
	2100	80	G. RODRIGUEZ
	2400	79	BUNYON

Tuesday

Dat	Time	Temp.	Name (Print)
7 16 24	0300	79	JOHNSON
	0600	79	JOHNSON
	0900	80	C. COOK
	1200	80	C. COOK
	1500	79	ARAZA
	1800	79	ARAZA
	2100	78	ARAZA
	2400	79	BROWN

Wednesday

Date	Time	Temp.	Name (Print)
7/17 24	0300	79	JOHNSON
	0600	78	O. COOPER G.I.
	0900	78	O. COOPER G.I.
	1200	79	O. COOPER G.I.
	1500	79	S. ARIZONA
	1800	79	S. ARIZONA
	2100	79	E. ARIZONA
	2400	79	S. ARIZONA

Thursday

Date	Time	Temp.	Name (Print)
1/18	0300	79	J. Lopez G.I.
	0600	78	J. Lopez G.I.
	0900	78	J. Lopez G.I.
24	1200	79	J. Lopez G.I.
	1500	79	E. Aratza
	1800	79	E. Aratza
	2100	79	E. Aratza
	2400	79	J. Lopez

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	79	J. Brown
	0600	76	O. Lopez G.I.
	0900	79	O. Lopez G.I.
	1200	79	O. Lopez G.I.
	1500	79	E. Araviza
	1800	79	E. Araviza
	2100	79	E. Araviza
	2400	79	F. Pimentel

Saturday

Date	Time	Temp.	Name (Print)
7. 20 .	0300	78	F. Pinnefort
	0600	78	O. Cooper G.I.
	0900	78	O. Cooper G.I.
	1200	79	O. Cooper G.I.
	1500	79	N. Clarke
	1800	79	N. Clarke
27	2100	79	N. Clarke
	2400	79	J. Johnson

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	79	J. Brown
	0600	76	Eric
	0900	79	ES
	1200	79	Kate
	1500	79	J. G. Wilson
	1800	79	O. Lovelady
	2100	79	J. G. Wilson
	2400	79	J. Lovelady

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C4

Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	79	John
7/22	0600	79	Johnson
7/22	0900	80	C. Cook
7/22	1200	80	C. Cook
7/22	1500	80	G. Rodriguez
7/22	1800	80	G. Rodriguez
7/22	2100	80	G. Rodriguez
7/22	2400	79.5	John

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	80	John
7/23	0600	80	C. Cook
7/23	0900	80	C. Cook
7/23	1200	80	C. Cook
7/23	1500	80	Araiza
7/23	1800	80	Watch
7/23	2100	79	Araiza
7/23	2400	70	John

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	79	John
7/24	0600	79	O. Lopez G.I.
7/24	0900	79	O. Lopez G.I.
7/24	1200	80	O. Lopez G.I.
7/24	1500	80	E. Araiza
7/24	1800	80	E. Araiza
7/24	2100	79	E. Araiza
7/24	2400	79	John

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	79	John
7/25	0600	79	O. Lopez G.I.
7/25	0900	79	O. Lopez G.I.
7/25	1200	80	O. Lopez G.I.
7/25	1500	80	E. Araiza AC
7/25	1800	80	E. Araiza
7/25	2100	80	E. Araiza
7/25	2400	80	John

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80	John
7/26	0600	79	O. Lopez G.I.
7/26	0900	79	O. Lopez G.I.
7/26	1200	80	O. Lopez G.I.
7/26	1500	80	E. Araiza
7/26	1800	80	E. Araiza
7/26	2100	80	E. Araiza
7/26	2400	79	AUJLA

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	80	AUJLA
7/27	0600	80	O. Lopez G.I.
7/27	0900	80	O. Lopez G.I.
7/27	1200	81	O. Lopez G.I.
7/27	1500	81	N. Clark
7/27	1800	81	N. Clark
7/27	2100	81	N. Clark
7/27	2400	81	M. Lopez

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	80	M. Lopez
7/28	0600	80	O. Lopez G.I.
7/28	0900	80	O. Lopez G.I.
7/28	1200	81	O. Lopez G.I.
7/28	1500	80	G. Rodriguez
7/28	1800	80	G. Rodriguez
7/28	2100	80	G. Rodriguez
7/28	2400	80	John

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KWV Housing Unit: C-4 Temp. Reading Location: Door
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	80	JOTH
	0600	80	C. LOOK
	0900	80	C. LOOK
	1200	80	C. LOOK
7/24	1500	80	G. RODRIGUEZ
	1800	86	G. RODRIGUEZ
	2100	80	G. RODRIGUEZ
	2400	78	A. Dalgard O

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	78	A. Delgadillo
	0600	80	C. Clock
	0900	80	C. Lark
	1200	80	C. G. OKE
	1500	80	E. Aravena
	1800	80	E. Aravena
	2100	80	E. Aravena
	2400	80	E. Aravena D. KIN

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	70	J. HANSON
	0600	80	E. COOPER G.I.
	0900	80	E. COOPER G.I.
	1200	81	E. COOPER G.I.
	1500	81	E. ARATA
	1800	81	E. ARATA
	2100	80	E. ARATA
	2400	80	D. CHURCHILL

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	80	D. Chankis
	0600	80	O. Lopez G.I.
	0900	80	O. Lopez G.I.
	1200	81	O. Lopez G.I.
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C5

Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	75	Sotelo
	0600	78	Thompson
	0900	78	Thompson
	1200	78	Thompson
	1500	78	VELASQUEZ
	1800	78	VELASQUEZ
	2100	77	VELASQUEZ
	2400	74	Rivera

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	76	Rivera
	0600	77	Thompson
	0900	78	Thompson
	1200	79	Thompson
	1500	79	VELASQUEZ
	1800	79	VELASQUEZ
	2100	78	VELASQUEZ
	2400	77	Riviera

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	77	Riviera
	0600	78	Thompson
	0900	78	Thompson
	1200	79	Thompson
	1500	79	Sander
	1800	79	Sander
	2100	78	Sander
	2400	78	Nackman

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	78	Nackman
	0600	80	Thompson
	0900	80	Thompson
	1200	80	Thompson
	1500	79	R.Rodriguez
	1800	79	R.Rodriguez
	2100	79	R.Rodriguez
	2400	78	F.Pimentel

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	78	F.Pimentel
	0600	78	E.Ruiz
	0900	80	E.Ruiz
	1200	80	E.Ruiz
	1500	85	Ransier
	1800	85	Ransier
	2100	80	Ransier
	2400	85	J.RODRIGUEZ

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	83	J.RODRIGUEZ
	0600	83	J.RODRIGUEZ
	0900	84	VELASQUEZ
	1200	84	VELASQUEZ
	1500	84	VELASQUEZ
	1800	84	VELASQUEZ
	2100	83	VELASQUEZ
	2400	83	Sotelo

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	82	Sotelo
	0600	82	Pinedo
	0900	82	Pinedo
	1200	84	Pinedo
	1500	84	VELASQUEZ
	1800	86	Morales
	2100	85	Morales
	2400	85	Sotelo

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: Facility C Building 5 Temp. Reading Location: Second Tier - A-B-C Sections (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-14-2018	0300	84	Sotelo
	0600	85	Thompson
	0900	88	Thompson
	1200	90	Thompson
	1500	90	R.Whitfield
	1800	90	R.Whitfield
	2100	88	R.Whitfield
	2400	87	Sotelo

Tuesday

Date	Time	Temp.	Name (Print)
7-15-2018	0300	87	Sotelo
	0600	88	Thompson
	0900	89	Thompson
	1200	91	Thompson
	1500	91	L.Centeno
	1800	89	L.Centeno
	2100	85	L.Centeno
	2400	84	Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
7-16-2018	0300	84	Sotelo
	0600	84	Thompson
	0900	86	Thompson
	1200	88	Thompson
	1500	88	Sander
	1800	90	Sander
	2100	88	Sander
	2400	84	Sotelo

Thursday

Date	Time	Temp.	Name (Print)
7-17-2018	0300	86	Slater
	0600	86	Thompson
	0900	86	Thompson
	1200	89	Thompson
	1500	86	Mura
	1800	87	Mura
	2100	86	F.Pimentel
	2400	86	F.Pimentel

Friday

Date	Time	Temp.	Name (Print)
7-12-2018	0300	86	F.Pimentel
	0600	80	E.Ruiz
	0900	80	E.Ruiz
	1200	89	E.Ruiz
	1500	85	A.Delgado
	1800	85	A.Delgado
	2100	83	A.Delgado
	2400	86°	Carson

Saturday

Date	Time	Temp.	Name (Print)
7-13-2018	0300	86°	Carson
	0600	86	Thompson
	0900	87	Thompson
	1200	87	Thompson
	1500	87	M.VELASQUEZ
	1800	88	M.VELASQUEZ
	2100	88	M.VELASQUEZ
	2400	86	Rivera

Notes

Date	Time	Temp.	Name (Print)
6/14/2018	0300	86	Powell
	0600	81	E.Ruiz
	0900	81	E.Ruiz
	1200	85	E.Ruiz
	1500	86	VELASQUEZ
	1800	86	VELASQUEZ
	2100	85	VELASQUEZ
	2400	86	Velazquez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C5

Temp. Reading Location: 2nd Tier - A-B-C Sect 1015
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/16/24	0300	86	Rivera
	0600	86	Thompson
	0900	88	Thompson
	1200	88	Thompson
	1500	88	VELASQUEZ
	1800	88	VELASQUEZ
	2100	87	VELASQUEZ
	2400	86	Sotelo

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	85	Sotelo
	0600	85	Thompson
	0900	87	Thompson
	1200	89	Thompson
	1500	88	VELASQUEZ
	1800	88	VELASQUEZ
	2100	87	VELASQUEZ
	2400	86	Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	86	Sotelo
	0600	86	Thompson
	0900	88	Thompson
	1200	88	Thompson
	1500	89	Sanchez
	1800	88	Sanchez
	2100	86	Sanchez
	2400	86	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	85	Garcia
	0600	85	Thompson
	0900	85	Thompson
	1200	87	Thompson
	1500	87	Sanchez
	1800	85	Sanchez
	2100	83	Sanchez
	2400	81	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	80	RIVERA
	0600	81	E. Ruiz
	0900	82	E. Ruiz
	1200	83	E. Ruiz
	1500	85	VELASQUEZ
	1800	84	VELASQUEZ
	2100	83	VELASQUEZ
	2400	82	Soto

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	82	Soto
	0600	82	E. Ruiz
	0900	82	E. Ruiz
	1200	82	E. Ruiz
	1500	83	VELASQUEZ
	1800	83	VELASQUEZ
	2100	83	VELASQUEZ
	2400	82	Soto

Notes

Date	Time	Temp.	Name (Print)
7/21/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Building
Closure
07/21/24

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	78	T. Alvarado
	0600	78	A. Olmos
	0900	80	A. Olmos
	1200	80	A. Olmos
	1500	81	ANDRADE
	1800	80	ANDRADE
	2100	77	D/IR
	2400	77	D/IR

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	77	D/IR
	0600	78	A. Olmos
	0900	78	A. Olmos
	1200	80	A. Olmos
	1500	80	ANDRADE
	1800	80	ANDRADE
	2100	79	D/IR
	2400	77	D/IR

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	77	D/IR
	0600	78	A. Olmos
	0900	80	A. Olmos
	1200	80	A. Olmos
	1500	81	ANDRADE
	1800	81	ANDRADE
	2100	79	ANDRADE
	2400	76	D/IR

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	77	D/IR
	0600	79	E. Ruiz
	0900	79	E. RUIZ
	1200	80	E. RUIZ
	1500	81	ANDRADE
	1800	81	ANDRADE
	2100	79	ANDRADE
	2400	78	D/IR

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	78	D/IR
	0600	78	MICL
	0900	78	MICL
	1200	80	MICL
	1500	81	ANDRADE
	1800	81	ANDRADE
	2100	79	ANDRADE
	2400	78	D/IR

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	74	D/IR
	0600	78	CARL
	0900	79	MICL
	1200	80	MICL
	1500	81	ANDRADE
	1800	81	ANDRADE
	2100	79	ANDRADE
	2400	80	T. Alvarado

Notes

Date	Time	Temp.	Name (Print)
7/7/24	0300	80	T. Alvarado
	0600	80	MICL
	0900	82	MICL
	1200	83	MICL
	1500	84	D. Clemente
	1800	84	D. Clemente
	2100	83	D. Clemente
	2400	83	T. Alvarado

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18/24	0300	82	J. Alvarado
	0600	80	N. Rivera
	0900	81	N. Rivera
	1200	81	N. Rivera
	1500	85	M. Tapia
	1800	85	M. Tapia
	2100	85	M. Tapia
	2400	82	DIM

Tuesday

Date	Time	Temp.	Name (Print)
7/19/24	0300	81	DIM
	0600	80	M. Rivera
	0900	80	B. Ramirez
	1200	82	B. Ramirez
	1500	82	A. Delgado
	1800	82	A. Delgado
	2100	80	A. Delgado
	2400	80	DIM

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	80	DIM
	0600	80	B. Lopez
	0900	82	B. Lopez
	1200	83	B. Lopez
	1500	74	J. Moncha
	1800	74	J. Moncha
	2100	76	J. Moncha
	2400	80	DIM

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	80	DIM
	0600	80	E. Ruiz
	0900	80	E. Ruiz
	1200	82	E. Ruiz
	1500	83	D. Cleander
	1800	83	D. Cleander
	2100	82	D. Cleander
	2400	80	DIM

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	80	DIM
	0600	80	Nunez
	0900	80	Nunez
	1200	80	Nunez
	1500	80	Nunez
	1800	80	Nunez
	2100	80	Nunez
	2400	80	DIM

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	80	DIM
	0600	81	Lopez
	0900	81	Lopez
	1200	83	Lopez
	1500	85	J. Moreno Macias
	1800	85	J. Moreno Macias
	2100	87	J. Moreno Macias
	2400	82	T. Alvarado

Notes

Date	Time	Temp.	Name (Print)
7/14/24	0300	82	T. Alvarado
	0600	82	T. Alvarado
	0900	82	T. Garcia
	1200	82	T. Garcia
	1500	76	moncha
	1800	74	moncha
	2100	76	moncha
	2400	80	T. Alvarado

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	80	T. Alvarado
	0600	80	A. Olmos
	0900	80	A. Olmos
	1200	80	A. Olmos
	1500	80	P. Whifford
	1800	80	R. Whifford
	2100	78	R. Whifford
	2400	78	C DR

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	75	D. DR
	0600	75	F. Gonzalez
	0900	75	F. Gonzalez
	1200	77	F. Gonzalez
	1500	80	M. Tapoya
	1800	80	M. Tapoya
	2100	80	M. Tapoya
	2400	80	D. DR

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	80	D. DR
	0600	80	H. DR
	0900	80	H. DR
	1200	80	J. M. Macias
	1500	80	J. M. Macias
	1800	80	E. Funk
	2100	80	E. Funk
	2400	80	C DR

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	80	D. DR
	0600	80	E. Ruiz
	0900	81	E. Ruiz
	1200	83	E. Ruiz
	1500	85	P. Whifford
	1800	87	R. Whifford
	2100	88	R. Whifford
	2400	80	D. DR

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	80	D. DR
	0600	80	N. DR
	0900	80	N. DR
	1200	81	N. DR
	1500	81	J. Moreno Macias
	1800	81	J. Moreno Macias
	2100	81	J. Moreno Macias
	2400	80	D. DR

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	80	D. DR
	0600	79	O. DR
	0900	80	O. DR
	1200	80	O. DR
	1500	81	M. DR
	1800	81	M. DR
	2100	80	M. DR
	2400	80	T. Alvarado

Notes

Date	Time	Temp.	Name (Print)
7/21/24	0300	78	T. Alvarado
	0600	78	A. Olmos
	0900	80	A. Olmos
	1200	80	A. Olmos
	1500	81	J. Moreno Macias
	1800	81	J. Moreno Macias
	2100	81	J. Moreno Macias
	2400	80	T. Alvarado

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: C6 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/22/14	0300	50	DIBR
	0600	80	A.OLMOS
	0900	80	H.OLMOS
	1200	80	A.OLMOS
	1500	82	J. MORENO MARCOS
	1800	82	J. MORENO MARCOS
	2100	82	J. MORENO MARCOS
	2400	70	DIBR

Tuesday

Date	Time	Temp.	Name (Print)
1/23/14	0300	80	DIBR
	0600	80	A.OLMOS
	0900	80	A.OLMOS
	1200	80	A.OLMOS
	1500	80	H.OLMOS
	1800	82	A.OLMOS
	2100	70	M.OLMOS
	2400	70	M.OLMOS

Wednesday

Date	Time	Temp.	Name (Print)
1/24/14	0300	80	OLMOS
	0600	80	OLMOS
	0900	80	OLMOS
	1200	82	OLMOS
	1500	82	E.FUNK
	1800	80	E.FUNK
	2100	79	J. MARCHACA
	2400	79	DIBR

Thursday

Date	Time	Temp.	Name (Print)
1/25/14	0300	77	DIBR
	0600	80	E.RUIZ
	0900	80	E.RUIZ
	1200	80	E.RUIZ
	1500	85	E.FUNK
	1800	83	E.FUNK
	2100	82	E.FUNK
	2400	77	DIBR

Friday

Date	Time	Temp.	Name (Print)
1/26/14	0300	80	DIBR
	0600	79	GUTIERREZ
	0900	80	GUTIERREZ
	1200	83	GUTIERREZ
	1500	83	E.FUNK AC
	1800	83	E.FUNK
	2100	80	E.FUNK
	2400	70	DIBR

Saturday

Date	Time	Temp.	Name (Print)
1/27/14	0300	80	DIBR
	0600	80	OLMOS
	0900	80	OLMOS
	1200	80	OLMOS
	1500	80	FUNK
	1800	80	FUNK
	2100	80	FUNK
	2400	80	T. ALVARADO

Notes

7/26/14
1/27/14
1/28/14
1/29/14
1/30/14

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/24</u>	0300	78	<u>Guinto</u>
	0600	78	<u>Guinto</u>
	0900	80	<u>Guinto</u>
	1200	80	<u>Guinto</u>
	1500	82	<u>R. Whiting Jr.</u>
	1800	82	<u>R. Whiting Jr.</u>
	2100	82	<u>R. Whiting Jr.</u>
	2400	80	<u>R. Whiting Jr.</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/24</u>	0300	80	<u>Escamilla</u>
	0600	80	<u>D. Sims</u>
	0900	80	<u>D. Sims</u>
	1200	80	<u>D. Sims</u>
	1500	80	<u>A. Delgado AC</u>
	1800	80	<u>A. Delgado</u>
	2100	80	<u>A. Delgado</u>
	2400	80	<u>D. Sims</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/31/24</u>	0300	77	<u>D. Sims</u>
	0600	80	<u>D. Sims</u>
	0900	80	<u>D. Sims</u>
	1200	80	<u>D. Sims</u>
	1500	80	<u>Copen</u>
	1800	80	<u>Copen</u>
	2100	80	<u>Copen AC</u>
	2400	79	<u>D. Sims</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>8/1/24</u>	0300	79	<u>E. Ruiz</u>
	0600	80	<u>E. Ruiz</u>
	0900	80	<u>E. Ruiz</u>
	1200	81	<u>E. Ruiz</u>
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
<u>8/2/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
<u>8/3/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
<u>8/4/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C7

Temp. Reading Location: A, B, C - P05 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/21/24	0300	72	Sorilla
	0600	72	Hernandez
	0900	72	Hernandez
	1200	73	Hernandez
	1500	74	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	73	M. ALCANTAR
	2400	72	Sorilla

Tuesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	72	Sorilla
	0600	77	Hernandez
	0900	72	Hernandez
	1200	73	Hernandez
	1500	74	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	72	Sorilla

Wednesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	72	Sorilla
	0600	72	Hernandez
	0900	73	Hernandez
	1200	73	Hernandez
	1500	74	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	74	claire

Thursday

Date	Time	Temp.	Name (Print)
7/24/24	0300	74	claire
	0600	73	Hernandez
	0900	73	Hernandez
	1200	73	Hernandez
	1500	74	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	74	M. ALCANTAR

Friday

Date	Time	Temp.	Name (Print)
7/25/24	0300	74	M. ALCANTAR
	0600	74	Hernandez
	0900	73	Hernandez
	1200	74	Hernandez
	1500	76	M. ALCANTAR
	1800	75	M. ALCANTAR
	2100	75	M. ALCANTAR
	2400	75	M. Esteban

Saturday

Date	Time	Temp.	Name (Print)
7/26/24	0300	75	M. Esteban
	0600	75	M. Esteban
	0900	75	Muriel
	1200	76	Abuel
	1500	76	MENDEZ
	1800	77	MENDEZ
	2100	77	MENDEZ
	2400	78	Sorilla

Sunday

Date	Time	Temp.	Name (Print)
7/27/24	0300	74	Sorilla
	0600	74	Muriel
	0900	74	Muriel
	1200	76	Muriel
	1500	76	M. ALCANTAR
	1800	77	M. ALCANTAR
	2100	75	M. ALCANTAR
	2400	72	Sorilla

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C 7

Temp. Reading Location: A, B, C - pods (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18/24	0300	74	Sanchez
	0600	73	Hernandez
	0900	73	Hernandez
	1200	75	Hernandez
	1500	76	M. ALCANTAR
	1800	76	M. ALCANTAR
	2100	75	M. ALCANTAR
	2400	74	Sanchez

Tuesday

Date	Time	Temp.	Name (Print)
7/19/24	0300	74	Sanchez
	0600	73	Hernandez
	0900	73	Hernandez
	1200	74	Hernandez
	1500	75	M. ALCANTAR
	1800	75	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	72	Flores

Wednesday

Date	Time	Temp.	Name (Print)
7/20/24	0300	72	Sanchez
	0600	73	Hernandez
	0900	73	Hernandez
	1200	73	Hernandez
	1500	74	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	73	M. ALCANTAR
	2400	73	Flores

Thursday

Date	Time	Temp.	Name (Print)
7/21/24	0300	72	Sanchez
	0600	73	Hernandez
	0900	73	Hernandez
	1200	73	Hernandez
	1500	75	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	75	T. Alvarado

Friday

Date	Time	Temp.	Name (Print)
7/22/24	0300	75	T. Alvarado
	0600	74	Hernandez
	0900	74	Hernandez
	1200	74	Hernandez
	1500	76	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	78	T. Alvarado
	2400	78	T. Alvarado

Saturday

Date	Time	Temp.	Name (Print)
7/23/24	0300	78	T. Alvarado
	0600	78	Sanchez
	0900	78	Sanchez
	1200	78	Sanchez
	1500	78	Alvarado
	1800	78	Alvarado
	2100	78	Alvarado
	2400	76	Sanchez

Sunday

Date	Time	Temp.	Name (Print)
7/24/24	0300	74	Sanchez
	0600	74	Nunez
	0900	75	Nunez
	1200	75	Hernandez
	1500	75	M. ALCANTAR
	1800	75	M. ALCANTAR
	2100	75	M. ALCANTAR
	2400	75	Nunez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KWSP Housing Unit: C 7 Temp. Reading Location: A, B, C - PODS
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	74	MARTINEZ
	0600	74	Hernandez
	0900	74	Hernandez
	1200	74	Hernandez
	1500	75	M. ALCANTAR
	1800	75	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	74	MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	74	MARTINEZ
	0600	74	Hernandez
	0900	74	Hernandez
	1200	74	Hernandez
	1500	75	M. ALCANTAR
	1800	75	M. ALCANTAR
	2100	74	M. ALCANTAR
	2400	74	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	74	MARTINEZ
	0600	75	Hernandez
	0900	75	Hernandez
	1200	75	Hernandez
	1500	74	M. ALCANTAR
	1800	74	M. ALCANTAR
	2100	73	M. ALCANTAR
	2400	73	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	73	MARTINEZ
	0600	74	Hernandez
	0900	74	Hernandez
	1200	74	Hernandez
	1500	75	MARTINEZ
	1800	75	Martinez
	2100	74	Martinez
	2400	76	T. Alvarado

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	76	T. Alvarado
	0600	76	Hernandez
	0900	76	Hernandez
	1200	76	Hernandez
	1500	78	Dura
	1800	78	Dura
	2100	78	Dura
	2400	78	T. Alvarado

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	78	T. Alvarado
	0600	78	Nine
	0900	78	Nine
	1200	80	Nine
	1500	80	Dura
	1800	80	Dura
	2100	80	Dura
	2400	80	Sally

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	78	Sally
	0600	78	Nine
	0900	79	Nine
	1200	80	Nine
	1500	80	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	79	M. ALCANTAR
	2400	78	F. Sullivan

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: G-7 Temp. Reading Location: 2nd Tier A, B, C Pools
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-22	0300	76	Saville
	0600	76	Hernandez
	0900	77	Hernandez
	1200	77	Hernandez
	1500	78	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	77	M. ALCANTAR
	2400	76	Saville

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	76	Saville
	0600	77	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	78	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	76	F. Saville

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	76	Saville
	0600	78	Hernandez
	0900	79	Hernandez
	1200	79	Gonzil Gurion
	1500	79	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	76	F. Saville

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	74	Saville
	0600	77	Hernandez
	0900	79	Hernandez
	1200	80	Lopez
	1500	81	Cabrera
	1800	80	Cabrera
	2100	80	Cabrera
	2400	80	Rivera

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	86	Rivera
	0600	87	Hernandez
	0900	86	Hernandez
	1200	80	Hernandez
	1500	80	Lopez
	1800	80	Lopez
	2100	80	Lopez
	2400	80	P. Alvarado

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	80	P. Alvarado
	0600	79	J. McCoy
	0900	79	J. McCoy
	1200	80	J. McCoy
	1500	80	J. McCoy
	1800	80	J. McCoy
	2100	80	J. McCoy
	2400	80	J. McCoy

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	80	Saville
	0600	80	Lopez
	0900	80	A. Delgado
	1200	80	A. Delgado
	1500	80	A. Delgado
	1800	78	A. Delgado
	2100	78	A. Delgado
	2400	78	Saville

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-7 Temp. Reading Location: 2nd A,B,C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	78	SARAH
	0600	78	Harold
	0900	81	A. CRW RIVER
	1200	80	A CRW RIVER
	1500	80	LUPIZ
	1800	81	LUPIZ
	2100	81	LUPIZ
	2400	78	SARAH

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	78	Santana
	0600	78	Hernandez
	0900	79	Hernandez
	1200	80	Hernandez
	1500	80	Gonzalez Garcia A
	1800	80	Gomez Garcia
	2100	80	Gomez Garcia
	2400	89	Santana

Wednesday

Date	Time	Temp.	Name (Print)
11/31	0300	76	Sayre
	0600	78	Leanne
	0900	78	Hannah
	1200	90	Hannah
	1500	78	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	78	FDR-1/a

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	76	Sunapee
	0600	77	Hemansky
	0900	78	Hernandez
	1200	80	Hernandez
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-8Temp. Reading Location: Control Bufler (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1 1 24	0300	77	A. Sofelo
	0600	77	A. Sofelo
	0900	77	L. Lopez
	1200	77	L. Lopez
	1500	77	L. Lopez
	1800	77	L. Lopez
	2100	77	L. Lopez
	2400	76	A. Sofelo

Tuesday

Date	Time	Temp.	Name (Print)
7/2 24	0300	76	A. Sofelo
	0600	76	A. Sofelo
	0900	76	M. Lopez
	1200	76	M. Lopez
	1500	76	Lopez
	1800	76	Lopez
	2100	76	Lopez
	2400	76	A. Sofelo

Wednesday

Date	Time	Temp.	Name (Print)
7/3 24	0300	76	A. Sofelo
	0600	76	A. Sofelo
	0900	76	L. Lopez
	1200	76	L. Lopez
	1500	76	L. Lopez
	1800	77	C. Arellano
	2100	77	C. Arellano
	2400	75	Perez

Thursday

Date	Time	Temp.	Name (Print)
7/4 24	0300	75	Perez
	0600	75	L. Lopez
	0900	75	L. Lopez
	1200	75	L. Lopez
	1500	75	P. ARELLANO
	1800	75	P. ARELLANO
	2100	74	P. ARELLANO
	2400	76	J. RODRIGUEZ

Friday

Date	Time	Temp.	Name (Print)
7/15 24	0300	77	J. RODRIGUEZ
	0600	75	J. RODRIGUEZ
	0900	75	L. Lopez
	1200	75	L. Lopez
	1500	77	P. ARELLANO
	1800	77	P. ARELLANO
	2100	76	P. ARELLANO
	2400	76	A. Sofelo

Saturday

Date	Time	Temp.	Name (Print)
7/6 24	0300	76	A. Sofelo
	0600	76	A. Sofelo
	0900	80	L. Lopez
	1200	80	L. Lopez
	1500	80	E. Gid
	1800	79	E. Gid
	2100	79	E. Gid
	2400	78	A. Sofelo

Sunday

Date	Time	Temp.	Name (Print)
7/21 24	0300	78	A. Sofelo
	0600	76	A. Sofelo
	0900	78	L. Lopez
	1200	78	L. Lopez
	1500	79	J. Moreno Macias
	1800	79	J. Moreno Macias
	2100	79	J. Moreno Macias
	2400	78	A. Sofelo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-83

Temp. Reading Location: Central Hall (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/24	0300	78	A. Sofelo
	0600	78	A. Sofelo
	0900	78	S. Nuñez
	1200	78	S. Nuñez
	1500	78	P. Arellano
	1800	78	P. Arellano
	2100	77	P. Arellano
	2400	77	A. Sofelo

Tuesday

Date	Time	Temp.	Name (Print)
7/24	0300	77	A. Sofelo
	0600	77	A. Sofelo
	0900	78	S. Nuñez
	1200	78	S. Nuñez
	1500	78	M. Lopez
	1800	78	M. Lopez
	2100	78	M. Lopez
	2400	78	A. Sofelo

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	78	A. Sofelo
	0600	78	A. Sofelo
	0900	78	L. Lopez
	1200	78	L. Lopez
	1500	78	P. Arellano
	1800	78	P. Arellano
	2100	77	P. Arellano
	2400	77	J. Castro

Thursday

Date	Time	Temp.	Name (Print)
7/24	0300	77	J. CASTRO
	0600	77	L. LOPEZ
	0900	78	L. LOPEZ
	1200	78	L. LOPEZ
	1500	78	P. Arellano
	1800	78	P. Arellano
	2100	77	P. Arellano
	2400	80	J. PONPIAGUEZ

Friday

Date	Time	Temp.	Name (Print)
7/24	0300	79	J. PONPIAGUEZ
	0600	78	J. PONPIAGUEZ
	0900	78	L. Lopez
	1200	79	L. Lopez
	1500	79	P. Arellano
	1800	79	P. Arellano
	2100	78	P. Arellano
	2400	78	A. Sofelo

Saturday

Date	Time	Temp.	Name (Print)
7/24	0300	78	A. Sofelo
	0600	78	A. Sofelo
	0900	80	J. Castro
	1200	80	E. Cid
	1500	80	E. Cid
	1800	80	E. Cid
	2100	79	E. Cid
	2400	79	J. CASTRO

Notes

Date	Time	Temp.	Name (Print)
7/24	0300	78	J. CASTRO
	0600	79	S. Gainey
	0900	79	S. Gainey
	1200	79	S. Gainey
	1500	80	A. Delgado
	1800	82	A. Delgado
	2100	80	A. Delgado
	2400	78	A. Sofelo

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-8

Temp. Reading Location: Control Room (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	78	A. Sofelo
0600	78	A. Sofelo	
0900	78	Muncz	
1200	78	Muncz	
1500	78	P. ARELIANO	
1800	78	P. ARELIANO	
2100	78	P. ARELIANO	
2400	78	A. Sofelo	

Tuesday

Date	Time	Temp.	Name (Print)
7/1	0300	78	A. Sofelo
0600	78	A. Sofelo	
0900	78	Muncz	
1200	79	Muncz	
1500	79	P. ARELIANO	
1800	79	P. ARELIANO	
2100	78	P. ARELIANO	
2400	78	A. Sofelo	

Wednesday

Date	Time	Temp.	Name (Print)
7/1	0300	78	A. Sofelo
0600	78	A. Sofelo	
0900	78	L. Lopez	
1200	78	L. Lopez	
1500	78	P. ARELIANO	
1800	78	P. ARELIANO	
2100	79	P. ARELIANO	
2400	78	H. Cervantes	

Thursday

Date	Time	Temp.	Name (Print)
7/1	0300	78	H. Cervantes
0600	78	L. Lopez	
0900	78	L. Lopez	
1200	78	L. Lopez	
1500	79	P. ARELIANO	
1800	79	P. ARELIANO	
2100	78	P. ARELIANO	
2400	79	P. ARELIANO	

Friday

Date	Time	Temp.	Name (Print)
7/1	0300	78	A. Sofelo
0600	78	A. Sofelo	
0900	80	A. Sofelo	
1200	80	A. Sofelo	
1500	80	P. ARELIANO	
1800	80	P. ARELIANO	
2100	79	P. ARELIANO	
2400	78	A. Sofelo	

Saturday

Date	Time	Temp.	Name (Print)
7/1	0300	78	A. Sofelo
0600	78	A. Sofelo	
0900	78	L. Lopez	
1200	78	L. Lopez	
1500	78	A. Bravo	
1800	80	A. Bravo	
2100	80	A. Bravo	
2400	78	A. Sofelo	

Sunday

Date	Time	Temp.	Name (Print)
7/1	0300	78	A. Sofelo
0600	78	A. Sofelo	
0900	78	L. Lopez	
1200	78	L. Lopez	
1500	80	M. TAFURA	
1800	80	M. TAFURA	
2100	80	M. TAFURA	
2400	78	A. Sofelo	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-8

Temp. Reading Location: Central bath (e.g.,
2nd Tier A-B-C Sections
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	80	A. Zafolo
7/22	0600	80	Sahagun
7/22	0900	80	Sahagun
7/22	1200	80	Sahagun
7/22	1500	80	P. ARELIANO
7/22	1800	80	P. ARELIANO
7/24	2100	79	P. ARELIANO
7/24	2400	79	H. Sofelo

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	79	H. Sofelo
7/23	0600	79	H. Sofelo
7/23	0900	78	S. Nuñez
7/23	1200	80	S. Nuñez
7/23	1500	80	P. ARELIANO
7/23	1800	80	P. ARELIANO
7/24	2100	80	P. ARELIANO
7/24	2400	79	H. Sofelo

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	79	H. Sofelo
7/24	0600	79	H. Sofelo
7/24	0900	80	J. Nuñez
7/24	1200	81	S. Nuñez
7/24	1500	81	Cash
7/24	1800	81	Cash
7/24	2100	80	Cash
7/24	2400	80	Rivera

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	80	Rivera
7/25	0600	80	Nuñez
7/25	0900	81	Nuñez
7/25	1200	82	Nuñez
7/25	1500	82	P. ARELIANO
7/25	1800	82	P. ARELIANO
7/25	2100	81	P. ARELIANO
7/25	2400	80	Cash

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80°	Faro
7/26	0600	81	Nuñez
7/26	0900	81	Nuñez
7/26	1200	82	Nuñez
7/26	1500	82	P. ARELIANO
7/26	1800	82	P. ARELIANO
7/26	2100	81	P. ARELIANO AC
7/26	2400	80	H. Sofelo

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	80	H. Sofelo
7/27	0600	80	H. Sofelo
7/27	0900	80	S. Nuñez
7/27	1200	81	S. Nuñez
7/27	1500	81	J. Moreno Macias
7/27	1800	81	J. Moreno Macias
7/27	2100	80	J. Moreno Macias
7/27	2400	80	H. Sofelo

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	80	H. Sofelo
7/28	0600	80	H. Sofelo
7/28	0900	80	S. Nuñez
7/28	1200	80	S. Nuñez
7/28	1500	80	J. Moreno Macias
7/28	1800	80	J. Moreno Macias
7/28	2100	80	J. Moreno Macias
7/28	2400	79	H. Sofelo

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: K.V.S.P. Housing Unit: C-8Temp. Reading Location: Campbell booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/219	0300	79	M. Sofelo
7/29/219	0600	79	M. Sofelo
7/29/219	0900	80	L. Lopez
7/29/219	1200	80	J. Lopez
7/29/219	1500	80	P. ARELIANO
7/29/219	1800	80	P. ARELIANO
7/29/219	2100	79	P. ARELIANO
7/29/219	2400	79	M. Sofelo

Tuesday

Date	Time	Temp.	Name (Print)
7/30/219	0300	79	M. Sofelo
7/30/219	0600	79	M. Sofelo
7/30/219	0900	79	L. OUNICE
7/30/219	1200	80	L. OUNICE
7/30/219	1500	80	P. ARDIANO
7/30/219	1800	79	P. ARDIANO
7/30/219	2100	79	P. ARDIANO
7/30/219	2400	79	M. Sofelo

Wednesday

Date	Time	Temp.	Name (Print)
7/31/219	0300	79	M. Sofelo
7/31/219	0600	79	M. Sofelo
7/31/219	0900	80	S. Nunez
7/31/219	1200	80	S. Nunez
7/31/219	1500	80	P. ARELIANO
7/31/219	1800	80	P. ARELIANO
7/31/219	2100	79	P. ARELIANO
7/31/219	2400	80	R. WEA

Thursday

Date	Time	Temp.	Name (Print)
8/1/219	0300	80	R. WEA
8/1/219	0600	80	S. NUNEZ
8/1/219	0900	80	S. NUNEZ
8/1/219	1200	80	S. NUNEZ
8/1/219	1500		
8/1/219	1800		
8/1/219	2100		
8/1/219	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/219	0300		
8/2/219	0600		
8/2/219	0900		
8/2/219	1200		
8/2/219	1500		
8/2/219	1800		
8/2/219	2100		
8/2/219	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3/219	0300		
8/3/219	0600		
8/3/219	0900		
8/3/219	1200		
8/3/219	1500		
8/3/219	1800		
8/3/219	2100		
8/3/219	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4/219	0300		
8/4/219	0600		
8/4/219	0900		
8/4/219	1200		
8/4/219	1500		
8/4/219	1800		
8/4/219	2100		
8/4/219	2400		

Notes

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6-30-24	2200	80	WILSON	7-1-24	2200	84	Marsden
	2300	76	Marsden		2300	78	Marsden
	2400	73	Marsden		2400	76	Marsden
	0100	69	Marsden		0100	74	Marsden
	0200	66	Marsden		0200	72	Marsden
	0300	66	Marsden		0300	69	Marsden
	0400	65	Marsden		0400	69	Marsden
	0500	64	Marsden		0500	67	Marsden
	0600	63	Marsden		0600	69	Flores
	0700	71	Watson		0700	70	Flores
	0800	75	Watson		0800	71	Flores
	0900	79	Watson		0900	73	Flores
	1000	82	Watson		1000	75	Flores
	1100	86	Watson		1100	79	Flores
	1200	88	Watson		1200	83	Flores
	1300	91	Watson		1300	90	Flores
	1400	94	Watson		1400	95	Flores
	1500	95	R. Flores		1500	91	Baldor
	1600	98	R. Flores		1600	96	Baldor
	1700	98	R. Flores		1700	96	Baldor
	1800	98	R. Flores		1800	95	Baldor
	1900	93	R. Flores		1900	93	Baldor
	2000	91	R. Flores		2000	88	Baldor
	2100	87	R. Flores		2100	82	Baldor

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
<i>7-2-18</i>	2200	81	E. Balafre
	2300	78	Marsden
	2400	75	Marsden
	0100	75	Marsden
	0200	72	Marsden
	0300	70	Marsden
	0400	69	Marsden
	0500	68	Marsden
	0600	69	Mon
	0700	73	Mon
	0800	70	Mon
	0900	65	Mon
	1000	90	Mon
	1100	94	Mon
	1200	98	Mon
	1300	101	Mon
	1400	103	Mon
	1500	99	WILSON
	1600	101	WILSON
	1700	102	WILSON
	1800	103	WILSON
	1900	101	WILSON
	2000	96	WILSON
	2100	91	WILSON
<i>7-3-18</i>	2200	87	WILSON
	2300	81	Marsden
	2400	78	Marsden
	0100	76	Marsden
	0200	74	Marsden
	0300	73	Marsden
	0400	73	Marsden
	0500	72	Marsden
	0600	69	Marsden
	0700	73	Hegwin
	0800	73	Hegwin
	0900	90	Hegwin
	1000	92	Hegwin
	1100	95	Hegwin
	1200	97	Hegwin
	1300	100	Hegwin
	1400	105	WILSON
	1500	106	WILSON
	1600	106	WILSON
	1700	107	WILSON
	1800	107	WILSON
	1900	104	WILSON
	2000	100	WILSON
	2100	93	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	2200	90	WILSON
	2300	85	Marsden
	2400	82	Marsden
	0100	77	Marsden
	0200	75	Marsden
	0300	74	Marsden
	0400	74	Marsden
	0500	73	Marsden
	0600	71	Marsden
	0700	69	Amsden
	0800	75	Amsden
	0900	81	Amsden
	1000	85	Amsden
	1100	89	Amsden
	1200	97	Amsden
	1300	97	Amsden
	1400	102	Amsden
	1500	109	WILSON
	1600	109	WILSON
	1700	108	WILSON
	1800	108	WILSON
	1900	105	WILSON
	2000	101	WILSON
	2100	94	WILSON

1115 UMT

7-14-24

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
	2200	90	WILSON
	2300	83	CHAPPA
	2400	82	CHAPPA
	0100	80	CHAPPA
	0200	78	CHAPPA
	0300	76	CHAPPA
	0400	74	CHAPPA
	0500	75	CHAPPA
	0600	75	CHAPPA
	0700	73	Bodorn
	0800	81	Bodorn
	0900	85	Bodorn
	1000	89	Bodorn
	1100	92	Bodorn
	1200	96	Bodorn
	1300	98	Bodorn
	1400	101	Bodorn
	1500	105	WILSON
	1600	105	WILSON
	1700	105	WILSON
	1800	105	WILSON
	1900	104	WILSON
	2000	99	WILSON
	2100	95	WILSON

7-15-24

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
COCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

UHF D.
2245

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-6-24 62 10	2200	91	WILSON
	2300	86	WILSON
	2400	83	WILSON
	0100	82	WILSON
	0200	79	WILSON
	0300	78	WILSON
	0400	77	WILSON
	0500	74	WILSON
	0600	71	WILSON
	0700	75	R. FLAKES
	0800	83	R. FLAKES
	0900	89	R. FLAKES
	1000	92	R. FLAKES
	1100	96	R. FLAKES
	1200	99	R. FLAKES
	1300	102	R. FLAKES
	1400	104	R. FLAKES
	1500	110	WILSON
	1600	109	WILSON
	1700	109	WILSON
	1800	109	WILSON
	1900	106	WILSON
	2000	102	WILSON
	2100	98	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
7/7/24 10	2200	92	WILSON
	2300	88	L. Loper
	2400	89	L. Loper
	0100	85	L. Loper
	0200	83	L. Loper
	0300	81	L. Loper
	0400	79	L. Loper
	0500	77	L. Loper
	0600	75	L. Loper
	0700	82	ROM
	0800	86	ROM
	0900	90	ROM
	1000	96	ROM
	1100	102	ROM
	1200	106	ROM
	1300	110	ROM
	1400	113	ROM
	1500	105	M. CRAIG
	1600	109	R. FLAKES
	1700	110	R. FLAKES
	1800	109	R. FLAKES
	1900	95	R. FLAKES
	2000	101	R. FLAKES
	2100	98	R. FLAKES

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/7/24	2200	97	Camacho
	2300	87	Camacho
	2400	82	Camacho
	0100	82	Camacho
	0200	80	Camacho
	0300	75	Camacho
	0400	75	Camacho
	0500	72	Camacho
	0600	70	Rey
	0700	79	Rey
	0800	84	Rey
	0900	80	Rey
	1000	94	Rey
	1100	99	Rey
	1200	103	Rey
	1300	100	Rey
	1400	109	Rey
	1500	109	Fuentes
	1600	108	Fuentes
	1700	110	Fuentes
	1800	108	Fuentes
	1900	107	Fuentes
	2000	103	Fuentes
	2100	99	Fuentes
7/8/24	2200	94	Pantoja
	2300	94	Pantoja
	2400	85	Pantoja
	0100	82	Pantoja
	0200	79	Pantoja
	0300	76	Pantoja
	0400	75	Pantoja
	0500	73	Pantoja
	0600	72	Pantoja
	0700	74	Rey
	0800	80	Rey
	0900	85	Rey
	1000	90	Rey
	1100	95	Rey
	1200	99	Rey
	1300	103	Rey
	1400	100	Rey
	1500	106	WILSON
	1600	107	WILSON
	1700	107	WILSON
	1800	107	WILSON
	1900	105	WILSON
	2000	100	WILSON
	2100	93	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
7-10-24	2200	89	WILSON	7-11-24	2200	91	WILSON
	2300	87	Gunderman		2300	83	Gomez
	2400	84	Gunderman		2400	79	Gomez
	0100	81	Gunderman		0100	79	Gomez
	0200	78	Gunderman		0200	77	Gomez
	0300	76	Gunderman		0300	75	Gomez
	0400	74	Gunderman		0400	74	Gomez
	0500	72	Gunderman		0500	73	Gomez
	0600	71	Gunderman		0600	70	Gomez
	0700	72	Amsler		0700	74	Amsler
	0800	77	Amsler		0800	81	Amsler
	0900	82	Amsler		0900	85	Amsler
	1000	85	Amsler		1000	90	Amsler
	1100	89	Amsler		1100	95	Amsler
	1200	94	Amsler		1200	98	Amsler
	1300	97	Amsler		1300	101	Amsler
	1400	100	Amsler		1400	104	Amsler
	1500	104	WILSON		1500	107	WILSON
	1600	105	WILSON		1600	107	WILSON
	1700	104	WILSON		1700	108	WILSON
	1800	104	WILSON		1800	107	WILSON
	1900	105	WILSON		1900	105	WILSON
	2000	100	WILSON		2000	100	WILSON
	2100	95	WILSON		2100	93	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

1030
115 UHT

0730
UHT 1000

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-12-24	2200	90	WILSON
	2300	90	Robertson
	2400	89	Robertson
	0100	86	Robertson
	0200	83	Robertson
	0300	80	Robertson
	0400	78	Robertson
	0500	74	Robertson
	0600	71	Robertson
	0700	71	Camdo
	0800	78	Camdo
	0900	87	Camdo
	1000	89	Camdo
	1100	91	Camdo
	1200		
	1300		
	1400	108	WILSON
	1500	109	WILSON
	1600	108	WILSON
	1700	108	WILSON
	1800	108	WILSON
	1900	104	WILSON
	2000	101	WILSON
	2100	97	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
7-13-24	2200	91	WILSON
	2300	91	FRAZIER
	2400	86	FRAZIER
	0100	86	FRAZIER
	0200	83	FRAZIER
	0300	83	FRAZIER
	0400	81	FRAZIER
	0500	79	Soren
	0600	80	Riford
	0700	87	Riford
	0800	81	Riford
	0900	85	Riford
	1000	88	Riford
	1100	92	Riford
	1200	91	Riford
	1300	96	Riford
	1400	99	Kiford
	1500	104	WILSON
	1600	107	WILSON
	1700	107	WILSON
	1800	104	WILSON
	1900	101	WILSON
	2000	94	WILSON
	2100	88	WILSON

A

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-14-24	2200	84	WILSON
	2300	82	I. Lopez
	2400	80	I. Lopez
	0100	80	I. Lopez
	0200	79	I. Lopez
	0300	77	I. Lopez
	0400	74	I. Lopez
	0500	73	I. Lopez
	0600	72	I. Lopez
	0700	75	I. Lopez
	0800	80	I. Lopez
	0900	85	I. Lopez
	1000	89	I. Lopez
	1100	93	I. Lopez
	1200	97	I. Lopez
	1300	100	I. Lopez
	1400	102	I. Lopez
	1500	103	R. FLAKE
	1600	103	R. FLAKE
	1700	101	R. FLAKE
	1800	98	R. FLAKE
	1900	97	R. FLAKE
	2000	93	R. FLAKE
	2100	90	R. FLAKE

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
JHT 07-15-24	2200	85	Ambsen
	2300	83	Ambsen
	2400	80	Ambsen
	0100	79	Ambsen
	0200	77	Ambsen
	0300	76	Ambsen
	0400	73	Ambsen
	0500	71	Ambsen
	0600	69	Ambsen
	0700	74	WALINGA
	0800	78	WALINGA
	0900	81	WALINGA
	1000	85	WALINGA
	1100	87	WALINGA
	1200	90	WALINGA
	1300	92	WALINGA
	1400	95	WALINGA
	1500	96	Baldwin
	1600	98	Baldwin
	1700	99	Baldwin
	1800	99	Baldwin
	1900	97	Baldwin
	2000	94	Baldwin
	2100	89	Baldwin

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07-16	2200	84	E. Salter
	2300	82	J. Pimienta
	2400	79	J. Pimienta
	0100	77	Pimienta
	0200	75	Pimienta
	0300	73	Pimienta
	0400	71	Pimienta
	0500	70	Pimienta
	0600	68	Bodark
	0700	69	Bodark
	0800	73	Bodark
	0900	77	Bodark
	1000	80	Bodark
	1100	84	Bodark
	1200	88	Bodark
	1300	90	Bodark
	1400	93	Bodark
	1500	97	WILSON
	1600	98	WILSON
	1700	99	WILSON
	1800	98	WILSON
	1900	96	WILSON
	2000	90	WILSON
	2100	84	WILSON
7/17/24	2200	83	WILSON
	2300	82	J. Jones
	2400	81	J. Jones
	0100	77	J. Jones
	0200	74	J. Jones
	0300	72	J. Jones
	0400	69	J. Jones
	0500	66	J. Jones
	0600	67	J. Jones
	0700	67	AMARICA
	0800	68	AMARICA
	0900	70	AMARICA
	1000	73	AMARICA
	1100	78	AMARICA
	1200	81	AMARICA
	1300	85	AMARICA
	1400	88	AMARICA
	1500	94	WILSON
	1600	95	WILSON
	1700	95	WILSON
	1800	95	WILSON
	1900	94	WILSON
	2000	90	WILSON
	2100	85	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/19/24	2200	82	WILSON
	2300	83	Duren
	2400	80	Duren
	0100	77	Duren
	0200	76	Duren
	0300	74	Duren
	0400	72	Duren
	0500	71	Duren
	0600	70	Duren
	0700	69	Amsler
	0800	73	Amsler
	0900	78	Amsler
	1000	81	Amsler
	1100	86	Amsler
	1200	90	Amsler
	1300	91	Amsler
	1400	93	Amsler
	1500	95	WILSON
	1600	94	WILSON
	1700	97	WILSON
	1800	96	WILSON
	1900	95	WILSON
	2000	90	WILSON
	2100	85	WILSON

DISTRIBUTION: Original; Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
7/19/24	2200	82	WILSON
	2300	80	Robertson
	2400	78	Robertson
	0100	76	Robertson
	0200	75	Robertson
	0300	74	Robertson
	0400	74	Robertson
	0500	73	Robertson
	0600	72	Robertson
	0700	69	Bodork
	0800	76	Bodork
	0900	81	Bodork
	1000	85	Bodork
	1100	84	Bodork
	1200	93	Bodork
	1300	95	Bodork
	1400	97	Bodork
	1500	99	WILSON
	1600	100	WILSON
	1700	100	WILSON
	1800	99	WILSON
	1900	98	WILSON
	2000	93	WILSON
	2100	88	WILSON

UOL
1200

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	2200	85	WILSON
	2300	83	GUY
	2400	81	AMADISSE
	0100	79	AMBISON
	0200	79	AMBISON
	0300	78	AMBISON
	0400	75	AMBISON
	0500	74	AMBISON
	0600	75	R.FLORES
X/20	0700	78	R.FLORES
X/21	0800	81	R.FLORES
X/21	0900	85	R.FLORES
X/21	1000	89	R.FLORES
X/21	1100	92	R.FLORES
X/21	1200	95	R.FLORES
X/21	1300	98	R.FLORES
X/21	1400	100	R.FLORES
	1500	104	WILSON
	1600	104	WILSON
	1700	104	WILSON
	1800	103	WILSON
	1900	99	WILSON
	2000	94	WILSON
	2100	90	WILSON

Date	Time	Temp.	Printed Name
7/21	2200	88	WILSON
7/21	2300	83	AMBISON
7/21	2400	80	AMBISON
7/21	0100	79	AMBISON
7/21	0200	78	AMBISON
7/21	0300	77	AMBISON
7/21	0400	75	AMBISON
7/21	0500	73	AMBISON
7/21	0600	71	AMBISON
7/21	0700	75	DONNAY
7/21	0800	79	DONNAY
7/21	0900	81	DONNAY
7/21	1000	85	DONNAY
7/21	1100	83	DONNAY
7/21	1200	90	DONNAY
7/21	1300	96	DONNAY
7/21	1400	100	DONNAY
7/21	1500	98	FLORES
7/21	1600	91	FLORES
7/21	1700	98	KLONE
7/21	1800	78	FLORES
7/21	1900	97	FLORES
7/21	2000	93	FLORES
7/21	2100	89	FLORES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
COCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
July 22 2024	2200	81	Gomez
	2300	80	Gomez
	2400	79	Gomez
	0100	78	Gomez
	0200	77	Gomez
	0300	76	Gomez
	0400	74	Gomez
	0500	73	Gomez
	0600	72	Gomez
	0700	75	A. WILSON
	0800	80	A. WILSON
	0900	84	A. WILSON
	1000	103	A. WILSON
	1100	91	A. WILSON
	1200	94	A. WILSON
	1300	97	A. WILSON
	1400	99	A. WILSON
	1500	101	Baldwin
	1600	103	Baldwin
	1700	103	Baldwin
	1800	103	Baldwin
	1900	101	Baldwin
	2000	97	Baldwin
	2100	93	Baldwin

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
July 23, 2024	2200	89	Baldwin
	2300	84	Gomez
	2400	81	Gomez
	0100	79	Gomez
	0200	79	Gomez
	0300	78	Gomez
	0400	76	Gomez
	0500	75	Gomez
	0600	74	Gomez
	0700	79	WILSON
	0800	85	WILSON
	0900	89	WILSON
	1000	95	WILSON
	1100	99	WILSON
	1200	103	WILSON
	1300	106	WILSON
	1400	108	WILSON
	1500	106	WILSON
	1600	107	WILSON
	1700	106	WILSON
	1800	105	WILSON
	1900	103	WILSON
	2000	99	WILSON
	2100	95	WILSON

94S UHT.

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-24-18	2200	92	WILSON
	2300	91	Duren
	2400	89	Duren
	0100	87	Duren
	0200	85	Duren
	0300	83	Duren
	0400	83	Duren
	0500	81	Duren
	0600	80	Duren
	0700	81	AMARISCA
	0800	84	AMARISCA
	0900	86	AMARISCA
	1000	91	AMARISCA
	1100	94	AMARISCA
	1200	97	AMARISCA
	1300	100	AMARISCA
	1400	102	AMARISCA
	1500	104	WILSON
	1600	104	WILSON
	1700	106	WILSON
	1800	105	WILSON
	1900	102	WILSON
	2000	99	WILSON
	2100	95	WILSON

UHT
09/80

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
7-25-18	2200	92	WILSON
	2300	90	Pimental
	2400	87	Pimental
	0100	85	Pimental
	0200	81	Pimental
	0300	79	Pimental
	0400	78	Pimental
	0500	77	Pimental
	0600	76	AMARISCA
	0700	79	AMARISCA
	0800	83	AMARISCA
	0900	86	AMARISCA
	1000	90	AMARISCA
	1100	93	AMARISCA
	1200	95	AMARISCA
	1300	99	AMARISCA
	1400	101	AMARISCA
	1500	103	WILSON
	1600	104	WILSON
	1700	104	WILSON
	1800	103	WILSON
	1900	100	WILSON
	2000	96	WILSON
	2100	92	WILSON

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-26-24	2200	89	WILSON
	2300	86	WILSON
	2400	84	WILSON
	0100	82	WILSON
	0200	81	WILSON
	0300	78	WILSON
	0400	77	WILSON
	0500	75	WILSON
	0600	74	WILSON
	0700	70	Baldwin
	0800	72	Baldwin
	0900	83	Baldwin
	1000	82	Baldwin
	1100	91	Baldwin
	1200	94	Baldwin
	1300	97	Baldwin
	1400	99	Baldwin
	1500	101	WILSON
	1600	102	WILSON
	1700	102	WILSON
	1800	101	WILSON
	1900	98	WILSON
	2000	94	WILSON
	2100	89	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
7/27/24	2200	85	WILSON
	2300	79	WILSON
	2400	76	WILSON
	0100	74	WILSON
	0200	72	WILSON
	0300	70	WILSON
	0400	68	WILSON
	0500	65	WILSON
	0600	64	WILSON
	0700	67	R.FLORKY
	0800	69	R.FLORKY
	0900	73	R.FLORKY
	1000	71	R.FLORKY
	1100	80	R.FLORKY
	1200	84	R.FLORKY
	1300	85	R.FLORKY
	1400	88	R.FLORKY
	1500	89	WILSON
	1600	91	WILSON
	1700	91	WILSON
	1800	92	WILSON
	1900	90	WILSON
	2000	85	WILSON
	2100	82	WILSON

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-28-24	2200	79	WILSON
	2300	75	GOMEZ
	2400	72	GOMEZ
	0100	70	Gomez
	0200	67	Gomez
	0300	65	Gomez
	0400	63	Gomez
	0500	61	Gomez
	0600	59	I. Lopez
	0700	59	I. Lopez
	0800	65	I. Lopez
	0900	68	I. Lopez
	1000	72	I. Lopez
	1100	74	I. Lopez
	1200	79	I. Lopez
	1300	82	I. Lopez
	1400	85	I. Lopez
	1500	87	Riflon
	1600	87	Riflon
	1700	89	Riflon
	1800	89	Riflon
	1900	88	Riflon
	2000	84	Riflon
	2100	80	Riflon

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
7/29	2200	77	Guerra
	2300	73	Guerra
	2400	71	Guerra
	0100	69	Guerra
	0200	67	Guerra
	0300	65	Guerra
	0400	64	Guerra
	0500	63	Guerra
	0600	62	ND
	0700	64	ND
	0800	69	ND
	0900	73	ND
	1000	78	ND
	1100	83	ND
	1200	87	ND
	1300	90	ND
	1400	94	ND
	1500	93	Bordon
	1600	92	Bordon
	1700	92	Bordon
	1800	92	Bordon
	1900	91	Bordon
	2000	86	Bordon
	2100	82	Bordon

1225
a.m.

Attachment D

STATE OF CALIFORNIA OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/30	2200	76	ISIORDIA
	2300	76	ISIORDIA
	2400	76	ISIORDIA
	0100	73	ISIORDIA
	0200	71	ISIORDIA
	0300	71	ISIORDIA
	0400	69	ISIORDIA
	0500	69	ISIORDIA
	0600	67	WELL
	0700	72	WELL
	0800	74	WELL
	0900	75	WELL
	1000	80	WELL
	1100	84	WELL
	1200	80	WELL
	1300	92	WELL
	1400	95	WELL
	1500	93	WILSON
	1600	93	WILSON
	1700	94	WILSON
	1800	93	WILSON
	1900	92	WILSON
	2000	87	WILSON
	2100	82	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
7/31	2200	78	WILSON
	2300	76	ISIORDIA
	2400	75	ISIORDIA
	0100	73	ISIORDIA
	0200	68	ISIORDIA
	0300	68	ISIORDIA
	0400	65	ISIORDIA
	0500	63	ISIORDIA
	0600	61	ISIORDIA
	0700	64	ANNSON
	0800	70	ANNSON
	0900	74	ANNSON
	1000	80	ANNSON
	1100	85	ANNSON
	1200	83	ANNSON
	1300	90	ANNSON
	1400	91	ANNSON
	1500	94	WILSON
	1600	95	WILSON
	1700	94	WILSON
	1800	94	WILSON
	1900	94	WILSON
	2000	89	WILSON
	2100	83	WILSON

VHT
1230

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7	0300	76	A. Rendón
	0600	76	Romero
	0900	76	Romero
1	1200	76	Romero
	1500	76	D. GONZALEZ
	1800	76	D. GONZALEZ
24	2100	76	D. GONZALEZ
	2400	76	Prieto

Tuesday

Date	Time	Temp.	Name (Print)
7	0300	76	Prieto
	0600	76	SALDANA
	0900	78	SALDANA
2	1200	80	Morales
	1500	83	BROCS
	1800	83	BROCS
24	2100	80	BROCS
	2400	80	MOLAREZ

Wednesday

Date	Time	Temp.	Name (Print)
7	0300	80	M. CHAVEZ
	0600	78	SALDANA
	0900	78	SALDANA
3	1200	79	SALDANA
	1500	80	Constantin
	1800	80	Constantin
24	2100	80	Constantin
	2400	80	M. CHAVEZ

Thursday

Date	Time	Temp.	Name (Print)
7	0300	80	M. CHAVEZ
	0600	78	SALDANA
	0900	80	SALDANA
4	1200	80	SALDANA
	1500	80	Gonz
	1800	80	G.Gonz
24	2100	78	G.Gonz
	2400	79	M. CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
7	0300	79	M. CHAVEZ
	0600	78	SALDANA
	0900	80	SALDANA
5	1200	80	SALDANA
	1500	80	Constantin
	1800	80	Constantin
24	2100	80	Constantin
	2400	80	M. CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
7	0300	80	M. CHAVEZ
	0600	78	SALDANA
	0900	80	SALDANA
6	1200	80	SALDANA
	1500	80	Constantin
	1800	80	Constantin
24	2100	80	Constantin
	2400	80	M. CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
7	0300	80	M. CHAVEZ
	0600	80	Romero
	0900	80	Romero
7	1200	80	Romero
	1500	80	INSTANTAN
	1800	80	Constantin
24	2100	80	Constantin
	2400	82	J. RODRIGUEZ

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Monday			
Date	Time	Temp.	Name (Print)
07 / 24	0300	81	J. RODRIGUEZ
	0600	80	J. RODRIGUEZ
	0900	80	Romero
08 / 24	1200	80	Reyes
	1500	82	D. GONZALEZ
	1800	82	D. GONZALEZ
	2100	82	D. GONZALEZ
	2400	83	J. RODRIGUEZ

Tuesday

Date	Time	Temp.	Name (Print)
07 / 24	0300	82	J. P. DRIEGER
	0600	81	J. P. DRIEGER
/	0900	80	SALIN
09	1200	80	SALIN
	1500	82	J. HOGAS
/	1800	82	J. HOGAS
24	2100	80	J. HOGAS
	2400	80	M. DRAEVER

Wednesday

Wednesday		Date	Time	Temp.	Name (Print)
			0300	80	M. CHAVES
07	/		0600	78	SACRAM
			0900	80	SACRAM
10	/		1200	80	SACRAMA
			1500	80	Constantin
			1800	80	Constantin
24			2100	80	Constantin
			2400	80	M. CHAVES

Thursday

Date	Time	Temp.	Name (Print)
07 / 11 / 24	0300	80	M. CHAVEZ
	0600	80	E. SANCHEZ
	0900	80	E. SANCHEZ
	1200	80	E. SANCHEZ
	1500	80	E. SANCHEZ
	1800	80	Constantia
	2100	80	Constantia
	2400	80	M. CHAVEZ

Friday

Friday			
Date	Time	Temp.	Name (Print)
07 / 12 / 24	0300 0600 0900 1200 1500 1800 2100 2400	80 78 80 80 81 81 81 81	M. ALVAREZ SALDANA SALDANA SALDANA Cristaliz Cristaliz Cristaliz M. CHAVEZ

Saturday

Saturday		Date	Time	Temp.	Name (Print)
			0300	81	M. CHAVEZ
07	/		0600	80	S. MEAÑA
	13		0900	80	S. MEAÑA
	24		1200	80	S. MEAÑA
			1500	81	Constanza
			1800	81	Constanza
			2100	81	Constanza
			2400	81	M. CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
07 / 14 / 24	0300	81	M. CHAVEL
	0600	80	Romero
	0900	80	ROMERO
	1200	80	Romero
	1500	81	Constantin
	1800	81	Constantin
24	2100	81	Constantin
	2400	80	J. RODRIGUEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
07 / 15 / 24	0300	79	J. RODRIGUEZ
	0600	78	J. RODRIGUEZ
	0900	78	Romero
	1200	78	Romero
	1500	78	Romero
	1800	79	GONZALEZ
	2100	78	GONZALEZ
	2400	79	GONZALEZ

Tuesday			
Date	Time	Temp.	Name (Print)
07 / 16 / 24	0300	80	RODRIGUEZ
	0600	80	RODRIGUEZ
	0900	80	SALDANA
	1200	80	SALDANA
	1500	81	J. VASQUEZ
	1800	81	J. VASQUEZ
	2100	80	J. VASQUEZ
	2400	80	M. CHAVEZ

Wednesday			
Date	Time	Temp.	Name (Print)
07 / 17 / 24	0300	80	M. CHAVEZ
	0600	78	SALDANA
	0900	80	SALDANA
	1200	80	SALDANA
	1500	80	Constantin
	1800	80	Constantin
	2100	80	Constantin
	2400	80	M. CHAVEZ

Thursday			
Date	Time	Temp.	Name (Print)
07 / 18 / 24	0300	80	M. CHAVEZ
	0600	78	S. COTMAN
	0900	80	SALDANA
	1200	80	SALDANA
	1500	80	Constantin
	1800	80	Constantin
	2100	80	Constantin
	2400	80	M. CHAVEZ

Friday			
Date	Time	Temp.	Name (Print)
07 / 19 / 24	0300	80	M. CHAVEZ
	0600	78	SALDANA
	0900	80	SALDANA
	1200	80	SALDANA
	1500	80	Constantin
	1800	80	Constantin
	2100	80	Constantin
	2400	80	M. CHAVEZ

Saturday			
Date	Time	Temp.	Name (Print)
07 / 20 / 24	0300	80	M. CHAVEZ
	0600	78	SALDANA
	0900	80	SALDANA
	1200	80	SALDANA
	1500	79	Mora
	1800	79	Mora
	2100	79	Mora
	2400	80	M. CHAVEZ

Sunday			
Date	Time	Temp.	Name (Print)
07 / 21 / 24	0300	80	M. CHAVEZ
	0600	79	Romero
	0900	80	Romero
	1200	80	Romero
	1500	80	Hernandez
	1800	80	Hernandez
	2100	80	Hernandez
	2400	80	M. Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: B Housing Unit: D-2 Temp. Reading Location: D-2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

KVSP
Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/22	0300	80	M. HERNANDEZ
	0600	80	Romero
	0900	80	Romero
	1200	80	Romero
	1500	80	Aguayo
	1800	80	Aguayo
24	2100	80	Aguayo
	2400	80	M. HERNANDEZ

Wednesday			
Date	Time	Temp.	Name (Print)
7/24	0300	80	M. CHAVEZ
	0600	80	SALDANA
	0900	80	SALDANA
	1200	80	SALDANA
	1500	81	Constanza
	1800	81	Constanza
	2100	81	Constanza
	2400	80	M. CHAVEZ

Friday			
Date	Time	Temp.	Name (Print)
7/26	0300	80	M. CHAVEZ
	0600	80	J. CASTRO
	0900	82	J. CASTRO
	1200	82	J. CASTRO
	1500	83	Constanza
	1800	83	Constanza
	2100	83	Constanza
	2400	83	M. CHAVEZ

Sunday			
Date	Time	Temp.	Name (Print)
7/28	0300	82	M. CHAVEZ
	0600	80	Romero
	0900	80	Romero
	1200	80	Romero
	1500	80	JACOB
	1800	80	JACOB
	2100	80	JACOB
	2400	80	M. HERNANDEZ

Tuesday			
Date	Time	Temp.	Name (Print)
7/23	0300	80	M. HERNANDEZ
	0600	80	SALDANA
	0900	80	SALDANA
	1200	80	SALDANA
	1500	83	JACOB
	1800	83	JACOB
24	2100	80	JACOB
	2400	80	M. CHAVEZ

Thursday			
Date	Time	Temp.	Name (Print)
7/25	0300	80	M. CHAVEZ
	0600	80	SALDANA
	0900	80	SALDANA
	1200	80	SALDANA
	1500	80	CONSTANZA
	1800	80	CONSTANZA
24	2100	80	CONSTANZA
	2400	80	M. CHAVEZ

Saturday			
Date	Time	Temp.	Name (Print)
7/27	0300	81	M. CHAVEZ
	0600	81	R. Resendiz
	0900	82	R. Resendiz
	1200	82	R. Resendiz
	1500	82	M. CHAVEZ
	1800	82	M. CHAVEZ
24	2100	82	M. CHAVEZ
	2400	82	M. CHAVEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: D Housing Unit: D 2 Temp. Reading Location: A, B, C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	80	M. Hernandez
	0600	78	Ramos
	0900	76	Ramirez
	1200	76	Ramos
	1500	78	G. Diaz
	1800	78	G. Diaz
	2100	78	G. Diaz
	2400	79	M. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	79	M. Hernandez
	0600	78	Saldana
	0900	80	Saldana
	1200	80	Saldana
	1500	80	Rojas
	1800	80	Rojas
	2100	79	Rojas
	2400	79	M. Chavez

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	79	M. Chavez
	0600	78	Saldana
	0900	80	Saldana
	1200	80	Saldana
	1500	80	Constantino
	1800	80	Constantino
	2100	80	Constantino
	2400	80	M. Chavez

Thursday

Date	Time	Temp.	Name (Print)
8/01	0300	80	M. Chavez
	0600	78	Saldana
	0900	80	Saldana
	1200	80	Saldana
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

July 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	79	Gloria
	0600	76	E. Sanchez
	0900	76	E. Sanchez
	1200	76	E. Sanchez
	1500	75	C. Duran
	1800	75	C. Duran
	2100	75	C. Duran
	2400	75	Gloria

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	75	Gloria
	0600	75	Marquez
	0900	77	Marquez
	1200	77	Marquez
	1500	75	C. Duran
	1800	75	C. Duran
	2100	75	C. Duran
	2400	75	J. Gloria

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	75	J. Gloria
	0600	75	Marquez
	0900	75	Marquez
	1200	77	Marquez
	1500	80	C. Duran
	1800	80	C. Duran
	2100	80	C. Duran
	2400	75	Meza N

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	75	Meza N
	0600	75	Espina
	0900	75	Espina
	1200	75	Espina
	1500	80	Thurston, D
	1800	80	Thurston, D
	2100	80	Thurston, D
	2400	80	Smart, JAS

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	80	ESAMARRIDAS
	0600	80	J. RAMOS
	0900	80	J. RAMOS
	1200	80	J. RAMOS
	1500	82	J. RICO
	1800	80	J. RICO
	2100	80	J. RICO
	2400	80	Gloria

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	80	Gloria
	0600	80	Marquez
	0900	80	Marquez
	1200	80	Marquez
	1500	82	Thurston, D
	1800	82	Thurston, D
	2100	82	Thurston, D
	2400	80	Gloria

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	80	Gloria
	0600	80	Marquez
	0900	80	Marquez
	1200	80	Marquez
	1500	82	Milward
	1800	82	Milward
	2100	82	Milward
	2400	82	DeWitt

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

D-3

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-3

Temp. Reading Location: _____ (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/05/24	0300	75	Rodriguez
	0600	75	Morales
	0900	78	Morales
	1200	78	Morales
	1500	76	Morales
	1800	80	Morales
	2100	81	Morales
	2400	80	Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
07/09/24	0300	81	Rodriguez
	0600	80	Morales
	0900	80	Morales
	1200	80	Morales
	1500	81	Rodriguez
	1800	82	Rodriguez
	2100	82	Rodriguez
	2400	81	Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
07/10/24	0300	80	Rodriguez
	0600	81	Rodriguez
	0900	81	Rodriguez
	1200	82	Rodriguez
	1500	84	Rodriguez
	1800	80	Rodriguez
	2100	84	Rodriguez
	2400	84	Meza, N.

Thursday

Date	Time	Temp.	Name (Print)
07/11/24	0300	84	Meza, N.
	0600	80	Herrera
	0900	80	Herrera
	1200	82	Herrera
	1500	82	Aleman
	1800	82	Aleman
	2100	83	Aleman
	2400	82	E.S. Amador, PAS

Friday

Date	Time	Temp.	Name (Print)
07/12/24	0300	82	E. SAMAKRIMAS
	0600	81	J. RAMOS
	0900	82	J. RAMOS
	1200	82	J. RAMOS
	1500	84	J. RAMOS
	1800	82	J. RAMOS
	2100	80	J. RAMOS
	2400	80	Lopez

Saturday

Date	Time	Temp.	Name (Print)
07/13/24	0300	80	Lopez
	0600	80	Morales
	0900	80	Morales
	1200	80	Morales
	1500	80	G. Cruz
	1800	79	G. Cruz
	2100	78	G. Cruz
	2400	78	Angulo

Notes

Date	Time	Temp.	Name (Print)
07/14/24	0300	78	Angulo
	0600	78	Morales
	0900	78	Morales
	1200	78	Morales
	1500	78	Lopez
	1800	78	Lopez
	2100	78	Lopez
	2400	78	DeWitt

July 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	78	Gloria
7/15	0600	79	Marquez
7/15	0900	79	Marquez
7/15	1200	80	Marquez
7/15	1500	80	Dunbar
7/15	1800	80	Dunbar
7/15	2100	80	Dunbar
7/15	2400	79	Gloria

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	79	Gloria
7/16	0600	79	Marquez
7/16	0900	80	Marquez
7/16	1200	80	Marquez
7/16	1500	80	Dunbar
7/16	1800	80	Dunbar
7/16	2100	80	Dunbar
7/16	2400	79	Gloria

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	79	Gloria
7/17	0600	79	Marquez
7/17	0900	80	Marquez
7/17	1200	80	Marquez
7/17	1500	80	Dunbar
7/17	1800	80	Dunbar
7/17	2100	80	Dunbar
7/17	2400	79	Meza, N

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	79	Meza, N
7/18	0600	79	Anaya, A
7/18	0900	79	Cash, J
7/18	1200	79	Anaya, A
7/18	1500	79	Hernan
7/18	1800	79	Hernan
7/18	2100	77	Hernan
7/18	2400	74	E. SANTARRIPAS

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	79	E. SANTARRIPAS
7/19	0600	78	J. RAMOS
7/19	0900	80	J. RAMOS
7/19	1200	80	J. RAMOS
7/19	1500	82	POLLOS
7/19	1800	83	POLLOS
7/19	2100	83	POLLOS
7/19	2400	80	Gloria

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	80	Gloria
7/20	0600	80	M. Moran
7/20	0900	80	M. Moran
7/20	1200	82	M. Moran
7/20	1500	82	I. Marquez
7/20	1800	80	I. Marquez
7/20	2100	80	I. Marquez
7/20	2400	80	Gloria

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	80	Gloria
7/21	0600	80	C. Dunbar
7/21	0900	80	C. Dunbar
7/21	1200	80	C. Dunbar
7/21	1500	80	C. Dunbar
7/21	1800	80	C. Dunbar
7/21	2100	80	C. Dunbar
7/21	2400	80	Gloria

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

July 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

*SPN
CS
AF*

Monday			
Date	Time	Temp.	Name (Print)
7/22	0300	80	Gloria
7/22	0600	80	Marquez
7/22	0900	80	Marquez
7/22	1200	80	Marquez
7/22	1500	70	Dura
7/22	1800	80	Dura
7/22	2100	80	Dura
7/22	2400	80	Gloria

*SPN
CS
AF*

Tuesday			
Date	Time	Temp.	Name (Print)
7/23	0300	70	Gloria
7/23	0600	80	L. Marquez
7/23	0900	80	L. Marquez
7/23	1200	80	
7/23	1500	80	C. Duran
7/23	1800	80	Dura
7/23	2100	80	C. Duran
7/23	2400	80	M. Garcia

*SPN
CS
AF*

Wednesday			
Date	Time	Temp.	Name (Print)
7/24	0300	70	E. Sanchez
7/24	0600	71	Marquez
7/24	0900	80	Marquez
7/24	1200	80	J. Garcia
7/24	1500	80	Duran
7/24	1800	80	Duran
7/24	2100	70	Duran
7/24	2400	80	MEZA, N

*SPN
CS
AF*

Thursday			
Date	Time	Temp.	Name (Print)
7/25	0300	80	MEZA, N
7/25	0600	80	A. ANAYA
7/25	0900	80	A. ANAYA
7/25	1200	80	A. ANAYA
7/25	1500	80	A. ANAYA
7/25	1800	80	
7/25	2100	80	
7/25	2400	80	E. SANTAPPAS

*9
AF*

Friday			
Date	Time	Temp.	Name (Print)
7/26	0300	80	E. SANTAPPAS
7/26	0600	80	J. RAMOS
7/26	0900	81	J. RAMOS
7/26	1200	81	POLIS
7/26	1500	83	POLIS
7/26	1800	83	POLIS
7/26	2100	80	POLIS
7/26	2400	71	R. Smith

*AT
9
AF*

Saturday			
Date	Time	Temp.	Name (Print)
7/27	0300	79	R. Belli
7/27	0600	80	R. Belli
7/27	0900	80	Marquez
7/27	1200	82	Marquez
7/27	1500	82	Serna
7/27	1800	82	Serna
7/27	2100	80	Serna
7/27	2400	80	R. Belli

*SPN
CS
AF*

Sunday			
Date	Time	Temp.	Name (Print)
7/28	0300	70	Gloria
7/28	0600	80	Marquez
7/28	0900	80	Marquez
7/28	1200	80	E. Sanchez
7/28	1500	80	E. Sanchez
7/28	1800	80	E. Sanchez
7/28	2100	80	E. Sanchez
7/28	2400	80	Gloria

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/29	0300	78	Gloria
7/29	0600	78	Morales
7/29	0900	78	Meza
7/29	1200	80	Morales
7/29	1500	80	C. Duran
7/29	1800	80	C. Duran
7/29	2100	80	C. Duran
7/29	2400	80	V. CARRIZO

Tuesday			
Date	Time	Temp.	Name (Print)
7/30	0300	80	V. CARRIZO
7/30	0600	80	Morales
7/30	0900	80	Morales
7/30	1200	80	Morales
7/30	1500	80	C. Duran
7/30	1800	79	G. Carriz
7/30	2100	78	G. Carriz
7/30	2400	78	Gloria

Wednesday			
Date	Time	Temp.	Name (Print)
7/31	0300	78	Gloria
7/31	0600	78	Castro
7/31	0900	78	Castro
7/31	1200	80	Castro
7/31	1500	80	E. Duran
7/31	1800	80	E. Duran
7/31	2100	80	E. Duran
7/31	2400	80	Meza, N

Thursday			
Date	Time	Temp.	Name (Print)
8/1	0300	80	Meza, N
8/1	0600	80	ANAYA, A.
8/1	0900	80	ANAYA, A.
8/1	1200	80	ANAYA, A.
8/1	1500	80	ANAYA, A.
8/1	1800	80	ANAYA, A.
8/1	2100	80	ANAYA, A.
8/1	2400	80	E. SAMARIPAS

Friday			
Date	Time	Temp.	Name (Print)
8/2	0300	80	SAMARIPAS
8/2	0600	80	Ramos
8/2	0900	80	Ramos
8/2	1200		
8/2	1500		
8/2	1800		
8/2	2100		
8/2	2400		

Saturday			
Date	Time	Temp.	Name (Print)
8/3	0300		
8/3	0600		
8/3	0900		
8/3	1200		
8/3	1500		
8/3	1800		
8/3	2100		
8/3	2400		

Sunday			
Date	Time	Temp.	Name (Print)
8/4	0300		
8/4	0600		
8/4	0900		
8/4	1200		
8/4	1500		
8/4	1800		
8/4	2100		
8/4	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KKP Housing Unit: D4 Temp. Reading Location: B-Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/24</u>	0300	80	SANCHEZ
	0600	80	SANCHEZ
	0900	80	RAMOS, J
	1200	80	RAMOS, J
	1500	80	THURSTON, D
	1800	80	THURSTON, D
	2100	80	THURSTON, D
	2400	80	SAMAR RIPAS

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/24</u>	0300	80	SAMAR RIPAS
	0600	80	RAMOS
	0900	80	RAMOS
	1200	80	RAMOS
	1500	75	RAMOS
	1800	75	RAMOS
	2100	75	RAMOS
	2400	76	CARR

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/24</u>	0300	76	CARR
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	RAMOS
	1800	76	RAMOS
	2100	76	RAMOS
	2400	76	CARR

Thursday

Date	Time	Temp.	Name (Print)
<u>7/24</u>	0300	76	CARR
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	RAMOS
	1800	76	RAMOS
	2100	77	RAMOS
	2400	76	CARR

Friday

Date	Time	Temp.	Name (Print)
<u>7/24</u>	0300	76	CARR
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	80	THURSTON, D
	1800	80	THURSTON, D
	2100	82	THURSTON, D
	2400	80	CARR

Saturday

Date	Time	Temp.	Name (Print)
<u>7/24</u>	0300	80	CARR
	0600	80	MARTINEZ
	0900	80	MARTINEZ
	1200	80	MARTINEZ
	1500	81	BASTON
	1800	81	BASTON
	2100	81	BASTON
	2400	81	D. CARR

Sunday

Date	Time	Temp.	Name (Print)
<u>7/24</u>	0300	81	D. CARR
	0600	82	A. VILLALBA
	0900	82	A. VILLALBA
	1200	82	A. VILLALBA
	1500	82	THURSTON, D
	1800	82	THURSTON, D
	2100	82	THURSTON, D
	2400	84	SANCHEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D4 Temp. Reading Location: B. Section (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7 8 24	0300	82	SANCHEZ
	0600	80	J. RAMOS
	0900	82	J. RAMOS
	1200	82	J. RAMOS
	1500	82	Houston, D
	1800	82	F. CASTRO
	2100	82	F. CASTRO
	2400	82	E. SAMARRIPAS

Tuesday

Date	Time	Temp.	Name (Print)
7 9 24	0300	82	E. SAMARRIPAS
	0600	82	J. RAMOS
	0900	89	J. RAMOS
	1200	88	F. CASTRO
	1500	82	F. CASTRO
	1800	82	F. CASTRO
	2100	82	F. CASTRO
	2400	80	D. CASA

Wednesday

Date	Time	Temp.	Name (Print)
7 10 24	0300	80	D. CASA
	0600	80	Martinez
	0900	80	Martinez
	1200	80	Martinez
	1500	76	Ramos
	1800	76	Ramos
	2100	76	Ramos
	2400	80	CASA

Thursday

Date	Time	Temp.	Name (Print)
7 11 24	0300	80	CASA
	0600	80	Martinez
	0900	80	Martinez
	1200	80	Martinez
	1500	80	Ramos
	1800	80	Ramos
	2100	80	Ramos
	2400	78	CASA

Friday

Date	Time	Temp.	Name (Print)
7 12 24	0300	78	CASA
	0600	78	Martinez
	0900	80	Martinez
	1200	80	Martinez
	1500	80	Ramos
	1800	80	Ramos
	2100	80	Ramos
	2400	80	CASA

Saturday

Date	Time	Temp.	Name (Print)
7 13 24	0300	80	CASA
	0600	80	Martinez
	0900	80	Martinez
	1200	80	Martinez
	1500	80	BARTON
	1800	80	BARTON
	2100	74	BARTON
	2400	80	CASA

Sunday

Date	Time	Temp.	Name (Print)
7 14 24	0300	80	CASA
	0600	80	Villanueva
	0900	86	Villanueva
	1200	80	Villanueva
	1500	80	J. Herrera
	1800	80	J. Herrera
	2100	80	J. Herrera
	2400	80	E. SAMARRIPAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-4 Temp. Reading Location: B-SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	80	E.SAMARRIPAS
	0600	71	RAMOS J
	0900	71	RAMOS J
	1200	70	RAMOS J
	1500	80	Aguayo
	1800	86	Aguayo
	2100	80	Aguayo
	2400	80	E.SAMARRIPAS

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	80	E.SAMARRIPAS
	0600	80	RAMOS J
	0900	80	RAMOS J
	1200	80	RAMOS J
	1500	75	Ram
	1800	76	Ramos
	2100	76	Ramos
	2400	76	Carr

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	76	Carr
	0600	76	Martinez
	0900	77	Martinez
	1200	77	Martinez
	1500	77	Ramos
	1800	77	Ramos
	2100	76	Ramos
	2400	76	Carr

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	76	Carr
	0600	76	Martinez
	0900	76	Martinez
	1200	76	Martinez
	1500	76	Ramos
	1800	76	Ramos
	2100	76	Ramos
	2400	76	D. Carr

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	76	Carr
	0600	76	Martinez
	0900	76	Martinez
	1200	76	Martinez
	1500	76	Ramos
	1800	76	Ramos
	2100	76	Ramos
	2400	76	Carr

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	76	Carr
	0600	76	Martinez
	0900	76	Martinez
	1200	76	Martinez
	1500	71	J. Vasquez
	1800	76	J. Vasquez
	2100	76	J. Vasquez
	2400	76	Unavail

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	76	MAID (M.D.)
	0600	76	Viv
	0900	77	Viv
	1200	77	Viv
	1500	71	Thompson
	1800	80	Thompson
	2100	80	Thompson
	2400	80	E.SAMARRIPAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D4 Temp. Reading Location: B SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	80	E SAMARPIAS
7/22	0600	80	J. RAMOS
7/22	0900	80	Ramos
7/22	1200	80	Ramos
7/22	1500	80	L. CONANT
7/22	1800	80	L. CONANT
7/22	2100	80	L. CONANT
7/22	2400	80	E SAMARPIAS

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	80	E SAMARPIAS
7/23	0600	81	J. RAMOS
7/23	0900	81	J. RAMOS
7/23	1200	81	J. RAMOS
7/23	1500	81	M. Stewart
7/23	1800	81	M. Stewart
7/23	2100	81	M. Stewart
7/23	2400	80	Cyber

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	80	Corn
7/24	0600	80	Martinez
7/24	0900	80	Martinez
7/24	1200	80	Martinez
7/24	1500	80	Ramos
7/24	1800	80	Martinez
7/24	2100	80	Martinez
7/24	2400	80	Corn

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	80	Corn
7/25	0600	80	Martinez
7/25	0900	80	Martinez
7/25	1200	80	Coyote
7/25	1500	80	Ramos
7/25	1800	81	Ramos
7/25	2100	81	Ramos
7/25	2400	80	Corn

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80	Corn
7/26	0600	80	Martinez
7/26	0900	80	Martinez
7/26	1200	80	Martinez
7/26	1500	80	Ramos
7/26	1800	80	Ramos
7/26	2100	80	Ramos
7/26	2400	80	Corn

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	80	Corn
7/27	0600	80	Martinez
7/27	0900	80	Martinez
7/27	1200	80	Martinez
7/27	1500	80	LUPIZC
7/27	1800	80	LUPIZC
7/27	2100	80	LUPIZC
7/27	2400	80	Corn

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	80	Corn
7/28	0600	80	Villanueva
7/28	0900	80	Villanueva
7/28	1200	80	Villanueva
7/28	1500	80	Sutton
7/28	1800	80	Sutton
7/28	2100	80	Sutton
7/28	2400	81	E. Samarpias

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D4 Temp. Reading Location: B-SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

M GPT
9
24

Monday

Date	Time	Temp.	Name (Print)
7/24	0300	81	SAMARRIPAS
	0600	81	Dabbs
	0900	81	Gillot
	1200	81	Gillot
	1500	81	Sutton
	1800	81	Sutton
	2100	81	Sutton
	2400	82	SAMARRIPAS

MP
8/24

Tuesday

Date	Time	Temp.	Name (Print)
7/24	0300	82	SAMARRIPAS
	0600	82	Ramos
	0900	82	Ramos
	1200	82	Ramos
	1500	80	Ramos
	1800	80	(G)GA
	2100	80	(G)GA
	2400	80	TEARKEEL

GPT
9/24

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	80	TERKEEL
	0600	80	Martinez
	0900	80	Martinez
	1200	80	DABBS
	1500	80	Ramos
	1800	80	Ramos
	2100	78	Ramos
	2400	78	Otase

MP
9/24

Thursday

Date	Time	Temp.	Name (Print)
7/24	0300	78	Cox
	0600	76	Martinez
	0900	80	Martinez
	1200	80	Martinez
	1500	80	Ramos
	1800	80	Ramos
	2100	80	Ramos
	2400	80	Cox

MP
8/24

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	80	Cox
	0600	80	Martinez
	0900	80	Martinez
	1200		
	1500		
	1800		
	2100		
	2400		

MP
8/24

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

MP
8/24

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

MP
8/24

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-S CONTROL Temp. Reading Location: Z ↑ TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7	0300	80	Rodriguez
.	0600	80	L. Cervantes
1	0900	83	L. Cervantes
.	1200	80	L. Cervantes
24	1500	80	MOSELY
.	1800	80	Moseley
24	2100	79	Garcia
	2400	80	Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
7	0300	80	Rodriguez
.	0600	80	Frank
2	0900	80	Ruth
.	1200	80	Ruth
24	1500	80	Ruth
.	1800	80	Ruth
24	2100	80	Ruth
	2400	81	Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
7	0300	80	Rodriguez
.	0600	80	Frank
3	0900	80	Frank
.	1200	80	Frank
24	1500	80	Ruth
.	1800	80	Ruth
24	2100	80	Ruth
	2400	80	Diez

Thursday

Date	Time	Temp.	Name (Print)
7	0300	79	Diez
.	0600	77	Diez
4	0900	80	Frank
.	1200	80	Frank
24	1500	80	Ruth
.	1800	80	Ruth
24	2100	80	Ruth
	2400	80	Salazar

Friday

Date	Time	Temp.	Name (Print)
7	0300	80	Salazar
.	0600	80	Pedroza
5	0900	80	Pedroza
.	1200	80	Pedroza
24	1500	80	Ruth
.	1800	80	Ruth
24	2100	80	Ruth
	2400	82	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
7	0300	82	Rodriguez
.	0600	81	Avalos
6	0900	81	Avalos
.	1200	82	Avalos
24	1500	82	Emal Jonad
.	1800	82	Emal Jonad
24	2100	82	Emal Jonad
	2400	82	Rodriguez

Notes

Date	Time	Temp.	Name (Print)
7	0300	84	Rodriguez
.	0600	82	Martinez
7	0900	82	Martinez
.	1200	83	Martinez
24	1500	83	Roger
.	1800	85	Arla
24	2100	85	Arla
	2400	88	Rodriguez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-5 CONTROL Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7	0300	87	Rodriguez
.	0600	86	Rodriguez
8	0900	86	Talbot
.	1200	86	Talbot
24	1500	85	Chavez
	1800	85	Chavez
	2100	85	Chavez
	2400	87	Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
7	0300	88	Rodriguez
.	0600	86	Rodriguez
10	0900	86	Pruett
.	1200	86	Pruett
24	1500	87	Rodriguez
	1800	88	Rodriguez
	2100	83	Rodriguez
	2400	88	Rodriguez

Friday

Date	Time	Temp.	Name (Print)
7	0300	88	Pruett
.	0600	87	Avalado
12	0900	88	Avalado
.	1200	88	Avalado
24	1500	88	Rodriguez
	1800	88	Rodriguez
	2100	88	Rodriguez
	2400	88	Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
7	0300	87	Rodriguez
.	0600	80	Ramos
14	0900	82	Ramos
.	1200	84	Ramos
24	1500	85	Stewart
	1800	86	Stewart
	2100	87	Stewart
	2400	87	Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
7	0300	87	Rodriguez
.	0600	87	Hernandez
9	0900	87	Hernandez
.	1200	84	Hernandez
24	1500	88	Chavez
	1800	88	Chavez
	2100	88	Chavez
	2400	88	Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
7	0300	88	D. Diaz
.	0600	86	D. Diaz
11	0900	88	J. CASTRO
.	1200	88	J. CASTRO
24	1500	88	Rodriguez
	1800	88	Rodriguez
	2100	88	Rodriguez
	2400	88	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
7	0300	87	Rodriguez
.	0600	87	Avalado
13	0900	88	Avalado
.	1200	88	Avalado
24	1500	89	Garcia
	1800	89	Garcia
	2100	88	Garcia
	2400	87	Rodriguez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-5 Control Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7	0300	85	RODRIGUEZ
.	0600	85	Pineda
15	0900	85	Pineda
.	1200	85	Pineda
24	1500	85	MARSHALL
.	1800	85	LAWRENCE
24	2100	85	Marshall
	2400	85	RODRIGUEZ

Tuesday

Date	Time	Temp.	Name (Print)
7	0300	86	RODRIGUEZ
.	0600	86	Pineda
16	0900	86	Pineda
.	1200	86	Pineda
24	1500	86	ICUWA
.	1800	86	PHILLIPS
24	2100	86	PHILLIPS
	2400	87	RODRIGUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7	0300	84	RODRIGUEZ
.	0600	84	Pineda
17	0900	84	Pineda
.	1200	84	Pineda
24	1500	84	PHILLIPS
.	1800	84	PHILLIPS
24	2100	84	PHILLIPS
	2400	82	D.DUR

Thursday

Date	Time	Temp.	Name (Print)
7	0300	79	O.DUR
.	0600	79	O.DUR
18	0900	80	Pineda
.	1200	80	Pineda
24	1500	80	L.CENA & S
.	1800	80	L.CENA & S
24	2100	80	L.CENA & S
	2400		

Friday

Date	Time	Temp.	Name (Print)
7	0300	71	RODRIGUEZ
.	0600	80	AVALADS
19	0900	82	AVALADS
.	1200	82	AVALADS
24	1500	82	ALENAN
.	1800	82	ALENAN
24	2100	81	ALENAN
	2400	80	RODRIGUEZ

Saturday

Date	Time	Temp.	Name (Print)
7	0300	85	RODRIGUEZ
.	0600	79	AVALADS
20	0900	80	AVALADS
.	1200	80	AVALADS
24	1500	80	SIMON
.	1800	88	SIMON
24	2100	88	
	2400	87	RODRIGUEZ

Notes

Date	Time	Temp.	Name (Print)
7	0300	87	RODRIGUEZ
.	0600	85	CASIO
21	0900	85	CASIO
.	1200	85	CASIO
24	1500	84	ZUMGA
.	1800	86	ZUMGA
24	2100	86	ZUMGA
	2400	80	RODRIGUEZ

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D5 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Get
Monday

Date	Time	Temp.	Name (Print)
7/22	0300	79	RODRIGUEZ
7/22	0600	79	RODRIGUEZ
7/22	0900	79	Pineda
7/22	1200	79	Pineda
7/22	1500	80	Carrasco
7/22	1800	82	Alvarez
7/23	2100	79	Carrasco
7/24	2400	79	RODRIGUEZ

Get
Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	79	RODRIGUEZ
7/23	0600	77	Pineda
7/23	0900	79	Pineda
7/23	1200	80	H. Carrasco
7/23	1500	80	Ruiz
7/23	1800	82	Ruiz
7/24	2100	82	Ruiz
7/24	2400	80	RODRIGUEZ

Get
Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	79	RODRIGUEZ
7/24	0600	78	RODRIGUEZ
7/24	0900	79	Castro
7/24	1200	82	Castro
7/24	1500	82	Emil Jurado
7/24	1800	82	Emil Jurado
7/24	2100	82	Emil Jurado
7/24	2400	80	D. Ruiz

Get
Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	78	Dur
7/25	0600	79	Dur
7/25	0900	80	Pineda
7/25	1200	80	Pineda
7/25	1500	78	S. Serr
7/25	1800	80	Ruiz
7/25	2100	80	EMIL JU
7/25	2400		

Get
Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80	S. Salazar
7/26	0600	78	Alvarado
7/26	0900	80	Alvarado
7/26	1200	81	Alvarado
7/26	1500	82	Ruiz
7/26	1800	84	Ruiz
7/26	2100	84	Ruiz
7/26	2400	81	RODRIGUEZ

Get
Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	81	RODRIGUEZ
7/27	0600	80	RODRIGUEZ
7/27	0900	80	Alvarado
7/27	1200	80	Alvarado
7/27	1500	80	Zuniga
7/27	1800	81	Zuniga
7/27	2100	82	Zuniga
7/27	2400	80	RODRIGUEZ

Get
Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	79	RODRIGUEZ
7/28	0600	79	RODRIGUEZ
7/28	0900	80	Pineda
7/28	1200	80	Carrasco
7/28	1500	80	Zuniga
7/28	1800	80	Zuniga
7/28	2100	80	Zuniga
7/28	2400	80	Pelayo

Get
Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6780 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/31/14	0300	80	Pelayo
	0600	80	Pelayo
	0900	80	Priñeda
	1200	81	Priñeda
	1500	81	INTERSONIC
	1800	81	INTERSONIC
	2100	80	INTERSONIC
	2400	80	R-CALDERON

Tuesday			
Date	Time	Temp.	Name (Print)
7/31/14	0300	78	R.CALDERON
	0600	80	Priñeda
	0900	80	Priñeda
	1200	80	Priñeda
	1500	80	RASH
	1800	82	RNTU
	2100	82	RPN
	2400	80	V.CASTRO

Wednesday			
Date	Time	Temp.	Name (Print)
7/31/14	0300	80	V.CASTRO
	0600	80	Priñeda
	0900	80	Priñeda
	1200	80	Priñeda
	1500	81	RASH
	1800	81	RASH
	2100	81	Avalos
	2400	80	SANCHEZ

Thursday			
Date	Time	Temp.	Name (Print)
8/1/14	0300	80	RASH
	0600	78	RASH
	0900	80	Priñeda
	1200		
	1500	82	RASH
	1800	82	RASH
	2100	82	RASH
	2400	80	SALAZAR

Friday			
Date	Time	Temp.	Name (Print)
8/1/14	0300	80	SALAZAR
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 / 01	0300	75	Luna
/	0600	76	Martinez
	0900	76	Montez
01	1200	76	Munoz
/	1500	76	Gonzalez
24	1800	76	Gonzalez
	2100	76	Gonzalez
	2400	75	Luna

Tuesday

Date	Time	Temp.	Name (Print)
07 / 02	0300	75	Luna
/	0600	78	Ramirez
	0900	78	Ramirez
02	1200	78	Ramirez
/	1500	76	ZUMGA
24	1800	76	ZUMGA
	2100	76	ZUMGA
	2400	75	Luna

Wednesday

Date	Time	Temp.	Name (Print)
07 / 03	0300	75	Luna
/	0600	75	CASTROVIA
	0900	76	CASTROVIA
03	1200	76	CASTROVIA
/	1500	80	J. GUADARDO
24	1800	80	J. GUADARDO
	2100	80	J. GUADARDO
	2400	80	Sister

Thursday

Date	Time	Temp.	Name (Print)
07 / 04	0300	88	Sister
/	0600	78	Pedro
	0900	78	Pedro
04	1200	78	Pedro
/	1500	80	J. GUADARDO
24	1800	80	J. GUADARDO
	2100	80	J. GUADARDO
	2400	80	J. GUADARDO

Friday

Date	Time	Temp.	Name (Print)
07 / 05	0300	76	R. Diaz
/	0600	78	
	0900	80	Zuniga
05	1200	81	Zuniga
/	1500	82	D. Clemente
24	1800	81	D. Clemente
	2100	81	D. Clemente
	2400	82	E. SAMANIEGAS

Saturday

Date	Time	Temp.	Name (Print)
07 / 06	0300	82	E. SAMANIEGAS
/	0600	82	Malina
	0900	82	Malina
06	1200	82	Malina
/	1500	83	Sanchez
24	1800	82	Sanchez
	2100	82	Sanchez
	2400	82	E. SAMANIEGAS

Notes

Date	Time	Temp.	Name (Print)
07 / 07	0300	82	E. SAMANIEGAS
/	0600	80	Malina
	0900	82	Malina
07	1200	82	Malina
/	1500	85	FRANCO
24	1800	81	FRANCO
	2100	81	FRANCO
	2400	81	FRANCO

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDRB6 Temp. Reading Location: ZNOTIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/18	0300	80	Ormeado
	0600	80	Mercado
	0900	80	Carrasco
	1200	81	Marcelo
	1500	81	Vasquez
	1800	80	Vasquez
	2100	80	Vasquez
	2400	78	Lopez

Tuesday			
Date	Time	Temp.	Name (Print)
7/19	0300	78	Lopez
	0600	80	Lopez
	0900	80	Lopez
	1200	80	Lopez
	1500	81	Marcelo
	1800	81	Marcelo
	2100	80	Marcelo
	2400	80	Marcelo

Wednesday			
Date	Time	Temp.	Name (Print)
7/10	0300	80	Lopez
	0600	80	Carrasco
	0900	80	Carrasco
	1200	80	Carrasco
	1500	80	J. GUARDADO
	1800	80	J. GUARDADO
	2100	80	J. GUARDADO
	2400	80	Lopez

Thursday			
Date	Time	Temp.	Name (Print)
7/11	0300	80	Lopez
	0600	82	Pedrozo
	0900	82	Pedrozo
	1200	82	Pedrozo
	1500	82	J. GUARDADO
	1800	82	J. GUARDADO
	2100	80	J. GUARDADO
	2400	80	Lopez

Friday			
Date	Time	Temp.	Name (Print)
7/12	0300	80	Lopez
	0600	80	Kwong
	0900	80	Kwong
	1200	80	Kwong
	1500	80	J. GUARDADO
	1800	80	J. GUARDADO
	2100	80	J. GUARDADO
	2400	80	E. SAMARIPAS

Saturday			
Date	Time	Temp.	Name (Print)
7/13	0300	80	E. SAMARIPAS
	0600	80	Lopez
	0900	80	Lopez
	1200	80	Lopez
	1500	80	J. GUARDADO
	1800	80	J. GUARDADO
	2100	80	J. GUARDADO
	2400	80	E. SAMARIPAS

Sunday			
Date	Time	Temp.	Name (Print)
7/14	0300	80	E. SAMARIPAS
	0600	80	Lopez
	0900	80	Lopez
	1200	81	Lopez
	1500	81	C. Contreras
	1800	81	C. Contreras
	2100	81	C. Contreras
	2400	80	Lopez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 / 15	0300	80	long
	0600	80	MARIA
	0900	81	MARIA
	1200	81	MARIA
	1500	81	GUARDADO
	1800	81	GUARDADO
24	2100	81	GUARDADO
	2400	80	long

Tuesday

Date	Time	Temp.	Name (Print)
07 / 16	0300	80	long
	0600	80	RHENY
	0900	80	RHENY
	1200	80	RHENY
	1500	80	GONZALEZ
	1800	80	GONZALEZ
24	2100	79	GONZALEZ
	2400	80	long

Wednesday

Date	Time	Temp.	Name (Print)
07 / 17	0300	80	long
	0600	80	CASCAUSA
	0900	80	CASCAUSA
	1200	81	CASCAUSA
	1500	78	J. GUARDADO
	1800	78	J. GUARDADO
24	2100	78	J. GUARDADO
	2400	78	long

Thursday

Date	Time	Temp.	Name (Print)
07 / 18	0300	78	long
	0600	77	ANAYA
	0900	78	ANAYA
	1200	78	ANAYA
	1500	78	J. GUARDADO
	1800	78	J. GUARDADO
24	2100	78	J. GUARDADO
	2400	80	long

Friday

Date	Time	Temp.	Name (Print)
07 / 19	0300	78	long
	0600	78	SANDRA
	0900	80	SANDRA
	1200	80	SANDRA
	1500	78	J. GUARDADO
	1800	78	J. GUARDADO
24	2100	78	J. GUARDADO
	2400	74	E. SAMARIPAS

Saturday

Date	Time	Temp.	Name (Print)
07 / 20	0300	80	E. SAMARIPAS
	0600	80	MARIA
	0900	81	MARIA
	1200	81	MARIA
	1500	82	J. GUARDADO
	1800	82	J. GUARDADO
24	2100	82	J. GUARDADO
	2400	88	J. GUARDADO

Sunday

Date	Time	Temp.	Name (Print)
07 / 21	0300	85	PEDRO
	0600	87	Rivera
	0900	80	Rivera
	1200	85	Rivera
	1500	88	J. GUARDADO
	1800	85	J. GUARDADO
24	2100	85	J. GUARDADO
	2400	77	J. GUARDADO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature
90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 / 22	0300	79	CORZA
/	0600	80	C. MARISCAL
22 /	0900	81	L. MARISCAL
24	1200	80	L. MARISCAL
	1500	81	Z. VARGAS
	1800	80	Z. VARGAS
	2100	81	Z. VARGAS
	2400	80	Z. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
07 / 23	0300	80	Z. VARGAS
/	0600	80	Z. VARGAS
23 /	0900	80	Z. VARGAS
24	1200	80	Z. VARGAS
	1500	80	Z. VARGAS
	1800	83	Z. VARGAS
	2100	80	Z. VARGAS
	2400	80	Z. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
07 / 24	0300	80	Z. VARGAS
/	0600	78	CASCAVIA
24 /	0900	82	CASCAVIA
24	1200	82	CASCAVIA
	1500	88	J. GUATIARDO
	1800	86	J. GUATIARDO
	2100	86	J. GUATIARDO
	2400	80	Z. VARGAS

Thursday

Date	Time	Temp.	Name (Print)
07 / 25	0300	80	Z. VARGAS
/	0600	80	P. DELA CRUZ
25 /	0900	80	P. DELA CRUZ
24	1200	80	P. DELA CRUZ
	1500	80	J. GUATIARDO
	1800	80	J. GUATIARDO
	2100	80	J. GUATIARDO
	2400	80	Z. VARGAS

Friday

Date	Time	Temp.	Name (Print)
07 / 26	0300	80	Z. VARGAS
/	0600	80	S. MARISCAL
26 /	0900	80	S. MARISCAL
24	1200	80	S. MARISCAL
	1500	80	J. GUATIARDO
	1800	80	J. GUATIARDO
	2100	80	J. GUATIARDO
	2400	80	Z. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
07 / 28	0300	81	S. MARISCAL
/	0600	81	S. MARISCAL
28 /	0900	81	S. MARISCAL
24	1200	80	S. MARISCAL
	1500	80	L. MARISCAL
	1800	80	L. MARISCAL
	2100	80	L. MARISCAL
	2400	80	J. STEEN

Saturday

Date	Time	Temp.	Name (Print)
07 / 27	0300	80	Z. VARGAS
/	0600	79	S. MARISCAL
27 /	0900	80	J. GUATIARDO
24	1200	80	J. GUATIARDO
	1500	80	J. GUATIARDO
	1800	80	J. GUATIARDO
	2100	80	J. GUATIARDO
	2400	80	S. MARISCAL

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
07 / 29 / 24	0300	80	JHEZNAHME
	0600	80	CASTANEDA
	0900	80	CASTANEDA
	1200	80	CASTANEDA
	1500	80	ZUMBA
	1800	80	ZUMBA
	2100	78	ZUMBA
	2400	78	ZUMBA

Tuesday			
Date	Time	Temp.	Name (Print)
07 / 30 / 24	0300	78	Lompa
	0600	78	RHYU
	0900	78	RHYU
	1200	80	RHYU
	1500	78	Gonzalez
	1800	74	Gonzalez
	2100	74	Gonzalez
	2400	78	Lompa

Wednesday			
Date	Time	Temp.	Name (Print)
07 / 31 / 24	0300	78	Loyce
	0600	77	CASERWITZ
	0900	76	CASERWITZ
	1200	79	CASERWITZ
	1500	80	J. GUZARDO
	1800	80	J. GUZARDO
	2100	80	J. GUZARDO
	2400	80	Loyce

Thursday			
Date	Time	Temp.	Name (Print)
08 / 01 24	0300	80	Loyce
	0600	77	R. Aguilar
	0900	79	(L.A.)
	1200		
/	1500	78	J. GUARARDO
	1800	78	J. GUARARDO
	2100	78	J. GUARARDO
	2400	78	Loyce

Friday			
Date	Time	Temp.	Name (Print)
08 / 02 / 24	0300	78	Lorraine
	0600	75	SANDRA M
	0900	78	SANDRA M
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
08 / 03 / 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
08 /	0300		
	0600		
	0900		
	1200		
04 / 24	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 / 01	0300	74	O. Gonzalez
	0600	79	Martinez
	0900	74	Martinez
	1200	75	Martinez
	1500	75	Pelago
	1800	75	Pelago
24	2100	75	Pelago
	2400	76	A. Rendon

Tuesday

Date	Time	Temp.	Name (Print)
07 / 02	0300	79	A. Rendon
	0600	74	Martinez
	0900	75	Martinez
	1200	75	Martinez
	1500	77	Pelago
	1800	77	Pelago
24	2100	76	Pelago
	2400	76	O. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
07 / 03	0300	76	O. Gonzalez
	0600	76	Martinez
	0900	76	Martinez
	1200	76	Martinez
	1500	79	Pelago
	1800	79	Pelago
24	2100	77	Pelago
	2400	77	O. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
07 / 04	0300	76	O. Gonzalez
	0600	76	O. Gonzalez
	0900	77	O. Gonzalez
	1200	76	O. Gonzalez
	1500	76	Martinez
	1800	76	Martinez
24	2100	76	Martinez
	2400	77	Rios

Friday

Date	Time	Temp.	Name (Print)
07 / 05	0300	77	Rios
	0600	77	A. ANAYA
	0900	77	A. ANAYA
	1200	77	A. ANAYA
	1500	78	A. ANAYA
	1800	77	A. ANAYA
24	2100	77	A. ANAYA
	2400	77	Mezal, N

Saturday

Date	Time	Temp.	Name (Print)
07 / 06	0300	77	Mezal, N
	0600	77	A. ANAYA
	0900	78	A. ANAYA
	1200	78	A. ANAYA
	1500	78	Rios
	1800	78	Rios
24	2100	78	Rios
	2400	78	O. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
07 / 07	0300	76	O. Gonzalez
	0600	85	M. Sahagun
	0900	75	M. Sahagun
	1200	82	Ikon
	1500	80	Pelago
	1800	80	Pelago
24	2100	80	Pelago
	2400	80	O. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 / 24	0300	78	O. Gonzalez
	0600	78	
	0900	80	
08 /	1200	82	
	1500	84	
	1800	84	
	2100	84	
	2400	80	A. Rendall

Tuesday

Date	Time	Temp.	Name (Print)
07 / 24	0300	78	A. Rendall
	0600	78	MARTINEZ
	0900	78	MARTINEZ
09 /	1200	79	MAGANA
	1500	79	V. CASTRO
	1800	80	J. LAGUARDIA
	2100	80	J. CASTRO
	2400	80	O. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
07 / 24	0300	80	O. Gonzalez
	0600	80	MARTINEZ
	0900	80	MARTINEZ
10 /	1200	81	MARTINEZ
	1500	81	MARTINEZ
	1800	80	MARTINEZ
	2100	80	MARTINEZ
	2400	80	O. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
07 / 24	0300	78	O. Gonzalez
	0600	78	MARTINEZ
	0900	79	MARZ-OLZ
11 /	1200	80	MARTINEZ
	1500	80	MARTINEZ
	1800	80	MARTINEZ
	2100	79	MARZ-OLZ
	2400	79	Meza, N

Friday

Date	Time	Temp.	Name (Print)
07 / 24	0300	79	Meza, N
	0600	79	Anaya, A
	0900	79	Anaya, A
12 /	1200	79	Anaya, A
	1500	80	Anaya, A
	1800	80	Anaya, A
	2100	79	Anaya, A
	2400	79	Meza, N

Saturday

Date	Time	Temp.	Name (Print)
07 / 24	0300	79	Meza, N
	0600	79	Anaya, A
	0900	80	Anaya, A
13 /	1200	80	Anaya, A
	1500	80	Ramos
	1800	80	Sorres
	2100	80	Ramos
	2400	80	O. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
07 / 24	0300	79	O. Gonzalez
	0600	80	O. Gonzalez
	0900	80	O. Gonzalez
14 /	1200	80	O. Gonzalez
	1500	80	GOMEZ
	1800	80	Narvaez
	2100	78	Narvaez
	2400	78	O. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 / 15 / 24	0300	78	O. Gonzalez
	0600	78	Martinez
	0900	79	Martinez
	1200	79	Martinez
	1500	79	Pelayo
	1800	79	Pelayo
	2100	78	Pelayo
	2400	80	M. Garza

Tuesday

Date	Time	Temp.	Name (Print)
07 / 16 / 24	0300	80	M. Garza
	0600	80	Martinez
	0900	80	Martinez
	1200	80	Martinez
	1500	80	Pelayo
	1800	80	Pelayo
	2100	80	Pelayo
	2400	80	O. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
07 / 17 / 24	0300	79	O. Gonzalez
	0600	79	Martinez
	0900	79	Martinez
	1200	79	Martinez
	1500	79	Pelayo
	1800	79	Pelayo
	2100	78	Pelayo
	2400	78	O. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
07 / 18 / 24	0300	79	O. Gonzalez
	0600	79	Martinez
	0900	78	Martinez
	1200	79	Martinez
	1500	79	Pelayo
	1800	79	Pelayo
	2100	79	Pelayo
	2400	79	Meza, N

Friday

Date	Time	Temp.	Name (Print)
07 / 19 / 24	0300	79	Meza, N
	0600	79	A. Anaya
	0900	79	A. Anaya
	1200	80	A. Anaya
	1500	80	A. Anaya
	1800	80	A. Anaya
	2100	79	A. Anaya
	2400	79	Meza, N

Saturday

Date	Time	Temp.	Name (Print)
07 / 20 / 24	0300	79	Meza, N
	0600	79	A. Anaya
	0900	80	A. Anaya
	1200	81	A. Anaya
	1500	81	Romero
	1800	80	Romero
	2100	79	Romero
	2400	79	Pedroza

Sunday

Date	Time	Temp.	Name (Print)
07 / 21 / 24	0300	79	Pedroza
	0600	79	M. Garza
	0900	79	M. Garza
	1200	79	M. Garza
	1500	79	Pelayo
	1800	79	Pelayo
	2100	79	Pelayo
	2400	79	M. Garza

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D7 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	78	MARTINEZ
	0600	79	MARTINEZ
	0900	79	MARTINEZ
	1200	79	MARTINEZ
	1500	79	Pelayo
	1800	79	Pelayo
	2100	79	Pelayo
	2400	79	O. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	78	O. Gonzalez
	0600	79	WATSON
	0900	79	WATSON
	1200	79	WATSON
	1500	79	Pelayo
	1800	79	Pelayo
	2100	79	Pelayo
	2400	79	O. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	79	O. Gonzalez
	0600	79	Lemuna
	0900	79	Lemuna
	1200	81	Lemuna
	1500	79	Pelayo
	1800	79	Pelayo
	2100	79	Pelayo
	2400	79	Slatier

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	78	Slatier
	0600	79	MARTINEZ
	0900	79	MARTINEZ
	1200	80	MARTINEZ
	1500	80	Santana
	1800	80	O. HERNANDEZ JR
	2100	79	O. HERNANDEZ JR
	2400	80	Meza, N

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	80	Meza, N
	0600	80	A. ANAYA
	0900	80	A. ANAYA
	1200	80	A. ANAYA
	1500	80	A. ANAYA
	1800	80	A. ANAYA
	2100	79	A. ANAYA
	2400	78	Meza, N

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	79	Meza, N
	0600	79	ANAYA, A
	0900	79	ANAYA, A
	1200	79	ANAYA, A
	1500	79	Ramos
	1800	79	Ramos
	2100	79	Ramos
	2400	79	Campose

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	80	Campose
	0600	80	Campose
	0900	80	ON
	1200	84	ON
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
07 / 22 29 24	0300	76	J. Gómez 62
	0600	76	Montañez
	0900	76	Morales
	1200	77	Martinez
	1500	77	Pérez
	1800	77	Pérez
	2100	77	Pérez
	2400	77	J. Gómez 62

Tuesday			
Date	Time	Temp.	Name (Print)
07 / 23	0300	77	O. Gonzales
	0600	77	MARTINEZ
	0900	77	MARSHALL
3P	1200	77	MARTINEZ
24	1500	77	Pedro
	1800	77	Pedro
	2100	77	Pedro
	2400	72	O. Gonzales

Wednesday			
Date	Time	Temp.	Name (Print)
07/24/31	0300	72	O. Gonzalez
	0600	72	MARTINEZ
	0900	72	MARTINEZ
	1200	72	MARTINEZ
	1500	77	Perez
	1800	77	Perez
24	2100	77	Perez
	2400	76	Silva

Thursday			
Date	Time	Temp.	Name (Print)
6/8 2011	0300	77	Slater
	0600	77	MARTINEZ
1	0900	77	MARTINEZ
20/1	1200	77	MARTINEZ
	1500	77	Pelayo
	1800	77	Pelayo
24	2100	77	Pelayo
	2400	77	Meza, N

Date	Time	Temp.	Name (Print)
03 08 09 30 24	0300	77	MEZANIN
	0600	78	A. ANAYA, A.
	0900	78	A. ANAYA, A.
	1200	79	A. ANAYA, A.
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
DS 23	0300		
	0600		
	0900		
DS 23	1200		
	1500		
1 24	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
08	0300		
07	0600		
04	0900		
28	1200		
	1500		
1	1800		
24	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/2024	0300	76	Meza, N
	0600	78	CAS120
	0900	77	CAS120
	1200	79	CAS120
	1500	79	Ramirez
	1800	79	Prieto
	2100	79	Ramirez
	2400	79	D.V. Lopez

Tuesday

Date	Time	Temp.	Name (Print)
07/02/2024	0300	78	D.V. Lopez
	0600	78	SANDRA L
	0900	80	SANDRA L
	1200	80	SANDRA L
	1500	80	CAS120
	1800	79	CAS120
	2100	79	CAS120
	2400	79	Prieto

Wednesday

Date	Time	Temp.	Name (Print)
07/03/2024	0300	79	Prieto
	0600	79	SANCHEZ
	0900	79	SANCHEZ
	1200	79	SANCHEZ
	1500	80	CAS120
	1800	80	CAS120
	2100	78	CAS120
	2400	80	V. CASTRO

Thursday

Date	Time	Temp.	Name (Print)
07/04/2024	0300	79	V. CASTRO
	0600	79	SANCHEZ
	0900	79	SANCHEZ
	1200	79	SANCHEZ
	1500	79	CAS120
	1800	80	CAS120
	2100	80	CAS120
	2400	80	RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
07/05/2024	0300	80	RAMIREZ
	0600	79	SANCHEZ
	0900	79	SANCHEZ
	1200	79	SANCHEZ
	1500	80	CAS120
	1800	80	CAS120
	2100	79	CAS120
	2400	79	JOHNSON

Saturday

Date	Time	Temp.	Name (Print)
07/06/2024	0300	79	JOHNSON
	0600	79	SANCHEZ
	0900	79	SANCHEZ
	1200	79	SANCHEZ
	1500	81	MARSHAL
	1800	81	MARSHAL
	2100	81	MARSHAL
	2400	80	Meza, N

Notes

Date	Time	Temp.	Name (Print)
07/07/2024	0300	80	Meza, N
	0600	80	Peralta
	0900	80	Peralta S
	1200	80	Peralta
	1500	80	Ramirez
	1800	80	Ramirez
	2100	80	Ramirez
	2400	80	Meza, N

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/20/24	0300	80	Meza, N
07/20/24	0600	80	SANDRA M. S.
07/20/24	0900	80	SANDRA M. S.
07/20/24	1200	80	WATERS
07/20/24	1500	80	Romero
07/20/24	1800	80	Romero
07/20/24	2100	80	Romero
07/20/24	2400	80	Guzmán, A

Tuesday

Date	Time	Temp.	Name (Print)
07/20/24	0300	80	Guzmán, A
07/20/24	0600	80	P. Medina, O
07/20/24	0900	80	SANDRA M. S.
07/20/24	1200	80	SANDRA M. S.
07/20/24	1500	80	Castrejón
07/20/24	1800	80	Castrejón
07/20/24	2100	79	Castrejón
07/20/24	2400	80	Guzmán, A

Wednesday

Date	Time	Temp.	Name (Print)
07/20/24	0300	80	Guzmán, A
07/20/24	0600	80	Sánchez
07/20/24	0900	80	Sánchez
07/20/24	1200	80	Sánchez
07/20/24	1500	80	Castrejón
07/20/24	1800	80	Castrejón
07/20/24	2100	80	Castrejón
07/20/24	2400	80	Guzmán, A

Thursday

Date	Time	Temp.	Name (Print)
07/20/24	0300	80	Guzmán, A
07/20/24	0600	80	Sánchez
07/20/24	0900	80	Sánchez
07/20/24	1200	80	Sánchez
07/20/24	1500	80	Castrejón
07/20/24	1800	80	Castrejón
07/20/24	2100	79	Sánchez
07/20/24	2400	80	Guzmán, A

Friday

Date	Time	Temp.	Name (Print)
07/20/24	0300	80	Guzmán, A
07/20/24	0600	80	Sánchez
07/20/24	0900	80	Sánchez
07/20/24	1200	80	Sánchez
07/20/24	1500	80	Castrejón
07/20/24	1800	80	Castrejón
07/20/24	2100	80	Castrejón
07/20/24	2400	80	Guzmán, A

Saturday

Date	Time	Temp.	Name (Print)
07/20/24	0300	80	Guzmán, A
07/20/24	0600	80	Quiros
07/20/24	0900	80	Quiros
07/20/24	1200	80	Quiros
07/20/24	1500	80	Quiros
07/20/24	1800	80	Quiros
07/20/24	2100	79	Quiros
07/20/24	2400	79	Meza, N

Sunday

Date	Time	Temp.	Name (Print)
07/20/24	0300	79	Meza, N
07/20/24	0600	79	O. GUERRA, J.
07/20/24	0900	79	O. GUERRA, J.
07/20/24	1200	80	O. GUERRA, J.
07/20/24	1500	80	Romero
07/20/24	1800	80	Romero
07/20/24	2100	80	Romero
07/20/24	2400	80	Meza, N

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

5/31
Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<i>07/15/2024</i>	0300	79	Meza, N
	0600	79	SANDOVAL, S.
	0900	79	SANDOVAL
	1200	80	SANDOVAL
	1500	80	Casenave
	1800	80	Ramirez
	2100	80	Pymond
	2400	80	Gonzales

Tuesday

Date	Time	Temp.	Name (Print)
<i>07/16/2024</i>	0300	80	Gonzales
	0600	80	SANDOVAL
	0900	80	SANDOVAL
	1200	80	SANDOVAL
	1500	80	Casenave
	1800	80	Casenave
	2100	80	Casenave
	2400	80	Gonzales

Wednesday

Date	Time	Temp.	Name (Print)
<i>07/17/2024</i>	0300	80	Gonzales
	0600	78	Sosa
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	80	Casenave
	1800	80	Casenave
	2100	78	Casenave
	2400	78	Gonzales

Thursday

Date	Time	Temp.	Name (Print)
<i>07/18/2024</i>	0300	78	Gonzales
	0600	78	Sosa
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	80	Casenave
	1800	80	Casenave
	2100	78	Casenave
	2400	78	Gonzales

Friday

Date	Time	Temp.	Name (Print)
<i>07/19/2024</i>	0300	78	Gonzales
	0600	78	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	80	Casenave
	1800	80	Casenave
	2100	78	Casenave
	2400	78	Gonzales

Saturday

Date	Time	Temp.	Name (Print)
<i>07/20/2024</i>	0300	78	Gonzales
	0600	78	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	80	Gonzales
	1800	80	Gonzales
	2100	78	Gonzales
	2400	78	Gonzales

Sunday

Date	Time	Temp.	Name (Print)
<i>07/21/2024</i>	0300	78	Yanez
	0600	76	Sosa
	0900	78	Sosa
	1200	78	Sosa
	1500	78	Romero
	1800	76	Romero
	2100	76	Romero
	2400	78	Meza, N

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/22/2024	0300	78	Meza N
07/22/2024	0600	79	SANCHEZ
07/22/2024	0900	80	SANCHEZ
07/22/2024	1200	80	SANCHEZ
07/22/2024	1500	80	Ramos
07/22/2024	1800	80	Ramos
07/22/2024	2100	78	Ramos
07/22/2024	2400	78	Gonzales

Tuesday

Date	Time	Temp.	Name (Print)
07/23/2024	0300	78	Gonzales
07/23/2024	0600	78	SANCHEZ
07/23/2024	0900	78	SANCHEZ
07/23/2024	1200	80	SANCHEZ
07/23/2024	1500	80	Ramirez Garcia
07/23/2024	1800	80	Garcia
07/23/2024	2100	78	Garcia
07/23/2024	2400	78	Gonzales

Wednesday

Date	Time	Temp.	Name (Print)
07/24/2024	0300	78	Gonzales
07/24/2024	0600	80	M. CHAVEZ
07/24/2024	0900	80	M. CHAVEZ
07/24/2024	1200	80	M. CHAVEZ
07/24/2024	1500	80	CASCAJEA
07/24/2024	1800	80	CASCAJEA
07/24/2024	2100	80	F. ORDAZ
07/24/2024	2400	80	Gonzales

Thursday

Date	Time	Temp.	Name (Print)
07/25/2024	0300	80	Gonzales
07/25/2024	0600	78	SANCHEZ
07/25/2024	0900	78	SANCHEZ
07/25/2024	1200	78	SANCHEZ
07/25/2024	1500	80	CASCAJEA
07/25/2024	1800	80	CASCAJEA
07/25/2024	2100	80	CASCAJEA
07/25/2024	2400	80	Gonzales

Friday

Date	Time	Temp.	Name (Print)
07/26/2024	0300	80	Gonzales
07/26/2024	0600	78	SANCHEZ
07/26/2024	0900	78	SANCHEZ
07/26/2024	1200	78	SANCHEZ
07/26/2024	1500	80	SANCHEZ
07/26/2024	1800	78	SANCHEZ
07/26/2024	2100	78	SANCHEZ
07/26/2024	2400	78	Gonzales

Saturday

Date	Time	Temp.	Name (Print)
07/27/2024	0300	78	Gonzales
07/27/2024	0600	78	SANCHEZ
07/27/2024	0900	78	SANCHEZ
07/27/2024	1200	78	SANCHEZ
07/27/2024	1500	79	Gonzales
07/27/2024	1800	79	Gonzales
07/27/2024	2100	78	Gonzales
07/27/2024	2400	78	Meza N

Sunday

Date	Time	Temp.	Name (Print)
07/28/2024	0300	78	Meza N
07/28/2024	0600	78	SANCHEZ
07/28/2024	0900	78	SANCHEZ
07/28/2024	1200	78	SANCHEZ
07/28/2024	1500	76	Gonzales
07/28/2024	1800	76	Ramos
07/28/2024	2100	75	Ramos
07/28/2024	2400	75	Meza

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29/2024	0300	78°	Meza, N
	0600	78	SANDVAL
	0900	80	SANDVAL
	1200	80	SANDVAL
	1500	78	Romero
	1800	78	Romero
	2100	76	Romero
	2400	74	Casavita

MP

Tuesday

Date	Time	Temp.	Name (Print)
07/30/2024	0300	72	Garcia
	0600	72	SANDVAL
	0900	75	SANDVAL
	1200	77	SANDVAL
	1500	77	Casavita
	1800	77	Casavita
	2100	78	Casavita
	2400	78	Garcia

MP

Wednesday

Date	Time	Temp.	Name (Print)
07/31/2024	0300	72	Chavez
	0600	74	I.SANCHEZ
	0900	76	J.SANCHEZ
	1200	78	J.SANCHEZ
	1500	78	Casavita
	1800	78	Casavita
	2100	78	Casavita
	2400	78	GARCIA

MP
of

Thursday

Date	Time	Temp.	Name (Print)
08/01/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
08/02/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
08/03/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
08/04/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODUM (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	72	Smith
	0600	72	Smith
	0900	72	Smith
	1200	72	Smith
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	A. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	70	A. Rodriguez
	0600	70	G. Smith
	0900	70	G. Smith
	1200	70	G. Smith
	1500	70	A. Rodriguez
	1800	70	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	Q. Rodriguez

Friday 7/15/24

Date	Time	Temp.	Name (Print)
7/15/24	0300	70	C. Castillo
	0600	76	C. Castillo
	0900	70	C. Smith
	1200	70	C. Smith
	1500	70	C. Smith
	1800	70	A.A. Contreras
	2100	70	A.A. Contreras
	2400	70	Soto

Sunday 7/17/24

Date	Time	Temp.	Name (Print)
9/8/24	0300	72	Soto
	0600	72	A. CHAVEZ
	0900	73	A. CHAVEZ
	1200	73	A. CHAVEZ
	1500	73	Soto
	1800	73	Soto
	2100	73	Soto
	2400	73	Soto

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300	70	A. Rodger
	0600	70	G. Smith
	0900	70	G. Smith
	1200	70	G. Smith
	1500	70	A. Rodger
	1800	70	A. Rodger
	2100	70	A. Rodger
	2400	70	A. Rodger

Thursday

Date	Time	Temp.	Name (Print)
7/15/24	0300	70	P. ESPIONAGE
	0600	70	G. SMITH
	0900	70	G. SMITH
	1200	70	G. SMITH
	1500	70	SANNA
	1800	70	SANNA
	2100	70	805
	2400	70	805

Saturday

Date	Time	Temp.	Name (Print)
7/17/24	0300	70	SJC
	0600	70	A.A. Contreras
	0900	70	A.A. Contreras
	1200	72	A.A. Contreras
	1500	72	SJC
	1800	72	SJC
	2100	72	SJC
	2400	71	SJC

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION


From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18/24	0300	72	
	0600	72	
	0900	72	
	1200	72	
	1500	72	A. Rockford
	1800	72	A. Rockford
	2100	72	A. Rockford
	2400	76	A. Rockford

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300	70	A. Rockey
	0600	70	C. Sandoval
	0900	74	C. Garcia
	1200	75	E. Hernandez
	1500	78	A. Rockey
	1800	78	A. Rockey
	2100	78	A. Rockey
	2400	76	A. Rockey

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	76	A. Rodriguez
	0600	76	G. Smith
	0900	76	G. Smith
	1200	76	G. Smith
	1500	78	A. Rodriguez
	1800	79	A. Rodriguez
	2100	78	A. Rodriguez
	2400	78	Ramirez

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	78	J. Lamire
	0600	76	G. Smith
	0900	76	G. Smith
	1200	76	G. Smith
	1500	70	John
	1800	76	John
	2100	77	John
	2400	78	A. Gruys

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	78	A. Griggs
	0600	77	A. Griggs
	0900	76	G. Smith
	1200	76	G. Smith
	1500	76	A.A. Contreras
	1800	80	A.A. Contreras
	2100	80	A.A. Contreras
	2400	80	A.A. Contreras

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	78	A.A. Contreras
	0600	78	A.A. Contreras
	0900	78	A.A. Contreras
	1200	80	A.A. Contreras
	1500	80	Soto
	1800	80	Soto
	2100	78	Soto
	2400	78	Soto

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	78	SAC
	0600	78	A. CHAVEZ
	0900	78	A. CHAVEZ
	1200	78	A. CHAVEZ
	1500	78	SAC
	1800	78	SAC
	2100	78	SAC
	2400	78	SAC

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment C
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	74	<u>S. Evans</u>
	0600	74	<u>G. SMITH</u>
	0900	74	<u>G. SMITH</u>
	1200	74	<u>G. SMITH</u>
	1500	78	<u>A. Rodriguez</u>
	1800	78	<u>A. Rodriguez</u>
	2100	78	<u>A. Rodriguez</u>
	2400	76	<u>A. Rodriguez</u>

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	76	<u>A. Rodriguez</u>
	0600	76	<u>G. SMITH</u>
	0900	76	<u>G. SMITH</u>
	1200	78	<u>G. SMITH</u>
	1500	78	<u>A. Rodriguez</u>
	1800	76	<u>A. Rodriguez</u>
	2100	76	<u>A. Rodriguez</u>
	2400	76	<u>A. Rodriguez</u>

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	76	<u>A. Rodriguez</u>
	0600	76	<u>G. SMITH</u>
	0900	76	<u>G. SMITH</u>
	1200	76	<u>G. SMITH</u>
	1500	78	<u>A. Rodriguez</u>
	1800	74	<u>A. Rodriguez</u>
	2100	74	<u>A. Rodriguez</u>
	2400	75	<u>A. Rodriguez</u>

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	74	<u>A. Rodriguez</u>
	0600	76	<u>G. SMITH</u>
	0900	76	<u>G. SMITH</u>
	1200	76	<u>G. SMITH</u>
	1500	76	<u>G. SMITH</u>
	1800	77	<u>G. SMITH</u>
	2100	76	<u>G. SMITH</u>
	2400	76	<u>A. Rodriguez</u>

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	76	<u>A. Rodriguez</u>
	0600	76	<u>A. Rodriguez</u>
	0900	76	<u>G. SMITH</u>
	1200	76	<u>G. SMITH</u>
	1500	78	<u>A. A. (Lorraine)</u>
	1800	78	<u>A. A. (Lorraine)</u>
	2100	78	<u>A. A. (Lorraine)</u>
	2400	79	<u>J. Garcia</u>

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	76	<u>J. Garcia</u>
	0600	76	<u>J. Garcia</u>
	0900	76	<u>G. SMITH</u>
	1200	76	<u>G. SMITH</u>
	1500	76	<u>Soto</u>
	1800	76	<u>Soto</u>
	2100	76	<u>Soto</u>
	2400	76	<u>Soto</u>

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	76	<u>Soto</u>
	0600	74	<u>A. CHAVEZ</u>
	0900	76	<u>A. CHAVEZ</u>
	1200	77	<u>A. CHAVEZ</u>
	1500	77	<u>Soto</u>
	1800	77	<u>Soto</u>
	2100	77	<u>Soto</u>
	2400	77	<u>Soto</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment C
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/21	0300	78	Sac
	0600	76	G. SMITH
	0900	76	G. SMITH
	1200	76	G. SMITH
	1500	76	A. Rodriguez
	1800	76	A. Rodriguez
	2100	76	A. Rodriguez
	2400	74	A. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
7/23/21	0300	74	A. Rodriguez
	0600	74	G. Smith
	0900	74	G. Smith
	1200	76	G. Smith
	1500	76	A. Rodriguez
	1800	76	A. Rodriguez
	2100	76	A. Rodriguez
	2400	76	A. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
7/24/21	0300	74	A. Rodriguez
	0600	74	G. SMITH
	0900	74	G. SMITH
	1200	74	G. SMITH
	1500	78	A. Rodriguez
	1800	78	A. Rodriguez
	2100	78	A. Rodriguez
	2400	76	Ramirez

Thursday

Date	Time	Temp.	Name (Print)
7/25/21	0300	77	Ramirez
	0600	76	G. SMITH
	0900	76	G. SMITH
	1200	76	G. SMITH
	1500	79	A. Rodriguez
	1800	79	A. Rodriguez
	2100	79	A. Rodriguez
	2400	79	A. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
7/26/21	0300	74	A. Rodriguez
	0600	76	G. SMITH
	0900	76	G. SMITH
	1200	76	G. SMITH
	1500	78	A. Rodriguez
	1800	76	A. Rodriguez
	2100	76	A. Rodriguez
	2400	74	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
7/27/21	0300	74	Rodriguez
	0600	74	A. CHAVEZ
	0900	75	A. CHAVEZ
	1200	76	A. CHAVEZ
	1500	76	SAC
	1800	76	SAC
	2100	76	SAC
	2400	76	SAC

Sunday

Date	Time	Temp.	Name (Print)
7/28/21	0300	76	SAC
	0600	74	A. CHAVEZ
	0900	75	A. CHAVEZ
	1200	76	A. CHAVEZ
	1500	76	SAC
	1800	76	SAC
	2100	76	SAC
	2400	76	SAC

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment C
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/21	0300	70	Soto
	0600	70	SPIER
	0900	74	RODRIGUEZ
	1200	76	RODRIGUEZ
	1500	72	Rodriguez
	1800	74	Rodriguez
	2100	72	Rodriguez
	2400	72	Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	70	A. Rodriguez
	0600	70	Garcia
	0900	70	Garcia
	1200	70	Garcia
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	72	A. Rodriguez
	2400	70	A. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	70	A. Rodriguez
	0600	72	G. SMITH
	0900	74	G. SMITH
	1200	74	G. SMITH
	1500	74	A. Rodriguez
	1800	74	A. Rodriguez
	2100	72	A. Rodriguez
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600	72	G. SMITH
	0900	72	G. SMITH
	1200	72	G. SMITH
	1500	72	AD CONTRERAS
	1800	72	AD CONTRERAS
	2100	72	AD CONTRERAS
	2400	72	COWENS

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	70	COWENS
	0600	72	COWENS
	0900	79	Castro
	1200	79	Castro
	1500	78	LOPEZ
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: GP RHU

Temp. Reading Location: Control Booth (e.g.,
1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1 1/24	0300	77	Munoz
	0600	77	Gordon,T
	0900	78	Gordon,T
	1200	78	Gordon,T
	1500	78°	Gordon,T
	1800	78°	Gordon,T
	2100	78°	Gordon,T
	2400	78	Munoz

Tuesday

Date	Time	Temp.	Name (Print)
7/2 1/24	0300	78	Munoz
	0600	78	R. Molina
	0900	79	R. Molina
	1200	80	R. Molina
	1500	78°	Gordon,T
	1800	78°	Gordon,T
	2100	78°	Gordon,T
	2400	76	Slater

Wednesday

Date	Time	Temp.	Name (Print)
7/3 1/24	0300	76	Silva
	0600	78	J. Fernandez
	0900	80	J. Fernandez
	1200	80	J. Fernandez
	1500	79°	Gordon,T
	1800	79°	Gordon,T
	2100	79°	Gordon,T
	2400	78	Munoz

Thursday

Date	Time	Temp.	Name (Print)
7/4 1/24	0300	78	Munoz
	0600	78	J. Fernandez
	0900	78	J. Fernandez
	1200	80	J. Fernandez
	1500	80	J. Fernandez
	1800	82	J. Castro
	2100	80	J. Castro
	2400	79	A. SIGALA

Friday

Date	Time	Temp.	Name (Print)
7/5 1/24	0300	79	A. SIGALA
	0600	79	J. Fernandez
	0900	80	J. Fernandez
	1200	80	J. Fernandez
	1500	80	M. GARCIA
	1800	80	M. GARCIA
	2100	80	M. GARCIA
	2400	79	A. SIGALA

Saturday

Date	Time	Temp.	Name (Print)
7/6 1/24	0300	79	A. SIGALA
	0600	79	J. Fernandez
	0900	80	J. Fernandez
	1200	80	P. Winters
	1500	80	P. Winters
	1800	80	P. Winters
	2100	80	P. Winters
	2400	80	P. Winters

Sunday

Date	Time	Temp.	Name (Print)
7/7 1/24	0300	80	P. Winters
	0600	80	Fernandez
	0900	80	Fernandez
	1200	80	Fernandez
	1500	79°	Gordon,T
	1800	80°	Gordon,T
	2100	80°	Gordon,T
	2400	80	P. Winters

Notes

5/6

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: ASU 2

Temp. Reading Location: Tier 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7	0300	79	Rodriguez
.	0600	79	Rodriguez
.	0900	79	Rodriguez
8	1200	80	Rodriguez
.	1500	78	Gordon, J
.	1800	78	Gordon, J
24	2100	78	Gordon, J
	2400	78	Munoz

Tuesday

Date	Time	Temp.	Name (Print)
7	0300	78	Munoz
.	0600	78	Rodriguez
.	0900	78	Rodriguez
9	1200	78	Gordon, J
.	1500	79	Gordon, J
.	1800	79	Gordon, J
24	2100	79	Gordon, J
	2400	80	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
7	0300	79	Munoz
.	0600	79	Munoz
10	0900	79	MATA
.	1200	80	MATA
.	1500	80	MATA
24	1800	79	Perez
	2100	79	Perez
	2400	79	Munoz

Thursday

Date	Time	Temp.	Name (Print)
7	0300	79	Munoz
.	0600	79	MATA
11	0900	80	MATA
.	1200	80	MATA
.	1500	84	Madrigal
24	1800	84	Madrigal
	2100	83	Madrigal
	2400	82	316A1A1A

Friday

Date	Time	Temp.	Name (Print)
7	0300	82	SIGALA, A
.	0600	79	MATA
12	0900	80	MATA
.	1200	81	MATA
24	1500	80	URUTIA
	1800	81	URUTIA
	2100	80	URUTIA
	2400	80	A SIGALA

Saturday

Date	Time	Temp.	Name (Print)
7	0300	79	A SIGALA
.	0600	79	Segundo
13	0900	80	Segundo
.	1200	81	Segundo
.	1500	81	Segundo
24	1800	81	Segundo
	2100	80	Segundo
	2400	80	O. Segundo

Sunday

Date	Time	Temp.	Name (Print)
7	0300	80	O. Segundo
.	0600	80	O. Segundo
14	0900	80	O. Segundo
.	1200	81	O. Segundo
.	1500	81	O. Segundo
24	1800	82	O. Segundo
	2100	79	O. Segundo
	2400	79	O. Segundo

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: BP RRU Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	79	R. Garrison
	0600	79	
	0900	79	
	1200	79	
	1500	78	
	1800	78	
	2100	78	
	2400	75	Munoz

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	78	Munoz
	0600	78	Castellanos
	0900	78	Castellanos
	1200	78	Castellanos
	1500	78	Gordon, T
	1800	78	Gordon, T
	2100	78	Gordon, T
	2400	75	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	78	Munoz
	0600	78	MATA
	0900	78	MATA
	1200	78	MATA
	1500	78	Gordon, T
	1800	78	Gordon, T
	2100	78	Gordon, T
	2400	78	Munoz

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	78	Munoz
	0600	78	UNRATED
	0900	78	UNRATED
	1200	78	UNRATED
	1500	78	Gordon, T
	1800	78	Gordon, T
	2100	78	Gordon, T
	2400	78	A. SIGALA

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	77	A. SIGALA
	0600	76	RECKLESS
	0900	76	RECKLESS
	1200	73	RECKLESS
	1500	78	Sigala
	1800	78	Sigala
	2100	77	Sigala
	2400	77	A. SIGALA

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	77	A. SIGALA
	0600	76	Sigala
	0900	76	Sigala
	1200	79	Sigala
	1500	79	Sigala
	1800	79	Sigala
	2100	80	P. Garrison
	2400	80	P. Garrison

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	80	P. Garrison
	0600	80	C. Salazar
	0900	80	C. Salazar
	1200	80	C. Salazar
	1500	80	H. Hock
	1800	78	Burgias
	2100	78	Burgias
	2400	76	P. Garrison

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: GP RRU Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/24/24	0300	78	Garrison
	0600	77	Castellanos
	0900	78	Castellanos
	1200	78	Castellanos
	1500	78	Senorita
	1800	78	Senorita
	2100	78	Munoz
	2400	78	Munoz

Tuesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	78	Munoz
	0600	78	Castellanos
	0900	78	Castellanos
	1200	78	Castellanos
	1500	78	Gordon, T
	1800	78	Gordon, T
	2100	78	Gordon, T
	2400	78	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	79	Munoz
	0600	80	MATA
	0900	80	MATA
	1200	80	MATA
	1500	80	Jefferson
	1800	80	Jefferson
	2100	80	Jefferson
	2400	80	Munoz

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	77	Munoz
	0600	80	MATA
	0900	80	MATA
	1200	81	MATA
	1500	79°	Gordon, T
	1800	80	Gordon, T
	2100	80°	Gordon, T
	2400	79	A. SIGALA

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	79	A. SIGALA
	0600	78	MATA
	0900	79	MATA
	1200	79	MATA
	1500	79	Sigala, A.
	1800	78	Sigala, A.
	2100	78	Sigala, A.
	2400	78	A. SIGALA

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	78	A. SIGALA
	0600	78	Sigala, A.
	0900	79	Sigala, A.
	1200	79	Sigala, A.
	1500	79	Sigala, A.
	1800	78	Sigala, A.
	2100	78	Sigala, A.
	2400	78	R. Lauton

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	78	R. Lauton
	0600	78	C. Salazar
	0900	78	C. Salazar
	1200	78	C. Salazar
	1500	79	H. Roche
	1800	78	H. Roche
	2100	78	H. Roche
	2400	78	R. Lauton

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: GP R+U Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	76	Gaynor
	0600	76	Castellanos
	0900	77	Castellanos
	1200	78	Castellanos
	1500	79	Castro
	1800	79	Castro
	2100	78	Castro
	2400	78	Munoz

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	78	Munoz
	0600	78	G.Castellanos
	0900	78	G.Castellanos
	1200	78	G.Castellanos
	1500	81°	Gordon, T
	1800	80°	Gordon, T
	2100	80°	Gordon, T
	2400	78	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	79°	Munoz
	0600	78	MATA
	0900	79	MATA
	1200	79	MATA
	1500	80°	Gordon, T
	1800	80°	Gordon, T
	2100	80°	Gordon, T
	2400	78	Munoz

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	78	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	80°	Gordon, T
	1800	88°	Gordon, T
	2100	78	Gordon, T
	2400	78	SIBA M, T

Friday

Date	Time	Temp.	Name (Print)
8/1/24	0300	78	SIBA M
	0600	78	MATA
	0900	79	MATA
	1200	79	MATA
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LVSP Housing Unit: ASU 1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1 29	0300	78	Melch
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	Serrano
	1800	78	Serrano
	2100	78	Serrano
	2400	78	Melch

Tuesday

Date	Time	Temp.	Name (Print)
7/2 29	0300	78	Melch
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	TELLER
	1800	79	TELLER
	2100	78	TELLER
	2400	78	Melch

Wednesday

Date	Time	Temp.	Name (Print)
7/3 29	0300	78	Melch
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	79	P. Rangel
	1500	79	TELLER
	1800	79	TELLER
	2100	78	TELLER
	2400	78	Melch

Thursday

Date	Time	Temp.	Name (Print)
7/4 29	0300	78	Melch
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	TELLER
	1800	79	TELLER
	2100	78	TELLER
	2400	78	Melch

Friday

Date	Time	Temp.	Name (Print)
7/5 29	0300	78	Melch
	0600	78	BARAJAS
	0900	78	BARAJAS
	1200	79	BARAJAS
	1500	79	TELLER
	1800	79	TELLER
	2100	78	TELLER
	2400	78	SALAZAR

Saturday

Date	Time	Temp.	Name (Print)
7/6 29	0300	78	SALAZAR
	0600	78	BARAJAS
	0900	78	BARAJAS
	1200	79	BARAJAS
	1500	79	TELLER
	1800	79	TELLER
	2100	78	TELLER
	2400	78	MELCH

Sunday

Date	Time	Temp.	Name (Print)
7/7 29	0300	78	Clefor
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	79	Gonzalez
	1500	79	BARAJAS
	1800	79	ESTRADA F
	2100	78	ESTRADA F
	2400	79	M. HERNANDEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: ASU - 1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18/18	0300	78	Hinman
	0600	78	P. Nangal
	0900	78	P. Nangal
	1200	78	P. Nangal
	1500	78	C. Bellah
	1800	78	Hernandez
	2100	78	Hernandez
	2400	78	M. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
7/19	0300	78	A. Cela
	0600	78	P. Nangal
	0900	78	P. Nangal
	1200	79	P. Nangal
	1500	79	TERRELL
	1800	79	TERRELL
	2100	79	TERRELL
	2400	79	M. Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
7/20	0300	79	A. Cela
	0600	78	P. Nangal
	0900	78	P. Nangal
	1200	79	P. Nangal
	1500	79	TERRELL
	1800	79	TERRELL
	2100	78	TERRELL
	2400	79	M. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
7/21	0300	79	A. Cela
	0600	78	P. Nangal
	0900	79	P. Nangal
	1200	79	P. Nangal
	1500	79	TERRELL
	1800	79	TERRELL
	2100	79	TERRELL
	2400	79	M. Hernandez

Friday

Date	Time	Temp.	Name (Print)
7/22	0300	79	M. Hernandez
	0600	79	HERNANDEZ
	0900	79	HERNANDEZ
	1200	79	HERNANDEZ
	1500	78	TERRELL
	1800	79	TERRELL
	2100	79	TERRELL
	2400	79	TERRELL

Saturday

Date	Time	Temp.	Name (Print)
7/23	0300	78	TERRELL
	0600	78	RODRIGUEZ
	0900	78	RODRIGUEZ
	1200	78	M. Hernandez
	1500	79	HERNANDEZ
	1800	79	HERNANDEZ
	2100	79	HERNANDEZ
	2400	78	RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
7/24	0300	78	RODRIGUEZ
	0600	78	RODRIGUEZ
	0900	78	TERRELL
	1200	78	TERRELL
	1500	80	Scandura
	1800	80	Scandura
	2100	79	Scandura
	2400	80	M. Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: CSU-1 RTTU Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	78	P. Rangel
	0600	78	P. Rangel
	0900	79	P. Rangel
	1200	80	P. Rangel
	1500	80	MATA
	1800	81	MATA
	2100	80	MATA
	2400	80	Melvin

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	80	Melvin
	0600	78	P. Rangel
	0900	80	P. Rangel
	1200	80	P. Rangel
	1500	80	TERELL
	1800	80	TERELL
	2100	79	TERELL
	2400	78	Melvin

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	78	Nicolas
	0600	78	P. Rangel
	0900	80	P. Rangel
	1200	80	P. Rangel
	1500	80	TERELL
	1800	80	TERELL
	2100	79	TERELL
	2400	79	Melvin

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	78	Melvin
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	79	P. Rangel
	1500	79	TERELL
	1800	79	TERELL
	2100	79	TERELL
	2400	78	Melvin

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	78	Melvin
	0600	78	R. BARAJAS
	0900	78	R. BARAJAS
	1200	78	R. BARAJAS
	1500	78	TERELL
	1800	79	TERELL
	2100	78	TERELL
	2400	78	SALAZAR

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	78	SALAZAR
	0600	78	BARAJAS
	0900	78	BARAJAS
	1200	78	BARAJAS
	1500	78	TERELL
	1800	78	TERELL
	2100	78	TERELL
	2400	78	SALAZAR

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	78	SALAZAR
	0600	78	B. Brunner
	0900	78	B. Brunner
	1200	78	B. Brunner
	1500	79	G. Gaskins
	1800	78	G. Gaskins
	2100	78	G. Gaskins
	2400	78	Melvin

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

6634

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KUSP Housing Unit: A541

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	78	MATA
7/22	0600	76	RANSOM
7/22	0900	71	RAUCH
7/22	1200	73	RAUSCH
7/22	1500	78	MATA
7/22	1800	78	MATA
7/22	2100	76	MATA
7/22	2400	78	MATA

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	77	MATA
7/23	0600	78	P. Rangel
7/23	0900	78	P. Rangel
7/23	1200	79	P. Rangel
7/23	1500	77	TERCEL
7/23	1800	79	TERCEL
7/23	2100	78	TERCEL
7/23	2400	78	MATA

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	78	MATA
7/24	0600	78	P. Rangel
7/24	0900	78	P. Rangel
7/24	1200	79	P. Rangel
7/24	1500	79	TERCEL
7/24	1800	79	TERCEL
7/24	2100	78	TERCEL
7/24	2400	78	MATA

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	78	MATA
7/25	0600	78	P. Rangel
7/25	0900	78	P. Rangel
7/25	1200	78	P. Rangel
7/25	1500	79	TERCEL
7/25	1800	79	TERCEL
7/25	2100	78	TERCEL
7/25	2400	78	TERCEL

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	78	TERCEL
7/26	0600	78	Mofeno
7/26	0900	78	Mofeno
7/26	1200	78	Mofeno
7/26	1500	79	TERCEL
7/26	1800	79	TERCEL
7/26	2100	78	TERCEL
7/26	2400	78	SALAZAR

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	78	SALAZAR
7/27	0600	82	Sahagun
7/27	0900	82	Sahagun
7/27	1200	82	Sahagun
7/27	1500	78	TERCEL
7/27	1800	79	TERCEL
7/27	2100	78	TERCEL
7/27	2400	78	HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	78	HERNANDEZ
7/28	0600	78	HERNANDEZ
7/28	0900	79	H. Cervantes
7/28	1200	79	H. Cervantes
7/28	1500	79	Segundo
7/28	1800	79	Segundo
7/28	2100	78	Segundo
7/28	2400	78	RODRIGUEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: BHU-1/A&U-1 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	78	Rodriguez
7/29	0600	78	Rodriguez
7/29	0900	78	P. Rangel
7/29	1200	78	P. Rangel
7/29	1500	78	MATA
7/29	1800	78	MATA
7/29	2100	78	MATA
7/29	2400	78	J. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	77	J. Rodriguez
7/31	0600	77	J. Rodriguez
7/31	0900	78	P. Rangel
7/31	1200	78	P. Rangel
7/31	1500	78	Reed
7/31	1800	78	Reed
7/31	2100	78	Reed
7/31	2400	78	Narvaez

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	78	J. Rodriguez
7/30	0600	78	J. Rodriguez
7/30	0900	78	P. Rangel
7/30	1200	78	P. Rangel
7/30	1500	78	Reed
7/30	1800	78	Reed
7/30	2100	78	Reed
7/30	2400	78	J. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	78	Narvaez
8/1	0600		
8/1	0900		
8/1	1200		
8/1	1500		
8/1	1800		
8/1	2100		
8/1	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

THIS DOCUMENT IS NOT TO BE PLACED IN EMPLOYEE'S PERSONNEL FILE

EMPLOYEE	CIVIL SERVICE CLASSIFICATION	DATE
Sanchez II, Leon, PERNR: [REDACTED]	Correctional Officer	08/09/2024

LIST NAMES AND TITLES OF PERSONS ATTENDING DISCUSSION (OTHER THAN EMPLOYEE AND SUPERVISOR)

This is to confirm our discussion concerning:
(Be specific--use dates, times, places, actions, etc.)

This Employee Counseling Record will be placed in your supervisory file to provide a record of our conversation on 08/09/2024 relative to my expectation that you improve your efficiencies as a Correctional Officer.

On Wednesday, July 31, 2024, during a review of CDCR form 2031 – Inside Temperature Logs collected from Facility C, Building 5, it was discovered that on July 10, 2024, at approximately 1800 hours, while you were assigned to Facility C, Building 5 Control, you documented an inside temperature of 90 degrees Fahrenheit. Facility C Supervisors who were on duty on that date report that this information was not communicated to them.

KVSP Operational Procedure 215 – Institution Heat Plan 2024, states in relevant part: "Upon taking a reading of an inside air temperature of 90 degrees Fahrenheit, the Housing Unit Officer will immediately notify the Program Sergeant and/or Lieutenant.

Your actions in this matter are inconsistent with your duty as a Correctional Officer to adhere to all Local and Departmental policies and procedures. In addition, your failure to notify your supervisors that your work area had reached the Stage II Uniform Heat Trigger (UHT) prevented the activation of measures intended to prevent heat-related injuries or illnesses to the inmate population.

You are hereby instructed to comply with all Departmental Policies, Procedures and Training in the future.

You are advised that the services of the Employee Assistance Program (EAP) are available to you, should you need them. You can access their services by contacting them at 1-866-327-4762.

Use additional sheet if necessary

Action Plan

1. Ensure your compliance with KVSP OP 215 – Institution Heat Plan 2024

Follow-up meeting to be held on 09/09/2024.



SUPERVISOR SIGNATURE

This is to confirm that I have participated in and have knowledge of the above discussion on 08/09/2024.
In signing this I do not necessarily agree with the conclusion of my supervisor.

EMPLOYEE SIGNATURE

Employee Comments:

Use additional sheet if necessary.

THIS DOCUMENT IS NOT TO BE PLACED IN EMPLOYEE'S PERSONNEL FILE

EMPLOYEE	CIVIL SERVICE CLASSIFICATION	DATE
Thompson, Ashly, PERNR: [REDACTED]	Correctional Officer	08/09/2024

LIST NAMES AND TITLES OF PERSONS ATTENDING DISCUSSION (OTHER THAN EMPLOYEE AND SUPERVISOR)

This is to confirm our discussion concerning:
 (Be specific--use dates, times, places, actions, etc.)

This Employee Counseling Record will be placed in your supervisory file to provide a record of our conversation on 08/09/2024 relative to my expectation that you improve your efficiencies as a Correctional Officer.

On Wednesday, July 31, 2024, during a review of CDCR form 2031 – Inside Temperature Logs collected from Facility C, Building 5, it was discovered that on July 8, 2024, at approximately 1200 hours, while you were assigned to Facility C, Building 5 Control, you documented an inside temperature of 90 degrees Fahrenheit. Facility C Supervisors who were on duty on that date report that this information was not communicated to them.

KVSP Operational Procedure 215 – Institution Heat Plan 2024, states in relevant part: "Upon taking a reading of an inside air temperature of 90 degrees Fahrenheit, the Housing Unit Officer will immediately notify the Program Sergeant and/or Lieutenant.

Your actions in this matter are inconsistent with your duty as a Correctional Officer to adhere to all Local and Departmental policies and procedures. In addition, your failure to notify your supervisors that your work area had reached the Stage II Uniform Heat Trigger (UHT) prevented the activation of measures intended to prevent heat-related injuries or illnesses to the inmate population.

You are hereby instructed to comply with all Departmental Policies, Procedures and Training in the future.

You are advised that the services of the Employee Assistance Program (EAP) are available to you, should you need them. You can access their services by contacting them at 1-866-327-4762.

Use additional sheet if necessary

Action Plan

1. Ensure your compliance with KVSP OP 215 – Institution Heat Plan 2024

Follow-up meeting to be held on 09/09/2024.

SUPERVISOR SIGNATURE

This is to confirm that I have participated in and have knowledge of the above discussion on 08/09/2024.
 In signing this I do not necessarily agree with the conclusion of my supervisor.



EMPLOYEE SIGNATURE

Employee Comments:

Use additional sheet if necessary.

THIS DOCUMENT IS NOT TO BE PLACED IN EMPLOYEE'S PERSONNEL FILE

EMPLOYEE	CIVIL SERVICE CLASSIFICATION	DATE
Whitfield, Roger, PERNR: [REDACTED]	Correctional Officer	08/08/2024

LIST NAMES AND TITLES OF PERSONS ATTENDING DISCUSSION (OTHER THAN EMPLOYEE AND SUPERVISOR)

This is to confirm our discussion concerning:
(Be specific—use dates, times, places, actions, etc.)

This Employee Counseling Record will be placed in your supervisory file to provide a record of our conversation on 08/08/2024 relative to my expectation that you improve your efficiencies as a Correctional Officer.

On Wednesday, July 31, 2024, during a review of CDCR form 2031 – Inside Temperature Logs collected from Facility C, Building 5, it was discovered that on July 8, 2024, at approximately 1200 hours, while you were assigned to Facility C, Building 5 Control, you documented an inside temperature of 90 degrees Fahrenheit. Facility C Supervisors who were on duty on that date report that this information was not communicated to them.

KVSP Operational Procedure 215 – Institution Heat Plan 2024, states in relevant part: “Upon taking a reading of an inside air temperature of 90 degrees Fahrenheit, the Housing Unit Officer will immediately notify the Program Sergeant and/or Lieutenant.

Your actions in this matter are inconsistent with your duty as a Correctional Officer to adhere to all Local and Departmental policies and procedures. In addition, your failure to notify your supervisors that your work area had reached the Stage II Uniform Heat Trigger (UHT) prevented the activation of measures intended to prevent heat-related injuries or illnesses to the inmate population.

You are hereby instructed to comply with all Departmental Policies, Procedures and Training in the future.

You are advised that the services of the Employee Assistance Program (EAP) are available to you, should you need them. You can access their services by contacting them at 1-866-327-4762.

Use additional sheet if necessary

Action Plan

1. Ensure your compliance with KVSP OP 215 – Institution Heat Plan 2024

Follow-up meeting to be held on 09/08/2024.



SUPERVISOR SIGNATURE

This is to confirm that I have participated in and have knowledge of the above discussion on 08/08/2024.
In signing this I do not necessarily agree with the conclusion of my supervisor.

EMPLOYEE SIGNATURE

Employee Comments:

Use additional sheet if necessary.