

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

1202-6-28

Date	Time	Temp.	Printed Name
	0100	53	
	0200	52	floyd
	0300	52	
	0400	52	
	0500	52	
	0600	52	
	0700	52	
	0800	53	
	0900	53	
	1000	58	
	1100	58	
	1200	58	
	1300	58	
	1400	58	
	1500	58	
	1600	60	
	1700	60	
	1800	60	Mallauer
	1900	59	
	2000	59	
	2100	56	
	2200	55	floyd
	2300	54	
	2400	53	

6-29-2024

Date	Time	Temp.	Printed Name
	0100	52	
	0200	51	floyd
	0300	50	
	0400	50	
	0500	50	
	0600	50	
	0700	58	
	0800	62	
	0900	62	
	1000	62	
	1100	62	
	1200	62	
	1300	60	
	1400	60	
	1500	62	
	1600	64	
	1700	63	
	1800	62	
	1900	64	Mallauer
	2000	64	
	2100	59	
	2200	56	
	2300	55	
	2400	54	s.mccovey

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-26-2024	0100	52	
	0200	52	
	0300	52	XDP
	0400	52	
	0500	52	
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400	58	
	1500	58	
	1600	58	
	1700	58	
	1800	58	
	1900	58	D:05
	2000	58	
	2100	59	
	2200	54	FD/10
	2300	54	
	2400	54	

Date	Time	Temp.	Printed Name
6-27-2024	0100	53	
	0200	53	
	0300	55	F/0YU
	0400	53	
	0500	53	
	0600	53	
	0700	60	
	0800	60	
	0900	59	
	1000	59	B/Han
	1100	59	
	1200	60	
	1300	60	
	1400	58	
	1500	58	
	1600	58	
	1700	58	
	1800	60	
	1900	60	
	2000	58	B/Gordon/S
	2100	58	
	2200	55	
	2300	54	
	2400	53	

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

*6/24/24*

Date	Time	Temp.	Printed Name
	0100	50	
	0200	49	
	0300	49	
	0400	48	<i>S. MacCovey</i>
	0500	48	
	0600	48	
	0700	49	
	0800	50	
	0900	50	
	1000	52	<i>h2 50052</i>
	1100	54	
	1200	58	
	1300	58	
	1400	59	
	1500	60	
	1600	59	
	1700	60	
	1800	59	<i>D:09</i>
	1900	60	
	2000	59	
	2100	52	<i>F01</i>
	2200	51	
	2300	50	
	2400	49	

*6/25/24*

Date	Time	Temp.	Printed Name
	0100	49	
	0200	49	
	0300	49	
	0400	49	
	0500	49	
	0600	49	
	0700	49	
	0800	49	
	0900	50	
	1000	55	<i>1.45 (PAAD)</i>
	1100	55	
	1200	55	
	1300	58	
	1400	57	
	1500	56	
	1600	57	
	1700	57	
	1800	55	<i>0107</i>
	1900	53	
	2000	52	
	2100	52	
	2200	52	<i>F01</i>
	2300	51	
	2400	50	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 22 - 2024			
	0100	48	
	0200	48	J. MORA
	0300	49	
	0400	49	
	0500	49	
	0600	49	
	0700	49	
	0800	50	J. McCASLAND
	0900	50	
	1000	56	
	1100	56	
	1200	57	B. McFARLANE
	1300	57	
	1400	57	
	1500	57	
	1600	58	
	1700	58	
	1800	57	M. FAIR
	1900	60	
	2000	60	
	2100	54	
	2200	53	S. MCCARTHY
	2300	53	
	2400	53	

Date	Time	Temp.	Printed Name
JUN 23 - 2024			
	0100	53	
	0200	53	S. MCCARTHY
	0300	53	
	0400	52	
	0500	52	
	0600	52	
	0700	52	
	0800	52	
	0900	52	
	1000	55	
	1100	60	P. WATKINS
	1200	61	
	1300	61	
	1400	60	
	1500	61	
	1600	60	
	1700	60	
	1800	60	
	1900	60	P. WATKINS
	2000	62	
	2100	52	
	2200	52	
	2300	51	S. MCCARTHY
	2400	50	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-20-2024	0100	49	
	0200	49	
	0300	49	
	0400	49	
	0500	49	
	0600	49	
	0700	49	
	0800	49	
	0900	50	
	1000	50	
	1100	52	
	1200	56	
	1300	56	
	1400	57	
	1500	57	
	1600	57	
	1700	57	
	1800	58	
	1900	56	
	2000	53	
	2100	52	
	2200	51	
	2300	50	
	2400	49	

Date	Time	Temp.	Printed Name
6-21-2024	0100	49	
	0200	49	
	0300	49	
	0400	49	
	0500	49	
	0600	49	
	0700	50	
	0800	50	
	0900	52	
	1000	52	
	1100	56	
	1200	58	
	1300	58	
	1400	58	
	1500	58	
	1600	60	
	1700	60	
	1800	59	
	1900	56	
	2000	53	
	2100	51	
	2200	50	
	2300	50	
	2400	49	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-18-2014			
	0100	47	
	0200	46	
	0300	46	Floyd
	0400	46	
	0500	46	
	0600	44	
	0700	52	
	0800	52	
	0900	57	
	1000	59	ms. Johnson
	1100	59	
	1200	59	
	1300	59	
	1400	58	
	1500	60	
	1600	60	
	1700	58	
	1800	58	
	1900	59	D. Day
	2000	62	
	2100	51	
	2200	50	Floyd
	2300	49	
	2400	48	

Date	Time	Temp.	Printed Name
6-19-2014			
	0100	47	
	0200	46	
	0300	45	Floyd
	0400	45	
	0500	45	
	0600	44	
	0700	50	
	0800	54	
	0900	54	
	1000	53	
	1100	54	
	1200	54	
	1300	56	
	1400	58	
	1500	57	
	1600	55	
	1700	56	
	1800	55	
	1900	54	
	2000	53	
	2100	52	
	2200	51	
	2300	50	Floyd
	2400	49	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-16-24	0100	47	
	0200	46	
	0300	46	
	0400	45	
	0500	45	
	0600	45	
	0700	47	
	0800	48	
	0900	50	
	1000	50	
	1100	51	0:00
	1200	51	
	1300	52	
	1400	52	
	1500	52	
	1600	54	
	1700	52	
	1800	52	0:05
	1900	52	
	2000	54	
	2100	52	
	2200	49	
	2300	48	g.mccarvey
	2400	47	

Date	Time	Temp.	Printed Name
6-17-24	0100	46	
	0200	45	
	0300	44	
	0400	43	
	0500	43	
	0600	43	
	0700	45	
	0800	48	
	0900	52	
	1000	53	
	1100	53	
	1200	53	
	1300	53	
	1400	53	
	1500	56	
	1600	53	
	1700	53	
	1800	53	0:05
	1900	53	
	2000	60	
	2100	51	0:15
	2200	50	
	2300	49	F10Y0
	2400	48	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-14-2024	0100	48	
	0200	48	
	0300	48	Flo JH
	0400	48	
	0500	48	
	0600	48	
	0700	48	
	0800	52	
	0900	54	
	1000	54	
	1100	54	MS Johnson
	1200	54	
	1300	54	
	1400	54	
	1500	54	
	1600	55	
	1700	55	
	1800	55	
	1900	55	Melton
	2000	52	
	2100	52	Flo JH
	2200	51	
	2300	50	
	2400	49	

Date	Time	Temp.	Printed Name
6-15-2024	0100	48	
	0200	48	
	0300	48	Flo JH
	0400	48	
	0500	48	
	0600	49	
	0700	50	
	0800	52	
	0900	54	
	1000	54	Dar
	1100	54	
	1200	54	
	1300	54	
	1400	55	
	1500	55	
	1600	54	
	1700	54	
	1800	52	Dinnich
	1900	53	
	2000	52	
	2100	50	
	2200	49	
	2300	49	S. McCloud
	2400	49	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-12-24	0100	50	
	0200	50	FLOYD
	0300	50	
	0400	50	
	0500	50	
	0600	49	
	0700	49	
	0800	49	
	0900	50	
	1000	50	MJ Johnson
	1100	52	
	1200	56	
	1300	56	
	1400	60	
	1500	59	
	1600	60	
	1700	60	
	1800	60	
	1900	60	DON
	2000	56	
	2100	50	FLOYD
	2200	50	
	2300	50	
	2400	49	

Date	Time	Temp.	Printed Name
6-13-24	0100	49	
	0200	48	FLOYD
	0300	48	
	0400	48	
	0500	48	
	0600	47	
	0700	47	
	0800	47	
	0900	49	
	1000	49	
	1100	50	
	1200	54	UMJ Johnson
	1300	56	
	1400	58	
	1500	57	
	1600	57	
	1700	55	
	1800	54	
	1900	52	E. CONTRERAS
	2000	52	
	2100	50	
	2200	49	FLOYD
	2300	49	
	2400	48	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

6/10/24

Date	Time	Temp.	Printed Name
	0100	52	
	0200	52	
	0300	52	
	0400	51	
	0500	51	
	0600	51	
	0700	51	
	0800	51	
	0900	52	
	1000	52	
	1100	58	
	1200	58	
	1300	58	
	1400	40	
	1500	60	
	1600	60	
	1700	58	
	1800	60	
	1900	58	
	2000	60	
	2100	51	
	2200	50	
	2300	50	
	2400	49	

6/10/24

Date	Time	Temp.	Printed Name
	0100	49	
	0200	49	
	0300	49	
	0400	49	
	0500	49	
	0600	56	
	0700	50	
	0800	53	
	0900	57	
	1000	57	
	1100	60	
	1200	60	
	1300	58	
	1400	58	
	1500	58	
	1600	56	
	1700	56	
	1800	58	
	1900	60	
	2000	60	
	2100	53	
	2200	52	
	2300	51	
	2400	50	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-8-2024	0100	50	
	0200	50	Floyd
	0300	49	
	0400	49	
	0500	49	
	0600	50	
	0700		
	0800		
	0900	52	
	1000		
	1100		
	1200		
	1300	60	
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200	53	S.mccarvey
	2300	53	
	2400	53	

Date	Time	Temp.	Printed Name
6-9-2024	0100	53	
	0200	53	S.mccarvey
	0300	52	
	0400	52	
	0500	52	
	0600	52	
	0700	52	
	0800	51	
	0900	51	
	1000	54	Axos?
	1100	56	
	1200	58	
	1300	60	
	1400	61	
	1500	61	
	1600	61	
	1700	62	
	1800	60	
	1900	59	
	2000	58	
	2100	52	
	2200	52	
	2300	52	S.mccarvey
	2400	52	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	50	
	0200	50	
	0300	49	
	0400	49	
	0500	49	
	0600	48	
	0700	49	
	0800	55	
	0900	54	
	1000	56	5/10/10
	1100	60	5/10/10
	1200	60	5/10/10
	1300	66	
	1400	63	
	1500	62	
	1600	62	
	1700	63	
	1800	63	
	1900	62	
	2000	60	
	2100	55	
	2200	53	
	2300	51	
	2400	50	

Date	Time	Temp.	Printed Name
	0100	50	
	0200	49	
	0300	48	
	0400	48	
	0500	48	
	0600	48	
	0700	55	
	0800	56	
	0900	60	
	1000	60	5/10/10
	1100	61	
	1200	61	5/10/10
	1300	61	
	1400	61	
	1500	61	
	1600	59	
	1700	59	
	1800	60	
	1900	60	5/10/10
	2000	56	
	2100	54	
	2200	53	
	2300	52	
	2400	51	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
4-2024-5-19	0100	51	
	0200	50	
	0300	49	Floyd
	0400	49	
	0500	49	
	0600	49	
	0700	57	
	0800	58	
	0900	59	
	1000	59	2nd reading
	1100	60	
	1200	60	
	1300	60	
	1400	60	
	1500	59	
	1600	60	
	1700	59	
	1800	59	D. 65
	1900	59	
	2000	58	
	2100	54	Floyd
	2200	54	
	2300	53	
	2400	52	

Date	Time	Temp.	Printed Name
6-5-2024	0100	51	
	0200	50	
	0300	49	Floyd
	0400	48	
	0500	49	
	0600	50	
	0700	52	
	0800	54	
	0900	56	
	1000	58	
	1100	59	
	1200	60	
	1300	60	
	1400	60	
	1500	58	
	1600	61	
	1700	61	
	1800	60	
	1900	60	D. 65
	2000	60	
	2100	52	Floyd
	2200	51	
	2300	50	
	2400	50	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-2-2024	0100	51	
	0200	51	S. McCovey
	0300	50	
	0400	50	
	0500	50	
	0600	51	
	0700	54	
	0800	56	
	0900	55	
	1000	55	
	1100	55	K. McCovey
	1200	56	
	1300	56	
	1400	56	
	1500	56	
	1600	56	
	1700	56	
	1800	55	
	1900	55	D. W.
	2000	54	
	2100	50	
	2200	55	S. McCovey
	2300	55	
	2400	54	

Date	Time	Temp.	Printed Name
6-3-2024	0100	54	
	0200	54	S. McCovey
	0300	54	
	0400	53	
	0500	53	
	0600	53	
	0700	53	
	0800	53	
	0900	53	
	1000	54	
	1100	59	
	1200	56	
	1300	56	
	1400	57	
	1500	57	
	1600	56	
	1700	56	
	1800	55	
	1900	55	D. W.
	2000	54	
	2100	54	
	2200	54	
	2300	53	
	2400	52	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

On May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: Officer's Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	72	C THORPE
	0600	72	CARLSON
	0900	72	CARLSON
	1200	72	CARLSON
	1500	71	F. MENDEZ
	1800	71	F. MENDEZ
	2100	70	F. MENDEZ
	2400	70	C THORPE

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	PALAFIX
	0600	70	CONTRERAS
	0900	70	CONTRERAS
	1200	71	CONTRERAS
	1500	72	Baker
	1800	72	Baker
	2100	72	Luenra
	2400	71	Luenra

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	71	Luenra
	0600	72	J. Ramir
	0900	72	J. Ramirez
	1200	72	J. Ramirez
	1500	73	Baker
	1800	71	E Kleespies
	2100	71	E Kleespies
	2400	70	Etzel

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	70	ESTREDA
	0600	70	HENRY
	0900	70	HENRY
	1200	70	HENRY
	1500	70	T THORPE
	1800	70	T THORPE
	2100	70	T THORPE
	2400	70	T THORPE

Tuesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	70	C THORPE
	0600	72	Carson
	0900	72	Carson
	1200	72	MAGNUSON
	1500	72	C THORPE
	1800	72	C THORPE
	2100	71	C THORPE
	2400	71	R. PALAFIX

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	71	Luenra
	0600	70	CONTRERAS
	0900	71	CONTRERAS
	1200	70	CONTRERAS
	1500	71	Luenra
	1800	71	Luenra
	2100	71	Luenra
	2400	71	Luenra

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	Etzel
	0600	72	HENRY
	0900	72	V. Farid
	1200	72	HENRY
	1500	72	E Kleespies
	1800	71	E Kleespies
	2100	71	E Kleespies
	2400	70	ESTREDA

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

On May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: Officer's Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	71	C THORPE
	0600	71	R. PALAFON
	0900	71	R. PALAFON
	1200	71	E.F MAGNUSEN
	1500	71	C THORPE
	1800	71	C THORPE
	2100	71	C THORPE
	2400	71	C THORPE

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	71	L. weiss
	0600	71	R. PALAFON
	0900	71	R. PALAFON
	1200	71	R. PALAFON
	1500	71	Lunera
	1800	70	Lunera
	2100	71	Lunera
	2400	70	A. Hagan

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	70	A. Hagan
	0600	70	J. Ramirez
	0900	71	J. Ramirez
	1200	71	J. Ramirez
	1500	71	Fazel
	1800	71	Fazel
	2100	71	Fazel
	2400	70	Fazel

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	70	Ezel
	0600	72	HENRY
	0900	72	V Ford
	1200	72	V Ford
	1500	72	C THORPE
	1800	72	C THORPE
	2100	72	C THORPE
	2400	72	C THORPE

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	71	C THORPE
	0600	71	MAGNUSEN
	0900	71	MAGNUSEN
	1200	71	MAGNUSEN
	1500	73	C THORPE
	1800	72	C THORPE
	2100	71	C THORPE
	2400	71	E. weiss

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	70	A. Hagan
	0600	72	CARLSON
	0900	72	CARLSON
	1200	72	CARLSON
	1500	72	E Kleespies
	1800	72	E Kleespies
	2100	71	E Kleespies
	2400	70	A. Hagan

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	70	Ezel
	0600	72	HENRY
	0900	72	Ford
	1200	72	Ford
	1500	71	Ezel
	1800	71	Ezel
	2100	71	Ezel
	2400	70	Ezel

Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: Officer Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	72	C THORPE
	0600	72	E J. Ramirez
	0900	72	T. Ramirez
	1200	72	T. Ramirez
	1500	72	C THORPE
	1800	72	C THORPE
	2100	72	C THORPE
	2400	72	C THORPE

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	72	UCBL
	0600	72	Abernathy
	0900	72	Abernathy
	1200	72	Abernathy
	1500	72	E Kleespies
	1800	71	E Kleespies
	2100	71	E Kleespies
	2400	71	Luermer

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	71	Luermer
	0600	72	CADORA
	0900	72	CADORA
	1200	72	CADORA
	1500	72	E Kleespies
	1800	72	Ftzel
	2100	72	Ftzel
	2400	72	Ftzel

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	72	Ftzel
	0600	72	HENRY
	0900	72	V Ford
	1200	72	V Ford
	1500	72	GILBS
	1800	72	GILBS
	2100	72	GILBS
	2400	72	C THORPE

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	72	C THORPE
	0600	72	Abernathy
	0900	72	Abernathy
	1200	72	Abernathy
	1500	72	E Kleespies
	1800	72	C THORPE
	2100	72	C THORPE
	2400	72	UCBL

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	71	Luermer
	0600	71	CARLSON
	0900	71	CARLSON
	1200	71	CARLSON
	1500	72	E Kleespies
	1800	71	E Kleespies
	2100	71	E Kleespies
	2400	71	Luermer

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	71	Ftzel
	0600	71	HENRY
	0900	72	HENRY
	1200	72	HENRY
	1500	72	Ftzel
	1800	72	Ftzel
	2100	72	Ftzel
	2400	72	Ftzel

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

On May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.  
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: Officer's Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	72	C THORPE
	0600	72	R. PALAFOX
	0900	72	R. PALAFOX
	1200	72	R. PALAFOX
	1500	74	C THORPE
	1800	73	C THORPE
	2100	73	C THORPE
	2400	72	C THORPE

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	72	C THORPE
	0600	72	CONTRERA
	0900	71	CONTRERAS
	1200	72	CONTRERAS
	1500	72	Luvera
	1800	72	Luvera
	2100	72	Luvera
	2400	71	Luvera

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	71	Luvera
	0600	71	CONTRERA
	0900	72	CONTRERAS
	1200	72	CONTRERAS
	1500	72	SV Lina
	1800	73	SV Lina
	2100	72	SV Lina
	2400	72	Ezel

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	71	Ezel
	0600	72	HENRY
	0900	72	V Ford
	1200	72	V Ford
	1500	72	C THORPE
	1800	72	C THORPE
	2100	72	C THORPE
	2400	72	C THORPE

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	72	C THORPE
	0600	72	CARLSON
	0900	72	CARLSON
	1200	72	CARLSON
	1500	72	C THORPE
	1800	72	C THORPE
	2100	72	C THORPE
	2400	72	C THORPE

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	71	Lucerna
	0600	71	Contreras
	0900	71	Contrera
	1200	72	Contreras
	1500	73	Contreras
	1800	72	Lucerna
	2100	72	Lucerna
	2400	71	Lucerna

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	72	Ezel
	0600	72	HENRY
	0900	72	V Ford
	1200	72	V Ford
	1500	72	Ezel
	1800	72	Ezel
	2100	72	Ezel
	2400	71	Ezel

Notes

---



---



---



---



---



---



---



---

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	300	70	A. Hui
	600	70	M. Wei
	900	70	M. Ciel
	1200	70	M. Ciel
	1500	70	Houghton
	1800	69	Houghton
	2100	68	Houghton
	2400	69	F. Hamby

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	300	69	F. Hamby
	600	70	R. Hull
	900	70	R. Hull
	1200	70	Z. Huu
	1500	70	B. Houghton
	1800	70	Houghton
	2100	69	Houghton
	2400	69	B. Bergman

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	300	69	B. Bergman
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	C. Richardson
	1800	70	C. Richardson
	2100	70	C. Richardson
	2400	70	C. Cartagena

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	300	70	C. Cartagena
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	71	C. Francis
	1800	70	C. Francis
	2100	70	C. Francis
	2400	70	F. Hamby

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	300	69	F. Hamby
	600	70	Escalor
	900	71	Escalor
	1200	70	Escalor
	1500	70	Houghton
	1800	69	Houghton
	2100	69	B. Houghton
	2400	69	F. Hamby

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	300	69	F. Hamby
	600	70	Farias
	900	71	Farias
	1200	72	Farias
	1500	73	Farias
	1800	73	Farias
	2100	74	Farias
	2400	73	Winkelmann

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/16/2024	300	73	Winkelmann	
	600	70	M. Ciel	
	900	70	M. Ciel	
	1200	70	M. Ciel	
	1500	69	Houghton	
	1800	69	Houghton	
	2100	68	Houghton	
	2400	68	T. Sabach	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	300	70	NOVQ
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	SPURGEON
	1500	70	MACIEL
	1800	70	MACIEL
	2100	69	MACIEL
	2400	69	CASTILLO

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	300	69	CASTILLO
	600	70	SPURGEON
	900	70	SPURGEON
	1200	70	SPURGEON
	1500	70	R. AHN
	1800	70	R. AHN
	2100	70	R. AHN
	2400	70	WR

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	300	70	WR
	600	70	SPURGEON
	900	70	SPURGEON
	1200	71	SPURGEON
	1500	70	R. AHN
	1800	70	R. AHN
	2100	71	R. AHN
	2400	70	H. Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	300	70	H. Gutierrez
	600	70	M. SPURGEON
	900	70	SPURGEON
	1200	70	SPURGEON
	1500	71	SCHEUER
	1800	70	SCHEUER
	2100	70	SCHEUER
	2400	70	H. Gutierrez

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	300	70	H. Gutierrez
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	70	SCHEUER
	1800	71	SCHEUER
	2100	70	SCHEUER
	2400	70	C. CARRASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	300	70	C. CARRASQUEZ
	600	70	T. LAINES
	900	70	T. LAINES
	1200	70	T. LAINES
	1500	70	L. MACIEL
	1800	70	L. MACIEL
	2100	70	L. MACIEL
	2400	70	C. CARRASQUEZ

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/16/2024	300	70	C. CARRASQUEZ	
	600	70	G. OCHOA	
	900	70	G. OCHOA	
	1200	70	G. OCHOA	
	1500	70	MACIEL	
	1800	70	MACIEL	
	2100	70	MACIEL	
	2400	70	AP	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10/2024	300	70	Nancy
	600	70	T. CAMPBELL
	900	70	T. CAMPBELL
	1200	70	T. CAMPBELL
	1500	70	X. LOR
	1800	70	X. LOR
	2100	70	X. LOR
	2400	70	G. CASTILLO

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11/2024	300	69	G. CASTILLO
	600	70	T. CAMPBELL
	900	70	T. CAMPBELL
	1200	70	T. Campbell
	1500	71	B. SOTO
	1800	70	B. SOTO
	2100	70	B. SOTO
	2400	70	LOR

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12/2024	300	70	LOR
	600	70	LOR
	900	70	LOR
	1200	70	LOR
	1500	71	H. Gutierrez
	1800	71	H. Gutierrez
	2100	71	H. Gutierrez
	2400	70	H. Gutierrez

**Thursday**

Date	Time	Temp.	Name (Print)
6/13/2024	300	70	H. Gutierrez
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. CONTRERAS
	1500	70	C. CONTRERAS
	1800	70	C. CONTRERAS
	2100	70	C. CONTRERAS
	2400	70	H. Gutierrez

**Friday**

Date	Time	Temp.	Name (Print)
6/14/2024	300	70	H. Gutierrez
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	71	H. Gutierrez
	1800	71	H. Gutierrez
	2100	71	H. Gutierrez
	2400	70	C. CONTRERAS

**Saturday**

Date	Time	Temp.	Name (Print)
6/15/2024	300	70	C. CONTRERAS
	600	70	C. CONTRERAS
	900	70	C. CONTRERAS
	1200	70	C. CONTRERAS
	1500	70	Lor
	1800	70	Lor
	2100	70	Lor
	2400	70	C. CONTRERAS

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
6/16/2024	300	70	C. CONTRERAS	
	600	70	C. CONTRERAS	
	900	70	C. CONTRERAS	
	1200	70	C. CONTRERAS	
	1500	70	Lor	
	1800	70	Lor	
	2100	70	Lor	
	2400	70	APRIL	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	300	70	Mellinger
	600	70	Popaolic
	900	70	Popaolic
	1200	70	Popaolic
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	Pluvialis

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	300	70	Pluvialis
	600	70	Popaolic
	900	70	Popaolic
	1200	70	Popaolic
	1500	71	Quincy
	1800	71	Quincy
	2100	71	Quincy
	2400	71	Quincy

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	300	70	Pluvialis
	600	71	Quincy
	900	71	Quincy
	1200	71	Quincy
	1500	71	Lewis
	1800	71	Lewis
	2100	70	Lewis
	2400	71	Groomer

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	300	70	Groomer
	600	70	Nelson
	900	70	Popaolic
	1200	70	Popaolic
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	Groomer

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	300	70	Groomer
	600	70	Mizamir
	900	70	Mizamir
	1200	70	Mizamir
	1500	70	Flores
	1800	70	Flores
	2100	70	Flores
	2400	70	A. Little

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	300	70	A. Little
	600	70	Burr
	900	70	Burr
	1200	70	Burr
	1500	70	Burr
	1800	70	Burr
	2100	70	Burr
	2400	70	A. Little

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/16/2024	300	70	A. Little	
	600	70	Burr	
	900	70	Burr	
	1200	70	Burr	
	1500	70	Lewis	
	1800	70	Lewis	
	2100	70	Lewis	
	2400	70	Williams	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	300	70	Mellinger
	600	70	Zinn
	900	70	Zinn
	1200	71	Zinn
	1500	71	G.O.CHOL
	1800	71	G.O.CHOL
	2100	70	Rural care
	2400	70	Rural care

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	300	71	Giddings
	600	71	Hamm
	900	71	Hamm
	1200	71	Hamm
	1500	71	Hamm
	1800	70	Hamm
	2100	70	Hamm
	2400	70	GIDDINGS

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	300	70	Giddings
	600	70	Zinn
	900	70	Zinn
	1200	70	Zinn
	1500	70	ZAVALA
	1800	70	ZAVALA
	2100	70	ZAVALA
	2400	70	A. Little

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/16/2024	300	70	A. Little	
	600	70	Zinn	
	900	70	Zinn	
	1200	70	Zinn	
	1500	70	Esobar	
	1800	70	Esobar	
	2100	70	Esobar	
	2400	70	Williams	

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	300	71	Ruvaleca
	600	71	Hamm
	900	71	Hamm
	1200	71	Hamm
	1500	71	Leach
	1800	71	Leach
	2100	71	Leach
	2400	71	BLONDIN

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	300	70	GODINAS
	600	70	Senor
	900	70	Senor
	1200	70	Senor
	1500	70	YANG
	1800	70	YANG
	2100	69	YANG
	2400	70	GODINAS

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	300	70	A. Little
	600	70	Zinn
	900	70	Zinn
	1200	70	Zinn
	1500	70	D. LEON
	1800	70	D. LEON
	2100	70	D. LEON
	2400	70	A. Little

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	300	70	A. Little
	600	70	D. Wallace
	900	70	D. Wallace
	1200	72	D. Wallace
	1500	71	J-S
	1800	71	J-S
	2100	70	J-S
	2400	71	

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	300	70	Hillman
	600	70	Moua
	900	70	Moua
	1200	70	Moua
	1500	70	G.Ochoa
	1800	70	G.Ochoa
	2100	70	G.Ochoa
	2400	70	Nava

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	300	70	Navar
	600	70	Moua
	900	70	Moua
	1200	70	Moua
	1500	70	Weber
	1800	70	Weber
	2100	70	Weber
	2400		

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	300	70	A.Melenor
	600	70	moua
	900	70	moua
	1200	70	moua
	1500	70	Weber
	1800	70	Weber
	2100	70	Weber
	2400	71	Spradlin

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	300	70	Spradlin
	600	70	C. Moua
	900	70	Moua
	1200	70	Moua
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	J. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	300	70	J. Hernandez
	600	70	Moua
	900	70	Moua
	1200	70	Moua
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	S. Chang

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/16/2024	300	70	S. Chang	
	600	70	# A. Melenor	
	900	70	A. Melenor	
	1200	70	A. Melenor	
	1500	70	LOR	
	1800	70	LOR	
	2100	70	LOR	
	2400	70	A. Little	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	300	70	A. Little
	600	70	T. Vang
	900	70	T. Vang
	1200	70	T. Vang
	1500	70	Abivorden
	1800	70	Abivorden
	2100	70	Abivorden
	2400	71	Abivorden

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	300	70	Hillen
	600	70	T. Vang
	900	70	Winkelmann
	1200	70	Winkelmann
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	70	Nars

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	300	70	Nars
	600	70	Baarsma
	900	70	Baarsma
	1200	70	Baarsma
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400		

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	300	70	Melendrez
	600	70	Tiguardez
	900	71	Tiguardez
	1200	71	Tiguardez
	1500	71	Abivorden
	1800	70	Abivorden
	2100	70	Abivorden
	2400	70	Spradlin

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	300	71	Spradlin
	600	71	F. Xiong
	900	71	F. Xiong
	1200	71	F. Xiong
	1500	71	Abivorden
	1800	71	Abivorden
	2100	71	Abivorden
	2400	70	J. Harrington

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	300	70	S. Hemmings
	600	71	F. Xiong
	900	71	F. Xiong
	1200	70	F. Xiong
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	70	S. Chang

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/16/2024	300	70	S. Chang	
	600	70	T. Vang	
	900	70	T. Vang	
	1200	70	T. Vang	
	1500	70	Winkelmann	
	1800	70	Winkelmann	
	2100	70	Winkelmann	
	2400	70	A. Little	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	300	70	Morden
	600	70	MACIEI
	900	70	MACIEI
	1200	70	MACIEI
	1500	70	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	69	F. HAMBY

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	300	69	F. HAMBY
	600	70	R. HULL
	900	70	R. HULL
	1200	70	Z. HULL
	1500	70	TAVEREZ
	1800	70	TAVEREZ
	2100	70	TAVEREZ
	2400	70	F. HAMBY

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	300	70	F. HAMBY
	600	70	Z. HULL
	900	70	R. HULL
	1200	70	R. HULL
	1500	70	C. Voldson
	1800	70	C. Voldson
	2100	70	C. Voldson
	2400	70	

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	300	70	F. HAMBY
	600	70	Z. HULL
	900	70	Z. HULL
	1200	70	Z. HULL
	1500	70	Secor
	1800	70	secor
	2100	70	Secor
	2400	70	F. HAMBY

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	300	70	F. HAMBY
	600	70	Escar
	900	70	Escar
	1200	71	Escar
	1500	70	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	69	F. HAMBY

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	300	69	F. HAMBY
	600	70	Escar
	900	70	Escar
	1200	70	Escar
	1500	70	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	70	Fontenot

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/9/2024	300	70	Fontenot	
	600	70	MACIEI	
	900	70	MACIEI	
	1200	70	MACIEI	
	1500	70	HOUGHTON	
	1800	70	HOUGHTON	
	2100	70	Becker	
	2400	70	A. Hen	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	300	70	Vadnais
	600	68	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	70	Maciel
	1800	70	Maciel
	2100	70	Maciel
	2400	71	LABRADA

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	300	70	LABRADA
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	71	Schaefer
	1800	71	Schaefer
	2100	70	Schaefer
	2400	70	LABRADA

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	300	71	LABRADA
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	70	Schaefer
	1800	71	Schaefer
	2100	70	Schaefer
	2400	70	A. Little

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	300	70	A. Little
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	73	M. SPURGEON
	1500	72	C. Davidson
	1800	72	C. Davidson
	2100	72	C. Davidson
	2400	70	A. Little

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	300	70	A. Little
	600	70	M. SPURGEON
	900	76	M. SPURGEON
	1200	70	M. SPURGEON
	1500	72	J. Korn
	1800	72	J. Korn
	2100	70	J. Korn
	2400	70	A. Vadnais

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	300	64	A. Vadnais
	600	70	Seco
	900	70	Seco
	1200	70	Seco
	1500	71	J. CEBALLOS
	1800	72	J. CEBALLOS
	2100	71	J. CEBALLOS
	2400	70	A. Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/9/2024	300	70	A. Vadnais	
	600	70	G. OCHOA	
	900	70	G. OCHOA	
	1200	70	G. OCHOA	
	1500	70	L. MACIEI	
	1800	70	L. MACIEI	
	2100	70	L. MACIEI	
	2400	70	J. Novak	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and record the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	300	70	Vadnais
	600	70	Lori
	900	70	G.OCHOA
	1200	70	G.OCHOA
	1500	70	G.OCHOA
	1800	71	B. SOTO
	2100	71	B. SOTO
	2400	71	LABRADA

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	300	70	LABRADA
	600	70	Lori
	900	70	Lori
	1200	71	Lori
	1500	71	SOTO
	1800	71	SOTO
	2100	70	SOTO
	2400	70	LABRADA

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	300	69	LABRADA
	600	71	Lori
	900	71	Lori
	1200	71	Lori
	1500	72	B-SOTO
	1800	72	SOTO
	2100	72	SOTO
	2400	70	A. Little

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	300	70	A. Little
	600	71	Lori
	900	71	Lori
	1200	71	Lori
	1500	72	H.Gutierrez
	1800	72	H.Gutierrez
	2100	72	H.Gutierrez
	2400	70	A. Little

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	300	70	A. Little
	600	70	C. Contreras
	900	70	C. Contreras
	1200	71	C. Contreras
	1500	71	H. Gutierrez
	1800	71	H. Gutierrez
	2100	71	H. Gutierrez
	2400	70	A. Vadnais

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	300	70	A. Vadnais
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	Lori
	1800	70	Lori
	2100	70	Lori
	2400	70	A. Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/9/2024	300	69	A. Vadnais	
	600	70	Lori	
	900	70	Lori	
	1200	70	Lori	
	1500	70	Lori	
	1800	70	Lori	
	2100	70	Lori	
	2400	70	Nancy	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	300	70	GIDDINGS
	600	70	DERR
	900	70	Derr
	1200	70	Derr
	1500	70	Abernathy
	1800	70	Abernathy
	2100	70	Abernathy
	2400	71	GIDDINGS

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	300	70	GIDDINGS
	600	70	Derr
	900	70	Derr
	1200	70	Derr
	1500	71	Abernathy
	1800	71	Abernathy
	2100	71	Abernathy
	2400	72	UCIEL

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	300	71	UCIEL
	600	70	Derr
	900	71	Derr
	1200	71	Derr
	1500	72	Abernathy
	1800	71	Oriatt
	2100	71	Oriatt
	2400	71	GIDDINGS

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	300	70	GIDDINGS
	600	70	POPATOL
	900	70	POPATOL
	1200	70	POPATOL
	1500	71	Abernathy
	1800	71	Abernathy
	2100	71	Abernathy
	2400	71	GIDDINGS

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	300	70	GIDDINGS
	600	70	M.Z.MARTA
	900	70	M.Z.MARTA
	1200	70	M.Z.MARTA
	1500	70	Escobar
	1800	70	Escobar
	2100	70	Escobar
	2400	70	A. Little

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	300	70	A. Little
	600	70	Ture
	900	70	Derr
	1200	70	Derr
	1500	70	Derr
	1800	70	Byron
	2100	70	Byron
	2400	70	A. Little

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/9/2024	300	70	A. Little	
	600	70	Derr	
	900	70	Derr	
	1200	70	Derr	
	1500	70	avatt	
	1800	70	avatt	
	2100	70	avatt	
	2400	70	T.S. Melinger	

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored if the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3/2024	300	71	GODINAS
	600	70	Zinn
	900	70	Zinn
	1200	70	Zinn
	1500	70	G.OCHOA
	1800	70	G.OCHOA
	2100	70	G.OCHOA
	2400	70	GODINAS

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4/2024	300	70	GODINAS
	600	70	Hamm
	900	70	Hamm
	1200	70	Hamm
	1500	70	CEDATIDS
	1800	70	Ceparis
	2100	70	Cedatids
	2400	70	OCIEL

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5/2024	300	70	OCIEL
	600	70	Hamm
	900	70	Hamm
	1200	70	Hamm
	1500	70	Hamm
	1800	70	Hamm
	2100	70	Hamm
	2400	70	GODINAS

**Thursday**

Date	Time	Temp.	Name (Print)
6/6/2024	300	70	GODINAS
	600	70	SECO
	900	70	SECO
	1200	70	SECO
	1500	70	STORY
	1800	70	STORY
	2100	70	STORY
	2400	71	GODINAS

**Friday**

Date	Time	Temp.	Name (Print)
6/7/2024	300	70	GROINGS
	600	70	SECO
	900	71	SECO
	1200	71	SECO
	1500	70	Abd
	1800	70	Abd
	2100	70	Abd
	2400	70	A. LITTLE

**Saturday**

Date	Time	Temp.	Name (Print)
6/8/2024	300	70	A. LITTLE
	600	70	S. Jenkins
	900	70	S. Jenkins
	1200	70	S. Jenkins
	1500	71	F. X. DIAZ
	1800	71	F. X. DIAZ
	2100	71	F. X. DIAZ
	2400	70	A. LITTLE

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
6/9/2024	300	70	A. LITTLE	
	600	70	S. Jenkins	
	900	70	S. Jenkins	
	1200	70	S. Jenkins	
	1500	70	Escobar	
	1800	70	Escobar	
	2100	70	Escobar	
	2400	70	B. Mellinger	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	300	70	A. Little
	600	70	WALLACE
	900	72	WALLACE
	1200	72	WALLACE
	1500	72	C. GIL
	1800	72	C. GIL
	2100	72	C. GIL
	2400	70	CASTILLO

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	300	69	CASTILLO
	600	69	CASTILLO
	900	70	MOURA
	1200	70	MOURA
	1500	70	G. OCHOA
	1800	70	G. OCHOA
	2100	70	G. OCHOA
	2400	70	T. Spradlin

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	300	70	Spradlin
	600	68	MOURA
	900	70	MOURA
	1200	70	MOURA
	1500	70	Weber
	1800	70	Weber
	2100	69	Weber
	2400	70	Spradlin

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	300	70	Spradlin
	600	70	MOURA
	900	70	MOURA
	1200	70	MOURA
	1500	70	Weber
	1800	70	Weber
	2100	69	Weber
	2400	70	Fontenot

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	300	70	Fontenot
	600	70	MARTINEZ
	900	70	MARTINEZ
	1200	70	MARYLIN
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	Spradlin

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	300	71	Spradlin
	600	70	COVIE
	900	70	COVIE
	1200	70	COVIE
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	Spradlin

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/9/2024	300	71	Spradlin	
	600	71	WALLACE	
	900	72	WALLACE	
	1200	72	WALLACE	
	1500	70	WR	
	1800	70	WR	
	2100	70	WR	
	2400	70	A. Little	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
6/3/2024	300	70	A. Little
	600	70	T. Vang
	900	70	T. Vang
	1200	70	T. Vang
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	70	G. CASTILLO

## Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	300	69	G. CASTILLO
	600	69	G. CASTILLO
	900	70	T. Vang
	1200	70	T. Vang
	1500	71	Winkelmann
	1800	71	Winkelmann
	2100	70	Winkelmann
	2400	70	Spradlin

## Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	300	70	T. Spradlin
	600	70	M. Zavala
	900	70	M. Zavala
	1200	70	M. Zavala
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	70	Spradlin

## Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	300	70	Spradlin
	600	70	L. McNeely
	900	70	L. McNeely
	1200	70	L. McNeely
	1500	70	R. Alvarado
	1800	70	R. Alvarado
	2100	70	R. Alvarado
	2400	70	Foutenot

## Friday

Date	Time	Temp.	Name (Print)
6/7/2024	300	70	Foutenot
	600	71	F. Xiong
	900	70	F. Xiong
	1200	71	F. Xiong
	1500	70	Alvarado
	1800	70	Alvarado
	2100	70	Alvarado
	2400	70	Spradlin

## Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	300	71	Spradlin
	600	71	F. Xiong
	900	71	F. Xiong
	1200	71	F. Xiong
	1500	71	Winkelmann
	1800	71	Winkelmann
	2100	71	Winkelmann
	2400	71	Spradlin

## Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/9/2024	300	70	Spradlin	
	600	70	T. Vang	
	900	70	T. Vang	
	1200	70	T. Vang	
	1500	70	Glider	
	1800	70	Glider	
	2100	70	Glider	
	2400	70	A. Little	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Institution: PBSP Housing Unit: A-1 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

6/17/2024	A-1			
	Date	Time	Temp.	Name (Print)
			300	
			600	
			900	
			1200	
			1500	
	1800	71	Graig	
	2100	71	Graig	
	2400	70	Nava	

Tuesday

6/18/2024	A-1			
	Date	Time	Temp.	Name (Print)
			300	69
			600	69
			900	68
			1200	69
			1500	70
	1800	70	D. LEON	
	2100	69	D. LEON	
	2400	69	F. Hamsy	

Wednesday

6/19/2024	A-1			
	Date	Time	Temp.	Name (Print)
			300	69
			600	69
			900	70
			1200	70
			1500	70
	1800	69	D. LEON	
	2100	69	D. LEON	
	2400	69	Z. Calhoun	

Thursday

6/20/2024	A-1			
	Date	Time	Temp.	Name (Print)
			300	70
			600	69
			900	70
			1200	70
			1500	70
	1800	70	Secor	
	2100	70	Secor	
	2400	69	Secor	
			F. Hamsy	

Saturday

6/22/2024	A-1			
	Date	Time	Temp.	Name (Print)
			300	69
			600	69
			900	70
			1200	70
			1500	70
	1800	71	D. LEON	
	2100	71	D. LEON	
	2400	69	KELLEY	

Sunday

6/23/2024	A-1				
	Date	Time	Temp.	Name (Print)	NOTES:
			300	69	
			600	70	OTREMBA
			900	70	OTREMBA
			1200	70	OTREMBA
			1500	70	D. LEON
	1800	70	D. LEON		
	2100	70	D. LEON		
	2400	69	KELLEY		

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	300	68	T. Suback
	600	68	T. Suback
	900	70	L. MACIEL
	1200	70	L. MACIEL
	1500	70	Houghton
	1800	69	B. Houghton
	2100	69	B. Houghton
	2400	70	None

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	300	69	None
	600	70	R. Hull
	900	70	E. Hull
	1200	70	R. Hull
	1500	69	B. Houghton
	1800	69	B. Houghton
	2100	68	B. Houghton
	2400	69	F. Hamby

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	300	69	F. Hamby
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	C. Wilson
	1800	70	C. Wilson
	2100	70	C. Wilson
	2400	70	Z. Calhoon

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	300	69	Z. Calhoon
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	K. Lee
	1800	70	K. Lee
	2100	70	K. Lee
	2400	70	F. Hamby

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	300	69	F. Hamby
	600	70	Escobar
	900	70	Escobar
	1200	70	Escobar
	1500	69	HOUGHTON
	1800	68	HOUGHTON
	2100	68	HOUGHTON
	2400	69	F. Hamby

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	300	69	F. Hamby
	600	70	Escobar
	900	71	Escobar
	1200	71	Escobar
	1500	69	HOUGHTON
	1800	67	HOUGHTON
	2100	67	HOUGHTON
	2400	68	KELLEY

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/23/2024	300	68	KELLEY	
	600	70	MACIEL	
	900	70	MACIEL	
	1200	70	MACIEL	
	1500	70	HOUGHTON	
	1800	69	HOUGHTON	
	2100	68	HOUGHTON	
	2400	69	GRIER	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	300	70	A. Stevenson
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	70	A. Stevenson
	1800	70	A. Stevenson
	2100	70	A. Stevenson
	2400	70	H. Gutierrez

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	300	70	H. Gutierrez
	600	70	H. Gutierrez
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	70	S. Charles
	1800	71	S. Charles
	2100	70	S. Charles
	2400	70	Reynoso

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	300	70	Reynoso
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	70	S. Charles
	1800	71	S. Charles
	2100	70	S. Charles
	2400	70	H. Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	300	70	H. Gutierrez
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	70	C. Davickson
	1800	70	C. Davickson
	2100	70	C. Davickson
	2400	70	H. Gutierrez

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	300	70	H. Gutierrez
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	71	Thompson
	1800	70	Thompson
	2100	70	Thompson
	2400	70	Vadnais

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	300	70	Vadnais
	600	70	Secor
	900	70	Secor
	1200	70	Secor
	1500	70	L. McAlexander
	1800	70	L. McAlexander
	2100	70	L. McAlexander
	2400	70	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/23/2024	300	70	Vadnais	
	600	70	G. Ochoa	
	900	70	G. Ochoa	
	1200	70	G. Ochoa	
	1500	70	L. Maciel	
	1800	70	L. Maciel	
	2100	70	L. Maciel	
	2400	70	Vadnais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	300	70	A. Sipa
	600	70	Leach
	900	70	Leach
	1200	70	Leach
	1500	71	Soto
	1800	71	Soto
	2100	70	Soto
	2400	70	Hillman

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	300	70	Hillman
	600	70	Hillman
	900	71	Leach
	1200	71	Leach
	1500	71	Hamm
	1800	71	Hamm
	2100	71	Hamm
	2400	70	Reynoso

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	300	70	Reynoso
	600	71	Leach
	900	71	Leach
	1200	71	Leach
	1500	71	M. Griggs
	1800	71	M. Griggs
	2100	70	M. Griggs
	2400	70	H. Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	300	70	H. Gutierrez
	600	71	Leach
	900	71	Leach
	1200	71	Leach
	1500	71	H. Gutierrez
	1800	71	H. Gutierrez
	2100	71	H. Gutierrez
	2400	70	H. Gutierrez

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	300	70	H. Gutierrez
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	Taylor
	1800	70	Taylor
	2100	70	Taylor
	2400	70	Vadnass

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	300	70	Vadnass
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	A. Little
	1800	71	A. Little
	2100	70	A. Little
	2400	70	Vadnass

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/23/2024	300	69	Vadnass	
	600	70	C. Contreras	
	900	70	C. Contreras	
	1200	70	C. Contreras	
	1500	70	Leach	
	1800	70	Leach	
	2100	70	Leach	
	2400	70	Vadnass	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17/2024	300	70	Williams
	600	70	Berry
	900	70	Jean
	1200	70	Jean
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	Groome

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18/2024	300	70	Groome
	600	70	Popovic
	900	70	Popovic
	1200	70	Popovic
	1500	70	Qualls
	1800	71	Qualls
	2100	71	Qualls
	2400	70	Groome

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19/2024	300	70	Groome
	600	71	Qualls
	900	71	Qualls
	1200	71	Qualls
	1500	71	Lewis
	1800	71	Lewis
	2100	70	Lewis
	2400	70	Groome

**Thursday**

Date	Time	Temp.	Name (Print)
6/20/2024	300	70	Groome
	600	70	Popovic
	900	70	Popovic
	1200	70	Popovic
	1500	71	J.Lewis
	1800	70	J.Lewis
	2100	71	J.Lewis
	2400	70	Groome

**Friday**

Date	Time	Temp.	Name (Print)
6/21/2024	300	70	Groome
	600	70	Zinn
	900	70	Zinn
	1200	70	Zinn
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	Little

**Saturday**

Date	Time	Temp.	Name (Print)
6/22/2024	300	70	Little
	600	70	Farias
	900	70	Farias
	1200	70	Farias
	1500	72	Farias
	1800	73	Farias
	2100	74	Farias
	2400	70	Little

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
6/23/2024	300	70	Little	
	600	70	Berry	
	900	70	BB	
	1200	70	Lewis	
	1500	70	Lewis	
	1800	70	Lewis	
	2100	71	F.X.Berry	
	2400	71	F.X.Berry	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	300	70	Williams
	600	70	MARTINEZ
	900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	70	G-OCHOA
	1800	70	G-OCHOA
	2100	70	G-OCHOA
	2400	70	BROWNS

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	300	70	LAWRENCE
	600	70	Hamm
	900	70	Hamm
	1200	70	Hamm
	1500	70	MARINA
	1800	70	MARINA
	2100	70	MARINA
	2400	70	LAWRENCE

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	300	70	BROWNS
	600	70	Hamm
	900	70	Hamm
	1200	70	Hamm
	1500	71	C. FRANCIS
	1800	71	C. FRANCIS
	2100	70	C. FRANCIS
	2400	70	BROWNS

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	300	70	BROWNS
	600	70	SECOR
	900	70	SECOR
	1200	70	SECOR
	1500	70	GILES
	1800	70	GILES
	2100	70	GILES
	2400	70	BROWNS

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	300	70	BROWNS
	600	70	SECOR
	900	70	SECOR
	1200	70	SECOR
	1500	72	FARIAS
	1800	72	FARIAS
	2100	70	FARIAS
	2400	70	LITTLE

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	300	70	LITTLE
	600	70	ZINN
	900	70	ZINN
	1200	70	ZINN
	1500	70	HODD
	1800	70	HODD
	2100	70	HODD
	2400	70	LITTLE

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/23/2024	300	70	LITTLE	
	600	70	ZINN	
	900	70	ZINN	
	1200	70	ZINN	
	1500	70	J. RODRIGUEZ	
	1800	71	J. RODRIGUEZ	
	2100	70	J. RODRIGUEZ	
	2400	71	F. XIONG	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17/2024	300	70	A. Little
	600	70	D. Wallace
	900	70	Wallace
	1200	71	Wallace
	1500	71	J. Rodriguez
	1800	72	J. Rodriguez
	2100	72	J. Rodriguez
	2400	72	A. Piza

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18/2024	300	70	A. Piza
	600	70	C. Mousa
	900	70	C. Mousa
	1200	70	C. Mousa
	1500	70	G. Ochoa
	1800	70	G. Ochoa
	2100	70	G. Ochoa
	2400	70	F. Mendez

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19/2024	300	70	F. Mendez
	600	70	C. Mousa
	900	70	C. Mousa
	1200	70	C. Mousa
	1500	71	S. Weber
	1800	71	S. Weber
	2100	70	S. Weber
	2400	71	F. Mendez

**Thursday**

Date	Time	Temp.	Name (Print)
6/20/2024	300	71	F. Mendez
	600	70	Gandara
	900	70	Gandara
	1200	70	Gandaria
	1500	70	S. Weber
	1800	70	S. Weber
	2100	70	S. Weber
	2400	71	F. Mendez

**Friday**

Date	Time	Temp.	Name (Print)
6/21/2024	300	71	F. Mendez
	600	71	Neway
	900	70	Neway
	1200	70	Neway
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	71	F. Mendez

**Saturday**

Date	Time	Temp.	Name (Print)
6/22/2024	300	70	F. Mendez
	600	70	Zamudio
	900	70	Zamudio
	1200	70	Zamudio
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	F. Mendez

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
6/23/2024	300	70	F. Mendez	
	600	70	D. Wallace	
	900	70	D. Wallace	
	1200	70	D. Wallace	
	1500	70	LOR	
	1800	70	LOR	
	2100	70	LOR	
	2400	70	LOR	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	300	70	A. Littie
	600	70	T. Vang
	900	70	T. Vang
	1200	70	T. Vang
	1500	71	Winkelmann
	1800	71	Winkelmann
	2100	71	Winkelmann
	2400	71	F. MENDEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	300	71	A. Littie
	600	70	T. Vang
	900	70	T. Vang
	1200	70	T. Vang
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	70	F. MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	300	70	F. MENDEZ
	600	70	T. Vang
	900	70	T. Vang
	1200	70	T. Vang
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	71	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	300	71	F. MENDEZ
	600	71	COTA
	900	71	COTA
	1200	72	COTA
	1500	72	COTA
	1800	71	Meslon
	2100	70	Meslon
	2400	70	F. MENDEZ

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	300	71	F. MENDEZ
	600	72	F. XIDAO
	900	71	F. XIDAO
	1200	71	F. XIDAO
	1500	71	R. Warden
	1800	70	R. Warden
	2100	70	R. Warden
	2400	71	F. MENDEZ

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	300	71	F. MENDEZ
	600	71	F. XIDAO
	900	70	F. XIDAO
	1200	71	F. XIDAO
	1500	71	J. CEBALLOS
	1800	70	J. CEBALLOS
	2100	70	J. CEBALLOS
	2400	71	F. MENDEZ

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/23/2024	300	71		
	600	70	T. Vang	
	900	70	T. Vang	
	1200	70	T. Vang	
	1500	70	Gordon	
	1800	70	Gordon	
	2100	70	Gordon	
	2400	70	Littie	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-1 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

A-1

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	300	70	Garcia
	600	70	G.OCHOA
	900	70	G.OCHOA
	1200	70	G.OCHOA
	1500	70	D.LEON
	1800	70	D.LEON
	2100	70	D.LEON
	2400	70	F.Haney

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	300	69	F.Haney
	600	69	G.OCHOA
	900	69	G.OCHOA
	1200	69	G.OCHOA
	1500	70	D.LEON
	1800	70	D.LEON
	2100	70	D.LEON
	2400	69	F.Haney

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	300	69	F.Haney
	600	70	LOVIE
	900	70	LOVIE
	1200	70	LOVIE
	1500	70	D.LEON
	1800	70	D.LEON
	2100	70	D.LEON
	2400	70	F.Haney

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	300	70	F.Haney
	600	70	LOVIE
	900	70	LOVIE
	1200	70	LOVIE
	1500	70	SECOR
	1800	70	SECOR
	2100	70	SECOR
	2400	70	F.Haney

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	300	70	F.Haney
	600	70	LOVIE
	900	70	LOVIE
	1200	70	LOVIE
	1500	70	Melvin
	1800	70	Melvin
	2100	70	Melvin
	2400	70	F.Haney

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	300	70	F.Haney
	600	69	L.OTREMBA
	900	70	L.OTREMBA
	1200	70	L.OTREMBA
	1500	70	D.LEON
	1800	70	D.LEON
	2100	70	D.LEON
	2400	70	Garcia

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/30/2024	300	70	Garcia	
	600	69	OTREMBA	
	900	70	OTREMBA	
	1200	70	OTREMBA	
	1500	70	D.LEON	
	1800	70	D.LEON	
	2100	70	D.LEON	
	2400	70	Garcia	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	300	68	Gordon
	600	70	L. MACIEL
	900	70	L. MACIEL
	1200	70	L. MACIEL
	1500	70	HOUGHTON
	1800	71	HOUGHTON
	2100	70	HOUGHTON
	2400	70	Hawley

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	300	69	F. HAWLEY
	600	69	M. Gragon
	900	70	M. Gragon
	1200	70	M. Gragon
	1500	70	HOUGHTON
	1800	69	HOUGHTON
	2100	68	HOUGHTON
	2400	69	F. Hawley

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	300	69	F. Hawley
	600	70	N. YANG
	900	70	N. YANG
	1200	70	N. YANG
	1500	70	N. YANG
	1800	70	J. HUTHER
	2100	70	J. HUGHES
	2400	69	F. Hawley

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	300	69	F. Hawley
	600	70	L. MACIEL
	900	70	L. MACIEL
	1200	70	L. MACIEL
	1500	70	K. LEE
	1800	70	K. LEE
	2100	70	K. LEE
	2400	70	F. Hawley

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	300	70	F. Hawley
	600	70	N. YANG
	900	70	N. YANG
	1200	70	N. YANG
	1500	70	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	70	F. Hawley

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	300	70	F. Hawley
	600	70	N. YANG
	900	70	N. YANG
	1200	70	N. YANG
	1500	70	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	69	Gordon

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/30/2024	300	69	Gordon	
	600	70	MACIEL	
	900	70	MACIEL	
	1200	70	MACIEL	
	1500	70	HOUGHTON	
	1800	69	HOUGHTON	
	2100	68	HOUGHTON	
	2400	69	Gordon	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	300	70	C. Glider
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	70	L. MACIEL
	1800	70	L. MACIEL
	2100	70	L. MACIEL
	2400	70	VOR

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	300	70	VOR
	600	70	N. SPURGEON
	900	70	SPURGEON
	1200	70	SPURGEON
	1500	70	L. MACIEL
	1800	70	L. MACIEL
	2100	70	L. MACIEL
	2400	70	LABENDA

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	300	70	LABENDA
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	70	L. MACIEL
	1800	70	L. MACIEL
	2100	70	L. MACIEL
	2400	70	LITTLE

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	300	70	LITTLE
	600	70	Hawkins
	900	70	Hawkins
	1200	70	Hawkins
	1500	70	SCALBER
	1800	71	Scalber
	2100	70	Scalber
	2400	70	LITTLE

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	300	70	LITTLE
	600	70	SPURGEON
	900	70	SPURGEON
	1200	70	SPURGEON
	1500	70	SCHILLER
	1800	70	SCHILLER
	2100	70	SCHILLER
	2400	70	Vadnais

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	300	70	Vadnais
	600	70	Second
	900	70	Second
	1200	70	Second
	1500	70	MACIEL
	1800	70	MACIEL
	2100	70	MACIEL
	2400	70	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/30/2024	300	69	Vadnais	
	600	70	G. OCHOA	
	900	70	G. OCHOA	
	1200	70	G. OCHOA	
	1500	70	MACIEL	
	1800	70	MACIEL	
	2100	70	MACIEL	
	2400	70	Vadnais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	300	70	Gidolmes
	600	70	Joh
	900	70	Zoh
	1200	70	Zoh
	1500	71	Soto
	1800	71	Soto
	2100	70	Soto
	2400	70	WR

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	300	70	LOR
	600	70	m s
	900	71	Leach
	1200	71	Leach
	1500	71	Hamm
	1800	71	Hamm
	2100	70	Hamm
	2400	71	LABRADA

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	300	70	LABRADA
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	71	Soto
	1800	71	Soto
	2100	72	Soto
	2400	70	Littie

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	300	70	Littie
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	71	H. Gutierrez
	1800	71	H. Gutierrez
	2100	71	H. Gutierrez
	2400	70	Littie

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	300	70	Littie
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	71	H. Gutierrez
	1800	71	H. Gutierrez
	2100	71	H. Gutierrez
	2400	70	Vadnais

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	300	70	Vadnais
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	lu
	1500	76	lu
	1800	70	lu
	2100	70	lu
	2400	70	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/30/2024	300	69	Vadnais	
	600	70	C. Contreras	
	900	70	C. Contreras	
	1200	70	C. Contreras	
	1500	70	C. Wilsonson	
	1800	70	C. Wilsonson	
	2100	70	C. Wilsonson	
	2400	70	Vadnais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	300	71	F. X. FONG
	600	70	O. PAPAIOLI
	900	70	O. PAPAIOLI
	1200	70	O. PAPAIOLI
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	GRODINIS

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	300	70	GRODINIS
	600	70	Orlart
	900	70	Orlart
	1200	71	Orlart
	1500	71	Lewis
	1800	71	Lewis
	2100	71	Lewis
	2400	71	GRODINIS

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	300	70	GRODINIS
	600	70	G. OCHOA
	900	70	G. OCHOA
	1200	70	G. OCHOA
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	GRODINIS

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	300	70	GRODINIS
	600	70	R. ROSS
	900	70	R. ROSS
	1200	70	R. ROSS
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	71	GRODINIS

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	300	70	GRODINIS
	600	70	R. ROSS
	900	70	R. ROSS
	1200	70	R. ROSS
	1500	70	K. Hood
	1800	70	K. Hood
	2100	70	K. Hood
	2400	70	Little

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	300	70	Little
	600	70	Orlart
	900	70	Orlart
	1200	70	Orlart
	1500	71	Orlart
	1800	71	Orlart
	2100	70	Orlart
	2400	70	Little

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/30/2024	300	70	Little	
	600	70	A. MERENDOZA	
	900	70	A. MERENDOZA	
	1200	70	A. MERENDOZA	
	1500	70	Lewis	
	1800	70	Lewis	
	2100	70	Lewis	
	2400	71	GRODINIS	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	300	71	F. X. PRE
	600	71	Zinn
	900	71	Zinn
	1200	71	Zinn
	1500	70	G. OCHOA
	1800	70	G. OCHOA
	2100	71	G. OCHOA
	2400	70	GROUNDS

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	300	70	GROUNDS
	600	70	Hamm
	900	70	Hamm
	1200	71	Hamm
	1500	71	SECO
	1800	71	SECO
	2100	71	SECO
	2400	71	GROUNDS

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	300	70	GROUNDS
	600	70	LA MUDIO
	900	70	LA MUDIO
	1200	76	LA MUDIO
	1500	70	Hamm
	1800	70	Hamm
	2100	70	Hamm
	2400	70	GROUNDS

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	300	70	GROUNDS
	600	70	SECOR
	900	70	SECOR
	1200	70	SECOR
	1500	71	STORY
	1800	71	STORY
	2100	71	STORY
	2400	71	GROUNDS

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	300	71	GROUNDS
	600	70	SECOR
	900	70	SECOR
	1200	70	SECOR
	1500	70	SECOR
	1800	70	SECOR
	2100	70	SECOR
	2400	70	LITTLE

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	300	70	LITTLE
	600	70	Zinn
	900	70	Zinn
	1200	70	Zinn
	1500	71	Wood
	1800	71	Wood
	2100	71	Wood
	2400	70	LITTLE

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/30/2024	300	70	LITTLE	
	600	70	Zinn	
	900	71	Zinn	
	1200	71	Zinn	
	1500	71	ESCALON	
	1800	71	ESCALON	
	2100	71	ESCALON	
	2400	71	GROUNDS	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	300	70	Litic
	600	70	T. Vang
	900	70	T. Vang
	1200	70	T. Vang
	1500	70	Williams
	1800	70	Williams
	2100	70	Williams
	2400	70	Reynoso

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	300	71	F. MENDEZ
	600	70	MARTINEZ
	900	70	MARTINEZ
	1200	70	
	1500	70	KZ
	1800	70	KZ
	2100	70	KZ
	2400	70	GCASTILLO

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	300	71	F. MENDEZ
	600	70	MARTINEZ
	900	70	MARTINEZ
	1200	71	MARTINEZ
	1500	70	Fielder
	1800	70	Fielder
	2100	70	Fielder
	2400	71	F. MENDEZ

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/30/2024	300	70	F. MENDEZ	
	600	70	T. Vang	
	900	70	T. Vang	
	1200	70	T. Vang	
	1500	70	Fielder	
	1800	70	Fielder	
	2100	70	Fielder	
	2400	70	T. Vang	

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	300	70	Reynoso
	600	70	T. Vang
	900	70	T. Vang
	1200	70	T. Vang
	1500	70	Becker
	1800	70	Becker
	2100	70	Becker
	2400	70	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	300	69	GCASTILLO
	600	70	F. MENDEZ
	900	70	F. MENDEZ
	1200	71	F. MENDEZ
	1500	71	
	1800	71	
	2100	70	
	2400	70	F. MENDEZ

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	300	71	F. MENDEZ
	600	71	A. MENDEZ
	900	72	A. MENDEZ
	1200	72	A. MENDEZ
	1500	72	C. McElroy
	1800	72	C. McElroy
	2100	72	C. McElroy
	2400	72	F. MENDEZ

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	300	70	Littie
	600	70	D. WALLACE
	900	70	D. Wallace
	1200	72	D. Wallace
	1500	72	Giles
	1800	71	Giles
	2100	70	Giles
	2400	70	Remoso

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	300	71	F. MENDEZ
	600	72	Sabir
	900	72	Sabir
	1200	72	Sabir
	1500	71	weber
	1800	70	weber
	2100	70	weber
	2400	70	G. CASTILLO

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	300	71	F. MENDEZ
	600	70	Nava
	900	71	Nave
	1200	70	Naver
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	F. MENDEZ

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
6/30/2024	300	70	F. MENDEZ	
	600	70	D. Wallace	
	900	70	D. Wallace	
	1200	72	D. Wallace	
	1500	71	LOR	
	1800	71	LOR	
	2100	71	LOR	
	2400	70	T. Vang	

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	300	70	R. REMOSO
	600	70	F. MENDEZ
	900	71	F. MENDEZ
	1200	70	F. MENDEZ
	1500	76	G. OCHOA
	1800	71	G. OCHOA
	2100	71	G. OCHOA
	2400	71	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	300	69	G. CASTILLO
	600	71	J. Hernandez
	900	73	J. Hernandez
	1200	74	J. Hernandez
	1500	71	S. weber
	1800	71	S. weber
	2100	70	S. weber
	2400	71	F. MENDEZ

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	300	71	F. MENDEZ
	600	71	C. MOYA
	900	71	C. MOYA
	1200	71	C. MOYA
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	71	F. MENDEZ

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
6-3-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	NELSON

Tuesday 2024			
Date	Time	Temp.	Name (Print)
6-4-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	NELSON

Wednesday 2024			
Date	Time	Temp.	Name (Print)
6-5-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Thursday 2024			
Date	Time	Temp.	Name (Print)
6-6-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Friday 2024			
Date	Time	Temp.	Name (Print)
6-7-24	0300	70	NELSON
	0600	70	J. Camillo
	0900	70	J. Camillo
	1200	70	J. Camillo
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Hegar

Saturday 2024			
Date	Time	Temp.	Name (Print)
6-8-24	0300	70	Hegar, R.
	0600	70	J. Camillo
	0900	70	J. Camillo
	1200	70	J. Camillo
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	J. Jose

Sunday 2024			
Date	Time	Temp.	Name (Print)
6-9-24	0300	70	J. Johnson
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Notes

INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B3      Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6-3-24

Date	Time	Temp.	Name (Print)
	0300	70	Haagit
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	C. Lesley

Wednesday 6-5-24

Date	Time	Temp.	Name (Print)
	0300	70	Scor
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Joe
	1800	70	Joe
	2100	70	Joe
	2400	70	Scor

Friday 6-7-24

Date	Time	Temp.	Name (Print)
	0300	70	Scor
	0600	70	Medano
	0900	70	Medano
	1200	70	Medano
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	Scor

Sunday 6-9-24

Date	Time	Temp.	Name (Print)
	0300	70	Scor
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Haagit

Tuesday 6-4-24

Date	Time	Temp.	Name (Print)
	0300	70	c. lesley
	0600	70	c. lesley
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Schen

Thursday 6-6-24

Date	Time	Temp.	Name (Print)
	0300	70	Scor
	0600	70	McDare
	0900	70	McDare
	1200	70	McDare
	1500	70	Z
	1800	70	Z
	2100	70	Z
	2400	70	Scor

Saturday 6-8-24

Date	Time	Temp.	Name (Print)
	0300	70	Scor
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	a. lesl
	1800	70	a. lesl
	2100	70	a. lesl
	2400	70	Scor

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 8651 Housing Unit: 34 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/3/24

Date	Time	Temp.	Name (Print)
	0300	70	Lesley
	0600	70	B Diaz
	0900	70	B Diaz
	1200	70	B Diaz
	1500	69	Ahumada
	1800	69	Ahumada
	2100	69	Ahumada
	2400	70	Screed

Wednesday

Date	Time	Temp.	Name (Print)
6-5	0300	70	Screed
	0600	70	B Diaz
	0900	70	B Diaz
	1200	70	B Diaz
	1500	69	Ahumada
	1800	69	Ahumada
	2100	69	Ahumada
	2400	70	Screed

Friday

Date	Time	Temp.	Name (Print)
6-7	0300	70	Screed
	0600	70	B Diaz
	0900	70	B Diaz
	1200	70	B Diaz
	1500	72	Ruvalcaba
	1800	71	Ruvalcaba
	2100	70	Ruvalcaba
	2400	70	Gandara

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	70	Schultz
	0600	70	Medrano
	0900	70	Medrano
	1200	70	Medrano
	1500	72	Ruvalcaba
	1800	71	Ruvalcaba
	2100	71	Ruvalcaba
	2400	70	Lesley

Tuesday

Date	Time	Temp.	Name (Print)
6-4	0300	70	Screed
	0600	70	B Diaz
	0900	70	B Diaz
	1200	70	B Diaz
	1500	69	Ahumada
	1800	69	Ahumada
	2100	69	Ahumada
	2400	70	Screed

Thursday

Date	Time	Temp.	Name (Print)
6-6	0300	70	Screed
	0600	70	B Diaz
	0900	70	B Diaz
	1200	70	B Diaz
	1500	70	Ruvalcaba
	1800	71	Ruvalcaba
	2100	72	Ruvalcaba
	2400	70	Screed

Saturday

Date	Time	Temp.	Name (Print)
6-8	0300	70	Gandara
	0600	70	Medrano
	0900	70	Medrano
	1200	70	Medrano
	1500	72	Bantoor
	1800	73	Bantoor
	2100	72	Bantoor
	2400	70	Schultz

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>06/03/24</u>	0300	<u>70</u>	<u>GARRISON</u>
	0600	<u>70</u>	<u>Wester</u>
	0900	<u>71</u>	<u>Wester</u>
	1200	<u>70</u>	<u>Wester</u>
	1500	<u>70</u>	<u>Gr. Gil</u>
	1800	<u>71</u>	<u>Gr. Gil</u>
	2100	<u>70</u>	<u>Gr. Gil</u>
	2400	<u>70</u>	<u>Woods</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>06/05/24</u>	0300	<u>70</u>	<u>GARRISON</u>
	0600	<u>70</u>	<u>Wester</u>
	0900	<u>70</u>	<u>Wester</u>
	1200	<u>70</u>	<u>Wester</u>
	1500	<u>70</u>	<u>Mercado</u>
	1800	<u>70</u>	<u>Mercado</u>
	2100	<u>70</u>	<u>Mercado</u>
	2400	<u>70</u>	<u>Rios</u>

Friday

Date	Time	Temp.	Name (Print)
<u>06/07/24</u>	0300	<u>70</u>	<u>SCHMITZ</u>
	0600	<u>70</u>	<u>Cuthbert</u>
	0900	<u>70</u>	<u>Cuthbert</u>
	1200	<u>70</u>	<u>Cuthbert</u>
	1500	<u>70</u>	<u>Mercado</u>
	1800	<u>69</u>	<u>Mercado</u>
	2100	<u>68</u>	<u>Mercado</u>
	2400	<u>68</u>	<u>SCHMITZ</u>

Sunday

Date	Time	Temp.	Name (Print)
<u>06/09/24</u>	0300	<u>72</u>	<u>Rios</u>
	0600	<u>72</u>	<u>Rios</u>
	0900	<u>71</u>	<u>Wester</u>
	1200	<u>70</u>	<u>Wester</u>
	1500	<u>70</u>	<u>Gr. Gil</u>
	1800	<u>70</u>	<u>Gr. Gil</u>
	2100	<u>70</u>	<u>Gr. Gil</u>
	2400	<u>69</u>	<u>GARRISON</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>06/04/24</u>	0300	<u>70</u>	<u>Wester</u>
	0600	<u>70</u>	<u>Wester</u>
	0900	<u>71</u>	<u>Wester</u>
	1200	<u>70</u>	<u>Wester</u>
	1500	<u>70</u>	<u>Mercado</u>
	1800	<u>70</u>	<u>Mercado</u>
	2100	<u>70</u>	<u>Mercado</u>
	2400	<u>70</u>	<u>GARRISON</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>06/06/24</u>	0300	<u>72</u>	<u>Rios</u>
	0600	<u>72</u>	<u>Rios</u>
	0900	<u>70</u>	<u>Wester</u>
	1200	<u>71</u>	<u>Wester</u>
	1500	<u>70</u>	<u>Mercado</u>
	1800	<u>70</u>	<u>Mercado</u>
	2100	<u>69</u>	<u>Mercado</u>
	2400	<u>70</u>	<u>SCHMITZ</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>06/08/24</u>	0300	<u>69</u>	<u>SCHMITZ</u>
	0600	<u>69</u>	<u>Mercado</u>
	0900	<u>69</u>	<u>Mercado</u>
	1200	<u>70</u>	<u>Mercado</u>
	1500	<u>70</u>	<u>Mercado</u>
	1800	<u>69</u>	<u>Mercado</u>
	2100	<u>69</u>	<u>Mercado</u>
	2400	<u>70</u>	<u>Rios</u>

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B6 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	70	MELENDREZ	
0600	70	Mercado	
0900	70	Mercado	
1200	70	Mercado	
1500	70	Weltan	
1800	71	Weltan	
2100	70	Weltan	72 8/24
2400	70	MELENDREZ	

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	C. Rodriguez	
0600	70	C. CARVAGENA	
0900	70	C. CARVAGENA	
1200	70	D. Parks	
1500	72	D. Parks	
1800	75	D. Parks	
2100	72	D. Parks	
2400	70	Schang	

Friday

Date	Time	Temp.	Name (Print)
0300	72	Schang	
0600	72	Schang	
0900	73	Schang	
1200	74	Schang	
1500	70	S. Chang	
1800	72	S. Chang	
2100	72	S. Chang	
2400	70	Schang	

Sunday

Date	Time	Temp.	Name (Print)
0300	71	MELENDREZ	
0600	70	HEAT HORNOS	
0900	70	HERVIEA	
1200	70	HERVIEA	
1500	73	D. Parks	
1800	75	D. Parks	
2100	72	D. Parks	
2400	70	A. MELENDREZ	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	MELENDREZ	
0600	70	Mercado	
0900	70	Mercado	
1200	70	Mercado	
1500	70	A. Parks	
1800	74	D. Parks	
2100	74	D. Parks	
2400	72	Schang	

Thursday

Date	Time	Temp.	Name (Print)
0300	70	Schang	
0600	70	Schang	
0900	70	Schang	
1200	70	Schang	
1500	70	T. Suback	
1800	70	T. Suback	
2100	70	T. Suback	
2400	72	Schang	

Saturday

Date	Time	Temp.	Name (Print)
0300	70	Schang	
0600	70	Schang	
0900	70	Schang	
1200	70	Schang	
1500	71	D. Parks	
1800	72	D. Parks	
2100	72	D. Parks	
2400	71	A. MELENDREZ	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B7 Temp. Reading Location: 2<sup>nd</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	Chittock
	0600	70	McCurdy
	0900	70	Meredith
	1200	70	Meredith
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	Chittock

Wednesday

Date	Time	Temp.	Name (Print)
9/5/24	0300	70	S. Wilson
	0600	72	Gallaga
	0900	72	Gallaga
	1200	73	Gallaga
	1500	72	ZAMUDIO
	1800	72	ZAMUDIO
	2100	72	ZAMUDIO
	2400	70	G. Pope

Friday

Date	Time	Temp.	Name (Print)
9/7/24	0300	70	G. Pope
	0600	70	S. Jenkins
	0900	70	S. Jenkins
	1200	70	S. Jenkins
	1500	73	O'Conor
	1800	71	O'Conor
	2100	71	O'Conor
	2400	70	G. Pope

Sunday

Date	Time	Temp.	Name (Print)
9/9/24	0300	70	G. Pope
	0600	70	G. Grunlund
	0900	70	G. Grunlund
	1200	70	G. Grunlund
	1500	70	T. Sublock
	1800	70	T. Sublock
	2100	70	T. Sublock
	2400	70	Chittock

Tuesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	70	Chittock
	0600	70	Merenda
	0900	70	Merenda
	1200	70	Merenda
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	S. Wilson

Thursday

Date	Time	Temp.	Name (Print)
9/6/24	0300	70	G. Pope
	0600	71	R. O'Neill
	0900	71	R. O'NEILL
	1200	71	R. O'NEILL
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pope

Saturday

Date	Time	Temp.	Name (Print)
9/8/24	0300	70	G. Pope
	0600	70	C. Madrigal
	0900	70	C. Madrigal
	1200	70	C. Madrigal
	1500	70	S. Chang
	1800	70	S. Chang
	2100	70	S. Chang
	2400	70	G. Pope

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSI Housing Unit: B8 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5550 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

6/3/24

Date	Time	Temp.	Name (Print)
	0300	70	Thomas
6/3/24	0600	71	L. Mora
	0900	72	L. Mora
	1200	72	L. Mora
	1500	72	T. Suback
	1800	72	T. Suback
	2100	72	T. Suback
	2400	72	Thomas

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	72	Thomas
	0600	71	Abernathy
	0900	71	Abernathy
	1200	72	Abernathy
	1500	72	Brown
	1800	72	Brown
	2100	72	Brown
	2400	72	Thomas

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	70	GANDARA
	0600	71	L. Mora
	0900	72	L. Mora
	1200	72	L. Mora
	1500	74	Brown
	1800	74	Brown
	2100	74	Brown
	2400	70	Chiffach

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	73	Thomas
	0600	72	L. Mora
	0900	72	L. Mora
	1200	72	L. Mora
	1500	74	J. CEBALLOS
	1800	74	J. CEBALLOS
	2100	72	J. CEBALLOS
	2400	72	Thomas

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	72	Thomas
	0600	72	L. Mora
	0900	72	L. Mora
	1200	73	L. Mora
	1500	73	Brown
	1800	73	Brown
	2100	72	Brown
	2400	72	Thomas

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	72	Thomas
	0600	72	Abernathy
	0900	72	Abernathy
	1200	72	Abernathy
	1500	72	Brown
	1800	72	Brown
	2100	72	Brown
	2400	70	GANDARA

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	70	Chiffach
	0600	71	L. Mora
	0900	72	L. Mora
	1200	72	L. Mora
	1500	73	Brown
	1800	73	Brown
	2100	73	Brown
	2400	73	Thomas

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1

Temp. Reading Location: SECOND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
5-14-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	72	BOGORQUEZ
	1800	72	BOGORQUEZ
	2100	71	BOGORQUEZ
	2400	70	NELSON

Tuesday 2024			
Date	Time	Temp.	Name (Print)
5-15-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	A. Zamudio
	1800	70	A. Zamudio
	2100	70	A. Zamudio
	2400	70	NELSON

Wednesday 2024			
Date	Time	Temp.	Name (Print)
5-16-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	NELSON

Thursday 2024			
Date	Time	Temp.	Name (Print)
5-17-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	NELSON

Friday 2024			
Date	Time	Temp.	Name (Print)
5-18-24	0300	70	NELSON
	0600	70	J. Carrillo
	0900	70	J. Carrillo
	1200	70	J. Carrillo
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	Heag. J.

Saturday 2024			
Date	Time	Temp.	Name (Print)
5-19-24	0300	70	Heag. J.
	0600	70	J. Carrillo
	0900	70	J. Carrillo
	1200	70	J. Carrillo
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	Heag. J.

Sunday 2024			
Date	Time	Temp.	Name (Print)
5-20-24	0300	70	Heag. J.
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	MARTINEZ

#### Notes

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B3      Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300	70	Haag, T.
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Lesley

Date	Time	Temp.	Name (Print)
	0300	70	Worth
	0600	70	Worth
	0900	70	F. ESPARZA
	1200	70	F. ESPARZA
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Scorr

Date	Time	Temp.	Name (Print)
	0300	70	GANDARA
	0600	70	McLean
	0900	70	McLean
	1200	70	McLean
	1500	72	CASTELLAN
	1800	71	CASTELLAN
	2100	70	CASTELLAN
	2400	70	Scorr

Date	Time	Temp.	Name (Print)
	0300	70	Scorr
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	FLOU
	1800	70	FLOU
	2100	70	FLOU
	2400	70	Haag, T.

Date	Time	Temp.	Name (Print)
	0300	70	LESLEY
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Worth

Date	Time	Temp.	Name (Print)
	0300	70	Scorr
	0600	70	McLean
	0900	70	McLean
	1200	70	McLean
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	GANDARA

Date	Time	Temp.	Name (Print)
	0300	70	Scorr
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	G. Gil
	1800	70	G. Gil
	2100	70	G. Gil
	2400	70	Scorr

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6-10	0300	70	C. Leslie
	0600	70	B. Diaz
	0900	70	B. Diaz
	1200	70	B. Diaz
	1500	70	C. Rovatoba
	1800	72	C. Rovatoba
	2100	72	C. Rovatoba
	2400	72	Jreed

Tuesday			
Date	Time	Temp.	Name (Print)
6-11	0300	70	Jreed
	0600	70	B. Diaz
	0900	70	B. Diaz
	1200	70	B. Diaz
	1500	69	Ahumada
	1800	69	Ahumada
	2100	69	Ahumada
	2400	70	Jreed

Wednesday			
Date	Time	Temp.	Name (Print)
6-12	0300	70	Jreed
	0600	70	B. Diaz
	0900	70	B. Diaz
	1200	70	B. Diaz
	1500	69	Ahumada
	1800	69	Ahumada
	2100	69	Ahumada
	2400	70	Jreed

Thursday			
Date	Time	Temp.	Name (Print)
6-13	0300	70	Jreed
	0600	70	B. Diaz
	0900	70	B. Diaz
	1200	70	B. Diaz
	1500	70	carrillo
	1800	69	carrillo
	2100	69	carrillo
	2400	70	Jreed

Friday			
Date	Time	Temp.	Name (Print)
6-14	0300	70	Jreed
	0600	70	B. Diaz
	0900	70	B. Diaz
	1200	70	B. Diaz
	1500	70	S. Chang
	1800	70	S. Chang
	2100	70	S. Chang
	2400	70	Jreed

Saturday			
Date	Time	Temp.	Name (Print)
6-15	0300	70	Jreed
	0600	70	S. Chang
	0900	70	MEDANO
	1200	70	MEDANO
	1500	70	Williams
	1800	70	Williams
	2100	70	Williams
	2400	70	SCHULTZ

Sunday			
Date	Time	Temp.	Name (Print)
6-16	0300	70	Jreed
	0600	70	Medano
	0900	70	Medano
	1200	70	Medano
	1500	70	C. GIL
	1800	70	C. GIL
	2100	70	C. GIL
	2400	70	C. Leslie

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>06/10/24</u>	0300	69	GARRISON
	0600	70	Weltz
	0900	70	Weltz
	1200	70	Weltz
	1500	70	G. Gil
	1800	70	G. Gil
	2100	70	G. Gil
	2400	69	S. GARRISON

Tuesday

Date	Time	Temp.	Name (Print)
<u>06/11/24</u>	0300	69	GARRISON
	0600	70	Weltz
	0900	71	Weltz
	1200	70	Weltz
	1500	70	Mervin
	1800	69	Mervin
	2100	68	Mervin
	2400	69	GARRISON

Wednesday

Date	Time	Temp.	Name (Print)
<u>06/12/24</u>	0300	69	GARRISON
	0600	70	Weltz
	0900	71	Weltz
	1200	70	Weltz
	1500	70	Mervin
	1800	69	Mervin
	2100	69	Mervin
	2400	69	Rios

Thursday

Date	Time	Temp.	Name (Print)
<u>06/13/24</u>	0300	72	RIOS
	0600	72	RIOS
	0900	70	Weltz
	1200	71	Weltz
	1500	70	Mervin
	1800	70	Mervin
	2100	69	Mervin
	2400	70	S. SCHWARTZ

Friday

Date	Time	Temp.	Name (Print)
<u>06/14/24</u>	0300	70	S. SCHWARTZ
	0600	70	Garrison
	0900	71	Garrison
	1200	71	Garrison
	1500	70	Mervin
	1800	70	Mervin
	2100	69	Mervin
	2400	69	SCHWARTZ

Saturday

Date	Time	Temp.	Name (Print)
<u>06/15/24</u>	0300	69	SCHWARTZ
	0600	70	G. GRUNLUND
	0900	70	G. GRUNLUND
	1200	70	G. GRUNLUND
	1500	70	Mervin
	1800	69	Mervin
	2100	69	Mervin
	2400	69	RIOS

Notes

Date	Time	Temp.	Name (Print)
<u>06/16/24</u>	0300	71	Rios
	0600	71	Rios
	0900	70	Weltz
	1200	71	Weltz
	1500	70	G. Gil
	1800	70	G. Gil
	2100	70	G. Gil
	2400	69	GARRISON

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

OP 1014, Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B - 6 Temp. Reading Location: SECOND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	MELAN DR82
	0600	73	MEDARIGAR, C
	0900	73	MEDARIGAR, C
	1200	73	MEDARIGAR, C
	1500	73	Darks
	1800	76	D.Parks
	2100	73	D.Parks
	2400	72	SIC

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	70	SIC
	0600	70	A. ROGRO
	0900	70	A. ROGRO
	1200	70	A. ROGRO
	1500	70	D. Parks
	1800	73	D. Parks
	2100	70	D. Parks
	2400	70	SIC

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	70	Haag, T.
	0600	72	O'Neill
	0900	72	O'Neill
	1200	72	J. Suback
	1500	72	J. Suback
	1800	72	J. Suback
	2100	72	J. Suback
	2400	72	A. Perez

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	71	A. MELENDEZ
	0600	70	G. Grnlund
	0900	70	G. Grnlund
	1200	70	G. Grnlund
	1500	72	D. Parks
	1800	72	D. Parks
	2100	78	D. GUNNAR
	2400	78	A. MELENDEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	72	SIC
	0600	72	BARKER, S
	0900	72	A. MOLINA
	1200	72	A. MOLINA
	1500	72	D. Parks
	1800	75	D. Parks
	2100	73	D. Parks
	2400	70	SIC

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	70	SIC
	0600	70	A. ROGRO
	0900	70	A. ROGRO
	1200	70	A. ROGRO
	1500	70	E. Suback
	1800	70	J. Suback
	2100	70	J. Suback
	2400	70	Haugt.

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	A. Perez
	0600	70	A. ROGRO
	0900	70	A. ROGRO
	1200	70	A. ROGRO
	1500	70	T. LO
	1800	70	T. LO
	2100	70	T. LO
	2400	70	A. MELENDEZ

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B7 Temp. Reading Location: 2<sup>nd</sup> tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/10/24	0300	70	Chittack
	0600	70	Maddison
	0900	70	Maddison
	1200	70	Maddison
	1500	70	C.GIL
	1800	70	C.GIL
	2100	70	C.GIL
	2400	70	Chittack

Tuesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	70	Chittack
	0600	70	Maddison
	0900	70	Maddison
	1200	70	Maddison
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G.PPE

Wednesday

Date	Time	Temp.	Name (Print)
9/12/24	0300	70	G.PPE
	0600	70	Thao
	0900	70	Thao
	1200	70	Thao
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	Reynoso

Thursday

Date	Time	Temp.	Name (Print)
9/13/24	0300	70	Reynoso
	0600	70	WOLVERINE
	0900	70	WOLVERINE
	1200	71	WOLVERINE
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G.PPE

Friday

Date	Time	Temp.	Name (Print)
9/14/24	0300	70	G.PPE
	0600	71	S.Schultz
	0900	71	S.Schultz
	1200	71	S.Schultz
	1500	71	ZAMUDIO
	1800	71	ZAMUDIO
	2100	71	ZAMUDIO
	2400	70	G.PPE

Saturday

Date	Time	Temp.	Name (Print)
9/15/24	0300	70	G.PPE
	0600	71	F.VADNIS
	0900	71	F.VADNIS
	1200	71	A.SABIR
	1500	71	T.Sabatack
	1800	71	T.Sabatack
	2100	71	T.Sabatack
	2400	70	G.PPE

Notes

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	G.PPE
	0600	70	A.PINA
	0900	70	A.PINA
	1200	70	A.PINA
	1500	70	T.Sabatack
	1800	70	T.Sabatack
	2100	70	T.Sabatack
	2400	70	Chittack

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: P135P Housing Unit: B8 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5350 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

6/10/24

Date	Time	Temp.	Name (Print)
0300	72	Thomas	
0600	72	P. Gonzales	
0900	72	P. Gonzales	
1200	72	P. Gonzales	
1500	72	J. Suback	
1800	72	J. Suback	
2100	72	J. Suback	
2400	72	Thomas	

Wednesday

Date	Time	Temp.	Name (Print)
0300	71	Thomas	
0600	74	Abernathy	
0900	72	Abernathy	
1200	72	Abernathy	
1500	70	Brown	
1800	70	Brown	
2100	70	Brown	
2400	70	GANDARA	

Friday

Date	Time	Temp.	Name (Print)
0300	70	CARTAGENA	
0600	70	O'Leary	
0900	71	O'Leary	
1200	71	O'Leary	
1500	70	M. Larson	
1800	70	M. Larson	
2100	70	M. Larson	
2400	70	Chiffoch	

Sunday

Date	Time	Temp.	Name (Print)
0300	70	S. Wilson	
0600	70	O'Leary	
0900	70	O'Leary	
1200	70	O'Leary	
1500	70	J. CEBALLOS	
1800	70	J. CEBALLOS	
2100	70	J. CEBALLOS	
2400	70	Thomas	

Tuesday

Date	Time	Temp.	Name (Print)
6/11	72	Thomas	
0600	72	P. Gonzales	
0900	72	Gonzales	
1200	72	Gonzales	
1500	72	Brown	
1800	72	Brown	
2100	71	Brown	
2400	71	Thomas	

Thursday

Date	Time	Temp.	Name (Print)
6/13	70	Abernathy	
0600	70	Abernathy	
0900	70	Abernathy	
1200	70	Abernathy	
1500	70	Brown	
1800	70	Brown	
2100	70	Brown	
2400	70	CARTAGENA	

Saturday

Date	Time	Temp.	Name (Print)
6/15	70	Chiffoch	
0600	70	O'Leary	
0900	70	O'Leary	
1200	70	M. Larson	
1500	70	J. CEBALLOS	
1800	70	J. CEBALLOS	
2100	70	J. CEBALLOS	
2400	70	S. Wilson	

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1

Temp. Reading Location: SECOND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	70	MARTINEZ
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	D. SCHLEPP
	1800	70	D. SCHLEPP
	2100	70	D. SCHLEPP
	2400	70	MARTINEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	70	MARTINEZ
	0600	70	J. TRAIN
	0900	70	J. TRAIN
	1200	70	J. TRAIN
	1500	70	M. CEBALLOS
	1800	70	M. CEBALLOS
	2100	70	M. CEBALLOS
	2400	70	S. WILSON

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	70	S. WILSON
	0600	70	J. JOHNSON
	0900	70	J. JOHNSON
	1200	70	J. JOHNSON
	1500	72	FARIAS
	1800	74	FARIAS
	2100	73	FARIAS
	2400	72	S. MCCARTHY

**Thursday**

Date	Time	Temp.	Name (Print)
6/20/24	0300	70	S. MCCARTHY
	0600	70	J. JOHNSON
	0900	70	J. JOHNSON
	1200	70	J. JOHNSON
	1500	72	E. FARIAS
	1800	74	E. FARIAS
	2100	73	E. FARIAS
	2400	71	HAGG, T.

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	70	HAGG, T.
	0600	70	CHAPMAN
	0900	71	CHAPMAN
	1200	71	CHAPMAN
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	HAGG, T.

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	70	HAGG, T.
	0600	70	J. COOPER
	0900	70	J. COOPER
	1200	70	J. COOPER
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	A. ZAMUDIO
	2400	70	HAGG, T.

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	70	HAGG, T.
	0600	70	J. JOHNSON
	0900	70	J. JOHNSON
	1200	70	J. JOHNSON
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	MARTINEZ

**Notes**

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B3      Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300	70	Heagit.
	0600	70	Schur
	0900	70	Schur
	1200	70	Schur
	1500	70	Williams
	1800	70	Williams
	2100	70	Williams
	2400	70	C. Lesley

Date	Time	Temp.	Name (Print)
	0300	70	Scor
	0600	70	Schur
	0900	70	Schur
	1200	70	Schur
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	Scor

Date	Time	Temp.	Name (Print)
	0300	70	Scor
	0600	70	Lapoco
	0900	71	Gard
	1200	70	A. Sanchez
	1500	70	A. Sanchez
	1800	70	A. Sanchez
	2100	70	A. Sanchez
	2400	70	Scor

Date	Time	Temp.	Name (Print)
	0300	70	Scor
	0600	70	Schur
	0900	70	Schur
	1200	70	Schur
	1500	70	Thompson
	1800	70	Thompson
	2100	70	Thompson
	2400	70	Heagit.

Date	Time	Temp.	Name (Print)
	0300	70	C. Lesley
	0600	70	Schur
	0900	70	Schur
	1200	70	Schur
	1500	70	Sanchez
	1800	70	Sanchez
	2100	69	Sanchez
	2400	70	Scor

Date	Time	Temp.	Name (Print)
	0300	70	Scor
	0600	70	A. Rover
	0900	70	A. Rover
	1200	70	A. Rover
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	Scor

Date	Time	Temp.	Name (Print)
	0300	70	Scor
	0600	70	Schur
	0900	70	Schur
	1200	70	Schur
	1500	70	Gard
	1800	70	Gard
	2100	70	Gard
	2400	70	Scor

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-4 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/17/24	0300	68	C. LESLER
	0600	70	B. DIAZ
	0900	70	B. DIAZ
	1200	70	B. DIAZ
	1500	70	R. Rivalcasa
	1800	70	R. Rivalcasa
	2100	71	R. Rivalcasa
	2400	70	Screed

Tuesday			
Date	Time	Temp.	Name (Print)
6/18/24	0300	70	Screed
	0600	70	B. DIAZ
	0900	70	B. DIAZ
	1200	70	B. DIAZ
	1500	69	A. humada
	1800	69	A. humada
	2100	69	A. humada
	2400	70	Come

Wednesday			
Date	Time	Temp.	Name (Print)
6/19/24	0300	70	Screed
	0600	70	B. DIAZ
	0900	70	B. DIAZ
	1200	70	B. DIAZ
	1500	69	A. humada
	1800	69	A. humada
	2100	69	A. humada
	2400	70	S. Wilson

Thursday			
Date	Time	Temp.	Name (Print)
6/20/24	0300	70	S. Wilson
	0600	70	B. DIAZ
	0900	70	B. DIAZ
	1200	70	B. DIAZ
	1500	70	C. Rivalcasa
	1800	71	C. Rivalcasa
	2100	72	C. Rivalcasa
	2400	70	Screed

Friday			
Date	Time	Temp.	Name (Print)
6/21/24	0300	70	Screed
	0600	70	B. DIAZ
	0900	70	B. DIAZ
	1200	70	B. DIAZ
	1500	70	C. melvin
	1800	70	C. melvin
	2100	70	C. melvin
	2400	70	A. PEDA

Saturday			
Date	Time	Temp.	Name (Print)
6/22/24	0300	70	Screed
	0600	70	G. Gronlund
	0900	70	G. Gronlund
	1200	70	G. Gronlund
	1500	70	A. PEDA
	1800	70	A. PEDA
	2100	70	A. PEDA
	2400	70	S. SCHAFER

Sunday			
Date	Time	Temp.	Name (Print)
6/23/24	0300	70	Screed
	0600	71	O'NEILL
	0900	70	O'NEILL
	1200	70	O'NEILL
	1500	71	FARIAS
	1800	70	FARIAS
	2100	71	FARIAS
	2400	70	Screed

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/17/24	0300	69	GARRISON
	0600	70	Weltner
	0900	71	Weltner
	1200	70	Weltner
	1500	70	G. Gil
	1800	70	G. Gil
	2100	70	G. Gil
	2400	69	GARRISON

Tuesday

Date	Time	Temp.	Name (Print)
06/18/24	0300	69	GARRISON
	0600	70	Weltner
	0900	70	Weltner
	1200	70	Weltner
	1500	69	Heim
	1800	69	Heim
	2100	68	Heim
	2400	68	WTPCA

Wednesday

Date	Time	Temp.	Name (Print)
06/19/24	0300	71	AVILA
	0600	71	College
	0900	71	College
	1200	71	College
	1500	70	Heim
	1800	69	Heim
	2100	69	Heim
	2400	69	Rios

Thursday

Date	Time	Temp.	Name (Print)
06/20/24	0300	71	Rios
	0600	71	Rios
	0900	70	Weltner
	1200	70	Weltner
	1500	70	Heim
	1800	69	Heim
	2100	69	Heim
	2400	70	Lesley

Friday

Date	Time	Temp.	Name (Print)
06/21/24	0300	70	Lesley
	0600	70	Weltner
	0900	71	Weltner
	1200	70	Weltner
	1500	70	Heim
	1800	69	Heim
	2100	69	Heim
	2400	69	G. Gil

Saturday

Date	Time	Temp.	Name (Print)
06/22/24	0300	70	
	0600	70	Weltner
	0900	70	Weltner
	1200	71	Weltner
	1500	70	Heim
	1800	69	Heim
	2100	69	Heim
	2400	70	S. Wilson

Notes

Date	Time	Temp.	Name (Print)
06/23/24	0300	70	S. Wilson
	0600	70	Weltner
	0900	71	Weltner
	1200	70	Weltner
	1500	70	G. Gil
	1800	70	G. Gil
	2100	70	G. Gil
	2400	70	AVILA

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

OP 1014, Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B6 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17-24	0300	70	MELONIER
	0600	70	COTA
	0900	70	COTA
	1200	71	COTA
	1500	72	D. Parks
	1800	74	D. Parks
	2100	71	D. Parks
	2400	70	SOLIS

Tuesday

Date	Time	Temp.	Name (Print)
6/18-24	0300	70	
	0600	70	Ledes
	0900	71	Ledes
	1200	71	Ledes
	1500	73	D. Parks
	1800	73	D. Parks
	2100	70	D. Parks
	2400	70	SOLIS

Wednesday

Date	Time	Temp.	Name (Print)
6/19-24	0300	70	SOLIS
	0600	70	MAZALA
	0900	70	STANLEY
	1200	70	STANLEY
	1500	71	D. Parks
	1800	73	D. Parks
	2100	71	D. Parks
	2400	70	SOLIS

Thursday

Date	Time	Temp.	Name (Print)
6/20-24	0300	70	SOLIS
	0600	70	CARTAGENA
	0900	70	CARTAGENA
	1200	70	CARTAGENA
	1500	70	J. Sobczak
	1800	70	J. Sobczak
	2100	70	J. Sobczak
	2400	70	SOLIS

Friday

Date	Time	Temp.	Name (Print)
6/21-24	0300	70	SOLIS
	0600	70	S. Chang
	0900	70	S. Chang
	1200	70	S. Chang
	1500	70	T. Sobczak
	1800	70	T. Sobczak
	2100	70	T. Sobczak
	2400	70	SOLIS

Saturday

Date	Time	Temp.	Name (Print)
6/22-24	0300	70	SOLIS
	0600	71	CARRILLO
	0900	71	CARRILLO
	1200	71	CARRILLO
	1500	71	D. Parks
	1800	72	D. Parks
	2100	70	D. Parks
	2400	70	MAGTUV

Sunday

Date	Time	Temp.	Name (Print)
6/23-24	0300	70	MAGTUV
	0600	71	ESTADAL
	0900	71	ESTADAL
	1200	69	A. humada
	1500	70	D. Parks
	1800	70	D. Parks
	2100	70	D. Parks
	2400	73	M. Sabiv

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSF Housing Unit: B7 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	Chittick
	0600	70	Madrano
	0900	70	Madrano
	1200	70	Madrano
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	Chittick

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	G-POPE
	0600	70	R.Rivas
	0900	70	R.Rivas
	1200	70	R.Rivas
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G-POPE

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	70	G-POPE
	0600	70	R.Rivas
	0900	70	R.Rivas
	1200	70	R.Rivas
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	H.Sanchez

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	70	G-POPE
	0600	70	R.Rivas
	0900	70	R.Rivas
	1200	70	R.Rivas
	1500	70	T.Schick
	1800	70	T.Schick
	2100	70	T.Schick
	2400	70	T.Chittick

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	70	Chittick
	0600	70	C.Madrigal
	0900	70	C.Madrigal
	1200	70	E.Vazquez
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G.Pope

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70	G-POPE
	0600	70	R.Rivas
	0900	70	R.Rivas
	1200	70	R.Rivas
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G-POPE

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	70	H.Sanchez
	0600	70	R.Rivas
	0900	70	R.Rivas
	1200	70	R.Rivas
	1500	70	YANG
	1800	70	YANG
	2100	70	YANG
	2400	70	G-POPE

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 128

Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 533D when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

6/17/24

Date	Time	Temp.	Name (Print)
0300	70	T. Thomas	
0600	72	L. Mora	
0900	72	L. Mora	
1200	73	L. Mora	
1500	73	T. Subsack	
1800	73	T. Subsack	
2100	73	T. Subsack	
2400	73	T. Thomas	

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	T. Thomas	
0600	70	C. CARTAGENA	
0900	70	C. CARTAGENA	
1200	70	C. CARTAGENA	
1500	70	Braun	
1800	70	Braun	
2100	70	Braun	
2400	70	T. Thomas	

Friday

Date	Time	Temp.	Name (Print)
0300	70	Chittock	
0600	71	L. Mora	
0900	71	L. Mora	
1200	72	L. Mora	
1500	70	S. Chang	
1800	70	S. Chang	
2100	70	S. Chang	
2400	70	Chittock	

Sunday

Date	Time	Temp.	Name (Print)
0300	72	T. Thomas	
0600	72	Mora	
0900	72	Mora	
1200	72	Mora	
1500	72	C. GIL	
1800	72	C. GIL	
2100	72	C. GIL	
2400	72	T. Thomas	

Tuesday

Date	Time	Temp.	Name (Print)
0300	73	T. Thomas	
0600	72	L. Mora	
0900	73	L. Mora	
1200	73	L. Mora	
1500	72	D. Braun	
1800	72	D. Braun	
2100	70	D. Braun	
2400	70	T. Thomas	

Thursday

Date	Time	Temp.	Name (Print)
0300	70	T. Thomas	
0600	71	Abernathy	
0900	71	Abernathy	
1200	71	Abernathy	
1500	70	D. Braun	
1800	70	D. Braun	
2100	70	D. Braun	
2400	70	Chittock	

Saturday

Date	Time	Temp.	Name (Print)
0300	70	Chittock	
0600	71	L. Mora	
0900	71	L. Mora	
1200	72	L. Mora	
1500	70	D. Braun	
1800	70	D. Braun	
2100	72	D. Braun	
2400	72	T. Thomas	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1

Temp. Reading Location: SECOND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
6/24/24	0300	70	MARTINEZ
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	PALAFox

Tuesday 2024			
Date	Time	Temp.	Name (Print)
6/25/24	0300	70	PALAFox
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	R. PALAFox

Wednesday 2024			
Date	Time	Temp.	Name (Print)
6/26/24	0300	70	E. PALAFox
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	Haag, J.

Thursday 2024			
Date	Time	Temp.	Name (Print)
6/27/24	0300	70	Haag, J.
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	Haag, J.

Friday 2024			
Date	Time	Temp.	Name (Print)
6/28/24	0300	70	Haag, J.
	0600	70	J. Carrillo
	0900	70	J. Carrillo
	1200	70	J. Carrillo
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	Haag, J.

Saturday 2024			
Date	Time	Temp.	Name (Print)
6/29/24	0300	70	Haag, J.
	0600	70	J. Carrillo
	0900	70	J. Carrillo
	1200	70	J. Carrillo
	1500	70	A. GUOER
	1800	70	A. GUOER
	2100	70	A. GUOER
	2400	70	Haag, J.

Sunday 2024			
Date	Time	Temp.	Name (Print)
6/30/24	0300	70	Haag, J.
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	MARTINEZ

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B3      Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/24/24

Date	Time	Temp.	Name (Print)
	0300	70	Haegert
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	TAVAREZ
	1800	70	TAVAREZ
	2100	70	TAVAREZ
	2400	70	SCHEFER

Tuesday 6/25/24

Date	Time	Temp.	Name (Print)
	0300	70	SCHEFER
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	M. CEBALLOS
	1800	70	M. CEBALLOS
	2100	70	M. CEBALLOS
	2400	70	Schen

Wednesday 6/26/24

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	Schen

Thursday 6/27/24

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	Schen

Friday 6/28/24

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Medano
	0900	70	Medano
	1200	70	Medano
	1500	71	GASTELUM
	1800	71	GASTELUM
	2100	70	GASTELUM
	2400	70	Schen

Saturday 6/29/24

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	LITTLE
	0900	70	LITTLE
	1200	71	LITTLE
	1500	71	LITTLE
	1800	71	Junge
	2100	71	Hansen
	2400	70	WBLACK

Sunday 6/30/24

Date	Time	Temp.	Name (Print)
	0300	70	WBLACK
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Fremont

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-4

Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 8555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	70	S. SCHWAB
	0600	70	B. DIAZ
	0900	70	B. DIAZ
	1200	70	B. DIAZ
	1500	72	Ruvaleca
	1800	72	Ruvaleca
	2100	71	Ruvaleca
	2400	70	Screed

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	70	A. OCHOA
	0600	70	B. DIAZ
	0900	70	B. DIAZ
	1200	70	B. DIAZ
	1500	69	Ahumada
	1800	69	Ahumada
	2100	69	Ahumada
	2400	69	G. OCHOA

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	70	Screed
	0600	70	A. PINA
	0900	70	A. PINA
	1200	70	A. PINA
	1500	71	C. RUVALECA
	1800	71	C. RUVALECA
	2100	72	C. RUVALECA
	2400	70	Screed

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	71	D. MORALES
	0600	70	M. MEDRANO
	0900	70	M. MEDRANO
	1200	70	M. MEDRANO
	1500	70	RUVALECA
	1800	71	RUVALECA
	2100	72	RUVALECA
	2400	71	W. BLACK

Tuesday

Date	Time	Temp.	Name (Print)
6/29	0300	70	Screed
	0600	70	B. DIAZ
	0900	70	B. DIAZ
	1200	70	B. DIAZ
	1500	69	Ahumada
	1800	69	Ahumada
	2100	69	Ahumada
	2400	70	AVILA

Thursday

Date	Time	Temp.	Name (Print)
6/30	0300	64	G. OCHOA
	0600	70	B. DIAZ
	0900	70	B. DIAZ
	1200	70	B. DIAZ
	1500	70	RUVALECA
	1800	71	RUVALECA
	2100	71	RUVALECA
	2400	70	Screed

Saturday

Date	Time	Temp.	Name (Print)
7/1	0300	70	Screed
	0600	70	M. MEDRANO
	0900	70	MEDRANO
	1200	70	MEDRANO
	1500	71	RUVALECA
	1800	71	RUVALECA
	2100	72	RUVALECA
	2400	72	CH. JONES

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	70	AVALA
	0600	70	Gronlund
	0900	70	Gronlund
	1200	70	Gronlund
	1500	70	<del>Legay</del>
	1800	70	<del>Legay</del>
	2100	70	<del>Legay</del>
	2400	70	RICKS

Tuesday

Dat	Time	Temp.	Name (Print)
24	0300	69	RICKS
.	0600	70	RICKS
.	0900	70	Wetherell
25	1200	70	Wetherell
.	1500	70	MURRAY
.	1800	69	MURRAY
6	2100	69	MURRAY
	2400	69	GARRISON

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	69	GARRISON
	0600	70	ORTIZ
	0900	71	ORTIZ
	1200	70	ORTIZ
	1500	70	MURRAY
	1800	69	MURRAY
	2100	69	MURRAY
	2400	69	RICKS

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	71	RICKS
	0600	71	RICKS
	0900	70	S. CHANG
	1200	71	S. CHANG
	1500	70	MURRAY
	1800	70	MURRAY
	2100	70	MURRAY
	2400	70	SCHULPE

Friday

Date	Time	Temp.	Name (Print)
	0300	70	SCHULPE
	0600	70	ZAMUDIO
	0900	70	ZAMUDIO
	1200	70	ZAMUDIO
	1500	70	MURRAY
	1800	69	MURRAY
	2100	69	MURRAY
	2400	70	MARSTINEZ

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	70	MARSTINEZ
	0600	70	MERCADO
	0900	70	MERCADO
	1200	70	MERCADO
	1500	69	MURRAY
	1800	69	MURRAY
	2100	69	MURRAY
	2400	69	RICKS

Notes

Date	Time	Temp.	Name (Print)
6-30-24	0300	71	RICKS
	0600	71	RICKS
	0900	70	CHANG
	1200	70	CHANG
	1500	70	CHANG
	1800	70	CHANG
	2100	70	CHANG
	2400	70	GARRISON

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

OP 1014, Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution PBSP Housing Unit B6 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	70	Sabir
	0600	70	J. Flores
	0900	70	J. Flores
	1200	70	J. Flores
	1500	72	D. Parks
	1800	70	D. Parks
	2100	70	D. Parks
	2400	70	Sabir

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	70	Sabir
	0600	70	T. Fagan
	0900	70	T. Fagan
	1200	72	T. Fagan
	1500	72	D. Parks
	1800	70	D. Parks
	2100	70	D. Parks
	2400	70	Sabir

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	70	Sabir
	0600	70	Zinn
	0900	70	Zinn
	1200	70	Zinn
	1500	70	Lerson
	1800	68	Lerson
	2100	68	Lerson
	2400	70	Sabir

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	70	A. MELENDREZ
	0600	70	O'Connell
	0900	74	O'Connell
	1200	74	O'Connell
	1500	74	A. Pina
	1800	74	A. Pina
	2100	74	A. Pina
	2400	72	M. GRENOR

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	70	Edles
	0600	70	Yang
	0900	70	Yang
	1200	70	Yang
	1500	70	D. Parks
	1800	70	D. Parks
	2100	70	D. Parks
	2400	70	Sabir

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	70	Sabir
	0600	70	Zinn
	0900	70	Zinn
	1200	70	Zinn
	1500	70	Gle
	1800	70	Gle
	2100	70	Gle
	2400	70	Sabir

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	70	Sabir
	0600	70	
	0900	70	
	1200	71	
	1500	72	A. RIVERA
	1800	72	A. RIVERA
	2100	71	A. RIVERA
	2400	71	A. MELENDREZ

Notes

---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR

Housing Unit: B7

Temp. Reading Location:

Qnd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	70	Chittick
	0600	73	E. CARRERA
	0900	73	E. CARRERA
	1200	73	G. CARRERA
	1500	72	ZAMUDIO
	1800	72	ZAMUDIO
	2100	72	ZAMUDIO
	2400	70	Chittick

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	70	Chittick
	0600	70	ZAMUDIO
	0900	70	ZAMUDIO
	1200	70	ZAMUDIO
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	71	ZAMUDIO
	2400	70	G. PPE

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	70	G. PPE
	0600	70	Pope
	0900	70	Rives
	1200	70	Rives
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. PPE

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	70	G. PPE
	0600	70	Rives
	0900	70	Rives
	1200	70	Rives
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. PPE

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	70	G. PPE
	0600	70	S. Jenkins
	0900	70	S. Jenkins
	1200	70	S. Jenkins
	1500	70	J. Thompson
	1800	70	J. Thompson
	2100	70	J. Thompson
	2400	70	Chittick

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	70	G. PPE
	0600	70	Rives
	0900	70	Rives
	1200	70	Rives
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. PPE

Date	Time	Temp.	Name (Print)
6/29/24	0300	70	G. PPE
	0600	70	Rives
	0900	70	Rives
	1200	70	Rives
	1500	70	J. CEBALLOS
	1800	70	J. CEBALLOS
	2100	70	J. CEBALLOS
	2400	70	G. PPE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B8 Temp. Reading Location: 2nd Tier

Immediately notify the Watch Commander at extension 5332 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

6/24/24

Date	Time	Temp.	Name (Print)
	0300	71	Thomas
	0600	72	L. Mora
	0900	72	L. Mora
	1200	72	L. Mora
	1500	72	T. Suback
	1800	72	T. Suback
	2100	71	T. Suback
	2400	72	Thomas

Wednesday

Date	Time	Temp.	Name (Print)
	0300	71	Thomas
	0600	71	ORIGEL
	0900	72	ORIGEL
	1200	73	ORIGEL
	1500	72	Brown
	1800	72	Brown
	2100	72	Brown
	2400	72	Thomas

Friday

Date	Time	Temp.	Name (Print)
	0300	70	Chifford
	0600	71	L. Mora
	0900	71	L. Mora
	1200	72	L. Mora
	1500	72	D. Brown
	1800	72	D. Brown
	2100	72	D. Brown
	2400	70	Chifford

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	Thomas
	0600	70	A. Reeve
	0900	70	A. Reeve
	1200	70	A. Reeve
	1500	70	A. Reeve
	1800	70	A. Reeve
	2100	70	A. Reeve
	2400	70	Thomas

Tuesday

Date	Time	Temp.	Name (Print)
	0300	72	Thomas
	0600	71	L. Mora
	0900	72	L. Mora
	1200	73	L. Mora
	1500	73	Brown
	1800	72	Brown
	2100	71	Brown
	2400	71	Thomas

Thursday

Date	Time	Temp.	Name (Print)
	0300	72	Thomas
	0600	70	Absentee
	0900	70	Absentee
	1200	70	Absentee
	1500	74	Brown
	1800	74	Brown
	2100	73	Brown
	2400	70	Chifford

Saturday

Date	Time	Temp.	Name (Print)
	0300	70	Chifford
	0600	70	Lor
	0900	70	Lor
	1200	70	Lor
	1500	70	Brown
	1800	70	Brown
	2100	70	Brown
	2400	70	Thomas

Notes

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-1 Temp. Reading Location: 2nd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	70	Winston
	0600	70	J. Norton
	0900	70	J. Norton
	1200	70	J. Norton
	1500	71	GRUNDY, H.
	1800	70	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	69	Candela

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	69	Candela
	0600	70	J. Brown
	0900	70	J. Brown
	1200	70	J. Brown
	1500	71	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Candela

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	70	Candela
	0600	73	Home
	0900	73	FR
	1200	73	FR
	1500	70	NELSON
	1800	70	NELSON
	2100	70	NELSON
	2400	72	V. McLaughlin

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	72	V. McLaughlin
	0600	73	FR
	0900	73	FR
	1200	73	FR
	1500	73	CONT RPPA
	1800	72	CONT RPPA
	2100	73	CONT RPPA
	2400	72	V. McLaughlin

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	72	V. McLaughlin
	0600	73	FR
	0900	73	FR
	1200	73	FR
	1500	74	W. Burch
	1800	73	W. Burch
	2100	73	W. Burch
	2400	72	Log cabin

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	73	Log cabin
	0600	71	S. Prentiss
	0900	71	S. Prentiss
	1200	71	S. Prentiss
	1500	72	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	72	Log cabin

**Sunday**

Date	Time	Temp.	Name (Print)
6/9	0300	720	Log cabin
	0600	70	Log cabin
	0900	72	Log cabin
	1200	72	J. Thomas
	1500	72	J. Thomas
	1800	72	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Log cabin

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- Z Temp. Reading Location: 2ND Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3/24	0300	69	Nave
	0600	71	H. Stephens
	0900	73	H. Stephens
	1200	73	H. Stephens
	1500	71	M. OCHOA
	1800	71	M. OCHOA
	2100	71	M. OCHOA
	2400	70	SERVIN

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4/24	0300	70	SERVIN
	0600	71	H. Stephens
	0900	71	H. Stephens
	1200	73	H. Stephens
	1500	72	C. Lesley
	1800	72	C. Lesley
	2100	72	✓ red
	2400	70	SERVIN

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	SERVIN
	0600	71	H. Stephens
	0900	72	H. Stephens
	1200	72	H. Stephens
	1500	72	Candela
	1800	71	Candela
	2100	70	Candela
	2400	70	Carmona

**Thursday**

Date	Time	Temp.	Name (Print)
6/6/24	0300	70	Carmona
	0600	70	M. LOSGEL
	0900	71	M. LOSGEL
	1200	72	M. LOSGEL
	1500	71	Zefal
	1800	71	Zefal
	2100	70	Zefal
	2400	70	Carmona

**Friday**

Date	Time	Temp.	Name (Print)
6/7/24	0300	70	Carmona
	0600	72	Ramirez
	0900	72	Ramirez
	1200	72	Ramirez
	1500	72	Zefal
	1800	72	Zefal
	2100	71	Zefal
	2400	71	Fontenot

**Saturday**

Date	Time	Temp.	Name (Print)
6/8/24	0300	71	Fontenot
	0600	70	H. Stephens
	0900	71	H. Stephens
	1200	71	H. Stephens
	1500	71	Zefal
	1800	71	Zefal
	2100	70	Zefal
	2400	72	Carmona

**Sunday**

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	Carmona
	0600	73	H. Stephens
	0900	74	H. Stephens
	1200	74	H. Stephens
	1500	71	M. OCHOA
	1800	71	M. OCHOA
	2100	72	M. OCHOA
	2400	71	J. WHITESIDE

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 3 Temp. Reading Location: 2 tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3/24	0300	70	Navar
	0600	70	B. Howe
	0900	74	B. Howe
	1200	74	B. Howe
	1500	73	Candile
	1800	73	Candile
	2100	71	Candile
	2400	70	SERVIN

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4/24	0300	70	SERVIN
	0600	70	Smynter
	0900	71	Smynter
	1200	71	Smynter
	1500	71	Candile
	1800	70	Candile
	2100	70	Candile
	2400	72	SERVIN

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	SERVIN
	0600	75	Rodriguez
	0900	74	Rodriguez
	1200	74	Rodriguez
	1500	75	C. Gibbons
	1800	73	C. Gibbons
	2100	71	C. Gibbons
	2400	73	Carmona

**Thursday**

Date	Time	Temp.	Name (Print)
6/6/24	0300	74	Carmona
	0600	75	Rodriguez
	0900	75	Rodriguez
	1200	75	Rodriguez
	1500	78	C. Gibbons
	1800	75	C. Gibbons
	2100	71	C. Gibbons
	2400	71	Carmona

**Friday**

Date	Time	Temp.	Name (Print)
6/7/24	0300	79	Carmona
	0600	75	B. Howe
	0900	74	B. Howe
	1200	75	B. Howe
	1500	78	C. Gibbons
	1800	75	C. Gibbons
	2100	71	C. Gibbons
	2400	73	F. Fontenot

**Saturday**

Date	Time	Temp.	Name (Print)
6/8/24	0300	71	F. Fontenot
	0600	75	B. Howe
	0900	75	B. Howe
	1200	79	B. Howe
	1500	79	B. Cint
	1800	74	B. Cint
	2100	73	B. Cint
	2400	72	Carmona

**Sunday**

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	Carmona
	0600	75	B. Howe
	0900	75	B. Howe
	1200	75	B. Howe
	1500	74	B. Cint
	1800	74	B. Cint
	2100	73	B. Cint
	2400	71	T. WHITESIDE

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: D4

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	69	Candice
	0600	71	Stephens
	0900	72	Stephens
	1200	72	Stephens
	1500	71	HANSFORD
	1800	71	HANSFORD
	2100	71	HANSFORD
	2400	69	Candice

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	69	Candice
	0600	70	Stephens
	0900	70	Stephens
	1200	71	Stephens
	1500	70	HANSFORD
	1800	70	HANSFORD
	2100	71	HANSFORD
	2400	70	Candice

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	Candice
	0600	72	CARLSEN
	0900	73	CARLSEN
	1200	71	CARLSEN
	1500	74	Carmona
	1800	74	Carmona
	2100	74	Carmona
	2400	72	V. McMillough

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	72	V. McMillough
	0600	73	CARLSEN
	0900	73	CARLSEN
	1200	74	MAGNUSON
	1500	74	MAGNUSON
	1800	74	MAGNUSON
	2100	72	MAGNUSON
	2400	72	V. McMillough

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	72	V. McMillough
	0600	73	CARLSEN
	0900	74	CARLSEN
	1200	71	CARLSEN
	1500	74	MAGNUSON
	1800	74	MAGNUSON
	2100	73	MAGNUSON
	2400	74	Logsdon

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	71	Logsdon
	0600	73	CARLSEN
	0900	74	CARLSEN
	1200	75	CARLSEN
	1500	74	Logsdon
	1800	74	Logsdon
	2100	74	Logsdon
	2400	74	Logsdon

Notes

Date	Time	Temp.	Name (Print)
6/9/24	0300	74	Logsdon
	0600	73	CARLSEN
	0900	74	CARLSEN
	1200	74	CARLSEN
	1500	74	Logsdon
	1800	73	Logsdon
	2100	73	Logsdon
	2400	71	Candice

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: DS Temp. Reading Location: 2 tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	72	6AM
	0600	72	Ceros
	0900	72	CERROS
	1200	72	CERROS
	1500	75	G.Gronlund
	1800	75	G. Gronlund
	2100	75	G. Gronlund
	2400	74	15AUG16AM

**Wednesday**

Date	Time	Temp.	Name (Print)
6/6	0300	70	Greenough
	0600	70	K.SHEED
	0900	71	K.SHEED
	1200	73	K.SHEED
	1500	75	Lofsin
	1800	78	Lofsin
	2100	78	Lofsin
	2400	70	Greenough

**Friday**

Date	Time	Temp.	Name (Print)
6/1	0300	70	Greenough
	0600	70	K.SHEED
	0900	70	K.SHEED
	1200	72	K.SHEED
	1500	72	WAGNER
	1800	71	WAGNER
	2100	71	WAGNER
	2400	70	Greenough

**Sunday**

Date	Time	Temp.	Name (Print)
6/9	0300	70	Greenough
	0600	70	Woods
	0900	70	Woods
	1200	72	Woods
	1500	78	VIERRA
	1800	78	VIERRA
	2100	78	VIERRA
	2400	72	Ruralite

**Tuesday**

Date	Time	Temp.	Name (Print)
6/14	0300	74	Barranca
	0600	72	Cerros
	0900	73	Cerros
	1200	74	Cerros
	1500	72	LEVEQUE
	1800	72	LEVEQUE
	2100	72	LEVEQUE
	2400	70	Greenough

**Thursday**

Date	Time	Temp.	Name (Print)
6/16	0300	70	Greenough
	0600	70	K.SHEED
	0900	72	K.SHEED
	1200	72	K.SHEED
	1500	75	VIERRA
	1800	78	Viera
	2100	75	VIERRA
	2400	70	Greenough

**Saturday**

Date	Time	Temp.	Name (Print)
6/18	0300	70	Greenough
	0600	70	Woods
	0900	70	Woods
	1200	70	Woods
	1500	71	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	Greenough

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D - 6 Temp. Reading Location: 1<sup>ST</sup> TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3/24	0300	70	BARRAGAN
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	71	Sabir

**Tuesday**

Date	Time	Temp.	Name (Print)
6-4-24	0300	71	Sabir
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	70	LO
	1800	70	LO
	2100	70	LO
	2400	72	Sabir

**Wednesday**

Date	Time	Temp.	Name (Print)
6-5-24	0300	72	Sabir
	0600	71	ROBINSON
	0900	71	ROBINSON
	1200	71	ROBINSON
	1500	70	BAGLEY
	1800	70	BAGLEY
	2100	70	BAGLEY
	2400	72	Sabir

**Thursday**

Date	Time	Temp.	Name (Print)
6-6-24	0300	72	Sabir
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	70	BAGLEY
	1800	70	BAGLEY
	2100	70	BAGLEY
	2400	73	Sabir

**Friday**

Date	Time	Temp.	Name (Print)
6-7-24	0300	73	Sabir
	0600	75	BRANION
	0900	75	BRANION
	1200	75	BRANION
	1500	73	BATISTA
	1800	73	BATISTA
	2100	73	BATISTA
	2400	72	Sabir

**Saturday**

Date	Time	Temp.	Name (Print)
6-8-24	0300	72	Sabir
	0600	72	BRANION
	0900	72	BRANION
	1200	73	BRANION
	1500	73	BATISTA
	1800	73	BATISTA
	2100	73	BATISTA
	2400	73	BRANION

**Notes**

Date	Time	Temp.	Name (Print)
6-9-24	0300	73	BARRAGAN
	0600	73	W BLACK
	0900	72	W BLACK
	1200	73	W BLACK
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	73	13 APPLEGATE

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 7 Temp. Reading Location: 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	72°	Yang
	0600	72	BRANION
	0900	72	BRANION
	1200	72	BRANION
	1500	72	W BLACK
	1800	72	Adams
	2100	72	Adams
	2400	72	CARNEY

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	72	CARNEY
	0600	70	ADAMS
	0900	72	ADAMS
	1200	74	ADAMS
	1500	73	WAGNER
	1800	72	WAGNER
	2100	72	WAGNER
	2400	72	CARNEY

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	72	CARNEY
	0600	72	THORPE
	0900	72	THORPE
	1200	72	THORPE
	1500	72	V. McHolland
	1800	72	V. McHolland
	2100	72	V. McHolland
	2400	73	Pena

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	72	Pena
	0600	72	ADAMS
	0900	74	ADAMS
	1200	74	ADAMS
	1500	74	J. McHolland
	1800	74	J. McHolland
	2100	73	J. McHolland
	2400	72	BARRETTA

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	72	BARRAGAN
	0600	72	ADAMS
	0900	74	ADAMS
	1200	74	ADAMS
	1500	75	CHASEN
	1800	74	CARLSON
	2100	74	CARLSON
	2400	73	BARRAGAN

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	73	BARRAGAN
	0600	72	Thomas
	0900	72	Thomas
	1200	72	Thomas
	1500	72	OBAN
	1800	72	OBAN
	2100	72	OBAN
	2400	72°	Yang

Notes

Date	Time	Temp.	Name (Print)
6/9	0300	71°	Yang
	0600	71	BRANION
	0900	70	BRANION
	1200	70	BRANION
	1500	71	CHASEN
	1800	71	OBAN
	2100	70	OBAN
	2400	71°	Yang

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	70°	Yang
	0600	70	J.DANG
	0900	70	S.DANG
	1200	70	J.DANG
	1500	70	Thomas
	1800	70	Thomas
	2100	70	Thomas
	2400	70	CARNEY

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	70	CARNEY
	0600	70	BRAWNION
	0900	70	BRAWNION
	1200	70	BRAWNION
	1500	70	Thomas
	1800	70	Thomas
	2100	70	Thomas
	2400	70	CARNEY

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	70	CARNEY
	0600	70	Stephens
	0900	71	Stephens
	1200	71	Stephens
	1500	71	C.Hamilton
	1800	71	C.Hamilton
	2100	71	C.Hamilton
	2400	72	A. Ross

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	71	A.Perry
	0600	71	W.BUCK
	0900	72	W.BUCK
	1200	72	W.BUCK
	1500	73	C.Hamilton
	1800	73	C.Hamilton
	2100	72	C.Hamilton
	2400	72	W.BUCK

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	72	1322216700
	0600	73	H.Stephens
	0900	73	H.Stephens
	1200	74	H.Stephens
	1500	75	C.Hamilton
	1800	74	C.Hamilton
	2100	73	C.Hamilton
	2400	73	1322216700

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	73	1322216700
	0600	72	EAGLE
	0900	72	EAGLE
	1200	72	EAGLE
	1500	73	Ross
	1800	73	Ross
	2100	73	Ross
	2400	72	Yong

**Sunday**

Date	Time	Temp.	Name (Print)
6/9	0300	71°	Yang
	0600	71	Carney
	0900	71	Carney
	1200	71	Carney
	1500	71	Adams
	1800	71	Adams
	2100	71	Adams
	2400	72°	Yang

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 9999 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	70	BARNABAR
	0600	70	P. BARNES
	0900	71	P. Barnes
	1200	72	P. Barnes
	1500	71	ASpalding
	1800	71	ASpalding
	2100	71	Monkly
	2400	71	Sab. W.

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	71	Sapir
	0600	71	P. Barnes
	0900	72	P. Barnes
	1200	73	P. Barnes
	1500	73	A. Sandling
	1800	73	A. Sandling
	2100	73	A. Sandler
	2400	72	Sapir

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	72	Sabiv
	0600	72	W. BLACK
	0900	72	W. BLACK
	1200	73	W. BLACK
	1500	75	T. FRAIN
	1800	74	T. FRAIN
	2100	71	T. FRAIN
	2400	72	Sabiv

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	72	Sabir
	0600	72	Broz
	0900	70	Broz
	1200	70	Broz
	1500	70	A Spahler
	1800	70	A Spahler
	2100	70	A Spahler
	2400	73	Sabir

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	73	Sabir
	0600	73	BROZ
	0900	73	BROZ
	1200	73	BROZ
	1500	73	BROZ
	1800	73	BROZ
	2100	73	BROZ
	2400	72	Sabir

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	72	Sabir
	0600	72	P. Barnes
	0900	71	P. Barnes
	1200	74	P. Barnes
	1500	74	Streeter
	1800	73	Streeter
	2100	71	Streeter
	2400	71	Streeter

Sunday

Date	Time	Temp.	Name (Print)
6-9-29	0300	71	B. G. BORGES
	0600	71	P. BORGES
	0900	72	P. GORRES
	1200	73	P. BORGES
	1500	74	CARSEN
	1800	73	CARSEN
	2100	72	CARSEN
	2400	71	B. G. BORGES

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 010 Temp. Reading Location: 2 tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	72	Greenough
	0600	71	Matchell
	0900	71	Matchell
	1200	70	Matchell
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	70	Parra

**Tuesday**

Date	Time	Temp.	Name (Print)
6/24	0300	70	Greenough
	0600	71	Matchell
	0900	70	Matchell
	1200	70	Matchell
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	70	Greenough

**Wednesday**

Date	Time	Temp.	Name (Print)
6/24	0300	70	Greenough
	0600	70	Matchell
	0900	70	Matchell
	1200	70	Matchell
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	70	Greenough

**Thursday**

Date	Time	Temp.	Name (Print)
6/24	0300	70	Greenough
	0600	70	Matchell
	0900	71	Matchell
	1200	70	Matchell
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	70	Greenough

**Friday**

Date	Time	Temp.	Name (Print)
6/24	0300	70	Greenough
	0600	70	Matchell
	0900	71	Matchell
	1200	71	Matchell
	1500	72	Dashie
	1800	72	Dashie
	2100	73	Dashie
	2400	70	Greenough

**Saturday**

Date	Time	Temp.	Name (Print)
6/24	0300	70	Greenough
	0600	70	Adams
	0900	70	Adams
	1200	70	Adams
	1500	72	Dashie
	1800	72	Dashie
	2100	73	Dashie
	2400	70	Greenough

**Notes**

Date	Time	Temp.	Name (Print)
6/24	0300	70	Greenough
	0600	74	Rodney
	0900	74	Rodney
	1200	74	Rodney
	1500	74	Ives
	1800	74	WES
	2100	73	WES
	2400	72	Rodney

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-1

Temp. Reading Location: 2nd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	72	Logefelt
	0600	70	J. Nicetay
	0900	70	J. Nicetay
	1200	70	J. Nicetay
	1500	71	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	www

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	70	Loger
	0600	72	
	0900	71	
	1200	71	
	1500	72	F. CHAPPA
	1800	72	F. CHAPPA
	2100	71	F. CHAPPA
	2400	71	V. McAllan

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	71	V. McAllan
	0600	71	
	0900	71	
	1200	71	
	1500	70	Carmilo
	1800	70	Carmilo
	2100	70	Carmilo
	2400	70	Logefelt

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	70	Logefelt
	0600	72	Logefelt
	0900	71	
	1200	71	
	1500	71	
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Logefelt

Tuesday

Date	Time	Temp.	Name (Print)
6/19	0300	70	Loger
	0600	70	J. Nicetay
	0900	70	J. Nicetay
	1200	70	J. Nicetay
	1500	71	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Loger

Thursday

Date	Time	Temp.	Name (Print)
6/21	0300	71	V. McAllan
	0600	71	
	0900	71	
	1200	71	
	1500	70	CAVAZOS
	1800	71	CAVAZOS
	2100	71	CAVAZOS
	2400	71	V. McAllan

Saturday

Date	Time	Temp.	Name (Print)
6/23	0300	70	Logefelt
	0600	71	Logefelt
	0900	70	Logefelt
	1200	70	Logefelt
	1500	71	GRUNDY, H.
	1800	70	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Logefelt

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: D2

Temp. Reading Location:

2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

5555

when the inside air temperature reaches

Immediately notify the Watch Commander at extension

90 degrees and again at 95 degrees.

### Monday

Date	Time	Temp.	Name (Print)
<u>6-17-2024</u>	0300	73	S. Chen-Titus
	0600	71	S. Chen-Titus
	0900	73	G. CASTELLAN
	1200	73	G. CASTELLAN
	1500	73	Zefola
	1800	73	Zefola
	2100	73	Zefola
	2400	72	SERVIN

### Tuesday

Date	Time	Temp.	Name (Print)
<u>6-18-2024</u>	0300	70	SERVIN
	0600	69	H. Stephens
	0900	71	H. Stephens
	1200	73	H. Stephens
	1500	70	C. Lesley
	1800	71	C. Lesley
	2100	71	C. Lesley
	2400	72	SERVIN

### Wednesday

Date	Time	Temp.	Name (Print)
<u>6-19-2024</u>	0300	70	SERVIN
	0600	72	H. Stephens
	0900	73	H. Stephens
	1200	73	H. Stephens
	1500	72	Carole
	1800	72	Carole
	2100	71	Carole
	2400	70	Pena

### Thursday

Date	Time	Temp.	Name (Print)
<u>6-20-2024</u>	0300	70	Pena
	0600	68	M. Losseke
	0900	71	M. Losseke
	1200	72	M. Losseke
	1500	71	Jelly
	1800	71	Jelly
	2100	71	A. Denay
	2400	72	A. Denay

### Friday

Date	Time	Temp.	Name (Print)
<u>6-21-2024</u>	0300	71	A. Pena
	0600	72	Rogerez
	0900	72	Rogerez
	1200	72	Rogerez
	1500	71	✓M. Hall
	1800	70	✓M. Hall
	2100	70	✓M. Hall
	2400	72	V. McMillan

### Saturday

Date	Time	Temp.	Name (Print)
<u>6-22-2024</u>	0300	72	✓M. Hall
	0600	71	Bogatz
	0900	72	Bogatz
	1200	73	Bogatz
	1500	71	✓M. Hall
	1800	71	✓M. Hall
	2100	70	✓M. Hall
	2400	72	✓M. Hall

### Sunday

Date	Time	Temp.	Name (Print)
<u>6-23-2024</u>	0300	71	✓M. Hall
	0600	71	Bogatz
	0900	72	Bogatz
	1200	73	Bogatz
	1500	69	✓M. Hall
	1800	70	✓M. Hall
	2100	70	✓M. Hall
	2400	71	✓M. Hall

### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 3 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	70	S. Carrasco
	0600	72	S. Carrasco
	0900	72	B. Howe
	1200	72	B. Howe
	1500	71	Candela
	1800	70	Candela
	2100	70	Candela
	2400	70	SERVIN

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	70	SERVIN
	0600	72	B. Howe
	0900	72	B. Howe
	1200	75	B. Howe
	1500	73	Candela
	1800	72	Candela
	2100	72	Candela
	2400	72	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	70	SERVIN
	0600	72	Rodriguez
	0900	72	Rodriguez
	1200	72	Rodriguez
	1500	74	Gibbons
	1800	74	Gibbons
	2100	74	Gibbons
	2400	73	YCIEL

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	73	YCIEL
	0600	74	Rodriguez
	0900	74	Rodriguez
	1200	74	Rodriguez
	1500	74	Gibbons
	1800	74	Gibbons
	2100	72	Gibbons
	2400	72	A. Pena

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	71	A. Pena
	0600	74	B. Howe
	0900	74	B. Howe
	1200	74	B. Howe
	1500	74	Gibbons
	1800	74	Gibbons
	2100	72	Gibbons
	2400	72	V. McMillay

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	72	V. McMillay
	0600	72	WEISS
	0900	73	WEISS
	1200	74	WEISS
	1500	76	Gibbons
	1800	74	Gibbons
	2100	74	Gibbons
	2400	74	COHEN

Notes

Date	Time	Temp.	Name (Print)
6/23/2024	0300	74	COHEN
	0600	72	ANNEKA
	0900	73	HARRIS
	1200	74	HARRIS
	1500	73	CARINA
	1800	74	CARINA
	2100	74	CARINA
	2400	70	SHILL

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 04 Temp. Reading Location: 6f  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	72	✓ Log Fiel
	0600	73	Vadnais
	0900	73	Vadnais
	1200	74	Vadnais
	1500	72	MAGNUSEN
	1800	72	MAGNUSEN
	2100	71	MAGNUSEN
	2400	71	✓ Log Fiel

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	71	✓ Log Fiel
	0600	74	Vadnais
	0900	74	Vadnais
	1200	74	Vadnais
	1500	73	MAGNUSEN
	1800	73	MAGNUSEN
	2100	72	MAGNUSEN
	2400	70	✓ Log Fiel

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	✓ Log Fiel
	0600	73	CARLSEN
	0900	74	CARLSEN
	1200	75	CARLSEN
	1500	76	COTA
	1800	75	COTA
	2100	75	J. McWayne
	2400	72	J. McWayne

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	74	J. McWayne
	0600	73	CARLSEN
	0900	73	CARLSEN
	1200	74	CARLSEN
	1500	73	HANSTEDT
	1800	73	HANSTEDT
	2100	73	HANSTEDT
	2400	72	J. McWayne

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	J. McWayne
	0600	73	CARLSEN
	0900	74	CARLSEN
	1200	75	CARLSEN
	1500	74	HANSTEDT
	1800	74	HANSTEDT
	2100	74	HANSTEDT
	2400	74	J. McWayne

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	74	J. McWayne
	0600	74	J. McWayne
	0900	74	CARLSEN
	1200	75	CARLSEN
	1500	74	HOMES
	1800	74	HOMES
	2100	73	HOMES
	2400	74	J. McWayne

Notes

Date	Time	Temp.	Name (Print)
6/23/24	0300	74	J. McWayne
	0600	74	J. McWayne
	0900	74	CARLSEN
	1200	75	CARLSEN
	1500	74	J. McWayne
	1800	74	J. McWayne
	2100	74	J. McWayne
	2400	74	J. McWayne

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MSP Housing Unit: DS Temp. Reading Location: 1st tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/24	0300	72	CIAW
	0600	72	CIAOS
	0900	71	CIAOS
	1200	72	CIAOS
	1500	72	Ricks
	1800	70	Ricks
	2100	70	Ricks
	2400	71	20220624

Tuesday			
Date	Time	Temp.	Name (Print)
6/25	0300	71	Brennan
	0600	72	S.DANG
	0900	72	J.DANG
	1200	72	S.DANG
	1500	70	Kicks
	1800	70	Kicks
	2100	70	Ricks
	2400	70	Greenough

Wednesday			
Date	Time	Temp.	Name (Print)
6/26	0300	70	Greenough
	0600	70	IS.SHEED
	0900	70	IS.SHEED
	1200	70	IS.SHEED
	1500	70	Ricks
	1800	70	Ricks
	2100	70	Ricks
	2400	70	Greenough

Thursday			
Date	Time	Temp.	Name (Print)
6/27	0300	70	Greenough
	0600	70	IS.SHEED
	0900	70	IS.SHEED
	1200	70	IS.SHEED
	1500	70	Ricks
	1800	70	Kicks
	2100	70	Ricks
	2400	70	Greenough

Friday			
Date	Time	Temp.	Name (Print)
6/28	0300	70	Greenough
	0600	70	B.CAMPBELL
	0900	70	B.CAMPBELL
	1200	70	B.CAMPBELL
	1500	70	Greenough
	1800	70	Greenough
	2100	70	Greenough
	2400	70	Greenough

Saturday			
Date	Time	Temp.	Name (Print)
6/29	0300	70	Greenough
	0600	70	Woods
	0900	70	Woods
	1200	70	Woods
	1500	70	W.MSTELIN
	1800	70	W.MSTELIN
	2100	70	W.MSTELIN
	2400	70	Greenough

Sunday			
Date	Time	Temp.	Name (Print)
6/30	0300	70	Greenough
	0600	70	Woods
	0900	70	Woods
	1200	70	Woods
	1500	71	Ricks
	1800	71	Ricks
	2100	70	Ricks
	2400	72	CIAW

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/10/24	0300	71	Bonner
	0600	70	Robinson
	0900	70	Robinson
	1200	70	Robinson
	1500	70	M. Ceballos
	1800	70	M. Ceballos
	2100	70	M. Ceballos
	2400	73	Sabir

  

Tuesday			
Date	Time	Temp.	Name (Print)
6-18-24	0300	72	Sabir
	0600	70	Robinson
	0900	70	Robinson
	1200	70	Robinson
	1500	70	Adams
	1800	70	Adams
	2100	70	Adams
	2400	70	Wilson

  

Wednesday			
Date	Time	Temp.	Name (Print)
6-19-24	0300	70	Wilson
	0600	70	Wilson
	0900	70	Robinson
	1200	70	Robinson
	1500	70	Boggs
	1800	70	Boggs
	2100	70	Boggs
	2400	70	Brown

  

Thursday			
Date	Time	Temp.	Name (Print)
6-20-24	0300	70	Brown
	0600	70	Weiss
	0900	71	Weiss
	1200	71	Weiss
	1500	70	Boggs
	1800	70	Boggs
	2100	70	Boggs
	2400	70	Sabir

  

Friday			
Date	Time	Temp.	Name (Print)
6-21-24	0300	70	Sabir
	0600	70	BRANION
	0900	70	BRANION
	1200	70	BRANION
	1500	70	Boggs
	1800	70	Boggs
	2100	70	Boggs
	2400	72	M. Sabir

  

Saturday			
Date	Time	Temp.	Name (Print)
6-22-24	0300	72	Sabir
	0600	70	BRANION
	0900	71	BRANION
	1200	71	BRANION
	1500	71	Stevenson
	1800	71	Stevenson
	2100	70	Stevenson
	2400	70	Frasier

  

Sunday			
Date	Time	Temp.	Name (Print)
6-23-24	0300	71	Frasier
	0600	71	Frasier
	0900	70	Robinson
	1200	70	Robinson
	1500	70	Carlson
	1800	70	Carlson
	2100	70	Carlson
	2400	71	Coupe

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 7 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	70°	Yang
	0600	70	BRANION
	0900	72	BRANION
	1200	72	BRANION
	1500	72	G.Gronlund
	1800	73	G.Gronlund
	2100	73	G.Gronlund
	2400	74	CARNEY

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	74	CARNEY
	0600	72	BRANION
	0900	73	BRANION
	1200	74	BRANION
	1500	74	WAGNER
	1800	73	WAGNER
	2100	73	WAGNER
	2400	74	CARNEY

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	74	CARNEY
	0600	72	BRANION
	0900	72	BRANION
	1200	74	BRANION
	1500	74	V.Millay
	1800	74	V.Millay
	2100	74	V.Millay
	2400	74	CARNEY

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	74	CARNEY
	0600	72	BRANION
	0900	72	BRANION
	1200	74	BRANION
	1500	72	V.Millay
	1800	72	V.Millay
	2100	72	V.Millay
	2400	70	BARNARD

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	70	BALDWIN
	0600	71	BRANION
	0900	72	BRANION
	1200	72	BRANION
	1500	72	BRANION
	1800	72	BRANION
	2100	72	BRANION
	2400	71	REYNOSO

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	71	REYNOSO
	0600	70	BRANION
	0900	70	BRANION
	1200	70	BRANION
	1500	72	BRANION
	1800	72	BRANION
	2100	71	BRANION
	2400	72°	Yang

**Notes**

Date	Time	Temp.	Name (Print)
6/23	0300	72°	Yang
	0600	71	BRANION
	0900	70	BRANION
	1200	72	BRANION
	1500	71	BRANION
	1800	72	BRANION
	2100	72	BRANION
	2400	73°	Yang

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: 1st tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				
Date	Time	Temp.	Name (Print)	
6/17	0300	70	Yang	
	0600	70	J. DARE	
	0900	70	J. DARE	
	1200	70	J. DARE	
	1500	70	Thomas	
	1800	70	Thomas	
	2100	70	Thomas	
	2400	70	CARNEY	

  

Tuesday				
Date	Time	Temp.	Name (Print)	
6/18	0300	70	CARNEY	
	0600	70	BRANION	
	0900	70	BRANION	
	1200	70	BRANION	
	1500	70	Thomas	
	1800	70	Thomas	
	2100	70	Thomas	
	2400	70	CARNEY	

  

Wednesday				
Date	Time	Temp.	Name (Print)	
6/19	0300	70	CARNEY	
	0600	71	Stephens	
	0900	71	Stephens	
	1200	72	Stephens	
	1500	73	C. Hamilton	
	1800	72	C. Hamilton	
	2100	71	C. Hamilton	
	2400	71	~	

  

Thursday				
Date	Time	Temp.	Name (Print)	
6/20	0300	71	~	
	0600	73	Vadra	
	0900	73	Vadra	
	1200	73	Vadra	
	1500	73	C. Hamilton	
	1800	73	C. Hamilton	
	2100	72	elham	
	2400	70	BANDIAN	

  

Friday				
Date	Time	Temp.	Name (Print)	
6/21	0300	70	BARRAGAN	
	0600	71	J. DARE	
	0900	72	J. DARE	
	1200	72	J. DARE	
	1500	73	C. Hamilton	
	1800	72	C. Hamilton	
	2100	71	C. Hamilton	
	2400	70	BARRAGAN	

  

Saturday				
Date	Time	Temp.	Name (Print)	
6/22	0300	70	BARRAGAN	
	0600	72	M. Sabir	
	0900	72	M. Sabir	
	1200	72	M. Sabir	
	1500	72	Thomas	
	1800	72	Thomas	
	2100	72	Thomas	
	2400	71	~	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 6t  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6/17</u>	0300	71	<u>Barnes</u>
	0600	72	<u>P. Barnes</u>
	0900	73	<u>P. Barnes</u>
	1200	74	<u>P. Barnes</u>
	1500	75	<u>P. Barnes</u>
	1800	73	<u>Bright</u>
	2100	71	<u>Bright</u>
	2400	73	<u>SABR</u>

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6/18</u>	0300	73	<u>SABR</u>
	0600	73	<u>P. Barnes</u>
	0900	74	<u>P. Barnes</u>
	1200	75	<u>P. Barnes</u>
	1500	75	<u>H. Stephens</u>
	1800	75	<u>H. Stephens</u>
	2100	71	<u>H. Stephens</u>
	2400	70	<u>Wilson</u>

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6/19</u>	0300	70	<u>Wilson</u>
	0600	70	<u>Wilson</u>
	0900	72	<u>P. Barnes</u>
	1200	73	<u>P. Barnes</u>
	1500	75	<u>H. Stephens</u>
	1800	75	<u>H. Stephens</u>
	2100	73	<u>H. Stephens</u>
	2400	73	<u>Brown</u>

Thursday			
Date	Time	Temp.	Name (Print)
<u>6/20</u>	0300	70	<u>Brown</u>
	0600	70	<u>Broz</u>
	0900	70	<u>Broz</u>
	1200	70	<u>Broz</u>
	1500	70	<u>Thomas</u>
	1800	70	<u>Thomas</u>
	2100	70	<u>Thomas</u>
	2400	70	<u>Reynoso</u>

Friday			
Date	Time	Temp.	Name (Print)
<u>6/21</u>	0300	72	<u>Brown</u>
	0600	72	<u>Vadrais</u>
	0900	73	<u>Vadrais</u>
	1200	74	<u>Vadrais</u>
	1500	74	<u>Broz</u>
	1800	74	<u>Broz</u>
	2100	71	<u>Broz</u>
	2400	72	<u>SABR</u>

Saturday			
Date	Time	Temp.	Name (Print)
<u>6/22</u>	0300	72	<u>SABR</u>
	0600	72	<u>ESTRELLA</u>
	0900	71	<u>ESTRELLA</u>
	1200	71	<u>ESTRELLA</u>
	1500	72	<u>BLC</u>
	1800	73	<u>BLC</u>
	2100	72	<u>BLC</u>
	2400	73	<u>FACIAS</u>

Sunday			
Date	Time	Temp.	Name (Print)
<u>6/23</u>	0300	72	<u>FACIAS</u>
	0600	72	<u>P. Barnes</u>
	0900	73	<u>P. Barnes</u>
	1200	74	<u>P. Barnes</u>
	1500	74	<u>Bright</u>
	1800	72	<u>Bright</u>
	2100	72	<u>Coupe</u>
	2400	73	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MSP Housing Unit: 110 Temp. Reading Location: 1st tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/17/24	0300	71	GAMM
	0600	71	W.CRUZ
	0900	71	W.CRUZ
	1200	71	W.CRUZ
	1500	71	BROZ
	1800	71	BROZ
	2100	71	BROZ
	2400	71	BARNAGAN
Wednesday 6/19/24			
Date	Time	Temp.	Name (Print)
6/19	0300	70	Greenough
	0600	70	Stevenson
	0900	71	Stevenson
	1200	71	Stevenson
	1500	70	BROZ
	1800	70	BROZ
	2100	71	BROZ
	2400	70	Greenough
Friday			
Date	Time	Temp.	Name (Print)
6/21	0300	70	Greenough
	0600	70	BROZ
	0900	70	BROZ
	1200	70	BROZ
	1500	71	Deathridge
	1800	71	Deathridge
	2100	70	Deathridge
	2400	70	Greenough
Sunday			
Date	Time	Temp.	Name (Print)
6/24	0300	70	Greenough
	0600	70 A	Rodriguez
	0900	70 B	Deathridge
	1200	70 C	Rodriguez
	1500	72	IVES
	1800	72	IVES
	2100	71	IVES
	2400	71	GAMM

  

Tuesday			
Date	Time	Temp.	Name (Print)
6/18/24	0300	71	Greenough
	0600	70	Zefon
	0900	70	Zefon
	1200	70	Zefon
	1500	70	BROZ
	1800	70	BROZ
	2100	70	BROZ
	2400	70	Greenough
Thursday			
Date	Time	Temp.	Name (Print)
6/20	0300	70	Greenough
	0600	70	Stevenson
	0900	70	Stevenson
	1200	71	Stevenson
	1500	70	Mer
	1800	70	Mer
	2100	70	Mer
	2400	70	Greenough
Saturday			
Date	Time	Temp.	Name (Print)
6/22	0300	70	Greenough
	0600	76 P	Rodriguez
	0900	75 E	Rodriguez
	1200	73 F	Rodriguez
	1500	70	Deathridge
	1800	70	Deathridge
	2100	70	Deathridge
	2400	70	Greenough

  

Notes			

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D1 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/21	0300	80	Loydell
	0600	86	BROZOWSKOFF
	0900	85	BROZOWSKOFF
	1200	80	BROZOWSKOFF
	1500	75	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	78	Loydell

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	80	Loydell
	0600	78	Loydell
	0900	75	
	1200	74	
	1500	75	
	1800	74	V. CHAPMAN
	2100	74	V. CHAPMAN
	2400	72	V. McMillan

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	72	V. McMillan
	0600	73	
	0900	72	
	1200	73	
	1500	73	W. BLACK
	1800	72	W. BLACK
	2100	72	W. BLACK
	2400	71	Loydell

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	71	Loydell
	0600	72	Taylor
	0900	73	
	1200	73	
	1500	72	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	71	Loydell

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	82	Loydell
	0600	82	Loydell
	0900	82	BROZOWSKOFF
	1200	82	BROZOWSKOFF
	1500	79	GRUNDY, H.
	1800	74	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	76	Loydell

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	72	V. McMillan
	0600	75	
	0900	75	
	1200	73	
	1500	73	Loydell
	1800	71	Loydell
	2100	71	Murphy
	2400	72	V. McMillan

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	74	Loydell
	0600	74	Loydell
	0900	73	
	1200	73	
	1500	73	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	72	Loydell

Notes

---



---



---



---



---



---



---



---

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-2 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6-24-24	0300	70	HILLMAN
	0600	74	H. Stephens
	0900	74	H. Stephens
	1200	71	H. Stephens
	1500	70	A.OCHOTA
	1800	70	A.OCHOTA
	2100	70	M.OCHOTA
	2400	75	SERVIN

**Tuesday**

Date	Time	Temp.	Name (Print)
6-25-24	0300	75	SERVIN
	0600	75	H. Stephens
	0900	78	H. Stephens
	1200	78	H. Stephens
	1500	78	CAVAZOS, R
	1800	78	CAVAZOS, R
	2100	79	CAVAZOS, R
	2400	75	SERVIN

**Wednesday**

Date	Time	Temp.	Name (Print)
6-26-24	0300	75	SERVIN
	0600	78	H. Stephens
	0900	78	H. Stephens
	1200	75	H. Stephens
	1500	75	CARLSON
	1800	75	CARLSON
	2100	75	CARLSON
	2400	76	CARMON

**Thursday**

Date	Time	Temp.	Name (Print)
6-27-24	0300	76	CARMON
	0600	76	M. LASSERET
	0900	78	M. LASSERET
	1200	78	M. LASSERET
	1500	77	ZELDA
	1800	76	ZELDA
	2100	76	ZELDA
	2400	74	A. PENN

**Friday**

Date	Time	Temp.	Name (Print)
6-28-24	0300	72	A. PENN
	0600	74	H. Stephens
	0900	74	H. Stephens
	1200	75	H. STEPHENS
	1500	75	ZELDA
	1800	74	ZELDA
	2100	73	ZELDA
	2400	70	CALHOON

**Saturday**

Date	Time	Temp.	Name (Print)
6-29-24	0300	78	CALHOON
	0600	79	CALHOON
	0900	79	BENJAMIN
	1200	80	BENJAMIN
	1500	80	BENJAMIN
	1800	79	WILLIAMS
	2100	74	WILLIAMS
	2400	72	CARMON

**Sunday**

Date	Time	Temp.	Name (Print)
6-30-24	0300	72	CARMON
	0600	72	BENJAMIN
	0900	69	BENJAMIN
	1200	70	BENJAMIN
	1500	70	A.OCHOTA
	1800	70	A.OCHOTA
	2100	70	A.OCHOTA
	2400	71	NGUA

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: FBSP Housing Unit: D-3 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	70	HILLMAN
	0600	71	B+HOMER
	0900	71	B.HOME
	1200	71	B.HOME
	1500	71	Candela
	1800	70	Candela
	2100	70	Candela
	2400	74	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	75	SERVIN
	0600	75	J. Hernandez
	0900	76	J. Hernandez
	1200	76	J. Hernandez
	1500	76	B. Williams
	1800	75	B. Williams
	2100	73	B. Williams
	2400	74	Carmone

Friday

Date	Time	Temp.	Name (Print)
6-28-29	0300	72	A. Pease
	0600	78	B. Howe
	0900	78	B. Howe
	1200	80	B. Howe
	1500	80	C. Gibbons
	1800	78	C. Gibbons
	2100	74	C. Gibbons
	2400	74	Culver

## Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	76	C Army
	0600	80	B. Howe
	0900	80	B. Howe
	1200	80	B. Howe
	1500	79	B City
	1800	79	B City
	2100	74	B City
	2400	71	Navar

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	75	SERVIN
	0600	83	B. Howe
	0900	80	B. Howe
	1200	75	B. Howe
	1500	74	Candela
	1800	72	Candela
	2100	72	Candela
	2400	75	SERVIN

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	74	Cameron
	0600	77	H. Stephens
	0900	77	A. Stephens
	1200	75	H. Stephens
	1500	78	C. Gibbons
	1800	76	C. Gibbons
	2100	74	C. Gibbons
	2400	72	A. Penn

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	79	2. Calhoon
	0600	79	2. Calhoon
	0900	80	B. Howe
	1200	80	B. Howe
	1500	79	B. Crighton
	1800	78	B. Crighton
	2100	76	B. Crighton
	2400	76	Cotton

## Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D4 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	74	Lopez et al
	0600	77	Stephens
	0900	78	Stephens
	1200	75	Stephens
	1500	75	Magnuson
	1800	75	Magnuson
	2100	76	Magnuson
	2400	80	Lopez et al

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	80	Lopez et al
	0600	78	Stephens
	0900	76	Stephens
	1200	80	Stephens
	1500	80	Magnuson
	1800	80	Magnuson
	2100	80	Magnuson
	2400	80	Lopez et al

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	80	Lopez et al
	0600	78	Lopez et al
	0900	74	F. MENDEZ
	1200	74	F. MENDEZ
	1500	74	C. LEVERA
	1800	74	C. LEVERA
	2100	74	C. LEVERA
	2400	72	V. McMillan

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	72	V. McMillan
	0600	75	CARSEN
	0900	75	CARSEN
	1200	76	CARSEN
	1500	75	HANSFORD
	1800	75	HANSFORD
	2100	75	HANSFORD
	2400	72	V. McMillan

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	72	V. McMillan
	0600	74	CARSEN
	0900	74	CARSEN
	1200	75	CARSEN
	1500	74	HANSFORD
	1800	74	HANSFORD
	2100	74	HANSFORD
	2400	74	Lopez et al

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	74	Lopez et al
	0600	74	Hughes
	0900	74	CARSEN
	1200	75	CARSEN
	1500	75	Hughes
	1800	74	Hughes
	2100	73	Hughes
	2400	74	Lopez et al

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	74	Lopez et al
	0600	74	Lopez et al
	0900	75	CARSEN
	1200	75	CARSEN
	1500	75	HUGHES
	1800	74	HUGHES
	2100	74	HUGHES
	2400	74	Lopez et al

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MSP Housing Unit: 105 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	71	CARLW
	0600	71	CERROS
	0900	72	CERROS
	1200	71	CERROS
	1500	72	Ricus
	1800	71	Ricus
	2100	70	Ricus
	2400	70	Carrillo

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	70	Greenough
	0600	70	K.SHEEDD
	0900	70	K.SHEEDD
	1200	70	K.SHEEDD
	1500	70	Ricus
	1800	70	Ricus
	2100	68	Ricus
	2400	70	Greenough

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	70	Greenough
	0600	70	K.SHEEDD
	0900	70	K.SHEEDD
	1200	70	K.SHEEDD
	1500	73	WAGNER
	1800	75	WAGNER
	2100	73	WAGNER
	2400	70	Greenough

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	70	Greenough
	0600	70	Woods
	0900	70	Woods
	1200	70	Woods
	1500	70	RIVERA
	1800	70	RIVERA
	2100	70	RIVERA
	2400	72	CARLW

Tuesday

Date	Time	Temp.	Name (Print)
6/24	0300	75	Carrillo
	0600	75	STEVENS
	0900	75	STEVENS
	1200	75	STEVENS
	1500	73	Ricus
	1800	73	Ricus
	2100	70	Ricus
	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
6/29	0300	70	Greenough
	0600	70	K.SHEEDD
	0900	70	K.SHEEDD
	1200	71	K.SHEEDD
	1500	71	Ricus
	1800	70	Ricus
	2100	70	Ricus
	2400	70	Greenough

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	70	Greenough
	0600	70	Woods
	0900	70	Woods
	1200	70	Woods
	1500	72	WAGNER
	1800	72	WAGNER
	2100	70	WAGNER
	2400	70	Greenough

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D6 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-20-14	0300	72	Coyne
	0600	72	Coyne
	0900	73	R. Robinson
	1200	73	R. Robinson
	1500	73	WAGNER
	1800	73	WAGNER
	2100	73	WAGNER
	2400	80	m. Sabir

Tuesday

Date	Time	Temp.	Name (Print)
6-25-14	0300	75	m. Sabir
	0600	75	R. Robinson
	0900	75	R. Robinson
	1200	75	R. Robinson
	1500	75	Adams
	1800	75	Adams
	2100	74	Adams
	2400	75	Sabir

Wednesday

Date	Time	Temp.	Name (Print)
6-26-14	0300	75	Sabir
	0600	73	R. Robinson
	0900	73	R. Robinson
	1200	73	R. Robinson
	1500	73	Bogal
	1800	73	Bogal
	2100	73	Bogal
	2400	75	Sabir

Thursday

Date	Time	Temp.	Name (Print)
6-27-14	0300	75	Sabir
	0600	75	Robinson
	0900	75	Robinson
	1200	75	Robinson
	1500	75	Bogal
	1800	75	Bogal
	2100	75	Bogal
	2400	80	Sabir

Friday

Date	Time	Temp.	Name (Print)
6-28-14	0300	80	Sabir
	0600	78	BRANION
	0900	80	BRANION
	1200	80	BRANION
	1500	80	BARTISTA
	1800	80	BARTISTA
	2100	79	BARTISTA
	2400	78	Sabir

Saturday

Date	Time	Temp.	Name (Print)
6-29-14	0300	78	Sabir
	0600	76	BRANION
	0900	78	BRANION
	1200	80	BRANION
	1500	80	BARTISTA
	1800	80	BARTISTA
	2100	80	BARTISTA
	2400	78	BRANION

Sunday

Date	Time	Temp.	Name (Print)
6-30-14	0300	78	BARNABAN
	0600	78	J. DANE
	0900	78	J. DANE
	1200	78	J. DANE
	1500	80	WAGNER
	1800	80	WAGNER
	2100	80	WAGNER
	2400	78	SARIBAN

Notes

---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/24	0300	71°	Yang
	0600	74	BRANION
	0900	75	BRANION
	1200	75	BRANION
	1500	76	H. Stephens
	1800	75	D. George
	2100	75	D. George
	2400	78	CARNEY

#### Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	80	CARNEY
	0600	80	ANNUAL
	0900	75	ANNUAL
	1200	75	ANNUAL
	1500	80	WAGNER
	1800	80	WAGNER
	2100	80	WAGNER
	2400	80	CARNEY

#### Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	80	CARNEY
	0600	76	ANNUAL
	0900	75	ANNUAL
	1200	76	ANNUAL
	1500	74	V. McHugh
	1800	74	V. McHugh
	2100	74	V. McHugh
	2400	75	CARNEY

#### Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	76	CARNEY
	0600	75	ANNUAL
	0900	76	ANNUAL
	1200	76	ANNUAL
	1500	76	V. McHugh
	1800	76	V. McHugh
	2100	75	V. McHugh
	2400	79	BRANION

#### Friday

Date	Time	Temp.	Name (Print)
6/28	0300	79	BRANION
	0600	74	ANNUAL
	0900	75	ANNUAL
	1200	75	ANNUAL
	1500	72	BRANION
	1800	72	BRANION
	2100	71	BRANION
	2400	71	BRANION

#### Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	73	BRANION
	0600	72	ANNUAL
	0900	73	ANNUAL
	1200	74	ANNUAL
	1500	72	BRANION
	1800	72	BRANION
	2100	72	BRANION
	2400	71	Yang

#### Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	71°	BRANION Yang
	0600	78	BRANION
	0900	76	BRANION
	1200	76	BRANION
	1500	72	BRANION
	1800	72	BRANION
	2100	72	BRANION
	2400	73°	Yang

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 8 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	71°	Yang
	0600	71	Adams
	0900	71	Adams
	1200	71	Adams
	1500	71	Thomas
	1800	71	Thomas
	2100	71	Thomas
	2400	78	CARNEY

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	81	CARNEY
	0600	80	BRANION
	0900	80	BRANION
	1200	80	BRANION
	1500	80	L.Thomas
	1800	80	L.Thomas
	2100	80	L.Thomas
	2400	80	CARNEY

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	80	CARNEY
	0600	80	Stephens
	0900	80	Stephens
	1200	80	Stephens
	1500	78	C.Hamilton
	1800	78	C.Hamilton
	2100	77	C.Hamilton
	2400	81	~

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	81	Carey
	0600	79	Vadra
	0900	79	Vadra
	1200	79	Vadra
	1500	80	C.Hamilton
	1800	79	C.Hamilton
	2100	79	C.Hamilton
	2400	74	BARRAGAN

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	74	BARRAGAN
	0600	79	T.Hamilton
	0900	79	T.Hamilton
	1200	70	T.Hamilton
	1500	80	C.Hamilton
	1800	80	C.Hamilton
	2100	79	C.Hamilton
	2400	78	BARRAGAN

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	78	BARRAGAN
	0600	78	M.CEBALLOS
	0900	78	M.CEBALLOS
	1200	79	M.CEBALLOS
	1500	79	Speeby
	1800	76	Speeby
	2100	78	Speeby
	2400	75°	Perry

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	74°	Yang
	0600	74	T.Hamilton
	0900	74	T.Hamilton
	1200	74	T.Hamilton
	1500	74	J.CEBALLOS
	1800	77	J.CEBALLOS
	2100	79	J.CEBALLOS
	2400	76	Yang

**Notes**


---



---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D 9 Temp. Reading Location: 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-21-24	0300	72	Cayne
	0600	71	Cayne
	0900	70	S. DANE
	1200	70	J. DANE
	1500	70	J. DANE
	1800	72	████████
	2100	72	████████
	2400	80	M. Sabir

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	75	M. Sabir
	0600	76	P. Barnes
	0900	77	P. Barnes
	1200	77	P. Barnes
	1500	78	H. Stephens
	1800	78	H. Stephens
	2100	74	H. Stephens
	2400	75	Sabir

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	75	Sabir
	0600	75	P. Barnes
	0900	76	P. Barnes
	1200	77	P. Barnes
	1500	78	H. Stephens
	1800	76	H. Stephens
	2100	76	H. Stephens
	2400	75	Sabir

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	75	Sabir
	0600	74	BROZ
	0900	74	BROZ
	1200	74	BROZ
	1500	74	████
	1800	74	████
	2100	73	████
	2400	80	Sabir

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	80	Sabir
	0600	80	Vadnais
	0900	81	Vadnais
	1200	81	Vadnais
	1500	76	J. McMillen
	1800	75	J. McMillen
	2100	72	J. McMillen
	2400	78	Sabir

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	78	Sabir
	0600	76	P. Barnes
	0900	74	P. Barnes
	1200	79	P. Barnes
	1500	80	████
	1800	79	████
	2100	78	████
	2400	76	Sabir

Sunday

Date	Time	Temp.	Name (Print)
06/30/24	0300	76	████████
	0600	76	P. Barnes
	0900	77	P. Barnes
	1200	78	P. Barnes
	1500	78	████
	1800	77	████
	2100	73	████
	2400	77	BARNES

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: 1010 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	72	CARROL
24	0600	72	BROZ
	0900	72	BROZ
	1200	72	BROZ
	1500	72	BROZ
	1800	72	BROZ
	2100	72	BROZ
	2400	71	Carrillo

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	78	Carrillo
	0600	79	Vadrig
	0900	78	Vadrig
	1200	78	Vadrig
	1500	76	BROZ
	1800	76	BROZ
	2100	76	BROZ
	2400	70	Greenough

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	70	Greenough
	0600	70	Adams
	0900	70	Adams
	1200	70	Adams
	1500	70	BROZ
	1800	70	BROZ
	2100	70	BROZ
	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	70	Greenough
	0600	70	Adams
	0900	70	Adams
	1200	70	Adams
	1500	71	BROZ
	1800	71	BROZ
	2100	70	BROZ
	2400	70	Greenough

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	70	Greenough
	0600	70	Adams
	0900	70	Adams
	1200	70	Adams
	1500	72	Dentlage
	1800	73	Dentlage
	2100	73	Dentlage
	2400	70	Greenough

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	70	Greenough
	0600	72	Rodiger
	0900	72	Rodiger
	1200	72	Rodiger
	1500	72	IVES
	1800	73	IVES
	2100	72	IVES
	2400	70	Greenough

Notes

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
6/30	0300	70	Greenough
	0600	72	Rodiger
	0900	72	Rodiger
	1200	72	Rodiger
	1500	72	IVES
	1800	72	IVES
	2100	71	IVES
	2400	71	Carroll

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D#1

Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/21	0300	70	Lorraine
	0600	70	J. Nichols
	0900	70	J. Nichols
	1200	72	J. Nichols
	1500	72	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	71	Candela

Tuesday

Date	Time	Temp.	Name (Print)
6/11/21	0300	70	Candela
	0600	70	J. Nichols
	0900	70	J. Nichols
	1200	72	J. Nichols
	1500	74	Anon
	1800	72	~
	2100	72	~
	2400	72	Candela

Wednesday

Date	Time	Temp.	Name (Print)
6/12/21	0300	73	Candela
	0600	73	~
	0900	73	~
	1200	73	~
	1500	73	G. CHAM
	1800	73	G. CHAM
	2100	73	G. CHAM
	2400	73	Fontenot

Thursday

Date	Time	Temp.	Name (Print)
6/13/21	0300	73	Fontenot
	0600	72	~
	0900	73	~
	1200	72	~
	1500	72	T. FRAIN
	1800	72	T. FRAIN
	2100	70	T. FRAIN
	2400	72	A. Peng

Friday

Date	Time	Temp.	Name (Print)
6/14/21	0300	71	A. Peng
	0600	72	~
	0900	72	~
	1200	73	~
	1500	72	W. BUCK
	1800	72	W. BUCK
	2100	71	W. BUCK
	2400	72	Loyola

Saturday

Date	Time	Temp.	Name (Print)
6/15/21	0300	72	Loyola
	0600	72	~
	0900	72	~
	1200	72	~
	1500	72	~
	1800	72	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	72	Loyola

Notes

Date	Time	Temp.	Name (Print)
6/16/21	0300	72	Loyola
	0600	72	Loyola
	0900	72	~
	1200	72	~
	1500	72	~
	1800	72	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	72	Loyola

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 02 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	70	T. WHITESIDE
	0600	70	T. WHITESIDE
	0900	72	H. STEPHENS
	1200	72	H. STEPHENS
	1500	76	A. OCTOAR
	1800	71	A. OCTOAR
	2100	71	A. OCTOAR
	2400	70	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	70	Braun
	0600	72	H. Stephens
	0900	72	H. Stephens
	1200	74	H. Stephens
	1500	73	Candice
	1800	73	Candice
	2100	72	Candice
	2400	72	Pera

**Friday**

Date	Time	Temp.	Name (Print)
6-14-24	0300	74	Carmena
	0600	75	Rodriguez
	0900	73	Rodriguez
	1200	75	Rodriguez
	1500	73	Taylor
	1800	73	Taylor
	2100	71	Taylor
	2400	70	GANDAZA

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	72	J. WALTERS, OG
	0600	71	B. Wright
	0900	71	B. Wright
	1200	72	M. L. L.
	1500	71	C. Conner
	1800	71	C. Conner
	2100	71	C. Conner
	2400	73	S. Schramm

Tuesday

Dat	Time	Temp.	Name (Print)
6-11-24	0300	70	SERVIN
	0600	70	H. STEPHENS
	0900	72	H. STEPHENS
	1200	72	H. STEPHENS
	1500	71	C. LESLEY
	1800	71	C. LESLEY
	2100	70	C. LESLEY
	2400	70	BRAUN

**Thursday**

Date	Time	Temp.	Name (Print)
6-13-24	0300	71	Pena
	0600	71	M. LOSSELCE
	0900	70	M. LOSSELCE
	1200	70	M. LOSSELCE
	1500	70	<del>70</del>
	1800	70	<del>70</del>
	2100	70	<del>70</del>
	2400	73	Carmena

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	70	GANDARIA
	0600	70	Bogart
	0900	71	Bogart
	1200	72	Bogart
	1500	72	T. WHITESIDE
	1800	72	T. WHITESIDE
	2100	72	T. WHITESIDE
	2400	72	T. WHITESIDE

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 3 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6-10-24	0300	74	SERVIN
	0600	75	B. Howe
	0900	75	B. Howe
	1200	75	B. Howe
	1500	74	Candela
	1800	74	Candela
	2100	72	Candela
	2400	72	SERVIN

**Tuesday**

Date	Time	Temp.	Name (Print)
6-11-24	0300	70	SERVIN
	0600	70	Streeter
	0900	71	Streeter
	1200	72	Streeter
	1500	71	Candela
	1800	70	Candela
	2100	70	Candela
	2400	70	BROWN

**Wednesday**

Date	Time	Temp.	Name (Print)
6-12-24	0300	70	BROWN
	0600	75	Kaufman
	0900	75	Kaufman
	1200	75	Kaufman
	1500	73	LO
	1800	73	LO
	2100	72	LO
	2400		Pena

**Thursday**

Date	Time	Temp.	Name (Print)
6-13-24	0300	75	Pena
	0600	75	Kaufman
	0900	75	Kaufman
	1200	75	Kaufman
	1500	76	CARLSEN
	1800	76	D. George
	2100	75	D. George
	2400	73	Carmona

**Friday**

Date	Time	Temp.	Name (Print)
6-14-24	0300	73	Carmona
	0600	73	B. Howe
	0900	73	B. Howe
	1200	73	B. Howe
	1500	72	Candela
	1800	72	Candela
	2100	72	Candela
	2400	70	GANDARA

**Saturday**

Date	Time	Temp.	Name (Print)
6-15-24	0300	70	GANDARA
	0600	72	B. Howe
	0900	72	B. Howe
	1200	72	B. Howe
	1500	72	B. Gandy
	1800	72	B. Gandy
	2100	72	B. Gandy
	2400	72	T. MATKESICK

**Notes**

Date	Time	Temp.	Name (Print)
6-16-24	0300	72	T. WHITESIDE
	0600	72	B. Howe
	0900	72	B. Howe
	1200	72	B. Howe
	1500	72	B. Gandy
	1800	72	B. Gandy
	2100	72	B. Gandy
	2400	70	S. demarino

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D4

Temp. Reading Location: 201  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	71	Candela
	0600	71	Stephens
	0900	71	Stephens
	1200	72	Stephens
	1500	72	MAGNAN
	1800	72	MAGNAN
	2100	71	MAGNAN
	2400	70	Candela

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	70	Candela
	0600	73	CARSEN
	0900	70	CARSEN
	1200	74	CARSEN
	1500	74	TAWAREZ
	1800	73	TAWAREZ
	2100	73	TAWAREZ
	2400	70	Logefeld

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	71	A-Pay
	0600	73	CARSEN
	0900	74	CARSEN
	1200	70	CARSEN
	1500	72	Logefeld
	1800	74	Logefeld
	2100	74	Logefeld
	2400	74	Logefeld

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	74	Logefeld
	0600	73	CARSEN
	0900	74	CARSEN
	1200	74	CARSEN
	1500	74	Logefeld
	1800	74	Logefeld
	2100	74	Logefeld
	2400	74	Logefeld

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	70	Candela
	0600	70	Stephens
	0900	70	Stephens
	1200	71	Stephens
	1500	72	MAGNAN
	1800	72	MAGNAN
	2100	71	MAGNAN
	2400	71	Candela

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	73	Candela
	0600	73	CARSEN
	0900	74	CARSEN
	1200	74	CARSEN
	1500	73	HANSTED
	1800	73	HANSTED
	2100	73	HANSTED
	2400	72	A-Pay

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	74	Logefeld
	0600	74	Logefeld
	0900	74	CARSEN
	1200	75	CARSEN
	1500	74	Logefeld
	1800	74	Logefeld
	2100	74	Logefeld
	2400	74	Logefeld

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 5 Temp. Reading Location: 1st  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/6/24	0300	70	Brennan
	0600	72	CerroS
	0900	72	CerroS
	1200	73	CerroS
	1500	72	Nesbit
	1800	72	Nesbit
	2100	70	Ricks
	2400	70	BARNABY

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11/24	0300	70	BARNABY
	0600	70	CerroS
	0900	71	CerroS
	1200	71	CerroS
	1500	72	Eades
	1800	72	Eades
	2100	70	Eades
	2400	70	Greenough

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12/24	0300	70	Greenough
	0600	70	K-SHEED
	0900	70	K-SHEED
	1200	71	K-SHEED
	1500	76	Ricks
	1800	70	Ricks
	2100	70	Ricks
	2400	70	Greenough

**Thursday**

Date	Time	Temp.	Name (Print)
6/13/24	0300	70	Greenough
	0600	70	K-SHEED
	0900	70	K-SHEED
	1200	71	K-SHEED
	1500	70	Ricks
	1800	71	Ricks
	2100	70	Ricks
	2400	70	Greenough

**Friday**

Date	Time	Temp.	Name (Print)
6/14/24	0300	70	Greenough
	0600	70	K-SHEED
	0900	70	K-SHEED
	1200	70	K-SHEED
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	Greenough

**Saturday**

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	Greenough
	0600	70	Woods
	0900	70	Woods
	1200	70	Woods
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	Greenough

**Sunday**

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	Greenough
	0600	70	Woods
	0900	70	Woods
	1200	70	Woods
	1500	71	Ricks
	1800	71	Ricks
	2100	70	Ricks
	2400	72	Greenough

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10/24	0300	74	<i>BAPTISTA</i>
	0600	74	<i>Vadnais</i>
	0900	75	<i>Vadnais</i>
	1200	75	<i>Vadnais</i>
	1500	75	<i>WAGNER</i>
	1800	75	<i>WAGNER</i>
	2100	73	<i>WAGNER</i>
	2400	74	<i>Sabir</i>

**Tuesday**

Date	Time	Temp.	Name (Print)
6-11-24	0300	73	<i>Sabir</i>
	0600	75	<i>VIERRA</i>
	0900	75	<i>VIERRA</i>
	1200	78	<i>VIERRA</i>
	1500	78	<i>VIERRA</i>
	1800	76	<i>VIERRA</i>
	2100	75	<i>VIERRA</i>
	2400	73	<i>Sabir</i>

**Wednesday**

Date	Time	Temp.	Name (Print)
6-12-24	0300	73	<i>Sabir</i>
	0600	75	<i>VIERRA</i>
	0900	78	<i>VIERRA</i>
	1200	78	<i>VIERRA</i>
	1500	75	<i>Baptista</i>
	1800	75	<i>Baptista</i>
	2100	75	<i>Baptista</i>
	2400	73	<i>Sabir</i>

**Thursday**

Date	Time	Temp.	Name (Print)
6-13-24	0300	73	<i>Sabir</i>
	0600	75	<i>VIERRA</i>
	0900	75	<i>VIERRA</i>
	1200	75	<i>VIERRA</i>
	1500	75	<i>Baptista</i>
	1800	75	<i>Baptista</i>
	2100	75	<i>Baptista</i>
	2400	73	<i>Sabir</i>

**Friday**

Date	Time	Temp.	Name (Print)
6-14-24	0300	73	<i>Sabir</i>
	0600	75	<i>BRANION</i>
	0900	75	<i>BRANION</i>
	1200	75	<i>BRANION</i>
	1500	75	<i>BAPTISTA</i>
	1800	75	<i>BAPTISTA</i>
	2100	75	<i>BAPTISTA</i>
	2400	73	<i>Sabir</i>

**Saturday**

Date	Time	Temp.	Name (Print)
6-15-24	0300	73	<i>Sabir</i>
	0600	73	<i>BRANION</i>
	0900	73	<i>BRANION</i>
	1200	75	<i>BRANION</i>
	1500	74	<i>BAPTISTA</i>
	1800	75	<i>BAPTISTA</i>
	2100	75	<i>BAPTISTA</i>
	2400	73	<i>BAPTISTA</i>

**Sunday**

Date	Time	Temp.	Name (Print)
6-16-24	0300	73	<i>BAPTISTA</i>
	0600	73	<i>CRUZ</i>
	0900	73	<i>CRUZ</i>
	1200	73	<i>CRUZ</i>
	1500	72	<i>WAGNER</i>
	1800	72	<i>WAGNER</i>
	2100	72	<i>WAGNER</i>
	2400	72	<i>BAPTISTA</i>

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 7 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/10	0300	70°	Yang
	0600	70	BRANION
	0900	70	BRANION
	1200	72	BRANION
	1500	72	Adams
	1800	72	Adams
	2100	72	Adams
	2400	72	CARNEY

  

Tuesday			
Date	Time	Temp.	Name (Print)
6/11	0300	72	CARNEY
	0600	72	Adams
	0900	73	Adams
	1200	74	Adams
	1500	75	WAGNER
	1800	74	WAGNER
	2100	72	WAGNER
	2400	72	CARNEY

  

Wednesday			
Date	Time	Temp.	Name (Print)
6/12	0300	72	CARNEY
	0600	72	Adams
	0900	72	Adams
	1200	72	Adams
	1500	71	YANG
	1800	70	YANG
	2100	70	YANG
	2400	73	CARNEY

  

Thursday			
Date	Time	Temp.	Name (Print)
6/13	0300	74	CARNEY
	0600	70	Adams
	0900	71	Adams
	1200	72	Adams
	1500	74	Adams
	1800	73	YANG
	2100	73	YANG
	2400	71	BARRON

  

Friday			
Date	Time	Temp.	Name (Print)
6/14	0300	71	139222222222
	0600	70	Adams
	0900	71	Adams
	1200	72	Adams
	1500	71	Fielder
	1800	70	Fielder
	2100	70	Fielder
	2400	70	139222222222

  

Saturday			
Date	Time	Temp.	Name (Print)
6/15	0300	70	139222222222
	0600	70	Adams
	0900	70	Adams
	1200	72	Adams
	1500	71	J. DENICHOAIS
	1800	71	J. DENICHOAIS
	2100	71	J. DENICHOAIS
	2400	70	Yang

Notes

Date	Time	Temp.	Name (Print)
6/16	0300	70°	Yang
	0600	70	BRANION
	0900	72	BRANION
	1200	70	BRANION
	1500	72	Adams
	1800	72	Adams
	2100	71	Adams
	2400	70	Yang

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	70°	Yang
	0600	70	J.DANE
	0900	70	J.DANE
	1200	70	J.DANE
	1500	70	Thomas
	1800	70	Thomas
	2100	70	Thomas
	2400	70	CARNEY

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	70	CARNEY
	0600	70	BROZ
	0900	70	BROZ
	1200	70	BROZ
	1500	70	Thomas
	1800	70	Thomas
	2100	70	Thomas
	2400	70	CARNEY

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	70	CARNEY
	0600	70	W BLACK
	0900	70	W BLACK
	1200	71	W BLACK
	1500	71	C. Hamilton
	1800	71	C. Hamilton
	2100	71	C. Hamilton
	2400	72	CARNEY

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	72	CARNEY
	0600	72	W BLACK
	0900	71	W BLACK
	1200	71	W BLACK
	1500	72	C. Hamilton
	1800	72	C. Hamilton
	2100	71	C. Hamilton
	2400	71	BARRISTER

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	71	BARRISTER
	0600	71	Cagle
	0900	71	Cagle
	1200	71	Cagle
	1500	72	C. Hamilton
	1800	72	C. Hamilton
	2100	71	C. Hamilton
	2400	71	BARRISTER

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	71	BARRISTER
	0600	71	Cagle
	0900	71	Cagle
	1200	71	Cagle
	1500	71	W BLACK
	1800	70	W BLACK
	2100	70	W BLACK
	2400	70°	Yang

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	70°	Yang
	0600	70	Cagle
	0900	71	Cagle
	1200	71	Cagle
	1500	71	W BLACK
	1800	70	W BLACK
	2100	70	W BLACK
	2400	71°	Yang

**Notes**


---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DBSP Housing Unit: D - 9 Temp. Reading Location: 1st  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	74	BARNES
	0600	74	P. Barnes
	0900	75	P. Barnes
	1200	75	P. Barnes
6/24	1500	75	M. Ceballos
	1800	75	M. Ceballos
	2100	74	M. Ceballos
	2400	74	Sabir

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	73	Sabir
	0600	73	P. Barnes
	0900	74	P. Barnes
	1200	74	P. Barnes
6/24	1500	75	H. Stephens
	1800	74	H. Stephens
	2100	74	H. Stephens
	2400	73	Sabir

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	73	Sabir
	0600	73	P. Barnes
	0900	74	P. Barnes
	1200	75	P. Barnes
6/24	1500	75	H. Stephens
	1800	75	H. Stephens
	2100	73	H. Stephens
	2400	73	Sabir

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	73	Sabir
	0600	73	Beoz
	0900	73	Beoz
	1200	73	Beoz
6/24	1500	73	Erine
	1800	73	Erine
	2100	73	Erine
	2400	73	Sabir

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	73	Sabir
	0600	72	IVES
	0900	72	IVES
	1200	72	IVES
6/24	1500	74	CHRISSEN
	1800	72	Adams
	2100	72	Adams
	2400	73	Sabir

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	73	Sabir
	0600	73	P. Barnes
	0900	74	P. Barnes
	1200	75	P. Barnes
6/24	1500	75	Sabir
	1800	73	Beoz
	2100	72	Beoz
	2400	70	Beoz

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	70	BARNES
	0600	73	P. Barnes
	0900	73	P. Barnes
	1200	74	P. Barnes
6/24	1500	74	Z. L.
	1800	73	Z. L.
	2100	71	Z. L.
	2400	71	BARNES

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: D10 Temp. Reading Location: 2nd SECTION WALL  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	70	Barron
	0600	70	Witchell
	0900	70	Witchell
	1200	70	Witchell
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	70	BARRON

## Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	70	BARRON
	0600	70	Witchell
	0900	70	Witchell
	1200	70	Witchell
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	70	Greenough

## Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	70	Greenough
	0600	70	Broz
	0900	70	Broz
	1200	70	Broz
	1500	70	Ron
	1800	70	Ron
	2100	70	Ron
	2400	70	Greenough

## Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	70	Greenough
	0600	70	Witchell
	0900	70	Witchell
	1200	70	Witchell
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	70	Greenough

## Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	70	Greenough
	0600	70	Witchell
	0900	70	Witchell
	1200	70	Witchell
	1500	71	Darling
	1800	72	Darling
	2100	71	Darling
	2400	70	Greenough

## Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	Greenough
	0600	76 A	Rodriguez
	0900	70 C	Rodriguez
	1200	75 E	Rodriguez
	1500	71	Darling
	1800	74	Darling
	2100	74	Darling
	2400	70	Greenough

## Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	Greenough
	0600	70 B	Rodriguez
	0900	78 D	Rodriguez
	1200	72 F	Rodriguez
	1500	72	NES
	1800	72	NES
	2100	70	NES
	2400	70	Greenough

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: MSF A-DORM Temp. Reading Location: TIER 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## **Monday**

Date	Time	Temp.	Name (Print)
06/03/24	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	72	J. DENICHOLAS
	1500	73	
	1800	73	Couple
	2100	73	Couple
	2400	73	Couple
			E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
06/05/24	0300	73	E. ARRERA
	0600	73	Coupe
	0900	73	Coupe
	1200	73	Coupe
	1500	74	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	Fontenot

Friday

Date	Time	Temp.	Name (Print)
06/07/24	0300	73	XIANG
	0600	72	S. Chang
	0900	73	S. Chang
	1200	72	S. Chang
	1500	70	Leas
	1800	70	15015
	2100	70	15015
	2400	73	E. CARPERA

Sunday

Date	Time	Temp.	Name (Print)
06/09/24	0300	73	E. CARRERA
	0600	73	ISALIS
	0900	73	ISALIS
	1200	73	ISALIS
	1500	73	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
06/04/24	0300	73	E. CARRERA
	0600	73	J. DENICHOCAS
	0900	73	J. DENICHOCAS
	1200	73	J. DENICHOCAS
	1500	74	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Thursday

Date	Time	Temp.	Name (Print)
06/06/90	0300	73	Fontenot
	0600	72	Coupe
	0900	72	Coupe
	1200	73	Coupe
	1500	74	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	Xlone

Saturday

Date	Time	Temp.	Name (Print)
06/08/24	0300	73	E. CARRERA
	0600	73	R GRAY
	0900	72	R GRAY
	1200	71	R GRAY
	1500	73	ISAVIS
	1800	73	ISAVIS
	2100	73	ISAVIS
	2400	73	E. CARRERA

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: MSF - B DORM Temp. Reading Location: UPPER TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
6/1 24	0300	68	J. Train
	0600	69	J. Train
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	J. Train

## Tuesday

Date	Time	Temp.	Name (Print)
6/4 24	0300	70	J. Train
	0600	70	J. Train
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	69	J. Hughes

## Wednesday

Date	Time	Temp.	Name (Print)
6/5 24	0300	69	J. Hughes
	0600	70	J. Reichlin
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Faest
	1800	70	J. Faest
	2100	70	J. Faest
	2400	70	J. Train

## Thursday

Date	Time	Temp.	Name (Print)
6/6 24	0300	69	J. HUGHES
	0600	70	J. Train
	0900	70	J. Faest
	1200	70	J. Faest
	1500	71	J. Faest
	1800	70	J. Faest
	2100	70	J. Faest
	2400	70	J. Train

## Friday

Date	Time	Temp.	Name (Print)
6/7 24	0300	70	J. Train
	0600	70	J. Train
	0900	70	J. Faest
	1200	70	J. Faest
	1500	70	J. Faest
	1800	70	J. Faest
	2100	70	J. Faest
	2400	70	Xiong

## Saturday

Date	Time	Temp.	Name (Print)
6/8 24	0300	70	Xiong
	0600	71	J. DENICHOIAS
	0900	71	J. DENICHOIAS
	1200	71	J. DENICHOIAS
	1500	70	D. ANDERSON
	1800	71	D. ANDERSON
	2100	71	D. ANDERSON
	2400	71	A. Pena

## Sunday

Date	Time	Temp.	Name (Print)
6/9 24	0300	71	A. Pena
	0600	71	J. DENICHOIAS
	0900	71	J. DENICHOIAS
	1200	71	J. DENICHOIAS
	1500	72	ISOLS
	1800	72	ISOLS
	2100	72	ISOLS
	2400	70	J. Train

## Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: MSF A DORM      Temp. Reading Location: TIER 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
06/10/24	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	72	J. DENICHOLAS
	1500	73	Coupe
	1800	73	Coupe
	2100	72	Coupe
	2400	73	E. CARRERA

**Tuesday**

Date	Time	Temp.	Name (Print)
06/11/24	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	72	J. DENICHOLAS
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

**Wednesday**

Date	Time	Temp.	Name (Print)
06/12/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	72	CASTILLO

**Thursday**

Date	Time	Temp.	Name (Print)
06/13/24	0300	70	CASTILLO
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	T. Coupe
	1800	73	T. Coupe
	2100	73	T. Coupe
	2400	72	FONTENOT

**Friday**

Date	Time	Temp.	Name (Print)
06/14/24	0300	72	FONTENOT
	0600	72	P. CHAPA
	0900	72	P. CHAPA
	1200	73	P. CHAPA
	1500	73	COUPE
	1800	73	COUPE
	2100	73	COUPE
	2400	73	E. CARRERA

**Saturday**

Date	Time	Temp.	Name (Print)
06/15/24	0300	73	E. CARRERA
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	ISALS
	1800	73	ISALS
	2100	73	ISALS
	2400	73	E. CARRERA

**Sunday**

Date	Time	Temp.	Name (Print)
06/16/24	0300	73	E. CARRERA
	0600	72	ISALS
	0900	72	ISALS
	1200	72	ISALS
	1500	73	FARIAS
	1800	73	FARIAS
	2100	71	FARIAS
	2400	73	E. CARRERA

**Notes**

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: MSF - B DORM      Temp. Reading Location: UPPER TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S. TRAIN

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S. TRAIN

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. FOEST
	1800	70	J. FOEST
	2100	70	J. FOEST
	2400	70	S. TRAIN

**Thursday**

Date	Time	Temp.	Name (Print)
6/13/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. FOEST
	1200	70	J. FOEST
	1500	70	J. FOEST
	1800	70	J. FOEST
	2100	70	J. FOEST
	2400	70	S. TRAIN

**Friday**

Date	Time	Temp.	Name (Print)
6/14/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. FOEST
	1200	70	J. FOEST
	1500	70	XIONG
	1800	70	XIONG
	2100	70	XIUNG
	2400	70	XIONG

**Saturday**

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	XIONG
	0600	71	J. DENICHOLAS
	0900	71	J. DENICHOLAS
	1200	71	J. DENICHOLAS
	1500	70	D. ANDERSON
	1800	70	D. ANDERSON
	2100	70	D. ANDERSON
	2400	70	GRIER

**Notes**

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	GRIER
	0600	70	J. DENICHOLAS
	0900	70	J. DENICHOLAS
	1200	70	J. DENICHOLAS
	1500	70	ISALS
	1800	70	ISALS
	2100	70	ISALS
	2400	71	Hillman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP ~~HSE~~ Housing Unit: MSF-B Dorm Temp. Reading Location: Upper Tiers  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17	0300	70	K. HILLMAN
	0600	70	J. Riehlis
	0900	70	J. Riehlis
	1200	70	J. Riehlis
	1500	70	J. Riehlis
	1800	70	J. Riehlis
	2100	70	J. Riehlis
	2400	70	S. TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
6-18	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Riehlis
	1200	70	J. Riehlis
	1500	70	J. Riehlis
	1800	70	J. Riehlis
	2100	70	J. Riehlis
	2400	70	S. TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
6-19	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Riehlis
	1200	70	J. Riehlis
	1500	70	YANG
	1800	69	YANG
	2100	69	YANG
	2400	70	S. TRAIN

Thursday

Date	Time	Temp.	Name (Print)
6-20	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. FOULST
	1200	70	J. FOULST
	1500	70	J. FOULST
	1800	70	J. FOULST
	2100	70	J. FOULST
	2400	70	S. TRAIN

Friday

Date	Time	Temp.	Name (Print)
6-21	0300	68	S. TRAIN
	0600	68	S. TRAIN
	0900	70	J. FOULST
	1200	70	J. FOULST
	1500	70	J. FOULST
	1800	70	J. FOULST
	2100	70	J. FOULST
	2400	70	S. TRAIN

Saturday

Date	Time	Temp.	Name (Print)
6-22	0300	70	SANCHEZ
	0600	70	SANCHEZ
	0900	70	J. DENICOLA
	1200	70	J. DENICOLA
	1500	70	D. ANDERSON
	1800	70	D. ANDERSON
	2100	70	D. ANDERSON
	2400	70	Hughes

DAY

Date	Time	Temp.	Name (Print)	NOTES:
6-23	0300	70	Hughes	
	0600	71	J. DENICOLA	
	0900	71	J. DENICOLA	
	1200	71	J. DENICOLA	
	1500	72	ISAVIS	
	1800	72	ISAVIS	
	2100	72	ISAVIS	
	2400	72	S. TRAIN	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: MSF A. DORM      Temp. Reading Location: TIER 2ND  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6-17-24	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	72	J. DENICHOLAS
	1500	72	J. DENICHOLAS
	1800	72	J. DENICHOLAS
	2100	72	J. DENICHOLAS
	2400	73	E. CARRERA

**Tuesday**

Date	Time	Temp.	Name (Print)
6-18-24	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	72	J. DENICHOLAS
	1500	72	Lades
	1800	71	Lades
	2100	70	Lades
	2400	73	E. CARRERA

**Wednesday**

Date	Time	Temp.	Name (Print)
6-19-24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	Williams
	1800	73	Williams
	2100	72	Williams
	2400	71	REYNOSO

**Thursday**

Date	Time	Temp.	Name (Print)
6-20-24	0300	70	REYNOSO
	0600	71	P. CHAPA
	0900	71	P. CHAPA
	1200	72	P. CHAPA
	1500	72	BLAISEZER
	1800	72	BLAISEZER
	2100	72	BLAISEZER
	2400	72	OCIEL

**Friday**

Date	Time	Temp.	Name (Print)
6-21-24	0300	72	OCIEL
	0600	72	P. CHAPA
	0900	72	P. CHAPA
	1200	72	P. CHAPA
	1500	72	ISAVIS
	1800	72	ISAVIS
	2100	72	ISAVIS
	2400	71	MURDEN

**Saturday**

Date	Time	Temp.	Name (Print)
6-22-24	0300	71	MURDEN
	0600	71	P. CHAPA
	0900	72	P. CHAPA
	1200	73	P. CHAPA
	1500	72	CARM
	1800	71	CARM
	2100	71	CARM
	2400	72	E. CARRERA

**Notes**

Date	Time	Temp.	Name (Print)
6-23-24	0300	72	E. CARRERA
	0600	72	ISAVIS
	0900	72	ISAVIS
	1200	72	ISAVIS
	1500	73	Coupe
	1800	73	Coupe
	2100	74	Coupe
	2400	73	E. CARRERA

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: MSF A DORM      Temp. Reading Location: TIER 2<sup>nd</sup>  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
06/24/24	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	72	J. DENICHOLAS
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

**Tuesday**

Date	Time	Temp.	Name (Print)
06/25/24	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	72	J. DENICHOLAS
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

**Wednesday**

Date	Time	Temp.	Name (Print)
06/26/24	0300	73	E. CARRERA
	0600	72	P. CHAPA
	0900	72	P. CHAPA
	1200	73	P. CHAPA
	1500	73	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	72	Licea

**Thursday**

Date	Time	Temp.	Name (Print)
06/27/24	0300	72	Licea
	0600	72	Licea
	0900	72	P. CHAPA
	1200	73	P. CHAPA
	1500	73	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	72	A. PINA

**Friday**

Date	Time	Temp.	Name (Print)
06/28/24	0300	70	A. PINA
	0600	72	P. CHAPA
	0900	72	P. CHAPA
	1200	73	P. CHAPA
	1500	73	ISOLS
	1800	73	ISOLS
	2100	73	ISOLS
	2400	72	E. CARRERA

**Saturday**

Date	Time	Temp.	Name (Print)
06/29/24	0300	73	E. CARRERA
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	ISOLS
	1800	73	ISOLS
	2100	73	ISOLS
	2400	73	E. CARRERA

**Notes**

Date	Time	Temp.	Name (Print)
06/30/24	0300	73	E. CARRERA
	0600	73	ISOLS
	0900	73	ISOLS
	1200	72	ISOLS
	1500	73	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP \_\_\_\_\_ Housing Unit: \_\_\_\_\_ MSF-B Dorm \_\_\_\_\_ Temp. Reading Location: 2nd TIER  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	M. Ceballos
	1800	70	M. Ceballos
	2100	70	M. Ceballos
	2400	70	R. S. TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	S. TRAIN
	1200	70	S. TRAIN
	1500	69	- YANG
	1800	70	- YANG
	2100	69	- YANG
	2400	70	S. TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	72	CAB
	1200	72	(41)
	1500	70	J. Faust
	1800	70	J. Faust
	2100	70	J. Faust
	2400	70	S. TRAIN

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	S. TRAIN
	1200	70	S. TRAIN
	1500	70	J. Faust
	1800	71	J. Faust
	2100	71	J. Faust
	2400	70	S. TRAIN

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	T. Coupe
	1200	70	T. COUPE
	1500	70	J. Faust
	1800	70	J. Faust
	2100	70	J. Faust
	2400	70	F. Fontenot

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	70	F. Fontenot
	0600	73	E. CARRERA
	0900	73	E. CARRERA
	1200	73	E. CARRERA
	1500	72	D. ANDERSON
	1800	72	P. ANDERSON
	2100	72	D. ANDERSON
	2400	72	R. DAVIS

DAY

Date	Time	Temp.	Name (Print)	NOTES:
6/30/24	0300	72	R. Floyd	
	0600	70	C. Moreno	
	0900	70	C. Moreno	
	1200	70	C. Moreno	
	1500	70	18915	
	1800	70	18915	
	2100	70	18915	
	2400	70	S. TRAIN	

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: RHU

Temp. Reading Location: 1 ST  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

SSSS when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
06-3-24	0300	70	A.GASTELUM
	0600	69	S. KELLEY
	0900	70	S. KELLEY
	1200	71	S. KELLEY
	1500	72	GILES
	1800	71	GILES
	2100	70	GILES
	2400	70 F	Pereault, A

Wednesday

Date	Time	Temp.	Name (Print)
06-5-24	0300	71 C	Pereault
	0600	71	T.FRAIN
	0900	72	T.FRAIN
	1200	73	T.FRAIN
	1500	72 A	M.Pereault
	1800	70 B	M.Pereault
	2100	70 H	M.Pereault
	2400	72 C	Pereault, A

Friday

Date	Time	Temp.	Name (Print)
06-7-24	0300	67 G	M.Pereault
	0600	68	Sabir
	0900	68	Sabir
	1200	70	Sabir
	1500	67 G	M.Pereault
	1800	70 H	M.Pereault
	2100	72 A	M.Pereault
	2400	70 B	M.Pereault

Sunday

Date	Time	Temp.	Name (Print)
06-9-24	0300	71	GASTELUM
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	HILLMAN
	1800	72	HILLMAN
	2100	71	HILLMAN
	2400	71	GASTELUM

Tuesday

Date	Time	Temp.	Name (Print)
06-4-24	0300	68 F	Pereault, A
	0600	71	Sabir
	0900	71	Sabir
	1200	71	Sabir
	1500	71 A	Pereault, A
	1800	70 B	Pereault, A
	2100	68 C	Pereault, A
	2400	69 H	Pereault, A

Thursday

Date	Time	Temp.	Name (Print)
06-6-24	0300	68 F	Pereault, A
	0600	71	E.Vadnais
	0900	70	E.Vadnais
	1200	71	E.Vadnais
	1500	72 C	M.Pereault
	1800	73 D	M.Pereault
	2100	70 E	M.Pereault
	2400	69 F	M.Pereault

Saturday

Date	Time	Temp.	Name (Print)
06-8-24	0300	72 C	M.Pereault
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	HILLMAN
	1800	72	HILLMAN
	2100	71	HILLMAN
	2400	71	GASTELUM

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSF

Housing Unit: R10

Temp. Reading Location: 1ST

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	70	GASTELUM
	0600	70	N. GRIS
	0900	70	E. FRIMET
	1200	70	E. FRIMET
	1500	70	Taylor
	1800	71	COST
	2100	71	Perreault
	2400	72 A	Perreault

Wednesday

Date	Time	Temp.	Name (Print)
6-12	0300	72 A	Perreault
	0600	71	T. FRIMET
	0900	71 A	T. FRIMET
	1200	71	T. FRIMET
	1500	72 A	M Perreault
	1800	71 B	M Perreault
	2100	67 G	M Perreault
	2400	72 A	Perreault

Friday

Date	Time	Temp.	Name (Print)
6-14	0300	68 H	M Perreault
	0600	70 C	K. LARSON
	0900	72 D	K. LARSON
	1200	68 H	K. LARSON
	1500	72 A	M Perreault
	1800	70 B	M Perreault
	2100	72 C	M Perreault
	2400	74 D	M Perreault

Sunday

Date	Time	Temp.	Name (Print)
6-16	0300	70	GASTELUM
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	CABRERA
	1800	72	CABRERA
	2100	70	CABRERA
	2400	70	GASTELUM

Tuesday

Date	Time	Temp.	Name (Print)
6-11-25	0300	70 D	Perreault
	0600	70	CALHOON
	0900	70	CALHOON
	1200	70	CALHOON
	1500	72 A	Perreault
	1800	71 B	Perreault
	2100	68 G	Perreault
	2400	69 H	Perreault

Thursday

Date	Time	Temp.	Name (Print)
6-13	0300	70 B	Perreault
	0600	70	CANDADA
	0900	70	CANDADA
	1200	70	CANDADA
	1500	72 C	Perreault
	1800	73 D	Perreault
	2100	70 E	Perreault
	2400	67 F	Perreault

Saturday

Date	Time	Temp.	Name (Print)
6-15	0300	70 E	M Perreault
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	CABRERA
	1800	72	CABRERA
	2100	71	CABRERA
	2400	71	GASTELUM

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: RHU

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5585 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	70	GASTELUM
	0600	70	CABANIS
	0900	72	CABANIS
	1200	70	CABANIS
	1500	70	LDR
	1800	70	LDR
	2100	70	LDR
	2400	71 C	Perreault A

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	68 G	Perreault A
	0600	70	SALAS
	0900	72	SALAS
	1200	72	SALAS
	1500	72 A	Perreault
	1800	72 A	Perreault
	2100	69 H	Perreault
	2400	73 A	Perreault

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	72 C	Perreault
	0600	70	CABANIS
	0900	68	CABANIS
	1200	72	CABANIS
	1500	72 A	Perreault
	1800	71 B	Perreault
	2100	68 G	Perreault
	2400	69 H	Perreault

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	71	GASTELUM
	0600	72	CABRETA
	0900	72	CABRETA
	1200	72	CABRETA
	1500	72	HILLMAN
	1800	72	HILLMAN
	2100	71	HILLMAN
	2400	70	GASTELUM

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	68 F	Perreault A
	0600	70	CABANIS
	0900	69	CABANIS
	1200	72	CABANIS
	1500	68 G	Perreault A
	1800	69 H	Perreault A
	2100	71 B	Perreault A
	2400	74 A	Perreault A

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	71 B	Perreault
	0600	70	CABANIS
	0900	68	CABANIS
	1200	71	CABANIS
	1500	74 D	Perreault
	1800	66 G	Perreault
	2100	70 F	Perreault
	2400	68 E	Perreault

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	72 C	Perreault
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	HILLMAN
	1800	72	HILLMAN
	2100	71	HILLMAN
	2400	71	GASTELUM

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: RHU

Temp. Reading Location: ST  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

SSSS when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	70	GASTELUM
	0600	70	CALANIS
	0900	69	CALANIS
	1200	70	CALANIS
	1500	72 A	Pereault FA
	1800	70 B	Pereault FA
	2100	65 C	Pereault FA
	2400	68 D	Pereault FA

Wednesday

Date	Time	Temp.	Name (Print)
6-19-24	0300	68 G	Pereault FA
	0600	70	CALANIS
	0900	72	CALANIS
	1200	70	CALANIS
	1500	72 A	M Pereault IT
	1800	71 B	M Pereault IT
	2100	68 C	M Pereault IT
	2400	71 D	M Pereault IT

Friday

Date	Time	Temp.	Name (Print)
6-21-24	0300	66 G	M Pereault IT
	0600	68	CALANIS
	0900	70	CALANIS
	1200	72	CALANIS
	1500	72 A	M Pereault IT
	1800	72 B	M Pereault IT
	2100	72 C	M Pereault IT
	2400	73 D	M Pereault IT

Sunday

Date	Time	Temp.	Name (Print)
6-23-24	0300	71	GASTELUM
	0600	72	CABRETA
	0900	72	CABRETA
	1200	72	CABRETA
	1500	72	HILLMAN
	1800	72	HILLMAN
	2100	71	HILLMAN
	2400	70	GASTELUM

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	72 L	Pereault FA
	0600	68	CALANIS
	0900	68	CALANIS
	1200	72	CALANIS
	1500	72 C	Pereault FA
	1800	73 D	Pereault FA
	2100	70 E	Pereault FA
	2400	68 F	Pereault FA

Thursday

Date	Time	Temp.	Name (Print)
6-20-24	0300	66 F	Pereault FA
	0600	70	CALANIS
	0900	68	CALANIS
	1200	70	CALANIS
	1500	72 C	M Pereault IT
	1800	74 D	M Pereault IT
	2100	70 E	M Pereault IT
	2400	68 F	M Pereault IT

Saturday

Date	Time	Temp.	Name (Print)
6-22-24	0300	70 F	M Pereault IT
	0600	72	CABRETA
	0900	72	CABRETA
	1200	72	CABRETA
	1500	72	HILLMAN
	1800	72	HILLMAN
	2100	71	HILLMAN
	2400	71	GASTELUM

Notes

## Monthly Summary Report

Institution: PBSP

### Memorandum

Date: July 1, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - MONTHLY SUMMARY REPORT

The following is a summary of the heat related activity for the month of June 2024,  
at PBSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? No

Number of days Stage I Alert initiated: 0

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated by the pharmacy. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Stephen Smith

Warden Name

DocuSigned by:



69DDF17E5C1A4CF...  
Warden Signature

Katie Minor

Chief Executive Officer Name

DocuSigned by:



4B7B7A8C23E0476...  
Chief Executive Officer Signature