Monthly Summary Report

Institution: CMC

Memorandum

Date: November 1, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - October 2024

The following is a summary of the heat related activity for the month of October 2024, at CMC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 2

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

   Number of days Stage II Alert initiated: 1

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

D. Samuel
Warden Name

Warden Signature

T. Macias
Chief Executive Officer Name

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-6-24	0100	52	ZEPEDA
	0200	52	ZEPEDA
	0300	52	ZEPEDA
	0400	54	ZEPEDA
	0500	54	ZEPEDA
	0600	56	BYRNE
	0700	59	BYRNE
	0800	60	BYRNE
	0900	64	BYRNE
	1000	68	BYRNE
	1100	71	BYRNE
	1200	80	BYRNE
	1300	82	BYRNE
	1400	80	RUPP
	1500	79	RUPP
	1600	84	RUPP
	1700	75	J. COTA
	1800	72	J. COTA
	1900	68	J. COTA
	2000	64	J. COTA
	2100	62	Dominguez
	2200	61	Dominguez
	2300	60	Dominguez
	2400	59	Dominguez

Date	Time	Temp.	Printed Name
10-7-24	0100	59	Dominguez
	0200	58	Dominguez
	0300	58	Dominguez
	0400	57	Dominguez
	0500	57	Dominguez
	0600	57	DeLaTorre
	0700	58	DeLaTorre
	0800	58	DeLaTorre
	0900	66	[illegible]
	1000	70	[illegible]
	1100	77	DeLaTorre
	1200	80	DeLaTorre
	1300	80	DeLaTorre
	1400	80	Dominguez
	1500	78	Dominguez
	1600	77	Dominguez
	1700	76	Dominguez
	1800	71	Dominguez
	1900	67	Dominguez
	2000	63	Dominguez
	2100	59	Dominguez
	2200	56	Dominguez
	2300	56	Zepeda
	2400	56	Zepeda

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-8-24	0100	52	Zebeda
	0200	52	Zebeda
	0300	51	Zebeda
	0400	50	Zebeda
	0500	50	Dominguez
	0600	50	Zebeda
	0700	51	DeLaTorre
	0800	51	DeLaTorre
	0900	58	DeLaTorre
	1000	62	DeLaTorre
	1100	68	Martin
	1200	73	Martin
	1300	73	Martin
	1400	76	Dominguez
	1500	74	Dominguez
	1600	73	Martin
	1700	71	Martin
	1800	64	J. Cotto
	1900	58	J. Cotto
	2000	56	Martin
	2100	55	Martin
	2200	54	Dominguez
	2300	54	Zebeda
	2400	54	Zebeda

Date	Time	Temp.	Printed Name
10-9-24	0100	53	Dominguez
	0200	53	Dominguez
	0300	52	Dominguez
	0400	52	Dominguez
	0500	52	Dominguez
	0600	51	Zebeda
	0700	53	DeLaTorre
	0800	53	DeLaTorre
	0900	54	DeLaTorre
	1000	55	DeLaTorre
	1100	60	DeLaTorre
	1200	64	DeLaTorre
	1300	69	DeLaTorre
	1400	73	Hernandez
	1500	73	Hernandez
	1600	71	Hernandez
	1700	68	Hernandez
	1800	65	Hernandez
	1900	61	Hernandez
	2000	55	Hernandez
	2100	54	Hernandez
	2200	54	Hernandez
	2300	53	Hernandez
	2400	53	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-10-24	0100	52	Hernandez
	0200	52	Hernandez
	0300	52	Hernandez
	0400	52	Hernandez
	0500	52	Hernandez
	0600	51	Deleon
	0700	51	Deleon
	0800	51	Deleon
	0900	52	Deleon
	1000	60	Deleon
	1100	64	Deleon
	1200	67	Deleon
	1300	71	Deleon
	1400	75	Hernandez
	1500	73	Hernandez
	1600	71	Hernandez
	1700	66	Hernandez
	1800	63	Hernandez
	1900	61	Hernandez
	2000	58	Hernandez
	2100	55	Hernandez
	2200	54	Hernandez
	2300	52	Hernandez
	2400	53	Hernandez

Date	Time	Temp.	Printed Name
10-11-24	0100	53	Hernandez
	0200	52	Hernandez
	0300	52	Hernandez
	0400	52	Hernandez
	0500	51	Hernandez
	0600	51	[illegible]
	0700	51	[illegible]
	0800	51	[illegible]
	0900	52	[illegible]
	1000	57	[illegible]
	1100	60	[illegible]
	1200	63	[illegible]
	1300	69	Deleon
	1400	67	Hernandez
	1500	70	Hernandez
	1600	66	Hernandez
	1700	65	Hernandez
	1800	60	Hernandez
	1900	55	Hernandez
	2000	53	Hernandez
	2100	52	Hernandez
	2200	50	Zepeda
	2300	50	Zepeda
	2400	49	Zepeda

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-12-24	0100	51	ZEPEDA
	0200	51	ZEPEDA
	0300	49	ZEPEDA
	0400	49	ZEPEDA
	0500	50	ZEPEDA
	0600	50	ZEPEDA
	0700	50	BYRNE
	0800	50	BYRNE
	0900	51	BYRNE
	1000	58	BYRNE
	1100	61	BYRNE
	1200	66	BYRNE
	1300	65	BYRNE
	1400	63	Hernandez
	1500	63	Hernandez
	1600	61	Hernandez
	1700	60	Hernandez
	1800	58	Hernandez
	1900	58	Hernandez
	2000	57	Hernandez
	2100	57	Hernandez
	2200	55	ZEPEDA
	2300	55	ZEPEDA
	2400	55	ZEPEDA

Date	Time	Temp.	Printed Name
10-13-24	0100	52	ZEPEDA
	0200	52	ZEPEDA
	0300	52	ZEPEDA
	0400	52	ZEPEDA
	0500	52	ZEPEDA
	0600	52	BYRNE
	0700	52	BYRNE
	0800	53	BYRNE
	0900	55	BYRNE
	1000	62	BYRNE
	1100	65	BYRNE
	1200	68	BYRNE
	1300	72	BYRNE
	1400	65	J. COTA
	1500	63	J. COTA
	1600	61	J. COTA
	1700	59	J. COTA
	1800	57	J. COTA
	1900	56	J. COTA
	2000	56	J. COTA
	2100	55	Dominguez
	2200	55	Dominguez
	2300	55	Dominguez
	2400	54	Dominguez

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-14-24	0100	53	Dominguez
	0200	53	Dominguez
	0300	53	Dominguez
	0400	54	Dominguez
	0500	54	Dominguez
	0600	53	Martin
	0700	53	Martin
	0800	53	Martin
	0900	55	Delitore
	1000	59	Delitore
	1100	61	Delitore
	1200	63	Delitore
	1300	66	Delitore
	1400	64	Dominguez
	1500	63	Dominguez
	1600	61	Dominguez
	1700	59	Dominguez
	1800	58	Dominguez
	1900	57	Dominguez
	2000	55	Dominguez
	2100	54	Dominguez
	2200	54	Dominguez
	2300	53	Zebera, J
	2400	53	Zebera, J

Date	Time	Temp.	Printed Name
10-15-24	0100	53	Zebera
	0200	53	Zebera
	0300	51	Zebera
	0400	51	Zebera
	0500	51	Zebera
	0600	51	Zebera.
	0700	53	Delitore
	0800	53	Delitore
	0900	54	Martin
	1000	58	Martin
	1100	63	Martin
	1200	67	Martin
	1300	68	Martin
	1400	71	Martin
	1500	71	Dominguez
	1600	69	Dominguez
	1700	65	Dominguez
	1800	57	Dominguez
	1900	55	Dominguez
	2000	54	Martin
	2100	54	Martin
	2200	54	Zebera
	2300	54	Zebera
	2400	53	Dominguez

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-16-24	0100	52	Dominguez
	0200	51	Dominguez
	0300	50	Dominguez
	0400	51	Zepeda
	0500	51	Zepeda
	0600	51	Zepeda
	0700	51	Martin
	0800	51	Martin
	0900	53	Beltran
	1000	55	Beltran
	1100	57	Beltran
	1200	64	Beltran
	1300	74	Martin
	1400	74	Martin
	1500	70	Huerta
	1600	64	Huerta
	1700	63	Huerta
	1800	63	Hernandez
	1900	60	Hernandez
	2000	56	Hernandez
	2100	55	Hernandez
	2200	55	Hernandez
	2300	53	Zepeda, J
	2400	53	Zepeda, J

Date	Time	Temp.	Printed Name
10-17-24	0100	52	Zepeda
	0200	52	Zepeda
	0300	52	Zepeda
	0400	55	Zepeda
	0500	57	Zepeda
	0600	57	Zepeda
	0700	57	Beltran
	0800	57	Beltran
	0900	57	Beltran
	1000	59	Martin
	1100	63	Beltran
	1200	63	Beltran
	1300	65	Beltran
	1400	69	Rupp
	1500	69	Rupp
	1600	69	Rupp
	1700	67	Rupp
	1800	65	Rupp
	1900	63	Rupp
	2000	57	Rupp
	2100	52	Rupp
	2200	49	Hernandez
	2300	49	Hernandez
	2400	50	Hernandez

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/18/24	0100	51	Hernandez
	0200	53	Hernandez
	0300	53	Hernandez
	0400	54	Hernandez
	0500	54	Hernandez
	0600	54	Hernandez
	0700	56	[illegible]
	0800	56	[illegible]
	0900	59	Martin
	1000	60	Martin
	1100	63	Martin
	1200	64	Martin
	1300	68	Martin
	1400	71	Dominguez
	1500	69	Dominguez
	1600	67	Dominguez
	1700	64	Dominguez
	1800	61	Dominguez
	1900	58	Dominguez
	2000	56	Dominguez
	2100	56	Zepeda
	2200	58	Zepeda
	2300	58	Zepeda
	2400	57	Zepeda

Date	Time	Temp.	Printed Name
10/19/24	0100	57	Zepeda
	0200	57	Zepeda
	0300	61	Zepeda
	0400	61	Zepeda
	0500	61	Zepeda
	0600	55	BYRNE
	0700	56	BYRNE
	0800	58	BYRNE
	0900	64	BYRNE
	1000	72	BYRNE
	1100	74	BYRNE
	1200	76	BYRNE
	1300	78	BYRNE
	1400	78	RUPP
	1500	72	RUPP
	1600	69	RUPP
	1700	71	RUPP
	1800	72	RUPP
	1900	69	RUPP
	2000	61	RUPP
	2100	57	RUPP
	2200	54	ZEPEDA
	2300	52	ZEPEDA
	2400	52	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-20-24	0100	51	ZEPEDA
	0200	51	ZEPEDA
	0300	50	ZEPEDA
	0400	50	ZEPEDA
	0500	50	ZEPEDA
	0600	50	BYRNE
	0700	51	BYRNE
	0800	53	BYRNE
	0900	64	BYRNE
	1000	70	BYRNE
	1100	74	BYRNE
	1200	78	BYRNE
	1300	81	BYRNE
	1400	78	RUPP
	1500	72	RUPP
	1600	69	RUPP
	1700	64	RUPP
	1800	61	RUPP
	1900	60	RUPP
	2000	59	RUPP
	2100	57	RUPP
	2200	54	Dominguez
	2300	53	Dominguez
	2400	52	Dominguez

Date	Time	Temp.	Printed Name
10.21.24	0100	51	Dominguez
	0200	51	Dominguez
	0300	51	Dominguez
	0400	50	Dominguez
	0500	50	Dominguez
	0600	50	DeLaTorre
	0700	50	DeLaTorre
	0800	50	DeLaTorre
	0900	60	DeLaTorre
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC- EAST FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-21/24	0100	51	Dominguez
	0200	51	Dominguez
	0300	51	Dominguez
	0400	50	Dominguez
	0500	50	Dominguez
	0600	50	Delitore
	0700	50	Delitore
	0800	50	Delitore
	0900	60	Delitore
	1000	65	Delitore
	1100	70	Delitore
	1200	75	Delitore
	1300	72	Delitore
	1400	74	Dominguez
	1500	74	[illegible]
	1600	72	Dominguez
	1700	71	Dominguez
	1800	66	Dominguez
	1900	60	Dominguez
	2000	57	Dominguez
	2100	54	Dominguez
	2200	52	Dominguez
	2300	51	Zepeda
	2400	51	Zepeda

Date	Time	Temp.	Printed Name
10/22/24	0100	50	Zepeda
	0200	50	Zepeda
	0300	47	Zepeda
	0400	47	Zepeda
	0500	47	Zepeda
	0600	50	Torres
	0700	50	Torres
	0800	50	Torres
	0900	60	Torres
	1000	67	Delitore
	1100	70	Martin
	1200	75	Martin
	1300	76	Martin
	1400	72	Martin
	1500	70	Dominguez
	1600	68	Dominguez
	1700	864	Dominguez
	1800	60	Dominguez
	1900	58	Martin
	2000	54	Martin
	2100	52	Martin
	2200	51	Zepeda
	2300	51	Zepeda
	2400	50	Zepeda

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-23-24	0100	62	ZEPEDA
	0200	62	ZEPEDA
	0300	62	ZEPEDA
	0400	66	ZEPEDA
	0500	65	ZEPEDA
	0600	65	[illegible]
	0700	65	[illegible]
	0800	68	[illegible]
	0900	70	Martin
	1000	70	Martin
	1100	76	Martin
	1200	84	Martin
	1300	84	Martin
	1400	80	RUPP
	1500	80	RUPP
	1600	79	RUPP
	1700	78	RUPP
	1800	76	RUPP
	1900	74	RUPP
	2000	71	RUPP
	2100	71	RUPP
	2200	71	ZEPEDA
	2300	71	ZEPEDA
	2400	70	ZEPEDA

Date	Time	Temp.	Printed Name
10-24-24	0100	71	ZEPEDA
	0200	71	ZEPEDA
	0300	71	ZEPEDA
	0400	70	ZEPEDA
	0500	71	ZEPEDA
	0600	71	ZEPEDA.
	0700	68	Martin
	0800	68	Martin
	0900	68	Martin
	1000	70	Martin
	1100	76	Martin
	1200	79	Martin
	1300	82	RUPP
	1400	81	RUPP
	1500	80	RUPP
	1600	78	RUPP
	1700	70	RUPP
	1800	67	RUPP
	1900	63	RUPP
	2000	60	RUPP
	2100	58	RUPP
	2200	51	Hernandez
	2300	51	Hernandez
	2400	50	ZEPEDA, J

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CML

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 7704 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/25/24	0100	50	Zepeda
	0200	50	Zepeda
	0300	50	Zepeda
	0400	50	Zepeda
	0500	49	Zepeda
	0600	49	Zepeda
	0700	47	Martin
	0800	51	Martin
	0900	54	Martin
	1000	63	Martin
	1100	69	Martin
	1200	71	Martin
	1300	73	Martin
	1400	72	Dominguez
	1500	71	Dominguez
	1600	70	Dominguez
	1700	67	Dominguez
	1800	62	Dominguez
	1900	60	Dominguez
	2000	58	Dominguez
	2100	55	Dominguez
	2200	52	Zepeda
	2300	52	Zepeda
	2400	51	Zepeda

Date	Time	Temp.	Printed Name
11/26/24	0100	49	Zepeda
	0200	50	Zepeda
	0300	49	Zepeda
	0400	49	Zepeda
	0500	49	Zepeda
	0600	49	Zepeda
	0700	49	C. Price
	0800	52	C. Price
	0900	54	C. Price
	1000	68	C. Price
	1100	73	C. Price
	1200	75	C. Price
	1300	75	C. Price
	1400	72	Dominguez
	1500	71	Dominguez
	1600	70	Dominguez
	1700	68	Dominguez
	1800	65	Dominguez
	1900	63	Dominguez
	2000	57	Dominguez
	2100	54	Dominguez
	2200	52	ZEPEDA
	2300	52	ZEPEDA
	2400	52	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Watch Office

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-27-24	0100	52	ZEPEDA
	0200	52	ZEPEDA
	0300	52	ZEPEDA
	0400	52	ZEPEDA
	0500	52	ZEPEDA
	0600	55	DelaTorre
	0700	59	DelaTorre
	0800	62	DelaTorre
	0900	65	DelaTorre
	1000	69	DelaTorre
	1100	70	DelaTorre
	1200	70	DelaTorre
	1300	70	DelaTorre
	1400	76	Dominguez
	1500	74	Dominguez
	1600	71	Dominguez
	1700	67	Dominguez
	1800	62	Dominguez
	1900	60	Dominguez
	2000	58	Dominguez
	2100	56	Dominguez
	2200	54	Dominguez
	2300	54	AGUAYO
	2400	54	AGUAYO

Date	Time	Temp.	Printed Name
10-28-24	0100	54	AGUAYO
	0200	52	AGUAYO
	0300	52	AGUAYO
	0400	52	AGUAYO
	0500	52	AGUAYO
	0600	51	DelaTorre
	0700	51	DelaTorre
	0800	51	DelaTorre
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Watch Office

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-27-24	0100	52	ZEPEDA
	0200	52	ZEPEDA
	0300	52	ZEPEDA
	0400	52	ZEPEDA
	0500	52	ZEPEDA
	0600	55	DelaTorre
	0700	59	DelaTorre
	0800	62	DelaTorre
	0900	65	DelaTorre
	1000	69	DelaTorre
	1100	70	DelaTorre
	1200	70	DelaTorre
	1300	70	DelaTorre
	1400	76	Dominguez
	1500	74	Dominguez
	1600	71	Dominguez
	1700	67	Dominguez
	1800	62	Dominguez
	1900	60	Dominguez
	2000	58	Dominguez
	2100	56	Dominguez
	2200	54	Dominguez
	2300	54	AGUAYO
	2400	54	AGUAYO

Date	Time	Temp.	Printed Name
10-28-24	0100	54	AGUAYO
	0200	52	AGUAYO
	0300	52	AGUAYO
	0400	52	AGUAYO
	0500	52	AGUAYO
	0600	51	DelaTorre
	0700	51	DelaTorre
	0800	51	DelaTorre
	0900	52	BYRNE
	1000	55	DelaTorre
	1100	59	DelaTorre
	1200	60	DelaTorre
	1300	63	DelaTorre
	1400	63	Dominguez
	1500	61	Dominguez
	1600	58	Dominguez
	1700	54	HUERTA
	1800	52	HUERTA
	1900	52	HUERTA
	2000	52	HUERTA
	2100	47	ZEPEDA
	2200	47	Zepeda
	2300	47	Zepeda
	2400	46	Zepeda

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-29-24	0100	43	Zebea
	0200	43	Zebea
	0300	43	Zebea
	0400	42	Zebea
	0500	42	Zebea
	0600	42	Zebea
	0700	42	Martin
	0800	48	Martin
	0900	53	Martin
	1000	53	Martin
	1100	58	Martin
	1200	60	Martin
	1300	63	Martin
	1400	60	Dominguez
	1500	60	Martin
	1600	59	Martin
	1700	58	Martin
	1800	57	Martin
	1900	53	Martin
	2000	51	Martin
	2100	49	Martin
	2200	49	Dominguez
	2300	49	Zebea
	2400	49	Dominguez

Date	Time	Temp.	Printed Name
10-30-24	0100	49	Dominguez
	0200	49	Dominguez
	0300	49	Dominguez
	0400	47	Zebea
	0500	47	Aguayo
	0600	47	Martin
	0700	49	Martin
	0800	50	Martin
	0900	52	Martin
	1000	55	Martin
	1100	60	Martin
	1200	62	Martin
	1300	63	Gilman
	1400	63	Gilman
	1500	60	Rupp
	1600	57	Rupp
	1700	55	Rupp
	1800	52	Rupp
	1900	52	Rupp
	2000	50	Rupp
	2100	45	Zebea
	2200	45	Zebea
	2300	45	Zebea
	2400	44	Zebea

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Watch Office

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-31-24	0100	42	Zeber
	0200	42	Zeber
	0300	41	Hernandez
	0400	41	Hernandez
	0500	41	Hernandez
	0600	41	Zeber
	0700	44	Martin
	0800	44	Martin
	0900	48	Martin
	1000	49	Martin
	1100	56	Martin
	1200	63	Martin
	1300	65	Martin
	1400	58	Martin
	1500	58	Rupp
	1600	56	Rupp
	1700	56	Rupp
	1800	56	Rupp
	1900	55	Rupp
	2000	55	Rupp
	2100	55	Rupp
	2200	54	Zeber
	2300	54	Zeber
	2400	54	Zeber

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Library D120 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		N/A
	0600		
	0900	78	H. Song
	1200	78	H. Song
	1500	78	H. Song
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		N/A
	0600		
	0900	76	H. Song
	1200	78	H. Song
	1500	78	H. Song
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		N/A
	0600		
	0900	78	H. Song
	1200	76	H. Song
	1500	76	H. Song
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600		
	0900	72	H. Song
	1200	74	H. Song
	1500	74	H. Song
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		N/A
	0600		
	0900	72	H. Song
	1200	74	H. Song
	1500	76	H. Song
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-E Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		N/A
	0600		
	0900	72°	Loayza
	1200	74	Loayza
	1500	80	Loayza
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		N/A
	0600		
	0900	74°	Loayza
	1200	75°	Loayza
	1500	76°	Loayza
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		N/A
	0600		
	0900	76°	Loayza
	1200	77°	Loayza
	1500	73°	Loayza
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600		
	0900	75°	Loayza
	1200	72°	Loayza
	1500	74°	Loayza
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		N/A
	0600		
	0900	72°	Loayza
	1200	73°	Loayza
	1500	74°	Loayza
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-135 EDU. OFFICE Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		N/A
	0600		
	0900	80.5	Thompson
	1200	82.0	Thompson
	1500	81.8	Thompson
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		N/A
	0600		
	0900	77.6	Thompson
	1200	81.1	Thompson
	1500	80.3	Thompson
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		N/A
	0600		
	0900	73.4	Thompson
	1200	75.7	Thompson
	1500	76.1	Thompson
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600		
	0900	74.8	Thompson
	1200	76.4	Thompson
	1500	81.2	Thompson
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		N/A
	0600		
	0900	76.2	Thompson
	1200	76.5	Thompson
	1500	78.2	Thompson
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Z-109 Temp. Reading Location: Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900	NO I/P CONTACT	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED, NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 TO 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 2-221 Temp. Reading Location: Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F Temp. Reading Location: Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-106 Temp. Reading Location: _____ Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900	NO I/P CONTACT	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DocuSigned by:
Paul Lopez
E66553C351B24AB...

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-East Housing Unit: Gym Temp. Reading Location: Gym–102H
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300		
	0600		
	0900		P. Lopez
			P. Lopez
			P. Lopez
	2100		
	2400		

NO INMATE CONTACT!

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Q113A Temp. Reading Location: D yard
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07	0300		N/A
	0600		
	0900	76	SCIOCCHETTI/
	1200	78	SCIOCCHETTI/
	1500	78	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/08	0300		N/A
	0600		
	0900	73	SCIOCCHETTI/
	1200	76	SCIOCCHETTI/
	1500	76	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/09	0300		N/A
	0600		
	0900	73	SCIOCCHETTI/
	1200	74	SCIOCCHETTI/
	1500	75	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600		
	0900	72	SCIOCCHETTI/
	1200	73	SCIOCCHETTI/
	1500	73	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		N/A
	0600		
	0900	72	SCIOCCHETTI/
	1200	73	SCIOCCHETTI/
	1500	74	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

Docusign Envelope ID: 2FD03BE8-ABC7-4529-82F8-2E2382C3DA15

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J. Fogo 10/7/2024
	1200	71	J. Fogo
	1500	75	J. Fogo
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J. Fogo 10/8/2024
	1200	74	J. Fogo
	1500	77	J. Fogo
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	J. Fogo 10/9/2024
	1200	73	J. Fogo
	1500	78	J. Fogo
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J. Fogo 10/10/2024
	1200	72	J. Fogo
	1500	76	J. Fogo
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	J. Fogo 10/11/2024
	1200	69	J. Fogo
	1500	76	J. Fogo
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 TO 10/13/2024

Docusign Envelope ID: 5B4F3743-03CE-4D66-B778-419B5151D59F

STATE OF CALIFORNIA
REHABILITATION

DEPARTMENT OF CORRECTIONS AND

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B102 Temp. Reading Location: B Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07	0300		N/A
	0600		
	0900	77	ROCHA
	1200	81	ROCHA
	1500	85	ROCHA
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/08	0300		N/A
	0600		
	0900	73	ROCHA
	1200	79	ROCHA
	1500	79	ROCHA
	1800		
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
10/09	0300		N/A
	0600		
	0900	74	ROCHA
	1200	no school	ROCHA
	1500	no school	ROCHA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600		
	0900	71	ROCHA
	1200	75	ROCHA
	1500	77	ROCHA
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		N/A
	0600		
	0900	75	ROCHA
	1200	75	ROCHA
	1500	75	ROCHA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

Docusign Envelope ID: 11318EFF-0BD9-45AC-8618-2A798463E739

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor Temp. Reading Location: East Education – HSD/GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	76	COLE
	1200	78	COLE
	1500	82	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	75	COLE
	1200	80	COLE
	1500	83	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	77	COLE
	1200	79	COLE
	1500	82	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	80	COLE
	1200	84	COLE
	1500	85	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	80	COLE
	1200	82	COLE
	1500	83	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:
Caleb Cole
4B90D3E70CC24EC

10/7/2024 to 10/13/2024

Docusign Envelope ID: 4511B24D-C77D-4F13-B534-CC112D61CB01

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07 2024	0300		N/A
	0600		
	0900	77deg	V.VERA
	1200	79deg	V.VERA
	1500	80deg	V.VERA
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/08 2024	0300		N/A
	0600		
	0900	77deg	V.Vera
	1200	79deg	V.Vera
	1500	80 deg	V.VERA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/09 2024	0300		N/A
	0600		
	0900	76deg	V.VERA
	1200	79deg	V.VERA
	1500	78deg	V.VERA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10 2024	0300		N/A
	0600		
	0900	73deg	V.VERA
	1200	74deg	V.VERA
	1500	75deg	V.VERA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11 2024	0300		N/A
	0600		
	0900	73deg	V.VERA
	1200	74deg	V.VERA
	1500	75deg	V.VERA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Z-234 Temp. Reading Location: CLASSROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4792 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300		N/A
	0600		
	0900	81	Ramirez Robert
	1200	85	Ramirez Robert
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300		N/A
	0600		
	0900	80	Ramirez Robert
	1200	85	Ramirez Robert
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300		N/A
	0600		
	0900	81	Ramirez Robert
	1200	84	Ramirez Robert
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300		N/A
	0600		
	0900	82	Ramirez Robert
	1200	85	Ramirez Robert
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300		N/A
	0600		
	0900	83	Ramirez Robert
	1200	86	Ramirez Robert
	1500		
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD Sandra Warnock
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-211 CRT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7 2024	0300		N/A
	0600		
	0900	73°	S. Warnock
	1200	78°	S. Warnock
	1500	79°	S. W
	1800		
	2100		N/A
	2400		

Tuesday 10/8

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	S. Warnock
	1200	73	
	1500	74	
	1800		N/A
	2100		
	2400		

Wednesday 10/9

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	S. Warnock
	1200	74	S. Warnock
	1500	74	"
	1800		
	2100		N/A
	2400		

Thursday 10/10

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		NO LOG
	1800		
	2100		
	2400		

Friday 10/11

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		OFF
	1800		
	2100		
	2400		

Saturday 10/12

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10/13

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		N/A
	0600		
	0900	76	S. MOORE/C. BERRY
	1200	84	S. MOORE/C. BERRY
	1500	84	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		N/A
	0600		
	0900	71	S. MOORE/C. BERRY
	1200	81	S. MOORE/C. BERRY
	1500	83	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	78	S. MOORE/C. BERRY
	1500	81	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	76	S. MOORE/C. BERRY
	1500	80	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900	103.00	S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 TO 10/13/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A-158 Temp. Reading Location: _____
(e.g. 1st tier 2nd tier 3rd tier etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/7	0900	76°	R. Lopez
	1200	78°	R. Lopez
	1500	81°	R. Lopez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/8	0900	79°	R. Lopez
	1200	79°	R. Lopez
	1500	79°	R. Lopez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/9	0900	72°	R. Lopez
	1200	74°	R. Lopez
	1500	76°	R. Lopez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/10	0900	72°	R. Lopez
	1200	74°	R. Lopez
	1500	76°	R. Lopez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
10/11	0900	NA	R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RDO	
10/12	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RDO	
10/13	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	Union Steward	Friend
	1200	Training in	Friend
	1500	Sacramento	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	Union Steward	Friend
	1200	Training in	Friend
	1500	Sacramento	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	Union Steward	Friend
	1200	Training in	Friend
	1500	Sacramento	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	XXX	XX X
	0600	XXX	XX X
	0900	Union Steward	Friend
	1200	Training in	Friend
	1500	Sacramento	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	Union Steward	Friend
	1200	Training in	Friend
	1500	Sacramento	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4711

DISTRIBUTION: Original: Institution Heat Plan Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom D-104 Temp. Reading Location: Teacher's Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300		N/A
	0600		
	0900	78	Todd
	1200	82	Todd
	1500	82	Todd
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300		N/A
	0600		
	0900	78	Todd
	1200	82	Todd
	1500	82	Todd
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		N/A
	0600		
	0900	74	Todd
	1200	75	Todd
	1500	77	Todd
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600		
	0900	77	Todd
	1200	78	Todd
	1500	82	Todd
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		N/A
	0600		
	0900	72	Todd
	1200	73	Todd
	1500	74	Todd
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.8	Zelenski/Diederich/Puett
	1200	79.7	Zelenski/Diederich/Puett
	1500	80.8	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.7	Zelenski/Diederich/Puett
	1200	77.1	Zelenski/Diederich/Puett
	1500	78.3	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68.7	Zelenski/Diederich/Puett
	1200		Zelenski/Diederich/Puett
Meeting	1500		Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/10/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	69.0	Zelenski/Diederich/Puett
	1200	75.4	Zelenski/Diederich/Puett
	1500	78.6	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68.8	Zelenski/Diederich/Puett
	1200	72.8	Zelenski/Diederich/Puett
	1500	73.1	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski,/Diederich/Puett, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education HG Temp. Reading Location: Gym Corridor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-7-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73°	D. JACOBER
	1200	78°	D. JACOBER
	1500	81°	D. JACOBER
	1800		
	2100		N/A
	2400		

Tuesday 10-8-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73°	D. JACOBER
	1200	75°	D. JACOBER
	1500	78°	D. JACOBER
	1800		
	2100		N/A
	2400		

Wednesday 10-9-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	D. JACOBER
	1200	72°	D. JACOBER
	1500	78°	D. JACOBER
	1800		
	2100		N/A
	2400		

Thursday 10-10-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71°	D. JACOBER
	1200	75°	D. JACOBER
	1500	78°	D. JACOBER
	1800		
	2100		N/A
	2400		

Friday 10-11-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	D. JACOBER
	1200	72°	D. JACOBER
	1500	76	D. JACOBER
	1800		
	2100		N/A
	2400		

Saturday 10-12-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10-13-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-229, Testing Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300		
	0600		
	0900		No contact
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		
	0600		
	0900	75	MATHES
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		
	0600		
	0900		No contact
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		
	0600		
	0900		
	1200	78	MATHES
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900		No contact
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69.8	Zelenski/Diederich/Puett
	1200	72.2	Zelenski/Diederich/Puett
	1500	71.7	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	64.2	Zelenski/Diederich/Puett
	1200	69.3	Zelenski/Diederich/Puett
	1500	74.2	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	65.8	Zelenski/Diederich/Puett
	1200	72.1	Zelenski/Diederich/Puett
	1500	75.7	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/17/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	65.7	Zelenski/Diederich/Puett
	1200	69.5	Zelenski/Diederich/Puett
	1500	69.7	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		Zelenski/Diederich/Puett
	1200		Zelenski/Diederich/Puett
	1500		Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

No students

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski./Diederich/Puett, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-135 EDU. OFFICE Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		N/A
	0600		
	0900	76.1	Thompson
	1200	76.8	Thompson
	1500	73.7	Thompson
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300		N/A
	0600		
	0900	74.8	Thompson
	1200	75.2	Thompson
	1500	75.8	Thompson
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		N/A
	0600		
	0900	75.2	Thompson
	1200	77	Thompson
	1500	75.5	Thompson
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		N/A
	0600		
	0900	73.1	Thompson
	1200	72.6	Thompson
	1500	71.1	Thompson
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		N/A
	0600		
	0900	73.3	E. Boaz
	1200	75	E. Boaz
	1500	75.7	E. Boaz
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 2-234 Temp. Reading Location: Classroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4792 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300		N/A
	0600		
	0900	75	Ramirez Robert
	1200	77	Ramirez Robert
	1500		
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300		N/A
	0600		
	0900	75	Ramirez Robert
	1200	76	Ramirez Robert
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300		N/A
	0600		
	0900	76	Ramirez Robert
	1200	77	Ramirez Robert
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300		N/A
	0600		
	0900	75	Ramirez Robert
	1200	77	Ramirez Robert
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300		NO CLAY
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A-158 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		N/A
	0600		
	0900	71°	R. Lopez
	1200	72°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300		N/A
	0600		
	0900	72°	R. Lopez
	1200	74°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		N/A
	0600		
	0900	72°	R. Lopez
	1200	74°	R. Lopez
	1500	NO TEMP	R. Lopez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		N/A
	0600		
	0900	71°	R. Lopez
	1200	72°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		N/A
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: Gym Corridor HG
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-14-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69.	D. JACOBER
	1200	71°	D. JACOBER
	1500	75°	D. JACOBER
	1800		N/A
	2100		
	2400		

Tuesday 10-15-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	D. JACOBER
	1200	71°	D. JACOBER
	1500	75°	D. JACOBER
	1800		N/A
	2100		
	2400		

Wednesday 10-16-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	D. JACOBER
	1200	73°	D. JACOBER
	1500	76°	D. JACOBER
	1800		N/A
	2100		
	2400		

Thursday 10-17-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	D. JACOBER
	1200	71°	D. JACOBER
	1500	73°	D. JACOBER
	1800		N/A
	2100		
	2400		

Friday 10-18-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	D. JACOBER
	1200	70°	D. JACOBER
	1500	73°	D. JACOBER
	1800		N/A
	2100		
	2400		

Saturday 10-19-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10-20-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-5 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/14	0900	70°	Loayza
	1200	71°	Loayza
	1500	72°	Loayza
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/15	0900	70°	Loayza
	1200	72°	Loayza
	1500	72	Loayza
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/16	0900	70°	Loayza
	1200	72°	Loayza
	1500	72	Loayza
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/17	0900	70	Loayza
	1200	70°	Loayza
	1500	70°	Loayza
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/18	0900	70°	Loayza
	1200	72°	Loayza
	1500	72°	Loayza
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
10/19	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
10/20	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

METROGEN ABE 2

~~DELGADILLO, K ABE-3~~

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature must be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: ~~K-Gym Corridor~~ D106 Temp. Reading Location: East Education (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	/	METROGEN
	0600		
	0900		
	1200		NO CONTACT
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	/	METROGEN
	0600		
	0900	76	
	1200	80	
	1500	80	
	1800		
	2100	/	
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	/	METROGEN
	0600		
	0900	74	
	1200	76	
	1500	—	NO CONTACT
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	/	METROGEN
	0600		
	0900	70°	
	1200	74	
	1500	74	
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	/	METROGEN
	0600		
	0900	70	
	1200	72	
	1500	72	
	1800		
	2100	/	
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

~~K. Delgadillo, ABE 3 Instructor~~

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/24	0300		
	0600		
	0900	Closed	S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/25	0300		N/A
	0600		
	0900	70	S. MOORE/C. BERRY
	1200	74	S. MOORE/C. BERRY
	1500	76	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	76	S. MOORE/C. BERRY
	1500	—	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		N/A
	0600		
	0900	72	S. MOORE/C. BERRY
	1200	74	S. MOORE/C. BERRY
	1500	76	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		N/A
	0600		
	0900	70	S. MOORE/C. BERRY
	1200	72	S. MOORE/C. BERRY
	1500	74	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

OCT 14 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-East Housing Unit: Gym Temp. Reading Location: Gym–102H
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

No Inmate Contact!

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1500		
	1800		
	2100		
	2400		

Notes

October 14-18, 2024

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Library D120 Temp. Reading Location: H. Song
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		N/A
	0600		
	0900	72	SM
	1200	72	SM
	1500	72	SM
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300		N/A
	0600		
	0900	74	H. Song
	1200	74	H. Song
	1500	74	H. Song
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		N/A
	0600		
	0900	70	H. Song
	1200	70	H. Song
	1500	70	H. Song
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		N/A
	0600		
	0900	78	H. Song
	1200	76	H. Song
	1500	76	H. Song
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		N/A
	0600		
	0900	70	H. Song
	1200	70	H. Song
	1500	72	H. Song
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD Sandra Warnock
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-211 CRT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14 2024	0300		N/A
	0600		
	0900	63	S. Warnock
	1200	68	
	1500	69	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/15 2024	0300		N/A
	0600		
	0900	65	S. Warnock
	1200	67	
	1500	72	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16 2024	0300		N/A
	0600		
	0900	61	S. Warnock
	1200	65	
	1500	70	
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		N/A
	0600		
	0900	69	S. Warnock
	1200	70	
	1500	70	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18 2024	0300		N/A
	0600		
	0900	64	S. Warnock
	1200	66	
	1500	71	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - East Housing Unit: B-125/Medical Corridor Temp. Reading Location: ABE 3 Classroom B-125
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension * 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10 14 24

Date	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	71	Mark Kirstein
	1500	72	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Tuesday 10 15 24

Dat	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	71	Mark Kirstein
	1500	73	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	71	Mark Kirstein
	1500	72	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	71	Mark Kirstein
	1500	73	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	71	Mark Kirstein
	1200	70	Mark Kirstein
	1500	72	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	RDO	
	1200		
	1500		
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	RDO	
	1200		
	1500		
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D 104 Temp. Reading Location: Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300		
	0600		
	0900	73	Todd
	1200	74	Todd
	1500	76	Todd
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	Sick	
	0600		
	0900		
	1200	No	
	1500		contact
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		
	0600		
	0900	72	Todd
	1200	74	Todd
	1500	77	Todd
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		
	0600		
	0900	71	Todd
	1200	73	Todd
	1500	75	Todd
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		
	0600		
	0900	70	Todd
	1200	74	Todd
	1500	76	Todd
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	No	
	1500		contact
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	No	
	1500		contact
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO Contact	Friend
	1200		Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO Contact	Friend
	1200		Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO Contact	Friend
	1200		Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	XXX	XX X
	0600	XXX	XX X
	0900	70.3	Friend
	1200	75.0	Friend
	1500	74.3	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO Contact	Friend
	1200		Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4711

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-229, Testing Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		
	0600		
	0900		No contact
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300		
	0600		
	0900	79	MATHIS
	1200	77	MATHIS
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		
	0600		
	0900		No Test
	1200		
	1500		for
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		
	0600		
	0900		
	1200	76	MATHIS
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		
	0600		
	0900		No contact
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 2-221 Temp. Reading Location: Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F Temp. Reading Location: _____ Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

Docusign Envelope ID: A2B875C0-21C0-41B4-BD07-7253627C93CC

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67	J. Fogo 10/14/2024
	1200	70	J. Fogo
	1500	71	J. Fogo
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 10/15/2024
	1200	70	J. Fogo
	1500	72	J. Fogo
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 10/16/2024
	1200	70	J. Fogo
	1500	71	J. Fogo
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 10/17/2024
	1200	70	J. Fogo
	1500	70	J. Fogo
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	J. Fogo 10/18/2024
	1200	69	J. Fogo
	1500	71	J. Fogo
	1800		
	2100		N/A
	2400		

Saturday 10/19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10/20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

Docusign Envelope ID: 9DD14AF2-156E-4AA4-84A1-68BBC8298A58

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Q113A Temp. Reading Location: D yard

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		
	0600		
	0900	70	SCIOCCHETTI/
	1200	71	SCIOCCHETTI/
	1500	71	SCIOCCHETTI/
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300		
	0600		
	0900	70	SCIOCCHETTI/
	1200	71	SCIOCCHETTI/
	1500	71	SCIOCCHETTI/
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		
	0600		
	0900	69	SCIOCCHETTI/
	1200	70	SCIOCCHETTI/
	1500	71	SCIOCCHETTI/
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		
	0600		
	0900	70	SCIOCCHETTI/
	1200	70	SCIOCCHETTI/
	1500	71	SCIOCCHETTI/
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		
	0600		
	0900	68	SCIOCCHETTI/
	1200	70	SCIOCCHETTI/
	1500	72	SCIOCCHETTI/
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Bldg. Z-109
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10-15-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

Z-109 East Education Voc. Masonry
Ron Shoffeitt

No Inmate Contact

DocuSigned by:
Ron Shoffeitt
A6B41175556F456

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

Docusign Envelope ID: FE92BA28-2EBF-4D29-AA97-F88559328BBC

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14 2024	0300		
	0600		
	0900		V.VERA
	1200		V.VERA
	1500		V.VERA
	1800		
	2100		
	2400		

NO CONTACT

Tuesday

Dat	Time	Temp.	Name (Print)
10/15 2024	0300		
	0600		
	0900		V.Vera
	1200		V.Vera
	1500		V.VERA
	1800		
	2100		
	2400		

NO CONTACT

Wednesday

Date	Time	Temp.	Name (Print)
10/16 2024	0300		N/A
	0600		
	0900	73deg	V.VERA
	1200	74deg	V.VERA
	1500	74deg	V.VERA
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17 2024	0300		N/A
	0600		
	0900	73deg	V.VERA
	1200	74deg	V.VERA
	1500	74deg	V.VERA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18 2024	0300		N/A
	0600		
	0900	73deg	V.VERA
	1200	74deg	V.VERA
	1500	74deg	V.VERA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

Docusign Envelope ID: 1AE71BBD-8073-4736-B35A-4A73677DA5B2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor Temp. Reading Location: East Education – HSD/GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	74	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73	COLE
	1200	74	COLE
	1500	75	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72	COLE
	1200	75	COLE
	1500	76	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	74	COLE
	1500	75	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	72	COLE
	1500	73	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:
Caleb Cole
4B80D3670CC24EC...

OCT 14 2024
Docusign Envelope ID: 7F580967-5B2C-4DB6-922B-0EDD8B7C65C4

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B102 Temp. Reading Location: B Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		
	0600		
	0900	77	ROCHA
	1200	81	ROCHA
	1500	85	ROCHA
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300		
	0600		
	0900	73	ROCHA
	1200	74	ROCHA
	1500	74	ROCHA
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		
	0600		
	0900	74	ROCHA
	1200	no school	ROCHA
	1500	no school	ROCHA
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		
	0600		
	0900	71	ROCHA
	1200	75	ROCHA
	1500	77	ROCHA
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		
	0600		
	0900	75	ROCHA
	1200	75	ROCHA
	1500	75	ROCHA
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

_____
_____
_____
_____
_____
_____
_____
_____
_____

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No	Friend
	1200	Contact	Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71.8	Friend
	1200	76.5	Friend
	1500	76.9	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.5	Friend
	1200	77.0	Friend
	1500	77.5	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	XXX	XX X
	0600	XXX	XX X
	0900	No	Friend
	1200	Contact	Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71.9	Friend
	1200	76.7	Friend
	1500	no contact	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4711

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F Temp. Reading Location: _____ Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 2-221 Temp. Reading Location: Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 2-109 Temp. Reading Location: Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor

Temp. Reading Location: East Education – HSD/GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	74	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73	COLE
	1200	74	COLE
	1500	75	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72	COLE
	1200	75	COLE
	1500	79	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	74	COLE
	1500	78	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	72	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Cole GED/ HSD Instructor Ext. 4861

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	S. MOORE/C. BERRY
10/21	1200	72	S. MOORE/C. BERRY
	1500	74	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	Closed	S. MOORE/C. BERRY
	1200	74	S. MOORE/C. BERRY
10/22	1500	73	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	S. MOORE/C. BERRY
	1200	72	S. MOORE/C. BERRY
10/23	1500	76	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
10/24	1500	Closed	S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
10/25	1200	76	S. MOORE/C. BERRY
	1500	Closed	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
10/26	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
10/27	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

METROGEN ABE2
~~DELGADILLO, K - ABE-3~~

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: ~~[illegible]~~ 17106 Temp Reading Location: East Education (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	/	METROGEN
	0600		
	0900	70	
	1200	72	
	1500	72	
	1800	/	
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	/	METROGEN
	0600		
	0900	68	
	1200	70	
	1500	72	
	1800		
	2100	/	
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	/	METROGEN
	0600		
	0900	74	
	1200	80	
	1500	80	
	1800	/	
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	/	METROGEN
	0600		
	0900		
	1200	No CONTACT	
	1500		
	1800	/	
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	/	METROGEN
	0600		
	0900		
	1200	No CONTACT	
	1500		
	1800		
	2100	/	
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

~~K. Delgadillo, ABE-3 thermometer~~

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-229, Testing Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		
	0600		
	0900		
	1200		no contact
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300		
	0600		
	0900		
	1200		no contact
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		
	0600		
	0900		
	1200		no contact
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		
	0600		
	0900		
	1200		no contact
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		
	0600		
	0900		
	1200		no contact
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Z-234 Temp. Reading Location: Classroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4792 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300		N/A
	0600		
	0900	75	Ramirez Robert
	1200	78	Ramirez Robert
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300		N/A
	0600		
	0900	76	Ramirez Robert
	1200	79	Ramirez Robert
	1500		
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300		
	0600		
	0900	NO CLASS	
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300		
	0600		
	0900		
	1200	NO CLASS	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300		N/A
	0600		
	0900	85	Ramirez Robert
	1200	88.	A. J. Fuces
	1500		
	1800		
	2100		N/A
	2400		

Saturday 10/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Q113A Temp. Reading Location: D yard

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		N/A
	0600		
	0900	70	SCIOCCHETTI/
	1200	72	SCIOCCHETTI/
	1500	72	SCIOCCHETTI/
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300		N/A
	0600		
	0900	70	SCIOCCHETTI/
	1200	72	SCIOCCHETTI/
	1500	73	SCIOCCHETTI/
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600		
	0900	70	SCIOCCHETTI/
	1200	73	SCIOCCHETTI/
	1500	76	SCIOCCHETTI/
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		N/A
	0600		
	0900	74	SCIOCCHETTI/
	1200	76	SCIOCCHETTI/
	1500	NO CONTACT	SCIOCCHETTI/
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		N/A
	0600		
	0900	72	SCIOCCHETTI/
	1200	74	SCIOCCHETTI/
	1500	74	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Saturday 10/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

Docusign Envelope ID: 85311325-3EA3-419B-9D7A-09361E371970

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B102 Temp. Reading Location: B Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		N/A
	0600		
	0900	77	ROCHA
	1200	81	ROCHA
	1500	85	ROCHA
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300		N/A
	0600		
	0900	73	ROCHA
	1200	74	ROCHA
	1500	74	ROCHA
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600		
	0900	74	ROCHA
	1200	no school	ROCHA
	1500	no school	ROCHA
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		N/A
	0600		
	0900	71	ROCHA
	1200	75	ROCHA
	1500	77	ROCHA
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		N/A
	0600		
	0900	75	ROCHA
	1200	75	ROCHA
	1500	75	ROCHA
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

Docusign Envelope ID: 917CE37C-ACD8-4DEF-9664-B030D9D18123

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21 2024	0300		N/A
	0600		
	0900	76deg	V.VERA
	1200	77deg	V.VERA
	1500	78deg	V.VERA
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22 2024	0300		
	0600		
	0900		V.Vera
	1200	NO CONTACT	V.Vera
	1500		V.VERA
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23 2024	0300		N/A
	0600		
	0900	76deg	V.VERA
	1200	77deg	V.VERA
	1500	78deg	V.VERA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24 2024	0300		N/A
	0600		
	0900	76deg	V.VERA
	1200	76deg	V.VERA
	1500	78deg	V.VERA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25 2024	0300		N/A
	0600		
	0900	76deg	V.VERA
	1200	76deg	V.VERA
	1500	78deg	V.VERA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

Docusign Envelope ID: E87AF445-63AC-4448-A648-B2C9AADDBBA7

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67	J. Fogo 10/21/2024
	1200	70	J. Fogo
	1500	72	J. Fogo
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67	J. Fogo 10/22/2024
	1200	70	J. Fogo
	1500	73	J. Fogo
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66	J. Fogo 10/23/2024
	1200	70	J. Fogo
	1500	77	J. Fogo
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66	J. Fogo 10/24/2024
	1200	70	J. Fogo
	1500	73	J. Fogo
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67	J. Fogo 10/25/2024
	1200	69	J. Fogo
	1500	72	J. Fogo
	1800		N/A
	2100		
	2400		

Saturday 10/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday 10/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-135 EDU. OFFICE Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		N/A
	0600		
	0900	77	Thompson
	1200	78	E. Boaz
	1500	78.6	Thompson
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300		N/A
	0600		
	0900	76.1	E. Boaz
	1200	77.2	Thompson
	1500	76.6	Thompson
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600		
	0900	76.9	Thompson
	1200	80.5	Thompson
	1500	82.4	Thompson
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		N/A
	0600		
	0900	81.7	E. Boaz
	1200	82.2	E. Boaz
	1500	82.6	E. Boaz
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		N/A
	0600		
	0900	77.7	Thompson
	1200	80.4	Thompson
	1500	78.9	Thompson
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing~~ Unit: D-104 Temp. Reading Location: Deck
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300		N/A
	0600		
	0900	74	Todd
	1200	78	Todd
	1500	79	Todd
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300		N/A
	0600		
	0900	75	Todd
	1200	77	Todd
	1500	78	Todd
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600		
	0900	77	Todd
	1200	82	Todd
	1500	86	Todd
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		N/A
	0600		
	0900	80	Todd
	1200	88	Todd
	1500	90	Todd
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		N/A
	0600		
	0900	74	Todd
	1200	76	Todd
	1500	82	Todd
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	RDO	
	0600		
	0900		
	1200	No	Contact
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		
	1200		
	1500	No	Contact
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 21 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A-158 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		N/A
	0600		
	0900	71°	R. Lopez
	1200	74°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300		N/A
	0600		
	0900	74°	R. Lopez
	1200	74°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600		
	0900	72°	R. Lopez
	1200	76°	R. Lopez
	1500	75	R. Lopez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		N/A
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		N/A
	0600		
	0900	74°	R. Lopez
	1200	74°	R. Lopez
	1500	76°	R. Lopez
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		N/A
	0600		
	0900	70°	Loayza
	1200	70°	Loayza
	1500	70°	Loayza
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300		N/A
	0600		
	0900	70°	Loayza
	1200	70°	Loayza
	1500	70°	Loayza
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600		
	0900	70°	Loayza
	1200	70°	Loayza
	1500	74	Loayza
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		N/A
	0600		
	0900	70	Loayza
	1200	70°	Loayza
	1500	75°	Loayza
	1800		No Student Contact
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		N/A
	0600		
	0900	72°	Loayza
	1200	72°	Loayza
	1500	74°	Loayza
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 21 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: HC Gym Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-21-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	D. JACOBER
	1200	73°	D. JACOBER
	1500	75°	D. JACOBER
	1800		
	2100		N/A
	2400		

Tuesday 10-22-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		NO CLASS
	1200		
	1500		
	1800		
	2100		All day
	2400		

Wednesday 10-23-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	D. JACOBER
	1200	75°	D. JACOBER
	1500	80°	D. JACOBER
	1800		
	2100		N/A
	2400		

Thursday 10-24-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		No
	1200		
	1500		School
	1800		
	2100		
	2400		

Friday 10-25-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	D. JACOBER
	1200	73°	D. JACOBER
	1500	75	D. JACOBER
	1800		
	2100		N/A
	2400		

Saturday 10-26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10-27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.4	Zelenski/Diederich/Puett
	1200	74.2	Zelenski/Diederich/Puett
	1500	76.2	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.4	Zelenski/Diederich/Puett
	1200	76.8	Zelenski/Diederich/Puett
	1500	77.6	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.2	Zelenski/Diederich/Puett
	1200	79.3	Zelenski/Diederich/Puett
	1500	80.3	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/24/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.7	Zelenski/Diederich/Puett
	1200	77.9	Zelenski/Diederich/Puett
	1500	78.6	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	64.7	Zelenski/Diederich/Puett
	1200	74.0	Zelenski/Diederich/Puett
	1500	74.8	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski,/Diederich/Puett, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 21 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Library D120 Temp. Reading Location: Library (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		
	0600		
	0900	Library was closed	
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300		N/A
	0600		
	0900	74	
	1200	74	
	1500	74	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600		
	0900	76	
	1200	76	
	1500	76	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		
	0600		closed
	0900		(Graduation
	1200		ceremony)
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		N/A
	0600		
	0900	74	
	1200	76	
	1500	76	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD Sandra Warnock
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-211 CRT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/21

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 10/22

Dat	Time	Temp.	Name (Print)
10/22 2024	0300		N/A
	0600		
	0900	64	S. Warnock
	1200	71	
	1500	73	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600		
	0900	65	S. Warnock
	1200	74	
	1500	79	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		
	0600		
	0900	No class	
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		N/A
	0600		
	0900	65	S Warnock
	1200	72	
	1500	76	
	1800		
	2100		N/A
	2400		

Saturday 10/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 21 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-East Housing Unit: Gym Temp. Reading Location: Gym–102H
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

No Inmate Contact

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1500		
	1800		
	2100		
	2400		

Notes

October 21-25, 2024

D

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - East Housing Unit: B-125/Medical Corridor Temp. Reading Location: ABE 3 Classroom B-125
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension * 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 10 21 24

Date	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	71	Mark Kirstein
	1500	72	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Tuesday 10 22 24

Dat	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	71	Mark Kirstein
	1500	73	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Wednesday

Date	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
10/23	0900	72	Mark Kirstein
	1200	73	Mark Kirstein
	1500	75	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Thursday

Date	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
10/24	0900	No	Mark Kirstein
	1200		Mark Kirstein
	1500	I/P	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Friday

Date	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
10/25	0900	No	Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	I/P	XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Saturday

Date	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
10/26	0900	RDO	
	1200		
	1500		
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Sunday

Date	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
10/27	0900	RDO	
	1200		
	1500		
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: Gym Corridor HG
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-28-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69°	D. JACOBEN
	1200	70°	D. JACOBEN
	1500	72°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Tuesday 10-29-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66°	D. JACOBEN
	1200	69°	D. JACOBEN
	1500	68°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Wednesday 10-30-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65°	D. JACOBEN
	1200	69°	D. JACOBEN
	1500	72°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Thursday 10-31-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	63°	D. JACOBEN
	1200	68°	D. JACOBEN
	1500	69°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Friday 11-1-24

Date	Time	Temp.	Name (Print)
	0300		N/A Students
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: 2 2 3 4
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300		N/A
	0600		
	0900	58	ATHES
	1200	66	ATHES
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300		N/A
	0600		
	0900	56	ATHES
	1200	66	ATHES
	1500		
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300		N/A
	0600		
	0900		
	1200	67°	ATHES
	1500	67°	ATHES
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
Not Here 10/31/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
Not Here 11/1/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Library Temp. Reading Location: E. Library D-120-129
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		N/A
	0600		
	0900	70	[illegible]
	1200	72	[illegible]
	1500	72	[illegible]
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		N/A
	0600		
	0900	70	[illegible]
	1200	72	[illegible]
	1500	72	[illegible]
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		N/A
	0600		
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	[illegible]
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		N/A
	0600		
	0900	68	[illegible]
	1200	68	[illegible]
	1500	68	[illegible]
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-135 EDU. OFFICE Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		N/A
	0600		
	0900	73.7	Thompson
	1200	71.3	Thompson
	1500	72.2	Thompson
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		N/A
	0600		
	0900	73.3	Thompson
	1200	72.1	Thompson
	1500	71.1	Thompson
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		N/A
	0600		
	0900	72.4	Thompson
	1200	73	E. Boaz
	1500	73.5	E. Boaz
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		N/A
	0600		
	0900	72.2	Thompson
	1200	72.1	Thompson
	1500	70.3	Thompson
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.1	Friend
	1200	76.5	Friend
	1500	75.5	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69.4	Friend
	1200	74.5	Friend
	1500	75.1	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO CONTACT	Friend
	1200		Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	XXX	XX X
	0600	YYY	YY
	0900	RDO	
	1200		
	1500		
	1800		
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
11/1/2024	0300	XXX	XXX
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
11/2/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4711

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

METROGEN ABE2

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D106 Temp. Reading Location: East Education (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	/	METROGEN
	0600		
	0900	72	
	1200	74	
	1500	74	
	1800	/	
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	/	METROGEN
	0600		
	0900	70	
	1200	75	
	1500	75	
	1800		
	2100	/	
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	/	METROGEN
	0600		
	0900	70	
	1200	72	
	1500	70	
	1800	/	
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	/	METROGEN
	0600		
	0900		
	1200	NO CONTACT	
	1500		
	1800	/	
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/1	0300	/	METROGEN
	0600		
	0900		
	1200	NO CONTACT	
	1500		
	1800		
	2100	/	
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

~~K. Delgadillo, ABE 3 Instructor~~

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		N/A
	0600		
	0900	72	S. MOORE/C. BERRY
	1200	74	S. MOORE/C. BERRY
	1500	74	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		N/A
	0600		
	0900	73	S. MOORE/C. BERRY
	1200	73	S. MOORE/C. BERRY
	1500	74	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		N/A
	0600		
	0900	73	S. MOORE/C. BERRY
	1200	73	S. MOORE/C. BERRY
	1500	74	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		RDO
	0600		
	0900	[illegible]	S. MOORE/C. BERRY
	1200	[illegible]	S. MOORE/C. BERRY
	1500	[illegible]	S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD Sandra Warnock
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-211 CRT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300		N/A
	0600		
	0900	62	
	1200	66	
	1500	72	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		N/A
	0600		
	0900	63	S Warnock
	1200	69	
	1500	73	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		N/A
	0600		
	0900	63	Sandra Warnock
	1200	66	
	1500	72	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1 through October 31st the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A-156 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/28	0900	72°	R. Lopez
	1200	70°	R. Lopez
	1500	72°	R. Lopez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/29	0900	70°	R. Lopez
	1200	70°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
10/30	0900	71	R. Lopez
	1200	72°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	N/A	
	0600		
10/31	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 28 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit~~ Classroom: D-104 Temp. Reading Location: desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		N/A
	0600		
	0900	72°	W. Bacila
	1200	74°	W. Bacila
	1500	75°	W. Bacila
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300		N/A
	0600		
	0900	73°	W. Bacila
	1200	74°	W. Bacila
	1500	74°	W. Bacila
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		N/A
	0600		
	0900	70°	W. Bacila
	1200	71°	W. Bacila
	1500	73°	W. Bacila
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

10/30/2024

(for Todd)

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68.5	Zelenski/Diederich/Puett
	1200	68.3	Zelenski/Diederich/Puett
	1500	70.0	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69.4	Zelenski/Diederich/Puett
	1200	78.2	Zelenski/Diederich/Puett
	1500	67.5	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	64.7	Zelenski/Diederich/Puett
	1200	66.2	Zelenski/Diederich/Puett
	1500	No Students	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/31/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900		Zelenski/Diederich/Puett
No Students	1200		Zelenski/Diederich/Puett
	1500		Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
11/1/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		Zelenski/Diederich/Puett
No Students	1200		Zelenski/Diederich/Puett
	1500		Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
11/2/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski./Diederich/Puett, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - East Housing Unit: B-125/Medical Corridor Temp. Reading Location: ABE 3 Classroom B-125
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension * 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10 28 24

Date	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	71	Mark Kirstein
	1500	69	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Tuesday 10 29 24

Dat	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	71	Mark Kirstein
	1500	68	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	68	Mark Kirstein
	1500	69	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	No	Mark Kirstein
	1200		Mark Kirstein
	1500	I/P	Mark Kirstein
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Friday

Date	Time	Temp.	Name (Print)
11/1	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	No	Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	I/P	XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	RDO	
	1200		
	1500		
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900	RDO	
	1200		
	1500		
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-229, Testing Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300		
	0600		
	0900		
	1200		No Contact
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		
	0600		
	0900		
	1200	72	MATHIS
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		
	0600		
	0900		No Contact
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		
	0600		
	0900		No Contact
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/1	0300		
	0600		
	0900		
	1200		No Contact
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 28 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-6 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	Loayza
10/28	1200	70	Loayza
	1500	70	Loayza
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	Loayza
10/29	1200	69°	Loayza
	1500	70	Loayza
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	Loayza
10/30	1200	70°	Loayza
	1500	70°	Loayza
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	no	Loayza
10/31	1200	student	Loayza
	1500	contact	Loayza
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	no	Loayza
11/01	1200	student	Loayza
	1500	contact	Loayza
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

OCT 28 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-East Housing Unit: Gym Temp. Reading Location: Gym–102H
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300		
	0600		
	0900		P. Lopez
	1200		P. Lopez
	1500		P. Lopez
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1500		
	1800		
	2100		
	2400		

Notes

October 28 - Nov 1, 2024

Inmate Contacted

NO

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

Docusign Envelope ID: 4F184F3F-FFBF-41A8-B059-D3044AAB415E

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/28

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66	J. Fogo 10/28/2024
	1200	68	J. Fogo
	1500	70	J. Fogo
	1800		
	2100		N/A
	2400		

Tuesday 10/29

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 10/29/2024
	1200	67	J. Fogo
	1500	70	J. Fogo
	1800		N/A
	2100		
	2400		

Wednesday 10/30

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 10/30/2024
	1200	66	J. Fogo
	1500	68	J. Fogo
	1800		
	2100		N/A
	2400		

Thursday 10/31

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	No I/P	J. Fogo
	1200	Contact	J. Fogo
	1500		J. Fogo
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	No I/P	J. Fogo
	1200	Contact	J. Fogo
	1500		J. Fogo
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

Docusign Envelope ID: BB920869-25BB-420D-B24A-7E1305242F8B

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor Temp. Reading Location: East Education – HSD/GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	74	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	74	COLE
	1500	75	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68	COLE
	1200	75	COLE
	1500	76	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	RDO	COLE
	1200		COLE
	1500		COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
11/1/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	RDO	COLE
	1200		COLE
	1500		COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
11/2/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:
Caleb Cole
4B80D3E70CC24EC...

OCT 2 8 2024

Docusign Envelope ID: 9C35B337-8E40-4062-B3AA-29A839E8F45F

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Q113A Temp. Reading Location: D yard

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		N/A
	0600		
	0900	70	SCIOCCHETTI/
	1200	71	SCIOCCHETTI/
	1500	72	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300		N/A
	0600		
	0900	66	SCIOCCHETTI/
	1200	67	SCIOCCHETTI/
	1500	68	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		N/A
	0600		
	0900	68	SCIOCCHETTI/
	1200	68	SCIOCCHETTI/
	1500	68	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		N/A
	0600		
	0900	No Contact	SCIOCCHETTI/
	1200	No Contact	SCIOCCHETTI/
	1500	No Contact	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/01	0300		
	0600		
	0900	No Contact	SCIOCCHETTI/
	1200	No Contact	SCIOCCHETTI/
	1500	No Contact	SCIOCCHETTI/
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

Docusign Envelope ID: 7A9420DA-A0A2-4EA6-B4F6-F2F707B3709B

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28 2024	0300		N/A
	0600		
	0900	71deg	V.VERA
	1200	72deg	V.VERA
	1500	72deg	V.VERA
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29 2024	0300		N/A
	0600		
	0900	71deg	V.Vera
	1200	72deg	V.Vera
	1500	72deg	V.VERA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30 2024	0300		
	0600		
	0900		V.VERA
	1200		V.VERA
	1500		V.VERA
	1800		
	2100		
	2400		

NO CONTACT

Thursday

Date	Time	Temp.	Name (Print)
10/31 2024	0300		
	0600		
	0900		V.VERA
	1200		V.VERA
	1500		V.VERA
	1800		
	2100		
	2400		

RDO

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

Docusign Envelope ID: 5B4AA69C-41F2-4D80-B222-BFDEFAB9023E

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B102 Temp. Reading Location: B Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/28

Date	Time	Temp.	Name (Print)
10/28	0300		N/A
	0600		
	0900	70	ROCHA
	1200	71	ROCHA
	1500	71	ROCHA
	1800		
	2100		N/A
	2400		

Tuesday 10/29

Date	Time	Temp.	Name (Print)
10/29	0300		N/A
	0600		
	0900	70	ROCHA
	1200	70	ROCHA
	1500	72	ROCHA
	1800		
	2100		N/A
	2400		

Wednesday 10/30

Date	Time	Temp.	Name (Print)
10/30	0300		N/A
	0600		
	0900	68	ROCHA
	1200	70	ROCHA
	1500	72	ROCHA
	1800		
	2100		N/A
	2400		

Thursday 10/31

Date	Time	Temp.	Name (Print)
10/31	0300		
	0600		
	0900	No school	ROCHA
	1200	No school	ROCHA
	1500	No school	ROCHA
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/01	0300		
	0600		
	0900	No school	ROCHA
	1200	No school	ROCHA
	1500	No school	ROCHA
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Bldg. Z-109
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10-29-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Z-109 East Education Voc. Masonry
Ron Shoffeitt

No Inmate Contact

DocuSigned by:
Ron Shoffeitt
A9B41175559F498...

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HF Temp. Reading Location: Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/1	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 28 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Z-221 Temp. Reading Location: Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/1	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 10/7/2024 to 10/13/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From October 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list October be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 7 , 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday October 8 , 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Wednesday October 9 , 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	J FARAO
	1200	70	"
	1500	71	"
	1800		
	2100		N/A
	2400		

Thursday October 10 , 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	66	J. FARAO
	0900	66	" "
	1200	70	" "
	1500	71	" "
	1800		
	2100		N/A
	2400		

Friday October 11 , 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66	J FARAO
	1200	68	" "
	1500	70	" "
	1800		
	2100		N/A
	2400		

Saturday October 12 , 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	65	J. FARAO
	0900	67	" "
	1200	68	" "
	1500		
	1800		N/A
	2100		
	2400		

Sunday October 13 , 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. FARAO
	1200	68	" "
	1500	70	" "
	1800		
	2100		N/A
	2400		

Notes

Kelly.Warnes@cdcr.gov ex. 4449

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA OCT 14 2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From October 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list October be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 14 , 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday October 15 , 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Wednesday October 16 , 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. FARAO
	1200	68	" "
	1500	70	"
	1800		
	2100		N/A
	2400		

Thursday October 17 , 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. FARAO
	1200	66	" "
	1500	67	" "
	1800		
	2100		N/A
	2400		

Friday October 18 , 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. FARAO
	1200	66	" "
	1500	68	" "
	1800		
	2100		N/A
	2400		

Saturday October 19 , 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	65	J. FARAO
	0900	68	" "
	1200	69	" "
	1500		
	1800		
	2100		N/A
	2400		

Sunday October 20 , 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. FARAO
	1200	70	" "
	1500		" "
	1800		
	2100		N/A
	2400		

Notes

Kelly.Warnes@cdcr.gov ex. 4449

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA OCT 21 2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From October 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list October be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 21, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday October 22, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday October 23, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	68	J. FARAO
	1200	71	" "
	1500	73	" "
	1800		
	2100		
	2400		

Thursday October 24, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	J. FARAO
	1200	71	" "
	1500	76	" "
	1800		
	2100		N/A
	2400		

Friday October 25, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday October 26, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday October 27, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J. FARAO
	1200	71	" "
	1500	71	" "
	1800		
	2100		N/A
	2400		

Notes

Kelly.Warnes@cdcr.gov ex. 4449

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA OCT 2 8 2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From October 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list October be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday October 28, 2024

Date	Time		Temp.	Name (Print)
	0300			
	0600			
	0900			
	1200			
	1500			
	1800			
	2100			
	2400			

Tuesday October 29, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday October 30, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	61	J. FARAO
	1200	63	" "
	1500	65	" "
	1800		
	2100		N/A
	2400		

Thursday October 31, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	60	J. FARAO
	1200	62	" "
	1500	63	" "
	1800		
	2100		N/A
	2400		

Friday November 1, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday November 2, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday November 3, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Kelly.Warnes@cdcr.gov ex. 4449

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Clothing Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-7-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	80°	7A II
	1200	79°	7A III
	1500	79°	7A II
	1800		
	2100		N/A
	2400		

Tuesday 10-8-24

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76°	7A II
	1200	76°	7A II
	1500	76°	7A II
	1800		
	2100		N/A
	2400		

Wednesday 10-9-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76°	7A II
	1200	74°	7A II
	1500	74	A/C
	1800		
	2100		N/A
	2400		

Thursday 10-10-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76	ART CASSIA
	1200	74	ARS CASSIA
	1500	74	ART CASSIA
	1800		
	2100		N/A
	2400		

Friday 10-11-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76°	7A II
	1200	78	Art CASSIA
	1500	78	Art CASSIA
	1800		N/A
	2100		
	2400		

Saturday 10-12-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday 10-13-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Arthur Cant
M4551 CLOTHING Warehouse

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 10-14-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	7A III
	1200	72	Ajc
	1500	74	Ajc
	1800		
	2100		N/A
	2400		

Tuesday 10-15-24

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	7A III
	1200	72°	7A III
	1500	74	Ajc
	1800		
	2100		N/A
	2400		

Wednesday 10-16-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	7A III
	1200	72°	7A III
	1500	74	ARI CASSIA
	1800		
	2100		N/A
	2400		

Thursday 10-17-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	7A III
	1200	72	Ajc
	1500	74	Ajc
	1800		
	2100		N/A
	2400		

Friday 10-18-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	7A III
	1200	72°	7A III
	1500	74	Ajc
	1800		
	2100		N/A
	2400		

Saturday 10-19-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	OFF	
	1500		
	1800		
	2100		
	2400		

Sunday 10-20-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	OFF	
	1800		
	2100		
	2400		

Notes

Arthur Cand MD SSI
CLOTHING BUILDING C

DISTRIBUTION: Original: Institution ADA Coordinator

10/21/2024 to 10/27/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-21-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	ARTHUR CASSIDY
	1200	74	ARTHUR CASSIDY
	1500	76	ARTHUR CASSIDY
	1800		N/A
	2100		
	2400		

Tuesday 10-22-24

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	ARTHUR CASSIDY
	1200	74	ARTHUR CASSIDY
	1500	76	ARTHUR CASSIDY
	1800		
	2100		N/A
	2400		

Wednesday 10-23-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76°	7A
	1200	78°	7A
	1500	78	AJC
	1800		
	2100		N/A
	2400		

Thursday 10-24-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76°	7A
	1200	78	ART CASSIDY
	1500	78	ART CASSIDY
	1800		
	2100		N/A
	2400		

Friday 10-25-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	ARTHUR CASSIDY
	1200	76	ARTHUR CASSIDY
	1500	78	ARTHUR CASSIDY
	1800		
	2100		N/A
	2400		

Saturday 10-26-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		OFF
	2100		
	2400		

Sunday 10-27-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		OFF
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Zuesnday

Arthur Cassidy
MTSS1

OCT 28 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-28-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	7A III
	1200	68°	7A III
	1500	68°	7A III
	1800		N/A
	2100		
	2400		

Tuesday 10-29-24

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	7A II
	1200	70	ART CASSIDY
	1500	72	ART CASSIDY
	1800		
	2100		N/A
	2400		

Wednesday 10-30-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	ART CASSIDY
	1200	70	ART CASSIDY
	1500	70	ART CASSIDY
	1800		
	2100		N/A
	2400		

Thursday 10-31-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	7A III
	1200	68°	7A III
	1500	68°	7A III
	1800		
	2100		N/A
	2400		

Friday 11-1-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69°	7A III
	1200	69°	7A III
	1500	70	ARTHUR CASSIDY
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

CLOTHING DEPARTMENT BUILDING 2
Arthur Cassidy

DISTRIBUTION: Original: Institution ADA Coordinator

0/7/2024 to 10/13/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING ONE, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	72	Rivera
	0600	72	D. ELMORE
	0900	74	D. ELMORE
	1200	78	D. ELMORE
	1500	78	CAMPOS
	1800	76	CAMPOS
	2100	76	CAMPOS
	2400	67	C. MCREAL

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	66	C. MCREAL
	0600	68	ALMARAZ
	0900	70	ALMARAZ
	1200	76	ALMARAZ
	1500	76	CUEVAS
	1800	73	CUEVAS
	2100	72	CUEVAS
	2400	68	REYNA

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	66	REYNA
	0600	69	Hernandez
	0900	70	Hernandez
	1200	72	Hernandez
	1500	72	CUEVAS
	1800	71	CUEVAS
	2100	70	CUEVAS
	2400	71	Ortiz

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	66	
	0600	66	D. ELMORE
	0900	66	D. ELMORE
	1200	68	D. ELMORE
	1500	72	CALDERON
	1800	72	CALDERON
	2100	72	CALDERON
	2400	70	ROBLES

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	66	ROBLES
	0600	68	D. ELMORE
	0900	68	D. ELMORE
	1200	70	D. ELMORE
	1500	72	WILKES
	1800	72	WILKES
	2100	70	WILKES
	2400	70	ROBLES

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	68	ROBLES
	0600	66	D. ELMORE
	0900	68	D. ELMORE
	1200	70	D. ELMORE
	1500	72	WILKES
	1800	72	WILKES
	2100	70	WILKES
	2400	68	ROBLES

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	68	ROBLES
	0600	68	ELMORE
	0900	68	ELMORE
	1200	70	ELMORE
	1500	70	Pelayo
	1800	70	Pelayo
	2100	70	Pelayo
	2400	70	Ortiz

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING TWO, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	76	MADRIGAL
	0600	76	ALMANZOR
	0900	76	ALMANZOR
	1200	76	ALMANZOR
	1500	80	LANDWEHR
	1800	80	LANDWEHR
	2100	78	LANDWEHR
	2400	78	MADRIGAL

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	74	MADRIGAL
	0600	74	Holcom
	0900	74	Holcom
	1200	77	Holcom
	1500	78	LANDWEHR
	1800	76	LANDWEHR
	2100	74	LANDWEHR
	2400	74	MADRIGAL

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	74	MADRIGAL
	0600	77	Moreno
	0900	74	Moreno
	1200	76	Moreno
	1500	76	LANDWEHR
	1800	74	LANDWEHR
	2100	74	LANDWEHR
	2400	75	LANDWEHR

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300		
	0600	74	Wykoff
	0900	74	Wykoff
	1200	76	Wykoff
	1500	76	LANDWEHR
	1800	76	LANDWEHR
	2100	74	LANDWEHR
	2400	74	LANDWEHR

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	67	GOMEZ
	0600	68	GOMEZ
	0900	70	GOMEZ
	1200	70	GOMEZ
	1500	74	LANDWEHR
	1800	74	LANDWEHR
	2100	74	LANDWEHR
	2400	74	MADRIGAL

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	74	MADRIGAL
	0600	75	Ramolete
	0900	76	Ramolete
	1200	76	Ramolete
	1500	73	KREBS
	1800	71	KREBS
	2100	71	KREBS
	2400	72	MADRIGAL

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	72	MADRIGAL
	0600	72	Arteaga
	0900	72	Arteaga
	1200	73	Arteaga
	1500	73	KREBS
	1800	73	KREBS
	2100	72	KREBS
	2400	72	MADRIGAL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	N/A	
	0600	74	Jacobs
	0900	76	Jacobs
	1200	N/A	
	1500	89	J. Noel
	1800	85	J. Noel
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	N/A	
	0600	70	Jacobs
	0900	72	Jacobs
	1200	N/A	
	1500	77	J. Noel
	1800	75	J. Noel
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	N/A	
	0600	70	Jacobs
	0900	73	Jacobs
	1200	N/A	
	1500	74	J. Noel
	1800	72	J. Noel
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	N/A	
	0600	68	Jacobs
	0900	70	Jacobs
	1200	N/A	
	1500	72	[illegible]
	1800	73	[illegible]
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	N/A	
	0600	68°	S. NOEL
	0900	70°	S. NOEL
	1200	N/A	
	1500	72	C. UMALLE
	1800	70	C. UMALLE
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	N/A	
	0600	68°	S. NOEL
	0900	70°	S. NOEL
	1200	N/A	
	1500	69	Pacas
	1800	69	Pacas
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	N/A	
	0600	60	A Guzzie
	0900	65	A Guzzie
	1200	N/A	
	1500	70°	Pacas
	1800	70°	Pacas
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	N/A	Sanderson
	0600	70	Sanderson
	0900	75	Hedrick
	1200	76	Gheorghiu
	1500	76	Montgomery
	1800	78	Montgomery
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	N/A	
	0600	N/A	
	0900	70	LARIKA
	1200	70	LARIKA
	1500	72	Montgomery
	1800	75	Montgomery
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	N/A	
	0600	N/A	
	0900	67	LARIKA
	1200	68	LARIKA
	1500	70	[illegible]
	1800	71	[illegible]
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	N/A	
	0600	N/A	
	0900	67	LARIKA
	1200	69	LARIKA
	1500	70	LARIKA
	1800	70	LARIKA
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	N/A	
	0600	—	Foutz
	0900	68	Foutz
	1200	67	Foutz
	1500	69	Montgomery
	1800	69	Montgomery
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	N/A	
	0600	67	Foutz
	0900	66	Foutz
	1200	65	Foutz
	1500	65	Montgomery
	1800	65	Montgomery
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	N/A	
	0600	N/A	LARIKA
	0900	67	LARIKA
	1200	68	LARIKA
	1500	69	Montgomery
	1800	65	Montgomery
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING ONE, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 / 14 / 2024	0300	67	W. Rivera
	0600	68°	D. CARDAMONE
	0900	68°	D. CARDAMONE
	1200	69°	D. CARDAMONE
	1500	66	CAMPOS
	1800	68	CAMPOS
	2100	67	CAMPOS
	2400	67	Dial

Tuesday

Date	Time	Temp.	Name (Print)
10 / 15 / 2024	0300	66	Dial
	0600	66	Almanza
	0900	66	Almanza
	1200	68	Almanza
	1500	68	CUBIAS
	1800	68	CUBIAS
	2100	68	CUBIAS
	2400	66	J. Carter

Wednesday

Date	Time	Temp.	Name (Print)
10 / 16 / 2024	0300	66	J. Carter
	0600	66	LINES
	0900	67	LINES
	1200	69	LINES
	1500	70	CUBIAS
	1800	68	CUBIAS
	2100	68	CUBIAS
	2400	68	Castillo

Thursday

Date	Time	Temp.	Name (Print)
10 / 17 / 2024	0300	68	Castillo
	0600	68	D. CARDAMONE
	0900	69	Hernandez
	1200	69	D. CARDAMONE
	1500	70	CUBIAS
	1800	70	CUBIAS
	2100	68	CUBIAS
	2400	68	C. Armenta

Friday

Date	Time	Temp.	Name (Print)
10 / 18 / 2024	0300	68	C. Armenta
	0600	68	D. CARDAMONE
	0900	68	D. CARDAMONE
	1200	70	D. CARDAMONE
	1500	70	CUBIAS
	1800	70	CUBIAS
	2100	69	CUBIAS
	2400	67°	CASTILLO

Saturday

Date	Time	Temp.	Name (Print)
10 / 19 / 2024	0300	67	Castillo
	0600	69	D. CARDAMONE
	0900	72	D. CARDAMONE
	1200	74	D. CARDAMONE
	1500	72	CUBIAS
	1800	72	CUBIAS
	2100	70	CUBIAS
	2400	67	Castillo

Sunday

Date	Time	Temp.	Name (Print)
10 / 20 / 2024	0300	67°	CASTILLO
	0600	68	D. CARDAMONE
	0900	71	D. CARDAMONE
	1200	74	D. CARDAMONE
	1500	74	J. Hernandez
	1800	72	J. Hernandez
	2100	72	J. Hernandez
	2400	70	B. Little

Notes

RIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING TWO, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 / 14 / 2024	0300	72	MADRIGAL
	0600	72	ALMADUER
	0900	72	ALMADUER
	1200	72	ALMADUER
	1500	72	LANDWEHR
	1800	72	LANDWEHR
	2100	70	LANDWEHR
	2400	70	MADRIGAL

Tuesday

Date	Time	Temp.	Name (Print)
10 / 15 / 2024	0300	72	MADRIGAL
	0600	72	BARBOSA
	0900	73	BARBOSA
	1200	74	BARBOSA
	1500	72	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	72	MADRIGAL

Wednesday

Date	Time	Temp.	Name (Print)
10 / 16 / 2024	0300	72	MADRIGAL
	0600	72	Morado
	0900	72	Morado
	1200	72	Morado
	1500	74	LANDWEHR
	1800	72	LANDWEHR
	2100	72	LANDWEHR
	2400	71	J. CORTES

Thursday

Date	Time	Temp.	Name (Print)
10 / 17 / 2024	0300	71	J. CORTES
	0600	71	J. CORTES
	0900	71	Holcolm
	1200	71	Holcolm
	1500	72	LANDWEHR
	1800	72	LANDWEHR
	2100	72	LANDWEHR
	2400	71	J. CORTES

Friday

Date	Time	Temp.	Name (Print)
10 / 18 / 2024	0300	70	J. CORTES
	0600	70	J. CORTES
	0900	70	Holcolm
	1200	70	Holcolm
	1500	70	Holcolm
	1800	72	LANDWEHR
	2100	70	LANDWEHR
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10 / 19 / 2024	0300	71°	UGALDER.
	0600	70°	UGALDER.
	0900	73°	C. VILLEGAS
	1200	76°	C. VILLEGAS
	1500	76	Wheeler
	1800	75	Wheeler
	2100	72	[illegible]
	2400	72	MADRIGAL

Sunday

Date	Time	Temp.	Name (Print)
10 / 20 / 2024	0300	72	MADRIGAL
	0600	72	L. FLORES
	0900	72	L. FLORES
	1200	72	L. [illegible]
	1500	73	L. [illegible]
	1800	72	L. [illegible]
	2100	71	L. [illegible]
	2400	72	MADRIGAL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

ARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

OCTOBER - 14

Monday

Date	Time	Temp.	Name (Print)
10 / 14 / 2024	0300	N/A	
	0600	55	GONZALEZ
	0900	58	GONZALEZ
	1200	N/A	
	1500	66	J. Noel
	1800	65	J. Noel
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10 / 15 / 2024	0300	N/A	
	0600	64	Jacobs
	0900	66	Jacobs
	1200	N/A	
	1500	69	J. Noel
	1800	67	J. Noel
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10 / 16 / 2024	0300	N/A	
	0600	66	Jacobs
	0900	66	Jacobs
	1200	N/A	
	1500	69	J. Noel
	1800	68	J. Noel
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10 / 17 / 2024	0300	N/A	
	0600	68	Jacobs
	0900	69	Jacobs
	1200	N/A	
	1500	67	J. Noel
	1800	70	J. Noel
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
10 / 18 / 2024	0300	N/A	
	0600	64	MACIEL
	0900		MACIEL
	1200	N/A	
	1500	70	J. Noel
	1800	71	J. Noel
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
10 / 19 / 2024	0300	N/A	
	0600	68	Macieel
	0900	70	Macieel
	1200	N/A	
	1500	77	Pacas
	1800	75	Pacas
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
10 / 20 / 2024	0300	N/A	
	0600	69	Jacobs
	0900	71	Jacobs
	1200	N/A	
	1500	77	Pacas
	1800	78	Pacas
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 / 14 / 2024	0300	N/A	
	0600	N/A	
	0900	65	LARIBA
	1200	66	LARIBA
	1500	66	ORA
	1800	64	ORA
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10 / 15 / 2024	0300	N/A	
	0600	N/A	
	0900	65	LARIBA
	1200	68	LARIBA
	1500	69	Montgomery
	1800	64	Montgomery
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10 / 16 / 2024	0300	N/A	
	0600	N/A	
	0900	66	LARIBA
	1200	68	LARIBA
	1500	70	LARIBA
	1800	70	LARIBA
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10 / 17 / 2024	0300	N/A	
	0600	N/A	
	0900	63	LARIBA
	1200	65	LARIBA
	1500	66	LARIBA
	1800	67	LARIBA
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
10 / 18 / 2024	0300	N/A	
	0600	62	FOUTS
	0900	64	FOUTS
	1200	66	FOUTS
	1500	68	Montgomery
	1800	69	Montgomery
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
10 / 19 / 2024	0300	N/A	
	0600	69	[illegible]
	0900	70	[illegible]
	1200	71	[illegible]
	1500	71	Montgomery
	1800	70	Montgomery
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
10 / 20 / 2024	0300	N/A	
	0600	N/A	
	0900	68	LARIBA
	1200	70	LARIBA
	1500	72	Montgomery
	1800	72	Montgomery
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 / 14 / 2024	0300	N/A	
	0600	N/A	
	0900	76	Hodges
	1200	80	Hodges
	1500	83	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10 / 15 / 2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10 / 16 / 2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10 / 17 / 2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	82	Hodges
	1500	85	Hodges
	1800	81	Hodges
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
10 / 18 / 2024	0300	N/A	
	0600	N/A	
	0900	78	Hodges
	1200	81	Hodges
	1500	85	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
10 / 19 / 2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500	82	Hodges
	1800	78	Hodges
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
10 / 20 / 2024	0300	N/A	
	0600	N/A	
	0900	77	Hodges
	1200	79	Hodges
	1500	82	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING ONE, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 / 21 / 2024	0300	69	B. TUTTLE
	0600	66	RAMOS
	0900	69	RAMOS
	1200	72	RAMOS
	1500	73	BARBOSA
	1800	72	BARBOSA
	2100	70	BARBOSA
	2400	68	Dial

Tuesday

Date	Time	Temp.	Name (Print)
10 / 22 / 2024	0300	68	Dial
	0600	68	ALMAGUER
	0900	68	ALMAGUER
	1200	72	ALMAGUER
	1500	72	CUBIBB
	1800	72	CUBIBB
	2100	70	CUBIBB
	2400	68	C. MONREAL JR.

Wednesday

Date	Time	Temp.	Name (Print)
10 / 23 / 2024	0300	68	C. MONREAL JR
	0600	69	LINES
	0900	75	LINES
	1200	77	LINES
	1500	78	CUBIBB
	1800	75	CUBIBB
	2100	75	CUBIBB
	2400	74	CAMPOS

Thursday

Date	Time	Temp.	Name (Print)
10 / 24 / 2024	0300	74	CAMPOS
	0600	72	RAMOS
	0900	72	RAMOS
	1200	76	RAMOS
	1500	76	CUBIBB
	1800	74	CUBIBB
	2100	73	CUBIBB
	2400	70	ROBLES

Friday

Date	Time	Temp.	Name (Print)
10 / 25 / 2024	0300	70	ROBLES
	0600	69	RAMOS
	0900	69	RAMOS
	1200	74	RAMOS
	1500	74	CUBIBB
	1800	73	CUBIBB
	2100	73	CUBIBB
	2400	70	ROBLES

Saturday

Date	Time	Temp.	Name (Print)
10 / 26 / 2024	0300	68	ROBLES
	0600	68	RAMOS
	0900	69	RAMOS
	1200	72	RAMOS
	1500	72	RAMOS
	1800	71	RAMOS
	2100	70	RAMOS
	2400	70	ROBLES

Sunday

Date	Time	Temp.	Name (Print)
10 / 27 / 2024	0300	71	ROBLES
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	70	CAMPOS
	1800	72	CAMPOS
	2100	70	CAMPOS
	2400	70	TUTTLE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING TWO, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	74	MADRIGAL KP
	0600	72	Arteaga
	0900	72	Arteaga
	1200	72	Arteaga
	1500	76	LANDWEHR
	1800	74	LANDWEHR
	2100	72	LANDWEHR
	2400	74	MADRIGAL

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	74	MADRIGAL KP
	0600	73	Helcim
	0900	73	Helcim
	1200	73	Helcim
	1500	72	MARTIN
	1800	72	LANDWEHR
	2100	70	LANDWEHR
	2400	72	MADRIGAL

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	72	MADRIGAL
	0600	74	GOMEZ
	0900	74	GOMEZ
	1200	76	GOMEZ
	1500	76	LANDWEHR
	1800	76	LANDWEHR
	2100	74	LANDWEHR
	2400	75	Roberts

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	75	Roberts
	0600	75	Wykoff
	0900	76	Wykoff
	1200	78	Wykoff
	1500	78	Smith
	1800	76	LANDWEHR
	2100	76	LANDWEHR
	2400	75	Roberts

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	74	Roberts
	0600	72	Helcim
	0900	72	Helcim
	1200	74	Helcim
	1500	76	LANDWEHR
	1800	76	LANDWEHR
	2100	74	LANDWEHR
	2400	73	MEYER

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	73	MEYER
	0600	73	VILLEGAS
	0900	75	VILLEGAS
	1200	75	VILLEGAS
	1500	75	KREBS
	1800	73	KREBS
	2100	73	KREBS
	2400	73	MADRIGAL

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	72	MADRIGAL
	0600	72	ALMADUER
	0900	74	ALMADUER
	1200	76	ALMADUER
	1500	75	KREBS
	1800	73	KREBS
	2100	73	KREBS
	2400	74	MADRIGAL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	N/A	
	0600	68	Jacobs
	0900	70	Jacobs
	1200	N/A	
	1500	74	J. Noel
	1800	72	J. Noel
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	N/A	
	0600	67	Jacobs
	0900	69	Jacobs
	1200	N/A	
	1500	74	GARZA
	1800	70	GARZA
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	N/A	
	0600	69	Jacobs
	0900	71	Jacobs
	1200	N/A	
	1500	77	J. Noel
	1800	77	J. Noel
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	N/A	
	0600	74	Jacobs
	0900	76	Jacobs
	1200	N/A	
	1500	74	Jacobs
	1800	74	Jacobs
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	N/A	
	0600	70°	S. NOEL
	0900	72°	S. NOEL
	1200	N/A	
	1500	71°	S. NOEL
	1800	77°	S. NOEL
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	N/A	
	0600	68°	S. NOEL
	0900	70°	S. NOEL
	1200	N/A	
	1500	76°	Pacas
	1800	74°	Pacas
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	N/A	
	0600	74	Jacobs
	0900	75	Jacobs
	1200	N/A	
	1500	76°	Pacas
	1800	75°	Pacas
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

OCT 2 1 2024

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 / 21 / 2024	0300	N/A	
	0600	N/A	
	0900	70	CARIBA
	1200	70	CARIBA
	1500	70	Montgomery
	1800	72	Montgomery
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10 / 22 / 2024	0300	N/A	
	0600		
	0900		
	1200		
	1500	71	Montgomery
	1800	74	Montgomery
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10 / 23 / 2024	0300	N/A	
	0600	N/A	
	0900	71	CARIBA
	1200	74	CARIBA
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10 / 24 / 2024	0300	N/A	
	0600	N/A	
	0900	73	CARIBA
	1200	74	CARIBA
	1500	N/A	
	1800	N/A	
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
10 / 25 / 2024	0300	N/A	
	0600	66	FOWT
	0900	67	FOWT
	1200	70	FOWT
	1500	71	Montgomery
	1800	73	Montgomery
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
10 / 26 / 2024	0300	N/A	
	0600		FOWT
	0900		FOWT
	1200		FOWT
	1500	71	Montgomery
	1800	73	Montgomery
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
10 / 27 / 2024	0300	N/A	
	0600	70	Bankston
	0900	70	Bankston
	1200	72	Bankston
	1500	72	Montgomery
	1800	73	Montgomery
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECOR

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	N/A	
	0600	N/A	
	0900	78	Hodges
	1200	81	Hodges
	1500	84	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	82	Hodges
	1500	84	Hodges
	1800	81	Hodges
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	N/A	
	0600	N/A	Hodges
	0900	80	Hodges
	1200	83	
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	83	Hodges
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500	84	Hodges
	1800	81	Hodges
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	N/A	
	0600	N/A	
	0900	83	Hodges
	1200	90	Hodges
	1500	90	Hodges
	1800	84	Hodges
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	83	Hodges
	1500	86	Hodges
	1800	82	Hodges
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 28 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLD 1 Fac. A Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	54°	T. Gama Uep
	0600	55°	T. Gama
	0900	57°	Demesleim
	1200	59°	Demesleim
	1500	62°	Baker
	1800	62°	Baker
	2100	68°	Torrez
	2400	65°	Torrez

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	60°	T. Gama Uep
	0600	62	T. Gama
	0900	64°	Demesleim
	1200	71°	Demesleim
	1500	72°	Baker
	1800	74°	Baker
	2100	70°	Torrez
	2400	67°	TORREZ

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	55°	T. Gama Uep
	0600	57°	Demesleim
	0900	61°	Demesleim
	1200	68°	Demesleim
	1500	68°	Baker
	1800	72°	Baker
	2100	69°	Stands
	2400	64°	Stands

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	55°	T. Gama Uep
	0600	58°	T. Gama
	0900	63°	Demmerlein
	1200	69	Demesleim
	1500	73°	Demesleim
	1800	76°	Baker
	2100	74°	Stands
	2400	69°	Stands

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLD 2 FAC. A Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	57°	T. Paroba
	0600	55°	T. Faiola
	0900	57°	Witt
	1200	59°	Witt
	1500	62°	Witt
	1800	64°	Witt
	2100	64°	Chavez
	2400	63°	Chavez

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	60°	Witt
	0600	61°	Witt
	0900	62°	Witt
	1200	69°	Chavez
	1500	73°	Chavez
	1800	73°	Chavez
	2100	70	Demestein
	2400	70	Demestein

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	55°	Witt
	0600	58°	Witt
	0900	59°	Witt
	1200	62°	Chavez
	1500	65°	Chavez
	1800	67°	Chavez
	2100	66°	Chavez
	2400	49°	Dec

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	58°	Witt
	0600	59°	Witt
	0900	63°	Witt
	1200	66°	Chavez
	1500	68°	Chavez
	1800	68°	Chavez
	2100	67°	Demestein
	2400	64°	Demestein

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 / 28 / 2024	0300	N/A	
	0600	64	R. Siordia
	0900	64	R. Siordia
	1200	63	R. Siordia
	1500	64	[illegible]
	1800	63	[illegible]
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10 / 29 / 2024	0300	N/A	~~R. VALENCIA~~
	0600	63	R. VALENCIA
	0900	64	R. VALENCIA
	1200	64	R. VALENCIA
	1500	63	[illegible]
	1800	62	[illegible]
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10 / 30 / 2024	0300	N/A	—
	0600	68	R. VALENCIA
	0900	70	R. VALENCIA
	1200	71	R. VALENCIA
	1500	73	D. Brazil
	1800	67	D. Brazil
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10 / 31 / 2024	0300	N/A	~~R. VALENCIA~~
	0600	66	R. VALENCIA
	0900	70	R. VALENCIA
	1200	71	R. VALENCIA
	1500	72	R. Cohen
	1800	68	R. Cohen
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
/ /	0300	N/A	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
/ /	0300	N/A	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
/ /	0300	N/A	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

0/7/2024 to 10/1 L4

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall de[illegible]te staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing [illegible] where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored whe[illegible] onditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 3 Fac. B Temp. Reading Location: 3rd Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7	0300	70	P. HENRY
	0600	70	Wilkes
	0900	70	Wilkes
	1200	72	Wilkes
	1500	74	Wilkes
	1800	72	Wilkes
	2100	72	Wilkes
	2400	70	P. HENRY

Tuesday

Dat	Time	Temp.	Name (Print)
10-8	0300	70	P. HENRY
	0600	69	Chris
	0900	70	Chris
	1200	71	Chris
	1500	70	Wilkes
	1800	70	Wilkes
	2100	70	Wilkes
	2400	70	P. HENRY

Wednesday

Date	Time	Temp.	Name (Print)
10-9	0300		P. HENRY
	0600	69	Chris
	0900	70	Chris
	1200	71	Chris
	1500	70	Wilkes
	1800	70	Wilkes
	2100	70	Wilkes
	2400	68	P. HENRY

Thursday

Date	Time	Temp.	Name (Print)
10-10	0300	66	P. HENRY
	0600	69	Chris
	0900	69	Chris
	1200	69	Chris
	1500	72	Wilkes
	1800	70	Wilkes
	2100	68	Wilkes
	2400	68	P. HENRY

Friday

Date	Time	Temp.	Name (Print)
10-11	0300	66	P. HENRY
	0600	69	Chris
	0900	69	Chris
	1200	71	Chris
	1500	68	Martinez
	1800	68	Martinez
	2100	68	Martinez
	2400	65	R. Lopez

Saturday

Date	Time	Temp.	Name (Print)
10-12	0300	66	R. Lopez
	0600	67	Chris
	0900	69	Chris
	1200	70	Chris
	1500	68	Martinez
	1800	68	Martinez
	2100	68	Martinez
	2400	66	R. Lopez

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	66	R. Lopez
	0600	66	R. Vega
	0900	66	R. Vega
	1200	70	R. Vega
	1500	68	Wilkes
	1800	68	Wilkes
	2100	66	Wilkes
	2400	66	P. HENRY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B/D 4 FAC. B Temp. Reading Location: 3rd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	70	D. OROZCO
	0600	70	Graves
	0900	71	Graves
	1200	73	[illegible]
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	70	D. OROZCO

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	70	D. OROZCO
	0600	69	Graves
	0900	70	[illegible]
	1200	71	[illegible]
	1500	71	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	70	C. MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	68	C. MENDEZ
	0600	68	ALEMAN
	0900	70	[illegible]
	1200	70	ALEMAN
	1500	70	[illegible]
	1800	70	[illegible]
	2100	71	[illegible]
	2400	68	C. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	68	C. MENDEZ
	0600	68	ALEMAN
	0900	68	ALEMAN
	1200	69	ALEMAN
	1500	68	[illegible]
	1800	69	[illegible]
	2100	69	[illegible]
	2400	70	Castillo

Friday

Date	Time	Temp.	Name (Print)
10.11.24	0300	70	Castillo
	0600	70	Graves
	0900	71	Graves
	1200	71	Graves
	1500	70	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	68	D. OROZCO

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	68	D. OROZCO
	0600	68	Graves
	0900	69	Gonzalez
	1200	68	Gonzalez
	1500	69	[illegible]
	1800	69	[illegible]
	2100	69	[illegible]
	2400	68	D. OROZCO

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	68	D. OROZCO
	0600	67	Graves
	0900	67	Graves
	1200	67	Graves
	1500	67	[illegible]
	1800	67	[illegible]
	2100	68	[illegible]
	2400	67	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC-E** Housing Unit: **FAC-B Diner** Temp. Reading Location: **Behind coffee maker**
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300		
	0600	78	NOEL
	0900	80	NOEL
	1200	82	NOEL
	1500	84	Pacas
	1800	83	Pacas
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300		
	0600	75	Serrano
	0900	78	Serrano
	1200	80	Serrano
	1500	81	J Pinn
	1800	82	J Pinn
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300		
	0600	72	Serrano
	0900	74	Serrano
	1200	74	Serrano
	1500	74	Piatti
	1800	74	Piatti
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300		
	0600	62°	Gomez
	0900	62°	Gomez
	1200	65	Gomez
	1500	74	Piatti
	1800	74	Piatti
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300		
	0600	72	Serrano
	0900	73	Serrano
	1200	73	Serrano
	1500	74	Piatti
	1800	74	Piatti
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300		
	0600	72	Serrano
	0900	72	Serrano
	1200	71	Serrano
	1500	71	Lus
	1800	71	Lus
	2100	70	Lus
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300		
	0600	72°	S. NOEL
	0900	73	S. NOEL
	1200	73	S. NOEL
	1500	75	Arteaga
	1800	75	Arteaga
	2100	73	Arteaga
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 3 Temp. Reading Location: 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

FAC. B

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14	0300	66	P.HENRY
	0600	66	R Vega
	0900	70	R Vega
	1200	70	R Vega
	1500	68	Wilkes
	1800	68	Wilkes
	2100	68	Wilkes
	2400	68	P. HENRY

Tuesday

Dat	Time	Temp.	Name (Print)
10-15	0300	66	P.HENRY
	0600	68	E.Lowe
	0900	66	E. Lowe
	1200	68	E. Lowe
	1500	68	Wilkes
	1800	66	Wilkes
	2100	66	Wilkes
	2400	66	P.HENRY

Wednesday

Date	Time	Temp.	Name (Print)
10-16	0300	66	P.HENRY
	0600	66	E. Lowe
	0900	66	E. Lowe
	1200	68	E. Lowe
	1500	68	Wilkes
	1800	68	Wilkes
	2100	66	Wilkes
	2400	66	Corliss

Thursday

Date	Time	Temp.	Name (Print)
10-17	0300	66	Corlisl
	0600	66	E. Lowe
	0900	68	E. Lowe
	1200	68	E. Lowe
	1500	68	Wilkes
	1800	68	Wilkes
	2100	66	Wilkes
	2400	66	Cardotto

Friday

Date	Time	Temp.	Name (Print)
10-18	0300	66	Castillo
	0600	66	E. Lowe
	0900	66	E. Lowe
	1200	68	E. Lowe
	1500	68	Martinez
	1800	68	Martinez
	2100	68	Martinez
	2400	66	R.Lopez

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	66	R.Lopez
	0600	66	E. Lowe
	0900	66	E. Lowe
	1200	68	E. Lowe
	1500	68	Martinez
	1800	68	Martinez
	2100	68	Martinez
	2400	66	K.FINK

Sunday

Date	Time	Temp.	Name (Print)
10-20	0300	66	K FINK
	0600	68°	B. MENDOZA
	0900	68°	B. MENDOZA
	1200	70°	B. MENDOZA
	1500	70	Wilkes
	1800	70	Wilkes
	2100	68	Wilkes
	2400	67	Johnson

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B4 RHU 3rd Floor Temp. Reading Location: 3rd Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	67	PITA
	0600	66	PITA
	0900	68	Graves
	1200	67	GRAVES
	1500	66	Reyna
	1800	66	Reyna
	2100	65	Reyna
	2400	65	AMAYA

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300	600	AMAYA
	0600	63	Rosen
	0900	64	Lopez
	1200	64	Lopez
	1500	63	DOMINGUEZ
	1800	62	Dominguez
	2100	63	Dominguez
	2400	65	AMAYA

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	60	AMAYA
	0600	63	ALEMAN
	0900	67	ALEMAN
	1200	67	ALEMAN
	1500	68	ALEMAN
	1800	69	ALEMAN
	2100	69	ALEMAN
	2400	65	AMAYA

Thursday

Date	Time	Temp.	Name (Print)
6/17	0300	66	ALEMAN
	0600	66	ALEMAN
	0900	67	ALEMAN
	1200	67	ALEMAN
	1500	68	Serrano
	1800	69	Serrano
	2100	68	Serrano
	2400	67	MORTA

Friday

Date	Time	Temp.	Name (Print)
6/18	0300	65	MORTA
	0600	66	Graves
	0900	67	Graves
	1200	69	Graves
	1500	72	Dominguez
	1800	72	Dominguez
	2100	72	Dominguez
	2400	65	AMAYA

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	60	AMAYA
	0600	60	Graves
	0900	61	Graves
	1200	63	Graves
	1500	66	Ramolete
	1800	65	Ramolete
	2100	65	Ramolete
	2400	65	AMAYA

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	60	AMAYA
	0600	61	GONZALEZ
	0900	62	GONZALEZ
	1200	65	GONZALEZ
	1500	66	Ramolete
	1800	65	Ramolete
	2100	65	Ramolete
	2400	65	AMAYA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC-E** Housing Unit: **FAC-B Diner** Temp. Reading Location: **Behind coffee maker**
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300		N/A
	0600	70	MACIEL
	0900	71	MACIEL
	1200		N/A
	1500	75°	Pacas
	1800	73°	Pacas
	2100		
	2400		N/A

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300		N/A
	0600	72	YOUNG
	0900	73	YOUNG
	1200		N/A
	1500	74	J.PIATT
	1800	72	J PIATT
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	/	N/A
	0600	69	Neftalin
	0900	69	Neftalin
	1200	69	Neftalin
	1500	72	Martin
	1800	70	Martin
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	/	N/A
	0600	69	Neftalin
	0900	69	Neftalin
	1200	69	Neftalin
	1500	72	J PIATT
	1800	71	J PIATT
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	/	N/A
	0600	69	Neftalin
	0900	69	Neftalin
	1200	69	Neftalin
	1500	71	J PIATT
	1800	71	J PIATT
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	/	N/A
	0600	OV	Neftalin
	0900	OV	Neftalin
	1200	OV	Neftalin
	1500	73	
	1800	72	N/A
	2100	71	
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300		
	0600	75	MACIEL
	0900	75	MACIEL
	1200		
	1500	75	Arteaga
	1800	75	Arteaga
	2100	73	Arteaga
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 3 FAC. B Temp. Reading Location: 3rd Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	66	Johnson
	0600	66	Johnson
	0900	68	R Vega
	1200	70	R Vega
	1500	72	CALLAHAN
	1800	70	CALLAHAN
	2100	68	CALLAHAN
	2400	68	Corliss

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300	68	Corliss
	0600	69	Chrios
	0900	69	SIMMONS
	1200	73	Chrios
	1500	70	CALLAHAN
	1800	70	CALLAHAN
	2100	66	CALLAHAN
	2400	66	Castillo

Wednesday

Date	Time	Temp.	Name (Print)
10.23	0300	66	Castillo
	0600	68	Chrios
	0900	69	Chrios
	1200	71	Chrios
	1500	72	CALLAHAN
	1800	68	CALLAHAN
	2100	70	CALLAHAN
	2400	70	Jensen

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	68	Jensen
	0600	[illegible]	URIAS
	0900	[illegible]	URIAS
	1200	[illegible]	URIAS
	1500	72	CALLAHAN
	1800	72	CALLAHAN
	2100	72	CALLAHAN
	2400	70	ESQUIVIAS

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	68	ESQUIVIAS
	0600	69	Chrios
	0900	68	Chrios
	1200	70	Chrios
	1500	70	Martinez
	1800	70	Martinez
	2100	68	Martinez
	2400	68	Rlopez

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	68	Rlopez
	0600	69	Chrios
	0900	70	Chrios
	1200	72	Chrios
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	68	Rlopez

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	69	Rlopez
	0600	68	R Vega
	0900	70	R Vega
	1200	72	R Vega
	1500	72	CALLAHAN
	1800	70	CALLAHAN
	2100	68	CALLAHAN
	2400	68	P. HENRY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ACC Housing Unit: Bld 4 FAC. B Temp. Reading Location: Bld 4 3rd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7477 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	69	
	0600	69	
	0900	69	
	1200	70	
	1500	70	
	1800	72	
	2100	72	
	2400	70	

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300	69	
	0600	69	Lopez
	0900	69	Lopez
	1200	67	[illegible]
	1500	67	Salazar
	1800	67	Salazar
	2100	67	Salazar
	2400	68	DOROZCO

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	68	D. OROZCO
	0600	68	ALEMAN
	0900	68	ALEMAN
	1200	68	ALEMAN
	1500	71	TOSTE
	1800	71	TOSTE
	2100	70	TOSTE
	2400	71	AGAN

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70	AGAN
	0600	73	ALEMAN
	0900	72	ALEMAN
	1200	72	GONZALEZ
	1500	71	DOMINGUEZ
	1800	70	DOMINGUEZ
	2100	69	DOMINGUEZ
	2400	69	MORTN

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	68	MORTN
	0600	69	River
	0900	68	Gonzalez
	1200	68	Gonzalez
	1500	69	TOSTE
	1800	68	TOSTE
	2100	68	TOSTE
	2400	68	River

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	68	River
	0600	68	Graves
	0900	68	Graves
	1200	68	Graves
	1500	68	TOSTE
	1800	69	TOSTE
	2100	69	TOSTE
	2400	67	Serrano

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	67	Serrano
	0600	69	Gonzalez
	0900	69	Gonzalez
	1200	70	Gonzalez
	1500	69	TOSTE
	1800	68	TOSTE
	2100	68	TOSTE
	2400	68	OROZCO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC-E** Housing Unit: **FAC-B Diner** Temp. Reading Location: **Behind coffee maker**
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	—	—
	0600	76°	S. NOEL
	0900	76°	S. NOEL
	1200	76°	S. NOEL
	1500	77°	Pacas
	1800	79°	Pacas
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	—	—
	0600	74	YOUNG
	0900	76	YOUNG
	1200	80	YOUNG
	1500	79	Pimm
	1800	79	Pimm
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300		
	0600	69	Newlin
	0900	69	Newlin
	1200	69	Newlin
	1500	72	J. Pimm
	1800	73	J Pimm
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300		
	0600	69	Newlin
	0900	69	Newlin
	1200	67	Newlin
	1500	72	J Pimm
	1800	72	J Pim
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300		
	0600	69	Newlin
	0900	69	Newlin
	1200	69	Newlin
	1500	72	J Pimm
	1800	71	J Pimm
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300		
	0600	69	Newlin
	0900	69	Newlin
	1200	69	Newlin
	1500	67	Lee
	1800	66	Lee
	2100	65	Lee
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	—	—
	0600	69°	S. NOEL
	0900	72°	S. NOEL
	1200	76°	S. NOEL
	1500	—	—
	1800	—	—
	2100	—	—
	2400	—	—

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 28 2024

DocuSign Envelope ID: 88013ED6-D024-49B9-A275-A850304FDDCC

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 3 FAC. B FLOOR 3 Temp. Reading Location: 3rd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	68	P. HENRY
	0600	68	B. Rodriguez
	0900	68	B. Rodriguez
	1200	70	Raza
	1500	71	Raza
	1800	68	Raza
	2100	65	Raza
	2400	64	P. HENRY

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	68	P. HENRY
	0600	68	Chris
	0900	69	Chris
	1200	69	Chris
	1500	69	Raza
	1800	68	Raza
	2100	69	Raza
	2400	68	P. HENRY

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	64	P. HENRY
	0600	64	Chris
	0900	65	Chris
	1200	69	Chris
	1500	68	Chris
	1800	69	Chris
	2100	69	Chris
	2400	69	P. HENRY

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	67	P. HENRY
	0600	68	Chris
	0900	69	Chris
	1200	69	Chris
	1500	69	Raza
	1800	68	Raza
	2100	68	Raza
	2400	68	P. HENRY

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B/D 4 FAC. B Temp. Reading Location: B/D 4 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	68	D. OROZCO
	0600	68	E. Quintero
	0900	70	E. Quintero
	1200	71	E. Quintero
	1500	70	SG
	1800	70	SG
	2100	70	SG
	2400	68	D. OROZCO

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300	68	D. OROZCO
	0600	69	Lopez
	0900	69	Lopez
	1200	69	Lopez
	1500	65	SG
	1800	65	SG
	2100	63	SG
	2400	62	C. MCNEAL/JR

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	59	C. MCNEAL/JR
	0600	65	Lopez
	0900	69	Lopez
	1200	69	Lopez
	1500	68	TOSTE
	1800	68	TOSTE
	2100	67	TOSTE
	2400	64	AGHA

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	63	AGHA
	0600	65	E. Quintero
	0900	65	E. Quintero
	1200	66	E. Quintero
	1500	66	TOSTE
	1800	65	TOSTE
	2100	65	TOSTE
	2400	66	TOSTE

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 28 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: FAC-B Diner Temp. Reading Location: Behind coffee maker
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

October 2024

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday Oct 22

Date	Time	Temp.	Name (Print)
10-28-24	0300	—	—
	0600	72°	S. Noel
	0900	74°	S. Noel
	1200		S. Noel
	1500	75°	Pacas
	1800	74°	Pacas
	2100	/	/
	2400		

Tuesday Oct 29

Date	Time	Temp.	Name (Print)
10-29-24	0300		
	0600	74	Young
	0900	74	Young
	1200	74	Young
	1500	78	J Plum
	1800	78	J Plum
	2100	/	/
	2400		

Wednesday Oct 30

Date	Time	Temp.	Name (Print)
10-30-24	0300	/	
	0600	69	Nettleton
	0900	69	Nettleton
	1200	69	Nettleton
	1500	77	J Plum
	1800	78	J Plum
	2100	/	/
	2400		

Thursday Oct 31

Date	Time	Temp.	Name (Print)
10-31-24	0300	/	
	0600	69	Nettleton
	0900	69	Nettleton
	1200	69	Nettleton
	1500	75	Simpson
	1800	75	Simpson
	2100	/	/
	2400		

Friday Nov 1st

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday Nov 2nd

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday Nov 3rd

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

10/7/2024 to 10/13/2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INS. ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be hous (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the hea risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: __CMC_____ Housing Unit: ___BLD 5_____ Temp. Reading Location: ____3RD TIER_____
Fac. C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension __7904_____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/2024	0300	72	C. LOPEZ
	0600	74	Kingsley
	0900	75	Kingsley
	1200	77	Kingsley
	1500	78°	S.Miguel
	1800	78°	S.Miguel
	2100	74°	S.Miguel
	2400	74	P. SKI TONO

Tuesday

Dat	Time	Temp.	Name (Print)
10/08/2024	0300	74	P. DKI TONO
	0600	74	Kingsley
	0900	75	Kingsley
	1200	75	Kingsley
	1500	76°	S.Miguel
	1800	76°	S.Miguel
	2100	70°	S.Miguel
	2400	70	Santos

Wednesday

Date	Time	Temp.	Name (Print)
10/09/2024	0300	68	Santos
	0600	68	J. MARETTI
	0900	68	J. MARETTI
	1200	70	J. MARETTI
	1500	72°	S.Miguel
	1800	72°	S.Miguel
	2100	68°	S.Miguel
	2400	69	C. LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/224	0300	69	C. LOPEZ
	0600	69	J. MARETTI
	0900	70	J. MARETTI
	1200	72	J. MARETTI
	1500	74°	S.Miguel
	1800	70°	S.Miguel
	2100	68°	S.Miguel
	2400	68	C. LOPEZ

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	68	C. LOPEZ
	0600	68	Kingsley
	0900	68	Kingsley
	1200	69	Kingsley
	1500	70°	S.Miguel
	1800	68°	S.Miguel
	2100	66°	S.Miguel
	2400	66	C. LOPEZ

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	66	C. LOPEZ
	0600	68	Kingsley
	0900	68	Kingsley
	1200	68	Kingsley
	1500	69	[illegible]
	1800	69	A. Flores
	2100	69	A. Flores
	2400	69	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	68	Cuestas
	0600	70	Kingsley
	0900	70	Kingsley
	1200	70	Kingsley
	1500	68	C. GARZA
	1800	67	C. GARZA
	2100	66	C. GARZA
	2400	69	SHINE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECOR
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC-E** Housing Unit: **Building 6** Temp. Reading Location: **3rd tier**
Fac. C
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	75°	S. Banuelos
	0600	75	J. Rowlett
	0900	78	J. Rowlett
	1200	80	J. Rowlett
	1500	81	J. Rowlett
	1800	85°	S. Puckett
	2100	78°	S. Puckett
	2400	76°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	76°	S. Banuelos
	0600	77	J. Rowlett
	0900	78	J. Rowlett
	1200	79	J. Rowlett
	1500	77	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	75	E. Ayon Flores
	2400	75°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	74°	S. Banuelos
	0600	74	J. Rowlett
	0900	75	J. Rowlett
	1200	76	J. Rowlett
	1500	77	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	73	E. Ayon Flores
	2400	72	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	[illegible]
	0600	71	Rowlett
	0900	71	Rowlett
	1200	73	Rowlett
	1500	75	E. Ayon Flores
	1800	74	E. Ayon Flores
	2100	73	E. Ayon Flores
	2400	72	Childers

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	Childers
	0600	68	Gonzalez
	0900	70	Gonzalez
	1200	74	Gonzalez
	1500	74	E. Ayon Flores
	1800	73	E. Ayon Flores
	2100	72	E. Ayon Flores
	2400	72°	S. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	72°	S. Banuelos
	0600	72	A. Alfaro
	0900	72	A. Alfaro
	1200	72	A. Alfaro
	1500	72	Peloyo
	1800	72	Peloyo
	2100	72	Peloyo
	2400	71°	S. Banuelos

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	71°	S. Banuelos
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	72	J. Rowlett
	1500	71	Chavez
	1800	73	Chavez
	2100	73	Chavez
	2400	72°	S. Banuelos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Diner Fac. C Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600	78	
	0900	80	
	1200		
	1500	84	MACHA
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	N/A	N/A
	0600	68°	S. NOEL
	0900	740	S. NOEL
	1200	760	S. NOEL
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		
	0600	70°	
	0900	730	
	1200		
	1500	78°	me
	1800	770	me
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		
	0600	70	
	0900	72	
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600	66	
	0900	68	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600	66	
	0900	68	
	1200		
	1500	69	
	1800	67	
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600	68	
	0900	70	
	1200		
	1500	70	
	1800	69	
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

OCT 14 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the IN ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be hou (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the he risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLD 5 Temp. Reading Location: 3RD TIER me
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Fac. C

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	65	SAUZ
	0600	66	Kingsley
	0900	66	Kingsley
	1200	66	Kingsley
	1500	66°	S.Miguel
	1800	66°	S.Miguel
	2100	66°	S.Miguel
	2400	66	P. DRITONS

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/2024	0300	65	P. DRITONS
	0600	66	Kingsley
	0900	67	Kingsley
	1200	67	Kingsley
	1500	68°	S.Miguel
	1800	66°	S.Miguel
	2100	66°	S.Miguel
	2400	66	Castillo

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	66	Castillo
	0600	66	J. Marett
	0900	67	J. Marett
	1200	67	J. Marett
	1500	68°	S.Miguel
	1800	68°	S.Miguel
	2100	66°	S.Miguel
	2400	66	C.LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/224	0300	66	C.LOPEZ
	0600	66	J. Marett
	0900	66	J. Marett
	1200	66	J. Marett
	1500	68°	S.Miguel
	1800	66°	S.Miguel
	2100	66°	S.Miguel
	2400	66	C.LOPEZ

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	66	C.LOPEZ
	0600	66	Kingsley
	0900	68	Kingsley
	1200	69	Kingsley
	1500	68°	S.Miguel
	1800	68°	S.Miguel
	2100	66°	S.Miguel
	2400	66	River

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	66	River
	0600	65	Holguin
	0900	66	Holguin
	1200	70	Holguin
	1500	74	CALLAHAN
	1800	76	CALLAHAN
	2100	70	CALLAHAN
	2400	70	River

Sunday

Time	Temp.	Name (Print)
	68	River
	68	FLORES
	7	FLORES
	4	CALLAHAN
	4	CALLAHAN
		CALLAHAN
	70	C.LOPEZ

Notes

Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC-E** Housing Unit: **Building 6** Temp. Reading Location: **3rd tier**
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Fac. C

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	73	J. Rowlett
	1200	73	J. Rowlett
	1500	73	C. Sanchez
	1800	73	C. Sanchez
	2100	73	C. Sanchez
	2400	70°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70°	S. Banuelos
	0600	70	J. Rowlett
	0900	71	J. Rowlett
	1200	72	J. Rowlett
	1500	72	E. Ayon Flores
	1800	71	E. Ayon Flores
	2100	72	E. Ayon Flores
	2400	71°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	71°	S. Banuelos
	0600	71	J. Rowlett
	0900	72	J. Rowlett
	1200	72	J. Rowlett
	1500	74	E. Ayon Flores
	1800	72	E. Ayon Flores
	2100	72	E. Ayon Flores
	2400	70	E. Quintero

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	E. Quintero
	0600	70	J. Rowlett
	0900	71	J. Rowlett
	1200	72	J. Rowlett
	1500	71	E. Ayon Flores
	1800	71	E. Ayon Flores
	2100	70	E. Ayon Flores
	2400	70	E. Quintero

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	E. Quintero
	0600	70	Gonzales
	0900	70	Gonzales
	1200	72	Gonzales
	1500	72	E. Ayon Flores
	1800	72	E. Ayon Flores
	2100	70	E. Ayon Flores
	2400	70°	S. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70°	S. Banuelos
	0600	70	A. Alfaro
	0900	74	A. Alfaro
	1200	74	A. Alfaro
	1500	73°	L. Flores
	1800	74°	L. Flores
	2100	73	L. Flores
	2400	72°	S. Banuelos

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	~~72~~ 73	J. Rowlett
	1200	75	J. Rowlett
	1500	72	C. Sanchez
	1800	72	C. Sanchez
	2100	70	C. Sanchez
	2400	72°	S. Banuelos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: DINER Fac. C Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		
	0600	68	
	0900	68	
	1200		
	1500	69	
	1800	67	
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600	68	
	0900	68	
	1200		
	1500	73	
	1800	73	
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/15	0300		
	0600	68	MATHER
	0900	68	MATHER
	1200		
	1500	73	Mather
	1800	73	Mathers
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		
	0600	69	
	0900	68	
	1200		
	1500	69	
	1800	69	
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		
	0600	66	
	0900	66	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	/	
	0600	60	GONZALEZ
	0900	57	GONZALEZ
	1200	/	
	1500	/	
	1800	/	
	2100	/	
	2400	/	

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600	67	
	0900	67	
	1200		
	1500	76	MATHER
	1800	72	MATHER
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)
OCT 2 1 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: __CMC_____ Housing Unit: ___BLD 5_____ Temp. Reading Location: ____3RD TIER_____
Fac. C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension __7904_____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	70	C. LOPEZ
	0600	70	P. ORI TORO
	0900	72	P. ORI TORO
	1200	72	P. ORI TORO
	1500	72°	S.Miguel
	1800	72°	S.Miguel
	2100	70°	S.Miguel
	2400	70	P. ORI TORO

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/2024	0300	70	P. ORI TORO
	0600	65	M AMAYA
	0900	70	M AMAYA
	1200	70	M AMAYA
	1500	72°	S.Miguel
	1800	70°	S.Miguel
	2100	70°	S.Miguel
	2400	70	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	68	[illegible]
	0600	68	ROGERS
	0900	68	ROGERS
	1200	72	ROGERS
	1500	76°	S.Miguel
	1800	74°	S.Miguel
	2100	74°	S.Miguel
	2400	74	C. LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
10/24/224	0300	73	C. LOPEZ
	0600	74	J. MARETT
	0900	76	J. MARETT
	1200	78	J. MARETT
	1500	78°	S.Miguel
	1800	76°	S.Miguel
	2100	72°	S.Miguel
	2400	72	Rivera

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	70	Rivera
	0600	70	M AMAYA
	0900	70	M AMAYA
	1200	70	M AMAYA
	1500	72°	S.Miguel
	1800	70°	S.Miguel
	2100	68°	S.Miguel
	2400	68	R. Moreland

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	R. Moreland
	0600	70	M AMAYA
	0900	70	M AMAYA
	1200	70	M AMAYA
	1500	72	S.Lu
	1800	70	S.Lu
	2100	70	S.Lu
	2400	70	Rivera

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	70	Rivera
	0600	70	M AMAYA
	0900	70	M AMAYA
	1200	70	M AMAYA
	1500	72	S.Lu
	1800	70	S.Lu
	2100	70	S.Lu
	2400	70	Rivera

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC-E** Housing Unit: **Building 6** Temp. Reading Location: **3rd tier**
Fac. C (e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	74	J. Rowlett
	1500	76	A. Zepeda
	1800	75	A. Zepeda
	2100	73	A. Zepeda
	2400	72°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	74	J. Rowlett
	1500	74	E. Ayon Flores
	1800	73	E. Ayon Flores
	2100	72	E. Ayon Flores
	2400	72°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	73	J. Rowlett
	1200	78	J. Rowlett
	1500	78	E. Ayon Flores
	1800	76	E. Ayon Flores
	2100	76	E. Ayon Flores
	2400	74	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	[illegible]
	0600	70	J. Rowlett
	0900	72	J. Rowlett
	1200	80	J. Rowlett
	1500	76	E. Ayon Flores
	1800	76	E. Ayon Flores
	2100	76	E. Ayon Flores
	2400	73	E. Quintero

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	72	E. Quintero
	0600	62	Gonzalez
	0900	72	Gonzalez
	1200	74	Gonzalez
	1500	74	E. Ayon Flores
	1800	74	E. Ayon Flores
	2100	73	E. Ayon Flores
	2400	72°	S. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	72°	S. Banuelos
	0600	72	A. Alfaro
	0900	74	A. Alfaro
	1200	75	A. Alfaro
	1500	76	Moreno E
	1800	74	Moreno
	2100	74	Moreno
	2400	72°	S. Banuelos

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	73	J. Rowlett
	1200	73	J. Rowlett
	1500	74	A. Zepeda
	1800	74	A. Zepeda
	2100	73	A. Zepeda
	2400	73°	S. Banuelos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

21 OCT. 24

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Diner Fac. C Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		
	0600	66	
	0900	74	
	1200		
	1500	76	[illegible]
	1800	72	[illegible]
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300		
	0600	70	S. NOEL
	0900	74	S. NOEL
	1200	70	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300		
	0600	70	BL
	0900	72	[illegible]
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600	76	
	0900	76	
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		
	0600	71	
	0900	72	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600	69	
	0900	70	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600	74	
	0900	77	
	1200		
	1500	76	
	1800	72	
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

OCT 28 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: __CMC_____ Housing Unit: ___BLD 5_____ Temp. Reading Location: ____3RD TIER_____
Fac. C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension __7904_____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	70	Rivera
	0600	70	Kingsley
	0900	70	Kingsley
	1200	68	Kingsley
	1500	66°	S.Miguel
	1800	64°	S.Miguel
	2100	66°	S.Miguel
	2400	66	P. Britoro

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/2024	0300	66	P. Del Toro
	0600	67	P. Del Toro
	0900	64°	P. Del Toro
	1200	66	P. Del Toro
	1500	66°	S.Miguel
	1800	64°	S.Miguel
	2100	64	S.Miguel
	2400	62	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	62	[illegible]
	0600	65	J. Maren
	0900	66	J. Maren
	1200	66	J. Maren
	1500	66°	S.Miguel
	1800	66°	S.Miguel
	2100	66°	S.Miguel
	2400	64	Jensen

Thursday

Date	Time	Temp.	Name (Print)
10/31/224	0300	62	Jensen
	0600	64	J. Maren
	0900	65	J. Maren
	1200	65	J. Maren
	1500	64°	S.Miguel
	1800	64°	S.Miguel
	2100	62°	S.Miguel
	2400	72°	C Almonta

Friday

Date	Time	Temp.	Name (Print)
XXXX

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC-E** Housing Unit: **Building 6** Fac. C Temp. Reading Location: **3rd tier** (e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	73	J. Rowlett
	1200	73	J. Rowlett
	1500	73	A. Zepeda
	1800	72	A. Zepeda
	2100	70	A. Zepeda
	2400	70°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70°	S. Banuelos
	0600	70	Barbosa
	0900	70	Barbosa
	1200	70	Barbosa
	1500	72	E. Ayon Flores
	1800	70	E. Ayon Flores ICP
	2100	69	E. Ayon Flores
	2400	70°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70°	S. Banuelos
	0600	70	J. Rowlett
	0900	70	J. Rowlett
	1200	71	J. Rowlett
	1500	70	E. Ayon Flores
	1800	70	E. Ayon Flores
	2100	68	E. Ayon Flores
	2400	70	Childers

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	Childers
	0600	70	P. Del Toro
	0900	71	P. Del Toro
	1200	71	P. Del Toro
	1500	71	P. Del Toro
	1800	68	E. Ayon Flores
	2100	67	Garcia
	2400	55	Garcia

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

56

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility C - DINER Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		
	0600	76	[illegible]
	0900	78	[illegible]
	1200		
	1500	74	[illegible]
	1800	72	[illegible]
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		
	0600	62°	S. NOEL
	0900	66°	S. NOEL
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		
	0600		
	0900		
	1200		
	1500	70	[illegible]
	1800	69	[illegible]
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 FGC. D Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	95°	C. McNeal ICP
	0600	70	Witt
	0900	76	Witt
	1200	77	Witt
	1500	77	Witt
	1800	74	Witt
	2100	74	Witt
	2400	72	Torres

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	72	Torres ICP
	0600	70	Witt
	0900	70	Witt
	1200	72	Witt
	1500	74	Witt
	1800	73	Witt
	2100	72	Witt
	2400	72	Castillo

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	72	Castillo
	0600	69	Dennerlein
	0900	69	Dennerlein
	1200	71	Dennerlein
	1500	74°	T. Faiola
	1800	72°	T. Faiola
	2100	72°	T. Faiola
	2400	70	T. Cota

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	T. Cota
	0600	68	Dennerlein
	0900	65	Dennerlein
	1200	70	Dennerlein
	1500	72°	T. Faiola
	1800	72°	T. Faiola
	2100	70°	T. Faiola
	2400	70	T. Cota

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	69	T. Cota
	0600	70	Chavez
	0900	68°	Chavez
	1200	70°	Chavez
	1500	72°	T. Faiola
	1800	72°	T. Faiola
	2100	70°	T. Faiola
	2400	70	T. Cota

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	69	T. Cota
	0600	68°	Chavez
	0900	68°	Chavez
	1200	70°	Chavez
	1500	72°	T. Faiola
	1800	70°	T. Faiola
	2100	70°	T. Faiola
	2400	70	Martinez

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	69	Martinez
	0600	69	Martinez
	0900	70	Flores
	1200	71	Flores
	1500	72	Flores
	1800	79	Chavez
	2100	71	Chavez
	2400	70	Hughins

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 8 Temp. Reading Location: TIER 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

FAC. D

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	74	TORRES KP
	0600	74	E. Gonzalez
	0900	74	E. Gonzalez
	1200	75	E. Gonzalez
	1500	76	A. PARTIDA
	1800	76	A. PARTIDA
	2100	76	A. PARTIDA
	2400	74	Cberdey

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	70	Cberdey KP
	0600	70°	Strader
	0900	72°	Strader
	1200	74°	Strader
	1500	76°	Bender
	1800	75°	Bender
	2100	74°	Bender
	2400	72	Cberdey

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	70	Cberdey
	0600	70	Pelayo
	0900	70	Pelayo
	1200	73°	Pelayo
	1500	75°	Bender
	1800	74°	Bender
	2100	73°	Bender
	2400	72	Cberdey

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	Cberdey
	0600	70	Pelayo
	0900	70	Pelayo
	1200	73°	Pelayo
	1500	74°	Bender
	1800	73°	Bender
	2100	72°	Bender
	2400	72	Cberdey

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	Cberdey
	0600	70	Pelayo
	0900	70	Pelayo
	1200	71°	Pelayo
	1500	72°	Bender
	1800	73°	Bender
	2100	73°	Bender
	2400	70	Cberdey

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	69	Cberdey
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Mullins
	1800	70	Mullins
	2100	70	Mullins
	2400	70	TORRES

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	TORRES
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Mullins
	1800	70	Mullins
	2100	70	Mullins
	2400	70	TORRES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY D** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	N/A	
	0600	69	Martay Av
	0900	69	Martay Av
	1200	N/A	
	1500	80	[illegible]
	1800	80	[illegible]
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	N/A	
	0600	69	Martay Av
	0900	69	Martay Av
	1200	N/A	
	1500	78	[illegible]
	1800	78	[illegible]
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	N/A	
	0600	67	Martay Av
	0900	68	Martay Av
	1200	N/A	
	1500	74	LINES
	1800	74	LINES
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	N/A	
	0600	72	[illegible]
	0900	74	[illegible]
	1200	N/A	
	1500	74	LINES
	1800	74	LINES
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	N/A	
	0600	68	COBB
	0900	70	COBB
	1200	N/A	
	1500	70	Juan
	1800	70	Juan
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	N/A	
	0600	69	[illegible]
	0900	68	[illegible]
	1200	N/A	
	1500	68	Juan
	1800	69	Juan
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	N/A	
	0600	68	GONZALEZ
	0900	65	GONZALEZ
	1200	N/A	
	1500	77	[illegible]
	1800	77	[illegible]
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 Temp. Reading Location: TIER 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Fac. D

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	68	HUCKINS
	0600	70	Witt
	0900	70	Witt
	1200	70	Witt
	1500	70	Witt
	1800	70	Witt
	2100	70	Witt
	2400	68	TORRES

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	68	TORRES
	0600	68	Witt
	0900	70	Witt
	1200	70	Witt
	1500	70	Witt
	1800	70	Witt
	2100	70	Witt
	2400	70	T. Cota

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	69	T. Cota
	0600	68	Dennerlein
	0900	67	Dennerlein
	1200	70	Dennerlein
	1500	74°	T. Faiola
	1800	70°	T. Faiola
	2100	70°	T. Faiola
	2400	70	T. Cota

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	69	T. Cota
	0600	69	Dennerlein
	0900	67	Dennerlein
	1200	70	Dennerlein
	1500	70°	T. Faiola
	1800	70°	T. Faiola
	2100	70°	T. Faiola
	2400	70	T. Cota

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	69	T. Cota
	0600	68°	Chavez
	0900	69°	Chavez
	1200	69°	Chavez
	1500	72°	T. Faiola
	1800	72°	T. Faiola
	2100	70°	T. Faiola
	2400	70	T. Cota

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	69	T. Cota
	0600	69°	Chavez
	0900	720	Chavez
	1200	76°	Chavez
	1500	76°	T. Faiola
	1800	76°	T. Faiola
	2100	74°	T. Faiola
	2400	69	T. Cota

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70°	Benavides
	0600	70	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	70	CABRERA
	1800	68	CABRERA
	2100	68	CABRERA
	2400	70°	Benavides

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 8 FAC. D Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	TORRES
	0600	70	E. Gonzalez
	0900	70	E. Gonzalez
	1200	70	E. Gonzalez
	1500	70	Bender
	1800	69	Bender
	2100	68	Bender
	2400	68	Cherdey

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	68	Cherdey
	0600	70	E. Gonzalez
	0900	70	E. Gonzalez
	1200	70	E. Gonzalez
	1500	70	Bender
	1800	70	Bender
	2100	69	Bender
	2400	68	Cherdy

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	Cherdey
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Bender
	1800	69	Bender
	2100	68	Bender
	2400	69	Cherdy

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	69	Cherdy
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Bender
	1800	70	Bender
	2100	69	Bender
	2400	69	Cherdy

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	69	Cherdy
	0600	68	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Tabarez
	1800	70	Tabarez
	2100	69	Tabarez
	2400	69	Cherdy

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	69	Cherdy
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Mullins
	1800	70	Mullins
	2100	70	Mullins
	2400	70	MCNEAL

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	MCNEAL
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Mullins
	1800	71	Mullins
	2100	70	Mullins
	2400	70	MCNEAL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY D** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	N/A	
	0600	67	Montoya
	0900	69	Montoya
	1200	N/A	
	1500	69	TCA
	1800	70	TCA
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	N/A	
	0600	67	Montoya
	0900	69	Montoya
	1200	N/A	
	1500	69	EG
	1800	65	EG
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	N/A	
	0600	69	Montoya
	0900	68	Montoya
	1200	N/A	
	1500	71	LINES
	1800	72	LINES
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	N/A	
	0600	66	
	0900	66	
	1200	N/A	
	1500	68	LINES
	1800	69	LINES
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	N/A	
	0600	66	
	0900	66	
	1200	N/A	
	1500	72	
	1800	70	
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	N/A	
	0600	66	DE
	0900	68	DE
	1200	N/A	
	1500	76	Juarez
	1800	72	Juarez
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	N/A	
	0600	66	Montoya
	0900	68	Montoya
	1200	N/A	
	1500	76	REYES
	1800	76	REYES
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 FAC. D Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	SINZ
	0600	70	Witt
	0900	70	Witt
	1200	72	Witt
	1500	73	Witt
	1800	72	Witt
	2100	70	Witt
	2400	70	Rivera

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	70	Rivera
	0600	70	Lilly
	0900	71	Lilly
	1200	72	Witt
	1500	72	Witt
	1800	71	Witt
	2100	70	Witt
	2400	70	T. Cox

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	69	T. Cox
	0600	70	Chang
	0900	71	Chang
	1200	74	Chang
	1500	76	Madrena
	1800	76	Madrena
	2100	74	Madrena
	2400	70	T. Cox

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	74	T. Cox
	0600	74	Chang
	0900	74	Chang
	1200	74	Chang
	1500	76	Madrena
	1800	76	Madrena
	2100	74	Madrena
	2400	70	T. Cox

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	69	T. Cox
	0600	67°	Chavez
	0900	69°	Chavez
	1200	73°	Chavez
	1500	73	T. Cox
	1800	72	T. Cox
	2100	71	T. Cox
	2400	70	T. Cox

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	69	T. Cox
	0600	70°	Chavez
	0900	70°	Chavez
	1200	72°	Chavez
	1500	74°	Madrena
	1800	74	Madrena
	2100	72	Madrena
	2400	69	T. Cox

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	69°	Bernavidos
	0600	70	Witt
	0900	70	Witt
	1200	72	Witt
	1500	74	Madrena
	1800	72	Madrena
	2100	72	Madrena
	2400	69°	Bernavidos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 8 Fac. D Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	70	[illegible]
	0600	70	E. Gonzalez
	0900	70	E. Gonzalez
	1200	71	E. Gonzalez
	1500	71	A. PARTIDA
	1800	71	A. PARTIDA
	2100	70	A. PARTIDA
	2400	70	Qerder

Tuesday

Dat	Time	Temp.	Name (Print)
10-22-24	0300	70°	Qerder
	0600	70°	E. Gonzalez
	0900	71°	E. Gonzalez
	1200	72°	[illegible] Jacobs
	1500	74°	[illegible]
	1800	73°	[illegible]
	2100	73°	[illegible]
	2400	72	Qerder

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	Qerder
	0600	72	MENDOZA
	0900	74	MENDOZA
	1200	75	MENDOZA
	1500	76	[illegible]
	1800	75	[illegible]
	2100	74	[illegible]
	2400	74	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	74	Qerder
	0600	74	Pelayo
	0900	75	Pelayo
	1200	76	Pelayo
	1500	77	[illegible]
	1800	76	[illegible]
	2100	75	[illegible]
	2400	73	Qerder

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	Qerder
	0600	70	Pelayo
	0900	70	Pelayo
	1200	72	Pelayo
	1500	74°	[illegible]
	1800	77°	[illegible]
	2100	72°	[illegible]
	2400	72	Qerder

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	Qerder
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	73	Mullins
	1800	73	Mullins
	2100	71	Mullins
	2400	72	Torres

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	72	Torres
	0600	72	Pelayo
	0900	72	Pelayo
	1200	72	Pelayo
	1500	72	Torres
	1800	74	Torres
	2100	74	Torres
	2400	72	Torres

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY D** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	N/A	
	0600	66	Martyn
	0900	66	Martyn
	1200	N/A	
	1500	74	Ta
	1800	77	R
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	N/A	
	0600	66	Martyn
	0900	67	Martyn
	1200	N/A	
	1500	69	[illegible]
	1800	72	[illegible]
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	N/A	
	0600	66	Martyn
	0900	67	Martyn
	1200	N/A	
	1500	78	LINES
	1800	78	LINES
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	N/A	
	0600	66	COBB
	0900	66	COBB
	1200	N/A	
	1500	79	LINES
	1800	79	LINES
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	N/A	
	0600	66	COBB
	0900	66	COBB
	1200	N/A	
	1500	74	Unknown
	1800	77	Unknown
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	N/A	
	0600	69	Moreno
	0900	72	Moreno
	1200	N/A	
	1500	72	Lum
	1800	72	Lum
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	N/A	
	0600	60	Holguin
	0900	60	Holguin
	1200	N/A	
	1500	74	Ta
	1800	74	R
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 28 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 Fac. D Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	Williams HCP
	0600	70	Witt
	0900	70	Witt
	1200	70	Witt
	1500	72	Witt
	1800	70	Witt
	2100	70	Witt
	2400	68	TORRES

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	66	TORRES
	0600	66	Witt
	0900	66	Witt
	1200	68	Witt
	1500	68	Witt
	1800	68	Witt
	2100	68	Witt
	2400	68	TORRES

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	68	T. Gotta
	0600	65	Chang
	0900	64	Chang
	1200	68	Chang
	1500	71	CARDAMONE
	1800	68	CARDAMONE
	2100	68	CARDAMONE
	2400	68	T. Gotta

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	67	T. Gotta
	0600	64	Chang
	0900	64	Chang
	1200	67	Chang
	1500	70	CARDAMONE
	1800	69	CARDAMONE
	2100	68	CARDAMONE
	2400	69	J. Chavez

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the *INSIDE* ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Bld. 8 Fac. D Temp. Reading Location: 3rd floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	68	Clarde
	0600	68	Strader
	0900	69°	Strader
	1200	70°	Strader
	1500	70°	Morado
	1800	70°	Morado
	2100	70°	Morado
	2400	68	Clarde

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	68	Clarde
	0600	68	E. Lowe
	0900	68	E. Lowe
	1200	70	E. Lowe
	1500	70	Bender
	1800	69	Bender
	2100	68	Bender
	2400	68	Clarde

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	67	Clarde
	0600	65	Moreno
	0900	71	Moreno
	1200	71	Moreno
	1500	70	Bender
	1800	69	Bender
	2100	68	Bender
	2400	68	CASTILLO

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	68	CASTILLO
	0600	68	D. Evers
	0900	68	D. Evers
	1200	68	D. Evers
	1500	68	Bender
	1800	67	Bender
	2100	65	Bender
	2400	65	Lugo

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300		
	0600	66	Pelayo
	0900	68	Pelayo
	1200	69	Pelayo
	1500	69	Bender
	1800	68	Bender
	2100	67	Bender
	2400	66	Saint

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	66	Saint
	0600	66	Pelayo
	0900	68	Pelayo
	1200		Pelayo
	1500	67	Mullins
	1800	67	Mullins
	2100	68	Mullins
	2400	66	Martinez

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	66	Martinez
	0600	66	Pelayo
	0900	68	Pelayo
	1200		Pelayo
	1500	68	Mullins
	1800	68	Mullins
	2100	68	Mullins
	2400	66	TORRES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY D** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	N/A	[illegible]
	0600	66	[illegible]
	0900	65	[illegible]
	1200	N/A	
	1500	68	[illegible]
	1800	68	[illegible]
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	N/A	
	0600	65	[illegible]
	0900	66	[illegible]
	1200	N/A	
	1500	65	Simpson
	1800	65	Simpson
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	N/A	
	0600	69	[illegible]
	0900	69	[illegible]
	1200	N/A	
	1500	70	LINES
	1800	70	LINES
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	N/A	
	0600	66	[illegible]
	0900	68	[illegible]
	1200	N/A	
	1500	66	LINES
	1800	66	LINES
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
	0300	N/A	
	0600		
	0900		
	1200	N/A	
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
	0300	N/A	
	0600		
	0900		
	1200	N/A	
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
	0300	N/A	
	0600		
	0900		
	1200	N/A	
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g.. top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	75	Solis
	0600	75	Cook
	0900	75	Cook
	1200	75	Cook
	1500	80	Gomez
	1800	70	Gomez
	2100	76	Gomez
	2400	70	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
10/08/24	0300	75	Solis
	0600	70	Howell
	0900	71	Howell
	1200	72	Howell
	1500	78	Arguijo
	1800	76	Arguijo
	2100	74	Arguijo
	2400	74	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	74	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	72	Howell
	1500	74	Arguijo
	1800	74	Arguijo
	2100	72	Arguijo
	2400	72	RAMOS

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	RAMOS
	0600	72	Arguijo
	0900	74	Arguijo
	1200	74	Arguijo
	1500	76	Arguijo
	1800	75	Arguijo
	2100	74	Arguijo
	2400	72	RAMOS

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	Cook

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	RAMOS
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	Howell
	1800	72	Howell
	2100	72	Howell
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	72	Moreno
	1800	72	Moreno
	2100	70	Moreno
	2400	72	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 31
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	73	Solis
	0600	75	Cook
	0900	75	Cook
	1200	75	Cook
	1500	80	Gomez
	1800	76	Gomez
	2100	76	Gomez
	2400	74	Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
10/08/24	0300	72	Solis
	0600	70	Howell
	0900	71	Howell
	1200	72	Howell
	1500	75	Arguijo
	1800	76	Arguijo
	2100	74	Arguijo
	2400	72	Ramos

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	72	Ramos
	0600	70	Howell
	0900	70	Howell
	1200	72	Howell
	1500	74	Arguijo
	1800	74	Arguijo
	2100	72	Arguijo
	2400	72	Ramos

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	Ramos
	0600	72	Arguijo
	0900	72	Arguijo
	1200	74	Arguijo
	1500	76	Arguijo
	1800	75	Arguijo
	2100	75	Arguijo
	2400	74	Ramos

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	Ramos

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	Ramos
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	72	Howell
	1800	72	Howell
	2100	72	Howell
	2400	70	Ramos

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	73	Moreno
	1800	73	Moreno
	2100	76	Moreno
	2400	72	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 32
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	73	Solis
	0600	75	Cook
	0900	75	Cook
	1200	75	Cook
	1500	80	Gomez
	1800	78	Gomez
	2100	76	Gomez
	2400	74	Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
10/08/24	0300	72	Solis
	0600	70	Howell
	0900	72	Howell
	1200	74	Howell
	1500	78	Arguijo
	1800	76	Arguijo
	2100	74	Arguijo
	2400	74	Ramos

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	72	Ramos
	0600	70	Howell
	0900	70	Howell
	1200	72	Howell
	1500	74	Arguijo
	1800	74	Arguijo
	2100	72	Arguijo
	2400	72	Ramos

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	Ramos
	0600	72	Arguijo
	0900	72	Arguijo
	1200	74	Arguijo
	1500	77	Arguijo
	1800	78	Arguijo
	2100	77	Arguijo
	2400	76	Ramos

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	76	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	Ramos

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	Ramos
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	72	Howell
	1800	72	Howell
	2100	72	Howell
	2400	70	Ramos

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	73	Moreno
	1800	73	Moreno
	2100	70	Moreno
	2400	72	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 33
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	72	Solis
	0600	72	Cook
	0900	75	Cook
	1200	75	Cook
	1500	80	Gomez
	1800	74	Gomez
	2100	70	Gomez
	2400	74	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/08/24	0300	72	Solis
	0600	70	Howell
	0900	71	Howell
	1200	71	Howell
	1500	76	Arguijo
	1800	74	Arguijo
	2100	74	Arguijo
	2400	72	Ramos

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	72	Ramos
	0600	70	Howell
	0900	70	Howell
	1200	72	Howell
	1500	74	Arguijo
	1800	74	Arguijo
	2100	72	Arguijo
	2400	70	Ramos

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	Ramos
	0600	72	Arguijo
	0900	72	Arguijo
	1200	74	Arguijo
	1500	73	Arguijo
	1800	73	Arguijo
	2100	73	Arguijo
	2400	72	Ramos

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	Ramos

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	Ramos
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Ramos

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	73	Moreno
	1800	73	Moreno
	2100	70	Moreno
	2400	72	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 34
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	73	Solis
	0600	73	Cook
	0900	75	Cook
	1200	75	Cook
	1500	80	Gomez
	1800	78	Gomez
	2100	76	Gomez
	2400	72	Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
10/08/24	0300	72	Solis
	0600	70	Howell
	0900	71	Howell
	1200	72	Howell
	1500	74	Arguijo
	1800	74	Arguijo
	2100	74	Arguijo
	2400	74	Ramos

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	72	Ramos
	0600	70	Howell
	0900	70	Howell
	1200	72	Howell
	1500	74	Arguijo
	1800	74	Arguijo
	2100	72	Arguijo
	2400	70	Ramos

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	Ramos
	0600	72	Arguijo
	0900	72	Arguijo
	1200	74	Arguijo
	1500	76	Arguijo
	1800	75	Arguijo
	2100	74	Arguijo
	2400	70	Ramos

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	Ramos

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	Ramos
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Ramos

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	74	Moreno
	1800	73	Moreno
	2100	70	Moreno
	2400	70	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FACILITY PROGRAM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	70	Solis
	0600	70	Cook
	0900	75	Cook
	1200	75	Cook
	1500	75	Gomez
	1800	75	Gomez
	2100	75	Gomez
	2400	74	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
10/08/24	0300	74	Solis
	0600	70	Howell
	0900	70	Howell
	1200	72	Howell
	1500	72	Arguijo
	1800	70	Arguijo
	2100	74	Arguijo
	2400	70	Ramos

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	70	Ramos
	0600	70	Howell
	0900	70	Howell
	1200	72	Howell
	1500	74	Arguijo
	1800	74	Arguijo
	2100	72	Arguijo
	2400	68	Ramos

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	68	Ramos
	0600	72	Arguijo
	0900	72	Arguijo
	1200	72	Arguijo
	1500	72	Arguijo
	1800	72	Arguijo
	2100	72	Arguijo
	2400	70	Ramos

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	Ramos

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	Ramos
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Ramos

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	
	1200	75	
	1500	78	Gomez
	1800	76	Gomez
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
10/08/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	72	Howell
	1200	74	Howell
	1500	74	Arguijo
	1800	72	Arguijo
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Howell
	1200	72	Howell
	1500	72	Arguijo
	1800	72	Arguijo
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	72	Arguijo
	1200	72	Arguijo
	1500	72	Arguijo
	1800	72	Arguijo
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	Howell
	1800	72	Howell
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Cook
	1200	70	Cook
	1500	72	Moreno
	1800	70	Moreno
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

2024

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		N/A
	0600	74°	J. Feist
	0900	74°	J. Feist
	1200	74°	G Jones
	1500	76'	G. Jones
	1800	76'	G. Jones
	2100		
	2400		N/A

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		N/A
	0600	72°	J. Feist
	0900	72°	J. Feist
	1200	72°	G Jones
	1500	72'	G Jones
	1800	72°	G Jones
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		N/A
	0600	72°	J. Feist
	0900	72°	J. Feist
	1200	72°	G Jones
	1500	72'	G Jones
	1800	72'	G Jones
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600	68°	J. Feist
	0900	70°	J. Feist
	1200	73°	D. Black
	1500	72°	D. Black
	1800	72'	D. Black
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		N/A
	0600	72°	J. Feist
	0900	72°	J. Feist
	1200	71'	D. Black
	1500	70'	Black
	1800	70'	Black
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		N/A
	0600	68	Hampton
	0900	70	Hampton
	1200	68'	G Jones
	1500	70'	G Jones
	1800	70'	G Jones
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		N/A
	0600	69'	Hampton
	0900	70	Hampton
	1200	68'	G Jones
	1500	68°	G Jones
	1800	68'	G Jones
	2100		
	2400		N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 30
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72	SOLIS
	0600	72	COLLINS
	0900	73	COLLINS
	1200	73	COLLINS
	1500	72	Argijo
	1800	70	Argijo
	2100	70	Argijo
	2400	74	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	74	SOLIS
	0600	70	Howell
	0900	70	Howell
	1200	72	Howell
	1500	72	Argijo
	1800	70	Argijo
	2100	70	Argijo
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	RAMOS
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	72	Argijo
	1800	70	Argijo
	2100	70	Argijo
	2400	74	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	74	VASQUEZ
	0600	74	Moreno
	0900	74	Moreno
	1200	74	Moreno
	1500	74	COLLINS
	1800	73	COLLINS
	2100	72	COLLINS
	2400	76	RAMOS

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	76	Howell
	1800	76	Howell
	2100	74	Howell
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	74	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 31
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72	SOLIS
	0600	72	COLLINS
	0900	72	COLLINS
	1200	73	COLLINS
	1500	72	Arguijo
	1800	70	Arguijo
	2100	70	Arguijo
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	70	SOLIS
	0600	70	Howell
	0900	70	Howell
	1200	73	Howell
	1500	72	Arguijo
	1800	70	Arguijo
	2100	70	Arguijo
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	RAMOS
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Arguijo
	1800	70	Arguijo
	2100	70	Arguijo
	2400	70	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	VASQUEZ
	0600	70	VASQUEZ
	0900	70	Moreno
	1200	70	Moreno
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	74	Howell
	1800	74	Howell
	2100	72	Howell
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	76	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	72	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 32
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	71	Solis
	0600	71	COLLINS
	0900	72	COLLINS
	1200	72	COLLINS
	1500	72	Argüelo
	1800	70	Argüelo
	2100	70	Argüelo
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	73	Solis
	0600	70	Howell
	0900	70	Howell
	1200	74	Howell
	1500	72	Argüelo
	1800	70	Argüelo
	2100	70	Argüelo
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	RAMOS
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	72	Argüelo
	1800	70	Argüelo
	2100	70	Argüelo
	2400	74	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	76	VASQUEZ
	0600	76	Moreno
	0900	76	Moreno
	1200	76	Moreno
	1500	76	COLLINS
	1800	74	COLLINS
	2100	74	COLLINS
	2400	72	RAMOS

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	72	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	72	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	76	Howell
	1800	76	Howell
	2100	74	Howell
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	72	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 33
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72	SOLIS
	0600	72	COLLINS
	0900	72	COLLINS
	1200	73	COLLINS
	1500	73	Argejo
	1800	70	Argejo
	2100	70	Argejo
	2400	72	JASWAL

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	72	SOLIS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Argejo
	1800	70	Argejo
	2100	70	Argejo
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	RAMOS
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Argejo
	1800	70	Argejo
	2100	70	Argejo
	2400	70	JASWAL

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	JASWAL
	0600	70	Moreno
	0900	70	Howell
	1200	70	Howell
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	74	Howell
	1800	74	Howell
	2100	72	Howell
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	72	JASWAL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 34
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70	SOLIS
	0600	71	COLLINS
	0900	72	COLLINS
	1200	73	COLLINS
	1500	72	Argijo
	1800	70	Argijo
	2100	70	Argijo
	2400	70	JAUREL

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	70	SOLIS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Argijo
	1800	70	Argijo
	2100	70	Argijo
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	RAMOS
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Argijo
	1800	70	Argijo
	2100	70	Argijo
	2400	70	JAUREL

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	JAUREL
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	RAMOS

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	72	Howell
	1800	72	Howell
	2100	72	Howell
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	JAUREL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC PROGRAM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	69	Solis
	0600	70	COLLINS
	0900	72	COLLINS
	1200	73	COLLINS
	1500	72	Angujo
	1800	70	Angujo
	2100	70	Angujo
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	69	Solis
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Angujo
	1800	70	Angujo
	2100	70	Angujo
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	RAMOS
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Angujo
	1800	70	Angujo
	2100	70	Angujo
	2400	70	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	VASQUEZ
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	72	Howell
	1800	72	Howell
	2100	72	Howell
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	72	COLLINS
	1200	72	COLLINS
	1500	72	Arguijo
	1800	70	Arguijo
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Howell
	1200	70	Howell
	1500	70	Arguijo
	1800	70	Arguijo
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Arguijo
	1800	70	Arguijo
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Moreno
	1200	70	Moreno
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Howell
	1200	70	Howell
	1500	72	Howell
	1800	72	Howell
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 **when the inside air temperature reaches 90 degrees and again at 95 degrees.** 2024

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		N/A
	0600	68°	J. Feist
	0900	68°	J. Feist
	1200	68°	G Jones
	1500	68°	G Jones
	1800	68°	G Jones
	2100		
	2400		N/A

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300		N/A
	0600	68°	Hampton
	0900	68°	Hampton
	1200	68°	G Jones
	1500	68°	G Jones
	1800	68°	G Jones
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		N/A
	0600	66°	J. Feist
	0900	68°	J. Feist
	1200	68°	G Jones
	1500	70°	G Jones
	1800	70°	G Jones
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		N/A
	0600	67°	J. Feist
	0900	68°	J. Feist
	1200	68	J Gomez
	1500	68	J Gomez
	1800	69	J Gomez
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		N/A
	0600	64°	J. Feist
	0900	64°	J. Feist
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)	
10/19	0300		N/A	
	0600	67°	Hampton	
	0900	69°	Hampton	
	1200	69	J Gomez	70° 8/
	1500	69	J Gomez	72° 8/
	1800	69	J Gomez	72° 8/
	2100			
	2400		N/A	

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		N/A
	0600	69	Hampton
	0900	69	Hampton
	1200	70°	G Jones
	1500	72°	G Jones
	1800	74°	G Jones
	2100		
	2400		N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	73	Solis
	0600	73	Cook
	0900	73	COOK
	1200	74	COOK
	1500	75	COLLINS
	1800	75	COLLINS
	2100	72	VASWELL
	2400	72	VASWELL

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	71	Solis
	0600	72	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	74	Arguijo
	1800	72	Arguijo
	2100	70	Arguijo
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	72	SOLIS
	0600	72	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	74	Arguijo
	1800	72	Arguijo
	2100	72	Arguijo
	2400	76	RAMOS

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	74	VASWELL
	0600	74	Howell
	0900	76	Howell
	1200	78	Howell
	1500	78	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	72	RAMOS

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	72	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	72	Arguijo
	1800	72	Arguijo
	2100	70	Arguijo
	2400	72	VASWELL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 31
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)	
10/21/24	0300	71	Solis	RC
	0600	73	Cook	
	0900	73	COOK	
	1200	74	COOK	
	1500	75	COLLINS	
	1800	75	COLLINS	
	2100	72	VASWIRZ	
	2400	72	VASWIRZ	

Tuesday

Dat	Time	Temp.	Name (Print)	
10/22/24	0300	72	Solis	
	0600	72	Moreno	B
	0900	72	Moreno	
	1200	72	Moreno	
	1500	74	Argoja	
	1800	72	Argoja	
	2100	70	Argoja	
	2400	70	RAMOS	

Wednesday

Date	Time	Temp.	Name (Print)	
10/23/24	0300	72	SOLIS	
	0600	72	Moreno	
	0900	72	Moreno	B
	1200	72	Moreno	
	1500	74	Argoja	
	1800	72	Argoja	
	2100	70	Argoja	
	2400	74	RAMOS	

Thursday

Date	Time	Temp.	Name (Print)	
10/24/24	0300	74	RAMOS	
	0600	74	Howell	M
	0900	76	Howell	
	1200	78	Howell	
	1500	78	RAMOS	
	1800	74	RAMOS	
	2100	72	RAMOS	
	2400	72	RAMOS	

Friday

Date	Time	Temp.	Name (Print)	
10/25/24	0300	72	RAMOS	
	0600	70	Cook	B
	0900	70	Cook	
	1200	70	Cook	
	1500	70	COLLINS	
	1800	70	COLLINS	
	2100	70	COLLINS	
	2400	70	RAMOS	

Saturday

Date	Time	Temp.	Name (Print)	
10/26/24	0300	70	RAMOS	
	0600	70	Cook	MS
	0900	70	Cook	
	1200	70	Cook	
	1500	70	Cook	
	1800	70	Cook	RC
	2100	70	Cook	
	2400	70	RAMOS	

Sunday

Date	Time	Temp.	Name (Print)	
10/27/24	0300	70	RAMOS	RC
	0600	70	Cook	
	0900	70	Cook	
	1200	70	Cook	
	1500	72	Argoja	
	1800	72	Argoja	RC
	2100	70	Argoja	
	2400	72	VASWIRZ	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 32 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	71	Solis
	0600	73	Cook
	0900	73	COOK
	1200	74	COOK
	1500	75	COLLINS
	1800	75	COLLINS
	2100	72	JAYWALK
	2400	74	JAYWALK

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	70	Solis
	0600	70	Moreno
	0900	74	Moreno
	1200	74	Moreno
	1500	74	Arguijo
	1800	72	Arguijo
	2100	70	Arguijo
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	72	Moreno
	0600	72	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	74	Arguijo
	1800	72	Arguijo
	2100	70	Arguijo
	2400	74	RAMOS

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	74	RAMOS
	0600	74	Howell
	0900	76	Howell
	1200	78	Howell
	1500	78	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	70	RAMOS

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	72	Arguijo
	1800	72	Arguijo
	2100	70	Arguijo
	2400	72	JAYWALK

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 33
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	72	Solis
	0600	72	Cook
	0900	73	COOK
	1200	74	COOK
	1500	75	COLLINS
	1800	75	COLLINS
	2100	72	[illegible]
	2400	70	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	70	Solis
	0600	72	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	74	Argujo
	1800	72	Argujo
	2100	70	Argujo
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	Moreno
	0600	72	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	74	Argujo
	1800	72	Argujo
	2100	70	Argujo
	2400	76	RAMOS

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	74	RAMOS
	0600	74	Howell
	0900	74	Howell
	1200	76	Howell
	1500	76	RAMOS
	1800	72	RAMOS
	2100	72	RAMOS
	2400	72	RAMOS

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	72	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	COOK
	2100	70	Cook
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	72	Argujo
	1800	72	Argujo
	2100	70	Argujo
	2400	74	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 34 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	72	Solis
	0600	72	Cook
	0900	73	COOK
	1200	74	COOK
	1500	75	COLLINS
	1800	75	COLLINS
	2100	72	JAUREZ
	2400	68	JAUREZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	74	Arguijo
	1800	72	Arguijo
	2100	70	Arguijo
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	68	Moreno
	0600	70	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	74	Arguijo
	1800	72	Arguijo
	2100	70	Arguijo
	2400	76	RAMOS

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	74	RAMOS
	0600	74	Howell
	0900	76	Howell
	1200	76	Howell
	1500	76	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	72	RAMOS

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	RAMOS
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	72	Arguijo
	1800	72	Arguijo
	2100	70	Arguijo
	2400	70	JAUREZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC PROGRAM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	69	Solis
	0600	70	Cook
	0900	73	Cook
	1200	74	Cook
	1500	75	Collins
	1800	75	Collins
	2100	72	Vasquez
	2400	72	Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	69	Solis
	0600	70	Howell
	0900	70	Howell
	1200	72	Howell
	1500	72	Arguijo
	1800	72	Arguijo
	2100	72	Arguijo
	2400	70	Ramos

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	72	Solis
	0600	72	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	72	Arguijo
	1800	72	Arguijo
	2100	72	Arguijo
	2400	74	Ramos

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	74	Ramos
	0600	74	Howell
	0900	74	Howell
	1200	74	Howell
	1500	72	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Ramos

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Ramos

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	Ramos

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	Ramos
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	72	Arguijo
	1800	72	Arguijo
	2100	70	Arguijo
	2400	70	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Cook
	1200	73	COOK
	1500	73	COLLINS
	1800	73	VASQUEZ
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	72	Moreno
	1200	72	Moreno
	1500	72	Argijo
	1800	72	Argijo
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	72	Moreno
	1200	72	Moreno
	1500	72	Argijo
	1800	72	Argijo
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	72	Howell
	1200	74	Howell
	1500	74	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Cook
	1200	70	Cook
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Cook
	1200	70	Cook
	1500	70	Cook
	1800	70	Cook
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Cook
	1200	70	Cook
	1500	70	Argijo
	1800	70	Argijo
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner 2024 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		N/A
	0600	68°	J. Feist
	0900	68°	J. Feist
	1200	68°	G Jones
	1500	72°	G Jones
	1800	72°	G Jones
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300		
	0600		N/A
	0900		
	1200	68°	G Jones
	1500	72°	G Jones
	1800	72°	G Jones
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600	67°	J. Feist
	0900	68°	J. Feist
	1200	72°	G Jones
	1500	76°	G Jones
	1800	78°	G Jones
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		N/A
	0600	67°	J. Feist
	0900	68°	J. Feist
	1200	75°	Gomez
	1500	76°	Gomez
	1800	78°	Gomez
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		N/A
	0600	72°	J. Feist
	0900	72°	J. Feist
	1200	70°	J Gomez
	1500	72°	J Gomez
	1800	72°	J Gomez
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		N/A
	0600	70°	J. Feist Hampton
	0900	70°	J. Feist Hampton
	1200	68°	G Jones
	1500	70°	G Jones
	1800	72°	G Jones
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		N/A
	0600	71°	Hampton
	0900	70°	Hampton
	1200	71°	G Jones
	1500	70°	G Jones
	1800	70°	G Jones
	2100		
	2400		N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 30
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	72	Solis
	0600	72	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	70	Arguijo
	1800	70	Arguijo
	2100	70	Arguijo
	2400	72	JAIMEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	72	Solis
	0600	72	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	70	JIMENEZ
	1800	70	JIMENEZ
	2100	70	JIMENEZ
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	RAMOS
	0600	70	HOWELL
	0900	70	HOWELL
	1200	70	HOWELL
	1500	70	Arguijo
	1800	70	Arguijo
	2100	70	Arguijo
	2400	70	RAMOS

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	RAMOS
	0600	70	HOWELL
	0900	70	HOWELL
	1200	70	HOWELL
	1500	70	JIMENEZ
	1800	70	JIMENEZ
	2100	70	JIMENEZ
	2400	70	JIMENEZ

Friday

Date	Time	Temp.	Name (Print)
11/01/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/03/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 31
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	71	SOLIS
	0600	71	Moreno
	0900	71	Moreno
	1200	71	Moreno
	1500	70	Angajo
	1800	70	Angajo
	2100	70	Angajo
	2400	68	VBOWEL

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	68	SOLIS
	0600	68	Moreno
	0900	70	Moreno
	1200	68	Moreno
	1500	70	JJimison
	1800	70	JJimison
	2100	70	JJimison
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Angajo
	1800	70	Angajo
	2100	70	Angajo
	2400	70	RAMOS

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	JJimison
	1800	70	JJimison
	2100	70	JJimison
	2400	70	JJimison

Friday

Date	Time	Temp.	Name (Print)
11/01/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/03/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 32
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	72	Solis
	0600	72	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	70	Arroyo
	1800	70	Arroyo
	2100	70	Arroyo
	2400	72	JOJWRZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	72	Solis
	0600	72	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	70	Jimenez
	1800	70	Jimenez
	2100	70	Jimenez
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Arroyo
	1800	70	Arroyo
	2100	70	Arroyo
	2400	70	RAMOS

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Jimenez
	1800	70	Jimenez
	2100	70	Jimenez
	2400	70	Jimenez

Friday

Date	Time	Temp.	Name (Print)
11/01/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/03/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 33
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	72	SOLIS
	0600	72	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	70	Arteaga
	1800	70	Arteaga
	2100	70	Arteaga
	2400	70	Jaquez

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	70	SOLIS
	0600	70	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	70	Jackson
	1800	70	Jackson
	2100	70	Jackson
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Arteaga
	1800	70	Arteaga
	2100	70	Arteaga
	2400	70	RAMOS

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Jackson
	1800	70	Jackson
	2100	70	Jackson
	2400	70	Jackson

Friday

Date	Time	Temp.	Name (Print)
11/01/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/03/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 34
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	Solis
	0600	70	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	70	Mojica
	1800	70	Mojica
	2100	70	Mojica
	2400	70	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	70	Solis
	0600	70	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	70	Jimeson
	1800	70	Jimeson
	2100	70	Jimeson
	2400	70	Ramos

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	Ramos
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Mojica
	1800	70	Mojica
	2100	70	Mojica
	2400	70	Ramos

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	Ramos
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Jimeson
	1800	70	Jimeson
	2100	70	Jimeson
	2400	70	Jimeson

Friday

Date	Time	Temp.	Name (Print)
11/01/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/03/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC PROGRAM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	68	Solis
	0600	68	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Arguijo
	1800	70	Arguijo
	2100	70	Arguijo
	2400	70	JOHNSON

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	69	Solis
	0600	69	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Jimenson
	1800	70	Jimenson
	2100	70	Jimenson
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Arguijo
	1800	70	Arguijo
	2100	70	Arguijo
	2400	70	RAMOS

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	RAMOS
	0600	70	Howell
	0900	70	Howell
	1200	70	Howell
	1500	70	Jimenson
	1800	70	Jimenson
	2100	70	Jimenson
	2400	70	Jimenson

Friday

Date	Time	Temp.	Name (Print)
11/01/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/03/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Arayo
	1800	70	Arayo
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Jimenez
	1800	70	Jimenez
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	72	Howell
	1200	72	Howell
	1500	70	Arayo
	1800	70	Arayo
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Howell
	1200	70	Howell
	1500	70	Jimenez
	1800	70	Jimenez
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Friday

Date	Time	Temp.	Name (Print)
11/01/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900		
	1200		
	1500		
	1800		
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900		
	1200		
	1500		
	1800		
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Sunday

Date	Time	Temp.	Name (Print)
11/03/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900		
	1200		
	1500		
	1800		
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300		N/A
	0600		
	0900	72	Gottesfeld
	1200	75	"
	1500	76	"
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10-8-24	0300		N/A
	0600		
	0900	71	Gottesfeld
	1200	72	"
	1500	74	"
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300		N/A
	0600		
	0900	71	Gottesfeld
	1200	71	"
	1500	73	"
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300		N/A
	0600		
	0900	70	Gottesfeld
	1200	69	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	70	"
	1500	71	"
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/14/2024 to 10/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300		N/A
	0600		
	0900	67	Gottesfeld
	1200	68	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10-15-24	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	69	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	69	"
	1500	69	"
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	68	"
	1500	68	"
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300		N/A
	0600		
	0900	67	Gottesfeld
	1200	68	"
	1500	68	"
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/21/2024 to 10/27/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300		N/A
	0600		
	0900		Gottesfeld
	1200	69	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300		N/A
	0600		
	0900	69	Gottesfeld
	1200	69	"
	1500	70	"
	1800	71	"
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	70	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300		N/A
	0600		
	0900	69	Gottesfeld
	1200	70	"
	1500	71	"
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	69	"
	1500		
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: E CANTEEN Temp. Reading Location: MAIN OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-7-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76	
	1200	75	
	1500	77	
	1800	76	
	2100		N/A
	2400		

Tuesday 10-8-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	
	1200	76	
	1500	74	
	1800	74	
	2100		N/A
	2400		

Wednesday 10-9-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	
	1200	74	
	1500	75	
	1800	75	
	2100		N/A
	2400		

Thursday 10-10-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	
	1200	72	
	1500	73	
	1800	72	
	2100		N/A
	2400		

Friday 10-11-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	B Breed #
	1200	72	B Breed #
	1500	72	
	1800	74	
	2100		N/A
	2400		

Saturday 10-12-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10-13-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN CANTEEN Temp. Reading Location: MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/14

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	M. CRONS
	1200	72	
	1500	72	
	1800		
	2100		N/A
	2400		

Tuesday 10/15

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	B. Breed II
	1200	72	BR
	1500	72	BR
	1800	71	BR
	2100		N/A
	2400		

Wednesday 10/16

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	GALVAN
	1200	72	
	1500	72	
	1800	72	
	2100		N/A
	2400		

Thursday 10/17

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	B. Breed II
	1200	72	BR
	1500	72	BR
	1800	72	BR
	2100		N/A
	2400		

Friday 10/18

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	
	1200	72	BR
	1500	71	BR
	1800	72	BR
	2100		N/A
	2400		

Saturday 10/19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10/20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN CANTEEN Temp. Reading Location: MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/21

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	M. CROWS
	1200	71	
	1500	72	
	1800	70	
	2100		N/A
	2400		

Tuesday 10/22

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	
	1200	72	
	1500	72	
	1800	71	
	2100		N/A
	2400		

Wednesday 10/23

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	
	1200	71	
	1500	72	
	1800	71	
	2100		N/A
	2400		

Thursday 10/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	
	1200	71	
	1500	72	
	1800	71	
	2100		N/A
	2400		

Friday 10/25

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	
	1200	72	
	1500	72	
	1800	70	
	2100		N/A
	2400		

Saturday 10/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN CANTEEN Temp. Reading Location: MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 28th

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	James Sanchez
	1200	71	M. CREWS
	1500	71	M. CREWS
	1800		
	2100		N/A
	2400		

Tuesday 29th

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	M. CREWS
	1200	71	J. Sanchez
	1500	71	J. Sanchez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
30th	0300		N/A
	0600		
	0900	69°	James Sanchez
	1200	70	
	1500	70	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		N/A
	0600		
	0900	69	
	1200	69	
	1500	70	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/01	0300		N/A
	0600		
	0900		
	1200		
	1500		
	1800		
	2100	END OF HEAT LOGS	
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	—	—
	0600	71°	S. Scorse
	0900	75°	S. Scorse
	1200	79	WEBB
	1500	80	WEBB
	1800	80	WEBB
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/2024	0300	—	—
	0600	74°	S. Scorse
	0900	74	S. Scorse
	1200	75	WEBB
	1500	76	WEBB
	1800	76	WEBB
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	—	—
	0600	74	BARBOSA
	0900	74	BARBOSA
	1200	74	C. GARZA
	1500	76	C. GARZA
	1800	76	C. GARZA
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	—	—
	0600	70	Meders
	0900	72	Meders
	1200	73	SCOTT
	1500	76	SCOTT
	1800	75	SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	—	—
	0600	70	Meders
	0900	72	Meders
	1200	72	WEBB
	1500	72	WEBB
	1800	72	WEBB
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	—	—
	0600	68	Meders
	0900	70	Meders
	1200	72	[illegible]
	1500	72	[illegible]
	1800	73	[illegible]
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	—	—
	0600	68	Meders
	0900	70	Meders
	1200	72	WEBB
	1500	71	WEBB
	1800	70	WEBB
	2100	—	—
	2400	—	—

Notes

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	—	—
	0600	70°	S. Scorse
	0900	72°	S. Scorse
	1200	70	R. WEBB
	1500	70	R. WEBB
	1800	69	R. WEBB
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/2024	0300	—	—
	0600	70°	S. Scorse
	0900	70°	S. Scorse
	1200	71	R. WEBB
	1500	71	R. WEBB
	1800	71	R. WEBB
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	—	—
	0600	68	Medrys
	0900	70	Medrys
	1200	71	Roth
	1500	71	Roth
	1800	70	Roth
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	—	—
	0600	68	Medrys
	0900	70	Medrys
	1200	70	Roth
	1500	70	Roth
	1800	69	Roth
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	—	—
	0600	69	Medrys
	0900	70	Ayala
	1200	72	Ayala
	1500	74	Ayala
	1800	70	Ayala
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	—	—
	0600	68	Medrys
	0900	70	Medrys
	1200	74	WEBB
	1500	75	WEBB
	1800	76	WEBB
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	—	—
	0600	68	Medrys
	0900	70	Medrys
	1200	75	WEBB
	1500	75	WEBB
	1800	75	WEBB
	2100	—	—
	2400	—	—

Notes

10/21/2024 to 10/27/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	—	—
	0600	70°	S Scorse
	0900	72°	S. Scorse
	1200	74	R.WEBB
	1500	75	R.WEBB
	1800	75	R.WEBB
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/2024	0300	—	—
	0600	70°	S. Scorse
	0900	72°	S-Scorse
	1200	74	R.WEBB
	1500	74	R.WEBB
	1800	74	R.WEBB
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	—	—
	0600	70°	B. SCOTT
	0900	74°	B. SCOTT
	1200	76°	B. SCOTT
	1500	78°	B. SCOTT
	1800	76°	B. SCOTT
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	—	—
	0600	68	Medeiros
	0900	70	Medeiros
	1200	78	SCOTT
	1500	78	SCOTT
	1800	80	SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	—	—
	0600	70	Medeiros
	0900	72	Medeiros
	1200	76	WEBB R.
	1500	76	WEBB R.
	1800	76	WEBB R.
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	—	—
	0600	70	Medeiros
	0900	72	Medeiros
	1200	74	WEBB
	1500	75	WEBB
	1800	76	WEBB
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	—	—
	0600	70	GONZALEZ
	0900	72	GONZALEZ
	1200	76	GONZALEZ
	1500	76	WEBB
	1800	76	WEBB
	2100	—	—
	2400	—	—

Notes

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	—	—
	0600	72°	S. Scorse
	0900	72°	S. Scorse
	1200	72°	C. GARZA
	1500	70°	C. GARZA
	1800	70°	C. GARZA
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/2024	0300	—	—
	0600	68°	S. Scorse
	0900	68°	S. Scorse
	1200	68	R. WEBB
	1500	68	R. WEBB
	1800	68	R. WEBB
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	—	—
	0600	66	Medeiros
	0900	68	Medeiros
	1200	68	SCOTT
	1500	70	SCOTT
	1800	68	SCOTT
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	—	—
	0600	64	Medeiros
	0900	66	Medeiros
	1200	66	Medeiros
	1500	70	Gonzalez
	1800	66	GONZALEZ
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
11/1/2024	0300	—	—
	0600	66	Medeiros
	0900	68	Medeiros
	1200	68°	S. NUEL
	1500	68°	S. NUEL
	1800	68	S. NUEL
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
11/2/2024	0300	—	—
	0600	66	Medeiros
	0900	66	Medeiros
	1200	66	WEBB
	1500	66	WEBB
	1800	66	WEBB
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
11/3/2024	0300	—	—
	0600	64	Medeiros
	0900	64	Medeiros
	1200	66	WEBB
	1500	68	WEBB
	1800	68	WEBB
	2100	—	—
	2400	—	—

Notes

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant Ops Temp. Reading Location: Z-156
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension X7904 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 10/7/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	C. McGarvey
	1200	74	C. McGarvey
	1500	76	C. McGarvey
	1800		
	2100		N/A
	2400		

Tuesday 10/8/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	C. McGarvey
	1200	75	C. McGarvey
	1500	77	C. McGarvey
	1800		
	2100		N/A
	2400		

Wednesday 10/9/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	C. McGarvey
	1200	73	C. McGarvey
	1500	75	C. McGarvey
	1800		
	2100		N/A
	2400		

Thursday 10/10/24 Absent

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday 10/11/24 Absent

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday 10/12

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday 10/13

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant ops Temp. Reading Location: Z-156
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension X7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/14/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	C. McGarvey
	1200	71	C. McGarvey
	1500	72	C. McGarvey
	1800		
	2100		N/A
	2400		

Tuesday 10/15/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	C. McGarvey
	1200	71	C. McGarvey
	1500	72	C. McGarvey
	1800		
	2100		N/A
	2400		

Wednesday 10/16/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	C. McGarvey
	1200	70	C. McGarvey
	1500	72	C. McGarvey
	1800		
	2100		N/A
	2400		

Thursday 10/17/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	C. McGarvey
	1200	71	C. McGarvey
	1500	73	C. McGarvey
	1800		
	2100		N/A
	2400		

Friday 10/18/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	C. McGarvey
	1200	70	C. McGarvey
	1500	72	C. McGarvey
	1800		
	2100		N/A
	2400		

Saturday 10/19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10/20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 21 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant Ops Temp. Reading Location: Z-156 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension x 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/21/2024 (Absent)

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 10/22/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	C. McGarvey
	1200	72	C. McGarvey
	1500	74	C. McGarvey
	1800		
	2100		N/A
	2400		

Wednesday 10/23

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	C. McGarvey
	1200	73	C. McGarvey
	1500	75	C. McGarvey
	1800		
	2100		N/A
	2400		

Thursday 10/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	C. McGarvey
	1200	72	C. McGarvey
	1500	75	C. McGarvey
	1800		
	2100		N/A
	2400		

Friday 10/25

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	C. McGarvey
	1200	72	C. McGarvey
	1500	74	C. McGarvey
	1800		
	2100		N/A
	2400		

Saturday 10/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OCT 28 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant Ops Temp. Reading Location: Z - 156 Dr.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension x7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		N/A
	0600		
	0900	70	C. McGarvey
	1200	73	C. McGarvey
	1500	75	C. McGarvey
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300		N/A
	0600		
	0900	70	C. McGarvey
	1200	73	C. McGarvey
	1500	75	C. McGarvey
	1800		
	2100		N/A
	2400		

Wednesday Absent

Date	Time	Temp.	Name (Print)
10/30	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday Halloween

Date	Time	Temp.	Name (Print)
10/31	0300		N/A
	0600		
	0900	69	C. McGarvey
	1200	71	C. McGarvey
	1500	73	C. McGarvey
	1800		
	2100		N/A
	2400		

Friday DONE :)

Date	Time	Temp.	Name (Print)
11/1	0300		N/A
	0600		
	0900	69	C. McGarvey
	1200	70	C. McGarvey
	1500	71	C. McGarvey
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Pia Temp. Reading Location: Safety Tshirt
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4631 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/7/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	64	J. Johnson
	0900	75	J. Johnson
	1200	80	J. Johnson
	1500		
	1800		N/A
	2100		
	2400		

Tuesday 10/8/24

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600	61	J. Johnson
	0900	75	J. Johnson
	1200	76	J. Johnson
	1500	80	J. Johnson
	1800		
	2100		N/A
	2400		

Wednesday 10/9/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	62	J. Johnson
	0900	63	J. Johnson
	1200	70	J. Johnson
	1500	70	J. Johnson
	1800		
	2100		N/A
	2400		

Thursday 10/10/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	65	J. Johnson
	0900	70	J. Johnson
	1200	75	J. Johnson
	1500	76	J. Johnson
	1800		N/A
	2100		
	2400		

Friday 10/11/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday 10/12/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1800		
	1800		
	2100		
	2400		

Sunday 10/13/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting Mill Temp. Reading Location: Floor Isle
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/7

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	83°	Richardson M.
	1200	87°	Richardson M.
	1500	91°	Richardson M.
	1800		
	2100		N/A
	2400		

Tuesday 10/8

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	78°	Richardson M.
	1200	85°	Richardson M.
	1500	88°	Richardson M.
	1800		
	2100		N/A
	2400		

Wednesday 10/9

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	77°	Richardson M.
	1200	81°	Richardson M.
	1500	86°	Richardson M.
	1800		
	2100		N/A
	2400		

Thursday 10/10

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76°	Richardson M.
	1200	80°	Richardson M.
	1500	88°	Richardson M.
	1800		
	2100		N/A
	2400		

Friday 10/11

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday 10/12

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10/13

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

10-7-24 — 10-10-24

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D/A Temp. Reading Location: M&R

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-7-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	80°	R. Estelle
	0900	82°	R. Estelle
	1200	82°	R. Estelle
	1500		
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	75°	C. Sanchez
10-8	0900	76°	C. Sanchez
	1200	80°	C. Sanchez
	1500	82°	C. Sanchez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	75°	C. Sanchez
	0900	76°	C. Sanchez
10-9	1200	77°	C. Sanchez
	1500	79	C. Sanchez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	74°	C. Sanchez
	0900	75°	C. Sanchez
10-10	1200	76°	C. Sanchez
	1500	77°	C. Sanchez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
10/11	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
10/12	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
10/13	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: P1A Temp. Reading Location: Wet Processing
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	~~0300~~		
	~~0600~~		
10/07	0900	75.	SWayment
	1200	83.	SW
	1500	87.	SWayment
	~~1800~~		
	~~2100~~		
	~~2400~~		

Tuesday

Date	Time	Temp.	Name (Print)
	~~0300~~		
	~~0600~~		
10/08	0900	78.	SWayment
	1200	82.	SWayment
	1500	85.	SWayment
	~~1800~~		
	~~2100~~		
	~~2400~~		

Wednesday

Date	Time	Temp.	Name (Print)
	~~0300~~		
	~~0600~~		
10/09	0900	68.	SWayment
	1200	74.	SWayment
	1500	77.	SWayment
	~~1800~~		
	~~2100~~		
	~~2400~~		

Thursday

Date	Time	Temp.	Name (Print)
	~~0300~~		
	~~0600~~		
10/10	0900	72.	SWayment
	1200	77.	SWayment
	1500	78.	SWayment
	~~1800~~		
	~~2100~~		
	~~2400~~		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA FABRICS Temp. Reading Location: JKT Factory 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		
	0600		
	0900	75	D Cooper
	1200	81	D Cooper
	1500	84	D Cooper
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300		
	0600		
	0900	68	D Cooper
	1200	79	Carol
	1500	81	Silver
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		
	0600		
	0900	68	D Cooper
	1200	72	D Cooper
	1500	78	D Cooper
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		
	0600		
	0900	68	D Cooper
	1200	74	D Cooper
	1500	79	D Cooper
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
fDCR 2031 (04118)

DEPARTMENT OF CORRECTIONS ANO REHABILITATION

Attachment B

From May 1st through October 31st. the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C M C Housing Unit: PRINT PLANT Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday **MONTH / YEAR:** OCTOBER 2024

Date	Time	Temp.	Name (Print)
7	0300		N/A
	0900	68	PM
	1200	71	PM
	1500	78	PM
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8	0300		N/A
	0600		
	0900	64	PM
	1200	70	PM
	1500	75	PM
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9	0300		N/A
	0600		
	0900	68	PM
	1200	69	PM
	1500	70	PM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10	0300		N/A
	0600		
	0900	62	PM
	1200	69	PM
	1500	70	PM
	1800		
	2100		N/A
	2400		

Friday

	Time	Temp.	Name (Print)
11	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 TO 10/13/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: DIVISION office Temp. Reading Location: INMATE OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		N/A
	0600		
	0900	76°	Rodriguez
	1200	76°	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		N/A
	0600		
	0900	78°	Davis
	1200	79°	Davis
	1500		
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		N/A
	0600		
	0900	77°	Davis
	1200	78°	Davis
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600		
	0900	76°	Davis
	1200	76°	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 to 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Stoe-tracking Temp. Reading Location: Clerk Wall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/8	0300		N/A
	0600	80	Rick N
	0900	80	R. Fant
	1200	84	Rick N
	1500	85	R. Fant
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/9	0300		N/A
	0600	78	Rick N
	0900	80	Rick N
	1200	81	Rick N
	1500		
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600	74	R. Fant
	0900	75	R. Fant
	1200	78	R. Fant
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/11	0300		N/A
	0600		
	0900	75	[illegible]
	1200	78	[illegible]
	1500	80	[illegible]
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

10/7/2024 TO 10/13/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		N/A
	0600	77°	
	0900	77°	AH
	1200	77°	
	1500	77°	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300		N/A
	0600	75°	
	0900	75°	AH
	1200	75°	
	1500	75°	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		N/A
	0600	73°	
	0900	73°	AH
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600	73°	
	0900	73°	FS
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		N/A
	0600	72°	
	0900	72°	FS
	1200	72°	
	1500	72°	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting M.U Temp. Reading Location: Floor Isle (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/14

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	78°	Richardson M.
	1200	82°	Richardson M.
	1500	85°	Richardson M.
	1800		
	2100		N/A
	2400		

Tuesday 10/15

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75°	Richardson M.
	1200	82°	Richardson M.
	1500	87°	Richardson M.
	1800		
	2100		N/A
	2400		

Wednesday 10/16

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	78°	Richardson M.
	1200	86°	Richardson M.
	1500	85°	Richardson M.
	1800		
	2100		N/A
	2400		

Thursday 10/17

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76°	Richardson M.
	1200	83°	Richardson M.
	1500	83°	Richardson M.
	1800		
	2100		N/A
	2400		

Friday 10/18

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday 10/19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday 10/20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

10-14-24 — 10-17-24

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA MAR Temp. Reading Location: MAR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14	0300		N/A
	0600	73°	C. Sanchez
	0900	75°	C. Sanchez
	1200	76°	C. Sanchez
	1500	76°	C. Sanchez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-15	0300		N/A
	0600	73°	C. Sanchez
	0900	74°	R. Estlebrook
	1200	74°	R. Estlebrook
	1500	76°	C. Sanchez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-16	0300		N/A
	0600	72°	C. Sanchez
	0900	73°	C. Sanchez
	1200	74°	C. Sanchez
	1500	76°	C. Sanchez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10-17	0300		N/A
	0600	73°	C. Sanchez
	0900	74°	C. Sanchez
	1200	75°	C. Sanchez
	1500	76°	C. Sanchez
	1800		
	2100		N/A
	2400		

Friday 10/18

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday 10/19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 10/20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 1 4 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: INMATE OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		N/A
	0600		
	0900	75°	Rodriguez
	1200	76°	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300		N/A
	0600		
	0900	75°	Davis
	1200	75°	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		N/A
	0600		
	0900	75°	Davis
	1200	75°	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		N/A
	0600		
	0900	74°	Davis
	1200	74	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: RIA Temp. Reading Location: Jacket
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		
	0600		
	0900	70	DCooper
	1200	74	SILVA
	1500	76	SILVA
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300		
	0600		
	0900	68	D Cooper
	1200	76	D Cooper
	1500	80	D Cooper
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		
	0600		
	0900	63	D Cooper
	1200	74	D Cooper
	1500	79	D Cooper
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		
	0600		
	0900	65	D Cooper
	1200	73	D Cooper
	1500	75	D Cooper
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OCT 14 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Temp. Reading Location: Wet Processing
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	~~0300~~		
	~~0600~~		
	0900	74.	Swayment
	1200	79.	Swayment
	1500	76.	Swayment
	~~1800~~		
	~~2100~~		
	~~2400~~		

Tuesday

Date	Time	Temp.	Name (Print)
10/15	~~0300~~		
	~~0600~~		
	0900	70.	Swayment
	1200	78	CHOI
	1500	79	CHOI
	~~1800~~		
	~~2100~~		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	~~0300~~		
	~~0600~~		
	0900	65	CHOI
	1200	72	CHOI
	1500	72	CHOI
	~~1800~~		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	~~0300~~		
	~~0600~~		
	0900	78.	Swayment
	1200	80.	Swayment
	1500	82.	Swayment
	~~1800~~		
	~~2100~~		
	~~2400~~		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

CHOI - Coverage: 10/15 + 10/16

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: P.I.A. Temp. Reading Location: Safety T. Shirt (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4631 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/14

Date	Time	Temp.	Name (Print)
	0300		
	0600	65	J. Johnson
	0900	67	J. Johnson
	1200	79	J. Johnson
	1500	79	J. Johnson
	1800		
	2100		
	2400		

Tuesday 10/15

Dat	Time	Temp.	Name (Print)
	0300		
	0600	64	J. Johnson
	0900	79	J. Johnson
	1200	71	J. Johnson
	1500	73	J. Johnson
	1800		
	2100		
	2400		

Wednesday 10/16

Date	Time	Temp.	Name (Print)
	0300		
	0600	60	J. Johnson
	0900	63	J. Johnson
	1200	68	J. Johnson
	1500	71	J. Johnson
	1800		
	2100		
	2400		

Thursday 10/17

Date	Time	Temp.	Name (Print)
	0300		
	0600	60	J. Johnson
	0900	64	J. Johnson
	1200	66	J. Johnson
	1500	71	J. Johnson
	1800		
	2100		
	2400		

Friday 10/18

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 10/19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 10/20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

1DCR 2031 (04118)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PRINT PLANT Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONTH / YEAR: OCTOBER, 2024

Monday

Date	Time	Temp.	Name (Print)
14	0300		N/A
	0900	68	PM
	1200	69	PM
	1500	70	PM
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
15	0300		N/A
	0600		
	0900	62	PM
	1200	69	PM
	1500	70	PM
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
16	0300		N/A
	0600		
	0900	60	PM
	1200	66	PM
	1500	72	PM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
17	0300		N/A
	0600		
	0900	65	PM
	1200	68	PM
	1500	70	PM
	1800		
	2100		N/A
	2400		

Friday

	Time	Temp.	Name (Print)
18	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
20	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		N/A
	0600	70°	AH
	0900	70°	
	1200	70°	
	1500	70°	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300		N/A
	0600	70°	AH
	0900	70°	
	1200	70°	
	1500	70°	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		N/A
	0600	70°	FS
	0900	70°	
	1200	70°	
	1500	70°	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		N/A
	0600	70°	AH
	0900	70°	
	1200	70°	
	1500	70°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		N/A
	0600	68°	BT
	0900	68°	
	1200	68°	
	1500	68°	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		
	0600		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 14 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: SHOE Temp. Reading Location: Clark Wall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300		N/A
	0600	70	R. Faust
	0900	72	R. Faust
	1200	76	R. Faust
	1500	78	R. Faust
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300		N/A
	0600	72	R. Faust
	0900	74	R. Faust
	1200	78	R. Faust
	1500	80	R. Faust
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300		N/A
	0600	70	R. Faust
	0900	73	R. Faust
	1200	75	R. Faust
	1500	79	Rit
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300		N/A
	0600	74	Rick
	0900	74	R. Faust
	1200	75	R. Faust
	1500	76	R. Faust
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		RDO
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		RDO
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: INMATE OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		N/A
	0600		
	0900	74°	Davis
	1200	75	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300		N/A
	0600		
	0900	75°	Davis
	1200	76°	Davis
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600		
	0900	77°	Davis
	1200	78°	Davis
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		N/A
	0600		
	0900	78°	Davis
	1200	78°	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

OCT 2 1 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA W.P Temp. Reading Location: Wet Processing
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	~~0300~~		
	~~0600~~		
10/21	0900	74.	SWayment
	1200	76.	SWayment
✓	1500	78.	SWayment
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	~~0300~~		
	~~0600~~		
10/22	0900	72.	SWayment
	1200	74	SWayment
✓	1500	76.	SWayment
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	~~0300~~		
	~~0600~~		
10/23	0900	74.	SWayment
	1200	77	German
	1500	87	German
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
10/24	0900	78	German
	1200	82	German
	1500	84	German
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
fDCR 2031 (04118)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C M C Housing Unit: PRINT PLANT Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONTH / YEAR: OCTOBER, 2024

Monday

Date	Time	Temp.	Name (Print)
21	0300		N/A
	0900	62	PM
	1200	70	PM
	1500	72	PM
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
22	0300		N/A
	0600		
	0900	62	PM
	1200	65	PM
	1500	70	PM
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
23	0300		N/A
	0600		
	0900	70	PM
	1200	75	PM
	1500	80	PM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
24	0300		N/A
	0600		
	0900	72	PM
	1200	75	PM
	1500	80	PM
	1800		
	2100		N/A
	2400		

Friday

	Time	Temp.	Name (Print)
25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		N/A
	0600	72	
	0900	72°	
	1200	72°	TS
	1500	72°	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300		N/A
	0600	72°	
	0900	72°	TS
	1200	72°	
	1500	72°	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600	72°	
	0900	72°	TS
	1200	72°	
	1500	72°	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		N/A
	0600	73°	
	0900	73°	TS
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		N/A
	0600	73°	
	0900	73°	TS
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LMC Housing Unit: SHU Temp. Reading Location: Clerk Wall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300		N/A
	0600	72	Rick H
	0900	73	Rick H
	1200	77	Rick H
	1500	80	Rick H
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300		N/A
	0600	72	Rick H
	0900	76	Rick H
	1200	80	Rick H
	1500	80	Rick H
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300		N/A
	0600	74	Rick H
	0900	76	Rick H
	1200	80	Rick H
	1500	88	Rick H
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300		N/A
	0600	72	Rick H
	0900	78	R Foot
	1200	80	RDO
	1500	82	Porrera
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		RDO
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 21 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting M.U Temp. Reading Location: Floor Isile
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/21

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74°	Richardson M.
	1200	82°	Richardson M.
	1500	88°	Richardson M.
	1800		N/A
	2100		
	2400		

Tuesday 10/22

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	79°	Richardson M.
	1200	84°	Richardson M.
	1500	87°	Richardson M.
	1800		N/A
	2100		
	2400		

Wednesday 10/23

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	81°	Richardson M.
	1200	86°	Richardson M.
	1500	90°	Richardson M.
	1800		N/A
	2100		
	2400		

Thursday 10/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	82°	Richardson M.
	1200	87°	Richardson M.
	1500	89°	Richardson M.
	1800		N/A
	2100		
	2400		

Friday 10/25

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 10/26

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 10/27

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

10-21-24 — 10-24-24

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: MTP California Temp. Reading Location: MTP
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21	0300		N/A
	0600	77°	C. Sanchez
	0900	75	C. Sanchez
	1200	76°	C. Sanchez
	1500	78°	C. Sanchez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-22	0300		N/A
	0600	73°	C. Sanchez
	0900	74°	C. Sanchez
	1200	76°	C. Sanchez
	1500	78°	C. Sanchez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-23	0300		N/A
	0600	74°	C. Sanchez
	0900	77°	R. Estrada
	1200	78°	C. Sanchez
	1500	79°	C. Sanchez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10-24	0300		N/A
	0600	76°	C. Sanchez
	0900	77°	C. Sanchez
	1200	80°	C. Sanchez
	1500	81°	C. Sanchez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 1 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Fabric Temp. Reading Location: T-Shirt 2nd Floor.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	67	CHOI
10/21	1200	74	CHOI
	1500	75	CHOI
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	63	CHOI
10/22	1200	70	CHOI
	1500	72	CHOI
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	CHOI
10/23	1200	79	CHOI
	1500	81	CHOI
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	CHOI
10/24	1200	71	CHOI
	1500	77	CHOI
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
10/25	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
10/26	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
10/27	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 21 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Fabric Temp. Reading Location: Jacket Fall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		
	0600		
	0900	72	D Cooper
	1200	79	D Cooper
	1500	81	D Cooper
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300		
	0600		
	0900	62	D Cooper
	1200	78	G. Urman
	1500	78	D Cooper
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		
	0600		
	0900	75	D Cooper
	1200	85	D Cooper
	1500	87	D Cooper
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		
	0600		
	0900	78	D Cooper
	1200	80	G Urman
	1500	84	D Cooper
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 28 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Fabrica - PIA Temp. Reading Location: Jacket 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		
	0600		
	0900	78	Diaz
	1200	75	Diaz
	1500	76	Diaz
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		
	0600		
	0900	65	D Cooper
	1200	70	D Cooper
	1500	72	D Cooper
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		
	0600		
	0900	69	Diaz
	1200	71	Diaz
	1500	76	Diaz
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		
	0600		
	0900	72	Diaz
	1200	76	Diaz
	1500	76	Silva
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: GMC Housing Unit: Pia Temp. Reading Location: Satch Tonirt, (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4631 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/28/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	63	J. Johnson
	0900	64	J. Johnson
	1200	70	J. Johnson
	1500	70	J. Johnson
	1800		
	2100		N/A
	2400		

Tuesday 10/29/24

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600	62	J. Johnson
	0900	64	J. Johnson
	1200	64	J. Johnson
	1500	70	J. Johnson
	1800		
	2100		N/A
	2400		

Wednesday 10/30/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	60	J. Johnson
	0900	60	J. Johnson
	1200	62	J. Johnson
	1500	60	J. Johnson
	1800		
	2100		N/A
	2400		

Thursday 10/31/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	61	J. Johnson
	0900	54	J. Johnson
	1200	58	J. Johnson
	1500	62	J. Johnson
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Cal 8iA Temp. Reading Location: M/P
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	74°	C. Sanchez
	0900	75.°	R. Estell
10-28	1200	77°	C. Sanchez
	1500	78°	C. Sanchez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	72°	C. Sanchez
	0900	72°	C. Sanchez
10-29	1200	74°	C. Sanchez
	1500	75°	C. Sanchez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70°	C. Sanchez
	0900	71°	C. Sanchez
10-30	1200	73°	C. Sanchez
	1500	74°	C. Sanchez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70°	C. Sanchez
	0900	71°	C. Sanchez
10-31	1200	72°	C. Sanchez
	1500	73°	R. Estell
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting Mill Temp. Reading Location: Floor level
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74°	Richardson M.
	1200	81°	Richardson M.
	1500	85°	Richardson M.
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71°	Richardson M.
	1200	80°	Richardson M.
	1500	84°	Richardson M.
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75°	Richardson M.
	1200	77°	Richardson M.
	1500	80°	Richardson M.
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73°	Richardson M.
	1200	77°	Richardson M.
	1500	80°	Richardson M.
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Notes

10-28-24 — 10-31-24

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: INMATE OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		N/A
	0600		
	0900	76°	Davis
	1200	76	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		N/A
	0600		
	0900	73°	Davis
	1200	74°	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		N/A
	0600		
	0900	73°	Rodriguez
	1200	73°	Davis
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		N/A
	0600		
	0900	73°	Davis
	1200	73°	Davis
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		N/A
	0600	72°	
	0900	72°	TS
	1200	72°	
	1500	72°	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		N/A
	0600	66°	FS
	0900	66°	
	1200	66°	
	1500	66°	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		N/A
	0600	66°	
	0900	66°	FS
	1200	66°	
	1500	66°	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		N/A
	0600	66°	
	0900	66°	
	1200	66°	FS
	1500	66°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/1	0300		N/A
	0600	69°	
	0900	69°	FS
	1200	69°	
	1500	69°	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
fDCR 2031 (04118)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C M C Housing Unit: PRINT PLANT Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday **MONTH / YEAR:** OCTOBER, 2024

Date	Time	Temp.	Name (Print)
28	0300		N/A
	0900	60	PM
	1200	69	PM
	1500	70	PM
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
29	0300		N/A
	0600		
	0900	60	PM
	1200	62	PM
	1500	66	PM
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
30	0300		N/A
	0600		
	0900	60	PM
	1200	64	PM
	1500	68	PM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
31	0300		N/A
	0600		
	0900	60	PM
	1200	64	PM
	1500	68	PM
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OCT 2 8 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: SHOE Temp. Reading Location: Clerk Wall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		N/A
	0600	75	R. Fant
	0900	76	R. Fant
	1200	78	R. Fant
	1500	78	R. Fant
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300		N/A
	0600	68	Rick H
	0900	70	Rick H
	1200	73	Rick H
	1500	75	Rick H
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		N/A
	0600	70	R. Fant
	0900	72	R. Fant
	1200	74	R. Fant
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300		N/A
	0600	68	R. Fant
	0900	73	R. Fant
	1200	73	R. Fant
	1500	75	Bucaller
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDD
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDD
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDD
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 10/7/2024 to 10/13/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp. Reading Location: **Protestant Chapel EAST**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/7	0300		N/A
	0600		
	0900	68	[illegible]
	1200	70	[illegible]
	1500	72	[illegible]
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300		
	0600		N/A
	0900		
	1200		
	1500	70	[illegible]
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300		N/A
	0600		
	0900	64	[illegible]
	1200	66	[illegible]
	1500	68	[illegible]
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300		N/A
	0600		
	0900	62	[illegible]
	1200	66	[illegible]
	1500	68	[illegible]
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300		N/A
	0600		
	0900	60	[illegible]
	1200	66	[illegible]
	1500		
	1800		
	2100		N/A
	2400		

Notes

[illegible] - Chaplain Ellsworth

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

OCT 14 2024

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp.Reading Location: **Protestant Chapel EAST**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/14	0300		N/A
	0600		
	0900	62	Q
	1200	64	Q
	1500	64	Q
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300		N/A
	0600		
	0900		
	1200		
	1500	64	Q
	1800	64	Q
	2100	64	Q
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300		N/A
	0600		
	0900	60	Q
	1200		N/A
	1500	64	Q
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300		N/A
	0600		
	0900		
	1200	62	Q
	1500	64	Q
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/18	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300		N/A
	0600		
	0900	64	Q
	1200	68	Q
	1500		
	1800		
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA OCT 21 2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp.Reading Location: **Protestant Chapel EAST**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		N/A
	0600		
	0900	62	[illegible]
	1200	66	[illegible]
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300		
	0600		N/A
	0900		
	1200		
	1500	66	[illegible]
	1800	66	[illegible]
	2100	64	[illegible]
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300		N/A
	0600		
	0900	66	[illegible]
	1200	70	[illegible]
	1500	72	[illegible]
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300		N/A
	0600		
	0900	70	[illegible]
	1200	72	[illegible]
	1500	74	[illegible]
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300		N/A
	0600		
	0900	66	[illegible]
	1200	68	[illegible]
	1500		
	1800		
	2100		N/A
	2400		

Notes

[illegible] - Chaplain Ellsworth

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

OCT 28 2024

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp.Reading Location: **Protestant Chapel EAST**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/28	0300		N/A
	0600		
	0900	60	CR
	1200	62	CR
	1500	64	CR
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300		
	0600		N/A
	0900		
	1200		
	1500	60	CR
	1800	60	CR
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300		N/A
	0600		
	0900	58	CR
	1200	60	CR
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300		N/A
	0600		
	0900	56	CR
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
11/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

CR - Chaplain Ellsworth

DISTRIBUTION: Original: Institution ADA Coordinator