Monthly Summary Report

Institution: PVSP

Memorandum

Date: October 8, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - PVSP

The following is a summary of the heat related activity for the month of September 2024,

at PVSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 17

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: N/A

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: N/A

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Steve Smith, Warden(A)
Warden Name

Warden Signature

Oscar Galloway, CEO for
Chief Executive Officer Name

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Attachment II

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9/1/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTRO

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II o III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when th temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	70	68	70	70	Alvarez
0300									
0400									
0500	70	70	70	70	70	68	70	68	Alvarez
0600									
0700									
0800	70	70	70	70	70	68	70	68	MONTOYA
0900									
1000									
1100	70	70	70	70	70	68	70	68	MONTOYA
1200									
1300									
1400	70	70	70	70	70	68	70	68	MONTOYA
1500									
1600									
1700	70	70	70	70	70	68	70	68	MONTOYA
1800									
1900									
2000	70	70	70	70	70	68	70	68	MONTOYA
2100									
2200									
2300	70	70	70	70	70	68	70	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANKD
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment II

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9/2/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTRO

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II o III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when th temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	70	68	70	68	Alvarez
0300									
0400									
0500	70	70	70	70	70	70	70	70	Alvarez
0600									
0700									
0800	70	68	70	70	72	70	70	68	VORTEGA
0900									
1000									
1100	70	70	70	70	72	70	70	70	VORTEGA
1200									
1300									
1400	70	70	70	70	72	70	70	70	E. ESPINOZA
1500									
1600									
1700	70	70	70	70	72	70	70	70	E. ESPINOZA
1800									
1900									
2000	72	70	70	70	72	70	70	69	ESPINOZA
2100									
2200									
2300	72	70	70	70	72	70	70	69	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment II

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9/3/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTRO

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II o III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when th temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	70	70	70	69	Alvarez
0300									
0400									
0500	70	70	70	70	70	69	70	69	Alvarez
0600									
0700									
0800	72	70	70	70	70	68	70	68	V. ORTEGA
0900									
1000									
1100	72	70	70	70	70	70	70	70	V. ORTEGA
1200									
1300									
1400	72	70	70	70	70	70	70	70	Alvarez
1500									
1600									
1700	72	70	70	70	70	70	70	70	Alvarez
1800									
1900									
2000	72	70	70	70	70	70	70	70	Alvarez
2100									
2200									
2300	72	70	70	70	70	69	70	69	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment II

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9/4/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTRO

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II o III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when th temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	70	70	70	69	Alvarez
0300									
0400									
0500	70	70	70	70	70	70	70	69	Alvarez
0600									
0700									
0800	70	70	70	70	70	68	70	68	MONTOYA
0900									
1000									
1100	70	70	70	70	70	68	70	68	MONTOYA
1200									
1300									
1400	71	71	71	71	71	71	71	71	GONZALEZ
1500									
1600									
1700	70	70	70	70	70	70	70	70	GONZALEZ
1800									
1900									
2000	70	70	70	70	70	70	70	70	GONZALEZ
2100									
2200									
2300	70	70	70	70	70	70	70	70	Marano
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment II

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9/5/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTRO

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II o III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when th temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	70	70	70	69	B Mantano
0300									
0400									
0500	70	70	70	70	70	70	70	69	B Mantano
0600									
0700									
0800	78	70	70	70	70	68	70	68	MONTOYA
0900									
1000									
1100	78	72	78	78	70	68	70	70	MONTOYA
1200									
1300									
1400	78	76	76	73	70	67	69	69	R MEDINA
1500									
1600									
1700	78	76	76	73	70	67	69	69	R MEDINA
1800									
1900									
2000	78	76	76	73	7	67	69	69	R MEDINA
2100									
2200									
2300	70	70	70	70	70	70	70	69	L Perez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment II

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-6-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTRO

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II o III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when th temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	70	70	70	69	L. Perez
0300									
0400									
0500	70	70	70	70	70	70	70	69	L. Perez
0600									
0700									
0800	70	70	70	70	70	68	70	68	MONTOYA
0900									
1000									
1100	78	72	72	70	70	68	70	68	MONTOYA
1200									
1300									
1400	76	72	72	72	70	68	70	70	Garcia
1500									
1600									
1700	76	72	72	72	70	68	70	70	Garcia
1800									
1900									
2000	75	73	74	74	70	68	70	70	Garcia
2100									
2200									
2300	75	75	74	74	70	68	70	70	Garcia
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9.7.2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be reported every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	75	25	74	74	70	70	70	70	Garcia
0300									
0400									
0500	75	25	75	74	70	70	70	70	Garcia
0600									
0700									
0800	78	72	78	74	70	68	70	68	MONTOYA
0900									
1000									
1100	78	72	78	74	70	68	70	68	MONTOYA
1200									
1300									
1400	78	72	78	74	70	68	70	68	MONTOYA
1500									
1600									
1700	78	72	78	74	70	68	70	68	MONTOYA
1800									
1900									
2000	78	72	78	74	70	68	70	68	MONTOYA
2100									
2200									
2300	78	75	78	78	70	70	70	70	Villegas
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-8-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	75	75	78	70	70	70	70	70	Villegas
0300									
0400									
0500	75	75	78	70	70	70	70	70	Villegas
0600									
0700									
0800	76	76	78	78	70	70	70	70	MONTOYA
0900									
1000									
1100	76	76	78	78	70	70	70	70	MONTOYA
1200									
1300									
1400	76	76	78	78	70	70	70	70	MONTOYA
1500									
1600									
1700	76	76	78	78	70	70	70	70	MONTOYA
1800									
1900									
2000	76	76	78	78	70	70	70	70	MONTOYA
2100									
2200									
2300	76	76	78	78	70	70	70	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9/9/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	73	73	74	70	70	70	70	70	Alvarez
0300									
0400									
0500	72	72	72	70	70	68	70	68	Alvarez
0600									
0700									
0800	74	74	74	72	70	70	70	70	V. ORTEGA
0900									
1000									
1100	76	76	74	74	70	70	70	70	V. ORTEGA
1200									
1300									
1400	78	78	74	74	70	70	70	70	E. ESPINOSA
1500									
1600									
1700	78	78	75	75	72	72	70	70	E. Espinosa
1800									
1900									
2000	80	78	78	78	72	69	70	70	E. Espinosa
2100									
2200									
2300	78	78	78	76	72	69	70	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9/10/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	72	72	72	72	70	69	70	70	Alvarez
0300									
0400									
0500	72	72	72	72	70	69	70	70	Alvarez
0600									
0700									
0800	74	74	72	72	70	70	70	70	V-ORTEGA
0900									
1000									
1100	78	78	72	72	70	70	70	70	R. ORTEGA
1200									
1300									
1400	78	78	72	72	70	70	70	70	Alvarez
1500									
1600									
1700	78	78	72	72	70	70	70	70	Alvarez
1800									
1900									
2000	78	78	72	72	70	70	70	70	Alvarez
2100									
2200									
2300	76	76	72	72	70	69	70	69	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9/11/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when th temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	72	72	72	72	70	69	69	69	Alvarez
0300									
0400									
0500	72	72	70	70	70	69	69	69	Alvarez
0600									
0700									
0800	76	76	74	74	70	65	70	68	Garcia
0900									
1000									
1100	76	76	76	76	71	68	70	68	Garcia
1200									
1300									
1400	76	76	76	76	71	68	70	68	Garcia
1500									
1600									
1700	76	76	76	76	71	68	70	68	Garcia
1800									
1900									
2000	76	76	76	76	71	68	70	68	Garcia
2100									
2200									
2300	72	72	72	72	64	69	70	70	Jimenez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9/12/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when th temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	72	72	72	71	69	69	69	69	Jimenez
0300									
0400									
0500	72	72	72	71	69	69	69	69	Jimenez
0600									
0700									
0800	75	75	75	75	70	68	70	69	Garcia
0900									
1000									
1100	75	75	75	75	70	68	70	69	Garcia
1200									
1300									
1400	75	75	75	75	70	68	70	70	Garcia
1500									
1600									
1700	75	75	75	75	70	68	70	70	Garcia
1800									
1900									
2000	75	75	75	75	70	68	70	70	Garcia
2100									
2200									
2300	75	75	75	75	70	68	69	69	Espinoza
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-13-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when th temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	72	72	72	72	69	69	69	69	Esparza
0300									
0400									
0500	72	72	72	72	69	69	69	69	Esparza
0600									
0700									
0800	72	70	72	72	70	70	70	70	MONTOYA
0900									
1000									
1100	76	74	74	72	70	70	70	70	MONTOYA
1200									
1300									
1400	76	74	74	72	70	70	70	70	R. Garcia
1500									
1600									
1700	88	74	74	72	70	68	70	68	Carranco
1800									
1900									
2000	76	74	74	72	70	68	70	68	Carranco
2100									
2200									
2300	76	74	74	72	70	68	70	68	[illegible]
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9. 14. 24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	72	72	74	72	72	69	69	69	Esquez
0300									
0400									
0500	74	72	74	72	72	69	70	69	Esquez
0600									
0700									
0800	76	76	76	72	72	68	70	68	MONTOYA
0900									
1000									
1100	76	76	76	72	72	68	70	68	MONTOYA
1200									
1300									
1400	76	76	76	72	72	68	70	68	MONTOYA
1500									
1600									
1700	76	76	76	72	72	68	70	68	MONTOYA
1800									
1900									
2000	76	76	76	72	72	68	70	68	MONTOYA
2100									
2200									
2300	76	76	76	72	72	68	70	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-15-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	72	72	72	70	70	68	68	68	Alvarez
0300									
0400									
0500	72	72	70	70	70	68	68	68	Alvarez
0600									
0700									
0800	72	72	70	70	70	68	68	68	MONTOYA
0900									
1000									
1100	72	72	70	70	70	68	68	68	MONTOYA
1200									
1300									
1400	72	72	70	70	70	68	68	68	MONTOYA
1500									
1600									
1700	72	72	70	70	70	68	68	68	MONTOYA
1800									
1900									
2000	72	72	70	70	70	68	68	68	MONTOYA
2100									
2200									
2300	72	72	70	70	70	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-16-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	70	68	68	68	Alvarez
0300									
0400									
0500	70	70	70	70	70	68	68	68	Alvarez
0600									
0700									
0800	70	72	70	70	70	68	68	67	V. ORTEGA
0900									
1000									
1100	70	72	70	70	70	68	68	68	V. ORTEGA
1200									
1300									
1400	70	72	72	72	70	68	68	68	E. ESPINOZA
1500									
1600									
1700	70	72	72	72	70	68	68	68	E. ESPINOZA
1800									
1900									
2000	70	70	72	72	70	68	68	68	E. ESPINOZA
2100									
2200									
2300	70	70	70	70	70	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-17-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	68	68	68	68	Alvarez
0300									
0400									
0500	70	70	70	70	68	68	68	68	Alvarez
0600									
0700									
0800	72	70	72	72	69	70	69	68	V. ORTEGA
0900									
1000									
1100	70	70	72	72	68	70	68	68	V. ORTEGA
1200									
1300									
1400	72	72	72	72	70	70	68	68	Alvarez
1500									
1600									
1700	72	72	72	72	70	70	68	68	Alvarez
1800									
1900									
2000	72	72	72	72	70	70	68	68	Alvarez
2100									
2200									
2300	70	70	70	70	70	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-18-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	68	68	68	68	Alvarez
0300									
0400									
0500	70	70	70	70	68	68	68	68	Alvarez
0600									
0700									
0800	72	70	74	74	70	68	68	68	Garcia
0900									
1000									
1100	72	70	74	74	70	68	68	68	Garcia
1200									
1300									
1400	72	70	74	74	70	68	68	68	Garcia
1500									
1600									
1700	72	70	74	74	70	68	68	68	Garcia
1800									
1900									
2000	72	70	74	74	70	68	68	68	Garcia
2100									
2200									
2300	70	70	70	70	70	70	68	68	Mantano
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRONCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9/19/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be reported every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	70	70	68	68	Montano
0300									
0400									
0500	70	70	70	70	70	70	68	69	Montano
0600									
0700									
0800	72	70	74	74	70	68	68	68	Gorch
0900									
1000									
1100	72	70	74	74	70	68	70	68	Gorch
1200									
1300									
1400	72	70	74	74	70	68	70	68	Gorch
1500									
1600									
1700	72	70	74	74	70	68	70	68	Gorch
1800									
1900									
2000	72	70	74	74	70	68	70	68	Gorch
2100									
2200									
2300	68	68	68	68	70	70	70	69	Barron
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-20-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be reported every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when th temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	68	70	70	70	68	BANON
0300									
0400									
0500	70	70	70	70	68	68	68	68	BANDA
0600									
0700									
0800	70	70	71	73	70	68	70	69	LUNA
0900									
1000									
1100	70	70	70	72	70	68	70	69	LUNA
1200									
1300									
1400	72	70	72	72	70	68	70	70	GARCIA
1500									
1600									
1700	72	70	72	72	70	68	70	68	GARCIA
1800									
1900									
2000	72	70	72	72	70	68	70	68	GARCIA
2100									
2200									
2300	72	70	72	72	70	68	70	68	LEMUS
2400									

All logs need to be submitted to the Litination Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 4-21-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	68	70	70	70	68	ESPINOZA
0300									
0400									
0500	70	70	70	70	70	68	68	68	ESPINOZA
0600									
0700									
0800	70	70	74	74	70	68	70	68	MONTOYA
0900									
1000									
1100	70	70	74	74	70	68	70	68	MONTOYA
1200									
1300									
1400	70	70	74	74	70	68	70	68	MONTOYA
1500									
1600									
1700	70	70	74	74	70	68	70	68	MONTOYA
1800									
1900									
2000	70	70	74	74	70	68	70	68	MONTOYA
2100									
2200									
2300	70	70	72	72	70	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-22-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	70	70	70	68	68	68	Alvarez
0300									
0400									
0500	68	68	70	70	70	68	68	68	Alvarez
0600									
0700									
0800	68	68	70	70	70	68	68	68	MONTOYA
0900									
1000									
1100	68	68	70	70	70	68	68	68	MONTOYA
1200									
1300									
1400	68	68	70	72	70	68	68	68	MONTOYA
1500									
1600									
1700	68	68	72	72	70	68	68	68	MONTOYA
1800									
1900									
2000	68	68	76	76	70	68	68	68	MONTOYA
2100									
2200									
2300	68	68	72	72	70	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FKANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-23-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	72	72	70	68	68	68	Alvarez
0300									
0400									
0500	68	68	72	72	70	68	68	68	Alvarez
0600									
0700									
0800	68	68	70	70	70	68	68	68	V. Ortega
0900									
1000									
1100	68	68	70	70	70	68	68	68	V. Ortega
1200									
1300									
1400	70	70	70	70	70	68	68	68	E. Esparza
1500									
1600									
1700	70	70	70	70	70	68	68	68	E. Esparza
1800									
1900									
2000	68	68	70	70	70	68	68	68	E. Esparza
2100									
2200									
2300	68	68	70	70	70	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-24-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	70	70	70	68	68	68	Alvarez
0300									
0400									
0500	68	68	70	70	70	68	68	68	Alvarez
0600									
0700									
0800	68	68	72	72	70	68	68	68	Ortega
0900									
1000									
1100	68	68	72	72	70	68	68	68	Ortega
1200									
1300									
1400	68	70	72	72	70	70	70	70	Alvarez
1500									
1600									
1700	70	70	72	72	70	70	70	70	Alvarez
1800									
1900									
2000	70	72	72	72	70	72	70	70	Alvarez
2100									
2200									
2300	70	72	72	72	70	72	70	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-25-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	70	70	70	68	68	68	Alvarez
0300									
0400									
0500	68	68	70	70	70	68	68	68	Alvarez
0600									
0700									
0800	70	70	75	75	70	70	70	68	Garcia
0900									
1000									
1100	70	70	75	75	70	70	70	68	Garcia
1200									
1300									
1400	70	70	75	75	70	68	70	68	Garcia
1500									
1600									
1700	70	70	75	75	70	68	70	68	Garcia
1800									
1900									
2000	70	70	75	75	70	68	70	68	Garcia
2100									
2200									
2300	70	70	75	75	70	68	70	68	MANTANO
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9/26/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	75	76	70	68	68	68	MONTANO
0300									
0400									
0500	70	70	75	75	70	68	68	68	MONTANO
0600									
0700									
0800	70	70	74	75	70	68	70	68	Garcia
0900									
1000									
1100	70	70	74	74	70	68	70	68	Garcia
1200									
1300									
1400	70	70	74	74	70	68	70	68	Garcia
1500									
1600									
1700	70	70	74	74	70	68	70	68	Garcia
1800									
1900									
2000	70	70	74	74	70	68	70	68	Garcia
2100									
2200									
2300	70	70	74	73	69	68	70	68	C. Miller
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

Parker
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-27-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	74	73	69	68	70	68	C Miller
0300									
0400									
0500	69	69	73	72	69	68	69	67	C Miller
0600									
0700									
0800	70	70	74	75	69	70	68		Garcia
0900									
1000									
1100	70	70	74	70	74	70	68		Garcia
1200									
1300									
1400	70	69	78	78	70	66	70	68	Garcia
1500									
1600									
1700	70	69	79	77	70	66	70	66	Garcia
1800									
1900									
2000	70	69	79	78	70	65	70	68	Garcia
2100									
2200									
2300	70	66	78	78	70	65	70	66	Garcia
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO
SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-28-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	74	73	69	68	70	68	ESRMUN
0300									
0400									
0500	69	69	73	72	69	68	69	67	ESRMUN
0600									
0700									
0800	68	68	76	74	70	68	68	68	MONTOYA
0900									
1000									
1100	68	68	76	74	70	68	68	68	MONTOYA
1200									
1300									
1400	68	68	76	74	70	68	68	68	MONTOYA
1500									
1600									
1700	68	68	76	74	70	68	68	68	MONTOYA
1800									
1900									
2000	68	68	76	74	70	68	68	68	MONTOYA
2100									
2200									
2300	68	68	76	74	70	68	68	68	Morillon
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-29-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shade portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when th temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	74	73	69	68	68	68	J. Morillon
0300									
0400									
0500	70	68	73	73	68	68	68	68	J. Morillon
0600									
0700									
0800	70	68	72	72	68	68	68	68	MONTOYA
0900									
1000									
1100	70	68	72	72	68	68	68	68	MONTOYA
1200									
1300									
1400	76	68	76	76	68	68	68	68	MONTOYA
1500									
1600									
1700	70	68	76	76	68	68	68	68	MONTOYA
1800									
1900									
2000	70	68	76	76	68	68	68	68	MONTOYA
2100									
2200									
2300	70	68	74	74	68	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

Attachment

Pleasant Valley State Prison

INSIDE TEMPERATURE RECORD FOR STRH

Date 9-30-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shad portion of the form. These readings are to be taken, seven days a week all year. When Stage II III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when t temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	74	74	68	68	69	68	Alvarez
0300									
0400									
0500	68	68	72	72	68	68	68	67	Alvarez
0600									
0700									
0800	68	68	72	72	68	68	68	68	V ORTEGA
0900									
1000									
1100	69	68	72	72	70	70	68	69	V ORTEGA
1200									
1300									
1400	70	70	72	72	70	70	69	69	E. Estrada
1500									
1600									
1700	70	70	72	72	70	70	69	69	E. Estrada
1800									
1900									
2000	70	70	72	70	70	70	69	69	E. Estrada
2100									
2200									
2300	70	70	72	70	70	70	69	69	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1st day of the following month after review by the STRH Lieutenant.

FRIANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D-1 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	72	J. ORDONEZ
	0600	75	E. CARTER
	0900	71	E. CARTER
	1200	73	E. BECERRA
	1500	76	E. BECERRA
	1800	82	T. QUINTERO
	2100	81	E. BECERRA
	2400	74	J. ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	73	J. ORDONEZ
	0600	74	E. BECERRA
	0900	75	C. Montero
	1200	76	C. Montero
	1500	85	G. Benitez
	1800	81	G. Benitez
	2100	81	G. Benitez
	2400	75	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	73	J. ORDONEZ
	0600	72	C. Montero
	0900	74	C. Montero
	1200	75	E. BECERRA
	1500	80	G. Benitez
	1800	82	G. Benitez
	2100	81	G. Benitez
	2400	76	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	76	J. ORDONEZ
	0600	74	C. Montero
	0900	75	E. BECERRA
	1200	77	E. BECERRA
	1500	80	G. Benitez
	1800	83	A. Garcia
	2100	84	A. Garcia
	2400	76	P. QUIRAL

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	75	P. QUIRAL
	0600	74	C. Montero
	0900	76	C. Montero
	1200	78	C. Montero
	1500	82	G. Benitez
	1800	82	M. Cervantes
	2100	80	G. Benitez
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	76	J. ORDONEZ
	0600	75	~~E. SUTO~~ C. Montero
	0900	75	~~E. SUTO~~ C. Montero
	1200	78	C. Montero
	1500	84	M. Cervantes
	1800	84	M. Cervantes
	2100	84	M. Cervantes
	2400	80	J. ORDONEZ

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	80	J. ORDONEZ
	0600	76	E. CARTER
	0900	75	M. CERVANTES
	1200	78	M. CERVANTES
	1500	84	[illegible]
	1800	85	[illegible]
	2100	84	[illegible]
	2400	80	J. ORDONEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A1 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	80	J. ORDONEZ
	0600	73	E. Becerra
	0900	74	E. Becerra
	1200	78°	E. CARTER
	1500	80	A. Batista
	1800	80	A. Batista
	2100	80	A. Batista
	2400	80	J. ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	80	J. ORDONEZ
	0600	72	C. Montero
	0900	73	E. BECERRA
	1200	78	E. Becerra
	1500	88	J. Perez
	1800	86	J. Perez
	2100	86	J. Perez
	2400	80	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	78	J. ORDONEZ
	0600	72°	C. Montero
	0900	75	C. Montero
	1200	80	C. Montero
	1500	84	A. Batista
	1800	84	A. Batista
	2100	84	A. Batista
	2400	80	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	80	J. ORDONEZ
	0600	72°	C. Montero
	0900	78°	C. Montero
	1200	79°	C. Montero
	1500	85	A. Batista
	1800	87	A. Batista
	2100	85	A. Batista
	2400	79°	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
9-6-24	0300	79°	GONZALEZ
	0600	78	[illegible]
	0900	78	REYES
	1200	79	REYES
	1500	82°	M. Cervantes
	1800	85°	M. Cervantes
	2100	84°	M. Cervantes
	2400	84	Delgado

Saturday

Date	Time	Temp.	Name (Print)
9-7-24	0300	77	Delgado
	0600	78°	[illegible]
	0900	78°	[illegible]
	1200	79°	E. CARTER
	1500	83°	M. Cervantes
	1800	~~85~~ 85°	M. Cervantes
	2100	83	[illegible]
	2400	78	J. ORDONEZ

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	78	J. ORDONEZ
	0600	75°	M. Cervantes
	0900	76°	M. Cervantes
	1200	79°	M. Cervantes
	1500	82°	M. Cervantes
	1800	87°	M. Cervantes
	2100	87°	M. Cervantes
	2400	79	J. ORDONEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: A Housing Unit: A1 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	79	J. ORDONEZ
	0600	78	E. CARTER
	0900	78	J. Kramer
	1200	81	E. CARTER
	1500	85	J. GONZALEZ
	1800	84	J. GONZALEZ
	2100	83	J. Urdiner
	2400	79	J. ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	78	J. ORDONEZ
	0600	74	C. Montero
	0900	75	C. Montero
	1200	77	E. Becerra
	1500	80	J. GONZALEZ
	1800	82	J. GONZALEZ
	2100	80	J. GONZALEZ
	2400	77	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	77	J. ORDONEZ
	0600	72	C. Montero
	0900	74	C. Montero
	1200	75	E. Becerra
	1500	79	J. GONZALEZ
	1800	79	J. GONZALEZ
	2100	76	J. GONZALEZ
	2400	75	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	75	J. ORDONEZ
	0600	74	C. Montero
	0900	74	C. Montero
	1200	74	C. Montero
	1500	75	J. GONZALEZ
	1800	76	J. GONZALEZ
	2100	75	J. GONZALEZ
	2400	71	ORDONEZ

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	71	ORDONEZ
	0600	71	Ryges
	0900	72	Reyes
	1200	73	Reyes
	1500	76	J. GONZALEZ
	1800	78	J. GONZALEZ
	2100	77	J. GONZALEZ
	2400	75	M. MEDINA.

Saturday

Date	Time	Temp.	Name (Print)
9/14 2024	0300	73	M. MEDINA
	0600	72	C. Montero
	0900	74	E. CARTER
	1200	74	E. CARTER
	1500	78	L. ESCOBAR
	1800	80	L. ESCOBAR
	2100	78	L. ESCOBAR
	2400	68	C. DAVIS

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	68	C. DAVIS
	0600	68	M. Cervantes
	0900	71	M. Cervantes
	1200	74	E. CARTER
	1500	76	M. Cervantes
	1800	76	V. Perez
	2100	74	M. Cervantes
	2400	71	C. DAVIS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: A Housing Unit: A Temp. Reading Location: 2nd

DVSP

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	73	Medina
	0600	72	Becerra
	0900	72	Becerra
	1200	72	Becerra
	1500	72	GONZALEZ, J
	1800	74	GONZALEZ, J
	2100	73	GONZALEZ, J
	2400	68	J. ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	68	J. ORDONEZ
	0600	68°	C. Montero
	0900	68°	C. Montero
	1200	69°	C. Montero
	1500	70	J. GONZALEZ
	1800	73	J. GONZALEZ
	2100	71	J. GONZALEZ
	2400	68	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	68	J. ORDONEZ
	0600	68	Becerra
	0900	68	Becerra
	1200	70	Becerra
	1500	71	J. GONZALEZ
	1800	72	J. GONZALEZ
	2100	70	J. GONZALEZ
	2400	68	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	68	J. ORDONEZ
	0600	68°	C. Montero
	0900	70°	Becerra
	1200	70°	C. Montero
	1500	72°	J. GONZALEZ
	1800	73°	J. GONZALEZ
	2100	72°	J. GONZALEZ
	2400	69°	F. SOTO

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	68°	F. SOTO
	0600	69°	C. Montero
	0900	70°	C. Montero
	1200	71°	C. Montero
	1500	73°	J. GONZALEZ
	1800	75°	J. GONZALEZ
	2100	73	M. Cervantes
	2400	69°	F. SOTO

Saturday 09/21

Date	Time	Temp.	Name (Print)
9/21/24	0300	69	F. SOTO
	0600	66	R. DOMINGO
	0900	70°	E. CARTER
	1200	73°	E. CARTER
	1500	76°	M. Cervantes
	1800	77°	M. Cervantes
	2100	75	M. Cervantes
	2400	73	J. ORDONEZ

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	73	J. ORDONEZ
	0600	68°	M. Cervantes
	0900	71°	M. Cervantes
	1200	74°	E. CARTER
	1500	76°	M. Cervantes
	1800	78°	M. Cervantes
	2100	77°	M. Cervantes
	2400	73	J. ORDONEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A1 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	73	J. ORDONEZ
	0600	73	E. Becerra
	0900	74	E. Becerra
	1200	76	E. BECERRA
	1500	80°	J. GONZALEZ
	1800	83°	J. GONZALEZ
	2100	79	J. GONZALEZ
	2400	75	J. ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	75	J. ORDONEZ
	0600	74°	C. Montero
	0900	74	E. Becerra
	1200	77	E. Becerra
	1500	79°	J. GONZALEZ
	1800	84	J. GONZALEZ
	2100	82	J. GONZALEZ
	2400	75	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	75	J. ORDONEZ
	0600	74	E. Becerra
	0900	76	E. Becerra
	1200	76	E. Becerra
	1500	79°	J. GONZALEZ
	1800	79°	J. GONZALEZ
	2100	78	J. GONZALEZ
	2400	74	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	74	J. ORDONEZ
	0600	72	J. CASTIBLANCO
	0900	70	[illegible]
	1200	72	J. CASTIBLANCO
	1500	75°	J. GONZALEZ
	1800	76°	J. GONZALEZ
	2100	79	J. GONZALEZ
	2400	89	J. SOTO

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	89	J. SOTO
	0600	72°	C. Montero
	0900	72	M. Reyes
	1200	74	C. Montero
	1500	75°	M. Cervantes
	1800	77°	M. Cervantes
	2100	76	M. Cervantes
	2400	71	J. SOTO

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	71	J. SOTO
	0600	71°	C. Montero
	0900	71°	C. Montero
	1200	74°	C. Montero
	1500	75	V. Flores
	1800	76	V. Flores
	2100	74	V. Flores
	2400	72	J. ORDONEZ

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	72	J. ORDONEZ
	0600	76	E. CARTER
	0900	76	E. CARTER
	1200	76	E. CARTER
	1500	77	V. Corona
	1800	78	V. Corona
	2100	77	V. Corona
	2400	73	J. ORDONEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATIO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A1 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	70	J. ORDONEZ
	0600	71	E. Becerra
	0900	72	E. Becerra
	1200	71	E. CARTER
	1500	76	L. Escobar
	1800	80	L. Escobar
	2100	78	L. Escobar
	2400	72	J. ORDONEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	71	J. ORDONEZ
	0600	72	C. Montero
	0900	72	C. Montero
	1200	75	C. Montero
	1500	76	U. Perez
	1800	80	J. GONZALEZ
	2100	74	J. GONZALEZ
	2400	74	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	74	J. ORDONEZ
	0600	72	C. Montero
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: A Housing Unit: A2 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	72	J. ORDONEZ
	0600	71	M. CERVANTES
	0900	73	PANNCO
	1200	74	PANNCO
	1500	75°	M. CERVANTES
	1800	75	PANNCO
	2100	74	PANNCO
	2400	73	ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	73	ORDONEZ
	0600	74	PANNCO
	0900	74	PANNCO
	1200	75	PANNCO
	1500	76	A. CUEVAS
	1800	82	A. CUEVAS
	2100	82	A. CUEVAS
	2400	74	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	74	J. ORDONEZ
	0600	74	PANNCO
	0900	74	PANNCO
	1200	75	PANNCO
	1500	76	E. CORTES
	1800	78	E. CORTES
	2100	78	E. CORTES
	2400	76	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	75	J. ORDONEZ
	0600	74	M. ROYES
	0900	74	M. ROYES
	1200	75	M. ROYES
	1500	78	M. ROYES
	1800	80	M. ROYES
	2100	80	M. ROYES
	2400	75°	P. QUIRAR

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	74°	P. QUIRAR
	0600	74	RODRIGUEZ
	0900	74°	RODRIGUEZ
	1200	78°	RODRIGUEZ
	1500	76	ROYES
	1800	78	ROYES
	2100	78	ROYES
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	76	E. SOTO
	0600	75	E. SOTO
	0900	74	E. SOTO
	1200	76	ROYES
	1500	80	ROYES
	1800	82	ROYES
	2100	82	ROYES
	2400	80	J. ORDONEZ

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	80	J. ORDONEZ
	0600	75	ABARCA
	0900	76	ABARCA
	1200	77	ABARCA
	1500	80	C. Purcell
	1800	82	C. Purcell
	2100	82	C. Purcell
	2400	78	J. ORDONEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: A Housing Unit: A2 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	78	J. ORDONEZ
	0600	74	[illegible]
	0900	76	PANUCO
	1200	76	[illegible]
	1500	78°	M. Cervantes
	1800	82	M. Cervantes
	2100	81	M. Cervantes
	2400	78	J. ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	78	J. ORDONEZ
	0600	73	[illegible]
	0900	74	[illegible]
	1200	74	G. PANUCO
	1500	74	E. BECERRA
	1800	78	E. BECERRA
	2100	78	E. BECERRA
	2400	78	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	78	J. ORDONEZ
	0600	73	[illegible]
	0900	74	[illegible]
	1200	74	[illegible]
	1500	78	REYES
	1800	79	REYES
	2100	79	REYES
	2400	79	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	79	J. ORDONEZ
	0600	74	PANUCO
	0900	76	REYES
	1200	77	PANUCO
	1500	80	REYES
	1800	84	REYES
	2100	82	REYES
	2400	78°	GONZALEZ T

Friday

Date	Time	Temp.	Name (Print)
9-6-24	0300	77°	GONZALEZ T
	0600	74°	RODRIGUEZ
	0900	76	CALDERON
	1200	78°	RODRIGUEZ
	1500	78°	REYES
	1800	82	PLYLER
	2100	80	REYES
	2400	80	DELGADO

Saturday

Date	Time	Temp.	Name (Print)
9-7-24	0300	78	DELGADO
	0600	75	M. Cervantes
	0900	78	[illegible]
	1200	82	[illegible]
	1500	82	MJEVILAND
	1800	86	MJEVILAND
	2100	84	MJEVILAND
	2400	80	J. ORDONEZ

Sunday

Date	Time	Temp.	Name (Print)
9-8-24	0300	80	J. ORDONEZ
	0600	75°	S. STOCKTON
	0900	77	[illegible]
	1200	79	[illegible]
	1500	80	E. CARTER
	1800	84	E. CARTER
	2100	82	E. CARTER
	2400	80	J. ORDONEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: A Housing Unit: A2 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	80	J. ORDONEZ
	0600	75	Ramirez
	0900	77	Ibarra
	1200	81	Ibarra
	1500	87°	M. Cervantes
	1800	85	Ramirez
	2100	83	Ramirez
	2400	80	J. ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	79	J. ORDONEZ
	0600	74	Ramirez
	0900	75	Ibarra
	1200	77	Ramirez
	1500	77	Reyes
	1800	80	Brenna
	2100	81	Brenna
	2400	78	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	78	J. ORDONEZ
	0600	69	Ramirez
	0900	70	Ibarra
	1200	75	Ibarra
	1500	75	Reyes
	1800	80	Reyes
	2100	80	Reyes
	2400	70	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	70	J. ORDONEZ
	0600	75°	M. PALACIOS
	0900	75	M. REYES
	1200	76°	M. REYES
	1500	77	MJEVELAND
	1800	80	MA Rodriguez
	2100	79	M. REYES
	2400	78	ORDONEZ

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	78	ORDONEZ
	0600	72	RODRIGUEZ
	0900	75	RODRIGUEZ
	1200	76	RODRIGUEZ
	1500	76	MJEVELAND
	1800	79	MJEVELAND
	2100	77	MJEVELAND
	2400	74	J. TORRES

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	70	J. TORRES
	0600	70.°	Ibarra
	0900	75	[illegible]
	1200	[illegible]	[illegible]
	1500	77	MJEVELAND
	1800	76	MJEVELAND
	2100	75	MJEVELAND
	2400	73	M. Delgado

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	73	M. Delgado
	0600	73	A Vera Sanchez
	0900	73	MJEVELAND
	1200	73	MJEVELAND
	1500	74	C. Pursell
	1800	75	C. Pursell
	2100	74	C. Pursell
	2400	72	A. Mercado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A2 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	63	J. ORDONEZ
	0600	67	Ramirez
	0900	71	Guzman
	1200	72	Ramirez
	1500	73	M. Cervantes
	1800	73	M. Cervantes
	2100	73	M. Cervantes
	2400	74	J. ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	73	J. ORDONEZ
	0600	69	Ramirez
	0900	65	Ramirez
	1200	70	Ramirez
	1500	74	M.J. EVELAND
	1800	72	M.J. EVELAND
	2100	70	M.J. EVELAND
	2400	70	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	69	J. ORDONEZ
	0600	68	Ramirez
	0900	70	Guzman
	1200	71	Guzman
	1500	70	Ramirez
	1800	72	Ramirez
	2100	71	Ramirez
	2400	69	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	65	J. ORDONEZ
	0600	66	Ramirez
	0900	67	Reyes
	1200	72	Ramirez
	1500	72	Reyes
	1800	73	Reyes
	2100	71	Reyes
	2400	69	I. Soto

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	76	I. SOTO
	0600	76	Rodriguez
	0900	76	Rodriguez
	1200	76	Rodriguez
	1500	73	Reyes
	1800	73	Reyes
	2100	71	Reyes
	2400	71	I. SOTO

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	I. SOTO
	0600	67	A. Vega Sanchez
	0900	70	A. Guzman
	1200	74	A. Guzman
	1500	73	L. Lopez
	1800	72	L. Lopez
	2100	71	L. Lopez
	2400	69	J. ORDONEZ

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	69	J. ORDONEZ
	0600	69	A. Guzman
	0900	72	A. Guzman
	1200	73	A. Vera Sanchez
	1500	75	E. CARTER
	1800	74	E. CARTER
	2100	74	E. CARTER
	2400	73	J. ORDONEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: A2 PVSP Housing Unit: 2 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	73	J. ORDONEZ
	0600	70	Panuco
	0900	73	Panuco
	1200	77	Tovar
	1500	78	M. Cervantes
	1800	77	Panuco
	2100	76	Panuco
	2400	71	J. ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	71	J. ORDONEZ
	0600	72	Panuco
	0900	74	Ibarra
	1200	77	Ibarra
	1500	78	Panuco
	1800	82	Panuco
	2100	80	Panuco
	2400	76	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	75	J. ORDONEZ
	0600	73	Thomas
	0900	74	Panuco
	1200	75	Thomas
	1500	76	Reyes
	1800	79	Reyes
	2100	78	Reyes
	2400	75	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	75	J. ORDONEZ
	0600	76	Reyes
	0900	76	Reyes
	1200	76	Reyes
	1500	77	MJ EVELAND
	1800	76	MJ EVELAND
	2100	75	MJ EVELAND
	2400	72	J. SOTO

Friday

Date	Time	Temp.	Name (Print)
9/27 2024	0300	72	J. SOTO
	0600	72	Rodriguez
	0900	71	A Vera Sanchez
	1200	71	Rodriguez
	1500	72	MJ EVELAND
	1800	71	MJ EVELAND
	2100	71	MJ EVELAND
	2400	72	J. SOTO

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	72	J. SOTO
	0600	73	A Vera Sanchez
	0900	73	A Vera Sanchez
	1200	73	MJ EVELAND
	1500	77	MJ EVELAND
	1800	77	MJ EVELAND
	2100	73	MJ EVELAND
	2400	71	J. ORDONEZ

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	71	J. ORDONEZ
	0600	69	Ibarra
	0900	71	Ibarra
	1200	75	Thomas
	1500	76	J. WATSON
	1800	79	J. WATSON
	2100	78	J. WATSON
	2400	73	J. ORDONEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: A2 DVSP Housing Unit: 2 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	73	J. ORDONEZ
	0600	68	PANUCO
	0900	71	Dover
	1200	73	Dover
	1500	75	PANUCO
	1800	78	PANUCO
	2100	76	PANUCO
	2400	72	J. ORDONEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	70	J. ORDONEZ
	0600	68	PANUCO
	0900	71	Dover
	1200	73	PANUCO
	1500	74	M. J. EVELAND
	1800	75	
	2100	74	
	2400	74	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	74	J. ORDONEZ
	0600	71	PANUCO
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A3 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24/24	0300	72	J. GONZALEZ
	0600	68	R. MATABA
	0900	69	R. MATABA
	1200	72	R. MATABA
	1500	76	M. ESQUIVEL
	1800	76	Gonzalez
	2100	74	Mendoza
	2400	72	Mendoza
			M. PARKER

Tuesday

Dat	Time	Temp.	Name (Print)
8/27 2024	0300	72	M. PARKER
	0600	69	R. MATABA
	0900	70	R. MATABA
	1200	72	R. MATABA
	1500	76	R. MATABA
	1800	78	Mendoza
	2100	78	Mendoza
	2400	79	Mendoza
			PARKER

Wednesday

Date	Time	Temp.	Name (Print)
8/28 2024	0300	75	M. PARKER
	0600	69	R. MATABA
	0900	70°	Zepeda
	1200	74	R. MATABA
	1500	74	R. MATABA
	1800	78	R. Mendoza
	2100	76	Mendoza
	2400	76	Mendoza
			Mendoza

Thursday

Date	Time	Temp.	Name (Print)
8/29 2024	0300	75	ARANGO
	0600	69	R. MATABA
	0900	74	R. MATABA
	1200	80	R. MATABA
	1500	80	RODRIGUEZ
	1800	82	RODRIGUEZ
	2100	82	RODRIGUEZ
	2400	75	ARANGO

Friday

Date	Time	Temp.	Name (Print)
8/30 2024	0300	74	ARANGO
	0600	69	R. ESQUIVEL
	0900	70	R. GONZALEZ
	1200	74	Zepeda
	1500	74	ALVARADO
	1800	76	ALVARADO
	2100	76	ALVARADO
	2400	75	M. PARKER

Saturday

Date	Time	Temp.	Name (Print)
8/31 /24	0300	74	M. PARKER
	0600	72°	B. ARELLO
	0900	73°	B. ARELLO
	1200	74°	B. ARELLO
	1500	78°	RODRIGUEZ
	1800	76	RODRIGUEZ
	2100	76	RODRIGUEZ
	2400	75	M. PARKER

Sunday

Date	Time	Temp.	Name (Print)
9/1 /24	0300	75	M. PARKER
	0600	74	Zepeda
	0900	76	Zepeda
	1200	78	Zepeda
	1500	79	Mendoza
	1800	80	Mendoza
	2100	80	Mendoza
	2400	77	M. PARKER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2 2024	0300	76	M. PARRA
	0600	69	R. MATOBA
	0900	72	R. MATOBA
	1200	75	R. MATOBA
	1500	78	[illegible]
	1800	80	[illegible]
	2100	79	[illegible]
	2400	76	M. PARRA

Tuesday

Dat	Time	Temp.	Name (Print)
9/3 2024	0300	75	M. PARRA
	0600	65	R. MATOBA
	0900	79	R. MATOBA
	1200	76	R. MATOBA
	1500	78	A. RUBIO
	1800	80	A. RUBIO
	2100	80	A. RUBIO
	2400	75	M. PARRA

Wednesday

Date	Time	Temp.	Name (Print)
9/4 2024	0300	75	M. PARRA
	0600	73	R. MATOBA
	0900	75	R. MATOBA
	1200	77	R. MATOBA
	1500	81	A. RUBIO
	1800	80	A. RUBIO
	2100	78	A. RUBIO
	2400	79	E. AMARO

Thursday

Date	Time	Temp.	Name (Print)
9/5 2024	0300	78	E. AMARO
	0600	74	R. MATOBA
	0900	76	R. MATOBA
	1200	78	J. ESCOVEDO
	1500	80	R. MATOBA
	1800	82	R. MATOBA
	2100	80	R. MATOBA
	2400	78	J. PONCE

Friday

Date	Time	Temp.	Name (Print)
9/6 2024	0300	77	J. PONCE
	0600	75	R. VASQUEZ
	0900	75	R. VASQUEZ
	1200	77	R. VASQUEZ
	1500	78	RODRIGUEZ
	1800	80	RODRIGUEZ
	2100	80	RODRIGUEZ
	2400	78	M. PARRA

Saturday

Date	Time	Temp.	Name (Print)
9/7 2024	0300	77	M. PARRA
	0600	73	ABARCA
	0900	76	MELO
	1200	77	MELO
	1500	80	RODRIGUEZ
	1800	84	RODRIGUEZ
	2100	82	RODRIGUEZ
	2400	78	M. PARRA

Sunday

Date	Time	Temp.	Name (Print)
9/8 2024	0300	77	M. PARRA
	0600	74	ABARCA
	0900	75	Mendoza
	1200	75	Mendoza
	1500	82	Mendoza
	1800	84	[illegible]
	2100	82	[illegible]
	2400	78	M. PARRA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATIO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9 2024	0300	78	M. PARRA
	0600	78	R MATOBA
	0900	77	R MATOBA
	1200	80	R MATOBA
	1500	80	[illegible]
	1800	84	[illegible]
	2100	83	[illegible]
	2400	78	M. PARRA

Tuesday

Dat	Time	Temp.	Name (Print)
9/10 2024	0300	77	M. PARRA
	0600	75	R MATOBA
	0900	75	R MATOBA
	1200	77	R. MATOBA
	1500	82	A RUBIO
	1800	84	A. RUBIO
	2100	82	A RUBIO
	2400	75	M. PARRA

Wednesday

Date	Time	Temp.	Name (Print)
9/11 2024	0300	75	M. PARRA
	0600	74	R MATOBA
	0900	75	R MATOBA
	1200	76	R. MATOBA
	1500	78	A. RUBIO
	1800	79	A. RUBIO
	2100	77	A. RUBIO
	2400	75	MEDINA

Thursday

Date	Time	Temp.	Name (Print)
9-12	0300	75	M. MEDINA
	0600	73	R MATOBA
	0900	74	R. MATOBA
	1200	73	R. MATOBA
	1500	76	RODRIGUEZ
	1800	79	RODRIGUEZ
	2100	78	[illegible]
	2400	72	I. PONCE

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	72	I. PONCE
	0600	70	I. ESCOVEDO
	0900	74	A. VASQUEZ
	1200	76	A. RODRIGUEZ
	1500	78	RODRIGUEZ
	1800	79	RODRIGUEZ
	2100	78	RODRIGUEZ
	2400	72	M. PARRA

Saturday

Date	Time	Temp.	Name (Print)
9/14 2024	0300	72	M. PARRA
	0600	70°	ESCOVEDO, J
	0900	72°	MELLO
	1200	74°	ESCOVEDO
	1500	76°	RODRIGUEZ
	1800	78	RODRIGUEZ
	2100	77	RODRIGUEZ
	2400	73	M. PARRA

Sunday

Date	Time	Temp.	Name (Print)
9/15 2024	0300	73	M. PARRA
	0600	73	T MOA
	0900	73	ABARCA
	1200	73	ABARCA
	1500	73	[illegible]
	1800	75	[illegible]
	2100	74	[illegible]
	2400	72	M. PARRA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATIOI

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16 2024	0300	68	M. PARKER
	0600	70	A. Vera Sanchez
	0900	70	K. Xiong
	1200	72	A. Vera Sanchez
	1500	73	O. Gonzalez
	1800	74	O. Gonzalez
	2100	73	O. Gonzalez
	2400	69	M. PARKER

Tuesday

Dat	Time	Temp.	Name (Print)
9/17 2024	0300	69	M. PARKER
	0600	68	R. MATOBA
	0900	87	R. MATOBA
	1200	87	R. MATOBA
	1500	91	A. Moreno
	1800	73	A. Moreno
	2100	78	A. Moreno
	2400	69	M. PARKER

Wednesday

Date	Time	Temp.	Name (Print)
9/18 2024	0300	68	M. PARKER
	0600	68	R. MATOBA
	0900	70	R. MATOBA
	1200	70	R. MATOBA
	1500	70	MORENO
	1800	69	A. RUBIO
	2100		
	2400	68	F. SOTO

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	68	F. SOTO
	0600	68	J. CASTEBLANCO
	0900	68	J. CASTEBLANCO
	1200	69	J. CASTEBLANCO
	1500	67	RODRIGUEZ
	1800	70	RODRIGUEZ
	2100	68	RODRIGUEZ
	2400	69	J. PONCE

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	69	J. PONCE
	0600	69	R. VASQUEZ
	0900	68	R. VASQUEZ
	1200	70	RODRIGUEZ
	1500	71	RODRIGUEZ
	1800	71	RODRIGUEZ
	2100	70	RODRIGUEZ
	2400	69	M. PARKER

Saturday

Date	Time	Temp.	Name (Print)
9/21 2024	0300	69	M. PARKER
	0600	69	B. MELLO
	0900	70	ALVARADO
	1200	70	ALVARADO
	1500	70	H. Gow
	1800	72	H. Gow
	2100	70	H. Gow
	2400	71	M. PARKER

Sunday

Date	Time	Temp.	Name (Print)
9/22 2024	0300	71	M. PARKER
	0600	69	R. MATOBA
	0900	70	R. MATOBA
	1200	72	J. ALVARADO
	1500	73	O. GONZALEZ
	1800	74	O. GONZALEZ
	2100	74	O. GONZALEZ
	2400	72	M. PARKER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A3 Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23 2024	0300	72	M. PARRA
	0600	70	A. Vera Sanchez
	0900	71	A. Vera Sanchez
	1200	72	R. MATORA
	1500	75	GONZALEZ
	1800	75	GONZALEZ
	2100	73	MORENO
	2400	73	M. PARRA

Tuesday

Date	Time	Temp.	Name (Print)
9/24 2024	0300	77	M. PARRA
	0600	71	R. MATORA
	0900	72	R. MATORA
	1200	74	R. MATORA
	1500	80	A. Rubio
	1800	80	A. Rubio
	2100	74	A. Rubio
	2400	73	M. PARRA

Wednesday

Date	Time	Temp.	Name (Print)
9/25 2024	0300	73	M. PARRA
	0600	72	R. MATORA
	0900	72	R. MATORA
	1200	74	L. ALVARADO
	1500	76	RODRIGUEZ
	1800	78	RODRIGUEZ
	2100	77	RODRIGUEZ
	2400	73	R. SOTO

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	72	R. SOTO
	0600	69	L. ALVARADO
	0900	70	L. ALVARADO
	1200	70	L. ALVARADO
	1500	76	RODRIGUEZ
	1800	78	RODRIGUEZ
	2100	77	RODRIGUEZ
	2400	71	I. PONCE

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	70	I. PONCE
	0600	69	RUBIO
	0900	70	R. VASQUEZ
	1200	73	R. VASQUEZ
	1500	78	RODRIGUEZ
	1800	79	RODRIGUEZ
	2100	77	RODRIGUEZ
	2400	70	M. PARRA

Saturday

Date	Time	Temp.	Name (Print)
9/28 2024	0300	70	M. PARRA
	0600	70	L. ALVARADO
	0900	72	L. ALVARADO
	1200	72	L. ALVARADO
	1500	75	RODRIGUEZ
	1800	74	RODRIGUEZ
	2100	73	RODRIGUEZ
	2400	71	M. PARRA

Sunday

Date	Time	Temp.	Name (Print)
9/29 2024	0300	71	M. PARRA
	0600	69	J. GARCIA
	0900	72	L. ALVARADO
	1200	74	L. ALVARADO
	1500	76	GONZALEZ
	1800	78	GONZALEZ
	2100	77	GONZALEZ
	2400	77	J. WATSON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PRSP Housing Unit: A3 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/2024	0300	70	M. PARKER
	0600	70	R. MATOSA
	0900	69	R. MATOSA
	1200	69	R. MATOSA
	1500	70	R. MATOSA
	1800	72	[illegible]
	2100	71	[illegible]
	2400	70	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	70	[illegible]
	0600	69	R. MATOSA
	0900	70	R. MATOSA
	1200	71	R. MATOSA
	1500	72	MORENO
	1800	70	MORENO
	2100	74	MORENO
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	71	S. Timmer
	0600	70	R. MATOSA
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATI

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: AFB 4 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	71	Conner
	0600	71	Thor
	0900	71	Thor
	1200	72	Thor
	1500	77	A. Calder
	1800	77	A. Calder
	2100	78	A. Calder
	2400	72	PARKER

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	72	PARKER
	0600	71	Thor
	0900	72	Thor
	1200	72	Thor
	1500	76	A. Calder
	1800	78	A. Calder
	2100	78	A. Calder
	2400	74	PARKER

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	74	PARKER
	0600	72	MEZA
	0900	72	MEZA
	1200	72	MEZA
	1500	78	A. Calder
	1800	78	A. Calder
	2100	78	A. Calder
	2400	72	PARKER

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	76	ARAUJO
	0600	75	MOLINA
	0900	74	MOLINA
	1200	75	MOLINA
	1500	77	UGAZ
	1800	77	UGAZ
	2100	76	UGAZ
	2400	75	ARAUJO

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	74	ARAUJO
	0600	74	MEZA
	0900	74	MEZA
	1200	74	MEZA
	1500	76	J. UGAZ
	1800	77	J. UGAZ
	2100	79.0	A. Calder
	2400	75	M. PARKER

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	75	M. PARKER
	0600	74	MEZA
	0900	74	MEZA
	1200	74	MEZA
	1500	75	LINO
	1800	75	LINO
	2100	75	LINO
	2400	78	M. PARKER

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	75	M. PARKER
	0600	74	ALVERAS
	0900	75	ALVERAS
	1200	75	ALVERAS
	1500	75	LINO
	1800	75	LINO
	2100	76	LINO
	2400	78	M. PARKER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	76	M. PARKER
	0600	75	L. THOR
	0900	75	VASQUEZ
	1200	75	VASQUEZ
	1500	78	Calderon
	1800	82	Calderon
	2100	80	Calderon
	2400	75	M. PARKER

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	75	M. PARKER
	0600	75	THOR
	0900	75	THOR
	1200	75	THOR
	1500	75	THOR
	1800	77	THOR
	2100	76	THOR
	2400	75	M. PARKER

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	75	M. PARKER
	0600	75	L. THOR
	0900	75	L. THOR
	1200	77	L. THOR
	1500	80	LINO
	1800	84	LINO
	2100	82	LINO
	2400	79	E. AMAR

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	78	E. AMAR
	0600	75	R. VASQUEZ
	0900	75	R. VASQUEZ
	1200	77	R. VASQUEZ
	1500	76	LINO
	1800	76	LINO
	2100	76	LINO
	2400	76	I. PONCE

Friday

Date	Time	Temp.	Name (Print)
9/6 2024	0300	76	I. PONCE
	0600	76	B. Mare
	0900	75	B. Mare
	1200	75	B. Mare
	1500	90	LINO
	1800	76	LINO
	2100	76	LINO
	2400	77	M. PARKER

Saturday

Date	Time	Temp.	Name (Print)
9/7 2024	0300	77	M. PARKER
	0600	76	ALVARADO
	0900	76	ALVARADO
	1200	79	ALVARADO
	1500	82	ALVARADO
	1800	84	ALVARADO
	2100	81	ALVARADO
	2400	77	M. PARKER

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	77	M. PARKER
	0600	77	R. Avila
	0900	75	R. Avila
	1200	75	R. Avila
	1500	82	M. Gonzalez
	1800	84	M. Gonzalez
	2100	82	M. Gonzalez
	2400	77	M. PARKER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5341 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9/9/2024	0300	78	M. PARKER
	0600	78	THOR
	0900	78	THOR
	1200	77	THOR
	1500	84	THOR
	1800	86	THOR
	2100	84	THOR
	2400	76	M. PARKER

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	76	M. PARKER
	0600	74	L. THOR
	0900	74	L. THOR
	1200	75	L. THOR
	1500	78	L. THOR
	1800	82	L. THOR
	2100	80	L. THOR
	2400	74	M. PARKER

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	73	M. PARKER
	0600	73	MEZA
	0900	74	THOR
	1200	75	THOR
	1500	76	LINO
	1800	76	LINO
	2100	79	LINO
	2400	75	MEDINA

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	74	M. MEDINA
	0600	68	MEZA
	0900	69	R. VASQUEZ
	1200	70	R. VASQUEZ
	1500	76	LINO
	1800	76	LINO
	2100	78	LINO
	2400	71	I. PONCE

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	70	I. PONCE
	0600	70	D. mare
	0900	70	MEZA
	1200	71	D. mare
	1500	76	LINO
	1800	76	LINO
	2100	78	LINO
	2400	71	M. PARKER

Saturday

Date	Time	Temp.	Name (Print)
9/14/2024	0300	71	M. PARKER
	0600	69	MEZA
	0900	70	MEZA
	1200	70	MEZA
	1500	76	LINO
	1800	78	LINO
	2100	77	LINO
	2400	73	M. PARKER

Sunday

Date	Time	Temp.	Name (Print)
9/15/2024	0300	72	M. PARKER
	0600	71	Alvarado
	0900	71	Alvarado
	1200	77	Alvarado
	1500	74	LINO
	1800	76	LINO
	2100	74	LINO
	2400	70	M. PARKER

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A4 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9/16/2024	0300	68	M. Parker
	0600	68	L. Thor
	0900	69	L. Thor
	1200	69	L. Thor
	1500	70	L. Thor
	1800	71	L. Thor
	2100	70	A. Calderon
	2400	67	M. Parker

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	67	M. Parker
	0600	67	L. Thor
	0900	68	L. Thor
	1200	68	L. Thor
	1500	68	L. Thor
	1800	68	A. Calderon
	2100	67	A. Calderon
	2400	68	M. Parker

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	68	M. Parker
	0600	68	Perez
	0900	69	Perez
	1200	70	Perez
	1500	70	Calderon
	1800	70	Calderon
	2100	69	Calderon
	2400	68	E. Soto

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	68	E. Soto
	0600	68	Meza
	0900	69	R. Vasquez
	1200	70	R. Vasquez
	1500	71	Lino
	1800	72	Lino
	2100	71	Lino
	2400	69	I. Ponce

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	69	I. Ponce
	0600	66	D. Mace
	0900	69	D. Mace
	1200	70	D. Mace
	1500	71	Lino
	1800	71	Lino
	2100	70	Lino
	2400	69	M. Parker

Saturday

Date	Time	Temp.	Name (Print)
9/21/2024	0300	69	M. Parker
	0600	70	Alvarez
	0900	70	Alvarez
	1200	71	Alvarez
	1500	70	Lino
	1800	71	Lino
	2100	70	Lino
	2400	72	M. Parker

Sunday

Date	Time	Temp.	Name (Print)
9/22/2024	0300	71	M. Parker
	0600	71	Alvarez
	0900	71	Alvarez
	1200	72	Alvarez
	1500	74	Lino
	1800	74	Lino
	2100	73	Lino
	2400	73	M. Parker

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A 4 Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23 2024	0300	72	M. PARKER
	0600	72	L. THOR
	0900	71	L. THOR
	1200	72	L. THOR
	1500	71	L. THOR
	1800	72	L. THOR
	2100	71	L. THOR
	2400	74	M. PARKER

Tuesday

Date	Time	Temp.	Name (Print)
9/24 2024	0300	73	M. PARKER
	0600	73	L. THOR
	0900	72	L. THOR
	1200	75	L. THOR
	1500	75	L. THOR
	1800	76	L. THOR
	2100	75	L. THOR
	2400	75	M. PARKER

Wednesday

Date	Time	Temp.	Name (Print)
9/25 2024	0300	74	M. PARKER
	0600	73	L. THOR
	0900	72	L. THOR
	1200	73	L. THOR
	1500	76	LINO
	1800	79	LINO
	2100	78	LINO
	2400	73	I. SOTO

Thursday

Date	Time	Temp.	Name (Print)
9/26 2024	0300	72	I. SOTO
	0600	72	MEZA
	0900	72	MEZA
	1200	73	R. VASQUEZ
	1500	77	LINO
	1800	78	LINO
	2100	79	LINO
	2400	70	I. PONCE

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	70	I. PONCE
	0600	68	B. [illegible]
	0900	69	MEZA
	1200	72	MEZA
	1500	77	LINO
	1800	79	LINO
	2100	78	LINO
	2400	71	M. PARKER

Saturday

Date	Time	Temp.	Name (Print)
9/28 2024	0300	69	M. PARKER
	0600	68	A. MEZA
	0900	70	A. MEZA
	1200	71	A. MEZA
	1500	73	ALVARADO
	1800	75	ALVARADO
	2100	74	ALVARADO
	2400	72	M. PARKER

Sunday

Date	Time	Temp.	Name (Print)
9/29 2024	0300	72	M. PARKER
	0600	72	ALVARADO
	0900	72	ALVARADO
	1200	73	ALVARADO
	1500	76	ALVARADO
	1800	79	ALVARADO
	2100	78	ALVARADO
	2400	75	A. Hernandez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: AFB 4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/18	0300	70	AW
	0600	70	LITHER
	0900	70	LITHER
	1200	74	LITHER
	1500	74	LITHER
	1800	78	LITHER
	2100	76	LITHER
	2400	71	AW

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	69	[illegible]
	0600	71	A. Gonzalez
	0900	71	A. Gonzalez
	1200	72	A. Gonzalez
	1500	74	M. Martin
	1800	76	M. Martin
	2100	75	M. Martin
	2400	72	PEREZ L

Tuesday

Date	Time	Temp.	Name (Print)
8.27.24	0300	71	PEREZ L
	0600	71	A. Gonzalez
	0900	73	T. Jordan
	1200	73	A. Gonzalez
	1500	75	M. Martin
	1800	76	M. Martin
	2100	75	M. Martin
	2400	73	PEREZ L

Wednesday

Date	Time	Temp.	Name (Print)
8.28.24	0300	72	PEREZ L
	0600	70	Jordan, T
	0900	72	Ramirez
	1200	72	T. Jordan
	1500	76	M. Martin
	1800	77	M. Martin
	2100	75	M. Martin
	2400	75	PEREZ L

Thursday

Date	Time	Temp.	Name (Print)
8.29.24	0300	74	PEREZ L
	0600	75	Jordan, T
	0900	73	Jordan, T
	1200	75	Jordan, T
	1500	76	ESCOVEDO, J
	1800	78	ANEMER
	2100	78	[illegible]
	2400	74	PEREZ L

Friday

Date	Time	Temp.	Name (Print)
8.30.24	0300	73	PEREZ L
	0600	69	Jordan, T
	0900	72	Jordan, T
	1200	75	Jordan, T
	1500	76	R. Vasquez
	1800	78	R. Vasquez
	2100	78	R. Vasquez
	2400	76	PEREZ

Saturday

Date	Time	Temp.	Name (Print)
8.31.24	0300	74	PEREZ
	0600	74	BORTZ
	0900	74	PEREZ
	1200	74	BORTZ
	1500	76	MELLO
	1800	77	MELLO
	2100	75	MELLO
	2400	75	R. SOTO

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	75	I. SOTO
	0600	75	A. Gonzalez
	0900	75	A. Gonzalez
	1200	76	A. Gonzalez
	1500	79°	B. MELLO
	1800	82	B. MELLO
	2100	82	B. MELLO
	2400	75	E BRANZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A-5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/02/24	0300	74	E. Arauzo
	0600	72	T. Jordan
	0900	72	A. Gonzalez
	1200	73	A. Gonzalez
	1500	75	M. Martin
	1800	77	M. Martin
	2100	75	M. Martin
	2400	75	PEREZ L

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	74	PEREZ L
	0600	74	A. Gonzalez
	0900	74	A. Gonzalez
	1200	74	T. Jordan
	1500	76	M. Martin
	1800	80	M. Martin
	2100	78	M. Martin
	2400	75	PEREZ L

Wednesday

Date	Time	Temp.	Name (Print)
9.4.24	0300	74	PEREZ
	0600	71	Ramirez
	0900	73	Ramirez
	1200	77	T. Jordan
	1500	79	M. Martin
	1800	81	M. Martin
	2100	79	M. Martin
	2400	75	PEREZ L

Thursday

Date	Time	Temp.	Name (Print)
9.5.24	0300	74	PEREZ L
	0600	74	Ramirez
	0900	74	Ramirez
	1200	78	Jordan, T
	1500	80	Escuedo
	1800	82	Escuedo
	2100	80	Escuedo
	2400	76	PEREZ L

Friday

Date	Time	Temp.	Name (Print)
9.6.24	0300	75	PEREZ L
	0600	73	Jordan, T
	0900	75	Jordan, T
	1200	75	Jordan, T
	1500	82	Vasquez, R
	1800	84	ABARCA
	2100	82	ABARCA
	2400	77	PEREZ L

Saturday

Date	Time	Temp.	Name (Print)
9.7.24	0300	75	PEREZ L
	0600	76	D. Mace
	0900	76	D. Mace
	1200	77	D. Mace
	1500	78	B. Mello
	1800	81	B. Mello
	2100	83	B. Mello
	2400	79	E. Arauzo

Sunday

Date	Time	Temp.	Name (Print)
9.8.24	0300	80	E. Arauzo
	0600	76	T. Ayre
	0900	75	A. Gonzalez
	1200	75	A. Gonzalez
	1500	78	M. Martin
	1800	80	M. Martin
	2100	79	M. Martin
	2400	75	J. Ruiz Ceja

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A5 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.9.24	0300	75	MEDINA
	0600	75	A. Gonzalez
	0900	75	A. Gonzalez
	1200	75	A. Gonzalez
	1500	77	M. Martin
	1800	81	M. Martin
	2100	78	M. Martin
	2400	76	L PEREZ

Tuesday

Date	Time	Temp.	Name (Print)
9.10.24	0300	75	L. PEREZ
	0600	75	A. Gonzalez
	0900	73	A. Gonzalez
	1200	74	T. Jordan
	1500	78	M Martin
	1800	82	M. Martin
	2100	80	M. Martin
	2400	75	PEREZ L

Wednesday

Date	Time	Temp.	Name (Print)
9.11.24	0300	74	PEREZ L
	0600	72	T. Jordan
	0900	72	T. Jordan
	1200	74	T. Jordan
	1500	76	M. Martin
	1800	78	ABARCA
	2100	77	M Martin
	2400	75	PEREZ L

Thursday

Date	Time	Temp.	Name (Print)
9.12.24	0300	73	PEREZ L
	0600	70	T. Jordan
	0900	71	T. Jordan
	1200	73	T. Jordan
	1500	73	ABARCA
	1800	75	ABARCA
	2100	74	ABARCA
	2400	72	PEREZ L

Friday

Date	Time	Temp.	Name (Print)
9.13.24	0300	70	PEREZ L
	0600	70	T. Jordan
	0900	72	T. Jordan
	1200	74	RAMIREZ
	1500	74	RIVERA
	1800	77	J. ESCOVEDO
	2100	76	RIVERA
	2400	74	PEREZ L

Saturday

Date	Time	Temp.	Name (Print)
9.14.24	0300	73	PEREZ L
	0600	72	B. Mard
	0900	70	B. Mard
	1200	71	B. Mard
	1500	78	J. ESCOVEDO
	1800	80	J. ESCOVEDO
	2100	79	J. ESCOVEDO
	2400	75	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9.15.24	0300	75	[illegible]
	0600	74	T. Alger
	0900	74	T. Alger
	1200	75	T. Alger
	1500	74	B. MELLO
	1800	76	B. MELLO
	2100	75	B. MELLO
	2400	74	M. RODRIGUEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: AS Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-24	0300	74	M. RODRIGUEZ
	0600	74	A. Gonzalez
	0900	75	A. Gonzalez
	1200	73	T. Jordan
	1500	75	M. Martin
	1800	76	M. Martin
	2100	75	M. Martin
	2400	71	PEREZ L

Tuesday

Date	Time	Temp.	Name (Print)
9-17-24	0300	70	PEREZ L
	0600	71	A. Gonzalez
	0900	73	A. Gonzalez
	1200	74	A. Gonzalez
	1500	76	J. ESLOVEDO
	1800	77	M. Martin
	2100	75	M. Martin
	2400	69	PEREZ L

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	68	PEREZ L
	0600	69	Jordan, T
	0900	71	Jordan, T
	1200	73	Jordan, T
	1500	72	M. Martin
	1800	71	M. Martin
	2100	70	M. Martin
	2400	69	PEREZ L

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	68	PEREZ L
	0600	68	Jordan, T
	0900	70	Jordan, T
	1200	70	A. RAMIREZ
	1500	72	M. Martin
	1800	73	M. Martin
	2100	71	M. Martin
	2400	69	PEREZ

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	68	PEREZ L
	0600	70	VELASQUEZ
	0900	70	VELASQUEZ
	1200	70	VELASQUEZ
	1500	70	R VASQUEZ
	1800	70	R VASQUEZ
	2100	69	R VASQUEZ
	2400	69	PACHECO

Saturday

Date	Time	Temp.	Name (Print)
9-21-24	0300	69	E. Salcido
	0600	69	B. meal
	0900	70	B. meal
	1200	72	B. meal
	1500	75	M. RODRIGUEZ
	1800	76	M. RODRIGUEZ
	2100	74	M. RODRIGUEZ
	2400	71	I. SOTO

Sunday

Date	Time	Temp.	Name (Print)
9-22-24	0300	71	I. SOTO
	0600	71	A. Gonzalez
	0900	72	A. Gonzalez
	1200	72	A. Gonzalez
	1500	74	M. Martin
	1800	76	M. Martin
	2100	75	M. Martin
	2400	71	M. Kelly

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A-5 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	69	M. Kelly
	0600	71	A. Gonzalez
	0900	72	A. Gonzalez
	1200	74	T. Jordan
	1500	76	M. Martin
	1800	77	M. Martin
	2100	74	M. Martin
	2400	73	PEREZ L

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	72	PEREZ L
	0600	72	A. Gonzalez
	0900	73	T. Jordan
	1200	73	A. Gonzalez
	1500	76	J. ESCOVEDO
	1800	81	J. ESCOVEDO
	2100	80	M. Martin
	2400	78	PEREZ L

Wednesday

Date	Time	Temp.	Name (Print)
9.25.24	0300	76	PEREZ L
	0600	74	Jordan T
	0900	75	Jordan, T
	1200	76	Jordan, T
	1500	77	M. Martin
	1800	79	M. Martin
	2100	76	M. Martin
	2400	74	PEREZ L

Thursday

Date	Time	Temp.	Name (Print)
9.26.24	0300	73	PEREZ L
	0600	70	Jordan, T
	0900	72	Jordan, T
	1200	73	Ramirez A
	1500	74	M. Martin
	1800	74	M. Martin
	2100	73	M. Martin
	2400	72	~~M. Martin~~ PEREZ

Friday

Date	Time	Temp.	Name (Print)
9.27.24	0300	72	PEREZ L
	0600	71	Ramirez
	0900	73	Ramirez
	1200	74	Ramirez
	1500	76	ESCOVEDO, J
	1800	79	ESCOVEDO, J
	2100	79	ESCOVEDO, J
	2400	76	J. ORDONEZ

Saturday

Date	Time	Temp.	Name (Print)
9.28.24	0300	76	J. ORDONEZ
	0600	69	B. Mello
	0900	72	B. Mello
	1200	72	Ramirez
	1500	76	ESCOVEDO
	1800	73	B. Mello
	2100	75	B. Mello
	2400	72	J. Soto

Sunday

Date	Time	Temp.	Name (Print)
9.29.24	0300	72	J. Soto
	0600	72	A. Gonzalez
	0900	72	A. Gonzalez
	1200	73	A. Gonzalez
	1500	74	M. Martin
	1800	79	M. Martin
	2100	74	M. Martin
	2400	75	M. Rodriguez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A5 Temp. Reading Location: 2nd

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	72°	M. Rodriguez
	0600	72	A. Gonzalez
	0900	71	T. Jordan
	1200	74	T. Jordan
	1500	76	M. Martin
	1800	77	M. Martin
	2100	76	M. Martin
	2400	71	S. Lopez

Tuesday

Date	Time	Temp.	Name (Print)
10.01.24	0300	70°	S. Lopez
	0600	71	A. Gonzalez
	0900	73	A. Gonzalez
	1200	74	A. Gonzalez
	1500	79	M. Martin
	1800	80	M. Martin
	2100	78	M. Martin
	2400	74	PEREZ L

Wednesday

Date	Time	Temp.	Name (Print)
10.02.24	0300	73	PEREZ L
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10.03.24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10.04.24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10.05.24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10.06.24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B1 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

9/1/24

Date	Time	Temp.	Name (Print)
	0300	72	Jaughan
	0600	72	R Taylor
	0900	72	R Taylor
	1200	73	R Taylor
	1500	75	J Aguilera
	1800	75	J. Aguilera
	2100	75	J Aguilera
	2400	71	J Baker

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B1 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	71	J Rodriguez
	0600	71°	DE LA CRUZ
	0900	71°	DE LA CRUZ
	1200	7.	DE LA CRUZ
	1500	75	C. QUEZADA
	1800	75	C. QUEZADA
	2100	75	C. QUEZADA
	2400	74	J Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	73	J Rodriguez
	0600	71°	DE LA CRUZ
	0900	72°	DE LA CRUZ
	1200	73°	DE LA CRUZ
	1500	73	C. QUEZADA
	1800	73	C. QUEZADA
	2100	73	C. QUEZADA
	2400	72	J Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	72°	J Rodriguez
	0600	72°	DE LA CRUZ
	0900	72°	DE LA CRUZ
	1200	73°	DE LA CRUZ
	1500	74	C. QUEZADA
	1800	74	C. QUEZADA
	2100	73	C. QUEZADA
	2400	72	J. GONZALES

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	72	J GONZALES
	0600	71°	DE LA CRUZ
	0900	72°	DE LA CRUZ
	1200	74°	DE LA CRUZ
	1500	75	MATA
	1800	75	MATA
	2100	75	MATA
	2400.	75	J Rodriguez

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	75	J Rodriguez
	0600	72°	DE LA CRUZ
	0900	73	DE LA CRUZ
	1200	74°	DE LA CRUZ
	1500	76	A. Sierra
	1800	77	A. Sierra
	2100	76	A. Sierra
	2400	74°	C. Mendez

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	74°	C. Mendez
	0600	74	A. Sierra
	0900	74	A. Sierra
	1200	76	A. Sierra
	1500	75	C. QUEZADA
	1800	75	C. QUEZADA
	2100	75	C. QUEZADA
	2400	74	J Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	74	J Rodriguez
	0600	73°	Taylor
	0900	74°	Taylor
	1200	75	Taylor
	1500	75	C. QUEZADA
	1800	75	C. QUEZADA
	2100	74	C. QUEZADA
	2400	74	R. Medina

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B1 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

9/9/24

Monday

Date	Time	Temp.	Name (Print)
	0300	71	R. Medina
	0600	74	A. Hernandez
	0900	75	A. Hernandez
	1200	76	A. Hernandez
	1500	74	C. QUEZADA
	1800	74	C. QUEZADA
	2100	74	C. QUEZADA
	2400	73	J Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	73	J Rodriguez
	0600	71°	DE LA CRUZ
	0900	72°	DE LA CRUZ
10	1200	74°	DE LA CRUZ
	1500	74	C. QUEZADA
24	1800	73	C. QUEZADA
	2100	73	C. QUEZADA
	2400	72°	J Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	72°	J Rodriguez
	0600	70°	DE LA CRUZ
	0900	72°	DE LA CRUZ
11	1200	72°	DE LA CRUZ
	1500	72	C. QUEZADA
24	1800	72	C. QUEZADA
	2100	72	C. QUEZADA
	2400	71°	C Medina

Thursday

Date	Time	Temp.	Name (Print)
9	0300	71°	C. Medina
	0600	70°	DE LA CRUZ
	0900	72°	DE LA CRUZ
12	1200	72°	DE LA CRUZ
	1500	71	MORA
24	1800	71	MORA
	2100	71	MORA
	2400.	70	J Rodriguez

Friday

Date	Time	Temp.	Name (Print)
9	0300	69	J Rodriguez
	0600	68°	DE LA CRUZ
	0900	70°	DE LA CRUZ
13	1200	70°	DE LA CRUZ
	1500	72	A. Sierra
24	1800	73	A Sierra
	2100	71	A. Silva
	2400	70	DOMINGO

Saturday

Date	Time	Temp.	Name (Print)
9	0300	70	Dominguez
	0600	70	A. Silva
	0900	72	A. Silva
14	1200	73	A. Silva
	1500	73	JARA
24	1800	73	JARA
	2100	73	JARA
	2400	73	Orozco

Sunday

Date	Time	Temp.	Name (Print)
9	0300	69	Orozco
	0600	69	R. Taylor
	0900	70	R. Taylor
15	1200	70	R. Taylor
	1500	71	C. QUEZADA
24	1800	71	C. QUEZADA
	2100	71	C. QUEZADA
	2400	70	S. Castillo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B1 Temp. Reading Location: 2nd
(~~1st~~ tier, 2nd tier, ~~3rd tier, etc.~~)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/2024	0300	74	S. Castillo
	0600	62	DE LA CRUZ
	0900	63	DE LA CRUZ
	1200	68	DE LA CRUZ
	1500	68	C. QUEZADA
	1800	69	C. QUEZADA
	2100	68	C. QUEZADA
	2400	68	J Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9/17/2024	0300	68	J Rodriguez
	0600	65	DE LA CRUZ
	0900	66	DE LA CRUZ
	1200	66	DE LA CRUZ
	1500	67	C QUEZADA
	1800	68	C QUEZADA
	2100	68	C QUEZADA
	2400	68	J Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9/18/2024	0300	68	J Rodriguez
	0600	65	DE LA CRUZ
	0900	67	DE LA CRUZ
	1200	67	DE LA CRUZ
	1500	67	J. MEMOR
	1800	67	J. MEMOR
	2100	67	J. MEMOR
	2400	68	J GONZALES

Thursday

Date	Time	Temp.	Name (Print)
9/19/2024	0300	67	J GONZALES
	0600	66	DE LA CRUZ
	0900	66	DE LA CRUZ
	1200	67	DE LA CRUZ
	1500	66	C. Cooper
	1800	66	C. Cooper
	2100	66	C. Cooper
	2400	69	J Rodriguez

Friday

Date	Time	Temp.	Name (Print)
9/20/2024	0300	69	J Rodriguez
	0600	66	DE LA CRUZ
	0900	68	DE LA CRUZ
	1200	71	DE LA CRUZ
	1500	73	Sierra
	1800	73	Sierra
	2100	73	Sierra
	2400	69	DOMINGUEZ

Saturday

Date	Time	Temp.	Name (Print)
9/21/2024	0300	69	Dominguez
	0600	68	Sierra
	0900	69	Sierra
	1200	69	Sierra
	1500	73	JARA
	1800	73	JARA
	2100	73	JARA
	2400	71	S. Castillo

Sunday

Date	Time	Temp.	Name (Print)
9/22/2024	0300	69	S. Castillo
	0600	69	Taylor
	0900	70	Taylor
	1200	71	Taylor
	1500	72	QUEZADA
	1800	72	QUEZADA
	2100	71	QUEZADA
	2400	70	S. Castillo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B1 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/2024	0300	69	S. Castillo
	0600	65	DE LA CRUZ
	0900	66	DE LA CRUZ
	1200	67	DE LA CRUZ
	1500	72	C. GONZALEZ
	1800	71	Z. Kassabi
	2100	70	Z. Kassabi
	2400	70	Z. Kassabi

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	70	Z. Kassabi
	0600	71	DE LA CRUZ
	0900	72	DE LA CRUZ
	1200	73	DE LA CRUZ
	1500	79	C. QUEZADA
	1800	78	C. QUEZADA
	2100	76	Z. Kassabi
	2400	75	C. Muñoz

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	74	C. Muñoz
	0600	71	DE LA CRUZ
	0900	72	DE LA CRUZ
	1200	73	DE LA CRUZ
	1500	73	C. QUEZADA
	1800	73	C. QUEZADA
	2100	72	C. QUEZADA
	2400	71	GONZALES

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	71	GONZALES
	0600	70	DE LA CRUZ
	0900	70	DE LA CRUZ
	1200	70	DE LA CRUZ
	1500	71	Ferner
	1800	71	Ferner
	2100	70	Ferner
	2400	70	J Rodriguez

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	69	J Rodriguez
	0600	67	Pillay
	0900	68	Pillay
	1200	77	Pillay
	1500	78	Sierra
	1800	71	Sierra
	2100	69	Sierra
	2400	68	Osuna

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	67	Osuna
	0600	67	ESCOBAR
	0900	68	ESCOBAR
	1200	71	ESCOBAR
	1500	71	JARA
	1800	71	JARA
	2100	71	JARA
	2400	68	S. Castillo

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	67	S. Castillo
	0600	67	Taylor
	0900	68	Taylor
	1200	71	Taylor
	1500	70	C. QUEZADA
	1800	70	C. QUEZADA
	2100	70	C. QUEZADA
	2400	69	S. Castillo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B1 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	71	S. Castillo
	0600	68	A. Santos
	0900	68	A. Santos
	1200	68	A. Santos
	1500	70	Z. Kassabian
	1800	72	Z. Kassabian
	2100	74	Z. Kassabian
	2400	73	J. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9/31	0300	72	J. Rodriguez
	0600	66	DE LA CRUZ
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B2 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	71	C. McLiver
	0600	68	Taylor
	0900	70	Taylor
	1200	71	Taylor
	1500	78	Cortes
	1800	73	Cortes
	2100	72	Cortes
	2400	71	C. McLiver

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400.		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D60-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D2 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70	Aldrete
	0600	70	Cortes
	0900	71	Cortes
	1200	71	Cortes
	1500	73	Cortes
	1800	73	Cortes
	2100	73	Cortes
	2400	71°	C. Miller

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70°	C. Miller
	0600	73	Sierra
	0900	73	Sierra
	1200	74	Sierra
	1500	74	Cortes
	1800	74	Cortes
	2100	74	Cortes
	2400	72	Carvajal

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70	Carvajal
	0600	72°	Perez
	0900	73	Perez
	1200	73°	Perez
	1500	73	Cortes
	1800	73	Cortes
	2100	73	Cortes
	2400	71°	C. Miller

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70	C. Miller
	0600	70	S. Ramirez
	0900	70	S. Ramirez
	1200	72	S. Ramirez
	1500	73	Cortes
	1800	73	Cortes
	2100	73	Cortes
	2400.	71°	Castillo

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	69°	Castillo
	0600	69	Mendoza
	0900	70	Mendoza
	1200	71	Mendoza
	1500	73	Contreras
	1800	73	Contreras
	2100	73	Contreras
	2400	71°	Castillo

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	69°	Castillo
	0600	68	S. Ramirez
	0900	68	S. Ramirez
	1200	70	S. Ramirez
	1500	73	Taylor
	1800	73	Taylor
	2100	73	Taylor
	2400	71°	Aldrete

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	Aldrete
	0600	70	Robinson
	0900	70	Robinson
	1200	70	Robinson
	1500	73	Taylor
	1800	73	Taylor
	2100	73	C. Miller
	2400	71	C. Miller

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C157-1-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B-2 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	[illegible]
	0600	70	R Taylor
	0900	71	R. Taylor
	1200	72	R. Taylor
	1500	75	W. Cortes
	1800	75°	W. Cortes
	2100	75°	W. Cortes
	2400	72	C. Miller

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	72	C. Miller
	0600	69	A Sirve
	0900	66	A. Sirve
	1200	67	A Sirve
	1500	70	W. Cortes
	1800	71	W. Cortes
	2100	70	W. Cortes
	2400	70	C. Miller

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	C. Miller
	0600	66	A. Sarcedo
	0900	66	A. Sarcedo
	1200	67	A. Sarcedo
	1500	70	W. Cortes
	1800	70	[illegible]
	2100	69	J. [illegible]
	2400	68	C. Miller

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	68	C. Miller
	0600	67	Sfamirez
	0900	67	Sfamirez
	1200	67	Sfamirez
	1500	66	J. Gutierrez
	1800	66	J. Gutierrez
	2100	65	J. Gutierrez
	2400	65	S. Castillo

Friday

Date	Time	Temp.	Name (Print)
9/20/2024	0300	64	S Castillo
	0600	67	J. Mesmora
	0900	67	J. Mesmora
	1200	67	J. Mesmora
	1500	70°	W. Cortes
	1800	75	W. Cortes
	2100	77	W. Cortes
	2400	75	S. Castillo

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	77	S. Castillo
	0600	69	Sfamirez
	0900	69	Sfamirez
	1200	71	Sfamirez
	1500	72	R. Taylor
	1800	73	R. Taylor
	2100	72	R. Taylor
	2400	71	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	[illegible]
	0600	70	Sfamirez
	0900	72	Sfamirez
	1200	72	Sfamirez
	1500	72	Taylor
	1800	71	Taylor
	2100	70	Taylor
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B2 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	74	Alborado
	0600	75	Taylor
	0900	77	Taylor
	1200	80	Taylor
	1500	82	Cortes
	1800	83	Cortes
	2100	82	Cortes
	2400	79	C Miller

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	79	C Miller
	0600	75°	Sirisa
	0900	70	Sirisa
	1200	80°	Sirisa
	1500	80°	Cortes
	1800	80°	Cortes
	2100	80	Cortes
	2400	78	C. Miller

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	78	C. Miller
	0600	72	Young
	0900	72	Young
	1200	72	Young
	1500	75	J. Cabrera
	1800	78	J. Cabrera
	2100	76	J. Cabrera
	2400	75	C. Miller

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	75	C. Miller
	0600	69	Sparmer
	0900	71	Sparmer
	1200	71	Sparmer
	1500	75	W. Cortes
	1800	75	W. Cortes
	2100	75	W. Cortes
	2400	74°	C. Miller

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	73°	C. Miller
	0600	68	Sparmer
	0900	71	Sparmer
	1200	71	Sparmer
	1500	77°	W. Cortes
	1800	75°	W. Cortes
	2100	75°	W. Cortes
	2400	73	Zamora

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	73	Zamora
	0600	69	Zamora
	0900	70	Robinson
	1200	71	Robinson
	1500	73	Taylor
	1800	75	Taylor
	2100	74	Taylor
	2400	74	Alborado

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	74	Alborado
	0600	72	Sparmer
	0900	72	Sparmer
	1200	72	Sparmer
	1500	72	R. Taylor
	1800	71	R. Taylor
	2100	71	R. Taylor
	2400	70	Alborado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	74	Andreto
	0600	76	Sierra
	0900	73	Sierra
	1200	73	Sierra
	1500	75	Cortez
	1800	75	Cortez
	2100	74	Cortez
	2400	73	Miller

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	Miller
	0600	71	Sierra
	0900	72	Sierra
	1200	74	Sierra
	1500	75	Cortes
	1800	75	Cortes
	2100	74	Cortes
	2400	74	C. Miller

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	74	C. Miller
	0600	75	A. Saucedo
	0900	75	A. Saucedo
	1200	75	A. Saucedo
	1500	75	W. Cortes
	1800	75	W. Cortes
	2100	75	W. Cortes
	2400	74	C. Miller

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	74	C. Miller
	0600	79	Stamires
	0900	79	Stamires
	1200	79	Stamires
	1500	77	J. Gomez
	1800	77	J. Gomez
	2100	77	J. Gomez
	2400	72	D. Miller

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	72	D. Miller
	0600	73	J. Mena
	0900	76	J. Mena
	1200	76	J. Mena
	1500	77	J. Gutierrez
	1800	76	J. Gutierrez
	2100	75	J. Gutierrez
	2400	72	D. Miller

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	72	D. Miller
	0600	79	Stamires
	0900	79	Stamires
	1200	79	Stamires
	1500	79	Taylor
	1800	77	Taylor
	2100	75	Taylor
	2400	74	Andreto

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	74	Andreto
	0600	78	Stamires
	0900	78	Stamires
	1200	79	Stamires
	1500	77	Taylor
	1800	77	Taylor
	2100	75	Taylor
	2400	74	Andreto

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D60-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B2 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	70	L. Miller
	0600	74	S. Ramirez
	0900	74	S. Ramirez
	1200	74	S. Ramirez
	1500	72	Taylor
	1800	72	Taylor
	2100	74	Taylor
	2400	72	L. Miller

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B3 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	67	E. Ceballos
7/	0600	66	J. Acosta
	0900	67	J. Acosta
	1200	68	A. Rodriguez
30	1500	78	Taylor
	1800	78	Taylor
24	2100	78	Taylor
	2400	67	J. McCoy

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400.		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B3 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	67°	J. Mley
	0600	67°	J. Acosta
	0900	68°	J. Acosta
	1200	69°	J. Acosta
	1500	70	Taylor
	1800	69	Taylor
	2100	69	Taylor
	2400	69°	J. Mley

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	66°	J. Mley
	0600	68°	J. Acosta
	0900	69°	J. Acosta
	1200	70°	J. Acosta
	1500	74	A. Sierra
	1800	77	A. Sierra
	2100	74	A. Sierra
	2400	72°	J. Mley

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70°	J. Mley
	0600	69°	J. Acosta
	0900	69°	J. Acosta
	1200	71°	J. Acosta
	1500	75°	V. Rodriguez
	1800	72°	V. Rodriguez
	2100	69°	V. Rodriguez
	2400	70°	I. Tast

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70°	I. Tast
	0600	71	L. Perez
	0900	71	L. Perez
	1200	77	L. Perez
	1500	77°	V. Rodriguez
	1800	75°	V. Rodriguez
	2100	70°	V. Rodriguez
	2400.	70	T. Senczyszyn

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	68	T. Senczyszyn
	0600	70	T. Senczyszyn
	0900	70	V. Maldonado
	1200	71	V. Maldonado
	1500	75°	V. Rodriguez
	1800	72°	V. Rodriguez
	2100	69°	V. Rodriguez
	2400	69	R. Lopez

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	69.	R. Lopez
	0600	69	V. Maldonado
	0900	69	V. Maldonado
	1200	72	V. Maldonado
	1500	75°	V. Rodriguez
	1800	73°	V. Rodriguez
	2100	70°	V. Rodriguez
	2400	70	R. Lopez

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	69	R. Lopez
	0600	66	J. Acosta
	0900	67	J. Acosta
	1200	69	J. Acosta
	1500	73°	V. Rodriguez
	1800	70°	V. Rodriguez
	2100	68°	V. Rodriguez
	2400	68°	E. Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D60-95C6-EE1BEBAFCF2D

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: B-3 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	68	J. Mulvey
	0600	66	J. Acosta
	0900	66	J. Acosta
	1200	67	J. Acosta
	1500	70	Taylor
	1800	70	Taylor
	2100	68	Taylor
	2400	66	J. Mulvey

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	64	J. Mulvey
	0600	64	J. Acosta
	0900	64	J. Acosta
	1200	66	J. Acosta
	1500	67	A. Sierra
	1800	67	A. Sierra
	2100	66	A. Sierra
	2400	66	J. Mulvey

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	64	J. Mulvey
	0600	64	J. Acosta
	0900	66	J. Acosta
	1200	66	J. Acosta
	1500	70	V. Rodriguez
	1800	70	V. Rodriguez
	2100	68	V. Rodriguez
	2400	66	S. Castillo

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	65	S. Castillo
	0600	65	J. Acosta
	0900	66	J. Acosta
	1200	67	J. Acosta
	1500	70	V. Rodriguez
	1800	69	V. Rodriguez
	2100	69	V. Rodriguez
	2400	68	Sencerszyn

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	68	Sencerszyn
	0600	66	Sencerszyn
	0900	66	V. Maldonado
	1200	67	V. Maldonado
	1500	73	V. Rodriguez
	1800	70	V. Rodriguez
	2100	68	V. Rodriguez
	2400	69	R. Lopez

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	69	Ruiz
	0600	66	Robinson
	0900	66	Robinson
	1200	70	Robinson
	1500	75	V. Rodriguez
	1800	75	V. Rodriguez
	2100	73	V. Rodriguez
	2400	73	R. Lopez

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	72	R. Lopez
	0600	68	J. Acosta
	0900	68	J. Acosta
	1200	[illegible]	J. Acosta
	1500	73	V. Rodriguez
	1800	73	V. Rodriguez
	2100	70	V. Rodriguez
	2400	69	J. Mulvey

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C157.1-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B3 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	66°	J. Mcly
	0600	73°	J. Acoste
	0900	74°	J. Acoste
	1200	74°	J. Acoste
	1500	75	Taylor
	1800	75	Taylor
	2100	74	Taylor
	2400	72°	J. Mcly

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	69°	J. Mcly
	0600	71	J. Acoste
	0900	71	J. Acoste
	1200	74	J. Acoste
	1500	75	A. Sierra
	1800	75	A. Sierra
	2100	74	A. Sierra
	2400	70°	J. Mcly

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	68°	J. Mcly
	0600	68°	J. Acoste
	0900	69°	J. Acoste
	1200	70°	J. Acoste
	1500	750	V Rodriguez
	1800	730	V Rodriguez
	2100	700	V Rodriguez
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300		
	0600	68°	Rodriguez
	0900	68.7°	Rodriguez
	1200	70°	Rodriguez
	1500	73°	V Rodriguez
	1800	73°	V Rodriguez
	2100	70°	V Rodriguez
	2400.	70°	T. Sanchez

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	68°	T. Sanchez
	0600	67°	T. Sanchez
	0900	67	Maldonado
	1200	69	RAMIREZ
	1500	73°	V. Rodriguez
	1800	73°	V. Rodriguez
	2100	70°	V. Rodriguez
	2400	68°	J. Mcly

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	66°	J. Mcly
	0600	67	V. MALDONADO
	0900	68	V. MALDONADO
	1200	68	A. BANDA
	1500	73°	V Rodriguez
	1800	73°	V Rodriguez
	2100	70°	V Rodriguez
	2400	70	Salado

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	70	Salado
	0600	68	Robinson
	0900	68	Robinson
	1200	70	Robinson
	1500	73°	V. Rodriguez
	1800	73°	V. Rodriguez
	2100	70°	V. Rodriguez
	2400	68	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSP Housing Unit: B3 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	69°	J. Mcly
	0600	62°	J. Acosta
	0900	62°	J Acosta
	1200	66°	J. Acosta
	1500	67	R. Taylor
	1800	66	R. Taylor
	2100	63	R. Taylor
	2400	66	J. Mcly

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	66°	J. Mcly
	0600	65°	Acosta
	0900	65°	Acosta
	1200	65°	Acosta
	1500	74	Sierra
	1800	74	Sierra
	2100	74	Sierra
	2400	71°	J. Mcly

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	69°	J. Mcly
	0600	69°	J. Acosta
	0900	70°	J. Acosta
	1200	73°	J Acosta
	1500	75°	V Rodriguez
	1800	73°	V Rodriguez
	2100	71°	V Rodriguez
	2400	72°	I. TAST

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	71°	I. TAST
	0600	69°	RODRIGUEZ
	0900	65°	RODRIGUEZ
	1200	66°	RODRIGUEZ
	1500	75°	V. Rodriguez
	1800	73°	V. Rodriguez
	2100	70°	V. Rodriguez
	2400.	70°	T. SENCZYSZYN

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	69°	T. SENCZYSZYN
	0600	75	Maldonado
	0900	75	Maldonado
	1200	75	Maldonado
	1500	75°	V. Rodriguez
	1800	73°	V. Rodriguez
	2100	70°	V. Rodriguez
	2400	70°	R. Lopez

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	70	R. Lopez
	0600	74	V Maldonado
	0900	74	V. Maldonado
	1200	74	V Maldonado
	1500	77°	V Rodriguez
	1800	74°	V Rodriguez
	2100	71°	V Rodriguez
	2400	71	R. Lopez

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	70°	R. Lopez
	0600	75	J. Acosta
	0900	73	J Acosta
	1200	74	J Acosta
	1500	76°	V Rodriguez
	1800	74°	V Rodriguez
	2100	71°	V Rodriguez
	2400	69°	J. Mcly

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: 133 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	69	Kim
	0600	70	Castelblanco
	0900	70	Castelblanco
	1200	71	Castelblanco
	1500	73	Rodriguez
	1800	74	Rodriguez
	2100	74	Rodriguez
	2400	70	J. Nuccio

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-( )-95C6-EE1BEBAFCF2D

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 2ND B-SEC
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	70	Montana
	0600	71	V. Maldonado
	0900	71	V. Maldonado
30	1200	73	V. Maldonado
	1500	73	Luna
	1800	74	AVILA
24	2100	73	AVILA
	2400	70	Montano

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	70	[illegible]
	0600	70	[illegible]
	0900		[illegible]
1	1200		[illegible]
	1500		
	1800		
24	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	72	T. Carter
	0600	70	VALDEZ
	0900	73	VALDEZ
	1200	75	VALDEZ
	1500	77°	Y. XIONG
	1800	77°	Y. XIONG
	2100	76°	Y. XIONG
	2400	74	T. Carter

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	72	T. Carter
	0600	72	Martinez
	0900	73	Martinez
	1200	73	Martinez
	1500	74	Velasquez
	1800	74	Velasquez
	2100	74	Velasquez
	2400	72	IBARRA

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	72	IBARRA
	0600	73	Martinez
	0900	73	Martinez
	1200	75	Martinez
	1500	73	C. Miller
	1800	73	C. Miller
	2100	73	C. Miller
	2400	72	MONTANO

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70	MONTANO
	0600	70	Martinez
	0900	70	Martinez
	1200	72	Martinez
	1500	71	C. Miller
	1800	71	C. Miller
	2100	71	C. Miller
	2400	71	MONTANO

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70	MONTANO
	0600	70	Martinez
	0900	71	Martinez
	1200	72	Martinez
	1500	72	MORETO
	1800	72	MORETO
	2100	72	MORETO
	2400	70	SENCZYSZYN

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	68	SENCZYSZYN
	0600	70	SENCZYSZYN
	0900	72	Martinez
	1200	74	Martinez
	1500	74	MORETO
	1800	72	MORETO
	2100	72	MORETO
	2400	72	Zaman

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	68	Zaman
	0600	69	V. Maldonado
	0900	70	V. Maldonado
	1200	72	V. Maldonado
	1500	74.7	Barnett, M
	1800	73.9	Barnett, M
	2100	73.1	Barnett, M
	2400	72	MONTANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RVSP Housing Unit: B4 Temp. Reading Location: 2ND B Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	68	MONTANO
	0600	70	V. Maldonado
	0900	70	V. Maldonado
	1200	72	V. Maldonado
16	1500	72	D. Lima
	1800	72	R. AVILA
24	2100	72	R. AVILA
	2400	71	MONTANO

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	69	[illegible]
	0600	69	A. Santos
	0900	69	A. [illegible]
	1200	69	A. [illegible]
17	1500	71	Velasquez
	1800	71	Velasquez
24	2100	71	Velasquez
	2400	71	T. Carter

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	71	T. Carter
	0600	70	Martinez
	0900	70	Martinez
	1200	70	Martinez
18	1500	70	C. Miller
	1800	70	C. Miller
	2100	70	C. Miller
24	2400	70	T. Carter

Thursday

Date	Time	Temp.	Name (Print)
9	0300	70	T. Carter
	0600	70	Martinez
	0900	70	Martinez
	1200	70	Martinez
19	1500	70	C. Miller
	1800	70	C. Miller
	2100	69	C. Miller
24	2400	70	T. Carter

Friday

Date	Time	Temp.	Name (Print)
9	0300	70	T. Carter
	0600	70	Martinez
	0900		Martinez
	1200		Martinez
20	1500	70	Fujimoto
	1800	70	Fujimoto
24	2100	70	Fujimoto
	2400	70	SENKAYSAYN

Saturday

Date	Time	Temp.	Name (Print)
9	0300	68	SENKAYSAYN
	0600	70	SENKAYSAYN
	0900	70	Martinez
21	1200	71	Martinez
	1500	70	Fujimoto
	1800	70	Fujimoto
24	2100	70	Fujimoto
	2400	70	SENKAYSAYN

Sunday

Date	Time	Temp.	Name (Print)
9	0300	68	SENKAYSAYN
	0600	70	SENKAYSAYN
	0900	70	Bowman
	1200	70	Bowman
22	1500	76	Barnes
	1800	79	Barnes
24	2100	79	Barnes
	2400	73	T. Carter

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D... 5C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/7/24	0300	76	[illegible]
	0600	76	V. Maldonado
	0900	78	V. Maldonado
	1200	81	V. Maldonado
	1500	80	Luna
	1800	80	AVILA
	2100	80	AVILA
	2400	77	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	76	[illegible]
	0600	76	Martinez
	0900	79	Martinez
	1200	78	Martinez
	1500	83	VELASQUEZ
	1800	83	VELASQUEZ
	2100	83	VELASQUEZ
	2400	82	T Hyde

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	8	T Hyde
	0600	73	Bowden
	0900	73	Bowden
	1200	73	Robbins
	1500	72	C. Miller
	1800	72	C. Miller
	2100	72	C. Miller
	2400	73	T Garcia

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	73	T Garcia
	0600	73	Martinez
	0900	72	Martinez
	1200	73	Martinez
	1500	73	C. Miller
	1800	73	C. Miller
	2100	73	C. Miller
	2400	73	T. Garcia

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	73	T Garcia
	0600	69	Martinez
	0900	72	Martinez
	1200	74	Martinez
	1500	74	Moorott
	1800	74	Moorott
	2100	74	Moorott
	2400	71	E. Moorott

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	72	SENCZYSZYN
	0600	72	SENCZYSZYN
	0900	73	Martinez
	1200	74	Martinez
	1500	74	Moorott
	1800	74	Moorott
	2100	74	Moorott
	2400	74	SENCZYSZYN

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300		[illegible]
	0600	73	J Garcia
	0900	74	J. Garcia
	1200	75	J Garcia
	1500	78	Bennett
	1800	79	Bennet
	2100	78	Bennet
	2400	76	SENCZYSZYN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	71	Senczyszyn
	0600	72	Herrera
	0900	74	Herrera
	1200	76	Herrera
	1500	74	Luna
	1800	77	Luna
	2100	77	Luna
	2400	72	Cruzan

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	72	Cruzan
	0600	74	Wolford
	0900	75	Wolford
	1200	77	Wolford
	1500	77	Alderete
	1800	77	Alderete
	2100	77	Alderete
	2400	74	Cruzan

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	70	Cruzan
	0600	69	Vance
	0900	70	Vance
	1200	70	Vance
	1500	77	E. Miller
	1800	77	E. Miller
	2100	77	E. Miller
	2400	73	Cruzan

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	72	Cruzan
	0600	74	Martinez
	0900	76	Martinez
	1200	77	Martinez
	1500	78	E. Miller
	1800	78	E. Miller
	2100	78	E. Miller
	2400.	74	Cruzan

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	72	Cruzan
	0600	74	Martinez
	0900	74	Martinez
	1200	75	Martinez
	1500	77	Alderete
	1800	77	Alderete
	2100	77	Alderete
	2400	72	Senczyszyn

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	72	Senczyszyn
	0600	72	Martinez
	0900	74	Martinez
	1200	77	Martinez
	1500	77	Alderete
	1800	77	Alderete
	2100	77	Alderete
	2400	72	Senczyszyn

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	72	Senczyszyn
	0600	73	Herrera
	0900	77	Herrera
	1200	78	Herrera
	1500	78	Bennett
	1800	78	Bennett
	2100	78	Bennett
	2400	76	Montano

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400.		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		[illegible]
9	0600	73	[illegible]
	0900	74	[illegible]
	1200	76	[illegible]
1	1500	79	Barnett
	1800	81	Barnett
24	2100	75	Barnett
	2400	69	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C157.1-A1E2-4D60-95C6-EE1BEBAFCF2D

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B5 Temp. Reading Location: 2nd B-Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	70	J. PALMA
	0600	70	Sandor
	0900	71	Sandor
	1200	72	Sandor
	1500	73	Mariano
	1800	73	Mariano
	2100	72	Mariano
	2400	70°	J. PALMA

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	69°	J. PALMA
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C157.1-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B5 Temp. Reading Location: 2ND B Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	72	SENCZISZYN
	0600	72	SENCZISZYN
	0900	73	Sanchez
	1200	73	Sanchez
	1500	73	T. Quiser
	1800	74	T. Quiser
	2100	74	T. Quiser
	2400	72	SENCZISZYN

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	SENCZISZYN
	0600	70	SENCZISZYN
	0900	73	Sanchez
	1200	74	Sanchez
	1500	76	MONTANO
	1800	76	MONTANO
	2100	74	MONTANO
	2400	74	MONTANO

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	72	MONTANO
	0600	72	Sanchez
	0900	72	Sanchez
	1200	73	Sanchez
	1500	74	MONTANO
	1800	74	MONTANO
	2100	74	MONTANO
	2400	73	MONTANO

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	72	MONTANO
	0600	72	V. Maldonado
	0900	72	V. Maldonado
	1200	73	V. Maldonado
	1500	73	MONTANO
	1800	73	MONTANO
	2100	73	MONTANO
	2400.	72	MONTANO

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70	MONTANO
	0600	71	White
	0900	72	White
	1200	73	White
	1500	74	Luna
	1800	74	Luna
	2100	72	Luna
	2400	70	MONTANO

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70	MONTANO
	0600	70	K. XIONG
	0900	71	K. XIONG
	1200	71	K. XIONG
	1500	73	Barrett
	1800	72	Barrett
	2100	72	Barrett
	2400	72	MONTANO

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	MONTANO
	0600	70	K. XIONG
	0900	71	K. XIONG
	1200	72	K. XIONG
	1500	73	MONTANO
	1800	73	MONTANO
	2100	72	MONTANO
	2400	72	J. PALMA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C157.1-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B-5 Temp. Reading Location: 2ND B-Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	67	SENCZYSZYN
	0600	68	SENCZYSZYN
	0900	71	Sandoz
	1200	71	Sandoz
	1500	72	MONTANO
	1800	71	MONTANO
	2100	71	MONTANO
	2400	71	SENCZYSZYN

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	67	SENCZYSZYN
	0600	67	SENCZYSZYN
	0900	69	Sandoz
	1200	69	Sandoz
	1500	69	MONTANO
	1800	70	MONTANO
	2100	69	MONTANO
	2400	69	Morrow

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	68	Morrow
	0600	68	Sandoz
	0900	69	Sandoz
	1200	69	Sandoz
	1500	69	T. Carter
	1800	70	T. Carter
	2100	70	T. Carter
	2400	69	Morrow

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	68	Morrow
	0600	70	V. Maldonado
	0900	70	V. Maldonado
	1200	70	V. Maldonado
	1500	70	T. Carter
	1800	69	T. Carter
	2100	69	T. Carter
	2400.	69	Morrow

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	69	Morrow
	0600	69	M Barrera
	0900	70	M Barrera
	1200	71	M Barrera
	1500	71	Lima
	1800	70	Lima
	2100	72	Lima
	2400	71	Morrow

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	Morrow
	0600	69	LOPEZ
	0900	70	LOPEZ
	1200	72	LOPEZ
	1500	72	Barrett
	1800	73	Barrett
	2100	73	Barrett
	2400	71	Morrow

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	Morrow
	0600	70	T. Alter
	0900	72	T. Alter
	1200	73	T. Alter
	1500	73	T. Carter
	1800	73	T. Carter
	2100	73	T. Carter
	2400	70	T. SENCZYSZYN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B-5 Temp. Reading Location: 2ND B-Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/22	0300	74	SENCZYSZYN
	0600	75	Sandoval
	0900	76	Sandoval
	1200	78	Sandoval
	1500	79	MONTANO
	1800	79	MONTANO
	2100	78	MONTANO
	2400	76	SENCZYSZYN

Tuesday

Date	Time	Temp.	Name (Print)
9/10/22	0300	72	SENCZYSZYN
	0600	74	SENCZYSZYN
	0900	75	Sandoval
	1200	76	Sandoval
	1500	76	MONTANO
	1800	77	MONTANO
	2100	76	MONTANO
	2400	76	MONTANO

Wednesday

Date	Time	Temp.	Name (Print)
9/11/22	0300	75	Morgan
	0600	73	Sandoval
	0900	74	Sandoval
	1200	75	Sandoval
	1500	76	T Quiver
	1800	76	T. Quiver
	2100	76	T Quiver
	2400	76	MOLINA

Thursday

Date	Time	Temp.	Name (Print)
9/12/22	0300	75	MOrgan
	0600	72	V Maldonado
	0900	72	V Maldonado
	1200	74	V Maldonado
	1500	73	T. Quiver
	1800	73	T. Quiver
	2100	73	T. Quiver
	2400.	73	MORGAN

Friday

Date	Time	Temp.	Name (Print)
9/13/22	0300	72	Morgan
	0600	73	M Barrera
	0900	74	M Barrera
	1200	74	M Barrera
	1500	74	LUNA
	1800	73	LUNA
	2100	73	LUNA
	2400	73	Morgan

Saturday

Date	Time	Temp.	Name (Print)
9/14/22	0300	73	MORGAN
	0600	70	XIONG
	0900	72	XIONG
	1200	72	XIONG
	1500	73	Barnett
	1800	73	Barnett
	2100	73	Barnett
	2400	71	MONTANO

Sunday

Date	Time	Temp.	Name (Print)
9/15/22	0300	70	MONTANO
	0600	70	XIONG
	0900	71	XIONG
	1200	73	XIONG
	1500	72	MONTANO
	1800	72	MONTANO
	2100	71	MONTANO
	2400	71	SENCZYSZYN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B5 Temp. Reading Location: 2nd Tier B-Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	72	T. SENGZISZYN
	0600	77°	Sanchez
	0900	78°	Sanchez
	1200	78°	Sanchez
	1500	77	J. Quiles
	1800	77	T. Carter
	2100	77	T. Carter
	2400	75	T. SENGZISZYN

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	72	T. SENGZISZYN
	0600	77°	Sanchez
	0900	77°	Sanchez
	1200	77°	Sanchez
	1500	75°	Kramer
	1800	75°	Kramer
	2100	75°	Kramer
	2400	76°	Amaro

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	77°	Amaro
	0600	77°	Sanchez
	0900	77	Sanchez
	1200	77°	Sanchez
	1500	77	A Mayen
	1800	74	A Mayen
	2100	75	A Mayen
	2400	73	Aparo

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	73	Aparo
	0600	77	V. Maldonado
	0900	77	V. Maldonado
	1200	77	V. Maldonado
	1500	82	Lopez
	1800	81	Lopez
	2100	79	Lopez
	2400.	77	Montano

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	75	Montano
	0600	73	M Barrera
	0900	76	Barrera
	1200	76	Barrera
	1500	77	Luna
	1800	76	Luna
	2100	76	Luna
	2400	76	T. Carter

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	75	T. Quiles
	0600	77	Sanchez
	0900	77	Sanchez
	1200	77	Sanchez
	1500	77	Barrera
	1800	77	Barrera
	2100	77	Barrera
	2400	75	J. Lopez

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	74	J. Lopez
	0600	77	Sanchez
	0900	77	Sanchez
	1200	76	Sanchez
	1500	79	Montano
	1800	79	Montano
	2100	78	Montano
	2400	76	SENGZISZYN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B5 Temp. Reading Location: 2nd B-Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400.		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/21	0300	73	Zosborg
	0600	75	Molina
	0900	75	Molina
	1200	75	Molina
	1500	76	T. Gaviar
	1800	76	T. Gaviar
	2100	76	T. Gaviar
	2400	75	T. Sanchez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C1 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/02 2024	0300	75	OJOTO
	0600	73	LUNG
	0900	76	LUNG
	1200	79	LUNG
	1500	75	Lopez
	1800	77	Lopez
	2100	76	Lopez
	2400	76	ARAUJO

Tuesday

Date	Time	Temp.	Name (Print)
9/03 2024	0300	75	ARAUJO
	0600	75	Broughton
	0900	75	Broughton
	1200	76	Broughton
	1500	76	Lopez
	1800	77	Lopez
	2100	77	Lopez
	2400	74	Guiza

Wednesday

Date	Time	Temp.	Name (Print)
9/04 2024	0300	74	Guiza
	0600	74	Guiza
	0900	76	Lopez
	1200	77	Lopez
	1500	78	Lopez
	1800	78	Lopez
	2100	78	Lopez
	2400	74	Guiza

Thursday

Date	Time	Temp.	Name (Print)
9/05 2024	0300	74	Guiza
	0600	74	Guiza
	0900	74	Broughton
	1200	74	Broughton
	1500	77	Broughton
	1800	77	Broughton
	2100	77	Broughton
	2400	74	Guiza

Friday

Date	Time	Temp.	Name (Print)
9/06 2024	0300	74	Guiza
	0600	74	Guiza
	0900	77	Burks
	1200	78	Beyer
	1500	79	RUHC
	1800	79	RUHC
	2100	79	RUHC
	2400	74	Guiza

Saturday

Date	Time	Temp.	Name (Print)
9/07 2024	0300	74	Guiza
	0600	74	Guiza
	0900	77	Y. XIONG
	1200	78	Y. XIONG
	1500	76	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	74	LAITA, C

Sunday

Date	Time	Temp.	Name (Print)
9/08 2024	0300	74	LAITA, C
	0600	77	Bennett
	0900	78	Bennett
	1200	79	Bennett
	1500	79	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	75	DAVIS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C1 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/09/24	0300	75	Davis
	0600	78	Barrett
	0900	80	Barrett
	1200	81.5	Barrett
	1500	81	Lopez
	1800	81	Lopez
	2100	81	Lopez
	2400	78	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	75	A. Sandoz
	0600	74	J Lopez
	0900	74	J Lopez
	1200	77	J Lopez
	1500	79	J Lopez
	1800	79	J Lopez
	2100	79	J Lopez
	2400	74	Guizar

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	74	Guizar
	0600	74	Guizar
	0900		
	1200		
	1500	75	J Lopez
	1800	76	J Lopez
	2100	76	J Lopez
	2400	74	Guizar

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	74	Guizar
	0600	74	Guizar
	0900	74	Broughton
	1200	74	Broughton
	1500	75	Lopez
	1800	75	Lopez
	2100	73	Lopez
	2400	73	Guizar

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	72	Guizar
	0600	72	Guizar
	0900	74	Broughton
	1200	74	Broughton
	1500	74	Broughton
	1800	74	Broughton
	2100	74	Broughton
	2400	70	Guizar

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	70	Guizar
	0600	76	Guizar
	0900	78	Broughton
	1200	78	Broughton
	1500	76	A. Long
	1800	78	Villegas
	2100	78	Villegas
	2400	73	J Soto

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	72	J Soto
	0600	73	Barrett
	0900	73	Barrett
	1200	76	Barrett
	1500	74	Solorio
	1800	73	Solorio
	2100	76	Solorio
	2400	72	J Soto

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C5-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C1 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	S Soto
	0600	70.9	Barnett
	0900	69.6	Barnett
	1200	71.8	Barnett
	1500	72	Lopez
	1800	72	Lopez
	2100	71	Lopez
	2400	70	Guizar

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	70	Guizar
	0600	70	Guizar
	0900	70	Mark
	1200	71	Mark
	1500	72	Lopez
	1800	72	Lopez
	2100	72	Lopez
	2400	70	Guizar

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	Guizar
	0600	70	Guizar
	0900	71	Lopez
	1200	71	Lopez
	1500	72	Lopez
	1800	72	Lopez
	2100	72	Lopez
	2400	70	Guizar

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	Guizar
	0600	70	Guizar
	0900	75	Brighton
	1200	75	Brighton
	1500	72	Brighton
	1800	72	Brighton
	2100	72	Brighton
	2400	70	Guizar

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	Guizar
	0600	70	Guizar
	0900	72	Vang
	1200	72	Vang
	1500	73	Abelio
	1800	73	Abelio
	2100	73	Abelio
	2400	72	Guizar

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	71	Guizar
	0600	71	Y. Xiong
	0900	71	Y. Xiong
	1200	72	Y. Xiong
	1500	75	Collado
	1800	75	Collado
	2100	75	Collado
	2400	70	Lanta, C

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	71	Lanta, C
	0600	72.1	Barnett
	0900	73	Barnett
	1200	75.9	Barnett
	1500	76	Collado
	1800	76	Collado
	2100	75	Collado
	2400	70	Lanta, C

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C9-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C1 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	71°	Lara, C
	0600	64.5	[illegible]
	0900	74.4	[illegible]
	1200	79.3	[illegible]
	1500	79	Lopez
	1800	79	Lopez
	2100	78	Lopez
	2400	75	Fowler

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	72	Fowler
	0600	72	Lopez
	0900	75	Lopez
	1200	77	Lopez
	1500	80	Lopez
	1800	80	Lopez
	2100	78	Lopez
	2400	70	Guiza

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70	Guiza
	0600	70	Guiza
	0900	75°	R. Diaz
	1200	77°	R. Diaz
	1500	78	Lopez
	1800	78	Lopez
	2100	77	Lopez
	2400	70	Guiza

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70	Guiza
	0600	72	Broughton
	0900	75	Broughton
	1200	75	Broughton
	1500	75	Lopez
	1800	76	Lopez
	2100	76	Lopez
	2400	70	Guiza

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70	Guizar
	0600	74	Guizar
	0900	74	Brughton
	1200	74	Broughton
	1500	75	Broughton
	1800	75	Broughton
	2100	75	Broughton
	2400	70	Guiza

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70	Guiza
	0600	70	Guiza
	0900	74	Broughton
	1200	74	Broughton
	1500	76	Gallardo
	1800	76	Gallardo
	2100	75	Gallardo
	2400	72	J Soto

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	69	J Soto
	0600	69.3	Barnett
	0900	71	Barnett
	1200	73	Barnett
	1500	75	Gallardo
	1800	75	Gallardo
	2100	74	Gallardo
	2400	73	J Soto

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C2 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2 2024	0300	67	MCCAA
	0600	70°	A Guzman
	0900	70	A. Guzman
	1200	73°	A Guzman
	1500	77	Gallardo
	1800	77	Gallardo
	2100	76	Galindo
	2400	73	MCCAA

Tuesday

Dat	Time	Temp.	Name (Print)
9/3 2024	0300	70	MCCAA
	0600	70	MOUA
	0900	73	MOUA
	1200	73	MOUA
	1500	76	Galindo
	1800	76	Galindo
	2100	76	Galindo
	2400	78	Acosta

Wednesday

Date	Time	Temp.	Name (Print)
9/4 2024	0300	70	Velez
	0600	70	T. Quiter
	0900	72	T. Quiter
	1200	75	T. Quiter
	1500	77	J. Arevalo
	1800	78	J. Arevalo
	2100	76	J. Arevalo
	2400	76	F Acosta

Thursday

Date	Time	Temp.	Name (Print)
9/5 2024	0300	70	Velez
	0600	70	MOUA
	0900	73	MOUA
	1200	72	MOUA
	1500	77	J. Arevalo
	1800	79	J. Arevalo
	2100	77	J. Arevalo
	2400	76	J Soto

Friday

Date	Time	Temp.	Name (Print)
9/6 2024	0300	74	J Soto
	0600	75	A. Guzman
	0900	77	A. Guzman
	1200	78	A. Guzman
	1500	78	J. Arevalo
	1800	79	J. Arevalo
	2100	78	J. Arevalo
	2400	76	J Soto

Saturday

Date	Time	Temp.	Name (Print)
9/7 2024	0300	73	J Soto
	0600	73	M Barrera
	0900	75	M Barrera
	1200	76	M Barrera
	1500	78	J. Arevalo
	1800	79	J. Arevalo
	2100	78	J. Arevalo
	2400	76	MCCAA

Sunday

Date	Time	Temp.	Name (Print)
9/8 2024	0300	73	MCCAA
	0600	73	M Barrera
	0900	74	M Barrera
	1200	75	M Barrera
	1500	79	YANG
	1800	78	YANG
	2100	78	YANG
	2400	74	MCCAA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C2 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/09/24	0300	73	MCCAIF
	0600	73	Lemus
	0900	76	Lopez
	1200	77	Lemus
	1500	78	Cervantes
	1800	80	Cervantes
	2100	78	Cervantes
	2400	73°	Bernabe

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	72°	Mulloado
	0600	71°	Lemus
	0900	72	Lemus
	1200	74°	Lopez
	1500	72°	MEDINA
	1800	75	Cruz
	2100	75	Cruz
	2400	72°	Mulloado

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	72°	Gomez
	0600	63°	Lopez
	0900	64°	Lopez
	1200	72°	Lopez
	1500	72°	NAGAR
	1800	72°	NAGAR
	2100	72°	NAGAR
	2400	72°	Gomez

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	72°	Mulloado
	0600	63°	Lopez
	0900	64°	Lopez
	1200	71°	Espinoza
	1500	72°	Cruz
	1800	72	Cruz
	2100	72	Cruz
	2400	72°	Mulloado

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	79°	Gomez
	0600	61°	Lopez
	0900	63°	Lopez
	1200	70°	Lopez
	1500	72°	CRUZ
	1800	72°	Cruz
	2100	72°	Cruz
	2400	72°	ACOSTA

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	72°	Mulloado
	0600	72	K. Young
	0900	72	K. Young
	1200	72	G. HERNANDEZ
	1500	72	Cervantes
	1800	72	Cervantes
	2100	72	Cervantes
	2400	72°	Mulloado

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300		
	0600	72	LALVARADO
	0900	72	LALVARADO
	1200	72	LALVARADO
	1500	72	D. Cervantes
	1800	72	D. Cervantes
	2100	72	D. Cervantes
	2400	71	ACOSTA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C2 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	Acosta
	0600	65°	Lopez
	0900	65°	Lemus
	1200	63°	Lemus
	1500	68°	Cervantes
	1800	66°	Cervantes
	2100	68°	Cervantes
	2400	70°	Acosta

Tuesday

Dat	Time	Temp.	Name (Print)
9/17/24	0300	70°	Acosta
	0600	61°	Lemus
	0900	64°	Lemus
	1200	67°	Lemus
	1500	68°	Arellano
	1800	69°	Arellano
	2100	69°	Arellano
	2400	70°	Gomez

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70°	Gomez
	0600	63°	Santillan
	0900	64°	Santillan
	1200	67°	Santillan
	1500	67	Nacar
	1800	67	Nacar
	2100	67	Nacar
	2400	70°	Mulaloo

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	68°	Mulaloo
	0600	64	Santillan
	0900	65	Santillan
	1200	65	Santillan
	1500	67	Nacar
	1800	67	Nacar
	2100	68	Amaro
	2400	69	Amaro

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	76	Acosta
	0600	65°	Lemus
	0900	65°	Lopez
	1200	69°	Lemus
	1500	69	Nacar
	1800	69	Nacar
	2100	69	Nacar
	2400	70°	Gomez

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70°	Gomez
	0600	65°	Lemus
	0900	63°	Lemus
	1200	64°	Lemus
	1500	68	Cervantes
	1800	68	Cervantes
	2100	67	Cervantes
	2400	70	Acosta

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	69	Acosta
	0600	64°	Lemus
	0900	64°	Lemus
	1200	69°	Lemus
	1500	74	Lima
	1800	73	Lima
	2100	75	Nacar
	2400	69	Acosta

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C2 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	68°	Acosta
	0600	64°	Lemus
	0900	71°	Lemus
	1200	75°	Lemus
	1500	76°	Lima
	1800	76°	Lima
	2100	75°	Lima
	2400	70°	Maldonado

Tuesday

Dat	Time	Temp.	Name (Print)
9/24/24	0300	68°	Maldonado
	0600	64°	Lemus
	0900	72°	Lopez
	1200	75°	Lemus
	1500	74	Cruz
	1800	73°	Cruz
	2100	72°	Cruz
	2400	70°	Gomez

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70°	Gomez
	0600	71°	Lopez
	0900	70	SANTILLAN
	1200	73	Lopez
	1500	74°	Cruz
	1800	75°	Cruz
	2100	75	Cruz
	2400	70°	Acosta

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	68°	Maldonado
	0600	61°	SANTILLAN
	0900	63°	SANTILLAN
	1200	72	SANTILLAN
	1500	72	Cruz
	1800	73	Cruz
	2100	72	Cruz
	2400	70	Mata

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70°	Gomez
	0600	61°	Lopez
	0900	63°	Lemus
	1200	71°	Lemus
	1500	70	NACAR
	1800	73	NACAR
	2100	72	NACAR
	2400	70°	Gomez

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70°	Maldonado
	0600	61°	Lemus
	0900	63°	Lemus
	1200	67°	Lemus
	1500	68	A. Chevas
	1800	68	A. Chevas
	2100	68	NACAR
	2400	70	Maldonado

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	62	Acosta
	0600	61°	Lemus
	0900	64°	Lemus
	1200	65°	Lemus
	1500	65	NACAR
	1800	65	NACAR
	2100	64	NACAR
	2400	62	Acosta

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C3 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/02 2024	0300	78	I. VELASQUEZ
	0600	78	Holloway
	0900	72	Holloway
	1200	76	Holloway
	1500	77	Castillo
	1800	77	Castillo
	2100	77	Castillo
	2400	72°	Acosta

Tuesday

Date	Time	Temp.	Name (Print)
9/03 2024	0300	70	Valls
	0600	70.3	J FERNANDEZ
	0900	74.5	J FERNANDEZ
	1200	77.5	J FERNANDEZ
	1500	72	Castillo
	1800	78	Castillo
	2100	77	Castillo
	2400	70	Acosta

Wednesday

Date	Time	Temp.	Name (Print)
9/04 2024	0300		
	0600	73.6	C. Chavez
	0900	74.5	FERNANDEZ
	1200	79.3	C Chavez
	1500	85	Castillo
	1800	80	Castillo
	2100	79	Castillo
	2400	70	Acosta

Thursday

Date	Time	Temp.	Name (Print)
9/05 2024	0300	74°	Acosta
	0600	75	CHAVEZ
	0900	74	Chavez
	1200	79	Holloway
	1500	80°	Reyes
	1800	79	Reyes
	2100	79	Reyes
	2400	70	Acosta

Friday

Date	Time	Temp.	Name (Print)
9/06 2024	0300	79°	A. Gomez
	0600	77	P. VANG
	0900	79	P. VANG
	1200	80	P. VANG
	1500	80	C. Coosan
	1800	78	C. Coosan
	2100	79°	A. Gomez
	2400	79	A. Gomez

Saturday

Date	Time	Temp.	Name (Print)
9/07 2024	0300	72°	Mellado
	0600	76	Holloway
	0900	80	Holloway
	1200	85	Holloway
	1500	83	Geels
	1800	82	Geels
	2100	81	Geels
	2400	78°	Mellado

Sunday

Date	Time	Temp.	Name (Print)
9/08 2024	0300	76	Vellegas
	0600	78	Holloway
	0900	79	Holloway
	1200	84	Holloway
	1500	84	Geels
	1800	83	Geels
	2100	83	Geels
	2400	82	Acosta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C3 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/09/24	0300	77	Gomez
	0600	77	Gomez
	0900	78	Holloway
	1200	82	Holloway
	1500	84	Castillo
	1800	84	Castillo
	2100	82	Castillo
	2400	76°	

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	74°	Mullaney
	0600	73.3	J. Fernandez
	0900	75.7	Fernandez
	1200	78.1	J. Fernandez
	1500	79	Castillo
	1800	79	Castillo
	2100	77	Castillo
	2400	76°	Mullaney

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	78°	A. Gomez
	0600	70.3	C. Chavez
	0900	73.9	J. Fernandez
	1200	75.0	J. Fernandez
	1500	75.7	M. Castillo
	1800	75	M. Castillo
	2100	75	M. Velazquez
	2400	78	A. Gomez

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	78°	A. Gomez
	0600	69.1	C. Chavez
	0900	72	C. Chavez
	1200	73.6	C. Chavez
	1500	73	M. Velazquez
	1800	73	Castillo
	2100	73	Velazquez
	2400	74°	Gomez

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	79°	Gomez
	0600	70	Holloway
	0900	72	Holloway
	1200	75	Ruiz
	1500	75	Velazquez M
	1800	75	Velazquez
	2100	75	Velazquez
	2400	75	Ruhl

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	73	Ruhl
	0600	73°	J. Mova
	0900	74°	J. Mova
	1200	74°	J. Mova
	1500	75	Ruhl
	1800	75	Ruhl
	2100	74	Ruhl
	2400	73	A. Mendiolit

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	73	A. Mendiola
	0600	73	Holloway
	0900	73	Holloway
	1200	74	Holloway
	1500	75	Olivares
	1800	74	Olivares
	2100	74	Olivares
	2400	73	Acosta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: BDD30D5F-06F1-4700-82CD-817BC440C2DF

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C-3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16 2024	0300	69	Gonzales
	0600	67	Holloway
	0900	68	Holloway
	1200	69	Holloway
	1500	70	Castillo
	1800	70	Castillo
	2100	70	Castillo
	2400	69	Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
9/17 2024	0300	68	Gonzalez
	0600	64	Fernandez
	0900	66	K. Pereira
	1200	68	J. Fernandez
	1500	70	R. Castillo
	1800	70	R. Castillo
	2100	70	J. Vega
	2400	70°	Gomez

Wednesday

Date	Time	Temp.	Name (Print)
9/18 2024	0300	70°	Gomez
	0600	66	Fernandez
	0900	67	Fernandez
	1200	69	Fernandez
	1500	69	Castillo
	1800	69	Castillo
	2100	70	Castillo
	2400	[illegible]°	Gomez

Thursday

Date	Time	Temp.	Name (Print)
9/19 2024	0300	[illegible]°	Hollowa[illegible]
	0600	66	Holloway
	0900	68	Chavez
	1200	69	Chavez
	1500	69	Castillo
	1800	69	Vega
	2100	70	Vega
	2400.	70	Hollowa[illegible]

Friday

Date	Time	Temp.	Name (Print)
9/20 2024	0300	70°	Gomez
	0600	64	Holloway
	0900	68	Holloway
	1200	69	Holloway
	1500	71	Geels
	1800	72	Geels
	2100	72	Geels
	2400	70	Hollowa[illegible]

Saturday

Date	Time	Temp.	Name (Print)
9/21 2024	0300	[illegible]	Hollowa[illegible]
	0600	68	Kamir[illegible]
	0900	70	Holloway
	1200	75	DPereira
	1500	71	Geels
	1800	71	Geels
	2100	72	Geels
	2400	71	Maldonado

Sunday

Date	Time	Temp.	Name (Print)
9/22 2024	0300	70	Gonzalez
	0600	69	Holloway
	0900	73	Holloway
	1200	78	Holloway
	1500	78	Geels
	1800	76	Geels
	2100	75	Geels
	2400	70	Gonzalez

Notes

_____
_____
_____
_____
_____
_____
_____
_____
_____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C3 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70°	LELVILLAN
	0600	68	Holloway
	0900	75	Holloway
	1200	76	Holloway
	1500	74	VELASQUEZ
	1800	74	VELASQUEZ
	2100	74	VELASQUEZ
	2400	72°	Mulcahy

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	68°	Acosta
	0600	69	FERNANDEZ
	0900	73	FERNANDEZ
	1200	78	FERNANDEZ
	1500	78	Castillo
	1800	73	Castillo
	2100	78	Castillo
	2400	72°	Mulcahy

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	68°	Acosta
	0600	73	FERNANDEZ
	0900	74	C. Chavez
	1200	79	FERNANDEZ
	1500	79	Castillo
	1800	79	Castillo
	2100	78	Castillo
	2400	72	Mata

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	68	Mulcahy
	0600	69	Holloway
	0900	70	Chavez
	1200	73	Holloway
	1500	73	Vega
	1800	73	Vega
	2100	71	Vega
	2400	70°	Mulcahy

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70°	Mulcahy
	0600	69	Holloway
	0900	71	Holloway
	1200	74	Holloway
	1500	73	Vega
	1800	73	Vega
	2100	72	Vega
	2400	70°	Mulcahy

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	68°	Mata
	0600	69	Holloway
	0900	69	Holloway
	1200	74	Holloway
	1500	73	Vega
	1800	73	Vega
	2100	71	Vega
	2400	70	Vega

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	69	Acosta
	0600	68	Holloway
	0900	70	A. Chavez
	1200	72	Holloway
	1500	73	Greeb
	1800	73	Greeb
	2100	72	Greeb
	2400	69	Acosta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C4 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/02 2024	0300	70	VANG
	0600	71	MCCAUS
	0900	72	MCCAUS
	1200	73	MCCAUS
	1500	76	K VANG
	1800	75	K VANG
	2100	73	K VANG
	2400	72	VANG

Tuesday

Date	Time	Temp.	Name (Print)
9/03 2024	0300	70	VANG
	0600	74	MCCAUS
	0900	75	MCCAUS
	1200	76	MCCAUS
	1500	79°	Gonzalez
	1800	75°	Gonzalez
	2100	74°	Gonzalez
	2400	76	VANG

Wednesday

Date	Time	Temp.	Name (Print)
9/04 2024	0300	72°	VANG
	0600	74°	Pobleto, J
	0900	78°	Pobleto, J.
	1200	81°	Pobleto, J.
	1500	83	K. VANG
	1800	82	K VANG
	2100	81	K VANG
	2400	74	VANG

Thursday

Date	Time	Temp.	Name (Print)
9/05 2024	0300	73	VANG
	0600	74°	Pobleto J.
	0900	74°	HEREDIA, A
	1200	76°	Pobleto, J.
	1500	83°	L. Martin
	1800	79°	L. Martin
	2100	78°	L. Martin
	2400.	76	A. Garcia

Friday

Date	Time	Temp.	Name (Print)
9/06 2024	0300	[illegible]	A. Garcia
	0600	75°	L. Martin
	0900	76°	L. Martin
	1200	81°	Pobleto, J.
	1500	81°	L. Martin
	1800	80°	L. Martin
	2100	81°	L. Martin
	2400	80	Vang

Saturday

Date	Time	Temp.	Name (Print)
9/07 2024	0300	70°	Mulkowski
	0600	70	Navarro
	0900	78	Navarro
	1200	80	C. Shuyler
	1500	82°	Pobleto, J
	1800	80°	Pobleto, J.
	2100		
	2400	70	Mulkowski

Sunday

Date	Time	Temp.	Name (Print)
9/08 2024	0300	70	Vang
	0600	70°	Navarro
	0900	79°	Navarro
	1200	81	Smith
	1500	83	K VANG
	1800	83	K VANG
	2100	81	K VANG
	2400	80	Vang

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C5-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C4 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/09/24	0300	71	C.VANG
	0600	76	C.SMITH
	0900	79	C.SMITH
	1200	80	C.SMITH
	1500	84	K VANG
	1800	82	K VANG
	2100	83	K VANG
	2400	76°	Mellado

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	76°	Mellado
	0600	77°	Fuentes
	0900	79	E.SMITH
	1200	79°	D. Conte
	1500	83°	L. Morfin
	1800	84°	L. Morfin
	2100	82°	L. Morfin
	2400	75	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	76	Gomez
	0600	76°	Poblete, J
	0900	78°	Poblete, J
	1200	78°	Poblete, J
	1500	78°	L. Morfin
	1800	77°	L. Morfin
	2100	77°	L. Morfin
	2400	76°	Gomez

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	72°	Mellado
	0600	73	Poblete, J
	0900	74°	GAMBOA M
	1200	74°	GAMBOA M
	1500	74°	L. Morfin
	1800	74°	L. Morfin
	2100	73	AMAYA
	2400	70°	Mellado

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	70°	Mellado
	0600	69°	Poblete, J
	0900	69°	Poblete, J
	1200	74°	Poblete, J
	1500	74°	L. Morfin
	1800	74°	L. Morfin
	2100	73°	L. Morfin
	2400	73°	Mellado

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	72°	Mellado
	0600	73	Nguyen
	0900	74	Nguyen
	1200	74°	Nguyen
	1500	75	K - VANG
	1800	75	K - VANG
	2100	73	K VANG
	2400	83°	Mellado

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	72	A. MENDIOLA
	0600	72	C.SMITH
	0900	72	C.SMITH
	1200	73	C.SMITH
	1500	74	K VANG
	1800	74	K VANG
	2100	74	V. VALDOVINO
	2400	~~[illegible]~~	~~A. MENDIOLA~~

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C5-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C4 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	74	VANG
	0600	67	C-SMITH
	0900	69	C-SMITH
	1200	69	C-SMITH
	1500	69	K. VANG
	1800	69	K VANG
	2100	68	K VANG
	2400	68	GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	68	GONZALEZ
	0600	65°	C-SMITH
	0900	65°	C-SMITH
	1200	68°	C-SMITH
	1500	69°	L. Morfin
	1800	68°	L. Morfin
	2100	68°	L. Morfin
	2400	69	GONZE

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70°	Mullaraj
	0600	67°	Pobleto J
	0900	67°	Pobleto J
	1200	68°	Pobleto J
	1500	68°	L. Morfin
	1800	68°	L. Morfin
	2100	67°	L. Morfin
	2400	70°	Mullaraj

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	[illegible]	Mullaraj
	0600	67	Pobleto J.
	0900	66	M. GAMBOA
	1200	69	M. GAMBOA
	1500	68°	L. Morfin
	1800	68°	L. Morfin
	2100	67°	L. Morfin
	2400	70	Mullaraj

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	68	Mullaraj
	0600	67°	L. Morfin
	0900	67°	L. Morfin
	1200	68°	L. Morfin
	1500	69°	Pobleto, J.
	1800	70	Pobleto J.
	2100	70	Pobleto, J.
	2400	68°	Mullaraj

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	68°	Mullaraj
	0600	68	U. Cisneros
	0900	70	U. Cisneros
	1200	75	U. Cisneros
	1500	75°	K. VANG
	1800	75°	K VANG
	2100	74°	Pobleto J.
	2400	69	Acosta

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	Acosta
	0600	69	C-SMITH
	0900	71	C-SMITH
	1200	74	Cisneros
	1500	74	K VANG
	1800	74	K VANG
	2100	73	K VANG
	2400	70	Acosta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D5u-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 015 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5340 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	68°	ACOSTA
	0600	69°	CASTANEDA
	0900	73°	CASTANEDA
	1200	75°	CASTANEDA
	1500	78	Valdovino
	1800	79	Valdwino
	2100	79	Valdwino
	2400	75°	Mullado

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	68°	Acosta
	0600	73°	CASTANEDA
	0900	73°	VANG
	1200	74°	CASTANEDA
	1500	75	Batista
	1800	73	Batista
	2100	74	Batista
	2400	70	Mullado

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	68°	Acosta
	0600	72°	CASTANEDA
	0900	74°	CASTANEDA
	1200	76°	CASTANEDA
	1500	76	N Rodriguez
	1800	75	Batista
	2100	74	Batista
	2400	69°	ACOSTA

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	68°	Acosta
	0600	68°	CASTANEDA
	0900	72°	CASTANEDA
	1200	74°	CASTANEDA
	1500	74°	Batista
	1800	73°	Batista
	2100	70°	Batista
	2400.	70°	Mullado

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	68°	Mata
	0600	69°	CASTANEDA
	0900	68°	CASTANEDA
	1200	73°	GAMBOA
	1500	73°	G. AGUILAR
	1800	73	Batista
	2100	71	Batista
	2400	70°	Mullado

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	68°	Mata
	0600	68°	Pablete, J.
	0900	69°	Pablete, J.
	1200	74°	Pablete, J.
	1500	74°	G. Aguilar
	1800	75	Batista
	2100	74°	G. Aguilar
	2400	68	Mata

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	ACOSTA
	0600	69	Castaneda
	0900	70	Castaneda
	1200	69	Castaneda
	1500	74	Gomez
	1800	74	Gomez
	2100	73	Gomez
	2400	70	Acosta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/02 2024	0300	76	YANG
	0600	76	YANG
	0900	76	SOLING
	1200	76	SOLING
	1500	79	Escalante
	1800	80	Escalante
	2100	80	Escalante
	2400	75	MERRELL

Tuesday

Date	Time	Temp.	Name (Print)
9/03 2024	0300	73	MERRELL
	0600	70	Rojas
	0900	78	Rojas
	1200	76	Rojas
	1500	77	J. Escalante
	1800	81	[illegible]
	2100	79	[illegible]
	2400	78	R Soto

Wednesday

Date	Time	Temp.	Name (Print)
9/04 2024	0300	76	R Soto
	0600	69	Merelland
	0900	70	Merelland
	1200	76	Merelland
	1500	76	GONZALEZ
	1800	76	GONZALEZ
	2100	78	GONZALEZ
	2400	74°	Gomez

Thursday

Date	Time	Temp.	Name (Print)
9/05 2024	0300	72°	Gomez
	0600	72°	CASTANEDA
	0900	74°	CASTANEDA
	1200	76°	CASTANEDA
	1500	76°	Hernandez
	1800	76	Hernandez
	2100	76	Hernandez
	2400	72°	Gomez

Friday

Date	Time	Temp.	Name (Print)
9/06 2024	0300	74°	A. Gomez
	0600	75°	M GAMBOA
	0900	74°	M GAMBOA
	1200	77.7°	J. CASTANEDA
	1500	77	J. GONZALEZ
	1800	77	J. GONZALEZ
	2100	77	J. GONZALEZ
	2400	74°	A. Gomez

Saturday

Date	Time	Temp.	Name (Print)
9/07 2024	0300	74°	MATA
	0600	75°	Pablo R. J.
	0900	75°	Pablo R. J.
	1200	77°	GAMBOA. M
	1500	77°	RODRIGUEZ M.
	1800	75°	RODRIGUEZ M.
	2100	75°	RODRIGUEZ M.
	2400	74	Yang

Sunday

Date	Time	Temp.	Name (Print)
9/08 2024	0300	77	Yang
	0600	77	[illegible]
	0900	77	[illegible]
	1200	77	[illegible]
	1500	77	Gomez
	1800	77	Gomez
	2100	77	Gomez
	2400	77	Yang

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/09/24	0300	77	YANG
	0600	76	YANG
	0900	76	[illegible]
	1200	78	J. CASTANEDA
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	74°	Maldonado

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	74°	Maldonado
	0600	72°	J. CASTANEDA
	0900	74°	J. CASTANEDA
	1200	76°	J. CASTANEDA
	1500	78	A. Batista
	1800	78	A. Batista
	2100	78	A. Batista
	2400	78	H. Gomez

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	78°	H. Gomez
	0600	71	J. CASTANEDA
	0900	72°	J. CASTANEDA
	1200	74°	J. CASTANEDA
	1500	74	A. Batista
	1800	74	A. Batista
	2100	74	A. Batista
	2400	76°	Maldonado

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	72°	Maldonado
	0600	69°	J. CASTANEDA
	0900	70	CRUZ
	1200	74	CRUZ
	1500	74°	Batista
	1800	74°	Batista
	2100	74°	Batista
	2400	72°	Maldonado

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	72°	Maldonado
	0600	69°	J. CASTANEDA
	0900	71°	J. CASTANEDA
	1200	77°	J. CASTANEDA
	1500	73	D. Hernandez
	1800	73	A. Batista
	2100	72	A. Batista
	2400	72°	Maldonado

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	72°	Maldonado
	0600	70°	M. GAMBOA
	0900	71	M. GAMBOA
	1200	75	M. GAMBOA
	1500	76	A. MENDIOLA
	1800	75	A. MENDIOLA
	2100	75	D. Hernandez
	2400	74	P. VILLEGAS

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	72°	VILLEGAS
	0600	73	[illegible]
	0900	73	[illegible]
	1200	73	[illegible]
	1500	73	D. Hernandez
	1800	74	Gomez
	2100	72	Gomez
	2400	[illegible]	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	Yanez
	0600	70	Yanez
	0900	68	Gibson
	1200	71	Gibson
	1500	71	Villalobos
	1800	71	Villalobos
	2100	71	Villalobos
	2400	70	Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	69	Gonzalez
	0600	68°	Castaneda
	0900	67°	Castaneda
	1200	68°	Castaneda
	1500	70°	Batista
	1800	70°	Batista
	2100	70°	Batista
	2400	68°	Mulloade

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70°	Mulloade
	0600	68°	Cruz
	0900	69	Castaneda
	1200	69°	Castaneda
	1500	70.	Batista
	1800	70°	Batista
	2100	70	Hernandez
	2400	68°	Mulloade

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70°	Gomez
	0600	68°	Castaneda
	0900	68°	Castaneda
	1200	69°	Castaneda
	1500	71°	A. Batista
	1800	70	A. Batista
	2100	70	D. Hernandez
	2400	68°	Mulloade

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	68°	Mulloade
	0600	67°	Castaneda
	0900	68°	Castaneda
	1200	70°	Castaneda
	1500	70°	Batista
	1800	70	Hernandez
	2100	70	Hernandez
	2400	70°	Mulloade

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	68°	Mulloade
	0600	68	Pelet
	0900	69°	M. Gamboa
	1200	73°	M. Gamboa
	1500	72	Batista
	1800	71	Batista
	2100	71	Batista
	2400	69	Acosta

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	Acosta
	0600	69°	Mordez
	0900	69°	Mordez
	1200	70°	Mordez
	1500	74	Gomez
	1800	73	Gomez
	2100	73	Gomez
	2400	70	Acosta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	75	VANG
	0600	69	SMITH
	0900	72	SMITH
	1200	75	SMITH
	1500	76	K VANG
	1800	76	K VANG
	2100	75	Cisneros
	2400	72	Mulladdo

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	68	Acosta
	0600	72	Cisneros
	0900	72	C. SMITH
	1200	74	Cisneros
	1500	77	L. Morfin
	1800	78	L. Morfin
	2100	78	L. Morfin
	2400	70	Mulladdo

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	68	Acosta
	0600	69	SMITH
	0900	72	C. SMITH
	1200	80	C. SMITH
	1500	77	K VANG
	1800	78	L. Morfin
	2100	78	L. Morfin
	2400	70	Acosta

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	68	Acosta
	0600	67	Poblete, J.
	0900	67	Poblete, J.
	1200	74	Poblete, J.
	1500	76	L. Morfin
	1800	75	L. Morfin
	2100	74	L. Morfin
	2400	70	Mulladdo

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70	Mata
	0600	67	Poblete, J.
	0900	67	Poblete, J.
	1200	74	L. Morfin
	1500	76	L. Morfin
	1800	76	L. Morfin
	2100	75	L. Morfin
	2400	70	Mulladdo

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	68	Mata
	0600	68	C. SMITH
	0900	70	Cisneros
	1200	72	C. SMITH
	1500	74	Poblete J.
	1800	74	K VANG
	2100	74	K VANG
	2400	68	Mata

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	71	Acosta
	0600	68	V Cisneros
	0900	69	V Cisneros
	1200	71	C. SMITH
	1500	73	K VANG
	1800	73	K VANG
	2100	73	K VANG
	2400	71	Acosta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/30/24	0100	72.0	Linares
	0200	71.3	Linares
	0300	69.8	Linares
	0400	69.5	Linares
	0500	68.2	Linares
	0600	67.4	LARA
	0700	67.6	LARA
	0800	70.1	LARA
	0900	70.4	LARA
	1000	74.9	LARA
	1100	79.2	LARA
	1200	81.8	LARA
	1300	84.4	LARA
	1400	87.2	M. Barker
	1500	88.4	M. Barker
	1600	88.8	M. Barker
	1700	87.8	M. Barker
	1800	84.5	M. Barker
	1900	81.0	M. Barker
	2000	78.9	M. Barker
	2100	75.6	M. Barker
	2200	75.2	Linares
	2300	73.8	Linares
	2400	72.9	Linares

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/28/24	0100	72.2	Bailey
	0200	71.7	Bailey
	0300	70.3	Bailey
	0400	68.5	Bailey
	0500	67.1	Bailey
	0600	66.5	Bailey
	0700	67.1	Laita
	0800	68.8	Laita
	0900	74.1	Laita
	1000	78.8	Laita
	1100	82.5	Laita
	1200	84.7	Laita
	1300	86.7	Laita
	1400	89.3	F. Soto
	1500	90.1	F. Soto
	1600	90.8	F. Soto
	1700	89.4	F. Soto
	1800	81.0	F. Soto
	1900	80.9	F. Soto
	2000	88.5	F. Soto
	2100	79.0	F. Soto
	2200	78.3	J. Garcia
	2300	76.7	J. Garcia
	2400	74.4	J. Garcia

Date	Time	Temp.	Printed Name
9/29/24	0100	73.7	Garcia
	0200	72.4	Garcia
	0300	71.1	Garcia
	0400	70.9	Garcia
	0500	69.8	Garcia
	0600	68.7	J Soto
	0700	67.0	J Soto
	0800	68.7	J Soto
	0900	71.9	J Soto
	1000	78.1	J Soto
	1100	79.9	J Soto
	1200	82.5	J Soto
	1300	85.0	J Soto
	1400	87.5	M. Barker
	1500	87.9	M. Barker
	1600	88.1	M. Barker
	1700	87.6	M. Barker
	1800	85.8	M. Barker
	1900	80.7	M. Barker
	2000	80.0	M. Barker
	2100	77.5	M. Barker
	2200	77.2	Linares
	2300	75.7	Linares
	2400	72.9	Linares

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/26/24	0100	76.2	Bailey
	0200	75.1	Bailey
	0300	74.3	Bailey
	0400	73.3	Bailey
	0500	72.4	Bailey
	0600	71.8	Bailey
	0700	66.3	LARA
	0800	67.8	LARA
	0900	70.7	LARA
	1000	75.3	LARA
	1100	77.6	LARA
	1200	81.1	LARA
	1300	83.5	LARA
	1400	86.2	Banks
	1500	87.3	Banks
	1600	87.8	Banks
	1700	87.3	Banks
	1800	85.0	Banks
	1900	82.2	Banks
	2000	79.0	Banks
	2100	78.5	Banks
	2200	77.2	Bailey
	2300	76.3	Bailey
	2400	75.3	Bailey

Date	Time	Temp.	Printed Name
9/27/24	0100	74.2	Bailey
	0200	73.5	Bailey
	0300	72.6	Bailey
	0400	72.1	Bailey
	0500	71.7	Bailey
	0600	70.3	Bailey
	0700	66.2	LAITA
	0800	68.1	LAITA
	0900	69.8	LAITA
	1000	75.9	LAITA
	1100	78.4	LAITA
	1200	82.3	LAITA
	1300	85.0	LAITA
	1400	87.5	F. Soto
	1500	88.8	F. Soto
	1600	89.1	F. Soto
	1700	88.3	F. Soto
	1800	86.1	F. Soto
	1900	81.2	F. Soto
	2000	78.5	F. Soto
	2100	76.4	F. Soto
	2200	75.1	Bailey
	2300	74.3	Bailey
	2400	73.5	Bailey

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/24/24	0100	76.9	Linares
	0200	76.2	Linares
	0300	75.5	Linares
	0400	74.1	Linares
	0500	73.7	Linares
	0600	72.6	NEAL
	0700	71.4	NEAL
	0800	72.5	NEAL
	0900	77.8	NEAL
	1000	81.5	NEAL
	1100	84.2	NEAL
	1200	88.0	NEAL
	1300	91.0	NEAL
	1400	93.4	Banks
	1500	94.9	Banks
	1600	95.0	Banks
	1700	93.9	Banks
	1800	91.4	Banks
	1900	87.3	Banks
	2000	84.8	Banks
	2100	83.7	Banks
	2200	82.2	Bailey
	2300	81.8	Bailey
	2400	80.6	Bailey

Date	Time	Temp.	Printed Name
9/25/24	0100	79.2	Bailey
	0200	77.6	Bailey
	0300	76.6	Bailey
	0400	75.8	Bailey
	0500	75.1	Bailey
	0600	74.3	Bailey
	0700	71.9	NEAL
	0800	73.2	NEAL
	0900	76.9	NEAL
	1000	80.8	NEAL
	1100	83.2	NEAL
	1200	85.7	NEAL
	1300	88.1	NEAL
	1400	91.5	Banks
	1500	92.3	Banks
	1600	92.7	Banks
	1700	90.4	Banks
	1800	87.6	Banks
	1900	83.4	Banks
	2000	81.9	Banks
	2100	80.8	Banks
	2200	78.3	Linares
	2300	77.6	Bailey
	2400	77.1	Bailey

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/22/24	0100	74.1	Bailey
	0200	72.2	Bailey
	0300	70.4	Bailey
	0400	67.6	Bailey
	0500	66.5	Bailey
	0600	64.5	Bailey
	0700	67.5	LATTA
	0800	71.5	LATTA
	0900	76.1	LATTA
	1000	79.3	LATTA
	1100	81.4	LATTA
	1200	83.9	LATTA
	1300	86.5	LATTA
	1400	88.3	Banks
	1500	90.0	Banks
	1600	90.0	Banks
	1700	90.2	Banks
	1800	87.3	Banks
	1900	85.6	Banks
	2000	82.4	Banks
	2100	81.1	Banks
	2200	80.0	JOBINDER
	2300	78.9	JOBINDER
	2400	78.1	JOBINDER

Date	Time	Temp.	Printed Name
9/23/24	0100	76.8	JOBINDER
	0200	75.1	JOBINDER
	0300	75.2	JOBINDER
	0400	71.9	JOBINDER
	0500	71.7	JOBINDER
	0600	71.5	LARA
	0700	70.1	LARA
	0800	71.6	LARA
	0900	75.8	LARA
	1000	78.6	LARA
	1100	82.6	LARA
	1200	86.0	LARA
	1300	88.7	LARA
	1400	91.5	M. Barker
	1500	92.9	M. Barker
	1600	92.5	M. Barker
	1700	91.8	M. Barker
	1800	90.1	M. Barker
	1900	86.1	M. Barker
	2000	84.1	M. Barker
	2100	82.8	M. Barker
	2200	79.9	Linares
	2300	78.8	Linares
	2400	77.7	Linares

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/20/24	0100	70.2	Jacobs
	0200	69.7	Jacobs
	0300	69.1	Jacobs
	0400	68.3	Jacobs
	0500	67.2	Jacobs
	0600	64.9	NEAL
	0700	64.6	NEAL
	0800	67.0	NEAL
	0900	69.8	NEAL
	1000	72.2	NEAL
	1100	75.1	NEAL
	1200	77.9	NEAL
	1300	80.8	NEAL
	1400	82.2	R Soto
	1500	83.9	R Soto
	1600	84.3	R Soto
	1700	84.1	R Soto
	1800	82.6	R Soto
	1900	78.7	R Soto
	2000	77.1	R Soto
	2100	75.5	R Soto
	2200	74.1	Bailey
	2300	73.5	Bailey
	2400	72.6	Bailey

Date	Time	Temp.	Printed Name
9/21/24	0100	71.1	Bailey
	0200	70.3	Bailey
	0300	68.5	Bailey
	0400	67.4	Bailey
	0500	66.2	Bailey
	0600	65.5	Bailey
	0700	63.9	NEAL
	0800	68.0	NEAL
	0900	71.2	Pinal
	1000	75.5	Pinaud
	1100	80.0	Pinaud
	1200	81.9	NEAL
	1300	84.1	NEAL
	1400	87.1	DAVIDSON
	1500	88.2	DAVIDSON
	1600	88.1	DAVIDSON
	1700	87.5	DAVIDSON
	1800	86.0	DAVIDSON
	1900	81.2	DAVIDSON
	2000	78.1	DAVIDSON
	2100	77.2	DAVIDSON
	2200	76.5	Bailey
	2300	76.1	Bailey
	2400	75.2	Bailey

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/18/24	0100	67.8	Linares
	0200	67.3	Linares
	0300	66.5	Linares
	0400	66.0	Linares
	0500	65.3	Linares
	0600	64.9	LARA
	0700	63.4	LARA
	0800	65.8	LARA
	0900	68.6	LARA
	1000	70.6	LARA
	1100	76.0	LARA
	1200	76.6	LARA
	1300	79.5	LARA
	1400	80.9	Banks
	1500	80.3	Banks
	1600	79.2	Banks
	1700	75.7	Banks
	1800	74.2	Banks
	1900	73.2	Banks
	2000	72.9	Banks
	2100	72.1	Banks
	2200	72.0	Linares
	2300	70.3	Linares
	2400	69.5	Linares

Date	Time	Temp.	Printed Name
9/19/24	0100	68.8	Linares
	0200	68.1	Linares
	0300	67.3	Linares
	0400	67.1	Linares
	0500	67.0	Linares
	0600	66.1	PIMENTEL
	0700	65.8	PIMENTEL
	0800	65.7	PIMENTEL
	0900	66.1	LARA
	1000	69.9	LARA
	1100	74.5	LARA
	1200	77.6	LARA
	1300	79.8	LARA
	1400	82.4	Banks
	1500	80.7	Banks
	1600	79.6	Banks
	1700	78.9	Banks
	1800	75.8	Banks
	1900	73.4	Banks
	2000	72.8	Banks
	2100	72.9	Banks
	2200	72.1	Jacobs
	2300	72.0	Jacobs
	2400	71.2	Jacobs

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/16/24	0100	68.4	Linares
	0200	68.1	Linares
	0300	67.0	Linares
	0400	66.5	Linares
	0500	65.2	Linares
	0600	65.0	J Soto
	0700	63.6	J Soto
	0800	65.7	J Soto
	0900	67.2	J Soto
	1000	70.4	J Soto
	1100	74.0	J Soto
	1200	75.4	J Soto
	1300	76.6	J Soto
	1400	77.5	J Soto
	1500	77.0	Banks
	1600	76.1	Banks
	1700	75.7	Banks
	1800	73.1	Banks
	1900	71.0	Banks
	2000	69.9	Banks
	2100	68.9	Banks
	2200	68.1	Linares
	2300	66.9	Linares
	2400	65.4	Linares

Date	Time	Temp.	Printed Name
9/17/24	0100	64.0	Linares
	0200	63.6	Linares
	0300	62.9	Linares
	0400	62.3	Linares
	0500	61.5	Linares
	0600	59.7	NGA
	0700	60.0	NGA
	0800	61.1	NGA
	0900	65.1	LARA
	1000	67.5	LARA
	1100	70.7	NGA
	1200	72.8	NGA
	1300	75.5	NGA
	1400	77.9	M. Barker
	1500	78.8	M. Barker
	1600	79.3	M. Barker
	1700	78.3	M. Barker
	1800	77.0	M. Barker
	1900	74.3	M. Barker
	2000	72.6	M. Barker
	2100	71.3	M. Barker
	2200	70.9	Linares
	2300	70.0	Linares
	2400	68.8	Linares

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/10/24	0100	80.1	Sobinger
	0200	79.4	Sobinger
	0300	77.2	Sobinger
	0400	74.1	Sobinger
	0500	70.4	Sobinger
	0600	68.3	Pimentel
	0700	70.0	Pimentel
	0800	72.3	Pimentel
	0900	77.4	Pimentel
	1000	79.1	Pimentel
	1100	83.0	Pimentel
	1200	88.2	Pimentel
	1300	89.1	Pimentel
	1400	92.0	M. Barker
	1500	93.8	M. Barker
	1600	93.2	M. Barker
	1700	92.0	M. Barker
	1800	88.2	M. Barker
	1900	85.7	M. Barker
	2000	83.3	M. Barker
	2100	81.7	M. Barker
	2200	79.7	Bailey
	2300	78.6	Bailey
	2400	78.1	Bailey

Date	Time	Temp.	Printed Name
9/11/24	0100	77.3	Bailey
	0200	76.2	Bailey
	0300	74.4	Bailey
	0400	73.3	Bailey
	0500	71.7	Bailey
	0600	69.6	Bailey
	0700	65.2	LARA
	0800	68.0	LARA
	0900	71.6	LARA
	1000	75.5	LARA
	1100	78.1	LARA
	1200	80.9	LARA
	1300	82.9	LARA
	1400	86.3	M. Barker
	1500	88.2	M. Barker
	1600	88.5	M. Barker
	1700	87.3	M. Barker
	1800	85.7	M. Barker
	1900	82.4	M. Barker
	2000	79.8	M. Barker
	2100	78.4	M. Barker
	2200	77.3	Bailey
	2300	76.6	Bailey
	2400	75.5	Bailey

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/14/24	0100	73.3	Baily
	0200	72.6	Baily
	0300	71.8	Baily
	0400	71.1	Baily
	0500	70.5	Baily
	0600	69.8	Baily
	0700	68.9	Madrigal
	0800	69.7	Madrigal
	0900	73.2	Madrigal
	1000	76.7	Madrigal
	1100	80.7	Madrigal
	1200	84	Madrigal
	1300	86.3	Madrigal
	1400	88.4	F. Soto
	1500	88.9	F. Soto
	1600	90.7	F. Soto
	1700	89.5	F. Soto
	1800	87.5	F. Soto
	1900	85.3	F. Soto
	2000	82.3	F. Soto
	2100	80.2	F. Soto
	2200	77.7	Baily
	2300	76.1	Baily
	2400	75.3	Baily

Date	Time	Temp.	Printed Name
9/15/24	0100	74.1	Baily
	0200	73.3	Baily
	0300	72.2	Baily
	0400	71.4	Baily
	0500	70.3	Baily
	0600	68.7	Baily
	0700	69.5	Y Hernandez
	0800	70.2	Y Hernandez
	0900	72.5	Y Hernandez
	1000	76.2	Y Hernandez
	1100	78.3	Y Hernandez
	1200	81.5	Y Hernandez
	1300	84.7	Y Hernandez
	1400	86.5	Banks
	1500	88.6	Banks
	1600	87.5	Banks
	1700	85.4	Banks
	1800	80.4	Banks
	1900	76.0	Banks
	2000	75.2	Banks
	2100	74.6	Banks
	2200	72.7	Linares
	2300	71.9	Linares
	2400	71.6	Linares

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/12/24	0100	75.1	Bailey
	0200	74.1	Bailey
	0300	72.6	Bailey
	0400	71.3	Bailey
	0500	70.5	Bailey
	0600	69.5	Bailey
	0700	70.00	Pimentel
	0800	71.2	Pimentel
	0900	72.7	Pimentel
	1000	73.8	Pimentel
	1100	75.7	NEAL
	1200	78.1	NEAL
	1300	89.8	Pimentel
	1400	82.2	M. Barker
	1500	83.6	M. Barker
	1600	84.0	M. Barker
	1700	83.2	M. Barker
	1800	81.8	M. Barker
	1900	79.3	M. Barker
	2000	77.0	M. Barker
	2100	75.1	M. Barker
	2200	74.2	Bailey
	2300	73.5	Bailey
	2400	72.6	Bailey

Date	Time	Temp.	Printed Name
9/13/24	0100	71.7	Bailey
	0200	70.3	Bailey
	0300	68.5	Bailey
	0400	68.1	Bailey
	0500	67.1	Bailey
	0600	66.7	Bailey
	0700	67.7	Pimentel
	0800	69.7	Pimentel
	0900	70.8	Pimentel
	1000	75.2	Pimentel
	1100	79.3	Pimentel
	1200	80.8	Pimentel
	1300	81.2	Pimentel
	1400	86.8	Ramirez
	1500	88.0	Ramirez
	1600	87.4	Ramirez
	1700	86.8	Ramirez
	1800	84.5	Ramirez
	1900	83.3	Ramirez
	2000	79.9	Ramirez
	2100	77.5	Ramirez
	2200	76.2	Bailey
	2300	75.7	Bailey
	2400	74.7	Bailey

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/10/24	0100	80.1	Sobinger
	0200	79.4	Sobinger
	0300	77.2	Sobinger
	0400	74.1	Sobinger
	0500	70.4	Sobinger
	0600	68.3	Pimentel
	0700	70.0	Pimentel
	0800	72.3	Pimentel
	0900	77.4	Pimentel
	1000	79.1	Pimentel
	1100	83.0	Pimentel
	1200	88.2	Pimentel
	1300	89.1	Pimentel
	1400	92.0	M. Barker
	1500	93.8	M. Barker
	1600	93.2	M. Barker
	1700	92.0	M. Barker
	1800	88.2	M. Barker
	1900	85.7	M. Barker
	2000	83.3	M. Barker
	2100	81.7	M. Barker
	2200	77.7	Bailey
	2300	78.6	Bailey
	2400	78.1	Bailey

Date	Time	Temp.	Printed Name
9/11/24	0100	77.3	Bailey
	0200	76.2	Bailey
	0300	74.4	Bailey
	0400	73.3	Bailey
	0500	71.7	Bailey
	0600	69.6	Bailey
	0700	65.2	LARA
	0800	68.0	LARA
	0900	71.6	LARA
	1000	75.5	LARA
	1100	78.1	LARA
	1200	80.9	LARA
	1300	82.9	LARA
	1400	86.3	M. Barker
	1500	88.2	M. Barker
	1600	88.5	M. Barker
	1700	87.3	M. Barker
	1800	85.7	M. Barker
	1900	82.4	M. Barker
	2000	79.8	M. Barker
	2100	78.4	M. Barker
	2200	77.3	Bailey
	2300	76.6	Bailey
	2400	75.5	Bailey

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATUR[illegible]JRD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/8/24	0100	82.2	Bailey
	0200	81.8	Bailey
	0300	78.4	Bailey
	0400	77.6	Bailey
	0500	76.3	Bailey
	0600	74.6	Bailey
	0700	76.4	Larta
	0800	78.1	Larta
	0900	80.6	Larta
	1000	85.8	Larta
	1100	89.2	MONTANO
	1200	92.1	MONTANO
	1300	94.5	MONTANO
	1400	95.6	Banks
	1500	97.4	Banks
	1600	98.4	Banks
	1700	97.6	Banks
	1800	95.8	Banks
	1900	93.9	Banks
	2000	89.7	Banks
	2100	86.3	Banks
	2200	84.6	Bailey
	2300	83.4	Bailey
	2400	82.2	Bailey

Date	Time	Temp.	Printed Name
9/9/24	0100	81.8	Bailey
	0200	80.1	Bailey
	0300	79.3	Bailey
	0400	78.6	Bailey
	0500	77.4	Bailey
	0600	76.5	Bailey
	0700	76.2	[illegible]
	0800	79.1	[illegible]
	0900	81.5	[illegible]
	1000	86.3	[illegible]
	1100	89.7	[illegible]
	1200	91.9	[illegible]
	1300	94.4	[illegible]
	1400	97.5	Banks
	1500	98.5	Banks
	1600	99.9	Banks
	1700	98.6	Banks
	1800	95.1	Banks
	1900	91.2	Banks
	2000	87.6	Banks
	2100	86.2	Banks
	2200	84.5	JOBINOR
	2300	82.1	JOBINOR
	2400	81.4	JOBINOR

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATU. RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/6/24	0100	85.1	Bailey
	0200	83.2	Bailey
	0300	80.4	Bailey
	0400	78.4	Bailey
	0500	76.6	Bailey
	0600	74.3	Bailey
	0700	77.4	J Soto
	0800	80.0	J Soto
	0900	81.3	J Soto
	1000	85.5	J Soto
	1100	89.1	J Soto
	1200	93.2	J Soto
	1300	95.7	J Soto
	1400	97.3	DAVIDSON
	1500	99.5	DAVIDSON
	1600	99.6	DAVIDSON
	1700	98.2	DAVIDSON
	1800	97.3	DAVIDSON
	1900	94.8	DAVIDSON
	2000	87.5	DAVIDSON
	2100	87.9	DAVIDSON
	2200	85.8	Bailey
	2300	84.6	Bailey
	2400	83.3	Bailey

UHT @ 1134 Deactivated @ 2100

Date	Time	Temp.	Printed Name
9/7/24	0100	81.8	Bailey
	0200	80.2	Bailey
	0300	79.7	Bailey
	0400	78.1	Bailey
	0500	77.7	Bailey
	0600	76.2	Bailey
	0700	76.1	Pimentel
	0800	79.1	Pimentel
	0900	85.1	Pimentel
	1000	87.2	Pimentel
	1100	89.1	Pimentel
	1200	93.4	Pimentel
	1300	95.6	J Soto
	1400	97.9	R Soto
	1500	98.7	R Soto
	1600	98.9	R Soto
	1700	98.4	R Soto
	1800	89.7	R Soto
	1900	94.8	R Soto
	2000	89.3	R Soto
	2100	87.1	R Soto
	2200	85.6	Bailey
	2300	84.8	Bailey
	2400	83.3.	Bailey

UHT DEACT 2102

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATU RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/4/24	0100	79.3	Bailey
	0200	77.6	Bailey
	0300	75.4	Bailey
	0400	73.3	Bailey
	0500	72.7	Bailey
	0600	72.5	Bailey
	0700	73.6	Pimentel
	0800	77.1	Pimentel
	0900	81.2	Pimentel
	1000	85.3	Pimentel
	1100	87.5	Pimentel
	1200	89.9	Pimentel
	1300	94.0	Pimentel
	1400	94.8	Banks
	1500	97.1	Banks
	1600	99.2	Banks
	1700	98.6	Banks
	1800	95.9	Banks
	1900	91.6	Banks
	2000	86.4	Banks
	2100	84.6	Banks
	2200	82.2	Bailey
	2300	81.8	Bailey
	2400	80.3	Bailey

Date	Time	Temp.	Printed Name
9/5/24	0100	79.2	Bailey
	0200	78.4	Bailey
	0300	77.1	Bailey
	0400	76.3	Bailey
	0500	74.7	Bailey
	0600	73.8	Bailey
	0700	74.2	NEAL
	0800	76.2	NEAL
	0900	80.5	NEAL
	1000	84.2	NEAL
	1100	86.4	NEAL
	1200	90.2	NEAL
	1300	93.3	NEAL
	1400	95.2	Banks
	1500	97.4	Banks
	1600	98.5	Banks
	1700	97.7	Banks
	1800	96.4	Banks
	1900	94.0	Banks
	2000	90.8	Banks
	2100	90.0	Banks
	2200	88.7	Bailey
	2300	87.2	Bailey
	2400	86.5	Bailey

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATU RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/2/24	0100	81.8	Bailey
	0200	79.6	Bailey
	0300	78.2	Bailey
	0400	76.3	Bailey
	0500	75.1	Bailey
	0600	74.1	Bailey
	0700	73.1	J Soto
	0800	74.2	J Soto
	0900	75.6	J Soto
	1000	78.7	J Soto
	1100	81.7	J Soto
	1200	85.3	J Soto
	1300	87.7	J Soto
	1400	90.2	Banks
	1500	91.1	Banks
	1600	92.6	Banks
	1700	91.9	Banks
	1800	90.8	Banks
	1900	88.1	Banks
	2000	85.1	Banks
	2100	83.9	Banks
	2200	82.8	Linares
	2300	81.0	Linares
	2400	78.7	Linares

Date	Time	Temp.	Printed Name
9/3/24	0100	77.6	Linares
	0200	77.1	Linares
	0300	76.3	Linares
	0400	74.2	Linares
	0500	74.5	Linares
	0600	72.9	LARA
	0700	72.1	LARA
	0800	73.0	LARA
	0900	76.7	LARA
	1000	81.3	LARA
	1100	83.3	LARA
	1200	86.6	LARA
	1300	90.4	LARA
	1400	91.8	Banks
	1500	93.5	Banks
	1600	94.5	Banks
	1700	91.2	Banks
	1800	92.8	Banks
	1900	90.5	Banks
	2000	86.8	Banks
	2100	84.2	Banks
	2200	82.3	Bailey
	2300	81.8	Bailey
	2400	80.3	Bailey

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATU RECORD
CDCR 2030 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Pleasant Valley State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/31/24	0100	80.1	Baily
	0200	78.2	Baily
	0300	76.4	Baily
	0400	75.3	Baily
	0500	73.8	Baily
	0600	72.7	Baily
	0700	73.0	Lara
	0800	73.7	Lara
	0900	75.8	Lara
	1000	81.9	Lara
	1100	84.7	NGR
	1200	87.4	NGR
	1300	89.9	NGR
	1400	92.3	F. Soto
	1500	94.5	F. Soto
	1600	95.4	F. Soto
	1700	95.0	F. Soto
	1800	93.7	F. Soto
	1900	91.2	F. Soto
	2000	87.6	F. Soto
	2100	86.1	F. Soto
	2200	84.2	Baily
	2300	83.3	Baily
	2400	82.5	Baily

Date	Time	Temp.	Printed Name
9/1/24	0100	81.8	Baily
	0200	79.4	Baily
	0300	77.3	Baily
	0400	76.6	Baily
	0500	75.2	Baily
	0600	73.8	Baily
	0700	74.3	J Soto
	0800	77.5	J Soto
	0900	80.6	J Soto
	1000	81.3	J Soto
	1100	85.0	J Soto
	1200	87.6	J Soto
	1300	90.8	J Soto
	1400	92.7	Banks
	1500	94.8	Banks
	1600	96.2	Banks
	1700	96.4	Banks
	1800	95.3	Banks
	1900	92.7	Banks
	2000	88.7	Banks
	2100	87.4	Banks
	2200	85.1	Baily
	2300	83.3	Baily
	2400	82.6	Baily

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

Attachme
DEPARTMENT OF CORRECTIONS AND REHABILITA

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D1 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5134/C **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
4/1	0300	69	Amaro
	0600	72	Labbe
	0900	73	Labbe
	1200	75	Labbe
	1500	74	Costec
	1800	74	Costec
	2100	73	Costec
	2400	72	Amaro

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

E OF CALIFORNIA
SIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	70	Ediger
	0600	70	Dobbins
	0900	70	Dobbins
	1200	72	Dobbins
	1500	74	GONZALEZ
	1800	76	GONZALEZ
	2100	73	GONZALEZ
	2400	70	Ediger

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	70	Ediger
	0600	71	Dobbins
	0900	71	Dobbins
	1200	72	Dobbins
	1500	73	[illegible]
	1800	73	[illegible]
	2100	74	[illegible]
	2400	70	Ediger

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	70	Ediger
	0600	70	ALVARADO
	0900	72	Dobbins
	1200	~~73~~	~~Castro~~ JG
	1500	~~75~~	~~Castro~~ JG
	1800	72	Castro
	2100	75	Castro
	2400	70	Ediger

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	70	Ediger
	0600	74	J. GREENWOOD
	0900	75	J. GREENWOOD
	1200	75	J. GREENWOOD
	1500	75	Romero
	1800	73	Romero
	2100	72	Romero
	2400	70	Ediger

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	70	Ediger
	0600	75	T. Labbee
	0900	76	T. Labbee
	1200	77	T. Labbee
	1500	75	Romero
	1800	74	Romero
	2100	73	Romero
	2400	70	VILLEGAS

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	70	VILLEGAS
	0600	71	Dobbins
	0900	74	Dobbins
	1200	76	Dobbins
	1500	82	M Rodriguez
	1800	81	M Rodriguez
	2100	79	M Rodriguez
	2400	80	Santos

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	80	Santos
	0600	71	Labbee
	0900	73	Labbee
	1200	75	Labbee
	1500	81°	P. QUIBAL
	1800	85°	P. QUIBAL
	2100	80	Quibal
	2400	72	Ediger

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

E OF CALIFORNIA
.IDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	Ediger
	0600	70	Jurarez
	0900	71	JUCIREZ
	1200	73	L. CASTRO
	1500	70	L.CASTRO
	1800	70	L.CASTRO
	2100	72	L.CASTRO
	2400	70	Ediger

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	70	Ediger
	0600	70	Labbee
	0900	72	Labbee
	1200	73	Labbee
	1500	71	L.Castro
	1800	70	L.Castro
	2100	70	L.Castro
	2400	70	Ediger

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	Ediger
	0600	71	Corona
	0900	73	Corona
	1200	73	Corona
	1500	72	Romero
	1800	71	Romero
	2100	71	Romero
	2400	69	Ediger

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	Ediger
	0600	71	Corona
	0900	73	Corona
	1200	73	Corona
	1500	72	Romero
	1800	71	Romero
	2100	70	Romero
	2400	70	Ediger

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	Ediger
	0600	70	T.Labbee
	0900	71	T.Labbee
	1200	73	T. Labbee
	1500	73	Quiroal
	1800	71	Quiroal
	2100	70	Quiroal
	2400	70	Villegas

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	Villegas
	0600	71	Tiffger
	0900	73	Tiffger
	1200	75	Tiffger
	1500	75	P. QUIRAL
	1800	75	P. QUIRAL
	2100	74	P. QUIRAL
	2400	72	D Santos

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	72	D. Santos
	0600	72	D. Santos
	0900	74	Labbee
	1200	76	Labbee
	1500	74	Quiroal
	1800	72	Quiroal
	2100	70	Quiroal
	2400	70	Osemos

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OF CALIFORNIA
.DE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70	Ediger
	0600	71	JUAREZ
	0900	71	Dobbins
	1200	74	Dobbins
	1500	75	Espinoza
	1800	77	Espinoza
	2100	75	Espinoza
	2400	70	Ediger

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	Ediger
	0600	69	Labbee
	0900	72	Labbee
	1200	75	Labbee
	1500	78.5	Espinoza
	1800	79	Espinoza
	2100	77	Espinoza
	2400	73	Chavez

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	72	CHAVEZ
	0600	73	U Corona
	0900	74	U Corona
	1200	74	U. Corona
	1500	77	M. Espinoza
	1800	78	M. Espinoza
	2100	77	M. Espinoza
	2400	70	R. MEDINA

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	76	R. MEDINA
	0600	73	U. Corona
	0900	74	J. GREENWOOD
	1200	74	U Corona
	1500	76	A. HEREDIA
	1800	77	A. HEREDIA
	2100	77	A. HEREDIA
	2400	74	Jimenez

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	74	J. Jimenez
	0600	72	Jimenez
	0900	72	Jimenez
	1200	73	Jimenez
	1500	74	Mataceja
	1800	75	Gonzalez
	2100	74	Mataceja
	2400	71	VILLEGAS

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	70	VILLEGAS
	0600	70	Dobbins
	0900	72	Dobbins
	1200	74	Dobbins
	1500	75	Espinoza
	1800	75	Espinoza
	2100	74	Espinoza
	2400	70	Ediger

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	Dobbins
	0600	70	Dobbins
	0900	72	Dobbins
	1200	75	Labbee
	1500	74	Espinoza
	1800	74	Espinoza
	2100	73	Espinoza
	2400	70	Ediger

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OF CALIFORNIA
DE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70	Edigar
	0600	70	Dobbins
	0900	72	Dobbins
	1200	74	Dobbins
	1500	75	Espinoza
	1800	74	Espinoza
	2100	74	Espinoza
	2400	70	Edigar

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	70	Edigar
	0600	70	Lasbee
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300		
	0600	90	Lasbee
	0900		Lasbee
	1200		Lasbee
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D2 Temp. Reading Location: 3rd Tier Top
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	74	N MONTANO
	0600	75	White
	0900	76	White
	1200	76	White
	1500	76	J Quinteros
	1800	76	J. Quinteros
	2100	75	J. Quinteros
	2400	74	N MONTANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

SEPTEMBER 2024

Attachment C

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D2 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5344 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	73	N MONTANO
	0600	74	J. Jimenez
	0900	73	J. Jimenez
	1200	74	J. Jimenez
	1500	75	A. Lima
	1800	76	A. Lima
	2100	75	A. Lima
	2400	74	N MONTANO

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	73	N MONTANO
	0600	74	V. MARROQUIN
	0900	75	J. Jimenez
	1200	77	J. Jimenez
	1500	78°	J. Querada
	1800	77	J. Querada
	2100	76°	J. Querada
	2400	75	N. MONTANO

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	73	N MONTANO
	0600	73	J. Jimenez
	0900	75	J. Jimenez
	1200	76	J. Jimenez
	1500	77	J Querada
	1800	78	J Querada
	2100	77	J Querada
	2400	77	N MONTANO

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	75	N MONTANO
	0600	76	J. Jimenez
	0900	76	J. Jimenez
	1200	78	J. Jimenez
	1500	79	C. HIRATTA
	1800	81	C. HIRATTA
	2100	80	C. HIRATTA
	2400	78	H. CASIZCAS

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	75	H. CASIZCAS
	0600	75°	VANG
	0900	76°	VANG
	1200	77°	VANG
	1500	80	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	73°	C. Miller

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	73°	C. Miller
	0600	73°	D. White
	0900	74°	D. White
	1200	76	D White
	1500	78	C. HIRATTA
	1800	77	C. HIRATTA
	2100	78	C. HIRATTA
	2400	78	N MONTANO

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	78	N MONTANO
	0600	76°	D. White
	0900	76°	D. White
	1200	76°	D. White
	1500	76	A. Lima
	1800	75	A. Lima
	2100	74	A. Lima
	2400	73	Edger

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

SEPTEMBER 2024

Attachment C

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D2 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/	0300	73	Edgar
	0600	73	J. Jimenez
	0900	74	J. Jimenez
9/	1200	74	J. Jimenez
	1500	78	AGUILAR
24	1800	76	AGUILAR
	2100	76	AGUILAR
	2400	74°	AMARO

Tuesday

Date	Time	Temp.	Name (Print)
9/	0300	75°	AMARO
	0600	70	J. Jimenez
10/	0900	70	J. Jimenez
	1200	70	J. Jimenez
	1500	71	Querada
24	1800	72	Querada
	2100	72	Querada
	2400	71	AMARO

Wednesday

Date	Time	Temp.	Name (Print)
9/	0300	69	AMARO
	0600	70	J. Jimenez
11/	0900	71	J. Jimenez
	1200	72	J. Jimenez
	1500	72°	J. Querada
24	1800	70°	J. Querada
	2100	70°	J. Querada
	2400	70	Edgar

Thursday

Date	Time	Temp.	Name (Print)
9/	0300	70	Edgar
	0600	69	Corona
12/	0900	69	Corona
	1200	70	Corona
	1500	70	Cruz
24	1800	71	Cruz
	2100	70	Cruz
	2400	70	Edgar

Friday

Date	Time	Temp.	Name (Print)
9/	0300	70	Edgar
	0600	70	Jimenez
13/	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Cruz
24	1800	69	Cruz
	2100	69	Cruz
	2400	70	VILLEGAS

Saturday

Date	Time	Temp.	Name (Print)
9/	0300	70	VILLEGAS
	0600	68°	VILLEGAS
14/	0900	70°	X. VANG
	1200	72°	X. VANG
	1500	71	Cruz
24	1800	71	Smith
	2100	71	Smith
	2400	70	Amaro

Sunday

Date	Time	Temp.	Name (Print)
9/	0300	70	Amaro
	0600	70	X. XIONG
15/	0900	70	X. XIONG
	1200	72	X. XIONG
	1500	72	E. GUMALA
24	1800	72	E. GUMALA
	2100	71	E. GUMALA
	2400	70	Cruz

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: BDD30D5F-06F1-4700-82CD-817BC440C2DF

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJSP Housing Unit: D2 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5348 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	69°	LARA
	0600	70°	Hill
	0900	70°	Hill
	1200	70°	Hill
	1500	70	Corona.
	1800	70	Corona.
	2100	69	Corona.
	2400	70	Ediger

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	70	Ediger
	0600	70°	Lemus
	0900	70°	Lemus
	1200	70°	Lemus
	1500	71°	Matoreg
	1800	70	T. Cabbee
	2100	70	T. Cabbee
	2400	70	Ediger

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	70	Ediger
	0600	70	Lemus
	0900	70	Lemus
	1200	[illegible]	Lem
	1500	70°	Cruz
	1800	69°	Smith
	2100	69°	Smith
	2400	70	Ediger

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	70	Ediger
	0600	70°	~~Lemus~~
	0900	70°	Lemus
	1200	70°	Lemus
	1500	70°	Cruz
	1800	69°	Cruz
	2100	69°	Cruz
	2400	70	Ediger

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	70	Ediger
	0600	70	Reyes
	0900	70	Reyes
	1200	70	Reyes
	1500	70°	Cruz
	1800	70°	Cruz
	2100	69°	Cruz
	2400	70	D. Sean

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	70	Sparks
	0600	69°	Reyes
	0900	70	Reyes
	1200	70	Reyes
	1500		
	1800		
	2100		
	2400	70	Sparks

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	70	D. Sean
	0600	70°	Hill
	0900	70°	Hill
	1200	70°	Hill
	1500	71°	XIONG
	1800	71°	XIONG
	2100	69°	XIONG
	2400	70	Ediger

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: BDD30D5F-06F1-4700-82CD-817BC440C2DF

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5244 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	70	Edinger
	0600	72	Dobbins
	0900	73	Dobbins
	1200	73	Dobbins
	1500	72	L. CASTRO
	1800	72	L. CASTRO
	2100	74	L. CASTRO
	2400	70	Edinger

Tuesday

Date	Time	Temp.	Name (Print)
9-24	0300	70	Edinger
	0600	70°	Lewis
	0900	70°	Lewis
	1200	70°	Lewis
	1500	74°	Matacena
	1800	76°	Matacena
	2100	76°	Matacena
	2400	74	CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
9-25	0300	73	CHAVEZ
	0600	70°	Reyes
	0900	74	Reyes
	1200	79	Reyes
	1500	70	Cruz
	1800	71	Cruz
	2100	75	Cruz
	2400	70°	R. MEDINA

Thursday

Date	Time	Temp.	Name (Print)
9-26	0300	70	medina
	0600	69	Reyes
	0900	72	Cruz
	1200	74	Reyes
	1500	72	Smith
	1800	71	Smith
	2100	71	Smith
	2400	70	Gutierrez

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	71	Reyes
	1200	72	Reyes
	1500	72	Smith
	1800	71	Smith
	2100	72	Smith
	2400	70	VILLEGAS

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	70°	VILLEGAS
	0600	70°	LARO
	0900	72	LARO
	1200	75	LARO
	1500	75	Vang
	1800	74	Vang
	2100	74	Vang
	2400	72	Palomo

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	69	Palomo
	0600	70°	Hill
	0900	70°	Hill
	1200	70°	Hill
	1500	70	Vang
	1800	70	Vang
	2100	70	Vang
	2400	69	Palomo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachmer
DEPARTMENT OF CORRECTIONS AND REHABILITATIO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D2 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/29	0300	69	Montano
	0600	73	LARO
	0900	73	LARO
	1200	72	LARO
	1500	71	Castro
	1800	71	Castro
	2100	71	Castro
	2400	69	Montano

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachme

DEPARTMENT OF CORRECTIONS AND REHABILITATI

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D3 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	69	Amaro
	0600	74	Lima
	0900	75	Lima
	1200	74	Lima
	1500	74	Moreno
	1800	73	Moreno
	2100	72	Moreno
	2400	69	Amaro

Notes

DISTRIBUTION: *Original Institution Heat Plan Coordinator*

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: DFB3 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	78	Sanchez
	0600	76	Salmeron
	0900	77	Salmeron
	1200	77	Salmeron
	1500	77	Juarez
	1800	74	Juarez
	2100	74	Juarez
	2400	74	Sanchez

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	94	Sanchez
	0600	74	J. Salmeron
	0900	75	A. Lima
	1200	76	Salmeron
	1500	76	Juarez
	1800	74	Juarez
	2100	73	Juarez
	2400	73	Gutierrez

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	72	Gutierrez
	0600	72	Gutierrez
	0900	75	Salmeron
	1200	79	GONZALES
	1500	76	J. Salmeron
	1800	76	J. Salmeron
	2100	74	J. Salmeron
	2400	72	Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	72	Gutierrez
	0600	72	Gutierrez
	0900	78	GONZALES
	1200	78	GONZALES
	1500	77	Juarez
	1800	77	Juarez
	2100	76	Juarez
	2400	76	Gutierrez

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	74	Gutierrez
	0600	74	Gutierrez
	0900	75	A. Lima
	1200	76	A. Lima
	1500	80	Tafoya
	1800	81	Corona.
	2100	71	Corona.
	2400	76	Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	75	Gutierrez
	0600	74	Gutierrez
	0900	76	PEÑA
	1200	82	PEÑA
	1500	82	Y. XIONG
	1800	81	Y. XIONG
	2100	79	Y. XIONG
	2400	76	O. Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	79	Gutierrez
	0600	69	J. Salmeron
	0900	72	A. Lima
	1200	74	A. Lima
	1500	75	Labbee
	1800	76	Labbee
	2100	76	Labbee
	2400	78	Sanchez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: DFB3 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	77	Sandy
	0600	74	J. Salmeron
	0900	75	J. Salmeron
	1200	80	A. Lima
	1500	79	Juarez
	1800	76	Juarez
	2100	74	Juarez
	2400	78	Sandy

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	78	Sandy
	0600	78	A. Lima
	0900	78	A. Lima
	1200	78	A. Lima
	1500	77	Juarez
	1800	77	Juarez
	2100	75	Juarez
	2400	72	Gutierrez

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	72	Gutierrez
	0600	72	Gutierrez
	0900	74	J Salmeron
	1200	74	A. Lima
	1500	73	Juarez
	1800	71	Juarez
	2100	70	Juarez
	2400	70	Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	69	Gutierrez
	0600	69	Gutierrez
	0900	72	M. GONZALES
	1200	74	J. Salmeron
	1500	78	Juarez
	1800	78	Corona
	2100	77	Corona
	2400	78	Gutierrez

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	70	Corona
	1200	71	Corona
	1500	72	Corona
	1800	74	Corona
	2100	74	Corona
	2400	70	Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	70	Gutierrez
	0600	64	AGUILAR
	0900	68	AGUILAR
	1200	74	AGUILAR
	1500	74	CORONA
	1800	74	Moreno
	2100	74	Moreno
	2400	73	J. Palma

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	74	Gutierrez
	0600	74	Gutierrez
	0900	75	A. Lima
	1200	75	A. Lima
	1500	76	T. Lopez
	1800	76	T. Lopez
	2100	76	T. Lopez
	2400	73	J. Palma

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: DFB3 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	72	Suitey
	0600	69°	J. Salmeron
	0900	70	A. Lima
	1200	73°	J. Salmeron
	1500	75	Juarez
	1800	72	Juarez
	2100	70	Juarez
	2400	69	Gutierrez

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	69	Gutierrez
	0600	72	A. Lima
	0900	73	J. Salmeron
	1200	74	J. Salmeron
	1500	74	Juarez
	1800	73	Juarez
	2100	72°	Juarez
	2400	70	Gutierrez

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	72°	J. Salmeron
	1200	74°	J. Salmeron
	1500	74	Xiong
	1800	73	Xiong
	2100	72°	Xiong
	2400	70	Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	67	M. GONZALES
	1200	70°	J. Salmeron
	1500	68	Corona
	1800	68	Corona
	2100	67	Corona
	2400	67	Gutierrez

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	72	Gutierrez
	0600	73	A. Lima
	0900	75	A. Lima
	1200	73	V. Corona
	1500	75	Y. Xiong
	1800	76	Y. Xiong
	2100	74	Y. Xiong
	2400	74	Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	69°	M. Cervantes
	1200	75°	M. Cervantes
	1500	75	J. Rombova
	1800	75	J. Rombova
	2100	74	J. Rombova
	2400	72	Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	73	Gutierrez
	0600	74°	A. Lima
	0900	75°	Amanza
	1200	75°	Amanza
	1500	75	Labbee
	1800	75	Labbee
	2100	73	Labbee
	2400	72	Sails

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: DFB3 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	72	Gutierrez
	0600	72	Lima
	0900	74	Lima
	1200	75	Lima
	1500	76	Juarez
	1800	75	Juarez
	2100	73	Juarez
	2400	73	Sanky

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	77	Sanky
	0600	73	Salmeron
	0900	74	Salmeron
	1200	75	Salmeron
	1500	74	Juarez
	1800	74	Juarez
	2100	72	Juarez
	2400	70	Gutierrez

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	73	M. GONZALES
	1200	76	M. GONZALES
	1500	76	D. Hernandez
	1800	76	D. Hernandez
	2100	75	D. Hernandez
	2400	70	Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	70	M. GONZALES
	1200	73	J. Salmeron
	1500	72	CASTRO
	1800	72	G. Juarez
	2100	73	G. Juarez
	2400	70	Gutierrez

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	72	Lima
	1200	73	Lima
	1500	70	CASTRO
	1800	70	CASTRO
	2100	71	CASTRO
	2400	70	Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70	Gutierrez
	0600	70	Lima
	0900	72	U. Corona
	1200	74	U. Corona
	1500	74	D. Hernandez
	1800	75	R. MEDINA
	2100	74	R. MEDINA
	2400	74	Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	74	Gutierrez
	0600	72	Gutierrez
	0900	72	Lima
	1200	74	Lima
	1500	74	Hernandez
	1800	74	Labbe
	2100	73	Labbe
	2400	73	Sanky

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachmer
DEPARTMENT OF CORRECTIONS AND REHABILITATIO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D3 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/30/19	0300	70	Santos
	0600	73	Salmeron
	0900	73	Salmeron
	1200	73	Salmeron
	1500	72	Juarez
	1800	72	Juarez
	2100	72	Juarez
	2400	70	Santos

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

Attachmen
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D4 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/21	0300	69	VANG
	0600	74	Garcia
	0900	74	Garcia
	1200	74	Garcia
	1500	73	Serrano
	1800	72	Serrano
	2100	72	Serrano
	2400	69	VANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERA RE RD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be h (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on th risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D-B4 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier

Immediately notify the Watch Commander at extension 5245 when the inside air temperature rea 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	77	F. Cortes
	0600	77	M Parra
	0900	77	M Parra
	1200	77	M Parra
	1500	77	M Parra
	1800	77	S. Serrano
	2100	75	S Serrano
	2400	76	S. Serrano
			F. Cortes

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/21	0300	70	F. Cortes
	0600	70	S Gonzalez
	0900	70	S Gonzalez
	1200	70	S Gonzalez
	1500	70	S Gonzalez
	1800	70	S Gonzalez
	2100	70	S Gonzalez
	2400	76	S Gonzalez
			S Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	75	F. Cortes
	0600	75°	J. Anwar
	0900	75°	J. Anwar
	1200	75°	J. Anwar
	1500	77	J. Anwar
	1800	77	Dominic
	2100	77	Dominic
	2400	77	Dominic
			Walters

Thursday

Date	Time	Temp.	Name (Print)
9/5/21	0300	77	Walters
	0600	77	H Aurora
	0900	78	H Aurora
	1200	78	H Aurora
	1500	78	H Aurora
	1800	78	J Bulman
	2100	78	J Rodriguez
	2400	77	J Rodriguez
			Walters

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	77	Walters
	0600	77	H Aurora
	0900	78	H Aurora
	1200	78	H Aurora
	1500	78	H Aurora
	1800	78	Dominic
	2100	78	Dominic
	2400	77	Dominic
			Aintanilla

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	76	Aintanilla
	0600	77	H Aurora
	0900	78	H Aurora
	1200	78	H Aurora
	1500	78	H Aurora
	1800	78	M Gaona
	2100	78	M Gaona
	2400	77	M Gaona
			B. Lorenzo

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	77	B. Lorenzo
	0600	76	B. Lorenzo
	0900	76°	B. Lorenzo
	1200	77°	H. Montenegro
	1500	77°	H Montenegro
	1800	78	H Montenegro
	2100	79	C. Gaona
	2400	78	C. Gaona
			Walters

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-a5C6-EE1BEBAFCF2D

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D-4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	78	Walters
	0600	78	Walters
	0900	79	Wm
	1200	78	Wm
	1500	80	Dominw
	1800	80	Dominw
	2100	79	Dominw
	2400	77	Walters

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	77	Walters
	0600	79	Wm
	0900	79	Wm
	1200	77	Wm
	1500	79	Dominw
	1800	79	Dominw
	2100	79	Dominw
	2400	77	Walters

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	77	Walters
	0600	76°	J. Anvilar
	0900	76°	J. Anvilar
	1200	76°	J. Anvilar
	1500	73	Dominw
	1800	73	Dominw
	2100	73	Dominw
	2400	73	Walters

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	73	Walters
	0600	73	H Aurion
	0900	74	H Aurion
	1200	77	H Aurion
	1500	75	J Rodriguez
	1800	75	J Rodriguez
	2100	75	J Rodriguez
	2400	75	Walters

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	76	Walters
	0600	76	H Aurion
	0900	76	H Aurion
	1200	76	H Aurion
	1500	74	A Mendiola
	1800	75	A. Mendiola
	2100	75	A Mendiola
	2400	72	Quintanilla

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	72	Quintanilla
	0600	74	H Aurion
	0900	76	H Aurion
	1200	76	H Aurion
	1500	76	H Aurion
	1800	76	H Aurion
	2100	75	H Aurion
	2400	74	B. Corner

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	77	B. Corner
	0600	73	H Aurion
	0900	76	H Aurion
	1200	76	H Aurion
	1500	76	E. Osmora
	1800	76	E. Osmora
	2100	75	E Osmora
	2400	75	Walters

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D-4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	75	Walters
	0600	76	VEON
	0900	76	VEON
	1200	74	VEON
	1500	75	G. AGUILAR
	1800	75	C. MUIR
	2100	75	C. MUIR
	2400	73	Walters

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	75	Walters
	0600	74	VEON
	0900	76	VEON
	1200	76	VEON
	1500	70	J. MIN
	1800	70	J. MIN
	2100	70	J. MIN
	2400	73	Walters

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	73	Walters
	0600	76°	J. AGUILAR
	0900	76°	J. AGUILAR
	1200	76°	J. AGUILAR
	1500	70	J. MIN
	1800	70	J. MIN
	2100	70	J. MIN
	2400	72	Walters

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	72	Walters
	0600	72	N. Aguirre
	0900	74	N. Aguirre
	1200	74	N. Aguirre
	1500	70	J. Rodgers
	1800	70	J. Rodgers
	2100	70	J. Rodgers
	2400	70	Walters

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	Walters
	0600	70	N. Aguirre
	0900	74	N. Aguirre
	1200	74	N. Aguirre
	1500	74	Muah
	1800	73	Muah
	2100	73	Muah
	2400	73	Quintanilla

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	73	Quintanilla
	0600	72	N. Aguirre
	0900	72	N. Aguirre
	1200	71	N. Aguirre
	1500	74	ESPINOSA
	1800	72	ESPINOSA
	2100	70	ESPINOSA
	2400	70	Burnett

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	Burnett
	0600	70	N. Aguirre
	0900	72	N. Aguirre
	1200	71	N. Aguirre
	1500	73	E. ESPINOSA
	1800	73	E. ESPINOSA
	2100	72	E. ESPINOSA
	2400	72	Walters

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: C09C1571-A1E2-4D50-95C6-EE1BEBAFCF2D

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RVSP Housing Unit: D-4 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	77	Walters
	0600	75	Tron
	0900	75	Tron
	1200	75	Tron
	1500	78	Dominic
	1800	78	Dominic
	2100	78	Dominic
	2400	77	Walters

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	77	Walters
	0600	72	Tron
	0900	74	Tron
	1200	74	Tron
	1500	78	Dominic
	1800	78	Dominic
	2100	76	Dominic
	2400	75	Walters

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	75	Walters
	0600	75°	J. Armijo
	0900	75°	J. Armijo
	1200	75°	J. Armijo
	1500	77	Dominic
	1800	77	Dominic
	2100	77	Dominic
	2400	77	Walters

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	76	Walters
	0600	76	H. Aurom
	0900	76	H. Aurom
	1200	75	H. Aurom
	1500	76	Dominic
	1800	76	Dominic
	2100	76	Dominic
	2400	76	Walters

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	76	Walters
	0600	75	H. Aurom
	0900	75	H. Aurom
	1200	75	H. Aurom
	1500	76	S. Castillo
	1800	78	S. Castillo
	2100	77	S. Castillo
	2400	76°	Quintanilla

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	76°	Quintanilla
	0600	75°	H. Aurom
	0900	75	H. Aurom
	1200	75°	H. Aurom
	1500	75	White
	1800	75	White
	2100	75	White
	2400	74	B. Lorell

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	73	B. Lorell
	0600	72°	H. Aurom
	0900	75°	H. Aurom
	1200	75°	H. Aurom
	1500	76°	E. Espinoza
	1800	76°	E. Espinoza
	2100	75°	E. Espinoza
	2400	76	Walters

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERA RE RD.
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be h (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on th risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D-4 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier

Immediately notify the Watch Commander at extension 5344 when the inside air temperature rea 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	75	Walters
	0600	75	W
	0900	75	W
	1200	75	W
	1500	75	Dominc
	1800	75	Dominc
	2100	75	Dominc
	2400	75	Walters

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachmer
DEPARTMENT OF CORRECTIONS AND REHABILITATIO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D5 Temp. Reading Location: 2nd TR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5546 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/21	0300	70	Delvillar
	0600	73	Garcia
	0900	73	Garcia
	1200	73	Garcia
	1500	72	Medina
	1800	72	Medina
	2100	72	Medina
	2400	70	Delvillar

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D5 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	73	B. CORNELL
	0600	73	B. CORNELL
	0900	73	J. Pantoja
	1200	73	J. Pantoja
	1500	77	C. KOCH
	1800	77	C. KOCH
	2100	78	C. KOCH
	2400	73	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	73	[illegible]
	0600	75	G. Welch
	0900	75	G. Welch
	1200	76	G. Welch
	1500	77	C. Koch
	1800	78	C. Koch
	2100	78	C. Koch
	2400	79	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	74	[illegible]
	0600	74	G. Welch
	0900	75	G. Welch
	1200	77	G. Welch
	1500	78	C. Koch
	1800	79	C. Koch
	2100	79	C. Koch
	2400	75	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	74	[illegible]
	0600	74	G. Welch
	0900	75	G. Welch
	1200	75	G. Welch
	1500	76	J. Pantoja
	1800	74	J. Pantoja
	2100	79	J. Pantoja
	2400	74	R. Kim

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	74	R. Kim
	0600	74	G. Welch
	0900	75	G. Welch
	1200	77	G. Welch
	1500	77	E. ESPINOZA
	1800	78	E. ESPINOZA
	2100	78	E. ESPINOZA
	2400	78	DEL VILLAR

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	76	DEL VILLAR
	0600	74	ESPINOZA
	0900	75	ESPINOZA
	1200	75	ESPINOZA
	1500	77	HUYNH
	1800	78	HUYNH
	2100	80	HUYNH
	2400	76	HERRERA

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	~~76~~ 77	D. Fuhrman Herrera
	0600	76	L. Perez
	0900	77.1	J. CASTEIBLANCO
	1200	78.8	J. CASTEIBLANCO
	1500	79	J. Tafoya
	1800	80	Tafoya
	2100	80	Tafoya
	2400	75	Herrera

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	79	Herrera
	0600	76	S. Serna
	0900	77	S. Serna
	1200	78	S. Serna
	1500	79	R. Correa
	1800	80	R. Correa
	2100	80	R. Correa
	2400	78°	Espinoza

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	75°	Herrera
	0600	75	S. Serna
	0900	77	S. Serna
	1200	77	S. Serna
	1500	79	R. Correa
	1800	80°	R. Correa
	2100	80°	R. Correa
	2400	79°	Espinoza

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	78	Espinoza
	0600	75	S. Serna
	0900	76	S. Serna
	1200	76	S. Serna
	1500	75	R. Correa
	1800	75	R. Correa
	2100	75	R. Correa
	2400	75	J. Espinoza

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	75	Espinoza
	0600	73	S. Serna
	0900	73	S. Serna
	1200	73	S. Serna
	1500	73	S. Stockton
	1800	74	S. Stockton
	2100	74	S. Stockton
	2400	72	J. Espinoza

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	72	J. Espinoza
	0600	72	M. Farfa
	0900	72	S. Serna
	1200	72	M. Farfa
	1500	73	M. Farfa
	1800	74	E. Limon
	2100	73	E. Limon
	2400	73	J. Espinoza

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	73	J. Espinoza
	0600	73	M. Farfa
	0900	73	M. Farfa
	1200	73	E. Ibarra
	1500	74	Contreras
	1800	73	Contreras
	2100	73	Contreras
	2400	73	J. Espinoza

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	73	J. Espinoza
	0600	73	U. Corona
	0900	73	U. Corona
	1200	74	U. Corona
	1500	75	T. Vang
	1800	75	T. Vang
	2100	75	T. Vang
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300		
	0600	72	S. Serna
	0900	72	S. Serna
	1200	72	S. Serna
	1500	72	R. Cooper
	1800	72	Jafox
	2100	72	Jafox
	2400	71	J. Espinoza

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	71	J. Espinoza
	0600	68	S. Serna
	0900	69	S. Serna
	1200	70	S. Serna
	1500	70	R. Cooper
	1800	71	R. Cooper
	2100	71	R. Cooper
	2400	71	J. Espinoza

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	70°	J. Espinoza
	0600	69°	C. Carrera
	0900	70°	C. Carrera
	1200	70°	C. Carrera
	1500	71	D. Hurtado
	1800	72	D. Hurtado
	2100	72	D. Hurtado
	2400	71	J. Espinoza

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	71	J. Espinoza
	0600	70	S. Serna
	0900	71	S. Serna
	1200	72	C. Carrera
	1500	72	D. Martinez
	1800	72	D. Martinez
	2100	71	D. Martinez
	2400	71	J. Espinoza

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	70	J. Espinoza
	0600	71	P. Aguirre
	0900	72	P. Aguirre
	1200	72	S. Serna
	1500	73	E. Limon
	1800	73	E. Limon
	2100	72	E. Limon
	2400		

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	71	P. Aguirre
	0600	71	P. Aguirre
	0900	71	M. Farfan
	1200	71	M. Farfan
	1500	71	M. Farfan
	1800	73	Jafox
	2100	75	Jafox
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300		
	0600	73	U. Corona
	0900	73	T. Mora
	1200	74	T. Mora
	1500	75	T. Mora
	1800	75	T. Mora
	2100	74	T. Mora
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSP Housing Unit: D5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	72	SANTOS
	0600	73°	S. Serna
	0900	74	G. Cornejo
	1200	75	G. Cornejo
	1500	76°	R. Cortez
	1800	76°	R. Cortez
	2100	76°	R. Garcia
	2400	75	J. ESPINOSA

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	74	J. ESPINOSA
	0600	73	S. Serna
	0900	74	S. Serna
	1200	75	S. Serna
	1500	78°	R. Cortez
	1800	78	R. GARCIA
	2100	78	R. GARCIA
	2400	76	M. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	73	CHAVEZ
	0600	74	S. Serna
	0900	74°	G. Cornejo
	1200	75°	S. Serna
	1500	76°	G. Cornejo
	1800	77°	R. Cortez
	2100	76°	R. Cortez
	2400	74	K. MEDINA

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	73	M. MEDINA
	0600	72°	S. Serna
	0900	73°	G. Cornejo
	1200	74	S. Serna
	1500	74°	R. Cortez
	1800	74°	R. Cortez
	2100	74°	R. Cortez
	2400	70	Gutierrez

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	72	S. Serna
	1200	73	P. AGUERRO
	1500	73	E. Limon
	1800	73	E. Limon
	2100	72	E. Limon
	2400	70°	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	73	[illegible]
	0600	73	[illegible]
	0900	73	[illegible]
	1200	73	[illegible]
	1500	73	[illegible]
	1800	73	Tafoya
	2100	73	Tafoya
	2400	70°	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	69°	DeVillar
	0600	70°	M. GAMBOA
	0900	71°	V. Corona
	1200	73	V. Corona
	1500	74°	tafoya
	1800	75°	tafoya
	2100	73°	tafoya
	2400	73°	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	72°	Delurm
	0600	[illegible]	C. Cepren
	0900	76°	C. Cepren
	1200	73°	C. Cepren
	1500	74°	R. Garcia
	1800	74°	TA Fryer
	2100	73°	TA Fryer
	2400	72°	LALA

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: Dorm 1 Temp. Reading Location: Day room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	73	A. Alvarez
	0600	75	T. Lykens
	0900	75	T. Lykens
	1200	75	T. Lykens
	1500	78	M. GAMBOA
	1800	78	M. GAMBOA
	2100	80	M. GAMBOA
	2400	78	A. Alvarez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RVSP Housing Unit: Dorm 1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	74	A Trujillo
	0600	77	T. Lukens
	0900	77	T. Lukens
	1200	77	T. Lukens
	1500	80	Fosbery
	1800	80	Fosbery
	2100	80	Fosbery
	2400	78	A Trujillo

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	78	A Trujillo
	0600	76°	T. Lukens
	0900	76°	T. Lukens
	1200	76°	T. Lukens
	1500	80	Fosbery
	1800	80	Fosbery
	2100	80	Fosbery
	2400	74	Childers

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	74	Childers
	0600	75°	R. Diaz
	0900	76°	R. Diaz
	1200	77°	R. Diaz
	1500	80	Fosbery
	1800	80	Fosbery
	2100	80	Fosbery
	2400	75	Childers

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	75°	Childers
	0600	77°	Diaz
	0900	77°	Diaz
	1200	79°	Diaz
	1500	80	Meyst
	1800	80	Meyst
	2100	80	Meyst
	2400	75	Childers

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	75	Childers
	0600	80	T. Lukens
	0900	80	T. Lukens
	1200	80	T. Lukens
	1500	83	J. Meyst
	1800	83	J. Meyst
	2100	81	J. Meyst
	2400	80	Almeraz

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	80	Almeraz
	0600	81°	T. Lukens
	0900	83°	T. Lukens
	1200	83°	T. Lukens
	1500	83	Tello
	1800	83	Tello
	2100	83	Tello
	2400	83	Almeraz

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	83	Almeraz
	0600	82°	T. Lukens
	0900	83°	T. Lukens
	1200	84°	T. Lukens
	1500	83°	M. Palacios
	1800	84°	M. Palacios
	2100	84°	M. Palacios
	2400	83°	Childers

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: Dorm 1 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	83°	CHILDERS
	0600	82°	Lukens
	0900	83°	Lukens
	1200	83°	Lukens
	1500	83	Fosbey
	1800	83	Fosbey
	2100	83	Fosbey
	2400	82	CHILDERS

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	81°	CHILDERS
	0600	80	M Rodriguez
	0900	77	M Rodriguez
	1200	79	M Rodriguez
	1500	81	Fosbey
	1800	81	Fosbey
	2100	81	Fosbey
	2400	80	Vuna

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	81	Vuna
	0600	74°	Diaz
	0900	74°	Diaz
	1200	74°	Diaz
	1500	78	Fosbey
	1800	78	Fosbey
	2100	78	Fosbey
	2400	77°	CHILDERS

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	77	CHILDERS
	0600	73°	Diaz
	0900	73°	Diaz
	1200	74°	Diaz
	1500	75	Meyst
	1800	75	Meyst
	2100	75	Meyst
	2400	73	CHILDERS

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	73	CHILDERS
	0600	73	R Dominguez
	0900	74	R. Dominguez
	1200	75.4	R. Dominguez
	1500	76	Meyst
	1800	76	Meyst
	2100	76	Meyst
	2400	76	Almeraz

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	76	Almeraz
	0600	73°	Escandon
	0900	74°	Escandon
	1200	76°	Escandon
	1500	76°	S. Vang
	1800	76°	S. Vang
	2100	76	S. Vang
	2400	76	A. Almeraz

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	76	A. Almeraz
	0600	76°	Lukens
	0900	75°	Lukens
	1200	75°	Lukens
	1500	75	X. Thao
	1800	75	X. Thao
	2100	75	X. Thao
	2400	76	A. Almeraz

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: Dorm 1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	68	A Tenorio
	0600	73	Lukens
	0900	74	Lukens
	1200	74	Lukens
	1500	75	Foshery
	1800	75	Foshery
	2100	75	Foshery
	2400	74	CHUNEN

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	74	CHUNEN
	0600	70	VPEREZ
	0900	69	VPEREZ
	1200	72	VPEREZ
	1500	72	Foshery
	1800	72	Foshy
	2100	72	Fosh
	2400	71	CHUNEN

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	CHUNEN
	0600	70	Abello
	0900	70	Abello
	1200	70	Abello
	1500	75	SANDOVAL
	1800	75	Foshery
	2100	75	Foshy
	2400	74	CHUNEN

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	73	CHUNEN
	0600	71°	DIAZ
	0900	71°	DIAZ
	1200	73	DIAZ
	1500	74	NEUST
	1800	74	NEUST
	2100	74	NEUST
	2400	73	CHUNEN

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	73	CHUNEN
	0600	71°	Lukens
	0900	73°	Lukens
	1200	73°	Lukens
	1500	74°	NEUST
	1800	74°	NEUST
	2100	74	NEUST
	2400	74	A Almeraz

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	74	A Almeraz
	0600	73°	Lukens
	0900	73°	Lukens
	1200	73°	Lukens
	1500	76	S. Spocken
	1800	76	S. Spocken
	2100	76	S. Spocken
	2400	70	A Almeraz

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	A Almeraz
	0600	73	Lukens
	0900	73°	Lukens
	1200	74°	Lukens
	1500	75	M Rodriguez
	1800	76	M Rodriguez
	2100	75	M Rodriguez
	2400	74	A Tenorio

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RUSP Housing Unit: Dorm 1 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	73°	A. Tasho
	0600	73°	Lukens
	0900	73°	Lukens
	1200	74°	Lukens
	1500	75	Fosbery
	1800	75	Fosbery
	2100	75	Fosbery
	2400	74	Childers

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	73	Childers
	0600	73	Del Villar
	0900	75	Del Villar
	1200	73	Del Villar
	1500	75	Fosbery
	1800	75	Fosbery
	2100	75	Fosbery
	2400	74	Childers

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	74	Childers
	0600	74	Escandon
	0900	76.9	Escandon
	1200	76	Escandon
	1500	76	Fosbery
	1800	76	Fosbery
	2100	76	Fosbery
	2400	75	Childers

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	73	Childers
	0600	73°	Diaz
	0900	73°	Diaz
	1200	74°	Diaz
	1500	74	J Meyst
	1800	74	J Meyst
	2100	74	J Meyst
	2400	73	Childers

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	73	Childers
	0600	72°	Lukens
	0900	73°	Lukens
	1200	73°	Lukens
	1500	74	Meyst
	1800	74	Meyst
	2100	74	Meyst
	2400	73	Childers

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	75	A. Almarez
	0600	74	Lukens
	0900	72	Lukens
	1200	72	Lukens
	1500	75	S. Lang
	1800	75	S. Lang
	2100	75	S. Lang
	2400	73	A. Almarez

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	75	A. Almarez
	0600	75	Lukens
	0900	76	Lukens
	1200	76	Lukens
	1500	75	X Thao
	1800	75	X Thao
	2100	75	X Thao
	2400	73	J. Schwarz

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: Dorm 1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	73°	J Estrada
	0600	73°	J Lukens
	0900	73°	J Lukens
	1200	70°	J Lukens
	1500	75	Fosberg
	1800	76	Fosberg
	2100	76	Fosberg
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8DD30D5F-06F1-4700-82CD-817BC440C2DF

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: 1A-2 Temp. Reading Location: 2nd Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5376 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/14	0300	75	VANG
	0600	75	S. VANG
	0900	75	S. VANG
	1200	75	S. VANG
	1500	76	S. VANG
	1800	76	S. VANG
	2100	76	S. VANG
	2400	75	S. VANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: M-2 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	70	Blanco
	0600	70	S.VANG
	0900	70	S.VANG
	1200	76	S.VANG
	1500	76	X-THAO
	1800	75	X Thao
	2100	78	X Thao
	2400	75	Blanco

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	75	Blanco
	0600	75	S.VANG
	0900	75	S.VANG
	1200	75	S.VANG
	1500	75	X-THAO
	1800	75	X-THAO
	2100	75	X-THAO
	2400	75	D.GARZA

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	75	D.GARZA
	0600	75	D.GARZA
	0900	76	UZON
	1200	76	UZON
	1500	78	MEDINA
	1800	79	MEDINA
	2100	79	MEDINA
	2400	78	GARZA

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	75	D.GARZA
	0600	75	D.GARZA
	0900	75	P.AGUIRRE
	1200	78	P.AGUIRRE
	1500	79	D.OLIVARES
	1800	77	D.OLIVARES
	2100	70	D.OLIVARES
	2400	75	D.GARZA

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	76	D.GARZA
	0600	76	D.GARZA
	0900	76	ESCANDON
	1200	76	ESCANDON
	1500	69	Lopez
	1800	69	Lopez
	2100	69	Lopez
	2400	70	D.GARZA

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	70	D.GARZA
	0600	70	D.GARZA
	0900	75	X-THAO
	1200	75	X-THAO
	1500	75	Lopez
	1800	75	Lopez
	2100	75	Lopez
	2400	75	Rios

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	75	Rios
	0600	78	S.VANG
	0900	78	S.VANG
	1200	78	S.VANG
	1500	78	S.VANG
	1800	78	S.VANG
	2100	78	S.VANG
	2400	78	A.Alvarez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: BDD30D5F-06F1-4700-82CD-817BC440C2DF

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: M-2 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	78	A. Almeraz
	0600	78	S. VANG
	0900	78	S. VANG
	1200	78	S. VANG
	1500	78	X. THAO
	1800	78	X. THAO
	2100	78	X. THAO
	2400	78	A. Almeraz

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	78	A. Almeraz
	0600	78	S. VANG
	0900	78	S. VANG
	1200	78	S. VANG
	1500	78	X. THAO
	1800	78	X. THAO
	2100	78	X. THAO
	2400	77	O. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	77	O. Garcia
	0600	77	VANG
	0900	77	VANG
	1200	77	VANG
	1500	76	A. Garcia
	1800	76	A. Garcia
	2100	76	A. Garcia
	2400	76	O. Garcia

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	76	O. Garcia
	0600	77	Robinson
	0900	77	Robinson
	1200	77	Robinson
	1500	75	A. Garcia
	1800	75	A. Garcia
	2100	75	A. Garcia
	2400	75	O. Garcia

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	74	O. Garcia
	0600	74	X. THAO
	0900	74	X. THAO
	1200	74	X. THAO
	1500	75	A. Garcia
	1800	75	A. Garcia
	2100	75	A. Garcia
	2400	75	J. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	74	J. Gonzalez
	0600	74	S. VANG
	0900	75	S. VANG
	1200	75	S. VANG
	1500	75	A. Garcia
	1800	75	A. Garcia
	2100	75	A. Garcia
	2400	74	A. Garcia

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	74	A. Garcia
	0600	74	S. VANG
	0900	74	S. VANG
	1200	74	S. VANG
	1500	75	A. Garcia
	1800	75	A. Garcia
	2100	75	A. Garcia
	2400	75	Almeraz

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: M-2 Temp. Reading Location: Dayroom (e.g., 1st tier/ 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	75	Almarez
	0600	75	S.VANG
	0900	75	S.VANG
	1200	75	S.VANG
	1500	73	X. THAO
	1800	73	X. THAO
	2100	73	X. THAO
	2400	73	Almarez

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	73	Almarez
	0600	75	S.VANG
	0900	75	S.VANG
	1200	75	X. THAO
	1500	75	X. THAO
	1800	75	X. THAO
	2100	75	X. THAO
	2400	75	D. GARZA

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	75	D. GARZA
	0600	75	D. GARZA
	0900	75	J. Alvarado
	1200	76	J. Alvarado
	1500	75	A Garza
	1800	74	A Garza
	2100	75	A Garza
	2400	75	D. GARZA

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	74	D. GARZA
	0600	72	P. AGUIRRE
	0900	69	P. AGUIRRE
	1200	71	P. AGUIRRE
	1500	74	D Garza
	1800	74	A Garza
	2100	74	A Garza
	2400	74	R Gomez

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	73	R Gomez
	0600	73	X. THAO
	0900	73	X. THAO
	1200	73	X. THAO
	1500	74	D. GARZA
	1800	74	D. GARZA
	2100	73	D. GARZA
	2400	73	D. GARZA

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	72	D. GARZA
	0600	71	W. VANG
	0900	71	L. VANG
	1200	71	W. VANG
	1500	72	K. VUE
	1800	74	K. VUE
	2100	74	K. VUE
	2400	72	D. GARZA

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	72	D. GARZA
	0600	73	S. VANG
	0900	73	S. VANG
	1200	73	S. VANG
	1500	75	W. VANG
	1800	76	W. VANG
	2100	73	W. VANG
	2400	73	A. Almarez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: BD030D5F-06F1-4700-B2CD-817BC440C2DF

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: M-2 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	73	A. Almaraz
	0600	74	S. VANG
	0900	75	S. VANG
	1200	75	S. VANG
	1500	75	S. VANG
	1800	75	S. VANG
	2100	75	S. VANG
	2400	75	A. Almaraz

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	75	A. Almaraz
	0600	75	S. VANG
	0900	75	S. VANG
	1200	75	S. VANG
	1500	78	X. THAO
	1800	75	X. THAO
	2100	78	X. THAO
	2400	75	D. GARZA

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	74	D. GARZA
	0600	74	D. GARZA
	0900	74	M Rodriguez
	1200	76	M Rodriguez
	1500	77	A. Garcia
	1800	77	A Garcia
	2100	77	A. Garcia
	2400	75	D. GARZA

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	74	D. GARZA
	0600	74	P. AGUERRE
	0900	72	P. AGUERRE
	1200	72	[illegible]
	1500	75	A. Garcia
	1800	74	A. Garcia
	2100	74	A Garcia
	2400	74	D. GARZA

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	74	D. GARZA
	0600	74	X. THAO
	0900	74	X. THAO
	1200	74	X. THAO
	1500	75	A. Garcia
	1800	75	A. Garcia
	2100	75	A. Garcia
	2400	75	J. PALMA

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	74	J. PALMA
	0600	75	S. VANG
	0900	76	S. VANG
	1200	75	S. VANG
	1500	75	A. Garcia
	1800	75	A. Garcia
	2100	75	A. Garcia
	2400	75	D. GARZA

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	75	A. BANDO
	0600	75	S. VANG
	0900	75	S. VANG
	1200	75	S. VANG
	1500	76	J. Bombara
	1800	76	J. Bombara
	2100	75	J. Bombara
	2400	76	A. Almaraz

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: M-2 Temp. Reading Location: Davracon
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5946 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/30/24	0300	76	A. ALVAREZ
	0600	76	S.VANG
	0900	76	S.VANG
	1200	76	S.VANG
	1500	78	X.THAO
	1800	78	X.THAO
	2100	78	X.THAO
	2400	77	A TRUJILLO

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	76	A TRUJILLO
	0600	76	S.VANG
	0900	76	S.VANG
	1200	76	S.VANG
	1500	78	X.THAO
	1800	78	X.THAO
	2100	78	X.THAO
	2400	76	D.GARZA

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	76	D.GARZA
	0600	76	J.PEREZ
	0900	76	J.Perez
	1200		
	1500	77	A.Garcia
	1800	77	A.Garcia
	2100	77	A.Garcia
	2400	76	D.GARZA

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	76	D.GARZA
	0600	75	P.AGUILAR
	0900	75	P.AGUILAR
	1200	75	P.AGUILAR
	1500	77	A.Garcia
	1800	77	A.Garcia
	2100	77	A.Garcia
	2400	76	D.GARZA

Friday

Date	Time	Temp.	Name (Print)
10/5/24	0300	76	D.GARZA
	0600	76	D.GARZA
	0900	76	D.GARZA
	1200	76	D.GARZA
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/6/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/7/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator