HEAT PLAN - MONTHLY SUMMARY REPORT

CDCR MH-7711-1 (02/17)

Monthly Summary Report

Institution: FOL

Memorandum

Date: October 9, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Folsom State Prison, September 2024

The following is a summary of the heat related activity for the month of September 2024,

at FOL (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 16

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

   Number of days Stage II Alert initiated: 4

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

J. Tuggle (A)	S. Keenan
Warden Name	Chief Executive Officer Name
DocuSigned by: Joseph Tuggle E40732FD46B94C4...	DocuSigned by: Stefanie Keenan 0AE30444FFF142B...
Warden Signature	Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Medical Rounds Log (Stage III)

Institution: FSP

Date: 08/26/2024-09/01/2024 Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☒ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1. n/a
2.
3.
4.

Date: Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☐ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1.
2.
3.
4.

Medical Rounds Log (Stage III)
CDCR MH-7711-3 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log

Institution: FSP Date: 08/26/2024-09/01/2024 Number of Heat Incidents: 0

1. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

2. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

3. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

4. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

5. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

6. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

7. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

8. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

9. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

10. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

11. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

12. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8.26.24	0100	66.7	C/O A. AITA
	0200	66.3	
	0300	65.7	
	0400	65.7	
	0500	65.2	
	0600	65.0	
	0700	62.4	Sullivan
	0800	65.7	
	0900	72.9	
	1000	75.2	
	1100	82.2	
	1200	85.4	
	1300	87.1	
	1400	88.2	Breaking
	1500	90.4	Breaking
	1600	91.2	Breaking
	1700	90.9	Breaking
	1800	90.5	Breaking
	1900	89.2	Breaking
	2000	84.5	Breaking
	2100	79.3	Breaking
	2200	76.4	D. Bickford
	2300	74.8	
	2400	73.2	

Date	Time	Temp.	Printed Name
8.27.24	0100	72.8	
	0200	71.6	
	0300	70.4	
	0400	69.8	
	0500	68.8	
	0600	67.5	B. HASKELL
	0700	68.1	
	0800	72.5	
	0900	76.5	
	1000	81.9	
	1100	85.7	
	1200	87.2	
	1300	90.5	B. HASKELL
	1400	92.4	[illegible]
	1500	94.1	
	1600	96.5	
	1700	97.2	
	1800	95.5	
	1900	92.4	
	2000	87.6	
	2100	83.7	[illegible]
	2200	78.0	Sullivan
	2300	77.7	
	2400	76.9	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-28-24	0100	76.2	Sullivan
	0200	76.0	
	0300	75.9	
	0400	74.5	
	0500	70.9	
	0600	72.3	B.HASKELL
	0700	71.9	
	0800	74.2	
	0900	78.5	
	1000	82.1	
	1100	88.9	
	1200	91.0	
	1300	94.3	B.HASKELL
	1400	95.6	Pierson
	1500	96.8	
	1600	96.7	
	1700	96.4	
	1800	96.0	
	1900	94.2	
	2000	89.2	
	2100	84.4	Pierson
	2200	80.5	Ly
	2300	77.9	Ly
	2400	76.7	Ly

Date	Time	Temp.	Printed Name
8-29-24	0100	75.6	Ly
	0200	73.2	Ly
	0300	71.5	Ly
	0400	71.0	Ly
	0500	69.3	Ly
	0600	68.1	B.HASKELL
	0700	67.3	
	0800	69.2	
	0900	71.1	
	1000	76.9	
	1100	80.8	
	1200	83.9	
	1300	88.5	B.HASKELL
	1400	92.7	J. McCoon
	1500	94.2	J. McCoon
	1600	97.1	
	1700	96.7	
	1800	95.7	
	1900	91.0	
	2000	87.6	
	2100	80.4	
	2200	78.0	c/o D Bickfs
	2300	74.8	
	2400	72.6	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/30	0100	71.4	c/o D Burkhard
	0200	70.4	
	0300	68.2	
	0400	66.8	
	0500	66.2	
	0600	65.5	B. HASKELL
	0700	65.2	
	0800	68.5	
	0900	71.6	
	1000	75.5	
	1100	80.1	
	1200	85.8	
	1300	87.9	B.HASKELL
	1400	93.6	R CARTER
	1500	94.1	
	1600	96.3	
	1700	96.6	
	1800	95.7	
	1900	92.5	
	2000	86.2	
	2100	82.4	R CARTER
	2200	78.7	V. BROWN
	2300	75.8	V. BROWN
	2400	74.1	V. BROWN

Date	Time	Temp.	Printed Name
8/31	0100	72.3	BROWN, V
	0200	71.0	BROWN, V
	0300	71.7	BROWN, V
	0400	69.4	BROWN, V
	0500	68.2	BROWN, V
	0600	67.5	B.HASKELL
	0700	66.7	
	0800	68.5	
	0900	71.4	
	1000	77.8	
	1100	80.1	
	1200	86.7	
	1300	89.9	B.HASKELL
	1400	93.5	S. Wilson
	1500	94.5	
	1600	95.9	
	1700	96.5	
	1800	96.0	
	1900	94.7	
	2000	84.5	
	2100	80.0	S. Wilson
	2200	79.3	% A. AITA
	2300	76.9	
	2400	75.6	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9.1.24	0100	73.2	C/O A. AITA
	0200	68.1	
	0300	68.8	
	0400	68.0	
	0500	68.2	
	0600	68.0	
	0700	64.9	Sullivan
	0800	66.1	
	0900	70.0	
	1000	75.2	
	1100	79.7	
	1200	82.8	
	1300	86.2	
	1400	90.7	Breakey
	1500	91.6	Breakey
	1600	92.3	Breakey
	1700	92.4	Breakey
	1800	89.9	Breakey
	1900	87.2	Breakey
	2000	81.0	Breakey
	2100	75.9	Breakey
	2200	75.1	C/O A. AITA
	2300	74.5	
	2400	73.1	

Date	Time	Temp.	Printed Name
9.2.24	0100	70.5	C/O A. AITA
	0200	69.5	
	0300	68.7	
	0400	68.5	
	0500	66.3	
	0600	63.7	
	0700	60.0	Sullivan
	0800	62.8	
	0900	66.1	
	1000	72.1	
	1100	76.7	
	1200	79.1	
	1300	83.5	
	1400	85.3	Breakey
	1500	86.4	Breakey
	1600	87.9	Breakey
	1700	88.6	Breakey
	1800	88.9	Breakey
	1900	86.0	Breakey
	2000	80.2	Breakey
	2100	76.0	Breakey
	2200	74.3	LAZARD
	2300	72.3	LAZARD
	2400	70.1	LAZARD

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 1 Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	73.0	Doouree
	0600	71.8	J. Billings
	0900	77.2	J. Billings
	1200	78.4	J. Billings
	1500	81.2	C. Sandez
	1800	82.3	C. Sandez
	2100	81.4	C. Sandez
	2400	78.5	Doouree

Tuesday

Dat	Time	Temp.	Name (Print)
8/27/24	0300	75.1	C. Sandez
	0600	75.3	J. Billings
	0900	77.1	J. Billings
	1200	80.8	J. Billings
	1500	84.3	T. Sandoval
	1800	84.0	T. Sandoval
	2100	84.6	T. Sandoval
	2400	82.4	R. Xiong

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	80.1	R. Xiong
	0600	78.6	V. Vargas
	0900	79.9	V. Vargas
	1200	82.9	V. Vargas
	1500	86.4	R. Johns
	1800	87.2	R. Johns
	2100	85.6	R. Johns
	2400	83.2	R. Xiong

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	80.3	R. Xiong
	0600	77.9	V. Vargas
	0900	75.8	V. Vargas
	1200	79.8	V. Vargas
	1500	85.5	G. Garcia
	1800	87.5	G. Garcia
	2100	86.5	G. Garcia
	2400	80.7	R. Xiong

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	77.5	R. Xiong
	0600	77.1	Asuncion
	0900	77.1	Asuncion
	1200	81.	Asuncion
	1500	85.1	R. Johns
	1800	87.1	R. Johns
	2100	84.8	R. Johns
	2400	80.9	R. Xiong

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	79.9	R. Xiong
	0600	70.6	Asuncion
	0900	78	Asuncion
	1200	78	Asuncion
	1500	83.5	L. Pasto
	1800	85.7	L. Pasto
	2100	86.1	L. Pasto
	2400	79.5	R. Xiong

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	78.9	R. Xiong
	0600	76.0	Hauger
	0900	74.0	Hauger
	1200	80.0	Hauger
	1500	80.8	Nelson
	1800	81.2	Nelson
	2100	79.6	Nelson
	2400	78.9	DRiley

Notes

08/31/24 1320 STAGE 1 ACTIVATED
FOR 1455 DEACTIVATED 2023 HOURS

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 2 Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26	0300	72.8	HANG
	0600	72.3	BETTENCOURT
	0900	73.5	BETTENCOURT
	1200	75.0	BETTENCOURT
	1500	78.5	PRASAD
	1800	79.7	PRASAD
	2100	77.8	Johnson
	2400	76.8	HANG

Tuesday

Dat	Time	Temp.	Name (Print)
8-27	0300	76.0	HANG
	0600	73.7	BICK
	0900	74.2	VanWegen
	1200	78.1	VanWegen
	1500	81.0	PRASAD
	1800	82.7	PRASAD
	2100	80.9	PRASAD
	2400	79.1	HANG

Wednesday

Date	Time	Temp.	Name (Print)
8-28	0300	78.8	HANG
	0600	77	VanWegen
	0900	78.5	BETTENCOURT
	1200	81.6	BETTENCOURT
	1500	84.0	D Buck
	1800	85.6	Rupert
	2100	83.8	Rupert
	2400	80.9	HANG

Thursday

Date	Time	Temp.	Name (Print)
8-29	0300	79.3	HANG
	0600	78.2	Weluher
	0900	76.8	Barrajas
	1200	81.7	Bick
	1500	82.5	[illegible]
	1800	83.6	[illegible]
	2100	82.0	[illegible]
	2400	77.7	HANG

Friday

Date	Time	Temp.	Name (Print)
8-30	0300	77.1	HANG
	0600	75.3	GOMEZ
	0900	74.8	BUCHANAN
	1200	78.2	GOMEZ
	1500	8[illegible].8	Rupert
	1800	83.5	Rupert
	2100	82.8	Rupert
	2400	79.3	Ly

Saturday

Date	Time	Temp.	Name (Print)
8-31	0300	78.0	Ly
	0600	75.9	J. FRANCO
	0900	76.2	J. FRANCO
	1200	78.4	J. FRANCO
	1500	81.8	Rupert
	1800	83.6	Rupert
	2100	82.4	Rupert
	2400	81.1	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9-01	0300	77.5	PRASAD
	0600	75.9	FRANCO
	0900	76.1	FRANCO
	1200	78.4	Burrows
	1500	82.6	Rupert
	1800	83.6	Burrows
	2100	81.3	Rupert
	2400	77.0	HANG

Notes

8/28 Stage 1 @ 1153 hrs.

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 3 Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8	0300	72.5	ARISTEUNO
	0600	72.2	V. Herrera
.	0900	72.4	V. Herrera
	1200	76.1	V. Herrera
26	1500	78.3	JALISALI
	1800	79.1	[illegible]
24	2100	78.6	[illegible]
	2400	76.5	ARISTEUNO

Tuesday

Dat	Time	Temp.	Name (Print)
8	0300	76.3	ARISTEUNO
	0600	75.6	V. Herrera
.	0900	77.1	V. Herrera
	1200	79.2	V. Herrera
27	1500	80.5	Colmenares
.	1800	82.7	JALISALI
	2100	81.1	Colmenares
24	2400	78.4	ARISTEUNO

Wednesday

Date	Time	Temp.	Name (Print)
8	0300	76.3	ARISTEUNO
	0600	77.6	Cegers
.	0900	79.6	Cegers
	1200	80.8	Robson
28	1500	81.2	[illegible]
.	1800	80.5	Brown
	2100	80.0	Brown
24	2400	79.6	ARISTEUNO

Thursday

Date	Time	Temp.	Name (Print)
8	0300	77.8	ARISTEUNO
	0600	77.0	Cegers
.	0900	77.6	Cegers
	1200	80.4	Cegers
29	1500	81.5	Colmenares
.	1800	83.2	Colmenares
	2100	81.7	Colmenares
24	2400	77.5	Brown

Friday

Date	Time	Temp.	Name (Print)
8	0300	75.4	Brown
	0600	77.8	Cegers
.	0900	79.4	Cegers
	1200	80.0	Cegers
30	1500	82.9	Colmenares
.	1800	83.4	Colmenares
	2100	82.1	Colmenares
24	2400	79	Brown

Saturday

Date	Time	Temp.	Name (Print)
8	0300	77.6	Brown
	0600	76.0	[illegible]
.	0900	77.8	Cegers
	1200	78.8	Cegers
31	1500	82.2	[illegible]
.	1800	85.1	[illegible]
	2100	81.4	[illegible]
24	2400	78.7	ARISTEUNO

Sunday

Date	Time	Temp.	Name (Print)
9	0300	77.3	ARISTEUNO
	0600	78.0	Cegers
.	0900	79.4	Cegers
	1200	80	Cegers
1	1500	9.	Cegers
.	1800	85.2	Cegers
	2100	78.6	[illegible]
24	2400	75.9	ARISTEUNO

Notes

8/26/2024 STAGE 1 ACTIVATED @ 1450 HRS
DEACTIVATED @ 1915 HRS
8/28/24 1150 stage 1 [illegible]
9/1/24 Deactivated @ 1900

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: FOUR Temp. Reading Location: 3RD TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	75.3	Martin
	0600	75.2	SUETTA
	0900	74.3	SUETTA
	1200	75.4	SUETTA
	1500	77.8	L. Rodriguez
	1800	80.0	L. Rodriguez
	2100	81.6	L. Rodriguez
	2400	80.0	Martin

Tuesday

Dat	Time	Temp.	Name (Print)
8/27/24	0300	79.1	Martin
	0600	78.4	SUETTA
	0900	76.6	SUETTA
	1200	77.4	SUETTA
	1500	78.7	BAYAY
	1800	81.3	BAYAY
	2100	83.6	BAYAY
	2400	82.9	Martin

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	81.8	Martin
	0600	80.0	Skum
	0900	78.9	Skum
	1200	79.4	Skum
	1500	81.4	BAYAY
	1800	82.1	BAYAY
	2100	84.9	BAYAY
	2400	83.4	Martin

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	82.4	Martin
	0600	79.7	Skum
	0900	80.1	Skum
	1200	81.1	Skum
	1500	85.1	L. Rodriguez
	1800	86.9	L. Rodriguez
	2100	84.9	L. Rodriguez
	2400	83.1	S. TLUCZEK

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	81.6	S. TLUCZEK
	0600	80.0	French
	0900	78.3	French
	1200	79.1	French
	1500	81.7	L. Rodriguez
	1800	80.8	L. Rodriguez
	2100	82.5	L. Rodriguez
	2400	82.4	S. TLUCZEK

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	80.9	S. TLUCZEK
	0600	81.8	French
	0900	79.1	French
	1200	80.3	French
	1500	82.2	L. Rodriguez
	1800	82.9	L. Rodriguez
	2100	82.0	L. Rodriguez
	2400	81.8	L. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	80.0	L. Rodriguez
	0600	79.3	L. Rodriguez
	0900	78.9	French
	1200	80.2	French
	1500	81.2	L. Rodriguez
	1800	81.5	L. Rodriguez
	2100	80.4	L. Rodriguez
	2400	78.9	Martin

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 5 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	71.7	S. Hintz
	0600	72.3	Bizeau
	0900	72.5	Bizeau
	1200	75.2	Garcia
	1500	76.2	Martinez
	1800	76.4	Martinez
	2100	74.3	Martinez
	2400	75.7	S. Hintz

Tuesday

Dat	Time	Temp.	Name (Print)
8/27	0300	73.1	S. Hintz
	0600	73.2	Johnston
	0900	73.5	Bizeau
	1200	76.1	Johnston
	1500	77.0	Martinez
	1800	76.6	Martinez
	2100	76.1	Martinez
	2400	74.5	S. Hintz

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	74.4	S. Hintz
	0600	75.5	D. Baek
	0900	76.0	D. Baek
	1200	79.1	D. Baek
	1500	77.1	Martinez
	1800	77.0	Garcia
	2100	76.4	Probst
	2400	75.8	S. Hintz

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	74.6	S. Hintz
	0600	75.6	Scarbrough
	0900	74.3	Scarbrough
	1200	75	Scarbrough
	1500	76	Parsells
	1800	77.5	R. Cannobell
	2100	76.9	Parsells
	2400	75.7	S. Hintz

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	70.2	S. Hintz
	0600	72.5	Bizeau
	0900	73.1	Bizeau
	1200	76.2	Bizeau
	1500	77.3	Parsells
	1800	77.9	N. Scott
	2100	78.0	W. Bell
	2400	77.1	M. Sonn

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	75.2	M. Sonn
	0600	74.7	Bizeau
	0900	75.1	Bizeau
	1200	76.4	[illegible]
	1500	77.1	Martinez
	1800	78.9	Martinez
	2100	78.2	Martinez
	2400	76.2	M. Sonn

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	75.6	M. Sonn
	0600	74.6	J. Wallace
	0900	73.9	J. Wallace
	1200	78.0	M. Hailey
	1500	79.5	M. Hailey
	1800	78.1	M. Hailey
	2100	78.9	M. Hailey
	2400	75.5	S. Hintz

Notes

8-27-24 Stage 1 12:45
9-29-24 stage 1 @ 1300
9-1-24 stage 1 @ 14:00

DISTRIBUTION: Original: Institution ADA Coordinator

DocuSign Envelope ID: 2D61147C-9AEE-439B-982B-B0DFD9D61B5D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ESP Housing Unit: EMSF Temp. Reading Location: Day room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	67	P ZAMORA
	0600	63	J. Moulton
	0900	64	J. Moulton
	1200	67	J. Moulton
	1500	72	M Perez
	1800	72	M Perez
	2100	72	M Perez
	2400	64	Sueh

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	60	Sueh
	0600	60	J. Moulton
	0900	65	J. Moulton
	1200	70	J. Moulton
	1500	74	M Perez
	1800	76	M Perez
	2100	72	M Perez
	2400	69	J-Ciudad-Real

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	67	J. Ciudad Real
	0600	63	J. Moulton
	0900	65	J. Moulton
	1200	68	J. Moulton
	1500	74	M Perez
	1800	74	M Perez
	2100	72	M. Perez
	2400	70	J. Ciudad-Real

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	68	J. Ciudad-Real
	0600	61	J. Moulton
	0900	64	J. Moulton
	1200	67	J. Moulton
	1500	72	M. Perez
	1800	74	M Perez
	2100	72	M Perez
	2400	70	S. Solomon

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	68	S. Solomon
	0600	72	E. Arrezola
	0900	72	E. Arrezola
	1200	72	E. Arrezola
	1500	75	Ralh
	1800	74	Ralh
	2100	72	Ralh
	2400	70	S. Solomon

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	68	S. Solomon
	0600	70	A. Batuyong
	0900	73	A. Batuyong
	1200	76	A. Batuyong
	1500	74	Ralh
	1800	73	Ralh
	2100	72	Ralh
	2400	64	Sueh

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	60	Sueh
	0600	61	Soriano
	0900	64	Soriano
	1200	69	Soriano
	1500	72	Ralh
	1800	76	Ralh
	2100	75	Ralh
	2400	68	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Medical Rounds Log (Stage III)

Institution: FSp

Date: 09/02/2024-09/08/2024 Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☒ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1. n/a
2.
3.
4.

Date: Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☐ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1.
2.
3.
4.

Medical Rounds Log (Stage III)
CDCR MH-7711-3 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log

Institution: FSP Date: 9/2/24-9/8/24 Number of Heat Incidents: 0

1. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

2. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

3. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

4. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

5. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

6. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

7. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

8. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

9. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

10. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

11. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

12. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9.1.24	0100	73.2	C/O A. AITA
	0200	68.1	
	0300	68.8	
	0400	68.0	
	0500	68.2	
	0600	68.0	
	0700	64.9	Sullivan
	0800	66.1	
	0900	70.0	
	1000	75.2	
	1100	79.7	
	1200	82.9	
	1300	86.2	
	1400	90.7	Breakey
	1500	91.6	Breakey
	1600	92.3	Breakey
	1700	92.4	Breakey
	1800	89.9	Breakey
	1900	87.2	Breakey
	2000	81.0	Breakey
	2100	75.9	Breakey
	2200	75.1	C/O A. AITA
	2300	74.5	
	2400	73.1	

Date	Time	Temp.	Printed Name
9.2.24	0100	70.5	C/O A. AITA
	0200	69.5	
	0300	68.7	
	0400	68.5	
	0500	66.3	
	0600	63.7	
	0700	60.0	Sullivan
	0800	62.8	
	0900	66.1	
	1000	72.1	
	1100	76.7	
	1200	79.1	
	1300	83.5	
	1400	85.3	Breakey
	1500	86.4	Breakey
	1600	87.9	Breakey
	1700	88.6	Breakey
	1800	88.9	Breakey
	1900	86.0	Breakey
	2000	80.2	Breakey
	2100	76.0	Breakey
	2200	74.3	LAZARD
	2300	72.3	LAZARD
	2400	70.1	LAZARD

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-3-24	0100	69.9	LAZARD
	0200	69.0	
	0300	68.7	
	0400	67.1	
	0500	66.6	
	0600	65.9	LAZARD
	0700	65.4	B. HASKELL
	0800	69.5	
	0900	74.3	
	1000	81.6	
	1100	83.5	
	1200	87.3	
	1300	90.8	B. HASKELL
	1400	93.4	[illegible]
	1500	96.2	
	1600	96.4	
	1700	96.1	
	1800	95.2	
	1900	93.9	
	2000	88.3	
	2100	85.2	[illegible]
	2200	84.1	LAZARD
	2300	83.1	
	2400	81.2	

Date	Time	Temp.	Printed Name
9-4-24	0100	78.9	
	0200	76.7	
	0300	75.6	
	0400	73.5	
	0500	73.2	
	0600	72.7	LAZARD
	0700	71.8	Breakey
	0800	74.2	Breakey
	0900	79.9	Breakey
	1000	85.7	Breakey
	1100	90.0	Breakey
	1200	94.3	Breakey
	1300	98.9	Breakey
	1400	100.2	[illegible]
	1500	101.4	
	1600	101.3	
	1700	101.7	
	1800	100.8	
	1900	98.7	
	2000	92.1	
	2100	88.2	[illegible]
	2200	85.7	BROWN, V
	2300	82.1	BROWN, V
	2400	79.7	BROWN, V

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-5-24	0100	78.1	BROWN, V
	0200	76.4	BROWN, V
	0300	75.5	BROWN, V
	0400	74.9	BROWN, V
	0500	73.1	BROWN, V
	0600	72.5	B. HASKELL
	0700	72.9	
	0800	76.1	
	0900	80.5	
	1000	84.3	
	1100	87.1	
	1200	91.2	
	1300	96.4	B. HASKELL
	1400	98.1	
	1500	100.1	
	1600	101.8	
	1700	100.6	
	1800	99.9	
	1900	98.3	
	2000	91.3	
	2100	87.2	
	2200	84.9	BROWN, V
	2300	83.0	BROWN, V
	2400	72.2	BROWN, V

Date	Time	Temp.	Printed Name
9-6-24	0100	74.1	BROWN, V
	0200	76.6	BROWN, V
	0300	75.1	BROWN, V
	0400	74.5	BROWN, V
	0500	74.5	BROWN, V
	0600	72.2	B. HASKELL
	0700	72.0	
	0800	75.4	
	0900	81.1	
	1000	86.8	
	1100	90.9	
	1200	95.5	
	1300	97.1	B. HASKELL
	1400	100.1	S. KLOSS
	1500	99.7	S. KLOSS
	1600	101.4	S. KLOSS
	1700	101.5	S. KLOSS
	1800	99.7	S. KLOSS
	1900	98.5	S. KLOSS
	2000	92.1	S. KLOSS
	2100	88.7	S. KLOSS
	2200	85.1	V. BROWN
	2300	82.0	V. BROWN
	2400	81.2	V. BROWN

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-7-24 SAT.	0100	80.4	V. BROWN
	0200	79.7	V. BROWN
	0300	77.3	V. BROWN
	0400	76.5	V. BROWN
	0500	76.7	V. BROWN
	0600	75.3	B. HASKELL
	0700	75.4	
	0800	78.1	
	0900	83.5	
	1000	88.5	
	1100	92.9	
	1200	98.9	
	1300	100.5	B. HASKELL
	1400	101.9	A. Kennedy
	1500	100.3	A. Kennedy
	1600	100.3	A. Kennedy
	1700	100.1	A. Kennedy
	1800	97.1	A. Kennedy
	1900	91.7	A. Kennedy
	2000	87.9	A. Kennedy
	2100	85.1	A. Kennedy
	2200	84.1	C/O A. AITA
	2300	81.6	
	2400	82.1	

Date	Time	Temp.	Printed Name
9-8-24 SUN.	0100	81.5	C/O A. AITA
	0200	80.6	
	0300	76.8	
	0400	73.3	
	0500	73.5	
	0600	73.6	
	0700	71.9	Sullivan
	0800	72.3	
	0900	72.9	
	1000	76.2	
	1100	88.7	
	1200	93.3	
	1300	98.7	
	1400	100.6	Breakey
	1500	102.1	Breakey
	1600	102.5	Breakey
	1700	99.8	Breakey
	1800	94.5	Breakey
	1900	89.0	Breakey
	2000	88.2	Breakey
	2100	86.8	Breakey
	2200	84.0	NGHESUTA
	2300	83.9	"
	2400	83.2	NGHESUTA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 1 Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	76.3	D. Riley
	0600	73.4	J. Billings
	0900	73.3	J. Billings
	1200	77.6	J. Billings
	1500	88.7°F	E. Brown
	1800	83.4	L. Presto
	2100	82.3	L. Presto
	2400	80.4	Doolittle

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	76.0	Doolittle
	0600	76.5	Aita, A.
	0900	76.1	Aita, A.
	1200	76.4	Aita, A.
	1500	84.7	Garcia A
	1800	84.1	Garcia A
	2100	84.0	Garcia A
	2400	82.6	R. Xiong

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	82.1	R. Xiong
	0600	80.6	V. Vargas
	0900	81.4	S. Bailey
	1200	85.2	V. Vargas
	1500	85.6	Fenton
	1800	89.5	Fenton
	2100	88.4	Fenton
	2400	85.0	R. Xiong

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	83.1	R. Xiong
	0600	81.1	V. Vargas
	0900	81.3	V. Vargas
	1200	85.1	V. Vargas
	1500	89.9	J. Boles
	1800	90.5	J. Boles
	2100	88.1	J. Boles
	2400	85.7	R. Xiong

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	84.5	R. Xiong
	0600	82.3	Asuncion
	0900	83.7	Asuncion
	1200	87.1	Asuncion
	1500	84.2	R. Johns
	1800	90.8	R. Johns
	2100	89.7	R. Johns
	2400	86.6	R. Xiong

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	85.3	R. Xiong
	0600	83.0	J. Billings
	0900	83.1	J. Billings
	1200	87.0	J. Billings
	1500	90.2	J. Watts
	1800	91.3	J. Watts
	2100	88.3	J. Watts
	2400	86.6	Malkin

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	83.1	Malkin
	0600	81.8	J. Billings
	0900	85.9	J. Billings
	1200	86.7	J. Billings
	1500	89.1	R. Johns
	1800	89.7	R. Johns
	2100	87.7	R. Johns
	2400	85.4	J. Doolittle

Notes

1500 hours Stage 2 90.2 9-7-24
1930 hours Stage 2 deactivated 9-7-24

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 2 Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.2	0300	75.5	HANG
	0600	72.8	BETTENCOURT
	0900	77.2	Brooks
	1200	79.5	Brooks
	1500	79.4	N. PRASAD
	1800	81.1	N. PRASAD
	2100	78.8	N. PRASAD
	2400	76.6	HANG

Tuesday

Dat	Time	Temp.	Name (Print)
9.3	0300	75.2	HANG
	0600	74.0	BETTENCOURT
	0900	75.2	BETTENCOURT
	1200	77.1	FRANCO
	1500	81.7	PRASAD
	1800	83.4	PRASAD
	2100	81.5	PRASAD
	2400	80.6	HANG

Wednesday

Date	Time	Temp.	Name (Print)
9.4	0300	80.0	HANG
	0600	78.4	BETTENCOURT
	0900	78.1	VanWeegen
	1200	80.2	BETTENCOURT
	1500	84.3	Baek
	1800	86.1	RUPERT
	2100	84	RUPERT
	2400	82.5	HANG

Thursday

Date	Time	Temp.	Name (Print)
9.5	0300	81.6	HANG
	0600	79.0	BETTENCOURT
	0900	80.1	Barrajas
	1200	82.4	Bickel
	1500	85.2	Rupert
	1800	86.1	Rupert
	2100	84.4	Rupert
	2400	83.3	HANG

Friday

Date	Time	Temp.	Name (Print)
9.6	0300	82.4	HANG
	0600	80.0	Barrajas
	0900	80.6	Vega
	1200	84.0	BETTENCOURT
	1500	86.1	Rupert
	1800	87.0	Rupert
	2100	85.6	Rupert
	2400	84.6	MALKIN

Saturday

Date	Time	Temp.	Name (Print)
9.7	0300	83.4	MALKIN
	0600	80.4	D. Crawford
	0900	82.1	MAYR
	1200	83.4	Burrates
	1500	85.4	Rupert
	1800	88.3	Rupert
	2100	86.1	Rupert
	2400	83.6	BORGET

Sunday

Date	Time	Temp.	Name (Print)
9.8	0300	82.2	BORGET
	0600	80.0	Vega
	0900	80.2	Vega
	1200	84.4	Brewilen
	1500	85.6	Rupert
	1800	87.2	Rupert
	2100	85.6	Rupert
	2400	84.2	HANG

Notes

STAGE 1 @ 1235HRS
SEP 5 STAGE 1 @ 1155
SEPT 7 STAGE 1 @ 1040
SEP 8 STAGE 1 @ 1125

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 3 Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	74.5	ARISTONAC
	0600	72.1	Martinez
	0900	73.5	Martinez
	1200	78.9	Martinez
2	1500	79.4	JALIJALI
	1800	81.2	JALIJALI
	2100	79.8	JALIJALI
24	2400	75.5	ARISTONAC

Tuesday

Dat	Time	Temp.	Name (Print)
9	0300	75.1	ARISTONAC
	0600	76.1	Martinez
	0900	77.4	Martinez
	1200	79.2	Martinez
3	1500	83.3	Colmenares
	1800	85.9	Colmenares
	2100	82.1	Colmenares
24	2400	80.7	ARISTONAC

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	80.1	ARISTONAC
	0600	79.8	Cazares
	0900	80.2	Cazares
	1200	81.0	Cazares
4	1500	84.4	Colmenares
	1800	80.3	Aguilar E
	2100	84.5	Colmenares
24	2400	82.6	ARISTONAC

Thursday

Date	Time	Temp.	Name (Print)
9	0300	81.7	ARISTONAC
	0600	81.0	Tamburo
	0900	82.0	Cazares
	1200	83.0	Cazares
5	1500	85.6	Colmenares
	1800	87.1	Colmenares
	2100	85.3	Colmenares
24	2400	83.[illegible]	Brown

Friday

Date	Time	Temp.	Name (Print)
9	0300	81.0	Brown
	0600	80.8	Cazares
	0900	82.0	Cazares
	1200	84.8	Cazares
6	1500	90.3	Colmenares
	1800	90.6	E Aguilar
	2100	86.9	JALIJALI
24	2400	89.1	Brown

Saturday

Date	Time	Temp.	Name (Print)
9	0300	83.1	Brown
	0600	81.5	Galvan
	0900	85.5	Galvan
	1200	84.6	Cazares
7	1500	86.7	Colmenares
	1800	87.3	Colmenares
	2100	85.0	Colmenares
24	2400	82.5	Military

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	80.7	M. Hailey
	0600	80.8	Cazares
	0900	81.2	Galvan
	1200	82.6	Galvan
24	1500	84.4	JALIJALI
	1800	85.9	JALIJALI
	2100	85.2	JALIJALI
	2400	83.9	ARISTONAC

Notes

Stage 1 Heat ~~Heat~~ Alert 1235
9/6 Stage 1 Heat Alert 1103
9/6 Stage 2 @ 1800 hrs.
9/6 Stage 2 deactivated at 2050
9/7 Stage 1 @ 1040
9-7 Stage 1 deactivated @ 2055
Stage 1 Heat Act 1127 · 9/8
STAGE 1 DEACT. @ 2000 HOURS

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: FOUR Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	77.5	Martin
	0600	76.2	SUETTA
	0900	75.9	SUETTA
	1200	76.4	SUETTA
	1500	78.6	L. Rodriguez
	1800	78.9	L. Rodriguez
	2100	78.7	Melu
	2400	78.8	Martin

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	77.7	Martin
	0600	77.2	SUETTA
	0900	75.5	SUETTA
	1200	78.2	SUETTA
	1500	79.3	BADAY
	1800	81.9	BADAY
	2100	83.3	BADAY
	2400	82.6	Martin

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	81.8	Martin
	0600	79.7	Skem
	0900	79.6	Skem
	1200	80.2	Skem
	1500	83.4	BADAY
	1800	85.5	BADAY
	2100	85.8	BADAY
	2400	84.9	Martin

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	83.8	Martin
	0600	82.5	Skem
	0900	82.0	Skem
	1200	83.8	Skem
	1500	87.6	L. Rodriguez
	1800	87.4	L. Rodriguez
	2100	86.0	L. Rodriguez
	2400	87.2	S. TLUCZEK

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	86.3	S. TLUCZEK
	0600	84.0	Skem
	0900	84.2	Skem
	1200	85.4	Skem
	1500	85.8	L. Rodriguez
	1800	87.0	L. Rodriguez
	2100	88.1	L. Rodriguez
	2400	87.2	S. TLUCZEK

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	86.1	S. TLUCZEK
	0600	84.0	Skem
	0900	83.6	Skem
	1200	83.8	Skem
	1500	86.2	L. Rodriguez
	1800	86.0	L. Rodriguez
	2100	86.5	L. Rodriguez
	2400	84.8	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	84.2	[illegible]
	0600	83.8	Skem
	0900	84.6	Skem
	1200	82.0	Skem
	1500	83.8	[illegible]
	1800	86.1	[illegible]
	2100	86.5	[illegible]
	2400	85.6	Martin

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 5 Temp. Reading Location: 5-B2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	75.0	S. Hintz
	0600	77.2	M. Arevalo
	0900	73.2	M. Arevalo
	1200	75.8	Brown
	1500	76.0	R. CAMPBELL
	1800	77.1	R. CAMPBELL
	2100	75.9	R. Gaddi
	2400	74.8	S. Hintz

Tuesday

Dat	Time	Temp.	Name (Print)
9/3	0300	74.1	S. Hintz
	0600	77.9	M. Arevalo
	0900	77.9	M. Arevalo
	1200	77.5	Brown
	1500	78.9	F. GARCIA
	1800	79.4	R. CAMPBELL
	2100	78.2	Gaddi R
	2400	75.8	S. Hintz

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	74.7	S. Hintz
	0600	75.5	M. Arevalo
	0900	75.5	M. Arevalo
	1200	77.1	M. Azevedo
	1500	79.5	W. CARUSO
	1800	79.8	R. Gaddi
	2100	79.3	R. Gaddi
	2400	77.9	S. Hintz

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	77.3	S. Hintz
	0600	76.8	M. Arevalo
	0900	75.5	M. Arevalo
	1200	77.3	M. Perez
	1500	78.2	R. CAMPBELL
	1800	79.5	R. CAMPBELL
	2100	80.6	R. Gaddi
	2400	78.7	C. Cox

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	77.1	Cox
	0600	77.5	Brown
	0900	75.9	Brown
	1200	77.5	Brown
	1500	79.5	M. Hailey
	1800	79.8	M. Hailey
	2100	80.6	Parsells
	2400	78.8	M. Song

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	78.2	M. Song
	0600	77.9	Brown
	0900	77.0	Visser
	1200	78.2	Brown
	1500	80.0	CHAPMAN
	1800	82.1	CHAPMAN
	2100	79.2	CHAPMAN
	2400	78.0	M. Song

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	77.2	M. Song
	0600	77.0	M. Arevalo
	0900	78.8	M. Arevalo
	1200	79.9	CHAPMAN
	1500	80.6	CHAPMAN
	1800	79.6	CHAPMAN
	2100	78.2	[illegible]
	2400	78.6	M. Song

Notes

9-3 Stage 1 1235
9/5 Stage 1 1155
9-6 Stage 1 1103
9-7 Stage 1 1040
9-8 Stage 1 1127

DISTRIBUTION: Original: Institution ADA Coordinator

DocuSign Envelope ID: 2D61147C-9AEE-439B-982B-B0DFD9D61B5D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: FSP Housing Unit: FMSF Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	65	XIONG
	0600	65	MILLER
	0900	66	MILLER
	1200	68	MILLER
	1500	72	M. Perez
	1800	72	M Perez
	2100	72	M Perez
	2400	69	BROWN, V

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	62	BROWN, V
	0600	62	MILLER R
	0900	64	MILLER R
	1200	[illegible]	MILLER R
	1500	72	M. Perez
	1800	74	M Perez
	2100	72	M Perez
	2400	71	BROWN, V

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	70	BROWN, V
	0600	68	MILLER R.
	0900	66	MILLER R.
	1200	68	MILLER R
	1500	72	M Perez
	1800	76	M. Perez
	2100	74	M Perez
	2400	72	~~S. Solomon~~

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	61	
	0600	70	MILLER R
	0900	68	MILLER R
	1200	72	MILLER R
	1500	80	Mendoza
	1800	79	Mendoza
	2100	75	S. Mendoza
	2400	72	S. Solomon

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	68	S. Solomon
	0600	69	E. ARREZOLA
	0900	71	E. ARREZOLA
	1200	74	ARREZOLA
	1500	77	Rall
	1800	76	Rall
	2100	79	Rall
	2400	74	Solomon

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	70	Solomon
	0600	70	GONZALEZ
	0900	70	GONZALEZ
	1200	71	GONZALEZ
	1500	73	Rall
	1800	75	Rall
	2100	74	Rall
	2400	73	Batuyong

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	69	Batuyong
	0600	64	MILLER R
	0900	64	MILLER R
	1200	70	MILLER R
	1500	72	M. Hailey
	1800	76	M. Hailey
	2100	74	M Hailey
	2400	70	J. Santos II

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Medical Rounds Log (Stage III)

Institution: FSP

Date: 09/09/2024-09/15/2024 Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☒ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1. n/a
2.
3.
4.

Date: Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☐ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1.
2.
3.
4.

Medical Rounds Log (Stage III)
CDCR MH-7711-3 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log

Institution: FSP Date: 9/09/24-09/15/24 Number of Heat Incidents: 0

1. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

2. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

3. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

4. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

5. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

6. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

7. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

8. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

9. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

10. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

11. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

12. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9.9.24	0100	82.4	HELLESVIG
	0200	81.2	"
	0300	79.4	"
	0400	77.1	HELLESVIG
	0500	75.8	Sullivan
	0600	76.3	
	0700	73.9	
	0800	78.4	
	0900	83.6	
	1000	87.8	
	1100	92.0	
	1200	95.1	
	1300	99.9	
	1400	101.7	Brackey
	1500	102.1	Brackey
	1600	102.7	Brackey
	1700	99.8	Brackey
	1800	98.1	Brackey
	1900	94.2	Brackey
	2000	91.0	Brackey
	2100	86.2	Brackey
	2200	82.3	BROWN, V
	2300	79.1	BROWN, V
	2400	75.5	BROWN, V

Date	Time	Temp.	Printed Name
9.10.24	0100	74.3	BROWN, V
	0200	73.9	BROWN, V
	0300	73.7	BROWN, V
	0400	71.1	BROWN, V
	0500	71.9	BROWN, V
	0600	69.3	B. HASKELL
	0700	69.5	
	0800	71.1	
	0900	72.8	
	1000	73.9	
	1100	76.7	
	1200	81.5	
	1300	84.0	B. HASKELL
	1400	86.5	[illegible]
	1500	87.5	
	1600	88.7	
	1700	87.2	
	1800	84.1	
	1900	78.2	
	2000	74.3	
	2100	72.0	[illegible]
	2200	69.4	BROWN, V
	2300	67.7	BROWN, V
	2400	67.4	BROWN, V

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9.11.24	0100	67.1	BROWN, V
	0200	66.0	BROWN, V
	0300	65.9	BROWN, V
	0400	65.4	BROWN, V
	0500	65.2	BROWN, V
	0600	66.5	B. HASKELL
	0700	68.1	
	0800	68.4	
	0900	70.9	
	1000	75.4	
	1100	76.9	
	1200	80.5	
	1300	82.4	B. HASKELL
	1400	83.1	[illegible]
	1500	85.7	
	1600	82.7	
	1700	85.1	
	1800	83.4	
	1900	78.8	
	2000	76.1	
	2100	74.2	[illegible]
	2200	73.1	BROWN, V
	2300	70.7	BROWN, V
	2400	69.5	BROWN, V

Date	Time	Temp.	Printed Name
9.12.24	0100	68.4	BROWN, V
	0200	67.9	BROWN, V
	0300	67.1	BROWN, V
	0400	66.8	BROWN, V
	0500	68.3	BROWN, V
	0600	68.1	B. HASKELL
	0700	67.2	
	0800	68.8	
	0900	74.3	
	1000	74.7	
	1100	76.8	
	1200	78.1	
	1300	79.5	B. HASKELL
	1400	81.0	[illegible]
	1500	82.7	
	1600	83.2	
	1700	84.1	
	1800	82.7	
	1900	80.3	
	2000	78.4	
	2100	75.1	[illegible]
	2200	73.5	BROWN, V
	2300	72.9	BROWN, V
	2400	71.5	BROWN, V.

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/13/24	0100	70.5	BROWN, V
	0200	69.1	BROWN, V
	0300	68.3	BROWN, V
	0400	67.5	BROWN, V
	0500	66.3	BROWN, V
	0600	69.2	Breakey
	0700	67.0	Breakey
	0800	69.3	Breakey
	0900	73.4	Breakey
	1000	75.7	Breakey
	1100	79.2	Breakey
	1200	85.6	Breakey
	1300	87.1	Breakey
	1400	89.8	R CARTER
	1500	91.6	R CARTER
	1600	92.5	R CARTER
	1700	91.3	R CARTER
	1800	89.6	R CARTER
	1900	88.1	R CARTER
	2000	83.7	R CARTER
	2100	80.1	R CARTER
	2200	76.9	BROWN, V
	2300	76.4	BROWN, V
	2400	74.7	BROWN, V

Date	Time	Temp.	Printed Name
9/14/24	0100	72.8	BROWN, V
	0200	72.0	BROWN, V
	0300	71.9	BROWN, V
	0400	71.1	BROWN, V
	0500	72.1	BROWN, V
	0600	70.2	REYERSBACH
	0700	69.4	
	0800	76.4	
	0900	77.1	
	1000	80.7	
	1100	84.4	
	1200	88.3	
	1300	91.3	REYERSBACH
	1400	92.6	R CARTER
	1500	94.2	R CARTER
	1600	94.4	R CARTER
	1700	92.5	R CARTER
	1800	90.6	R CARTER
	1900	86.9	R CARTER
	2000	83.2	R CARTER
	2100	77.7	R CARTER
	2200	76.1	ROSENBERG
	2300	73.1	ROSENBERG
	2400	71.5	ROSENBERG

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-15-24	0100	70.2	ROSENBERG
	0200	69.5	
	0300	67.8	
	0400	66.9	
	0500	68.1	ROSENBERG
	0600	62.0	Sullivan
	0700	63.9	
	0800	64.2	
	0900	66.1	
	1000	69.7	
	1100	73.8	
	1200	76.1	
	1300	78.4	
	1400	78.9	Brearley
	1500	78.6	Brearley
	1600	78.3	Brearley
	1700	77.1	Brearley
	1800	74.0	Brearley
	1900	72.5	Brearley
	2000	70.7	Brearley
	2100	67.3	Brearley
	2200	68.3	C/O A. AITA
	2300	66.9	
	2400	65.2	

Date	Time	Temp.	Printed Name
9-16-24	0100	64.7	C/O A. AITA
	0200	63.6	
	0300	64.4	
	0400	64.7	
	0500	64.9	
	0600	62.5	
	0700	61.7	Sullivan
	0800	62.9	
	0900	64.0	
	1000	66.1	
	1100	69.3	
	1200	73.7	
	1300	74.0	
	1400	76.0	Brearley
	1500	77.3	Brearley
	1600	76.4	Brearley
	1700	75.8	Brearley
	1800	74.7	Brearley
	1900	72.6	Brearley
	2000	70.3	Brearley
	2100	70.0	Brearley
	2200	70.2	Batuyong
	2300	69.7	Batuyong
	2400	68.5	Batuyong

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 1 Temp. Reading Location: 3rd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	85.5	[illegible]
	0600	82.0	J. Billings
	0900	83.6	J. Billings
	1200	87.1	J. Billings
	1500	89.9	L. Pasto
	1800	89.7	L. Pasto
	2100	89.9	L. Pasto
	2400	84.9	J. PARK

Tuesday

Dat	Time	Temp.	Name (Print)
9/10/24	0300	77.7	J. PARK
	0600	72.5	J. Billings
	0900	74.0	J. Billings
	1200	78.5	J. Billings
	1500	83.0	BROWN, V
	1800	82.9	BROWN, V
	2100	77.3	BROWN, V
	2400	75.4	R. Xiong

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	74.9	R. Xiong
	0600	72.9	V. Vargas
	0900	71.6	V. Vargas
	1200	76.7	V. Vargas
	1500	80.4	V. Vargas
	1800	82.1	V. Vargas
	2100	80.1	V. Vargas
	2400	74.2	R. Xiong

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	74.9	R. Xiong
	0600	72.9	V. Vargas
	0900	74.2	V. Vargas
	1200	76.6	V. Vargas
	1500	79.0	ANDRADE
	1800	80.3	ANDRADE
	2100	80.2	ANDRADE
	2400	77.3	R. Xiong

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	75.5	R. Xiong
	0600	75.5	ASUNCION
	0900	74.8	ASUNCION
	1200	79.3	ASUNCION
	1500	82.2	LAI
	1800	82.7	LAI
	2100	82.1	LAI
	2400	79.1	R. Xiong

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	77.3	R. Xiong
	0600	76.2	J. Billings
	0900	77.3	J. Billings
	1200	80.5	J. Billings
	1500	84.1	L. Johnson
	1800	85.3	L. Johnson
	2100	81.5	L. Johnson
	2400	77.0	R. Xiong

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	74.8	R. Xiong
	0600	71.9	J. PARK
	0900	71.3	J. PARK
	1200	73.3	J. PARK
	1500	76.9	L. Johnson
	1800	76.1	L. Johnson
	2100	71.5	L. Johnson
	2400	69.8	D Riley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 2 Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9	0300	83.3	HANG
	0600	82.2	Rodriguez
	0900	83.7	Bick
	1200	85.4	Bick
	1500	86.9	PRASAD
	1800	87.8	PRASAD
	2100	85.6	PRASAD
	2400	81.5	HANG

Tuesday

Dat	Time	Temp.	Name (Print)
9-10	0300	79.1	HANG
	0600	75.5	BETTENCOURT
	0900	76.2	BETTENCOURT
	1200	79.1	BETTENCOURT
	1500	81.3	PRASAD
	1800	81.5	PRASAD
	2100	77.7	PRASAD
	2400	74.6	HANG

Wednesday

Date	Time	Temp.	Name (Print)
9-11	0300	73.7	HANG
	0600	72.8	Franco
	0900	72.5	BETTENCOURT
	1200	75.9	BETTENCOURT
	1500	78.6	Beck
	1800	80.4	Cazares
	2100	78.6	Cazares
	2400	74.6	HANG

Thursday

Date	Time	Temp.	Name (Print)
9-12	0300	73.7	HANG
	0600	71.9	Barrajas
	0900	73.0	Barrajas
	1200	75	Wilhite
	1500	77.6	Rupert
	1800	79.1	Rupert
	2100	78.00	CHERNISS
	2400	74.4	HANG

Friday

Date	Time	Temp.	Name (Print)
9-13	0300	72.5	HANG
	0600	72.1	Huffman
	0900	73.5	Huffman
	1200	77.3	Barrajas
	1500	80.4	Rupert
	1800	81.2	Rupert
	2100	78.5	Rupert
	2400	76.2	DOUTHE

Saturday

Date	Time	Temp.	Name (Print)
9-14	0300	74.3	DOUTHE
	0600	74.1	Huffman
	0900	75.0	Huffman
	1200	77.3	Huffman
	1500	81.0	Rupert
	1800	80.7	Rupert
	2100	79.2	Rupert
	2400	77.7	DOUTHE

Sunday

Date	Time	Temp.	Name (Print)
9-15	0300	75.7	DOUTHE
	0600	72.6	Bick
	0900	71.9	Vega
	1200	74.1	VEGA
	1500	76.6	Rupert
	1800	74.4	Rupert
	2100	71.6	Rupert
	2400	69.0	HANG

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 3 Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	82.7	ARISTOLMO
	0600	83.1	Yamaas
	0900	83.7	Yamaas
9	1200	84.2	Yamaas
	1500	85.8	JALIJALI
	1800	87.1	JALIJALI
24	2100	85.5	JALIJALI
	2400	80.3	ARISTOLMO

Tuesday

Dat	Time	Temp.	Name (Print)
9	0300	79.3	ARISTOLMO
	0600	79.1	Olivan
	0900	79.6	Olivan
10	1200	79.6	Olivan
	1500	81.4	Colmenares
	1800	82.3	Colmenares
24	2100	78.0	Colmenares
	2400	74.1	ARISTOLMO

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	73.6	ARISTOLMO
	0600	76.0	Rodriguez
	0900	78.8	Rodriguez
11	1200	79.8	Cerares
	1500	78.7	Colmenares
	1800	80.7	E Aguilar
24	2100	78.9	Colmenares
	2400	73.7	ARISTOLMO

Thursday

Date	Time	Temp.	Name (Print)
9	0300	72.6	ARISTOLMO
	0600	70.0	Robison
	0900	72.0	Cerares
12	1200	72.8	Cerares
	1500	78.4	Colmenares
	1800	80.5	Colmenares
24	2100	77.4	Colmenares
	2400	75.4	Ly

Friday

Date	Time	Temp.	Name (Print)
9	0300	74.5	Ly
	0600	74.6	Cerares
	0900	76.0	D Riley
13	1200	78.2	Cerares
	1500	79.7	Colmenares
	1800	81.0	Colmenares
24	2100	79.2	Colmenares
	2400	77.2	A. Sihyn

Saturday

Date	Time	Temp.	Name (Print)
9	0300	75.8	A. Sihyn
	0600	75.9	Olivan
	0900	76.9	Olivan
14	1200	78.0	Cerares
	1500	80.5	MORENO, J
	1800	81.9	C. Sanchez
24	2100	79.7	C. Sanchez
	2400	75.9	Ly

Sunday

Date	Time	Temp.	Name (Print)
9	0300	75.1	ARISTOLMO
	0600	75.2	Olivan
	0900	75.5	Olivan
15	1200	76.8	Olivan
	1500	77.3	JALIJALI
	1800	77.8	JALIJALI
24	2100	74.2	JALIJALI
	2400	70.1	ARISTOLMO

Notes

9/9/24 STAGE 1 DEACTIVATED @ 2100
9/13/24 STAGE 1 @ 1915 HRS
9-13-24 Stage 1 deactivated @ 1820 hrs.
9-14-24 STAGE 1 @ 1250 HRS
9-14-24 Stage 1 @ 1931 deactivated

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: FOUR Temp. Reading Location: 3RD TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	84.2	Martin
	0600	83.1	SUGITA
	0900	80.3	SUGITA
	1200	82.4	SUGITA
	1500	84.5	L. Rodriguez
	1800	86.0	L. Rodriguez
	2100	87.5	L. Rodriguez
	2400	87.4	Martin

Tuesday

Dat	Time	Temp.	Name (Print)
9/10/24	0300	84.9	Martin
	0600	84.0	J. Nigh
	0900	89.0	J. Nigh
	1200	92.1	J. Nigh
	1500	81.3	Baggy
	1800	82.2	Baggy
	2100	81.6	Baggy
	2400	80.5	Martin

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	78.8	Martin
	0600	78.0	Skum
	0900	76.8	Skum
	1200	78.0	Skum
	1500	78.9	Baggy
	1800	81.4	Baggy
	2100	81.1	Baggy
	2400	78.6	Martin

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	78.0	Martin
	0600	77.0	Skum
	0900	75.9	Skum
	1200	76.4	Skum
	1500	77.9	L. Rodriguez
	1800	78.0	L. Rodriguez
	2100	78.2	L. Rodriguez
	2400	78.0	S. TLUCZEK

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	76.8	S. TLUCZEK
	0600	77.0	R. ROBAGO
	0900	77.4	R. ROBAGO
	1200	78.0	R. ROBAGO
	1500	79.3	L. Rodriguez
	1800	81.5	L. Rodriguez
	2100	79.8	L. Rodriguez
	2400	79.1	S. TLUCZEK

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	78.2	S. TLUCZEK
	0600	76.0	D Riley
	0900	76.1	D Riley
	1200	77.9	D Riley
	1500	81.6	S. Espey
	1800	79.0	S. Espey
	2100	79.7	S. Espey
	2400	79.3	Martin

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	78.2	Martin
	0600	76.1	MAYN
	0900	75.6	MAYN
	1200	75.9	MAYN
	1500	76.6	L.A. Rodriguez
	1800	76.9	L.A. Rodriguez
	2100	75.7	L.A. Rodriguez
	2400	74.8	Martin

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 5 Temp. Reading Location: 5-B2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	79.0	M. Song
	0600	77.0	M. Acevedo
	0900	78.2	M. Acevedo
	1200	78.9	M. Acevedo
	1500	79.0	R. Campbell
	1800	79.8	Gaddi
	2100	79.5	Gaddi
	2400	78.5	M. Hailey

Tuesday

Dat	Time	Temp.	Name (Print)
9/10	0300	77.3	M. Hailey
	0600	75.2	M. Acevedo
	0900	74.6	M. Acevedo
	1200	76.9	M. Acevedo
	1500	77.6	Carver
	1800	77.1	Carver
	2100	76.8	Carver
	2400	75.7	S. Hintz

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	75.0	S. Hintz
	0600	77.0	M. Acevedo
	0900	74.1	M. Acevedo
	1200	75.3	M. Acevedo
	1500	76.7	Chapman
	1800	77.1	Chapman
	2100	76.5	Gaddi
	2400	75.9	Cox

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	73.9	Cox
	0600	74.6	M. Acevedo
	0900	73.0	M. Acevedo
	1200	76.6	M. Acevedo
	1500	77.4	Chapman
	1800	77.6	Chapman
	2100	77.4	Gaddi
	2400	75.3	Cox

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	74.7	Cox
	0600	73.5	Brown
	0900	74.8	Brown
	1200	75.2	Brown
	1500	79.4	C. Sanchez
	1800	78.3	C. Sanchez
	2100	75.1	M. Song
	2400	74.9	M. Song

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	74.0	M. Song
	0600	74.3	D. Vega
	0900	73.9	D. Vega
	1200	73.0	D. Vega
	1500	78.8	F. Garcia
	1800	76.0	F. Garcia
	2100	75.9	Parsons
	2400	75.6	M. Song

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	74.8	M. Song
	0600	73.4	M. Acevedo
	0900	73.0	M. Acevedo
	1200	73.9	M. Acevedo
	1500	76.4	Caruso
	1800	76.8	Gaddi
	2100	73.2	Gaddi
	2400	71.7	S. Hintz

Notes

9-9 Stage 1 1040
9/14 1250 Stage 1 Heat Alert

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ESP Housing Unit: FMSF Temp. Reading Location: Day room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	62	D. GALLEGOS
	0600	63	J. Moulton
	0900	67	J. Moulton
	1200	70	J. Moulton
	1500	74	M Perez
	1800	78	M Perez
	2100	74	M. Perez
	2400	61	D. GALLEGOS

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	61	D. GALLEGOS
	0600	60	J. Moulton
	0900	62	J. Moulton
	1200	65	J. Moulton
	1500	70	M. Perez
	1800	70	M. Perez
	2100	70	M. Perez
	2400	60	D. GALLEGOS

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	60	D GALLEGOS
	0600	59	J. Moulton
	0900	62	J. Moulton
	1200	69	J. Moulton
	1500	70	M Perez
	1800	72	M. Perez
	2100	70	M Perez
	2400	60	D GALLEGOS

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	65	D GALLEGOS
	0600	61	J. Moulton
	0900	64	J. Moulton
	1200	67	J. Moulton
	1500	68	M. Perez
	1800	70	M. Perez
	2100	69	M. Perez
	2400	60	D. GALLEGOS

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	60	Solomon
	0600	62	ARREZOLA
	0900	65	ARREZOLA
	1200	71	ARREZOLA
	1500	72	Ralh
	1800	71	Ralh
	2100	69	Ralh
	2400	70	Solomon

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	64	Solomon
	0600	68	MAMER
	0900	70	MAMER
	1200	72	MAMER
	1500	73	Ralh
	1800	73	Ralh
	2100	70	Ralh
	2400	65	Mendoza

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	63	Mendoza
	0600	60	J. Moulton
	0900	62	J. Moulton
	1200	63	J. Moulton
	1500	78	M Perez
	1800	78	M. Perez
	2100	66	M. Perez
	2400	65	A. Batuyong

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Medical Rounds Log (Stage III)

Institution: FSP

Date: 09/16/2024-09/22/2024 Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☒ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1. n/a
2.
3.
4.

Date: Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☐ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1.
2.
3.
4.

Medical Rounds Log (Stage III)
CDCR MH-7711-3 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log

Institution: FSP Date: 9/16/24-09/22/24 Number of Heat Incidents: 0

1. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

2. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

3. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

4. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

5. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

6. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

7. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

8. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

9. Patient Name: N/A CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

10. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

11. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

12. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-15-24	0100	70.2	ROSENBERG
	0200	69.5	
	0300	67.8	
	0400	66.9	
	0500	68.1	ROSENBERG
	0600	62.0	Sullivan
	0700	63.9	
	0800	64.2	
	0900	66.1	
	1000	69.7	
	1100	73.9	
	1200	76.1	
	1300	78.4	
	1400	78.9	Brearley
	1500	78.6	Brearley
	1600	78.3	Brearley
	1700	77.1	Brearley
	1800	74.0	Brearley
	1900	72.5	Brearley
	2000	70.7	Brearley
	2100	67.3	Brearley
	2200	68.3	C/O A. AITA
	2300	66.9	
	2400	65.2	

Date	Time	Temp.	Printed Name
9-16-24	0100	64.7	C/O A. AITA
	0200	63.6	
	0300	64.4	
	0400	64.7	
	0500	64.9	
	0600	62.5	
	0700	61.7	Sullivan
	0800	62.9	
	0900	64.0	
	1000	66.1	
	1100	69.3	
	1200	73.7	
	1300	74.0	
	1400	76.0	Brearley
	1500	77.3	Brearley
	1600	76.4	Brearley
	1700	75.8	Brearley
	1800	74.7	Brearley
	1900	72.6	Brearley
	2000	70.3	Brearley
	2100	70.0	Brearley
	2200	70.2	Batuyong
	2300	69.7	Batuyong
	2400	68.5	Batuyong

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9.17.24	0100	67.6	Batuyong
	0200	67.1	Batuyong
	0300	66.3	Batuyong
	0400	65.2	Batuyong
	0500	63.6	Batuyong
	0600	64.7	B.HASKELL
	0700	65.1	
	0800	66.4	
	0900	66.7	
	1000	70.8	
	1100	73.3	
	1200	75.0	
	1300	78.4	B.HASKELL
	1400	79.5	B. HASKELL
	1500	79.7	J. LEATHERMAN
	1600	80.1	J. LEATHERMAN
	1700	80.2	
	1800	76.4	
	1900	74.7	
	2000	74.2	
	2100	72.8	
	2200	70.1	Ly
	2300	68.4	Ly
	2400	67.5	Ly

Date	Time	Temp.	Printed Name
9.18.24	0100	66.9	Ly
	0200	66.4	Ly
	0300	66.8	Ly
	0400	66.5	Ly
	0500	64.0	Ly
	0600	64.6	B.HASKELL
	0700	64.5	
	0800	65.3	
	0900	66.5	
	1000	68.4	
	1100	71.6	
	1200	74.1	
	1300	76.2	B.HASKELL
	1400	78.1	[illegible]
	1500	76.3	
	1600	76.1	
	1700	75.1	
	1800	73.2	
	1900	71.1	
	2000	68.7	
	2100	64.4	[illegible]
	2200	69.5	L. Johnson
	2300	69.4	L. Johnson
	2400	68.3	L. Johnson

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/19-24	0100	69.4	L Johnson
	0200	69.9	L Johnson
	0300	68.9	
	0400	67.3	
	0500	65.9	
	0600	66.8	B. HASKELL
	0700	66.3	
	0800	67.7	
	0900	71.0	
	1000	77.4	
	1100	79.5	
	1200	81.3	
	1300	83.7	B. HASKELL
	1400	85.1	Johnson
	1500	85.3	
	1600	86.1	
	1700	85.0	
	1800	83.4	
	1900	81.7	
	2000	77.1	
	2100	75.7	Johnson
	2200	73.8	BROWN, V.
	2300	72.1	BROWN, V.
	2400	71.0	BROWN, V

Date	Time	Temp.	Printed Name
9-20-24	0100	70.4	BROWN, V
	0200	68.0	BROWN, V
	0300	67.1	BROWN, V
	0400	65.9	BROWN, V
	0500	68.1	BROWN, V
	0600	68.6	B. HASKELL
	0700	67.1	
	0800	68.7	
	0900	69.0	
	1000	72.3	
	1100	74.8	
	1200	78.8	
	1300	82.2	B. HASKELL
	1400	83.4	M. Mora
	1500	84.2	M. Mora
	1600	87.2	M. Mora
	1700	88.1	M. Mora
	1800	87.4	M. Mora
	1900	85.2	M. Mora
	2000	81.5	Mora
	2100	77.5	Mora.
	2200	75.2	BROWN, V
	2300	74.0	BROWN, V
	2400	71.8	BROWN, V

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-21-24 SAT.	0100	70.7	BROWN, V
	0200	69.9	BROWN, V
	0300	69.2	BROWN, V
	0400	68.0	BROWN, V
	0500	68.9	BROWN, V
	0600	69.5	B. HASKELL
	0700	68.2	
	0800	69.9	
	0900	71.2	
	1000	74.5	
	1100	81.2	
	1200	83.7	
	1300	86.5	B. HASKELL
	1400	88.6	
	1500	88.5	
	1600	88.7	
	1700	89.1	
	1800	87.7	
	1900	84.8	
	2000	80.1	
	2100	77.7	B. HASKELL
	2200	76.2	C/O A. AITA
	2300	75.9	
	2400	75.5	

Date	Time	Temp.	Printed Name
9-22-24 SUN.	0100	74.7	C/O A. AITA
	0200	70.9	
	0300	70.6	
	0400	70.1	
	0500	69.8	
	0600	69.6	
	0700	67.1	Sullivan
	0800	69.5	
	0900	70.0	
	1000	73.2	
	1100	80.0	
	1200	85.1	
	1300	86.1	
	1400	88.2	Breaking
	1500	90.6	Breaking
	1600	91.2	Breaking
	1700	89.9	Breaking
	1800	88.8	Breaking
	1900	86.5	Breaking
	2000	84.2	Breaking
	2100	82.6	Breaking
	2200	76.7	C/O A. AITA
	2300	76.5	
	2400	75.5	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 1 Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	68.1	D Riley
	0600	69.1	J. Billings
	0900	68.1	J. Billings
	1200	70.9	J. Billings
	1500	74.1	L Johnson
	1800	74.1	L Johnson
	2100	73.3	L Johnson
	2400	72.3	J. PARK

Tuesday

Dat	Time	Temp.	Name (Print)
9/17/24	0300	68.4	J. Park
	0600	66.7	J. Billings
	0900	65.9	J. Billings
	1200	70.1	J. Billings
	1500	75.2	L Johnson
	1800	75.9	L Johnson
	2100	73.5	L Johnson
	2400	71.1	R. Xiong

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	69.3	R. Xiong
	0600	69.1	V. Vargas
	0900	69.9	V. Vargas
	1200	71.2	V. Vargas
	1500	73.9	L Johnson
	1800	74.3	L Johnson
	2100	73.5	L Johnson
	2400	72.2	R. Xiong

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	71.4	R. Xiong
	0600	69.6	V. BROWN
	0900	71.0	V. BROWN
	1200	74.5	V. BROWN
	1500	78.8	S. BOLES
	1800	77.2	S. BOLES
	2100	76.4	S. BOLES
	2400	74.9	R. Xiong

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	73.4	R. Xiong
	0600	69.9	J. Billings
	0900	68.3	J. Billings
	1200	74.1	J. Billings
	1500	78.00	R Johns
	1800	79.5	R Johns
	2100	78.5	R Johns
	2400	75.6	R. Xiong

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	73.7	R. Xiong
	0600	72.3	J. Billings
	0900	72.2	J. Billings
	1200	76.4	J. Billings
	1500	80.1	J. Billings
	1800	81.1	J. Billings
	2100	79.5	J. Billings
	2400	77.4	R. Xiong

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	76.1	R. Xiong
	0600	74.3	J. Billings
	0900	74.5	J. Billings
	1200	78.6	J. Billings
	1500	81.5	V. BROWN
	1800	83.7	V. BROWN
	2100	80.9	V. BROWN
	2400	79.1	D Riley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 2 Temp. Reading Location: 3RD TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16	0300	68.5	HANG
	0600	68.7	BETTENCOURT
	0900	69.0	BICK
	1200	71.3	BICK
	1500	73.4	PRASAD
	1800	73.5	PRASAD
	2100	72.1	PRASAD
	2400	71.6	HANG

Tuesday

Dat	Time	Temp.	Name (Print)
9-17	0300	69.9	HANG
	0600	68.1	Brandon
	0900	67.2	BETTENCOURT
	1200	71.7	Brandon
	1500	74.1	PRASAD
	1800	75.1	PRASAD
	2100	73.0	PRASAD
	2400	69.9	HANG

Wednesday

Date	Time	Temp.	Name (Print)
9-18	0300	69.2	HANG
	0600	69.0	BETTENCOURT
	0900	69.2	BICK
	1200	72.3	BICK
	1500	73.2	Rupert
	1800	72.9	Rupert
	2100	71.6	Rupert
	2400	71.4	HANG

Thursday

Date	Time	Temp.	Name (Print)
9-19	0300	70.8	HANG
	0600	70.5	BETTENCOURT
	0900	70.7	BETTENCOURT
	1200	73.0	BETTENCOURT
	1500	75.2	Rupert
	1800	73.1	Rupert
	2100	71.0	Rupert
	2400	73.2	BORGES

Friday

Date	Time	Temp.	Name (Print)
9-20	0300	72.1	BORGES
	0600	69.9	Barajas
	0900	69.2	Barajas
	1200	73.4	Barajas
	1500	75.2	Rupert
	1800	76.1	Rupert
	2100	75.0	Rupert
	2400	74.4	DOOLITTLE

Saturday

Date	Time	Temp.	Name (Print)
9-21	0300	72.3	DOOLITTLE
	0600	71.7	PRASAD
	0900	71.4	PRASAD
	1200	74.0	PRASAD
	1500	75.1	Rupert
	1800	78.2	Rupert
	2100	77.5	Rupert
	2400	74.5	DOOLITTLE

Sunday

Date	Time	Temp.	Name (Print)
9-22	0300	73.4	DOOLITTLE
	0600	73.0	Brandon
	0900	73.0	Giblin
	1200	73.6	Brandon
	1500	78.6	CABAN
	1800	80.2	CABAN
	2100	77.2	ESPINO
	2400	76.1	HANG

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIO

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the IN ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be hous (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 3 Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	69.3	[illegible]
	0600	68	Galvan
	0900	69.3	Galvan
.	1200	71	Galvan
16	1500	73.9	JALIJALI
	1800	74.5	JALIJALI
.	2100	73.5	JALIJALI
24	2400	72.0	ARISTOMO

Tuesday

Dat	Time	Temp.	Name (Print)
9	0300	70.9	ARISTOMO
	0600	69.4	Galvan
	0900	69.4	Galvan
.	1200	71	Galvan
17	1500	74.6	Colmenares
	1800	74.9	Colmenares
.	2100	73.3	Colmenares
24	2400	69.3	ARISTOMO

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	69.1	ARISTOMO
	0600	68.0	Cazares.
	0900	69	Robison
.	1200	72.3	Cazares.
18	1500	73.4	Colmenares
	1800	73.6	Colmenares
.	2100	71.3	Colmenares
24	2400	70.9	ARISTOMO

Thursday

Date	Time	Temp.	Name (Print)
9	0300	71.1	ARISTOMO
	0600	70.6	Cazares
	0900	72.8	Cazares
.	1200	74.8	Cazares
19	1500	75.3	Colmenares
	1800	74.1	Colmenares
.	2100	75.5	Colmenares
24	2400	73.0	Brown

Friday

Date	Time	Temp.	Name (Print)
9	0300	71.8	Brown
	0600	68.5	Cazares
	0900	73.0	Cazares
.	1200	75.8	Cazares
20	1500	75.3	Colmenares
	1800	77.9	Colmenares
.	2100	76.5	Colmenares
24	2400	74.0	Brown

Saturday

Date	Time	Temp.	Name (Print)
9	0300	73.4	Brown
	0600	71.4	Galvan
	0900	73.3	Robison
.	1200	75.4	[illegible]
21	1500	77.2	Colmenares
	1800	79.2	Colmenares
.	2100	77.6	Colmenar
24	2400	75.3	ARISTOMO

Sunday

Date	Time	Temp.	Name (Print)
9	0300	74.2	ARISTOMO
	0600	73	Galvan
	0900	74.1	Galvan
.	1200	76.0	Cazares
22	1500	79.7	JALIJALI
	1800	80.5	Jalijali
.	2100	78.7	JALIJALI
24	2400	[illegible].5	ARISTOMO

Notes

9/22/24 STAGE 1 ACTIVATED @ 1450 HOURS
9/22/24 DEACTIVATED @ 1800

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: FOUR Temp. Reading Location: 3RD TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	73.5	Martin
	0600	72.4	SUETTA
	0900	72.0	SUETTA
	1200	73.2	SUETTA
	1500	74.1	L.A Rodriguez
	1800	74.6	L.A. Rodriguez
	2100	74.5	L.A. Rodriguez
	2400	73.7	Martin

Tuesday

Dat	Time	Temp.	Name (Print)
9/17/24	0300	73.0	Martin
	0600	72.1	SUETTA
	0900	72.3	SUETTA
	1200	73.1	SUETTA
	1500	74.3	BRAY
	1800	75.8	BRAY
	2100	74.1	BRAY
	2400	73.4	Martin

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	72.3	Martin
	0600	72.1	Skum
	0900	71.6	Skum
	1200	72.6	Skum
	1500	73.1	BRAY
	1800	73.3	BRAY
	2100	73.2	BRAY
	2400	73.0	Martin

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	72.5	Martin
	0600	71.9	Skum
	0900	71.6	Skum
	1200	73.4	Skum
	1500	75.9	L-Rodriguez
	1800	75.3	L-Rodriguez
	2100	75.5	L. Rodriguez
	2400	75.2	S. TLUCZEK

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	74.8	S.TLUCZEK
	0600	73.5	Skum
	0900	72.3	Skum
	1200	74.0	Skum
	1500	77.9	L.A. Rodriguez
	1800	78.8	L.A. Rodriguez
	2100	79.0	L.A. Rodriguez
	2400	77.5	S.TLUCZEK

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	76.2	S.TLUCZEK
	0600	74.8	V Stewart
	0900	75	V Stewart
	1200	75	V Stewart
	1500	77.7	L-Rodriguez
	1800	79.5	L. Rodriguez
	2100	8.0	L. Rodriguez
	2400	78.8	Brown

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	78.0	Brown
	0600	76.7	Brown
	0900	78.6	[illegible]
	1200	79.0	[illegible]
	1500	78.1	L. Rodriguez
	1800	80.0	L. Rodriguez
	2100	80.6	L. Rodriguez
	2400	80.6	Martin

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

State of California

Department of Corrections and Rehabilitation

Memorandum

Date : October 9, 2024

To : D. SHEUFELT
Associate Warden
Health Care Access Administration
Folsom State Prison

Subject : **LOST UNIT V HEAT LOG, FOR SEPTEMBER 16, 2024, THROUGH SEPTEMBER 22, 2024.**

On October 7, 2024, Health Care Access Analyst C. Verras contacted Unit V staff, inquiring as to the location of the Unit V Heat Log, specific to dates of September 16, 2024, through September 22, 2024, as said heat log was not submitted to her respective office, as required. As such, a search for the Heat Log was initiated by Unit V staff, to include staff not assigned to Unit V. The search of the Unit V Heat Log resulted in negative findings.

It should be noted, Unit V Sergeant (Sgt) J. Frederick, who is assigned as the five day a week Unit V Sgt, is the staff member who is tasked with ensuring the Unit V Heat Log is routed to Health Care Access staff on a weekly basis. It should be further noted per Personnel Assignments staff, Sgt Frederick is currently on vacation (10/07/2024 – 10/20/2024); therefore, was not queried regarding the lost Unit V Heat Log. Essentially, it is currently unknown whether Sgt Frederick ensured the lost heat log was appropriately routed. A review of the 2nd watch assignment roster for September 23, 2024, revealed Sgt Frederick took a Holiday that day; therefore, his shift was covered by Sgt J. Rodriguez. On October 9, 2024, Sgt Rodriguez was queried regarding the submission/routing of the Unit V Heat Log. Rodriguez stated she did not submit/route the heat log to Health Care Access, nor did she instruct anyone to submit the heat log on behalf of Unit V. Sgt Rodriguez further stated, as she was simply filling in behind Sgt Frederick, she was not aware the heat log had to be submitted that day.

It is noted, the Unit V Lieutenant (Lt.) & Unit V Captain regularly review the Unit V Heat Log; however, did not review it on September 23, 2024. Going forward, the Unit V Sgt and Lt. will review the Unit V Heat Log prior to being removed from the heat log binder by the Unit III/V Office Technician (OT). The OT will subsequently report to the Unit III/V Captain's office for review of the heat log. Once reviewed by the Captain the OT will report to Health Care Access and turn in the heat log as required.

Respectfully,
C. Carrillo
Unit III/V Captain (A)
Folsom State Prison

State of California

Department of Corrections and Rehabilitation

Memorandum

Date : October 9, 2024

To : D. SHEUFELT
Associate Warden
Health Care Access Administration
Folsom State Prison

Subject : **LOST UNIT V HEAT LOG, FOR SEPTEMBER 16, 2024, THROUGH SEPTEMBER 22, 2024.**

On October 7, 2024, Health Care Access Analyst C. Verras contacted Unit V staff, inquiring as to the location of the Unit V Heat Log, specific to dates of September 16, 2024, through September 22, 2024, as said heat log was not submitted to her respective office, as required. Unit 5 staff searched the heat log binder and were unable to locate the heat log. A review of Telestaff indicated Sergeant J. Rodriguez worked in unit 5 on September 22, 2024. I contacted Sergeant Rodriguez, and she stated she did not review the heat log or forward the heat log to anyone on that date. Unit 5 staff were quired to see if they had any knowledge of the heat log or if they forwarded it to anyone. All staff stated they have not seen it or forwarded it to anyone.

Moving forward, the unit 5 Sergeant will review the heat log on Monday mornings and ensure it is complete and forward to the Unit 5 Lieutenant to review. The Unit 3/5 Office Tech will pick up the heat log from the Unit 5 Lieutenant and forward it to the Unit 3/5 Captain for review.

K. O'Connor
Unit 5 LT.

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE Heat logs		TIME 1230-1300	DATE 10/9/24
AUDIENCE Custody	INSTRUCTOR K. O'Connor	LENGTH (IN HOURS) .5	LOCATION Unit 5
BET ID (list all applicable) 11054300-HEAT PLAN PROCEDURES - OJT			

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	O'Connor, K.	S06	0600-1400	1230	1300	N	N	
2	[redacted]	Sutherland, K.	S06	0600-1400	1230	1300	N	N	
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR [redacted]

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ESP Housing Unit: FMSF Temp. Reading Location: DAY ROOM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	63	A. Batuyong
	0600	60	J. Moulton
	0900	61	J. Moulton
	1200	64	J. Moulton
	1500	66	M. Perez
	1800	66	M Perez
	2100	64	M Perez
	2400	64	J Green

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	63	J Green
	0600	62	J Green
	0900	60	J. Moulton
	1200	62	J. Moulton
	1500	64	[redacted] M Perez
	1800	70	M Perez
	2100	70	M Perez
	2400	63	D. GALLEGOS

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	65	D. GALLEGOS
	0600	65	J. Moulton
	0900	62	J. Moulton
	1200	65	J. Moulton
	1500	70	M. Perez
	1800	70	M. Perez
	2100	68	M. Perez
	2400	64	D. GALLEGOS

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	62	D. GALLEGOS
	0600	65	J. Moulton
	0900	62	J. Moulton
	1200	64	J. Moulton
	1500	70	M. Perez
	1800	70	M Perez
	2100	68	M. Perez
	2400	63	D. GALLEGOS

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	62	S. Solomon
	0600	61	E. ARREZOLA
	0900	61	E. ARREZOLA
	1200	65	E. ARREZOLA
	1500	69	Ralh
	1800	69	Ralh
	2100	67	Ralh
	2400	70	Solomon

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	62	Solomon
	0600	66	J Mach
	0900	63	J. Mach
	1200	72	J. Mach
	1500	70	Ralh
	1800	71	Ralh
	2100	66	Ralh
	2400	64	D. GALLEGOS

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	62	D. GALLEGOS
	0600	62	D. Vega
	0900	63	D. Vega
	1200	64	D. Vega
	1500	72	M. Perez
	1800	72	M Perez
	2100	70	M. Perez
	2400	63	D. GALLEGOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Heat Incident Log

Institution: FSP Date: 9/23/24-09/29/24 Number of Heat Incidents: 0

1. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

2. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

3. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

4. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

5. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

6. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

7. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

8. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

9. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

10. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

11. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

12. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Medical Rounds Log (Stage III)

Institution: FSP

Date: 09/23/2024-09/29/2024 Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☒ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1. n/a
2.
3.
4.

Date: Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☐ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1.
2.
3.
4.

Medical Rounds Log (Stage III)
CDCR MH-7711-3 (02/17)

Confidential Patient Information

*Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable **federal and state laws.***

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9.23.24	0100	74.0	C/O A. AITA
	0200	74.2	
	0300	73.7	
	0400	73.4	
	0500	73.0	
	0600	72.1	R. Heal
	0700	70.8	
	0800	70.5	
	0900	72.1	
	1000	79.2	
	1100	83.9	
	1200	88.2	
	1300	90.1	
	1400	93.2	Breaking
	1500	94.9	Breaking
	1600	96.0	Breaking
	1700	94.2	Breaking
	1800	92.5	Breaking
	1900	88.7	Breaking
	2000	83.4	Breaking
	2100	79.2	Breaking
	2200	79.9	BROWN, V
	2300	80.0	BROWN, V.
	2400	79.1	BROWN, V

Date	Time	Temp.	Printed Name
9.24.24	0100	77.2	BROWN, V
	0200	75.6	BROWN, V
	0300	75.7	BROWN, V
	0400	75.8	BROWN, V
	0500	74.3	BROWN, V
	0600	72.3	ROSENBERG
	0700	72.6	
	0800	73.1	
	0900	76.9	
	1000	83.1	
	1100	89.9	
	1200	94.3	
	1300	97.6	ROSENBERG
	1400	98.8	[illegible]
	1500	99.0	
	1600	98.2	
	1700	94.5	
	1800	93.9	
	1900	90.2	
	2000	87.2	
	2100	84.4	[illegible]
	2200	79.9	BROWN, V
	2300	78.7	BROWN, V.
	2400	77.2	BROWN, V

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9.25.24	0100	75.9	BROWN, V
	0200	74.2	BROWN, V
	0300	72.5	BROWN, V
	0400	71.9	BROWN, V
	0500	71.5	BROWN, V
	0600	71.4	Breaky
	0700	69.5	Breaky
	0800	68.5	Breaky
	0900	70.3	Breaky
	1000	72.4	Breaky
	1100	75.2	Breaky
	1200	78.4	Breaky
	1300	80.8	Breaky
	1400	83.5	Wilson
	1500	86.2	
	1600	85.5	
	1700	82.8	
	1800	80.5	
	1900	77.4	
	2000	73.5	
	2100	70.2	Wilson
	2200	69.1	BROWN, V
	2300	67.6	BROWN, V
	2400	64.5	BROWN, V

Date	Time	Temp.	Printed Name
9.26.24	0100	64.5	BROWN, V
	0200	64.1	BROWN, V
	0300	64.6	BROWN, V
	0400	64.9	BROWN, V
	0500	67.3	BROWN, V
	0600	66.9	Bebo
	0700	63.2	
	0800	64.3	
	0900	65.2	
	1000	71.1	
	1100	73.6	
	1200	78.5	
	1300	81.0	
	1400	82.2	Wilson
	1500	84.9	
	1600	85.3	
	1700	84.7	
	1800	81.1	
	1900	78.2	
	2000	76.2	
	2100	73.3	Wilson
	2200	71.9	BROWN, V
	2300	71.1	BROWN, V
	2400	70.0	BROWN, V

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-27-24	0100	69.8	BROWN, V
	0200	69.8	BROWN, V
	0300	69.2	BROWN, V
	0400	68.0	BROWN, V
	0500	68.6	BROWN, V
	0600	67.3	ROSENBERG R.
	0700	66.8	
	0800	67.6	
	0900	70.8	
	1000	77.3	
	1100	81.7	
	1200	87.0	
	1300	89.7	ROSENBERG R.
	1400	92.1	R CARTER
	1500	93.5	
	1600	93.9	
	1700	92.7	
	1800	91.4	
	1900	84.9	
	2000	79.0	
	2100	76.8	R CARTER
	2200	75.3	BROWN, V
	2300	74.4	BROWN, V
	2400	73.0	BROWN, V

Date	Time	Temp.	Printed Name
9-28-24	0100	73.0	BROWN, V
	0200	72.9	BROWN, V
	0300	72.8	BROWN, V
	0400	72.8	BROWN, V
	0500	71.7	BROWN, V
	0600	70.1	Painter
	0700	69.7	Painter
	0800	68.7	Painter
	0900	71.7	Painter
	1000	75.2	Painter
	1100	87.5	Painter
	1200	88.8	Painter
	1300	92.4	Painter
	1400	93.4	S. Wilson
	1500	95.1	
	1600	94.9	
	1700	93.3	
	1800	90.9	
	1900	88.0	
	2000	82.0	
	2100	78.1	S. Wilson
	2200	75.7	Ly
	2300	72.9	Ly
	2400	69.5	Ly

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/29/24	0100	70.1	Ly
	0200	69.5	Ly
	0300	68.8	Ly
	0400	68.0	Ly
	0500	65.7	Ly
	0600	65.0	LTurner
	0700	68.0	LTurner
	0800	66.2	LTurner
	0900	68.2	LTurner
	1000	72.6	LTurner
	1100	77.4	LTurner
	1200	80.7	LTurner
	1300	82.9	LTurner
	1400	85.0	Breakey
	1500	87.2	Breakey
	1600	87.5	Breakey
	1700	85.0	Breakey
	1800	84.3	Breakey
	1900	79.4	Breakey
	2000	77.6	Breakey
	2100	75.8	Breakey
	2200	74.5	C/O A. AITA
	2300	73.5	↓
	2400	73.1	↓

Date	Time	Temp.	Printed Name
9.30.24	0100	71.3	C/O A. AITA
	0200	69.7	↓
	0300	69.4	↓
	0400	69.0	↓
	0500	68.4	↓
	0600	68.0	↓
	0700	68.4	C/O Rabago
	0800	69.0	↓
	0900	72.6	↓
	1000	75.8	↓
	1100	81.6	↓
	1200	85.0	↓
	1300	90.0	↓
	1400	91.6	Breakey
	1500	92.4	Breakey
	1600	92.7	Breakey
	1700	90.0	Breakey
	1800	87.7	Breakey
	1900	84.0	Breakey
	2000	80.0	Breakey
	2100	78.2	Breakey
	2200	77.5	BROWN, V
	2300	76.9	BROWN, V
	2400	75.9	BROWN, V

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 1 Temp. Reading Location: 3rd

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	78.3	D. Riley
	0600	75.7	J. Billings
	0900	77.0	J. Billings
	1200	80.5	J. Billings
	1500	84.4	L. Presto
	1800	84.5	L. Presto
	2100	83.7	L. Presto
	2400	82.0	J. PARK

Tuesday

Dat	Time	Temp.	Name (Print)
9/24/24	0300	80.7	J. Park
	0600	80.3	J. Billings
	0900	79.9	J. Billings
	1200	85.1	J. Billings
	1500	87.6	L. Johnson
	1800	87.7	L. Johnson
	2100	85.1	L. Johnson
	2400	81.6	R. Xiong

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	80.7	J. PARK
	0600	75.7	L. Johnson
	0900	73.6	L. Johnson
	1200	77.9	L. Johnson
	1500	82.5	L. Johnson
	1800	82.8	L. Johnson
	2100	75.1	L. Johnson
	2400	72.6	R. Xiong

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	71.0	R. Xiong
	0600	70.3	V. Vargas
	0900	68.9	V. Vargas
	1200	74.9	V. Vargas
	1500	80.1	S. Mendoza
	1800	80.9	S. Mendoza
	2100	79.3	S. Mendoza
	2400	77.2	R. Xiong

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	75.9	R. Xiong
	0600	75.7	J. Billings
	0900	75.9	J. Billings
	1200	79.3	J. Billings
	1500	83.3	J. CABAN
	1800	84.3	J. CABAN
	2100	80.9	J. CABAN
	2400	79.4	R. Xiong

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	78.1	R. Xiong
	0600	77.9	J. Billings
	0900	77.3	J. Billings
	1200	81.7	J. Billings
	1500	83.9	L. Johnson
	1800	86.4	L. Johnson
	2100	81.3	L. Johnson
	2400	75.9	R. Xiong

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	71.7	R. Xiong
	0600	69.7	J. Billings
	0900	71.5	J. Billings
	1200	75.1	J. Billings
	1500	79.3	L. Johnson
	1800	80.8	G. GARCIA
	2100	80.1	G. GARCIA
	2400	77.4	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 2 Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.23	0300	75.5	HANG
	0600	74.8	Brander
	0900	74.3	Brander
	1200	78.2	Brander
	1500	81.5	PRASAD
	1800	82.9	PRASAD
	2100	80.0	CHERREW.SS
	2400	79.7	HANG

Tuesday

Dat	Time	Temp.	Name (Print)
9.24	0300	78.4	HANG
	0600	78.2	VanWegen
	0900	78.2	BETTENCOURT
	1200	80.9	VanWegen
	1500	84.2	VanWegen
	1800	86.2	PENCE
	2100	84.3	PENCE
	2400	80.2	HANG

Wednesday

Date	Time	Temp.	Name (Print)
9.25	0300	78.6	HANG
	0600	79.0	Welcher
	0900	79.3	Welcher
	1200	79.6	Welcher
	1500	80.5	RUPERT
	1800	80.8	Rupert
	2100	78.1	Rupert
	2400	73.4	HANG

Thursday

Date	Time	Temp.	Name (Print)
9.26	0300	72.6	HANG
	0600	70.7	VanWegen
	0900	72.6	Barajas
	1200	74.1	Barajas
	1500	77.3	Rupert
	1800	77.1	RUPERT
	2100	76.7	Rupert
	2400	73.9	HANG

Friday

Date	Time	Temp.	Name (Print)
9.27	0300	72.8	HANG
	0600	71.4	Barajas
	0900	72.6	KNIGHT
	1200	74	BETTENCOURT
	1500	79.8	Rupert
	1800	80.0	Rupert
	2100	78	PENCE
	2400	76.1	K. BADWAL

Saturday

Date	Time	Temp.	Name (Print)
9.28	0300	75.9	K. BADWAL
	0600	75.2	Badwal
	0900	76.1	PENCE
	1200	77.3	PENCE
	1500	80.4	J. CABAN
	1800	82.4	J. CABAN
	2100	80.0	J. CABAN
	2400	75.5	DOCUMENT

Sunday

Date	Time	Temp.	Name (Print)
9.29	0300	74.2	DOCUMENT
	0600	71.4	BRA
	0900	71.7	Rupert
	1200	72.3	Rupert
	1500	75.2	Rupert
	1800	77.8	Rupert
	2100	77.3	ESPINO
	2400	75.3	HANG

Notes

1256 9/23 STAGE 1
1110 9/24 STAGE 1

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 3 Temp. Reading Location: 3 tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	77.0	ARISTOMC
	0600	76.1	GALVAN
	0900	77	GALVAN
	1200	77.4	GALVAN
23	1500	80.7	JALIJALI
	1800	82.5	JALIJALI
	2100	80.6	JALIJALI
24	2400	79.5	ARISTOMC

Tuesday

Dat	Time	Temp.	Name (Print)
9	0300	78.5	ARISTOMC
	0600	78.5	GALVAN
	0900	78.6	GALVAN
	1200	79.2	GALVAN
24	1500	83.7	Colmenares
	1800	83.9	Colmenares
	2100	82.3	Colmenares
24	2400	79.7	ARISTOMC

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	79.3	ARISTOMC
	0600	74.0	Cazares
	0900	76.2	Cazares
	1200	77.6	GALVAN
25	1500	79.9	Colmenares
	1800	80.7	Colmenares
	2100	75.6	Colmenar
24	2400	72.6	ARISTOMC

Thursday

Date	Time	Temp.	Name (Print)
9	0300	71.2	ARISTOMC
	0600	70.3	Cazares
	0900	72.0	Cazares
	1200	74.0	GALVAN
26	1500	77.1	Colmenares
	1800	78.9	Colmenar
	2100	76.8	Colmenares
24	2400	75.0	BROWN

Friday

Date	Time	Temp.	Name (Print)
9	0300	74.0	BROWN
	0600	74.1	GALVAN
	0900	73.1	GALVAN
27	1200	79.2	GALVAN
	1500	80.7	Colmenares
	1800	81.9	Colmenares
24	2100	78.8	Colmenares
	2400	77.1	BROWN

Saturday

Date	Time	Temp.	Name (Print)
9	0300	76.5	BROWN
	0600	76.9	GALVAN
	0900	77.2	GALVAN
28	1200	79.3	GALVAN
	1500	80.7	Colmenares
	1800	81.9	Colmenares
24	2100	78.8	Colmenares
	2400	74.3	ARISTOMC

Sunday

Date	Time	Temp.	Name (Print)
9	0300	73.5	ARISTOMC
	0600	72	GALVAN
	0900	71.9	GALVAN
29	1200	73.8	Cazares.
	1500	77.5	JALIJALI
	1800	79.0	JALIJALI
24	2100	77.7	JALIJALI
	2400	75.3	BROWN

Notes

STAGE (1) DEACTIVATED @ 1921 HOURS
9/23/24 STAGE 1 ACTIVATED @ 1256 HOURS
DEACTIVATED @ 1925 HOURS
9/24/24 STAGE 1 ACTIVATED @ 1110 HRS
9/27/24 STAGE 1 DEACTIVATED @ 1825
9/28 STAGE 1 ACTIVATED @ 1222
9/28 STAGE 1 DEACTIVATED @ 1925 HRS

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: FOUR Temp. Reading Location: 3RD TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	79.9	Martin
	0600	78.8	SUETTA
	0900	78.0	SUETTA
	1200	77.9	SUETTA
	1500	82.0	L. Rodriguez
	1800	83.4	L. Rodriguez
	2100	83.6	L. Rodriguez
	2400	83.2	Martin

Tuesday

Dat	Time	Temp.	Name (Print)
9-24-24	0300	83.6	Martin
	0600	81.4	SUETTA
	0900	79.5	SUETTA
	1200	79.2	SUETTA
	1500	86.7	BRAY
	1800	87.3	BRAY
	2100	86.8	BRAY
	2400	85.1	Martin

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	83.2	Martin
	0600	80.6	Skum
	0900	78.9	Skum
	1200	80.4	Skum
	1500	83.7	BRAY
	1800	83.4	BRAY
	2100	81.1	BRAY
	2400	79.7	Martin

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	78.8	Martin
	0600	78.6	Skum
	0900	76.8	Skum
	1200	77.7	Skum
	1500	81.0	L. Rodriguez
	1800	81.8	L. Rodriguez
	2100	80.2	L. Rodriguez
	2400	79.5	S. TLUCZEK

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	78.8	S. TLUCZEK
	0600	76.4	Skum
	0900	77.1	Skum
	1200	77.9	Skum
	1500	80.0	L. Rodriguez
	1800	80.9	L. Rodriguez
	2100	80.9	L. Rodriguez
	2400	80.9	S. TLUCZEK

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	80.2	S. TLUCZEK
	0600	77.7	Skum
	0900	77.1	Skum
	1200	78.4	Skum
	1500	80.0	L. Rodriguez
	1800	84.2	L. Rodriguez
	2100	83.1	L. Rodriguez
	2400	80.6	A. Gomez

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	78.6	A. Gomez
	0600	77.5	Skum
	0900	76.9	Skum
	1200	76.8	Skum
	1500	79.8	L. Rodriguez
	1800	81.2	L. Rodriguez
	2100	80.1	L. Rodriguez
	2400	79.8	Martin

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATIO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 5 Temp. Reading Location: 5 – B2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	75.0	M. Song
	0600	76.1	"
	0900	77.2	"
	1200	78.0	"
	1500	78.6	Cave
	1800	75.6	Cave
	2100	74.8	Cave
	2400	75.9	Brown

Tuesday

Dat	Time	Temp.	Name (Print)
9/24	0300	75.7	Brown
	0600	76.4	M. Rzevato
	0900	75.7	M. Rzevato
	1200	77.8	M. Rzevato
	1500	84.2	S. Rhoads
	1800	86.2	S. Rhoads
	2100	81.3	S. Rhoads
	2400	78.8	Cox

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	75.9	Cox
	0600	76.1	M. Rzevato
	0900	74.8	M. Rzevato
	1200	76.8	M. Rzevato
	1500	78.3	R. Campbell
	1800	78.8	R. Campbell
	2100	77.7	C. Cox
	2400	73.4	C. Cox

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	73.2	Cox
	0600	72.8	M. Rzevato
	0900	72.5	M. Rzevato
	1200	75.2	M. Rzevato
	1500	77.4	Chapman
	1800	77.0	Chapman
	2100	76.7	Chapman
	2400	72.8	Cox

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	70.7	Cox
	0600	73.2	Bizeau
	0900	73.4	Bizeau
	1200	75.7	Bizeau
	1500	77.2	Chapman
	1800	79.4	R. Campbell
	2100	75.4	Paul
	2400	75.4	M. Song

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	75.0	M. Song
	0600	74.3	Visser
	0900	73.9	Visser
	1200	75.2	Bizeau
	1500	76.8	Gaddi
	1800	76.9	Gaddi
	2100	76.2	Gaddi
	2400	75.9	M. Song

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	73.2	M. Song
	0600	73.2	M. Rzevato
	0900	73.5	Bizeau
	1200	75.5	Bizeau M. Rzevato
	1500	76.8	Gaddi
	1800	76.6	Gaddi
	2100	75.3	Gaddi
	2400	74.1	Song

Notes
Stage 1 9-28-24 1222

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ESP Housing Unit: FMPS Temp. Reading Location: DAY ROOM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5014 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	62	D. GALLEGOS
	0600	60	J. Moulton
	0900	63	J. Moulton
	1200	68	J. Moulton
	1500	74	M. Perez
	1800	74	M. Perez
	2100	72	M. Perez
	2400	65	D. GALLEGOS

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	65	D. GALLEGOS
	0600	61	J. Moulton
	0900	68	J. Moulton
	1200	[illegible]	J. Moulton
	1500	74	M. Perez
	1800	76	M. Perez
	2100	72	M. Perez
	2400	65	D. GALLEGOS

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	63	D. GALLEGOS
	0600	60	J. Moulton
	0900	62	J. Moulton
	1200	67	J. Moulton
	1500	72	M. Perez
	1800	72	M. Perez
	2100	76	M. Perez
	2400	62	D. GALLEGOS

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	64	D. GALLEGOS
	0600	[illegible]	ARISTANO
	0900	67	ARISTANO
	1200	68	ARISTANO
	1500	70	M. Perez
	1800	70	M. Perez
	2100	68	M. Perez
	2400	68	S. Solomon

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	62	S. Solomon
	0600	65	E. ARREZOLA
	0900	65	ARREZOLA
	1200	67	ARREZOLA
	1500	69	Rall
	1800	68	Rall
	2100	67	Rall
	2400	65	LY

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	64	LY
	0600	61	D. Cruz
	0900	63	D. Cruz
	1200	65	[illegible]
	1500	71	Rall
	1800	70	Rall
	2100	70	Rall
	2400	64	D. GALLEGOS

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	62	D. GALLEGOS
	0600	60	J. Moulton
	0900	62	J. Moulton
	1200	64	J. Moulton
	1500	70	Rall
	1800	72	Rall
	2100	69	Rall
	2400	65	GALLEGOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Medical Rounds Log (Stage III)

Institution: FSP

Date: 09/30/2024-10/06/2024 Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☒ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1. n/a
2.
3.
4.

Date: Time: n/a Housing Unit: n/a

Name /Title of Health Care Staff Performing Rounds: n/a Heat Related Illnesses Identified: ☐ Yes ☐ No

Heat incidents identified on rounds (Include patient name, CDCR number, MHSDS designation, list of heat risk medications, and brief summary of medical treatment):

1.
2.
3.
4.

Medical Rounds Log (Stage III)
CDCR MH-7711-3 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log

Institution: FSP Date: 9/30/24-10/06/24 Number of Heat Incidents: 0

1. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

2. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

3. Patient Name: N/A CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

4. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

5. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

6. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

7. Patient Name: N/A _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

8. Patient Name: N/A _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

9. Patient Name: N/A _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

10. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

11. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

12. Patient Name: N/A CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/29/24	0100	70.1	Ly
	0200	69.5	Ly
	0300	68.8	Ly
	0400	68.0	Ly
	0500	65.7	Ly
	0600	65.0	LTurner
	0700	68.0	LTurner
	0800	66.2	LTurner
	0900	68.2	LTurner
	1000	72.6	LTurner
	1100	77.4	LTurner
	1200	80.7	LTurner
	1300	82.9	LTurner
	1400	85.0	Breaky
	1500	87.2	Breaky
	1600	87.5	Breaky
	1700	85.0	Breaky
	1800	84.3	Breaky
	1900	79.4	Breaky
	2000	77.6	Breaky
	2100	75.8	Breaky
	2200	74.5	C/O A. AITA
	2300	73.5	↓
	2400	73.1	↓

Date	Time	Temp.	Printed Name
9.30.24	0100	71.3	C/O A. AITA
	0200	69.7	↓
	0300	69.4	↓
	0400	69.0	↓
	0500	68.4	↓
	0600	68.0	↓
	0700	68.4	C/O Rubago
	0800	69.0	↓
	0900	72.6	↓
	1000	75.8	↓
	1100	81.6	↓
	1200	85.0	↓
	1300	90.0	↓
	1400	91.6	Breaky
	1500	92.4	Breaky
	1600	92.7	Breaky
	1700	90.0	Breaky
	1800	87.7	Breaky
	1900	84.0	Breaky
	2000	80.0	Breaky
	2100	78.2	Breaky
	2200	77.5	BROWN, V
	2300	76.9	BROWN, V
	2400	75.9	BROWN, V

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
1 OCT '24	0100	75.5	BROWN, V.
	0200	74.7	BROWN, V
	0300	73.0	BROWN, V
	0400	71.9	BROWN, V.
	0500	72.0	BROWN, V
	0600	71.7	HASKELL
	0700	71.3	
	0800	69.7	
	0900	74.8	
	1000	81.5	
	1100	85.2	
	1200	90.9	
	1300	95.7	HASKELL
	1400	97.4	[illegible]
	1500	97.2	
	1600	97.1	
	1700	95.0	
	1800	93.3	
	1900	89.4	
	2000	84.5	
	2100	81.1	[illegible]
	2200	80.9	V. BROWN
	2300	80.7	V. BROWN
	2400	79.0	V. BROWN

Date	Time	Temp.	Printed Name
2 OCT '24	0100	78.8	V. BROWN
	0200	78.5	V. BROWN
	0300	77.7	V. BROWN
	0400	77.2	V. BROWN
	0500	76.5	V. BROWN
	0600	76.0	B. HASKELL
	0700	75.8	
	0800	75.9	
	0900	78.9	
	1000	84.3	
	1100	90.5	
	1200	95.1	
	1300	98.4	B. HASKELL
	1400	96.5	[illegible]
	1500	95.7	
	1600	95.0	
	1700	94.4	
	1800	93.2	
	1900	91.5	
	2000	85.8	
	2100	83.3	[illegible]
	2200	80.5	V. BROWN
	2300	80.3	V. BROWN
	2400	81.1	V. BROWN

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
30 OCT 24	0100	81.2	V. BROWN
	0200	78.7	V. BROWN
	0300	77.9	V. BROWN
	0400	77.2	V. BROWN
	0500	76.4	V. BROWN
	0600	75.3	B. HASKELL
	0700	73.9	
	0800	73.1	
	0900	77.1	
	1000	82.7	
	1100	88.8	
	1200	91.0	
	1300	95.1	B. HASKELL
	1400	99.6	[illegible]
	1500	100.8	
	1600	100.2	
	1700	98.3	
	1800	96.2	
	1900	89.3	
	2000	85.6	
	2100	82.8	[illegible]
	2200	81.5	V. BROWN
	2300	79.1	V. BROWN
	2400	78.4	V. BROWN

Date	Time	Temp.	Printed Name
4 OCT 2024	0100	77.7	V. BROWN
	0200	75.6	V. BROWN
	0300	73.9	V. BROWN
	0400	73.0	V. BROWN
	0500	72.9	V. BROWN
	0600	71.3	J. Dhillon
	0700	71.5	J. Dhillon
	0800	71.9	J. Dhillon
	0900	73.6	J. Dhillon
	1000	81.5	J. Dhillon
	1100	85.8	J. Dhillon
	1200	91.2	J. Dhillon
	1300	96.3	J. Dhillon
	1400	96.6	R CARTER
	1500	98.5	
	1600	97.9	
	1700	96.1	
	1800	93.7	
	1900	87.6	
	2000	83.9	
	2100	80.2	R CARTER
	2200	79.2	V. BROWN
	2300	79.0	V. BROWN
	2400	78.6	V. BROWN

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **Folsom State Prison**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Tower One**

Immediately notify the Watch Commander at extension 3019 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5 OCT 2024	0100	78.2	V. BROWN
	0200	77.8	V. BROWN
	0300	77.2	V. BROWN
	0400	76.5	V. BROWN
	0500	77.1	V. BROWN
	0600	76.8	F Patton
	0700	74.7	F Patton
	0800	76.3	F Patton
	0900	78.7	F Patton
	1000	84.3	F Patton
	1100	86.2	F Patton
	1200	90.6	F Patton
	1300	93.1	F Patton
	1400	95.3	R CARTER
	1500	96.7	↓
	1600	95.5	
	1700	96.0	
	1800	94.7	
	1900	89.1	
	2000	88.8	
	2100	83.0	R CARTER
	2200	80.8	c/o A. AITA
	2300	80.1	↓
	2400	81.8	

Date	Time	Temp.	Printed Name
6 OCT 2024	0100	82.7	c/o A. AITA
	0200	81.3	↓
	0300	78.5	
	0400	76.5	
	0500	78.5	
	0600	76.4	
	0700	74.1	Sullivan
	0800	74.9	
	0900	76.2	
	1000	81.0	
	1100	86.9	
	1200	91.1	
	1300	93.6	
	1400	95.2	Brealey
	1500	96.5	Brealey
	1600	97.8	Brealey
	1700	95.0	Brealey
	1800	94.2	Brealey
	1900	89.5	Brealey
	2000	85.2	Brealey
	2100	80.4	Brealey
	2200	79.9	c/o A. AITA
	2300	80.5	↓
	2400	80.1	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 1 Temp. Reading Location: 3rd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	75.4	Dorante
	0600	75.2	J. Billing
	0900	75.5	J. Billing
	1200	79.5	J. Billings
	1500	82.9	L. Johnson
	1800	83.6	L. Johnson
	2100	81.5	L. Johnson
	2400	79.7	J. PARK

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	72.5	J. Park
	0600	75.7	J. Billing
	0900	79.2	J. Billing
	1200	82.5	J. Billings
	1500	85.3	L. Johnson
	1800	86.9	R. Sohns
	2100	84.1	L. Johnson
	2400	83.0	R. XIONG

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	82.9	R. XIONG
	0600	80.7	V. Vargas
	0900	81.9	V. Vargas
	1200	85.3	V. Vargas
	1500	86.9	V. Vargas
	1800	88.0	V. Vargas
	2100	85.3	V. Vargas
	2400	84.0	R. XIONG

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	83.6	R. XIONG
	0600	81.5	V. Vargas
	0900	81.7	V. Vargas
	1200	86.0	V. Vargas
	1500	88.5	GUTSU
	1800	89.02	GUTSU
	2100	88.6	GUTSU
	2400	84.3	R. XIONG

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	83.3	R. XIONG
	0600	80.9	V. BROWN
	0900	81.1	V. BROWN
	1200	85.7	V. BROWN
	1500	87.6	R. Sohns
	1800	89.3	R. Sohns
	2100	85.4	R. Sohns
	2400	84.1	R. XIONG

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	83.6	R. XIONG
	0600	82.0	V. BROWN
	0900	82.5	V. BROWN
	1200	85.2	V. BROWN
	1500	89.0	L. Presto
	1800	89.7	L. Presto
	2100	87.9	L. Presto
	2400	85.1	R. XIONG

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	84.5	R. XIONG
	0600	80.4	W. Barrantes
	0900	82.1	W. Barrantes
	1200	86.0	W. Barrantes
	1500	88.1	P. LAI
	1800	90.0	P. LAI
	2100	87.9	P. LAI
	2400	85.9	Dorante

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 2 Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.30	0300	74.6	HANG
	0600	73.9	FRANCO
	0900	74.8	Bick
	1200	76.6	Bich
	1500	78.6	PRASAD
	1800	80.3	PRASAD
	2100	79.6	PRASAD.
	2400	77.3	HANG

Tuesday

Dat	Time	Temp.	Name (Print)
10.1	0300	76.4	HANG
	0600	75.2	Bich
	0900	76.1	[illegible]
	1200	77.9	Vanweegen
	1500	81.5	PRASAD
	1800	82.9	PRASAD
	2100	81.3	PRASAD
	2400	80.4	HANG

Wednesday

Date	Time	Temp.	Name (Print)
10.2	0300	79.8	HANG
	0600	79.3	Vanweegen
	0900	79.3	Vanweegen
	1200	81.2	BETTENCOURT
	1500	83.3	Rupert
	1800	84.5	Rupert
	2100	82.8	Rupert
	2400	81.3	HANG

Thursday

Date	Time	Temp.	Name (Print)
10.3	0300	80.7	HANG
	0600	78.8	Barajas
	0900	78.6	BETTENCOURT
	1200	81.5	Bich
	1500	84.5	Rupert
	1800	83.2	Rupert
	2100	81.1	Rupert
	2400	80.6	HANG

Friday

Date	Time	Temp.	Name (Print)
10.4	0300	79.3	HANG
	0600	77.7	BETTENCOURT
	0900	77.3	BETTENCOURT
	1200	81.1	BETTENCOURT
	1500	84.5	Rupert
	1800	84.7	Rupert
	2100	82.4	Rupert
	2400	80.4	Bonner

Saturday

Date	Time	Temp.	Name (Print)
10.5	0300	79.2	Borges
	0600	77.5	Vanweegen
	0900	79.9	Vanweegen
	1200	82.4	Vanweegen
	1500	84.6	Vanweegen
	1800	83.5	Gusu
	2100	80.3	Gusu
	2400	80.1	Gusu

Sunday

Date	Time	Temp.	Name (Print)
10.6	0300	79.2	DOUGHARE
	0600	80.2	GIBLIN
	0900	80.4	VEGA
	1200	82.9	VEGA
	1500	85.1	PRASAD
	1800	85.8	PRASAD
	2100	84.3	RUPERT
	2400	82.7	HANG

Notes

OCT-1-24 STAGE 1 1145HRS
10/3/24 STAGE 1 1200 Hrs
10/4/24 STAGE 1 1200HRS

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 3 Temp. Reading Location: 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	74.4	Brown
	0600	75.5	Yamada
	0900	78.2	Galvan
30	1200	78.2	Galvan
	1500	78.9	JALIJALI
	1800	80.3	JALIJALI
	2100	79.5	JALIJALI
24	2400	78.1	Batuyong

Tuesday

Dat	Time	Temp.	Name (Print)
10	0300	76.7	Batuyong
	0600	75.3	Galvan
	0900	76.2	Robison
1	1200	79	Galvan
	1500	81.7	JALIJALI
	1800	82.5	JALIJALI
	2100	81.2	M. Hurley
24	2400	79.2	Dhillon

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	78.7	Dhillon
	0600	79.3	Parker
	0900	80.2	Parker
2	1200	82.4	Cuyns
	1500	84.3	Colmenares
	1800	84.9	Colmenares
	2100	82.5	Colmenares
24	2400	81.7	A. Singh

Thursday

Date	Time	Temp.	Name (Print)
10	0300	80.8	A. Singh
	0600	75.8	Cazares
	0900	78.0	Cazares
3	1200	82.2	Cazares
	1500	84.7	Colmenares
	1800	85.1	Colmenares
	2100	82.9	Colmenares
24	2400	80.7	Brown

Friday

Date	Time	Temp.	Name (Print)
10	0300	80.1	Brown
	0600	78.6	Galvan
	0900	79	Galvan
4	1200	82.0	Cazares
	1500	83.7	Colmenares
	1800	84.9	Colmenares
	2100	82.4	Colmenares
24	2400	81.1	Batuyong

Saturday

Date	Time	Temp.	Name (Print)
10	0300	80.8	Batuyong
	0600	78.4	Cazares
	0900	81.2	Galvan
5	1200	84.1	CAZARES
	1500	85.0	LAPPIA
	1800	83.4	LAPPIA
24	2100	82.9	LAPPIA
	2400	80.6	A. Gomez

Sunday

Date	Time	Temp.	Name (Print)
10	0300	81.2	A. Gomez
	0600	80	Galvan
	0900	82	Cazares
6	1200	83.2	Galvan
24	1500	84.4	JALIJALI
	1800	85.9	JALIJALI
	2100	83.7	JALIJALI
	2400	83.1	ALISTENO

SM

Notes

9/30/24 STAGE 1 DEACTIVATED @ 1805
10/1/24 STAGE 1 ACTIVATED @ 1145
CO DEACTIVATED @ 2000 HOURS
10-5-24 STAGE-1 @ 12:00
10-6-24 STAGE 1 @ 1154
CO DEACTIVATED @ 1945 HRS

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 4 Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78.8	Martin
	0600	77.7	SUETTA
	0900	77.9	SUETTA
	1200	78.2	SUETTA
	1500	81.8	ZEPPONI
	1800	81.1	ZEPPONI
	2100	80.0	ZEPPONI
	2400	80.0	MARTIN

Tuesday

Dat	Time	Temp.	Name (Print)
10.1	0300	79.4	MARTIN
	0600	78.6	SUETTA
	0900	77.7	SUETTA
	1200	79.2	SUETTA
	1500	83.8	BAYAY
	1800	82.5	BAYAY
	2100	82.9	BAYAY
	2400	81.0	MARTIN

Wednesday

Date	Time	Temp.	Name (Print)
10.2	0300	84.9	MARTIN
	0600	81.1	Skum
	0900	80.6	Skum
	1200	81.3	Skum
	1500	85.8	BAYAY
	1800	86.1	BAYAY
	2100	85.4	BAYAY
	2400	84.3	Martin

Thursday

Date	Time	Temp.	Name (Print)
10.3	0300	83.3	Martin
	0600	82.9	Skum
	0900	81.6	Skum
	1200	84.3	Skum
	1500	87.2	L. Rodriguez
	1800	87.4	L. Rodriguez
	2100	87.5	L. Rodriguez
	2400	86.0	S. LOPTON

Friday

Date	Time	Temp.	Name (Print)
10.4	0300	85.8	S. LOPTON
	0600	82.5	Skum
	0900	82.4	Skum
	1200	82.9	Skum
	1500	84.5	L. Rodriguez
	1800	84.7	L. Rodriguez
	2100	84.3	L. Rodriguez
	2400	83.8	Ly

Saturday

Date	Time	Temp.	Name (Print)
10.5	0300	84.2	Ly
	0600	82.5	Skum
	0900	80.2	Skum
	1200	81.5	Sk
	1500	84.7	S BEEM
	1800	81.8	S BEEM
	2100	86.5	S BEEM
	2400	85.2	martin

Sunday

Date	Time	Temp.	Name (Print)
10.6	0300	84.0	Martin
	0600	82.4	Skum
	0900	81.8	Skum
	1200	83.6	Skum
	1500	84.5	L. Rodriguez
	1800	85.1	L. Rodriguez
	2100	84.7	L. Rodriguez
	2400	83.6	Martin

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **Folsom State Prison** Housing Unit: 5 Temp. Reading Location: 5 - B2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	74.1	SONG
	0600	74.6	M. Rezeto
	0900	79.4	M. Rezeto
	1200	76.1	M. Rezeto
	1500	76.8	CARUSO
	1800	76.4	CARUSO
	2100	76.2	Gaddi
	2400	75.9	Brown

Tuesday

Dat	Time	Temp.	Name (Print)
10/1	0300	75.2	BROWN
	0600	75.7	M. Rezeto
	0900	76.1	M. Rezeto
	1200	78.2	M. Rezeto
	1500	78.9	R. CAMPBELL
	1800	78.1	R. CAMPBELL
	2100	[illegible]	[illegible]
	2400	78.8	A. Singh

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	78.2	A. Singh
	0600	78.0	A. Singh M. Rezeto
	0900	76.8	M. Rezeto
	1200	75.5	JW
	1500	77.9	AITA
	1800	78.0	AITA
	2100	76.4	Baylis
	2400	78.1	Baylis

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	75.7	Ly
	0600	77.3	M. Rezeto
	0900	77.0	M. Rezeto
	1200	80.6	M. Rezeto
	1500	81.7	CHAPMAN
	1800	81.9	CHAPMAN
	2100	78.4	Gaddi
	2400	78.8	A. Singh

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	77.1	Bouyoung
	0600	77.6	Bizen
	0900	75.7	Bizen
	1200	77.0	Bizen
	1500	78.4	CAMPBELL
	1800	78.2	[illegible]
	2100	77.3	CHAPMAN
	2400	78.6	A. Singh

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	77.2	M. Song
	0600	76.8	D. VEGA
	0900	76.8	D. VEGA
	1200	76.4	Bizen
	1500	77.0	CARUSO
	1800	77.5	Parsells
	2100	78.5	Parsells
	2400	77.9	M. Song

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	77.1	M. Song
	0600	78.4	M. Rezeto
	0900	76.6	M. Rezeto
	1200	77.9	M. Rezeto
	1500	77.9	CARUSO
	1800	77.9	CARUSO
	2100	78.9	[illegible]
	2400	78.4	SMITH

Notes

9-30 Stage 1 1250 hrs
9/30/24 Stage 1 DEACTIVATED @ 1505 hrs.
10-1-24 Stage 1 1145
10-1-24 Stage 1 1100
10/03/24 Stage 1 @ 1200
10-4 Stage 1 @ 1200
10-5 Stage 1 @ 1200
10-6 Stage 1 @ 1154

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: FSP Housing Unit: FMFS Temp. Reading Location: DAY ROOM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3019 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	65	GALLEGOS
	0600	62	J. Moulton
	0900	64	J. Moulton
	1200	67	J. Moulton
	1500	72	M. Perez
	1800	72	M. Perez
	2100	72	M. Perez
	2400	65	GALLEGOS

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	65	GALLEGOS
	0600	61	J. Moulton
	0900	63	J. Moulton
	1200	65	J. Moulton
	1500	74	M. Perez
	1800	74	M. Perez
	2100	72	M. Perez
	2400	65	GALLEGOS

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	65	GALLEGOS
	0600	68	J. Moulton
	0900	68	J. Moulton
	1200	71	J. Moulton
	1500	74	M. Perez
	1800	74	M. Perez
	2100	72	M. Perez
	2400	74	GALLEGOS

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	72	GALLEGOS
	0600	62	J. Moulton
	0900	65	J. Moulton
	1200	68	J. Moulton
	1500	76	M. Perez
	1800	78	M. Perez
	2100	72	M. Perez
	2400	72	S. Solomon

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	66	S. Solomon
	0600	68	Arriezola
	0900	68	Arriezola
	1200	76	Arriezola
	1500	78	Ralh
	1800	75	Ralh
	2100	74	Ralh
	2400	70	S. Solomon

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	62	S. Solomon
	0600	64	A. Mayr
	0900	68	A. Mayr
	1200	73	A. Mayr
	1500	77	Ralh
	1800	76	Ralh
	2100	74	Ralh
	2400	70	Macias

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	63	Macias
	0600	62	J. Moulton
	0900	68	J. Moulton
	1200	71	J. Moulton
	1500	74	M. Perez
	1800	74	M. Perez
	2100	74	M. Perez
	2400	75	GALLEGOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

MINUTES

Heat Plan Operations Meeting

Folsom State Prison

Date:	Tuesday, September 3, 2024	**Today's Forecasted High Temperature:**	9/3/24: 100°F
Time:	1515 – 1530	**Recorder:**	EA (A)

Attendance	
D. Behrman – CSE	K. Michels – Captain, Unit 2
C. Carrillo – Captain (A), Units 3/5	G. Single – Correctional Plant Manager
C. Deal – PIO	E. Soriano – Associate Warden, Programs
J. Heckman – Associate Warden, Business Services	B. Stambuk – CRM
J. Huey – Captain, Unit 1	J. Tuggle – Warden (A)
S. Keenan – CEO	E. Valencia – Captain, Health Care Access
S. Kenesockkhamsen – EA (A)	R. Viera – Associate Warden, Operations (A)

I. Heat Plan Stage Alerts/Routine Temperature Monitoring

A. No issues reported from Unit Captains
   1. Logs are being filled out correctly.
   2. Temperatures are being checked by all Captains

II. Program Impacts

   1. None reported

III. Staff Related Impacts

A. None reported.

IV. Incarcerated Persons Related Impacts

A. None reported.
   1. No ice shortages.

V. Facility Related Issues

   1. None reported.

VI. Medical Warehouse and Pharmacy

A. No concerns.

VII. Space Allocation

A. Nothing reported.

VIII. Cooling Stations/Measures

A. Cooling stations have been in place since July 1, 2024.
B. Cooling Center opens at Stage 1
C. Dining Room available.

IX. Daily Documentation

A. Heat Logs are being completed appropriately and not prefilled.
B. Outside Temperature Record Logs and Inside Temperature Logs are collected on Mondays.

Minutes Approved by:

9/3/24

J. Tuggle Date
Warden (A)

MINUTES

Heat Plan Operations Meeting

Folsom State Prison

Date:	Wednesday, September 4, 2024	**Today's Forecasted High Temperature:**	103°F
Time:	0815 – 0830	**Recorder:**	C. Verras, AGPA

Attendance	
D. Behrman – CSE	K. Michels – Captain, Unit 2
A. Canavero – Correctional Plant Manager	G. Single – Correctional Plant Manager
C. Carrillo – Captain (A), Units 3/5	E. Soriano – Associate Warden, Programs
J. Heckman – Associate Warden, Business Services	E. Valencia – Captain, Health Care Access
J. Huey – Captain, Unit 1	Christina Verras – AGPA
S. Keenan – CEO	R. Viera – Associate Warden, Operations (A)
S. Kenesockkhamsen – EA (A)	

I. Heat Plan Stage Alerts/Routine Temperature Monitoring

A. No issues reported from Unit Captains
   1. Logs are being filled out correctly.
   2. Temperatures are being checked by all Captains.

II. Program Impacts

1. Alarm Response being conducted.
   a. No Yard until 3rd Warch after count clears at 1630.
   b. Movement limited to Priority Medical Ducats and Upper Yard PIA workers.

III. Staff Related Impacts

A. Alarm Response being conducted.
   a. Held on Unit 5 Mini Yard.
   b. AW Programs to suggest moving down to Lower Yard Hangar where it will be shaded and cool.

IV. Incarcerated Persons Related Impacts

A. None reported.
   1. No ice shortages. Igloos will be put out once Yard reopens.

V. Facility Related Issues

1. None reported.

VI. Medical Warehouse and Pharmacy

A. No concerns.

VII. Space Allocation

A. Nothing reported.

VIII. Cooling Stations/Measures

A. Cooling stations have been in place since July 1, 2024.
B. Cooling Center opens at Stage 1.
C. Dining Room available.

IX. Daily Documentation

A. Heat Logs are being completed appropriately and not prefilled.
B. Outside Temperature Record Logs and Inside Temperature Logs are collected on Mondays.

Minutes Approved by:

9/4/24

T. Miranda Date

Chief Deputy Warden (A)

Docusign Envelope ID: 7102407B-546B-4404-9077-DAC635E43A68

MINUTES

Heat Plan Operations Meeting

Folsom State Prison

Date:	Thursday, September 5, 2024	**Forecasted High Temperature:**	9/5/24: 102°F 9/6/24: 101°F
Time:	0815 – 0830	**Recorder:**	C. Verras, AGPA

Attendance	
D. Behrman – CSE	M. Phillips – C&PR
C. Carrillo – Captain (A), Units 3/5	E. Reynoso – CCIII
C. Deal – PIO	G. Single – Correctional Plant Manager
J. Heckman – Associate Warden, Business Services	E. Soriano – Associate Warden, Programs
J. Huey – Captain, Unit 1	E. Valencia – Captain, Health Care Access
S. Keenan – CEO	Christina Verras – AGPA
T. Miranda – CDW (A)	R. Viera – Associate Warden, Operations (A)
K. Michels – Captain, Unit 2	M. Villegas – Captain, Custody

I. Heat Plan Stage Alerts/Routine Temperature Monitoring

A. No issues reported from Unit Captains

B. Tomorrow, Friday, September 6, 2024, should be the last day over 100°F for a while.

II. Program Impacts

A. Food Sale tomorrow.

1. No Yard until Food Sale is over.
2. Held in 2DR.
3. Should be over before outside temperatures get too high.

III. Staff Related Impacts

A. None reported.

IV. Incarcerated Persons Related Impacts

A. None reported.

1. No ice shortages. Igloos will be out. Cooling centers available.

V. Facility Related Issues

A. None reported.

VI. Medical Warehouse and Pharmacy

A. No concerns.

VII. Space Allocation

A. Nothing reported.

VIII. Cooling Stations/Measures

A. Cooling stations have been in place since July 1, 2024.

1. Cooling Center opens at Stage 1.
2. Dining Room available.

IX. Daily Documentation

A. Heat Logs are being completed appropriately and not prefilled.

B. Outside Temperature Record Logs and Inside Temperature Logs are collected on Mondays.

Minutes Approved by:

Signed by:
T. Miranda 9/5/2024
020C40BCD866493

T. Miranda Date
Chief Deputy Warden (A)

Docusign Envelope ID: 40CC1E75-53B1-4917-90D5-08CFCDCAE049

MINUTES

Heat Plan Operations Meeting

Folsom State Prison

Date:	Monday, September 30, 2024	**Forecasted High Temperature:**	101°F
Time:	0815 – 0830	**Recorder:**	S. Kenesockkhamsene, EA (A)

Attendance	
A. Brown – CC III	T. Miranda – CDW (A)
C. Carrillo – Captain (A), Units 3/5	E. Reynoso – CCIII
C. Deal – PIO	Y. Robertson – HPM III
J. Heckman – Associate Warden, Business Services	G. Single – Correctional Plant Manager
E. Henry – CC III	B. Stambuk – CRM
K. Hua – OT	R. Toso – CC III
S. Keenan – CEO	R. Viera – Associate Warden, Operations (A)
S. Kenesockkhamsene – EA (A)	

I. Heat Plan Stage Alerts/Routine Temperature Monitoring

A. Captains making daily tours and briefing staff.

II. Program Impacts

A. No programs being impacted.
   1. 2 DR available at Stage 1
   2. Community Partners encouraged to bring water and plan for the heat.
   3. CRM to notify volunteers and sponsors.
   4. CRM Office will notify Plant Operations if additional cooling measures are needed.

III. Staff Related Impacts

A. None reported.

IV. Incarcerated Persons Related Impacts

A. None reported.
   1. No incarcerated persons require bed moves based on Heat Risk Medications.
   2. No concerns from Health Care.
   3. No grievances related to heat.

V. Facility Related Issues

A. No current heat related facility issues.

VI. Medical Warehouse and Pharmacy

A. No concerns.

VII. Space Allocation

A. Bed moves will be made if necessary.

VIII. Cooling Stations/Measures

A. Cooling stations have been in place since July 1, 2024.
   1. Cooling Center opens at Stage 1.
   2. Dining Room available.
   3. Igloos are maintained throughout the day with cold water and ice. Igloos are cleaned daily.
   4. Sufficient ice in ice machines.
   5. Misters are running on the Main Yard.
   6. Yard access and stations are noted on the DAR.

IX. Daily Documentation

A. Heat Logs are being completed appropriately and not prefilled.

B. Outside Temperature Record Logs and Inside Temperature Logs are collected on Mondays.

Docusign Envelope ID: 40CC1E75-53B1-4917-90D5-08CFCDCAE049

MINUTES

X. Next Meeting

A. EA to monitor weather and confirm or cancel meetings based on weather forecast.
   1. Will check at 0900 hours and utilize the same weather source every day.

Minutes Approved by:

Signed by:
T. Miranda
020C40BCD866493...

10/7/2024

T. Miranda Date
Chief Deputy Warden (A)