

**Monthly Summary Report**

Institution: RJD

**Memorandum**

Date: September 6, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - August 2024

The following is a summary of the heat related activity for the month of August 2024,  
at RJD (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 2 \_\_\_\_\_

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No \_\_\_\_\_

Number of days Stage II Alert initiated: 0 \_\_\_\_\_

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No \_\_\_\_\_

Number of days Stage III Alert initiated: 0 \_\_\_\_\_

4. Weekly list of heat risk patients archived? Yes \_\_\_\_\_

5. Number of patients with heat related illness. 0 \_\_\_\_\_ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

J. S. HILL

Warden Name

DocuSigned by:




56DDDD83E31E449E...

Warden Signature

C. W. PODRATZ

Chief Executive Officer Name

DocuSigned by:



CEO1E15BDC1A493...

Chief Executive Officer Signature

California Department of Corrections and Rehabilitation  
**OUTSIDE TEMPERATURE RECORD**

CDCR 2010 (04/18)

**INSTITUTION:** Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-1-21	0100	65	TOVAR
	0200	65	TOVAR
	0300	64	TOVAR
	0400	64	TOVAR
	0500	64	TOVAR
	0600	64	TOVAR
	0700	64	LONG
	0800	64	LONG
	0900	70	LONG
	1000	71	LONG
	1100	83	LONG
	1200	71	LONG
	1300	71	LONG
	1400	81	LONG
	1500	71	SMITH
	1600	75	SMITH+
	1700	73	SMITH+
	1800	72	SMITH+
	1900	70	SMITH+
	2000	68	SMITH
	2100	66	SMITH+
	2200	69	SMITH
	2300	65	TOVAR
	2400	65	TOVAR

Date	Time	Temp.	Printed Name
8/2/21	0100	65	TOVAR
	0200	64	TOVAR
	0300	64	TOVAR
	0400	64	TOVAR
	0500	64	TOVAR
	0600	64	TOVAR
	0700	71	SMITH
	0800	76	SMITH
	0900	79	SMITH
	1000	83	SMITH
	1100	86	SMITH
	1200	87	SMITH
	1300	84	SMITH
	1400	87	SMITH
	1500	88	SMITH
	1600	87	SMITH
	1700	84	SMITH
	1800	81	SMITH
	1900	74	SMITH
	2000	71	SMITH
	2100	70	SMITH
	2200	69	SMITH
	2300	67	TOVAR
	2400	67	TOVAR

California Department of Corrections and Rehabilitation  
**OUTSIDE TEMPERATURE RECORD**

CDCR 2000 (04/18)

**INSTITUTION:** Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/3/24	0100	67	TOVAL
	0200	66	TOVAL
	0300	65	TOVAL
	0400	64	TOVAL
	0500	63	TOVAL
	0600	64	TOVAL
	0700	67	LIBED
	0800	74	LIBED
	0900	70	LIBED
	1000	84	LIBED
	1100	86	LIBED
	1200	86	LIBED
	1300	88	LIBED
	1400	89	LIBED
	1500	85	LIBED
	1600	83	LIBED
	1700	79	LIBED
	1800	75	LIBED
	1900	71	LIBED
	2000	68	LIBED
	2100	68	LIBED
	2200	68	LIBED
	2300	68	TOVAL
	2400	67	TOVAL

Date	Time	Temp.	Printed Name
8/4/24	0100	66	TOVAL
	0200	65	TOVAL
	0300	64	TOVAL
	0400	64	TOVAL
	0500	63	TOVAL
	0600	62	TOVAL
	0700	64	Peral
	0800	66	Peral
	0900	75	Peral
	1000	82	Peral
	1100	87	Peral
	1200	89	Peral
	1300	89	Peral
	1400	87	Peral
	1500	84	SMITH
	1600	81	SMITH
	1700	79	SMITH
	1800	76	SMITH
	1900	72	SMITH
	2000	69	SMITH
	2100	68	SMITH
	2200	67	SMITH
	2300	68	TOVAL
	2400	68	TOVAL

California Department of Corrections and Rehabilitation  
**OUTSIDE TEMPERATURE RECORD**

CDCR 2010 (04/18)

**INSTITUTION:** Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/5/24	0100	60	TOUAN
	0200	67	TOUAN
	0300	67	TOUAN
	0400	66	TOUAN
	0500	64	TOUAN
	0600	64	TOUAN
	0700	70	Peralta
	0800	79	Peralta
	0900	83	Peralta
	1000	87	Peralta
	1100	88	Peralta
	1200	87	Peralta
	1300	84	Peralta
	1400	88	Peralta
	1500	85	SMITH
	1600	83	SMITH
	1700	82	SMITH
	1800	80	SMITH
	1900	76	SMITH
	2000	73	SMITH
	2100	70	SMITH
	2200	66	SMITH
	2300	66	SMITH
	2400	66	SMITH

Date	Time	Temp.	Printed Name
8/6/24	0100	66	SMITH
	0200	65	SMITH
	0300	65	SMITH
	0400	65	SMITH
	0500	65	SMITH
	0600	65	SMITH
	0700	68	Peralta
	0800	76	Peralta
	0900	80	Peralta
	1000	82	Peralta
	1100	83	Peralta
	1200	84	Peralta
	1300	85	Peralta
	1400	86	Peralta
	1500	88	LIBED
	1600	89	LIBED
	1700	86	LIBED
	1800	84	LIBED
	1900	80	LIBED
	2000	72	LIBED
	2100	69	LIBED
	2200	69	LIBED
	2300	69	SMITH
	2400	69	SMITH

California Department of Corrections and Rehabilitation  
**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

**INSTITUTION:** Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/17/24	0100	65	SMITH
	0200	67	SMITH
	0300	67	SMITH
	0400	64	SMITH
	0500	65	SMITH
	0600	65	SMITH
	0700	68	Pearl
	0800	70	Pearl
	0900	78	Pearl
	1000	81	Pearl
	1100	77	Pearl
	1200	77	Pearl
	1300	76	Pearl
	1400	80	Pearl
	1500	83	LIBED
	1600	84	LIBED
	1700	82	LIBED
	1800	76	LIBED
	1900	74	LIBED
	2000	69	LIBED
	2100	68	LIBED
	2200	66	LIBED
	2300	66	TOVAR
	2400	65	TOVAR

Date	Time	Temp.	Printed Name
8/17/24	0100	65	TOVAR
	0200	65	TOVAR
	0300	64	TOVAR
	0400	64	TOVAR
	0500	64	TOVAR
	0600	62	TOVAR
	0700	66	Pearl
	0800	70	Pearl
	0900	75	Pearl
	1000	75	Pearl
	1100	79	Pearl
	1200	80	Pearl
	1300	80	Pearl
	1400	83	Pearl
	1500	81	SMITH
	1600	79	SMITH
	1700	78	SMITH
	1800	76	SMITH
	1900	73	SMITH
	2000	70	SMITH
	2100	67	SMITH
	2200	69	SMITH
	2300	65	TOVAR
	2400	65	TOVAR

California Department of Corrections and Rehabilitation  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2010 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/9/24	0100	65	TOVAL
	0200	65	TOVAL
	0300	65	TOVAL
	0400	65	TOVAL
	0500	65	TOVAL
	0600	65	TOVAL
	0700	67	TOVAL
	0800	73	TOVAL
	0900	76	TOVAL
	1000	79	TOVAL
	1100	80	TOVAL
	1200	83	TOVAL
	1300	81	TOVAL
	1400	82	TOVAL
	1500	83	Peralt
	1600	81	Peralt
	1700	78	Peralt
	1800	77	Peralt
	1900	71	Peralt
	2000	67	Peralt
	2100	65	Peralt
	2200	65	Peralt
	2300	65	TOVAL
	2400	65	TOVAL

Date	Time	Temp.	Printed Name
8/16/24	0100	65	TOVAL
	0200	64	TOVAL
	0300	64	TOVAL
	0400	64	TOVAL
	0500	64	TOVAL
	0600	64	TOVAL
	0700	65	Peralt
	0800	70	Peralt
	0900	77	Peralt
	1000	80	Peralt
	1100	85	Peralt
	1200	87	Peralt
	1300	84	Peralt
	1400	84	Peralt
	1500	85	Peralt
	1600	85	Peralt
	1700	79	Peralt
	1800	76	Peralt
	1900	73	Peralt
	2000	69	Peralt
	2100	67	Peralt
	2200	67	Peralt
	2300	67	TOVAL
	2400	67	TOVAL

California Department of Corrections and Rehabilitation  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2010 (3-4-18)

INSTITUTION: Richard J. Donayre (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/11/24	0100	66	TOVAR
	0200	66	TOVAR
	0300	65	TOVAR
	0400	65	TOVAR
	0500	66	TOVAR
	0600	67	TOVAR
	0700	67	Peralta
	0800	71	Peralta
	0900	77	Peralta
	1000	81	Peralta
	1100	79	Peralta
	1200	81	Peralta
	1300	83	Peralta
	1400	85	Peralta
	1500	85	Peralta
	1600	82	Peralta
	1700	77	Peralta
	1800	73	Peralta
	1900	70	Peralta
	2000	65	Peralta
	2100	69	Peralta
	2200	69	Peralta
	2300	69	TOVAR
	2400	69	TOVAR

Date	Time	Temp.	Printed Name
8/12/24	0100	69	TOVAR
	0200	68	TOVAR
	0300	68	TOVAR
	0400	68	TOVAR
	0500	67	TOVAR
	0600	67	TOVAR
	0700	70	Peralta
	0800	77	Peralta
	0900	84	Peralta
	1000	82	Peralta
	1100	82	Peralta
	1200	84	Peralta
	1300	86	Peralta
	1400	87	Peralta
	1500	86	TOVAR
	1600	83	TOVAR
	1700	81	TOVAR
	1800	79	TOVAR
	1900	75	TOVAR
	2000	71	TOVAR
	2100	70	TOVAR
	2200	69	TOVAR
	2300	68	Peralta
	2400	64	Peralta

California Department of Corrections and Rehabilitation  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2010 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.  
using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/13/24	0100	68	Perales
	0200	67	Perales
	0300	66	Perales
	0400	67	Perales
	0500	67	Perales
	0600	66	Perales
	0700	67	Perales
	0800	66	Perales
	0900	77	Perales
	1000	84	Perales
	1100	85	Perales
	1200	88	Perales
	1300	87	Perales
	1400	87	Perales
	1500	86	TOVAR
	1600	85	TOVAR
	1700	84	TOVAR
	1800	80	TOVAR
	1900	75	TOVAR
	2000	69	TOVAR
	2100	69	TOVAR
	2200	67	TOVAR
	2300	67	SMITH
	2400	66	SMITH

Date	Time	Temp.	Printed Name
8/14/24	0100	65	SMITH
	0200	64	SMITH
	0300	63	SMITH
	0400	63	SMITH
	0500	62	SMITH
	0600	62	SMITH
	0700	65	Perales
	0800	67	Perales
	0900	73	Perales
	1000	76	Perales
	1100	84	Perales
	1200	84	Perales
	1300	84	Perales
	1400	84	Perales
	1500	84	Perales
	1600	83	Perales
	1700	83	Perales
	1800	79	Perales
	1900	75	Perales
	2000	67	Perales
	2100		
	2200		
	2300	67	TOVAR
	2400	67	TOVAR

## California Department of Corrections and Rehabilitation

**OUTSIDE TEMPERATURE RECORD**

CDCR 2024 (04-18)

**INSTITUTION: Richard J. Donovan (RJD)**

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.  
using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/15/24	0100	64	TOVAR
	0200	63	TOVAR
	0300	63	TOVAR
	0400	62	TOVAR
	0500	61	TOVAR
	0600	61	TOVAR
	0700	62	Peralos
	0800	63	Peralos
	0900	69	Peralos
	1000	80	Peralos
	1100	84	Peralos
	1200	86	Peralos
	1300	86	Peralos
	1400	85	Peralos
	1500	84	SMITH
	1600	83	SMITH
	1700	80	SMITH
	1800	79	SMITH
	1900	79	SMITH
	2000	72	SMITH
	2100	70	SMITH
	2200	69	SMITH
	2300	66	SMITH
	2400	66	TOVAR

Date	Time	Temp.	Printed Name
8/16/24	0100	65	TOVAR
	0200	64	TOVAR
	0300	64	TOVAR
	0400	63	TOVAR
	0500	63	TOVAR
	0600	62	TOVAR
	0700	64	SMITH
	0800	66	SMITH
	0900	64	SMITH
	1000	70	SMITH
	1100	72	SMITH
	1200	74	SMITH
	1300	75	SMITH
	1400	77	SMITH
	1500	77	SMITH
	1600	75	SMITH
	1700	73	SMITH
	1800	71	SMITH
	1900	69	SMITH
	2000	67	SMITH
	2100	66	SMITH
	2200	65	SMITH
	2300	65	TOVAR
	2400	65	TOVAR

## California Department of Corrections and Rehabilitation

**OUTSIDE TEMPERATURE RECORD**

CDCR 2010 (REV. 06/08)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/17/24	0100	65	TOVAR
	0200	65	TOVAR
	0300	65	TOVAR
	0400	65	TOVAR
	0500	65	TOVAR
	0600	66	TOVAR
	0700	69	SMITH
	0800	71	SMITH
	0900	73	SMITH
	1000	74	SMITH
	1100	76	SMITH
	1200	79	SMITH
	1300	80	SMITH
	1400	82	SMITH
	1500	80	TOVAR
	1600	78	TOVAR
	1700	74	TOVAR
	1800	72	TOVAR
	1900	68	TOVAR
	2000	65	TOVAR
	2100	65	TOVAR
	2200	64	TOVAR
	2300	64	TOVAR
	2400	62	TOVAR

Date	Time	Temp.	Printed Name
8/18/24	0100	61	TOVAR
	0200	61	TOVAR
	0300	60	TOVAR
	0400	60	TOVAR
	0500	60	TOVAR
	0600	61	TOVAR
	0700	64	Perales
	0800	65	Perales
	0900	69	Perales
	1000	74	Perales
	1100	79	Perales
	1200	83	Perales
	1300	84	Perales
	1400	84	Perales
	1500	83	Perale
	1600	60	SMITH
	1700	77	SMITH
	1800	73	SMITH
	1900	71	SMITH
	2000	69	SMITH
	2100	67	SMITH
	2200	66	SMITH
	2300	66	TOVAR
	2400	66	TOVAR

## California Department of Corrections and Rehabilitation

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/28)

**INSTITUTION: Richard J. Donovan (RJD)**

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/19/24	0100	66	TOVAL
	0200	64	TOVAR
	0300	64	TOVAR
	0400	63	TOVAL
	0500	62	TOVAR
	0600	63	TOVAR
	0700	62	Perales
	0800	71	Perales
	0900	76	Perales
	1000	77	Perales
	1100	83	Perales
	1200	87	Perales
	1300	87	Perales
	1400	86	Perales
	1500	87	LONG
	1600	87	LONG
	1700	84	LONG
	1800	80	LONG
	1900	74	LONG
	2000	71	LONG
	2100	70	LONG
	2200	70	LONG
	2300	68	SMITH
	2400	67	SMITH

Date	Time	Temp.	Printed Name
8/20/24	0100	68	SMITH
	0200	69	SMITH
	0300	68	SMITH
	0400	68	SMITH
	0500	69	SMITH
	0600	69	SMITH
	0700	71	Perales
	0800	76	Perales
	0900	81	Perales
	1000	88	Perales
	1100	91	Perales
	1200	91	Perales
	1300	90	Perales
	1400	91	Perales
	1500	90	TOVAL
	1600	89	TOVAR
	1700	87	TOVAL
	1800	82	TOVAL
	1900	77	TOVAL
	2000	73	TOVAL
	2100	71	TOVAL
	2200	71	TOVAL
	2300	70	SMITH
	2400	70	SMITH

California Department of Corrections and Rehabilitation  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2010 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/21/14	0100	64	SMITH
	0200	67	SMITH
	0300	67	SMITH
	0400	66	SMITH
	0500	66	SMITH
	0600	65	SMITH
	0700	68	Perales
	0800	73	Perales
	0900	79	Perales
	1000	84	Perales
	1100	88	Perales
	1200	90	Perales
	1300	89	Perales
	1400	88	Perales
	1500	86	LONG
	1600	87	LONG
	1700	88	LONG
	1800	82	LONG
	1900	76	LONG
	2000	70	LONG
	2100	68	LONG
	2200	67	LONG
	2300	66	TOVAR
	2400	65	TOVAR

Date	Time	Temp.	Printed Name
8/21/14	0100	66	TOVAR
	0200	66	TOVAR
	0300	65	TOVAR
	0400	65	TOVAR
	0500	64	TOVAR
	0600	64	TOVAR
	0700	65	Perales
	0800	65	Perales
	0900	72	Perales
	1000	78	Perales
	1100	83	Perales
	1200	83	Perales
	1300	83	Perales
	1400	83	Perales
	1500	82	SMITH
	1600	80	SMITH
	1700	77	SMITH
	1800	75	SMITH
	1900	71	SMITH
	2000	66	SMITH
	2100	67	SMITH
	2200	65	SMITH
	2300	65	TOVAR
	2400	65	TOVAR

California Department of Corrections and Rehabilitation  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (REV 1/81)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.  
 using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/23/24	0100	65	TOVAR
	0200	65	TOVAR
	0300	65	TOVAR
	0400	64	TOVAR
	0500	64	TOVAR
	0600	64	TOVAR
	0700	65	Peralta
	0800	70	Peralta
	0900	73	Peralta
	1000	75	Peralta
	1100	80	Peralta
	1200	80	Peralta
	1300	82	Peralta
	1400	80	Peralta
	1500	80	SMITH
	1600	80	SMITH
	1700	77	SMITH
	1800	73	SMITH
	1900	69	SMITH
	2000	62	SMITH
	2100	63	SMITH
	2200	61	TOVAR
	2300	61	TOVAR
	2400	61	TOVAR

Date	Time	Temp.	Printed Name
8/24/24	0100	60	TOVAR
	0200	60	TOVAR
	0300	59	TOVAR
	0400	59	TOVAR
	0500	59	TOVAR
	0600	59	TOVAR
	0700	62	SMITH
	0800	64	SMITH
	0900	65	SMITH
	1000	73	SMITH
	1100	76	SMITH
	1200	79	SMITH
	1300	80	SMITH
	1400	79	SMITH
	1500	80	LIBED
	1600	79	LIBED
	1700	75	LIBED
	1800	71	LIBED
	1900	68	LIBED
	2000	64	LIBED
	2100	64	LIBED
	2200	61	LIBED
	2300	60	TOVAR
	2400	60	TOVAR

California Department of Corrections and Rehabilitation  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (REV 08)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-25-24	0100	60	TOVAR
	0200	59	TOVAR
	0300	58	TOVAR
	0400	57	TOVAR
	0500	57	TOVAR
	0600	57	TOVAR
	0700	61	Perales
	0800	65	Perales
	0900	70	Perales
	1000	74	Perales
	1100	83	Perales
	1200	86	Perales
	1300	83	Perales
	1400	84	Perales
	1500	83	LIDED
	1600	81	LIDED
	1700	80	LIDED
	1800	76	LIDED
	1900	71	LIDED
	2000	68	LIDED
	2100	67	LIDED
	2200	67	LIDED
	2300	65	TOVAR
	2400	65	TOVAR

Date	Time	Temp.	Printed Name
8-26-24	0100	62	TOVAR
	0200	61	TOVAR
	0300	61	TOVAR
	0400	61	TOVAR
	0500	61	TOVAR
	0600	61	TOVAR
	0700	63	Perales
	0800	70	Perales
	0900	75	Perales
	1000	79	Perales
	1100	81	Perales
	1200	87	Perales
	1300	85	Perales
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## California Department of Corrections and Rehabilitation

**OUTSIDE TEMPERATURE RECORD**

CDCR 2000 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy PlantImmediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-25-24	0100	60	TOVAL
	0200	59	TOVAL
	0300	58	TOVAL
	0400	57	TOVAL
	0500	57	TOVAL
	0600	57	TOVAL
	0700	61	Perales
	0800	65	Perales
	0900	70	Perales
	1000	74	Perales
	1100	83	Perales
	1200	86	Perales
	1300	83	Perales
	1400	84	Perales
	1500	83	LIBED
	1600	81	LIBED
	1700	80	LIBED
	1800	76	LIBED
	1900	71	LIBED
	2000	68	LIBED
	2100	67	LIBED
	2200	67	LIBED
	2300	65	TOVAL
	2400	65	TOVAL

Date	Time	Temp.	Printed Name
8-26-24	0100	62	TOVAL
	0200	61	TOVAL
	0300	61	TOVAL
	0400	61	TOVAL
	0500	61	TOVAL
	0600	61	TOVAL
	0700	63	Perales
	0800	70	Perales
	0900	75	Perales
	1000	79	Perales
	1100	81	Perales
	1200	87	Perales
	1300	85	Perales
	1400	83	Perales
	1500	84	LIBED
	1600	83	LIBED
	1700	80	LIBED
	1800	76	LIBED
	1900	70	LIBED
	2000	67	LIBED
	2100	66	LIBED
	2200	66	LIBED
	2300	65	LIBED
	2400	64	SMITH

## California Department of Corrections and Rehabilitation

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/10)

**INSTITUTION: Richard J. Donovan (RJD)**

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-27-24	0100	63	SMITH
	0200	63	SMITH
	0300	63	SMITH
	0400	63	SMITH
	0500	63	SMITH
	0600	63	SMITH
	0700	64	Perales
	0800	65	Perales
	0900	64	Perales
	1000	72	Perales
	1100	77	Perales
	1200	78	Perales
	1300	79	Perales
	1400	78	Perales
	1500	77	LIBED
	1600	76	LIBED
	1700	75	LIBED
	1800	71	LIBED
	1900	66	LIBED
	2000	64	LIBED
	2100	63	LIBED
	2200	63	LIBED
	2300	63	SMITH
	2400	63	SMITH

Date	Time	Temp.	Printed Name
8-28-24	0100	63	SMITH
	0200	62	SMITH
	0300	62	SMITH
	0400	62	SMITH
	0500	62	SMITH
	0600	62	SMITH
	0700	62	Perales
	0800	63	Perales
	0900	66	Perales
	1000	71	Perales
	1100	77	Perales
	1200	78	Perales
	1300	77	Perales
	1400	77	Perales
	1500	78	LIBED
	1600	76	LIBED
	1700	74	LIBED
	1800	71	LIBED
	1900	66	LIBED
	2000	63	LIBED
	2100	62	LIBED
	2200	62	LIBED
	2300	61	TOVAR
	2400	61	TOVAR

## California Department of Corrections and Rehabilitation

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-29-24	0100	60	TOVAR
	0200	61	TOVAR
	0300	61	TOVAR
	0400	62	TOVAR
	0500	63	TOVAR
	0600	63	TOVAR
	0700	63	PERALES
	0800	65	Perales
	0900	68	Perales
	1000	72	Perales
	1100	75	Perales
	1200	76	Perales
	1300	77	Perales
	1400	76	Perales
	1500	74	SMITH
	1600	72	SMITH
	1700	70	SMITH+
	1800	67	SMITH+
	1900	66	SMITH
	2000	69	SMITH
	2100	64	SMITH
	2200	63	SMITH+
	2300	62	TOVAR
	2400	62	TOVAR

Date	Time	Temp.	Printed Name
8-30-24	0100	62	TOVAR
	0200	61	TOVAR
	0300	61	TOVAR
	0400	61	TOVAR
	0500	60	TOVAR
	0600	62	TOVAR
	0700	63	TOVAR
	0800	64	Perales
	0900	65	Perales
	1000	70	Perales
	1100	73	Perales
	1200	75	Perales
	1300	76	Perales
	1400	76	PERALES
	1500	73	SMITH
	1600	71	SMITH
	1700	64	SMITH
	1800	67	SMITH
	1900	69	SMITH
	2000	64	SMITH
	2100	64	SMITH+
	2200	63	SMITH+
	2300	63	TOVAR
	2400	63	TOVAR

## California Department of Corrections and Rehabilitation

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

**INSTITUTION:** Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**Recorded at Central Energy Plant**Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/31/24	0100	63	TOVAR
	0200	63	TOVAR
	0300	62	TOVAR
	0400	61	TOVAR
	0500	61	TOVAR
	0600	60	TOVAR
	0700	60	LIBED
	0800	65	LIBED
	0900	68	LIBED
	1000	71	LIBED
	1100	75	LIBED
	1200	77	LIBED
	1300	80	LIBED
	1400	78	LIBED
	1500	76	LIBED
	1600	76	LIBED
	1700	75	LIBED
	1800	73	LIBED
	1900	68	LIBED
	2000	66	LIBED
	2100	65	LIBED
	2200	64	LIBED
	2300	64	TOVAR
	2400	64	TOVAR

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RTI Housing Unit: 3 Temp. Reading Location: Pt Tree  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/17	0300	76	(f) Flores
	0600	76	MR Flores
	0900	76	MR Flores
	1200	76	MR Flores
	1500	76	D.Gomez
	1800	76	D.Gomez
	2100	76	D.Gomez
	2400	76	D.Gomez

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	77	D.Gomez
	0600	77	M.Robles
	0900	77	M.Robles
	1200	79	M.Robles
	1500	79	D.Gomez
	1800	80	D.Gomez
	2100	78	D.Gomez
	2400	78	F.Flores

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	77	Flores
	0600	76	D.Gomez
	0900	77	D.Gomez
	1200	78	D.Gomez
	1500	79	ESQUIVIES
	1800	79	ESQUIVIES
	2100	78	ESQUIVIES
	2400	77	ESQUIVIES

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	78	Reymal
	0600	77	MR Flores
	0900	79	MR Flores
	1200	79	MR Flores
	1500	78	A.Soto
	1800	78	A.Soto
	2100	78	A.Soto
	2400	77	Reymal

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	77	V.Carrion
	0600	77	MR Flores
	0900	78	MR Flores
	1200	79	MR Flores
	1500	81	E.Simental
	1800	82	E.Simental
	2100	80	E.Simental
	2400	79	V.Carrion

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	78	ZACAYAN
	0600	77	MR Flores
	0900	80	MR Flores
	1200	81	MR Flores
	1500	82	E.Simental
	1800	81	E.Simental
	2100	81	E.Simental
	2400	79	N.Marcos

Notes

Date	Time	Temp.	Name (Print)
8/4	0300	79	N.Marcos
	0600	78	MR Flores
	0900	80	MR Flores
	1200	81	MR Flores
	1500	81	E.Simental
	1800	81	E.Simental
	2100	81	E.Simental
	2400	78	N.Marcos

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RIO Housing Unit: 4

Temp. Reading Location: 2<sup>nd</sup> Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/11	0300	SLewis	70
	0600	J.Zamora	75
	0900	J.Zamora	70
	1200	J.Zamora	70
	1500	78	ESQUIVIES
	1800	78	ESQUIVIES
	2100	77	ESQUIVIES
	2400	72	J.MAROKE

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	74°	M.MAROKE
	0600	74	C.BOM
	0900	75	C.BOM
	1200	76	C.BOM
	1500	73	C.BOM
	1800	75	C.BOM
	2100	75	C.BOM
	2400	75°	M.MAROKE

Friday

Date	Time	Temp.	Name (Print)
8/02	0300	75	M.MAROKE
	0600	75	C.BOM
	0900	75	C.BOM
	1200	76	C.BOM
	1500	79°	M.MAROKE
	1800	79°	M.MAROKE
	2100	78°	M.MAROKE
	2400	77°	M.MAROKE

Sunday

Date	Time	Temp.	Name (Print)
8/04	0300	77°	M.MAROKE
	0600	77	C.BOM
	0900	78	C.BOM
	1200	78	C.BOM
	1500	77	C.BOM
	1800	77	C.BOM
	2100	77	C.BOM
	2400	76	L.Fernandez

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	76	J.MAROKE
	0600	76°	J.MAROKE
	0900	74°	F.MENDIVIL
	1200	76°	F.MENDIVIL
	1500	77	ESQUIVIES
	1800	77	ESQUIVIES
	2100	76	ESQUIVIES
	2400	75°	M.MAROKE

Thursday

Date	Time	Temp.	Name (Print)
8/01	0300	75°	M.MAROKE
	0600	75	C.BOM
	0900	75	C.BOM
	1200	75	C.BOM
	1500	71	C.BOM
	1800	74	C.BOM
	2100	74	C.BOM
	2400	75°	M.MAROKE

Saturday

Date	Time	Temp.	Name (Print)
8/03	0300	77°	M.MAROKE
	0600	77	C.BOM
	0900	78	C.BOM
	1200	79	C.BOM
	1500	79	C.BOM
	1800	78	C.BOM
	2100	76	C.BOM
	2400	77°	M.MAROKE

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RID Housing Unit: 5 Temp. Reading Location: UPPER TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1	0300	74	A. VELASCO
1	0600	73	F. JUANES
1	0900	74	F. JUANES
1	1200	77	F. JUANES
1	1500	77	E. CORDENAS
1	1800	74	E. CORDENAS
1	2100	76	E. CORDENAS
1	2400	75	A. VELASCO

Tuesday

Date	Time	Temp.	Name (Print)
2	0300	73	A. VELASCO
2	0600	74	F. JUANES
2	0900	74	F. JUANES
2	1200	75	F. JUANES
2	1500	76	E. CORDENAS
2	1800	76	E. CORDENAS
2	2100	75	E. CORDENAS
2	2400	74	A. VELASCO

Wednesday

Date	Time	Temp.	Name (Print)
1	0300	72	A. VELASCO
1	0600	72	F. MENDONCA
1	0900	72	F. MENDONCA
1	1200	75	F. MENDONCA
1	1500	76	E. CORDENAS
1	1800	75	E. CORDENAS
1	2100	75	E. CORDENAS
1	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	73	F. LEON
8/1	0600	73	F. MENDONCA
8/1	0900	73	F. MENDONCA
8/1	1200	75	F. MENDONCA
8/1	1500	76	E. CORDENAS
8/1	1800	76	E. CORDENAS
8/1	2100	75	E. CORDENAS
8/1	2400	73	N. Maroki

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	73	N. Maroki
8/2	0600	73	R. Collazo
8/2	0900	75	R. Collazo
8/2	1200	78	R. Collazo
8/2	1500	79	M.R. Flores
8/2	1800	78	M.R. Flores
8/2	2100	77	M.R. Flores
8/2	2400	76	A. VELASCO

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	74	A. VELASCO
8/3	0600	74	M. GOMEZ
8/3	0900	76	M. GOMEZ
8/3	1200	78	M. GOMEZ
8/3	1500	79	A. ESCUVIES
8/3	1800	79	A. ESCUVIES
8/3	2100	77	A. ESCUVIES
8/3	2400	77	A. VELASCO

Notes

Date	Time	Temp.	Name (Print)
8/4	0300	75	A. VELASCO
8/4	0600	74	F. JUANES
8/4	0900	75	F. JUANES
8/4	1200	79	F. JUANES
8/4	1500	77	A. ESCUVIES
8/4	1800	76	A. ESCUVIES
8/4	2100	78	A. ESCUVIES
8/4	2400	77	O. Gomez

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KJDCF Housing Unit: 8

Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

5551 when the inside air temperature reaches

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>7/29</u>	0300	74	M. MARQUEZ
	0600	73	M. MARQUEZ
	0900	74	E. HERNANDEZ
	1200	77	E. HERNANDEZ
	1500	77	I. Villarreal
	1800	77	I. Villarreal
	2100	75	I. Villarreal
	2400	73	Hoyer

Wednesday			
Date	Time	Temp.	Name (Print)
<u>7/31</u>	0300	74	DOMAN
	0600	74	DOMAN
	0900	72	Reyes
	1200	76	Reyes
	1500	76	Collazo, R
	1800	77	Collazo, R
	2100	75	Collazo, R
	2400	74	DOMAN

Friday			
Date	Time	Temp.	Name (Print)
<u>8/02</u>	0300	73	DOMAN
	0600	74	DOMAN
	0900	74	ALVAREZ
	1200	73	ALVAREZ
	1500	79	Collazo, R
	1800	79	Collazo, R
	2100	78	Collazo, R
	2400	77	DOMAN

Sunday			
Date	Time	Temp.	Name (Print)
<u>8/04</u>	0300	75	DOMAN
	0600	74	ALVAREZ
	0900	74	ALVAREZ
	1200	75	ALVAREZ
	1500	75	CRUZ, L
	1800	75	CRUZ, L
	2100	75	CRUZ, L
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
<u>7/30</u>	0300	73	Hoyer
	0600	74	Hoyer
	0900	75	SANDYSON
	1200	77	SANDYSON
	1500	77	SANDYSON
	1800	76	SANDYSON
	2100	75	SANDYSON
	2400	75	DOMAN

Thursday			
Date	Time	Temp.	Name (Print)
<u>8/01</u>	0300	73	DOMAN
	0600	74	DOMAN
	0900	74	Flores
	1200	74	Flores
	1500	77	COLLAZO, R
	1800	76	COLLAZO, R
	2100	75	COLLAZO, R
	2400	74	DOMAN

Saturday			
Date	Time	Temp.	Name (Print)
<u>8/03</u>	0300	76	DOMAN
	0600	75	DOMAN
	0900	73	ALVAREZ
	1200	74	ALVAREZ
	1500	76	SANDELIA
	1800	76	SANDELIA
	2100	76	SANDELIA
	2400	76	DOMAN

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RID Housing Unit: 10 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/24	0300	75	O. JONES
	0600	74	N. Salvador
	0900	75	N. Salvador
	1200	77	N. Salvador
	1500	79	N. Salvador
	1800	79	N. Salvador
	2100	76	N. Salvador
	2400	76	C. Little

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	77	RYBNIKAR
	0600	75	RYBNIKAR
	0900	73	A. VARGAS
	1200	75	A. VARGAS
	1500	76	W. RAPPENBERG
	1800	76	W. RAPPENBERG
	2100	75	W. RAPPENBERG
	2400	79	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	74	RYBNIKAR
	0600	74	RYBNIKAR
	0900	78	VERA
	1200	80	VERA
	1500	80	VERA
	1800	80	VERA
	2100	79	VERA
	2400	77	RYBNIKAR

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	70	Salas
	0600	77	Salas
	0900	76	N. Salvador
	1200	80	N. Salvador
	1500	89	N. Salvador
	1800	80	N. Salvador
	2100	79	N. Salvador
	2400	78	B. Antig

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	76	C. Little
	0600	75	C. Little
	0900	76	J. Zamora
	1200	77	J. Zamora
	1500	78	C. Flores
	1800	78	C. Flores
	2100	76	C. Flores
	2400	76	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	75	RYBNIKAR
	0600	75	RYBNIKAR
	0900	76	VEGA
	1200	77	VEGA
	1500	78	VEGA
	1800	77	VEGA
	2100	76	VEGA
	2400	75	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	76	RYBNIKAR
	0600	75	RYBNIKAR
	0900	77	VERA
	1200	77	VERA
	1500	80	VERA
	1800	80	VERA
	2100	79	VERA
	2400	78	VERA

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DSD Housing Unit: 11 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	73	M. HYUN
	0600	71	I. DURAN
	0900	73	I. DURAN
	1200	75	I. DURAN
	1500	75	A. Veytia
	1800	74	A. Veytia
	2100	74	A. Veytia
	2400	73	M. HYUN

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	73	H. Lopez
	0600	72	H. Lopez
	0900	71	C. Soto
	1200	73	E. Soto
	1500	73	A. Veytia
	1800	75	A. Veytia
	2100	73	A. Veytia
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	71	Z. MORALES
	0600	72	M. Estrada
	0900	74	M. Estrada
	1200	71	M. Estrada
	1500	72	A. SALCIDO
	1800	77	A. SALCIDO
	2100	73	A. SALCIDO
	2400	74	A. Gomez

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	73	A. Gomez
	0600	72	A. Gomez
	0900	77	A. GONZALEZ
	1200	78	A. GONZALEZ
	1500	78	Cuadra
	1800	78	Cuadra
	2100	76	Cuadra
	2400	76	J. MORALES

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	72	M. HYUN
	0600	71	I. DURAN
	0900	71	I. DURAN
	1200	74	I. DURAN
	1500	74	A. Veytia
	1800	74	A. Veytia
	2100	73	A. Veytia
	2400	73	M. HYUN

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	70	J. Marquez
	0600	71	M. Estrada
	0900	71	M. Estrada
	1200	74	M. Estrada
	1500	74	A. Veytia
	1800	74	A. Veytia
	2100	73	A. Veytia
	2400	70	J. Marquez

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	72	A. Gomez
	0600	72	Estrada
	0900	74	Estrada
	1200	77	Estrada
	1500	78	Cuadra
	1800	78	Cuadra
	2100	75	Cuadra
	2400	74	A. Gomez

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 12 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/ 29	0300	74	Almodovar
	0600	74	LAGUNA
	0900	77	LAGUNA
	1200	79	LAGUNA
	1500	82	CARDO
	1800	81	COSTER
	2100	79	CASTRO
	2400	77	Almodovar

Tuesday

Date	Time	Temp.	Name (Print)
1/ 30	0300	75	Almodovar
	0600	75	HELMAN
	0900	75	HERNANDEZ
	1200	76	HELMAN
	1500	79	COSTER
	1800	79	CASTRO
	2100		
	2400	77	Almodovar

Wednesday

Date	Time	Temp.	Name (Print)
1/ 31	0300	73	Almodovar
	0600	73	L.DURAN
	0900	74	L.DURAN
	1200	77	L.DURAN
	1500	79	CASTRO
	1800	79	CASTRO
	2100	79	CASTRO
	2400	74	DURAN

Thursday

Date	Time	Temp.	Name (Print)
8/ 1	0300	74	DUARTE
	0600	75	COSTER
	0900	75	COSTER
	1200	75	COSTER
	1500	75	COSTER
	1800	79	QUADRA
	2100		
	2400	77	Almodovar

Friday

Date	Time	Temp.	Name (Print)
8/ 2	0300	75	Almodovar
	0600	72	GARCIA
	0900	76	GARCIA
	1200	78	GARCIA
	1500	82	QUADRA
	1800	78	QUADRA
	2100	77	QUADRA
	2400	77	Almodovar

Saturday

Date	Time	Temp.	Name (Print)
8/ 3	0300	77	Almodovar
	0600	73	M.NACON
	0900	78	M.NACON
	1200	78	M.NACON
	1500	80	S.CHAUZ
	1800	84	S.CHAUZ
	2100	82	S.CHAUZ
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/ 4	0300	70	J.MARQUEZ
	0600	71	
	0900	74	JIMENEZ
	1200	74	JIMENEZ
	1500	84	CASTRO
	1800	73	CASTRO
	2100		
	2400	70	J.MARQUEZ

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KSN Housing Unit: 13 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
07/29/14	0300	73	SARSGRAK
	0600	73	HERNANDEZ-S
	0900	74	HERNANDEZ-S
	1200	75	HERNANDEZ-S
	1500		
	1800		
	2100		
	2400	72	SARSGRAK

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	72	SARSGRAK
	0600	72	J. Sosa
	0900	72	J. Sosa
	1200	72	J. Sosa
	1500	76	A. Andrade
	1800	73	A. Andrade
	2100	73	A. Andrade
	2400	73	SARSGRAK

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	72	SARSGRAK
	0600	70	J. Blanca
	0900	70	J. Blanca
	1200	72	J. Blanca
	1500	71	C. ALONZO
	1800	73	C. ALONZO
	2100	73	C. ALONZO
	2400	73	SARSGRAK

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	72	SARSGRAK
	0600	71	M. Moreno
	0900	71	M. Moreno
	1200	71	M. Moreno
	1500	72	N. Moreno
	1800	71	N. Moreno
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	78	J. Marquez
	0600	78	J. Alariz
	0900	73	J. Alariz
	1200	74	J. Alariz
	1500	74	J. SEDANO
	1800	74	J. SEDANO
	2100	72	J. SEDANO
	2400	70	J. Marquez

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	70	J. Marquez
	0600	68	A. SUMAYA
	0900	69	A. SUMAYA
	1200	71	A. SUMAYA
	1500	73	R. ESTRADA
	1800	73	R. ESTRADA
	2100	73	R. ESTRADA
	2400	70	J. Marquez

**Notes**

Date	Time	Temp.	Name (Print)
8/4	0300	70	J. Marquez
	0600	70	W. Farnese
	0900	73	W. Farnese
	1200	78	W. Farnese
	1500	73	R. ESTRADA
	1800	73	R. ESTRADA
	2100	72	R. ESTRADA
	2400	72	SARSGRAK

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D-16 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/11	0300	71	Ramos
	0600	70	Ramos
	0900	71	Ramos
	1200	79	Ramos
	1500	79	A. RODRIGOS
	1800	71	A. RODRIGOS
	2100	71	A. RODRIGOS
	2400	71	Ramirez

Date	Time	Temp.	Name (Print)
7/30	0300	70	Rcanab
	0600	71	OFFORD
	0900	70	OFFORD
	1200	71	OFFORD
	1500	71	OFFORD
	1800	71	J. V. F.
	2100	71	Givhan
	2400	70	Reeder

Date	Time	Temp.	Name (Print)
7/31	0300	70°	Renee ZAKA
	0600	75°	M. MARSH
	0900	70°	M. MARSH
	1200	71°	M. MARSH
	1500	76°	Z. KHAN
	1800	70°	Z. KHAN
	2100	70°	Z. KHAN
	2400	71°	M. MARSH

Date	Time	Temp.	Name (Print)
8/1	0300	71	MAROKI
	0600	71	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	70	A. RODRIGUEZ
	1800	71	A. GARCIA
	2100	70	L. RENDON
	2400	70°	J. MONTANEZ

Date	Time	Temp.	Name (Print)
	0300	70°	J. Hernandez
	0600	70°	J. Hernandez
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	B. EDEN
	1800	71	B. EDEN
	2100	71	B. EDEN
	2400	71	J. Garcia

Date	Time	Temp.	Name (Print)
8/3	0300	70	J. Gorn
	0600	20	J. Gorn
	0900	71	N. Blechhi
	1200	71	N. Blechhi
	1500	71	S. ISAWA
	1800	30	S. ISAWA
	2100	30	S. ISAWA
	2400	71	C. CHEN

Sunday			
Date	Time	Temp.	Name (Print)
8/4	0300	70	C. GREN
	0600	71	N. Bedini
	0900	70	N. Bedini
	1200	71	N. Bedini
	1500	71	S. Lewis
	1800	71	S. Lewis
	2100	71	S. Lewis
	2400	71	S. Lewis

## Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: TRJD Housing Unit: 17 Temp. Reading Location: CONTROL BOOTH  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	71	<i>U</i>
	0600	76	<i>N Bedini</i>
	0900	76	<i>N Bedini</i>
	1200	78	<i>N Bedini</i>
	1500	79	E. Silva
	1800	79	E. Silva
	2100	78	E. Silva
	2400	78	<i>ESGUNPRAF</i>

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	77	<i>ESGUNPRAF</i>
	0600	75	<i>N Bedini</i>
	0900	75	<i>N Bedini</i>
	1200	78	<i>N Bedini</i>
	1500	79	E. Silva
	1800	78	E. Silva
	2100	78	E. Silva
	2400	77	<i>ESGUNPRAF</i>

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	76	<i>ESGUNPRAF</i>
	0600	74	<i>B. EDEN</i>
	0900	75	<i>B. EDEN</i>
	1200	77	<i>B. EDEN</i>
	1500	79	<i>S. ARCEO</i>
	1800	79	<i>S. ARCEO</i>
	2100	77	<i>S. ARCEO</i>
	2400	76	<i>A. Maldonado</i>

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	76	<i>A. Maldonado</i>
	0600	75	<i>B. EDEN</i>
	0900	76	<i>B. EDEN</i>
	1200	78	<i>B. EDEN</i>
	1500	79	<i>S. ARCEO</i>
	1800	77	<i>S. ARCEO</i>
	2100	76	<i>S. LEWIS</i>
	2400	76	<i>R. CAMACHO</i>

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	75	<i>R. CAMACHO</i>
	0600	75	<i>B. EDEN</i>
	0900	77	<i>B. EDEN</i>
	1200	80	<i>B. EDEN</i>
	1500	80	<i>S. LEWIS</i>
	1800	79	<i>S. LEWIS</i>
	2100	78	<i>S. LEWIS</i>
	2400	79	<i>ESGUNPRAF</i>

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	78	<i>ESGUNPRAF</i>
	0600	71	<i>B. EDEN</i>
	0900	79	<i>B. EDEN</i>
	1200	81	<i>B. EDEN</i>
	1500	82	<i>E. SILVA</i>
	1800	81	<i>E. SILVA</i>
	2100	80	<i>E. SILVA</i>
	2400	80	<i>ESGUNPRAF</i>

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	79	<i>ESGUNPRAF</i>
	0600	77	<i>B. EDEN</i>
	0900	79	<i>B. EDEN</i>
	1200	81	<i>B. EDEN</i>
	1500	81	<i>E. SILVA</i>
	1800	80	<i>E. SILVA</i>
	2100	78	<i>E. SILVA</i>
	2400	72	<i>A. Rosales</i>

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 18 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
07-29-24	0300	75	D. Black
	0600	75	D. AGUILAR
	0900	75	D. AGUILAR
	1200	78	D. AGUILAR
	1500	79	CALALANG
	1800	79	CALALANG
	2100	77	CALALANG
	2400	76	D. Black

## Tuesday

Date	Time	Temp.	Name (Print)
07-30-24	0300	75	D. Black
	0600	74	D. AGUILAR
	0900	74	D. AGUILAR
	1200	77	D. AGUILAR
	1500	78	CALALANG
	1800	78	CALALANG
	2100	76	CALALANG
	2400	75	D. Black

## Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	74	D. Black
	0600	73	N. Bedelys
	0900	72	N. Bedelys
	1200	76	N. Bedelys
	1500	78	S. Lewis
	1800	77	S. Lewis
	2100	76	S. Lewis
	2400	75	D. Black

## Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	75	D. Black
	0600	74	D. AGUILAR
	0900	74	O. Lopez
	1200	76	O. Lopez
	1500	76	O. Lopez
	1800	77	J. Martinez
	2100	76	J. Martinez
	2400	76	D. Black

## Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	75	D. Black
	0600	74	A. Lazaro
	0900	76	A. Lazaro
	1200	79	MINGO, G.
	1500	80	CALALANG
	1800	80	CALALANG
	2100	79	CALALANG
	2400	77	CALALANG

## Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	77	CALALANG
	0600	75	CALALANG
	0900	77	J. MARTINEZ
	1200	80	J. MARTINEZ
	1500	81	CALALANG
	1800	80	CALALANG
	2100	79	CALALANG
	2400	79	Camacho

## Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	79	Camacho
	0600	75	Bedelys, D.
	0900	76	Relegio, D.
	1200	80	Relegio, D.
	1500	82	CALALANG
	1800	81	CALALANG
	2100	79	CALALANG
	2400	78	D. Black

## Notes

9/1/24  
OK

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Temp. Reading Location: DAYROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	74.0	J. ARMENTA
	0600	73.8	J. ARMENTA
	0900	74.0	J. ARMENTA
	1200	76.8	J. ARMENTA
	1500	77.1	K. MARTINEZ
	1800	76.6	S. VALVERDE
	2100	75.6	S. VALVERDE
	2400	75.6	Benn

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	72	Benn
	0600	73.3	Z. VINA
	0900	73.4	Z. VINA
	1200	75.6	Z. VINA
	1500	76.2	Valverde
	1800	76.6	Valverde
	2100	74.8	Valverde
	2400	72	Benn

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	71	Benn
	0600	72	C. COFFEN
	0900	74	C. COFFEN
	1200	75	C. COFFEN
	1500	76.1	Valverde
	1800	76.3	Valverde
	2100	75.3	Valverde
	2400	73	Benn

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	70	Benn
	0600	73	M. MARQUEZ
	0900	73	M. MARQUEZ
	1200	74	M. MARQUEZ
	1500	74	J. DIAZ
	1800	75	J. DIAZ
	2100	74	J. DIAZ
	2400	72	Benn

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	70	Benn
	0600	73.7	Dillard
	0900	75.6	Dillard
	1200	76.4	Dillard
	1500	77.6	Ericson
	1800	77.9	Ericson
	2100	77	Ericson
	2400	73	Benn

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	71	Benn
	0600	74.4	Dillard
	0900	76.9	Dillard
	1200	78.2	Dillard
	1500	78.8	Ericson
	1800	77.7	Ericson
	2100	77.4	Ericson
	2400	75	Dillard

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	75	A. M. Toland
	0600	73	A. M. Toland
	0900	75	A. Samuel
	1200	78	A. SAMUEL
	1500	79.5	S. Valverde
	1800	78.4	S. Valverde
	2100	70	J. Blaney
	2400	70	A. M. Toland

Notes

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

10/5/24  
10/5/24  
10/5/24  
10/5/24

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	78	AD. FLORES, SR
	0600	75	Ballard
	0900	71°	Ballard
	1200	77	Ballard
	1500	78	J. Huber
	1800	78	D. Hewart
	2100	78	D. Huber
	2400	77	AD. FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	77	AD. FLORES, SR
	0600	75	N. Maroki
	0900	75	N. Maroki
	1200	77	N. Maroki
	1500	78	AD. FLORES, SR
	1800	78	A. RAVUO
	2100	78	A. RAVUO
	2400	77	AD. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	77	AD. FLORES, SR
	0600	75	N. Maroki
	0900	75	N. Maroki
	1200	75	N. Maroki
	1500	77	A. RAVUO
	1800	77	A. RAVUO
	2100	73	A. RAVUO
	2400	77	AD. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	77	AD. FLORES, SR
	0600	75	N. Maroki
	0900	75	N. Maroki
	1200	75	N. Maroki
	1500	77	A. RAVUO
	1800	78	A. RAVUO
	2100	77	A. RAVUO
	2400	76	A. Maldonado

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	76	A. Maldonado
	0600	75	N. Maroki
	0900	77	N. Maroki
	1200	79	N. Maroki
	1500	80	A. RAVUO
	1800	80	A. RAVUO
	2100	80	A. RAVUO
	2400	79	A. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	77	A. Maldonado
	0600	77	N. Maroki
	0900	77	N. Maroki
	1200	79	N. Maroki
	1500	77	M. MAROKE
	1800	80	M. MAROKE
	2100	80	M. MAROKE
	2400	79	AD. FLORES, SR

Notes

Date	Time	Temp.	Name (Print)
8/4	0300	79	AD. FLORES, SR
	0600	77	Ballard
	0900	77	Ballard
	1200	80	Ballard
	1500	73	N. ENGEN
	1800	78	N. ENGEN
	2100	70	N. ENGEN
	2400	80	AD. FLORES, SR

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

5/24  
8/5/18  
J.D.

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ITV Housing Unit: 3 Temp. Reading Location: Top Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1	0300	78	R. Leon
	0600	79	MR. Flores
	0900	80	MR. Flores
	1200	82	MR. Flores
	1500	82	D. Gumpf
	1800	82	Gomez
	2100	81	Gomez
	2400	78	MR. Flores

Tuesday

Date	Time	Temp.	Name (Print)
8/2	0300	79	R. Leon
	0600	79	M. ROBBLES
	0900	80	M. ROBBLES
	1200	81	M. ROBBLES
	1500	82	D. Gumpf
	1800	83	D. Gumpf
	2100	81	D. Gumpf
	2400	78	R. Leon

Wednesday

Date	Time	Temp.	Name (Print)
8/1	0300	79	R. Leon
	0600	80	H. SEARS
	0900	81	A. SEARS
	1200	82	H. SEARS
	1500	82	ESQUIVEL
	1800	82	ESQUIVEL
	2100	81	ESQUIVEL
	2400	78	R. Leon

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	79	R. Leon
	0600	78	MR. Flores
	0900	79	MR. Flores
	1200	80	MR. Flores
	1500	81	A. SOTO
	1800	84	A. SOTO
	2100	83	A. SOTO
	2400	79	R. Leon

Friday

Date	Time	Temp.	Name (Print)
8/1	0300	78	R. Leon
	0600	79	MR. Flores
	0900	79	MR. Flores
	1200	80	MR. Flores
	1500	82	E. Simental
	1800	81	E. Simental
	2100	80	E. Simental
	2400	78	E. Simental

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	78	R. Leon
	0600	79	MR. Flores
	0900	79	MR. Flores
	1200	80	MR. Flores
	1500	82	E. Simental
	1800	81	P. Simental
	2100	81	E. Simental
	2400	79	C. Lovett

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	79	E. Lovett
	0600	79	E. Lovett
	0900	80	MR. Flores
	1200	81	MR. Flores
	1500	82	E. Simental
	1800	81	E. Simental
	2100	80	E. Simental
	2400	78	MR. Flores

Notes

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJDCF Housing Unit: 4 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8.5.24	0300	77	P. Formond
	0600	77	C. C.
	0900	77	C. C.
	1200	79	C. C.
	1500	80	ESQUIVIES
	1800	79	ESQUIVIES
	2100	78	ESQUIVIES
	2400	77	P. Formond

Tuesday			
Date	Time	Temp.	Name (Print)
8.6.24	0300	79	J. M. MARLES
	0600	76	C. Bagnol
	0900	77	C. Bagnol
	1200	79	C. Bagnol
	1500	80	ESQUIVIES
	1800	80	ESQUIVIES
	2100	79	ESQUIVIES
	2400	78	J. M. MARLES M. MARLE

Wednesday			
Date	Time	Temp.	Name (Print)
8.7.24	0300	77°	M. MARLES
	0600	77°	M. MARLES
	0900	76	C. Bagnol
	1200	79	C. Bagnol
	1500	79	C. Bagnol
	1800	79	C. Bagnol
	2100	78	C. Bagnol
	2400	78	M. MARLES

Thursday			
Date	Time	Temp.	Name (Print)
8.8.24	0300	78	N. Marles
	0600	78	C. Bagnol
	0900	78	C. Bagnol
	1200	79	C. Bagnol
	1500	78	C. BAGNOL
	1800	78	C. BAGNOL
	2100	78	C. BAGNOL
	2400	77°	M. MARLES

Friday			
Date	Time	Temp.	Name (Print)
8.9.24	0300	77°	M. MARLES
	0600	77	C. Bagnol
	0900	78	C. Bagnol
	1200	79	C. Bagnol
	1500	78	ARELLANO
	1800	78	ARELLANO
	2100	78	ARELLANO
	2400	77°	M. MARLES M. MARLE

Saturday			
Date	Time	Temp.	Name (Print)
8.10.24	0300	77°	M. MARLES
	0600	77	C. Bagnol
	0900	78	C. Bagnol
	1200	79	C. Bagnol
	1500	78	C. Bagnol
	1800	78	C. Bagnol
	2100	78	C. Bagnol
	2400	77°	M. MARLES

Sunday			
Date	Time	Temp.	Name (Print)
8.11.24	0300	77°	M. MARLES
	0600	76	C. Bagnol
	0900	79	C. Bagnol
	1200	79	C. Bagnol
	1500	78	C. Bagnol
	1800	78	C. Bagnol
	2100	78	C. Bagnol
	2400	77°	M. MARLES

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RTP Housing Unit: 5 Temp. Reading Location: UPPER TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1/24	0300	73	D. GOMEZ
	0600	75	E. RANDEZ
	0900	74	E. RANDEZ
	1200	74	E. RANDEZ
	1500	79	E. CARDENAS
	1800	78	E. CARDENAS
	2100	78	E. CARDENAS
	2400	78	S. ORTEGA

Wednesday

Date	Time	Temp.	Name (Print)
8/1/24	0300	77	S. ORTEGA
	0600	75	E. RANDEZ
	0900	76	E. RANDEZ
	1200	77	E. RANDEZ
	1500	78	E. CARDENAS
	1800	78	E. CARDENAS
	2100	77	E. CARDENAS
	2400	73	R. ALC

Friday

Date	Time	Temp.	Name (Print)
8/1/24	0300	76	N. MARCHA
	0600	75	R. CULLARDO
	0900	76	R. CULLARDO
	1200	77	R. CULLARDO
	1500	78	V. CARRELLA
	1800	78	V. CARRELLA
	2100	77	V. CARRELLA
	2400	76	C. Greene

Sunday

Date	Time	Temp.	Name (Print)
8/1/24	0300	79	C. Greene
	0600	79	C. Greene
	0900	74	G. LEON
	1200	78	G. LEON
	1500	78	V. MORENO
	1800	78	V. MORENO
	2100	76	V. MORENO
	2400	76	C. OTERO

Tuesday

Date	Time	Temp.	Name (Print)
8/1/24	0300	77	S. ORTEGA
	0600	75	S. ORTEGA
	0900	76	E. RANDEZ
	1200	77	E. RANDEZ
	1500	79	E. CARDENAS
	1800	79	E. CARDENAS
	2100	79	E. CARDENAS
	2400	78	S. ORTEGA

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	73	R. ALC
	0600	74	E. RANDEZ
	0900	76	E. RANDEZ
	1200	77	E. RANDEZ
	1500	78	V. CARRELLA
	1800	77	V. CARRELLA
	2100	76	V. CARRELLA
	2400	76	N. MARCHA

Saturday

Date	Time	Temp.	Name (Print)
8/1/24	0300	74	C. Greene
	0600	74	C. Greene
	0900	74	A. VELASQUEZ
	1200	78	A. VELASQUEZ
	1500	80	A. ESQUIVIES
	1800	78	A. ESQUIVIES
	2100	78	A. ESQUIVIES
	2400	78	A. ESQUIVIES

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: #9 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
	0300	76	Domian
	0600	76	Domian
8/7	0900	76	Flores
	1200	77	Flores
	1500	79	Collazo
	1800	79	Collazo
	2100	77	Collazo
	2400	77	Martinez

#### Friday

Date	Time	Temp.	Name (Print)
8/9	0300	74	M. Salewsky
	0600	74	O. Lopez
	0900	74	O. Lopez
	1200	79	O. Lopez
	1500	79	R. Collazo
	1800	78	R. Collazo
	2100	76	R. Collazo
	2400	76	Silva

#### Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	76	U. Lopez
	0600	78	Alvarez
	0900	76	Alvarez
	1200	78	Alvarez
	1500	78	E. Velasco
	1800	78	E. Velasco
	2100	77	E. Velasco
	2400	77	Carrillo

#### Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600	76	Sanderson
	0900	78	Sanderson
	1200	80	Sanderson
	1500	80	J. Parra
	1800	79	J. Parra
	2100	74	J. Parra
	2400	77	Domian

#### Thursday

Date	Time	Temp.	Name (Print)
8/3	0300	76	TALES KIM
	0600	76	C. Lopez
	0900	73	C. Lopez
	1200	73	C. Lopez
	1500	79	Collazo
	1800	77	Collazo
	2100	76	Collazo
	2400	75	M. Salewsky

#### Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	74	J. Morales
	0600	74	J. Morales
	0900	75	C. Xiong
	1200	79	C. Xiong
	1500	79	Sanderson
	1800	79	Sanderson
	2100	76	Sanderson
	2400	77	U. Lopez

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 10 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/10/18	0300	77	R. Antis
	0600	76	N. Andy
	0900	78	N. Salvador
	1200	81	N. Salvador
	1500	81	N. Salvador
	1800	81	N. Salvador
	2100	79	N. Salvador
	2400	78	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
8/11/18	0300	77	RYBNIKAR
24	0600	76	RYBNIKAR
	0900	79	E. C. W.
	1200	79	E. Cortes
	1500	80	C. Flores
	1800	79	C. Flores
	2100	77	C. Flores
	2400	77	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
8/9/18	0300	76	RYBNIKAR
24	0600	76	RYBNIKAR
	0900	77	V. Espejo
	1200	78	V. Espejo
	1500	77	V. Espejo
	1800	77	V. Espejo
	2100	78	V. Espejo
	2400	77	RYBNIKAR

Sunday

Date	Time	Temp.	Name (Print)
8/11/18	0300	77	S. G. S.
24	0600	77	S. G. S.
	0900	78	P. J. A.
	1200	79	P. J. A.
	1500	80	N. Salvador
	1800	79	N. Salvador
	2100	78	N. Salvador
	2400	78	N. Marquez

Tuesday

Date	Time	Temp.	Name (Print)
8/6/18	0300	77	RYBNIKAR
	0600	76	RYBNIKAR
	0900	76	A. Rodriguez
	1200	80	A. Rodriguez
	1500	82	N. Salvador
	1800	82	N. Salvador
	2100	80	N. Salvador
	2400	78	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
8/8/18	0300	76	RYBNIKAR
24	0600	76	RYBNIKAR
	0900	77	C. Espejo
	1200	78	V. Garza
	1500	80	SMITH
	1800	80	RODRIGUEZ R.
	2100	78	RODRIGUEZ R.
	2400	77	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
8/10/18	0300	77	RYBNIKAR
24	0600	76	RYBNIKAR
	0900	77	M. VELZ
	1200	79	M. VELZ
	1500	80	N. Salvador
	1800	80	N. Salvador
	2100	78	N. Salvador
	2400	78	S. G. S.

Notes

---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 71 Temp. Reading Location: 2nd floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-5-2018	0300	74	J. MORALES
	0600	73	I. DURAN
	0900	75	I. DURAN
	1200	78	I. DURAN
	1500	79	M. URRI
	1800	77	M. Urri
	2100	77	M. Urri
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8-6-2018	0300	74	F. Rivas
	0600	73	F. Rivas
	0900	76	I. DURAN
	1200	78	I. DURAN
	1500	75	A. Ventia
	1800	75	A. Ventia
	2100	77	A. Ventia
	2400	75	A. Gomez

Wednesday

Date	Time	Temp.	Name (Print)
8/8	0300	74	A. Gomez
	0600	73	M. Balladas
	0900	75	M. Balladas
	1200	76	M. Balladas
	1500	76	A. Ventia
	1800	76	A. Ventia
	2100	75	K. Gomez
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	70	J. Marquez
	0600	73	M. Balladas
	0900	74	M. Balladas
	1200	76	M. Balladas
	1500	77	A. Ventia
	1800	76	A. Ventia
	2100	75	A. Ventia
	2400	70	J. Marquez

Friday

Date	Time	Temp.	Name (Print)
8-9-2018	0300		
	0600	72	M. Balladas
	0900	74	M. Balladas
	1200	76	M. Balladas
	1500	75	A. Ventia
	1800	74	A. Ventia
	2100	74	A. Ventia
	2400	73	A. Ventia

Saturday

Date	Time	Temp.	Name (Print)
8-10-2018	0300	72	A. Gomez
	0600	72	M. Balladas
	0900	74	M. Balladas
	1200	77	M. Balladas
	1500	76	H. Martinez
	1800	76	H. Martinez
	2100	78	H. Martinez
	2400	77	P. Camacho

Sunday

Date	Time	Temp.	Name (Print)
8-12-2018	0300	77	P. Camacho
	0600	76	P. Camacho
	0900	72	M. Balladas
	1200	76	M. Balladas
	1500	75	Ramirez
	1800	72	Ramirez
	2100	75	Ramirez
	2400		

Notes

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 12 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300		
	0600	78	LAGUNA
	0900	79	LAGUNA
	1200	83	LAGUNA
	1500	84	CAS TRIO
	1800	83	CAS TRIO
	2100	83	CAS TRIO
	2400	80	Almedovar

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	78	Almedovar
	0600	78	WUW
	0900	79	Luna
	1200	82	Luna
	1500	82	COSTA W
	1800	84	COSTA
	2100	83	CAS TRIO
	2400	80	Almedovar

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	79	Almedovar
	0600	79	I. DURAN
	0900	79	I. DURAN
	1200	81	I. DURAN
	1500	82	CAS TRIO
	1800	82	CAS TRIO
	2100	81	CAS TRIO
	2400	79	Almedovar

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	76	Almedovar
	0600	76	G. LAGUNA
	0900	78	G. LAGUNA
	1200	81	G. LAGUNA
	1500	77	S. GUADARRA
	1800		
	2100		
	2400	78	Almedovar

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	77	Almedovar
	0600	79	C. ALDIAZ
	0900	76	G. LAGUNA
	1200	81	G. LAGUNA
	1500	81	MELVIN E. J.
	1800	82	MELVIN E. J.
	2100	81	MELVIN E. J.
	2400	80	Almedovar

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	79	Almedovar
	0600	78	G. LAGUNA
	0900	79	G. LAGUNA
	1200	81	G. LAGUNA
	1500	83	CAS TRIO
	1800	81	CAS TRIO
	2100	80	CAS TRIO
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	70	J. MARCHIZ
	0600	77	G. LAGUNA
	0900	78	G. LAGUNA
	1200	79	G. LAGUNA
	1500	82	CAS TRIO
	1800	81	CAS TRIO
	2100	80	CAS TRIO
	2400	70	J. MARCHIZ

Notes

---

---

---

---

---

---

---

---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 13 Temp. Reading Location: 13 CTR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	SAK 72	SARSOZAK
	0600	74	LUNA
	0900	75	LUNA
	1200	73	LUNA
	1500		
	1800		
	2100		
	2400	72	SARSOZAK

Wednesday

Date	Time	Temp.	Name (Print)
8/6/19	0300		
	0600	74	VILLARREAL
	0900	74	VILLARREAL
	1200	75	HERNANDEZ
	1500	72	VILLEGRAS H
	1800	75	VILLEGRAS H
	2100	75	J. Villarreal
	2400	74	SARSOZAK

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	70	J. marguez
	0600	71	HERNANDEZ
	0900	73	MARSHOT
	1200	75	HERNANDEZ
	1500	75	J. SEDANO
	1800	75	ESTRADA
	2100	75	J. SUDAN
	2400	70	J. marguez

Sunday

Date	Time	Temp.	Name
8/11	0300		
8/11	0600	71	J. Blanco
8/11	0900	73	J. Blanco
8/11	1200	72	J. Blanco
8/11	1500	74	ESTRADA
8/11	1800	75	J. ESTRADA
8/11	2100	74	J. ESTRADA
8/11	2400	72	SARSOZAK

Tuesday

Date	Time	Temp.	Name (Print)
8/8	0300	72	SARSOZAK
	0600	73	HERNANDEZ
	0900	74	GARCIA
	1200	74	GARCIA
	1500		
	1800		
	2100		
	2400	72	SARSOZAK

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	72	SARSOZAK
	0600	72	HERNANDEZ
	0900	72	HERNANDEZ
	1200	73	HERNANDEZ
	1500	74	Lombey
	1800	75	Lombey
	2100	74	Lombey
	2400	70	J. Marquez

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	71	MARQUEZ
	0600	73	HERNANDEZ
	0900	74	HERNANDEZ
	1200	75	HERNANDEZ
	1500	72	P. ESTRADA
	1800	72	P. ESTRADA
	2100	72	P. ESTRADA
	2400	69	K. Jones

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 14 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-05-24	0300	73	E. Lopez
	0600	73	E. Lopez
	0900	71	E. Lopez
	1200	71	E. Lopez
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
08-06-24	0300	73	E. Lopez
	0600	73	E. Lopez
	0900	71	E. Lopez
	1200	71	E. Lopez
	1500	72	M. Lucero
	1800	72	M. Lucero
	2100	72	M. Lucero
	2400	73	O. Lopez

Wednesday

Date	Time	Temp.	Name (Print)
08-07-24	0300	72	O. Lopez
	0600	73	E. Lopez
	0900	71	E. Lopez
	1200	71	E. Lopez
	1500	72	P. Mendoza
	1800	71	P. Mendoza
	2100	72	P. Mendoza
	2400	73	O. Lopez

Thursday

Date	Time	Temp.	Name (Print)
08-08-24	0300	72	O. Lopez
	0600	73	E. Lopez
	0900	72	E. Lopez
	1200	71	E. Lopez
	1500	71	M. Lucero
	1800	72	M. Lucero
	2100	73	M. Lucero
	2400	73	O. Lopez

Friday

Date	Time	Temp.	Name (Print)
08-09-24	0300	72	O. Lopez
	0600	73	J. Gomez
	0900	71	J. Gomez
	1200	71	J. Gomez
	1500	71	F. Moreno
	1800	71	F. Moreno
	2100	73	F. Moreno
	2400	73	O. Lopez

Saturday

Date	Time	Temp.	Name (Print)
08-10-24	0300	72	O. Lopez
	0600	73	J. Blanco
	0900	71	J. Blanco
	1200	71	J. Blanco
	1500	72	J. Mendoza
	1800		
	2100		
	2400		

Sunday

08-10-24	0300	72	K. Arellano
	0600	72	K. Arellano
	0900	71	B. Arellano
	1200	72	S. Cuadra
	1500	72	L. Becerra
	1800	72	L. Becerra
	2100	73	L. Becerra
	2400	73	Z. Morales

Notes:

---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 140 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	70	C. CITTLE
	0600	71	C. CITTLE
	0900	72	J. Hernandez
	1200	71	J. Hernandez
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	K. MILLER

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	71	K. MILLER
	0600	71	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	J. GOREN

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	71	J. GOREN
	0600	71	J. GOREN
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	J. GOREN

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	71	J. GOREN
	0600	71	J. GOREN
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	J. GOREN

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	71	J. GOREN
	0600	71	J. GOREN
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	O. AGUILAR
	1800	71	O. AGUILAR
	2100	71	O. AGUILAR
	2400	71	J. GOREN

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	71	J. GOREN
	0600	71	J. GOREN
	0900	71	N. Bedohi
	1200	71	N. Bedohi
	1500	71	S. COONS
	1800	70	S. COONS
	2100	69	S. COONS
	2400	70	J. GOREN

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	70	J. GOREN
	0600	70	J. GOREN
	0900	71	N. Bedohi
	1200	71	N. Bedohi
	1500	71	S. COONS
	1800	70	S. COONS
	2100	70	S. COONS
	2400	71	K. MILLER

**Notes**

---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 17 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	77	J. Rosales
	0600	77	N. Bedini
	0900	79	N. Bedini
	1200	81	N. Bedini
	1500	82	E. Silva
	1800	81	E. Silva
	2100	80	I. VENTURE
	2400	79	I. VENTURE

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	77	J. Bedini
	0600	78	N. Bedini
	0900	79	N. Bedini
	1200	81	N. Bedini
	1500	82	E. Silva
	1800	82	E. Silva
	2100	79	E. Silva
	2400	78	A. E. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	77	E. MARTINEZ
	0600	79	E. MARTINEZ
	0900	79	K. IBARRA
	1200	80	K. IBARRA
	1500	81	S. ARCEO
	1800	81	S. ARCEO
	2100	80	S. ARCEO
	2400	77	A. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	77	A. Maldonado
	0600	78	B. EDEN
	0900	79	B. EDEN
	1200	80	B. EDEN
	1500	80	S. ARCEO
	1800	79	S. ARCEO
	2100	79	S. ARCEO
	2400	79	K. MILLER

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	78	M. MILLER
	0600	77	B. EDEN
	0900	78	B. EDEN
	1200	80	B. EDEN
	1500	80	S. ARCEO
	1800	79	S. ARCEO
	2100	79	S. ARCEO
	2400	78	B. EDEN

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	77	B. EDEN
	0600	78	B. EDEN
	0900	78	B. EDEN
	1200	80	B. EDEN
	1500	80	E. SILVA
	1800	80	E. SILVA
	2100	80	E. SILVA
	2400	79	B. EDEN

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	78	B. EDEN
	0600	78	B. EDEN
	0900	79	B. EDEN
	1200	80	B. EDEN
	1500	81	E. SILVA
	1800	80	E. SILVA
	2100	79	E. SILVA
	2400	79	B. EDEN

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 18 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
Aug 5 2024	0300	77	D Black
	0600	77	O AGUILAR
	0900	78	O AGUILAR
	1200	81	O AGUILAR
	1500	81	CALALANG
	1800	81	CALALANG
	2100	79	CALALANG
	2400	76	D Black

## Tuesday

Date	Time	Temp.	Name (Print)
Aug 6 2024	0300	76	D Black
	0600	76	O AGUILAR
	0900	78	O AGUILAR
	1200	80	O AGUILAR
	1500	82	CALALANG
	1800	82	O AGUILAR
	2100	80	O AGUILAR
	2400	79	D Black

## Wednesday

Date	Time	Temp.	Name (Print)
Aug 7 2024	0300	77	D Black
	0600	77	N Bedishi
	0900	78	N Bedishi
	1200	79	N Bedishi
	1500	79	S. Lewis
	1800	78	S. Lewis
	2100	77	S. Lewis
	2400	77	D Black

## Thursday

Date	Time	Temp.	Name (Print)
Aug 8 2024	0300	76	D Black
	0600	76	Billard
	0900	77	Billard
	1200	79	Billard
	1500	79	J. MARTINEZ
	1800	78	J. MARTINEZ
	2100	78	J. MARTINEZ
	2400	77	D Black

## Friday

Date	Time	Temp.	Name (Print)
Aug 9 2024	0300	76	D Black
	0600	76	O AGUILAR
	0900	77	O AGUILAR
	1200	79	O AGUILAR
	1500	79	CALALANG
	1800	79	CALALANG
	2100	78	CALALANG
	2400	77	K MILLER

## Saturday

Date	Time	Temp.	Name (Print)
Aug 10 2024	0300	77	K MILLER
	0600	76	O AGUILAR
	0900	77	O AGUILAR
	1200	80	O AGUILAR
	1500	80	CALALANG
	1800	80	CALALANG
	2100	79	CALALANG
	2400	78	K MILLER

## Sunday

Date	Time	Temp.	Name (Print)
Aug 11-24	0300	77	K MILLER
	0600	77	CALALANG
	0900	78	CALALANG
	1200	79	CALALANG
	1500	81	CALALANG
	1800	79	CALALANG
	2100	79	CALALANG
	2400	77	D Black

## Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
0300	75	A. Maldonado	
0600	75°	M. DeGuzman	
0900	76°	M. DeGuzman	
1200	77.7	L. Lopez	
1500	76°	L. Lopez	
1800	79.1	S. Valverde	
2100	77.3	S. Valverde	
2400	74	Benz	

**Tuesday**

Date	Time	Temp.	Name (Print)
0300	71	Benz	
0600	75°	L. Lopez	
0900	77°	L. Lopez	
1200	77°	L. Lopez	
1500	78.8	S. Valverde	
1800	79.8	S. Valverde	
2100	77.7	S. Valverde	
2400	74	Benz	

**Wednesday**

Date	Time	Temp.	Name (Print)
0300	71	Benz	
0600	75°	L. Lopez	
0900	77°	L. Lopez	
1200	77°	L. Lopez	
1500	78.6	S. Valverde	
1800	78.4	S. Valverde	
2100	77.3	S. Valverde	
2400	74	Benz	

**Thursday**

Date	Time	Temp.	Name (Print)
0300	71	Benz	
0600	75°	L. Lopez	
0900	76°	L. Lopez	
1200	77°	L. Lopez	
1500	78.4	S. Valverde	
1800	78.2	S. Valverde	
2100	76.8	S. Valverde	
2400	74	Benz	

**Friday**

Date	Time	Temp.	Name (Print)
0300	74	Benz	
0600	75.2	P. Ballard	
0900	75.5	P. Ballard	
1200	77	P. Ballard	
1500	77	N. Engeson	
1800	76	N. Engeson	
2100	76	N. Engeson	
2400	73	C. Aldaraz	

**Saturday**

Date	Time	Temp.	Name (Print)
0300	73	O. Aldaraz	
0600	74.7	P. Ballard	
0900	72	P. Ballard	
1200	76	P. Ballard	
1500	77	N. Engeson	
1800	77	N. Engeson	
2100	76.6	N. Engeson	
2400	75	A. Maldonado	

**Notes**

Date	Time	Temp.	Name (Print)
0300	75	A. Maldonado	
0600	74	M. DeGuzman	
0900	70	M. DeGuzman	
1200	70	M. DeGuzman	
1500	78	C. Luevano	
1800	78	C. Luevano	
2100	77	C. Luevano	
2400	74	A. Maldonado	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	79	AD. FLORES, SR
	0600	79	Bullard
	0900	79	Bullard
	1200	79	Bullard
	1500	80	D. Hines
	1800	80	D. Hines
	2100	80	D. Hines
	2400	79	AD. FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	79	AD. FLORES, SR
	0600	77	N. Maroku
	0900	78	N. Maroku
	1200	79	N. Maroku
	1500	80	ARAUJO
	1800	81	ARAUJO
	2100	81	ARAUJO
	2400	79	AD. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	79	AD. FLORES, SR
	0600	78	N. Maroku
	0900	79	N. Maroku
	1200	79	N. Maroku
	1500	79	ARAUJO
	1800	80	ARAUJO
	2100	80	ARAUJO
	2400	79	AD. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	78	AD. FLORES, SR
	0600	78	N. Maroku
	0900	78	N. Maroku
	1200	78	N. Maroku
	1500	79	ARAUJO
	1800	79	ARAUJO
	2100	79	ARAUJO
	2400	78	A. Maldonado

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	78	A. Maldonado
	0600	77	N. Maroku
	0900	77	N. Maroku
	1200	78	N. Maroku
	1500	79	ARAUJO
	1800	79	ARAUJO
	2100	79	ARAUJO
	2400	77	A. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	79	A. Maldonado
	0600	78	N. Maroku
	0900	78	N. Maroku
	1200	78	N. Maroku
	1500	79	ARAUJO
	1800	81	ARAUJO
	2100	80	ARAUJO
	2400	79	AD. FLORES, SR

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	78	AD. FLORES, SR
	0600	77	Bullard
	0900	76	Bullard
	1200	78	Bullard
	1500	79	M. MAROUKE
	1800	79	M. MAROUKE
	2100	79	M. MAROUKE
	2400	77	AD. FLORES, SR

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
COCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: R5D Housing Unit: 1 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 555-1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/13/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300		
	0600		
	0900		
	1200		
	1500	76	S. Orozco
	1800	76	S. Orozco
	2100	77	S. Orozco
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	75°	R. Armendariz
	0600	71	A. SOTO
	0900	74	A. SOTO
	1200	75	A. SOTO
	1500	AC appears to be working	
	1800		
	2100		
	2400	75	J. Goff

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	76°	R. Armendariz

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	76	J. Goff
	0600	71	J. Goff
	0900	75	16 AWVN
	1200	75	16 AWVN
	1500	AC appears working	
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KD Housing Unit: 3 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/14/18	0300	78	Klein
	0600	79	J. Zamora
	0900	80	J. Zamora
	1200	81	J. Zamora
	1500	82°	D. Gomelz
	1800	82°	D. Gomelz
	2100	81°	D. Gomelz
	2400	78	Klein

Tuesday

Date	Time	Temp.	Name (Print)
8/15	0300	78	Klein
	0600	80°	M. ROBLES
	0900	81°	M. ROBLES
	1200	82°	M. ROBLES
	1500	83°	D. Gomelz
	1800	82°	D. Gomelz
	2100	81°	D. Gomelz
	2400	79	Klein

Wednesday

Date	Time	Temp.	Name (Print)
8/16	0300	78	Klein
	0600	77	Klein
	0900	79	Klein
	1200	79	Klein
	1500	82	ESQUIVIES
	1800	82	ESQUIVIES
	2100	81	ESQUIVIES
	2400	79	Serrin

Thursday

Date	Time	Temp.	Name (Print)
8/17	0300	79	Serrin
	0600	79	MR Flores
	0900	79	MR Flores
	1200	81	MR Flores
	1500	82	MR Flores
	1800	83	A. SOTO
	2100	84	A. SOTO
	2400	78	Klein

Friday

Date	Time	Temp.	Name (Print)
8/18	0300	78	
	0600	78	MR Flores
	0900	78	MR Flores
	1200	80	MR Flores
	1500	81	E. Sinenas
	1800	81	E. Sinenas
	2100	80	E. Sinenas
	2400	79	J. Rivas

Saturday

Date	Time	Temp.	Name (Print)
8/19	0300	78	J. Rivas
	0600	78	J. Rivas
	0900	79	MR Flores
	1200	80	MR Flores
	1500	80	E. Sinenas
	1800	80	E. Sinenas
	2100	77	E. Sinenas
	2400	77	J. Rivas

Sunday

Date	Time	Temp.	Name (Print)
8/20	0300	77	Klein
	0600	77	MR Flores
	0900	77	MR Flores
	1200	79	MR Flores
	1500	80	E. Sinenas
	1800	80	E. Sinenas
	2100	79	E. Sinenas
	2400	79	HERNANDEZ

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: AJACF Housing Unit: 4 Temp. Reading Location: 2<sup>nd</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	77°	M. MARSH
	0600	77°	M. MARSH
	0900	78°	G. REED
	1200	79°	G. REED
	1500	80°	ESQUIVIES
	1800	80°	ESQUIVIES
	2100	79°	ESQUIVIES
	2400	78°	S. OYO BAY

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	78°	S. OYO BAY
	0600	78°	F. MENDIVIL
	0900	78°	F. MENDIVIL
	1200	80°	F. MENDIVIL
	1500	80°	ESQUIVIES
	1800	79°	ESQUIVIES
	2100	79°	ESQUIVIES
	2400	79°	M. MARSH

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	78°	M. MARSH
	0600	77°	M. MARSH
	0900	77°	S. MEZA
	1200	78°	S. MEZA
	1500	79°	S. MEZA
	1800	78°	S. MEZA
	2100	78°	S. MEZA
	2400	75°	R. PHILLIPS

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	78°	M. MARSH
	0600	75°	S. MEZA
	0900	77°	S. MEZA
	1200	78°	S. MEZA
	1500	79°	S. MEZA
	1800	78°	S. MEZA
	2100	78°	S. MEZA
	2400	78°	I. LEGA

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	77°	L. REED
	0600	76°	L. REED
	0900	77°	MENDIVIL
	1200	78°	MENDIVIL
	1500	79°	S. MEZA
	1800	78°	S. MEZA
	2100	77°	S. MEZA
	2400	77°	M. MARSH

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	77°	M. MARSH
	0600	76°	S. MEZA
	0900	76°	S. MEZA
	1200	78°	S. MEZA
	1500	79°	S. MEZA
	1800	77°	S. MEZA
	2100	77°	S. MEZA
	2400	76°	M. MARSH

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	76°	M. MARSH
	0600	75°	S. MEZA
	0900	75°	S. MEZA
	1200	77°	S. MEZA
	1500	78°	S. MEZA
	1800	79°	S. MEZA
	2100	77°	S. MEZA
	2400	76°	M. MARSH

Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-12-24	0300	76	J. MARTINEZ
	0600	76	E. JUAREZ
	0900	77	E. JUAREZ
	1200	78	E. JUAREZ
	1500	79	E. JUAREZ
	1800	79	R. RODRIGUEZ
	2100	78	R. RODRIGUEZ
	2400	78	LEON

Tuesday			
Date	Time	Temp.	Name (Print)
8-13-24	0300	76	LEON
	0600	76	E. JUAREZ
	0900	77	E. JUAREZ
	1200	79	L. WANG
	1500	80	J. VELASCO
	1800	79	R. RODRIGUEZ
	2100	78	R. RODRIGUEZ
	2400	77	S. OROZCO

Wednesday			
Date	Time	Temp.	Name (Print)
8-14-24	0300	77	S. OROZCO
	0600	75	E. JUAREZ
	0900	76	E. JUAREZ
	1200	77	E. JUAREZ
	1500	79	E. CARDENAS
	1800	78	E. CARDENAS
	2100	78	E. CARDENAS
	2400	75	T. MORENO

Thursday			
Date	Time	Temp.	Name (Print)
8-15-24	0300	75	T. MORENO
	0600	74	E. JUAREZ
	0900	76	E. JUAREZ
	1200	78	E. JUAREZ
	1500	78	E. CARDENAS
	1800	78	E. CARDENAS
	2100	76	E. CARDENAS
	2400	76	J. MORENO

Friday			
Date	Time	Temp.	Name (Print)
8-16-24	0300	750	J. MORENO
	0600	740	J. MORENO
	0900	75	R. CULLARO
	1200	77	R. CULLARO
	1500	78	E. CARDENAS
	1800	78	E. CARDENAS
	2100	78	E. CARDENAS
	2400	76	E. CARDENAS

Saturday			
Date	Time	Temp.	Name (Print)
8-17-24	0300	76	R. HENRY
	0600	75	R. HENRY
	0900	76	M. GOMEZ
	1200	77	M. GOMEZ
	1500	77	ESQUIVIES
	1800	76	ESQUIVIES
	2100	75	ESQUIVIES
	2400	75	J. GOFER

Sunday			
Date	Time	Temp.	Name (Print)
8-18-24	0300	74	J. GOFER
	0600	73	J. GOFER
	0900	74	E. JUAREZ
	1200	76	E. JUAREZ
	1500	78	ESQUIVIES
	1800	79	ESQUIVIES
	2100	70	ESQUIVIES
	2400	75	A. VASQUEZ

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RID Housing Unit: 8 Temp. Reading Location: TIER 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/12	0300	75	J. Parra
	0600	75	J. Parra
	0900	76	J. Parra
	1200	80	J. Parra
	1500	80	J. Parra
	1800	79	J. Parra
	2100	80	J. Parra
	2400	79	J. Parra

Tuesday

Date	Time	Temp.	Name (Print)
9/13	0300	74	J. Parra
	0600	76	J. Parra
	0900	76	J. Parra
	1200	78	J. Parra
	1500	80	J. Parra
	1800	79	J. Parra
	2100	78	DOMAN
	2400	78	DOMAN

Wednesday

Date	Time	Temp.	Name (Print)
9/14	0300	74	DOMAN
	0600	73	DOMAN
	0900	75	Reyes
	1200	76	Reyes
	1500	70	Robles
	1800	70	Robles
	2100	77	Robles
	2400	76	DOMAN

Thursday

Date	Time	Temp.	Name (Print)
9/15	0300	75	DOMAN
	0600	75	DOMAN
	0900	75	Reyes
	1200	79	Reyes
	1500	79	Collazo
	1800	79	Collazo
	2100	77	Collazo
	2400	75	DOMAN

Friday

Date	Time	Temp.	Name (Print)
9/16	0300	75	DOMAN
	0600	75	DOMAN
	0900	75	E. HERNANDEZ
	1200	77	E. HERNANDEZ
	1500	79	Collazo
	1800	79	Collazo
	2100	76	Collazo
	2400	75	Guz, H

Saturday

Date	Time	Temp.	Name (Print)
9/17	0300	75	H. Lynn
	0600	76	V. MARQUEZ
	0900	77	V. MARQUEZ
	1200	78	V. MARQUEZ
	1500	78	S. MARQUEZ
	1800	78	S. MARQUEZ
	2100	74	S. MARQUEZ
	2400	73	DOMAN

Sunday

Date	Time	Temp.	Name (Print)
8/13	0300	74	DOMAN
	0600	75	DOMAN
	0900	77	A. MARQUEZ
	1200	79	A. MARQUEZ
	1500	78	MARQUEZ
	1800	74	MARQUEZ
	2100	76	MARQUEZ
	2400	74	MARQUEZ

Notes

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 10 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5351 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	77	Marski
	0600	77	N Salvador
	0900	78	N Salvador
	1200	80	N Salvador
	1500	81	N Salvador
12	1800	81	N Salvador
	2100	80	N Salvador
	2400	75	RYBNIKAR

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	78	RYBNIKAR
	0600	77	RYBNIKAR
	0900	78	Zamora
	1200	79	Zamora
	1500	80	QX
14	1800	81	QX
	2100		
	2400	78	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	77	RYBNIKAR
	0600	76	RYBNIKAR
	0900	77	E. Cortes
	1200	80	F. Lora
	1500	86	S. Malgat
24	1800	80	M. Vilegas
	2100	79	M. Vilegas
	2400	76	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	76	RYBNIKAR
	0600	75	RYBNIKAR
	0900	76	GUTIERREZ
	1200	79	GUTIERREZ
24	1500	79	C. Velez
	1800	79	C. Velez
	2100	79	C. Velez
	2400	78	RYBNIKAR AB

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	77	RYBNIKAR
	0600	76	RYBNIKAR
	0900	77	A. Lopez
	1200	79	A. Lopez
	1500	80	P. Vela
	1800	80	A. Vela
	2100	78	A. Vela
	2400	77	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	77	RYBNIKAR
	0600	76	RYBNIKAR
	0900	76	Vera
	1200	78	Vera
24	1500	78	Vera
	1800	78	Vera
	2100	77	Vera
	2400	77	Vera

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	76	A. Lopez
	0600	74	N Salvador
	0900	75	N Salvador
	1200	78	N Salvador
	1500	79	N Salvador
	1800	79	N Salvador
	2100	78	N Salvador
	2400	78	M. Salinas

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/24	0300	74	M. Hurn
	0600	74	E. Lopez
	0900	76	E. Lopez
	1200	76	E. Lopez
	1500	78	A. Ventia
	1800	77	A. Veytia
	2100	76	A. Veytia
	2400	75	M. Hurn

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/24	0300	74	A. Gomez
	0600	72	M. Balladur
	0900	73	M. Balladur
	1200	78	M. Balladur
	1500	78	A. Veytia
	1800	77	A. Veytia
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/16/24	0300	74	Z. Morales
	0600	71	M. Balladur
	0900	72	M. Balladur
	1200	75	M. Balladur
	1500	71	A. Veytia
	1800	75	A. Veytia
	2100	73	A. Veytia
	2400	72	A. Gomez

**Sunday**

Date	Time	Temp.	Name (Print)
8/14/24	0300	70	A. Gomez
	0600	70	M. Balladur
	0900	72	M. Balladur
	1200	75	M. Balladur
	1500	76	J. Robles
	1800	75	J. Robles
	2100	72	J. Robles
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/24	0300	74	M. Hurn
	0600	74	E. Lopez
	0900	76	E. Lopez
	1200	78	E. Lopez
	1500	75	A. Veytia
	1800	76	A. Veytia
	2100	78	A. Veytia
	2400	75	M. Hurn

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/24	0300	70	J. Marquez
	0600	72	M. Balladur
	0900	72	M. Balladur
	1200	77	M. Balladur
	1500	77	A. Veytia
	1800	75	A. Veytia
	2100	76	A. Veytia
	2400	70	J. Marquez

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/24	0300	72	A. Gomez
	0600	71	M. Balladur
	0900	72	M. Balladur
	1200	75	M. Balladur
	1500	75	V. Ceballos
	1800	75	V. Ceballos
	2100	73	V. Ceballos
	2400	71	A. Gomez

**Notes**

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 12 Temp. Reading Location: Tier 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	70	J. MANGUZ
	0600	78	G. LAGUNA
	0900	79	G. LAGUNA
	1200	81	G. LAGUNA
	1500	83	E. CHAVER
	1800	83	E. CHAVER
	2100	83	E. CHAVER
	2400	81	J. MANGUZ

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	71	Almodovar
	0600	78	E. LOPEZ
	0900	80	E. LOPEZ
	1200	83	E. LOPEZ
	1500	83	C. Fernandez
	1800	83	E. CHAVER
	2100	83	E. CHAVER
	2400	79	Almodovar

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	76	Almodovar
	0600	77	G. LAGUNA
	0900	77	G. LAGUNA
	1200	79	G. LAGUNA
	1500	81	S. QUINTANA
	1800	81	S. QUINTANA
	2100	80	S. QUINTANA
	2400	79	Almodovar

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	70	J. MANGUZ
	0600	74	G. LAGUNA
	0900	75	G. LAGUNA
	1200	78	G. LAGUNA
	1500	79	E. CHAVER
	1800	79	E. CHAVER
	2100	79	E. CHAVER
	2400	70	J. MANGUZ

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	79	Almodovar
	0600	79	VELASCO
	0900	80	VELASCO
	1200	82	VELASCO
	1500	82	Chavez, E.
	1800	83	Chavez, E.
	2100	83	Chavez, E.
	2400	80	Almodovar

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	76	Almodovar
	0600	76	G. LAGUNA
	0900	76	G. LAGUNA
	1200	81	G. LAGUNA
	1500	72	E. LOPEZ
	1800		
	2100		
	2400	80	Almodovar

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	76	Almodovar
	0600	77	GOMEZ
	0900	78	GOMEZ
	1200	79	GOMEZ
	1500	80	CHAVER, E.
	1800	79	CHAVER, E.
	2100	79	CHAVER, E.
	2400		

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 13 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12/24

Date	Time	Temp.	Name (Print)
8/12	0300	72	SARZAK
	0600	70°	K. MARTINEZ
	0900	71°	K. MARTINEZ
	1200	71°	K. MARTINEZ
	1500	73	R. ESTRADA
	1800	73	R. ESTRADA
	2100	71	R. ESTRADA
	2400	71	SARZAK

Wednesday 8/14/24

Date	Time	Temp.	Name (Print)
8/14	0300	72	SARZAK
	0600	72	HERNANDEZ
	0900	72	HERNANDEZ
	1200	73	HERNANDEZ
	1500	74	HERNANDEZ
	1800	74	HERNANDEZ
	2100	73	HERNANDEZ
	2400	73	MUÑOZ

Friday 8/16/24

Date	Time	Temp.	Name (Print)
8/16	0300	70	J. MARGUER
	0600	71	HERNANDEZ
	0900	71	HERNANDEZ
	1200	72	HERNANDEZ
	1500	72	J. SEDANO
	1800	71	J. SEDANO
	2100	72	J. SEDANO
	2400		

Saturday 8-18-24

TIME	TEMP	NAME
0800	71	SARZAK
0600		
0900		
1200	70	CUNNINGHAM
1500		
1800		
2100		
2400	/	

Tuesday 8/13/24

Date	Time	Temp.	Name (Print)
8/13	0300	71	SARZAK
	0600	71	HERNANDEZ
	0900	72	HERNANDEZ
	1200	74	HERNANDEZ
	1500	76	GARCIA
	1800	73	GARCIA
	2100	71	GARCIA
	2400	72	SARZAK

Thursday 8/15/24

Date	Time	Temp.	Name (Print)
8/15	0300	75	MUÑOZ
	0600	74	HERNANDEZ
	0900	74	HERNANDEZ
	1200	75	HERNANDEZ
	1500	74	LOMBRY-B.
	1800	74	LOMBRY-B.
	2100	74	LOMBRY-B.
	2400		

Saturday 8/17

Date	Time	Temp.	Name (Print)
8/17	0300	70	J. MARGUER
	0600	66	VILLASOSA
	0900	67	VILLASOSA
	1200	70	VILLASOSA
	1500	69	R. ESTRADA
	1800	71	R. ESTRADA
	2100	71	R. ESTRADA
	2400	70	J. MARGUER

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RID Housing Unit: 14 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600	71	J. Lederman
	0900	72	J. Lederman
	1200	71	J. Lederman
	1500		
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/14/21	0300	72°	J. Monzon
	0600	72°	J. Monzon
	0900		
	1200		
	1500	73	I. DURAN
	1800	72	I. DURAN
	2100	73	I. DURAN
	2400	73	S. KUS

## Friday

Date	Time	Temp.	Name (Print)
8/16/21	0300	73	M. Salewsky
	0600	73	Lederman
	0900	72	Lederman
	1200	71	Lederman
	1500	71	I. DURAN
	1800	71	I. DURAN
	2100	73	I. DURAN
	2400	72	M. Salewsky

## Sunday

Sunday			
	Time	Temp.	Name (Print)
8/19/21	0300	72	O. Latco
	0600	72	Arellano
	0900	70	Piellano
	1200	70	Arellano
	1500	70	Becerra
	1800	72	Becerra
	2100	72	Becerra
	2400	72	Montes

## Tuesday

Date	Time	Temp.	Name (Print)
8/13/21	0300	71	J. Lederman
	0600	71	J. Lederman
	0900	72	J. Lederman
	1200	71	J. Lederman
	1500	73	I. DURAN
	1800	72	I. DURAN
	2100	73	I. DURAN
	2400	73°	J. Monzon

## Thursday

Date	Time	Temp.	Name (Print)
8/15/21	0300	72	S. KUS
	0600	72	S. KUS
	0900	71	M. Duran
	1200	71	M. Duran
	1500	72	I. DURAN
	1800	72	I. DURAN
	2100	73	I. DURAN
	2400	72	M. Salewsky

## Saturday

Date	Time	Temp.	Name (Print)
8/17/21	0300	73	M. Salewsky
	0600	73	M. Salewsky
	0900	72	Lederman
	1200	70	Lederman
	1500	70	I. DURAN
	1800	71	I. DURAN
	2100	72	I. DURAN
	2400	73	O. Latco

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 15 Temp. Reading Location: 2<sup>ND</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	74	H.A. Starnes
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	74	H.A. Starnes

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	74	14272222
	0600	74	GORDIA
	0900	73	GORDIA
	1200	72	GORDIA
	1500	72	Ranger
	1800	73	Ranger
	2100	75	Ranger
	2400	74	HANNA

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	73	Morgan
	0600	74	GARFIELD
	0900	74	GARFIELD
	1200	72	GARFIELD
	1500	72	TERRA
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	74	HARTMAN
	0600	75	GARCIA
	0900	73	GARCIA
	1200	73	GARCIA
	1500	73	VILLAREAL
	1800	74	VILLAREAL
	2100	75	VILLAREAL
	2400	75	HARTMAN

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	74	Ramos
	0600	74	Garcia
	0900	73	Garcia
	1200	72	Garcia
	1500	72	Ramos
	1800	72	Ramos
	2100	72	Ramos
	2400	73	Ramos

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600	74	ELOPEZ
	0900	72	ELOPEZ
	1200	72	E. Lopez
	1500	72	L. Beccari
	1800	73	L. Beccari
	2100		
	2400	73	E. Lopez

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LJD Housing Unit: 16 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the Inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	70	K. MILLER
	0600	71	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	B. EDEN

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	71	B. EDEN
	0600	71	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	J. Goren

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	71	J. Goren
	0600	71	J. Goren
	0900	70	Q. ALDRIEDE
	1200	71	Q. ALDRIEDE
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	76	J. Goren
	2400	76	J. Goren

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	70	J. Goren
	0600	70	J. Goren
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	J. Goren

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	70	J. Goren
	0600	70	J. Goren
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	70	J. Goren
	2400	70	J. Goren

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	70	J. Goren
	0600	70	J. Goren
	0900	70	N. BEDUHI
	1200	71	N. BEDUHI
	1500	71	M.R. FLORES
	1800	71	M.R. FLORES
	2100	70	J. Goren
	2400	70	J. Goren

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	70	J. Goren
	0600	70	J. Goren
	0900	70	N. BEDUHI
	1200	71	N. BEDUHI
	1500	71	VIEVES
	1800	71	VIEVES
	2100	71	Camato
	2400	70	Camato

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Ridge Housing Unit: 17 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/16	0300	78	D. GARCIA
8/16	0600	79	N. Bedini
8/16	0900	79	N. Bedini
8/16	1200	80	N. Bedini
8/16	1500	80	E. SILVA
8/16	1800	80	E. SILVA
8/16	2100	79	E. SILVA
8/16	2400	79	N. Maroki

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	79	N. Maroki
8/13	0600	79	N. Bedini
8/13	0900	79	N. Bedini
8/13	1200	81	N. Bedini
8/13	1500	82	E. SILVA
8/13	1800	81	E. SILVA
8/13	2100	80	E. SILVA
8/13	2400	79	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	78	G. BRENTS
8/14	0600	77	B. EDEN
8/14	0900	79	B. EDEN
8/14	1200	81	B. EDEN
8/14	1500	81	S. ARCEO
8/14	1800	81	S. ARCEO
8/14	2100	80	S. ARCEO
8/14	2400	79	R. Quijada

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	79	R. Quijada
8/15	0600	77	R. Quijada
8/15	0900	77	B. EDEN
8/15	1200	80	B. EDEN
8/15	1500	80	S. LOWIS
8/15	1800	81	S. LOWIS
8/15	2100	80	S. LOWIS
8/15	2400	77	Canal

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	77	Canal
8/16	0600	77	B. EDEN
8/16	0900	78	B. EDEN
8/16	1200	79	B. EDEN
8/16	1500	80	B. EDEN
8/16	1800	80	VIEVES
8/16	2100	79	VIEVES
8/16	2400	78	G. BRENTS

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	76	G. BRENTS
8/17	0600	77	B. EDEN
8/17	0900	77	B. EDEN
8/17	1200	79	B. EDEN
8/17	1500	80	E. SILVA
8/17	1800	80	E. SILVA
8/17	2100	78	E. SILVA
8/17	2400	76	G. BRENTS

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	75	G. BRENTS
8/18	0600	75	B. EDEN
8/18	0900	76	B. EDEN
8/18	1200	79	B. EDEN
8/18	1500	80	E. SILVA
8/18	1800	79	E. SILVA
8/18	2100	78	E. SILVA
8/18	2400	77	G. BRENTS

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 18 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-12-24	0300	77	D. Black
	0600	78	O. AGUILAR
	0900	78	O. AGUILAR
	1200	80	O. AGUILAR
	1500	81	CALALANG
	1800	81	CALALANG
	2100	80	CALALANG
	2400	78	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
08-13-24	0300	77	D. Black
	0600	77	O. AGUILAR
	0900	78	O. AGUILAR
	1200	81	O. AGUILAR
	1500	82	CALALANG
	1800	81	CALALANG
	2100	80	CALALANG
	2400	78	D. Black

Wednesday

Date	Time	Temp.	Name (Print)
08-14-24	0300	76	D. Black
	0600	76	N. pedrovi
	0900	77	N. pedrovi
	1200	80	N. pedrovi
	1500	80	S. Lewis
	1800	79	S. Lewis
	2100	77	S. Lewis
	2400	77	D. Black

Thursday

Date	Time	Temp.	Name (Print)
08-15-24	0300	76	D. Black
	0600	75	D. Black
	0900	78	M. Martinez
	1200	79	M. Martinez
	1500	79	J. MARTINEZ
	1800	80	J. MARTINEZ
	2100	78	J. MARTINEZ
	2400	77	D. Black

Friday

Date	Time	Temp.	Name (Print)
08-16-24	0300	76	D. Black
	0600	75	O. AGUILAR
	0900	76	O. AGUILAR
	1200	77	O. AGUILAR
	1500	80	CALALANG
	1800	79	CALALANG
	2100	77	CALALANG
	2400	77	O. AGUILAR

Saturday

Date	Time	Temp.	Name (Print)
08-17-24	0300	76	ESCALONA T.
	0600	75	O. AGUILAR
	0900	76	O. AGUILAR
	1200	78	O. AGUILAR
	1500	79	CALALANG
	1800	78	CALALANG
	2100	77	CALALANG
	2400	76	ESCALONA T.

Sunday

Date	Time	Temp.	Name (Print)
08-18-24	0300	75	ESCALONA T.
	0600	79	O. AGUILAR
	0900	75	O. AGUILAR
	1200	78	O. AGUILAR
	1500	78	CALALANG
	1800	78	CALALANG
	2100	77	CALALANG
	2400	76	D. Black

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D-19 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	77	
	0600	77	ZACARIA
	0900	78	ZACARIA
	1200	78	ZACARIA
	1500	79.5	S. Valverde
	1800	79.1	S. Valverde
	2100	78.3	S. Valverde
	2400	75	Benel

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	72	C. BAHNA
	0600	73	C. BAHNA
	0900	74	C. BAHNA
	1200	71	C. BAHNA
	1500	79.8	S. Valverde
	1800	79.5	S. Valverde
	2100	78.1	S. Valverde
	2400	75	J. Benel

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	73	Benel
	0600	75.2	S. Valverde
	0900	75.9	S. Valverde
	1200	78.3	S. Valverde
	1500	79.5	S. Valverde
	1800	79.1	S. Valverde
	2100	77.5	S. Valverde
	2400	75	Benel

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	73	Benel
	0600	74	Lorett
	0900	75	Lorett
	1200	77	Lorett
	1500	78.3	M. Lucht
	1800	77.5	M. Lucht
	2100	76.6	M. Lucht
	2400	74	Benel

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	72	Benel
	0600	74.6	Ballard
	0900	74.7	Benard
	1200	72	Benard
	1500	71	N. Ericson
	1800	76	N. Ericson
	2100	75	N. Ericson
	2400	73	Benel

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	72	Benel
	0600	74.3	Pullard
	0900	74.5	Pullard
	1200	74	Pullard
	1500	76	N. Ericson
	1800	76	N. Ericson
	2100	75	N. Ericson
	2400	73	A. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	73	A. Maldonado
	0600	70	NIEVES
	0900	73	NIEVES
	1200	76.8	NIEVES
	1500	77.1	S. Valverde
	1800	77.0	S. Valverde
	2100	76.1	S. Valverde
	2400	74	A. Maldonado

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
<u>8/12</u>	0300	77	AD. FLORES, SR
	0600	77	Ballard
	0900	78	Ballard
	1200	78	D. Huber
	1500	80	D. Huber
	1800	80	D. Huber
	2100	80	D. Huber
	2400	79	AD. FLORES, SR

## Tuesday

Date	Time	Temp.	Name (Print)
<u>8/13</u>	0300	78	AD. FLORES, SR
	0600	78	N. Maroki
	0900	78	N. Maroki
	1200	79	N. Maroki
	1500	80	ARAUJO
	1800	80	ARAUJO
	2100	81	ARAUJO
	2400	79	AD. FLORES, SR

## Wednesday

Date	Time	Temp.	Name (Print)
<u>8/14</u>	0300	78	AD. FLORES, SR
	0600	78	N. Maroki
	0900	78	N. Maroki
	1200	78	N. Maroki
	1500	79	ARAUJO
	1800	80	ARAUJO
	2100	80	ARAUJO
	2400	78	N. Maroki

## Thursday

Date	Time	Temp.	Name (Print)
<u>8/15</u>	0300	78	N. Maroki
	0600	78	N. Maroki
	0900	78	N. Maroki
	1200	78	N. Maroki
	1500	79	ARAUJO
	1800	80	ARAUJO
	2100	80	ARAUJO
	2400	79	N. Maroki

## Friday

Date	Time	Temp.	Name (Print)
<u>8/16</u>	0300	78	N. Maroki
	0600	78	N. Maroki
	0900	78	N. Maroki
	1200	78	N. Maroki
	1500	78	ARAUJO
	1800	79	ARAUJO
	2100	79	ARAUJO
	2400	78	Fredrick

## Saturday

Date	Time	Temp.	Name (Print)
<u>8/17</u>	0300	78	Fredrick
	0600	77	N. Maroki
	0900	77	N. Maroki
	1200	77	N. Maroki
	1500	78	ARAUJO
	1800	79	ARAUJO
	2100	79	ARAUJO
	2400	78	AD. FLORES, SR

## Sunday

Date	Time	Temp.	Name (Print)
<u>8/18</u>	0300	77	AD. FLORES, SR
	0600	75	Ballard
	0900	75	Ballard
	1200	74	Ballard
	1500	78	N. Ericson
	1800	78	N. Ericson
	2100	78	K. Eneson
	2400	78	AD. FLORES, SR

## Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 3 Temp. Reading Location: TIER 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1/8	0300	77	HERNANDEZ
	0600	77	HERNANDEZ
	0900	78	Garcia
	1200	80	Garcia
	1500	81°	D. Gomez
	1800	81°	D. Gomez
	2100	80°	D. Gomez
	2400	79	Kleene

Tuesday

Date	Time	Temp.	Name (Print)
8/2/8	0300	77	A. Leon
	0600	79	M. ROBLES
	0900	80	M. ROBLES
	1200	82	M. ROBLES
	1500	82°	D. Gomez
	1800	82°	D. Gomez
	2100	81°	D. Gomez
	2400	80	A. Leon

Wednesday

Date	Time	Temp.	Name (Print)
8/2/8	0300	78	A. Leon
	0600	79	A. Leon
	0900	79	A. Leon
	1200	79	A. Leon
	1500	83	ESQUIVIES
	1800	83	ESQUIVIES
	2100	82	ESQUIVIES
	2400	80	A. Leon

Thursday

Date	Time	Temp.	Name (Print)
8/2/8	0300	75	A. Leon
	0600	76	MR Flores
	0900	79	MR Flores
	1200	79	MR Flores
	1500	79	A. SOTO
	1800	83	A. SOTO
	2100	84	A. SOTO
	2400	77	A. Leon

Friday

Date	Time	Temp.	Name (Print)
8/2/8	0300	79	A. Leon
	0600	79	MR Flores
	0900	79	MR Flores
	1200	80	MR Flores
	1500	81	E. Simenra
	1800	80	E. Simenra
	2100	79	E. Simenra
	2400	78	M. Salewsky

Saturday

Date	Time	Temp.	Name (Print)
8/2/8	0300	78	M. Salewsky
	0600	77	MR Flores
	0900	77	MR Flores
	1200	79	MR Flores
	1500	80	E. Simenra
	1800	79	E. Simenra
	2100	78	E. Simenra
	2400	77	CALALANG

Sunday

Date	Time	Temp.	Name (Print)
8/2/8	0300	77	CALALANG
	0600	76	MR Flores
	0900	77	MR Flores
	1200	79	MR Flores
	1500	80	E. Simenra
	1800	79	E. Simenra
	2100	79	E. Simenra
	2400	78	A. Leon

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BIDCF Housing Unit: 4 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/19	0300	70°	J. MARTINEZ	8/20	0300	78°	S. OROZCO
	0600	70	J. ZAMORA		0600	76	R. COLLAZO
	0900	76	J. ZAMORA		0900	78	R. COLLAZO
	1200	78	J. ZAMORA		1200	80	R. COLLAZO
	1500	79	ESQUIVIES		1500	80	ESQUIVIES
	1800	78	ESQUIVIES		1800	80	ESQUIVIES
	2100	78	ESQUIVIES		2100	79	ESQUIVIES
	2400	78	S. OROZCO		2400	79	G. HOPKINS

Wednesday			
Date	Time	Temp.	Name (Print)
8/21	0300	78°	G. HOPKINS
	0600	77°	S. MEZA
	0900	79°	A. ARANDA
	1200	80°	S. MEZA
	1500	80°	S. MEZA
	1800	80°	S. MEZA
	2100	79°	S. MEZA
	2400	79°	M. MAROKE

Friday			
Date	Time	Temp.	Name (Print)
8/23	0300	78	ZACARIAH
	0600	76	A. SOTO
	0900	77	A. SOTO
	1200	77	A. SOTO
	1500	78°	S. MEZA
	1800	78°	S. MEZA
	2100	77°	S. MEZA
	2400	77°	M. MAROKE

Sunday			
Date	Time	Temp.	Name (Print)
8/25	0300	75°	M. MAROKE
	0600	74°	S. MEZA
	0900	75°	S. MEZA
	1200	77°	S. MEZA
	1500	77°	S. MEZA
	1800	77°	S. MEZA
	2100	77°	S. MEZA
	2400	76	E. RAMIREZ

Tuesday			
Date	Time	Temp.	Name (Print)
8/20	0300	78°	S. OROZCO
	0600	76	R. COLLAZO
	0900	78	R. COLLAZO
	1200	80	R. COLLAZO
	1500	80	ESQUIVIES
	1800	80	ESQUIVIES
	2100	79	ESQUIVIES
	2400	79	G. HOPKINS

Thursday			
Date	Time	Temp.	Name (Print)
8/22	0300	78°	M. MAROKE
	0600	77°	S. MEZA
	0900	77°	S. MEZA
	1200	79°	S. MEZA
	1500	79°	S. MEZA
	1800	79°	S. MEZA
	2100	78°	S. MEZA
	2400	78	ZACARIAH

Saturday			
Date	Time	Temp.	Name (Print)
8/24	0300	76°	M. MAROKE
	0600	75°	S. MEZA
	0900	77°	S. MEZA
	1200	77°	S. MEZA
	1500	78°	S. MEZA
	1800	77°	S. MEZA
	2100	76°	S. MEZA
	2400	75°	M. MAROKE

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	73	A. VARGAS
19	0600	73	E. JUAREZ
/	0900	75	E. JUAREZ
24	1200	77	E. JUAREZ
	1500	79	Cardenas
	1800	78	Cardenas
	2100	78	Cardenas
	2400	76	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	76	A. VARGAS
21	0600	77	E. JUAREZ
/	0900	79	E. JUAREZ
24	1200	80	E. JUAREZ
	1500	75	Ward
	1800	75	Ward
	2100	73	Ward
	2400	78	A. VARGAS

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	76	M. GARDIN
23	0600	79	P. Collazo
/	0900	75	P. Collazo
24	1200	77	P. Collazo
	1500	77	P. Martino
	1800	77	P. Martino
	2100	77	F. Moreno
	2400	75	A. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	72	A. VARGAS
25	0600	72	E. JUAREZ
/	0900	74	E. JUAREZ
24	1200	75	E. JUAREZ
	1500	77	ESQUINES
	1800	77	ESQUINES
	2100	73	ESQUINES
	2400	75	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	74	A. VARGAS
20	0600	74	E. JUAREZ
/	0900	75	E. JUAREZ
24	1200	80	E. JUAREZ
	1500	80	Cardenas
	1800	79	Cardenas
	2100	79	Cardenas
	2400	78	A. VARGAS

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	76	F. Villalba
22	0600	76	E. JUAREZ
/	0900	76	E. JUAREZ
24	1200	78	E. JUAREZ
	1500	79	Cardenas
	1800	78	Cardenas
	2100	78	Cardenas
	2400	78°	M. GARDIN

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	73	A. VARGAS
24	0600	73	M. GOMEZ
/	0900	74	M. GOMEZ
24	1200	75	M. GOMEZ
	1500	77	L. ALVEZ
	1800	75	L. ALVEZ
	2100	73	L. ALVEZ
	2400	74	A. VARGAS

Notes

---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 8 Temp. Reading Location: 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300		
	0600	73	ANAYAREZ
	0900	78	ANAYAREZ
	1200	76	ANAYAREZ
	1500	79	CRI-1/2
	1800	71	CRI-1/2
	2100	77	CRI-1/2
	2400	76°	Gutierrez

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	75°	Gutierrez
	0600	75°	J. Parra
	0900	77	J. Parra
	1200	80	J. Parra
	1500	82	P. Collazo
	1800	82	P. Collazo
	2100	79	P. Collazo
	2400	78	DOMAN

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	77	DOMAN
	0600	76	DOMAN
	0900	77	Ramos
	1200	81	Ramos
	1500	81°	Ramos -
	1800	80°	Ramos -
	2100	79	Ramos -
	2400	77	DOMAN

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	77	DOMAN
	0600	76	DOMAN
	0900	77	N. ESPINO
	1200	79	N. ESPINO
	1500	79	P. Collazo
	1800	79	P. Collazo
	2100	77	P. Collazo
	2400	77	DOMAN

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	74	DOMAN
	0600	76	DOMAN
	0900	76	CHAVEZ
	1200	77	CHAVEZ
	1500	78	Collazo
	1800	78	Collazo
	2100	75	Collazo
	2400	74	DOMAN

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	74	DOMAN
	0600	74	DOMAN
	0900	77	HERNANDEZ
	1200	76	HERNANDEZ
	1500	77	Gutierrez
	1800	77	Gutierrez
	2100	75	Gutierrez
	2400	74	DOMAN

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	74	DOMAN
	0600	74	DOMAN
	0900	75	ANAYAREZ
	1200	77	ANAYAREZ
	1500	78°	Ramos
	1800	77°	Ramos
	2100		
	2400	74°	Gutierrez

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: B-10 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	74	M. Salcedo
	0600	74	N. Salvador
	0900	76	N. Salvador
	1200	79	Santacruz
	1500	80	N. Salvador
	1800	80	N. Salvador
	2100	79	N. Salvador
	2400	78	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	77	RYBNIKAR
	0600	76	RYBNIKAR
	0900	79	E. Cordero
	1200	82	E. Cordero
	1500	82	C. Flores
	1800	82	C. Flores
	2100	80	C. Flores
	2400	78	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	78	RYBNIKAR
	0600	76	RYBNIKAR
	0900	76	Vera
	1200	78	Vera
	1500	79	Vera
	1800	79	Vera
	2100	77	Vera
	2400	77	RYBNIKAR

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	73	J. Lopez
	0600	72	N. Salvador
	0900	74	N. Salvador
	1200	78	N. Salvador
	1500	78	N. Salvador
	1800	78	N. Salvador
	2100	77	N. Salvador
	2400	77	J. Martinez

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	77	RYBNIKAR
	0600	76	RYBNIKAR
	0900	78	Zimmer
	1200	82	Zimmer
	1500	82	N. Salvador
	1800	82	N. Salvador
	2100	80	N. Salvador
	2400	78	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	77	RYBNIKAR
	0600	76	RYBNIKAR
	0900	77	Vera
	1200	80	Vera
	1500	80	M. Alvarez
	1800	80	M. Alvarez
	2100	79	M. Alvarez
	2400	78	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	76	RYBNIKAR
	0600	75	RYBNIKAR
	0900	75	Vera
	1200	77	Vera
	1500	78	Vera
	1800	77	Vera
	2100	77	Vera
	2400	73	J. Lopez

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/19/24	0300	72	M.HuM
	0600	71	J.Ruelas
	0900	72	J.Ruelas
	1200	76	J.Ruelas
	1500	78	F.SEPULVEDA
	1800	77	F.SEPULVEDA
	2100	75	F.SEPULVEDA
	2400	73	M.HuM

Wednesday

Date	Time	Temp.	Name (Print)
4/21/24	0300	73	M.Lopez
	0600	73	O.diaz
	0900	76	O.diaz
	1200	79	O.diaz
	1500	79	A.Rodriguez
	1800	78	A.Rodriguez
	2100	76	A.Rodriguez
	2400	75	M.Lopez

Friday

Date	Time	Temp.	Name (Print)
4/23/24	0300	74	Z.Mata
	0600	72	M.Ballard
	0900	73	M.Ballard
	1200	75	M.Ballard
	1500	76	A.Ventia
	1800	75	A.Ventia
	2100	73	A.Ventia
	2400	72	A.Gomez

Sunday

Date	Time	Temp.	Name (Print)
4/25/24	0300		
	0600	68	M.Ballard
	0900	71	M.Ballard
	1200	74	M.Ballard
	1500	72	V.Villegas
	1800	75	V.Villegas
	2100	75	V.Villegas
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
4/20/24	0300	74	M.HuM
	0600	73	J.Ruelas
	0900	74	J.Ruelas
	1200	79	J.Ruelas
	1500	79	A.Rodriguez
	1800	78	A.Rodriguez
	2100	77	A.Rodriguez
	2400	74	M.HuM

Thursday

Date	Time	Temp.	Name (Print)
4/22/24	0300	74	M.Lopez
	0600	73	M.Ballard
	0900	74	M.Ballard
	1200	77	M.Ballard
	1500	77	A.Ventia
	1800	77	A.Ventia
	2100	74	A.Ventia
	2400	74	Z.Zumale

Saturday

Date	Time	Temp.	Name (Print)
4/24/24	0300	71	A.Gomez
	0600	72	A.Marez
	0900		
	1200	74	P.Castro
	1500	74	V.Villegas
	1800	74	V.Villegas
	2100		
	2400		

Notes

---

---

---

---

---

---

---

---

INSIDE TEMPERATURE RECORD  
DCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned Housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution RJD Housing Unit 12 Temp. Reading Location \_\_\_\_\_

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	77	O. LAGUNA
	0600	76	G. LAGUNA
	0900	79	G. LAGUNA
	1200	79	G. LAGUNA
	1500	81	E. CHAVEZ
	1800	80	E. CHAVEZ
	2100	80	E. CHAVEZ
	2400	80	OALALANG

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	81	Almodovar
	0600	79	Iglesia
	0900	80	Iglans
	1200	83	Iglesia
	1500	84	CHAVEZ, E.
	1800	84	CHAVEZ, E.
	2100	83	CHAVEZ, E.
	2400	80	Almodovar

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	77	Almodovar
	0600	77	G. LAGUNA
	0900	78	G. LAGUNA
	1200	80	G. LAGUNA
	1500	80	VILLEGRAS-H
	1800	80	VILLEGRAS-H
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	77	R. Cerrada
	0600	70	E. GAVILAN
	0900	74	E. GAVILAN
	1200	75	E. GAVILAN
	1500	79	E. CHAVEZ
	1800	81	E. CHAVEZ
	2100	79	E. CHAVEZ
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	78	OALALANG
	0600	78	CHALANGI
	0900	83	Ponce
	1200	85	K. MARTINEZ
	1500	84	E. CHAVEZ
	1800	85	E. CHAVEZ
	2100	85	E. CHAVEZ
	2400	92	Almodovar

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	78	Almodovar
	0600	78	G. LAGUNA
	0900	79	G. LAGUNA
	1200	82	G. LAGUNA
	1500	82	VILLEGRAS-H
	1800	81	VILLEGRAS-H
	2100		
	2400	80	Almodovar

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	74	Almodovar
	0600	75	G. LAGUNA
	0900	75	G. LAGUNA
	1200	78	G. LAGUNA
	1500	78	E. CHAVEZ
	1800	78	E. CHAVEZ
	2100	78	E. CHAVEZ
	2400	77	R. cervared

Notes



From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 13 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/19	0300	73	SARSGAUK
	0600	75	A. Chaver
	0900	75	A. Chaver
	1200	75	A. Chaver
	1500	76	R. ESTRADA
	1800	73	R. ESTRADA
	2100	70	R. ESTRADA
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	72	SARSGAUK
	0600	72	HERNANDEZ
	0900	73	HERNANDEZ
	1200	71	HERNANDEZ
	1500	70	Becerra
	1800	70	Becerra
	2100	77	Becerra
	2400	74	SARSGAUK

#### Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	73	SARSGAUK
	0600	74	HERNANDEZ
	0900	75	HERNANDEZ
	1200	75	HERNANDEZ
	1500	75	VILLEZAS, H.
	1800	73	VILLEZAS, H.
	2100	72	VILLEZAS, H.
	2400	73	SARSGAUK

#### Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	73	SARSGAUK
	0600	73	HERNANDEZ
	0900	70	LOMBAY, B.
	1200	71	HERNANDEZ
	1500	71	R. ESTRADA
	1800	70	R. ESTRADA
	2100	76	M. Salewsky
	2400	75	M. Salewsky

#### Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	74	M. Salewsky
	0600	73	HERNANDEZ
	0900	73	HERNANDEZ
	1200	72	R. ESTRADA
	1500	73	R. ESTRADA
	1800	73	R. ESTRADA
	2100	72	
	2400	71	CALALANG

#### Saturday

Date	Time	Temp.	Name (Print)
8-24-25	0300	73	CALALANG
	0600	73	HERNANDEZ
	0900	73	HERNANDEZ
	1200	74	HERNANDEZ
	1500	74	Ramos
	1800	73	Ramos
	2100	74	Ramos
	2400	72	C. MARTINEZ

#### Sunday

DATE	TIME	TEMP.	NAME (PRINT)
8/25	0300	70	C. MARTINEZ
8/25	0600	69	C. MARTINEZ
8/25	0900	70	V. MORELOS
8/25	1200	70	V. MORELOS
8/25	1500	73	R. ESTRADA
8/25	1800	73	R. ESTRADA
8/25	2100	73	R. ESTRADA
8/25	2400	72	SARSGAUK

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 16 Temp. Reading Location: TIER 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>8/19</u>	0300	<u>71</u>	<u>CAMACIO</u>	<u>8/20</u>	0300	<u>70</u>	<u>J. Garen</u>
	0600	<u>71</u>	<u>HERNANDEZ</u>		0600	<u>71</u>	<u>HERNANDEZ</u>
	0900	<u>71</u>	<u>HERNANDEZ</u>		0900	<u>71</u>	<u>J. Garen</u>
	1200	<u>71</u>	<u>HERNANDEZ</u>		1200	<u>71</u>	<u>HERNANDEZ</u>
	1500	<u>71</u>	<u>P. Hernandez</u>		1500	<u>71</u>	<u>A. Edwards</u>
	1800	<u>71</u>	<u>P. Hernandez</u>		1800	<u>71</u>	<u>A. Edwards</u>
	2100	<u>71</u>	<u>P. Hernandez</u>		2100	<u>71</u>	<u>A. Edwards</u>
	2400	<u>71</u>	<u>M. Vizcarra</u>		2400	<u>71</u>	<u>A. Edwards</u>
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>8/21</u>	0300	<u>71</u>	<u>J. Garen</u>	<u>8/21</u>	0300	<u>70</u>	<u>J. Garen</u>
	0600	<u>71</u>	<u>J. Garen</u>		0600	<u>70</u>	<u>J. Garen</u>
	0900	<u>71</u>	<u>HERNANDEZ</u>		0900	<u>71</u>	<u>HERNANDEZ</u>
	1200	<u>71</u>	<u>HERNANDEZ</u>		1200	<u>71</u>	<u>HERNANDEZ</u>
	1500	<u>71</u>	<u>A. Edwards</u>		1500	<u>71</u>	<u>A. Edwards</u>
	1800	<u>71</u>	<u>A. Edwards</u>		1800	<u>71</u>	<u>A. Edwards</u>
	2100	<u>71</u>	<u>A. Edwards</u>		2100	<u>71</u>	<u>A. Edwards</u>
	2400	<u>70</u>	<u>J. Garen</u>		2400	<u>70</u>	<u>J. Garen</u>
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>8/23</u>	0300	<u>70</u>	<u>J. Garen</u>	<u>8/24</u>	0300	<u>70</u>	<u>J. Garen</u>
	0600	<u>70</u>	<u>J. Garen</u>		0600	<u>70</u>	<u>J. Garen</u>
	0900	<u>71</u>	<u>HERNANDEZ</u>		0900	<u>71</u>	<u>N. Beduchi</u>
	1200	<u>71</u>	<u>HERNANDEZ</u>		1200	<u>71</u>	<u>N. Beduchi</u>
	1500	<u>71</u>	<u>WRIGHT</u>		1500	<u>70</u>	<u>Z. Khan</u>
	1800	<u>71</u>	<u>AYALA</u>		1800	<u>70</u>	<u>Z. Khan</u>
	2100	<u>71</u>	<u>AYALA</u>		2100	<u>71</u>	<u>Z. Khan</u>
	2400	<u>70</u>	<u>J. Garen</u>		2400	<u>70</u>	<u>M. Vizcarra</u>
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
<u>8/25</u>	0300	<u>70</u>	<u>M. Vizcarra</u>				
	0600	<u>70</u>	<u>N. Beduchi</u>				
	0900	<u>70</u>	<u>N. Beduchi</u>				
	1200	<u>70</u>	<u>A. Samuel</u>				
	1500	<u>71</u>	<u>A. Samuel</u>				
	1800	<u>71</u>	<u>A. Samuel</u>				
	2100	<u>71</u>	<u>A. Samuel</u>				
	2400	<u>71</u>	<u>K. Miller</u>				

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 17 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/24	0300	75	G. BRENTS
8/19/24	0600	76	N. Bedini
8/19/24	0900	77	N. Bedini
8/19/24	1200	79	N. Bedini
8/19/24	1500	80	E. SILVA
8/19/24	1800	80	E. SILVA
8/19/24	2100	79	E. SILVA
8/19/24	2400	79	G. BRENTS

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/24	0300	78	G. BRENTS
8/20/24	0600	78	N. Bedini
8/20/24	0900	79	N. Bedini
8/20/24	1200	82	N. Bedini
8/20/24	1500	80	E. SILVA
8/20/24	1800	81	E. SILVA
8/20/24	2100	81	E. SILVA
8/20/24	2400	80	G. BRENTS

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/24	0300	78	G. BRENTS
8/21/24	0600	79	B. EDEN
8/21/24	0900	80	B. EDEN
8/21/24	1200	82	B. EDEN
8/21/24	1500	82	S. APEDO
8/21/24	1800	82	S. APEDO
8/21/24	2100	81	S. APEDO
8/21/24	2400	80	G. BRENTS

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/24	0300	78	J. SOSA
8/22/24	0600	79	J. SOSA
8/22/24	0900	79	J. SANCHEZ
8/22/24	1200	80	J. SANCHEZ
8/22/24	1500	80	S. LEWIS
8/22/24	1800	79	S. LEWIS
8/22/24	2100	78	S. LEWIS
8/22/24	2400	79	B. EDEN

**Friday**

Date	Time	Temp.	Name (Print)
8/23/24	0300	78	B. EDEN
8/23/24	0600	78	B. EDEN
8/23/24	0900	79	B. EDEN
8/23/24	1200	80	B. EDEN
8/23/24	1500	80	S. LEWIS
8/23/24	1800	79	S. LEWIS
8/23/24	2100	78	S. LEWIS
8/23/24	2400	77	G. BRENTS

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/24	0300	75	G. BRENTS
8/24/24	0600	76	B. EDEN
8/24/24	0900	77	B. EDEN
8/24/24	1200	78	B. EDEN
8/24/24	1500	77	fm
8/24/24	1800	77	fm
8/24/24	2100	77	fm
8/24/24	2400	76	G. BRENTS

**Sunday**

Date	Time	Temp.	Name (Print)
8/25/24	0300	74	G. BRENTS
8/25/24	0600	74	B. EDEN
8/25/24	0900	75	B. EDEN
8/25/24	1200	78	B. EDEN
8/25/24	1500	79	E. SILVA
8/25/24	1800	78	E. SILVA
8/25/24	2100	78	E. SILVA
8/25/24	2400	78	G. BRENTS

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJ Housing Unit: 18 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-19-24	0300	74	D. Black
	0600	75	O. AGUILAR
	0900	76	O. AGUILAR
	1200	79	O. AGUILAR
	1500	80	O. AGUILAR
	1800	80	J. Nelson
	2100	78	J. Nelson
	2400	77	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
5-20-24	0300	77	D. Black
	0600	76	O. AGUILAR
	0900	78	O. AGUILAR
	1200	82	O. AGUILAR
	1500	82	O. AGUILAR
	1800	81	J. Nelson
	2100	81	J. Nelson
	2400	79	D. Black

Wednesday

Date	Time	Temp.	Name (Print)
5-21-24	0300	78	D. Black
	0600	77	N. Bedolla
	0900	78	N. Bedolla
	1200	81	N. Bedolla
	1500	81	S. Lewis
	1800	80	S. Lewis
	2100	80	S. Lewis
	2400	78	D. Black

Thursday

Date	Time	Temp.	Name (Print)
5-22-24	0300	77	D. Black
	0600	71	B. Ballard
	0900	70	B. Ballard
	1200	80	B. Ballard
	1500	80	J. Martinez
	1800	79	J. Martinez
	2100	78	J. Martinez
	2400	77	D. Black

Friday

Date	Time	Temp.	Name (Print)
5-23-24	0300	76	D. Black
	0600	76	O. AGUILAR
	0900	76	O. AGUILAR
	1200	79	O. AGUILAR
	1500	79	CALALANG
	1800	79	CALALANG
	2100	77	CALALANG
	2400	75	B. Green

Saturday

Date	Time	Temp.	Name (Print)
5-24-24	0300	74	B. Green
	0600	74	O. Aguilar
	0900	75	O. AGUILAR
	1200	77	O. AGUILAR
	1500	78	O. AGUILAR
	1800	77	O. AGUILAR
	2100	77	O. AGUILAR
	2400	73	E. Ramirez

Notes

Date	Time	Temp.	Name (Print)
5-25-24	0300	73	E. Ramirez
	0600	72	O. AGUILAR
	0900	74	O. AGUILAR
	1200	77	O. AGUILAR
	1500	78	CALALANG
	1800	78	CALALANG
	2100	77	CALALANG
	2400	76	D. Black

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 control Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	74	J. Alderete	
0600	73	A. Alderete	
0900	72	A. Alderete	
1200	74	A. Alderete	
1500	78.0	J. Valverde	
1800	78.0	J. Valverde	
2100	77.5	J. Valverde	
2400	75	Benz	

Wednesday

Date	Time	Temp.	Name (Print)
0300	73	Benz	
0600	72	E.SQUIVES	
0900	73	E.SQUIVES	
1200	73	E.SQUIVES	
1500	79.9	S. Valverde	
1800	80	S. Valverde	
2100	78.1	S. Valverde	
2400	75	Benz	

Friday

Date	Time	Temp.	Name (Print)
0300	72	Benz	
0600	74.7	Bullard	
0900	72	Doward	
1200	72.3	Bullard	
1500	77	N. Ericson	
1800	77	N. Ericson	
2100	77.3	N. Ericson	
2400	71	Benz	

Sunday

Date	Time	Temp.	Name (Print)
0300	69	J. Garcia	
0600	71	A. Laredo	
0900	73	A. Laredo	
1200	76	A. Laredo	
1500	76	C. Bagna	
1800	76	C. Bagna	
2100	75	C. Bagna	
2400	75	M. Vizcarra	

Tuesday

Date	Time	Temp.	Name (Print)
0300	73	Benz	
0600	75	G. BRENTS	
0900	79	G. BRENTS	
1200	79	G. BRENTS	
1500	79.5	S. Valverde	
1800	79.5	S. Valverde	
2100	78.5	S. Valverde	
2400	75	Benz	

Thursday

Date	Time	Temp.	Name (Print)
0300	73	Benz	
0600	77	G. BRENTS	
0900	74	J. Y. C	
1200	78	J. Y. C	
1500	78.6	M. LUHT	
1800	78.3	M. LUHT	
2100	76.3	M. LUHT	
2400	74	Benz	

Saturday

Date	Time	Temp.	Name (Print)
0300	70	Benz	
0600	73.2	D. Ballard	
0900	73.6	D. Ballard	
1200	75.6	D. Ballard	
1500	75	N. Ericson	
1800	75	N. Ericson	
2100	75	N. Ericson	
2400	70	J. Garcia	

Notes

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20

Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/19	0300	77	AD.FLORES,SR
	0600	75	Ballard
	0900	77	Ballard
	1200	74	Ballard
	1500	79	D.Hubel
	1800	79	D.Hubel
	2100	76	D.Hubel
	2400	78	AD.FLORES,SR

## Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	78	AD.FLORES,SR
	0600	78	N.Maroku
	0900	78	N.Maroku
	1200	81	N.Maroku
	1500	82	ARAUJO
	1800	81	ARAUJO
	2100	81	ARAUJO
	2400	79	AD.FLORES,SR

## Friday

Date	Time	Temp.	Name (Print)
8/23	0300	79	J.Sosa
	0600	78	N.Maroku
	0900	78	N.Maroku
	1200	78	N.Maroku
	1500	78	ARAUJO
	1800	80	ARAUJO
	2100	80	ARAUJO
	2400	78	V.Bone

## Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	75	AD.FLORES,SR
	0600	74	Ballard
	0900	74	Ballard
	1200	75	Ballard
	1500	78	N.D.Neson
	1800	78	N.D.Neson
	2100	78	N.D.Neson
	2400	77	AD.FLORES,SR

## Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	77	AD.FLORES,SR
	0600	77	N.Maroku
	0900	77	N.Maroku
	1200	80	N.Maroku
	1500	81	ARAUJO
	1800	81	ARAUJO
	2100	81	ARAUJO
	2400	79	AD.FLORES,SR

## Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	78	AD.FLORES,SR
	0600	78	N.Maroku
	0900	78	N.Maroku
	1200	79	N.Maroku
	1500	79	ARAUJO
	1800	79	ARAUJO
	2100	80	ARAUJO
	2400	79	J.Sosa

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	77	V.Bone
	0600	77	V.Bone
	0900	77	N.Maroku
	1200	77	Q.ALPEREZIE
	1500	77	ARAUJO
	1800	78	ARAUJO
	2100	78	ARAUJO
	2400	76	AD.FLORES,SR

## Notes

- 8-20-24 Stage 1 Heat Alert @1051 hrs  
Temp 80°
- 8-21-24 Stage 1 Heat Alert @1203 hrs.  
Temp 81°

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RDP Housing Unit: 1 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	AC appears to be working	
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	AC appears Working	
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	AC appears working	
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	AC appears to be working	
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	AC appears	
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	AC appears Working	
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	AC appears Working	
	1800		
	2100		
	2400		

Notes

15

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit A-2

Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	74	M. Salewsky
	0600	74	M. Salewsky
	0900	72	R. Garcia
	1200	71	R. Garcia
	1500	72	FIERRO
	1800	73	FIERRO
	2100	74	FIERRO
	2400	74	VILLAREAL

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	74	VILLAREAL
	0600	74	Jansen
	0900	73	Jansen
	1200	72	Jansen
	1500	71	Gutierrez
	1800	72	J. Gutierrez
	2100	71	J. Gutierrez
	2400	74	VILLAREAL

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	73	A. Lopez
	0600	73	A. Lopez
	0900	73	Jensen
	1200	72	Jensen
	1500	71	Welti
	1800	72	Welti
	2100	74	VILLAREAL

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	73	S. Govey
	0600	72	S. Govey
	0900	73	M. Robles
	1200	71	M. Robles
	1500	71	FIERRO
	1800	72	FIERRO
	2100	72	FIERRO
	2400	74	J. GANCHARES

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	74	VILLAREAL
	0600	74	Jansen
	0900	73	Jansen
	1200	72	Jansen
	1500	72	FIERRO
	1800	72	FIERRO
	2100	75	FIERRO
	2400	75	VILLAREAL

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	74	VILLAREAL
	0600	74	Jansen
	0900	73	Jansen
	1200	72	Jansen
	1500	72	Mendoza
	1800	73	Mendoza
	2100	73	Mendoza
	2400	73	Lopez

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	74	VILLAREAL
	0600	74	Jansen
	0900	73	Jansen
	1200	72	Jansen
	1500	71	Govey
	1800	71	Govey
	2100	74	S. Govey
	2400	74	E. Lopez

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 3 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/26	0300	77	M. Leon
	0600	76	MR Flores
	0900	77	MR Flores
	1200	79	MR Flores
	1500	81°	D. Gomez
	1800	80°	D. Gomez
	2100	79°	D. Gomez
	2400	78	M. Leon

## Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	77	M. Leon
	0600	77	S. Chavez
	0900	77	S. Chavez
	1200	79	S. Chavez
	1500	80°	D. Gomez
	1800	80°	D. Gomez
	2100	78°	D. Gomez
	2400	78	M. Leon

## Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	77	M. Leon
	0600	77	J. SOSA
	0900	79	J. SOSA
	1200	77	J. SOSA
	1500	80	ESQUIVIES
	1800	80	ESQUIVIES
	2100	78	ESQUIVIES
	2400	78	M. Leon

## Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	79	M. Leon
	0600	77	MR Flores
	0900	77	MR Flores
	1200	78	MR Flores
	1500	75	A. SOTO
	1800	82	A. SOTO
	2100	83	A. SOTO
	2400	78	M. Leon

## Friday

Date	Time	Temp.	Name (Print)
8/30	0300	78	M. Leon
	0600	76	MR Flores
	0900	76	MR Flores
	1200	77	MR Flores
	1500	79	E. Simenral
	1800	74	E. Simenral
	2100	77	E. Simenral
	2400	77	C. Greene

## Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	77	C. Greene
	0600	76	MR Flores
	0900	76	MR Flores
	1200	79	MR Flores
	1500	79	E. Simenral
	1800	78	E. Simenral
	2100	77	E. Simenral
	2400	77	J. Goff

## Sunday

DATE	TIME	TEMP	NAME
9/1	0300	77	J. Goff
	0600	76	J. Goff
	0900	77	MR Flores
	1200	78	MR Flores
	1500	79	E. Simenral
	1800	78	E. Simenral
	2100	78	J. Goff
	2400	78	M. Leon

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #4 Temp. Reading Location: 2<sup>ND</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300	74	E. RAMOS
8/26/24	0600	74	J. ZAMORA
	0900	76	J. ZAMORA
	1200	78	J. ZAMORA
	1500	78	ESQUINIS
	1800	78	ESQUINIS
	2100	77	ESQUINIS
	2400	76	D. EDEN

Tuesday			
Date	Time	Temp.	Name (Print)
8/27/24	0300	75	B. EDEN
	0600	75	J. CABRERA
	0900	76	J. CABRERA
	1200	76	J. CABRERA
	1500	77	J. CABRERA
	1800	78	ESQUIVIS
	2100	76	ESQUIVIS
	2400	76	M. MAROKE

Wednesday			
Date	Time	Temp.	Name (Print)
8/28/24	0300	75°	M. MAROKE
	0600	75°	S. MEZA
	0900	75°	S. MEZA
	1200	77°	S. MEZA
	1500	77°	S. MEZA
	1800	77°	S. MEZA
	2100	75°	S. MEZA
	2400	75°	M. MAROKE

Thursday			
Date	Time	Temp.	Name (Print)
8/29/24	0300	75°	M. MAROKE
	0600	74°	S. MEZA
	0900	75°	S. MEZA
	1200	76°	S. MEZA
	1500	76°	S. MEZA
	1800	76°	S. MEZA
	2100	75°	S. MEZA
	2400	75°	M. MAROKE

Friday			
Date	Time	Temp.	Name (Print)
8/30/24	0300	74°	M. MAROKE
	0600	74°	M. MAROKE
	0900	76	C. BROWN
	1200	77	C. BROWN
	1500	76°	S. MEZA
	1800	75°	S. MEZA
	2100	75°	S. MEZA
	2400	74°	M. MAROKE

Saturday			
Date	Time	Temp.	Name (Print)
8/31/24	0300	74°	M. MAROKE
	0600	74	C. BROWN
	0900	75	C. BROWN
	1200	75	C. BROWN
	1500	75	C. BROWN
	1800	75	C. BROWN
	2100	75	C. BROWN
	2400	75°	M. MAROKE

Sunday			
Date	Time	Temp.	Name (Print)
9/1/24	0300	74°	M. MAROKE
	0600	74	C. BROWN
	0900	74	C. BROWN
	1200	75	C. BROWN
	1500	76	C. BROWN
	1800	75	C. BROWN
	2100	75	C. BROWN
	2400	71	C. BROWN

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	73	A. VARGAS
8/26	0600	73	E. JUAREZ
8/26	0900	74	E. JUAREZ
8/26	1200	76	E. JUAREZ
8/26	1500	69	CARDENAS
8/26	1800	70	CARDENAS
8/26	2100	70	CARDENAS
8/26	2400	70	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	73	A. VARGAS
8/27	0600	73	E. JUAREZ
8/27	0900	74	E. JUAREZ
8/27	1200	76	E. JUAREZ
8/27	1500	77	E. CARDENAS
8/27	1800	77	CARDENAS
8/27	2100	77	CARDENAS
8/27	2400	74	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	72	A. VARGAS
8/28	0600	73	E. JUAREZ
8/28	0900	73	E. JUAREZ
8/28	1200	73	E. JUAREZ
8/28	1500	77	CARDENAS
8/28	1800	75	CARDENAS
8/28	2100	79	CARDENAS
8/28	2400	73	S. AREVALO

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	74	S. AREVALO
8/29	0600	74	E. JUAREZ
8/29	0900	75	E. JUAREZ
8/29	1200	75	E. JUAREZ
8/29	1500	75	E. CARDENAS
8/29	1800	74	E. CARDENAS
8/29	2100	74	E. CARDENAS
8/29	2400	74	C. BENT

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	74	C. BENT
8/30	0600	72	COLAZO
8/30	0900	73	COLAZO
8/30	1200	79	COLAZO
8/30	1500	75	CARDENAS
8/30	1800	74	CARDENAS
8/30	2100	74	CARDENAS
8/30	2400	72	A. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	75	A. VARGAS
8/31	0600	71	NIEVES
8/31	0900	73	NIEVES
8/31	1200	74	NIEVES
8/31	1500	76	TAPIA
8/31	1800	76	TAPIA
8/31	2100	74	TAPIA
8/31	2400	74	NIEVES

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	73	NIEVES
8/24	0600	73	E. JUAREZ
8/24	0900	73	E. JUAREZ
8/24	1200	74	E. JUAREZ
8/24	1500	75	TAPIA
8/24	1800	76	TAPIA
8/24	2100	74	TAPIA
8/24	2400	74	A. VARGAS

Notes

---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 8 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	73°	Gutierrez
	0600	72	AVILA/REZ
	0900	75	AVILA/REZ
	1200	77	AVILA/REZ
	1500	78	Chavez
	1800	77	Chavez
	2100	75°	CHAVEZ
	2400	75°	Gutierrez

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	75°	Gutierrez
	0600	73°	Gutierrez
	0900	75°	Gutierrez
	1200	76	Gutierrez
	1500	77	Morales
	1800	75	Morales
	2100	74	Morales
	2400	74	DOMAN

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	74	DOMAN
	0600	74	DOMAN
	0900	73	Collazo
	1200	76	Collazo
	1500	77	Collazo
	1800	77	Collazo
	2100	74	Collazo
	2400	74	DOMAN

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	72	DOMAN
	0600	72	DOMAN
	0900	73°	C. LOPEZ
	1200	76	C. LOPEZ
	1500	76	Collazo
	1800	75	Collazo
	2100	74	Collazo
	2400	74	DOMAN

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	72	DOMAN
	0600	73	DOMAN
	0900	72	SOSA
	1200	74	SOSA
	1500	76	Collazo
	1800	75	Collazo
	2100	73	Collazo
	2400	73	DOMAN

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	72	DOMAN
	0600	72	DOMAN
	0900	72	J. SOSA
	1200	75	J. SOSA
	1500	75	Sosa
	1800	75	Sosa
	2100	74	Sosa
	2400	73	Sims

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600	75	AVILA/REZ
	0900	76	AVILA/REZ
	1200	76	AVILA/REZ
	1500	77	MARQUEZ
	1800	75	MARQUEZ
	2100	74	MARQUEZ
	2400	74°	Gutierrez

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit #10 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/24/18	0300	77	J. MARTINEZ
	0600	74	N. Salvador
	0900	77	N. Salvador
	1200	78	N. Salvador
	1500	79	N. Salvador
	1800	79	N. Salvador
	2100	77	N. Salvador
	2400	77	RYBNIKAR

Wednesday			
Date	Time	Temp.	Name (Print)
9/26/18	0300	75	RYBNIKAR
	0600	74	RYBNIKAR
	0900	75	E. COXED
	1200	77	E. COXED
	1500	76	C. MORGAN
	1800	79	O. MORGAN
	2100	78	C. MORGAN
	2400	77	C. MORGAN

Friday			
Date	Time	Temp.	Name (Print)
9/28/18	0300	74	RYBNIKAR
	0600	74	RYBNIKAR
	0900	74	VERA
	1200	76	VERA
	1500	72	VERA
	1800	79	VERA
	2100	78	VERA
	2400	76	RYBNIKAR

Sunday			
Date	Time	Temp.	Name (Print)
9/11/18	0300	74	ESTEBAN
	0600	73	N. Salvador
	0900	75	N. Salvador
	1200	77	N. Salvador
	1500	78	N. Salvador
	1800	77	N. Salvador
	2100	76	N. Salvador
	2400	75	D. DENNIS

Tuesday			
Date	Time	Temp.	Name (Print)
9/25/18	0300	75	RYBNIKAR
	0600	74	RYBNIKAR
	0900	77	ZAMORA
	1200	78	ZAMORA
	1500	78	N. Salvador
	1800	77	N. Salvador
	2100	76	N. Salvador
	2400	76	RYBNIKAR

Thursday			
Date	Time	Temp.	Name (Print)
9/27/18	0300	76	RYBNIKAR
	0600	75	RYBNIKAR
	0900	74	Vera A.
	1200	77	KELLY A.
	1500	77	KELLY G.
	1800	77	Criollo A.
	2100	75	Criollo A.
	2400	75	RYBNIKAR

Saturday			
Date	Time	Temp.	Name (Print)
9/30/18	0300	75	RYBNIKAR
	0600	74	RYBNIKAR
	0900	74	VERA
	1200	77	VERA
	1500	72	VERA
	1800	76	VERA
	2100	76	VERA
	2400	75	ESCONTRER

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2 ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/26/24	0300	76	M. HUWAN
	0600	76	E. LOPEZ
	0900	74	E. LOPEZ
	1200	74	E. LOPEZ
	1500	76	A. VENTURA
	1800	75	A. VENTURA
	2100	73	A. VENTURA
	2400	72	M. HUWAN

Tuesday

Date	Time	Temp.	Name (Print)
4/27/24	0300	71	M. HUWAN
	0600	71	E. LOPEZ
	0900	73	E. LOPEZ
	1200	75	E. LOPEZ
	1500	75	A. VENTURA
	1800	74	A. VENTURA
	2100	72	A. VENTURA
	2400	72	M. HUWAN

Wednesday

Date	Time	Temp.	Name (Print)
4/28/24	0300	72	M. Salewsky
	0600	70	M. Balladaro
	0900	70	M. Balladaro
	1200	74	M. Balladaro
	1500	74	A. VENTURA
	1800	72	A. VENTURA
	2100	72	A. VENTURA
	2400		

Thursday

Date	Time	Temp.	Name (Print)
4/29/24	0300	71	J. Marquez
	0600	70	M. Balladaro
	0900	70	M. Balladaro
	1200	73	M. Balladaro
	1500	74	A. VENTURA
	1800	73	A. VENTURA
	2100	73	A. VENTURA
	2400	71	J. Marquez

Friday

Date	Time	Temp.	Name (Print)
4/30/24	0300	71	Z. MORNES
	0600	70	M. Balladaro
	0900	70	M. Balladaro
	1200	72	M. Balladaro
	1500	73	A. VENTURA
	1800	71	A. VENTURA
	2100	71	A. VENTURA
	2400	70	A. Gomez

Saturday

Date	Time	Temp.	Name (Print)
5/1/24	0300	69	A. Gomez
	0600	70	M. Balladaro
	0900	70	M. Balladaro
	1200	73	M. Balladaro
	1500	73	VILLEZAS
	1800	73	VILLEZAS
	2100	73	VILLEZAS
	2400	72	A. Gomez

Notes

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
5/1/24	0300	71	A. Gomez
	0600	70	M. Balladaro
	0900	71	M. Balladaro
	1200	73	M. Balladaro
	1500	74	VILLEZAS
	1800	74	VILLEZAS
	2100	75	VILLEZAS
	2400		

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BSD Housing Unit: 12 Temp. Reading Location: 2<sup>nd</sup>  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 555-1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	76	Almedovar

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	76	A (medovar)
	0600	76	E. SEPULVEDA
	0900	78	E. SEPULVEDA
	1200	78	E. SEPULVEDA
	1500	79	E. CHAVEZ
	1800	79	E. CHAVEZ
	2100	79	E. CHAVEZ
	2400	79	Almedovar

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	75	Almedovar
	0600	75	G. LAGUNA
	0900	74	E. COOREC
	1200	79	E. COOREC
	1500	79	E. CHAVEZ
	1800	78	E. CHAVEZ
	2100	78	E. CHAVEZ
	2400	76	Almedovar

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	76	Almedovar
	0600	75	G. LAGUNA
	0900	79	G. LAGUNA
	1200	74	G. LAGUNA
	1500	75	VILLEGRAS //
	1800	75	VILLEGRAS //
	2100	73	VILLEGRAS //
	2400	74	Almedovar

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	74	Almedovar
	0600	74	G. LAGUNA
	0900	75	G. LAGUNA
	1200	76	G. LAGUNA
	1500	76	VILLEGRAS
	1800	74	VILLEGRAS
	2100		
	2400	74	Almedovar

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	73	Almedovar
	0600	73	G. LAGUNA
	0900	73	G. LAGUNA
	1200	77	G. LAGUNA
	1500	72	F. MORENO
	1800	74	F. MORENO
	2100	74	F. MORENO
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	72	J. MARQUEZ
	0600	74	G. LAGUNA
	0900	76	G. LAGUNA
	1200	74	G. LAGUNA
	1500	78	E. CHAVEZ
	1800	74	E. CHAVEZ
	2100	74	E. CHAVEZ
	2400	72	J. MARQUEZ

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: EJD Housing Unit: 13 Temp. Reading Location: 13 CTRLC  
(e.g., 1<sup>st</sup> Tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/26	0300	72	JAKOZAIK
	0600	72	HORNALAZT
	0900	72	K. Pelego
	1200	72	K. Pelego
	1500	72	K. Pelego
	1800	71	F. MARIAZ
	2100	71	F. MARIAZ
	2400	72	JAKOZAIK

## Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	72	HORNALAZT
	0600	72	HORNALAZT
	0900	73	K. Pelego
	1200	73	HORNALAZT
	1500	70	Becem
	1800	69	Becem
	2100	73	Becem
	2400	73	SAROZAIK

## Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	73	SAROZAIK
	0600	73	HORNALAZT
	0900	73	HORNALAZT
	1200	73	HORNALAZT
	1500	74	VILLEZAS-H
	1800	72	VILLEZAS-H
	2100	72	VILLEZAS-H
	2400	72	SAROZAIK

## Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	73	SAROZAIK
	0600	73	HORNALAZT
	0900	74	HORNALAZT
	1200	75	HORNALAZT
	1500	70	Becem
	1800	70	Becem
	2100	69	Becem
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/30	0300	72	J. MARYL
	0600	71	HORNALAZT
	0900	73	HORNALAZT
	1200	73	HORNALAZT
	1500	70	J. MARYL
	1800	71	J. MARYL
	2100	69	HORNALAZT
	2400	72	J. MARYL

## Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	71	J. MARYL
	0600	72	VILLEZAS
	0900	73	VILLEZAS
	1200	74	VILLEZAS
	1500	75	H. Rodriguez
	1800	73	H. Rodriguez
	2100	72	H. Rodriguez
	2400	71	J. MARYL

## Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	72	SAROZAIK
	0600	72	VILLEZAS
	0900	74	VILLEZAS
	1200	74	VILLEZAS
	1500	72	Losigles
	1800	70	Losigles
	2100	70	JOSUEPC
	2400	72	SAROZAIK

## Notes

---

---

---

---

---

---

---

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 15 Temp. Reading Location: 2<sup>nd</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	74	HARTMAN
	0600		
	0900		
	1200		
	1500	72	I. Villarreal
	1800	73	I. Villarreal
	2100	73	I. Villarreal
	2400	74	HARTMAN

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	74	WATSON
	0600	73	GARCIA
	0900	72	GARCIA
	1200	71	GARCIA
	1500	72	JARIA
	1800	72	JARIA
	2100	73	JARIA
	2400	73	JARIA

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	73	HARTMAN
	0600	73	GARCIA
	0900	72	GARCIA
	1200	71	GARCIA
	1500	72	RANGEI
	1800	72	RANGEI
	2100	74	RANGEI
	2400	74	HARTMAN

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	74	HARTMAN
	0600	73	GARCIA
	0900	73	GARCIA
	1200	71	GARCIA
	1500	72	DURAN
	1800	73	DURAN
	2100	73	DURAN
	2400	73	C. FLORES

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	73	C. FLORES
	0600	73	GARCIA
	0900	73	GARCIA
	1200	72	GARCIA
	1500	72	VALLEJO
	1800	73	VALLEJO
	2100	73	VALLEJO
	2400	73	ZARZUELA

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	73	ZARZUELA
	0600	73	ZARZUELA
	0900		
	1200		
	1500	72	L. BELEM
	1800	72	L. BELEM
	2100	73	L. BELEM
	2400	73	ZARZUELA

Comments

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KJD Housing Unit: 16 Temp. Reading Location: 2<sup>nd</sup> TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-26-18	0300	70	K MILLER
	0600	70	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	70	A. EDWARDS
	2400	71	K MILLER

**Tuesday**

Date	Time	Temp.	Name (Print)
8-27-18	0300	71	K MILLER
	0600	71	A. EDWARDS
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	70	K MILLER
	2400	70	M HESSELBLAD

**Wednesday**

Date	Time	Temp.	Name (Print)
8-28-18	0300	70	HESSELBLAD
	0600	71	HESSELBLAD
	0900	71	Q. ALPERETTE
	1200	71	Q. ALPERETTE
	1500	71	J. VEGA
	1800	70	J. VEGA
	2100	70	J. VEGA
	2400	70	J. Goff

**Thursday**

Date	Time	Temp.	Name (Print)
8-29-18	0300	70	J. Goff
	0600	70	J. Goff
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	HERNANDEZ
	1800	71	R. DAVIS
	2100	70	R. DAVIS
	2400	70	MARSHAWN

**Friday**

Date	Time	Temp.	Name (Print)
8-30-18	0300	70	MARSHAWN
	0600	70	MARSHAWN
	0900	70	HERNANDEZ
	1200	70	B. EDEN
	1500	70	NIEVES
	1800	70	NIEVES
	2100	70	NIEVES
	2400	70	S. Goff

**Saturday**

Date	Time	Temp.	Name (Print)
8-31-18	0300	70	J. Goff
	0600	70	J. Goff
	0900	70	N. BEDDOW
	1200	70	N. BEDDOW
	1500	70	J. LEWIS
	1800	70	J. LEWIS
	2100	70	S. LONKE
	2400	70	B. EDEN

**Notes**

Date	Time	Temp.	Name (Print)
9-1-18	0300	70	B. EDEN
	0600	70	N. BEDDOW
	0900	70	N. BEDDOW
	1200	70	N. BEDDOW
	1500	71	A. SAMUEL
	1800	71	A. SAMUEL
	2100	71	A. SAMUEL
	2400	70	K MILLER

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 17 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/24	0300	75	G. BRENTS
8/26/24	0600	74	N. Beduhi
8/26/24	0900	76	N. Beduhi
8/26/24	1200	78	N. Beduhi
8/26/24	1500	79	E. SILVA
8/26/24	1800	79	E. SILVA
8/26/24	2100	78	E. SILVA
8/26/24	2400	77	G. BRENTS

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/24	0300	76	G. BRENTS
8/27/24	0600	77	N. Beduhi
8/27/24	0900	76	N. Beduhi
8/27/24	1200	78	N. Beduhi
8/27/24	1500	79	E. SILVA
8/27/24	1800	78	E. SILVA
8/27/24	2100	77	E. SILVA
8/27/24	2400	77	G. BRENTS

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/24	0300	76	G. BRENTS
8/28/24	0600	75	B. EDEN
8/28/24	0900	77	B. EDEN
8/28/24	1200	78	B. EDEN
8/28/24	1500	78	S. ARIUO
8/28/24	1800	78	S. ARIUO
8/28/24	2100	78	S. ARIUO
8/28/24	2400	77	O. AMERICA

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/24	0300	76	O. AMERICA
8/29/24	0600	75	B. EDEN
8/29/24	0900	76	B. EDEN
8/29/24	1200	78	B. EDEN
8/29/24	1500	79	S. ARIUO
8/29/24	1800	79	S. ARIUO
8/29/24	2100	78	S. ARIUO
8/29/24	2400	75	K. MILLER

**Friday**

Date	Time	Temp.	Name (Print)
8/30/24	0300	74	K. MILLER
8/30/24	0600	74	P. EDEN
8/30/24	0900	75	P. EDEN
8/30/24	1200	77	P. EDEN
8/30/24	1500	78	S. LEWIS
8/30/24	1800	79	S. LEWIS
8/30/24	2100	76	S. LEWIS
8/30/24	2400	75	G. BRENTS

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/24	0300	74	G. BRENTS
8/31/24	0600	74	B. EDEN
8/31/24	0900	75	B. EDEN
8/31/24	1200	78	B. EDEN
8/31/24	1500	78	E. SILVA
8/31/24	1800	79	E. SILVA
8/31/24	2100	76	J. BRENDAINE
8/31/24	2400	76	G. BRENTS

**Sunday**

Date	Time	Temp.	Name (Print)
9/1/24	0300	75	G. BRENTS
9/1/24	0600	76	B. EDEN
9/1/24	0900	77	B. EDEN
9/1/24	1200	78	B. EDEN
9/1/24	1500	79	E. SILVA
9/1/24	1800	78	E. SILVA
9/1/24	2100	77	E. SILVA
9/1/24	2400	76	G. BRENTS

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 18 Temp. Reading Location: 2nd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/2024	0300	74	D. Black
	0600	74	O. AGUILAR
	0900	76	O. AGUILAR
	1200	78	O. AGUILAR
	1500	79	CALALANG
	1800	78	CALALANG
	2100	77	CALALANG
	2400	76	D. Black

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/24	0300	75	D. Black
	0600	74	O. AGUILAR
	0900	74	O. AGUILAR
	1200	78	O. AGUILAR
	1500	78	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	76	MATRON

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/24	0300	75	MATRON
	0600	74	MATRON
	0900	74	N. Bedolla
	1200	77	N. Bedolla
	1500	78	S. Lewis
	1800	77	S. Lewis
	2100	77	S. Lewis
	2400	75	D. Black

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/24	0300	74	D. Black
	0600	74	Pattard
	0900	74	Pattard
	1200	77	Pattard
	1500	77	S. MARTINEZ
	1800	74	J. MARTINEZ
	2100	75	J. MARTINEZ
	2400	74	D. Black

**Friday**

Date	Time	Temp.	Name (Print)
8/30/24	0300	73	D. Black
	0600	73	O. AGUILAR
	0900	73	O. AGUILAR
	1200	75	O. AGUILAR
	1500	78	CALALANG
	1800	76	CALALANG
	2100	75	CALALANG
	2400	74	K. MILLER

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/24	0300	74	K. MILLER
	0600	72	O. AGUILAR
	0900	73	O. AGUILAR
	1200	76	O. AGUILAR
	1500	77	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	75	K. MILLER

Notes

Date	Time	Temp.	Name (Print)
9/1/24	0300	74	K. MILLER
	0600	73	O. AGUILAR
	0900	74	O. AGUILAR
	1200	76	O. AGUILAR
	1500	77	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	75	D. Black

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSS Housing Unit: 19 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
0300	70	V. Serrano	
0600	73.3	Z. AVALA	
0900	73.4	Z. AVALA	
1200	76.7	Z. AVALA	
1500	76.8	S. Valverde	
1800	76.9	S. Valverde	
2100	75.8	S. Valverde	
2400	73	Benz	

**Tuesday**

Date	Time	Temp.	Name (Print)
0300	70	Benz	
0600	73.8	Z. AVALA	
0900	74	Z. AVALA	
1200	76.3	Z. AVALA	
1500	76.8	S. Valverde	
1800	75.3	S. Valverde	
2100	74.1	S. Valverde	
2400	72	Benz	

**Wednesday**

Date	Time	Temp.	Name (Print)
0300	70	Benz	
0600	73	Z. AVALA	
0900	74.2	Z. AVALA	
1200	76.1	Z. AVALA	
1500	76.6	S. Valverde	
1800	76.1	S. Valverde	
2100	74.9	S. Valverde	
2400	73	Benz	

**Thursday**

Date	Time	Temp.	Name (Print)
0300	70	Benz	
0600	75	Z. AVALA	
0900	74.7	Z. AVALA	
1200	76	Z. AVALA	
1500	75.5	S. Valverde	
1800	75.3	S. Valverde	
2100	74.6	S. Valverde	
2400	72	Benz	

**Friday**

Date	Time	Temp.	Name (Print)
0300	70	Benz	
0600	73	B. Brillard	
0900	73.2	B. Brillard	
1200	74	B. Brillard	
1500	75	N. Erickson	
1800	74	N. Erickson	
2100	73	N. Erickson	
2400	71	Benz	

**Saturday**

Date	Time	Temp.	Name (Print)
0300	70	Benz	
0600	72.5	B. Brillard	
0900	74	B. Brillard	
1200	75	B. Brillard	
1500	75	N. Erickson	
1800	74	N. Erickson	
2100	74	N. Erickson	
2400	71	J. Guevara	

**Sunday**

Date	Time	Temp.	Name (Print)
0300	70	J. Guevara	
0600	73	E. Lovett	
0900	73	E. Lovett	
1200	74	E. Lovett	
1500	75	E. Lovett	
1800	76.2	S. Valverde	
2100	75.5	S. Valverde	
2400	73	J. Perez	

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

736 / 246

5-2022 / 1000m

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RID Housing Unit: #20 Temp. Reading Location: 2ND TIER  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/16	0300	76	AD. FLORES, SR
	0600	75	Ballard
	0900	75	Ballard
	1200	77	Ballard
	1500	79	D. Huber
	1800	79	D. Huber
	2100	79	D. Huber
	2400	77	AD. FLORES, SR

Tuesday			
Date	Time	Temp.	Name (Print)
8/17	0300	76	AD. FLORES, SR
	0600	75	N. Marova
	0900	75	N. Marova
	1200	76	N. Marova
	1500	78	ARAUJO
	1800	78	ARAUJO
	2100	78	ARAUJO
	2400	77	AD. FLORES, SR

Wednesday			
Date	Time	Temp.	Name (Print)
8/28	0300	76	AD. FLORES, SR
	0600	75	N. Marova
	0900	75	N. Marova
	1200	76	N. Marova
	1500	77	ARAUJO
	1800	78	ARAUJO
	2100	78	ARAUJO
	2400	76	AD. FLORES, SR

Thursday			
Date	Time	Temp.	Name (Print)
8/29	0300	75	AD. FLORES, SR
	0600	75	Sanchez, O
	0900	75	Sanchez, O
	1200	76	Sanchez, O
	1500	77	A. RAY
	1800	77	A. RAY
	2100	77	A. RAY
	2400	77	J. Perez

Friday			
Date	Time	Temp.	Name (Print)
8/30	0300	76	J. SOSA
	0600	75	J. SOSA
	0900	75	N. Marova
	1200	75	N. Marova
	1500	76	ARAUJO
	1800	77	ARAUJO
	2100	77	ARAUJO
	2400	77	J. Perez

Sunday			
Date	Time	Temp.	Name (Print)
9/1	0300	75	AD. FLORES, SR
	0600	75	Ballard
	0900	75	Ballard
	1200	76	Ballard
	1500	77	R. Ramos
	1800	76	R. Ramos
	2100	78	R. Ramos
	2400	77	AD. FLORES, SR

Notes