STATE OF CALIFORNIA
HEAT PLAN - MONTHLY SUMMARY REPORT
CDCR MH-7711-1 (02/17)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Monthly Summary Report

Institution: COR

Memorandum

Date: August 6, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CSP-CORCORAN

The following is a summary of the heat related activity for the month of JULY 2024, at COR (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes
   Number of days Stage I Alert initiated: 31

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes
   Number of days Stage II Alert initiated: 15

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No
   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 2 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

T.L. CAMPBELL
Warden Name

Warden Signature

MICHAEL WHITTAKER
Chief Executive Officer Name

8/6/2024
Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-1-24	0100	82	Dorrier
	0200	80	
	0300	79	
	0400	77	
	0500	74	
	0600	72	
	0700	74°	OSHA UHT 80° @ 7:54
	0800	80°	
	0900	85	
	1000	89	90 SGT Holland 1007 UHT
	1100	92°	95° UHT @ 11:52
	1200	96°	
	1300	100	
	1400	105°	
	1500	104°	
	1600	102°	
	1700	102°	
	1800	100°	
	1900	98°	
	2000	95°	
	2100	91°	
	2200	87°	20:00 deactivate UHT
	2300	85	
	2400	81	

Date	Time	Temp.	Printed Name
7-2-24	0100	80	Dorrier
	0200	78	
	0300	77	
	0400	76	
	0500	76	
	0600	74	
	0700	76°	Flemin
	0800	80°	OSHA UHT 80°
	0900	87	0920 SGT Holland UHT 90° notified
	1000	93	
	1100	97	
	1200	102	
	1300	105	
	1400	107	
	1500	109	Bennett
	1600	106	
	1700	104	
	1800	103	
	1900	101	
	2000	99	
	2100	94	
	2200	91°	
	2300	88	
	2400	85	0007 DEACTIVATE UHT.

DISTRIBUTION: Original: Institution Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE LOG
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-3-24	0100	82	Poirier
	0200	80	
	0300	79	
	0400	78	
	0500	77	
	0600	77	
	0700	79°	Gonzalez OSHA 80° 07:14
	0800	88	UHT @ 8:48
	0900	92	
	1000	96	
	1100	101	
	1200	106	
	1300	108	
	1400	110	
	1500	109°	Bennett
	1600	108°	
	1700	105°	
	1800	105°	
	1900	103°	
	2000	100°	
	2100	96°	
	2200	93°	
	2300	88	Sanchez
	2400	85	Deactivated 90° UHT (Hudson) @ 23:19

Date	Time	Temp.	Printed Name
7-4-24	0100	84	Sanchez
	0200	83	
	0300	82	
	0400	81	
	0500	80	
	0600	79	
	0700	79°	Flemin
	0800	84	UHT @ 08:56
	0900	91°	
	1000	94°	OSHA @ 95 10:04
	1100	97°	
	1200	104	
	1300	109°	
	1400	111°	
	1500	113°	Bennett
	1600	110°	
	1700	109°	
	1800	108°	
	1900	105°	
	2000	102°	
	2100	97°	
	2200	93°	
	2300	90	2345 W.C. BRIGHT
	2400	88	UHT - Deactivated

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-5-24	0100	88	Hale
	0200	84	
	0300	80	
	0400	79	
	0500	78	
	0600	76	
	0700	78	0745 80° Ramis notified
	0800	83	
	0900	88	0905 - UHT 90°
	1000	93	Ramis
	1100	98	1030 95° notified
	1200	104	
	1300	108	
	1400	111	
	1500	111°	Bennett
	1600	107°	
	1700	106°	
	1800	105°	
	1900	103°	
	2000	100°	
	2100	98°	
	2200	94°	
	2300	91	
	2400	86	

Date	Time	Temp.	Printed Name
7-6-24	0100	84	Torrica
	0200	83	
	0300	83	
	0400	81	
	0500	80	
	0600	77	
	0700	78	0742 OSHA UHT. DIVINE
	0800	84	0845 UHT ACTIVE
	0900	93	
	1000	97	HH UHT 0957 ACTIVE
	1100	100	
	1200	107	
	1300	110	
	1400	112	
	1500	114°	Bennett
	1600	112°	
	1700	110°	
	1800	109°	
	1900	107°	
	2000	105°	
	2100	99°	
	2200	95°	
	2300	90	
	2400	87	

DEACTIVATE UHT
23:57 BRIGHT.

DISTRIBUTION: Original: Institution Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE CORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-7-24	0100	86	Dorrier
	0200	84	
	0300	82	
	0400	82	
	0500	82	
	0600	81	
	0700	83°	Flemin
	0800	87°	VHT @ 8:15
	0900	91°	MAGALLONES OSHA VHT 9:18
	1000	100°	
	1100	105°	
	1200	107°	
	1300	110	
	1400	115°	
	1500	115	CABEZE
	1600	113	
	1700	113	
	1800	110	
	1900	107	
	2000	104	
	2100	100	
	2200	96	
	2300	92	
	2400	88	

DEACTIVATE VHT 0034

Date	Time	Temp.	Printed Name
7-8-24	0100	86	Dorrier
	0200	84	
	0300	83	
	0400	82	
	0500	80	
	0600	78	
	0700	79	MARALEZ
	0800	85	@726 80° VHT SGT Fulford
	0900	90	90° VHT MORENO
	1000	95	95° VHT 6120
	1100	101	
	1200	105	
	1300	109	
	1400	112	
	1500	112°	Hak
	1600	108°	
	1700	107°	
	1800	107°	
	1900	105°	
	2000	102°	
	2100	97°	
	2200	93°	
	2300	90	
	2400	86	

DEACTIVATE VHT 6009

DISTRIBUTION: Original: Institution Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE .CORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-9-24	0100	85	Vorrier
	0200	82	
	0300	80	
	0400	78	
	0500	76	
	0600	76	
	0700	77	Sanchez
	0800	80	80° OSHA UHT @ 0800 (Sanchez)
	0900	85°	90° UHT @ 09:25 (Burrows)
	1000	94°	95° High Heat OSHA UHT 1030 Sent Hallock.
	1100	99	
	1200	105	
	1300	107	
	1400	109	
	1500	109	
	1600	108	
	1700	106	
	1800	104	
	1900	103	
	2000	99	
	2100	95	
	2200	92	
	2300	87	
	2400	84	

DEACTIVATE UHT @2322

Date	Time	Temp.	Printed Name
7-10-24	0100	81	Vorrier
	0200	80	
	0300	79	
	0400	77	
	0500	75	
	0600	73	
	0700	75	Sanchez
	0800	80	80° OSHA UHT @ 0815 (Dorant)
	0900	87	
	1000	92	90° UHT @ 9:30
	1100	98	
	1200	102	
	1300	104	
	1400	106	
	1500	108	
	1600	108	
	1700	105	
	1800	104	
	1900	103	
	2000	100	
	2100		
	2200		
	2300	89	2325 - UHT Deactivated -
	2400	88	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE .CORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-11-24	0100	85	Hak
	0200	83	
	0300	81	
	0400	81	
	0500	80	
	0600	78	
	0700	80°	Flemin
	0800	83°	UHT - 90° 8:57
	0900	90°	OSHA 95° @ 9:48
	1000	96°	
	1100	100°	
	1200	104°	
	1300	109°	
	1400	114°	
	1500	112	Sanchez
	1600	111	
	1700	107	
	1800	106	
	1900	105	
	2000	102	
	2100	98	
	2200	94	
	2300	92	
	2400	89	

Date	Time	Temp.	Printed Name
7-12-24	0100	89	Poirier
	0200	87	DESIGNATE UHT COLOR
	0300	84	
	0400	82	
	0500	81	
	0600	78	
	0700	79	Beymond
	0800	85	
	0900	87	osha UHT @ 8:10
	1000	96	UHT @ 9:40
	1100	100	
	1200	104	
	1300	109	
	1400	111	
	1500	111	Sanchez
	1600	108	
	1700	107	
	1800	106	
	1900	103	
	2000	100	
	2100	98	
	2200	94	
	2300	92	
	2400		

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE .CORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-13-24	0100	88	REACTIVATE UHT @0100
	0200	87	Dorrier
	0300	86	
	0400	90	
	0500	88	
	0600	86	
	0700	84	Sanchez
	0800	84	
	0900	87	
	1000	89	
	1100	94	90° UHT activated (Durant)
	1200	102	
	1300	105	
	1400	106	
	1500	106	
	1600	106	
	1700	105	
	1800	103	
	1900	103	
	2000	97	
	2100	96	
	2200	94	
	2300	91	
	2400	88	

Date	Time	Temp.	Printed Name
7-14-24	0100	88	Dorrier
	0200	86	
	0300	83	
	0400	82	
	0500	82	
	0600	81	
	0700	83°	Fleming
	0800	86°	Durant UHT 08:47 90°
	0900	91°	
	1000	93°	
	1100	97°	
	1200	100°	
	1300	104°	
	1400	108°	
	1500	108	CABEJE
	1600	106	
	1700	103	
	1800	101	
	1900	101	
	2000	99	
	2100	96	
	2200	92	
	2300	90	
	2400	89	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE .CORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-15-24	0100	85	Vomier
	0200	83	DEACTIVATE UHT @ 0100 HRS
	0300	81	
	0400	80	
	0500	78	
	0600	77	
	0700	77°	Flemin
	0800	82°	
	0900	86°	
	1000	89°	UHT @ 10:07
	1100	94°	OSHA 95° @ 11:02
	1200	100°	
	1300	104°	
	1400	107°	
	1500	107	Bennett
	1600	104	
	1700	101	
	1800	100	
	1900	98	
	2000	97	
	2100	94	
	2200	90	
	2300	89	
	2400	84	

Date	Time	Temp.	Printed Name
7-16-24	0100	82	Vomier
	0200	80	
	0300	78	
	0400	77	
	0500	76	
	0600	74	
	0700	74°	Flemin
	0800	79°	
	0900	84°	
	1000	89°	Hernandez UHT @ 10:18
	1100	92°	
	1200	96°	
	1300	101°	
	1400	105°	
	1500	105°	Bennett
	1600	100	
	1700	99	
	1800	98	
	1900	97	
	2000	96	
	2100	92	
	2200	89	Deactivate HH & UHT
	2300	86	
	2400	84	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE .CORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-17-24	0100	80	Dorner
	0200	78	
	0300	76	
	0400	73	
	0500	72	
	0600	71	
	0700	71°	Fleming
	0800	74	
	0900	79°	
	1000	83°	
	1100	89°	UHT @ 11:10
	1200	92°	
	1300	96	OSHA 95° - 1250
	1400	102°	
	1500	102°	Bennett
	1600	99°	
	1700	98°	
	1800	96	
	1900	95°	
	2000	93	
	2100	87°	Reactivate HH & UHT
	2200	84°	
	2300	80	Bernard. A
	2400	77	

Date	Time	Temp.	Printed Name
7-18-24	0100	76	
	0200	74	
	0300	74	
	0400	72	
	0500	72	
	0600	72	
	0700	72°	Fleming
	0800	78	OSHA 85° @ 8:54
	0900	81	
	1000	88°	UHT @ 10:21 Reyes
	1100	93°	
	1200	98°	
	1300	102°	
	1400	105°	
	1500	104°	Bennett
	1600	102	
	1700	100	
	1800	99	
	1900	97	
	2000	96	
	2100	91	
	2200	87	Deactivate UHT & HH
	2300	85	Sanchez
	2400	82	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE . .GORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-19-24	0100	80	Sanchez
	0200	78	
	0300	77	
	0400	76	
	0500	74	
	0600	73	
	0700	74°	Bathurst
	0800	80°	
	0900	88°	UHT @ 9:15
	1000	93	10:16 OSHA Hit
	1100	98°	
	1200	102°	
	1300	105°	
	1400	107°	
	1500	110°	Bennett
	1600	105°	
	1700	103°	
	1800	101°	
	1900	99°	
	2000	98°	
	2100	94°	
	2200	90°	
	2300	89	
	2400	84	

0005 DEACTIVATE UHT SANCHEZ

Date	Time	Temp.	Printed Name
7-20-24	0100	84	Romero
	0200	82	
	0300	79	
	0400	78	
	0500	78	
	0600	78	
	0700	79	Hale
	0800	82	
	0900	87	0930 90 UHT activated
	1000	95°	
	1100	97	
	1200	106	
	1300	108	
	1400	110°	
	1500	110°	Bennett
	1600	105°	
	1700	103°	
	1800	103°	
	1900	101°	
	2000	99°	
	2100	96°	
	2200	92°	
	2300	90	
	2400	89	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE .CORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-21-24	0100	86	Vorrier
	0200	84	DEACTIVATE VHT
	0300	81	@ 0100
	0400	80	
	0500	79	
	0600	77	
	0700	77°	Flemin
	0800	82°	
	0900	88°	Duron VHT @ 9:40
	1000	92°	
	1100	94°	
	1200	100°	
	1300	104°	
	1400	106	
	1500	106	CABEJE
	1600	102	
	1700	101	
	1800	100	
	1900	96	
	2000	97	
	2100	93	
	2200	90	
	2300	87	
	2400	84	

Date	Time	Temp.	Printed Name
7-22-24	0100	82	Vorrier
	0200	81	
	0300	80	
	0400	79	
	0500	79	
	0600	79	
	0700	79	Flemin
	0800	83°	
	0900	89°	Mackintyre VHT @ 9:10
	1000	95°	OSHA 95°
	1100	98°	
	1200	101°	
	1300	106°	
	1400	109°	
	1500	110°	Bennett
	1600	105°	
	1700	104°	
	1800	103°	
	1900	102°	
	2000	100°	
	2100	97°	
	2200	95°	
	2300	90	
	2400	87	

* DE ACTIVATE VHT @ 2349 LAZARO

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE .CORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-23-24	0100	85	Porter
	0200	82	DEACTIVATE UHT
	0300	82	0041
	0400	81	
	0500	80	
	0600	80°	
	0700	80°	Flemin
	0800	85°	
	0900	90	UHT @ 9:00
	1000	95°	OSHA 95°
	1100	101°	
	1200	106	
	1300	109°	
	1400	111°	
	1500	113°	Bennett
	1600	109°	
	1700	106°	
	1800	106°	
	1900	105°	
	2000	104°	
	2100	100°	
	2200	97°	
	2300	94	
	2400	91	

Date	Time	Temp.	Printed Name
7-24-24	0100	91	Porter
	0200	90	
	0300	88	DEACTIVATE UHT @0555
	0400	85	
	0500	83	
	0600	82	
	0700	82°	Flemin
	0800	85°	
	0900	88°	Gonzalez UHT @ 9:48
	1000	91°	
	1100	100°	
	1200	105°	
	1300	110	
	1400	113	
	1500	114	Bennett
	1600	111°	
	1700	109	
	1800	105°	
	1900	103	
	2000	101	
	2100	97	
	2200	95	
	2300	90	
	2400	90	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE LOG
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-25-24	0100	89	Bonner
	0200	87	DEACTIVATE UHT
	0300	85	@ 0300 BENNETT
	0400	83	
	0500	81	
	0600	79	80° OSHA UHT @ 0653 (Bright)
	0700	80°	
	0800	85°	
	0900	90°	90° UHT (Bright) (Bellard)
	1000	94°	95° OSHA High Heat UHT @ 1030
	1100	99°	
	1200	104°	
	1300	108°	
	1400	112°	
	1500	111°	Bennett
	1600	109°	
	1700	107°	
	1800	105°	
	1900	103°	
	2000	101°	
	2100	96°	
	2200	92°	
	2300	89	Bonner d. A
	2400	86	UHT deactivated.

Date	Time	Temp.	Printed Name
7-26-24	0100	83	
	0200	80	
	0300	78	
	0400	77	
	0500	77	
	0600	79	
	0700	81	OSHA UHT @ 7:48
	0800	82	
	0900	87	
	1000	91	UHT @ 10:00
	1100	100	
	1200	103	
	1300	107	
	1400	110	
	1500	106°	Bennett
	1600	103°	
	1700	102°	
	1800	102°	
	1900	101°	
	2000	96	
	2100	90°	
	2200	86°	Deactivate HH & UHT
	2300	85	
	2400	83	

DISTRIBUTION: Original: Institution Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE LOG
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-27-24	0100	81	Dorrien
	0200	74	
	0300	73	
	0400	72	
	0500	72	
	0600	70	
	0700	71	CABEJE
	0800	75	
	0900	81	
	1000	87	1050 ACTIVATE
	1100	91	UHT LT. DURAN
	1200	94	
	1300	97	
	1400	102	
	1500	101	Bennett
	1600	98	
	1700	96	
	1800	94	
	1900	92	
	2000	90	
	2100	85°	Deactivate UHT & HH
	2200	82°	
	2300	80	
	2400	78	

Date	Time	Temp.	Printed Name
7-28-24	0100	75	Dorrien
	0200	72	
	0300	71	
	0400	69	
	0500	68	
	0600	67	
	0700	67	Flemin
	0800	71°	OSHA 80° 9:57
	0900	81°	
	1000	81°	
	1100	85	
	1200	89°	Radiograph UHT @ 1210
	1300	93°	
	1400	94°	Marcus OSHA HH 93°
	1500	97°	
	1600	95°	
	1700	93°	
	1800	92°	
	1900	91°	
	2000	90°	
	2100	87°	de-activate UHT 20:40
	2200	86°	
	2300	84	CABEJE
	2400	76	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE .CORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-29-24	0100	75	CABEJE
	0200	73	
	0300	73	
	0400	70	
	0500	71	
	0600	68	
	0700	70°	Fleming
	0800	72°	
	0900	78°	
	1000	83°	
	1100	88°	McIntyre UHT @ 11:41
	1200	92°	OSHA 95° @ 12:52
	1300	96°	
	1400	100°	
	1500	101°	
	1600	98°	
	1700	96°	
	1800	94°	
	1900	93°	
	2000	92°	
	2100	89°	de-activate UHT
	2200	87°	
	2300	82	Bernal. A
	2400	79	

Date	Time	Temp.	Printed Name
7-30-24	0100	78	Bernal. A
	0200	76	
	0300	74	
	0400	74	
	0500	70	
	0600	68	
	0700	68°	Fleming
	0800	72°	
	0900	80°	
	1000	85°	
	1100	89°	Gonzalez UHT @ 11:14
	1200	92°	
	1300	96°	OSHA HH 95° @ 12:51
	1400	101°	
	1500	100	
	1600	98	
	1700	98	
	1800	96	
	1900	94	
	2000	91	
	2100	90	Deactivate 90° UHT @ 2120 (Gamez)
	2200	85	
	2300	83°	Guzman
	2400	80°	

DISTRIBUTION: Original: Institution Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE .CORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-31-24	0100	79°	Guzman
	0200	78°	
	0300	75°	
	0400	73°	
	0500	71°	
	0600	70°	
	0700	70°	Flemin
	0800	75°	
	0900	81°	
	1000	87°	UHT @ 10:43 90° Durant
	1100	92°	
	1200	95°	OSHA 95°
	1300	100°	
	1400	102°	
	1500	103	Sanchez
	1600	100	
	1700	98	
	1800	96	
	1900	94	
	2000	93	
	2100	92	Deactivate 90° UHT @ 21:55 (Bright)
	2200	89	
	2300	83	Berrera
	2400	81	

Date	Time	Temp.	Printed Name
8-1-24	0100	79	Borrad
	0200	77	
	0300	75	
	0400	75	
	0500	73	
	0600	71	
	0700	72°	Flemin
	0800	77°	
	0900	84°	
	1000	88°	UHT @ 10:18 90°
	1100	94°	
	1200	98°	
	1300	101°	
	1400	106°	
	1500	106	Sanchez
	1600	103	
	1700	102	
	1800	100	
	1900	99	
	2000	97	
	2100	94	
	2200	90	Deactivate 90 UHT @ 22:12
	2300	87	CABLE
	2400	86	

DISTRIBUTION: Original: Institution \ Coordinator

ATTACHMENT J

INSIDE TEMPERATURE RECORD LOG
CSP-CORCORAN

WEEK OF 7/1/2024 – 7/7/2024

MONDAY DATE 7/1	TUESDAY DATE 7/2	WEDNESDAY DATE 7/3	THURSDAY DATE 7/4	FRIDAY DATE 7/5	SATURDAY DATE 7/6	SUNDAY DATE 7/7
1A01	1A01	1A01	1A01	1A01	1A01	1A01
1B01	1B01	1B01	1B01	1B01	1B01	1B01
1C01	1C01	1C01	1C01	1C01	1C01	1C01
1D01	1D01	1D01	1D01	1D01	1D01	1D01
1E01	1E01	1E01	1E01	1E01	1E01	1E01
3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C
3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02 C
3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C
3A04 C	3A04 C	3A04 C	3A04 C	3A04 C	3A04 C	3A04 C
3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05 C
3B01 C *	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C
3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 T
3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C
3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 T
3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05 C
3C01	3C01	3C01	3C01	3C01	3C01	3C01
3C02	3C02	3C02	3C02	3C02	3C02	3C02
3C03	3C03	3C03	3C03	3C03	3C03	3C03
3C04	3C04	3C04	3C04	3C04	3C04	3C04
3C05	3C05	3C05	3C05	3C05	3C05	3C05
4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C
4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C
4A2L	4A2L	4A2L	4A2L	4A2L	4A2L	4A2L
4A2R	4A2R	4A2R	4A2R	4A2R	4A2R	4A2R
4A3L T	4A3L T	4A3L C	4A3L C	4A3L C	4A3L C	4A3L C
4A3R	4A3R	4A3R	4A3R	4A3R	4A3R	4A3R
4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L T
4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R C
4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L T
4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C
4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C
4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C
4B3L C	4B3L C	4B3L C	4B3L T	4B3L C	4B3L T	4B3L T
4B3R C	4B3R T	4B3R C	4B3R T	4B3R C	4B3R T	4B3R T
4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C
4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C
ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C

C (BLUE)=COMPLETE I (GREEN)=INCOMPLETE NC (BLACK)=NOT RECEIVED T (RED)=90 DEGREES

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **T. L. Campbell**
WARDEN
Corcoran State Prison

DATE: **07/01/2024**
TIME: **1255 Hours**

FROM: **J. McIntyre**
Watch Commander

LOG # COR-NOU-OCS-24-07-002

AREA: 3A SAP Classroom

INCIDENT LOG # NA
(If Applicable)

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS
A.O.D. YES ☒ NO ☐
WARDEN YES ☐ NO ☐
HEADQUARTERS A.O.D. YES ☐ NO ☒
OIG YES ☐ NO ☒

DESCRIPTION OF CRIME / INCIDENT: **Stage II UHT**

On Monday, July 1, 2024, at approximately 1255 hours, Facility 3A Substance Abuse Program (SAP) Officers reported that the SAP classroom inside temperature reached 90 degrees. No inmates in the classroom at the time are UHT therefore were not sent back to the Facility.

Operational Procedure (OP) 208, Stage II Heat Alert was activated.

Isolated incident, no staff or inmates injured.

LOCATION OF INCIDENT:
3A SAP Classroom

STAFF INVOLVED			INMATES INVOLVED			
Name	Date Trained on 40 MM	Date Trained CPR	Name	CDCR #	ETH	GANG

DISPOSITION OF CONTRABAND:
N/A

ANALYSIS OF SITUATION:
Isolated Incident

Original: Watch Commander

CC: Warden, Chief Deputy Warden, Associate Wardens, Correctional Captain, Facility Captains

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3A01 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	78	D. Nora
	0600	76	K. Yang
	0900	78	K. Yang
	1200	81	K. Yang
	1500	81	[illegible]
	1800	82.1	[illegible]
	2100	83	[illegible]
	2400	82	Guzman

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	77	Guzman
	0600	77	K. Yang
	0900	78	K. Yang
	1200	80	K. Yang
	1500	81°	M. Adame
	1800	85°	M. Adame
	2100	83°	M. Adame
	2400	80.8	A. Aguilar

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	81	A. Aguilar
	0600	77	[illegible]
	0900	80	[illegible]
	1200	80	[illegible]
	1500	82.1	[illegible]
	1800	83.4	Perez
	2100	83.1	Perez
	2400	87.3	D Hicks

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	80	D Hicks
	0600	78	[illegible]
	0900	80	[illegible]
	1200	81	[illegible]
	1500	84.3	Zarate
	1800	85.0	Zarate
	2100	84.2	Zarate
	2400	83.9	D Hicks

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	79.4	D Hicks
	0600	79.5	M. Cruz
	0900	80.2	M. Cruz
	1200	82	M. Cruz
	1500	83.0	J. Barajas
	1800	84.5	J. Barajas
	2100	84.9	J. Barajas
	2400	82	D. Nora

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	81	D. Nora
	0600	80.4	M. Cruz
	0900	83.1	M. Cruz
	1200	84.6	M. Cruz
	1500	85.1	G. Rodriguez
	1800	86.2	G. Rodriguez
	2100	84.2	G. Rodriguez
	2400	83	D. Nora

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	81	D. Nora
	0600	82	W. Hang
	0900	83	W. Hang
	1200	85.0	W. Hang
	1500	86.9	W. Hang
	1800	89	G. Rodriguez
	2100	86.9	G. Rodriguez
	2400	84	D. Nora

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A02 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	80	F. Andrade
	0600	76.3	M. Cruz
	0900	77.2	M. Cr
	1200	79.2	M. Cr
	1500	81.5	G. Moll^
	1800	81.7	G. Moll
	2100	81.8	G. Moll
	2400	79	C. Osegueda

Tuesday

Date	Time	Temp.	Name (Print)
07/02/24	0300	78	C. Osegueda
	0600	78	D. Silva
	0900	80	D. Silva
	1200	78	D. Silva
	1500	81	J. Jones
	1800	82	J. Jones
	2100	82	J. Jones
	2400	80	D. Z

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	79	D. Z
	0600	78	S. Cortes
	0900	74	S. Cortes
	1200	80	S. Cortes
	1500	81	J. Jones
	1800	82	J. Jones
	2100	83	J. Jones
	2400	80	D. Erwin

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	80	D. Erwin
	0600	79	S. Cortes
	0900	80	S. Cortes
	1200	82	S. Cortes
	1500	83	J. Jones
	1800	84	J. Jones
	2100	83	J. Jones
	2400	78	[illegible]

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	80	[illegible]
	0600	79	S. Cortes
	0900	80	S. Cortes
	1200	80	S. Cortes
	1500	83.4	Y. Lopez
	1800	84.6	Y. Lopez
	2100	84.2	Y. Lopez
	2400	82	D. Z

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	~~79~~ 82	~~[illegible]~~ D. Z
	0600	79	S. Cortes
	0900	81	S. Cortes
	1200	83	S. Cortes
	1500	84	J. Jones
	1800	85.8	J. Jones
	2100	85	J. Jones
	2400	82.9	D. Hicks

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	81.4	D. Hicks
	0600	81.5	M. Cr
	0900	82.4	M. Cr
	1200	84.2	M. Cr
	1500	86.2	A. Martin
	1800	87.0	A. Martin
	2100	87.1	A. Martin
	2400	86.1	D. Hicks

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A03 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-1-24

Date	Time	Temp.	Name (Print)
7/1/24	0300	73	J. RUSSO
	0600	76	Green
	0900	76	Green
	1200	77	Green
	1500	73	D. Rodriguez
	1800	74	D. Rodriguez
	2100	74.5	D Rodriguez
	2400	73	J. RUSSO

Tuesday 7-2-24

Date	Time	Temp.	Name (Print)
7/2/24	0300	74.5	J. RUSSO
	0600	77	M. Green
	0900	78	Green
	1200	78	Green
	1500	78.5	A. Delatorre
	1800	78.5	A Delatorre
	2100	78	A Delatorre
	2400	78.5	B Perez

Wednesday 7-3-24

Date	Time	Temp.	Name (Print)
7/3/24	0300	78	B. Perez
	0600	76	Green
	0900	77	Green
	1200	77	Green
	1500	78	A Delatorre
	1800	78	A. Delatorre
	2100	78.5	A. Delatorre
	2400	78	J. Cisneros-Munguia

Thursday 7-4-24

Date	Time	Temp.	Name (Print)
7/4/24	0300	78	J. Cisneros-Munguia
	0600	77	Green
	0900	77	Green
	1200	78	Green
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	M. [illegible]

Friday 7-5-24

Date	Time	Temp.	Name (Print)
7/5/24	0300	80	M. ANAYA
	0600	80	M. ANAYA
	0900	79	Green
	1200	79	Green
	1500	79	Green
	1800	81	A ESPARZA
	2100	80	A ESPARZA
	2400	79	M SINGH

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	77	M SINGH
	0600	78	M SINGH
	0900	79	Salazar
	1200	81	Salazar
	1500	82	CASILLAS
	1800	82	CASILLAS
	2100	81	CASILLAS
	2400	80	M SINGH

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	77	M SINGH
	0600	77	M SINGH
	0900	79	S. Flores
	1200	79	S. Flores
	1500	79	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	80	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CoR Housing Unit: 3A04 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
24/1/7	0300	73	R. Rivera
	0600	70°	E. Lizalleya
	0900	79°	E. Lizalleya
	1200	85°	E. Lizalleya
	1500	85°	J. Phillips
	1800	85°	J. Phillips
	2100	85°	J. Phillips
	2400	82°	M. SINGH

Tuesday

Date	Time	Temp.	Name (Print)
24/2/7	0300	81	M. SINGH
	0600	70°	M. SINGH
	0900	80°	E. Lizalleya
	1200	85°	E. Lizalleya
	1500	85°	APARICIO
	1800	70°	APARICIO
	2100	70°	APARICIO
	2400	81.5	G. Barrera

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	80	G. Barrera
	0600	73°	J. Chen
	0900	75°	J. Chen
	1200	77°	J. Chen
	1500	80	[illegible]
	1800	80	[illegible]
	2100	78	[illegible]
	2400	75	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
24/4/1	0300	76	[illegible]
	0600	75	J. Barrias
	0900	80	J. Barrias
	1200	80	J. Barrias
	1500	80	C. Torres
	1800	78	C. Torres
	2100	79	C. Torres
	2400	74.5	[illegible]

Friday

Date	Time	Temp.	Name (Print)
24/5/7	0300	74	G. Barrera
	0600	75.5	R. Ruffin
	0900	76	R. Ruffin
	1200	75.5	R. Ruffin
	1500	78.2	Mow
	1800	79	Mow
	2100	79	Mow
	2400	78	G. Barrera

Saturday

Date	Time	Temp.	Name (Print)
24/6/7	0300	70.5	G. Barrera
	0600	73°	E. Lizalleya
	0900	80°	E. Lizalleya
	1200	85°	E. Lizalleya
	1500	80	S. Mow
	1800	80.8	S. Mow
	2100	80	S. Mow
	2400	78	G. Barrera

Sunday

Date	Time	Temp.	Name (Print)
24/7/7	0300	78	G. Barrera
	0600	75°	E. Lizalleya
	0900	80°	E. Lizalleya
	1200	85°	E. Lizalleya
	1500	80°	APARICIO
	1800	80°	APARICIO
	2100	80°	APARICIO
	2400	78°	SINGH

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3A05 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/1

Date	Time	Temp.	Name (Print)
7/1/24	0300	77	J. DIAZ
	0600	76.1	F. Perez
	0900	77	R. Rivera
	1200	76.5	R. Perez
	1500	79.4	S. KANG
	1800	79.5	S. KANG
	2100	79.3	S. KANG
	2400	78°	G. RIVERA

Tuesday 7/2

Dat	Time	Temp.	Name (Print)
7/2/24	0300	77	G. Rivera
	0600	77	R. Gamboa
	0900	79	R. Gamboa
	1200	79	R. Gamboa
	1500	80	R. Gamboa
	1800	81	R. Gamboa
	2100	81	R. Gamboa
	2400	80	M SINGH

Wednesday 7/3

Date	Time	Temp.	Name (Print)
7/3/24	0300	77°	M SINGH
	0600	76°	M SINGH
	0900	79	R. Gamboa
	1200	80	R. Gamboa
	1500	82	D Elizarraras
	1800	83	D Elizarraras
	2100	81	D Elizarraras
	2400	81	C CALVITO

Thursday 7/4

Date	Time	Temp.	Name (Print)
7/4/24	0300	77	C. CALVITO
	0600	78	R. Gamboa
	0900	80	R. Gamboa
	1200	81	R. Gamboa
	1500	82	D Elizarraras
	1800	83	D Elizarraras
	2100	82	D Elizarraras
	2400	81.9	S. ANAYA

Friday 7/5

Date	Time	Temp.	Name (Print)
7/5/24	0300	80.6	S. Anaya
	0600	79.9	S. ANAYA
	0900	79	R. Gamboa
	1200	81	R. Gamboa
	1500	82	D Elizarraras
	1800	81	D Elizarraras
	2100	80	D Elizarraras
	2400	77	J. BELTRAN

Saturday 7/6

Date	Time	Temp.	Name (Print)
7/6/24	0300	76	J. BELTRAN
	0600	79	D. Elizarraras
	0900	81	D Elizarraras
	1200	82	D Elizarraras
	1500	84	D Elizarraras
	1800	84	D Elizarraras
	2100	83	D. Elizarraras
	2400	79.5	C. Montes

Sunday 7/7

Date	Time	Temp.	Name (Print)
7/7/24	0300	79	C. Montes
	0600	81	E. [illegible]
	0900	83	E. [illegible]
	1200	86	E. [illegible]
	1500	86	V. RAY
	1800	87	V. RAY
	2100	85	V. RAY
	2400	85	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
HEAT INCIDENT LOG
CDCR MH-7711-2 (02/17)

Heat Incident Log

Institution: COR Date: 7-2-2024 Number of Heat Incidents: One

1. Patient Name: [redacted] CDCR#: [redacted] Housing: [redacted]
MHSDS Designation: Level of Care: EOP Date of Heat Incident: 7-2-2024
Location of Incident: [redacted] Change in Level of Care:
List of Heat Risk Medications: Abilify, prozac
Chief Medical Complaint: AIUC, AMS, Heat exposure
Diagnosis of Heat Related Illness (specify): Confused, unsteady, diaphoretic
Treatment Rendered: IV fluids, cooling measures, Stat transfer
Medication Changes Made: None
Ultimate Disposition of Patient: Advantist Health Hanford → return to 3B01
Clinician's Name and Title: D. Marsden RN Neg. protocol

2. Patient Name: CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

3. Patient Name: CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident:
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

[redacted]

From: [redacted]
Sent: Wednesday, July 3, 2024 11:08 AM
To: [redacted]
Subject: [redacted]
Attachments: Possible heat exposure._001.pdf

Thank you,
Brett Marean RN
TTA [redacted]

[redacted]

From: [redacted]
Sent: Wednesday, July 3, 2024 7:32 AM
To: [redacted]
Subject: [redacted] Possible heat exposure incident.

Follow Up Flag: Follow up
Flag Status: Flagged

HCIR submitted.

Thank you,
Brett Marean RN
TTA [redacted]

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B01 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-1-24	0300	78°	G. RIVERA
	0600	72°	H. ARSINIEGA
	0900	78	M. Prado
	1200	78	M. Prado
	1500	~~79~~ 81°	~~M. Prado~~ H. AGUIRRE
	1800	~~79~~ 80°	~~M. Prado~~ H. AGUIRRE
	2100	~~79~~ 81°	~~M. Prado~~ H. AGUIRRE
	2400	79	PHILLIPS

Tuesday

Dat	Time	Temp.	Name (Print)
7-2-24	0300	78	PHILLIPS
	0600	78	D. LIMA
	0900	80	D. LIMA
	1200	80	D. LIMA
	1500	81°	H. AGUIRRE
	1800	81°	H. AGUIRRE
	2100	82°	H. AGUIRRE
	2400	80	R PHILLIPS

Wednesday

Date	Time	Temp.	Name (Print)
7-3-24	0300	79	R PHILLIPS
	0600	79	D. LIMA
	0900	80	D. LIMA
	1200	81	D. LIMA
	1500	82°	H. AGUIRRE
	1800	82°	H. AGUIRRE
	2100	82°	H. AGUIRRE
	2400	81	R PHILLIPS

Thursday

Date	Time	Temp.	Name (Print)
7-4-24	0300	80	R PHILLIPS
	0600	80	D. LIMA
	0900	81	D. LIMA
	1200	82	D. LIMA
	1500	83	J. POOLE
	1800	83	J. POOLE
	2100	84	J. POOLE
	2400	82	PHILLIPS

Friday

Date	Time	Temp.	Name (Print)
7-5-24	0300	81	PHILLIPS
	0600	80	D. LIMA
	0900	81	D. LIMA
	1200	81	D. LIMA
	1500	83	R. Berrones
	1800	84	R. Berrones
	2100	85	R. Berrones
	2400	82	R PHILLIPS

Saturday

Date	Time	Temp.	Name (Print)
7-6-24	0300	80°	R. PHILLIPS
	0600	230	A. Prewitt
	0900	760	A. Prewitt
	1200	80	A. Prewitt
	1500	82	D. Silva
	1800	82	D. Silva
	2100	85	D. Silva
	2400	830	G. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
7-7-24	0300	82°	G. RIVERA
	0600	78°	V. Mova
	0900	78°	V. Mova
	1200	80°	V. Mova
	1500	850	J. Villa
	1800	860	J. Villa
	2100	870	J. Villa
	2400	85°	G. RIVERA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B02 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	78°	L.MAGDALENO
	0600	77	Martinez
	0900	78	Martinez
	1200	80	Martinez
	1500	81°	M.CARREON
	1800	81°	M.CARREON
	2100	80	M CARREON
	2400	80°	L.MAGDALENO

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	79°	L.MAGDALENO
	0600	77	H. Martinez
	0900	79	H. Martinez
	1200	80	H. Martinez
	1500	88	R. Diaz
	1800	83	R. Diaz
	2100	81	R. Diaz
	2400	81°	L.MAGDALENO

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	81°	L.MAGDALENO
	0600	79	E. Segura
	0900	80	E. Segura
	1200	81	E. Segura
	1500	82	M.Spanel
	1800	83	M. Spanel
	2100	83	M.Spanel
	2400	83	L.MAGDALENO

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	81°	L.MAGDALENO
	0600	80	Urzeno
	0900	81	Urzeno
	1200	82	Urzeno
	1500	84	M.Spanel
	1800	84	M.Spanel
	2100	83	M.Spanel
	2400	83	Palacios

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	81	Palacios
	0600	79	MEDRANO
	0900	80	MEDRANO
	1200	82	MEDRANO
	1500	83	D. Samadian
	1800	83	D. Samadian
	2100	80	D. Samadian
	2400	81	Palacios

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	81	Palacios
	0600	81	Martinez
	0900	82	Martinez
	1200	84	Martinez
	1500	85	J.BARAJAS
	1800	86	J.BARAJAS
	2100	86	J.BARAJAS
	2400	85	L.MAGDALENO

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	82	L.MAGDALENO
	0600	80	REEDER
	0900	88	REEDER
	1200	90	REEDER
	1500	90	M.Spanel
	1800	89	M.Spanel
	2100	90	M.Spanel
	2400	90	L.MAGDALENO

Notes

Stage II Heat Alert activated at 1155 hours.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **T. Campbell**
WARDEN
Corcoran State Prison

DATE: July 7, 2024
TIME: 1155

FROM: R. Ozuna
Correctional Lieutenant

NOU LOG # COR-NOU-03B-24-07-035

AREA: 3B02 Dayroom

INCIDENT LOG # N/A

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS
A.O.D. YES ☒ NO ☐
WARDEN YES ☐ NO ☒
HEADQUARTERS A.O.D. YES ☐ NO ☒
OIG YES ☐ NO ☒

BRIEF DESCRIPTION OF EVENT AND/OR ACTION: Stage II UHT Activation

On July 7, 2024, at approximately 1155 hours, Housing Unit 3B02 inside dayroom temperature reached 90 degrees, per Operational Procedure (OP) 208, Stage II Heat Alert has been activated. Per OP 208, staff has been informed to increase their observation of inmates on heat risk medications. Medical staff has been notified of Stage II activation; Medical staff will conduct welfare checks on inmates as well. All inmates were reminded section showers are available if needed, cold water and spray bottles are available if needed.

UHT Stage II protocols has been activated in accordance with Operational Procedures (OP) 208, all procedures will be adhered too.

Plant Ops will be contacted and made aware of conditions in 3B Sergeant.

Staff injuries: None
Inmate injuries: None
ISU Notified: None
Force used: None

LOCATION OF INCIDENT:
3B02 Dayroom

STAFF INVOLVED		INMATES INVOLVED				
Name	Injuries	Name	CDCR #	ETH	GANG	2005Injuries
3B Custody	N/A					

DISPOSITION OF CONTRABAND: N/A

State of California

Department of Corrections and Rehabilitation

Memorandum

Date : July 11, 2024

To : P. WILLIAMS
Litigations Coordinator
California State Prison - Corcoran

Subject: **UHT STAGE II, HOURLY TEMPERATURE CHECK**

This memorandum serves as Proof of Practice to inform you Facility 3B has trained staff on UHT Stage II policy. Staff were informed once the area exceeds 90 degrees the temperature will need to be logged hourly, as required by OP 208, Heat Plan.

If you have any questions, I may be reached at extension [redacted]

F.C. CHAPPEL
Facility 3B Captain
California State Prison - Corcoran

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDC-844 (Rev. 06/14)

TITLE OP 208 HEAT PLAN 2024		**TIME** HRS	**DATE** Wednesday, July 10, 2024
AUDIENCE CUSTODY STAFF	**INSTRUCTOR** MARCHESE, J. K	**LENGTH (IN HOUR** 0.5	**LOCATION** FACILITY 3B
BET ID (List all applicable)	0		

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Cabrera, A.	CO	14:00-22:00					
2	[redacted]	M. Lo	C/O	1400 - 2200			N		
3				-					
4				-					
5				-					
6				-					
7				-					
8				-					
9				-					
10				-					
11				-					
12				-					
13				-					
14				-					
15				-					
16				-					
17				-					
18				-					
19				-					
20				-					
21				-					
22				-					
23				-					
24				-					

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR [redacted]

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE	OP 208 HEAT PLAN 2024	TIME	1730 HRS	DATE	Wednesday, July 10, 2024
AUDIENCE	CUSTODY STAFF	INSTRUCTOR	MARCHESE, J. K	LENGTH (IN HOURS)	0.5
LOCATION	FACILITY 3B	BET ID (List all applicable)	PADRNOS, L		

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Padrnos, L.S	LT	14:00-22:00					
2	[redacted]	Marchese, J.K	SGT	14:00-22:00					
3	[redacted]	Connolly, C.M	CO	14:00-22:00					
4	[redacted]	Adame, M.M	CO	14:00-22:00					
5	[redacted]	Abrego, R.O	CO	14:00-22:00					
6	[redacted]	Flores, C.N	CO	14:00-22:00					
7	[redacted]	Acosta, Y.	CO	14:00-22:00					
8	[redacted]	Aguirre, R.A	CO	14:00-22:00					
9	[redacted]	Rocha-Talco, J.M	CO	14:00-22:00					
10	[redacted]	Hurd, J.H	CO	12:00-20:00					
11	[redacted]	Leon, A.	CO	14:00-22:00					
12	[redacted]	Swarm, P.M	CO	14:00-22:00					
13	[redacted]	Segura, E.	CO	14:00-22:00					
14	[redacted]	Spanel, M.R	CO	14:00-22:00					
15	[redacted]	Martinez, C.	CO	14:00-22:00					
16	[redacted]	Isais, J.A	CO	14:00-22:00					
17	[redacted]	Martinez, J.A	CO	14:00-22:00					
18	[redacted]	Duffy, V.S	CO	14:00-22:00					
19	[redacted]	Curnel, M.L	CO	14:00-22:00					
20	[redacted]	Bullock, M.J	CO	14:00-22:00					
21	[redacted]	Hernandez, M.T	CO	14:00-22:00					
22	[redacted]	Hernandez, G.	CO	14:00-22:00					
23	[redacted]	Brotherson, J.H	CO	14:00-22:00					
24	[redacted]	Hernandez, B.	CO	14:00-22:00					

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR [redacted]

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B03 Temp. Reading Location: CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	77°	J. Bueno
	0600	77°	S Pena
	0900	78°	S Pena
	1200	78	S Pena
	1500	80	S Pena
	1800	78	D Silva
	2100	76	D Silva
	2400	79	~~D Silva~~ J. Bueno

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	78	J. Bueno
	0600	78	OGUNYINKA
	0900	78	OGUNYINKA
	1200	79	OGUNYINKA
	1500	78	D Silva
	1800	72	D Silva
	2100	77	D Silva
	2400	80°	J. Bueno

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	79°	J. Bueno
	0600	78°	S Pena
	0900	79°	S Pena
	1200	80°	S Pena
	1500	80°	J. Martinez
	1800	80°	J. Martinez
	2100	80°	J. Martinez
	2400	80	J. Cullen

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	79	J. Cullen
	0600	79	E. Segura
	0900	80	E. Segura
	1200	81	E. Segura
	1500	82	J. MEDRANO
	1800	81	J. MEDRANO
	2100	81	J. MEDRANO
	2400	80	J. Cullen

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	79	J. Cullen
	0600	80	F. CONTRERAS
	0900	80	F. CONTRERAS
	1200	82	F. CONTRERAS
	1500	82°	J. Martinez
	1800	82°	J. Martinez
	2100	80°	J. Martinez
	2400	80	D. Sarradian

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	78	D. Sarradian
	0600	78	D Silva
	0900	82	D. Silva
	1200	84	D. Silva
	1500	84	J. Martinez
	1800	85	J. Martinez
	2100	86°	J. Martinez
	2400	84	J. Bueno

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	83°	J. Bueno
	0600	82°	F. Aguilera
	0900	82	F. Aguilera
	1200	84	F. Aguilera
	1500	86°	J. Martinez
	1800	85°	J. Martinez
	2100	87°	J. Martinez
	2400	86°	J. Bueno

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B-04 Temp. Reading Location: 3B04 BLD (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	79	A. Gonzalez
	0600	79	J. Clark
	0900	80	J. Clark
	1200	81	J. Clark
	1500	81	A. Barrera
	1800	82	A. Barrera
	2100	84	A. Barrera
	2400	79	J. Tijerina

Tuesday

Date	Time	Temp.	Name (Print)
07/02/24	0300	79	J. Tijerina
	0600	79	J. Clark
	0900	81	J. Clark
	1200	82	J. Clark
	1500	82°F	L. Lopez
	1800	84°F	L. Lopez
	2100	84°F	L. Lopez
	2400	81	J. Tijerina

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	79	J. Tijerina
	0600	79	J. Clark
	0900	81	J. Clark
	1200	84	J. Clark
	1500	84	L. Lopez
	1800	86	L. Lopez
	2100	86	L. Lopez
	2400	80	J. Tijerina

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	79	J. Tijerina
	0600	81	J. Clark
	0900	82	J. Clark
	1200	84	J. Clark
	1500	86	NEVAREZ
	1800	86	NEVAREZ
	2100	85	NEVAREZ
	2400	84	SERRANO

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	82	SERRANO
	0600	81	SERRANO
	0900	82	SERRANO
	1200	83	SERRANO
	1500	84	NEVAREZ
	1800	85	NEVAREZ
	2100	85	NEVAREZ
	2400	84	SERRANO

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	82	SERRANO
	0600	81	J. BARRAJAS
	0900	82	J. BARRAJAS
	1200	84	J. BARRAJAS
	1500	86	M. CARREON
	1800	88	M. CARREON
	2100	88	M. CARREON
	2400	82	J. Tijerina

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	82	J. Tijerina
	0600	82	J. Clark
	0900	84	J. Clark
	1200	86	J. Clark
	1500	90°	A. Barrera
	1800	90°	A. Barrera
	2100	90°	A. Barrera
	2400	88°	J. Tijerina

Notes

Stage II Heat Alert activated @ 1500 hours.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **TAMMY CAMPBELL**
WARDEN
Corcoran State Prison

DATE: **07/07/2024**
TIME: **1500 hours**

FROM: **J. Marchese**
3B Correctional Sergeant

LOG # COR-NOU-03B-24-039

AREA: 3B Facility, 3B04

INCIDENT LOG # N/A
(If Applicable)

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS

A.O.D.	YES ☒	NO ☐
WARDEN	YES ☒	NO ☐
HEADQUARTERS A.O.D.	YES ☐	NO ☒
OIG	YES ☐	NO ☒

BRIEF DESCRIPTION OF EVENT AND/OR ACTION:

On July 7, 2024, at approximately 1500 hours, Housing Unit 3B04 inside dayroom temperature reached 90 degrees, per Operational Procedure (OP) 208, Stage II Heat Alert has been activated. Per OP 208, staff has been informed to increase their observation of inmates on heat risk medications. Medical staff has been notified of Stage II activation; Medical staff will conduct welfare checks on inmates as well. All inmates were reminded section showers are available if needed, cold water and spray bottles are available if needed.

UHT Stage II protocols has been activated in accordance with Operational Procedures (OP) 208, all procedures will be adhered too.

Plant Ops will be contacted and made aware of conditions in 3B04.

Staff injuries: None
Inmate injuries: None
ISU Notified: None
Force used: None

LOCATION OF INCIDENT:
Building 3B04

STAFF INVOLVED		INMATES INVOLVED				
Name	Injuries	Name	CDCR #	ETH	GANG	Injuries

DISPOSITION OF CONTRABAND: N/A

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B05 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	72	A. Barrera
	0600	71	Urrano
	0900	72	Urrano
	1200	74	Urrano
	1500	74	V MEDRANO
	1800	74	Vmedr
	2100	74	Vmedr
	2400	74	Z Cintrones

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300	74	Z Cintrones
	0600	75	A. Salines
	0900	77	Salines
	1200	78	Salines
	1500	78	A.Leon
	1800	78	A.Leon
	2100	78	A.Leon
	2400	78	Z Cintrones

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	75	Z Cintrones
	0600	77	Rodriguez
	0900	72	Rodriguez
	1200	73	Rodriguez
	1500	76	[illegible]
	1800	78	[illegible]
	2100	77	[illegible]
	2400	79	Z Cintrones

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	77	Z Cintrones
	0600	80	Rodriguez
	0900	81	Rodriguez
	1200	81	Rodriguez
	1500	79	E. GRANT
	1800	80	E. GRANT
	2100	80	E. GRANT
	2400	78	J. Hernandez

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	75	J. Hernandez
	0600	77	Rodriguez
	0900	77	Rodriguez
	1200	78	Rodriguez
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	Z Cintrones

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	80	Z Cintrones
	0600	80	Rodriguez
	0900	[illegible]	Rodriguez
	1200	80	Rodriguez
	1500	80	A.GILL
	1800	80	A.GILL
	2100	80	A.GILL
	2400	80	SERRANO

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	80	SERRANO
	0600	81	Urrano
	0900	81	Urrano
	1200	82	Urrano
	1500	82	[illegible]
	1800	82	[illegible]
	2100	80	[illegible]
	2400	80	SERRANO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OP 208 Heat Plan

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

JAIL

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: JAIL Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday July 1

Date	Time	Temp.	Name (Print)
	0300	81	B. GARCIA
	0600	82	M. TIRADO
	0900	82	M. TIRADO
	1200	81	M. TIRADO
	1500	81	Mecin
	1800	81	Mecin
	2100	81	Mecin
	2400	81	J Luna

Tuesday July 2

Date	Time	Temp.	Name (Print)
	0300	81	J Luna
	0600	81	DeHernandez
	0900	81	DeHernandez
	1200	81	DeHernandez
	1500	82	Mecin
	1800	83	Mecin
	2100	83	Mecin
	2400	82	Arazazu

Wednesday July 3

Date	Time	Temp.	Name (Print)
	0300	81	Arazazu
	0600	82	Rita
	0900	82	Rita
	1200	82	Rita
	1500	82	Mecin
	1800	82	Mecin
	2100	82	Mecin
	2400	82	Arazazu

Thursday July 4

Date	Time	Temp.	Name (Print)
	0300	81	Arazazu
	0600	82	PIMENTEL M
	0900	82	PIMENTEL M
	1200	83	PIMENTEL M
	1500	83	Mecin
	1800	83	Mecin
	2100	83	Mecin
	2400	83	Mecin

Friday 7-5-24

Date	Time	Temp.	Name (Print)
	0300	83	Mecin
	0600	83	Levi
	0900	83.1	Levi
	1200	83	Levi
	1500	83	Mecin
	1800	83	Mecin
	2100	83	Mecin
	2400	81	J. Cuilla

Saturday 7-6-24

Date	Time	Temp.	Name (Print)
7-6-24	0300	81	J Cuilla
	0600	83	Rodriguez
	0900	84	Rodriguez
	1200	84	Rodriguez
	1500	84	Zamora
	1800	85	Zamora
	2100	85	Zamora
	2400	82	J. Cuilla

Sunday 7-7-24

Date	Time	Temp.	Name (Print)
	0300	80	J Cuilla
	0600	84	A Espinoza
	0900	85	A
	1200	85	A
	1500	85	Ontiveros
	1800	85	Ontiveros
	2100	86	Ontiveros
	2400	84	Samaniego

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

4A1R

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A1R Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.01.24	0300	80	J. Cullen
	0600	80	R Lewis
	0900	80	R Lewis
	1200	81	R Lewis
	1500	81.9	I. Macias
	1800	81.9	I. Macias
	2100	82	I. Macias
	2400	81	B. GARCIA

Tuesday

Dat	Time	Temp.	Name (Print)
7.02.24	0300	80	B. GARCIA
	0600	80	R Lewis
	0900	81	R Lewis
	1200	81	R Lewis
	1500	82.1	Miramonte
	1800	82.9	Miramoto
	2100	82.8	Miramoto
	2400	82.6	Miramoto

Wednesday

Date	Time	Temp.	Name (Print)
7-3-24	0300	81.7	~~B. GARCIA~~ Miramoto
	0600	80	R. Lewis
	0900	81	R Lewis
	1200	81	R. Lewis
	1500	82.9	PIMENTEL.M
	1800	83.5	PIMENTEL.M
	2100	83.7	PIMENTEL.M
	2400	82.8	Miramoto

Thursday

Date	Time	Temp.	Name (Print)
7 4 24	0300	82.6	Miramoto
	0600	84	R Lewis
	0900	84.4	R Lewis
	1200	84.3	R Lewis
	1500	83.3	PIMENTEL M
	1800	84.1	PIMENTEL M
	2100	83.9	PIMENTEL.M
	2400	83.5	J. Bolton

Friday

Date	Time	Temp.	Name (Print)
7 5 24	0300	81.9	J. Bolton
	0600	82.	RODRIGUEZ
	0900	84	RODRIGUEZ
	1200	82	RODRIGUEZ
	1500	83.1	PIMENTEL.M
	1800	84.2	PIMENTEL.M
	2100	84.6	PIMENTEL.M
	2400	83	ROBLES

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	81	ROBLES
	0600	82	[illegible]
	0900	83	[illegible]
	1200	83	[illegible]
	1500	84.7	GRANT
	1800	85.3	GRANT
	2100	84.6	J. SEE
	2400	85.0	J. SEE

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	84	J. SEE
	0600	84	R Lewis
	0900	84	R Lewis
	1200	84	R Lewis
	1500	85.3	I. Macias
	1800	86.3	I. Macias
	2100	87.3	I. Macias
	2400	85	J. Cullen

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

4A3L

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CSP-COR Housing Unit: 4A3L Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6121 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	83.5	J. Bryant
	0600	82	Rodriguez
	0900	82	Rodriguez
	1200	84	Rodriguez
	1500	88	L. Xiong
	1800	90	L. Xiong
	2100	90	L. Xiong
	2400	83	Andrade

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300	82	Andrade
	0600	81	M. Liddle
	0900	85.1	M. Liddle
	1200	87.1	M. Liddle
	1500	88	L. Xiong
	1800	90	L. Xiong
	2100	89	L. Xiong
	2400	88	J. Gallegos

Wednesday

Date	Time	Temp.	Name (Print)
7.3.24	0300	85	J. Gallegos
	0600	83	Hurtado
	0900	83	Hurtado
	1200	84	Hurtado
	1500	85.9	D. Hernandez
	1800	86.1	D. Hernandez
	2100	86.1	D. Hernandez
	2400	86	J. Gallegos

Thursday

Date	Time	Temp.	Name (Print)
7.4.24	0300	85.	J. Gallegos
	0600	83	Hurtado
	0900	84	Hurtado
	1200	85	Hurtado
	1500	85	D. Lao
	1800	86	D. Lao
	2100	85	D. Lao
	2400	86	J. Gallegos

Friday

Date	Time	Temp.	Name (Print)
7.5.24	0300	85	J. Gallegos
	0600	84	Hurtado
	0900	84	Hurtado
	1200	84	Hurtado
	1500	85.2	M. Collins
	1800	86.5	M. Collins.
	2100	86.6	M. Collins.
	2400	86	J. Gallegos

Saturday

Date	Time	Temp.	Name (Print)
7.6.24	0300	86	J. Gallegos
	0600	86	Thaker
	0900	86	Thaker
	1200	86	Thaker
	1500	86.	H. Abmiw
	1800	87	H. Abmiw
	2100	87	H. Abmiw
	2400	86	J. Gallegos

Sunday

Date	Time	Temp.	Name (Print)
7.7.24	0300	86	J. Gallegos
	0600	86	Thaker
	0900	86	Thaker
	1200	86	Thaker
	1500	87	L. Xiong
	1800	88	L. Xiong
	2100	88	L. Xiong
	2400	88	P. Bryant

Notes

7/1/24 - 1800 - 90° INDOOR UHT STAGE II ACTIVATE
1900 - 90°, 2000 - 90°, 2100 - 90°,
2120 - 89° - UHT DEATIVATE
7/2/24 - 1630 - 90° INDOOR UHT STAGE II ACTIVATE
1730 - 90°, 1830 - 91°, 1930 - 91°, 2030 - 90°,
2100 - 89° UHT STAGE II DEACTIVATE

DISTRIBUTION: Original: Institution ADA Coordinator

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **T. Campbell**
WARDEN
Corcoran State Prison

DATE: July 2, 2024
TIME: 1630

FROM: **J. Beer**
Correctional Sergeant

NOU LOG # COR-NOU-04A-24-07-013

AREA: FAC 4A, 4A3L Building

INCIDENT LOG # N/A

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS
A.O.D. YES ☐ NO ☒
WARDEN YES ☐ NO ☒
HEADQUARTERS A.O.D. YES ☐ NO ☒
OIG YES ☐ NO ☒

BRIEF DESCRIPTION OF EVENT AND/OR ACTION:
On July 2, 2024, at approximately 1630 hours, 4A3L Building inside (sections) temperature reached 90 degrees, per Operational Procedure (OP) 208, Stage II Heat Alert has been activated. Per OP 208, staff has been informed to increase their observation of inmates on heat risk medications. Medical staff has been notified of Stage II activation; Medical staff will conduct welfare checks on inmates as well. All inmates have access to cold water and were reminded section showers are available if needed.

UHT Stage II protocols has been activated in accordance with Operational Procedures (OP) 208, all procedures will be adhered too.

Plant Ops will be contacted and made aware of conditions in 4A3L Building.

LOCATION OF INCIDENT:
4A3L BUIDLING

STAFF INVOLVED		INMATES INVOLVED				
Name	Injuries	Name	CDCR #	ETH	GANG	2005Injuries
SGT, J. BEER	N/A					

DISPOSITION OF CONTRABAND: N/A

ANALYSIS OF SITUATION: Isolated

Original: Watch Commander

CC: Warden, Chief Deputy Warden, Associate Wardens, Correctional Captain, Facility Captains

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

4A4L

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4L Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/1/24

Date	Time	Temp.	Name (Print)
	0300	83.	A. AHUICAM
	0600	83.1	Kent
	0900	83.2	Kent
	1200	83.2	Kent
	1500	83.5	A Ochoa
	1800	84.2	A. ochoa
	2100	84.0	A. ochoa
	2400	84	A ochoa

Tuesday 7/2/24

Date	Time	Temp.	Name (Print)
	0300	83.5	A IBARRA
	0600	83.5	R. RUGRA
	0900	84	M. Liddle
	1200	84.5	M. Liddle
	1500	84	Kulp
	1800	84	Kulp.
	2100	84	Kulp.
	2400	84	J Martinez

Wednesday 7/3/24

Date	Time	Temp.	Name (Print)
	0300	84	J martinez
	0600	84	Barrientos
	0900	84	Barrientos
	1200	84	Barrientos
	1500	84.7	M. Bueno
	1800	85.1	M. Bueno
	2100	85.3	M. Bueno
	2400	85	J martinez

Thursday 7/4/24

Date	Time	Temp.	Name (Print)
	0300	84.9	J martinez
	0600	84.9	J. Beltran
	0900	84.7	J. Beltran
	1200	85.1	J. Beltran
	1500	85.6	J. Ortega
	1800	86.9	J Ortega
	2100	87.9	J. Ortega
	2400	85	J Martinez

Friday 7/5/24

Date	Time	Temp.	Name (Print)
	0300	85	J Martinez.
	0600	85	D. Lenin
	0900	85	D. Lenin
	1200	85	D. Lenin
	1500	85	R. Fong
	1800	86	R. Fong
	2100	82	R. Fong
	2400	86	J. Martinez

Saturday 7/6/24

Date	Time	Temp.	Name (Print)
	0300	86	J. martinez
	0600	84	J martinez
	0900	85	M. Juarez
	1200	85.5	M. Juarez
	1500	86.9	J Ortega
	1800	88.0	J. Ortega
	2100	87.3	J. Ortega
	2400	87	J martinez

Sunday 7/7/24

Date	Time	Temp.	Name (Print)
	0300	86	J Martinez
	0600	86.2	G. Rodriguez
	0900	86.4	G. Rodriguez
	1200	87.1	G. Rodriguez
	1500	87.5	A. ochoa
	1800	90.4	A. ochoa
	2100	89.5	A. ochoa
	2400	88.5	A. AHUICAH

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Memorandum

Date: July 11, 2024

To: P. WILLIAMS
Litigations
California State Prison - Corcoran

Subject: **FACILITY 4A UHT STAGE II, HOURLY TEMPERATURE CHECK**

The purpose of this memorandum is to serve as Proof of Practice documenting that training was conducted for Facility 4A staff for the month of June 2024. The following courses covered were:

7/10/2024

- Operation Procedures (OP 208- Heat Plan)

It was indicated that Officer A. Ochoa did not activate UHT Stage II at 1800 when the temperature was taken in 4A4L-Building.

If you have any questions regarding this memorandum, please contact me at extension [redacted]

A.V. JOHNSON
Facility 4A Captain
California State Prison – Corcoran

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE	OPERATIONAL HEAT PLAN 208	TIME	1200 HRS	DATE	Wednesday, July 10, 2024
AUDIENCE	INSTRUCTOR	LENGTH (IN HOURS)	0.5	LOCATION	IST
BET ID (List all applicable)					

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Ochoa-Rodriguez, A	CO	06:00-16:00	1200	1230	N	N	
2		.							
3		.							
4		.							
5		.							
6		.							
7		.							
8		.							
9		.							
10									
11		.							
12		.							
13		.							
14		.							
15		.							
16		.							
17		.							
18		.							
19		.							
20		.							
21		.							
22		.							
23		.							
24		.							

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE Moreloch [redacted]

PERNR

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

4A4R

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4R Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday July 1, 2024

Date	Time	Temp.	Name (Print)
	0300	81	L. XIONG
	0600	81.4	OGUNYINKA
	0900	81.3	OGUNYINKA
	1200	82.3	OGUNYINKA
	1500	82.5	ONTIVEROS
	1800	83.2	ONTIVEROS
	2100	82.8	ONTIVEROS
	2400	82	XIONG

Tuesday July 2, 2024

Date	Time	Temp.	Name (Print)
	0300	81	XIONG
	0600	81	IBARRA
	0900	81	IBARRA
	1200	82	IBARRA
	1500	83.4	Zarate
	1800	83.8	Zarate
	2100	83.9	Zarate
	2400	83	DRHernandez

Wednesday July 3, 2024

Date	Time	Temp.	Name (Print)
	0300	83	DRHernandez
	0600	83	IBARRA
	0900	83	IBARRA
	1200	83	IBARRA
	1500	83	SOTO
	1800	83	SOTO
	2100	83	SOTO
	2400	84	DRHernandez

Thursday July 4, 2024

Date	Time	Temp.	Name (Print)
	0300	84	DRHernandez
	0600	83	IBARRA
	0900	83	IBARRA
	1200	84	IBARRA
	1500	84.8	M. Liddle
	1800	85.1	M. Liddle
	2100	85	M. Liddle
	2400	85.5	DRHernandez

Friday July 5, 2024

Date	Time	Temp.	Name (Print)
	0300	85.1	DRHernandez
	0600	84	IBARRA
	0900	84	IBARRA
	1200	84	IBARRA
	1500	84	SOTO
	1800	84	SOTO
	2100	84	SOTO
	2400	84	SOTO

Saturday July 6, 2024

Date	Time	Temp.	Name (Print)
	0300	84	SOTO
	0600	84	H. Alswim
	0900	84	H. Alswim
	1200	85	H. Alswim
	1500	85	SOTO
	1800	85	SOTO
	2100	84	SOTO
	2400	84	SOTO

Sunday July 7, 2024

Date	Time	Temp.	Name (Print)
	0300	84	SOTO
	0600	84	H. Alswim
	0900	85	H. Alswim
	1200	86	H. Alswim
	1500	86	SOTO
	1800	86	SOTO
	2100	85	SOTO
	2400	84	XIONG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

July 15, 2024

P. WILLIAMS
Litigations Coordinator
California State Prison-Corcoran

Re: 4B STAFF TRAINED REGARDING HEAT LOG ENTRY DISCREPANCIES

This memorandum is being generated as Proof of Practice documenting Facility 4B has trained identified staff regarding discrepancies/missing information from the UHT log, and to ensure the accurate entry of data going forward.

4B1L: On July 7, 2024, not documented Stage II was deactivated nor what time. Staff was provided training.

4B3L: On July 6 and July 7, 2024, not documented Stage II was deactivated nor what time. Staff was provided training.

4B3R: on July 4, July 6, and July 7, 2024, Stage II was not activated when the temperature reached 90 degrees nor was the temperature logged hourly as required per OP 208. Staff was provided training.

A.RANDOLPH
Facility 4B Captain
California State Prison-Corcoran

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE	OP- 208 Heat Plan	TIME	0300-0330 HRS	DATE	Saturday, July 13, 2024
AUDIENCE	Custody	INSTRUCTOR	SGT. S. GONZALEZ	LENGTH (IN HOURS)	0.5 HRS
LOCATION	4B Program	BET ID (List all applicable)			

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Gonzalez, S.	SGT	22:00-06:00	0300	0330	N	N	
2	[redacted]	Gill, A.S	CO	22:00-06:00	0300	0330	N	N	
3	[redacted]	Ruiz Perez, E.	CO	22:00-06:00	0300	0330	N	N	
4	[redacted]	Ayon, F.J	CO	22:00-06:00	0300	0330	N	N	
5	[redacted]	Garza, A.	CO	22:00-06:00	0300	0330	N	N	
6	[redacted]	Lopez, Y.O	CO	22:00-06:00	0300	0330	N	N	
7	[redacted]	Aguilar Urias, R.	CO	22:00-06:00	0300	0330	N	N	
8	[redacted]	Barrios, F.J	CO	22:00-06:00	0300	0330	N	N	
9	[redacted]	Guizar, A.	CO	22:00-06:00	0300	0330	N	N	
10	[redacted]	Beltran, J.	CO	22:00-06:00	0300	0330	N	N	
11	[redacted]	Perez, S.N	CO	22:00-06:00	0300	0330	N	N	
12	[redacted]	Olivas, A.V	CO	22:00-06:00	0300	0330	N	N	
13	[redacted]	Acosta, V.A	CO	22:00-06:00	0300	0330	N	N	
14				-					
15				-					
16				-					
17				-					
18				-					
19				-					
20				-					
21				-					
22				-					
23				-					
24				-					

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR [redacted]

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE Operational Procedures 208		**TIME** VARY	**DATE** 7/11/2024
AUDIENCE CUSTODY STAFF	**INSTRUCTOR** LT J. Barrios	**LENGTH (IN HOURS)** .5	**LOCATION** Facility 4B
BET ID (list all applicable) 11054134			

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Marshall, T	C/O	0600-1400			N	N	
2	[redacted]	Dimaano, E.	C/O	1400-2200			N	N	
3	[redacted]	Gonzalez,J.	C/O	1400-2200			N	N	
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR [redacted]

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

A. Rodriguez

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 1L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	81	Munoz SG
	0600	82.2	Martinez
	0900	83	Martinez
	1200	84	Martinez
	1500	84.8	Gonzalez
	1800	84.8	Gonzalez
	2100	84.6	Gonzalez
	2400	83.5	M. RAMIREZ SG

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	82.8	M. RAMIREZ
	0600	82.8	Martinez
	0900	83.6	Martinez
	1200	84.2	Martinez
	1500	84.8	J. Esparza
	1800	85.0	J. Esparza
	2100	85.5	J. Esparza
	2400	84.5	S. Plamondon SG

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	84.0	S. Plamondon
	0600	83.5	J. Hernandez
	0900	84.5	J. Hernandez
	1200	84.8	J. Hernandez
	1500	85.4	S. Ramos
	1800	85.9	J. Phillips
	2100	85.7	J. Phillips
	2400	85°	A. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	84.8	A. GARCIA
	0600	84.1	J. Hernandez
	0900	84.9	J. Hernandez
	1200	85.4	J. Hernandez
	1500	86.8	S. Ramos
	1800	86.8	S. Ramos
	2100	86.9	S. Ramos
	2400	85.3	A. GARCIA

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	85.1	A. GARCIA
	0600	85.0	J. Hernandez
	0900	85.2	J. Hernandez
	1200	85.6	J. Hernandez
	1500	86.8	S. Ramos
	1800	87.6	S. Ramos
	2100	87.8	S. Ramos
	2400	86.6	C. Guillen

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	85.6	C. Guillen
	0600	85.2	J. Hernandez
	0900	85.2	J. Hernandez
	1200	87.5	J. Hernandez
	1500	87.8	J. R. Dealey
	1800	88.3	R. Dealey
	2100	88.0	R. Dealey
	2400	83.2	R. Aguilar SG

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	82.2	R. Aguilar
	0600	86.1	J. Esparza
	0900	87.5	Gonzalez
	1200	88.6	Gonzalez
	1500	89.6	Gonzalez
	1800	89.6	Gonzalez
	2100	90.°	Gonzalez
	2400	88°	V Acosta SG

Notes

7/1/24 1604 TEMP INSIDE BUILDING 90°
SGT NOTIFIED
7/2/24 1640 TEMP INSIDE BUILDING 89°
SGT NOTIFIED
2000 90.° TEMP INSIDE BUILDING
2100 90° INSIDE BUILDING

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 1R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	78	Murphy
	0600	78.3	J. Bennett
	0900	78.9	S. A. Nieves
	1200	79.3	S. A. Nieves
	1500	80.1	M. Santos
	1800	80.3	V. Lopez
	2100	80.6	V. Lopez
	2400	79	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	78	[illegible]
	0600	78.5	S. Nieves
	0900	78.9	J. Wilson
	1200	80.1	J. Wilson
	1500	80.5	E. Nieto
	1800	81.1	E. Nieto
	2100	81.1	E. Nieto
	2400	80.4	S. [illegible]

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	80	S. [illegible]
	0600	79.4	P. [illegible]
	0900	80.4	D. [illegible]
	1200	80.8	D. Ramirez
	1500	82.1	Cestano
	1800	82.5	Cestano
	2100	82.8	Cestano
	2400	81.1	A. Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	80.5	A. Garcia
	0600	80.1	D. Ramirez
	0900	80.8	D. Ramirez
	1200	81.8	D. Ramirez
	1500	82.2	J. Hernandez
	1800	83.5	J. Hernandez
	2100	84.0	J. Hernandez
	2400	81.7	A. Garcia

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	81.3	A. Garcia
	0600	80.3	D. Ramirez
	0900	80.8	D. Ramirez
	1200	81.7	D. Ramirez
	1500	83.2	K. Singh
	1800	83.6	K. Singh
	2100	83.8	K. Singh
	2400	81.9	C. Guillen

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	81.5	C. Guillen
	0600	80.6	D. Ramirez
	0900	81.3	D. Ramirez
	1200	82.9	D. Ramirez
	1500	84.2	A. Flores
	1800	84.9	A. Flores
	2100	84.9	A. Flores
	2400	83.5	R. Aguilar

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	82.2	R. Aguilar
	0600	82.4	D. Ramirez
	0900	82.9	D. Ramirez
	1200	84.1	D. Ramirez
	1500	85.7	L. Guillen
	1800	85.7	L. Guillen
	2100	85.4	L. Guillen
	2400	84.1	V. Acosta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 2V Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	80	C. YANG
	0600	80.5	C. Navarro
	0900	80.5	C. Navarro
	1200	80.8	C. Navarro
	1500	81.2	C. Navarro
	1800	81.6	C. Navarro
	2100	81.7	C. Navarro
	2400	78.2	C. YANG

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	81.0	E. Ruiz
	0600	80.8	C. Navarro
	0900	80.9	C. Navarro
	1200	81.2	C. Navarro
	1500	81.3	B. Bui
	1800	81.9	B. Bui
	2100	82.1	B. Bui
	2400	81.8	E. Ruiz

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	81.5	E. Ruiz
	0600	81.4	C. ALCANTAR
	0900	81.6	C. ALCANTAR
	1200	81.9	C. ALCANTAR
	1500	82.3	S. ABASTA
	1800	83.0	S. ABASTA
	2100	83.4	S. ABASTA
	2400	82.9	E. Ruiz

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	82.3	E. Ruiz
	0600	82.1	C. ALCANTAR
	0900	82.4	C. ALCANTAR
	1200	82.8	C. ALCANTAR
	1500	83.3	S. ABASTA
	1800	84.1	S. ABASTA
	2100	84.3	S. ABASTA
	2400	83.7	E. Ruiz

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	83.5	E. Ruiz
	0600	83.2	C. ALCANTAR
	0900	83.0	C. ALCANTAR
	1200	83.3	C. ALCANTAR
	1500	83.7	S. ABASTA
	1800	84.0	S. ABASTA
	2100	84.2	S. ABASTA
	2400	81.0	E. Ruiz

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	85.2	C. YANG
	0600	83.5	C. Navarro
	0900	83.5	C. Navarro
	1200	84.3	C. Navarro
	1500	84.6	P. Bryant
	1800	85.3	P. Bryant
	2100	85.4	P. Bryant
	2400	85.4	C. YANG

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	85.1	C. YANG
	0600	84.6	C. ALCANTAR
	0900	84.5	C. Navarro
	1200	85.3	C. Navarro
	1500	85.7	M. CARREON
	1800	86.4	M. CARREON
	2100	86.5	M. CARREON
	2400	85.5	C. YANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 2R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	78	L. YANG
	0600	77.7	S. PONCE
	0900	77.6	J. Clingerman
	1200	77.5	J. Clingerman
	1500	78.2	S GONZALEZ
	1800	78.6	S GONZALEZ
	2100	78.9	S GONZALEZ
	2400	78.6	L. YANG

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	78.3	E Ruiz
	0600	77.7	B. Rios
	0900	78	B. Rios
	1200	78.2	B. Rios
	1500	78.8	Gonzalez
	1800	79.0	Gonzalez
	2100	80.0	Gonzalez
	2400	79.8	E Ruiz

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	79.2	E Ruiz
	0600	78.7	J. Clingerman
	0900	78.0	J. Clingerman
	1200	79.1	J. Clingerman
	1500	79.9	C. Guillen
	1800	80.6	C. Guillen
	2100	80.9	C. Guillen
	2400	80.5	E. Ruiz

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	80.1	E Ruiz
	0600	79.5	J. Clingerman
	0900	79.3	J. Clingerman
	1200	79.7	J. Clingerman
	1500	81.0	C. Guillen
	1800	81.4	C. Guillen
	2100	81.9	C. Guillen
	2400	81.2	E Ruiz

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	81.1	E Ruiz
	0600	80.	J. Gallegos
	0900	80.7	T. Gonzalez
	1200	80.7	T. Gonzalez
	1500	81.0	C. Guillen
	1800	81.5	D. Flores
	2100	81.9	D. Flores
	2400	80.	S. Perez

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	82.2	L. YANG
	0600	80.9	T. Gonzalez
	0900	80.9	T GONZALEZ
	1200	81.0	T GONZALEZ
	1500	81.9	C. Guillen
	1800	82.3	C. Guillen
	2100	82.4	C. Guillen
	2400	82.5	L. YANG

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	83.5	L. YANG
	0600	82.0	A CHAVEZ
	0900	82.1	A CHAVEZ
	1200	82.1	A CHAVEZ
	1500	82.6	M Conway
	1800	82.1	M Conway
	2100	84.1	M Conway
	2400	83.6	L. YANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-3L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	81.7	O. Contreras SG
	0600	81.3	Contreras
	0900	81.5	Contreras
	1200	82.5	Contreras
	1500	87.5	WANDELL
	1800	87.8	WANDELL
	2100	85.3	WANDELL
	2400	84.0	CONTRERAS SG

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	83.5	O. CONTRERAS SG
	0600	81.3	Contreras
	0900	82.7	Contreras
	1200	84.8	Contreras
	1500	85.0	S GONZALEZ
	1800	87.5	S GONZALEZ
	2100	87.6	S GONZALEZ
	2400	86.0	O. CONTRERAS SG

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	83.6	O. CONTRERAS
	0600	83.6	Contreras
	0900	83.6	RAMIREZ
	1200	83.8	RAMIREZ
	1500	84.5	D. WANDELL
	1800	85.0	D. WANDELL
	2100	85.0	D. WANDELL
	2400	85.8	O. CONTRERAS

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	85.1	O. CONTRERAS
	0600	83.0	MARSHALL
	0900	84.7	MARSHALL
	1200	86.8	MARSHALL
	1500	88.8	D. WANDELL
	1800	89.8	D. WANDELL
	2100	89.9	D. WANDELL
	2400	89.7	RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	85.3	RAMIREZ
	0600	84.6	MARSHALL
	0900	84.8	RAMIREZ
	1200	86.7	MARSHALL
	1500	88.7	Sagastume
	1800	89.3	RAMIREZ
	2100	88.8	RAMIREZ
	2400	87.8	RAMIREZ

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	84.8	RAMIREZ
	0600	83.8	MARSHALL
	0900	86.6	MARSHALL
	1200	87.8	MARSHALL
	1500	90.6	A. GIL
	1800	91.1	E. RIMAANO
	2100	90.8	E. RIMAANO
	2400	87.3	P. Bryant SG

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	86.9	P. Bryant
	0600	86.6	L. Guillen
	0900	87.3	L. Guillen
	1200	89.3	L. Guillen
	1500	90.6	T. MARSHALL
	1800	92.4	T. MARSHAL
	2100	91.5	T. MASHAL
	2400	89.0	O. CONTRERAS SG

Notes

7/6/24 @ 1500 NOTIFIED SGT UHT STAGE 2
7/6/24 @ 1600 89.8°
@ 1700 90.3° @ 91.1° 1900
@ 1900 90.9° @ 2000 91.6°
@ 90.8° @
7/7/24 - 90.6 @ 1300 hrs. 1400 89.9°
@ 1500 91.9 @ 1600 92 @ 1700 92.4
@ 1800 92.4 @ 1900 91.9 @ 2000 91.6
@ 2100

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **T. Campbell**
WARDEN
Corcoran State Prison

DATE: July 4, 2024
TIME: 1800

FROM: D. GOSS
Correctional Lieutenant

NOU LOG # COR-NOU-04B-24-07-019

AREA: FAC 4B, 4B3L & 4B3R Building

INCIDENT LOG # N/A

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS
A.O.D. YES ☒ NO ☐
WARDEN YES ☐ NO ☒
HEADQUARTERS A.O.D. YES ☐ NO ☒
OIG YES ☐ NO ☒

BRIEF DESCRIPTION OF EVENT AND/OR ACTION: Stage II UHT Activation

On July 4, 2024, at approximately 1800 hours, 4B3L and 4B3R Building inside (sections) temperature reached 90 degrees, per Operational Procedure (OP) 208, Stage II Heat Alert has been activated. Per OP 208, staff has been informed to increase their observation of inmates on heat risk medications. Medical staff has been notified of Stage II activation; Medical staff will conduct welfare checks on inmates as well. All inmates were reminded section showers are available if needed, cold water and spray bottles are available if needed.

UHT Stage II protocols has been activated in accordance with Operational Procedures (OP) 208, all procedures will be adhered too.

Plant Ops will be contacted and made aware of conditions in 4B3R and 4B3L Building.

LOCATION OF INCIDENT:
4B3L and 4B3R BUIDLING

STAFF INVOLVED		INMATES INVOLVED				
Name	Injuries	Name	CDCR #	ETH	GANG	2005Injuries
Lt. D. Goss	N/A					

DISPOSITION OF CONTRABAND: N/A

ANALYSIS OF SITUATION: Heat related, and staff will closely monitor.

Original: Watch Commander

CC: Warden, Chief Deputy Warden, Associate Wardens, Correctional Captain, Facility Captains

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 3R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	86.9	O. Contreras
	0600	85.9	G. Alvarez
	0900	85.9	G. Alvarez
	1200	86.4	G. Alvarez
	1500	88	K. Rodriguez
	1800	88	K. Rodriguez
	2100	88.9	K. Rodriguez
	2400	86.3	A. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	86.1	A. Hernandez
	0600	86.5	J. Renteria
	0900	86.0	J. Renteria
	1200	86.9	J. Renteria
	1500	89	K. Rodriguez
	1800	89.	K. Rodriguez
	2100	89	K. Rodriguez
	2400	89.2	O. Contreras

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	88.6	O. Contreras
	0600	87.9	J. Renteria
	0900	88.2	J. Renteria
	1200	89.1	J. Renteria
	1500	89	K. Rodriguez
	1800	89	K. Rodriguez
	2100	88.9	K. Rodriguez
	2400	88.8	O. Contreras

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	87.9	O. Contreras
	0600	85.1	J. Rosales
	0900	86.1	J. Rosales
	1200	88.0	J. Rosales
	1500	89	D. Rodriguez
	1800	90	D. Rodriguez
	2100	90	D. Rodriguez
	2400	88	Ramirez

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	86.5	Ramirez
	0600	86.6	[illegible]
	0900	87.0	Brilling
	1200	88.0	Brilling
	1500	89.0	Vinson
	1800	89	Zeyen
	2100	89.1	Zeyen
	2400	88.1	Ramirez

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	87.7	Ramirez
	0600	86.0	S. Loza
	0900	87.5	S. Loza
	1200	89.1	S. Loza
	1500	90.1	D. Vaughn
	1800	91.6	J. Bennett
	2100	90.9	J. Bennett
	2400	89.1	R. Bryant

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	88.9	R. Bryant
	0600	87.8	E. Dimaano
	0900	88.9	G. Alvarez
	1200	90.1	G. Alvarez
	1500	91.1	D. Vaughn
	1800	91.2	Vaughn
	2100	91.3	Vaughn
	2400	90.1	O. Contreras

Notes

1140 - 90° in Unit
A. Rudolph

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **T. Campbell**
WARDEN (A)
Corcoran State Prison

DATE: JULY 2, 2024
TIME: 1706

FROM: B. LEE
Correctional Sergeant

NOU LOG # COR-NOU-04B-24-07-012

AREA: FAC 4B, 4B3R Building

INCIDENT LOG # N/A

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS
A.O.D. YES ☐ NO ☒
WARDEN YES ☐ NO ☒
HEADQUARTERS A.O.D. YES ☐ NO ☒
OIG YES ☐ NO ☒

BRIEF DESCRIPTION OF EVENT AND/OR ACTION: Stage II UHT Activation

On July 2, 2024, at approximately 1706 hours, 4B3R Building inside (sections) temperature reached 90.2 degrees, per Operational Procedure (OP) 208, Stage II Heat Alert has been activated. Per OP 208, staff has been informed to increase their observation of inmates on heat risk medications. Medical staff has been notified of Stage II activation; Medical staff will conduct welfare checks on inmates as well. All inmates were reminded section showers are available if needed, cold water and spray bottles are available if needed.

UHT Stage II protocols has been activated in accordance with Operational Procedures (OP) 208, all procedures will be adhered too.

Plant Ops will be contacted and made aware of conditions in 4B3R Building.

LOCATION OF INCIDENT:
4A3L BUIDLING

STAFF INVOLVED		INMATES INVOLVED				
Name	Injuries	Name	CDCR #	ETH	GANG	2005Injuries
SGT, B. Lee	N/A					

DISPOSITION OF CONTRABAND: N/A

ANALYSIS OF SITUATION: Isolated

Original: Watch Commander

CC: Warden, Chief Deputy Warden, Associate Wardens, Correctional Captain, Facility Captains

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **T. Campbell**
WARDEN
Corcoran State Prison

DATE: July 7, 2024
TIME: 1340

FROM: B. Markin
Correctional Sergeant

NOU LOG # COR-NOU-04B-24-07-038

AREA: FAC 4B, 4B3L Building

INCIDENT LOG # N/A

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS
A.O.D. YES ☒ NO ☐
WARDEN YES ☐ NO ☒
HEADQUARTERS A.O.D. YES ☐ NO ☒
OIG YES ☐ NO ☒

BRIEF DESCRIPTION OF EVENT AND/OR ACTION: Stage II UHT Activation

On July 7, 2024, at approximately 1340 hours, Housing Unit 4B3L inside (sections) temperature reached 90 degrees, per Operational Procedure (OP) 208, Stage II Heat Alert has been activated. Per OP 208, staff has been informed to increase their observation of inmates on heat risk medications. Medical staff has been notified of Stage II activation; Medical staff will conduct welfare checks on inmates as well. All inmates were reminded section showers are available if needed, cold water and spray bottles are available if needed.

UHT Stage II protocols has been activated in accordance with Operational Procedures (OP) 208, all procedures will be adhered too.

Plant Ops will be contacted and made aware of conditions in 4B3L.

LOCATION OF INCIDENT:
4B3L

STAFF INVOLVED		INMATES INVOLVED				
Name	Injuries	Name	CDCR #	ETH	GANG	2005Injuries
Sgt. B. Markin	N/A					

DISPOSITION OF CONTRABAND: N/A

ANALYSIS OF SITUATION: Heat related, and staff will closely monitor.

Original: Watch Commander

CC: Warden, Chief Deputy Warden, Associate Wardens, Correctional Captain, Facility Captains

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 41 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	80.7	RAMIREZ
	0600	79.0	J. Rojas
	0900	79.1	J. CASTRO
	1200	79.9	J. CASTRO
	1500	79.6	E. RAMIREZ
	1800	79.8	E. RAMIREZ
	2100	80.4	E. RAMIREZ
	2400	79.8	K. ADWIN

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	79.5	M. RAMIREZ
	0600	79.6	J. Rojas
	0900	79.3	J. Rojas
	1200	80.1	J. Rojas
	1500	80.1	HANO
	1800	80.9	HANO
	2100	80.9	HANO
	2400	80.3	GARZA

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	80.0	A. GARZA
	0600	79.3	HUERTANO
	0900	80.0	HUERTANO
	1200	80.4	J. CASTRO
	1500	80.7	HANO
	1800	81.3	HANO
	2100	81.3	HANO
	2400	80.6	GARZA

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	80.4	GARZA
	0600	80.2	HUERTANO
	0900	80.7	HUERTANO
	1200	81.0	HUERTANO
	1500	81.5	HANO
	1800	82.0	HANO
	2100	82.1	HANO
	2400	80.8	RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	80.9	RAMIREZ
	0600	80.8	HUERTANO
	0900	80.8	HUERTANO
	1200	81.0	HUERTANO
	1500	81.4	HANO
	1800	82.5	HANO
	2100	82.3	HANO
	2400	81.6	D. GARZA

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	81.1	A. GARZA
	0600	80.9	HUERTANO
	0900	81.0	HUERTANO
	1200	81.4	HUERTANO
	1500	82.4	E. RAMIREZ
	1800	83.8	E. RAMIREZ
	2100	83.6	E. RAMIREZ
	2400	83.0	J. BANO

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	82.1	J. BANO
	0600	81.6	HUERTANO
	0900	81.6	HUERTANO
	1200	82.8	HUERTANO
	1500	84.8	[illegible]
	1800	84.8	[illegible]
	2100	84.8	[illegible]
	2400	84.5	M. RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 4R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	82.6	RAMIREZ
	0600	81.9	C Hutchess
	0900	82.0	C Hutchess
	1200	83.0	C Hutchess
	1500	83.8	J. RIVERA
	1800	83.2	J. RIVERA
	2100	83.5	J. RIVERA
	2400	83.4	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	81.5	RAMIREZ
	0600	82.1	M. ALVAREZ
	0900	82.4	M. ALVAREZ
	1200	83.3	T Hutchens
	1500	83.5	S. LOZA
	1800	84.2	S. LOZA
	2100	83.8	S. LOZA
	2400	85.0	A. GARZA

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	82.9	A. GARZA
	0600	82.4	M. ALVAREZ
	0900	83.0	Carranza
	1200	84	M. ALVAREZ
	1500	84	ESPINOZA
	1800	85	C. ALCANTAR
	2100	84.7	C. ALCANTAR
	2400	83.4	A. GARZA

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	83.4	GARZA
	0600	83.5	ALVAREZ
	0900	84	ALVAREZ
	1200	84.4	ALVAREZ
	1500	85.2	J. Vidad
	1800	85.5	J. Vidad
	2100	85.6	J. Vidad
	2400	85.2	RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	84.1	RAMIREZ
	0600	84.5	M. ALVAREZ
	0900	83.2	M. ALVAREZ
	1200	85.2	M. ALVAREZ
	1500	85.2	C. ALCANTAR
	1800	85.8	C. ALCANTAR
	2100	85.6	C. ALCANTAR
	2400	83.2	A. GARZA

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	84.4	A. GARZA
	0600	84.4	Carranza
	0900	84.6	Carranza
	1200	85.3	Carranza
	1500	85.8	Carranza
	1800	86.4	Carranza
	2100	86.1	Carranza
	2400	85.6	J. Baro

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	86.4	J. Baro
	0600	86.4	E. Chavez
	0900	85.2	E. Chavez
	1200	87.2	E. Chavez
	1500	88	J. RIVERA
	1800	88	[illegible]
	2100	87.4	[illegible]
	2400	87.2	RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: RHU Temp. Reading Location: Sections A-H (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	76	B. Rocha
	0600	76°	R. Rubio
	0900	76.5°	R. Rubio
	1200	77.6	R. Rubio
	1500	77.8	I. Rodriguez
	1800	77.9	I. Rodriguez
	2100	77.9	I. Rodriguez
	2400	77	B. Rocha

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	76	B. Rocha
	0600	76.1	R. Rubio
	0900	76.5	R. Rubio
	1200	77.2	R. Rubio
	1500	77.2	I. Rodriguez
	1800	78	I. Rodriguez
	2100	79	I. Rodriguez
	2400	77.2	B. Rocha

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	77.2	B. Rocha
	0600	76.6	J. Alvarez
	0900	77.1	J. Alvarez
	1200	78.1	J. Alvarez
	1500	78.0	Rodriguez
	1800	78	Rodriguez
	2100	78	Rodriguez
	2400	77	B. Rocha

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	77.4	B. Rocha
	0600	77.2	R. Rubio
	0900	77.4	R. Rubio
	1200	78.3	R. Rubio
	1500	78.8	S. Mora
	1800	79.2	S. Mora
	2100	78.9	S. Mora
	2400	78.0	Murriera

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	77	[illegible]
	0600	77.7	R. Rubio
	0900	77.7	R. Rubio
	1200	78.4	R. Rubio
	1500	79.3	S. Cortez
	1800	79.7	S. Cortez
	2100	80.4	S. Cortez
	2400	80	J. Esteves

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	78	J. Esteves
	0600	77	Torres
	0900	79	Torres
	1200	79	Torres
	1500	79	I. Rodriguez
	1800	79	I. Rodriguez
	2100	79	S. Rodriguez
	2400	79	Litrus

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	79	Litrus
	0600	79	Torres
	0900	79	Torres
	1200	79	Torres
	1500	79	I. Rodriguez
	1800	79	I. Rodriguez
	2100	79	I. Rodriguez
	2400	79	E. Tapia

Notes:

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT J

INSIDE TEMPERATURE RECORD LOG
CSP-CORCORAN

WEEK OF 7/8/2024- 7/14/2024

MONDAY DATE 7/8	TUESDAY DATE 7/9	WEDNESDAY DATE 7/10	THURSDAY DATE 7/11	FRIDAY DATE 7/12	SATURDAY DATE 7/13	SUNDAY DATE 7/14
1A01	1A01	1A01	1A01	1A01	1A01	1A01
1B01	1B01	1B01	1B01	1B01	1B01	1B01
1C01	1C01	1C01	1C01	1C01	1C01	1C01
1D01	1D01	1D01	1D01	1D01	1D01	1D01
1E01	1E01	1E01	1E01	1E01	1E01	1E01
3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C
3A02 I	3A02 C	3A02 C	3A02 C	3A02 I	3A02 C	3A02 C
3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C
3A04 C	3A04 I	3A04 C	3A04 I	3A04 C	3A04 C	3A04 I
3A05 I	3A05 C	3A05 C	3A05 I	3A05 C	3A05 I	3A05 I
3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C
3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C
3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C
3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 C
3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05 C
3C01	3C01	3C01	3C01	3C01	3C01	3C01
3C02	3C02	3C02	3C02	3C02	3C02	3C02
3C03	3C03	3C03	3C03	3C03	3C03	3C03
3C04	3C04	3C04	3C04	3C04	3C04	3C04
3C05	3C05	3C05	3C05	3C05	3C05	3C05
4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C
4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C
4A2L	4A2L	4A2L	4A2L	4A2L	4A2L	4A2L
4A2R	4A2R	4A2R	4A2R	4A2R	4A2R	4A2R
4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L
4A3R	4A3R	4A3R	4A3R	4A3R	4A3R	4A3R
4A4L T	4A4L T	4A4L T	4A4L C	4A4L C	4A4L C	4A4L C
4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R C
4B1L C	4B1L C	4B1L C	4B1L T	4B1L T	4B1L T	4B1L T
4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C
4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C
4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C
4B3L T	4B3L T	4B3L C	4B3L C	4B3L C	4B3L C	4B3L C
4B3R T	4B3R T	4B3R C	4B3R C	4B3R C	4B3R C	4B3R C
4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L
4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C
ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C

C (BLUE)=COMPLETE I (GREEN)=INCOMPLETE NC (BLACK)=NOT RECEIVED T (RED)=90 DEGREES

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **T. L. Campbell**
WARDEN
Corcoran State Prison

DATE: **07/08/2024**
TIME: **1000 Hours**

FROM: **J. McIntyre**
Watch Commander

LOG # COR-NOU-OCS-24-07-047

AREA: 3A SAP Classroom

INCIDENT LOG # NA
(If Applicable)

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS
A.O.D. YES ☒ NO ☐
WARDEN YES ☐ NO ☐
HEADQUARTERS A.O.D. YES ☐ NO ☒
OIG YES ☐ NO ☒

DESCRIPTION OF CRIME / INCIDENT: **Stage II UHT**

On Monday, July 8, 2024, at approximately 1000 hours, Facility 3A Substance Abuse Program (SAP) Officers reported that the SAP classroom inside temperature reached 90 degrees. No inmates in the classroom at the time are UHT therefore were not sent back to the Facility.

Operational Procedure (OP) 208, Stage II Heat Alert was activated.

Isolated incident, no staff or inmates injured.

LOCATION OF INCIDENT:
3A SAP Classroom

STAFF INVOLVED			INMATES INVOLVED			
Name	Date Trained on 40 MM	Date Trained CPR	Name	CDCR #	ETH	GANG

DISPOSITION OF CONTRABAND:
N/A

ANALYSIS OF SITUATION:
Isolated Incident

Original: Watch Commander

CC: Warden, Chief Deputy Warden, Associate Wardens, Correctional Captain, Facility Captains

Memorandum

Date: July 18, 2024

To: P. WILLIAMS
Correctional Counselor II - Litigation
California State Prison - Corcoran

Subject: **PROOF OF PRACTICE FOR OP 208 – HEAT PLAN**

The purpose of this memorandum is to serve as Proof of Practice documenting that training was provided to all staff regarding OP 208 – Heat Plan. Please see attached copy of CDCR 844's.

If you have any questions regarding this memorandum, please contact me at (559) 992-8800 extension [redacted]

D. MADSEN
Facility 3A Captain
California State Prison – Corcoran

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE	OP 208 HEAT PLAN	TIME	08:00 HRS	DATE	Thursday, July 18, 2024
AUDIENCE	CUSTODY	INSTRUCTOR	M. NAVARRO	LENGTH (IN HOURS)	0.5
LOCATION	3A FACILITY	BET ID (List all applicable)	TIC# CAPT-24-007		

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	~~Garcia, E.~~	~~CCT~~	~~06:00-14:00~~	~~08:00~~	~~08:30~~	~~N~~	~~N~~	
2	[redacted]	Pritchard, A.T	CO	06:00-14:00	08:00	08:30	N	N	
3	[redacted]	Moya, E.F	CO	06:00-14:00	08:00	08:30	N	N	
4	[redacted]	Rios Martinez, J.L	CO	06:00-14:00	08:00	08:30	N	N	
5	[redacted]	Camacho, F.	CO	06:00-14:00	08:00	08:30	N	N	F Camacho
6	[redacted]	Alejo, J.V	CO	06:00-14:00	08:00	08:30	N	N	
7	[redacted]	Lopez, V.I	CO	06:00-14:00	08:00	08:30	N	N	
8	[redacted]	Duarte, C.	CO	06:00-14:00	08:00	08:30	N	N	
9	[redacted]	Cervantes, A.H	CO	06:00-14:00	08:00	08:30	N	N	
10	[redacted]	Tapia, D.	CO	07:30-15:30	08:00	08:30	N	N	
11	[redacted]	Gurrola, J.C	CO	04:00-12:00	08:00	08:30	N	N	
12	[redacted]	Marin Sharp, J.A	CO	06:00-14:00	08:00	08:30	N	N	
13	[redacted]	Avalos, J.	CO	06:00-14:00	08:00	08:30	N	N	
14	[redacted]	Wooden, B.F	CO	06:00-14:00	08:00	08:30	N	N	
15	[redacted]	Cortes, S.	CO	06:00-14:00	08:00	08:30	N	N	
16	[redacted]	Ortega, J.A	CO	06:00-14:00	08:00	08:30	N	N	
17	[redacted]	Riley, M.E	CO	06:00-14:00	08:00	08:30	N	N	
18	[redacted]	Barajas, J.M	CO	06:00-14:00	08:00	08:30	N	N	
19	[redacted]	Alvarez, J.L	CO	06:00-14:00	08:00	08:30	N	N	
20	[redacted]	Lopez, M.A	CO	06:00-14:00	08:00	08:30	N	N	
21	[redacted]	Gamboa, R.	CO16116	06:00-14:00	08:00	08:30	N	N	
22	[redacted]	Navarro Diaz, A.	CO96402	06:00-14:00	08:00	08:30	N	N	
23	[redacted]	Navarro, C.	CO72034	06:00-14:00	08:00	08:30	N	N	
24	[redacted]	Yanez, N.L	CO	08:00-16:00	08:00	08:30	N	N	

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

M. NAVARRO

PERNR [redacted]

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDC-844 (Rev. 06/14)

TITLE	OP 208 HEAT PLAN	TIME	HRS	DATE	Thursday, July 18, 2024
AUDIENCE	CUSTODY	INSTRUCTOR	M. NAVARRO	LENGTH (IN HOUR	0.5
LOCATION	3A FACILITY				
BET ID (List all applicable)	TIC# CAPT-24-007				

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Adaza, B.K	CO	08:00-16:00	08:00	08:30	N	N	
2	[redacted]	Ogunyinka, A.A	CO	06:00-14:00	08:00	08:30	N	N	
3	[redacted]	~~Pritchard, A.T~~	~~CO~~	~~06:00-14:00~~	~~08:00~~	~~08:30~~	~~N~~	~~N~~	Duplicate
4		.							
5		.							
6		.							
7		.							
8		.							
9		.							
10		.							
11		.							
12		.							
13		.							
14		.							
15		.							
16		.							
17		.							
18		.							
19		.							
20									
21									
22									
23									
24		.							

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

M. NAVARRO

PERNR

[redacted]

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE	OP 208 HEAT PLAN 2024	TIME	0001 HRS	DATE	Thursday, July 18, 2024
AUDIENCE	Custody	INSTRUCTOR	Sgt A. Parra	LENGTH (IN HOURS)	0.5
LOCATION	3A Facility				

BET ID (List all applicable) TIC# CAPT-24-007

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Esparza, A.	CO	22:00-06:00	0001	0030	N	N	
2	[redacted]	Diaz, J.	CO	22:00-06:00	0001	0030	N	N	
3	[redacted]	Anaya, M.M	CO	22:00-06:00	0001	0030	N	N	
4	[redacted]	Ledesma, E.	CO	22:00-06:00	0009	0030	N	N	
5	[redacted]	Parra, A.	SGT	22:00-06:00	0001	0030	N	N	
6	[redacted]	Gonzalez, S.A	CO	22:00-06:00	0001	0030	N	N	
7	[redacted]	Yang, C.	CO	22:00-06:00	0001	0030	N	N	
8	[redacted]	Cazares, A.	CO	22:00-06:00	0001	0030	N	N	
9	[redacted]	Ceja, L.J	CO	22:00-06:00	0001	0030	N	N	
10	[redacted]	See, J.	CO	22:00-06:00	0001	0030	N	N	
11	[redacted]	Ervin, D.M	CO	22:00-06:00	0001	0030	N	N	D-E
12	[redacted]	Alcocer, G.	CO	22:00-06:00	0001	0030	N	N	
13	[redacted]	Ruffin, D.	CO	22:00-06:00	0001	0030	N	N	
14	[redacted]	Barrera, G.C	CO	22:00-06:00	0001	0030	N	N	
15	[redacted]	Field, R.K	CO	22:00-06:00	0001	0030	N	N	
16	[redacted]	Field, R.K	CO	22:00-06:00	0001	0030	N	N	
17	[redacted]	Ledesma, E.	CO	22:00-06:00	0001	0030	N	N	
18	[redacted]	Yang, C.	CO	22:00-06:00	0001	0030	N	N	
19	[redacted]	See, J.	CO	22:00-06:00	0001	0030	N	N	
20	[redacted]								
21			21	-			21		21
22			22	-			22		22
23			23	-			23		23
24				-					

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

Sgt A. Parra

PERNR

[redacted]

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Operational Procedure 208 – Heat Plan (Expectations)	TIME: 1700	DATE: 7/17/2024

AUDIENCE:	INSTRUCTOR:	LENGTH (IN HOURS) :	LOCATION:
Custody Staff	A. Gonzales	.25	Facility 3A

BET ID (List all applicable): 11054134

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1.	[redacted]	Silva, M	SGT	1400-2200	1700	1715	N	N	
2.	[redacted]	Perez, R	CO	1400-2200	1700	1715	N	N	
3.	[redacted]	Trujillo, G	CO	1400-2200	1700	1715	N	N	
4.	[redacted]	Diaz, C	CO	1400-2200	1700	1715	N	N	
5.	[redacted]	Jones, J	CO	1400-2200	1700	1715	N	N	
6.	[redacted]	Murrillo Sanchez, A	CO	1400-2200	1700	1715	N	N	
7.	[redacted]	Diaz, R	CO	1400-2200	1700	1715	N	N	
8.	[redacted]	Aparicio, F	CO	1400-2200	1700	1715	N	N	
9.	[redacted]	Galvan, E	CO	1400-2200	1700	1715	N	N	
10.	[redacted]	Smith, C	CO	1400-2200	1700	1715	N	N	
11.	[redacted]	Becerra, E	CO	1400-2200	1700	1715	N	N	
12.	[redacted]	Yanez, N	CO	1400-2200	1700	1715	N	N	
13.	[redacted]	Rielo, G	CO	1400-2200	1700	1715	N	N	
14.									
15.									
16.									
17.									
18.									
19.									
20.									
21.									
22.									
23.									
24.									

INSTRUCTOR'S SIGNATURE

PERNER: [redacted] SIGNATURE

ALL COLUMNS MUST BE COMPLETED

STATE OF CALIFORNIA
TRAINING PARTICIPATION SIGN-IN SHEET
CDCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Operational Procedure 208 – Heat Plan (Expectations)	TIME: 1730	DATE: 7/17/2024

AUDIENCE:	INSTRUCTOR:	LENGTH (IN HOURS) :	LOCATION:
Custody Staff	A. Gonzales	.25	Facility 3A

BET ID (List all applicable): 11054134

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1.	[redacted]	Garcia, E	SGT	1400-2200	1730	1745	N	N	
2.		White, D	CO	1400-2200	1700	1715	N	N	
3.		Cervantes Moreno, J	CO	1400-2200	1700	1715	N	N	
4.		Bautista, O	CO	1400-2200	1700	1715	N	N	
5.		Herrera Garcia, J	CO	1400-2200	1700	1715	N	N	
6.		Flores, J	CO	1400-2200	1700	1715	N	N	
7.		Moles, K	CO	1400-2200	1700	1715	N	N	
8.		Thayer, M	CO	1400-2200	1700	1715	N	N	
9.									
10.									
11.									
12.									
13.									
14.									
15.									
16.									
17.									
18.									
19.									
20.									
21.									
22.									
23.									

INSTRUCTOR'S SIGNATURE

PERNER: [redacted]

ALL COLUMNS MUST BE COMPLETED

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A01 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	79	D. Nora
	0600	79	K. Yang
	0900	81	K. Yang
	1200	84	K. Yang
	1500	85	R. Pen
	1800	87.3	R. Pen
	2100	84.4	R. Pen
	2400	83	D. Nora

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	80	D. Nora
	0600	80	E. Zapien
	0900	80	E. Zapien
	1200	83	E. Zapien
	1500	84	Pen
	1800	86.1	Pen
	2100	87.1	Pen
	2400	82	D. Nora

Wednesday

Date	Time	Temp.	Name (Print)
	0300	80	D. Nora
	0600	79	K. Yang
	0900	80	K. Yang
	1200	82	K. Yang
	1500	85	R. Pen
	1800	86.5	R. Pen
	2100	84.1	R. Pen
	2400	83.5	D. Hicks

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	82.5	D Hicks
	0600	80.8	T Douthat
	0900	82.1	T. Douthat
	1200	83.6	T Douthat
	1500	85.3	M Lopez
	1800	85.3	M. Lopez
	2100	84.4	M. Lopez
	2400	84.1	D Hicks

Friday

Date	Time	Temp.	Name (Print)
	0300	82	D Hicks
	0600	81	M. Cruz
	0900	82.4	M. Cruz
	1200	83.7	M. Cruz
	1500	85.1	J. Barajas
	1800	84.7	J. Barajas
	2100	84.9	J. Barajas
	2400	83.8	J. Pio

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	82.9	J. Pio
	0600	83.1	J. Pio
	0900	82.8	M. Cruz
	1200	83.8	M. Cruz
	1500	84.9	G. Rodriguez
	1800	86.0	G. Rodriguez
	2100	84.6	G. Rodriguez
	2400	84.0	J. Perton

Sunday

Date	Time	Temp.	Name (Print)
	0300	82	J. Perton
	0600	82	[illegible]
	0900	82	[illegible]
	1200	84	[illegible]
	1500	85.1	G. Rodriguez
	1800	85.6	G. Rodriguez
	2100	86.2	G. Rodriguez
	2400	83	D. Nora

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1 through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A02 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7	0300		D Hicks
	0600	81.5	M. Cruz
8	0900	82	M. Cr
	1200	84.2	M. Cr
24	1500	84.7	Mora
	1800	86.2	Mora
	2100	85.6	Mora
	2400	84	DS

Tuesday

Date	Time	Temp.	Name (Print)
7	0300	81	D. S
	0600	80	D Sh
	0900	80	D Sh
9	1200	82	D. Sh
	1500	84	Jfoney
24	1800	85	Jfoney
	2100	84	Jfoney
	2400	83	D. S

Wednesday

Date	Time	Temp.	Name (Print)
7	0300	82	D S
	0600	79	S. Cortes
	0900	81	S. Cortes
10	1200	83	S. Cortes
	1500	84	J Jones
24	1800	85	J Jones
	2100	84	J Jones
	2400	83	J. BELTRAN

Thursday

Date	Time	Temp.	Name (Print)
7	0300	82.6	J. BELTRAN
	0600	81	S. Cortes
	0900	82	S. Cortes
11	1200	83	S. Cortes
	1500	84	J Jones
24	1800	82	J Jones
	2100	86	J Jones
	2400	85	C Desvere

Friday

Date	Time	Temp.	Name (Print)
7	0300	84	C Desvere
	0600	82	S. Cortes
12	0900	83	S. Cortes
	1200	84	S. Cortes
	1500	80	J Jones
24	1800	85	J Jones
	2100		J Jones
	2400	83	C. Desvere

Saturday

Date	Time	Temp.	Name (Print)
7	0300	83	C. Desvere
	0600	83	S. Cortes
	0900	84	S. Cortes
13	1200	85	S. Cortes
	1500	85	J Jones
24	1800	76	J Jones
	2100	75	J Jones
	2400	83.2	D Hicks

Sunday

Date	Time	Temp.	Name (Print)
7	0300	82.9	D Hicks
	0600	82.4	M. Cruz
14	0900	82.6	M. Cruz
	1200	83.7	M. Cr
24	1500	86.2	J Alonso
	1800	86.2	J Alonso
	2100	86.0	J Alonso
	2400	81.9	D Hicks

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A03 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7 - 8-24

Date	Time	Temp.	Name (Print)
	0300	80	C. Montes
	0600	76	C. Montes
	0900	78	Gaxiola
	1200	79	Gaxiola
	1500	79	[illegible]
	1800	79	[illegible]
	2100	77	[illegible]
	2400	77	C. Calderon

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	77	C. Calderon
	0600	78	Gaxiola
	0900	79	Gaxiola
	1200	80	Gaxiola
	1500	79	[illegible]
	1800	79	[illegible]
	2100	77	[illegible]
	2400	80	G. Alcocer

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	80	G. Alcocer
	0600	80	M. Gaxiola
	0900	80	M. Gaxiola
	1200	80	M. Gaxiola
	1500	79	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	80	G. Alcocer

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	80	G. Alcocer
	0600	80	Gaxiola
	0900	80	Gaxiola
	1200	80	Gaxiola
	1500	80	A. De La Torre
	1800	80	A. De La Torre
	2100	80	A. De La Torre
	2400	81	G. Alcocer

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	80	G. Alcocer
	0600	80	M. Gaxiola
	0900	80	Gaxiola
	1200	80	Gaxiola
	1500	80	B. Alvarado
	1800	80	B. Alvarado
	2100	80	B. Alvarado
	2400	80	M. Singh

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	80	M. Singh
	0600	80	M. Singh
	0900	80	J. Salazar
	1200	80	J. Salazar
	1500	81	B. Alvarado
	1800	81	B. Alvarado
	2100	81	B. Alvarado
	2400	80	M. Singh

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	80	M. Singh
	0600	80	M. Singh
	0900	80	M. Singh
	1200	80	J. Salazar
	1500	80	[illegible]
	1800	80	[illegible]
	2100	77	[illegible]
	2400	80	G. Alcocer

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR-2041 (04/18)

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A04 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/24	0300	77°	M SINGH
	0600	76°	Elizarraga
	0900	77°	Elizarraga
	1200	80°	Elizarraga
	1500	80	MEDINA
	1800	80°	MEDINA
	2100	80	MEDINA
	2400	78°	M SINGH

Tuesday

Date	Time	Temp.	Name (Print)
7/24	0300		
	0600	70°	Elizarraga
	0900	75°	Elizarraga
	1200	80°	Elizarraga
	1500	79°	R. ESQUIVEL
	1800	78°	R. ESQUIVEL
	2100	78	R. ESQUIVEL
	2400	78°	J. Lobo

Wednesday

Date	Time	Temp.	Name (Print)
7/20	0300	77°	J. Lobo
	0600	75	J. Cruz
	0900	78	J. Cruz
	1200	79	J. Cruz
	1500	79°	A. LAZCANO
	1800	79°	A. LAZCANO
	2100	79°	A. LAZCANO
	2400	79	J. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300		
	0600	79	J. BARAJAS
	0900	80	J. BARAJAS
	1200	82	J. BARAJAS
	1500	84	C. TORRES
	1800	82	C. Torres
	2100	80	C. Torres
	2400	77	G. Barrera

Friday

Date	Time	Temp.	Name (Print)
7/21/24	0300	77	G. Barrera
	0600	75°	Elizarraga
	0900	78°	Elizarraga
	1200	80°	Elizarraga
	1500	80	Moore
	1800	80	Moore
	2100	80	Moore
	2400	79	G. Barrera

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	77	G. Barrera
	0600	75°	Elizarraga
	0900	79°	Elizarraga
	1200	80°	Elizarraga
	1500	80	S. Moore
	1800	80	S. Moore
	2100	79	S. Moore
	2400	77	G. Barrera

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	77	G. Barrera
	0600	75°	Elizarraga
	0900	80°	Elizarraga
	1200	81°	Elizarraga
	1600	81°	APARICIO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan
STATE OF CALIFORNIA

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the Heat Risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the Heat Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCR. Housing Unit: 3A005 Temp. Reading Location: DAYroom v. chute
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/8

Date	Time	Temp.	Name (Print)
7/8/24	0300	78.8	
	0600	79.1	Perez
	0900		
	1200		
	1500	85.7	B
	1800	85.1	B
	2100	83.8	B
	2400	83	G. RIVERA

Tuesday 7/9

Date	Time	Temp.	Name (Print)
7/9/24	0300	78	G. RIVERA
	0600	79	R. Gamboa
	0900	81	R. Gamboa
	1200	81	R. Gamboa
	1500	84	D. Elizondo
	1800	87	D. Elizondo
	2100	85	D. Elizondo
	2400	80	M. SINGH

Wednesday 7/10

Date	Time	Temp.	Name (Print)
7/10/24	0300	78	M SINGH
	0600	77	M SINGH
	0900	80	R. Gamboa
	1200	81	R. Gamboa
	1500	83	D Elizondo
	1800	87	D Elizondo
	2100	81	D Elizondo
	2400	81	[illegible]

Thursday 7/11

Date	Time	Temp.	Name (Print)
7/11/24	0300	8[illegible]	[illegible]
	0600	80	R. Gamboa
	0900	80	R. Gamboa
	1200	82	R. Gamboa
	1500	82	J. Poole
	1800		
	2100		
	2400	83	FIELD

Friday 7/12

Date	Time	Temp.	Name (Print)
7/12/24	0300	81	FIELD
	0600	80	R. Gamboa
	0900	81	R. Gamboa
	1200	82	R. Gamboa
	1500	80	J. Leon
	1800	81	J. Leon
	2100	80	J. Leon
	2400	83	FIELD

Saturday 7/13

Date	Time	Temp.	Name (Print)
7/13/24	0300	82	FIELD
	0600	80	A. Flores
	0900	82	A. Flores
	1200	84	A. Flores
	1500	80	J. SANDOVAL
	1800	86	J. SANDOVAL
	2100		
	2400	82.9	V. Acosta

Sunday 7/14

Date	Time	Temp.	Name (Print)
7/14/24	0300		
	0600	81	E. Rey
	0900		
	1200		
	1500	83.7	B. Alvarado
	1800	84.6	B. Alvarado
	2100	84.2	B. Alvarado
	2400	87.	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Revised 2021

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B01 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.8.24	0300	81°	G. RIVERA
	0600	81	A. Salinas
	0900	82	Salinas
	1200	84	Salinas
	1500	85°	H. AGUIRRE
	1800	84°	H. AGUIRRE
	2100	84°	D. [illegible]
	2400	83	R PHILLIPS

Tuesday

Dat	Time	Temp.	Name (Print)
7.9.24	0300	81	R. PHILLIPS
	0600	81	D. LIMA
	0900	82	D. LIMA
	1200	83	D. LIMA
	1500	85	M. HARE
	1800	84	M. HARE
	2100	84	M. HARE
	2400	82	PHILLIPS

Wednesday

Date	Time	Temp.	Name (Print)
7.10.24	0300	81	PHILLIPS
	0600	81	D. LIMA
	0900	82	D. LIMA
	1200	83	D. LIMA
	1500	84	A. Leon
	1800	84	A. Leon
	2100	84	A. Leon
	2400	83	PHILLIPS

Thursday

Date	Time	Temp.	Name (Print)
7.11.24	0300	81	PHILLIPS
	0600	81	D. LIMA
	0900	82	D. LIMA
	1200	83	D. LIMA
	1500	84°	H. AGUIRRE
	1800	85°	H. AGUIRRE
	2100	86°	H. AGUIRRE
	2400	82°	M. Hide

Friday

Date	Time	Temp.	Name (Print)
7.12.24	0300	81	M. Hide
	0600	81	D. LIMA
	0900	82	D. LIMA
	1200	82	D. LIMA
	1500	85°	H. AGUIRRE
	1800	85°	H. AGUIRRE
	2100	86°	H. AGUIRRE
	2400	84°	M. GUEVARA

Saturday

Date	Time	Temp.	Name (Print)
7.13.24	0300	83°	M. GUEVARA
	0600	83	E. Segura
	0900	83	E. Segura
	1200	84	E. Segura
	1500	84	D. Silva
	1800	85	D. Silva
	2100	84	D. Silva
	2400	82°	G. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
7.14.24	0300	82°	G. RIVERA
	0600	82	E. Segura
	0900	82	E. Segura
	1200	84	E. Segura
	1500	85	M. Ibarra
	1800	85	M. Ibarra
	2100	85	M. Ibarra
	2400	82°	G. RIVERA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B02 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	85	L.MAGDALENO
	0600	82	H Martinez
	0900	84	H. Martinez
	1200	84	H. Martinez
	1500	85	ASPARZA
	1800	85	ASPARZA
	2100	84	ASPARZA
	2400	84	L.MAGDALENO

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	80	L.MAGDALENO
	0600	80	H. Martinez
	0900	82	H. Martinez
	1200	83	H Martinez
	1500	84	M Spain
	1800	84	M Spain
	2100	84	M. Spain
	2400	83	L.MAGDALENO

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	78	L.MAGDALENO
	0600	79	E. Segura
	0900	81	E. Segura
	1200	83	E. Segura
	1500	84	M. Spain
	1800	85	M. Spain
	2100	84	M. Spain
	2400	84	L.MAGDALENO

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	81	L.MAGDALENO
	0600	81	Urrano
	0900	82	Urrano
	1200	84	Urrano
	1500	85	J. Sanchez
	1800	86	J. Sanchez
	2100	86	J. Sanchez
	2400	84	Palacios

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	83	Palacios
	0600	82	H. Martinez
	0900	82	H. Martinez
	1200	84	H. Martinez
	1500	84	E
	1800	85	E
	2100	86	E
	2400	84	Palacios

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	83	Palacios
	0600	82	Martinez
	0900	83	Martinez
	1200	84	Martinez
	1500	85	J.BARRAS
	1800	86	J.BARRAS
	2100	85	J.BARRAS
	2400	84	J. Isais

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	82	J. Isais
	0600	80°	REEDER
	0900	82°	REEDER
	1200	82°	REEDER
	1500	82°	MOUA
	1800	85°	MOUA
	2100	85°	MOUA
	2400	83	MAGDALENO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B03 Temp. Reading Location: CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6/20 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	83°	J. Bruen
	0600	81°	S Pena
	0900	83°	S Pena
	1200	84°	S Pena
	1500	85	D Shu
	1800	85	D Shu
	2100	85	D Shu
	2400	83°	J. Bruen

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	83	J. Bruen
	0600	81	S Pena
	0900	82	S Pena
	1200	83°	S Pena
	1500	83	D Shu
	1800	84	D Shu
	2100	84	D Shu
	2400	82	J. Bruen

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	82°	J. Bruen
	0600	80°	S Pena
	0900	82°	S Pena
	1200	83°	S Pena
	1500	84°	J. Martinez
	1800	85°	J. Martinez
	2100	85°	J. Martinez
	2400	83	J. Cutler

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	82	J. Cutler
	0600	80	M. Lo
	0900	81	M. Lo
	1200	83	M. Lo
	1500	84	J. Martinez
	1800	85	J. Martinez
	2100	86	J. Martinez
	2400	84	J. Cutler

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	82	J. Cutler
	0600	81	F. Contreras
	0900	84	F. Contreras
	1200	84	F. Contreras
	1500	85	J. Martinez
	1800	87	J. Martinez
	2100	86	J. Martinez
	2400	84°	J. Bruen

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	84°	J. Bruen
	0600	84°	S Pena
	0900	84°	S Pena
	1200	85°	S Pena
	1500	86°	J. Martinez
	1800	87°	J. Martinez
	2100	87°	J. Martinez
	2400	85°	J. Bruen

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	84°	J. Bruen
	0600	84°	F. Robles
	0900	84°	F. Robles
	1200	82	F. Robles
	1500	82	E. Valdovinos
	1800	83	E. Valdovinos
	2100	85	E. Valdovinos
	2400	84	J. Bruen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3B04 Temp. Reading Location: Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300	85	Tijerina
	0600	84	J. Clark
	0900	84	J. Clark
	1200	86	J. Clark
	1500	88	A. Barrera
	1800	88	A. Barrera
	2100	88	A. Barrera
	2400	86	J. Tijerina

Tuesday

Date	Time	Temp.	Name (Print)
7-9-24	0300	84	J. Tijerina
	0600	82	J. Clark
	0900	83	J. Clark
	1200	84	J. Clark
	1500	88	S. Moua
	1800	88	S. Moua
	2100	86	S. Moua
	2400	86	R Barrientos

1550 - 80
1600 - 90°
1730 - 88°

Wednesday

Date	Time	Temp.	Name (Print)
7-10-24	0300	84	Barrientos
	0600	81	Barrientos
	0900	82	J. Clark
	1200	86	J. Clark
	1500	84	M. Bullock
	1800	86	M. Bullock
	2100	87	M. Bullock
	2400	82	Barrientos

Thursday

Date	Time	Temp.	Name (Print)
7-11-24	0300	81	Barrientos
	0600	80	Barrientos
	0900	83	J. Clark
	1200	86	J. Clark
	1500	[illegible]	Nevarez
	1800	[illegible]	Nevarez
	2100	87	Nevarez
	2400	86	Serrano

Friday

Date	Time	Temp.	Name (Print)
7-12-24	0300	84	Serrano
	0600	83	Urbano
	0900	84	Urbano
	1200	86	Urbano
	1500	88	Nevarez
	1800	88	Nevarez
	2100	88	Nevarez
	2400	84	Serrano

Saturday

Date	Time	Temp.	Name (Print)
7-13-24	0300	84	Serrano
	0600	83	Urbano
	0900	84	Urbano
	1200	85	Urbano
	1500	88	Nevarez
	1800	88	Nevarez
	2100	86	Nevarez
	2400	84	Tijerina

Sunday

Date	Time	Temp.	Name (Print)
7-14-24	0300	84	Tijerina
	0600	82	J. Clark
	0900	82	J. Clark
	1200	84	J. Clark
	1500	84	Delgado
	1800	88	Delgado
	2100	86	Delgado
	2400	86	Tijerina

Notes

[redacted]

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

DDCA-031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B05 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	80	SERRANO
	0600	79	Urrutia
	0900	80	Urrutia
	1200	81	Urrutia
	1500	81	[illegible]
	1800	81	[illegible]
	2100	81	[illegible]
	2400	80	2 Guards

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300	80	2 Guards
	0600	80	Berrios
	0900	80	Berrios
	1200	80	Berrios
	1500	81	Brotherson
	1800	81	Brotherson
	2100	81	Brotherson
	2400	80	2 Guards

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	80	2 Guards
	0600	80	Berrios
	0900	80	Berrios
	1200	80	Berrios
	1500	80	Brotherson
	1800	80	Brotherson
	2100	80	Brotherson
	2400	80	2 Guards

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	80	2 Guards
	0600	80	Berrios
	0900	80	Berrios
	1200	80	Berrios
	1500	80	Brotherson
	1800	80	Brotherson
	2100	80	Brotherson
	2400	80	2 Guards

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	80	2 Guards
	0600	80	Berrios
	0900	80	Berrios
	1200	80	Berrios
	1500	80	Lawson
	1800	80	Lawson
	2100	80	Lawson
	2400	80	2 Guards

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	80	2 Guards
	0600	80	Berrios
	0900	80	Berrios
	1200	80	Berrios
	1500	80	Brotherson
	1800	80	Brotherson
	2100	80	Brotherson
	2400	80	SERRANO

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	80	SERRANO
	0600	79	Urrutia
	0900	80	Urrutia
	1200	81	Urrutia
	1500	81	[illegible]
	1800	81	[illegible]
	2100	81	[illegible]
	2400	80	SERRANO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

0

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)..

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COC Housing Unit: 4A/L Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300	83	D Samuel[illegible]
	0600	85	Castellano
	0900	85	Castellano
	1200	85	Castellano
	1500	85	Mecum
	1800	85	Mecum
	2100	85	Mecum
	2400	85	J. Navarrete

Tuesday

Date	Time	Temp.	Name (Print)
7-9-24	0300	84	J Navarrete
	0600	84	J Navarrete
	0900	84	SALINAS
	1200	84	SALINAS
	1500	85	Mecum
	1800	85	Mecum
	2100	85	Mecum
	2400	77	LZAMIA

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	77	ALIZAMA
	0600	85	SALINAS
	0900	85	SALINAS
	1200	85	SALINAS
	1500	85	Mecum
	1800	85	Mecum
	2100	85	Mecum
	2400	85	D Samuel[illegible]

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	85	D. Samuel[illegible]
	0600	85	SALINAS
	0900	85	SALINAS
	1200	85	SALINAS
	1500	85	M. Bullock
	1800	86	M. Bullock
	2100	86	M. Bullock
	2400	86	Perez

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	84	Perez
	0600	85	SALINAS
	0900	85	SALINAS
	1200	85	SALINAS
	1500	85	Mecum
	1800	85	Mecum
	2100	85	Mecum
	2400	83	J. Cullen

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	81	J Cullen
	0600	85	Rodriguez
	0900	85	Rodriguez
	1200	86	Rodriguez
	1500	86	Esquivel
	1800	86	Esquivel
	2100	85	Esquivel
	2400	82	J. Cullen

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	80	J Cullen
	0600	83	Desch
	0900	85	Rayle
	1200	85	Dougherty
	1500	85	Ontiveros
	1800	86	Ontiveros
	2100	86	Ontiveros
	2400	85	D Samuel[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A1R Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	80	J. Cullen
	0600	85	R Lewis
	0900	85	R Lewis
	1200	86	R Lewis
	1500	86	M. Serna
	1800	87	M. Serna
	2100	87	M. Serna
	2400	87	S. Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300	84	B Garcia
	0600	85	B Garcia
	0900	85	R Lewis
	1200	86	R Lewis
	1500	86.1	A Miramonts
	1800	87.3	A Miramonts
	2100	87.3	A Miramonts
	2400	86.9	A Miramonts

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	85.8	A Miramonts
	0600	85	R Lewis
	0900	85	R Lewis
	1200	86	R Lewis
	1500	86.4	PIMENTEL. M
	1800	87.1	PIMENTEL. M
	2100	87.3	PIMENTEL. M
	2400	86.7	Miramonts

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	86.2	Miramonts
	0600	86	R Lewis
	0900	86	R Lewis
	1200	86	R Lewis
	1500	86.0	PIMENTEL. M
	1800	86.5	PIMENTEL. M
	2100	86.0	PIMENTEL. M
	2400	86.2	Miramonts

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	85.6	Miramonts
	0600	84	RODRIGUEZ
	0900	84	RODRIGUEZ
	1200	85	RODRIGUEZ
	1500	86.0	PIMENTEL. M
	1800	86.4	PIMENTEL. M
	2100	86.6	PIMENTEL. M
	2400	86.4	PIMENTEL. M

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	85.9	PIMENTEL. M
	0600	85	Espinoza
	0900	85	Espinoza
	1200	86.5	Espinoza
	1500	86.8	Penky R.
	1800	86.4	Penky R
	2100	86.6	Penky R.
	2400	85.8	Vega

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	85.2	Vega
	0600	85	R Lewis
	0900	85	R Lewis
	1200	85	R Lewis
	1500	85	M. Adame
	1800	86	M. Adame
	2100	86	M. Adame
	2400	85	J. Cullen

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A3L Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	87.5	P. Bryant
	0600	86	RODRIGUEZ
	0900	86	RODRIGUEZ
	1200	87	RODRIGUEZ
	1500	88	XIONG
	1800	88	XIONG
	2100	88	XIONG
	2400	86	Andrade

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	85	Andrade
	0600	85	RODRIGUEZ
	0900	86	RODRIGUEZ
	1200	86	RODRIGUEZ
	1500	87	E. LUNA
	1800	87.9	E. LUNA
	2100	88.1	E. LUNA
	2400	87	J. Gallagher

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	86	J. Gallagher
	0600	84	Hunter
	0900	85	Hunter
	1200	86	Hunter
	1500	87	DeHernandez
	1800	87	DeHernandez
	2100	88	DeHernandez
	2400	87	ARGUELLO

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	86	ARGUELLO
	0600	85	Hunter
	0900	85	Hunter
	1200	86	Hunter
	1500	87.9	DeHernandez
	1800	88.9	DeHernandez
	2100	88	DeHernandez
	2400	89.9	ABASIA

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	86.7	S. ABASIA
	0600	86	Hunter
	0900	86	Hunter
	1200	87	Hunter
	1500	87.2	M. Collins
	1800	88.9	M. Collins
	2100	88.1	M. Collins
	2400	90.7	T. Xiong

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	86	T. Xiong
	0600	86	Hunter
	0900	86	Hunter
	1200	87	Hunter
	1500	88	RODRIGUEZ
	1800	88	RODRIGUEZ
	2100	88	RODRIGUEZ
	2400	85	T. Xiong

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	87	T. Xiong
	0600	86	Hunter
	0900	86	Hunter
	1200	86	Hunter
	1500	87	XIONG
	1800	88	XIONG
	2100	88	XIONG
	2400	87°	P. Bryant

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4L Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/8/24

Date	Time	Temp.	Name (Print)
	0300	88.2	A. Ahullan
	0600	87.8	G. Rodriguez
	0900	87.8	G. Rodriguez
	1200	88.3	G. Rodriguez
	1500	89.2	E. Garcia
	1800	89.6	E. Garcia
	2100	90.0	E. Garcia
	2400	89.1	A. Ahullan

Tuesday 7/9/24

Date	Time	Temp.	Name (Print)
	0300	88.5	A. Ahullan
	0600	88	D. Erwin
	0900	88	D. Erwin
	1200	88	D. Erwin
	1500	89	Kulp
	1800	90	Kulp
	2100	90	Kulp
	2400	89.4	J Martinez

Wednesday 7/10/24

Date	Time	Temp.	Name (Print)
	0300	88.9	J Martinez
	0600	88.9	E. Myman
	0900	88.2	D. Erwin
	1200	88.5	D. Erwin
	1500	88.6	D. Erwin
	1800	90°	Kulp
	2100	90°	Kulp
	2400	89.4	J Martinez

Thursday 7/11/24

Date	Time	Temp.	Name (Print)
	0300	89.1	J Martinez
	0600	88.5	C. Oseguera
	0900	88.2	C. Oseguera
	1200	88.3	C. Oseguera
	1500	88	Kulp
	1800	89	Kulp
	2100	89	Kulp
	2400	88.9	J Martinez

Friday 7/12/24

Date	Time	Temp.	Name (Print)
	0300	88.2	J Martinez
	0600	87.4	C. Oseguera
	0900	87.4	C. Oseguera
	1200	88	C. Oseguera
	1500	88	Kulp
	1800	88	Kulp
	2100	88	Kulp
	2400	88.5	J Martinez

Saturday 7/13/24

Date	Time	Temp.	Name (Print)
	0300	88.2	J Martinez
	0600	88	C. Oseguera
	0900	87	C. Oseguera
	1200	88	C. Oseguera
	1500	88	Kulp
	1800	88	Kulp
	2100	88	Kulp
	2400	88	J Martinez

Sunday 7/14/24

Date	Time	Temp.	Name (Print)
	0300	88	J Martinez
	0600	87.8	G. Rodriguez
	0900	87.4	G. Rodriguez
	1200	87.4	G. Rodriguez
	1500	88.0	A. Deloera
	1800	88.3	A. Deloera
	2100	88.3	A. Deloera
	2400	88.2	A. Ahullan

Notes

7/9/24 inside Temp 90.3° @ 1830
SGT Sanchez Notified
1900 - 90
2000 - 90
2200 - 89.4
2300 - 89.4 SGT Notified 7/10/24
7/10/24 inside Temp 90.0 @ 1615 hour
1700 - 90 / 1900 - / 2000 - 90°

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **T. CAMPBELL**
WARDEN
Corcoran State Prison

DATE: 07/09/2024
TIME: 17:30 HOURS

FROM: **E. SANCHEZ**
Correctional Sergeant

LOG # COR-NOU-04A-24-07-063

AREA: 4A4L

INCIDENT LOG #
(If Applicable)

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS
A.O.D. YES ☐ NO ☒
WARDEN YES ☐ NO ☒
HEADQUARTERS A.O.D. YES ☐ NO ☒
OIG YES ☐ NO ☒

BRIEF DESCRIPTION OF EVENT AND/OR ACTION: STAGE II HEAT ALERT

On July 9, 2024, at approximately 17:30 hours, 4A4L Building inside (sections) temperature reached 90.3 degrees, per Operational Procedure (OP) 208, Stage II Heat Alert has been activated.

Per OP 208, staff has been informed to increase their observation of inmates on heat risk medications. Medical staff has been notified of Stage II activation; Medical staff will conduct welfare checks on inmates as well.

All inmates were reminded section showers are available if needed, cold water and spray bottles are available if needed.

UHT Stage II protocols has been activated in accordance with Operational Procedures (OP) 208, all procedures will be adhered too.

Plant Ops will be contacted and made aware of conditions in 4A4L Building.

Staff Injuries: None
Inmate Injuries: None
Forced used: None

LOCATION OF INCIDENT: RHU

STAFF INVOLVED		INMATES INVOLVED				
Name	Injuries	Name	CDCR #	ETH	GANG	Injuries
Sgt. E. SANCHEZ	N/A					N/A
	N/A					

DISPOSITION OF CONTRABAND: N/A

ANALYSIS OF SITUATION: This is an isolated incident.

Original: Watch Commander

CC: Warden, Chief Deputy Warden, Associate Wardens, Correctional Captain, Facility Captains

Memorandum

Date: July 22, 2024

To: P. WILLIAMS
Litigations
California State Prison - Corcoran

Subject: **FACILITY 4A UHT STAGE II, HOURLY TEMPERATURE CHECK**

The purpose of this memorandum is to serve as Proof of Practice documenting that training was conducted for Facility 4A staff for the month of July 2024. The following courses covered were:

7/22/2024

- Operation Procedures (OP 208- Heat Plan)

Stage II was not activated on 7/18/2024 at 2100 when the inside temperature recorded was at 90.0 degrees, Officer E. A. GARCIA was provided with training.

If you have any questions regarding this memorandum, please contact me at extension [redacted]

A. V. JOHNSON
Facility 4A Captain
California State Prison – Corcoran

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDC 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE OP208 HEAT PLAN		TIME 0830	DATE MONDAY, JULY 22, 2024
AUDIENCE CUSTODY	INSTRUCTOR LT. P. HERLIHIAL	LENGTH (IN HOURS) .05	LOCATION 4A PROGRAM
BET ID (list all applicable) 11054300			

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	~~BRYANT, P.V.~~	~~C/O~~				~~N~~	~~N~~	
2	[redacted]	GARCIA, E.A.	C/O	(0830)-0900			N	N	
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									

INSTRUCTOR'S NAME

PERNR [redacted]

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4R Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday July 8, 2024

Date	Time	Temp.	Name (Print)
	0300	85	L. XIONG
	0600	85.8	Ontiveros
	0900	85.6	Ontiveros
	1200	86.1	Ontiveros
	1500	86.9	Ontiveros
	1800	87.4	Ontiveros
	2100	87.6	Ontiveros
	2400	86	L. XIONG

Tuesday July 9, 2024

Date	Time	Temp.	Name (Print)
	0300	85	L. XIONG
	0600	85	IBARRA
	0900	85	IBARRA
	1200	85	IBARRA
	1500	86	RODRIGUEZ
	1800	86	RODRIGUEZ
	2100	86	RODRIGUEZ
	2400	85	ARAIZAZU

Wednesday July 10, 2024

Date	Time	Temp.	Name (Print)
	0300	85	ARAIZAZU
	0600	85	IBARRA
	0900	85	IBARRA
	1200	85	IBARRA
	1500	86.9	M. TIRADO
	1800	86.3	M. TIRADO
	2100	86.9	M. TIRADO
	2400	86.9	DR HERNANDEZ

Thursday July 11, 2024

Date	Time	Temp.	Name (Print)
	0300	86.4	DR HERNANDEZ
	0600	85.6	Rodriguez
	0900	85.6	Rodriguez
	1200	86.6	Rodriguez
	1500	87.4	CURSE
	1800	88.4	CURSE
	2100	88.0	CURSE
	2400	87	DR HERNANDEZ

Friday July 12, 2024

Date	Time	Temp.	Name (Print)
	0300	86	DR HERNANDEZ
	0600	86'	[illegible]
	0900	86'	[illegible]
	1200	86'	[illegible]
	1500	87.4	A. AHUILAR
	1800	87.4	A. AHUILAR
	2100	87.4	A. AHUILAR
	2400	87.4	A. AHUILAR

Saturday July 13, 2024

Date	Time	Temp.	Name (Print)
	0300	86.8	A. AHUILAR
	0600	86.	C. MARTELL
	0900	86.5	C. MARTELL
	1200	87.5	C. MARTELL
	1500	87.3	A. AHUILAR
	1800	87.6	A. AHUILAR
	2100	87.6	A. AHUILAR
	2400	87.4	A. AHUILAR

Sunday July 14, 2024

Date	Time	Temp.	Name (Print)
	0300	87.1	A. AHUILAR
	0600	86.3	ARSINIEGA
	0900	86.2	ARSINIEGA
	1200	86.3	ARSINIEGA
	1500	87.4	S. BELTRAN
	1800	87.2	S. BELTRAN
	2100	87.2	S. BELTRAN
	2400	87	L. XIONG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

July 18, 2024

P. WILLIAMS
Litigations Coordinator
California State Prison-Corcoran

Re: 4B STAFF TRAINED REGARDING HEAT LOG ENTRY DISCREPANCIES

This memorandum is being generated as Proof of Practice documenting Facility 4B has trained identified staff regarding discrepancies/missing information from the UHT log, and to ensure the accurate entry of data going forward.

4B1L: On July 11 and July 12, 2024, not documented Stage II was deactivated nor what time. Staff was provided training.

4B3L: On July 8 and July 9, 2024, Stage II was not activated when the temperature reached 90 degrees nor was the temperature logged hourly as required per OP 208. Staff was provided training.

4B3R: on July 8 and July 9, 2024, Stage II was not activated when the temperature reached 90 degrees nor was the temperature logged hourly as required per OP 208. Staff was provided training.

4B4L: Notes section lists UHT deactivated at 0148 hours on July 14, 2014, but does not indicate when UHT was originally activated. After further review it was determined the UHT deactivation notation was erroneous as initial UHT activation never occurred for 4B4L on said day. Training was provided to staff.

A.RANDOLPH
Facility 4B Captain
California State Prison-Corcoran

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TRAINING PARTICIPATION SIGN-IN SHEET

CDC 844 (Rev. 06/14)

TITLE	TIME	DATE
OP 208 Heat Plan	900	Wednesday, July 17, 2024

AUDIENCE	INSTRUCTOR	LENGTH (IN HOURS)	LOCATION
Custody	B. Butler	0.5	4B program

BET ID (list all applicable): 11054300

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Diaz, E	CO	0600-1400	9:00	9:30	N	N	
2		Miranda, A	CO	0600-1400	9:00	9:30	N	N	
3		Gonzalez, A	CO	0600-1400	09:00	9:30	N	N	
4		Fugate, T	C/O	0600-1400	0900	0930	N	N	
5		Ibarra G.	C/O	0600-1400	0900	0930	N	N	
6		Hernandez, J	C/O	0600-1400	0900	0930	N	N	
7		Barcenas, L	C/O	0600-1400	0900	0930	N	N	
8		Gonzalez, E	C/O	0600-1400	0900	0930	N	N	
9		Ramirez, D	C/O	0600-1400	0900	0930	N	N	
10		ALCANTAR, C	C/O	0600-1400	0900	0930	N	N	C. Alcantar
11		CAMPEGO, A	C/O	0600-1400	0900	0930	N	N	
12		RAMIREZ, J	C/O	0600-1400	0900	0930	N	N	
13		Guillen L.	C/O	0600-1400	0900	0930	N	N	
14		Renteria, J	C/O	0600-1400	0900	0930	N	N	
15		Delgadillo, J	C/O	0600-1400	0900	0930	N	N	
16		Narvaiz, A	C/O	0600-1400	0900	0930	N	N	
17		CASTRO	C/O	0600-1400	0900	0930	N	N	
18		ALVAREZ	C/O	0600-1400	0900	0930	N	N	
19		Carranza, T	C/O	0600-1400	0900	0930	N	N	
20		Clingerman, Jc	C/O	0600-1400	0900	0930	N	N	
21		Gonzalez, F	C/O	0600-1400	0900	0930	N	N	
22									
23									
24									

INSTRUCTOR'S NAME

PERNR [redacted]

ALIFORNIA

ING PARTICIPATION SIGN-IN SHEET

x 844 (Rev. 06/14)

TITLE	OP 208 UHT Heat Logs	TIME	1600 HRS	DATE	Tuesday, July 16, 2024
AUDIENCE	4B Staff	INSTRUCTOR	M. Perez	LENGTH (IN HOURS)	0.5
LOCATION	4B				

BET ID (List all applicable)

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Lizama, A.	CO	15:45-19:00	1600	1630	N	N	
2	[redacted]	Lizama, A.	CO	15:45-19:00	1600	1630	N	N	
3	[redacted]	Perez, S.N	CO	14:00-22:00	1600	1630	N	N	
4	[redacted]	Luna, E.M	CO	14:00-22:00	1600	1630	N	N	
5	[redacted]	Medrano, V.A	CO	14:00-22:00	1600	1630	N	N	
6	[redacted]	Lizama, A.	CO	15:45-19:00	1600	1630	N	N	
7	[redacted]	Flores, J.A	CO	12:00-20:00	1600	1630	N	N	
8	[redacted]	Lockhart, G.R	CO	12:00-20:00	1600	1630	N	N	
9	[redacted]	Flores, F.	LT	14:00-22:00	1600	1630	N	N	
10	[redacted]	Perez, M.R	SGT	14:00-22:00	1600	1630	N	N	
11	[redacted]	Garza, A.	CO	14:00-22:00	1600	1630	N	N	
12	[redacted]	Delgadillo Rodriguez	CO	14:00-22:00	1600	1630	N	N	
13	[redacted]	Flores, E.	CO	14:00-22:00	1600	1630	N	N	
14	[redacted]	Cisneros Munguia, J	CO	14:00-22:00	1600	1630	N	N	
15	[redacted]	Diaz, A.T	CO	14:00-22:00	1600	1630	N	N	
16	[redacted]	Esparza, J.A	CO	14:00-22:00	1600	1630	N	N	
17	[redacted]	Guillen, L.M	CO	14:00-22:00	1600	1630	N	N	
18	[redacted]	Singh, K.	CO	14:00-22:00	1600	1630	N	N	
19	[redacted]	Abasta, S.R	CO	14:00-22:00	1600	1630	N	N	
20	[redacted]	Navarro, S.C	CO	14:00-22:00	1600	1630	N	N	
21	[redacted]	Rosas Jr., J.r	CO	14:00-22:00	1600	1630	N	N	
22	[redacted]	Gonzalez, J.G	CO	14:00-22:00	1600	1630	N	N	
23	[redacted]	Ramirez, J.	CO	14:00-22:00	1600	1630	N	N	
24	[redacted]	Gonzalez, S.A	CO	14:00-22:00	1600	1630	N	N	

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE _____

PERNR _____

UFORNIA

INING PARTICIPATION SIGN-IN SHEET

-844 (Rev. 06/14)

TITLE	OP 208 UHT Heat Logs	TIME	HRS	DATE	Tuesday, July 16, 2024
AUDIENCE	4B Staff	INSTRUCTOR	M. Perez	LENGTH (IN HOUR	0.5
LOCATION	4B				
BET ID (List all applicable)	0				

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Rodriguez, K.	CO	14:00-22:00	1600	1630	N	N	
2	[redacted]	Vang, H.	CO	14:00-22:00	1600	1630	N	N	
3	[redacted]	Rivera, R.J	CO	14:00-22:00	1600	1630	N	N	
4	[redacted]	Hand, J.R	CO	14:00-22:00	1600	1630	N	N	
5	[redacted]	Rivera, J.R	CO	14:00-22:00	1600	1630	N	N	
6	[redacted]	Rojas Rodriguez, E.	CO	14:00-22:00	1600	1630	N	N	
7	[redacted]	MARTIN, A.	CO	1400 - 2200					
8				-					
9				-					
10				-					
11				-					
12				-					
13				-					
14				-					
15				-					
16				-					
17				-					
18				-					
19				-					
20				-					
21				-					
22				-					
23				-					
24				-					

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-1L Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	87°	VAcosta SG
	0600	87°1	S. Martinez
	0900	87°3	S. Martinez
	1200	88.1	S. Martinez
	1500	88.8	Gonzalez
	1800	88.8	Gonzalez
	2100	88.8	Gonzalez
	2400	87.8	A. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	87.1	A. Garcia SG
	0600	86.8	J. Esparza
	0900	86.8	J. Esparza
	1200	88.9	J. Esparza
	1500	87.8	J. Esparza
	1800	88.3	J. Esparza
	2100	88.3	J. Esparza
	2400	87°	A. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	86.8	A. Garcia
	0600	85.7	C. Barrenos
	0900	86.7	C. Barrenos
	1200	87.6	C. Barrenos
	1500	88.4	S. Ramos
	1800	89.1	S. Ramos
	2100	88.0	S. Ramos
	2400	87.1	A. Garcia SG

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	87°	A. Garcia
	0600	86.8	G. Ibarra
	0900	86.8	G. Ibarra
	1200	87	J. Ballin
	1500	89.8	S. Ramos
	1800	90.0	J. Phillips
	2100	90.1	S. Ramos
	2400	88.8	A. Garcia

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	88°	A. Garcia
	0600	86.5	S. Ramos
	0900	87.3	J. Hernandez
	1200	89.8	J. Hernandez
	1500	90.6	J. Hernandez
	1800	90.1	R. RAMIREZ
	2100	89.7	R. RAMIREZ
	2400	89.	A. GILL SG

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	87.8	A. GILL
	0600	86.5	Dalyle
	0900	87.5	Dalyle
	1200	89.6	Dalyle
	1500	90.1	Gonzalez
	1800	90.5	Gonzalez
	2100	89.9	Gonzalez
	2400	88.5	RAMIREZ SG

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	86.1	RAMIREZ
	0600	86.9	J. Esparza
	0900	87.8	J. Esparza
	1200	89.7	J. Esparza
	1500	90.6	D. Rodriguez
	1800	90.2	D. Rodriguez
	2100	89.8	D. Rodriguez
	2400	87.8	A. Garcia SG

Notes Sgt notified

7/13 90.0 @1413 / 90.1 @1500 / 90.1 @ 1600
7/13 90.2 @ 1700 / 90.5 @ 1800 / 90.1 @ 1900
7/13 90.0 @ 2000 / Temp dropped 89.9 @ 2058
7/14 90.6 @ 1500 / Temp drop 89.8 @ 2058 Sgt Notif
7/14 90.8 @ 1600 / 7/14 90.5 @ 1700 / 7/14 90.5 @ 1800 / 7/14 90.0 @ 1900
7/14 90.2 @ 2000

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **T. Campbell**
WARDEN
Corcoran State Prison

DATE: July 12, 2024
TIME: 1250

FROM: B. Markin
Correctional Sergeant

NOU LOG # COR-NOU-04B-24-07-086

AREA: FAC 4B, 4B1L Building

INCIDENT LOG # N/A

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS
A.O.D. YES ☒ NO ☐
WARDEN YES ☐ NO ☒
HEADQUARTERS A.O.D. YES ☐ NO ☒
OIG YES ☐ NO ☒

BRIEF DESCRIPTION OF EVENT AND/OR ACTION: Stage II UHT Activation

On July 12, 2024, at approximately 1250 hours, Housing Unit 4B1L inside (sections) temperature reached 90 degrees, per Operational Procedure (OP) 208, Stage II Heat Alert has been activated. Per OP 208, staff has been informed to increase their observation of inmates on heat risk medications. Medical staff has been notified of Stage II activation; Medical staff will conduct welfare checks on inmates as well. All inmates were reminded section showers are available if needed, cold water and spray bottles are available if needed.

UHT Stage II protocols has been activated in accordance with Operational Procedures (OP) 208, all procedures will be adhered too.

Plant Ops will be contacted and made aware of conditions in 4B1L.

LOCATION OF INCIDENT:
4B1L

STAFF INVOLVED		INMATES INVOLVED				
Name	Injuries	Name	CDCR #	ETH	GANG	2005Injuries
Sgt. B. Markin	N/A					

DISPOSITION OF CONTRABAND: N/A

ANALYSIS OF SITUATION: Heat related, and staff will closely monitor.

Original: Watch Commander

CC: Warden, Chief Deputy Warden, Associate Wardens, Correctional Captain, Facility Captains

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-IR Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	83.4	VAZQUEZ
	0600	82.9	J. Wilson
	0900	82.9	J. Wilson
	1200	84.1	J. Wilson
	1500	85.2	L. Guillen
	1800	85.6	E. Cruz
	2100	85.1	E. Cruz
	2400	84.1	A. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	83.8	A. GARCIA
	0600	82.4	J. Wilson
	0900	82.8	J. Wilson
	1200	83.9	J. Wilson
	1500	84.5	J. Castro
	1800	84.9	J. Castro
	2100	85.1	J. Castro
	2400	83.7	A. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	83.1	A. GARCIA
	0600	81.5	K. Rodriguez
	0900	81.8	K. Rodriguez
	1200	83.9	K. Rodriguez
	1500	84.1	J. Castro
	1800	84.8	J. Castro
	2100	84.1	J. Castro
	2400	83.8	A. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	83.1	A. GARCIA
	0600	82.4	D. Ramirez
	0900	82.7	D. Ramirez
	1200	84.1	D. Ramirez
	1500	85.3	J. Hernandez
	1800	86.7	J. Hernandez
	2100	86.9	J. Hernandez
	2400	85.2	F. Ate

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	[illegible]	F. Ate
	0600	83.5	D. Ramirez
	0900	84.4	D. Ramirez
	1200	86.2	D. Ramirez
	1500	87.5	J. ESPARZA
	1800	88.1	J. ESPARZA
	2100	86.9	J. ESPARZA
	2400	89.	A. Gill

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	85	A. Gill
	0600	85	[illegible]
	0900	85.6	[illegible]
	1200	86.2	[illegible]
	1500	87.1	L. Guillen
	1800	87.3	L. Guillen
	2100	87.3	L. Guillen
	2400	85.8	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	85.7	RAMIREZ
	0600	84.1	D. Ramirez
	0900	84.7	D. Ramirez
	1200	85.5	D. Ramirez
	1500	86.9	L. Guillen
	1800	87.9	L. Guillen
	2100	87.1	L. Guillen
	2400	86.5	A. Bay

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CORCORAN Housing Unit: 4B-2L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	85.6	C. YANG SG
	0600	85.5	C. Navarro
	0900	85.3	C. Navarro
	1200	85.4	C. Navarro
	1500	86	R. HERNANDEZ
	1800	86.2	R. HERNANDEZ
	2100	86.1	J. BOOLE
	2400	85.9	C. YANG

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	85.6	E RUIZ SG
	0600	85.5	C. Navarro
	0900	85.3	C. Navarro
	1200	85.3	C. Navarro
	1500	~~86~~ 85.4	~~R. HERNANDEZ~~ S. Navarro
	1800	86.0	S. ABASTA
	2100	85.9	S. ABASTA
	2400	85.5	E RUIZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	85	E RUIZ
	0600	84.8	C. ALCANTAR
	0900	84.9	C. ALCANTAR
	1200	85.3	C. ALCANTAR
	1500	85.3	S. Navarro
	1800	85.9	S. Navarro
	2100	85.7	S. Navarro
	2400	85.7	E RUIZ SG

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	85.5	E RUIZ SG
	0600	85.5	C. ALCANTAR
	0900	85.5	C. ALCANTAR
	1200	86.1	C. ALCANTAR
	1500	86.5	R. HERNANDEZ
	1800	87.2	R. HERNANDEZ
	2100	86.5	R. HERNANDEZ
	2400	86.1	E RUIZ

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	85.7	E RUIZ
	0600	85.5	C. Navarro
	0900	85.5	C. Navarro
	1200	85.7	C. Navarro
	1500	85.9	R. HERNANDEZ
	1800	87.3	R. HERNANDEZ
	2100	87.1	R. HERNANDEZ
	2400	86.5	E. RUIZ SG

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	86.0	E RUIZ
	0600	86.0	C. Navarro
	0900	85.8	C. Navarro
	1200	85.9	C. Navarro
	1500	86.5	S. Navarro
	1800	86.8	R. HERNANDEZ
	2100	87.00	S. Navarro
	2400	86.6	A. GIL SG

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	86.3	A. GIL
	0600	85.9	C. Navarro
	0900	85.7	C. ALCANTAR
	1200	85.9	C. Navarro
	1500	86.2	S. NAVARRO
	1800	86.9	S. NAVARRO
	2100	87.2	S. NAVARRO
	2400	86.6	E. Loremano SG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 2R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	83	C. YANG
	0600	82°	M. Wright
	0900	82.3	M. Wright
	1200	82.5	M. Wright
	1500	83.1	S GONZALEZ
	1800	83.9	S GONZALEZ
	2100	83.4	S GONZALEZ
	2400	83.6	C. YANG

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	83.2	E Ruiz
	0600	82.1	J. Clingerman
	0900	82.1	J. Clingerman
	1200	82.1	J. Clingerman
	1500	82.4	O. Martinez
	1800	83.2	O. Martinez
	2100	83.9	O. Martinez
	2400	83.5	E Ruiz

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	82.7	E. Ruiz
	0600	81.9	J. Valsma
	0900	81.9	J. Valsma
	1200	82.1	J. Valsma
	1500	83.1	O. Martinez
	1800	83.2	O. Martinez
	2100	83.4	O. Martinez
	2400	83.1	E Ruiz

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	82.9	E Ruiz
	0600	82.2	J. Clingerman
	0900	82.2	J. Clingerman
	1200	82.7	J. Clingerman
	1500	84.2	O. Martinez
	1800	84.9	O. Martinez
	2100	85.0	O. Martinez
	2400	84.1	J. BELTRAN

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	82.8	J. BELTRAN
	0600	82.4	T. Gonzalez
	0900	82.4	T. Gonzalez
	1200	84.0	T. Gonzalez
	1500	85.1	O. Martinez
	1800	85.9	O. Martinez
	2100	84.4	O. Martinez
	2400	85°	E Ruiz

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	83.6	E Ruiz
	0600	82.8	S Ponce
	0900	82.9	S Ponce
	1200	83.7	S Ponce
	1500	85.2	O. Martinez
	1800	85.3	O. Martinez
	2100	84.8	O. Martinez
	2400	83.9	A. GIL

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	83.1	A. GIL
	0600	82.3	S PONCE
	0900	82.2	S PONCE
	1200	82.5	J. Clingerman
	1500	84.1	M Carrasco
	1800	84.9	M Carrasco
	2100	84.5	M Carrasco
	2400	84.0	J. Navarrete

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-3L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	87.7	O. Contreras
	0600	89.2	
	0900	89.9	
	1200	90.4	
	1500	91.8	D. WANDELL
	1800	91.8	D. WANDELL
	2100	91.7	D. WANDELL
	2400	88.8	O. Contreras

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	86.5	O. Contreras
	0600	85.6	
	0900	86.6	
	1200	87.9	
	1500	89.7	S. GONZALEZ
	1800	91.3	S. GONZALEZ
	2100	89.8	S. GONZALEZ
	2400	89.2	O. Contreras

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	86.7	O. Contreras
	0600	84.2	
	0900	85.4	
	1200	87.1	
	1500	86.8	S. GONZALEZ
	1800	88.3	S. GONZALEZ
	2100	88.6	S. GONZALEZ
	2400	87.3	O. Contreras

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	86.9	O. Contreras
	0600	86.7	D. WANDELL
	0900	86.6	RAMIREZ, J
	1200	87.4	WANDELL
	1500	88.2	S. Ramos
	1800	88.6	RAMIREZ, J
	2100	87.6	WANDELL
	2400	87.2	M. RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	86.8	RAMIREZ
	0600	86.5	MARSHALL
	0900	86.5	RAMIREZ
	1200	86.8	RAMIREZ, J
	1500	87.1	E. DIMAANO
	1800	88.2	E. DIMAANO
	2100	88.7	E. DIMAANO
	2400	87.1	FAYE

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	86.2	FAYE
	0600	86.8	MARSHALL
	0900	86.9	MARSHALL
	1200	87.0	MARSHALL
	1500	87.2	E. DIMAANO
	1800	88.6	E. DIMAANO
	2100	87.8	E. DIMAANO
	2400	87.4	O. Contreras

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	86.8	O. Contreras
	0600	86.8	L. Guillen
	0900	86.7	L. Guillen
	1200	86.7	L. Guillen
	1500	87.2	R. FONG
	1800	88.4	R. FONG
	2100	87.5	R. FONG
	2400	87.8	D. CALDERON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **T. Campbell**
WARDEN
Corcoran State Prison

DATE: July 8, 2024
TIME: 1320

FROM: D. GOSS
Correctional Lieutenant

NOU LOG # COR-NOU-04B-24-07-049

AREA: FAC 4B, 4B3L Building

INCIDENT LOG # N/A

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS
A.O.D. YES ☒ NO ☐
WARDEN YES ☐ NO ☒
HEADQUARTERS A.O.D. YES ☐ NO ☒
OIG YES ☐ NO ☒

BRIEF DESCRIPTION OF EVENT AND/OR ACTION: Stage II UHT Activation

On July 8, 2024, at approximately 1320 hours, Housing Unit 4B3L inside (sections) temperature reached 90 degrees, per Operational Procedure (OP) 208, Stage II Heat Alert has been activated. Per OP 208, staff has been informed to increase their observation of inmates on heat risk medications. Medical staff has been notified of Stage II activation; Medical staff will conduct welfare checks on inmates as well. All inmates were reminded section showers are available if needed, cold water and spray bottles are available if needed.

UHT Stage II protocols has been activated in accordance with Operational Procedures (OP) 208, all procedures will be adhered too.

Plant Ops will be contacted and made aware of conditions in 4B3R.

LOCATION OF INCIDENT:
4B3R

STAFF INVOLVED		INMATES INVOLVED				
Name	Injuries	Name	CDCR #	ETH	GANG	2005Injuries
Lt. D. Goss	N/A					

DISPOSITION OF CONTRABAND: N/A

ANALYSIS OF SITUATION: Heat related, and staff will closely monitor.

Original: Watch Commander

CC: Warden, Chief Deputy Warden, Associate Wardens, Correctional Captain, Facility Captains

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 3R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	88.8	O-Contreras
	0600	88.4	J. Renteria
	0900	88.1	G. Alvarez
	1200	89.9	G. Alvarez
	1500	89	K. Rodriguez
	1800	89	K. Rodriguez
	2100	90	K. Rodriguez
	2400	89.9	O-Contreras

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	88.1	O-Contreras
	0600	87.9	J. Renteria
	0900	87.9	J. Renteria
	1200	89.5	J. Renteria
	1500	90	K. Rodriguez
	1800	91	K. Rodriguez
	2100	90	K. Rodriguez
	2400	89.0	O-Contreras

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	88.1	O-Contreras
	0600	86.1	J. Renteria
	0900	87.0	J. Renteria
	1200	88.5	J. Renteria
	1500	89	K. Rodriguez
	1800	89	K. Rodriguez
	2100	89	K. Rodriguez
	2400	88.9	O-Contreras

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	88.2	O-Contreras
	0600	88.1	J. Rosales
	0900	88.1	J. Renteria
	1200	88.6	J. Renteria
	1500	89	[illegible]
	1800	89.3	[illegible]
	2100	89.9	[illegible]
	2400	89.1	Ramirez

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	88	Ramirez
	0600	88.1	D. Allison
	0900	88.3	D. Allison
	1200	88.5	D. Allison
	1500	88.9	K. Rodriguez
	1800	89.6	K. Rodriguez
	2100	89.1	K. Rodriguez
	2400	88.9	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	88.1	[illegible]
	0600	88.7	D. Allison
	0900	88.9	G. Alvarez
	1200	88.9	G. Alvarez
	1500	89.1	Vang
	1800	89.3	Vang
	2100	88.9	Vang
	2400	88.9	O-Contreras

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	88.4	O-Contreras
	0600	88.1	G. Alvarez
	0900	88.3	G. Alvarez
	1200	88.9	G. Alvarez
	1500	89.0	H. Vang
	1800	89.2	H. Vang
	2100	89.5	H. Vang
	2400	88.7	O-Contreras

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CORCORAN STATE PRISON
CORCORAN, CA
NOTICE OF UNUSUAL OCCURRENCE REPORT

TO: **T. Campbell**
WARDEN
Corcoran State Prison

DATE: July 9, 2024
TIME: 1319

FROM: D. GOSS
Correctional Lieutenant

NOU LOG # COR-NOU-048-24-07-059

AREA: FAC 4B, 4B3R Building

INCIDENT LOG # N/A

USE OF FORCE
YES ☐ NO ☒

CHEMICAL ☐ ☐ BATON
PHYSICAL ☐ ☐ OTHER

NOTIFICATIONS
A.O.D. YES ☒ NO ☐
WARDEN YES ☐ NO ☒
HEADQUARTERS A.O.D. YES ☐ NO ☒
OIG YES ☐ NO ☒

BRIEF DESCRIPTION OF EVENT AND/OR ACTION: Stage II UHT Activation

On July 9, 2024, at approximately 1319 hours, Housing Unit 4B3R inside (sections) temperature reached 90 degrees, per Operational Procedure (OP) 208, Stage II Heat Alert has been activated. Per OP 208, staff has been informed to increase their observation of inmates on heat risk medications. Medical staff has been notified of Stage II activation; Medical staff will conduct welfare checks on inmates as well. All inmates were reminded section showers are available if needed, cold water and spray bottles are available if needed.

UHT Stage II protocols has been activated in accordance with Operational Procedures (OP) 208, all procedures will be adhered too.

Plant Ops will be contacted and made aware of conditions in 4B3R.

.

LOCATION OF INCIDENT:
4B3R

STAFF INVOLVED		INMATES INVOLVED				
Name	Injuries	Name	CDCR #	ETH	GANG	2005Injuries
Lt. D. Goss	N/A					

DISPOSITION OF CONTRABAND: N/A

ANALYSIS OF SITUATION: Heat related, and staff will closely monitor.

Original: Watch Commander

CC: Warden, Chief Deputy Warden, Associate Wardens, Correctional Captain, Facility Captains

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-4L Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	82.8	RAMIREZ SG
	0600	82.2	J. Rojas
	0900	82.3	J. Rojas
	1200	83.0	J. Rojas
	1500	83.0	M. Ibarra
	1800	84.3	M. Ibarra
	2100	84.1	M. Ibarra
	2400	83.5	M. RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	81.2	GARZA SG
	0600	81.8	J. CASTRO
	0900	82.1	E. Ramos
	1200	82.5	E. Ramos
	1500	83.0	HANO
	1800	83.8	HANO
	2100	83.6	HANO
	2400	82.5	GARZA

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	81.7	A GARZA
	0600	81.4	J. CASTRO
	0900	81.5	J. CASTRO
	1200	82.0	J. CASTRO
	1500	83	HANO
	1800	84.0	HANO
	2100	84.2	HANO
	2400	83.9	A. GARZA SG

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	81.4	D. GARZA SG
	0600	81.6	HURTADO
	0900	81.7	HURTADO BH
	1200	82.5	HURTADO
	1500	83.8	HANO
	1800	84.8	HANO
	2100	84.8	HANO
	2400	83.3	D. GARZA

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	82.2	A. GARZA
	0600	82.0	HURTADO
	0900	82.6	HURTADO BH
	1200	83.0	HURTADO
	1500	84.0	R. MEDINA
	1800	84.6	R. MEDINA
	2100	84.7	R. MEDINA
	2400	83.4	Gonzalez SG

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	83.0	A. GARZA
	0600	82.9	HURTADO
	0900	82.9	HURTADO BH
	1200	83.3	HURTADO
	1500	84.4	HANO
	1800	84.8	HANO
	2100	84.5	HANO
	2400	83.8	SPerez SG

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	83.	S. Perez
	0600	82.3	HURTADO
	0900	82.5	HURTADO
	1200	82.9	HURTADO
	1500	84.1	Keeney
	1800	84.8	Keeney
	2100	84.7	RAMIREZ
	2400	83.5	RAMIREZ SG

Notes

UHT deactivated @ 0148 - 7/14

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-4R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	86.5	RAMIREZ
	0600	86	M. ALVAREZ
	0900	86	M. ALVAREZ
	1200	86.8	M. ALVAREZ
	1500	87.2	S. SANDOVAL
	1800	87.8	[illegible]
	2100	87.8	[illegible]
	2400	85.1	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	85.3	RAMIREZ
	0600	85.6	HUTCHENS
	0900	85.7	Hutchens
	1200	85.9	M. ALVAREZ
	1500	87.2	E. ROJAS
	1800	88.2	E. ROJAS
	2100	87.5	E. ROJAS
	2400	86.3	A. GARZA

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	85.3	RAMIREZ
	0600	85.4	M. ALVAREZ
	0900	86	M. ALVAREZ
	1200	86.3	M. ALVAREZ
	1500	86.5	E. ROJAS
	1800	87.2	E. ROJAS
	2100	87.2	E. ROJAS
	2400	86.0	A. GARZA

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	85.6	A. GARZA
	0600	85.9	M. ALVAREZ
	0900	87	M. ALVAREZ
	1200	87.2	M. ALVAREZ
	1500	87.8	E. ROJAS
	1800	88.2	E. ROJAS
	2100	88.5	E. ROJAS
	2400	87.9	J. PEREZ

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	87.4	S. PEREZ
	0600	87.7	CARRANZA
	0900	87.4	M. ALVAREZ
	1200	87.6	CARRANZA
	1500	89.2	E. ROJAS
	1800	88.1	E. ROJAS
	2100	88.3	E. ROJAS
	2400	87.3	E. ROBLES

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	87.1	A. GARZA
	0600	87.1	L. Guillen
	0900	87.2	L. Guillen
	1200	87.5	L. Guillen
	1500	88.1	J. Sagastume
	1800	89.1	J. Sagastume
	2100	88.3	J. Sagastume
	2400	88.1	J. BANO

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	87.5	J. BANO
	0600	87.4	T. GONZALEZ
	0900	87.2	E. ROJAS
	1200	87.9	T. GONZALEZ
	1500	88.0	E. NIETO
	1800	88.2	E. NIETO
	2100	88.4	E. NIETO
	2400	85.1	RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2032 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CSP - CORCORAN **Housing Unit** Z- RHU **Temp Reading Locatior**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/8/2024	0300	78.	F. Tapia
	0600	78.1	OGUHYIHKA
	0900	78.8	OGUHYIHKA
	1200	79.3	OGUHYIHKA
	1500	79.3	Rodriguez
	1800	79.5	Rodriguez
	2100	78.3	Rodriguez
	2400	78°	LUFELRES

Tuesday			
Date	Time	Temp.	Name (Print)
7/9/2024	0300	7°	LUFELRES
	0600	78.3°	S. LOZA
	0900	78.5°	S. LOZA
	1200	79.5°	S. LOZA
	1500	79.6	I. Rodriguez
	1800	79	I. [illegible]
	2100	79	[illegible]
	2400	78	[illegible]

Wednesday			
Date	Time	Temp.	Name (Print)
7/10/2024	0300	78	Torrecillas
	0600	77.7	Torrecillas
	0900	78.4	Torrecillas
	1200	78.6	Torrecillas
	1500	79.8	Torrecillas
	1800	81.9	POOLE
	2100	79.4	POOLE
	2400	79.4	POOLE

Thursday			
Date	Time	Temp.	Name (Print)
7/11/2024	0300	79.9	Corona
	0600	79.9	Ruiz
	0900	80.1	Ruiz
	1200	80.2	Ruiz
	1500	79.9	S. Mora
	1800	80.2	S. Mora
	2100	79.9	S. Mora
	2400	78	Arnazzo

Friday			
Date	Time	Temp.	Name (Print)
7/12/2024	0300	77	Arnazzo
	0600	78	Rocha
	0900	78	Rocha
	1200	79	Rocha
	1500	79	S. Cortes
	1800	79	S. Cortes
	2100	78	S. Cortes
	2400	80	Esteves

Saturday			
Date	Time	Temp.	Name (Print)
7/13/2024	0300	78	Esteves
	0600	78	[illegible]
	0900	78	[illegible]
	1200	79.4	[illegible]
	1500	78.3	I. Rodriguez
	1800	79.00	I. Rodriguez
	2100	79°	I. Rodriguez
	2400	79.3	B. Rod

Sunday			
Date	Time	Temp.	Name (Print)
7/14/2024	0300	79	B. Rod
	0600	77°	I. Rodriguez
	0900	77	I. Rodriguez
	1200	77	I. Rodriguez
	1500	78.3	I. Rodriguez
	1800	79.6	I. Rodriguez
	2100	78	I. Rodriguez
	2400	79.2	B. Rod

Notes

DISTRIBUTION: Original: Heat Plan Coordinator

ATTACHMENT J

INSIDE TEMPERATURE RECORD LOG
CSP-CORCORAN

WEEK OF 7/15/2024-7/21/2024

MONDAY DATE 7/15	TUESDAY DATE 7/16	WEDNESDAY DATE 7/17	THURSDAY DATE 7/18	FRIDAY DATE 7/19	SATURDAY DATE 7/20	SUNDAY DATE 7/21
1A01	1A01	1A01	1A01	1A01	1A01	1A01
1B01	1B01	1B01	1B01	1B01	1B01	1B01
1C01	1C01	1C01	1C01	1C01	1C01	1C01
1D01	1D01	1D01	1D01	1D01	1D01	1D01
1E01	1E01	1E01	1E01	1E01	1E01	1E01
3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C
3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02 C
3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C
3A04 C	3A04 C	3A04 C	3A04 C	3A04 C	3A04 C	3A04 C
3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05 C
3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C
3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C
3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C
3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 C
3B05 C	3B05 I	3B05 C	3B05 C	3B05 I	3B05 C	3B05 C
3C01	3C01	3C01	3C01	3C01	3C01	3C01
3C02	3C02	3C02	3C02	3C02	3C02	3C02
3C03	3C03	3C03	3C03	3C03	3C03	3C03
3C04	3C04	3C04	3C04	3C04	3C04	3C04
3C05	3C05	3C05	3C05	3C05	3C05	3C05
4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C
4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C
4A2L	4A2L	4A2L	4A2L	4A2L	4A2L	4A2L
4A2R	4A2R	4A2R	4A2R	4A2R	4A2R	4A2R
4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L C
4A3R	4A3R	4A3R	4A3R	4A3R	4A3R	4A3R
4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L C
4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R C
4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L C
4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C
4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C
4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C
4B3L C	4B3L T	4B3L C	4B3L C	4B3L C	4B3L C	4B3L C
4B3R C	4B3R T	4B3R C	4B3R C	4B3R C	4B3R C	4B3R C
4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C
4B4R C	4B4R T	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C
ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C

C (BLUE)=COMPLETE I (GREEN)=INCOMPLETE NC (BLACK)=NOT RECEIVED T (RED)=90 DEGREES

Heat Incident Log

Institution: CSP-COR Date: 7/21/2024 Number of Heat Incidents: 1

1. Patient Name: [redacted] CDCR#: [redacted] Housing: [redacted]

MHSDS Designation: CCCMS Level of Care: OP Date of Heat Incident: 7/21/2024

Location of Incident: [redacted] Change in Level of Care:

List of Heat Risk Medications: n/a

Chief Medical Complaint: dizziness, weakness, nausea

Diagnosis of Heat Related Illness (specify): heat exhaustion

Treatment Rendered: IV fluids, Transfer to Higher Level of Care - Community ED

Medication Changes Made: n/a

Ultimate Disposition of Patient: Transferred to HLOC

Clinician's Name and Title: Douglas Woods, RN

2. Patient Name: CDCR#: Housing:

MHSDS Designation: Level of Care: Date of Heat Incident: 7/21/2024

Location of Incident: Change in Level of Care:

List of Heat Risk Medications:

Chief Medical Complaint:

Diagnosis of Heat Related Illness (specify):

Treatment Rendered:

Medication Changes Made:

Ultimate Disposition of Patient:

Clinician's Name and Title:

3. Patient Name: CDCR#: Housing:

MHSDS Designation: Level of Care: Date of Heat Incident: 7/21/2024

Location of Incident: Change in Level of Care:

List of Heat Risk Medications:

Chief Medical Complaint:

Diagnosis of Heat Related Illness (specify):

Treatment Rendered:

Medication Changes Made:

Ultimate Disposition of Patient:

Clinician's Name and Title:

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A01 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/15

Date	Time	Temp.	Name (Print)
	0300	81	D. Nora
	0600	81	Marin
	0900	81	Marin
	1200	83	Marin
	1500	83.4	Pena
	1800	84.2	Pena
	2100	84.2	Pena
	2400	82	D. Nora

Tuesday 7/16

Date	Time	Temp.	Name (Print)
	0300	80	D. Nora
	0600	79	Marin
	0900	79	Marin
	1200	82	[illegible]
	1500	83.1	Macias T.
	1800	84.0	Macias T.
	2100	83.7	Macias T.
	2400	81	D. Nora

Wednesday 7/17

Date	Time	Temp.	Name (Print)
	0300	79	D. Nora
	0600	77	Marin
	0900	79	Marin
	1200	80	Marin
	1500	81.3	Pena
	1800	82.6	Pena
	2100	82.4	Pena
	2400	80	J. Sego

Thursday 7/18

Date	Time	Temp.	Name (Print)
	0300	80	J. Sego
	0600	79	J. Sego
	0900	79	Marin
	1200	80	Marin
	1500	81.5	M. Lopez
	1800	82.6	M. Lopez
	2100	82.4	M. Lopez
	2400	80.2	D Hicks

Friday 7/19

Date	Time	Temp.	Name (Print)
	0300	78.2	D. Hicks
	0600	77.5	M. Cruz
	0900	77	M. Cruz
	1200	81	M. Cruz
	1500	82	J. Barajas
	1800	82.6	J. Barajas
	2100	82.4	J. Barajas
	2400	80	D. Nora

Saturday 7/20

Date	Time	Temp.	Name (Print)
	0300	79	D. Nora
	0600	78.6	G. Rodriguez
	0900	79.5	G. Rodriguez
	1200	80.8	G. Rodriguez
	1500	83.5	G. Rodriguez
	1800	84.0	G. Rodriguez
	2100	83.1	G. Rodriguez
	2400	81	D. Nora

Sunday 7/21

Date	Time	Temp.	Name (Print)
	0300	80	D. Nora
	0600	76.4	M. Waller
	0900	78.1	M. Waller
	1200	80.6	M. Waller
	1500	82.4	M. Collins
	1800	83.7	M. Collins
	2100	82.6	M. Collins
	2400	81	D. Nora

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A02 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/15/24	0300	81	D Hicks
	0600	81.7	M. Cruz
	0900	81.5	M. Cruz
	1200	82.8	M. Cruz
	1500	84.6	J. AYALA
	1800	85.3	J. AYALA
	2100	84.6	J. AYALA
	2400	83.1	SERRANO

Tuesday

Date	Time	Temp.	Name (Print)
07/16/24	0300	82	SERRANO
	0600	80°	D. Silva
	0900	79°	D Silva
	1200	81°	D. Silva
	1500	83	J Jones
	1800	84	J Jones
	2100	85	J Jones
	2400	81.5	D. S

Wednesday

Date	Time	Temp.	Name (Print)
07/17/24	0300	74.3	D. S
	0600	76	S. Carter
	0900	78	S. Carter
	1200	79	S. Carter
	1500	80	J Jones
	1800	81	J Jones
	2100	80	J Jones
	2400	80	D. S

Thursday

Date	Time	Temp.	Name (Print)
07/18/24	0300	78	D. S
	0600	77	S. Carter
	0900	78	S. Carter
	1200	79	S. Carter
	1500	80	J Jones
	1800	81	J Jones
	2100	80	J Jones
	2400	79	D. S

Friday

Date	Time	Temp.	Name (Print)
07/19/24	0300	78	D. S
	0600	77	S. Carter
	0900	78	S. Carter
	1200	79	S. Carter
	1500	82	N. Melan
	1800	82	N. Melan
	2100	82	N. Melan
	2400	80	D. S

Saturday

Date	Time	Temp.	Name (Print)
07/20/24	0300	79	D. S
	0600	78	S. Carter
	0900	79	S. Carter
	1200	80	S. Carter
	1500	83	J. SANDOVAL
	1800	83	J. SANDOVAL
	2100	82.4	J SANDOVAL
	2400	81.1	D Hicks

Sunday

Date	Time	Temp.	Name (Print)
07/21/24	0300	79.7	D Hicks
	0600	79	OGUHYINKA
	0900	79.7	OGUHYINKA
	1200	81	OGUHYINKA
	1500	82.4	A GILL
	1800	82.4	A GILL
	2100	80	A. GILL
	2400	82	D Hicks

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A03 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6620 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	80	G. Alcocer
	0600	80	A. Franco
	0900	80	A. Franco
	1200	80	A. Franco
	1500	80	D. W
	1800	80	D. W
	2100	79	D. W
	2400	73	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	80	LUNA
	0600	79	A. Franco
	0900	79	A. Franco
	1200	79	A. Franco
	1500	80	D. W
	1800	80	D. W
	2100	79	D. W
	2400	90	C. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	80	C. Diaz
	0600	80	J. Flores
	0900	80	J. Flores
	1200	80	D. Flores
	1500	80	D. W
	1800	79	D. W
	2100	77	D. W
	2400	77	G. Alcocer

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	77	G. Alcocer
	0600	77	A. MORAN
	0900	79	A. MORAN
	1200	77	A. MORAN
	1500	80	A. Flores
	1800	80	A. De La Torre
	2100	80	A. De La Torre
	2400	77	G. Alcocer LJ

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	77	G. Alcocer
	0600	77°	Y. DelAngel
	0900	77°	Y. DelAngel
	1200	78°	Y. DelAngel
	1500	78	B. Alvarado
	1800	79	B. Alvarado
	2100	79	B. Alvarado
	2400	79	M. FRANCO

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	79°	M. FRANCO
	0600	80	Salazar
	0900	80	Salazar
	1200	80	Salazar
	1500	79	B. Alvarado
	1800	79	B. Alvarado
	2100	80	B. Alvarado
	2400	79	M. SINGH

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	78	M. SINGH
	0600	78	M. SINGH
	0900	78	E. Chavez
	1200	80	E. Chavez
	1500	80	D. Wilson
	1800	78	D. Wilson
	2100	78	D. W
	2400	78	G. Alcocer

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A04 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	78	SINGH
	0600	70°	Elizalaga
	0900	76°	Elizalaga
	1200	79	Elizalaga
	1500	80°	APARICIO
	1800	80°	APARICIO
	2100	80°	APARICO
	2400	80°	M.SINGH

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	80°	M SINGH
	0600	80°	M SINGH
	0900	79°	ElizaBraga
	1200	80°	ElizaBraga
	1500	80°	APARICIO
	1800	80°	APARICIO
	2100	80°	APARICIO
	2400	80°	CISNEROS

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	78	CISNEROS
	0600	78	J. Cruz
	0900	75	J. Cruz
	1200	75	J. Cruz
	1500	75	F. Aparicio
	1800	80	F. Aparicio
	2100	80	F. Aparicio
	2400	80°	G. Banda

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	80°	G. Banda
	0600	80°	J. BARRAS
	0900	76	J. BARRAS
	1200	79	J. BARRAS
	1500	78	G. Torres
	1800	76	G. Torres
	2100	76	G. Torres
	2400	80°	Banda

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	80°	Eurica
	0600	72°	Elizalaga
	0900	75°	Elizalaga
	1200	75	Elizalaga
	1500	75	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	80	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	80°	Cequera
	0600	75°	Elizalaga
	0900	80	Elizalaga
	1200	80°	Elizalaga
	1500	79°	Solo
	1800	79°	Solo
	2100	79°	Solo
	2400	80°	G. Banda

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	80°	G. Banda
	0600	75	Elizalaga
	0900	80°	Elizalaga
	1200	80°	Elizalaga
	1500	80°	APARICIO
	1800	80°	APARICIO
	2100	80°	APARICIO
	2400	80	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan
STATE OF CALIFORNIA

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the Heat Risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the Heat Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3A05 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.15.24	0300	76.9	[illegible]
	0600	78.9	Perez
	0900	80.2	Perez
	1200	81.2	Perez
	1500	82	B[illegible]
	1800	83.7	B[illegible]
	2100	82.9	B[illegible]
	2400	82°	G. RIVERA

Tuesday

Date	Time	Temp.	Name (Print)
7.16.24	0300	80°	G. RIVERA
	0600	79	R. Gamboa
	0900	79	R. Gamboa
	1200	80	R. Gamboa
	1500	81	R. Gamboa
	1800	83	R. Gamboa
	2100	82	R. Gamboa
	2400	80	M SINGH

Wednesday

Date	Time	Temp.	Name (Print)
7.17.24	0300	79	M SINGH
	0600	79	M SINGH
	0900	78	R. Gamboa
	1200	79	R. Gamboa
	1500	80.2	E. BECERRA
	1800	80.4	E. BECERRA
	2100	80.6	E. BECERRA
	2400	78	R. FIELD

Thursday

Date	Time	Temp.	Name (Print)
7.18.24	0300	76	R. FIELD
	0600	77	R. Gamboa
	0900	77	R. Gamboa
	1200	79	R. Gamboa
	1500	81	N. Melan
	1800	80	N. Melan
	2100	80.8	N. Melan
	2400	78	E. LEWIS

Friday

Date	Time	Temp.	Name (Print)
7.19.24	0300	78	E. LEWIS
	0600	77	R. Gamboa
	0900	77	R. Gamboa
	1200	78	R. Gamboa
	1500	80	M. Bueno
	1800	81	M. Bueno
	2100	81.5	M. Bueno
	2400	80	R. FIELD

Saturday

Date	Time	Temp.	Name (Print)
7.20.24	0300	78	R. FIELD
	0600	78.4	D. Elizarraraz
	0900	79	D. Elizarraraz
	1200	80	D. Elizarraraz
	1500	82	D. Elizarraraz
	1800	83	D. Elizarraraz
	2100	83	D. Elizarraraz
	2400	80	J. GUZMAN

Sunday

Date	Time	Temp.	Name (Print)
7.21.24	0300	78	VIRK
	0600	79.5	RIVERA
	0900	80.0	R. Rivera
	1200	80.02	R. Rivera
	1500	81.5	B. Alvarado
	1800	81.9	B. Alvarado
	2100	81.3	B. Alvarado
	2400	80.6	J. Guzman

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Revised 2021

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3B01 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.15.24	0300	81°	G.RIVERA
	0600	81°	D.LIMA
	0900	82°	D.LIMA
	1200	83°	D.LIMA
	1500	83°	H. AGUIRRE
	1800	84°	H. AGUIRRE
	2100	84°	H. AGUIRRE
	2400	82	PHILLIPS

Tuesday

Dat	Time	Temp.	Name (Print)
7.16.24	0300	80 80	PHILLIPS
	0600		D.LIMA
	0900	81	D.LIMA
	1200	82	D.LIMA
	1500	83°	H. AGUIRRE
	1800	84°	H. AGUIRRE
	2100	84°	H. AGUIRRE
	2400	82	PHILLIPS

Wednesday

Date	Time	Temp.	Name (Print)
7.17.24	0300	79	PHILLIPS
	0600	78	D.LIMA
	0900	79	D.LIMA
	1200	80	D.LIMA
	1500	81°	H. AGUIRRE
	1800	82°	H. AGUIRRE
	2100	81°	H. AGUIRRE
	2400	80	PHILLIPS

Thursday

Date	Time	Temp.	Name (Print)
7.18.24	0300	78°	PHILLIPS
	0600	78°	D.LIMA
	0900	79°	D.LIMA
	1200	80°	D.LIMA
	1500	81°	H. AGUIRRE
	1800	81°	H. AGUIRRE
	2100	81°	H. AGUIRRE
	2400	80	PHILLIPS

Friday

Date	Time	Temp.	Name (Print)
7.19.24	0300	78	PHILLIPS
	0600	78	K. YANG
	0900	79	K. YANG
	1200	80	K. YANG
	1500	81°	H. AGUIRRE
	1800	82°	H. AGUIRRE
	2100	82°	H. AGUIRRE
	2400	81	PHILLIPS

Saturday

Date	Time	Temp.	Name (Print)
7.20.24	0300	78	PHILLIPS
	0600	78	Adarza
	0900	80	Adarza
	1200	81	Adarza
	1500	83	D.Silva
	1800	83°	D.Silva
	2100	83°	D.Silva
	2400	83	Diaz

Sunday

Date	Time	Temp.	Name (Print)
7.21.24	0300	80	Diaz
	0600	79	E. Segura
	0900	80	E. Segura
	1200	81	E. Segura
	1500	82	D Silva
	1800	82	D Silva
	2100	82	D Silva
	2400	82°	G. RIVERA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B02 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	82°	L.MAGDALENO
	0600	81	Martinez
	0900	82	Martinez
	1200	83	Martinez
	1500	84	M.SPANEL
	1800	85	M.SPANEL
	2100	84	M.SPANEL
	2400	82	L.MAGDALENO

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	81°	L.MAGDALENO
	0600	81	Martinez
	0900	81	Martinez
	1200	82	Martinez
	1500	83	M.SPANEL
	1800	84	M.SPANEL
	2100	81	M.SPANEL
	2400	82°	L.MAGDALENO

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	81°	L.MAGDALENO
	0600	78	E. Segura
	0900	78	E. Segura
	1200	79	E. Segura
	1500	80	M.SPANEL
	1800	81	M.SPANEL
	2100	81	M.SPANEL
	2400	81	L.MAGDALENO

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	80°	L.MAGDALENO
	0600	77	Urrutia
	0900	78	Urrutia
	1200	79	Urrutia
	1500	77	Pinson
	1800	77	Pinson
	2100	77	Pinson
	2400	78	Pales

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	78	Pales
	0600	77	Martinez
	0900	77	Martinez
	1200	79	Martinez
	1500	82	ZUNIGA
	1800	82	ZUNIGA
	2100	81	ZUNIGA
	2400	79	Pales

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	78	Palusa
	0600	78	Martinez
	0900	78	Martinez
	1200	80	Martinez
	1500	82	J.BARRAS
	1800	82	J.Barrias
	2100	82	J.Barrias
	2400	82°	L.MAGDALENO

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	81°	L.MAGDALENO
	0600	72	REEDER
	0900	79	REEDER
	1200	80	REEDER
	1500	82	Delgado
	1800	82	Delgado
	2100	81	Delgado
	2400	81	L.MAGDALENO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B03 Temp. Reading Location: CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	84°	J. Bueno
	0600	82°	S Pena
	0900	83°	S Pena
	1200	84°	S Pena
	1500	85°	D Silva
	1800	87°	D. Silva
	2100	86°	D. Silva
	2400	84°	J. Bueno

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	83°	J Bueno
	0600	81°	S Pena
	0900	82°	S Pena
	1200	83°	S Pena
	1500	85°	D Silva
	1800	86°	D Silva
	2100	85°	D Silva
	2400	83°	J Bueno

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	81°	J. Bueno
	0600	81°	S Pena
	0900	82°	S Pena
	1200	81°	S Pena
	1500	82°	J. Martinez
	1800	83°	J. Martinez
	2100	82°	J. Martinez
	2400	80°	J. Cullen

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	79	J. Cullen
	0600	78	E. Segura
	0900	79	E. Segura
	1200	81	E. Segura
	1500	82°	J. Martinez
	1800	83°	J. Martinez
	2100	83°	J. Martinez
	2400	82	J. Cullen

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	80	J. Cullen
	0600	80	F. Contreras
	0900	82	F. Contreras
	1200	82	F. Contreras
	1500	83	J. Sandoval
	1800	84	Ortega
	2100	84	Ortega
	2400	82°	J. Bueno

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	81°	J. Bueno
	0600	81°	S Pena
	0900	82°	S Pena
	1200	83°	S Pena
	1500	84°	R. Berrones
	1800	85°	R. Berrones
	2100	85°	R. Berrones
	2400	83°	J. Bueno

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	82°	J. Bueno
	0600	81°	S Pena
	0900	82°	S Pena
	1200	83°	S Pena
	1500	84°	J. Martinez
	1800	84°	J. Martinez
	2100	85°	J. Martinez
	2400	84°	J. Bueno

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CSP-COR Housing Unit 3B04 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	84	J. Tijerina
	0600	82	J. Clark
	0900	83	J. Clark
	1200	84	J. Clark
	1500	84	A. Blanco
	1800	86	A. Blanco
	2100	86	A. Blanco
	2400	86	J. Tijerina

Tuesday

Dat	Time	Temp.	Name (Print)
7-16-24	0300	84	J. Tijerina
	0600	81	J. Clark
	0900	81	J. Clark
	1200	82	J. Clark
	1500	84	L. Lopez
	1800	86	L. Lopez
	2100	86	L. Lopez
	2400	84	J. Tijerina

Wednesday

Date	Time	Temp.	Name (Print)
7-17-24	0300	80	J. Tijerina
	0600	79	J. Clark
	0900	79	J. Clark
	1200	81	J. Clark
	1500	82	L. Lopez
	1800	82	L. Lopez
	2100	82	L. Lopez
	2400	82	J. Tijerina

Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300	80	J. Tijerina
	0600	79	J. Clark
	0900	80	J. Clark
	1200	81	J. Clark
	1500	82	NEVAREZ
	1800	82	NEVAREZ
	2100	82	NEVAREZ
	2400	81	SERRANO

Friday

Date	Time	Temp.	Name (Print)
7-19-24	0300	79	SERRANO
	0600	78	Urrutia
	0900	79	Urrutia
	1200	80	Urrutia
	1500	82	NEVAREZ
	1800	82	NEVAREZ
	2100	82	NEVAREZ
	2400	82	SERRANO

Saturday

Date	Time	Temp.	Name (Print)
7-20-24	0300	82	SERRANO
	0600	79	Urrutia
	0900	80	Urrutia
	1200	81	Urrutia
	1500	82	S. LOZA
	1800	84	S. LOZA
	2100	84	S. LOZA
	2400	80	L. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
7-21-24	0300	80	L. GONZALEZ
	0600	81	L. GONZALEZ
	0900	81	J. Clark
	1200	81	J. Clark
	1500	82	NEVAREZ
	1800	82	NEVAREZ
	2100	82	NEVAREZ
	2400	82	GONZALEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B05 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6/20 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	80	SERRANO
	0600	79	URRANO
	0900	79	URRANO
	1200	79	URRANO
	1500	81	[illegible]
	1800	81	[illegible]
	2100	81	[illegible]
	2400	80	2 Cutanda

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300	80	2 Cutanda
	0600	77	Bonga
	0900	74	Bonga
	1200		
	1500	78	Brotherson
	1800	78	Brotherson
	2100	79	Brotherson
	2400	80	2 Cutand

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	80	2 Cutanda
	0600	74	Bonga
	0900	71	Bonga
	1200	76	brotherson
	1500	76	Brotherson
	1800	76	Brotherson
	2100	74	Brotherson
	2400	75	2 Cutanda

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	75	2 Cutanda
	0600	72	Bonga
	0900	71	Bonga
	1200	71	Bonga
	1500	73	Brotherson
	1800	74	Brotherson
	2100	74	Brotherson
	2400	78	2 Cutanda

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	77	2 Cutanda
	0600	72	Bonga
	0900	73	Bonga
	1200	72	
	1500	72	Brotherson
	1800	72	Brotherson
	2100	74	Brotherson
	2400	75	2 Cutanda

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	77	2 Cutanda
	0600	72	Bonga
	0900	74	Bonga
	1200	74	Bonga
	1500	74	Brotherson
	1800	74	Brotherson
	2100	75	Brotherson
	2400	74	SERRANO

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	74	SERRANO
	0600	73	URRANO
	0900	75	URRANO
	1200	76	URRANO
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	77	L. Bigott

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA – DEPARTMENT OF CORRECTIONS AND REHABILITATION

GAVIN NEWSOM, GOVERNOR

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P. O. Box 8800
Corcoran, California 93212

July 23, 2024

RE: HEAT PLAN MONITORING

Upon further review of the included CDCR-2031 inside Temperature Records, from building 3B05, the following issues were observed:

- July 16, 2024, at 1200hrs, the name of the staff member and temperature observed were not logged in accordance with OP-208, Heat Plan.
- July 19, 2024, at 1200hrs, the name of the staff member was not logged in accordance with OP-208, Heat Plan.

Please provide training and proof of practice memo no later than July 26, 2024. I have highlighted the specific area to expedite the process.

If you have any questions or concerns you may contact me at extension [redacted]

R. Laber
Litigations Assistant
California State Prison-Corcoran

State of California

Department of Corrections and Rehabilitation

Memorandum

Date : July 24, 2024

To : P. WILLIAMS
Litigations Coordinator
California State Prison - Corcoran

Subject: **HEAT PLAN MONITORING**

This memorandum serves as Proof of Practice to inform you training was completed on Heat Plan Monitoring in 3B05 (copy of 844 attached).

If you have any questions, I may be reached at extension [redacted]

F.C. CHAPPEL
Facility 3B Captain
California State Prison - Corcoran

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE	Heat Plan Procedure O.P. 208	TIME	0900 HRS	DATE	Wednesday, July 24, 2024
AUDIENCE	CUSTODY	INSTRUCTOR	SGT. D. DIAZ	LENGTH (IN HOURS)	0.5
LOCATION	3B05 CONTROL	BET ID (List all applicable)	11054300		

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	BORREGO, N.	C/O	0600-1400	0900	0930	N	N	
2		.		-					
3		.		-					
4		.		-					
5		.		-					
6		.		-					
7		.		-					
8		.		-					
9		.		-					
10		.		-					
11		.		-					
12		.		-					
13		.		-					
14		.		-					
15		.		-					
16		.		-					
17		.		-					
18		.		-					
19		.		-					
20		.		-					
21		.		-					
22		.		-					
23		.		-					
24		.		-					

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR [redacted]

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4A1L Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/15/24

Date	Time	Temp.	Name (Print)
7/15/24	0300	85	D. Samadian
	0600	85	SALINAS
	0900	85	SALINAS
	1200	85	SALINAS
	1500	85	Mecin
	1800	85	Mecin
	2100	85	Mecin
	2400	85	D. Samadian

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	84	Samadian
	0600	84	SALINAS
	0900	84	SALINAS
	1200	84	SALINAS
	1500	84	Mecin
	1800	85	Mecin
	2100	85	Mecin
	2400	85	Samadian

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	84	Samadian
	0600	83	SALINAS
	0900	83	SALINAS
	1200	83	SALINAS
	1500	83	Mecin
	1800	84	Mecin
	2100	84	Mecin
	2400	84	Perez

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	82	Perez
	0600	82	SALINAS
	0900	82	SALINAS
	1200	82	SALINAS
	1500	83	Mecin
	1800	83	Mecin/Collins
	2100	83	Mecin
	2400	83	Perez

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	87	Perez
	0600	79	Adazu
	0900	82	Adazu
	1200	82	Adazu
	1500	82	Mecin
	1800	82	Mecin
	2100	83	Mecin
	2400	83	Cullen

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	82	Cullen
	0600	[illegible]	Moreno
	0900	83	Moreno
	1200	83	Moreno
	1500	83	Chavez
	1800	84	Chavez
	2100	84	[illegible]
	2400	80	T. Cullen

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	79	Cullen
	0600	82	[illegible]
	0900	84	[illegible]
	1200	84	[illegible]
	1500	84	Espinoza
	1800	84	[illegible]
	2100	84	[illegible]
	2400	84	Samadian

Notes

7-15 UHT @ 1007 HOURS

7-16 UHT @ 1019 HOURS

7-16 UHT deactivated 2200

7-17 UHT @ 1110 HOURS

7-19 UHT @ 0915

7-20 UHT @ 0930

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7998

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A1R Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7	0300	84.2	J Cutler
	0600	84.4	R Lewis
	0900	84.6	R Lewis
15	1200	84	R Lewis
	1500	81	C. Brown
	1800	80	C. Brown
24	2100	78	C. Brown
	2400	77	B. GARCIA

Tuesday

Dat	Time	Temp.	Name (Print)
7	0300	71	B. GARCIA
	0600	83.1	R Lewis
	0900	83.1	R Lewis
16	1200	83.8	R Lewis
	1500	84.2	A Miramonts
24	1800	84.7	A Miramonts
	2100	84.7	A Miramonts
	2400	83.7	A Miramonts

Wednesday

Date	Time	Temp.	Name (Print)
7	0300	82.8	A Miramonts
	0600	82.9	R Lewis
	0900	82.6	R Lewis
17	1200	82.3	R Lewis
	1500	82.8	PIMENTEL.M
24	1800	83.2	PIMENTEL.M
	2100	83.5	PIMENTEL.M
	2400	82.6	Miramont

Thursday

Date	Time	Temp.	Name (Print)
7	0300	82	Miramon
	0600	81.7	R Lewis
	0900	81.9	R Lewis
18	1200	82.0	R Lewis
	1500	82.4	PIMENTEL.M
24	1800	82.8	PIMENTEL.M
	2100	83.0	PIMENTEL.M
	2400	82.8	MIRAMONTE

Friday

Date	Time	Temp.	Name (Print)
7	0300	81.9	Miramonts
	0600	81	RODRIGUEZ
.	0900	82	RODRIGUEZ
19	1200	82	RODRIGUEZ
.	1500	82.9	PIMENTEL.M
24	1800	83.5	PIMENTEL.M
	2100	83.8	PIMENTEL.M
	2400	83.1	PIMENTEL.M

Saturday

Date	Time	Temp.	Name (Print)
7	0300	82.6	PIMENTEL.M
.	0600	82.6	Ontiveros
	0900	82.6	Ontiveros
20	1200	82.6	Ontiveros
.	1500	83.1	PIMENTEL.M
24	1800	83.7	PIMENTEL.M
	2100	84.0	PIMENTEL.M
	2400	82.9	V. Lujan

Sunday

Date	Time	Temp.	Name (Print)
7	0300	81.3	V. Lujan
	0600	82.6	Valencia
.	0900	82.8	Valencia
21	1200	83.0	Valencia
.	1500	83.1	Macias I.
24	1800	83.7	Macias I.
	2100	83.7	Macias I.
	2400	82.5	Cutler

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18).

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A3L Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	87.8	P. Bryant
	0600	85	RODRIGUEZ
	0900	85	RODRIGUEZ
	1200	86	RODRIGUEZ
	1500	86	L. XIONG
	1800	87	L. XIONG
	2100	87	L. XIONG
	2400	84	Andrade

Tuesday

Dat	Time	Temp.	Name (Print)
7-16-24	0300	84	F. ANDRADE
	0600	84	RODRIGUEZ
	0900	85	RODRIGUEZ
	1200	85	RODRIGUEZ
	1500	86	L. XIONG
	1800	86	L. XIONG
	2100	86	L. XIONG
	2400	86	J Gallegos

Wednesday

Date	Time	Temp.	Name (Print)
7.17.24	0300	86	J Gallegos
	0600	82	Hurran
	0900	82	Hurran
	1200	83	Hurran
	1500	85	DeHernandez
	1800	85	DeHernandez
	2100	86	DeHernandez
	2400	84	J Gallegos

Thursday

Date	Time	Temp.	Name (Print)
7.18.24	0300	84	J Gallegos
	0600	82	Hurran
	0900	82	Hurran
	1200	83	Hurran
	1500	85	DeHernandez
	1800	85	DeHernandez
	2100	85	DeHernandez
	2400	84	HAND

Friday

Date	Time	Temp.	Name (Print)
7.19.24	0300	83	HAND
	0600	82	Hurran
	0900	83	Hurran
	1200	83	Hurran
	1500	84	M Collins
	1800	85.4	M. Collins
	2100	85.6	M. Collins.
	2400	85.1	J. BELTRAN

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	84.6	J. BELTRAN
	0600	84.6	[illegible]
	0900	84.7	[illegible]
	1200	85	[illegible]
	1500	85.5	W. Cintora
	1800	86.	W. Cintora
	2100	86.3	W. Cintora
	2400	86.1	J. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
7.21.24	0300	84.7	J. Hernandez
	0600	84.1	M. Juarez
	0900	84.5	M. Juarez
	1200	84.9	M. Juarez
	1500	85	L. XIONG
	1800	86	L. XIONG
	2100	85	L. XIONG
	2400	84	M. SINGH

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4L Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/15/24

Date	Time	Temp.	Name (Print)
	0300	87.8	A. AHULAN
	0600	87.1	G. RODRIGUEZ
	0900	87.1	G. RODRIGUEZ
	1200	87.1	G. RODRIGUEZ
	1500	87.8	A. ochoa
	1800	88.3	A ochoa
	2100	87.0	A ochoa
	2400	87.4	A. AHULAN

Tuesday 7/16/24

Date	Time	Temp.	Name (Print)
	0300	86	A. AHULAN
	0600	86.7	A. ROCHA
	0900	86.2	A. ROCHA
	1200	86.2	A. ROCHA
	1500	86	Kulf
	1800	87	Kulf
	2100	86	Kulf.
	2400	86	J martinez

Wednesday 7/17/24

Date	Time	Temp.	Name (Print)
	0300	86	J. martinez
	0600	86	A. Rocha
	0900	85.6	A. Rocha
	1200	85.6	A. Rocha
	1500	85.6	J. Cadelpis
	1800	86	Kulf
	2100	86	Kulf.
	2400	86	J martinez

Thursday 7/18/24

Date	Time	Temp.	Name (Print)
	0300	85	J martinez
	0600	83	S. Rojas
	0900	84	S. Rojas
	1200	84	S. Rojas
	1500	85	Kulf
	1800	86	Kulf
	2100	86	Kulf.
	2400	86	J martinez

Friday 7/19/24

Date	Time	Temp.	Name (Print)
	0300	85	J. martinez
	0600	85.1	A. Rocha
	0900	84.9	A. Rocha
	1200	84.9	A. Rocha
	1500	85	Kulf
	1800	86	Kulf
	2100	86	Kulf.
	2400	85	J Martinez

Saturday 7/20/24

Date	Time	Temp.	Name (Print)
	0300	85	J martinez
	0600	85.6	A. Rocha
	0900	85.3	A. Rocha
	1200	85.6	A. ROCHA.
	1500	86	Kulf
	1800	86	Kulf
	2100	86	Kulf.
	2400	85.4	J martinez

Sunday 7/21/24

Date	Time	Temp.	Name (Print)
	0300	85	J martinez
	0600	85	P. ARIAS
	0900	85	P. ARIAS
	1200	85	P. ARIAS
	1500	86	A. ochoa
	1800	86.5	A. ochoa
	2100	86.4	A. ochoa
	2400	86	A. AHULAN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4R Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday July 15, 2024

Date	Time	Temp.	Name (Print)
	0300	86	L. XIONG
	0600	86	A. ANULCAR
	0900	85.6	A. ANULCAR
	1200	85.7	A. ANULCAR
	1500	86.4	E. Ontiveros
	1800	86.6	Ontiveros
	2100	86.5	Ontiveros
	2400	86	L. XIONG

Tuesday July 16, 2024

Date	Time	Temp.	Name (Print)
	0300	85	L. XIONG
	0600	85	K. YANG
	0900	85	K. YANG
	1200	85	K. YANG
	1500	86	K. YANG
	1800	85	K. YANG
	2100	86	K. YANG
	2400	86.0	CASILLAS, E

Wednesday July 17, 2024

Date	Time	Temp.	Name (Print)
	0300	86	CASILLAS, E
	0600	86	SOTO
	0900	86	SOTO
	1200	86	SOTO
	1500	86	SOTO
	1800	86	SOTO
	2100	86	SOTO
	2400	84	DR Fernandez

Thursday July 18, 2024

Date	Time	Temp.	Name (Print)
	0300	83	S.A. NIGHUS
	0600	83.2	S.A. NIGHUS
	0900	83.4	S.A. NIGHUS
	1200	84.3	S.A. NIGHUS
	1500	84	SOTO
	1800	84	SOTO
	2100	84	SOTO
	2400	84	DR Fernandez

Friday July 19, 2024

Date	Time	Temp.	Name (Print)
	0300	84	DR Fernandez
	0600	83	D. PEREZ
	0900	84	D. PEREZ
	1200	84	R. SOTO
	1500	84	R. SOTO
	1800	84	R. SOTO
	2100	84	R. SOTO
	2400	84	A. ANULCAR

Saturday July 20, 2024

Date	Time	Temp.	Name (Print)
	0300	84	A. ANULCAR
	0600	84	[illegible]
	0900	84.1	[illegible]
	1200	84.3	[illegible]
	1500	85.4	A. ANULCAR
	1800	85.4	A. ANULCAR
	2100	85.4	A. ANULCAR
	2400	85.4	A. ANULCAR

Sunday July 21, 2024

Date	Time	Temp.	Name (Print)
	0300	85.4	A. ANULCAR
	0600	84.6	W. HANG
	0900	84.6	W. HANG
	1200	84.6	W. HANG
	1500	85.4	A. ANULCAR
	1800	85.4	A. ANULCAR
	2100	85.4	A. ANULCAR
	2400	84	L. XIONG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

A. Rodriguez

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-1L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	86.9	A-Garcia
	0600	85.6	J. Espa
	0900	86.4	S. Martinez
	1200	87.8	S. Martinez
	1500	88.4	Gonzalez
	1800	89.5	Gonzalez
	2100	89.0	Gonzalez
	2400	87°	A-Garcia

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	85.5	A. Garcia
	0600	84.3	S. Martinez
	0900	84.9	S. Martinez
	1200	87.5	J. Espa
	1500	88.0	J. Espa
	1800	88.5	J. Espa
	2100	86.2	J. Esparza
	2400	85.5	A. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	84.8	A. Garcia
	0600	83.0	J. Hernandez
	0900	83.0	J. Hernandez
	1200	84.6	J. Hernandez
	1500	85.7	S. Ramos
	1800	86.1	S. Ramos
	2100	85.8	S. Ramos
	2400	84°	A. Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	83.5	A. Garcia
	0600	82.4	J. Hernandez
	0900	83.0	J. Hernandez
	1200	84.3	J. Hernandez
	1500	85.4	S. Ramos
	1800	85.7	S. Ramos
	2100	85.8	S. Ramos
	2400	84.3	A. GARCIA

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	84.8	A. GARCIA
	0600	82.4	J. Hernandez
	0900	84.0	J. Hernandez
	1200	85.6	J. Hernandez
	1500	87.3	S. Ramos
	1800	88.4	S. Ramos
	2100	87.2	S. Ramos
	2400	85.1	Cansino

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	84.6	A. Cantu
	0600	83.8	J. Hernandez
	0900	84.9	J. Hernandez
	1200	87.8	J. Hernandez
	1500	88.8	S. Ramos
	1800	89.1	Gonzalez
	2100	88.9	Gonzalez
	2400	85.3	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	84.6	RAMIREZ
	0600	84.8	J. Esparza
	0900	85.2	J. Esparza
	1200	86.1	J. Espa
	1500	87.7	Diaz A
	1800	88.0	Diaz A
	2100	87.3	Diaz A
	2400	85	B. GARCIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-1R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	85.3	A. Baylon
	0600	83.1	J. wilson
	0900	82.9	J. wilson
	1200	85.2	J. wilson
	1500	86.3	A. DUARTE
	1800	86.9	A. DUARTE
	2100	85.7	A. DUARTE
	2400	84.9	A. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	84.1	A. Garcia
	0600	81.7	J wilson
	0900	81.6	J wilson
	1200	83.5	J wilson
	1500	85.1	L Gutten
	1800	85.2	L Gutten
	2100	85	L Gutten
	2400	83.1	A. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	81.7	A. GARCIA
	0600	80.0	D. Ramirez
	0900	79.4	D. Ramirez
	1200	81.0	D. Ramirez
	1500	83.0	D. Ramirez
	1800	83.7	D. Ramirez
	2100	82.6	D. Ramirez
	2400	80.1	A. DeLoera

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	79.2	A. DeLoera
	0600	79.2	A. DeLoera
	0900	79.4	D. Ramirez
	1200	81.5	D. Ramirez
	1500	82.9	D. Ramirez
	1800	83.4	D. Ramirez
	2100	82.9	D. Ramirez
	2400	80.8	A. GARCIA

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	80.1	A. GARCIA
	0600	79.4	K. SINGH
	0900	79.7	K. SINGH
	1200	81.5	K. SINGH
	1500	84.1	K. SINGH
	1800	84.1	K. SINGH
	2100	83.6	K. SINGH
	2400	82.5	Cantu

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	81.1	Cantu
	0600	82.1	K. SINGH
	0900	83.4	K SINGH
	1200	83.9	K SINGH
	1500	84.3	J. Hernandez
	1800	85.7	J. Hernandez
	2100	85.1	J Cantu
	2400	84.3	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	81.6	RAMIREZ
	0600	80.9	D. Ramirez
	0900	81.1	D. Ramirez
	1200	82.9	D. Ramirez
	1500	84.8	CENTENO
	1800	85.0	CENTENO
	2100	84.6	CENTENO
	2400	82	B. GARCIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 2L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	85	J. Navarrete SG
	0600	85.6	C. Navarro
	0900	85.5	C. Navarro
	1200	85.5	C. Navarro
	1500	86.	J. Hallm
	1800	86	J. Hallegos
	2100	86	J. Gallegos
	2400	86.1	E Ruiz

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	85.6	E Ruiz SG
	0600	85.3	C. Navarro
	0900	84.9	C. Navarro
	1200	85.1	C. Navarro
	1500	85.3	S. NAVARRO
	1800	85.7	S. NAVARRO
	2100	85.8	S. NAVARRO
	2400	85.5	E RUIZ

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	84.8	E RUIZ SG
	0600	84.6	C. ALCANTAR
	0900	83.5	C. ALCANTAR
	1200	84.0	C. ALCANTAR
	1500	84.2	S. ABASTA
	1800	84.4	S. ABASTA
	2100	84.5	S. ABASTA
	2400	85.9	E RUIZ

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	83.5	E RUIZ
	0600	82.9	C. ALCANTAR
	0900	83.0	C. ALCANTAR
	1200	83.0	C. ALCANTAR
	1500	83.4	R. HERNANDEZ
	1800	83.7	R. HERNANDEZ
	2100	84.3	R. HERNANDEZ
	2400	83.5	E RUIZ

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	83.3	E RUIZ
	0600	82.5	C. Navarro
	0900	82.5	C. Navarro
	1200	83.1	C. Navarro
	1500	83.6	R. HERNANDEZ
	1800	84.4	R. HERNANDEZ
	2100	84.5	S. ABASTA
	2400	84.2	J. Medina SG

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	85.4	J MEDINA
	0600	83.5	E. [illegible]
	0900	83.5	[illegible]
	1200	83.7	E. [illegible]
	1500	84.3	S. NAVARRO
	1800	85.3	S. NAVARRO
	2100	85.3	S. NAVARRO
	2400	85.3	J MEDINA

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	84.5	C. YANG
	0600	84.3	C. Navarro
	0900	84.2	E. [illegible]
	1200	84.3	C. Navarro
	1500	84.7	R. HERNANDEZ
	1800	85.3	R. HERNANDEZ
	2100	85.3	R. HERNANDEZ
	2400	84.7	C. YANG SG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-2R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	82	J. Blackmeter
	0600	81.9	J. Clingerman
	0900	81.7	J. Clingerman
	1200	82.0	J. Clingerman
	1500	82.1	S. NAVARRO
	1800	83.9	S. NAVARRO
	2100	83.9	S. GONZALEZ
	2400	81.9	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	81.3	[illegible]
	0600	81.1	Clingerman
	0900	79.9	Clingerman
	1200	81.1	Clingerman
	1500	82.1	Gonzalez
	1800	82.9	Gonzalez
	2100	82.4	Gonzalez
	2400	82.5	E. Ruiz

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	81.1	E. Ruiz
	0600	78.9	J. Gonzalez
	0900	79.9	J. Clingerman
	1200	81.0	J. Clingerman
	1500	81	M. Camarena
	1800	81.2	M. Camarena
	2100	81.3	M. Camarena
	2400	79.8	E. Ruiz

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	79.2	E. Ruiz
	0600	79.1	Clingerman
	0900	78.3	J. Gonzalez
	1200	78.7	J. Gonzalez
	1500	80.5	J. Rodriguez
	1800	81.1	J. Rodriguez
	2100	81.1	J. Rodriguez
	2400	80.1	E. Ruiz

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	79.7	E. Ruiz
	0600	78.6	S. Ponce
	0900	78.5	J. Gonzalez
	1200	79.9	S. Ponce
	1500	81.6	E. Cruz
	1800	81.9	E. Cruz
	2100	82.1	E. Cruz
	2400	82.4	J. Medina

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	80.1	J. Medina
	0600	80.0	S. Ponce
	0900	79.9	S. Ponce
	1200	80.9	S. Ponce
	1500	82.3	O. Martinez
	1800	82.8	O. Martinez
	2100	83.8	O. Martinez
	2400	82.1	L. Yang

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	81.1	L. Yang
	0600	80.5	S. Ponce
	0900	80.5	S. Ponce
	1200	80.9	S. Ponce
	1500	82.4	S. Gonzalez
	1800	82.9	S. Gonzalez
	2100	82.6	S. Gonzalez
	2400	82.1	L. Yang

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 3L Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	86.8	D. CALDERON
	0600	86.2	J. GUTIERREZ
	0900	86.5	J. Gutierrez
	1200	86.6	J. Gutierrez
	1500	86.6	MARSHALL
	1800'	87.3	MARSHALL
	2100	86.4	MARSHALL
	2400	87.8	D. CALDERON

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	86.6	O. CONTRERAS
	0600	85.6	L. Guillen
	0900	85.3	L. Guillen
	1200	85.6	L. Guillen
	1500	90.1	S. GONZALEZ
	1800	92.1	S. GONZALEZ
	2100	86.9	S. GONZALEZ
	2400	86.8	O. CONTRERAS

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	85.6	O. Contreras
	0600	84.6	L. Guillen
	0900	84	L. Guillen
	1200	84.1	L. Guillen
	1500	84.6	S. Ponsiano
	1800	85.1	S. Ponsiano
	2100	85	S. Ponsiano
	2400	84.6	O. CONTRERAS

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	83.7	O. CONTRERAS
	0600	83.3	MARSHALL
	0900	83.2	MARSHALL
	1200	83.8	MARSHALL
	1500	84.3	RAMIREZ J
	1800	84.6	RAMIREZ J
	2100	84.8	RAMIREZ J
	2400	83.6	RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	83.5	RAMIREZ
	0600	83.3	J. RAMIREZ
	0900	83.2	J. RAMIREZ
	1200	83.5	J. RAMIREZ
	1500	84.2	E. DIMAANO
	1800	85.8	E. DIMAANO
	2100	84.8	E. DIMAANO
	2400	84.5	RAMIREZ

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	84.2	RAMIREZ
	0600	83.6	J. GARCIA
	0900	83.9	J. GARCIA
	1200	84.2	J. GARCIA
	1500	85.4	A. GIL
	1800	86.4	A. GIL
	2100	85.9	E. DIMAANO
	2400	85.0	ASUN

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	82.9	ASUNCION
	0600	83.9	MARSHALL
	0900	84.1	[illegible]
	1200	84.6	[illegible]
	1500	85.4	MARSHALL
	1800	85.8	MARSHALL
	2100	85.8	MARSHALL
	2400	85.2	D. CALDERON

Notes

7/16- 1500-90.1 1600-91.3 1700-92.0
1800-92.1 1900-92.0 2000-91.8 2100-86.9

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-3R Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	88.5	O-CONTRERAS SG
	0600	88.5	K. Rodriguez
	0900	88.6	K. Rodriguez
	1200	88.7	K. Rodriguez
	1500	88.9	K. Rodriguez
	1800	88.9	K. Rodriguez
	2100	88.9	K. Rodriguez
	2400	88.9	O-CONTRERAS

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	88.1	O-CONTRERAS SG
	0600	87	J. RIVERA
	0900	87.	J. RIVERA
	1200	87.9	J. RIVERA
	1500	91.0	K. Rodriguez
	1800	91.5	K. Rodriguez
	2100	89.1	K. Rodriguez
	2400	88.1	O-CONTRERAS SG

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	87.3	O-CONTRERAS
	0600	86.4	J. Renteria
	0900	84.0	J. Renteria
	1200	85.6	J. Renteria
	1500	86.1	K. Rodriguez
	1800	87.0	K. Rodriguez
	2100	86.2	K. Rodriguez
	2400	86.3	O-CONTRERAS

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	86.3	O-CONTRERAS
	0600	85.5	J. Renteria
	0900	85.9.	J. ROSARIO
	1200	86.4	J. ROSARIO
	1500	85.9	J. CISNEROS
	1800	85.9	J. CISNEROS
	2100	85.9	J. CISNEROS
	2400	85.1	RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	84.8	RAMIREZ
	0600	84.7	Murillo
	0900	84.2	Murillo
	1200	84.5	Murillo
	1500	84.9	D. Vargas
	1800	85.3	D. Vargas
	2100	85.5	D. Vargas
	2400	85.1	RAMIREZ SG

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	85.0	RAMIREZ
	0600	84.9	D. ALLISON
	0900	85.0	G. Alvarez
	1200	85.1	G. Alvarez
	1500	89.0	C. SANTIZO
	1800	86.0	C. SANTIZO
	2100	86.1	C. SANTIZO
	2400	85.9	ANDRADE

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	84.9	ANDRADE
	0600	83.5	N. CRUZ
	0900	84.2	N. CRUZ
	1200	85.1	N. CRUZ
	1500	85.4	A. DUARTE
	1800	85.9	A. DUARTE
	2100	86.	H. ASUNCION
	2400	85.6	D. CALDERON SG

Notes

7/16 @ 1600-91.1, 1700-90.1, 1800-91.5, 1900-91.1, 2000-90.1, 2100-89.1 * SG

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 4L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	82.4	RAMIREZ
	0600	82.2	J. Rojas
	0900	82.1	J. Rojas
	1200	82.7	J. Rojas
	1500	83.0	J. POOLE
	1800	83.2	J. POOLE
	2100	83.4	J. POOLE
	2400	83.0	M. RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	81.9	RAMIREZ
	0600	81.9	J. Villa
	0900	81.6	J. Villa
	1200	81.8	J. CASTRO
	1500	81.5	HAND
	1800	88.0	HAND
	2100	83.9	HAND
	2400	81.5	GARZA

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	80.5	A. GARZA
	0600	80.4	J. CASTRO
	0900	80.5	J. CASTRO
	1200	80.4	J. CASTRO
	1500	81.5	HAND
	1800	81.9	HAND
	2100	81.8	HAND
	2400	80.9	A. GARZA

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	80.7	A. GARZA
	0600	80.5	C. CISNEROS
	0900	80.5	C. CISNEROS
	1200	80.4	C. CISNEROS
	1500	81.0	HAND
	1800	81.7	HAND
	2100	81.6	HAND
	2400	80.8	J. Navarrete

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	80.8	J. Navarrete
	0600	80.7	LIMERAND
	0900	80.4	LIMERAND
	1200	80.6	LIMERAND
	1500	81.7	HAND
	1800	82.4	HAND
	2100	82.0	HAND
	2400	81.4	F. AYON

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	81.1	F. AYON
	0600	81.0	LIMERAND
	0900	81.0	J. CASTRO
	1200	81.3	J. CASTRO
	1500	82.8	E. RAMIREZ
	1800	82.9	E. RAMIREZ
	2100	83.0	E. RAMIREZ
	2400	83.4	J. Bravo

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	81.4	J. Bravo
	0600	81.4	J. Bravo
	0900	81.3	LIMERAND
	1200	81.3	LIMERAND
	1500	81.8	D. SIMMEYE
	1800	83.0	D. Simmeye
	2100	82.7	P. Kearney
	2400	81.8	RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INS ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be hous (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the hea risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-4R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	85.4	RAMIREZ
	0600	85.9	M-ALVAREZ
	0900	86.9	M. ALVAREZ
	1200	87.2	M. ALVAREZ
	1500	87.4	J. [illegible]
	1800	87.2	J. [illegible]
	2100	86	J. [illegible]
	2400	87.3	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	85.5	J. JIMENEZ
	0600	85.5	M. ALVAREZ
	0900	85.3	M. ALVAREZ
	1200	86.1	M. ALVAREZ
	1500	88.8	J. [illegible]
	1800	90.4	ROJAS
	2100	88.4	ROJAS
	2400	87.1	GARZA

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	85.4	A. GARZA
	0600	85.8	M. ALVAREZ
	0900	85.8	Carranza
	1200	85.8	Carranza
	1500	85.8	C. ALCANTAR
	1800	86.6	C. ALCANTAR
	2100	86.2	C. ALCANTAR
	2400	85.5	A. GARZA

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	84.4	A. GARZA
	0600	84.5	M. ALVAREZ
	0900	84.5	M. ALVAREZ
	1200	85.0	M. ALVAREZ
	1500	85.2	C. ALCANTAR
	1800	85.8	C. ALCANTAR
	2100	85.9	C. ALCANTAR
	2400	84.4	J. NAVARRETE

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	84.4	J. Navarrete
	0600	84.6	M. ALVAREZ
	0900	84.6	Carranza
	1200	85.2	Carranza
	1500	85.7	Carranza
	1800	86.2	Carranza
	2100	86.1	Carranza
	2400	85.4	FAYE

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	85.5	FAYE
	0600	85.2	Carranza
	0900	85.3	CENTENO
	1200	85.7	CENTENO
	1500	86.7	Sagastume
	1800	87.2	Sagastume
	2100	87.4	Sagastume
	2400	86.8	BANO

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	85.4	J. Baxa
	0600	85.4	J. Baxa
	0900	85.7	Carranza
	1200	86.2	Carranza
	1500	86.8	G. Martinez
	1800	87.2	G. Martinez
	2100	87.0	G. Martinez
	2400	85.3	RAMIREZ

Notes

3/20 - 7/16

1200 - 4B FACILITY SHUT DOWN BUILDING TEMP 90.4
1800 - 90.4
1900 - 90.4
2000 - 89.2
2100 - 88.4

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan.

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: RHU Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	79.3	B. Rodr
	0600	77.2	I. Rodriguez
	0900	77.5	I. Rodriguez
	1200	78.1	I. Rodriguez
	1500	78.5	I. Rodriguez
	1800	78.6	I. Rodriguez
	2100	78.2	I. Rodriguez
	2400	79.3	B. Rodr

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	74.5	[illegible]
	0600	78	Hudson
	0900	78	Hudson
	1200	78	Hudson
	1500	78	I. Rodriguez
	1800	79	I. Rodriguez
	2100	79	I. Rodriguez
	2400	79	B. Rodr

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	78	B. Rodr
	0600	78	Hudson
	0900	78	Hudson
	1200	78	Hudson
	1500	78	Hudson
	1800	78	Hudson
	2100	78	Hudson
	2400	78	B. Rodr

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	78	B. Rodr
	0600	78	Hudson
	0900	78	Hudson
	1200	78	Hudson
	1500	79	FAYE
	1800	79	FAYE
	2100	78	FAYE
	2400	77	L. Gonzalez

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	77	L. Gonzalez
	0600	77	Hudson
	0900	78	Hudson
	1200	77	Hudson
	1500	77	S. Cortez
	1800	78	S. Cortez
	2100	78	S. Cortez
	2400	78	

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	77	[illegible]
	0600	77	[illegible]
	0900	77	[illegible]
	1200	78	Torres
	1500	78	Torres
	1800	78	Torres
	2100	78	Torres
	2400	78	CHILDRES

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	77	CHILDRES
	0600	77	Torres
	0900	77	Torres
	1200	78	Torres
	1500	78	Rodriguez
	1800	78.	Rodriguez
	2100	78.2	Rodriguez
	2400	78.6	[illegible]

Notes:

DISTRIBUTION: Original: Institution Heat Plan Coordinator

163