

Monthly Summary Report

Institution: SVSP

Memorandum

Date: 10/16/2024
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Salinas Valley State Prison

The following is a summary of the heat related activity for the month of September 2024,
at SVSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 7

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Carlos Arce

Warden Name

DocuSigned by:




9CDD105F429C42C...

Warden Signature

Scott Langevin

Chief Executive Officer Name

DocuSigned by:



C401C4BE1E2B4AD...

Chief Executive Officer Signature

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SJSU Housing Unit: A Temp. Reading Location: 3rd Tier

Immediately notify the Watch Commander at extension SSAR (e.g., 1st tier, 2nd tier, 3rd tier, etc.) 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
2/11	0300	71	Espinoza
	0600	73	Farell
	0900	74	Farell
	1200	76	Farell
	1500	74	Ortiz
	1800	73	Bonilla
	2100	72	Bonilla
	2400	70	Espinosa

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2034 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SISP Housing Unit: A-1

Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	65	Tom Tom
	0600	65	Tom Tom
	0900	67	J. Garcia
	1200	71	J. Garcia
	1500	70	GARLIN
	1800	69	GARLIN
	2100	68	GARLIN
	2400	67	Tom Tom

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	66	A. Melendez
	0600	65	MARAVEL
	0900	67	MARAVEL
	1200	71	MARAVEL
	1500	69	GARCIA
	1800	68	GARCIA
	2100	66	GARCIA
	2400	66	A. Melendez

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	65	Tom Tom
	0600	67	Tom Tom
	0900	69	MARAVEL
	1200	71	MARAVEL
	1500	71	GARCIA
	1800	71	MENDOZA
	2100	70	MENDOZA
	2400	67	Tom Tom

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	65	Tom Tom
	0600	65	Tom Tom
	0900	67	SHADD
	1200	70	SHADD
	1500	70	GARCIA
	1800	69	GARCIA
	2100	68	GARCIA
	2400	68	Ventura

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	66	Tom Tom
	0600	65	Tom Tom
	0900	67	MARAVEL
	1200	71	MARAVEL
	1500	71	GARCIA
	1800	71	GARCIA
	2100	67	GARCIA
	2400	67	A. Melendez

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	65	A. Melendez
	0600	65	MARAVEL
	0900	66	MARAVEL
	1200	69	MARAVEL
	1500	70	GARCIA
	1800	69	GARCIA
	2100	67	GARCIA
	2400	66	Tom Tom

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	66	Tom Tom
	0600	65	Tom Tom
	0900	67	MARAVEL
	1200	69	MARAVEL
	1500	71	ESQUER
	1800	70	A. Vasquez
	2100	68	A. Vasquez
	2400	67	Tom Tom

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: A2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5942 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
Oct 1	0300	70	AGUILAR
	0600	72	CULIBATOS
	0900	76	CHALINOS
	1200	77	CHALINOS
	1500	76	VASQUEZ
	1800	74	VASQUEZ
	2100	73	VASQUEZ
	2400	77	AGUILAR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A - 2

Temp. Reading Location: A - 2 Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
0300	67°	Mur	
0600	60°	E. BEAETER	
0900	61°	E. BEAETER	
1200	65°	E. BEAETER	
1500	69°	A. Vasquez	
1800	67°	A. Vasquez	
2100	66°	A. Vasquez	
2400	63°	Mur	

Date	Time	Temp.	Name (Print)
0300	61°	Mur	
0600	63°	E. BEAETER	
0900	64°	E. BEAETER	
1200	66°	E. BEAETER	
1500	66°	V. Polanco	
1800	66°	V. Polanco	
2100	64°	V. Polanco	
2400	64°	V. Polanco	

Date	Time	Temp.	Name (Print)
0300	65°	A. Melender	
0600	66°	Gallulos	
0900	67°	Gallulos	
1200	67°	Gallulos	
1500	67°	V. Polanco	
1800	67°	V. Polanco	
2100	66°	V. Polanco	
2400	66°	O. Rincon	

Date	Time	Temp.	Name (Print)
0300	64°	J. Aguirre	
0600	65°	Gallulos	
0900	67°	Gallulos	
1200	68°	Gallulos	
1500	68°	A. Vasquez	
1800	67°	A. Vasquez	
2100	65°	A. Vasquez	
2400	64°	R. Gir	

Date	Time	Temp.	Name (Print)
0300	67°	Alvar	
0600	64°	E. BEAETER	
0900	65°	E. BEAETER	
1200	68°	E. BEAETER	
1500	68°	V. Polanco	
1800	67°	V. Polanco	
2100	65°	V. Polanco	
2400	64°	V. Polanco	

Date	Time	Temp.	Name (Print)
0300	60°	Morales	
0600	62°	Cardenas	
0900	64°	Cardenas	
1200	65°	Cardenas	
1500	64°	L. Polanco	
1800	66°	V. Polanco	
2100	66°	V. Polanco	
2400	66°	A. Melender	

Date	Time	Temp.	Name (Print)
0300	66°	O. Rincon	
0600	66°	O. Rincon	
0900	65°	E. BEAETER	
1200	67°	E. BEAETER	
1500	68°	V. Polanco	
1800	68°	V. Polanco	
2100	66°	V. Polanco	
2400	66°	J. Aguirre	

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A - 3 Temp. Reading Location: 2nd Jeen M' Ecor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/	0300	62	AGUILAR
1/	0600	66	AGUILA
1/	0900	69	AGUILA
24	1200	70	AGUILA
	1500	70	JAMES
	1800	68	JAMES
	2100	65	BAYNES
	2400	62	MURRAY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-3

Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	61°	VILLAPANDO
9/24	0600	62°	Villagomez
9/24	0900	62°	Villagomez
9/24	1200	68°	Villagomez
9/24	1500	72	JAMES
9/24	1800	70	JAMES
9/24	2100	67	JAMES
9/24	2400	64°	VILLAPANDO

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	63°	VILLAPANDO
9/24	0600	63°	Villagomez
9/24	0900	63°	Villagomez
9/24	1200	69°	Villagomez
9/24	1500	71	E. ACEVEDO
9/24	1800	67°	E. ACEVEDO
9/24	2100	64°	E. ACEVEDO
9/24	2400	64°	VILLAPANDO

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	63°	VILLAPANDO
9/24	0600	64	MINDLICH
9/24	0900	67	MINDLICH
9/24	1200	68	MINDLICH
9/24	1500	69	R. ALVAREZ
9/24	1800	70°	R. ALVAREZ
9/24	2100	68	R. ALVAREZ
9/24	2400	64°	VILLAPANDO

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	63°	VILLAPANDO
9/24	0600	63°	Villagomez
9/24	0900	63°	Villagomez
9/24	1200	68	J. CHARLASH
9/24	1500	70	S. CASTANED
9/24	1800	69	JAMES
9/24	2100	68	JAMES
9/24	2400	65°	VILLAPANDO

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	67°	VILLAPANDO
9/24	0600	62°	Villagomez
9/24	0900	65°	Villagomez
9/24	1200	69°	Villagomez
9/24	1500	71	JAMES
9/24	1800	70	JAMES
9/24	2100	68	JAMES
9/24	2400	66	A. Melendez

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	65	A. Melendez
9/24	0600	65	S. HAID
9/24	0900	66	S. HAID
9/24	1200	71	S. HAID
9/24	1500	71	JAMES
9/24	1800	60°	JAMES
9/24	2100	67	JAMES
9/24	2400	67	A. Melendez

Sunday

Date	Time	Temp.	Name (Print)
9/24	0300	68	A. Melendez
9/24	0600	68	AVILA
9/24	0900	65	AVILA
9/24	1200	66	AVILA
9/24	1500	72	JAMES
9/24	1800	68	JAMES
9/24	2100	66	JAMES
9/24	2400	64	VILLAPANDO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: A5 Temp. Reading Location: A5 Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6944 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	62°	J. Perez
	0600	61°	V. Garcia
	0900	62°	V. Garcia
	1200	61°	V. Garcia
	1500	67°	V. Garcia
	1800	66°	V. Garcia
	2100	64°	V. Garcia
	2400	63°	J. Perez

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A S

Temp. Reading Location: 2nd / Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension SS42 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	66	PAGLIETTI
	0600	66	PAGLIETTI
	0900	64	Garcia, V.
	1200	66	Garcia, V.
	1500	70	S. Dominguez
	1800	70	S. Dominguez
	2100	70	S. Dominguez
	2400	65	D. Maldonado

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	63	D. Maldonado
	0600	64	D. Maldonado
	0900	63	R. ALVAREZ
	1200	67	R. ALVAREZ
	1500	72	S. Dominguez
	1800	66	S. Dominguez
	2100	66	S. Dominguez
	2400	66	PAGLIETTI

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	66	PAGLIETTI
	0600	66	PAGLIETTI
	0900	64	R. ALVAREZ
	1200	70	R. ALVAREZ
	1500	70	S. Dominguez
	1800	67	S. Dominguez
	2100	69	S. Dominguez
	2400	64	L. Garcia

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	61	S. Garcia
	0600	63	R. ALVAREZ
	0900	64	R. ALVAREZ
	1200	67	R. ALVAREZ
	1500	73	S. Dominguez
	1800	69	S. Dominguez
	2100	69	S. Dominguez
	2400	64	NATIVE

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	64	NGUYEN
	0600	67	Avila
	0900	67	Avila
	1200	68	Avila
	1500	72	S. Dominguez
	1800	69	S. Dominguez
	2100	70	S. Dominguez
	2400	64	NGUYEN

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	63	NGUYEN
	0600	64	
	0900	65	
	1200	68	
	1500	73	L. OCHOA
	1800	70	L. OCHOA
	2100	70	L. OCHOA
	2400	67	L. Garcia

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	63	L. Garcia
	0600	63	Garcia, V.
	0900	68	Garcia, V.
	1200	68	Garcia, V.
	1500	73	L. OCHOA Garcia, V.
	1800	70	L. OCHOA Garcia, V.
	2100	70	L. OCHOA Garcia, V.
	2400	63	L. Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A1 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/9	0300	65	VENTURA
	0600	66	S. HAID
	0900	66	S. HAID
	1200	68	S. HAID
	1500	69	GARCIA
	1800	67	GARCIA
	2100	66	GARCIA
	2400	65	RUIZ

Tuesday			
Date	Time	Temp.	Name (Print)
9/10	0300	65	RUIZ
	0600	65	RUIZ
	0900	66	MARQUEZ
	1200	67	MARQUEZ
	1500	67	GARCIA
	1800	67	GARCIA
	2100	66	GARCIA
	2400	66	GARCIA

Wednesday			
Date	Time	Temp.	Name (Print)
9/11	0300	65	RUIZ
	0600	65	RUIZ
	0900	65	MARQUEZ
	1200	67	MARQUEZ
	1500	68	GARCIA
	1800	61	GARCIA
	2100	65	GARCIA
	2400	65	MELENDER

Thursday			
Date	Time	Temp.	Name (Print)
9/12	0300	64	A. MELENDER
	0600	64	MARQUEZ
	0900	66	MARQUEZ
	1200	68	MARQUEZ
	1500	68	GARCIA
	1800	67	GARCIA
	2100	67	GARCIA
	2400	67	A. MELENDER

Friday			
Date	Time	Temp.	Name (Print)
9/13	0300	66	A. VENTURA
	0600	66	MARQUEZ
	0900	67	MARQUEZ
	1200	68	MARQUEZ
	1500	69	MENDEZ
	1800	67	MENDEZ
	2100	66	MENDEZ
	2400	64	A. VENTURA

Saturday			
Date	Time	Temp.	Name (Print)
9/14	0300	65	A. VENTURA
	0600	62	Hernandez
	0900	64	Hernandez
	1200	67	Hernandez
	1500	67	B. SOLARIO
	1800	66	B. SOLARIO
	2100	65	B. SOLARIO
	2400	64	JAGUAR

Sunday			
Date	Time	Temp.	Name (Print)
9/15	0300	61	JAGUAR
	0600	63	S. HAID
	0900	64	S. HAID
	1200	66	S. HAID
	1500	66	Hernandez
	1800	66	Hernandez
	2100	64	Hernandez
	2400	64	JAGUAR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: A-2

Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension SS411 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	64	R. G.R
	0600	64°	R. G.R
	0900	65°	E. BENITEZ
	1200	66°	E. BENITEZ
	1500	66°	A. Vasquez
	1800	65°	A. Vasquez
	2100	65°	A. Vasquez
	2400	61	M.Mor

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	60°	M.Mor
	0600	64°	E. BENITEZ
	0900	65°	E. BENITEZ
	1200	66°	E. BENITEZ
	1500	66°	V. Polanco
	1800	66°	V. Polanco
	2100	64°	V. Polanco
	2400	69°	J. Rincon

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	64°	J. Rincon
	0600	64°	J. Rincon
	0900	61°	E. BENITEZ
	1200	61°	E. BENITEZ
	1500	64°	V. Polanco
	1800	67°	V. Polanco
	2100	64°	V. Polanco
	2400	65°	N.Gwen

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	64	N.Gwen
	0600	65°	E. BENITEZ
	0900	65°	E. BENITEZ
	1200	66°	E. BENITEZ
	1500	69°	V. Polanco
	1800	68°	V. Polanco
	2100	66°	V. Polanco
	2400	65°	D. maldonado

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	63°	P. Maldonado
	0600	62°	D. Maldonado
	0900	65°	S. H.A.D
	1200	68°	S. H.A.D
	1500	67°	V. Polanco
	1800	66°	V. Polanco
	2100	63°	V. Polanco
	2400	64°	J. Aguirre

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	62	J. Aguirre
	0600	61	J. Batt
	0900	62	J. Batt
	1200	64	J. Batt
	1500	65	E. SALAS
	1800	64	E. SALAS
	2100	61	E. SALAS
	2400	63	J. Aguirre

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	62	J. Aguirre
	0600	64°	E. BENITEZ
	0900	64°	E. BENITEZ
	1200	64°	E. BENITEZ
	1500	64°	A. Vasquez
	1800	64°	A. Vasquez
	2100	65°	A. Vasquez
	2400	61	J. Aguirre

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	63°	VILLALPANDO
9/9	0600	63°	Villagomez
9/9	0900	63°	Villagomez
9/9	1200	66°	Villagomez
9/9	1500	68°	SAME
9/9	1800	67°	SAME
9/9	2100	65°	SAME
9/9	2400	64°	VILLALPANDO

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	63°	VILLALPANDO
9/11	0600	62°	J. Chavarin
9/11	0900	64°	J. Chavarin
9/11	1200	65°	J. Chavarin
9/11	1500	66°	R. ALVAREZ
9/11	1800	66°	R. ALVAREZ
9/11	2100	65°	R. ALVAREZ
9/11	2400	63°	VILLALPANDO

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	63°	VILLALPANDO
9/13	0600	60°	Villagomez
9/13	0900	62°	Villagomez
9/13	1200	66°	Villagomez
9/13	1500	68°	SAME
9/13	1800	67°	SAME
9/13	2100	64°	SAME
9/13	2400	65°	J. Rincon

Sunday

Date	Time	Temp.	Name (Print)
9/25	0300	62°F	J. Garcia
9/25	0600	68°F	R. Lizanal
9/25	0900	65°	R. Lizanal
9/25	1200	65°	R. Lizanal
9/25	1500	64°	SAME
9/25	1800	64°	SAME
9/25	2100	63°	SAMES
9/25	2400	62°	Guzman

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	63°	VILLALPANDO
9/10	0600	63°	Villagomez
9/10	0900	64°	Villagomez
9/10	1200	65°	Villagomez
9/10	1500	66°	A. Vasquez
9/10	1800	65°	A. Vasquez
9/10	2100	64°	A. Vasquez
9/10	2400	64°	VILLALPANDO

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	63°	VILLALPANDO
9/12	0600	62°	DAVALOS
9/12	0900	64°	CRALAZOS
9/12	1200	65°	J. Chavarin
9/12	1500	68°	SAME
9/12	1800	67°	SAME
9/12	2100	65°	SAME
9/12	2400	64°	VILLALPANDO

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	65°	J. Rincon
9/14	0600	65°	J. Rincon
9/14	0900	62°	V. Corona
9/14	1200	65°	V. CORONA
9/14	1500	65°	SAME
9/14	1800	65°	SAME
9/14	2100	64°	SAME
9/14	2400	63°F	J. Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SIP Housing Unit: A5 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/19	0300	63	Garcia, L.
	0600	61	Garcia, V.
	0900	65	Garcia, V.
	1200	62	Garcia, V.
	1500	69	Salmones
	1800	67	Salmones
	2100	67	Salmones
	2400	64	L.Garcia

Tuesday

Date	Time	Temp.	Name (Print)
9/19	0300	69	Garcia, V.
	0600	66	Garcia, L.
	0900	65	R.Vazquez, R.
	1200	67	R.Vazquez, R.
	1500	67	Salmones
	1800	66	Salmones
	2100	65	Garcia, L.
	2400	63	L.Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	63	
	0600	64	WESLIES
	0900	65	WESLIES
	1200	62	R.ALMARTEC
	1500	67	P.Palomares
	1800	67	P.Palomares
	2100	67	P.Palomares
	2400	64	L.Garcia

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	62	Garcia, V.
	0600	67	R.ALMARTEC
	0900	63	R.ALMARTEC
	1200	66	R.ALMARTEC
	1500	66	Garcia, L.
	1800	66	Garcia, L.
	2100	63	Garcia, L.
	2400	64	Garcia, L.

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	63	NCWEN
	0600	63	AVILA
	0900	63	AVILA
	1200	65	AVILA
	1500	69	DECARINA
	1800	65	DECARINA
	2100	63	DECARINA
	2400	64	NCWEN

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	64	NCWEN
	0600	62	AVILA
	0900	62	AVILA
	1200	65	AVILA
	1500	66	Garcia, V.
	1800	67	Garcia, V.
	2100	65	Garcia, V.
	2400	67	L.Garcia

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	63	L.Garcia
	0600	62	Garcia, V.
	0900	65	Garcia, V.
	1200	66	Garcia, V.
	1500	67	Garcia, V.
	1800	69	Garcia, V.
	2100	63	Garcia, V.
	2400	62	L.Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: 41 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/16</u>	0300	64	J. Rincen
	0600	64	S. HAD
	0900	66	S. HAD
	1200	67	S. HAD
	1500	66	GARCIA
	1800	65	GARCIA
	2100	64	GARCIA
	2400	64	J. Rincen

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/18</u>	0300	62	A. Melendez
	0600	62	MARQUEZ
	0900	63	MARQUEZ
	1200	65	MARQUEZ
	1500	66	Garcia
	1800	65	Garcia
	2100	64	Garcia
	2400	64	A. Melendez

Friday

Date	Time	Temp.	Name (Print)
<u>9/20</u>	0300	63	Tom Tom
	0600	64	Tom Tom
	0900	64	MARQUEZ
	1200	65	MARQUEZ
	1500	64	MARQUEZ
	1800	65	MARQUEZ
	2100	64	MARQUEZ
	2400	64	Tom Tom

Sunday

Date	Time	Temp.	Name (Print)
<u>9/22</u>	0300	63	Tom Tom
	0600	63	Tom Tom
	0900	64°	F. ROCHA
	1200	65°	F. ROCHA
	1500	60	GARCIA
	1800	68	GARCIA
	2100	67	GARCIA
	2400	67	Tom Tom

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/17</u>	0300	64°	J. Rincen
	0600	64°	J. Rincen
	0900	64	MARQUEZ
	1200	66	MARQUEZ
	1500	66	GARCIA
	1800	65	GARCIA
	2100	64	GARCIA
	2400	63	A. Melendez

Thursday

Date	Time	Temp.	Name (Print)
<u>9/19</u>	0300	63	A. Melendez
	0600	63	MARQUEZ
	0900	64	MARQUEZ
	1200	66	MARQUEZ
	1500	66	GARCIA
	1800	66	GARCIA
	2100	65	GARCIA
	2400	64	GARCIA

Saturday

Date	Time	Temp.	Name (Print)
<u>9/21</u>	0300	63	Tom Tom
	0600	63	Tom Tom
	0900	64	F. ROCHA
	1200	65	F. ROCHA
	1500	66	A. Vasquez
	1800	66	A. Vasquez
	2100	66	A. Vasquez
	2400	67	Tom Tom

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A2 Temp. Reading Location: ↑ tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/14	0300	62°	R. Gonzales
	0600	64°	V. Garcia
	0900	65°	V. Garcia
	1200	67°	V. Garcia
	1500	66°	S. Gardini
	1800	67°	S. Gardini
	2100	64°	S. Gardini
	2400	62°	R. Gonzales

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	63°	M. Lora
	0600	67°	B. Vazquez
	0900	65°	E. Benitez
	1200	65°	E. Benitez
	1500	65	V. Polanco
	1800	64	V. Polanco
	2100	63	V. Polanco
	2400	62	Melendez

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	61	A. Melendez
	0600	62°	S. Hale
	0900	64°	S. Hale
	1200	64°	S. Hale
	1500	64	V. Polanco
	1800	64	V. Polanco
	2100	62	V. Polanco
	2400	61	J. Aguilar

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	59	J. Aguilar
	0600	60°	E. Benitez
	0900	64°	G. Gallegos
	1200	64°	G. Gallegos
	1500	65	A. Vasquez
	1800	63	A. Vasquez
	2100	62	A. Vasquez
	2400	62	M. Lora

Tuesday

Date	Time	Temp.	Name (Print)
9/19/24	0300	62°	M. Lora
	0600	62°	E. Benitez
	0900	62°	E. Benitez
	1200	64°	E. Benitez
	1500	66°	N. Gonzalez
	1800	66°	N. Gonzalez
	2100	63°	N. Gonzalez
	2400	62°	M. Lora

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	62	Melendez
	0600	62	Melendez
	0900	62	Melendez
	1200	64°	Melendez
	1500	64	V. Polanco
	1800	64	V. Polanco
	2100	62	V. Polanco
	2400	62	A. Melendez

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	59	J. Aguilar
	0600	60°	E. Benitez
	0900	61°	E. Benitez
	1200	64°	E. Benitez
	1500	64	V. Polanco
	1800	63	V. Polanco
	2100	62	V. Polanco
	2400	62	J. Aguilar

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSF Housing Unit: A-3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	62	Guzman
	0600	67	Guzman
	0900	63	Melgarejo
	1200	65	Melgarejo
	1500	65	Jamy (S)
	1800	65	OBRIEN
	2100	64	Jamy
	2400	62 ²⁰	VILLARREAL

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	61°	Villalpando
	0600	61°	Villagomez
	0900	61	Villagomez
	1200	64	Villagomez
	1500	66	R. ALVAREZ
	1800	69	R. ALVAREZ
	2100	63	R. ALVAREZ
	2400	62°	Villalpando

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	(22°)	Villagomez
	0600	62	Villagomez 1
	0900	61	Villagomez
	1200	64	Villagomez 2
	1500	66	GAMER
	1800	65	GAMER)
	2100	63	GAMER
	2400	63	A. Melendez

Sunday

Date	Time	Temp.	Name (Print)
9/12	0300	62	A. Melendez
	0600	61	AVILA
	0900	65	AVILA
	1200	65	AVILA
	1500	68	JAMES
	1800	67	JAMES
	2100	64	JAMES
	2400	61	Ramirez

Tuesday

Dat	Time	Temp.	Name (Print)
9/17/24	0300	62°	VILLACPAN DO
	0600	61°	Villagomez
	0900	61°	Villagomez
	1200	64°	Villagomez
	1500	66°	L-OCABA
	1800	65	L-OCABA
	2100	64	L-OCABA
	2400	61°	VILLACPAN DO

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	60°	VILLALPANDO
	0600	62°	Margaret
	0900	63°	Villagomez
	1200	65°	Villagomez
	1500	66°	DANIE
	1800	65°	DANIE
	2100	64°	SARAH
	2400	62°	VILLALPANDO

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	62	A. Melendez
	0600	62	S. HADD
	0900	63	S. HADD
24	1200	65	J. Chacon
	1500	66	G. ANGELO
24	1800	65	D. ANGELO
	2100	63	D. ANGELO
	2400	63	A. Melendez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: A S Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	63	L.GARCIA
	0600	63	Garcia, V.
	0900	64	Garcia, V.
	1200	65	Garcia, V.
	1500	65	GARDINE
	1800	64	S.GARDINE
	2100	63	S.GARDINE
	2400	62	Garcia

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	60	Garcia
	0600	61	R.ALVAREZ
	0900	62	R.ALVAREZ
	1200	63	R.ALVAREZ
	1500	64	R.Alvarez
	1800	65	R.Alvarez
	2100	69	R.Alvarez
	2400	62	Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	61	Garcia
	0600	61	R.ALVAREZ
	0900	62	R.ALVAREZ
	1200	63	R.ALVAREZ
	1500	65	R.Alvarez
	1800	69	R.Alvarez
	2100	69	R.Alvarez
	2400	64	D.maldonado

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	62	D.Maldonado
	0600	63	D.maldonado
	0900	63	R.ALVAREZ
	1200	64	R.ALVAREZ
	1500	65	R.Alvarez
	1800	63	R.Alvarez
	2100	69	R.Alvarez
	2400	62	NONE

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	62	NGUYEN
	0600	61	Garcia, V.
	0900	62	Garcia, V.
	1200	65	Garcia, V.
	1500	65	R.Alvarez
	1800	64	R.Alvarez
	2100	69	R.Alvarez
	2400	62	NGUYEN

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	62	NGUYEN
	0600	61	AVILA
	0900	62	R.Martinez
	1200	66	Martinez
	1500	64	Garcia, V.
	1800	63	Garcia, V.
	2100	63	Garcia, V.
	2400	62	R.ANDERSON

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	62°	R.ANDERSON
	0600	61°	R.ANDERSON
	0900	65	V.GARAIK
	1200	67	V.GARAIK
	1500	68	V.GARAIK
	1800	69	V.GARAIK
	2100	63	V.GARAIK
	2400	63	VEGA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week

Institution: SVSP Housing Unit: A-1 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	67	Torri Torri
	0600	63	Torri Torri
	0900	64	S.HADD
	1200	64	S.HADD
	1500	71	GARCIA
	1800	67	GARCIA
	2100	66	GARCIA
	2400	65	Torri Torri

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	64	Torri Torri
	0600	69	Torri Torri
	0900	65	MARQUEZ
	1200	69	MARQUEZ
	1500	69	GARCIA
	1800	67	GARCIA
	2100	66	GARCIA
	2400	66	A. Melendez

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	65	A. Melendez
	0600	65	MARQUEZ
	0900	65	MARQUEZ
	1200	67	MARQUEZ
	1500	66	GARCIA
	1800	66	GARCIA
	2100	66	GARCIA
	2400	65	A. Melendez

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	64	A. Melendez
	0600	64	MARQUEZ
	0900	66	MARQUEZ
	1200	69	MARQUEZ
	1500	69	GARCIA
	1800	67	GARCIA
	2100	65	GARCIA
	2400	67	Torri Torri

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	63	Torri Torri
	0600	63	Torri Torri
	0900	65	MARQUEZ
	1200	67	MARQUEZ
	1500	68	A. Vasquez
	1800	68	A. Vasquez
	2100	66	A. Vasquez
	2400	66	Torri Torri

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	64	R. Hu. Hu
	0600	64	MARQUEZ
	0900	64	MARQUEZ
	1200	65	MARQUEZ
	1500	67	A. Vasquez
	1800	66	A. Vasquez
	2100	65	A. Vasquez
	2400	65	R. Hu. Hu

Notes

Date	Time	Temp.	Name (Print)
9/29	0300	63	R. Hu. Hu
	0600	63	Cardenas
	0900	65	Cardenas
	1200	67	Cardenas
	1500	67	Escalat
	1800	66	Escalat
	2100	67	Escalat
	2400	66	Torri Torri

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVS B Housing Unit: A-2 Control Temp. Reading Location: Ind Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 55412 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	62°	Munoz
	0600	64°	E. BENITEZ
	0900	66°	E. BENITEZ
	1200	67°	E. BENITEZ
	1500	67°	A. Vasquez
	1800	65°	A. Vasquez
	2100	65°	A. Vasquez
	2400	63	Munoz

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	63	Munoz
	0600	63°	E. BENITEZ
	0900	65°	E. BENITEZ
	1200	65°	E. BENITEZ
	1500	64	E. ACEVEDO
	1800	65	E. ACEVEDO
	2100	64	E. ACEVEDO
	2400	64	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	63	Munoz
	0600	64°	E. BENITEZ
	0900	65°	E. BENITEZ
	1200	65°	E. BENITEZ
	1500	65°	V. Polanco
	1800	63°	V. Polanco
	2100	63°	V. Polanco
	2400	62	NGUYEN

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	62	NGUYEN
	0600	61	S. HAID
	0900	62	S. HAID
	1200	64	S. HAID
	1500	64	V. Polanco
	1800	65	V. Polanco
	2100	64	V. Polanco
	2400	63	A. Melendez

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	62	A. Melendez
	0600	64	S. HAID
	0900	65	S. HAID
	1200	66°	S. HAID
	1500	67	AGUILAR M
	1800	65	AGUILAR M
	2100	65	AGUILAR M
	2400	64	J. Aguirre

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	60	J. Aguirre
	0600	64°	E. BENITEZ
	0900	64°	E. BENITEZ
	1200	64°	E. BENITEZ
	1500	65°	V. Polanco
	1800	64°	V. Polanco
	2100	63	V. Polanco
	2400	63	J. Aguirre

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	62	J. Aguirre
	0600	60	J. Aguirre
	0900	61	J. Aguirre
	1200	64	J. Aguirre
	1500	66°	A. Vasquez
	1800	65°	A. Vasquez
	2100	62°	A. Vasquez
	2400	61	Munoz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A3

Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	61	Villapando
	0600	61°	Villagomez
	0900	62°	Villagomez
	1200	70°	Villagomez
	1500	74	JAMES
	1800	71	JAMES
24	2100	67	JAMES
	2400	65°	VILLAPANDO

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	64°	VILLAPANDO
	0600	64°	Villagomez
	0900	65°	Villagomez
	1200	69°	Villagomez
	1500	70°	A.Vasquez
	1800	68°	A.Vasquez
24	2100	66°	A.Vasquez
	2400	65°	VILLAPANDO

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	64°	VILLAPANDO
	0600	64°	Villagomez
	0900	63°	Villagomez
	1200	65°	Villagomez
	1500	67°	R.ALVAREZ
	1800	67°	R.ALVAREZ
24	2100	64°	R.ALVAREZ
	2400	64°	VILLAPANDO

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	63°	VILLAPANDO
	0600	63°	Villagomez
	0900	63°	Villagomez
	1200	66°	V.Villagomez
	1500	70	JAMES
	1800	68	JAMES
24	2100	65	JAMES
	2400	64°	VILLAPANDO

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	63°	VILLAPANDO
	0600	62°	Villagomez
	0900	62°	Villagomez
	1200	69°	Villagomez
	1500	74	JAMES
	1800	72	JAMES
24	2100	67	JAMES
	2400	66	A.Melendez

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	64	A.Melendez
	0600	63	HARD
	0900	65	HARD
	1200	67	HARD
	1500	68	M.FINER
	1800	67	M.FINER
24	2100	65	M.FINER
	2400	64	A.Melendez

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	63	A.Melendez
	0600	65	AVILA
	0900	66	AVILA
	1200	66	AVILA
	1500	68	ORTEGA
	1800	66	ORTEGA
24	2100	64	ORTEGA
	2400	64	Ramirez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-5 Temp. Reading Location: CONTROL BOTT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	62°	A. VEGA
	0600	62	V. Garcia
	0900	67	V. Garcia
	1200	69	V. Garcia
	1500	67	Garcia, J.
	1800	69	Garcia, J.
	2100	69	Garcia, J.
	2400	63	L. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	61	L. Garcia
	0600	63	R. ALVAREZ
	0900	66	R. ALVAREZ
	1200	66	R. ALVAREZ
	1500	69	SETHOMARES
	1800	69	SETHOMARES
	2100	69	SETHOMARES
	2400	62	L. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	62	Garcia
	0600	63	R. ALVAREZ
	0900	64	R. ALVAREZ
	1200	63	R. ALVAREZ
	1500	66	GARCIA, J.
	1800	66	SETHOMARES
	2100	66	SETHOMARES
	2400	63	L. Garcia

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	62	Garcia
	0600	61	R. ALVAREZ
	0900	63	R. ALVAREZ
	1200	64	R. ALVAREZ
	1500	69	SETHOMARES
	1800	69	SETHOMARES
	2100	64	SETHOMARES
	2400	63	MOLYEN

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	62	MOLYEN
	0600	63	AVILA
	0900	64	AVILA
	1200	65	AVILA
	1500	66	OPTIZ
	1800	66	J. ORTIZ
	2100	65	OPTIZ
	2400	64	MOLYEN

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	62	MOLYEN
	0600	62	CARDENAS, M.
	0900	63	CARDENAS, M.
	1200	65	CARDENAS, M.
	1500	67	GARCIA, J.
	1800	65	GARCIA, J.
	2100	63	GARCIA, J.
	2400	63	L. Garcia

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	62	GARCIA, L.
	0600	62	V. Garcia
	0900	62	V. Garcia
	1200	63	V. Garcia
	1500	67	V. Garcia
	1800	69	V. Garcia
	2100	63	V. Garcia
	2400	63	L. Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: A-1

Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	62	Tomm Tomm
	0600	63	Tomm Tomm
	0900	62	Cordnas
	1200	65	Cordnas
	1500	70	GARUM
	1800	67	GARUM
	2100	66	GARUM
	2400	65	Tomm Tomm

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 203f (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: A - Z

Temp. Reading Location.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

5542 when the inside air temperature reaches

Monday

9/30/24

Date	Time	Temp.	Name (Print)
0300		69°	P. V. JOS
0600		64°	E. BEVETEZ
0900		65°	E. BEVETEZ
1200		66°	E. BEVETEZ
1500		67°	M. Campos
1800		67°	M. Campos
2100		65°	M. Campos
2400		65	Mun.

Tuesday

Date	Time	Temp.	Name (Print)
0300		63	utuer
0600		65°	E. BEVETEZ
0900		66°	E. BEVETEZ
1200			
1500			
1800			
2100			
2400			

Wednesday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Thursday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Friday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Saturday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Sunday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND PAROLE AUTHORITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	60	Ramirez
30	0600	60	Villagomez
	0900	61	Villagomez
	1200	68	Villagomez
	1500	69	Milner
	1800	72	Milner
24	2100	73	Milner
	2400	71	Villapmelo

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: AS Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	62°	Garcia, J.
	0600	63°	Garcia, V.
	0900	63°	Garcia, V.
	1200	66°	Garcia, V.
	1500	69°	Santomas
	1800	67°	Santomas
	2100	65°	Santomas
	2400	64°	Garcia, J.

Tuesday

Dat	Time	Temp.	Name (Print)
10/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday			
Date	Time	Temp.	Name (Print)
10/5	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
10/16	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BVSP Housing Unit: B) Temp. Reading Location: B-85C / 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	63	N. GUYEN
	0600	63	A. SANCHEZ
	0900	65	A. SANCHEZ
	1200	60	A. SANCHEZ
	1500	61	L. Torri
	1800	67	L. Torri
	2100	66	L. Torri
	2400	63	M. Hayes

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	63	M. Hayes
	0600	62	A. SANCHEZ
	0900	64	A. SANCHEZ
	1200	66	A. SANCHEZ
	1500	69	L. Torri
	1800	69	L. Torri
	2100	66	L. Torri
	2400	64	D. Villanueva

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	63	D. Villanueva
	0600	63	A. SANCHEZ
	0900	64	A. SANCHEZ
	1200	66	A. SANCHEZ
	1500	67	P. Ruiz
	1800	66	P. Ruiz
	2100	65	P. Ruiz
	2400	64	D. Villanueva

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	63	D. Villanueva
	0600	63	J. Haro
	0900	63	J. Haro
	1200	66	J. Haro
	1500	67	P. Ruiz
	1800	66	P. Ruiz
	2100	64	P. Ruiz
	2400	63	D. Villanueva

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	63	D. Villanueva
	0600	63	J. Haro
	0900	63	J. Haro
	1200	66	J. Haro
	1500	66	J. Gutierrez
	1800	64	J. Gutierrez
	2100	65	J. Gutierrez
	2400	64	D. Villanueva

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	63	D. Villanueva
	0600	62	J. Haro
	0900	61	J. Haro
	1200	66	D. Ruiz
	1500	69	J. Barra
	1800	67	J. Barra
	2100	65	J. Barra
	2400	63	D. Villanueva

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	63	D. Villanueva
	0600	60	F. Zuniga
	0900	63	F. Zuniga
	1200	72	F. Zuniga
	1500	73	J. Valdez
	1800	73	J. Valdez
	2100	67	V. Valdez
	2400	65	D. Villanueva

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SJSU Housing Unit: B3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-1-21	0300	61	M. Garcia
	0600	62	T. Grady
	0900	62	T. Grady
	1200	64	T. Grady
	1500	65	T. Grady
	1800	62	T. Grady
	2100	62	T. Grady
	2400	61	M. Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: svsp Housing Unit: B6 Temp. Reading Location: 2ND TIER B-SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	66	R. Flores
	1200	72	R. Flores
	1500	72	N. Gomez
	1800	71	N. Gomez
	2100	68	N. Gomez
	2400	67	R. Avila

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	66	Y. De Leon
	1200	69	Y. De Leon
	1500	71	N. Gomez
	1800	69	N. Gomez
	2100	66	N. Gomez
	2400	66	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	65	F. Roche
	1200	69	E. Ruova
	1500	71	E. Ruova
	1800	69	M. Page
	2100	67	M. Page
	2400	66	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	65	P. Anguiano
	1200	69	P. Anguiano
	1500	68	J. Alvar
	1800	69	J. Alvar
	2100	67	M. Uribe
	2400	65	D. Maldonado

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	66	B. Maldonado
	0600	65	B. Maldonado
	0900	65	D. Anguiano
	1200	69	D. Anguiano
	1500	67	G. Arellano
	1800	69	E. Arellano
	2100	68	M. Trujillo
	2400	67	R. Orduno

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	65	R. Orduno
	0600	65	R. Orduno
	0900	65	J. Minter
	1200	69	J. Minter
	1500	68	J. Lappa
	1800	69	J. Lappa
	2100	67	J. Lappa
	2400	66	R. Orduno

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	65	A. Minter
	1200	67	A. Minter
	1500	70	J. IBARRA
	1800	69	J. IBARRA
	2100	67	J. IBARRA
	2400	66	R. Avila

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SHP Housing Unit: B1 Temp. Reading Location: B-Bee / 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2/3	0300	63	Gomez
	0600	63	A. SANCHEZ
	0900	64	A. SANCHEZ
	1200	66	A. SANCHEZ
	1500	70	L. Tomas
	1800	69	L. Tomas
	2100	67	L. Tomas
	2400	66	Re. Lopez

Tuesday

Date	Time	Temp.	Name (Print)
9-3	0300	63	W. Hupe
	0600	63	A. SANCHEZ
	0900	64	A. SANCHEZ
	1200	68	A. SANCHEZ
	1500	70	L. Tomas
	1800	68	L. Tomas
	2100	66	L. Tomas
	2400	64	D. Villanueva

Wednesday

Date	Time	Temp.	Name (Print)
9-4	0300	63	D. Villanueva
	0600	62	A. SANCHEZ
	0900	64	A. SANCHEZ
	1200	67	A. SANCHEZ
	1500	65	D. Ruiz
	1800	67	D. Ruiz
	2100	65	D. Ruiz
	2400	64	D. Villanueva

Thursday

Date	Time	Temp.	Name (Print)
9-5	0300	63	D. Villanueva
	0600	63	J. Amro
	0900	65	J. Amro
	1200	69	J. Amro
	1500	73	D. Ruiz
	1800	72	D. Ruiz
	2100	68	D. Ruiz
	2400	66	D. Villanueva

Friday

Date	Time	Temp.	Name (Print)
9-6	0300	64	D. Villanueva
	0600	64	J. Amro
	0900	66	J. Amro
	1200	66	J. Amro
	1500	71	J. Gutierrez
	1800	69	J. Gutierrez
	2100	67	J. Gutierrez
	2400	65	D. Villanueva

Saturday

Date	Time	Temp.	Name (Print)
9-7	0300	63	D. Villanueva
	0600	64	D. Villanueva
	0900	67	Gove
	1200	73	Gove
	1500	72	J. Garcia
	1800	71	J. Garcia
	2100	68	J. Garcia
	2400	66	D. Villanueva

Sunday

Date	Time	Temp.	Name (Print)
9-8	0300	66	D. Villanueva
	0600	64	F. Zuniga
	0900	68	F. Zuniga
	1200	68	F. Zuniga
	1500	71	Vazquez
	1800	69	Vazquez
	2100	68	C. Garza
	2400	64	N. Geron

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
SEPTEMBER 3, 2024	0300	62	M.GARCIA
	0600	62	M.GARCIA
	0900	66	
	1200	68	J.LARA
	1500	68	J.LARA
	1800	67	J.LARA
	2100	66	J.LARA
	2400	63	M.GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
SEPTEMBER 4, 2024	0300	63	M.GARCIA
	0600	63	M.GARCIA
	0900	65	
	1200	68	
	1500	67	J.IBARRA
	1800	67	J.IBARRA
	2100	65	J.CHAVEZ
	2400	64	M.GARCIA

Thursday

Date	Time	Temp.	Name (Print)
SEPTEMBER 5, 2024	0300	63	M.Hupe
	0600	63	L.BARBERA
	0900	65	L.BARBERA
	1200	68	L.BARBERA
	1500	68	L.BARBERA
	1800	69	L.BARBERA
	2100	65	L.BARBERA
	2400	64	M.Hupe

Sunday

Date	Time	Temp.	Name (Print)
SEPTEMBER 8, 2024	0300	64	M.GARCIA
	0600	62	M.GARCIA
	0900	65	D.PINEDA
	1200	68	D.PINEDA
	1500	68	L.KARDON
	1800	68	F.PINEDA
	2100	67	F.PINEDA
	2400	65	M.GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
SEPTEMBER 3, 2024	0300	63	M.GARCIA
	0600	60	M.GARCIA
	0900	64	
	1200	66	
	1500	67	F.PINEDA
	1800	66	F.PINEDA
	2100	66	F.PINEDA
	2400	64	M.GARCIA

HOLIDAY

Thursday

Date	Time	Temp.	Name (Print)
SEPTEMBER 5, 2024	0300	63	M.GARCIA
	0600	63	M.GARCIA
	0900	65	L.MONTANO
	1200	66	L.MONTANO
	1500	69	J.CARLTON
	1800	67	J.CARLTON
	2100	66	J.CARLTON
	2400	64	M.Hupe

Saturday

Date	Time	Temp.	Name (Print)
SEPTEMBER 7, 2024	0300	63	M.Hupe
	0600	63	F.PINEDA
	0900	65	F.PINEDA
	1200	68	F.PINEDA
	1500	68	F.PINEDA
	1800	67	F.PINEDA
	2100	65	F.PINEDA
	2400	65	M.GARCIA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B5 Temp. Reading Location: 2ND TIER B-SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	66	Bartley
	1200	71	Bowlish
	1500	70	N. Gomez
	1800	69	N. Gomez
	2100	67	N. Gomez
	2400	66	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
9-4-24	0300	65	L. Avila
	0600	65	L. Avila
	0900	60	P. Anguiano
	1200	71	P. Anguiano
	1500	73	N. Cam
	1800	70	N. Cam
	2100	69	N. Camor
	2400	65	R. Avila

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	65	R. Luthe
	0600	65	P. Anguiano
	0900	68	P. Anguiano
	1200	70	P. Anguiano
	1500	72	E. VALADEZ
	1800	72	E. VALADEZ
	2100	72	E. VALADEZ
	2400	65	M. Huide

Sunday

Date	Time	Temp.	Name (Print)
9-8-29	0300	66	R. AVILA
	0600	66	R. AVILA
	0900	68	A. MUNDE
	1200	70	A. MUNDE
	1500	72	J. IBARRA
	1800	71	J. IBARRA
	2100	73	J. IBARRA
	2400	67	R. AVILA

Tuesday

Dat	Time	Temp.	Name (Print)
9-3-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	66	M. Cuenas
	1200	72	M. Cuenas
	1500	77	N Gomez
	1800	69	N Gomez
	2100	67	N Gomez
	2400	66	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
9-5-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	66	R. Argueta
	1200	69	R. Argueta
	1500	73	Nurse
	1800	70	Nurse
	2100	68	Nurse
	2400	68	R. Avila

Saturday

Date	Time	Temp.	Name (Print)
1/21/14	0300	65	M. Hupe
	0600	63	MUNDEE
	0900	68	MENDEZ
	1200	72	ANNE MUNDEE
	1500	74	A. VELASQUEZ
	1800	70	A. VELASQUEZ
	2100	69	A. VELASQUEZ
	2400	68	R. Avila

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: B1 Temp. Reading Location: BSEC, 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9	0300		
	0600	64	A SANCHEZ
	0900	64	A SANCHEZ
	1200	64	A SANCHEZ
	1500	69	L. TORRES
	1800	67	L. TORRES
	2100	64	L. TORRES
	2400	64	J. RINCON

Tuesday

Date	Time	Temp.	Name (Print)
9-10	0300	64°	J. RINCON
	0600	64°	J. RINCON
	0900	65	M. ESCOBEDA
	1200	67	M. ESCOBEDA
	1500	67°	M. FLORES
	1800	66	L. TORRES
	2100	64	L. TORRES
	2400	63	D. VILLANUEVA

Wednesday

Date	Time	Temp.	Name (Print)
9-11	0300	63	D. VILLANUEVA
	0600	63	MENDOZA
	0900	66	MENDOZA
	1200	67	MENDOZA
	1500	67	D. RIVIL
	1800	67	D. RIVIL
	2100	65	D. RIVIL
	2400	64	D. VILLANUEVA

Thursday

Date	Time	Temp.	Name (Print)
9-12	0300	63	D. VILLANUEVA
	0600	62	A SANCHEZ
	0900	64	A SANCHEZ
	1200	65	A SANCHEZ
	1500	67	L. TORRES
	1800	67	L. TORRES
	2100	64	L. TORRES
	2400	63	D. VILLANUEVA

Friday

Date	Time	Temp.	Name (Print)
9-13	0300	62	D. VILLANUEVA
	0600	62	A SANCHEZ
	0900	64	A SANCHEZ
	1200	67	A SANCHEZ
	1500	68	N. GONZALEZ
	1800	67	J. ORTIZ
	2100	63	J. ORTIZ
	2400	62	D. VILLANUEVA

Saturday

Date	Time	Temp.	Name (Print)
9-14	0300	62	D. VILLANUEVA
	0600	n	Hernandez
	0900	63	Hernandez
	1200	65	Hernandez
	1500	65	J. IBARRA
	1800	64	J. IBARRA
	2100	63	J. IBARRA
	2400	62	D. VILLANUEVA

Sunday

Date	Time	Temp.	Name (Print)
9-15	0300	62	D. VILLANUEVA
	0600	62	ZARCO
	0900	63	ZARCO
	1200	65	ZARCO
	1500	65	D. RIVIL
	1800	63	D. RIVIL
	2100	63	D. RIVIL
	2400	61	D. RIVIL

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
SEPTEMBER 8, 2024	0300	63°	M. GARCIA
	0600	63°	M. GARCIA
	0900	65°	L. V. VELASCO
	1200	65°	L. V. VELASCO
	1500	68	I. PINEDA
	1800	67	I. PINEDA
	2100	67	I. PINEDA
	2400	67	J. M. MELCHOR

Tuesday

Date	Time	Temp.	Name (Print)
SEPTEMBER 10, 2024	0300	67	J. IBARRA
	0600	63	E. MARES
	0900	63	E. MARES
	1200	64	E. MARES
	1500	68	I. PINEDA
	1800	64	I. PINEDA
	2100	64	I. PINEDA
	2400	63°	D. Maldonado

Wednesday

Date	Time	Temp.	Name (Print)
SEPTEMBER 11, 2024	0300	62°	D. Maldonado
	0600	63°	D. Maldonado
	0900	64	A. CARRIZO
	1200	65	A. CARRIZO
	1500	66	J. IBARRA
	1800	64	J. IBARRA
	2100	63	J. IBARRA
	2400	63	M. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
SEPTEMBER 12, 2024	0300	62	M. GARCIA
	0600	62	M. GARCIA
	0900	64	J. DOMINGUEZ
	1200	64	J. DOMINGUEZ
	1500	66	J. IBARRA
	1800	65	J. IBARRA
	2100	65	J. IBARRA
	2400	63	N. Hupe

Friday

Date	Time	Temp.	Name (Print)
SEPTEMBER 13, 2024	0300	62	M. Hupe
	0600	62	L. BANTONA
	0900	63	L. BANTONA
	1200	63	L. BANTONA
	1500	64	L. BANTONA
	1800	63	L. BANTONA
	2100	63	L. BANTONA
	2400	63	M. Hupe

Saturday

Date	Time	Temp.	Name (Print)
SEPTEMBER 14, 2024	0300	62	M. Hupe
	0600	62	J. PINEDA
	0900	63	J. PINEDA
	1200	64	J. PINEDA
	1500	64	J. PINEDA
	1800	64	J. PINEDA
	2100	62	J. PINEDA
	2400	62	M. GARCIA

Notes

Date	Time	Temp.	Name (Print)
SEPTEMBER 15, 2024	0300	62	M. GARCIA
	0600	61	M. GARCIA
	0900	62	I. PINEDA
	1200	63	I. PINEDA
	1500	64	I. PINEDA
	1800	63	I. PINEDA
	2100	62	I. PINEDA
	2400	62	M. GARCIA

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B5 Temp. Reading Location: 2ND TIER B-SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	67	Bartska
	1200	69	Bartska
	1500	70	N. Gomez
	1800	69	N. Gomez
	2100	68	N. Gomez
	2400	66	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
9-11-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	65	P. Anguiano
	1200	69	P. Anguiano
	1500	69	M. Page
	1800	69	M. Page
	2100	67	M. Page
	2400	66	R. Avila

Friday

Date	Time	Temp.	Name (Print)
9-13-24	0300	66	J. Rincon
	0600	66	J. Rincon
	0900	65	M. Garcia
	1200	71	M. Garcia
	1500	70	M. Garcia
	1800	68	J. Rincon
	2100	68	J. Rincon
	2400	66	M. Hupe

Sunday

Date	Time	Temp.	Name (Print)
9-15-24	0300	64	R. Avila
	0600	64	R. Avila
	0900	65	J. Mendez
	1200	66	J. Mendez
	1500	67	J. Barra
	1800	66	J. Barra
	2100	65	J. Barra
	2400	65	R. Avila

Tuesday

Date	Time	Temp.	Name (Print)
9-10-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	67	Carcos
	1200	68	Hernandez
	1500	70	Hernandez
	1800	69	Hernandez
	2100	68	Hernandez
	2400	66	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
9-12-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	66	P. Anguiano
	1200	68	P. Anguiano
	1500	68	N. Gomez
	1800	67	N. Gomez
	2100	65	J. Gonzalez
	2400	66	J. Rincon

Saturday

Date	Time	Temp.	Name (Print)
9-14-24	0300	65	M. Hupe
	0600	65	S. Gardine
	0900	66	S. Gardine
	1200	66	S. Gardine
	1500	67	S. Gardine
	1800	67	S. Gardine
	2100	65	S. Gardine
	2400	65	R. Avila

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: B1 Temp. Reading Location: B SEC 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/14/82	0300	63	A. Sanchez
	0600	62	A. SANCHEZ
	0900	63	A. SANCHEZ
	1200	64	A. SANCHEZ
	1500	65	L. Torres
	1800	64	L. TORRES
	2100	62	L. TORRES
	2400	62	M. Hupe

Wednesday

Date	Time	Temp.	Name (Print)
9-18	0300	61	D. VILLANUEVA
	0600	60	A. SANCHEZ
	0900	62	A. SANCHEZ
	1200	65	A. SANCHEZ
	1500	65	D. RIVIZ
	1800	64	D. RIVIZ
	2100	63	D. RIVIZ
	2400	62	D. VILLANUEVA

Friday

Date	Time	Temp.	Name (Print)
9-29	0300	61	D. Villanueva
	0600	61	J. Amo
	0900	62	J. Amo
	1200	62	J. Amo
	1500	63	M. Ledezma
	1800	64	M. Ledezma
	2100	62	M. Ledezma
	2400	62	D. Villanueva

Sunday

Date	Time	Temp.	Name (Print)
9-22	0300	62	D. V. Hernandez
	0600	62	F. ZUNIGA
	0900	64	F. Zuniga
	1200	68	F. ZUNIGA
	1500	70	L. Torrez
	1800	68	L. Torrez
	2100	67	L. Torrez
	2400	62	mean

Tuesday

Dat	Time	Temp.	Name (Print)
9/17	0300	63	M. H. P. C.
	0600	60	A. SANCHEZ
	0900	63	A. SANCHEZ
	1200	64	A. SANCHEZ
	1500	64	L. TORRES
	1800	63	L. TORRES
	2100	62	L. TORRES
	2400	6	D. V. T. Ayuvera

Thursday

Date	Time	Temp.	Name (Print)
9-29	0300	61	D. Villanueva
	0600	62	J. Ward
	0900	61	J. Ward
	1200	62	J. Ward
	1500	65	D. Ruiz
	1800	64	D. Ruiz
	2100	62	D. Ruiz
	2400	61	D. Villanueva

Saturday

Date	Time	Temp.	Name (Print)
A-21	0300	61	D. VILLANUEVA
	0600	61	L. BANISNA
	0900	64	L. BANISNA
	1200	57	L. BANISNA
	1500	67	J. IBARRA
	1800	65	J. IBARRA
	2100	64	J. IBARRA
	2400	62	D. VILLANUEVA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

-Monday-

Date	Time	Temp.	Name (Print)
SEPTEMBER 16, 2024	0300	61	M. GARCIA
	0600	62	M. GARCIA
	0900	63	
	1200	67	T. COO
	1500	67	
	1800	65	
	2100	64	
	2400	63	M. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
SEPTEMBER 17, 2024	0300	62	M. GARCIA
	0600	62	M. GARCIA
	0900	64	T. INFANTE
	1200	65	T. INFANTE
	1500	63	T. PINEDA
	1800	64	T. PINEDA
	2100	64	T. PINEDA
	2400	61	M. GARCIA

-Wednesday-

Date	Time	Temp.	Name (Print)
SEPTEMBER 18, 2024	0300	60	M. GARCIA
	0600	60	M. GARCIA
	0900	61	R. SILVA
	1200	64	R. SILVA
	1500	65	R. SILVA
	1800	64	J. IBARRA
	2100	62	J. IBARRA
	2400	61	M. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
SEPTEMBER 19, 2024	0300	61	M. GARCIA
	0600	60	M. GARCIA
	0900	61	V.M. INGLANA
	1200	64	V.M. INGLANA
	1500	64	J. IBARRA
	1800	64	J. IBARRA
	2100	63	J. IBARRA
	2400	61	M. Hupe

Friday

Date	Time	Temp.	Name (Print)
SEPTEMBER 20, 2024	0300	61	M. Hupe
	0600	61	L. BARTON
	0900	61	L. BARTON
	1200	62	L. BARTON
	1500	63	L. BARTON
	1800	62	L. BARTON
	2100	62	L. BARTON
	2400	61	M. Hupe

Saturday

Date	Time	Temp.	Name (Print)
SEPTEMBER 21, 2024	0300	62	M. Hupe
	0600	62	T. PINEDA
	0900	61	T. PINEDA
	1200	61	T. PINEDA
	1500	62	T. PINEDA
	1800	62	T. PINEDA
	2100	62	T. PINEDA
	2400	62	M. Garcia

Sunday

Date	Time	Temp.	Name (Print)
SEPTEMBER 22, 2024	0300	61	M. Garcia
	0600	62	M. Garcia
	0900	61	J. ORTIZ
	1200	62	J. ORTIZ
	1500	63	J. ORTIZ
	1800	62	J. ORTIZ
	2100	62	J. ORTIZ
	2400	62	M. Garcia

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: svsp Housing Unit: B5 Temp. Reading Location: 2ND TIER B-SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-96	0300	65	R. Avila
	0600	65	R. Avila
	0900	65	Bartolome
	1200	65	Bartolome
	1500	68	N. Gomez
	1800	65	N. Gomez
	2100	69	N. Gomez
	2400	64	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	63	R. Avila
	0600	62	R. Avila
	0900	61	P. Anguiano
	1200	60	P. Anguiano
	1500	68	Darce
	1800	67	Darce
	2100	67	Darce
	2400	65	R. Avila

Friday

Date	Time	Temp.	Name (Print)
6/10/01	0300	63	J. Arquiano
	0600	63	J. Arquiano
	0900	63	J. Arquiano
	1200	65	J. Arquiano
	1500	66	N. Gomez
	1800	65	N. Gomez
	2100	64	N. Gomez
	2400	640	D. Mafnas

Sunday

Date	Time	Temp.	Name (Print)
9-22-24	0300	63	R. Avila
	0600	64	R. Mender
	0900	64	R. Mender
	1200	65	R. Mender
	1500	69	J. IBARRA
	1800	66	J. IBARRA
	2100	65	J. IBARRA
	2400	64	R. Avila

Tuesday

Dat	Time	Temp.	Name (Print)
9-17-24	0300	61	R. Avila
	0600	61	R-Avila
	0900	65	Varroa
	1200	65	Varroa
	1500	67	N Gomez
	1800	66	N Gomez
	2100	64	N Gomez
	2400	64	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	63	R. Avila
	0600	63	R. Avila
	0900	63	E. Zuniga
	1200	65	E. Zuniga
	1500	66	N Gomez
	1800	65	N Gomez
	2100	64	N Gomez
	2400	64	Avila

Saturday

Date	Time	Temp.	Name (Print)
9 21 24	0300	62°	D. Maldonado
	0600	63°	D. Maldonado
	0900	63°	F. Flores
	1200	64°	F. Flores
	1500	66°	N. Gonzalez
	1800	66°	N. Gonzalez
	2100	65°	N. Gonzalez
	2400	64°	R. Avila

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: SOSP Housing Unit: B1 Temp. Reading Location: B SEC 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23-24	0300	69	Nguyen
	0600	61	A. SANCHEZ
	0900	60	A. SANCHEZ
	1200	69	A. SANCHEZ
	1500	70	L. Torre-s
	1800	68	L. Torre-s
	2100	65	L. Torre-s
	2400	65	M. Castro

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	64	M. Castro
	0600	64	A. SANCHEZ
	0900	65	A. SANCHEZ
	1200	68	A. SANCHEZ
	1500	70	L. Torre-s
	1800	69	L. Torre-s
	2100	67	L. Torre-s
	2400	67	D. Villanueva

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	67	D. Villanueva
	0600	67	A. SANCHEZ
	0900	64	A. SANCHEZ
	1200	65	A. SANCHEZ
	1500	65	D. Ruiz
	1800	65	D. Ruiz
	2100	64	D. Ruiz
	2400	64	D. Villanueva

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	63	D. Villanueva
	0600	62	J. Amo
	0900	63	J. Amo
	1200	63	J. Amo
	1500	65	D. Ruiz
	1800	66	D. Ruiz
	2100	64	D. Ruiz
	2400	63	D. Villanueva

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	62	D. Villanueva
	0600	61	J. Amo
	0900	62	J. Amo
	1200	63	J. Amo
	1500	65	J. ORTEGA
	1800	65	J. ORTEGA
	2100	65	J. ORTEGA
	2400	64	D. Villanueva

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	62	D. Villanueva
	0600	62	A. CEAVER
	0900	63	A. CEAVER
	1200	65	A. CEAVER
	1500	66	J. IBARRA
	1800	67	J. IBARRA
	2100	63	J. IBARRA
	2400	62	D. Villanueva

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	61	D. Villanueva
	0600	61	F. Zuniga
	0900	61	F. Zuniga
	1200	63	F. Zuniga
	1500	65	D. Ruiz
	1800	65	D. Ruiz
	2100	63	D. Ruiz
	2400	62	N. GARCIA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
SEPTEMBER 22, 2024	0300	62	M. GARCIA
	0600	62	M. GARCIA
	0900	61	E. ACEVEDO
	1200	65	E. ACEVEDO
	1500	64	I. PINEDA
	1800	63	I. PINEDA
	2100	62	I. PINEDA
	2400	61	M. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
SEPTEMBER 23, 2024	0300	61	M. GARCIA
	0600	60	M. GARCIA
	0900	62	R. DEMESA
	1200	65	R. DEMESA
	1500	64	I. PINEDA
	1800	63	I. PINEDA
	2100	62	I. PINEDA
	2400	64	M. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
SEPTEMBER 24, 2024	0300	63	M. GARCIA
	0600	63	M. GARCIA
	0900	65	A. CHAVEZ
	1200	67	A. CHAVEZ
	1500	67	J. IBARRA
	1800	66	J. IBARRA
	2100	64	J. IBARRA
	2400	63	M. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
SEPTEMBER 25, 2024	0300	63	M. GARCIA
	0600	62	M. GARCIA
	0900	65	J. MENDOZA
	1200	67	J. MENDOZA
	1500	65	A. CHAVEZ
	1800	64	J. IBARRA
	2100	63	J. IBARRA
	2400	62	D. Maldonado

Friday

Date	Time	Temp.	Name (Print)
SEPTEMBER 26, 2024	0300	60	D. Maldonado
	0600	62	D. Maldonado
	0900	62	L. BALTINA
	1200	64	L. BALTINA
	1500	64	L. BALTINA
	1800	63	L. BALTINA
	2100	62	L. BALTINA
	2400	63	R. Camuso

Saturday

Date	Time	Temp.	Name (Print)
SEPTEMBER 27, 2024	0300	63	R. Camuso
	0600	64	I. PINEDA
	0900	62	I. PINEDA
	1200	64	I. PINEDA
	1500	64	I. PINEDA
	1800	63	I. PINEDA
	2100	62	I. PINEDA
	2400	62	D. Maldonado

Sunday

Notes			

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B5 Temp. Reading Location: Control Booth 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	69	R. Avila
	0600	65	G. Aguirre
	0900	65	G. Aguirre
	1200	71	G. Aguirre
	1500	74	J. Gomez
	1800	71	J. Gomez
	2100	69	J. Gomez
	2400	65	R. Avila

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	65	R. Avila
	0600	69	J. Gomez
	0900	69	J. Gomez
	1200	68	J. Gomez
	1500	71	J. Gomez
	1800	70	J. Gomez
	2100	71	J. Gomez
	2400	65	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	65	R. Avila
	0600	66	J. Gomez
	0900	67	J. Gomez
	1200	70	J. Gomez
	1500	71	J. Gomez
	1800	73	J. Gomez
	2100	67	J. Gomez
	2400	66	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
9/26 - 27	0300	65	R. Avila
	0600	68	J. Gomez
	0900	69	J. Gomez
	1200	70	J. Gomez
	1500	71	N. Gomez
	1800	71	M. Lopez
	2100	66	M. Lopez
	2400	65	J. Rincon

Friday

Date	Time	Temp.	Name (Print)
9/27 / 24	0300	65	J. Rincon
	0600	65	J. Rincon
	0900	64	E. Aguirre
	1200	71	E. Aguirre
	1500	71	N. Gomez
	1800	72	N. Gomez
	2100	69	N. Gomez
	2400	64	E. Aguirre

Saturday

Date	Time	Temp.	Name (Print)
9/28 / 24	0300	69	F. Avila Jr
	0600	69	F. Avila Jr
	0900	64	J. Montes
	1200	67	J. Montes
	1500	68	L. Hernandez
	1800	68	L. Hernandez
	2100	66	L. Hernandez
	2400	65	R. Avila Jr

Sunday

Date	Time	Temp.	Name (Print)
9-29-24	0300	64	R. Avila
	0600	64	V. Corona
	0900	64	V. Corona
	1200	67	V. Corona
	1500	68	J. IBARRA
	1800	66	J. IBARRA
	2100	65	J. IBARRA
	2400	65	R. Avila

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SYSP Housing Unit: B-1 Temp. Reading Location: B-1 corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<i>9/30/24</i>	0300	67	<i>Ruz</i>
	0600	69	<i>Ruz</i>
	0900	69	<i>Ruz</i>
	1200	74	<i>Ruz</i>
	1500	80	<i>Ruz</i>
	1800	90	<i>Ruz</i>
	2100	83	<i>Ruz</i>
	2400	75	<i>Ruz</i>

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCSP Housing Unit: B3 Temp. Reading Location: Control Bath
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/19	0300	62	M. Cihlara
	0600	60	Venturn
	0900	69	Venturn
	1200	67	Venturn
	1500	63	T. Pineda
	1800	63	T. Pineda
	2100	62	E. Almeida
	2400	62	Green

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B5 Temp. Reading Location: 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	64	R. Avila
	0600	62	R. Avila
	0900	64	Bawishi
	1200	70	Bawishi
	1500	72	N. Gomez
	1800	69	N. Gomez
	2100	68	N. Gomez
	2400	66	R. Avila

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C1 Temp. Reading Location: 2nd Tier B-Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5-2-19	0300	69	Sampaio
	0600	69	D. Rodriguez
	0900	68	D. Rodriguez
	1200	68	D. Rodriguez
	1500	69	O. Cerdanya
	1800	69	O. Cerdanya
	2100	69	O. Cerdanya
	2400	69	Empante, R

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C3 Temp. Reading Location: B Pool
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300	71	Bentley
	0600	71°	R. Thurston
	0900	72°	R. Thurston
	1200	73°	R. Thurston
	1500	73°	Hernandez
	1800	72°	Hernandez
	2100	72°	Hernandez
	2400	71	Bentley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C4 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 8542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Wednesday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Friday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/11/24	0300	72	Terry
	0600	72	Tran
	0900	72°	L.Sanchez
	1200	72°	L.Sanchez
	1500	75.5	C-Diaz
	1800	75.5	C-Diaz
	2100	75.5	C-Diaz
	2400	77	-

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible for monitoring the ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) inside an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C5 Temp. Reading Location: B

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	71	Russell

Notes

Date	Time	Temp.	Name (Print)
01/01/24	0300	71	Russell
01/01/24	0600	70	G. Nunez
01/01/24	0900	70	G. Nunez
01/01/24	1200	71	G. Nunez
01/01/24	1500	71	L. Mirel
01/01/24	1800	72	L. Mirel
01/01/24	2100	72	L. Mirel
01/01/24	2400	72	Chavez, L.A.

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible for monitoring the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is not functioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top) it will take an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: 3rd floor

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
09/10/14	0300	69	A. C. COOPER
	0600	69	R. CORTEZ
	0900	71	R. COOPER
	1200	71	K. LARSEN
	1500	71	W. COOPER
	1800	71	W. COOPER
	2100	71	G. COOPER
	2400	71	J. COOPER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: GSP Housing Unit: C7 Temp. Reading Location: B - Sect 10
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/4 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9/5 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9/4 21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/5 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
9/6 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
9/7 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/11 24	0300	74	N. SOTO
	0600	75	S. MURRAY
	0900	75	J. ROSAS
	1200	75	J. ROSAS
	1500	75	A. VELARDE
	1800	75	A. VELARDE
	2100	75	A. VELARDE
	2400	75	Webb

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C-8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-1-84	0300	71'	Chamorey, B.A.
	0600	73	A. Caffelli
	0900	73	A. Caffelli
	1200	74	A. Caffelli
	1500	73	Santiago
	1800	70	J. Gutierrez
	2100	78	J. Gutierrez
	2400	60	P. Oliver

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOSP Housing Unit: C 1 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	69	EMPANTE
	0600	69	EMPANTE
	0900	69	Gomez
	1200	69	Gomez
	1500	69	Cordova
	1800	69	Cordova
	2100	69	O.CORDOVA
	2400	69	EMPANTE

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	69	EMPANTE
	0600	69	EMPANTE
	0900	69	Garcia
	1200	69	Garcia
	1500	69	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	69	M. CASTRO

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	69	M. CASTRO
	0600	69	A. Perez
	0900	70°	A. Perez
	1200	71°	A. Perez
	1500	70	R. LIZAFA
	1800	70	R. LIZAFA
	2100	70	COPPER
	2400	69	SAMPALO

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	69	SAMPALO
	0600	70	Garcia
	0900	70	GARCIA
	1200	70	GARCIA
	1500	70	Cordova
	1800	70	LIZAFA
	2100	70	LIZAFA
	2400	70	SAMPALO

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	70	SAMPALO
	0600	70	SAMPALO
	0900	70	Diaz
	1200	71	Diaz
	1500	71	Cordova
	1800	71	Cordova
	2100	71	Cordova
	2400	71	Cordova

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	70	SAMPALO
	0600	70	SAMPALO
	0900	69	B. ADAMS
	1200	70	B. ADAMS
	1500	71	Cordova
	1800	71	Cordova
	2100	71	Cordova
	2400	70	SAMPALO

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	70	J. ARRIAGA
	0600	68	Z. MENDOZA
	0900	69	Z. MENDOZA
	1200	71	R. NORITA
	1500	71	Torres
	1800	71	Torres
	2100	70	Torres
	2400	70	EMPANTE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVP Housing Unit: C-3 Temp. Reading Location: Upper 'B' Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-03-24	0300	70°	E. Beasley
	0600	70°	E. Beasley
	0900	70°	A. Villaseñor
	1200	72°	A. Villaseñor
	1500	73°	A. Villaseñor
	1800	72	A. Villaseñor
	2100	72	A. Villaseñor
	2400	70°	E. Beasley

Wednesday

Date	Time	Temp.	Name (Print)
09-04-24	0300	70	J. Garcia
	0600	70	R. Perez
	0900	70	V. Lopez
	1200	71	R. Perez
	1500	71	V. Lopez
	1800	72°	V. Lopez
	2100	73	V. Lopez
	2400	71°F	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
09-04-24	0300	71	Perez
	0600	71	Perez
	0900	71	M. Espinoza
	1200	71	M. Espinoza
	1500	73	V. Perez
	1800	73	V. Perez
	2100	73°	N. Rodriguez
	2400	71°	N. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
10-03-24	0300	70°	E. Beasley
	0600	70	G. Smith
	0900	71	G. Smith
	1200	72	G. Smith
	1500	73	R. Lopez
	1800	73	R. Lopez
	2100	72	R. Lopez
	2400	70	E. Beasley

Tuesday

Date	Time	Temp.	Name (Print)
09-05-24	0300	70°	E. Beasley
	0600	70°	E. Beasley
	0900	70	A. Villaseñor
	1200	72	A. Villaseñor
	1500	72	R. Ybarra
	1800	71	R. Ybarra
	2100	70	R. Ybarra
	2400	70	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
09-05-24	0300	71°F	J. Garcia
	0600	71°F	R. Ybarra
	0900	71	C. Lopez
	1200	71	C. Lopez
	1500	73	V. Lopez
	1800	73	V. Lopez
	2100	73	V. Lopez
	2400	72	Perez

Saturday

Date	Time	Temp.	Name (Print)
09-04-24	0300	72°	N. Rodriguez
	0600	70	A. Villaseñor
	0900	70	A. Villaseñor
	1200	72	A. Villaseñor
	1500	70	A. Villaseñor
	1800	70	G. Smith
	2100	70°	E. Beasley
	2400	70	E. Beasley

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C4 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24/14	0300	72	Tra
	0600	72	Tra
	0900	72	Mendoza
	1200	72	Mendoza
	1500	73	C. Diaz
	1800	73	C. Diaz
	2100	73	C. Diaz
	2400	73°F	J. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
9/24/14	0300	73°F	J. Garcia
	0600	73	Mendoza
	0900	72	Mendoza
	1200	71	Mendoza
	1500	73	Perez
	1800	73	Perez
	2100	71	Perez
	2400	73°F	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/4/14	0300	73°F	J. Garcia
	0600	73	Mendoza
	0900	72	Mendoza
	1200	72	Mendoza
	1500	73	Perez
	1800	71	Perez
	2100	71	Perez
	2400	73	Marquez

Thursday

Date	Time	Temp.	Name (Print)
9/5/14	0300	73	Marquez
	0600	73	Mendoza
	0900	73	Mendoza
	1200	72	Mendoza
	1500	73	Perez
	1800	72	Perez
	2100	71	Perez
	2400	70	J. Rincon

Friday

Date	Time	Temp.	Name (Print)
9/6/14	0300	70	J. Rincon
	0600	70	J. Rincon
	0900	71	Marc
	1200	71	Mendoza
	1500	73	Mendoza
	1800	72	Perez
	2100	72	Perez
	2400	71	Tra

Saturday

Date	Time	Temp.	Name (Print)
9/7/14	0300	72	Tra
	0600	72	Tra
	0900	75	C. Diaz
	1200	75	C. Diaz
	1500	73.2	C. Diaz
	1800	72.5	C. Diaz
	2100	73.2	C. Diaz
	2400	71	C. Diaz

Sunday

Date	Time	Temp.	Name (Print)
9/8/14	0300	72	Tra
	0600	72	Tra
	0900	73°	LaSanchot
	1200	73°	LaSanchot
	1500	73.7	C. Diaz
	1800	73	C. Diaz
	2100	73	C. Diaz
	2400	72	Tra

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL FACILITIES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the Inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours seven (7) days a week.

Institution: SVSP Housing Unit: C5 Temp. Reading Location: B POD
(e.g., 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>9-2-24</u>	0300	72°	Chavez, C-A
	0600	70°	LoSanchet
	0900	70°	LoSanchet
	1200	72°	LoSanchet
	1500	72	Guardado
	1800	72	Guardado
	2100	71	Guardado
	2400	71°	U Sandal

Tuesday			
Date	Time	Temp.	Name (Print)
<u>9/3</u>	0300	71	U Sandal
	0600	71°	LoSanchet
	0900	72°	LoSanchet
	1200	73°	LoSanchet
	1500	73	Guardado
	1800	72	Guardado
	2100	71	Guardado
	2400	71	Russell

Wednesday			
Date	Time	Temp.	Name (Print)
<u>9/4</u>	0300	71	Russell
	0600	71	Russell
	0900	70.2°	M. Chavez
	1200	71.1	M. Chavez
	1500	71	R. Garcia
	1800	71	R. Garcia
	2100	71	R. Garcia
	2400	71	Russell

Thursday			
Date	Time	Temp.	Name (Print)
<u>9/5</u>	0300	71	Russell
	0600	71	Russell
	0900	71	J. Garcia Perez
	1200	71	J. Garcia Perez
	1500	71	J. Garcia Perez
	1800	72.5	A. Tappia
	2100	72	A. Tappia
	2400	72	Russell

Friday			
Date	Time	Temp.	Name (Print)
<u>9/6</u>	0300	71	Russell
	0600	71	Russell
	0900	70.7	Reyes
	1200	73	Reyes
	1500	73	A. Tappia
	1800	73	A. Tappia
	2100	72	A. Tappia
	2400	72	Russell

Saturday			
Date	Time	Temp.	Name (Print)
<u>9/7</u>	0300	72	Russell
	0600	71	Russell
	0900	71	Nunez
	1200	72	Nunez
	1500	72	R. Gomez
	1800	72	R. Gomez
	2100	71	R. Gomez
	2400	71	Russell

Sunday			
Date	Time	Temp.	Name (Print)
<u>9/8</u>	0300		
	0600	71.1	J. DeFranco
	0900	71.3	J. DeFranco
	1200	73	J. DeFranco
	1500	72	R. Gomez
	1800	72	R. Gomez
	2100	72	R. Gomez
	2400	72	C. Chavez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL FACILITIES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: B PJD

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	71	Aceves
	0600	70	Guardado
	0900	70	Guardado
	1200	71	Guardado
	1500	71	Hurby
	1800	70	Webb
	2100	70	Webb
	2400	72	Aceves

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	71°	M. Sandal
	0600	71°	A. Garcia Perez
	0900	71°	A. Garcia Perez
	1200	71°	A. Garcia Perez
	1500	73°	Correa
	1800	73°	Green
	2100	72°	Green
	2400	72°	M. Sandal

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	71	Nguyen
	0600	71	Nguyen
	0900	71	Nguyen
	1200	71	Nguyen
	1500	73	J. Galvan
	1800	73	M. Martinez
	2100	72	M. Martinez
	2400	71°	D. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	72°F	J. Garcia
	0600	71	R. Carter
	0900	71	R. Carter
	1200	72	R. Carter
	1500	72	Webb
	1800	72	Webb
	2100	71	Webb
	2400	72	Aceves

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	71	Aceves
	0600	71	Guardado
	0900	71	Guardado
	1200	72	Guardado
	1500	74°	Green
	1800	72°	Green
	2100	72°	Green
	2400	71°	M. Sandal

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	71°	M. Sandal
	0600	71	J. Rosas
	0900	71	J. Rosas
	1200	71	C. Ojeda
	1500	73°	Correa
	1800	73°	Green
	2100	72°	Green
	2400	72	Huerta

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	70°	B. Maldonado
	0600	70	B. Maldonado
	0900	71	R. Carter
	1200	72	R. Carter
	1500	72	R. Carter
	1800	73	C. Ojeda
	2100	73	C. Ojeda
	2400	73°F	J. Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C7 Temp. Reading Location: B Pod, 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/ 01 02	0300	74	Wubb
	0600	74	Wubb
	0900	75	Sm
	1200	76	Sm
	1500	76	Sm
	1800	75	Sm
	2100	75	Sm
	2400	74	Wubb

Tuesday

Date	Time	Temp.	Name (Print)
09/ 03	0300	74	Wubb
	0600	74	Wubb
	0900	75	J. Soto
	1200	75	J. Soto
	1500	76.8	J. ROSAS
	1800	75.5	J. ROSAS
	2100	76.1	J. ROSAS
	2400	75	Coreen

Wednesday

Date	Time	Temp.	Name (Print)
09/ 06	0300	74°	Coreen
	0600	74	Soto
	0900	75	Soto
	1200	75	Soto
	1500	75°F	A. MATEO
	1800	76°F	A. MATEO
	2100	75°F	A. MATEO
	2400	74°	Coreen

Thursday

Date	Time	Temp.	Name (Print)
09/ 05	0300	75°	Coreen
	0600	75	Soto
	0900	75	Soto
	1200	76	Soto
	1500	73°	A. MATEO
	1800	75°	A. MATEO
	2100	75	A. MATEO
	2400	75°	Coreen

Friday

Date	Time	Temp.	Name (Print)
09/ 06	0300	75°F	J. Garcia
	0600	75	J. Soto
	0900	75	J. Soto
	1200	75	J. Soto
	1500	75°	A. MATEO
	1800	75°	A. MATEO
	2100	75°	A. MATEO
	2400	75°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
09/ 07	0300	76°F	J. Garcia
	0600	75	J. Soto
	0900	75	J. Soto
	1200	75	J. Soto
	1500	75°	A. MATEO
	1800	75°F	A. MATEO
	2100	75°F	A. MATEO
	2400	75.2	C. MEADE

Sunday

Date	Time	Temp.	Name (Print)
09/ 08	0300	73.9	C. MEADE
	0600	73.7	C. MEADE
	0900	75.0	M. CLEVELAND
	1200	75.8	M. CLEVELAND
	1500	77°F	A. MATEO
	1800	75	A. MATEO
	2100	75	A. MATEO
	2400	70	M. CLEVELAND

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SISP Housing Unit: C-8 Temp. Reading Location: UPPER B SEC
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/2024	0300	56°	R. Oliver
	0600	55°	R. Oliver
	0900	75	M. Brown
	1200	75	M. Brown
	1500	75	M. Brown R. Santiago
	1800	74	R. SANTIAGO
	2100	73	R. SANTIAGO
	2400	73	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	75	L. Stepp
	0600	72	L. Stepp
	0900	72	R. SANTIAGO
	1200	72	R. SANTIAGO
	1500	73	R. SANTIAGO
	1800	74	Rodriguez
	2100	75	Rodriguez
	2400	75	Rodriguez

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	72	L. Stepp
	0600	72	L. Stepp
	0900	71	R. Morita
	1200	71	R. Morita
	1500	76	R. SANTIAGO
	1800	75	R. SANTIAGO
	2100	74	R. SANTIAGO
	2400	73	L. Stepp

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	73	L. Chavez
	0600	75	R. SANTIAGO
	0900	75	R. SANTIAGO
	1200	75	R. SANTIAGO
	1500	75	R. SANTIAGO
	1800	72	R. SANTIAGO
	2100	72	R. SANTIAGO
	2400	70	J. A. Ali

Tuesday

Date	Time	Temp.	Name (Print)
9/5	0300	73	L. Stepp
	0600	73	L. Stepp
	0900	73	H. Zavala
	1200	73	H. Zavala
	1500	74	H. Zavala
	1800	74	H. Zavala
	2100	73	H. Zavala
	2400	72	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	72	L. Stepp
	0600	72	L. Stepp
	0900	71	H. Zavala
	1200	73	J. Parmenter
	1500	73	J. Parmenter
	1800	71	J. Parmenter
	2100	70	J. Parmenter
	2400	73	L. Stepp

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	73	L. Stepp
	0600	72	L. Stepp
	0900	73	R. Morita
	1200	74	R. Morita
	1500	76	R. SANTIAGO
	1800	76	R. SANTIAGO
	2100	75	R. SANTIAGO
	2400	73	L. Chavez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C-1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/04/24	0300	70°	K. EMPANTE
	0600	70	K. EMPANTE
	0900	70	K. NORITA
	1200	70	K. NORITA
	1500	70	Cordova
	1800	70	Cordova
	2100	70	Cordova
	2400	69	K. EMPANTE

Tuesday

Date	Time	Temp.	Name (Print)
09/10/24	0300	69°	K. EMPANTE
	0600	69	K. EMPANTE
	0900	69	Lemartin
	1200	69	Lemartin
	1500	69	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	69	Sampolo

Wednesday

Date	Time	Temp.	Name (Print)
09/11/24	0300	69	Sampolo
	0600	69	Sampolo
	0900	69	Lemartin
	1200	69	Lemartin
	1500	69	R. Lizardi
	1800	69	R. Lizardi
	2100	69	R. Lizardi
	2400	69	Sampolo

Friday

Date	Time	Temp.	Name (Print)
09/13	0300	69	Sampolo
	0600	69	Sampolo
	0900	69	M. CASTRO
	1200	69	M. CASTRO
	1500	69	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	69	Sampolo

Sunday

Date	Time	Temp.	Name (Print)
09/15	0300	69°	M. CASTRO
	0600	69°	K. NORITA
	0900	70°	K. NORITA
	1200	70°	R. LORITO
	1500	69°	Torres
	1800	69	Torres
	2100	69	Torres
	2400	69	Lemartin

Thursday

Date	Time	Temp.	Name (Print)
09/12/24	0300	69	Sampolo
	0600	69	Sampolo
	0900	69	Lemartin
	1200	69	Lemartin
	1500	69	R. Lizardi
	1800	69	R. Lizardi
	2100	69	R. Lizardi
	2400	69	Sampolo

Saturday

Date	Time	Temp.	Name (Print)
09/14	0300	69	Sampolo
	0600	69	Sampolo
	0900	69	Lemartin
	1200	69	Lemartin
	1500	69	Cordova
	1800	70	Cordova
	2100	70	Cordova
	2400	69°	M. CASTRO

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top-tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper B foot
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
Oct -19 -24	0300	70°	E. Beasley
	0600	70°	E. Beasley
	0900	70°	A. Villasenor
	1200	71°	A. Villasenor
	1500	72°	A. Villasenor
	1800	71°	A. Villasenor
	2100	70°	A. Villasenor
	2400	70°	E. Beasley

Wednesday

Date	Time	Temp.	Name (Print)
9-15-15	0300	70°	E. Beasley
	0600	70°	E. Beasley
	0900	71°	R. Parcer
	1200	73°	R. Parcer
	1500	71°	Werez
	1800	71°	Werez
	2100	70°	Werez
	2400	70°F	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
04-13-24	0300	69	K. Empante
	0600	69	K. Empante
	0900	68	M. Espinoza
	1200	71	M. Espinoza
	1500	72°	V. Perez
	1800	77°	V. Perez
	2100	70	V. Perez
	2400	73	N. Marquez

Sunday

Date	Time	Temp.	Name (Print)
Oct 15	0300	70°	E. Beasley
	0600	68°	A. Villaseca
	0900	68°	A. Villaseca
	1200	69°	A. Villaseca
	1500	71°	R. Lizardi
	1800	74°	R. Lizardi
	2100	74°	R. Lizardi
	2400	70°	E. Beasley

Tuesday

Date	Time	Temp.	Name (Print)
DA-10-24	0300	70°	E. Geasley
	0600	70°	E. Geasley
	0900	69°	A. Villaseenor
	1200	69°	M. Hamilton
	1500	69°	M. Hamilton
	1800	68°	M. Hamilton
	2100	70°	M. Hamilton
	2400	70°	E. Geasley

Thursday

Date	Time	Temp.	Name (Print)
09-12-21	0300	69°F	J. Garcia
	0600	69	P. NORITA
	0900	69	P. NORITA
	1200	70	P. NORITA
	1500	70	V. Perez
	1800	70	V. Perez
	2100	70	V. Perez
	2400	70	K. EMANTHA

Saturday

Date	Time	Temp.	Name (Print)
04-24	0300	72	N. Rodriguez
	0600	68	A. Villaseca
	0900	68	A. Villaseca
I	1200	69	A. Villaseca
-	1500	70	V. Perez
24	1800	69	V. Perez
	2100	68	V. Perez
	2400	70	E. Beasley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C4 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/14/14	0300	72	Tran
	0600	72	Tran
	0900	73	Andrade
	1200	73	Andrade
	1500	73.8	E.SALAS
	1800	73.9	E.SALAS
	2100	73.2	E.SALAS
	2400	77°F	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	72° F	J. Garcia -
=	0600	72	Lorenzo
	0900	72	Mendoza
	1200	72	Mendoza
	1500	73	P. Garcia
	1800	72	Perez
	2100	71	Perez
	2400	71	Torres

Friday

Date	Time	Temp.	Name (Print)
9/13/14	0300	72	Terry
	0600	72	Terry
	0900	72	Allen Lee
	1200	72	Meredith
	1500	72	B. CHAVEZ
	1800	72	B. CHAVEZ
	2100	72	B. CHAVEZ
	2400	77	B. CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
9/15/11	0300	71	Ts
	0600	71	Ts
	0900	71°	LoScandret
	1200	72°	LoScandret
	1500	72°	L-OCHUA
	1800	72°	L-OCHUA
	2100	71°	L-OCHUA
	2400	71	Ts

Tuesday

Dat	Time	Temp.	Name (Print)
10/24/06	0300	73°F	J. Garcia
	0600	72	Anderson
	0900	72	Lindgren
	1200	72	Anderson
	1500	73	Flannery
	1800	71	F. Perez
	2100	71	R. Rowden
	2400	72°F	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
	0300	72	TG
	0600	72	TG
	0900	72	Tempera
	1200	72	Tempera
	1500	72	Valgus
	1800	72	Valgus
	2100	72	Valgus
	2400	72	TG

Saturday

Date	Time	Temp.	Name (Print)
9/14/14	0300	72	Tr-
	0600	72	T-
	0900	70	N DORADO
	1200	70	N DORADO
	1500	70	C.Diaz
	1800	70	C.Diaz
	2100	70	C.Diaz
	2400	71	T-

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND RECLAMATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C5 Temp. Reading Location: B-POD

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/29	0300	72°	L.A. Chavez
	0600	72°	Lo Sanchez
	0900	72°	Lo Sanchez
	1200	72°	Lo Sanchez
	1500	72	Guardado
	1800	72	Guardado
	2100	72	Guardado
	2400	72°	Sander

Tuesday

Date	Time	Temp.	Name (Print)
9/10/29	0300	71	U. Sander
	0600	71°	Lo Sanchez
	0900	71	Lo Sanchez
	1200	71°	Lo Sanchez
	1500	71	Lo Sanchez
	1800	70	Guardado
	2100	70	Guardado
	2400	71°	Russell

Wednesday

Date	Time	Temp.	Name (Print)
9/11/29	0300	70°	Russell
	0600	70°	Russell
	0900	70	Reyes
	1200	70.3	Reyes
	1500	70	R. GOMEZ
	1800	70	R. GOMEZ
	2100	70	R. GOMEZ
	2400	70°	Russell

Thursday

Date	Time	Temp.	Name (Print)
9/12/29	0300	70°	Russell
	0600	70°	Russell
	0900	69°	J. MENEZ
	1200	70°	J. MENEZ
	1500	71°	A. Garcia Perez
	1800	71°	A. Garcia Perez
	2100	71°	A. Garcia Perez
	2400	71°	Russell

Friday

Date	Time	Temp.	Name (Print)
9/13/29	0300	71°	Russell
	0600	70°	Russell
	0900	70	Reyes
	1200	70	R. GOMEZ
	1500	70	J. TAPIA
	1800	70	Wade
	2100	70	Wade
	2400	70°	Russell

Saturday

Date	Time	Temp.	Name (Print)
9/14/29	0300	70°	Russell
	0600	70°	Russell
	0900	68.9	Reyes
	1200	68.9	Reyes
	1500	68	Wade
	1800	68°	Wade
	2100	68°	Wade
	2400	68°	Russell

Notes

Date	Time	Temp.	Name (Print)
9/15/29	0300	68°	Russell
	0600	68°	Russell
	0900	69.4	Perez
	1200	68.9	Garcia
	1500	68	R. GOMEZ
	1800	68	R. GOMEZ
	2100	68	R. GOMEZ
	2400	68°	L. Chavez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

AY6343

From May 1st through October 31st, the warden shall designate staff to be responsible for monitoring ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is not functioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top bunk) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: 3rd floor

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	72	Aceves
	0600	71	Guardado
	0900	71	Guardado
	1200	71	Guardado
	1500	71	Webb
	1800	71	Webb
	2100	71	Webb
	2400	71	Aceves

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	71	Aceves
	0600	70	Guardado
	0900	70	Guardado
	1200	70	Guardado
	1500	70	Green
	1800	70	Green
	2100	69°	Green
	2400	69°	(A Sandal)

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	69	Sandals Sandal
	0600	69	69 J. R. S.
	0900	69	CUEVAS
	1200	70	CUEVAS
	1500	70°	Green
	1800	70°	Green
	2100	70°	Green
	2400	70	Green Sandal

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	69°	Sandals
	0600	68	Lopez
	0900	68	Lopez
	1200	70	Lopez
	1500	70°	Green
	1800	70°	Green
	2100	69°	Green
	2400	70	Names

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	70	Aceves
	0600	69	GUARDADO
	0900	69	Guardado
	1200	70	Guardado
	1500	70	J. ROSAS
	1800	70	J. ROSAS
	2100	70	J. ROSAS
	2400	70	Aceves

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	70	Aceves
	0600	69	R. GARCIA
	0900	69	R. GARCIA
	1200	69	R. GARCIA
	1500	70	TANTOS
	1800	69	TANTOS
	2100	69	TANTOS
	2400	69	R. GARCIA

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	69	R. GARCIA
	0600	68	R. GARCIA
	0900	69	R. GARCIA
	1200	69	R. GARCIA
	1500	68	Webb
	1800	68	Webb
	2100	68	Webb
	2400	69	Aceves

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: B-POD 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	74	weby
	0600	73	S...
	0900	75	J...
	1200	75	S...
	1500	75	S...
	1800	75	J...
	2100	75	J...
	2400	73	Webb

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	73°	Green
	0600	73	Soto
	0900	74	Soto
	1200	75	Soto
	1500	75	K. M. Soto
	1800	75°	A. M. Soto
	2100	75°	A. M. Soto
	2400	74°	Green

Friday

Date	Time	Temp.	Name (Print)
9/22/24	0300	72°F	J. Garcia
	0600	72	Soto
	0900	73	Soto
	1200	74	Soto
	1500	75	A. M. Soto
	1800	75°	A. M. Soto
	2100	74°	A. M. Soto
	2400	73°F	J. Garcia

Sunday

Date	Time	Temp.	Name (Print)
	0300	72	weby
	0600	72	weby
	0900	72	J. Rosas
	1200	72	J. Rosas
	1500	72	A. M. Soto
	1800	72	A. M. Soto
	2100	72	A. M. Soto
	2400	72	weby

Tuesday

Date	Time	Temp.	Name (Print)
	0300	73	weby
	0600	73	weby
	0900	74	J. Soto
	1200	75	Soto
	1500	73	J. Soto
	1800	74	L. O. Chota
	2100	74	L. O. Chota
	2400	73°	Green

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	73°	Green
	0600	74	Soto
	0900	74	Soto
	1200	71	Soto
	1500	75	A. M. Soto
	1800	74	A. M. Soto
	2100	74°	A. M. Soto
	2400	73°	Green

Saturday

Date	Time	Temp.	Name (Print)
9/13/24	0300	72°F	J. Garcia
	0600	73	Perez
	0900	74	Perez
	1200	74	Perez
	1500	75°F	A. M. Soto
	1800	73°	A. M. Soto
	2100	72	A. M. Soto
	2400	72	weby

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C8 Temp. Reading Location: B Pod / 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	72	L. Stepp
	0600	73	H. Zavala
	0900	73	H. Zavala
	1200	72	H. Zavala
	1500	73	H. Zavala
	1800	71	H. Zavala
	2100	70	H. Zavala
	2400	72	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	72	L-Stepp
	0600	72	L-Stepp
	0900	70	Tanhegy
	1200	71	Tanhegy
	1500	71	John
	1800	71	Jan
	2100	71	Jan
	2400	71	L-Stepp

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	71	L. STEPP
	0600	71	L. STEPP
	0900	71	H. ZAVALA
	1200	77	H. ZAVALA
	1500	72	R. SANTIAGO
	1800	72	R. SANTIAGO
	2100	69	R. SANTIAGO
	2400	70	L. STEPP

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	68	L. CHAVEZ
	0600	70	R. SANTIAGO
	0900	70	R. SANTIAGO
	1200	70	R. SANTIAGO
	1500	70	R. SANTIAGO
	1800	70	R. SANTIAGO
	2100	71	R. SANTIAGO
	2400	71	L. GREGG

Tuesday

Dat	Time	Temp.	Name (Print)
5/10	0300	72	L. STOPP
	0600	72	L. STOPP
	0900	71	B. GONZALES
	1200	71	B. GONZALES
	1500	72	B. SANTACRUZ
	1800	72	B. SANTACRUZ
	2100	74	B. SANTACRUZ
	2400	75	L. STOPP

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	72°	L-STEPPE
	0600	71°	L-STEPPE
	0900	72°	J. PACHEN
	1200	72°	J. PACHEN
	1500	73°	J. PACHEN
	1800	73	J. PACHEN
	2100	72	J. PACHEN
	2400	70	L-STEPPE

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	70	L. S STEPP
	0600	71	L. STEPP
	0900	70	PERUPTA
	1200	69	PURDYAN
	1500	69	Chavez, L.
	1800	69	A RICO
	2100	68	A RICO
	2400	68	L CHAVEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C1 Temp. Reading Location: 2nd TIER - B-PAD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	69	Umarin
	0600	68	Umarin
	0900	68	A. Perez
	1200	69	A. Perez
	1500	69°	LoSancha
	1800	69°	LoSancha
	2100	69°	LoSancha
	2400	68	K. Empunto

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	67	K. Empunto
	0600	68	K. Empunto
	0900	67	Umarin
	1200	68	Umarin
	1500	68	BALVERAS
	1800	68	BALVERAS
	2100	68	BALVERAS
	2400	67	Sampolo

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	67	Sampolo
	0600	67	Sampolo
	0900	67	Umarin
	1200	68	Umarin
	1500	69	Lizardi
	1800	69	Lizardi
	2100	69	Lizardi
	2400	68	Sampolo

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	68	Sampolo
	0600	68	Sampolo
	0900	68	Umarin
	1200	68	Umarin
	1500	69	Lizardi
	1800	69	Lizardi
	2100	69	Lizardi
	2400	67	Sampolo

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	68	Sampolo
	0600	68	Sampolo
	0900	68	Umarin
	1200	68	Umarin
	1500	68	M. Garcia Perez
	1800	68	M. Garcia Perez
	2100	68	M. Garcia Perez
	2400	67	Sampolo

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	67	Sampolo
	0600	67	Sampolo
	0900	68	Umarin
	1200	68	Umarin
	1500	68	A. Perez
	1800	68	A. Perez
	2100	68	A. Perez
	2400	67	Sampolo

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	67	Schles
	0600	67	Schles
	0900	67	M. Perez
	1200	67	M. Perez
	1500	68	M. Espinoza
	1800	68	M. Espinoza
	2100	68	M. Espinoza
	2400	68	Correa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: C-3 Temp. Reading Location: Upper "B" Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-24	0300	66	Beasley
	0600	67	A. Villasenor
	0900	68	A. Villasenor
	1200	68	A. Villasenor
	1500	67	A. Villasenor
	1800	68	A. Villasenor
	2100	68	A. Villasenor
	2400	68	Beasley

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	66	Carrera
	0600	66	R. Pablos
	0900	66	R. Pablos
	1200	66	R. Pablos
	1500	66	R. Pablos
	1800	66	R. Pablos
	2100	66	R. Pablos
	2400	68°F	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	68°	K. Empinat
	0600	68°	L. Sanchez
	0900	68°	L. Sanchez
	1200	68°	L. Sanchez
	1500	68°	Villareal
	1800	68°	Villareal
	2100	67°	N. Rodriguez
	2400	67°	N. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
9-22-24	0300	66	
	0600	67	A. Villasenor
	0900	67	A. Villasenor
	1200	67	A. Villasenor
	1500	69	A. Villasenor
	1800	69	A. Villasenor
	2100	70	E. Beasley
	2400	70	E. Beasley

Tuesday

Date	Time	Temp.	Name (Print)
9-17-24	0300	67	Beasley
	0600	66	A. Villasenor
	0900	66	A. Villasenor
	1200	69	A. Villasenor
	1500	67	R. Ybarra
	1800	66	R. Ybarra
	2100	66	R. Ybarra
	2400	66	Garcia

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	67°F	J. Garcia
	0600	67°F	B. Gonzalez
	0900	67°F	B. Gonzalez
	1200	68°F	B. Gonzalez
	1500	69°	V. Perez
	1800	69°	V. Perez
	2100	68	V. Perez
	2400	67	K. Empinat

Saturday

Date	Time	Temp.	Name (Print)
9-21-24	0300	67°	N. Rodriguez
	0600	67°	V. Perez
	0900	67°	V. Perez
	1200	67	A. Villasenor
	1500	68	V. Perez
	1800	69	V. Perez
	2100	68	V. Perez
	2400	67	S. Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C4 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/14	0300	71	Tm
	0600	71	Tm
	0900	71	Garcia
	1200	72	Garcia 10
	1500	71	Perez
	1800	71	Perez
	2100	70	Perez
	2400	69°F	J. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
9/17/14	0300	69°F	J. Garcia
	0600	69	Mendoza
	0900	69	Mendoza
	1200	69	Mendoza
	1500	70	Perez
	1800	69	Perez
	2100	69	Perez
	2400	69°F	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/18/14	0300	70°F	J. Garcia
	0600	70	Mendoza
	0900	70	Mendoza
	1200	70	Mendoza
	1500	69	Perez
	1800	69	Perez
	2100	69	Perez
	2400	70	Tm

Thursday

Date	Time	Temp.	Name (Print)
9/19/14	0300	70	Tm
	0600	70	Tm
	0900	69	Mendoza
	1200	69	Mendoza
	1500	69	Perez
	1800	69	Perez
	2100	68	Perez
	2400	68	Tm

Friday

Date	Time	Temp.	Name (Print)
9/20/14	0300	69	Tm
	0600	68	Tm
	0900	69	Mendoza
	1200	69	Mendoza
	1500	69	Perez
	1800	69	Perez
	2100	69	Perez
	2400	69	Marguer

Saturday

Date	Time	Temp.	Name (Print)
9/21/14	0300	69	Marguer
	0600	69	Marguer
	0900	70	LoSánchez
	1200	70	LoSánchez
	1500	70	Diaz
	1800	70	Diaz
	2100	70.2	Diaz
	2400	70	Tm

Sunday

Date	Time	Temp.	Name (Print)
9/22/14	0300	70	Tm
	0600	70	Tm
	0900	74	L.Sánchez
	1200	74	L.Sánchez
	1500	74.5	C.Diaz
	1800	70.	C.Diaz
	2100	70.	C.Diaz
	2400	70	Tm

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DRAFT VENT OF COMPLAINTS FOR RELEASE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: B (PDT)
(e.g., 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches either 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	68	L. Chavez
	0600	68	L. Chavez
	0900	68	Lo Sanchez
	1200	68	Lo Sanchez
	1500	68	Guardado
	1800	68	Guardado
	2100	68	Guardado
	2400	68	Gh

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	68	Russell
	0600	68	Russell
	0900	68	Infante
	1200	69	Infante
	1500	69	J. Chavarin
	1800	69	R. GATEL
	2100	69	R. GATEL
	2400	69	Russell

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	68	Russell
	0600	68	Russell
	0900	68	Weldy
	1200	68	Weldy
	1500	68	A. TAPDA
	1800	70	A. TAPDA
	2100	70	Russell
	2400	70	Russell

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	67	Ramirez
	0600	67	Perez
	0900	67	Perez
	1200	67	Perez
	1500	67	R. GATEL
	1800	67	R. GATEL
	2100	67	R. GATEL
	2400	67	Sandahl

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	68	Russell
	0600	68	Lo Sanchez
	0900	68	Lo Sanchez
	1200	68	Lo Sanchez
	1500	69	Guardado
	1800	69	Guardado
	2100	68	Guardado
	2400	68	Russell

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	69	Russell
	0600	69	Russell
	0900	69	Jain
	1200	69	Jain
	1500	70	Jain
	1800	69	A. TAPDA
	2100	68	A. TAPDA
	2400	68	Russell

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	Russell
	0600	70	Russell
	0900	68	R. SAWARD
	1200	68	R. SAWARD
	1500	68	R. GATEL
	1800	68	R. GATEL
	2100	68	R. GATEL
	2400	67	Ramirez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and record ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is not functioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top of wall) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: 3rd floor

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	67	Lewis
	0600	67	Guardado
	0900	67	Guardado
	1200	67	Guardado
	1500	67	Webb
	1800	67	Webb
	2100	67	Webb
	2400	67	Acosta

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	66	Chavez, L.A.
	0600	66	J. Macias
	0900	66	J. Macias
	1200	66	J. Macias
	1500	67	Garcia
	1800	66	Garcia
	2100	66	Garcia
	2400	66	Chavez, L.A.

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	67	Acosta
	0600	67	R. Martinez
	0900	66	R. Martinez
	1200	67	R. Martinez
	1500	67	J. ROSAS
	1800	68	J. ROSAS
	2100	67	J. ROSAS
	2400	66	Acosta

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	67	Acosta
	0600	67	R. Martinez
	0900	67	R. Martinez
	1200	67	R. Martinez
	1500	67	L. Webb
	1800	67	Webb
	2100	67	Webb
	2400	67	Acosta

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	67	Acosta
	0600	67	Guardado
	0900	66	Guardado
	1200	67	Guardado
	1500	67	Green
	1800	67	Green
	2100	66	Green
	2400	66	Chavez, L.A.

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	66	Chavez, L.A.
	0600	66	Lopez
	0900	66	Lopez
	1200	66	Lopez
	1500	66	Webb
	1800	66	Webb
	2100	66	Webb
	2400	67	Acosta

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	66	Acosta
	0600	67	R. Martinez
	0900	67	R. Martinez
	1200	67	R. Martinez
	1500	67	J. Rosas
	1800	67	J. Rosas
	2100	67	J. Rosas
	2400	67	Acosta

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVP Housing Unit: C7 Temp. Reading Location: B-PoA
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5943 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	77	W. Webb
	0600	77	W. Webb
	0900	77	J. Hernandez
	1200	77	J. Hernandez
	1500	77	J. Hernandez
	1800	77	J. Hernandez
	2100	77	J. Hernandez
	2400	77	W. Webb

Tuesday

Date	Time	Temp.	Name (Print)
	0300	71	W. Webb
	0600	71	W. Webb
	0900	71	G. Garcia
	1200	71	G. Garcia
	1500	71	J. Hernandez
	1800	70	J. Hernandez
	2100	70.1	J. Hernandez
	2400	69°	G. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	69°	Garcia
	0600	70°	J. Soto
	0900	71	J. Soto
	1200	71	J. Soto
	1500	71°	A. Rodriguez
	1800	71°	A. Rodriguez
	2100	71°	A. Rodriguez
	2400	69°	Garcia

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	69°	Garcia
	0600	69	Woj
	0900	70	J. Hernandez
	1200	71	J. Hernandez
	1500	71°	A. Rodriguez
	1800	70°	A. Rodriguez
	2100	70°	A. Rodriguez
	2400	70°	Garcia

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70°F	J. Garcia
	0600	70	J. Soto
	0900	70	J. Soto
	1200	70	J. Soto
	1500	70	M. Flores
	1800	71°	A. Rodriguez
	2100	70°	A. Rodriguez
	2400	68°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	68°F	J. Garcia
	0600	68	Woj
	0900	68	J. Hernandez
	1200	69	J. Hernandez
	1500	69	A. Rodriguez
	1800	69	A. Rodriguez
	2100	68	A. Rodriguez
	2400	68	Woj

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	68	W. Webb
	0600	68	W. Webb
	0900	69	J. Rosas
	1200	70	J. Rosas
	1500	71°	A. Rodriguez
	1800	71	J. Hernandez
	2100	71	Woj
	2400	71	W. Webb

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C 8 Temp. Reading Location: Upper Tier B Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	69	Tom
	0600	70	Tankersley
	0900	70	Tankersley
	1200	69	Tankersley
	1500	70	Goren
	1800	69	Casper
	2100	69	Grancio
	2400	68	L. Stepp

Tuesday

Date	Time	Temp.	Name (Print)
	0300	69	L. Stepp
	0600	70	L. Stepp
	0900	68	H. Zavala
	1200	67	H. Zavala
	1500	69	H. Zavala
	1800	67	H. Zavala
	2100	67	H. Zavala
	2400	68	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
	0300	69	L. Stepp
	0600	69	L. Stepp
	0900	67	H. Zavala
	1200	68	H. Zavala
	1500	69	H. Zavala
	1800	68	J. Brown
	2100	68	J. Brown
	2400	67	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
	0300	67	L. Stepp
	0600	68	L. Stepp
	0900	67	H. Zavala
	1200	67	H. Zavala
	1500	69	E. Acosta
	1800	68	C. Angulo
	2100	68	C. Angulo
	2400	67	L. Stepp

Friday

Date	Time	Temp.	Name (Print)
	0300	69	L. Stepp
	0600	67	L. Stepp
	0900	67	P. Morta
	1200	67	P. Morta
	1500	67	R. Santiago
	1800	69	R. Santiago
	2100	69	R. Santiago
	2400	69	Sato

Saturday

Date	Time	Temp.	Name (Print)
9-22-24	0300	69	Sato
	0600	69	Sato
	0900	69	H. Zavala
	1200	70	H. Zavala
	1500	70	C. Fajardo
	1800	70	C. Fajardo
	2100	69	C. Fajardo
	2400	69	W. Sanderson

Notes

Date	Time	Temp.	Name (Print)
	0300	69	W. Sanderson
	0600	67	R. Santiago
	0900	69	R. Santiago
	1200	71	R. Santiago
	1500	71	R. Santiago
	1800	71	R. Santiago
	2100	71	R. Santiago
	2400	70	L. Stepp

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-1 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/3/24	0300	67	K. EMPANTE
	0600	68	K. EMPANTE
	0900	64	P. NORTE
	1200	68	P. NORTE
	1500	71	A. Zamudio
	1800	71	A. Zamudio
	2100	69	A. Zamudio
	2400	69°	K. EMPANTE

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	69	Sampolo
	0600	69	Sampolo
	0900	69	Lunturin
	1200	69	Lunturin
	1500	69	Lopez
	1800	69	Lopez
	2100	69	Lopez
	2400	69	Sampolo

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	69	Simpolo
	0600	69	Simpalo
	0900	68	Lemarlin
	1200	69	Lemarlin
	1500	69	A.Perez
	1800	69	A.Perez
	2100	68	A.Perez
	2400	69	Simpolo

Sunday

Date	Time	Temp.	Name (Print)
9/28	0300	69	Sampolo
	0600	69	Sampolo
	0900	69	Norita
	1200	69	Norita
	1500	69	B.Torres
	1800	69	B.Torres
	2100	69	B.Torres
	2400	69°	R.Perez

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	69°	K. Empkitt
	0600	69°	K. Empkitt
	0900	68°	Lorraine
	1200	69°	Lorraine
	1500	69°	T. Jimenez
	1800	68°	T. Jimenez
	2100	67°	T. Jimenez
	2400	69	Samuel

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	69	Sampolo
	0600	69	Sampolo
	0900	69	Unantr
	1200	69	unantn
	1500	70	R. L. Zurn
	1800	70	R. L. Zurn
	2100	69	R. L. Zurn
	2400	(69)	Sampolo

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	69	Sampayo
	0600	69	Sampayo
	0900	69	Atonay
	1200	69	Atonay
	1500	69	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	69	Sampayo

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper "B" Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-23-24	0300	70°	E. Beasley
	0600	78	E. Beasley
	0900	70°	A. Villasenor
	1200	70°	A. Villasenor
	1500	71	A. Villasenor
	1800	70°	A. Villasenor
	2100	68	A. Villasenor
	2400	67	Beasley

Wednesday

Date	Time	Temp.	Name (Print)
09-25-24	0300	68	Prenett
	0600	68	Prenett
	0900	69	Pachco
	1200	70	Pachco
	1500	69	Pachco
	1800	69	Pachco
	2100	65	Pachco
	2400	68°F	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
04-27-24	0300	68°	K. Empante
	0600	68°	K. Empante
	0900	67°	B. Gonzalez
	1200	70°	B. Gonzalez
	1500	72	V. Perez
	1800	72	V. Perez
	2100	70°	N. Rodriguez
	2400	70	N. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
04-29-24	0300	67	R. Gip
	0600	68	A. Villaseca
	0900	69	A. Villaseca
	1200	69	A. Villaseca
	1500	69	R. Liger Up
	1800	69	R. Liger Up
	2100	70°	E. Beasley
	2400	70°	E. Beasley

Tuesday

Date	Time	Temp.	Name (Print)
09-24-24	0300	67	Zeddy
	0600	67°	R. Villagsonor
	0900	67°	R. Villagsonor
	1200	67	R. Villagsonor
	1500	68°	Z. Yaneza
	1800	68°	R. Yaneza
	2100	67°	R. Yaneza
	2400	68	PRENT

Thursday

Date	Time	Temp.	Name (Print)
04-26-24	0300	40	J. Garcia
	0600	40	R. NORITA
	0900	60	R. NORITA
	1200	61	R. NORITA
	1500	70	V. PEREZ
	1800	70	V. PEREZ
	2100	68	V. PEREZ
	2400	69	K. EMPANTE

Saturday

Date	Time	Temp.	Name (Print)
04-28-24	0300	69°	N. Rodriguez
	0600	68	A. Villaseñor
	0900	67	A. Villaseñor
	1200	67-	A. Villaseñor
	1500	68	L. Perez
	1800	68	L. Perez
	2100	67	L. Perez
	2400	68	R. GIL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C4 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70	Tra
	0600	70	Tra
	0900	69	Lendosa
	1200	69	Lendosa
	1500	69	Sanchez
	1800	71	Garcia
	2100	70	Garcia
	2400	70°F	J. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	71°F	J. Garcia
	0600	72°F	Mendoza
	0900	72°	Mendoza
	1200	73°	Mendoza
	1500	70°	Perez
	1800	70	Perez
	2100	70	Perez
	2400	70°F	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	71°F	J. Garcia
	0600	68	Mendoza
	0900	68	Mendoza
	1200	68	Mendoza
	1500	68	Perez
	1800	68	Perez
	2100	68	Perez
	2400	68	Tra

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	68	Tra
	0600	68	Tra
	0900	70	Lendosa
	1200	70	Mendoza
	1500	71	Garcia
	1800	70	Garcia
	2100	70	Garcia
	2400	69	Marquez

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	69	Marquez
	0600	69	Marquez
	0900	70	Lendosa
	1200	70	Mendoza
	1500	71	Garcia
	1800	70	Garcia
	2100	71	Garcia
	2400	70	Tra

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70	Tra
	0600	70	Tra
	0900	70.2	70.2
	1200	70.3	70.3
	1500	71	C-Diaz
	1800	71	C-Diaz
	2100	71.2	C-Diaz
	2400	71	Tra

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	Tra
	0600	71	Tra
	0900	70	LoSanchet
	1200	70	LoSanchet
	1500	71	C-Diaz
	1800	71	C-Diaz
	2100	71.2	C-Diaz
	2400	71	Tra

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C5 Temp. Reading Location: B-POD
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-23-24	0300	69°	U Sandoval
	0600	69°	LeSanchet
	0900	74°	LeSanchet
	1200	74°	LeSanchet
	1500	75	Guardado
	1800	73	Guardado
	2100	70	Guardado
	2400	70°	Sandoval U

Tuesday

Date	Time	Temp.	Name (Print)
9-24-24	0300	69°	U Sandoval
	0600	68	LeSanchet
	0900	68°	LeSanchet
	1200	68°	LeSanchet
	1500	71	Guardado
	1800	71	Guardado
	2100	70	Guardado
	2400	70	Russell

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70°	Russell
	0600	70°	Russell
	0900	69	Macias
	1200	69	Macias
	1500	69	L.Garcia
	1800	69	L.Garcia
	2100	69	L.Garcia
	2400	70°	Russell

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	69°	Russell
	0600	69°	Russell
	0900	69	Perez
	1200	69	Perez
	1500	71.8	A.TAPPA
	1800	71.2	A.TAPPA
	2100	70.7	A.TAPPA
	2400	70°	G.Bailey

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70°	G.Bailey
	0600	68°	G.Bailey
	0900	69	Perez
	1200	70	Perez
	1500	72	A.TAPPA
	1800	71	A.TAPPA
	2100	70°	Russell
	2400	70°	Russell

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70°	Russell
	0600	70°	Russell
	0900	69	Reyes
	1200	69	Reyes
	1500	68	R.Cortez
	1800	68	R.Cortez
	2100	68	R.Cortez
	2400	69	Russell

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	68°	Russell
	0600	68°	Russell
	0900	69°	Mata
	1200	69°	Mata
	1500	68	R.Cortez
	1800	69	R.Cortez
	2100	69	R.Cortez
	2400	69	U Sandoval

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor the ambient air temperature in all non-air-conditioned housing units where an inmate on the medical risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top) where an infestation or the high-risk list is housed. The inside air temperature is to be taken every three (3) hours, say in (7) days.

Institution: SVSP Housing Unit: C16 Temp. Reading Location: B

Immediately notify the Watch Commander at extension 5547 when the inside air temp falls to and a 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	69	Acres M
	0600	67	Guardado
	0900	67	Guardado
	1200	68	Guardado
	1500	70	Linz
	1800	69	Wells
	2100	69	Wells
	2400	65	Ad-T

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	67°	Charlier, LA
	0600	66°	Smith, J.A.
	0900	69°	Smith, S.
	1200	71°	Smith, S.
	1500	68°	Cook
	1800	68°	Cook
	2100	67°	Cook
	2400	67°	Hawkins, L.K.

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	6.6	Acres
	0600	6.7	Buzzo
	0900	6.7	Buzzo
	1200	6.7	Buzzo
	1500	6.7	Russos
	1800	6.7	Russos
	2100	6.7	Russos
	2400	6.8	more

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	68	Aonit
	0600	65	Lorraine
	0900	68	Patricia
	1200	68	Patricia
	1500	65	Wesley
	1800	65	Wesley
	2100	69	Wesley
	2400	68	Karen

Tuesday

Dat	Time	Temp	Wind
	03:00	67	Nar S
	05:00	67	Rugama
	09:10	69	Guardado
	12:00	70	Guardado
	15:00	70°	Green
	18:00	69°	Green
	21:00	68°	Green
	21:00	68	Chavez

Thursday

Date	Time	Temp	
	0300	67°	Chaven L/H
	0500	68°	S-Lopez
	0700	67°	S-Lopez
	1200	67°	S-Lopez
	1500	68°	Green
	1800	68°	Green
	2100	67°	Green
	2400	67°	Acuña

Saturday

Date	Time	Temp	Notes
	0300	68°	Cooler
	0600	69°	R CAPT 1
	0900	68°	R CAPT 2
7/28	1200	68°	Pyrex
	1500	68°	Pyrex
	1800	68°	Pyrex
	2100	67°	Pyrex
	2100	68°	A/C down

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____ Housing Unit: 7 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/27

Date	Time	Temp.	Name (Print)
<u>9/27</u>	0300	71	Webb
	0600	70	J. Soto
	0900	70	J. Soto
	1200	71	J. Soto
	1500	71	J. Soto
	1800	71	J. Soto
	2100	72	J. Soto
	2400	72	Webb

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/25/24</u>	0300	71°	Green
	0600	71	J. Soto
	0900	71	J. Soto
	1200	71	J. Soto
	1500	71	A. MUSCATI
	1800	71	A. MUSCATI
	2100	71	A. MUSCATI
	2400	71°	Green

Friday

Date	Time	Temp.	Name (Print)
<u>9/27/24</u>	0300	70°F	J. Garcia
	0600	70	J. Soto
	0900	71	J. Soto
	1200	71	J. Soto
	1500	71	A. MUSCATI
	1800	72	A. MUSCATI
	2100	73	A. MUSCATI
	2400	72°F	J. Garcia

Sunday

Date	Time	Temp.	Name (Print)
<u>9/29/24</u>	0300	70°	Green
	0600	70	J. ROSAS
	0900	70	J. ROSAS
	1200	71	J. ROSAS
	1500	70	Rodriguez
	1800	70	Rodriguez
	2100	70	Rodriguez
	2400	70°	Green

Tuesday 9/24

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	71	Webb
	0600	71	Webb
	0900	71	J. Soto
	1200	71	C. Perez
	1500	71	J. Huerta
	1800	71	J. Huerta
	2100	71	J. Huerta
	2400	71	Green

Thursday

Date	Time	Temp.	Name (Print)
<u>9/26/24</u>	0300	71°	Green
	0600	72	J. Soto
	0900	72	J. Soto
	1200	72	J. Soto
	1500	71	A. MUSCATI
	1800	70°	A. MUSCATI
	2100	70°	A. MUSCATI
	2400	71°	Green

Saturday

Date	Time	Temp.	Name (Print)
<u>9/28/24</u>	0300	71°F	J. Garcia
	0600	71	J. Soto
	0900	71	J. Soto
	1200	72	J. Soto
	1500	70	Zarate
	1800	70	Zarate
	2100	70	Zarate
	2400	70	Green

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C8 Temp. Reading Location: B Pod 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/23/24</u>	0300	69	R. Santiago
	0600	69	H. Zavala
	0900	69	H. Zavala
	1200	70	H. Zavala
	1500	70	R. Santiago
	1800	71	R. Santiago
	2100	71	R. Santiago
	2400	69	L. Stepp

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	69	L. Stepp
	0600	69	L. Stepp
	0900	76	H. Zavala
	1200	70	H. Zavala
	1500	69	H. Zavala
	1800	69	H. Zavala
	2100	69	H. Zavala
	2400	69	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/25</u>	0300	69	L. Stepp
	0600	69	L. Stepp
	0900	69	3 man
	1200	69	2 man
	1500	69	3 man
	1800	69	3 man
	2100	69	3 man
	2400	70	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
<u>9/26</u>	0300	69	L. Stepp
	0600	69	L. Stepp
	0900	69	H. Zavala
	1200	69	H. Zavala
	1500	70	Perry
	1800	70	Perry
	2100	69	Perry
	2400	69	L. Stepp

Friday

Date	Time	Temp.	Name (Print)
<u>9/27</u>	0300	69	L. Stepp
	0600	69	L. Stepp
	0900	69	R. Santiago
	1200	71	R. Santiago
	1500	73	R. Santiago
	1800	74	R. Santiago
	2100	70	R. Santiago
	2400	70	L. Stepp

Saturday

Date	Time	Temp.	Name (Print)
<u>9/28</u>	0300	69	L. Stepp
	0600	69	L. Stepp
	0900	69	L. ROBLES
	1200	69	L. ROBLES
	1500	71	R. Santiago
	1800	69	R. Santiago
	2100	71	R. Santiago
	2400	70	u. Sandal

Sunday

Date	Time	Temp.	Name (Print)
<u>9/29</u>	0300	69°	U. Sandal
	0600	69	R. Santiago
	0900	70	R. Santiago
	1200	71	R. Santiago
	1500	71	R. Santiago
	1800	76	R. Santiago
	2100	70	R. Santiago
	2400	69	R. Santiago

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVS P Housing Unit: C1 Temp. Reading Location: upper B pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-03-15	0300	70	R. Perez
	0600	70°	NORITA
	0900	70°	NORITA
	1200	71°	NORITA
	1500	72	Cardenas
	1800	71	Cardenas
	2100	71	Cardova
	2400	70	K. Importe

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper "B" pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday		Date	Time	Temp.	Name (Print)
09-30-24		0300	70°	E. Beasley	
		0600	69°	E. Beasley	
		0900	66°	A. Villaseñor	
		1200	68°	A. Villaseñor	
		1500	71°	A. Villaseñor	
		1800	69	A. Villaseñor	
		2100	70	A. Villaseñor	
		2400	70	E. Beasley	

Tuesday

Date	Time	Temp.	Name (Print)
10-01-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-02-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C4 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/14	0300	70	T. ...
	0600	71	T. ...
	0900	70	L. Garcia
	1200	70	L. Garcia
	1500	71	C. Diaz
	1800	72	C. Diaz
	2100	73	C. Diaz
	2400	71°F	J. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C5 Temp. Reading Location: B PTD
(e.g., 1st tier, 6th tier, floor, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-20	0300	69	U. Sandoval
	0600	68	Lo Sanchez
	0900	68	Lo Sanchez
	1200	78	Lo Sanchez
	1500	73	Guardado
	1800	72	Guardado
	2100	69	Guardado
	2400	69	U. Sandoval

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible for monitoring ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is not functioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top of) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: 3rd floor

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>5/10</u>	0300	67	R. G. R.
	0600	67	Guardado
	0900	64	Guardado
	1200	69	R. Guardado
	1500	68	Webb
	1800	68	Wright
	2100	69	Wright
	2400	68	A. Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible for monitoring the ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is not functioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: B-101

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 14	0300	70	WCBY
	0600	70	WCBY
	0900	70	SM
	1200	71	SM
	1500	73	SM
	1800	71	SM
	2100	71	SM
	2400	71	WCBY

Wednesday

Date	Time	Temp.	Name (Print)
May 16	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
May 18	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
May 20	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
May 15	0300	71	WCBY
	0600	71	WCBY
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
May 17	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
May 19	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C8 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70	Retamozan
	0600	70	Zavala
	0900	71	Zavala
	1200	71	Zavala
	1500	71°	R. SANTIAGO
	1800	71°	R. SANTIAGO
	2100	70°	R. SANTIAGO
	2400	71	L. STEPP

Wednesday

Wednesday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	70	I - STOP
	0600	68	L - STOP
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

08/30/2409/01/24

Date	Time	Temp.	Printed Name
8/31/24	0100	60	N.S.
	0200	58	N.S.
	0300	58	N.S.
	0400	57	N.S.
	0500	57	N.S.
	0600	57	M.C.
	0700	60	R.G.
	0800	68	R.G.
	0900	75	R.G.
	1000	78	R.G.
	1100	80	R.G.
	1200	81	R.G.
	1300	83	R.G.
	1400	82	R.G.
	1500	77	N.S.
	1600	76.2	M.C.
	1700	73	N.S.
	1800	72.1	M.C.
	1900	68.5	M.C.
	2000	64.9	M.C.
	2100	63.2	M.C.
	2200	61.7	M.P.
	2300	60.2.2	M.P.
	2400	59.5	M.P.

Date	Time	Temp.	Printed Name
9/1/24	0100	59.3	M.P.
	0200	58.1	M.P.
	0300	58.3	M.P.
	0400	57	M.P.
	0500	57.0	M.P.
	0600	59	G
	0700	61	G
	0800	63	G
	0900	64	G
	1000	68	G
	1100	72	G
	1200	79	G
	1300	82	G
	1400	84	G
	1500	85	G
	1600	82	G
	1700	78	G
	1800	77	G
	1900	73	G
	2000	68	G
	2100	66	G
	2200	64	G
	2300	61	G
	2400	60	G

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2020 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	61	cl
	0200	60	cl
	0300	59	cl
	0400	57	cl
	0500	57	cl
	0600	55.8	TR
9/12/20	0700	64.1	TR
	0800	68.7	TR
	0900	77.4	TR
	1000	79.8	TR
	1100	80.4	TR
	1200	81.1	TR
	1300	83.7	TR
	1400	84.4	TR
	1500	83	cl
	1600	81	cl
	1700	78	cl
	1800	76	cl
	1900	72	cl
	2000	68	cl
	2100	65	cl
	2200	64	cl
	2300	63	cl
	2400	62	cl

Date	Time	Temp.	Printed Name
9/12/20	0100	61	cl
	0200	60	cl
	0300	59	cl
	0400	58	cl
	0500	57	cl
	0600	56.8	TR
	0700	57.2	TR
	0800	69.4	TR
	0900	73.7	TR
	1000	78.5	TR
	1100	82.8	TR
	1200	91.0	TR
	1300	91.6	TR
	1400	90.7	TR
	1500	87	N.S.
	1600	82	N.S.
	1700	80	N.S.
	1800	76	N.S.
	1900	70	N.S.
	2000	67	N.S.
	2100	64	TR
	2200	63.7	TR
	2300	61.2	TR
	2400	59.5	TR

Stage 1 heat 1215
off 1700

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/4/29	0100	59.1	TR
	0200	58.9	TR
	0300	58.7	TR
	0400	58.3	TR
	0500	58.3	TR
	0600	56.3	TR
	0700	65.5	TR
	0800	69.2	TR
	0900	73.6	TR
	1000	77.4	TR
	1100	84.4	TR
	1200	85.8	TR
	1300	85	N.S.
	1400	84	N.S.
	1500	82	N.S.
	1600	81	N.S.
	1700	78	N.S.
	1800	75	N.S.
	1900	69	N.S.
	2000	65	N.S.
	2100	62	N.S.
	2200	60	N.S.
	2300	59	N.S.
	2400	59	N.S.

9/5/29	0100	58	N.S.
	0200	58	N.S.
	0300	58	N.S.
	0400	57	N.S.
	0500	57	N.S.
	0600	56	N.S.
	0700	55.8	TR
	0800	70.7	TR
	0900	69	A
	1000	69	A
	1100	69	A
	1200	69	A
	1300	69	A
	1400	69	A
	1500	67	N.S.
	1600	67	N.S.
	1700	86	N.S.
	1800	85	N.B.
	1900	80	N.S.
	2000	73	N.S.
	2100	70	N.S.
	2200	67	N.S.
	2300	66	
	2400	69	

1156 Stage 1
1700 deactivated.

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/16/21	0100	62.	N.S.
	0200	61	N.S.
	0300	61	N.S.
	0400	60	N.S.
	0500	59	N.S.
	0600	59	N.S.
	0700	59	A
	0800	59	A
	0900	59	A
	1000	74	K
	1100	88.9	K
	1200	90.1	K
	1300	91	A
	1400	91	A
	1500	90	N.S.
	1600	91	N.S.
	1700	92	N.S.
	1800	89	N.S.
	1900	89	N.S.
	2000	77	N.S.
	2100	68	N.S.
	2200		
	2300		
	2400		

Date	Time	Temp.	Printed Name
9/17/21	0100		
	0200		
	0300		
	0400		
	0500		
	0600	69	A
	0700	69	A
	0800	70	A
	0900	69	A
	1000	69	A
	1100	69	A
	1200	69	A
	1300	69	A
	1400	69	A
	1500	72	M.E.
	1600	88	M.E.
	1700	86	N.S.
	1800	87	N.S.
	1900	79	N.S.
	2000	73	N.S.
	2100	69	N.S.
	2200	66.6	M.P.
	2300	65.1	M.P.
	2400	63.7	M.P.

1149 - Stage 1
1800 - de-activated

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/8/21	0100	62.4	M. PRADDO
	0200	61.3	M. PRADDO
	0300	59.3	M. PRADDO
	0400	59.7	M. PRADDO
	0500	60.4	M. PRADDO
	0600	59.7	M. PRADDO
	0700	60	R. BRILLANTES
	0800	68	R. BRILLANTES
	0900	79	R. BRILLANTES
	1000	87.2	R. BRILLANTES
	1100	89.4	R. BRILLANTES
	1200	93.6	R. BRILLANTES
	1300	96.6	R. BRILLANTES
	1400	97	R. BRILLANTES
	1500	86.7	cf
	1600	85	cf
	1700	82	cf
	1800	79	cf
	1900	77	cf
	2000	74	cf
	2100	71	cf
	2200	69	cf
	2300	67	cf
	2400	65	cf

Date	Time	Temp.	Printed Name
9/9/21	0100	65	cf
	0200	62	cf
	0300	61	cf
	0400	60	cf
	0500	59	cf
	0600	57.9	TR
	0700	58.1	TR
	0800	61.2	TR
	0900	60.4	TR
	1000	70.9	TR
	1100	74.2	TR
	1200	75.9	TR
	1300	76.1	TR
	1400	75	cf
	1500	74	cf
	1600	69	cf
	1700	67	cf
	1800	66	cf
	1900	65	cf
	2000	64	cf
	2100	62	cf
	2200	61	cf
	2300	60	cf
	2400	59	cf

1125 Stage 1

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	60	cl
	0200	59	cl
	0300	59	cl
	0400	58	cs
	0500	58	cl
	0600	61.2	TR
2/10/24	0700	61.4	TR
	0800	63.7	TR
	0900	64.	TR
	1000	65.7	TR
	1100	72.3	TR
	1200	75.6	TR
	1300	77.0	TR
	1400	76.1	TR
	1500	73	N.S.
	1600	72	N.S.
	1700	70	N.S.
	1800	68	N.S.
	1900	66	N.S.
	2000	61	N.S.
	2100	60	N.S.
	2200	59.4	TR
	2300	59	TR
	2400	58.1	TR

Date	Time	Temp.	Printed Name
2/11/24	0100	58	TR
	0200	58	TR
	0300	58	TR
	0400	58.1	TR
	0500	58.8	TR
	0600	59	A
	0700	82.6	A
	0800	83.3	A
	0900	76.3	A
	1000	76.3	A
	1100	78.6	A
	1200	79	A
	1300	78	N.S.
	1400	76	N.S.
	1500	75	N.S.
	1600	73	N.S.
	1700	71	L.G.
	1800	70	L.G.
	1900	70	L.G.
	2000	65	N.S.
	2100	64	L.G.
	2200	63	L.G.
	2300	62	L.G.
	2400	62	L.G.

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/12/24	0100	61	Ug
	0200	61	Ug
	0300	61	Ug
	0400	60	Ug
	0500	50	Ug
	0600	51	Ug
	0700	58.1	A
	0800	76.8	A
	0900	76.5	A
	1000	77.9	X
	1100	76.6	A
	1200	80.2	A
	1300	81.9	A
	1400	82.9	TR
	1500	79.	N.S.
	1600	76	N.S.
	1700	74	N.S.
	1800	73	N.S.
	1900	70	N.S.
	2000	68	N.S.
	2100	64	N.S.
	2200	62	Ug
	2300	61	Ug
	2400	60	Ug

Date	Time	Temp.	Printed Name
9/13/24	0100	60	Ug
	0200	59	Ug
	0300	58	Ug
	0400	59	Ug
	0500	59	Ug
	0600	59	Ug
	0700	68.7	A
	0800	71.4	A
	0900	68.4	A
	1000	76.1	A
	1100	81.5	A
	1200	86.4	A
	1300	86	A
	1400	85.3	A
	1500	81	N.S.
	1600	77	N.S.
	1700	75	N.S.
	1800	71	23pm
	1900	65	N.S.
	2000	61	N.S.
	2100	59.	N.S.
	2200	60.1°	6F
	2300	59.5°	6F
	2400	58.3°	6F

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/14/24	0100	58.1°	GF
	0200	57.7°	GF
	0300	57.7°	GF
	0400	57.7°	GF
	0500	57.4°	GF
	0600	57.4	A
	0700	57.6	A
	0800	59.0	A
	0900	60	A
	1000	61	A
	1100	65.8	A
	1200	76.3	A
	1300	76.5	A
	1400	75.2	M.P.
	1500	74.3	M.P.
	1600	72.1	M.P.
	1700	69.3	M.P.
	1800	64.6	M.P.
	1900	62.1	M.P.
	2000	60.4	M.P.
	2100	60.3	M.P.
	2200	59.5	M.P.
	2300	59	M.P.
	2400	58.7	M.P.

Date	Time	Temp.	Printed Name
9/15/24	0100	58.6	M.P.
	0200	58.5	M.P.
	0300	59.2	M.P.
	0400	59.4	M.P.
	0500	60.3	M.P.
	0600	59	LG
	0700	59	LG
	0800	60	LG
	0900	68.4	A
	1000	67.6	A
	1100	69.4	A
	1200	71.6	A
	1300	71.6	A
	1400	71.4	A
	1500	70	CP
	1600	69	CP
	1700	69	CP
	1800	68	CP
	1900	67	CP
	2000	66	CP
	2100	65	CP
	2200	64	CP
	2300	63	CP
	2400	62	CP

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/16/24	0100	62	CS
	0200	61	CS
	0300	61	CS
	0400	60	CS
	0500	59	CS
	0600	59	TR
	0700	60	TR
	0800	60.8	TR
	0900	61.7	TR
	1000	64.9	TR
	1100	70.3	TR
	1200	70.5	TR
	1300	70.7	TR
	1400	69	CS
	1500	68	CS
	1600	67	CS
	1700	66	CS
	1800	64	CS
	1900	62	CS
	2000	61	CS
	2100	59	CS
	2200	58	CS
	2300	57	CS
	2400	55	CS

Date	Time	Temp.	Printed Name
9/17/24	0100	55	CS
	0200	56	CS
	0300	55	CS
	0400	56	CS
	0500	56	CS
	0600	56	TR
	0700	56	TR
	0800	56	TR
	0900	56	TR
	1000	61.7	TR
	1100	67.9	TR
	1200	71.8	TR
	1300	74.1	TR
	1400	75	TR
	1500	73	CS
	1600	71	CS
	1700	68	CS
	1800	67	CS
	1900	63	CS
	2000	61	CS
	2100	60	CS
	2200	60	TR
	2300	59	TR
	2400	59	TR

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDGR 2030 (Q4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/17/24	0100	58.7	TR
	0200	58.1	TR
	0300	57.9	TR
	0400	57.8	TR
	0500	57.6	TR
	0600	57.6	TR
	0700	57.4	TR
	0800	57.9	TR
	0900	58.3	A
	1000	63	A
	1100	68.2	A
	1200	73	A
	1300	78.4	A
	1400	71.4	M.P.
	1500	70.9	M.P.
	1600	74.5	M.P.
	1700	71.8	M.P.
	1800	68.9	M.P.
	1900	66.4	M.P.
	2000	63.1	M.P.
	2100	62.4	M.P.
	2200	61	A
	2300	61	LG
	2400	61	LG

Date	Time	Temp.	Printed Name
9/18/24	0100	61	LG
	0200	60	LG
	0300	60	LG
	0400	59	LG
	0500	59	LG
	0600	59	LG
	0700	61	LG
	0800	62	LG
	0900	63	LG
	1000	65	LG
	1100	67	LG
	1200	69	LG
	1300	71	LG
	1400	73	LG
	1500	73	N.S.
	1600	70	N.S.
	1700	68	N.S.
	1800	66	N.S.
	1900	64	N.S.
	2000	62	N.S.
	2100	60	N.S.
	2200	60	LG
	2300	60	LG
	2400	59	LG

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/19/24	0100	51	LG
	0200	59	Lh
	0300	59	Lh
	0400	51	Lh
	0500	51	Lh
	0600	58	Lh
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400	73	N.S.
	1500	70	N.S.
	1600	68	N.S.
	1700	66	N.S.
	1800	69	N.S.
	1900	62	N.S.
	2000	60	N.S.
	2100	60	N.S.
	2200	59	N.S.
	2300		
	2400		

Date	Time	Temp.	Printed Name
9/20/24	0100		
	0200		
	0300		
	0400		
	0500		
	0600	58	A
	0700	59	A
	0800	59	A
	0900	59.2	A
	1000	68	A
	1100	68	A
	1200	68.2	A
	1300	68.9	X
	1400	73	N.S.
	1500	72	N.S.
	1600	70	N.S.
	1700	68	N.S.
	1800	65	N.S.
	1900	64-	N.S.
	2000	60	N.S.
	2100	59	N.S.
	2200	60	N.S.
	2300	59	JFVCH
	2400	59	JFVCH

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (Q4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/21/24	0100	58	JFUTCH
	0200	58	JFUTCH
	0300	58	JFUTCH
	0400	57	JFUTCH
	0500	56	JFUTCH
	0600	57.6	BRILLANTES
	0700	57	BRILLANTES
	0800	57.7	BRILLANTES
	0900	59.7	BRILLANTES
	1000	62.6	BRILLANTES
	1100	67.8	BRILLANTES
	1200	73.2	BRILLANTES
	1300	77.2	BRILLANTES
	1400	77	N.Schmitz
	1500	79	N.Schmitz
	1600	70	N.Schmitz
	1700	68	N.Schmitz
	1800	65.7	N.Schmitz
	1900	63	N.Schmitz
	2000	62	N.Schmitz
	2100	61	N.Schmitz
	2200	60	JFUTCH
	2300	60	JFUTCH
	2400	59	JFUTCH

Date	Time	Temp.	Printed Name
9/22/24	0100	58	JFUTCH
	0200	58	JFUTCH
	0300	58	JFUTCH
	0400	57	JFUTCH
	0500	57	JFUTCH
	0600	57	JFUTCH
	0700	57.7	BRILLANTES
	0800	63	BRILLANTES
	0900	63.8	BRILLANTES
	1000	67.6	BRILLANTES
	1100	79.3	BRILLANTES
	1200	79.3	BRILLANTES
	1300	80.4	BRILLANTES
	1400	82	LG
	1500	74°	GF
	1600	74°	GF
	1700	73°	GF
	1800	70°	GF
	1900	61°	GP
	2000	60°	GP
	2100	60°	GF
	2200	60°	GP
	2300	59°	6F
	2400	58°	6F

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDGR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/23/24	0100	58°	GF
	0200	56°	GF
	0300	56°	GF
	0400	55°	GF
	0500	55°	GF
	0600	60	LH
	0700	65	LH
	0800	69	LH
	0900	70	LH
	1000	77	LH
	1100	80	LH
	1200	90	LH
	1300	92	LH
	1400	92	GF
	1500	90°	GF
	1600	87°	GF
	1700	83°	GF
	1800	78°	GF
	1900	72°	GF
	2000	70°	GF
	2100	67°	GF
	2200	64°	GF
	2300	64°	GF
	2400	64°	GF

Date	Time	Temp.	Printed Name
5/24/24	0100	63°	GF
	0200	63°	GF
	0300	62°	GF
	0400	62°	GF
	0500	60°	GF
	0600	60°	TK
	0700	60°	TK
	0800	73°	TK
	0900	77°	TK
	1000	81°	TK
	1100	82°	TK
	1200	82°	TK
	1300	82	TL
	1400	81	N.S.
	1500	80	N.S.
	1600	79	N.S.
	1700	70	N.S.
	1800	66	N.S.
	1900	64	N.S.
	2000	63	N.S.
	2100	62	N.S.
	2200	61	TR
	2300	61	TR
	2400	60	TR

* Stage 1 - Heat @ 1200

ATTACHMENT C

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDGR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/25/24	0100	60.5	TR
	0200	59.3	TR
	0300	59.5	TR
	0400	60.5	TR
	0500	60.5	TR
	0600	59.9	TR
	0700	60.0	TR
	0800	59.4	TR
	0900	59.9	TR
	1000	64.6	TR
	1100	70.5	TR
	1200	72.1	TR
	1300	73.9	TR
	1400	74	N.S.
	1500	70	N.S.
	1600	69	N.S.
	1700	68	N.S.
	1800	65	N.S.
	1900	63	N.S.
	2000	61	N.S.
	2100	59	N.S.
	2200	60	LG
	2300	61	LG
	2400	61	LG

Date	Time	Temp.	Printed Name
9/24/24	0100	60	LG
	0200	60	LG
	0300	59	LG
	0400	59	LG
	0500	59	LG
	0600	60	LG
	0700	57.7	A
	0800	59.4	A
	0900	59.9	A
	1000	65.7	A
	1100	68.9	A
	1200	73.9	A
	1300	79.0	A
	1400	81.7	TR
	1500	78.7	TR
	1600	77.9	TR
	1700	73.9	TR
	1800	68.2	TR
	1900	64.1	TR
	2000	61.7	TR
	2100	61.7	TR
	2200	61	LG
	2300	61	LG
	2400	60	LG

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/24/24	0100	51	Lb
	0200	51	Lb
	0300	57	Lb
	0400	57	Lb
	0500	56	Lb
	0600	55	Lb
	0700	60.1	A
	0800	51.4	A
	0900	69.6	A
	1000	68.4	A
	1100	79.2	A
	1200	85.4	A
	1300	91.0	A
	1400	91	N.S.
	1500	90.9	N.S.
	1600	89.	N.S.
	1700	84	N.S.
	1800	80	N.S.
	1900	76	N.S.
	2000	70	N.S.
	2100	66	N.S.
	2200	63	SFRCH
	2300	63	SFRCH
	2400	62	SFRCH

1300 - Stage 1

Date	Time	Temp.	Printed Name
9/24/24	0100	59	SFRCH
	0200	58	SFRCH
	0300	56	SFRCH
	0400	55	SFRCH
	0500	55	SFRCH
	0600	56.5	Brillantes
	0700	57	Brillantes
	0800	58.1	Brillantes
	0900	58.8	Brillantes
	1000	63.7	BRILLANTES
	1100	67.6	BRILLANTES
	1200	68	BRILLANTES
	1300	73.4	BRILLANTES
	1400	74	N.S.
	1500	73	N.S.
	1600	70	N.S.
	1700	68	N.S.
	1800	64	N.S.
	1900	61	N.S.
	2000	60	N.S.
	2100	60	N.S.
	2200	60	Lb
	2300	60	Lb
	2400	59	Lb

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/29	0100	59	LG
	0200	59	LG
9/29	0300	59	LG
	0400	58	LG
a/29	0500	58	MC
	0600	59	MC
	0700	59	MC
	0800	63	MC
	0900	65	MC
	1000	63	MC
	1100	69	MC
	1200	70	MC
	1300	70	MC
	1400	69	CL
	1500	68	CL
	1600	66	CL
	1700	63	CL
	1800	63	CL
	1900	61	CL
	2000	61	CL
	2100	58	CL
	2200	50	CL
	2300	56	CL
	2400	55	CL

Date	Time	Temp.	Printed Name
	0100	54	CL
	0200	53	CL
	0300	53	CL
	0400	52	CL
	0500	52	CL
	0600	53.2	TR
	0700	64.2	TR
	0800	65.1	TR
	0900	71.0	TR
	1000	75.4	TR
	1100	77.4	TR
	1200	84.7	TR
	1300	88.5	TR
	1400	91.8	TR
	1500	92	CL
	1600	91	CL
	1700	89	CL
	1800	85	CL
	1900	79	CL
	2000	74	CL
	2100	69	CL
	2200	65	CL
	2300	67	CL
	2400	67	CL

1342 Stage 1 Heat

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: 82 Temp. Reading Location: 2nd Tier B1 Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/16	0300	70	Barnes
8/16	0600	70	Barnes
8/16	0900	70	A. Fernandez
8/16	1200	70	A. Fernandez
8/16	1500	72	J. Lopez
8/16	1800	72	J. Lopez
8/16	2100	71	J. Lopez
8/16	2400	70	Garcia A

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	70	Garcia A
8/27	0600	70	Garcia A
8/27	0900	69	FERNANDEZ
8/27	1200	70	FERNANDEZ
8/27	1500	71	J. Lopez
8/27	1800	71	J. Lopez
8/27	2100	70	J. Lopez
8/27	2400	71	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	71	Garcia A
8/28	0600	71	Garcia A
8/28	0900	70	A. Fernandez
8/28	1200	70	A. Fernandez
8/28	1500	70	J. Lopez
8/28	1800	70	J. Lopez
8/28	2100	70	J. Lopez
8/28	2400	71	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	71	Garcia A
8/29	0600	71	Garcia A
8/29	0900	70	FERNANDEZ
8/29	1200	70	FERNANDEZ
8/29	1500	70	D. Brambila
8/29	1800	70	D. Brambila
8/29	2100	70	D. Brambila
8/29	2400	70	FUENTES

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	70	F. FUENTES
8/30/24	0600	70	F. FUENTES
8/30/24	0900	69	FERNANDEZ
8/30/24	1200	70	FERNANDEZ
8/30/24	1500	70	J. ORTIZ
8/30/24	1800	70	J. ORTIZ
8/30/24	2100	69	J. ORTIZ
8/30/24	2400	69	Garcia A

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	70	Garcia A
8/31/24	0600	71	Garcia A
8/31/24	0900	71	Garcia
8/31/24	1200	71	Garcia
8/31/24	1500	71	Ortiz
8/31/24	1800	70	Ortiz
8/31/24	2100	70	Ortiz
8/31/24	2400	70	Fuentes

Notes

Date	Time	Temp.	Name (Print)
9/1/24	0300	69	Fuentes
9/1/24	0600	69	Fuentes
9/1/24	0900	69	Brambila
9/1/24	1200	69	Brambila
9/1/24	1500	71	J. Lopez
9/1/24	1800	71	J. Lopez
9/1/24	2100	71	J. Lopez
9/1/24	2400	71	Fuentes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/26	0300	70	GARIBAY
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	71	Rodriguez
	1500	71	Rojas
	1800	71	Rojas
	2100	71	Rojas
	2400	70	GARIBAY

Tuesday			
Dat	Time	Temp.	Name (Print)
8/27	0300	70	GARIBAY
	0600	70	Rodriguez
	0900	71	Rodriguez
	1200	71	Rodriguez
	1500	70	Garcia
	1800	70	Garcia
	2100	70	Garcia
	2400	70	GARIBAY

Wednesday			
Date	Time	Temp.	Name (Print)
8/28	0300	70	E. FERNANDEZ
	0600	70	Rodriguez
	0900	71	Rodriguez
	1200	71	Rodriguez
	1500	71	Camacho
	1800	71	Camacho
	2100	71	Camacho
	2400	71	E. FERNANDEZ

Thursday			
Date	Time	Temp.	Name (Print)
8/29	0300	71	E. FERNANDEZ
	0600	70	Fernandez
	0900	70	Fernandez
	1200	71	Fernandez
	1500	70	Camacho
	1800	70	Camacho
	2100	70	Camacho
	2400	70	E. FERNANDEZ

Friday			
Date	Time	Temp.	Name (Print)
	0300	70	E. FERNANDEZ
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	71	Rodriguez
	1500	71	Rodriguez
	1800	71	Rodriguez
	2100	70	Rodriguez
8/30	2400	70	E. FERNANDEZ

Saturday			
Date	Time	Temp.	Name (Print)
8/31	0300	71	E. FERNANDEZ
	0600	70	FERNANDEZ
	0900	70	FERNANDEZ
	1200	71	FERNANDEZ
	1500	70	Lopez
	1800	71	Lopez
	2100	70	Lopez
	2400	70	E. Fernandez

Sunday

Date	Time	Temp.	Name (Print)
9/11	0300	70	E. FERNANDEZ
	0600	71	Rodriguez
	0900	71	Rodriguez
	1200	71	Rodriguez
	1500	71	Hernandez
	1800	71	Hernandez
	2100	70	Hernandez
	2400	70	E. FERNANDEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SYSP Housing Unit: D4 Control Temp. Reading Location: 2nd tier B Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 55412 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08	0300	70	GARIBAY
	0600	74.5°	GARIBAY
	0900	74	Morones
	1200	75	Morones
	1500	75	Morones
	1800	74	Morones
24	2100	71	Morones
	2400	71	GARIBAY

Tuesday

Date	Time	Temp.	Name (Print)
08	0300	75.1°	GARIBAY
	0600	74	Silva
	0900	74	Silva
	1200	75.2	Silva
	1500	76	Smiley
	1800	76	Smiley
24	2100	75	Smiley
	2400	75.7°	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
08	0300	75.4°	GARIBAY
	0600	75.4°	GARIBAY
	0900	73	DELAROSA
	1200	73	DELAROSA
	1500	76	Smiley
	1800	75	Smiley
24	2100	75	Smiley
	2400	75	RIGMEDIO

Thursday

Date	Time	Temp.	Name (Print)
08	0300	75	RIGMEDIO
	0600	74	J. Fernandez
	0900	75	J. Fernandez
	1200	75	J. Fernandez
	1500	75	Smiley
	1800	75	Smiley
24	2100	75	Smiley
	2400	74	KC-12

Friday

Date	Time	Temp.	Name (Print)
08	0300	74	SIR
	0600	73.4	J. GALVAN
	0900	73	J. GALVAN
	1200	77	J. GALVAN
	1500	74	Smiley
	1800	74	Smiley
24	2100	74	Smiley
	2400	73.6°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
08	0300	73.9°	GARIBAY
	0600	72.7	GARIBAY
	0900	73	M. Garcia
	1200	73	M. Garcia
	1500	73	AMARTI
	1800	73	Rodriguez
24	2100	73	Conzalez
	2400	73.2°	GARIBAY

Notes

Date	Time	Temp.	Name (Print)
09	0300	72.7°	GARIBAY
	0600	72.8	GARIBAY
	0900	71.3	ZAMORA
	1200	72.7	ZAMORA
	1500	72	J. Rodriguez
	1800	73	J. Rodriguez
24	2100	73	J. Rodriguez
	2400	73	GARIBAY

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNP Housing Unit: D5 Temp. Reading Location: B POD 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26	0300	70	
	0600	70	CASNICH
	0900	71	CASNICH
	1200	71	CASNICH
	1500	71	MARTINEZ
	1800	71	Coy
	2100	71	Coy
	2400	70	Coy

Tuesday

Date	Time	Temp.	Name (Print)
8-27	0300	70	Cortina
	0600	70	CASNUEN
	0900	71	CASNUEN
	1200	71	CASNUEN
	1500	71	Carillo
	1800	71	Carillo
	2100	72	Carillo
	2400	72	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
8-28	0300	71	Vasquez
	0600	71	Vasquez
	0900	73	Zamora
	1200	73	Zamora
	1500	73	E.09
	1800	72	E.09
	2100	72	E.09
	2400	72	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
8-29	0300	71	Vasquez
	0600	71	Vasquez
	0900	72	Zamora
	1200	72.5	Zamora
	1500	73	J. Rodriguez
	1800	72	J. Rodriguez
	2100	72	J. Rodriguez
	2400	72	Vasquez

Friday

Date	Time	Temp.	Name (Print)
8-30	0300	71	Vasquez
	0600	71	Vasquez
	0900	71	CASILLON
	1200	71	CASILLON
	1500	72	J. Rodriguez
	1800	72	J. Rodriguez
	2100	72	J. Rodriguez
	2400	72	Perez

Saturday

Date	Time	Temp.	Name (Print)
8-31	0300	72	Perez
	0600	72	CASILLON
	0900	72	CASILLON
	1200	72	CASILLON
	1500	71	A. Zamora
	1800	73	A. Zamora
	2100	72	A. Zamora
	2400	72	Perez

Sunday

Date	Time	Temp.	Name (Print)
9-1	0300	72	Perez
	0600	71	CASILLON
	0900	71	CASILLON
	1200	71	CASILLON
	1500	72	A. Zamora
	1800	72	A. Zamora
	2100	72	A. Zamora
	2400	72	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: DL Temp. Reading Location: 2nd TIER B PWD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/21	0300	73	AVINA
	0600	72.7	C. Munoz
	0900	73.1	C. Munoz
	1200	73.6	C. Munoz
	1500	73.9	C. Munoz
	1800	73.7	C. Munoz
	2100		C. Munoz
	2400	73	AVINA

Tuesday

Date	Time	Temp.	Name (Print)
8/22	0300	72	AVINA
	0600	72	Martinez
	0900	72	Martinez
	1200	73	Martinez
	1500	73	Martinez
	1800	73	Martinez
	2100	72	Martinez
	2400	72	AVINA

Wednesday

Date	Time	Temp.	Name (Print)
8/23	0300	72	AVINA
	0600	72.9	C. Munoz
	0900	73.2	C. Munoz
	1200	73.4	C. Munoz
	1500	73.4	Martinez
	1800	73	Martinez
	2100	73	Martinez
	2400	73	AVINA

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	73	AVINA
	0600	73	D. Brambilla
	0900	73	D. Brambilla
	1200	73	D. Brambilla
	1500	73	Martinez
	1800	73	Martinez
	2100	73	Martinez
	2400	73	AVINA

Friday

Date	Time	Temp.	Name (Print)
8/25	0300	72	AVINA
	0600	72	Brambilla
	0900	72	Brambilla
	1200	73	Brambilla
	1500	73.0	Martinez SALAS
	1800	73.4	Martinez SALAS
	2100	73	Martinez
	2400	72	K. Empante

Saturday

Date	Time	Temp.	Name (Print)
8/26	0300	72	K. Empante
	0600	72	K. Empante
	0900	72	J. Barriga Estrada
	1200	72.5	J. Barriga Estrada
	1500	73.0	J. Barriga Estrada
	1800	73.0	J. Barriga Estrada
	2100	73.0	J. Barriga Estrada
	2400	72	K. Empante

Sunday

Date	Time	Temp.	Name (Print)
8/27	0300	72	K. Empante
	0600	72.3	C. Munoz
	0900	72.5	C. Munoz
	1200	72.7	C. Munoz
	1500	73.0	C. Munoz
	1800	73.4	C. Munoz
	2100	73.0	C. Munoz
	2400	73	B. Avina

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: Facility D8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2011	0300	71°	mender
8/26/2011	0600	71°	I. martinez
8/26/2011	0900	72°	I. martinez
8/26/2011	1200	73°	I. martinez
8/26/2011	1500	74.8°	V. mora
8/26/2011	1800	71.4°	V. mora
8/26/2011	2100	71.4°	V. mora
8/26/2011	2400	71°	M. mende

Tuesday

Date	Time	Temp.	Name (Print)
8/27/2011	0300	71	M. mende
8/27/2011	0600	71	D. DOLAROSA
8/27/2011	0900	73	Lopez
8/27/2011	1200	73	Lopez
8/27/2011	1500	72.7°	V. mora
8/27/2011	1800	71.8°	V. mora
8/27/2011	2100	71.8°	V. mora
8/27/2011	2400	71	M. mende

Wednesday

Date	Time	Temp.	Name (Print)
8/28/2011	0300	71	M. mende
8/28/2011	0600	71.4°	R. BORREGO
8/28/2011	0900	71.4°	R. BORREGO
8/28/2011	1200	72.0°	R. BORREGO
8/28/2011	1500	72°	Vargas
8/28/2011	1800	72°	Vargas
8/28/2011	2100	71.0	Vargas
8/28/2011	2400	70°	R. mender

Thursday

Date	Time	Temp.	Name (Print)
8/29/2011	0300	70°	R. mender
8/29/2011	0600	72.3°	R. BORREGO
8/29/2011	0900	72.0°	R. BORREGO
8/29/2011	1200	71.4°	R. BORREGO
8/29/2011	1500	71.6	Chavez
8/29/2011	1800	71.4	E. Valdez
8/29/2011	2100	71.1	E. Valdez
8/29/2011	2400	70°	J. Moore

Friday

Date	Time	Temp.	Name (Print)
8/30/2011	0300	70°	moore
8/30/2011	0600	70.3°	R. BORREGO
8/30/2011	0900	70.2°	R. BORREGO
8/30/2011	1200	71.2°	R. BORREGO
8/30/2011	1500	71.2°	R. BORREGO
8/30/2011	1800	71.4°	R. BORREGO
8/30/2011	2100	71.1°	R. BORREGO
8/30/2011	2400	70°	Sanudo

Saturday

Date	Time	Temp.	Name (Print)
8/31/2011	0300	70°	Sanudo
8/31/2011	0600	70	D. VILLANUEVA
8/31/2011	0900	71.3	D. VILLANUEVA
8/31/2011	1200	73.2	D. VILLANUEVA
8/31/2011	1500	71.8	L. OCHOA
8/31/2011	1800	70.7	L. OCHOA
8/31/2011	2100	70.7	L. OCHOA
8/31/2011	2400	70.0	A. FAJINAS

Sunday

Date	Time	Temp.	Name (Print)
9/1/2011	0300	70°	A. FAJINAS
9/1/2011	0600	70°	V. mora
9/1/2011	0900	70°	V. mora
9/1/2011	1200	70°	V. mora
9/1/2011	1500	70.0°	V. mora
9/1/2011	1800	70.0°	V. mora
9/1/2011	2100	70.0°	V. mora
9/1/2011	2400	70.0°	V. mora

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: D2 Temp. Reading Location: Second Tier D2 B Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300		
	0600	70°	M. LOPEZ
	0900	71°	M LOPEZ
	1200	71°	M LOPEZ
	1500	71°	J. LOPEZ
	1800	71°	J. LOPEZ
	2100	71°	J. LOPEZ
	2400	70°	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	71	Garcia A
	0600	72	Govus A
	0900	71	Lopez
	1200	71	Lopez
	1500	71	J. Lopez
	1800	71	J. Lopez
	2100	71	J. Lopez
	2400	70	Daruis A

Friday

Date	Time	Temp.	Name (Print)
9/16/12	0300	71	Garcia A
	0600	71	Garcia A
	0900	70	Lopez
	1200	70	Lopez
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	71	Garcia A

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300		
	0600	70	Madrigal
	0900	71	Madrigal
	1200	72	Madrigal
	1500	74	J. CHAVEZ
	1800	72	J. CHAVEZ
	2100	71	J. CHAVEZ
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	70	Garcia A
	0600	69	Garcia A
	0900	69	Lopez
	1200	69	Lopez
	1500	70	J. Lopez
	1800	70	J. Lopez
	2100	70	J. Lopez
	2400	70	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	Garcia A
	0600	71	Garcia A
	0900	69	Lopez
	1200	70	Lopez
	1500	70	J. Lopez
	1800	71	J. Lopez
	2100	71	J. Lopez
	2400	70	Garcia A

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	72	Cowles A
	0600	71	Cowles A
	0900	70	J. Celi's
	1200	71	J. Celi's
	1500		
	1800		
	2100	71°	B. RUGITA
	2400	70°	B. RUGITA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 22 Temp. Reading Location: 2nd Tier, B-Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	B. RODA
	0600	70	B. RODA
	0900	70	E. Sauerz
	1200	69	E. Sauerz
	1500	69	J. Lopez
	1800	70	J. Lopez
	2100	70	J. Lopez
	2400	70	Gavri A

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	71	Gavri A
	0600	71	Gavri A
	0900	69	M. Lopez
	1200	69	M. Lopez
	1500	69	J. Lopez
	1800	70	J. Lopez
	2100	70	J. Lopez
	2400	69	Gavri A

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	70	Gavri A
	0600	71	Gavri A
	0900	70	Lopez
	1200	70	Lopez
	1500	70	M. Lopez
	1800	70	J. Lopez
	2100	70	J. Lopez
	2400	70	F. FUENTES

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	70	FUENTES
	0600	69	FUENTES
	0900	68	R. FIGUER
	1200	70	R. FIGUER
	1500	70	R. FIGUER
	1800	70	R. FIGUER
	2100	70	R. FIGUER
	2400	70	R. FIGUER

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	70	FUENTES
	0600	69	FUENTES
	0900	69	Mendez
	1200	69	Mendez
	1500	69	Mendez
	1800	68	Mendez
	2100	68	Mendez
	2400	68	Fuentes

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	66	b. locha
	0600	67°	I. Celis
	0900	67°	I. Celis
	1200	68°	I. Celis
	1500	69°	M. Lopez
	1800	68	M. Lopez
	2100	68	M. Lopez
	2400	68	b. locha

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	66	b. locha
	0600	66	C. DAVALOS
	0900	67	C. DAVALOS
	1200	67	C. DAVALOS
	1500	68	J. Lopez
	1800	69	J. Lopez
	2100	68	J. Lopez
	2400	66	b. locha

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: QZ Temp. Reading Location: 2nd Tier B-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	68	M.Lopez
	0600	68	M.Lopez
	0900	68	M.Lopez
	1200	68	M.Lopez
	1500	68	L.Vazquez
	1800	68	J.Gutierrez
	2100	67	J.Gutierrez
	2400	67	Carrasco A

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	69	Carrasco A
	0600	69	Carrasco A
	0900	69	M.Lopez
	1200	69	M.Lopez
	1500	70	U.JIMENEZ
	1800	70	E.Valdez
	2100	68	L.Vazquez
	2400	67	Valdez

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	66	Cellis
	0600	66	Cellis
	0900	68	Lopez
	1200	69	Lopez
	1500	70	Cellis
	1800	68	Cellis
	2100	67	A.Garcia/...
	2400	67	A.Garcia/...

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300		
	0600	68°	Cellis
	0900	69°	Cellis
	1200	70°	Cellis
	1500	70	SACAS
	1800	69	SACAS
	2100	68	SACAS
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	68	Garcia A
	0600	70	Garcia A
	0900	69	Lopez
	1200	69	Lopez
	1500	69	Valdez
	1800	69	Valdez
	2100	69	Valdez
	2400	69	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	69	Coorcia
	0600	69	M.Lopez
	0900	69	M.Lopez
	1200	70	M.Lopez
	1500	70	L.VARDEZ
	1800	69	S.Magdaleno
	2100	67	S.Magdaleno
	2400	67	Self

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300		
	0600	66°	Cellis
	0900	69°	Cellis
	1200	69°	Cellis
	1500	69	Valdez
	1800	69	Montez
	2100	67	Montez
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: D2 Temp. Reading Location: 2nd Tier B Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	71	
	0600	71	M LOPEZ
	0900	71	M LOPEZ
	1200	71	M LOPEZ
	1500	71	J. LOPEZ
	1800	71	J. LOPEZ
	2100	70	J. LOPEZ
	2400	71	

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	
	0600	70	M. Lopez
	0900	71	M. Lopez
	1200	72	M. Lopez
	1500	71	J. Lopez
	1800	71	J. Lopez
	2100	71	J. Lopez
	2400	70	

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	71	
	0600	70	M. Lopez
	0900	70	M. Lopez
	1200	72	M. Lopez
	1500	72	J. Lopez
	1800	71	J. Lopez
	2100	71	J. Lopez
	2400	71	

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70	
	0600	67	M. Lopez
	0900	67	M. Lopez
	1200	67	M. Lopez
	1500	69	J. Lopez
	1800	69	J. Lopez
	2100	69	J. Lopez
	2400	70	

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	71	
	0600	71	M. Lopez
	0900	71	M. Lopez
	1200	71	M. Lopez
	1500	72	R. Licondo
	1800	72	R. Licondo
	2100	72	R. Licondo
	2400	71	

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70	
	0600	70°	J. Celi's
	0900	70°	J. Celi's
	1200	71°	J. Celi's
	1500	70	Mendez
	1800	70	Mendez
	2100	68	Mendez
	2400	70	

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	71	
	0600	70	
	0900	70	
	1200	70	
	1500	70°	A. Hernandez
	1800	70	A. Hernandez
	2100	70	A. Hernandez
	2400	71	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: D2 Temp. Reading Location: 2nd Tier B- DOD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/20/24	0300	71°	J. Lopez
	0600	71°	M. Lopez
	0900	71°	M. Lopez
	1200	72°	M. Lopez
	1500	72°	J. Lopez
	1800	72°	J. Lopez
	2100	71°	J. Lopez
	2400	72°	J. Perez

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2024	0300	70	Garcia A
	0600	70	Garcia A
	0900	70	Lopez
	1200	70	Lopez
	1500	70	J. Lopez
	1800	70	J. Lopez
	2100	70	J. Lopez
	2400	72	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	72	Garcia A
	0600	71	M. Lopez
	0900	72	M. Lopez
	1200	72	M. Lopez
	1500	72	J. Lopez
	1800	72	J. Lopez
	2100	72	J. Lopez
	2400	70°	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	72	Garcia A
	0600	71	M. Lopez
	0900	71	M. Lopez
	1200	71	M. Lopez
	1500	73	M. Lopez
	1800	73	J. Lopez
	2100	72	J. Lopez
	2400	72	Garcia A

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	72	Garcia A
	0600	72	Garcia A
	0900	72	MONTANO
	1200	73	MONTANO
	1500	73	Amurani
	1800	72	Amurani
	2100	72	Amurani
	2400	72	Garcia A

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	72	Garcia A
	0600	72	Garcia A
	0900	72°	I. Cullis
	1200	72°	I. Cullis
	1500	73	Amurani
	1800	72	Amurani
	2100	72	Amurani
	2400	72	J. Pe...r

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	72°	J. Lopez
	0600	72°	Z. Cullis
	0900	72°	J. Cullis
	1200	72°	J. Lopez
	1500	72°	J. Lopez
	1800	72°	J. Lopez
	2100	72°	J. Lopez
	2400	72°	J. Lopez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOSP Housing Unit: D3 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	70°	A. Vallejo
	0600	70	C. Rodriguez
	0900	70	C. Rodriguez
	1200	72	C. Rodriguez
	1500	70	O. Camacho
	1800	70	O. Camacho
	2100	70	O. Camacho
	2400	70	A. VALLEJO

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	70	...
	0600	70	C. Rodriguez
	0900	70	C. Rodriguez
	1200	72	C. Rodriguez
	1500	70	O. Camacho
	1800	70	O. Camacho
	2100	70	O. Camacho
	2400	70	Bonjars

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	70	E. FERNANDEZ
	0600	70	G. FERREYRA
	0900	71	G. Ferreyra
	1200	73	G. Ferreyra
	1500	72°	O. Camacho
	1800	72	O. Camacho
	2100	71	O. Camacho
	2400	71	E. FERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	72	E. FERNANDEZ
	0600	72	Hernandez
	0900	70	Hernandez
	1200	71	Hernandez
	1500	71	PEREZ
	1800	71	PEREZ
	2100	70	PEREZ
	2400	70	E. FERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	70°	A. VALLEJO
	0600	70	A. VALLEJO
	0900	70	C. Rodriguez
	1200	70	C. Rodriguez
	1500	72	O. Camacho
	1800	70	O. Camacho
	2100	70	O. Camacho
	2400	70	110

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	70	B. OWENS
	0600	70	B. OWENS
	0900	71	C. Rodriguez
	1200	71	C. Rodriguez
	1500	70	O. Camacho
	1800	70	O. Camacho
	2100	70	O. Camacho
	2400	70	E. FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	71	E. FERNANDEZ
	0600	71	A. Wu
	0900	72	Hernandez
	1200	72	Hernandez
	1500	73°	V. LOPEZ
	1800	71	V. Lopez
	2100	73°	V. Lopez
	2400	72	E. FERNANDEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 Temp. Reading Location: CNTL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	69	Ramirez
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	71	J. Rodriguez
	1800	71	J. Rodriguez
	2100	70	J. Rodriguez
	2400	69	Fernandez

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	69	Ramirez
	0600	69	Rodriguez
	0900	69	Rodriguez
	1200	70	Rodriguez
	1500	70	O. Caneles
	1800	70	O. Caneles
	2100	70	O. Caneles
	2400	70	Perez

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	70	Perez
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	70	O. Caneles
	1800	70	O. Caneles
	2100	70	O. Caneles
	2400	70	Fernandez

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	69	Fernandez
	0600	69	E. Suarez
	0900	70	E. Suarez
	1200	70	O. Suarez
	1500	70	P. Cuningham
	1800	70	P. Cuningham
	2100	70	O. Cuningham
	2400	70	E. Fernandez

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	69	E. Fernandez
	0600	68	G. Fernandez
	0900	70	G. Fernandez
	1200	70	G. Fernandez
	1500	70	Conacho
	1800	70	Conacho
	2100	70	Conacho
	2400	69	E. Fernandez

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	69	E. Fernandez
	0600	69	Rios
	0900	69	Rios
	1200	69	Rios
	1500	69	N. Gonzalez
	1800	69	N. Gonzalez
	2100	69	N. Gonzalez
	2400	68	Mangum

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	68	Mangum
24	0600	68	Mangum
	0900	70	Poingual
	1200	70	Rodriguez
	1500	68	Perez
	1800	69	Perez
	2100	68	Perez
	2400	68	Fernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SISP Housing Unit: D3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	61	E.Fernandez
	0600	64	C.Rodriguez
	0900	80	C.Rodriguez
	1200	85	C.Rodriguez
	1500	90	J.Rojas
	1800	81	J.Rojas
	2100	72	J.Rojas
	2400	69	A.Vallejo

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	61	Renteria
	0600	66	C.Rodriguez
	0900	71	C.Rodriguez
	1200	78	C.Rodriguez
	1500	83	O.Camacho
	1800	79	O.Camacho
	2100	76	O.Camacho
	2400	69	Maruahua

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	62	A.Gutierrez
	0600	66	G.Ferreysa
	0900	69	G.Ferreysa
	1200	73	G.Ferreysa
	1500	78	V.Lopez
	1800	83	V.Lopez
	2100	76	V.Lopez
	2400	65	Webb

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	63	J.Lossea
	0600	70	C.Rodriguez
	0900	79	C.Rodriguez
	1200	86	C.Rodriguez
	1500	84	P.Perez
	1800	80	P.Perez
	2100	75	P.Perez
	2400	66	E.Fernandez

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	66	A.Vallejo
	0600	68	C.Rodriguez
	0900	71	C.Rodriguez
	1200	76	C.Rodriguez
	1500	81	O.Camacho
	1800	83	O.Camacho
	2100	77	O.Camacho
	2400	61	Renteria

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	65	Maruahua
	0600	68	C.Rodriguez
	0900	72	C.Rodriguez
	1200	78	C.Rodriguez
	1500	82	O.Camacho
	1800	83	O.Camacho
	2100	75	O.Camacho
	2400	60	A.Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	64	Webb
	0600	72	Meriscal
	0900	80	Meriscal
	1200	81	Meriscal
	1500	76	Flores
	1800	79	Flores
	2100	69	Flores
	2400	64	J.Correa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: D3 Temp. Reading Location: CTRL BOOTH
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	67	E FERNANDEZ
9/23	0600	68	C. Rodriguez
	0900	69	C. Rodriguez
	1200	70	C. Rodriguez
	1500	70	J. ROJAS
	1800	70	J. ROJAS
	2100	68	J. ROJAS
	2400	69°	A - VALLEJO

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	69	T. L.
	0600	69	C. Rodriguez
	0900	69	C. Rodriguez
	1200	70	C. Rodriguez
	1500	69	O. Camacho
	1800	69	O. Camacho
	2100	69	O. Camacho
	2400	68	E FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	68	E FERNANDEZ
	0600	67	G. FERREYRA
	0900	69	G. FERREYRA
	1200	68	G. FERREYRA
	1500	68	O. Camacho
	1800	69	O. Camacho
	2100	68	O. Camacho
	2400	68	E FERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
6/26	0300	68	E FERNANDEZ
	0600	68	C. Rodriguez
	0900	68	C. Rodriguez
	1200	69	C. Rodriguez
	1500	68	I. ROJES
	1800	68	I. ROJES
	2100	68	I. ROJES
	2400	68	E FERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	69	A - VALLEJO
	0600	69°	A - VALLEJO
	0900	69	C. Rodriguez
	1200	70	C. Rodriguez
	1500	69	O. Camacho
	1800	69	O. Camacho
	2100	69	O. Camacho
	2400	69	O. Camacho

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	68	E FERNANDEZ
	0600	66	A. MUSA
	0900	68°	A. MUSA
	1200	69°	A. MUSA
	1500	69	O. Camacho
	1800	69	O. Camacho
	2100	69	O. Camacho
	2400	68	E FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	68	E FERNANDEZ
	0600	68	Hernandez
	0900	70°	Hernandez
	1200	70	Hernandez
	1500	71°	V. Lopez
	1800	69°	O. Camacho
	2100	69°	O. Camacho
	2400	68	E FERNANDEZ

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 CONTROL Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70°	R. Fernandez
	0600	70°	C. Rodriguez
	0900	70°	C. Rodriguez
	1200	71°	C. Rodriguez
	1500	71°	Rosas
	1800	70°	Rosas
	2100	70°	Rosas
	2400	69°	A. VALLEJO

Wednesday

Date	Time	Temp.	Name (Print)
10/1	0300	70	J. Lopez
	0600	71	C. Rodriguez
	0900	71	C. Rodriguez
	1200	71	C. Rodriguez
	1500	70°	O. Canales
	1800	70°	O. Canales
	2100	70°	O. Canales
	2400	71°	A. VALLEJO

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	72	E. FERNANDEZ
	0600	72	G. Ferreyra
	0900	72	V. Lopez
	1200	72	V. Lopez
	1500	71°	Garcia
	1800	71°	Garcia
	2100	71°	Garcia
	2400	71	E. FERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	71	E. FERNANDEZ
	0600	71	C. Rodriguez
	0900	72	C. Rodriguez
	1200	72	C. Rodriguez
	1500	73	P. PEREZ
	1800	73	P. PEREZ
	2100	72	I. Martinez
	2400	72°	E. FERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	69°	A. VALLEJO
	0600	68°	A. VALLEJO
	0900	69	C. Rodriguez
	1200	70	C. Rodriguez
	1500	70	D. Canales
	1800	70	O. Canales
	2100	70	O. Canales
	2400	70	A. VALLEJO

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	71°	A. VALLEJO
	0600	71°	A. VALLEJO
	0900	71	C. Rodriguez
	1200	72	A. Reyes
	1500	71°	A. Reyes
	1800	71°	A. Reyes
	2100	71°	A. Reyes
	2400	71	E. FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	71	E. FERNANDEZ
	0600	73	Rico A
	0900	70	RICO, A
	1200	87	RICO, A
	1500	73	J. Bott
	1800	73	J. Bott
	2100	73	J. Bott
	2400	71	E. FERNANDEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Central Temp. Reading Location: 2nd Tier B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09	0300	72.1°	GARIBAY
	0600	72.0°	GARIBAY
	0900	72°	Morones
02	1200	72	Morones
	1500	71	Morones
24	1800	71	Morones
	2100	71	Morones
	2400	72.5°	GARIBAY

Tuesday

Date	Time	Temp.	Name (Print)
09	0300	72.0°	GARIBAY
	0600	71.5	GARIBAY
	0900	72	R. FLORES
03	1200	72.5	R. FLORES
	1500	73	Smiley
24	1800	73	Smiley
	2100	73	Smiley
	2400	72.5°	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
09	0300	72.0°	GARIBAY
	0600	72.0°	GARIBAY
	0900	72	PELIZ
04/09	1200	73	PEREZ
24	1500	73	Smiley
	1800	72	Smiley
	2100	72	Smiley
	2400	72	RIEMEDIO

Thursday

Date	Time	Temp.	Name (Print)
09	0300	71	RIEMEDIO
	0600	71	RIEMEDIO
	0900	72	Morones
04/05	1200	72	Morones
24	1500	74	Smiley
	1800	74	Smiley
	2100	74	Smiley
	2400	74	RIEMEDIO

Friday

Date	Time	Temp.	Name (Print)
09	0300	73	RIEMEDIO
	0600	72	RIEMEDIO
	0900	73	Smiley
04/06	1200	74	Smiley
24	1500	73	Smiley
	1800	74	Smiley
	2100	74	Smiley
	2400	73.8°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
09	0300	73.2°	GARIBAY
	0600	72.9°	GARIBAY
	0900	73	J Garcia
04/07	1200	73	J Garcia
24	1500	73	J. Rodriguez
	1800	73	J. Rodriguez
	2100	73	J. Rodriguez
	2400	73.9°	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
09	0300	73.2°	GARIBAY
	0600	72.9°	GARIBAY
	0900	73.8°	Zamora
04/08	1200	74.1°	Zamora
24	1500	73	J. Rodriguez
	1800	73	J. Rodriguez
	2100	73	J. Rodriguez
	2400	73	GARIBAY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Control Temp. Reading Location: 2nd tier / B Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09	0300	73.00	GARIBAY
	0600	72.9°	GARIBAY
	0900	73	Rios
10	1200	73	Rios
	1500	72.8	Camacho
	1800	74	Camacho
24	2100	73	Camacho
	2400	72.5°	GARIBAY

Tuesday

Date	Time	Temp.	Name (Print)
09	0300	72°	GARIBAY
	0600	72°	GARIBAY
	0900	72°	Hernandez
10	1200	70	Hernandez
	1500	72	Smiley
	1800	72	Smiley
24	2100	72	Smiley
	2400	72.1°	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
09	0300	72°	GARIBAY
	0600	72°	GARIBAY
	0900	72°	Andrade
11	1200	72°	Andrade
	1500	72	Smiley
	1800	72	Smiley
24	2100	72	Smiley
	2400	72	Riemedio

Thursday

Date	Time	Temp.	Name (Print)
09	0300	71	Riemedio
	0600	71	Riemedio
	0900	72°	F.ROCHA
10	1200	72°	F.ROCHA
	1500	72	Smiley
	1800	72	Smiley
24	2100	72	Smiley
	2400	72	Riemedio

Friday

Date	Time	Temp.	Name (Print)
09	0300	71	Riemedio
	0600	71	Riemedio
	0900	71	Smiley
10	1200	72	Smiley
	1500	72	Smiley
	1800	72	Smiley
24	2100	72	Smiley
	2400	71.8°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
09	0300	71.5°	GARIBAY
	0600	71.4°	GARIBAY
	0900	71.4	Rios
10	1200	71.1	Rios
	1500	71	J. Rodriguez
	1800	71	J. Rodriguez
24	2100	70.7	E. Gonzalez
	2400	71.4°	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
09	0300	71°	GARIBAY
	0600	70.7°	GARIBAY
	0900	70.3	Zamora
10	1200	70.7	Zamora
	1500	70.9	J. Rodriguez
	1800	70.	J. Rodriguez
24	2100	70	J. Rodriguez
	2400	70	GARIBAY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Temp. Reading Location: 2nd TIER/B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/16	0300	72	Garrison
	0600	72	Garrison
	0900	72	Marquez
	1200	74	Marquez
	1500	74	Smiley
	1800	70	Smiley
	2100	70	Smiley
	2400	68	Garrison
Tuesday			
Date	Time	Temp.	Name (Print)
9/17	0300	72	Garrison
	0600	72	Garrison
	0900	74	Flines
	1200	76	Flines
	1500	76	Sawley
	1800	75	Smiley
	2100	74	Smiley
	2400	74	Garrison
Wednesday			
Date	Time	Temp.	Name (Print)
9/18	0300	73	Garrison
	0600	75	Vargas
	0900	76	Vargas
	1200	75	Vargas
	1500	79	Smiley
	1800	75	Smiley
	2100	73	Smiley
	2400	70	Reyner
Thursday			
Date	Time	Temp.	Name (Print)
9/19	0300	70	Ramirez
	0600	70	Ramirez
	0900	73	Marquez
	1200	73	Marquez
	1500	75	Smiley
	1800	74	Smiley
	2100	72	Smiley
	2400	70	Ramirez
Friday			
Date	Time	Temp.	Name (Print)
9/20	0300	73	Ramirez
	0600	73	Ramirez
	0900	75	Smiley
	1200	75	Smiley
	1500	77	Smiley
	1800	78	Smiley
	2100	77	Smiley
	2400	74	Garrison
Saturday			
Date	Time	Temp.	Name (Print)
9/21	0300	73	Garrison
	0600	74	Garrison
	0900	74	Garcia
	1200	77	Garcia
	1500	74	Rodriguez
	1800	74	Rodriguez
	2100	79	Rodriguez
	2400	72	Garrison

Notes

Date	Time	Temp.	Name (Print)
9/22	0300	72	Garrison
	0600	72	Garrison
	0900	74	Zarate
	1200	74	Zarate
	1500	77	L. Rodriguez
	1800	76	Rodriguez
	2100	74	Rodriguez
	2400	76	Garrison

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Central Temp. Reading Location: 2nd tier B section
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09	0300	70.0°	GARIBAY
23	0600	69.6°	GARIBAY
24	0900	69.6	FLORES
	1200		
	1500	72.3°	C. Rodriguez
	1800	71.4	C. Rodriguez
	2100		
	2400	70.9°	GARIBAY

Tuesday

Date	Time	Temp.	Name (Print)
09	0300	71.2°	GARIBAY
24	0600	70.7°	GARIBAY
24	0900	70.2	Garcia D
	1200		
	1500	71	Smiley
	1800	71	Smiley
	2100	71	Smiley
	2400	70.9°	E. Magdaleno

Wednesday

Date	Time	Temp.	Name (Print)
09	0300	70.5°	E. Magdaleno
25	0600	70.5°	E. Magdaleno
24	0900	70.3°	J. DeFrance
	1200		
	1500	70	Smiley
	1800	70	Smiley
	2100	70	Smiley
	2400	70	R. MEDIO

Thursday

Date	Time	Temp.	Name (Print)
09	0300	70.2	R. MEDIO
24	0600	70.2	R. MEDIO
24	0900	70.0	R. DEMESA
	1200	70.3	R. DEMESA
	1500	71	Smiley
	1800	71	Smiley
	2100	71	Smiley
	2400	70	R. MEDIO

Friday

Date	Time	Temp.	Name (Print)
09	0300	71	R. MEDIO
27	0600	70	R. MEDIO
24	0900	69.8	R. DEMESA
	1200	69.8	R. DEMESA
	1500	72	A. Escalante
	1800	72	A. Escalante
	2100	72	A. Escalante
	2400	71.2°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
09	0300	71.1°	GARIBAY
28	0600	69.8	R. DEMESA
24	0900	69.8	R. DEMESA
	1200	71.1	R. DEMESA
	1500	70	A. VELARDE
	1800	69	A. VELARDE
	2100	67	A. VELARDE
	2400	70.7°	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
09	0300	70.7°	GARIBAY
29	0600	70.2°	GARIBAY
24	0900	70.1	Zamora
	1200	70.3	Zamora
	1500	70.	A. VELARDE
	1800	70	A. VELARDE
	2100	67	A. VELARDE
	2400	70.°	GARIBAY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D1 Central Temp. Reading Location: 2nd Tier/B pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
09	0300	69.6°	GARIBAY
	0600	69.1°	GARIBAY
30	0900	69.1	R. FLORES
	1200	69	Flores
24	1500	72.3	JIMENEZ
	1800	72.1	JIMENEZ
	2100	71.4	JIMENEZ
	2400	71.2°	GARIBAY

Tuesday			
Date	Time	Temp.	Name (Print)
10	0300	71.1°	GARIBAY
	0600	70.7°	GARIBAY
21	0900	70.1'	Floren
	1200	72	Floren
24	1500	72	Smiley
	1800	72	Smiley
	2100	72	Smiley
	2400	71.9°	GARIBAY

Wednesday			
Date	Time	Temp.	Name (Print)
10	0300	71.2°	GARIBAY
	0600	72.°	GARIBAY
22	0900	73°	MORONES
	1200	73	MORONES
24	1500	74	Smiley
	1800	73	Smiley
	2100	73	Smiley
	2400	73	R. REMEDIO

Thursday			
Date	Time	Temp.	Name (Print)
10	0300	72	R. REMEDIO
	0600	72	R. REMEDIO
23	0900	73	WGD
	1200	73	WGD
24	1500	76	WGD
	1800	78	S. BACAS
	2100	78	S. BACAS
	2400	72	S. BACAS

Friday			
Date	Time	Temp.	Name (Print)
10	0300	73	R. REMEDIO
	0600	74	R. REMEDIO
24	0900	74	A. VILLARDE
	1200	75	VELASQUEZ
24	1500	75	Valladrez
	1800	75	Valladrez
	2100	74	Valladrez
	2400	74°	P. GUERRERO

Saturday			
Date	Time	Temp.	Name (Print)
10	0300	74°	P. GUERRERO
	0600	74°	P. GUERRERO
25	0900	74	Fernandez
	1200	75	Fernandez
24	1500	74	J. Rodriguez
	1800	75.7	J. Rodriguez
	2100	75	R. FLORES
	2400	75	Rodriguez

Sunday			
Date	Time	Temp.	Name (Print)
10	0300	75	T. CPEL
	0600	76	Zamora
24	0900	75	Zamora
	1200	75	Zamora
	1500	75	Krenkow
	1800	75	Krenkow
	2100	75	Krenkow
	2400	75	T. CPEL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-5 Temp. Reading Location: Top Tier, Control Bath
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	71	Vasquez
	0600	71	Vasquez
	0900	71	Castillo
	1200	72	Castillo
	1500	72	Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	72	Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
9/25	0300	71	Vasquez
	0600	71	Vasquez
	0900	71	Castillo
	1200	71	Castillo
	1500	72	E. coy
	1800	72	E. coy
	2100	72	E. coy
	2400	71	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
9/26	0300	71	Vasquez
	0600	71	Vasquez
	0900	71.8	Zamora
	1200	71.8	Zamora
	1500	72	E. coy
	1800	72	E. coy
	2100	72	E. coy
	2400	72	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
9/27	0300	72	Vasquez
	0600	71	Vasquez
	0900	72	Zamora
	1200	72	Zamora
	1500	73	J. Rodriguez
	1800	72	J. Rodriguez
	2100	72	J. Rodriguez
	2400	72	Vasquez

Friday

Date	Time	Temp.	Name (Print)
9/28	0300	71	Vasquez
	0600	71	Vasquez
	0900	71	Castro
	1200	72	Castro
	1500	72	J. Rodriguez
	1800	72	J. Rodriguez
	2100	72	J. Rodriguez
	2400	72	Vasquez

Saturday

Date	Time	Temp.	Name (Print)
9/29	0300	76	Hot
	0600	72	Casner
	0900	72	Casner
	1200	72	Casner
	1500	73	E. coy
	1800	72	E. coy
	2100	73	E. coy
	2400	72	Hot

Sunday

Date	Time	Temp.	Name (Print)
9/30	0300	72	Hot
	0600	71	Casner
	0900	71	Casner
	1200	71	Casner
	1500	73	A. Zuniga
	1800	72	A. Zuniga
	2100	71	A. Zuniga
	2400	71	A. Zuniga

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-5 Temp. Reading Location: Top tier Central Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/18	0300	72	Vasquez
	0600	71	Vasquez
	0900	72	CASILLON
	1200	72	CASILLON
	1500	72	A. ZUNIGA
	1800	71	A. ZUNIGA
	2100	72	A. ZUNIGA
	2400	71	Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	71	Vasquez
	0600	71	Vasquez
	0900	72	CASILLON
	1200	72	CASILLON
	1500	72	E. ay
	1800	72	E. ay
	2100	72	E. ay
	2400	72	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	72	Vasquez
	0600	71	Vasquez
	0900	71.4	Zamora
	1200	71.6	Zamora
	1500	71	E. ay
	1800	71	E. ay
	2100	71	E. ay
	2400	71	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	71	Vasquez
	0600	71	Vasquez
	0900	72	Zamora
	1200	72	Zamora
	1500	72	J. Rodriguez
	1800	71	J. Rodriguez
	2100	71	J. Rodriguez
	2400	71	J. Vasquez

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	71	J. Vasquez
	0600	71	J. Vasquez
	0900	71	CASILLON
	1200	71	CASILLON
	1500	71	J. Rodriguez
	1800	72	J. Rodriguez
	2100	71	J. Rodriguez
	2400	71	Rele

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	71	Rele
	0600	71	CASILLON
	0900	71	CASILLON
	1200	71	CASILLON
	1500	71	A. Zuniga
	1800	71	A. Zuniga
	2100	71	A. Zuniga
	2400	71	Rele

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	71	Rele
	0600	71	CASILLON
	0900	71	CASILLON
	1200	71	CASILLON
	1500	71	ZUNIGA
	1800	70	ZUNIGA
	2100	70	ZUNIGA
	2400	70	Vasquez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: DS Temp. Reading Location: central bath b section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	69	F Vasquez
9/16/24	0600	69	T. castillon
	0900	69	T. castillon
	1200	70	T. castillon
	1500	70	E. COY
	1800	70	E. COY
	2100	69	E. COY
	2400	68	F Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	68	F Vasquez
	0600	69	T. castillon
	0900	69	T. castillon
	1200	70	E. castillon
	1500	70	E. COY
	1800	70	E. COY
	2100	70	E. COY
	2400	68	F Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	68	E. Vasquez
	0600	69	R. Zamora
	0900	70	R. Zamora
	1200	70	R. Zamora
	1500	70	E. COY
	1800	68	E. COY
	2100	68	E. COY
	2400	69	F. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	69	F. Vasquez
	0600	69	R. Zamora
	0900	70	R. Zamora
	1200	70	R. Zamora
	1500	68	E. COY
	1800	68	E. COY
	2100	69	E. COY
	2400	69	F. Vasquez

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	68	F. Vasquez
	0600	69	T. castillon
	0900	70	T. castillon
	1200	70	T. castillon
	1500	70	M. Rodriguez
	1800	70	M. Rodriguez
	2100	69	M. Renteria
	2400	70	M. Renteria

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	69	M. Renteria
	0600	69	T. castillon
	0900	69	T. castillon
	1200	70	T. castillon
	1500	70	E. COY
	1800	70	E. COY
	2100	70	E. COY
	2400	69	M. Renteria

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	69	M. Renteria
	0600	69	T. castillon
	0900	70	T. castillon
	1200	70	T. castillon
	1500	70	T. castillon
	1800	70	E. COY
	2100	70	E. COY
	2400	69	F. Vasquez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: D-5 Housing Unit: D-5 Temp. Reading Location: 2nd tier Central Bath
SVSP (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	68	Vasquez
	0600	68	Vasquez
	0900	69	Castillo
	1200	69	Castillo
	1500	69	E. con
	1800	70	E. con
	2100	71	E. con
	2400	71	Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	70	Vasquez
	0600	70	Vasquez
	0900	70	Castillo
	1200	70	Castillo
	1500	71	E. con
	1800	71	E. con
	2100	71	E. con
	2400	71	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	70	Vasquez
	0600	70	Vasquez
	0900	70	J. con
	1200	72	Vasquez
	1500	72	Zamora
	1800	72	Zamora
	2100	71	J. con
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	70	Vasquez
	0600	70	Vasquez
	0900	70	Zamora
	1200	70.3	Zamora
	1500	71	J. Rodriguez
	1800	70	J. Rodriguez
	2100	70	J. Rodriguez
	2400	70	Vasquez

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	70	Vasquez
	0600	70	Vasquez
	0900	70	Castillo
	1200	70	Castillo
	1500	72	J. Rodriguez
	1800	72	J. Rodriguez
	2100	71	J. Rodriguez
	2400	71	Vasquez

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	70	Perez
	0600	70	Castillo
	0900	70	Castillo
	1200	70	Castillo
	1500	70	E. con
	1800	70	E. con
	2100	70	E. con
	2400	70	Perez

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	70	Perez
	0600	70	Castillo
	0900	70	Castillo
	1200	70	Castillo
	1500	70	E. con
	1800	70	E. con
	2100	70	E. con
	2400	70	J. Vasquez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-5 Temp. Reading Location: 2nd Tier Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	70	Vasquez
	0600	70	Vasquez
	0900	70	Castillo
	1200	70	Castillo
	1500	72	E. con
	1800	71	E. con
	2100	71	E. con
	2400	71	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	71	Vasquez
	0600	70	Vasquez
	0900	71.8	Zamora
	1200	73.2	Zamora
	1500	73	Martinez
	1800	73	Martinez
	2100	73	Martinez
	2400	73	Vasquez

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	72	J. Vasquez
	0600	72	J. Vasquez
	0900	73	Castillo
	1200	73	Castillo
	1500	73	J. Rodriguez
	1800	73	J. Rodriguez
	2100	73	J. Rodriguez
	2400	73	J. Vasquez

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	74	E. con
	0600	74	Castillo
	0900	74	Castillo
	1200	74	Castillo
	1500	74	E. con
	1800	75	E. con
	2100	74	E. con
	2400	74	Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	Vasquez
	0600	70	Vasquez
	0900	71	Castillo
	1200	71	Castillo
	1500	71	Carillo
	1800	71	Carillo
	2100	71	Carillo
	2400	71	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	72	Vasquez
	0600	72	Vasquez
	0900	72.9	Zamora
	1200	73.9	Zamora
	1500	74	J. Rodriguez
	1800	73	J. Rodriguez
	2100	73	J. Rodriguez
	2400	73	J. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	73	Castillo
	0600	73	Castillo
	0900	73	Castillo
	1200	73	Castillo
	1500	75	E. con
	1800	74	E. con
	2100	74	E. con
	2400	74	Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: D6 Temp. Reading Location: 2ND TIER B pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	72	P. V. M
	0600	72.1	C. Munoz
	0900	72.5	C. Munoz
	1200	72.7	C. Munoz
	1500	73	Martinez
	1800	73	Martinez
	2100	72	Martinez
	2400	73	AVINA

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	73	P. V. M
	0600	72	Martinez
	0900	73	Martinez
	1200	73	Martinez
	1500	73	BALDERRA
	1800	73	BALDERRA
	2100	73	BALDERRA
	2400	73	AVINA

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	72	D. AVINA
	0600	71.8	C. Munoz
	0900	72.3	C. Munoz
	1200	72.5	C. Munoz
	1500	73.0	C. Munoz
	1800	73.2	C. Munoz
	2100	73.2	C. Munoz
	2400	73	B. AVINA

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	72	AVINA
	0600	72.0	Brambila
	0900	73°	Brambila
	1200	74°	Brambila
	1500	75	VELARDE
	1800	74	VELARDE
	2100	73	VELARDE
	2400	72	B. AVINA

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	72	B. AVINA
	0600	72°	D. Brambila
	0900	73°	D. Brambila
	1200	75	D. Brambila
	1500	76.8	D. Marshall
	1800	77	D. MARSHALL
	2100	75	D. MARSHALL
	2400	74	K. EMPANT

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	73	K. EMPANT
	0600	73	K. EMPANT
	0900	73.6	J. Barriga Estrella
	1200	75.6	J. Barriga Estrella
	1500	77.2	J. Barriga Estrella
	1800	75	J. Barriga Estrella
	2100	75	J. Barriga Estrella
	2400	74	K. EMPANT

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	73	K. EMPANT
	0600	73.6	C. Munoz
	0900	73.6	C. Munoz
	1200	76.8	C. Munoz
	1500	77.4	C. Munoz
	1800	73.6	C. Munoz
	2100	73.2	C. Munoz
	2400	73	AVINA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D6 Temp. Reading Location: 2ND TIER Bpon
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	72	Avin
	0600	73.6	C. Munoz
	0900	72.3	C. Munoz
	1200	72.3	C. Munoz
	1500	72.9	C. Munoz
	1800	72.5	C. Munoz
	2100	72.3	C. Munoz
	2400	72	Avin

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	72	Avin
	0600	72.1	S. Alvarez
	0900	72.6	S. Alvarez
	1200	72.8	S. Alvarez
	1500	73.2	Martinez
	1800	73.2	Martinez
	2100	72	Martinez
	2400	73	Avin

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	72	Avin
	0600	71°	D. Brambila
	0900	73°	D. Brambila
	1200	74°	D. Brambila
	1500	73°	Martinez
	1800	73°	Martinez
	2100	73°	Martinez
	2400	72	CDC 70075

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	71	K. Empante
	0600	71	K. Empante
	0900	70.9	C. Munoz
	1200	70.9	C. Munoz
	1500	71.2	C. Munoz
	1800	71.2	C. Munoz
	2100	70.2	C. Munoz
	2400	70.0	Avin

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	72	Avin
	0600	72°	Martinez
	0900	72°	Martinez
	1200	73°	Martinez
	1500	73°	Martinez
	1800	73°	Martinez
	2100	72°	Martinez
	2400	72	Avin

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	72	Avin
	0600	71°	D. Brambila
	0900	72	D. Brambila
	1200	73	Vicente
	1500	73.6	Martinez
	1800	73°	Martinez
	2100	73°	Martinez
	2400	72	Avin

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	72	CDC 70075
	0600	72	CDC 70075
	0900	71.6	J. Barriga
	1200	72.0	J. Barriga
	1500	72.0	J. Barriga
	1800	71.1	J. Barriga
	2100	71.2	J. Barriga
	2400	71	K. Empante

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SISP Housing Unit: D6 Temp. Reading Location: 2ND TIER BPOLY
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	70	AVINA
	0600	70	C. Munoz
	0900	70	C. Munoz
	1200	71	C. Munoz
	1500	72	C. Munoz
	1800	73	C. Munoz
	2100	71	C. Munoz
	2400	69	AVINA

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	68	AVINA
	0600	70	MARTINEZ
	0900	71	MARTINEZ
	1200	71	MARTINEZ
	1500	71	MARTINEZ
	1800	70	MARTINEZ
	2100	70	MARTINEZ
	2400	69	AVINA

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	68	AVINA
	0600	73	C. Munoz
	0900	73	C. Munoz
	1200	73	C. Munoz
	1500	73	MARTINEZ
	1800	72	MARTINEZ
	2100	70	MARTINEZ
	2400	69	AVINA

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	69	AVINA
	0600	70	BRANBILA
	0900	72	BRANBILA
	1200	72	BRANBILA
	1500	71	MARTINEZ
	1800	70	MARTINEZ
	2100	70	MARTINEZ
	2400	69	AVINA

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	68	AVINA
	0600	70	B. Branbila
	0900	71	B. Branbila
	1200	71	B. Branbila
	1500	72	MARTINEZ
	1800	72	MARTINEZ
	2100	71	MARTINEZ
	2400	69	Emparne

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	68	Emparne
	0600	70	Barriga
	0900	71	Barriga
	1200	71	Barriga
	1500	70	Barriga
	1800	70	Barriga
	2100	70	Barriga
	2400	69	Emparne

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	69	Emparne
	0600	76	C. Munoz
	0900	70	C. Munoz
	1200	70	C. Munoz
	1500	70	C. Munoz
	1800	70	C. Munoz
	2100	68	C. Munoz
	2400	69	AVINA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D6 Temp. Reading Location: 2nd TIER B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	69	AVINA
	0600	69.6	C. Munoz
	0900	69.8	C. Munoz
	1200	72.7	C. Munoz
	1500	74.1	C. Munoz
	1800	73.8	C. Munoz
	2100	71.8	C. Munoz
	2400	70	AVINA

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	70	AVINA
	0600	71.4	Camilo
	0900	71	Camilo
	1200	71	Camilo
	1500	71	Martinez
	1800	71	Martinez
	2100	71	Martinez
	2400	70	AVINA

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	70°	Avin
	0600	79°	Brambila
	0900	71°	Brambila
	1200	74°	Brambila
	1500	76°	Martinez
	1800	74°	Martinez
	2100	73°	Martinez
	2400	72°	K. EMPIENTE

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	70	K. Empaire
	0600	70.2	C. Munoz
	0900	70.2	C. Munoz
	1200	70.3	C. Munoz
	1500	71.4	L. Hernandez
	1800	71.4	L. Hernandez
	2100	70.3	L. Hernandez
	2400	70	A. Munoz

Tuesday

Dat	Time	Temp.	Name (Print)
9/24	0300	70	Arina
	0600	70	Arina
	0900	70	Martinez
	1200	73	Martinez
	1500	73	Martinez
	1800	72	Martinez
	2100	72	Martinez
	2400	72	Arina

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	70°	Brambila
	0600	70°	Brambila
	0900	70°	Brambila
	1200	71°	Brambila
	1500	73°	Martinez
	1800	72°	Martinez
	2100	72°	Martinez
	2400	73°	Ara

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	72°	K. EMPANTE
	0600	71	K. EMPANTE
	0900	70.9	C Munoz
	1200	70.7	C Munoz
	1500	71.4	C Munoz
	1800	71.2	C Munoz
	2100	71.1	C Munoz
	2400	70	K. EMPANTE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVCB Housing Unit: 1D6 Temp. Reading Location: 2ND TIER B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70	Acosta
	0600	69.4	C Munoz
	0900	69.9	C Munoz
	1200	71.4	C Munoz
	1500	73.9	C Munoz
	1800	73.4	C Munoz
	2100	71.4	C Munoz
	2400	71	Acosta

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	72	PREWITT
	0600	72	PREWITT
	0900	72	C Munoz
	1200	75.6	C Munoz
	1500	77	Martinez
	1800	76	Martinez
	2100	75	Martinez
	2400	72	R. Canasuo

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	73	PREWITT
	0600	73	PREWITT
	0900	75	Brambila
	1200	77	Brambila
	1500	76	Martinez
	1800	76	Martinez
	2100	75	Martinez
	2400	74	K. EMPANTE

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	72	K. EMPANTE
	0600	72.0	C Munoz
	0900	72.0	C Munoz
	1200	76.0	C Munoz
	1500	79.0	A. Escalante
	1800	77.0	A. Escalante
	2100	78.0	A. Escalante
	2400	78.0	R. ANDERSON

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	71	Acosta
	0600	71	Martinez
	0900	71	Martinez
	1200	72	Martinez
	1500	75	Martinez
	1800	75	Martinez
	2100	74	Martinez
	2400	73	PREWITT

Thursday

Date	Time	Temp.	Name (Print)
10/13	0300	72	R. Canasuo
	0600	72	Gomez
	0900	73	Gomez
	1200	72	Gomez
	1500	73	Martinez
	1800	74	Martinez
	2100	71	Martinez
	2400	74	PREWITT

Saturday

Date	Time	Temp.	Name (Print)
10/15	0300	74	K. EMPANTE
	0600	72	K. EMPANTE
	0900	73.6	C Munoz
	1200	76.1	C Munoz
	1500	77	R. Silva
	1800	75.7	R. Silva
	2100	74.3	R. Silva
	2400	72	K. EMPANTE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: Facility 08 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/21	0300	72°	R. mender
22	0600	72°	J. Bramble
23	0900	72°	V. Delgado
24	1200	72°	V. Delgado
25	1500	72°	V. Mora
26	1800	71°	V. Mora
27	2100	71°	V. Mora
28	2400	71°	D. PREWITT

Tuesday

Date	Time	Temp.	Name (Print)
9/23	0300	70°	D. PREWITT
24	0600	70°	D. PREWITT
25	0900	70°	S. McClain
26	1200	70°	S. McClain
27	1500	74.3°	V. MORA
28	1800	72.1°	V. MORA
29	2100	72.5°	V. MORA
30	2400	72.5°	F. CUL

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	70°	R. mender
25	0600	72°	F. CUL
26	0900	71.8°	R. BORREGO
27	1200	72.5°	R. BORREGO
28	1500	72.5°	J. Barriga, Estrada
29	1800	72.1°	J. Barriga, Estrada
30	2100	72.1°	J. Barriga, Estrada
31	2400	72°	R. mender

Thursday

Date	Time	Temp.	Name (Print)
9/25	0300	72°	R. mender
26	0600	73.0°	R. BORREGO
27	0900	71.8°	R. BORREGO
28	1200	72.5°	R. BORREGO
29	1500	73.0°	R. BORREGO
30	1800	73°	m. AVILA
31	2100	72°	m. AVILA
1	2400	72°	m. AVILA

Friday

Date	Time	Temp.	Name (Print)
9/26	0300	72°	m. AVILA
27	0600	72.1°	R. BORREGO
28	0900	72.5°	R. BORREGO
29	1200	72.5°	R. BORREGO
30	1500	73.0°	R. BORREGO
31	1800	73.4°	R. BORREGO
1	2100	73.2°	R. BORREGO
2	2400	73°	Timergazin

Saturday

Date	Time	Temp.	Name (Print)
9/27	0300	73°	V. MORA
28	0600	73°	V. MORA
29	0900	72.5°	V. MORA
30	1200	73.2°	V. MORA
31	1500	73.6°	V. MORA
1	1800	73.6°	V. MORA
2	2100	73.6°	V. MORA
3	2400	73.2	A. FARIAS

Sunday

Date	Time	Temp.	Name (Print)
9/28	0300	73.6°	A. FARIAS
29	0600	73.6°	R. BORREGO
30	0900	72.9°	R. BORREGO
31	1200	73.8°	R. BORREGO
1	1500	73.9°	R. BORREGO
2	1800	73.9°	R. BORREGO
3	2100	73.9°	R. BORREGO
4	2400	73°	R. BORREGO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: Facility PE Temp. Reading Location: 2d Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension SS42 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	79.5	A. Sanudo
	0600	70.5	G. Felix
10/9	0900	70.5	G. Felix
	1200	70.7	G. Felix
24	1500	72.1	V. Mora
	1800	71.9	V. Mora
	2100	70	V. Mora
	2400	70	Nguyen

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	70	Nguyen
	0600	70	McClay
	0900	72	McClay
	1200	74	McClay
	1500	74	V. Mora
	1800	71	V. Mora
	2100	71	V. Mora
	2400	70	A. Sanudo

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	79	A. Sanudo
	0600	74	Borrego
	0900	74	Borrego
24	1200	74.5	Borrego
	1500	76.5	V. Mora
	1800	75	V. Mora
	2100	74	V. Mora
	2400	73.9	Nguyen

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	73.9	Nguyen
	0600	73.9	Borrego
	0900	74	Borrego
	1200	71.1	Borrego
	1500	71.2	V. Mora
	1800	70	V. Mora
	2100	70	V. Mora
	2400	71.1	Nguyen

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	76	Nguyen
	0600	76	Borrego
	0900	76.1	Borrego
24	1200	76.4	Borrego
	1500	71.2	Borrego
	1800	70.1	Borrego
	2100	70	Borrego
	2400	70	Nguyen

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	74	A. Sanudo
	0600	74	Borrego
	0900	78	Borrego
	1200	71	Borrego
	1500	73	Borrego
	1800	70	Borrego
	2100	70	Borrego
	2400	70	A. Sanudo

Notes

Date	Time	Temp.	Name (Print)
9/15/24	0300	79	Nguyen
	0600	79	G. Felix
	0900	70	G. Felix
	1200	70	G. Felix
	1500	70.5	L. Hernandez
	1800	70.5	L. Hernandez
	2100	70.5	L. Hernandez
	2400	70	Nguyen

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SYSP Housing Unit: D8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5502 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/18	0300	69.9	Martellano
	0600	69.9	Gomez
	0900	72	Gomez
	1200	73	Gomez
	1500	70.3	ORTEGA
	1800	70.3	ORTEGA
	2100	70.2	ORTEGA
	2400	70	NGUYEN

Tuesday

Date	Time	Temp.	Name (Print)
9/17/18	0300	70	NGUYEN
	0600	70	McClay
	0900	72	McClay
	1200	72	McClay
	1500	70.5	J.Barriga
	1800	70.5	J.Barriga
	2100	70.0	J.MORA
	2400	70	NGUYEN

Wednesday

Date	Time	Temp.	Name (Print)
9/18/18	0300	70	NGUYEN
	0600	70	J.MORA
	0900	69.8	J.MORA
	1200	69.6	J.MORA
	1500	70.0	J.BARRIGA
	1800	69.6	J.BARRIGA
	2100	69.6	J.BARRIGA
	2400	69	NGUYEN

Thursday

Date	Time	Temp.	Name (Print)
9/19/18	0300	69	NGUYEN
	0600	70.7	R.BORREGO
	0900	70.3	R.BORREGO
	1200	70.5	R.BORREGO
	1500	70.2	S.CHE
	1800	70.5	S.CHE
	2100	70.3	S.CHE
	2400	69	J.PEREZ

Friday

Date	Time	Temp.	Name (Print)
9/20/18	0300	69	J.PEREZ
	0600	69.6	R.BORREGO
	0900	69.4	R.BORREGO
	1200	70.2	R.BORREGO
	1500	70.5	R.BORREGO
	1800	70.3	R.BORREGO
	2100	70.3	R.BORREGO
	2400	69	TIMEGARIN

Saturday

Date	Time	Temp.	Name (Print)
9/21/18	0300	69	TIMEGARIN
	0600	69	J.MORA
	0900	69	J.MORA
	1200	69	J.MORA
	1500	69	J.MORA
	1800	70	J.MORA
	2100	70	J.MORA
	2400	70	A.FARIAS

Sunday

Date	Time	Temp.	Name (Print)
9/22/18	0300	69	A.FARIAS
	0600	69.4	R.BORREGO
	0900	69.4	R.BORREGO
	1200	70.0	R.BORREGO
	1500	70.2	R.BORREGO
	1800	70.3	R.BORREGO
	2100	70.0	R.BORREGO
	2400	70	M.Martellano

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 18 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/18	0300	69°	M. Barcellano
	0600	70°	A. Gomez
	0900	70°	A. Gomez
	1200	70°	A. Gomez
	1500	72°	V. Mora
	1800	70°	V. Mora
	2100	70°	V. Mora
	2400	70°	D. Pilewski

Tuesday

Date	Time	Temp.	Name (Print)
9/24/18	0300	70°	D. PRESTI
	0600	70°	D. PRESTI
	0900	70°	J. McCleay
	1200	71°	J. McCleay
	1500	72.1	E. SALAS
	1800	72.0	E. SALAS
	2100	71.6	E. SALAS
	2400	71°	Ramirez

Wednesday

Date	Time	Temp.	Name (Print)
9/25/18	0300	70°	Ramirez
	0600	71°	V. Mora
	0900	71°	V. Mora
	1200	71°	V. Mora
	1500	70°	GARCIA G
	1800	72	GARCIA G
	2100	71	GARCIA G
	2400	70°	J. Rincon

Thursday

Date	Time	Temp.	Name (Print)
9/26/18	0300	70°	J. Rincon
	0600	70°	J. Rincon
	0900	70.3°	R. BORREGO
	1200	70.5°	R. BORREGO
	1500	71.4	S. Chavez
	1800	71.1	S. Chavez
	2100	70.5	S. Chavez
	2400	70°	J. Perez

Friday

Date	Time	Temp.	Name (Print)
9/27/18	0300	70°	J. Perez
	0600	71.4°	R. BORREGO
	0900	70.5°	R. BORREGO
	1200	71.2°	R. BORREGO
	1500	71.3°	R. BORREGO
	1800	71.8°	R. BORREGO
	2100	71.6°	R. BORREGO
	2400	71°	Timergazin

Saturday

Date	Time	Temp.	Name (Print)
9/28/18	0300	71°	V. Mora
	0600	71°	V. Mora
	0900	70°	V. Mora
	1200	71°	V. Mora
	1500	71°	V. Mora
	1800	71°	V. Mora
	2100	71°	V. Mora
	2400	71°	A. FARIAS

Notes

Date	Time	Temp.	Name (Print)
9/29/18	0300	70.3°	A. FARIAS
	0600	70.7°	R. BORREGO
	0900	70.7°	R. BORREGO
	1200	70.7°	R. BORREGO
	1500	72°	R. BORREGO
	1800	71.9°	R. BORREGO
	2100	71.1°	R. BORREGO
	2400	70°	R. BORREGO

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: D 8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24/14	0300	70	Raz
	0600	70	Brambila
	0900	70	Brambila
	1200	70	Brambila
	1500	71	Madrigal
	1800	71	Madrigal
	2100	71	Madrigal
	2400	71	Perez

Tuesday

Date	Time	Temp.	Name (Print)
10/1/14	0300	70	R. GIR
	0600	70	R. GIR
	0900	71	M. Clea
	1200	71	M. Clea
	1500	71	Macrisal
	1800	71	Macrisal
	2100	71	Macrisal
	2400	70	R. GIR

Wednesday

Date	Time	Temp.	Name (Print)
10/2/14	0300	70	R. GIR
	0600	70°	A. Hernandez
	0900	70°	A. Hernandez
	1200	73°	A. Hernandez
	1500	73	Perez
	1800	73	Perez
	2100	73	Perez
	2400	72	R. GIR

Thursday

Date	Time	Temp.	Name (Print)
10/3/14	0300	72	R. GIR
	0600	71.8°	R. BURAGO
	0900	71.4°	R. BURAGO
	1200	71.8°	R. BURAGO
	1500	71.9°	S. Chave
	1800	71.7	S. Chave
	2100	71.8	S. Chave
	2400	71	Perez

Friday

Date	Time	Temp.	Name (Print)
10/4/14	0300	71	Perz
	0600	73.0°	R. BURAGO
	0900	72.3°	R. BURAGO
	1200	72.0°	R. BURAGO
	1500	72.8°	R. BURAGO
	1800	72.5°	R. BURAGO
	2100	72.1°	R. BURAGO
	2400	72°	Malondon

Saturday

Date	Time	Temp.	Name (Print)
10/5/14	0300	70	R. Maldonado
	0600	70	D. Maldonado
	0900	70°	M. Orazo
	1200	70	M. Orazo
	1500	72.9	M. Orazo
	1800	73	J. BALDORAS
	2100	72	J. BALDORAS
	2400	72	Jeron

Notes

Date	Time	Temp.	Name (Print)
10/6/14	0300	70.7	Serr
	0600	71.6°	R. BURAGO
	0900	71.4°	R. BURAGO
	1200	72.0°	R. BURAGO
	1500	72	Perz
	1800	72	Perz
	2100	72	Perz
	2400	71	Monica

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SYSP Housing Unit: 29 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	69	A. COLTELLI
	0600	69	A. COLTELLI
	0900	69	T
	1200	69	T
	1500	69	Venturo
	1800	69	Venturo
	2100	68	Venturo
	2400	69	Kean

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29

Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/ 2/ 24	0300	68	O.P.Z
	0600	68	MARQUEZ
	0900	68	BALOGH
	1200	68	BALOGH
	1500	68	BONANZ
	1800	68	BONANZ
	2100	68	BONANZ
	2400	68	O.P.Z

Tuesday

Date	Time	Temp.	Name (Print)
9/ 3/ 24	0300	68	O.P.Z
	0600	69	ROCHF
	0900	69	ROCHA
	1200	68°	J.C. JIN
	1500	69	A. Zamudio
	1800	68	A. Zamudio
	2100	68	A. Zamudio
	2400	68	JIN

Wednesday

Date	Time	Temp.	Name (Print)
9/ 4/ 24	0300	68	C.JR
	0600	69°	J.C. JIN
	0900	69°	J.C. JIN
	1200	68°	J.C. JIN
	1500	68	RICHARD
	1800	68	RICHARD
	2100	68	RICHARD
	2400	68	an

Thursday

Date	Time	Temp.	Name (Print)
9/ 5/ 24	0300	69	an
	0600	68	MARQUEZ
	0900	68	MARQUEZ
	1200	69	MARQUEZ
	1500	67	e fernan
	1800	67	e fernan
	2100	67	e fernan
	2400	67	an

Friday

Date	Time	Temp.	Name (Print)
9/ 6/ 24	0300	67	an
	0600	68	A. Garcia Perez
	0900	68	A. Garcia Perez
	1200	68	A. Garcia Perez
	1500	69	C. MOORE
	1800	69	C. MOORE
	2100	69	C. MOORE
	2400	68	an

Saturday

Date	Time	Temp.	Name (Print)
9/ 7/ 24	0300	68	an
	0600	69°	J. RIOS
	0900	69	J. RIOS
	1200	68	J. RIOS
	1500	69°	J. MOORE
	1800	69°	J. MOORE
	2100	69°	J. MOORE
	2400	69	J. RIOS

Sunday

Date	Time	Temp.	Name (Print)
9/ 8/ 24	0300	68	J. RIOS
	0600	68	J. RIOS
	0900	69°	J. RIOS
	1200	69°	J. RIOS
	1500	68	VENTURA
	1800	68	VENTURA
	2100	68	VENTURA
	2400	68	an

Notes

9/5/24 Stage 1 heat

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/ 9/ 24	0300	68	w
	0600	68	w
	0900	68	w
	1200	68	w
	1500	67	DONAM
	1800	67	BOWERS
	2100	67	BOWERS
	2400	67	2

Tuesday

Date	Time	Temp.	Name (Print)
9/ 10/ 24	0300	68	2
	0600	68	
	0900	68	D.C. son
	1200	68	D.C. son
	1500	67	BOWERS
	1800	67	BOWERS
	2100	67	BOWERS
	2400	67	MUR

Wednesday

Date	Time	Temp.	Name (Print)
9/ 11/ 24	0300	67	MUR
	0600	67	ANNE
	0900	69	BROCAN
	1200	69	B.ROCH
	1500	68	DONADS
	1800	68	BOWERS
	2100	68	BOWERS
	2400	68	ORTIZ

Thursday

Date	Time	Temp.	Name (Print)
9/ 12/ 24	0300	68	Ortiz
	0600	69	Marguer
	0900	69	Marguer
	1200	69	Marguer
	1500		
	1800		
	2100		
	2400	69	MUR

Friday

Date	Time	Temp.	Name (Print)
9/ 13/ 24	0300	68	W
	0600	68	Marguer
	0900	69	Marguer
	1200	69	Marguer
	1500	69	MARGUER
	1800	69	C.ROCKE
	2100	69	C.ROCKE
	2400	69	SUM

Saturday

Date	Time	Temp.	Name (Print)
9/ 14/ 24	0300	69	SUM
	0600	69	B.ROCKA
	0900	69	B.ROCKA
	1200	69	MARQUE
	1500	69	MEDINA
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/ 15/ 24	0300		
	0600	68	TOM
	0900	69	TOM
	1200	69	TOM
	1500	69	TOM
	1800	69	TOM
	2100	69	TOM
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/ 16 /24	0300	68	Freeman
	0600	68	Freeman
	0900	68	Marguer
	1200	68	B. BOYK
	1500	69	D. MARSHALL
	1800	69	BOWERS
	2100	69	Brown
	2400	69	Freeman

Tuesday

Date	Time	Temp.	Name (Print)
9/ 17 /24	0300	68	M. Freeman
	0600	68	M. Freeman
	0900	68	D.C. COON
	1200	69	D.C. COON
	1500	69	BOWERS
	1800	69	BROWN
	2100	69	BROWN
	2400	68	F. GRIFFIN

Wednesday

Date	Time	Temp.	Name (Print)
9/ 18 /24	0300	68	M. GRIFFIN
	0600	68	M. GRIFFIN
	0900	68	D.C. COON
	1200	69	D.C. COON
	1500	68	BOWERS
	1800	68	BROWN
	2100	68	BROWN
	2400	68	M. GRIFFIN

Thursday

Date	Time	Temp.	Name (Print)
9/ 19 /24	0300	68	M. GRIFFIN
	0600	68	M. GRIFFIN
	0900	68	Marguer
	1200	68	Marguer
	1500	68	BOWERS
	1800	68	OPATU
	2100	68	OPATU
	2400	69	WREN

Friday

Date	Time	Temp.	Name (Print)
9/ 20 /24	0300	67	WREN
	0600	68	Marguer
	0900	68	Marguer
	1200	69	Marguer
	1500	69	M. MOORE
	1800	69	C. MOORE
	2100	69	C. MOORE
	2400	68	F. WREN

Saturday

Date	Time	Temp.	Name (Print)
9/ 21 /24	0300	69	F. WREN
	0600	68	Marguer
	0900	68	Marguer
	1200	69	Marguer
	1500	69	C. MOORE
	1800	69	C. MOORE
	2100	68	C. MOORE
	2400	68	F. WREN

Sunday

Date	Time	Temp.	Name (Print)
9/ 22 /24	0300	67	Marguer
	0600	67	T.
	0900	68	T.
	1200	68	T.
	1500	68	WREN
	1800	68	WREN
	2100	68	WREN
	2400	69	F. WREN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29

Temp. Reading Location: Control Booth
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/ 23/ 24/ 27/	0300	68	F. MARSH
	0600	68	MARQUEZ
	0900	69	MARQUEZ
	1200	69	MARGARET
	1500	68	SOLANO
	1800	68	BONANZ
	2100	68	BONANZ
	2400	69	E MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/ 25/ 26/ 24/	0300	69	CNAJAWA
	0600	69	CNAJAWA
	0900	69	D.C. CAR
	1200	68	D.C. CAR
	1500	68	BONANZ
	1800	68	BONANZ
	2100	68	BONANZ
	2400	68	BONANZ

Friday

Date	Time	Temp.	Name (Print)
9/ 27/ 28/ 24/	0300	68	BONANZ
	0600	69	MARSH
	0900	69	MARSH
	1200	69	A. PACHECO
	1500	68	A. PACHECO
	1800	69	C. MOORE
	2100	69	C. MOORE
	2400	68	BONANZ

Sunday

Date	Time	Temp.	Name (Print)
9/ 29/ 24/	0300	68	E MARTINEZ
	0600	68	E MARTINEZ
	0900	68	TIN
	1200	68	TIN
	1500	68	TIN
	1800	68	TIN
	2100	68	TIN
	2400	68	TIN

Tuesday

Date	Time	Temp.	Name (Print)
9/ 24/	0300	69	MARTINEZ
	0600	69	D.C. CAR
	0900	69	D.C. CAR
	1200	69	D.C. CAR
	1500	68	BONANZ
	1800	68	BONANZ
	2100	68	BONANZ
	2400	69	CNAJAWA

Thursday

Date	Time	Temp.	Name (Print)
9/ 24/	0300	68	BONANZ
	0600	68	MARQUEZ
	0900	68	MARQUEZ
	1200	68	MARQUEZ
	1500	69	A. ZAMUDIO
	1800	69	A. ZAMUDIO
	2100	69	A. ZAMUDIO
	2400	68	BONANZ

Saturday

Date	Time	Temp.	Name (Print)
9/ 28/ 24/	0300	68	BONANZ
	0600	68	MARQUEZ
	0900	69	MARQUEZ
	1200	69	MARQUEZ
	1500	69	C. MOORE
	1800	69	C. MOORE
	2100	69	C. MOORE
	2400	68	E MARTINEZ

Notes

9/23/24 - Stage 1 heat 1230 hrs

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control Booth
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/30/20</u>	0300	61	Emaray
	0600	64	Fern
	0900	69	Marguer
	1200	69	Marguer
	1500	69	Bonnie
	1800	69	Bonnie
	2100	69	Bonnie
	2400	69	Emaray

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Sept 30, Stage 1 heat 1340