

Monthly Summary Report

Institution: CRC

Memorandum

Date: September 5, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CRC

The following is a summary of the heat related activity for the month of August,
at CRC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 22

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

Number of days Stage II Alert initiated: 24

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? Yes

Number of days Stage III Alert initiated: 11

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

GLEN E. PRATT

Warden Name

DocuSigned by:

Leo Quiroy

D56093A88724496...

Warden Signature

Dr. MUHAMMAD NASIR, MD, MPH, MBA

Chief Executive Officer Name

Signed by:

Muhammad Nasir

8DF6CB4714B1461...

Chief Executive Officer Signature

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CKC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: T-5

Immediately notify the Watch Commander at extension X4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
<u>THURSDAY 1 AUG 2011</u>	0100	69	BELCHER
	0200	68	BELCHER
	0300	67	BELCHER
	0400	67	BELCHER
	0500	65	BELCHER
	0600	66	BELCHER
	0700	65	L.JOHNSTON
	0800	70	JOHNSTON
	0900	73	JOHNSTON
	1000	79	JOHNSTON
	1100	85	JOHNSTON
	1200	83	JOHNSTON
	1300	86	L.JOHNSTON
	1400	90	CERVANTES
	1500	90	CERVANTES
	1600	91	CERVANTES
	1700	90	CERVANTES
	1800	89	CERVANTES
	1900	85	CERVANTES
	2000	80	CERVANTES
	2100	76	CERVANTES
	2200	74	BELCHER
	2300	72	BELCHER
	2400	71	BELCHER

90° @ 1400

89° @ 1744

UHT

STAGE 1 ACTIVATED @ 1500 Hrs.

UHT STAGE 1 DEACTIVATED @ 1844 Hrs

Date	Time	Temp.	Printed Name
<u>FRIDAY 2 AUG 2011</u>	0100	72	BELCHER
	0200	72	BELCHER
	0300	71	BELCHER
	0400	71	BELCHER
	0500	71	BELCHER
	0600	70	BELCHER
	0700	75	L.JOHNSTON
	0800	76	JOHNSTON
	0900	82	JOHNSTON
	1000	86	JOHNSTON
	1100	80	JOHNSTON
	1200	93	JOHNSTON
	1300	95	L.JOHNSTON
	1400	95	CERVANTES
	1500	96	CERVANTES
	1600	95	CERVANTES
	1700	94	CERVANTES
	1800	94	CERVANTES
	1900	90	CERVANTES
	2000	85	CERVANTES
	2100	83	CERVANTES
	2200	81	RAMIREZ
	2300	78	RAMIREZ
	2400	78	RAMIREZ

UHT STAGE 1 ACTIVATED @ 1200 Hrs

UHT STAGE 1 DEACTIVATED @ 2000 Hrs.

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
August 03 2024	0100	76	ROARRILLO
	0200	73	ROARRILLO
	0300	70	ROARRILLO
	0400	70	ROARRILLO
	0500	69	ROARRILLO
	0600	68	L.JOHNSTON
	0700	70	JOHNSTON
	0800	76	JOHNSTON
	0900	81	JOHNSTON
	1000	87	JOHNSTON
	1100	93	JOHNSTON
	1200	95	JOHNSTON
	1300	98	JOHNSTON
	1400	100	JOHNSTON
	1500	100	CERVANTES
	1600	98	CERVANTES
	1700	96	CERVANTES
	1800	95	CERVANTES
	1900	93	CERVANTES
	2000	87	CERVANTES
	2100	82	CERVANTES
	2200	82	ROARRILLO
	2300	81	ROARRILLO
	2400	81	ROARRILLO

70° @
1030

Date	Time	Temp.	Printed Name
August 04 2024	0100	76	ROARRILLO
	0200	71	ROARRILLO
	0300	70	ROARRILLO
	0400	68	ROARRILLO
	0500	67	ROARRILLO
	0600	67	A.Kennedy
	0700	72	A.Kennedy
	0800	76	A.Kennedy
	0900	81	A.Kennedy
	1000	86	A.Kennedy
	1100	89	A.Kennedy
	1200	96	A.Kennedy
	1300	98	A.Kennedy
	1400	100	C.BRAYSHAW
	1500	100	C.BRAYSHAW
	1600	100	C.BRAYSHAW
	1700	99	C.BRAYSHAW
	1800	99	C.BRAYSHAW
	1900	92	C.BRAYSHAW
	2000	85	C.BRAYSHAW
	2100	84	C.BRAYSHAW
	2200	84	ROARRILLO
	2300	83	ROARRILLO
	2400	83	ROARRILLO

UHT STAGE 1 ACTIVATED @ 1130 Hrs

UHT STAGE 1 DEACTIVATED @
2005 Hrs

UHT STAGE 1 ACTIVATED @
1102 Hrs

UHT STAGE 1 DEACTIVATED
@ 2010 Hrs.

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
August 05, 2024 Mon.	0100	73	RCARRILLO
	0200	70	RCARRILLO
	0300	70	RCARRILLO
	0400	69	RCARRILLO
	0500	69	RCARRILLO
	0600	69	A. Kennedy
	0700	72	A. Kennedy
	0800	78	A. Kennedy
	0900	83	A. Kennedy
	1000	89	A. Kennedy
	1100	94	A. Kennedy
	1200	100	A. Kennedy
	1300	102	A. Kennedy
	1400	103	C. BRAYSHAW
	1500	100	C. BRAYSHAW
	1600	100	C. BRAYSHAW
	1700	99	C. BRAYSHAW
	1800	102	C. BRAYSHAW
	1900	96	C. BRAYSHAW
	2000	87	C. BRAYSHAW
	2100	84	C. BRAYSHAW
	2200	83	RCARRILLO
	2300	80	RCARRILLO
	2400	71	RCARRILLO

Date	Time	Temp.	Printed Name
August 06, 2024 Tues.	0100	70	RCARRILLO
	0200	69	RCARRILLO
	0300	69	RCARRILLO
	0400	68	RCARRILLO
	0500	68	RCARRILLO
	0600	69	RCARRILLO
	0700	72	RCARRILLO
	0800	77	RCARRILLO
	0900	81	RCARRILLO
	1000	87	RCARRILLO
	1100	90	RCARRILLO
	1200	93	RCARRILLO
	1300	95	RCARRILLO
	1400	96	A. Settencour
	1500	96	A. Settencour
	1600	94	A. Settencour
	1700	93	A. Settencour
	1800	96	A. Settencour
	1900	87	A. Settencour
	2000	82	A. Settencour
	2100	79	A. Settencour
	2200	77	A. Settencour
	2300	72	JOHNSTON
	2400	71	JOHNSTON

STAGE 1 UHT activated @ 1006 HRS

STAGE 1 UHT DEACTIVATED @ 2015 HRS

STAGE 1 ACTIVATED @ 1048 HRS

STAGE 1 DE-ACTIVATED @ 2005

2005 HRS

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CDC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension X4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY Aug. 22 nd	0100	71	JOHNSTON
	0200	70	JOHNSTON
	0300	70	JOHNSTON
	0400	69	JOHNSTON
	0500	69	JOHNSTON
	0600	68	JOHNSTON
	0700	70	JOHNSTON
	0800	72	JOHNSTON
	0900	76	JOHNSTON
	1000	80	JOHNSTON
	1100	87	JOHNSTON
	1200	92	JOHNSTON
	1300	92	L.JOHNSTON
	1400	92	A.Bettencourt
	1500	92	A.Bettencourt
	1600	88	A.Bettencourt
	1700	85	A.Bettencourt
	1800	84	A.Bettencourt
	1900	81	A.Bettencourt
	2000	78	A.Bettencourt
	2100	75	A.Bettencourt
	2200	74	A.Bettencourt
	2300	71	BELCHER
	2400	69	BELCHER

90° @
1120

Date	Time	Temp.	Printed Name
THURSDAY Aug. 23 rd	0100	67	BELCHER
	0200	66	BELCHER
	0300	65	BELCHER
	0400	64	BELCHER
	0500	64	BELCHER
	0600	65	L.JOHNSTON
	0700	67	JOHNSTON
	0800	70	JOHNSTON
	0900	73	JOHNSTON
	1000	78	JOHNSTON
	1100	82	JOHNSTON
	1200	86	JOHNSTON
	1300	89	JOHNSTON
	1400	89	A.Bettencourt
	1500	87	A.Bettencourt
	1600	84	A.Bettencourt
	1700	84	A.Bettencourt
	1800	84	A.Bettencourt
	1900	81	A.Bettencourt
	2000	77	A.Bettencourt
	2100	75	A.Bettencourt
	2200	73	A.Bettencourt
	2300	72	BELCHER
	2400	71	BELCHER

UHT STAGE 1 ACTIVATED @
1220 HR's

UHT STAGE 1 DEACTIVATED @
1710 HR's

UHT STAGE 1 ACTIVATED
@ ~~1120~~ HR's

UHT STAGE 1 DEACTIVATED
@ ~~1710~~ HR's.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	68	BELCHER
	0200	66	BELCHER
	0300	64	BELCHER
	0400	65	BELCHER
	0500	64	BELCHER
	0600	64	L.JOHNSTON
	0700	67	JOHNSTON
	0800	68	JOHNSTON
	0900	72	JOHNSTON
	1000	78	JOHNSTON
	1100	82	JOHNSTON
	1200	91	JOHNSTON
	1300	92	L.JOHNSTON
	1400	92	A.Bettencourt
	1500	93	A.Bettencourt
	1600	91	A.Bettencourt
	1700	90	A.Bettencourt
	1800	88	A.Bettencourt
	1900	84	A.Bettencourt
	2000	80	A.Bettencourt
	2100	77	A.Bettencourt
	2200	75	A.Bettencourt
	2300	73	ROARRELLO
	2400	72	ROARRELLO

90°
1130

FRIDAY AUGUST 9, 2024

89 D
14824

UHT STAGE 1 ACTIVATED @
1230 Hrs

UHT STAGE 1 DEACTIVATED @

1824 Hrs

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
	0100	70	ROARRELLO
	0200	69	ROARRELLO
	0300	69	ROARRELLO
	0400	67	ROARRELLO
	0500	66	ROARRELLO
	0600	66	JOHNSTON
	0700	67	JOHNSTON
	0800	73	JOHNSTON
	0900	76	JOHNSTON
	1000	82	JOHNSTON
	1100	88	JOHNSTON
	1200	93	JOHNSTON
	1300	95	L.JOHNSTON
	1400	97	A.Bettencourt
	1500	97	A.Bettencourt
	1600	94	A.Bettencourt
	1700	94	A.Bettencourt
	1800	92	A.Bettencourt
	1900	87	A.Bettencourt
	2000	81	A.Bettencourt
	2100	79	A.Bettencourt
	2200	77	A.Bettencourt
	2300	73	PENA
	2400	72	PENA

SATURDAY AUGUST 10, 2024

90°
1139

97
14915

UHT STAGE 1 ACTIVATED @
1234 Hrs.

UHT STAGE 1
DEACTIVATED @ 1915 Hrs.

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
August 11, 2024 Sun	0100	70	PENA
	0200	70	PENA
	0300	70	PENA
	0400	69	PENA
	0500	69	PENA
	0600	69	A. Kennedy
	0700	73	A. Kennedy
	0800	77	A. Kennedy
	0900	85	A. Kennedy
	1000	87	A. Kennedy
	1100	90	A. Kennedy
	1200	93	A. Kennedy
	1300	93	A. Kennedy
	1400	94	C. BRAYSHAW
	1500	94	C. BRAYSHAW
	1600	91	C. BRAYSHAW
	1700	89	C. BRAYSHAW
	1800	86	C. BRAYSHAW
	1900	84	C. BRAYSHAW
	2000	79	C. BRAYSHAW
	2100	77	C. BRAYSHAW
	2200	76	ROARRILLO
	2300	75	ROARRILLO
	2400	73	ROARRILLO

Stage 1 UHT activated @ 1100 HRS
STAGE 1 UHT DEACTIVATED @ 1745 HRS

Date	Time	Temp.	Printed Name
August 12, 2024 Mon	0100	73	ROARRILLO
	0200	70	ROARRILLO
	0300	70	ROARRILLO
	0400	69	ROARRILLO
	0500	69	ROARRILLO
	0600	70	A. Kennedy
	0700	75	A. Kennedy
	0800	80	A. Kennedy
	0900	82	A. Kennedy
	1000	81	A. Kennedy
	1100	89	A. Kennedy
	1200	93	A. Kennedy
	1300	92	A. Kennedy
	1400	92	C. BRAYSHAW
	1500	91	C. BRAYSHAW
	1600	90	C. BRAYSHAW
	1700	89	C. BRAYSHAW
	1800	90	C. BRAYSHAW
	1900	87	C. BRAYSHAW
	2000	80	C. BRAYSHAW
	2100	78	C. BRAYSHAW
	2200	76	ROARRILLO
	2300	75	ROARRILLO
	2400	75	ROARRILLO

Stage 1 UHT activated @ 1138 HRS
STAGE 1 UHT DEACTIVATED @ 1900 HRS

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4211 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MAY 2024 Tues.	0100	71	RCAARULLO
	0200	69	RCAARULLO
	0300	67	RCAARULLO
	0400	65	RCAARULLO
	0500	65	RCAARULLO
	0600	68	RCAARULLO
	0700	70	RCAARULLO
	0800	73	RCAARULLO
	0900	77	RCAARULLO
	1000	81	RCAARULLO
	1100	88	RCAARULLO
	1200	89	RCAARULLO
	1300	90	RCAARULLO
	1400	92	A.Bettencourt
	1500	91	A.Bettencourt
	1600	90	A.Bettencourt
	1700	89	A.Bettencourt
	1800	87	A.Bettencourt
	1900	83	A.Bettencourt
	2000	79	A.Bettencourt
	2100	76	A.Bettencourt
	2200	74	A.Bettencourt
	2300	73	L.JOHNSTON
	2400	71	JOHNSTON

90° @ 1230 hrs.

UV2 & 90°
④ 1726

90° STAGE I UHT ACTIVATED @ 1230
STAGE I UHT DEACTIVATED @ 1726

Date	Time	Temp.	Printed Name
AUGUST 2024 Wed.	0100	69	JOHNSTON
	0200	68	JOHNSTON
	0300	65	JOHNSTON
	0400	64	JOHNSTON
	0500	63	JOHNSTON
	0600	67	JOHNSTON
	0700	67	JOHNSTON
	0800	72	JOHNSTON
	0900	75	JOHNSTON
	1000	80	JOHNSTON
	1100	86	JOHNSTON
	1200	91	JOHNSTON
	1300	91	JOHNSTON
	1400	92	A.Bettencourt
	1500	92	A.Bettencourt
	1600	91	A.Bettencourt
	1700	90	A.Bettencourt
	1800	88	A.Bettencourt
	1900	85	A.Bettencourt
	2000	80	A.Bettencourt
	2100	77	A.Bettencourt
	2200	79	A.Bettencourt
	2300	72	W.Henscheid
	2400	71	W.Henscheid

STAGE 1 UHT ACTIVATED
④ 1230 HR's.

STAGE 1 UHT DEACTIVATED
④ 1437 HR's.

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-15-2024 <i>THURSDAY</i>	0100	69	Wolterscuers
	0200	69	Wolterscuers
	0300	68	Wolterscuers
	0400	67	Wolterscuers
	0500	66	Wolterscuers
	0600	64	JOHNSTON
	0700	68	JOHNSTON
	0800	71	JOHNSTON
	0900	74	JOHNSTON
	1000	81	JOHNSTON
	1100	87	JOHNSTON
	1200	91	JOHNSTON
	1300	93	JOHNSTON
	1400	93	A.Bettencourt
	1500	93	A.Bettencourt
	1600	92	A.Bettencourt
	1700	92	A.Bettencourt
	1800	86	A.Bettencourt
	1900	86	A.Bettencourt
	2000	81	A.Bettencourt
	2100	78	A.Bettencourt
	2200	76	A.Bettencourt
	2300	75	LBELCHER
	2400	73	LBELCHER

Date	Time	Temp.	Printed Name
16 Aug 2024 <i>FRI</i>	0100	71	LBELCHER
	0200	69	LBELCHER
	0300	67	LBELCHER
	0400	64	LBELCHER
	0500	66	LBELCHER
	0600	65	L.JOHNSTON
	0700	66	JOHNSTON
	0800	71	JOHNSTON
	0900	76	JOHNSTON
	1000	82	JOHNSTON
	1100	86	JOHNSTON
	1200	90	JOHNSTON
	1300	92	L.KHOSIEN
	1400	93	A.Bettencourt
	1500	94	A.Bettencourt
	1600	93	A.Bettencourt
	1700	91	A.Bettencourt
	1800	87	A.Bettencourt
	1900	82	A.Bettencourt
	2000	78	A.Bettencourt
	2100	75	A.Bettencourt
	2200	74	A.Bettencourt
	2300	72	A.HORNBY
	2400	71	A.HORNBY

STAGE 1 UHT ACTIVATED @

1220 HR's

STAGE 1 UHT DEACTIVATED

@ 1459 HR's
DISTRIBUTION: Original: Institution Heat Plan Coordinator

STAGE 1 UHT ACTIVATE @
1215 HR's

STAGE 1 UHT DEACTIVATED
@ 1422 HR's

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 17 2024 SATURDAY	0100	69	R. MELWAN
	0200	66	A. FORWARD
	0300	68	A. FORWARD
	0400	67	A. FORWARD
	0500	66	A. FORWARD
	0600	65	L. JOHNSON
	0700	67	JOHNSON
	0800	68	JOHNSON
	0900	71	JOHNSON
	1000	75	JOHNSON
	1100	80	JOHNSON
	1200	83	JOHNSON
	1300	87	L. JOHNSON
	1400	89	A. BETTERCRAFT
	1500	87	A. BETTERCRAFT
	1600	85	A. BETTERCRAFT
	1700	84	A. BETTERCRAFT
	1800	81	A. BETTERCRAFT
	1900	77	A. BETTERCRAFT
	2000	74	A. BETTERCRAFT
	2100	71	A. BETTERCRAFT
	2200	70	A. BETTERCRAFT
	2300	69	RCARRILLO
	2400	69	RCARRILLO

Date	Time	Temp.	Printed Name
AUGUST 18 2024 SUNDAY	0100	68	RCARRILLO
	0200	65	RCARRILLO
	0300	65	RCARRILLO
	0400	64	RCARRILLO
	0500	64	RCARRILLO
	0600	64	A. KENNEDY
	0700	66	A. KENNEDY
	0800	70	A. KENNEDY
	0900	71	A. KENNEDY
	1000	76	A. KENNEDY
	1100	81	A. KENNEDY
	1200	88	A. KENNEDY
	1300	89	A. KENNEDY
	1400	90	C. BRAYSHAW
	1500	91	C. BRAYSHAW
	1600	90	C. BRAYSHAW
	1700	89	C. BRAYSHAW
	1800	88	C. BRAYSHAW
	1900	83	C. BRAYSHAW
	2000	75	C. BRAYSHAW
	2100	73	C. BRAYSHAW
	2200	73	RCARRILLO
	2300	72	RCARRILLO
	2400	72	RCARRILLO

STAGE 1 UNIT ACTIVATED @ 1340
STAGE 1 UNIT DEACTIVATED @ 1725

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
August 19, 2021 Mon.	0100	70	RCARRILLO
	0200	68	RCARRILLO
	0300	67	RCARRILLO
	0400	67	RCARRILLO
	0500	66	RCARRILLO
	0600	66	A-Kennedy
	0700	70	A-Kennedy
	0800	72	A-Kennedy
	0900	77	A-Kennedy
	1000	82	A-Kennedy
	1100	86	A-Kennedy
	1200	89	A-Kennedy
	1300	93	A-Kennedy
	1400	94	C-BRAYSAND
	1500	96	C-BRAYSAND
	1600	96	C-BRAYSAND
	1700	95	C-BRAYSAND
	1800	95	C-BRAYSAND
	1900	90	C-BRAYSAND
	2000	81	C-BRAYSAND
	2100	78	C-BRAYSAND
	2200	77	RCARRILLO
	2300	77	RCARRILLO
	2400	76	RCARRILLO

Date	Time	Temp.	Printed Name
August 20, 2021 Tues.	0100	72	RCARRILLO
	0200	70	RCARRILLO
	0300	70	RCARRILLO
	0400	69	RCARRILLO
	0500	69	RCARRILLO
	0600	65	Nernanclar
	0700	78	Nernanclar
	0800	80	Nernanclar
	0900	82	Nernanclar
	1000	8.3	Nernanclar
	1100	85	Nernanclar
	1200	89° 1245 90°	Nernanclar
	1300	90	Nernanclar
	1400	100	A-Bettencourt
	1500	101	A-Bettencourt
	1600	100	A-Bettencourt
	1700	96	A-Bettencourt
	1800	96	A-Bettencourt
	1900	92	A-Bettencourt
	2000	89	A-Bettencourt
	2100	81	A-Bettencourt
	2200	78	A-Bettencourt
	2300	78	RCARRILLO
	2400	77	RCARRILLO

Stage 1 UHT activated @ 1205 HRS

Stage 1 UHT deactivated @ 1940 HRS

Stage 1 UHT Deact/Wait @ 2021

2021

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	74	RCAZARILLO
	0200	69	RCAZARILLO
	0300	68	RCAZARILLO
	0400	68	RCAZARILLO
	0500	67	RCAZARILLO
	0600	67	RCAZARILLO
	0700	69	RCAZARILLO
	0800	71	RCAZARILLO
	0900	76	RCAZARILLO
	1000	81	RCAZARILLO
	1100	87	RCAZARILLO
	1200	92	RCAZARILLO
	1300	95	RCAZARILLO
	1400	96	A. Bettencourt
	1500	96	A. Bettencourt
	1600	94	A. Bettencourt
	1700	92	A. Bettencourt
	1800	90	A. Bettencourt
	1900	85	A. Bettencourt
	2000	80	A. Bettencourt
	2100	76	A. Bettencourt
	2200	74	A. Bettencourt
	2300	71	L BELCHER
	2400	68	L BELCHER

August 21, 2024
WEEKEND

Date	Time	Temp.	Printed Name
	0100	67	L BELCHER
	0200	66	L BELCHER
	0300	65	L BELCHER
	0400	64	L BELCHER
	0500	64	L BELCHER
	0600	64	W. POPMAS
	0700	68	W. POPMAS
	0800	69	W. POPMAS
	0900	74	W. POPMAS
	1000	78	W. POPMAS
	1100	83	W. POPMAS
	1200	87	W. POPMAS
	1300	86	W. POPMAS
	1400	87	A. Bettencourt
	1500	87	A. Bettencourt
	1600	88	A. Bettencourt
	1700	86	A. Bettencourt
	1800	83	A. Bettencourt
	1900	79	A. Bettencourt
	2000	75	A. Bettencourt
	2100	72	A. Bettencourt
	2200	70	A. Bettencourt
	2300	69	L BELCHER
	2400	65	L BELCHER

90° AT 1125 Hours

89° AT 1908

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 23, 2024	0100	67	L BELCHER
	0200	66	L BELCHER
	0300	65	L BELCHER
	0400	64	L BELCHER
	0500	63	L BELCHER
	0600	62	L BELCHER
	0700	62	L BELCHER
	0800	64	L BELCHER
	0900	66	L BELCHER
	1000	75	L BELCHER
	1100	73	L BELCHER
	1200	81	L BELCHER
	1300	84	L BELCHER
	1400	88	A. BETTERCOURT
	1500	87	A. BETTERCOURT
	1600	84	A. BETTERCOURT
	1700	83	A. BETTERCOURT
	1800	80	A. BETTERCOURT
	1900	76	A. BETTERCOURT
	2000	72	A. BETTERCOURT
	2100	69	A. BETTERCOURT
	2200	67	A. BETTERCOURT
	2300	67	RCARRILLO
	2400	66	RCARRILLO

Date	Time	Temp.	Printed Name
AUGUST 24, 2024	0100	63	RCARRILLO
	0200	62	RCARRILLO
	0300	62	RCARRILLO
	0400	61	RCARRILLO
	0500	61	RCARRILLO
	0600	63	RCARRILLO
	0700	65	RCARRILLO
	0800	67	RCARRILLO
	0900	69	RCARRILLO
	1000	75	RCARRILLO
	1100	79	RCARRILLO
	1200	83	RCARRILLO
	1300	84	RCARRILLO
	1400	83	A. BETTERCOURT
	1500	84	A. BETTERCOURT
	1600	84	A. BETTERCOURT
	1700	82	A. BETTERCOURT
	1800	79	A. BETTERCOURT
	1900	76	A. BETTERCOURT
	2000	72	A. BETTERCOURT
	2100	69	A. BETTERCOURT
	2200	66	A. BETTERCOURT
	2300	66	RCARRILLO
	2400	65	RCARRILLO

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
August 25, 2021 Sun.	0100	69	REARRILLO
	0200	63	REARRILLO
	0300	63	REARRILLO
	0400	63	REARRILLO
	0500	62	REARRILLO
	0600	62	A-Kennedy
	0700	66	A-Kennedy
	0800	68	A-Kennedy
	0900	72	A-Kennedy
	1000	75	A-Kennedy
	1100	80	A-Kennedy
	1200	82	A-Kennedy
	1300	85	A-Kennedy
	1400	88	C.BRAYSHAW
	1500	88	C.BRAYSHAW
	1600	86	C.BRAYSHAW
	1700	85	C.BRAYSHAW
	1800	85	C.BRAYSHAW
	1900	80	C.BRAYSHAW
	2000	75	C.BRAYSHAW
	2100	72	C.BRAYSHAW
	2200	71	REARRILLO
	2300	70	REARRILLO
	2400	70	REARRILLO

Date	Time	Temp.	Printed Name
August 26, 2021 Mon.	0100	68	REARRILLO
	0200	64	REARRILLO
	0300	66	REARRILLO
	0400	65	REARRILLO
	0500	64	REARRILLO
	0600	64	A-Kennedy
	0700	67	A-Kennedy
	0800	72	A-Kennedy
	0900	75	A-Kennedy
	1000	78	A-Kennedy
	1100	84	A-Kennedy
	1200	87	A-Kennedy
	1300	89	A-Kennedy
	1400	91	W.PORRAS
	1500	91	W.PORRAS
	1600	90°	M.ORTEGA
	1700	88°	M.ORTEGA
	1800	86°	M.ORTEGA
	1900	79°	M.ORTEGA
	2000	77°	M.ORTEGA
	2100	76°	M.ORTEGA
	2200	75	REARRILLO
	2300	74	REARRILLO
	2400	74	REARRILLO

Stage 1 WTT activated @ 1304 HR

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
August 27, 2024 Tuesday	0100	69	ROARRILLO
	0200	68	ROARRILLO
	0300	66	ROARRILLO
	0400	65	ROARRILLO
	0500	65	ROARRILLO
	0600	67	ROARRILLO
	0700	69	ROARRILLO
	0800	73	ROARRILLO
	0900	76	ROARRILLO
	1000	81	ROARRILLO
	1100	84	ROARRILLO
	1200	87	ROARRILLO
	1300	89	ROARRILLO
	1400	90	CERVANTES
	1500	91	CERVANTES
	1600	90	CERVANTES
	1700	88	CERVANTES
	1800	89	CERVANTES
	1900	81	CERVANTES
	2000	75	CERVANTES
	2100	72	CERVANTES
	2200	70	JOHNSTON
	2300	69	JOHNSTON
	2400	67	JOHNSTON

88° 2 1700

90° UHT ACTIVATED 1312 HRS

1700 DEACTIVATED UHT
HR

Date	Time	Temp.	Printed Name
August 28, 2024 Wednesday	0100	66	L. JOHNSTON
	0200	64	JOHNSTON
	0300	63	JOHNSTON
	0400	62	JOHNSTON
	0500	61	JOHNSTON
	0600	60	JOHNSTON
	0700	63	JOHNSTON
	0800	65	JOHNSTON
	0900	69	JOHNSTON
	1000	72	JOHNSTON
	1100	80	JOHNSTON
	1200	81	JOHNSTON
	1300	87	L. JOHNSTON
	1400	85	CERVANTES
	1500	88	CERVANTES
	1600	85	CERVANTES
	1700	84	CERVANTES
	1800	84	CERVANTES
	1900	76	CERVANTES
	2000	72	CERVANTES
	2100	69	CERVANTES
	2200	69	abt hrs scd
	2300	67	WATKINS
	2400	65	WATKINS

STAGE 1 ACTIVATED @
H: _____ Hrs.

STAGE 1 DEACTIVATED @
H: _____ Hrs.

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Tower 5

Immediately notify the Watch Commander at extension 74311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-29-2024	0100	62	WATKINS, G
	0200	62	WATKINS, G
	0300	61	WATKINS, G
	0400	60	WATKINS, G
	0500	60	WATKINS, G
	0600	61	JOHNSTON
	0700	62	JOHNSTON
	0800	63	JOHNSTON
	0900	65	JOHNSTON
	1000	68	JOHNSTON
	1100	74	JOHNSTON
	1200	81	JOHNSTON
	1300	84	JOHNSTON
	1400	86	CERVANTES
	1500	86	CERVANTES
	1600	85	CERVANTES
	1700	83	CERVANTES
	1800	83	CERVANTES
	1900	77	CERVANTES
	2000	72	CERVANTES
	2100	70	CERVANTES
	2200	69	L BELCHER
	2300	67	L BELCHER
	2400	65	L BELCHER

Date	Time	Temp.	Printed Name
8-29-2024	0100	64	L BELCHER
	0200	63	L BELCHER
	0300	63	L BELCHER
	0400	62	L BELCHER
	0500	62	L BELCHER
	0600	60	L. JOHNSON
	0700	62	JOHNSTON
	0800	66	JOHNSTON
	0900	70	JOHNSTON
	1000	73	JOHNSTON
	1100	77	JOHNSTON
	1200	80	JOHNSTON
	1300	83	L. JOHNSTON
	1400	85	CERVANTES
	1500	85	CERVANTES
	1600	85	CERVANTES
	1700	82	CERVANTES
	1800	81	CERVANTES
	1900	74	CERVANTES
	2000	70	CERVANTES
	2100	69	CERVANTES
	2200	68	JOHNSTON
	2300	67	JOHNSTON
	2400	66	JOHNSTON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
<i>31 Aug - 29 Sept</i>	0100	62	JOHNSTON
	0200	63	JOHNSTON
	0300	69	JOHNSTON
	0400	62	JOHNSTON
	0500	62	JOHNSTON
	0600	61	JOHNSTON
	0700	63	JOHNSTON
	0800	67	JOHNSTON
	0900	71	JOHNSTON
	1000	76	JOHNSTON
	1100	81	JOHNSTON
	1200	85	JOHNSTON
	1300	90	JOHNSTON
	1400	91	CERVANTES
	1500	91	CERVANTES
	1600	88	CERVANTES
	1700	89	CERVANTES
	1800	86	CERVANTES
	1900	80	CERVANTES
	2000	77	CERVANTES
	2100	75	CERVANTES
	2200	74	JOHNSTON
	2300	70	JOHNSTON
	2400	68	JOHNSTON

0100	
0200	
0300	
0400	
0500	
0600	
0700	
0800	
0900	
1000	
1100	
1200	
1300	
1400	
1500	
1600	
1700	
1800	
1900	
2000	
2100	
2200	
2300	
2400	

UHT STAGE 1 ACTIVATED @
1310 HR'S

UHT STAGE 1 DEACTIVATED @
1723 HR'S

DISTRIBUTION: Original: Institution Heat Plan Coordinator

No FURTHER THIS PAGE

INSIDE TEMPERA TIRE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 201
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 27, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
August 28, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
August 29, 2024	0300	78	D. Smith
	0600	78	D. Smith
	0900	80	J. James
	1200	72	J. James
	1500	83	B. Martin
	1800	83	B. Martin
	2100	81	B. Martin
	2400	84	Diaz

Thursday			
Date	Time	Temp.	Name(Print)
August 30, 2024	0300	80	D. Smith
	0600	80	Woods
	0900	86	Woods
	1200	88	Woods
	1500	88	Rey
	1800	86	Rey
	2100	85	Rey
	2400	80	Rey

Friday			
Date	Time	Temp.	Name(Print)
August 31, 2024	0300	78	A. Diaz
	0600	78	A. Gomez
	0900	78	A. Gomez
	1200	78	A. Gomez
	1500	82	B. Martin
	1800	82	B. Martin
	2100	80	B. Martin
	2400	78	Smith

Saturday			
Date	Time	Temp.	Name(Print)
September 1, 2024	0300	80	D. Diaz
	0600	80	J. Taylor
	0900	80	J. Taylor
	1200	83	J. Taylor
	1500	93	Armenedoiz
	1800	93	Armenedoiz
	2100	89	Armenedoiz
	2400	82	Diaz SW

Sunday			
Date	Time	Temp.	Name(Print)
September 2, 2024	0300	80	Diaz SW
	0600	80	Woods
	0900	86	Woods
	1200	88	Woods
	1500	88	Rey
	1800	86	Rey
	2100	85	Rey
	2400	80	Rey

Notes

Stage II 1323 8/3/2024 Watch notified

INSIDE TEMPERATURE RECORD
CDCF 2021011DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 201

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name(Print)	Date	Time	Temp.	Name(Print)
August 5, 2024	0300	80	PETROVSKY	August 6, 2024	0300	80	PETROVSKY
	0600	80	J. TANOR		0600	80	J. TANOR
	0900	80	J. TANOR		0900	80	J. TANOR
	1200	87	J. TANOR		1200	83	J. TANOR
	1500	92	T. CLIFFEN		1500	90	J. LYONS
	1800	94	T. CLIFFEN		1800	92	J. LYONS
	2100	92	T. CLIFFEN		2100	92	J. LYONS
	2400	85	PETROVSKY		2400	83	PETROVSKY
Wednesday				Thursday			
August 7, 2024	0300	78	PETROVSKY	August 8, 2024	0300	75	PETROVSKY
	0600	78	GOMEZ		0600	76	B. Gomez
	0900	80	GOMEZ		0900	77	R. Gomez
	1200	80	GOMEZ		1200	80	R. Gomez
	1500	85	J. LYONS		1500	82	B. Martin
	1800	90	J. LYONS		1800	82	B. Martin
	2100	88	J. LYONS		2100	80	B. Martin
	2400	79	PETROVSKY		2400	78	PETROVSKY
Friday				Saturday			
August 9, 2024	0300	76	PETROVSKY	August 10, 2024	0300	76	DIAZ
	0600	76	J. TANOR		0600	72	Rodriguez
	0900	80	J. TANOR		0900	76	Rodriguez
	1200	80	J. TANOR		1200	80	Rodriguez
	1500	81	B. Martin		1500	90	ARMENDARIZ
	1800	88	B. Martin		1800	90	ARMENDARIZ
	2100	82	B. Martin		2100	87	ARMENDARIZ
	2400	80	DIAZ		2400	82	DIAZ
Sunday				Notes			
August 11, 2024	0300	76	DIAZ	8/5/2024 Stage II 90°			
	0600	80	K. AMEROLA	8/6/2024 Stage II 90°			
	0900	80	K. AMEROLA	8/7/24 Deactivated Stage II @ 20100			
	1200	83	K. AMEROLA	8/10/24 Stage II @ 1500			
	1500	89	J. LYONS				
	1800	90	J. LYONS				
	2100	89	J. LYONS				
	2400	80	PETROVSKY				

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 201
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300	80	PETERSON SW
	0600	80	J. TANOR
	0900	80	J. TANOR
	1200	85	J. TANOR
	1500	89	J. LYONS
	1800	89	J. LYONS
	2100	88	J. LYONS
	2400	82	PETERSON

Wednesday

Date	Time	Temp.	Name(Print)
	0300	78	PETERSON
	0600	79°	GODDARD
	0900	81°	GODDARD
	1200	80°	GODDARD
	1500	88	J. LYONS
	1800	88	J. LYONS
	2100	86	J. LYONS
	2400	80	PETERSON

Friday

Date	Time	Temp.	Name(Print)
	0300	80	PETERSON
	0600	80	J. TANOR
	0900	80	J. TANOR
	1200	82	J. TANOR
	1500	89	R. BONITO
	1800	89	R. BONITO
	2100	89	R. BONITO
	2400	80	DIAZ

Sunday

Date	Time	Temp.	Name(Print)
	0300	76	DIAZ
	0600	76	J. TANOR
	0900	75	J. TANOR
	1200	80	J. TANOR
	1500	83	J. LYONS
	1800	82	J. LYONS
	2100	81	J. LYONS
	2400	78	PETERSON

Tuesday

Date	Time	Temp.	Name(Print)
	0300	77	PETERSON
	0600	77	J. TANOR
	0900	78	J. TANOR
	1200	83	J. TANOR
	1500	88	J. LYONS
	1800	88	J. LYONS
	2100	88	J. LYONS
	2400	78	PETERSON

Thursday

Date	Time	Temp.	Name(Print)
	0300	77	PETERSON
	0600	77	S. SIRE
	0900	80	S. SIRE
	1200	80	S. SIRE
	1500	82°	D. BOWERS
	1800	86°	D. BOWERS
	2100	84°	D. BOWERS
	2400	82	PETERSON

Saturday

Date	Time	Temp.	Name(Print)
	0300	76	DIAZ
	0600	76	WOODS
	0900	76	WOODS
	1200	80	WOODS
	1500	80	WOODS
	1800	82	WOODS
	2100	80	WOODS
	2400	80	DIAZ

Notes

INSIDE TEMPERATURE RECC'D
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to moniter and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 201

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 19, 2024	0300	77	PETERSON
	0600	73	J. TANER
	0900	77	J. TANER
	1200	82	J. TANER
	1500	88	J. LYONS
	1800	90	J. LYONS
	2100	90	J. LYONS
	2400	84	PETERSON

Wednesday			
Date	Time	Temp.	Name(Print)
August 21, 2024	0300	83	PETERSON
	0600	70	Sirel
	0900	70	Sirel
	1200	81	Sirel
	1500	89	J. LYONS
	1800	90	J. LYONS
	2100	90	J. LYONS
	2400	75	PETERSON

Friday			
Date	Time	Temp.	Name(Print)
August 23, 2024	0300	77	PETERSON
	0600	70	J. TANER
	0900	71	J. TANER
	1200	77	J. TANER
	1500	78°	D. BOURNE
	1800	83°	D. BOURNE
	2100	78°	D. BOURNE
	2400	78	DURR

Sunday			
Date	Time	Temp.	Name(Print)
August 25, 2024	0300	76	L. NIX
	0600	72	J. TANER
	0900	73	J. TANER
	1200	74	J. TANER
	1500	80	J. LYONS
	1800	80	J. LYONS
	2100	80	J. LYONS
	2400	79°	S. CLEMENTS

Tuesday			
Date	Time	Temp.	Name(Print)
August 20, 2024	0300	81	PETERSON
	0600	82	J. TANER
	0900	79	J. TANER
	1200	84	J. TANER
	1500	90	J. LYONS
	1800	92	J. LYONS
	2100	90	J. LYONS
	2400	86	PETERSON

Thursday			
Date	Time	Temp.	Name(Print)
August 22, 2024	0300	75	PETERSON
	0600	79	Sirel
	0900	79	Sirel
	1200	80	Sirel
	1500	83°	D. BOURNE
	1800	86°	D. BOURNE
	2100	81°	D. BOURNE
	2400	78	PETERSON

Saturday			
Date	Time	Temp.	Name(Print)
August 24, 2024	0300	75	DUARTE
	0600	72	WOODS
	0900	74	WOODS
	1200	74	WOODS
	1500	80	J. LYONS
	1800	80	J. LYONS
	2100	78	J. LYONS
	2400	77	K. NIX

Notes
 8/19/24 @ 2300 OFF STAFF II Notified watch
 8/20/24 @ 2310 OFF STAFF II Notified watch
 8/21/24 @ 1015 OFF STAFF II Notified watch

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 201
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 26, 2024	0300	78°	S.CLEMENTS <i>SPW</i>
	0600	78	J.Tanner
	0900	78	J.Tanner
	1200	80	J.Tanner
	1500	89	E.Hernandez
	1800	90	E.Hernandez <i>SPW</i>
	2100	83	E.Hernandez
	2400	80°	S.CLEMENTS

Tuesday			
Date	Time	Temp.	Name(Print)
August 27, 2024	0300	78°	S.CLEMENTS
	0600	78	J.Tanner
	0900	80	J.Tanner
	1200	80	J.Tanner
	1500	80	J.LYONS
	1800	80	J.LYONS
	2100	80	J.LYONS
	2400	80°	S.CLEMENTS

Wednesday			
Date	Time	Temp.	Name(Print)
August 28, 2024	0300	78°	S.CLEMENTS
	0600	78	Sirel
	0900	78	Sirel
	1200	80	Sirel
	1500	80	Korhan
	1800	80	Korhan
	2100	80	Korhan
	2400	80°	S.CLEMENTS

Thursday			
Date	Time	Temp.	Name(Print)
August 29, 2024	0300	78°	S.CLEMENTS
	0600	78	Sirel
	0900	78	Sirel
	1200	78	Sirel
	1500	80°	D.Bourne
	1800	82°	D.Bourne
	2100	78°	D.Bourne
	2400	78	Sirel

Friday			
Date	Time	Temp.	Name(Print)
August 30, 2024	0300	74	J.Garcia
	0600	71	J.Tanner
	0900	71	J.Tanner
	1200	74	J.Tanner
	1500	82°	D.Bourne <i>SPW</i>
	1800	82	D.Bourne
	2100	80	D.Bourne
	2400	78	D.Garcia

Saturday			
Date	Time	Temp.	Name(Print)
August 31, 2024	0300	76	D.Garcia
	0600	76	Woods
	0900	78	Woods
	1200	80	Woods
	1500	85	Armendariz
	1800	84	Armendariz <i>SPW</i>
	2100	81	Armendariz
	2400	78	D.Garcia

Sunday			
Date	Time	Temp.	Name(Print)
September 1, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 202
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300	80	CUSTARO
	0600	76	F. AMEZQUA
	0900	78	F. AMEZQUA
	1200	82	F. AMEZQUA
	1500	90°	ARMENDARIZ
	1800	90°	ARMENDARIZ
	2100	88	ARMENDARIZ
	2400	80	PENA

Sunday			
Date	Time	Temp.	Name(Print)
	0300	78	L. PENA <i>lwp</i>
	0600	79	L. PENA <i>lwp</i>
	0900	78	J. ANGULO
	1200	88	J. ANGULO
	1500	86°	B. MARTIN
	1800	86°	B. MARTIN
	2100	84°	B. MARTIN
	2400	81	M. RODA

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300	80	PASTORE
	0600	74	J. ANGULO
	0900	72	J. ANGULO
	1200	78	J. ANGULO
	1500	80	L. DIAZ
	1800	81	L. DIAZ
	2100	80	L. DIAZ
	2400	80	J. JONES

Saturday			
Date	Time	Temp.	Name(Print)
	0300	87.5	J. JONES
	0600	75°	R. PARAMO
	0900	79°	R. PARAMO
	1200	85°	R. PARAMO
	1500	91°	B. MARTIN
	1800	89°	B. MARTIN
	2100	85°	B. MARTIN
	2400	79	J. JONES <i>8145</i>

Notes			
1425 - 90° 8/2/2024			
1515 - 91° - 8/3/2024			

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 202
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 5, 2024	0300	80	M. RODA
	0600	76	J. Ansel
	0900	80	J. Ansel
	1200	88	J. Ansel
	1500	92	CUSTARD
	1800	95	CUSTARD
	2100	90	CUSTARD
	2400	88	M. RODA

Tuesday			
Date	Time	Temp.	Name(Print)
August 6, 2024	0300	81	M. RODA
	0600	80	J. Ansel
	0900	80	J. Ansel
	1200	86	J. Ansel
	1500	90	CUSTARD
	1800	91	CUSTARD
	2100	90	
	2400	88	J. Lyons

Wednesday			
Date	Time	Temp.	Name(Print)
August 7, 2024	0300	88	J. Lyons
	0600	76	J. Ansel
	0900	80	J. Ansel
	1200	88	J. Ansel
	1500	88	CUSTARD
	1800	86	CUSTARD
	2100	82	CUSTARD
	2400	80	CUSTARD

Thursday			
Date	Time	Temp.	Name(Print)
August 8, 2024	0300	70	CUSTARD
	0600	70	J. Ansel
	0900	78	J. Ansel
	1200	80	J. Ansel
	1500	82	CUSTARD
	1800	83	CUSTARD
	2100	82	CUSTARD
	2400	80	Bradford

Friday			
Date	Time	Temp.	Name(Print)
August 9, 2024	0300	75	Bradford
	0600	70	Gomez
	0900	71	Gomez
	1200	80	Gomez
	1500	82	Armenado
	1800	85	Armenado
	2100	81	Armenado
	2400	80	J. L.

Saturday			
Date	Time	Temp.	Name(Print)
August 10, 2024	0300	70	J. L.
	0600	70	HANSEN
	0900	74	HANSEN
	1200	82	HANSEN
	1500	82	B. Martin
	1800	82	B. Martin
	2100	82	B. Martin
	2400	80	Armenado

Sunday			
Date	Time	Temp.	Name(Print)
August 11, 2024	0300	79	Armenado
	0600	76	J. Ansel
	0900	78	J. Ansel
	1200	80	J. Ansel
	1500	83	B. Martin
	1800	83	B. Martin
	2100	80	B. Martin
	2400	80	M. RODA

DISTRIBUTION: Original: Institution ADA Coordinator

Notes
8-6-24 UHT 90° AT 1430 HRS

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 202
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name(Print)	Date	Time	Temp.	Name(Print)
August 12, 2024	0300	77	M. RocaNA <i>SM</i>	August 13, 2024	0300	75	M. RocaNA
	0600	72	J. Amul		0600	75	G. Acarr
	0900	78	J. Amul		0900	80	G. Acarr
	1200	80	J. Amul		1200	81	G. Acarr
	1500	87	CUSTARD		1500	85	CUSTARD
	1800	88	CUSTARD		1800	88	CUSTARD
	2100	85	CUSTARD		2100	81	CUSTARD
	2400	80	M. RocaNA		2400	80	J. Lyons
Wednesday				Thursday			
Date	Time	Temp.	Name(Print)	Date	Time	Temp.	Name(Print)
August 14, 2024	0300	75	J. Lyons	August 15, 2024	0300	73	CUSTARD
	0600	72	G. VELA <i>SM</i>		0600	72	Nava
	0900	75	G. VELA <i>SM</i>		0900	77	Nava
	1200	80	G. VELA <i>SM</i>		1200	84	Nava
	1500	83	CUSTARD		1500	88	CUSTARD
	1800	88	CUSTARD		1800	88	CUSTARD
	2100	81	CUSTARD		2100	90	CUSTARD
	2400	79	CUSTARD		2400	88	R. Shaw
Friday				Saturday			
Date	Time	Temp.	Name(Print)	Date	Time	Temp.	Name(Print)
August 16, 2024	0300	76	R. Shaw	August 17, 2024	0300	92°	A. Montalvo
	0600	76	Sirri		0600	92°	A. Montalvo
	0900	80	Sirri		0900	89	A. Montalvo
	1200	82	Sirri		1200	81	Sirri
	1500	84	Armandez		1500	86	J. Tine
	1800	86	Armandez		1800	88	J. Tine
	2100	82	Armandez		2100	89	J. Tine
	2400	78	T. Cam		2400	90	C. Rojas <i>SM</i>
Sunday				Notes			
Date	Time	Temp.	Name(Print)	8/14/24 STAGE 1 UHT			
August 18, 2024	0300	70	L. Rojas <i>SM</i>	@ 1230 Hours			
	0600	68	L. Rojas <i>SM</i>	8/15/24 Stage 1 UHT @ 1220 hrs			
	0900	70	J. Amul	8-15-24 STAGE 2 1630 (91°) INSIDE			
	1200	80	J. Amul	8/16/24 Stage 2 1400 90 INSIDE			
	1500	82	A. Montalvo				
	1800	85	A. Montalvo				
	2100	85	A. Montalvo <i>SM</i>				
	2400	81	L. NEX				

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 202
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	75	L.NIX
	0600	70	J. Amul
	0900	73	J. Amul
	1200	86	J. Amul
	1500	90	CUSTARD
	1800	95	CUSTARD
	2100	85	CUSTARD
	2400	88	L.NIX

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	80	L.Senilla
	0600	71	J. Amul
	0900	74	J. Amul
	1200	81	J. Amul
	1500	93	CUSTARD
	1800	94	CUSTARD
	2100	83	CUSTARD
	2400	76	CUSTARD

Friday

Date	Time	Temp.	Name(Print)
August 23, 2024	0300	74	TILLOTSON
	0600	74	Siri
	0900	74	Siri
	1200	79	Siri
	1500	83	Morgan
	1800	80	Morgan
	2100	75	Morgan
	2400	72	Pachua

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	73	A. SANTOS
	0600	73	J. Negrete
	0900	72	J. Negrete
	1200	77	J. Negrete
	1500	81	J. Judd
	1800	79	J. Judd
	2100	79	J. Judd
	2400	76	Diaz

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	72	C. NIX
	0600	70	J. Amul
	0900	78	J. Amul
	1200	86	J. Amul
	1500	98	CUSTARD
	1800	100	CUSTARD
	2100	87	CUSTARD
	2400	90	L.Senilla

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	73	CUSTARD
	0600	73	J. Amul
	0900	74	J. Amul
	1200	80	J. Amul
	1500	88	CUSTARD
	1800	80	CUSTARD
	2100	78	CUSTARD
	2400	76	TILLOTSON

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	72	Pachua
	0600	72	Siri
	0900	79	Siri
	1200	79	Siri
	1500	80	D. Bourne
	1800	78	D. Bourne
	2100	74	D. Bourne
	2400	73	A. SANTOS

Notes

- 8-19-24 / 1415 HRS. UHT 90°
- 8-19-24 / 1641 HRS. UHT 95°
- 8-20-24 / 1430 HRS. UHT 98°
- 8-20-24 / 1610 HRS. UHT 100°
- 8-20-24 / 1948 HRS. UHT 98°
- 8-20-24 / 2015 HRS. UHT 99°
- 8-21-24 / 1410 HRS. UHT 93°

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COOR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 100, 108, 111, 201, 202, 203, 200, 214
504, 300, 011, 012, 310, 401, 402, 403, 404
405, 406, 405, 406, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY Temp. Reading Location: DORM: 202
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	73	DIGRISW
	0600	72	Sedens
	0900	71	James
	1200	80	Lewis
	1500	86	CHUCK (C)
	1800	86	CHUCK
	2100	81	CHUCK
	2400	78	M. ROCHA

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	76	J. GONS
	0600	70	J. GONS
	0900	72	J. GONS
	1200	80	J. GONS
	1500	86	R. Shaw
	1800	82	R. Shaw
	2100	80	R. Shaw
	2400	78	O. Randolph

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	75	Armenaderz
	0600	75	Ginn
	0900	78	Ginn
	1200	80	Ginn
	1500	86°	Solorio
	1800	80°	Solorio
	2100	74°	Solorio
	2400	72	Gibonzalez

Sunday

Date	Time	Temp.	Name (Print)
	0300		Row
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/29/24	0300	74	M. ROCHA
	0600	76	J. GONS
	0900	78	J. GONS
	1200	88	J. GONS
	1500	80	PEAN, L
	1800	88	PEAN, L
	2100	86	PEAN, L
	2400	78	J. GONS

Thursday

Date	Time	Temp.	Name (Print)
8/30	0300	78	O. Randolph
	0600	70	J. GONS
	0900	70	J. GONS
	1200	72	J. GONS
	1500	84	J. GONS
	1800	86	J. GONS
	2100	78	J. GONS
	2400	75	Amadeo, R

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	72	G. Gonzalez
	0600	75	Ginn
	0900	78	Ginn
	1200	80	Ginn
	1500	82°	D. Barnes
	1800	86°	D. Barnes
	2100	84°	D. Barnes
	2400	77	Row Arnel

Notes

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 203
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300	84	Saragih
	0600	86	Ramirez
	0900	82	Ramirez
	1200	88	Ramirez
	1500	93	Saragih
	1800	93	Saragih
	2100	92	Saragih
	2400	88	Toll

Sunday			
Date	Time	Temp.	Name(Print)
	0300	84	Toll
	0600	86	Bustos
	0900	88	Bustos
	1200	93	Bustos
	1500	93	Toll
	1800	94	Toll
	2100	94	Toll
	2400	89	Toll

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300	87°	A. Perez
	0600	80	Ramirez
	0900	83	Ramirez
	1200	86	Ramirez
	1500	89	Saragih
	1800	89	Saragih
	2100	88	Saragih
	2400	86	Saragih

Thursday			
Date	Time	Temp.	Name(Print)
	0300	84	Toll
	0600	84	F. Amoroso
	0900	86	F. Amoroso
	1200	88	F. Amoroso
	1500	93	Saragih
	1800	92	Saragih
	2100	91	Saragih
	2400	88	Toll

Notes

8/2 STAGE I 0 12w STAGE II 0 12.38

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 203
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 5, 2024	0300	86	L. NIX <i>SAW</i>
	0600	88	SAMMY
	0900	88	Sandra
	1200	90	Sandal
	1500	91	GAMEZ
	1800	90	GAMEZ
	2100	96	GAMEZ
	2400	95	L. NIX

Wednesday			
Date	Time	Temp.	Name(Print)
August 7, 2024	0300	86	M. ROCNA
	0600	88	RAMIREZ
	0900	89	Ramirez
	1200	88	Ramirez
	1500	91	Saragih
	1800	90	Saragih
	2100	89	Saragih
	2400	86	Saragih

Friday			
Date	Time	Temp.	Name(Print)
August 9, 2024	0300	87	J. SCOTT
	0600	86	RAMIREZ
	0900	80	RAMIREZ
	1200	86	Ramirez
	1500	89	Saragih
	1800	89	Saragih
	2100	88	Saragih
	2400	84	G. Gonzalez

Sunday			
Date	Time	Temp.	Name(Print)
August 11, 2024	0300	78	<i>SAW</i> 8/11
	0600	82	GIGENA
	0900	84	GIGENA
	1200	90	GIGENA
	1500	94	Rodrquez
	1800	92	Rodrquez
	2100	86	Rodrquez
	2400	86	A. Hansen

Tuesday			
Date	Time	Temp.	Name(Print)
August 6, 2024	0300	90	L. NIX
	0600	83	RAMIREZ
	0900	83	Ramirez
	1200	88	Ramirez
	1500	97	GAMEZ
	1800	98	GAMEZ
	2100	94	GAMEZ
	2400	89	M. ROCNA

Thursday			
Date	Time	Temp.	Name(Print)
August 8, 2024	0300	84	Saragih
	0600	80	RAMIREZ
	0900	82	RAMIREZ
	1200	88	Ramirez
	1500	90	Saragih
	1800	90	Saragih
	2100	89	Saragih
	2400	83	J. SCOTT

Saturday			
Date	Time	Temp.	Name(Print)
August 10, 2024	0300	82	G. Gonzalez
	0600	80	RAMIREZ
	0900	84	RAMIREZ
	1200	89	Ramirez
	1500	96	A. Perez
	1800	98	A. Perez
	2100	92	A. Perez
	2400	77	Jung

Notes
 8/6 STAGE I @ 1030 STAGE II @ 1318
 8/7 STAGE I @ 1220 STAGE II @ 1215
 8/9 STAGE I @ 1230
 8/10 STAGE I @ 1234 STAGE II @ 1530
 8/10 STAGE III @ 1515 Hours
 8/11 STAGE I @ 1100 / STAGE II @ 1154 (WATCH NOTIFIED)

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 203
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300	84°	R. Alhassan
	0600	81°	R. Alhassan
	0900	82°	Sandoval
	1200	90°	Sandoval
	1500	94°	GOMEZ
	1800	94°	GOMEZ
	2100	90°	GOMEZ
	2400	84°	CORONA

Wednesday

Date	Time	Temp.	Name(Print)
	0300	83°	M. ROCHA
	0600	80°	RAMIREZ
	0900	82°	RAMIREZ
	1200	88°	RAMIREZ
	1500	89°	Soragih Ja
	1800	89°	Soragih
	2100	88°	Soragih
	2400	84°	Soragih

Friday

Date	Time	Temp.	Name(Print)
	0300	84°	Soragih
	0600	80°	Ramirez
	0900	84°	Ramirez
	1200	88°	Ramirez
	1500	89°	Soragih
	1800	91°	Soragih
	2100	89°	Soragih
	2400	84°	T. Hall

Sunday

Date	Time	Temp.	Name(Print)
	0300	80°	T. Hall
	0600	80°	Sirat
	0900	80°	Sirat
	1200	84°	Sirat
	1500	89°	T. Hall
	1800	89°	T. Hall
	2100	87°	T. Hall
	2400	84°	T. Hall

Tuesday

Date	Time	Temp.	Name(Print)
	0300	84°	Gomes
	0600	80°	RAMIREZ
	0900	83°	RAMIREZ
	1200	88°	RAMIREZ
	1500	93°	GOMEZ
	1800	94°	GOMEZ
	2100	90°	GOMEZ
	2400	88°	M. ROCHA

Thursday

Date	Time	Temp.	Name(Print)
	0300	84°	Soragih
	0600	80°	RAMIREZ
	0900	81°	RAMIREZ
	1200	85°	RAMIREZ
	1500	89°	Soragih
	1800	89°	Soragih
	2100	89°	Soragih
	2400	88°	Soragih

Saturday

Date	Time	Temp.	Name(Print)
	0300	81°	T. Hall
	0600	86°	RAMIREZ
	0900	80°	RAMIREZ
	1200	84°	RAMIREZ
	1500	89°	Perez
	1800	89°	Perez
	2100	87°	A. Perez
	2400	88°	T. Hall

Notes

8/13 STAGE I ACTIVATED 1230
 8/14 STAGE I ACTIVATED 1230
 8/15 STAGE I 1220
 8/17 STAGE II activated @ 1530

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 203

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 19, 2024	0300	83	Tegi <i>M.</i>
	0600	85	Santana <i>M.</i>
	0900	88	Sandoval
	1200	88	Sandoval
	1500	91	GAMEZ
	1800	98	GAMEZ
	2100	92	GAMEZ
	2400	88	L..

Wednesday			
Date	Time	Temp.	Name(Print)
August 21, 2024	0300	84	L.NIX
	0600	81	RAMIREZ
	0900	80	RAMIREZ
	1200	82	RAMIREZ
	1500	93	Saragih <i>ea</i>
	1800	95	Saragih <i>ja</i>
	2100	87	Saragih
	2400	84	Saragih

Friday			
Date	Time	Temp.	Name(Print)
August 23, 2024	0300	80	Saragih
	0600	80	RAMIREZ
	0900	80	RAMIREZ
	1200	80	RAMIREZ
	1500	83	Saragih
	1800	82	Saragih <i>ja</i>
	2100	82	Saragih
	2400	77	TIANI

Sunday			
Date	Time	Temp.	Name(Print)
August 25, 2024	0300	74	TIANI <i>ja</i>
	0600	79	Sirel
	0900	79	Sirel
	1200	80	Sirel
	1500	82	TIANI
	1800	84	TIANI <i>ja</i>
	2100	84	TIANI
	2400	80	JISCOTT

Tuesday			
Date	Time	Temp.	Name(Print)
August 20, 2024	0300	87	L..
	0600	80	RAMIREZ
	0900	80	RAMIREZ
	1200	82	RAMIREZ
	1500	100	GAMEZ
	1800	100	GAMEZ
	2100	94	GAMEZ
	2400	91	L.NIX

Thursday			
Date	Time	Temp.	Name(Print)
August 22, 2024	0300	84	Saragih
	0600	81	RAMIREZ
	0900	80	RAMIREZ
	1200	82	RAMIREZ
	1500	89	Saragih <i>ja</i>
	1800	89	Saragih <i>ja</i>
	2100	87	Saragih
	2400	84	Saragih

Saturday			
Date	Time	Temp.	Name(Print)
August 24, 2024	0300	74	TIANI
	0600	80	RAMIREZ
	0900	80	RAMIREZ
	1200	80	RAMIREZ
	1500	82	A-Perez
	1800	86	A-Perez
	2100	80	A-Perez
	2400	78	TIANI <i>ja</i>

Notes

9/20 90° STAGE II 12YC STAGE I 0/243
STAGE III 95 1345
8/29 STAGE I 1135 STAGE II 1315

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 203

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
August 26, 2024		0300	80	80	J. Scotty ME
		0600	71	71	SANDRA
		0900	77	77	SANDRA
		1200	80	80	SANDRA
		1500	90	90	GAMEZ
		1800	92	92	GAMEZ CW
		2100	89	89	GAMEZ
		2400	86	86	Gamez

Tuesday		Date	Time	Temp.	Name(Print)
August 27, 2024	0300	91	5:00 AM	RAMIREZ	RAMIREZ
	0600	60	6:00 AM	RAMIREZ	RAMIREZ
	0900	80	9:00 AM	RAMIREZ	RAMIREZ
	1200	85	12:00 PM	RAMIREZ	RAMIREZ
	1500	90	3:00 PM	GAMEZ	GAMEZ
	1800	92	6:00 PM	GAMEZ	GAMEZ
	2100	89	9:00 PM	GAMEZ	GAMEZ
	2400	84	12:00 AM	PACHECO	PACHECO

Wednesday			
Date	Time	Temp.	Name(Print)
August 28, 2024	0300	82	Davine
	0600	72	Ramona
	0900	73	Ramona
	1200	78	Ramona
	1500	88	Saragih
	1800	88	Saragih
	2100	80	Saragih
	2400	79	Saragih

Thursday		Date	Time	Temp.	Name(Print)
August 29, 2024	0300	72	Saragih		
	0600	69	Samper		
	0900	70	Ramona		
	1200	71	Ramona		
	1500	80	Saragih		
	1800	80	Saragih		
	2100	80	Saragih		
	2400	75	Saragih		

Friday			
Date	Time	Temp.	Name(Print)
August 30, 2024	0300	70	Saragih
	0600	70	RAMIREZ
	0900	72	RAMIREZ
	1200	74	RAMIREZ
	1500	78	Saragih
	1800	78	Saragih
	2100	75	Saragih
	2400	73	MIKUNDEEN

Saturday			
Date	Time	Temp.	Name(Print)
August 31, 2024	0300	70	M. KNUSEN
	0600	70	RANDA
	0900	70	Ronni
	1200	70	Ronni
	1500	90	Alyce
	1800	94	Alyce
	2100	84	Alyce
	2400	80	Terry <i>out</i>

Notes

8/27 STAGE I ACTIVATED 1312
8/31 STAGE I AUTOMATE 1310

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 204
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Month	Year	Country	Number of Inc.
Jan	2010	China	1200
Feb	2010	China	1000
Mar	2010	China	1100
Apr	2010	China	1300
May	2010	China	1400
Jun	2010	China	1500
Jul	2010	China	1600
Aug	2010	China	1700
Sep	2010	China	1800
Oct	2010	China	1900
Nov	2010	China	2000
Dec	2010	China	2100

Friday			
Date	Time	Temp.	Name(Print)
August 2, 2024	0300	72	Rog Ne
	0600	73	Zanita
	0900	77	J Austin
	1200	80	Taylor
	1500	90	GAMEZ
	1800	94	GAMEZ
	2100	90	GAMEZ
	2400	95	Ryan

Sunday			
Date	Time	Temp.	Name(Print)
August 4, 2024	0300	71	M. PEREZ
	0600	75	ZAVALETA
	0900	77	ZAVALETA
	1200	82	ZAVALETA
	1500	89	MARQUEZ
	1800	97	MARGARET
	2100	90	MARQUEZ
	2400	90	M. PEREZ

Thursday			
Date	Time	Temp.	Name(Print)
August 1, 2024	0300	70	M - PERLE
	0600	71	Loyd
	0900	71	Lynn
	1200	72	Lynn
	1500	82°F	G. ROBLES
	1800	89°F	G. ROBLES
	2100	83°F	G. ROBLES
	2400	76	Rayle

Saturday			
Date	Time	Temp.	Name(Print)
August 3, 2024	0300	60	Lopez
	0600	77	ZAVITA
	0900	79	ZAVITA
	1200	80	ZALALA
	1500	92	GAMEZ
	1800	95	GAMEZ
	2100	90	GAMEZ
	2400	85	M-Dever

Notes

8:10 @ 1340 STAGE II
2115 STAGE III DENTIVE P.
2020 STAGE III DEVIATED

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 204

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 5, 2024	0300	73	m-Perez
	0600	77	ZAVACA
	0900	80	ZAVALA
	1200	82	ZAVALA
	1500	89	MARY JOE
	1800	95	MARCELO
	2100	90	MARQUEZ
	2400	80	m-Perez

Wednesday

Date	Time	Temp.	Name(Print)
August 7, 2024	0300	72	m-Perez
	0600	75	Sica
	0900	82	Sica
	1200	82	Sica
	1500	88	R. Becerra
	1800	88	R. Becerra
	2100	82	R. Becerra
	2400	78	m-Perez

Friday

Date	Time	Temp.	Name(Print)
August 9, 2024	0300	71	Rojas
	0600	70	ZAVACA
	0900	75	ZAVALA
	1200	79	ZAVALA
	1500	86	GAMEZ
	1800	91	GAMEZ
	2100	83	GAMEZ
	2400	75	Rojas

Sunday

Date	Time	Temp.	Name(Print)
August 11, 2024	0300	72	C. Rojas
	0600	71	ZAVACA
	0900	75	ZAVALA
	1200	80	ZAVALA
	1500	89°F	G. ROBLES
	1800	90°F	G. ROBLES
	2100	84°F	G. ROBLES
	2400	78	m-Perez

Tuesday

Date	Time	Temp.	Name(Print)
August 6, 2024	0300	73	m-Perez
	0600	75	ZAVACA
	0900	78	ZAVALA
	1200	82	ZAVALA
	1500	91	TORRES A.
	1800	73	TORRES A.
	2100	89	TORRES A.
	2400	80	m-Perez

Thursday

Date	Time	Temp.	Name(Print)
August 8, 2024	0300	73	m-Perez
	0600	73	Lyon
	0900	75	Lyon
	1200	77	Lyon
	1500	84°F	G. ROBLES
	1800	89°F	G. ROBLES
	2100	82°F	G. ROBLES
	2400	75	Lyon

Saturday

Date	Time	Temp.	Name(Print)
August 10, 2024	0300	70	Rojas
	0600	70°F	G. ROBLES
	0900	72°F	G. ROBLES
	1200	79°F	G. ROBLES
	1500	90	GAMEZ
	1800	92	GAMEZ
	2100	84	GAMEZ
	2400	80	Rojas

Notes

② 1315 STAGE II

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 204
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 12, 2024	0300	70	M-PEREZ
	0600	72	ZAVALA
	0900	70	ZAVALA
	1200	80	ZAVALA
	1500	90	Bernal
	1800	90	Bernal
	2100	84	Bernal
	2400	78	PEREZ

Wednesday			
Date	Time	Temp.	Name(Print)
August 14, 2024	0300	70	PEREZ
	0600	70	W-PORTAS
	0900	72	W-PORTAS
	1200	80	W-PORTAS
	1500	87°F	G. ROBLES
	1800	89°F	G. ROBLES
	2100	85°F	G. ROBLES
	2400	78	PEREZ

Friday			
Date	Time	Temp.	Name(Print)
August 16, 2024	0300	74	Noe
	0600	79	ZAVALA
	0900	83	ZAVALA
	1200	88	ZAVALA
	1500	91	RAMEZ
	1800	93	GAMEZ
	2100	85	RAMEZ
	2400	80	DUNBAR

Sunday			
Date	Time	Temp.	Name(Print)
August 18, 2024	0300	72	PEREZ
	0600	73	ZAVALA
	0900	74	ZAVALA
	1200	80	ZAVALA
	1500	85	MARQUEZ
	1800	89	MARQUEZ
	2100	83	MARQUEZ
	2400	78	PEREZ

Tuesday

Date	Time	Temp.	Name(Print)
August 13, 2024	0300	70	PEREZ
	0600	70	ZAVALA
	0900	71	ZAVALA
	1200	84	BRADDOCK
	1500	88	MARQUEZ
	1800	84	MARQUEZ
	2100	80	MARQUEZ
	2400	78	PEREZ

Thursday

Date	Time	Temp.	Name(Print)
August 15, 2024	0300	70	PEREZ
	0600	70	ALVAREZ
	0900	71	ALVAREZ
	1200	85	ALVAREZ
	1500	89°F	G. ROBLES
	1800	92°F	G. ROBLES
	2100	88°F	G. ROBLES
	2400	80	PEREZ

Saturday

Date	Time	Temp.	Name(Print)
August 17, 2024	0300	77	DUNBAR
	0600	77	✓
	0900	79	VEVERZ
	1200	79	VEVERZ
	1500	88	GAMEZ
	1800	86	GAMEZ
	2100	80	GAMEZ
	2400	78	PEREZ

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 204
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	70	PEREZ SW
	0600	76	ZAVALA SW
	0900	80	ZAVALTA
	1200	84	ZAVALTA
	1500	83	MORALEZ
	1800	83	MORALEZ
	2100	85	MORALEZ
	2400	80	PEREZ

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	74	PEREZ
	0600	79	S. GRADY
	0900	80	S. GRADY
	1200	84	S. GRADY
	1500	94°F	G. ROBLES
	1800	94°F	G. ROBLES
	2100	88°F	G. ROBLES
	2400	79	PEREZ Z

Friday

Date	Time	Temp.	Name(Print)
August 23, 2024	0300	71	PEREZ
	0600	73	ZAVALA
	0900	73	ZAVALTA
	1200	76	ZAVALTA
	1500	84	GAMEZ
	1800	84	GAMEZ
	2100	79	GAMEZ
	2400	75	PEREZ

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	74	DIAZ SW
	0600	74	ZAVALA
	0900	77	ZAVALTA
	1200	77	ZAVALE
	1500	85	MORALEZ
	1800	85	MORALEZ
	2100	80	MORALEZ
	2400	75	PEREZ

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	72	PEREZ
	0600	79	ZAVALEZ
	0900	79	ZAVALEZ
	1200	80	ZAVALEZ
	1500	88	MARQUEZ
	1800	89	MARQUEZ
	2100	85	MARQUEZ
	2400	80	PEREZ

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	72	PEREZ
	0600	77	GRADY
	0900	79	GRADY
	1200	82	GRADY
	1500	89°F	G. ROBLES
	1800	88°F	G. ROBLES
	2100	81°F	G. ROBLES
	2400	78	day

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	69	PEREZ
	0600	70	ZAVALEZ
	0900	71	ZAVALEZ
	1200	79	ZAVALEZ
	1500	82	GAMEZ
	1800	84	GAMEZ
	2100	79	GAMEZ
	2400	78	DIAZ SW

Notes

8/19 @ 1342 STAGE II HEAT
8/21/24 STAGE I OUT AT 1125HRS

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 204
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 26, 2024	0300	70	Perez. MJ
	0600	73	Z. Autilia
	0900	76	Z. Autilia
	1200	83	Z. Autilia
	1500	88	Marylee
	1800	89	Marylee
	2100	80	Marylee
	2400	76	Perez

Wednesday			
Date	Time	Temp.	Name(Print)
August 28, 2024	0300	73	Perez
	0600	71	Lynn
	0900	74	Lynn
	1200	76	Lynn
	1500	88°F	G. ROBLES
	1800	89°F	G. ROBLES
	2100	79°F	G. ROBLES
	2400	76	Perez

Friday			
Date	Time	Temp.	Name(Print)
August 30, 2024	0300	74	R. MELIA
	0600	74	Z. Autilia
	0900	76	Z. Autilia
	1200	79	Z. Autilia
	1500	79	Arroyo
	1800	80	Arroyo
	2100	80	Arroyo
	2400	78	R. MELIA

Sunday			
Date	Time	Temp.	Name(Print)
September 1, 2024	0300	76°	12 hrs
	0600	76	Z. Autilia
	0900	74	Z. Autilia
	1200	81	Z. Autilia
	1500	89	Marylee
	1800	80	Marylee
	2100	80	Marylee
	2400	79	Z. Autilia

Tuesday			
Date	Time	Temp.	Name(Print)
August 27, 2024	0300	76	Perez
	0600	78	Negrete
	0900	78	Negrete
	1200	80	Negrete
	1500	88	Marylee
	1800	88	Marylee
	2100	83	Marylee
	2400	74	Perez

Thursday			
Date	Time	Temp.	Name(Print)
August 29, 2024	0300	70	Perez
	0600	70	Lynn
	0900	74	Lynn
	1200	78	Lynn
	1500	83°F	G. ROBLES
	1800	84°F	G. ROBLES
	2100	76°F	G. ROBLES
	2400	74	R. MELIA

Saturday			
Date	Time	Temp.	Name(Print)
August 31, 2024	0300	74	R. MELIA
	0600	76	A. Lay
	0900	77	A. Lay
	1200	78	A. Lay
	1500	80	SD
	1800	88	SD
	2100	80	SD
	2400	79°	Rojas

Notes

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 206
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 20, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
August 21, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
August 2, 2024	0300	73	JW
	0600	77°	R. Becerra
	0900	80°	R. Becerra
	1200	87°	R. Becerra
	1500	89	L. McCoy
	1800	89	L. McCoy
	2100	89	L. McCoy
	2400	88	A. Ramirez

Sunday			
Date	Time	Temp.	Name(Print)
August 4, 2024	0300	80	JW
	0600	79°	R. Becerra
	0900	81°	R. Becerra
	1200	87°	R. Becerra
	1500	89	L. McCoy
	1800	89	L. McCoy
	2100	89	L. McCoy
	2400	88	A. Ramirez

Tuesday			
Date	Time	Temp.	Name(Print)
August 28, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
August 1, 2024	0300	77	Roger
	0600	76	J. Tine
	0900	76	J. Tine
	1200	76	J. Tine
	1500	80	L. McCoy
	1800	80	L. McCoy
	2100	80	L. McCoy
	2400	78	Jad

Saturday			
Date	Time	Temp.	Name(Print)
August 3, 2024	0300	82	A. Ramirez
	0600	84°	R. Becerra
	0900	85°	R. Becerra
	1200	89°	R. Becerra
	1500	92°	L. McCoy
	1800	92	L. McCoy
	2100	90	L. McCoy
	2400	83	Roger

Notes			
2200 @ 89° Do Activated STP			

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 206

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 5, 2024	0300	84	A. Ramirez
	0600	80	J. Elias
	0900	80	J. Elias
	1200	88	J. Elias
	1500	92	C. Hernandez
	1800	94	C. Hernandez
	2100	94	C. Hernandez
	2400	90	A. Ramirez

Wednesday

Date	Time	Temp.	Name(Print)
August 7, 2024	0300	82	Roger
	0600	80	R. Becerra
	0900	82	R. Becerra
	1200	87	R. Becerra
	1500	90	Randy
	1800	90	Randy
	2100	85	Randy
	2400	80	Roger

Friday

Date	Time	Temp.	Name(Print)
August 9, 2024	0300	80°	R. Alhussein
	0600	80°	R. Alhussein
	0900	80°	R. Becerra
	1200	82°	R. Becerra
	1500	88°	L. McCay
	1800	86°	L. McCay
	2100	86°	L. McCay
	2400	80	Patrick

Sunday

Date	Time	Temp.	Name(Print)
August 11, 2024	0300	80	Broadford
	0600	78	J. True
	0900	78	J. True
	1200	88	J. True
	1500	89	L. McCay
	1800	89	L. McCay
	2100	89	L. McCay
	2400	85	Darren

Tuesday

Date	Time	Temp.	Name(Print)
August 6, 2024	0300	83	A. Ramirez
	0600	80	J. Elias
	0900	80	J. Elias
	1200	86	J. Elias
	1500	90	A. Ortiz
	1800	92	A. Ortiz
	2100	93	A. Ortiz
	2400	95	Roger

Thursday

Date	Time	Temp.	Name(Print)
August 8, 2024	0300	76	Kyle
	0600	78°	R. Becerra
	0900	80°	R. Becerra
	1200	82°	R. Becerra
	1500	88°	R. Becerra
	1800	88°	R. Becerra
	2100	88°	R. Becerra
	2400	82°	R. Alhussein

Saturday

Date	Time	Temp.	Name(Print)
August 10, 2024	0300	78	Patrice
	0600	76	J. True
	0900	78	J. True
	1200	82	J. True
	1500	89	L. McCay
	1800	89	L. McCay
	2100	89	L. McCay
	2400	83	Broadford

Notes

8/5/24 STAGE II UHT DORM TEMP 90°F & 130 ICE WATER @ 1430 on 8-5
 8/6/24 STAGE II UHT DORM TEMP 90°F & 1320
 8/7/24

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 206
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 12, 2024	0300	78	D. DAVALOS
	0600	80	J. ELIAS
	0900	80	J. ELIAS
	1200	88	J. ELIAS
	1500	88	R Shaw
	1800	90	R Shaw
	2100	90	R Shaw
	2400	87	A. Ramire2

Wednesday			
Date	Time	Temp.	Name(Print)
August 14, 2024	0300	74	Royer
	0600	78°	R. Becerra
	0900	80°	R. Becerra
	1200	82°	R. Becerra
	1500	88°	R. Becerra Jr
	1800	88°	R. Becerra Jr
	2100	88°	R. Becerra
	2400	80	S. May

Friday			
Date	Time	Temp.	Name(Print)
August 16, 2024	0300	80	A. Ramire2
	0600	80	R. Becerra
	0900	80	R. Becerra
	1200	82°	R. Becerra
	1500	89°	L. McCay
	1800	89°	L. McCay
	2100	89°	L. McCay
	2400	83	A. Ramire2

Sunday			
Date	Time	Temp.	Name(Print)
August 18, 2024	0300	75	A. Ramire2
	0600	72	J. Tice
	0900	76	J. Tice
	1200	78	J. Tice
	1500	80	L. McCay
	1800	80	L. McCay
	2100	84	L. McCay
	2400	74	RAMIREZ

Tuesday			
Date	Time	Temp.	Name(Print)
August 13, 2024	0300	79	A. Ramire2
	0600	79	J. ELIAS
	0900	82	J. ELIAS
	1200	86	J. ELIAS
	1500	88	A. Ortiz
	1800	87	A. Ortiz
	2100	86	A. Ortiz
	2400	81	Royer

Thursday			
Date	Time	Temp.	Name(Print)
August 15, 2024	0300	77	Royer
	0600	78°	R. Becerra
	0900	78°	R. Becerra
	1200	86°	R. Becerra
	1500	89°	L. McCay
	1800	89°	L. McCay
	2100	89°	L. McCay
	2400	84	A. Ramire2

Saturday			
Date	Time	Temp.	Name(Print)
August 17, 2024	0300	78	A. Ramire2
	0600	72	J. Tice
	0900	76	J. Tice
	1200	80	J. Tice
	1500	89°	L. McCay
	1800	89°	L. McCay
	2100	86°	L. McCay
	2400	79	A. Ramire2

Notes
 8/18/2024 STABE II, DORM TEMP @ 90°F - 1320

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 206

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	79	A. Ramirez
	0600	79	J. Elias
	0900	80	J. Elias
	1200	86	J. Elias
	1500	88	J. Elias
	1800	90	L. McCoy
	2100	90	L. McCoy
	2400	82	A. Ramirez

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	78	M. Smith
	0600	76	J. True
	0900	78	J. True
	1200	84	J. True
	1500	88	J. True
	1800	90	J. True
	2100	84	J. True
	2400	80	R. Albuson

Friday

Date	Time	Temp.	Name(Print)
August 23, 2024	0300	74	A. Ramirez
	0600	76°	R. Becerra
	0900	76°	R. Becerra
	1200	78°	R. Becerra
	1500	84°	L. McCoy
	1800	82°	L. McCoy
	2100	80°	L. McCoy
	2400	78	A. Ramirez

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	74	A. Ramirez
	0600	74	R. Becerra
	0900	74°	R. Becerra
	1200	78°	R. Becerra
	1500	80°	L. McCoy
	1800	80°	L. McCoy
	2100	80°	L. McCoy
	2400	80	A. Ramirez

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	79	A. Ramirez
	0600	79	J. Elias
	0900	82	J. Elias
	1200	86	J. Elias
	1500	93	R. Ortiz
	1800	92	R. Ortiz
	2100	91	A. Ortiz
	2400	84	M. Ramirez

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	76	R. Albuson
	0600	75	R. Albuson
	0900	76	J. True
	1200	78	J. True
	1500	80	L. McCoy
	1800	80	L. McCoy
	2100	80	L. McCoy
	2400	79	A. Ramirez

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	74	A. Ramirez
	0600	74	R. Becerra
	0900	74°	R. Becerra
	1200	78°	R. Becerra
	1500	82°	L. McCoy
	1800	80°	L. McCoy
	2100	80	L. McCoy
	2400	78	A. Ramirez

Notes

8-20-24 Stage II Dorm Temp @ 90°F
 8-21-24 Stage II Dorm Temp 92°F (1614)
 8-21-24 Deactivated Stage II 2015hr

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 206
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 26, 2024	0300	76	A. Ramirez
	0600	73	M. Vazquez
	0900	74	M. Vazquez
	1200	80	M. Vazquez
	1500	82	L. McCoy
	1800	84	L. McCoy
	2100	87	L. McCoy
	2400	81	A. Ramirez

Tuesday

Date	Time	Temp.	Name(Print)
August 27, 2024	0300	80	A. Ramirez
	0600	76	M. Vazquez
	0900	75	M. Vazquez
	1200	80	M. Vazquez
	1500	80	A. Ramirez
	1800	81	J. True
	2100	80	M. Vazquez
	2400	80	R. Alvarez

Wednesday

Date	Time	Temp.	Name(Print)
August 28, 2024	0300	76	P. Medina
	0600	72	J. True
	0900	72	J. True
	1200	76	J. True
	1500	83	J. True
	1800	86	J. True
	2100	84	J. True
	2400	80	P. Medina

Thursday

Date	Time	Temp.	Name(Print)
August 29, 2024	0300	72	P. Medina
	0600	70	J. True
	0900	70	J. True
	1200	76	J. True
	1500	80°	L. McCoy
	1800	80°	L. McCoy
	2100	80°	L. McCoy
	2400	79	A. Ramirez

Friday

Date	Time	Temp.	Name(Print)
August 30, 2024	0300	74	A. Ramirez
	0600	74	R. Becerra
	0900	74	R. Becerra
	1200	78°	R. Becerra
	1500	84	L. McCoy
	1800	80°	L. McCoy
	2100	80°	L. McCoy
	2400	79	A. Ramirez

Saturday

Date	Time	Temp.	Name(Print)
August 31, 2024	0300	78	A. Ramirez
	0600	78°	R. Becerra
	0900	78°	R. Becerra
	1200	80°	R. Becerra
	1500	86°	L. McCoy
	1800	86°	L. McCoy
	2100	86°	L. McCoy
	2400	82	M. Knudsen

Sunday

Date	Time	Temp.	Name(Print)
September 1, 2024	0300	80	M. Knudsen
	0600	78°	R. Becerra
	0900	76°	R. Becerra
	1200	80°	R. Becerra
	1500	83°	L. McCoy
	1800	86°	L. McCoy
	2100	86°	L. McCoy
	2400	82	A. Ramirez

Notes

8/26 13:04 Stage I UHT Activated.
 8/27 13:12 Stage I UHT Activated

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 203, 204, 300, 311, 312, 313, 401, 402, 403, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIC ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- Temp. Reading Location: DORM: 207
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-1-24	0300	74	M. CARLSON
	0600	74	L. MARTINEZ
	0900	74	L. MARTINEZ
	1200	76	L. MARTINEZ
	1500	84	J. GOMEZ
	1800	80	J. GOMEZ
	2100	84	J. GOMEZ
	2400	83	M. KNUDSEN

Tuesday			
Date	Time	Temp.	Name (Print)
8-2-24	0300	78	M. KNUDSEN
	0600	78	Lopez
	0900	80	Lopez
	1200	82	Lopez
	1500	84°	D. BOURNE
	1800	88°	D. BOURNE
	2100	88°	D. BOURNE
	2400	85	F. HELL

Wednesday			
Date	Time	Temp.	Name (Print)
8-3-24	0300	80	S. HEIL
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	84	Rodriguez
	1500	89	A. Lay
	1800	9	
	2100		
	2400	86	S. HEIL

Thursday			
Date	Time	Temp.	Name (Print)
8-4-24	0300	80	S. HEIL
	0600	78	A. Garcia
	0900	80°	A. Garcia
	1200	80°	A. Garcia
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
8-5-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	88	S. HEIL

Saturday			
Date	Time	Temp.	Name (Print)
8-6-24	0300	85	S. HEIL
	0600	79	Rodriguez
	0900	78	Rodriguez
	1200	84	Rodriguez
	1500	84	M. KNUDSEN
	1800	84	Rodriguez
	2100	84	Rodriguez
	2400	86	S. HEIL

Sunday			
Date	Time	Temp.	Name (Print)
8-6-24	0300	80	S. HEIL
	0600	75	A. Garcia
	0900	40	A. Garcia
	1200	30	A. Garcia
	1500	91°	R. Becerra
	1800	93°	R. Becerra
	2100	90°	R. Becerra
	2400	87	C. GRAY SHAW

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 106, 111, 201, 202, 203, 200, 214
504, 506, 511, 512, 513, 401, 402, 403, 401
400, 407, 408, 409, 400, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- Temp. Reading Location: DORM: 207
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-5-2024	0300	80	C. BRAYSHAW <u>SC</u>
	0600	80	A. Garcia
	0900	80	A. Garcia
	1200	82	A. Garcia
	1500	82	J. Gomez
	1800	84	J. Gomez
	2100	84	J. Gomez
	2400	87	C. BRAYSHAW

Tuesday

Date	Time	Temp.	Name (Print)
8-6-2024	0300	78	G. BRAYSHAW
	0600	80	A. Garcia
	0900	84	A. Garcia
	1200	88	A. Garcia
	1500	89	J. Gomez
	1800	93	J. Gomez
	2100	90	J. Gomez
	2400	85	J. Gomez

Wednesday

Date	Time	Temp.	Name (Print)
8/7/2024	0300	70	J. Gomez
	0600	80	A. Garcia
	0900	80	A. Garcia
	1200	82	A. Garcia
	1500	84	J. Gomez
	1800	86	J. Gomez
	2100	86	J. Gomez
	2400	80	M. Mireles

Thursday

Date	Time	Temp.	Name (Print)
8/8/2024	0300	74	M. Mireles
	0600	70	R. Martinez
	0900	72	R. Martinez
	1200	76	R. Martinez
	1500	84	J. Gomez <u>X</u>
	1800	86	J. Gomez
	2100	84	J. Gomez
	2400	81	Hell

Friday

Date	Time	Temp.	Name (Print)
8/9/2024	0300	80	HELL
	0600	75	A. Garcia
	0900	77	A. Garcia
	1200	79	A. Garcia
	1500	88	S. Yrina
	1800	84	S. Yrina
	2100	85	S. Yrina
	2400	83	J. Mireles

Saturday

Date	Time	Temp.	Name (Print)
8/10/2024	0300	78	S. Yrina
	0600	78	A. Garcia
	0900	74	A. Garcia
	1200	88	A. Garcia
	1500	89	A. La
	1800	89	A. La
	2100	87	A. La
	2400	84	S. Yrina <u>SC</u>

Notes

8/6 - STAGE II 1420 hours

Date	Time	Temp.	Name (Print)
8/11/2024	0300	78	J. Mireles <u>SC</u>
	0600	70	A. Garcia
	0900	70	A. Garcia
	1200	80	A. Garcia
	1500	88	D. Rodriguez
	1800	84	D. Rodriguez
	2100	84	D. Rodriguez
	2400	84	C. BRAYSHAW

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: BRAVO Temp. Reading Location: 207
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-12-2024	0300	80	G. BRAYSHAW
	0600	78	A. Garcia
	0900	80	A. Garcia
	1200	80	A. Garcia
	1500	80	J. Gomez
	1800	80	J. Gomez
	2100	80	J. Gomez
	2400	80	C. BRAYSHAW

Wednesday

Date	Time	Temp.	Name (Print)
5-14-2024	0300	78	J. Jefferson
	0600	74	A. Garcia
	0900	80	A. Garcia
	1200	82	A. Garcia
	1500	84	J. Gomez
	1800	88	J. Gomez
	2100	86	J. Gomez
	2400	80	A. Santos

Friday

Date	Time	Temp.	Name (Print)
5/16/24	0300	78	S. Neil
	0600	78	F. Amerson
	0900	80	F. Amerson
	1200	84	F. Amerson
	1500	88	R. Acosta
	1800	90	R. Acosta
	2100	89	R. Acosta
	2400	86	S. Neil

Sunday

Date	Time	Temp.	Name (Print)
5-18-2024	0300	78	S. Neil
	0600	77	A. Garcia
	0900	78	A. Garcia
	1200	80	A. Garcia
	1500	84	J. Tice
	1800	86	J. Tice
	2100	82	J. Tice
	2400	78	C. BRAYSHAW

Tuesday

Date	Time	Temp.	Name (Print)
5-15-2024	0300	78	G. BRAYSHAW
	0600	76	A. Garcia
	0900	80	A. Garcia
	1200	81	A. Garcia
	1500	84	J. Gomez
	1800	88	J. Gomez
	2100	86	J. Gomez
	2400	80	J. Tice

Thursday

Date	Time	Temp.	Name (Print)
5-17-2024	0300	79	A. Santos
	0600	76	R. Martinez
	0900	78	R. Martinez
	1200	80	R. Martinez
	1500	86	Jefferson
	1800	88	J. Tice
	2100	85	J. Tice
	2400	82	S. Neil

Saturday

Date	Time	Temp.	Name (Print)
5-19-2024	0300	82	S. Neil
	0600	77	A. Garcia
	0900	78	A. Garcia
	1200	80	A. Garcia
	1500	82	A. Long
	1800	81	A. Long
	2100	80	A. Long
	2400	79	S. Neil

Notes

1655-STAGO 2 Days 207 WATCH
 1859 STAGE 1 DEACTIVATED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CNC Housing Unit: BRAVO

Temp. Reading Location: 207
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-2024	0300	76	C. BRAYSHAW
	0600	74	A. GARCIA
	0900	70	A. Garcia
	1200	70	A. Garcia
	1500	90	J. Mose
	1800	88	J. Mose
	2100	80	J. Mose
	2400	80	C. BRAYSHAW

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	80	JEFFERSON
	0600	73	EDERAIENE
	0900	79	EDERAIENE
	1200	75	EDERAIENE
	1500	80	J. GOMEZ
	1800	80	J. GOMEZ
	2100	84	J. GOMEZ
	2400	82	J. DAVIS

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	72	S. HUKE
	0600	71	L. LOPEZ
	0900	72	L. LOPEZ
	1200	74	L. LOPEZ
	1500	80	R. LECARAS
	1800	84	R. LECARAS
	2100	80	R. LECARAS
	2400	77	S. HUKE

Sunday

Date	Time	Temp.	Name (Print)
	0300	72	M. KNUDSEN
	0600	70	A. Garcia
	0900	70	A. Garcia
	1200	70	A. Garcia
	1500	78	J. GOMEZ
	1800	82	J. GOMEZ
	2100	80	J. GOMEZ
	2400	79	J. JUJUL

Tuesday

Date	Time	Temp.	Name (Print)
8-20-2024	0300	76	C. BRAYSHAW
	0600	72	A. Garcia
	0900	79	A. Garcia
	1200	80	A. Garcia
	1500	89	J. GOMEZ
	1800	89	J. GOMEZ
	2100	92	J. GOMEZ
	2400	82	JOFFERSON

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	80	J. DAVIS
	0600	70	R. MARTINEZ
	0900	72	R. MARTINEZ
	1200	79	R. MARTINEZ
	1500	82	J. GOMEZ
	1800	82	J. GOMEZ
	2100	82	J. GOMEZ
	2400	80	S. HUKE

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	72	S. HUKE
	0600	70	A. Garcia
	0900	74	A. Garcia
	1200	78	A. Garcia
	1500	80	ALAY
	1800	79	ALAY
	2100	79	ALAY
	2400	77	M. KNUDSEN

Notes

STAGE 1 UHT ACTIVATED @ 1218
8/10 - STAGE II IS 20
8/20 - STAGE II DEACTIVATED 2300
8/21 - STAGE II 1040

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 207

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	77	J. Judd SW
	0600	72	A. Garcia
	0900	80	A. Garcia
	1200	80	A. Garcia
	1500	84	J. Gomez
	1800	84	J. Gomez
	2100	84	J. Gomez
	2400	80	J. Judd

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	78	J. Gomez
	0600	70	A. Garcia
	0900	74	A. Garcia
	1200	80	A. Garcia
	1500	84	MOTTO
	1800	81	MOTTO
	2100	77	MOTTO
	2400	73	m miranda

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	75°	D. Bowens
	0600	72	SPW
	0900	76	SPW
	1200	79	SPW
	1500	80	Z. FUJII
	1800	80	Z. FUJII
	2100	81	Z. FUJII
	2400	77°	D. Bowens

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	SPW SW
	0600	70	SPW
	0900	70	A. Garcia
	1200	80	A. Garcia
	1500	80	J. Gomez
	1800	80	J. Gomez
	2100	86	J. Gomez
	2400	78	C. BROWN

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	73°	D. Bowens
	0600	70	A. Garcia
	0900	70	A. Garcia
	1200	80	A. Garcia
	1500	84	A. Lay
	1800	84	A. Lay
	2100	84	A. Lay
	2400	80	SPW SW

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 208 Temp. Reading Location: Dorm
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/27/18	0300	76	Williams
	0600	76	clo Burner
	0900	78	ce Burner
	1200	80	clo Burner
7/28/18	1500	87	MARIA LATT
	1800	92	MARIA LATT
	2100	90	MARIA LATT
	2400	88	GARCIA SO

Friday

Date	Time	Temp.	Name (Print)
7/28	0300	84	GARCIA SO
	0600	81	CLINTON
	0900	81	CLINTON
	1200	85	CLINTON
	1500	95	MARIA LATT
	1800	100	MARIA LATT
	2100	97	MARIA LATT
	2400	90	Mechanician

Saturday

Date	Time	Temp.	Name (Print)
7/29/18	0300	82	Mechanician
	0600	81	BURNE
	0900	81	BURNE
	1200	90	BURNE
	1500	97	MARIA LATT
	1800	100	MARIA LATT
	2100	97	MARIA LATT
	2400	94	TROY SW

Sunday

Date	Time	Temp.	Name (Print)
7/30	0300	89	T ROY SW
	0600	90	GEORGE
	0900	83	GEORGE
	1200	90	GEORGE
	1500	100	N. MIRANDA
	1800	100	N. MIRANDA
	2100	100	N. MIRANDA
	2400	95	T ROY

Notes

8/2/18 Stage III Heat Alert
Deactivated @ 2755 - 93°
8-3-1430 Stage III VIT activated
8-11-24 1200 90 call watch.
8/4 1500 - Stage III
DeAct STg III @ 0020

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 208

Temp. Reading Location: Down
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/2	0300	89	T Roy SW
5/2	0600	80	G. Payne
5/2	0900	80	G. Payne
5/2	1200	90	G. Payne
5/2	1500	100	GARSIASO
5/2	1800	100	GARSIASO
5/2	2100	98	GARSIASO
5/2	2400	91	T Roy

Wednesday

Date	Time	Temp.	Name (Print)
5/4	0300	88	T Roy
5/4	0600	80	G. Payne
5/4	0900	83	G. Payne
5/4	1200	90	G. Payne
5/4	1500	95	MARLATT
5/4	1800	94	MARLATT
5/4	2100	89	MARLATT
5/4	2400	88	GARSIASO

Friday

Date	Time	Temp.	Name (Print)
5/7	0300	82	GARSIASO
5/7	0600	80	F. Amador
5/7	0900	82	F. Amador
5/7	1200	88	F. Amador
5/7	1500	94	MARLATT
5/7	1800	91	MARLATT
5/7	2100	89	MARLATT
5/7	2400	88	R. Alhursum

Sunday

Date	Time	Temp.	Name (Print)
5/7	0300	87	T Roy RA
5/7	0600	80	CRESPO
5/7	0900	82	CRESPO
5/7	1200	85	CRESPO
5/7	1500	94	N. Miranda
5/7	1800	100	N. Miranda
5/7	2100	100	N. Miranda
5/7	2400	84	T Roy

Tuesday

Date	Time	Temp.	Name (Print)
5/8	0300	88	T Roy
5/8	0600	80	G. Payne
5/8	0900	83	G. Payne
5/8	1200	90	G. Payne
5/8	1500	94	L Placencia
5/8	1800	98	L Placencia
5/8	2100	97	L Placencia
5/8	2400	93	T Roy

Thursday

Date	Time	Temp.	Name (Print)
5/10	0300	89	GARSIASO
5/10	0600	81	G. Payne
5/10	0900	82	G. Payne
5/10	1200	84	G. Payne
5/10	1500	89	MARLATT
5/10	1800	93	MARLATT
5/10	2100	89	MARLATT
5/10	2400	88	GARSIASO

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300	86°	R. Alhursum
5/11	0600	80°	R. Alhursum
5/11	0900	80	S. BYRNIE
5/11	1200	87	S. BYRNIE
5/11	1500	98	MARLATT
5/11	1800	100	MARLATT
5/11	2100	92	MARLATT
5/11	2400	89	T Roy RA

Notes

Stage II @ 1335
Stage III @ 1700 8/11/24
Thermometer in front of down
mal functioning - ordered new
one.

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 208

Temp. Reading Location: Dorm
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-12-21	0300	80	T Roy
	0600	79	G.Peyrese
	0900	82	G.Peyrese
	1200	89	G.Peyrese
	1500	94	GARS1450
8-08	1800	94	GARS1450
	2100	90	GARS1450
	2400	88	T Roy

Wednesday

Date	Time	Temp.	Name (Print)
7-24	0300	86	T Roy
	0600	80	G.Peyrese
	0900	83	G.Peyrese
	1200	88	G.Peyrese
	1500	89	Marlatt Jc
	1800	94	Marlatt Jc
	2100	90	Marlatt Jc
	2400	88	GARS1450

Friday

Date	Time	Temp.	Name (Print)
7-16	0300	82	GARS1450
	0600	80	Harkness
	0900	80	Harkness
	1200	82	Harkness
	1500	90	Marlatt Jc
	1800	94	Marlatt Jc
	2100	90	Marlatt Jc
	2400	88	A.SANTOS

Sunday

Date	Time	Temp.	Name (Print)
7-22	0300	79	T Roy SW
	0600	74	L. XIAOKE SW
	0900	75	L. XIAOKE
	1200	80	L. XIAOKE
	1500	88	N. Miranda
	1800	90	N. Miranda
	2100	88	N. Miranda
	2400	86	T Roy SW

Tuesday

Date	Time	Temp.	Name (Print)
8-08	0300	82	T Roy
	0600	78	G.Peyrese
	0900	80	G.Peyrese
	1200	88	G.Peyrese
	1500	92	Placencia
	1800	94	Placencia
	2100	89	Placencia
	2400	88	T Roy

Thursday

Date	Time	Temp.	Name (Print)
8-15	0300	82	GARS1450
	0600	79	G.Peyrese
	0900	82	G.Peyrese
	1200	86	G.Peyrese
	1500	89	Marlatt Jc
	1800	94	Marlatt Jc
	2100	92	Marlatt Jc
	2400	89	GARS1450

Saturday

Date	Time	Temp.	Name (Print)
8-08	0300	81	A.SANTOS
	0600	79	S. BYRNIE
	0900	79	S. BYRNIE
	1200	80	S. BYRNIE
	1500	89	Marlatt Jc
	1800	89	Marlatt Jc
	2100	85	Marlatt Jc
	2400	81	T Roy EW

Notes

8/18 - 1700 hours Stage II

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 4311

Temp. Reading Location: Dorm 208
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	80	T Roy <u>SRW</u>
	0600	78	Gencer
	0900	80	Gencer
	1200	84	Gencer
	1500	91	GARCIA SO
	1800	94	GARCIA SO
	2100	92	GARCIA SO
	2400	87	T Roy

Wednesday

Date	Time	Temp.	Name (Print)
7-24	0300	79	T Roy
7-25	0600	79	W. POURAS
7-26	0900	81	W. POURAS
7-27	1200	85	W. POURAS
7-28	1500	90	Mariatt
7-29	1800	94	Mariatt <u>SG</u>
7-30	2100	90	Mariatt <u>SG</u>
	2400	86	22

Friday

Date	Time	Temp.	Name (Print)
7-24	0300	84	22
7-25	0600	78	Harkness
7-26	0900	78	Harkness
7-27	1200	80	1tukay
7-28	1500	83	Mariatt
7-29	1800	83	Mariatt
7-30	2100	82	Mariatt
	2400	80	Broadford

Sunday

Date	Time	Temp.	Name (Print)
7-25-24	0300	73	T Roy <u>SRW</u>
7-26-24	0600	72	GIGENA
7-27-24	0900	72	GIGENA
7-28-24	1200	76	GIGENA
7-29-24	1500	84	N. Miranda <u>SG</u>
7-30-24	1800	86	N. Miranda
7-31-24	2100	82	N. Miranda
	2400	80	T Roy

Tuesday

Date	Time	Temp.	Name (Print)
7-24	0300	79	T Roy
7-25	0600	80	J. DURKE
7-26	0900	80	J. DURKE
7-27	1200	91	J. DURKE
7-28	1500	93	L. Placencia. <u>SG</u>
7-29	1800	94	L. Placencia.
7-30	2100	92	L. Placencia.
	2400	86	T Roy

Thursday

Date	Time	Temp.	Name (Print)
7-24	0300	84	22
7-25	0600	84	J. DURKE
7-26	0900	84	J. DURKE
7-27	1200	85	J. DURKE
7-28	1500	89	Mariatt
7-29	1800	89	Mariatt
7-30	2100	86	Mariatt <u>SG</u>
	2400	86	22

Saturday

Date	Time	Temp.	Name (Print)
7-24	0300	80	Broadford
7-25	0600	74	S. BURKE
7-26	0900	74	S. BURKE
7-27	1200	79	S. BURKE
7-28	1500	84	Mariatt
7-29	1800	85	Mariatt
7-30	2100	81	Mariatt
	2400	77	T Roy <u>SG</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 208 Temp. Reading Location: Dorm
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-26-18	0300	74	T ROY
7-26-18	0600	77	Garcia
7-26-18	0900	78	Garcia
7-26-18	1200	80	Garcia
7-26-18	1500	82	Garcia
7-26-18	1800	88	Garcia
7-26-18	2100	88	Garcia
7-26-18	2400	82	T ROY

Wednesday

Date	Time	Temp.	Name (Print)
7-28-18	0300	77	T ROY
7-28-18	0600	76	G. VELA
7-28-18	0900	78	G. VELA
7-28-18	1200	80	G. VELA
7-28-18	1500	85	Mallatt
7-28-18	1800	84	Mallatt
7-28-18	2100	81	Mallatt
7-28-18	2400	80	Garcia

Friday

Date	Time	Temp.	Name (Print)
7-30-18	0300	78	Garcia
7-30-18	0600	71	Harkness
7-30-18	0900	76	Harkness
7-30-18	1200	78	Harkness
7-30-18	1500	81	Mallatt
7-30-18	1800	86	Mallatt
7-30-18	2100	80	Mallatt
7-30-18	2400	80	L.Senilla

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7-31-18	0300	79	T ROY
7-31-18	0600	77	G. VELA
7-31-18	0900	79	G. VELA
7-31-18	1200	80	G. VELA
7-31-18	1500	86	G. VELA
7-31-18	1800	92	Placencia
7-31-18	2100	90	Placencia
7-31-18	2400	82	T ROY

Thursday

Date	Time	Temp.	Name (Print)
7-26-18	0300	79	Garcia
7-26-18	0600	77	Reyes
7-26-18	0900	79	Reyes
7-26-18	1200	81	Reyes
7-26-18	1500	82	Mallatt
7-26-18	1800	82	Mallatt
7-26-18	2100	81	Mallatt
7-26-18	2400	80	Garcia

Saturday

Date	Time	Temp.	Name (Print)
7-28-18	0300	78	L.Senilla
7-28-18	0600	78	L.Senilla
7-28-18	0900	80	UN
7-28-18	1200	80	UN
7-28-18	1500	89	Mallatt
7-28-18	1800	71	Mallatt
7-28-18	2100	89	Mallatt
7-28-18	2400	88	T ROY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABIL.

DESIGNATED HEAT DORMS: 102, 103, 108, 111, 201, 202, 203, 204, 300, 311, 312, 313, 401, 402, 403, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM 209
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300	77	R.Hernandez
	0600	76	Narvaez
	0900	76	Narvaez
	1200	86	Narvaez
	1500	80	J.DAVIS
	1800	88	J.DAVIS
	2100	82	J.DAVIS
	2400	79	R.Hernandez

Friday			
Date	Time	Temp.	Name (Print)
8-02-2024	0300	75	R.Hernandez
	0600	75	R.Alhussein
	0900	76	R.Alhussein
	1200	70	R.Alhussein
	1500	90	J.DAVIS
	1800	90	J.DAVIS
	2100	90	J.DAVIS
	2400	83	Miracle

Saturday			
Date	Time	Temp.	Name (Print)
8-03-2024	0300	78	Miracle
	0600	78	Luzan
	0900	80	Luzan
	1200	84	Luzan
	1500	88	Teal
	1800	85	Teal
	2100	83	Teal
	2400	80	K.Amezola SW

Sunday			
Date	Time	Temp.	Name (Print)
8-04-2024	0300	80	K.Amezola SW
	0600	79	K.Amezola
	0900	80	K.Amezola
	1200	89	K.Amezola
	1500	92	Barett
	1800	94	Miracle
	2100	92	Miracle
	2400	90	R.Hernandez

Notes

8/4/24 : @ 1325 Stage II heat alert inside 90° notified Watch Commander.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 203, 204, 300, 311, 312, 313, 401, 402, 404, 407, 408, 409, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM 209
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8-05-2024</u>	0300	79	R. Kennedy
	0600	78	M. Rocha
	0900	80	M. Rocha
	1200	84	M. Rocha
	1500	90	Garcia
	1800	92	Garcia
	2100	94	Garcia
	2400	92	Garcia

Tuesday			
Date	Time	Temp.	Name (Print)
<u>8-06-2024</u>	0300	88	M. Rocha
	0600	80	M. Rocha
	0900	82	M. Rocha
	1200	84	M. Rocha
	1500	90	D. Esquivel
	1800	88	D. Roberto
	2100	85	D. Roberto
	2400	80	Pacheco

Wednesday			
Date	Time	Temp.	Name (Print)
<u>8-07-2024</u>	0300	79	Pacheco
	0600	80	Schindler
	0900	83	Sims
	1200	85	Sims
	1500	88	L. Placencia
	1800	88	L. Placencia
	2100	84	L. Placencia
	2400	76	SMITH, D.

Thursday			
Date	Time	Temp.	Name (Print)
<u>8-08-2024</u>	0300	74	Shawn
	0600	72	Shawn
	0900	76	Narvaez
	1200	80	Narvaez
	1500	87	J. Davis
	1800	88	J. Davis
	2100	82	J. Davis
	2400	81	OK

Friday			
Date	Time	Temp.	Name (Print)
<u>8-09-2024</u>	0300	86	Diaz
	0600	70	Diaz
	0900	76	Diaz
	1200	78	Diaz
	1500	82	J. Davis
	1800	82	J. Davis
	2100	82	J. Davis
	2400	77	M. Miranda

Saturday			
Date	Time	Temp.	Name (Print)
<u>8-10-2024</u>	0300	74	M. Miranda
	0600	74	Diaz
	0900	76	Diaz
	1200	80	Diaz
	1500	88	T. Hill
	1800	90	T. Hill
	2100	89	T. Hill
	2400	80	K. Amorosa

Sunday			
Date	Time	Temp.	Name (Print)
<u>8-11-2024</u>	0300	79	K. Amorosa
	0600	78	Diaz
	0900	80	Diaz
	1200	82	Diaz
	1500	86	Garcia
	1800	84	Garcia
	2100	82	Garcia
	2400	80	R. Kennedy

Notes
8/10/24 SMF II @ 1350 hrs. with
NOTIFICATION
8/10/24 Singe II 1445

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS : 102, 103, 100, 111, 201, 202, 203, 204, 300, 311, 312, 313, 401, 402, 404, 407, 400, 400, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-3 Temp. Reading Location: DORM - 209
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-12-2024	0300	70	R.Hernandez
	0600	73	M. Roche
	0900	78	M. Roche
	1200	82	M. Roche
	1500	80	hernandez
	1800	88	Annes
	2100	86	hernandez
	2400	81	R.Hernandez

Tuesday			
Date	Time	Temp.	Name (Print)
8-13-2024	0300	75	R.Hernandez
	0600	76	M. Roche
	0900	78	M. Roche
	1200	80	M. Roche
	1500	86	Annes
	1800	87	Annes
	2100	82	Annes
	2400	80	R.Hernandez

Wednesday			
Date	Time	Temp.	Name (Print)
8-14-2024	0300	74	R.Hernandez
	0600	70	Navarro
	0900	76	Navarro
	1200	80	Navarro
	1500	87	P.Lucencia
	1800	88	P.Lucencia
	2100	84	P.Lucencia
	2400	81	R.Hernandez

Thursday			
Date	Time	Temp.	Name (Print)
8-15-2024	0300	75	R.Hernandez
	0600	74	Navarro
	0900	78	Navarro
	1200	80	Navarro
	1500	90	J.Davis Jr
	1800	99	J.Davis Jr
	2100	91	J.Davis Jr
	2400	83	R.Hernandez

Saturday			
Date	Time	Temp.	Name (Print)
8-17-2024	0300	78	Mechanician
	0600	76	Diaz
	0900	76	Diaz
	1200	80	Diaz
	1500	81	T.Mill
	1800	85	T.Mill
	2100	83	T.Mill
	2400	78	K.Amerika

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABIL

DESIGNATED HEAT DORMS 102, 103, 109, 111, 201, 202, 203, 204, 300, 311, 312, 313, 401, 402, 403, 407, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSID ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY 3 Temp. Reading Location: DORM 209
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8-19-2024</u>	0300	73	R.Hernandez
	0600	79	Perez
	0900	76	Perez
	1200	80	Austin
	1500	84	Gomez
	1800	86	Gomez
	2100	84	Austin
	2400	80	R.Hernandez

Wednesday			
Date	Time	Temp.	Name (Print)
<u>8-21-2024</u>	0300	75	R.Hernandez
	0600	72	Navarro
	0900	74	Navarro
	1200	80	Navarro
	1500	87	Placencia
	1800	88	Placencia
	2100	86	Placencia
	2400	79	R.Hernandez

Friday			
Date	Time	Temp.	Name (Print)
<u>8-23-2024</u>	0300	71	R.Hernandez
	0600	70	Diaz
	0900	72	Diaz
	1200	76	Diaz
	1500	80	J.Davis
	1800	82	J.Davis
	2100	80	J.Davis
	2400	76	Miranda

Sunday			
Date	Time	Temp.	Name (Print)
<u>8-25-2024</u>	0300	72	Lopez
	0600	70	Diaz
	0900	72	Diaz
	1200	77	Diaz
	1500	81	Marcos
	1800	84	Garcia
	2100	80	Garcia
	2400	77	R.Hernandez

Tuesday			
Date	Time	Temp.	Name (Print)
<u>8-20-2024</u>	0300	72	R.Hernandez
	0600	72	Perez
	0900	78	Perez
	1200	80	Perez
	1500	90	A.Avalos
	1800	90	A.Avalos
	2100	90	A.Avalos
	2400	86	R.Hernandez

Thursday			
Date	Time	Temp.	Name (Print)
<u>8-21-2024</u>	0300	72	R.Hernandez
	0600	72	D.Craigton
	0900	78	D.Craigton
	1200	80	D.Craigton
	1500	82	J.Davis
	1800	82	J.Davis
	2100	82	J.Davis
	2400	78	R.Hernandez

Saturday			
Date	Time	Temp.	Name (Print)
<u>8-24-2024</u>	0300	70	Miranda
	0600	70	Diaz
	0900	72	Diaz
	1200	76	Diaz
	1500	79	Taylor
	1800	82	Taylor
	2100	81	Taylor
	2400	76	Paulin

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABIL

DESIGNATED HEAT DORMS. 102, 103, 109, 111, 201, 202, 203, 204, 308, 311, 312, 313, 401, 402, 403, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM 209
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-26-2024	0300	71	R.Hernandez
	0600	70	M.Rocha
	0900	71	M.Rocha
	1200	78	M.Rocha
	1500	81	Frank
	1800	84	Frank
	2100	83	Frank
	2400	78	R.Hernandez

Tuesday			
Date	Time	Temp.	Name (Print)
8-27-2024	0300	72	R.Hernandez
	0600	70	M.Rocha
	0900	72	M.Rocha
	1200	78	M.Rocha
	1500	80	Frank
	1800	86	Frank
	2100	84	Frank
	2400	80	R.Hernandez

Wednesday			
Date	Time	Temp.	Name (Print)
8-28-2024	0300	79	R.Hernandez
	0600	72	Navarro
	0900	71	Navarro
	1200	80	Navarro
	1500	87	Placencia
	1800	88	Placencia
	2100	84	Placencia
	2400	80	R.Hernandez

Thursday			
Date	Time	Temp.	Name (Print)
8-29-2024	0300	71	R.Hernandez
	0600	69	Alvarez
	0900	69	Alvarez
	1200	77	Alvarez
	1500	80	J.Davis
	1800	82	J.Davis
	2100	80	J.Davis
	2400	78	R.Hernandez

Saturday			
Date	Time	Temp.	Name (Print)
8-31-2024	0300	74	M.Villalba
	0600	76	Diaz
	0900	72	Diaz
	1200	76	Diaz
	1500	80	I.Bell
	1800	84	T.Gall
	2100	80	T.Gall
	2400	79	K.Amezola

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 210
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

and a number of other factors.

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Month	Date	Time	Event	Name/Price
July	1	10:00 AM	Swim Meet	Admission \$5.00
July	2	10:00 AM	Swim Meet	Admission \$5.00
July	3	10:00 AM	Swim Meet	Admission \$5.00
July	4	10:00 AM	Swim Meet	Admission \$5.00
July	5	10:00 AM	Swim Meet	Admission \$5.00
July	6	10:00 AM	Swim Meet	Admission \$5.00
July	7	10:00 AM	Swim Meet	Admission \$5.00
July	8	10:00 AM	Swim Meet	Admission \$5.00
July	9	10:00 AM	Swim Meet	Admission \$5.00
July	10	10:00 AM	Swim Meet	Admission \$5.00
July	11	10:00 AM	Swim Meet	Admission \$5.00
July	12	10:00 AM	Swim Meet	Admission \$5.00
July	13	10:00 AM	Swim Meet	Admission \$5.00
July	14	10:00 AM	Swim Meet	Admission \$5.00
July	15	10:00 AM	Swim Meet	Admission \$5.00
July	16	10:00 AM	Swim Meet	Admission \$5.00
July	17	10:00 AM	Swim Meet	Admission \$5.00
July	18	10:00 AM	Swim Meet	Admission \$5.00
July	19	10:00 AM	Swim Meet	Admission \$5.00
July	20	10:00 AM	Swim Meet	Admission \$5.00
July	21	10:00 AM	Swim Meet	Admission \$5.00
July	22	10:00 AM	Swim Meet	Admission \$5.00
July	23	10:00 AM	Swim Meet	Admission \$5.00
July	24	10:00 AM	Swim Meet	Admission \$5.00
July	25	10:00 AM	Swim Meet	Admission \$5.00
July	26	10:00 AM	Swim Meet	Admission \$5.00
July	27	10:00 AM	Swim Meet	Admission \$5.00
July	28	10:00 AM	Swim Meet	Admission \$5.00
July	29	10:00 AM	Swim Meet	Admission \$5.00
July	30	10:00 AM	Swim Meet	Admission \$5.00
July	31	10:00 AM	Swim Meet	Admission \$5.00

Date	Time	Temp.	Name(Print)
August 2, 2024	0300	74	F. Amerail
	0600	74	W.M.
	0900	80	W.M.
	1200	89	L.P.
	1500	92	D.C.
	1800	92	D.C.
	2100	90	D.C.
	2400	80	F. Amerail

Sunday		Date	Time	Temp.	Name(Print)
August 4, 2024		0300	83	83	ALWAREZ
		0600	79	79	ALWAREZ
		0900	83	83	ALWAREZ
		1200	87	87	ALWAREZ
		1500	89	89	S. KIZWIFI
		1800	88	88	S. KIZWIFI
		2100	85	85	S. KIZWIFI
		2400	85	85	ALWAREZ

Thursday		Date	Time	Temp.	Name(Print)
August 1, 2024		0300	74	ALVAREZ	
		0600	71	Cabarrus	
		0900	74	Cabarrus	
		1200	72	Cabarrus	
		1500	85	Tur	
		1800	84	Tur	
		2100	82	Tur	
		2400	78	FAMONIA	

Saturday		Date	Time	Temp.	Name(Print)
August 3, 2024	0300	84	F. AMEZQUA		
	0600	77	HILL		
	0900	80	PELLETIER		
	1200	89	HILL		
	1500	83	CARRE		
	1800	94	CARRE		
	2100	94	CARRE		
	2400	89	ALVAREZ		
	Notes				

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to moniter and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 5, 2024	0300	81	ALVAREZ <i>81</i>
	0600	80	<i>100</i>
	0900	82	<i>100</i>
	1200	88	<i>100</i>
	1500	90	J.DAVIS <i>CJ</i>
	1800	90	J.DAVIS
	2100	90	J.DAVIS
	2400	87	ALVAREZ

Wednesday

Date	Time	Temp.	Name(Print)
August 7, 2024	0300	78	ALVAREZ
	0600	80	<i>100</i>
	0900	84	<i>100</i>
	1200	80	<i>100</i>
	1500	88	D.C.
	1800	88	D.C.
	2100	84	D.C.
	2400	80	ALVAREZ

Friday

Date	Time	Temp.	Name(Print)
August 9, 2024	0300	76	F.American
	0600	75	Cobain
	0900	79	Cobain
	1200	82	Cobain
	1500	88	D.C.
	1800	89	D.C.
	2100	82	D.C.
	2400	78	F.American

Sunday

Date	Time	Temp.	Name(Print)
August 11, 2024	0300	78	ALVAREZ
	0600	75	<i>100</i>
	0900	80	<i>100</i>
	1200	88	<i>100</i>
	1500	89	S.R2VT
	1800	89	S.R2VT
	2100	88	S.R2VT
	2400	84	ALVAREZ

Tuesday

Date	Time	Temp.	Name(Print)
August 6, 2024	0300	81	ALVAREZ
	0600	81	<i>100</i>
	0900	82	<i>100</i>
	1200	86	<i>100</i>
	1500	85	<i>100</i>
	1800	85	<i>100</i>
	2100	84	<i>100</i>
	2400	82	ALVAREZ

Thursday

Date	Time	Temp.	Name(Print)
August 8, 2024	0300	74	ALVAREZ
	0600	74	Cobain
	0900	74	Cobain
	1200	80	Cobain <i>14</i>
	1500	88	D.C. <i>14</i>
	1800	86	D.C.
	2100	82	D.C.
	2400	78	F.American

Saturday

Date	Time	Temp.	Name(Print)
August 10, 2024	0300	76	F.American
	0600	7C	<i>100</i>
	0900	81	<i>100</i>
	1200	87	<i>100</i>
	1500	88	S.R2VT
	1800	89	S.R2VT
	2100	88	S.R2VT
	2400	80	ALVAREZ

Notes

8/5/2024 stage 2 / over heat

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 12, 2024	0300	78	Jones
	0600	78	H. G.
	0900	82	H. G.
	1200	84	H. G.
	1500	90	J. Alvarez
	1800	88	J. Alvarez
	2100	88	J. Alvarez
	2400	81	ALVAREZ

Wednesday

Date	Time	Temp.	Name(Print)
August 14, 2024	0300	74	ALVAREZ
	0600	74	R. Rivas
	0900	78	R. Rivas
	1200	86	R. Rivas
	1500	88	R. C.
	1800	88	R. C.
	2100	86	R. C.
	2400	79	ALVAREZ

Friday

Date	Time	Temp.	Name(Print)
August 16, 2024	0300	80	F. Hernandez
	0600	77	Cobanilla
	0900	79	Cobanilla
	1200	82	Cobanilla
	1500	88	R. C.
	1800	86	R. C.
	2100	84	R. C.
	2400	78	F. Hernandez

Sunday

Date	Time	Temp.	Name(Print)
August 18, 2024	0300	74	ALVAREZ
	0600	76	H. G.
	0900	76	H. G.
	1200	76	H. G.
	1500	76	K. Jones
	1800	76	K. Jones
	2100	75	K. Jones
	2400	80	ALVAREZ

Tuesday

Date	Time	Temp.	Name(Print)
August 13, 2024	0300	74	ALVAREZ
	0600	75	Alvarez
	0900	75	Alvarez
	1200	88	Alvarez
	1500	88	P. C.
	1800	86	P. C.
	2100	84	P. C.
	2400	80	ALVAREZ

Thursday

Date	Time	Temp.	Name(Print)
August 15, 2024	0300	73	ALVAREZ
	0600	73	L. M.
	0900	75	L. M.
	1200	82	L. M.
	1500	88	P. C.
	1800	86	P. C.
	2100	84	P. C.
	2400	82	P. Amador

Saturday

Date	Time	Temp.	Name(Print)
August 17, 2024	0300	80	F. Hernandez
	0600	73	Gomez
	0900	78	Gomez
	1200	81	Gomez
	1500	80	L. M.
	1800	80	L. M.
	2100	80	L. M.
	2400	76	ALVAREZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	75	ALVAREZ
	0600	80	H.W.
	0900	80	H.W.
	1200	81	H.W.
	1500	91	
	1800	81	ALVAREZ
	2100	85	ALVAREZ
	2400	81	ALVAREZ

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	77	ALVAREZ
	0600	74	J.C.
	0900	81	J.C.
	1200	80	J.C.
	1500	88	J.C.
	1800	88	J.C.
	2100	86	J.C.
	2400	81	ALVAREZ

Friday

Date	Time	Temp.	Name(Print)
August 23, 2024	0300	76	F. Arevalo
	0600	76	L.W.
	0900	76	L.W.
	1200	78	L.W.
	1500	82	J.C.
	1800	80	J.C.
	2100	80	J.C.
	2400	78	J.C.

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	71	ALVAREZ
	0600	71	H.W.
	0900	80	H.W.
	1200	86	H.W.
	1500	80	J. Janar
	1800	81	J. Janar
	2100	79	ALVAREZ
	2400	77	ALVAREZ

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	77	ALVAREZ
	0600	74	H.W.
	0900	77	H.W.
	1200	80	H.W.
	1500	92	D. Leon
	1800	92	D. L.
	2100	90	D. L.
	2400	83	ALVAREZ

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	80	ALVAREZ
	0600	80	C. Cabanilla
	0900	82	C. Cabanilla
	1200	88	C. Cabanilla
	1500	86	J.C.
	1800	84	J.C.
	2100	82	J.C.
	2400	78	P. Amazon

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	76	J.C.
	0600	76	J.C.
	0900	80	J.C.
	1200	78	L.W.
	1500	78	L.W.
	1800	78	L.W.
	2100	77	L.W.
	2400	73	ALVAREZ

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 26, 2024	0300	73	ALVAREZ <i>116</i>
	0600	74	<i>116</i>
	0900	74	<i>116</i>
	1200	74	<i>116</i>
	1500	88	J.DRAKE <i>red</i>
	1800	82	J.DRAKE
	2100	82	J.DRAKE
	2400	79	ALVAREZ

Wednesday

Date	Time	Temp.	Name(Print)
August 28, 2024	0300	71	ALVAREZ
	0600	73	<i>116</i>
	0900	73	<i>116</i>
	1200	78	<i>116</i>
	1500	80	C.Elias
	1800	79	C.Elias
	2100	78	C.Elias
	2400	72	ALVAREZ

Friday

Date	Time	Temp.	Name(Print)
August 30, 2024	0300	72	ALVAREZ
	0600	71	<i>116</i>
	0900	72	<i>116</i>
	1200	71	<i>116</i>
	1500	82	B.Morse
	1800	80	Morse
	2100	78	Morse
	2400	76	Amerson

Sunday

Date	Time	Temp.	Name(Print)
September 1, 2024	0300	73	ALVAREZ
	0600	76	<i>116</i>
	0900	79	<i>116</i>
	1200	80	<i>116</i>
	1500	82	E.Chisham
	1800	80	<i>116</i>
	2100	80	<i>116</i>
	2400	78	ALVAREZ

Tuesday

Date	Time	Temp.	Name(Print)
August 27, 2024	0300	73	ALVAREZ
	0600	74	<i>116</i>
	0900	74	<i>116</i>
	1200	78	<i>116</i>
	1500	89	TORRES A.
	1800	85	TORRES A.
	2100	81	TORRES A.
	2400	78	ALVAREZ

Thursday

Date	Time	Temp.	Name(Print)
August 29, 2024	0300	69	ALVAREZ
	0600	69	Cobain
	0900	74	Cobain
	1200	78	Cobain
	1500	80	Smith
	1800	82	Smith
	2100	82	Smith
	2400	76	Smith

Saturday

Date	Time	Temp.	Name(Print)
August 31, 2024	0300	74	F. Arevalo
	0600	71	<i>116</i>
	0900	74	<i>116</i>
	1200	79	<i>116</i>
	1500	80	R. Becerra
	1800	80	R. Becerra
	2100	80	R. Becerra
	2400	76	ALVAREZ

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 211
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Month	Year	State	Newspaper
January	1900	Mass.	Boston Herald
February	1900	Mass.	Boston Herald
March	1900	Mass.	Boston Herald
April	1900	Mass.	Boston Herald
May	1900	Mass.	Boston Herald
June	1900	Mass.	Boston Herald
July	1900	Mass.	Boston Herald
August	1900	Mass.	Boston Herald
September	1900	Mass.	Boston Herald
October	1900	Mass.	Boston Herald
November	1900	Mass.	Boston Herald
December	1900	Mass.	Boston Herald

Friday			
Date	Time	Temp.	Name(Print)
August 2, 2024	0300	80°	Fierro
	0600	70	C. Felix X
	0900	86	C. Felix X
	1200	88	C. Felix X
	1500	94	C. Felix X
	1800	86	C. Felix X
	2100	94	C. Felix X
	2400	89	J. C. Gomes

Sunday		Date	Time	Temp.	Name(Print)
August 4, 2024	0300	82	R Casas		
	0600	82	Rowan		
	0900	84	Rowan		
	1200	92	Rowan		
	1500	100	N. JORDAN		
	1800	100	N. JORDAN		
	2100	94	N. JORDAN		
	2400	88	R Casas		

Category	Score	Level	Normal Period
1	100	1	1
2	90	2	2
3	80	3	3
4	70	4	4
5	60	5	5
6	50	6	6
7	40	7	7
8	30	8	8
9	20	9	9
10	10	10	10

Thursday			
Date	Time	Temp.	Name(Print)
August 1, 2024	0300	78°	Fierro
	0600	78	DELRO
	0900	80	DELRO
	1200	81	DELRO
	1500	89	DELRO
	1800	89	DELRO
	2100	89	DELRO
	2400	85°	Fierro

Saturday			
Date	Time	Temp.	Name(Print)
August 3, 2024	0300	80	J. James
	0600	80	T. Song
	0900	84	T. Song
	1200	97	T. Song
	1500	95	R. Bocerra
	1800	96°	R. Bocerra
	2100	94°	R. Bocerra
	2400	88	R. Casas

Notes.

95c STAGE III 1330 8/4

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 211

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 5, 2024	0300	82	R. Cases
	0600	80	D. WALTERS
	0900	88	D. WALTERS
	1200	95	D. WALTERS
	1500	100	N. JORDAN
	1800	100	N. JORDAN
	2100	100	N. JORDAN
	2400	90	P. Davis

Wednesday

Date	Time	Temp.	Name(Print)
August 7, 2024	0300	80	
	0600	78	C. Felix
	0900	81	C. Felix
	1200	88	C. Felix
	1500	92	C. Felix
	1800	94	C. Felix
	2100	90	C. Felix
	2400	83	T. Harrel

Friday

Date	Time	Temp.	Name(Print)
August 9, 2024	0300	80	L. Sevilla
	0600	80	O. Randolph
	0900	80	O. Randolph
	1200	82	O. Randolph
	1500	90	O. Randolph
	1800	92	C. Felix
	2100	90	C. Felix
	2400	82	Mechanician

Sunday

Date	Time	Temp.	Name(Print)
August 11, 2024	0300	82	R. Cases
	0600	82	T. Long
	0900	84	T. Long
	1200	90	T. Long
	1500	95	N. JORDAN
	1800	95	N. JORDAN
	2100	90	N. JORDAN
	2400	86	R. Cases

Tuesday

Date	Time	Temp.	Name(Print)
August 6, 2024	0300	85	P. Davis
	0600	78	C. Felix
	0900	84	C. Felix
	1200	88	C. Felix
	1500	98	C. Felix
	1800	96	C. Felix
	2100	92	C. Felix
	2400	90	C. Felix

Thursday

Date	Time	Temp.	Name(Print)
August 8, 2024	0300	79	T. Howard
	0600	80	R. Bowers
	0900	81	R. Bowers
	1200	84	R. Bowers
	1500	89	R. Bowers
	1800	81	E. Chisholm
	2100	89	E. Chisholm
	2400	88	M. Vazquez

Saturday

Date	Time	Temp.	Name(Print)
August 10, 2024	0300	80	Mechanician
	0600	80	T. Long
	0900	84	T. Long
	1200	90	T. Long
	1500	94	C. Felix
	1800	92	C. Felix
	2100	91	C. Felix
	2400	88	R. Cases

Notes

Stage II 1245 HRS 92° 8/6/24
 Stage III 1515 98 8/6/24

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 211

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 12, 2024	0300	80	R Casas
	0600	79	BRAEDON
	0900	86	BRAEDON
	1200	89	BRAEDON
	1500	92	D.Rodriguez
	1800	92	D.Rodriguez
	2100	90	D.Rodriguez
	2400	85°	Fierro

Wednesday

Date	Time	Temp.	Name(Print)
August 14, 2024	0300	80°	Fierro
	0600	80	C.Felix
	0900	81	C.Felix
	1200	88	C.Felix
	1500	91	Ferny J.
	1800	90	Ferny J.
	2100	90	Ferny J.
	2400	80°	Fierro

Friday

Date	Time	Temp.	Name(Print)
August 16, 2024	0300	80°	Fierro
	0600	80	YPINA
	0900	82	YPINA
	1200	88	C.Felix
	1500	88	C.Felix
	1800	92	C.Felix
	2100	90	C.Felix
	2400	85°	Fierro

Sunday

Date	Time	Temp.	Name(Print)
August 18, 2024	0300	76	R Casas
	0600	80	Tony
	0900	82	Tony
	1200	84	Tony
	1500	87	Rojas
	1800	89	Rojas
	2100	87	Rojas
	2400	84	R Casas

Tuesday

Date	Time	Temp.	Name(Print)
August 13, 2024	0300	80	Fierro
	0600	78	C.Felix
	0900	80	C.Felix
	1200	88	C.Felix
	1500	88	C.Felix
	1800	88	C.Felix
	2100	88	C.Felix
	2400	82°	Fierro

Thursday

Date	Time	Temp.	Name(Print)
August 15, 2024	0300	78°	Fierro
	0600	78	C.Felix
	0900	80	C.Felix
	1200	88	C.Felix
	1500	92	C.Felix
	1800	92	C.Felix
	2100	90	C.Felix
	2400	88°	Fierro

Saturday

Date	Time	Temp.	Name(Print)
August 17, 2024	0300	80°	Fierro
	0600	80	Tony
	0900	87	Tony
	1200	86	Tony
	1500	90	Tony
	1800	90	Tony
	2100	84	Tony
	2400	82	R Casas

Notes

8/12 - Stage II heat @ 1430
 8/15 Stage II 1300 92°
 8/16 Stage II 1545 92°

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to moniter and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 211
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	80	R. Lases
	0600	80	T. DELAO
	0900	82	T. DELAO
	1200	84	T. DELAO
	1500	90	N. JORDAN
	1800	93	N. JORDAN
	2100	98	N. JORDAN
	2400	85°	FIERRO

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	80°	FIERRO
	0600	82	C. FELIX
	0900	84	C. FELIX
	1200	86	C. FELIX
	1500	92	T. DELAO
	1800	92	DELAO
	2100	90	DELAO
	2400	85°	FIERRO

Friday

Date	Time	Temp.	Name(Print)
August 23, 2024	0300	78°	FIERRO
	0600	78	DELAO
	0900	75	DELAO
	1200	76	DELAO
	1500	80	DELAO
	1800	80	J. ROTHBOLD
	2100	80	J. ROTHBOLD
	2400	78	MONTOMA

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	73	JUN
	0600	70	Bonny
	0900	73	Bonny
	1200	77	Bonny
	1500	79	N. JORDAN
	1800	85	N. JORDAN
	2100	84	N. JORDAN
	2400	82	R. Lases

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	80°	FIERRO
	0600	80	T. DELAO
	0900	80	T. DELAO
	1200	86	T. DELAO
	1500	96	T. DELAO
	1800	94	T. DELAO
	2100	93	T. DELAO
	2400	90°	FIERRO

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	80°	FIERRO
	0600	80	DELAO
	0900	80	DELAO
	1200	85	DELAO
	1500	87	DELAO
	1800	86	DELAO
	2100	80	DELAO
	2400	80°	FIERRO

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	78	MONTOMA
	0600	79	Bonny
	0900	74	Bonny
	1200	77	Bonny
	1500	80	Richard
	1800	88	Richard
	2100	88	Richard
	2400	77	Richard

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 211
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

temperature reaches

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
August 26, 2024		0300	78	78	R. Casas
		0600	71	71	ALVAREZ
		0900	75	75	ALVAREZ
		1200	83	83	ALVAREZ
		1500	89	89	Cedeno
		1800	90	90	Cedeno
		2100	89	89	Cedeno
		2400	85°	85°	Fierro

Tuesday		Date	Time	Temp.	Name(Print)
August 27, 2024			0300	80°	FISHER
			0600	78	C. FELIX
			0900	78	C. FELIX
			1200	84	C. FELIX
			1500	88	C. FELIX
			1800	88	C. FELIX
			2100	80	C. FELIX
			2400	80°	FISHER

Wednesday		Date	Time	Temp.	Name(Print)
August 28, 2024	0300	78°	FIERRO		
	0600	76	C. FELIX		
	0900	78	C. FELIX		
	1200	80	C. FELIX		
	1500	80	C. FELIX		
	1800	88	C. FELIX		
	2100	84	C. FELIX		
	2400	81	C. FELIX		

Thursday		Date	Time	Temp.	Name(Print)
August 29, 2024	0300	78°	FIERO		
	0600	76	C. Tern		
	0900	76	C. ELIX		
	1200	78	C. Tern		
	1500	82	R. Morales		
	1800	88	R. Morales		
	2100	84	R. Morales		
	2400	80°	FIERO		

Date	Time	Temp.	Name(Print)
August 30, 2024	0300	75°	F15yr0
	0600	75	M.Brown
	0900	77	M.Brown
	1200	82	M.Brown
	1500	85	D.Riley
	1800	86	D.Riley
	2100	82	D.Riley
	2400	80°	F15yr0

Saturday		Date	Time	Temp.	Name(Print)
August 31, 2024	0300	78°	Fuerte		
	0600	76	lento		
	0900	76	lento		
	1200	84	lento		
	1500	88	lento		
	1800	86	lento		
	2100	83	lento		
	2400	79	R Casas		
	Notes				

Notes

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 212
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 21, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
August 22, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
August 23, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
August 21, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
August 1, 2024	0300	80	R. Gonzalez
	0600	76	J. Brown
	0900	76	J. Brown
	1200	80	J. Brown
	1500	85	M. Serrano
	1800	89	M. Serrano
	2100	85	M. Serrano
	2400	86	D. Casas

Saturday			
Date	Time	Temp.	Name(Print)
August 3, 2024	0300	76	D. Casas
	0600	76	S. Serrano
	0900	78	S. Serrano
	1200	85	S. Serrano
	1500	85	JORDAN
	1800	88	JORDAN
	2100	90	JORDAN
	2400	85	M. KNUDSEN <i>ew</i>

Notes

8/31 STAYED IN INSIDE 95°

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 212
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 5, 2024	0300	79	R. Gonzalez
	0600	79	Strickby
	0900	80	Strickby
	1200	82	Strickby
	1500	80	M. Semano
	1800	80	M. Semano
	2100	80	M. Semano
	2400	89	R. Gonzalez

Wednesday			
Date	Time	Temp.	Name(Print)
August 7, 2024	0300	81	R. Gonzalez
	0600	80	Strickby
	0900	80	Strickby
	1200	80	Strickby
	1500	86	Lockett
	1800	82	Lockett
	2100	88	Lockett
	2400	82	R. Gonzalez

Friday			
Date	Time	Temp.	Name(Print)
August 9, 2024	0300	75	R. Casas
	0600	74	C. Diaz
	0900	78	C. Diaz
	1200	82	C. Diaz
	1500	84	Lockett
	1800	83	Lockett
	2100	81	Lockett
	2400	80	R. Casas

Sunday			
Date	Time	Temp.	Name(Print)
August 11, 2024	0300	80	R. Gonzalez
	0600	80	Duran
	0900	80	DURAN
	1200	80	Duran
	1500	91	Evers
	1800	93	Evers
	2100	89	Evers
	2400	83	R. Gonzalez

Tuesday

Date	Time	Temp.	Name(Print)
August 6, 2024	0300	82	R. Gonzalez
	0600	80	Strickby
	0900	87	Strickby
	1200	89	Strickby
	1500	96	M. Semano
	1800	90	M. Semano
	2100	92	M. Semano
	2400	89	R. Gonzalez

Thursday

Date	Time	Temp.	Name(Print)
August 8, 2024	0300	76	R. Gonzalez
	0600	76	Sims
	0900	80	Sims
	1200	82	Sims
	1500	81	Mary
	1800	84	Mary
	2100	88	Mary
	2400	82	R. Casas

Saturday

Date	Time	Temp.	Name(Print)
August 10, 2024	0300	75	R. Casas
	0600	70	Neville
	0900	76	Neville
	1200	86	Neville
	1500	91	Evers
	1800	92	Evers
	2100	84	Evers
	2400	83	R. Gonzalez

Notes

- 8/5 Stage 2 @ 130 hrs. Stage 3 @ 1347 hrs.
- 8/5 Stage 2 2300 hrs.
- 8/6 Stage 3 activated @ 1407 hrs.
- 8/10 Stage 2 @ 1345
- 8/11 Stage 1 Activated @ 1100

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 212
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 12, 2024	0300	79	R. Gonzalez
	0600	79	Strieby
	0900	84	Strieby
	1200	89	Strieby
	1500	93	M. Serrano
	1800	92	M. Serrano
	2100	89	M. Serrano
	2400	70	Judd

Wednesday			
Date	Time	Temp.	Name(Print)
August 14, 2024	0300	79	R. Gonzalez
	0600	79	Strieby
	0900	81	Strieby
	1200	88	Strieby
	1500	93	Ruesta
	1800	92	Ruesta
	2100	90	Ruesta
	2400	85	R. Gonzalez

Friday			
Date	Time	Temp.	Name(Print)
August 16, 2024	0300	76	R. Casas
	0600	76	EX HERNANDEZ
	0900	79	EV HERNANDEZ
	1200	82	EV HERNANDEZ
	1500	92	L. DIAZ
	1800	94	L. DIAZ
	2100	82	L. DIAZ
	2400	80	R. Casas

Sunday			
Date	Time	Temp.	Name(Print)
August 18, 2024	0300	72	R. Gonzalez
	0600	72	Strieby
	0900	76	Strieby
	1200	84	Strieby
	1500	87	D. MERCADO
	1800	89	D. MERCADO
	2100	84	D. MERCADO
	2400	80	R. Gonzalez

Tuesday			
Date	Time	Temp.	Name(Print)
August 13, 2024	0300	70	Judd
	0600	70	Strieby
	0900	79	Strieby
	1200	82	Strieby
	1500	92	M. Serrano
	1800	94	M. Serrano
	2100	88	M. Serrano
	2400	82	R. Gonzalez

Thursday			
Date	Time	Temp.	Name(Print)
August 15, 2024	0300	79	R. Gonzalez
	0600	74	R. Gonzalez
	0900	80°	ZAMORA
	1200	87°	EV HERNANDEZ
	1500	92	Zamora
	1800	72	Zamora
	2100	89	Zamora
	2400	84	R. Casas

Saturday			
Date	Time	Temp.	Name(Print)
August 17, 2024	0300	75	R. Casas
	0600	77	Godinez
	0900	78	Godinez
	1200	79	Godinez
	1500	89	Rojas
	1800	85	Rojas
	2100	80	Rojas
	2400	75	R. Gonzalez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 212

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 19, 2024	0300	75	R. Gonzalez
	0600	75	M. VILLANUEVA
	0900	78	M. VILLANUEVA
	1200	84	M. VILLANUEVA
	1500	92	M. Serrano
	1800	92	M. Serrano
	2100	96	M. Serrano
	2400	82	R. Gonzalez

Wednesday			
Date	Time	Temp.	Name(Print)
August 21, 2024	0300	82	R. Gonzalez
	0600	74	Strieby
	0900	79	Strieby
	1200	81	Strieby
	1500	93	M. Serrano
	1800	92	M. Serrano
	2100	97	M. Serrano
	2400	80	R. Gonzalez

Friday			
Date	Time	Temp.	Name(Print)
August 23, 2024	0300	74°	D. Bourne
	0600	72	Bourne
	0900	72	Bourne
	1200	77	Bourne
	1500	84	JORDAN
	1800	89	JORDAN
	2100	80	JORDAN
	2400	72	R.Casas

Sunday			
Date	Time	Temp.	Name(Print)
August 25, 2024	0300	67	N. Jordan
	0600	69	Strieby
	0900	73	Strieby
	1200	78	Strieby
	1500	84	D. MERCADO
	1800	82	D. MERCADO
	2100	81	D. MERCADO
	2400	78	R. Gonzalez

Tuesday			
Date	Time	Temp.	Name(Print)
August 20, 2024	0300	79	R. Gonzalez
	0600	77	Strieby
	0900	79	Strieby
	1200	81	Strieby
	1500	83	Strieby
	1800	96	Strieby
	2100	90	Strieby
	2400	85	R. Gonzalez

Thursday			
Date	Time	Temp.	Name(Print)
August 22, 2024	0300	76	R. Gonzalez
	0600	73	15ay
	0900	71	15ay
	1200	82	15ay
	1500	86	M. Serrano
	1800	97	M. Serrano
	2100	93	M. Serrano
	2400	78°	D. Bourne

Saturday			
Date	Time	Temp.	Name(Print)
August 24, 2024	0300	69	R. Casas
	0600	70	Richardson
	0900	70	Richardson
	1200	80	Richardson
	1500	80	N. JORDAN
	1800	79	N. JORDAN
	2100	75	N. JORDAN
	2400	75	N. JORDAN

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 212
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 26, 2024	0300	73	R. Gonzalez
	0600	72	Strieby
	0900	77	Strieby
	1200	84	Strieby
	1500	87	M. Serrano
	1800	89	M. Serrano
	2100	84	M. Serrano
	2400	81	R. Gonzalez

Wednesday

Date	Time	Temp.	Name(Print)
August 28, 2024	0300	75	R. Gonzalez
	0600	72	M. Serrano
	0900	74	M. Serrano
	1200	79	M. Serrano
	1500	89	M. Serrano
	1800	87	M. Serrano
	2100	83	M. Serrano
	2400	75	R. Gonzalez

Friday

Date	Time	Temp.	Name(Print)
August 30, 2024	0300	72	R. Casas
	0600	77	Douglas
	0900	74	Douglas
	1200	77	Douglas
	1500	79	Vargas
	1800	80	Vargas
	2100	80	Vargas
	2400	75	R. Casas

Sunday

Date	Time	Temp.	Name(Print)
September 1, 2024	0300	79	J. Lopez
	0600	76	Strieby
	0900	79	Strieby
	1200	80	Strieby
	1500	88	R. Becerra
	1800	86	R. Becerra
	2100	840	R. Becerra
	2400	80	R. Gonzalez

Tuesday

Date	Time	Temp.	Name(Print)
August 27, 2024	0300	79	R. Gonzalez
	0600	74	Strieby
	0900	77	Strieby
	1200	85	Strieby
	1500	86	M. Serrano
	1800	86	M. Serrano
	2100	84	M. Serrano
	2400	80	R. Gonzalez

Thursday

Date	Time	Temp.	Name(Print)
August 29, 2024	0300	71	R. Gonzalez
	0600	70	casas
	0900	70	casas
	1200	74	casas
	1500	82	M. Serrano
	1800	82	M. Serrano
	2100	80	M. Serrano
	2400	78	R. Casas

Saturday

Date	Time	Temp.	Name(Print)
August 31, 2024	0300	72	R. Casas
	0600	71	Redinger
	0900	74	Redinger
	1200	78	Redinger
	1500	82	C. Cedeno
	1800	81	C. Cedeno
	2100	81	C. Cedeno
	2400	81	A. Perez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 214
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 20, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
August 21, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
August 2, 2024	0300	77	DURAN
	0600	78	Norwin
	0900	78	Norwin
	1200	80	Norwin
	1500	80	SANCHEZ
	1800	80	SANCHEZ
	2100	80	J. RAMOS
	2400	79	W. BURROS

Sunday			
Date	Time	Temp.	Name(Print)
August 4, 2024	0300	80	Lorraine SW
	0600	79	DeB
	0900	80	DeB
	1200	82	DeB
	1500	82	J. RAMOS
	1800	84	J. RAMOS
	2100	82	J. RAMOS
	2400	82	Sanchez

Tuesday			
Date	Time	Temp.	Name(Print)
August 28, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
August 1, 2024	0300	80	Janeen
	0600	77	DeB
	0900	78	DeB
	1200	78	DeB
	1500	79	Chevrolet
	1800	78	Chevrolet
	2100	75	Chevrolet
	2400	78	A. Perez

Saturday			
Date	Time	Temp.	Name(Print)
August 3, 2024	0300	77	W. Burros
	0600	79	MARIA
	0900	80	MARIA
	1200	80	MARIA
	1500	81	CHAVEZ
	1800	82	CHAVEZ
	2100	82	CHAVEZ
	2400	82	CHAVEZ

Notes			

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 214
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 5, 2024	0300	81	DURAN
	0600	77	DeBau
	0900	79	DeBau
	1200	81	DeBau
	1500	80	LVR
	1800	82	LVR
	2100	81	LVR
	2400	81	DURAN

Wednesday			
Date	Time	Temp.	Name(Print)
August 7, 2024	0300	77	DURAN
	0600	78	clo Burner
	0900	80	clo Burner
	1200	84	clo Burner
	1500	87	Coban & Hite
	1800	83	Coban & Hite
	2100	83	Coban & Hite
	2400	83	Sardinas

Friday			
Date	Time	Temp.	Name(Print)
August 9, 2024	0300	79	A. Perez
	0600	77	J. Sanchez
	0900	80	J. Sanchez
	1200	82	J. Sanchez
	1500	82	J. Arredondo
	1800	83	Coban & Hite
	2100	81	Coban & Hite
	2400	80	clo Burner

Sunday			
Date	Time	Temp.	Name(Print)
August 11, 2024	0300	80	clo Burner
	0600	80	—
	0900	82	—
	1200	83	—
	1500	84	SANCHEZ
	1800	82	SANCHEZ
	2100	82	SANCHEZ
	2400	80	DURAN

Tuesday			
Date	Time	Temp.	Name(Print)
August 6, 2024	0300	79	DURAN
	0600	80	DR
	0900	82	DR
	1200	84	DR
	1500	84	Comeli
	1800	80	Comeli
	2100	80	Comeli
	2400	80	DURAN

Thursday			
Date	Time	Temp.	Name(Print)
August 8, 2024	0300	80	clo Burner
	0600	80	clo Burner
	0900	82	clo Burner
	1200	82	clo Burner
	1500	83	Cabarrubias
	1800	83	Cabarrubias
	2100	82	Cabarrubias
	2400	80	A. Perez

Saturday			
Date	Time	Temp.	Name(Print)
August 10, 2024	0300	78	clo Burner
	0600	78	Navarro
	0900	80	Navarro
	1200	80	Navarro
	1500	85	E. Chisholm
	1800	85	E. Chisholm
	2100	86	E. Chisholm
	2400	82	clo Burner

Notes			
01/7/24 - STAGE F R 1220			

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS : 102, 103, 109, 111, 201, 202, 203, 201,
304, 309, 311, 312, 313, 401, 402, 401,
406, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- Temp. Reading Location: DORM -
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	79	DURAN <i>SA</i>
	0600	78	DURAN
	0900	80	DURAN
	1200	82	DURAN
	1500	84	WATSON <i>SP</i>
	1800	84	WATSON
	2100	82	WATSON
	2400	80	K. AMEROLA

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	76	DURAN
	0600	76	DURAN
	0900	77	DURAN
	1200	80	DURAN
	1500	81	LABARBERA
	1800	80	LABARBERA
	2100	78	LABARBERA
	2400	78	CLO BURNE

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	81	CLO PEREZ
	0600	80	NARVARES
	0900	80	NARVARES
	1200	80	NARVARES
	1500	80	SANCHEZ <i>SP</i>
	1800	80	SANCHEZ <i>SP</i>
	2100	79	SANCHEZ
	2400	78	CLO BURNE

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	80	CLO BURNE <i>SP</i>
	0600	80	CLO BURNE <i>SP</i>
	0900	80	DURAN
	1200	81	DURAN
	1500	80	J. DANIEL
	1800	82	J. DANIEL
	2100	80	J. DANIEL
	2400	80	DURAN <i>SP</i>

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	78	K. AMEROLA
	0600	78	DURAN
	0900	78	DURAN
	1200	80	DURAN
	1500	81	BLOMELI
	1800	80	BLOMELI
	2100	80	BLOMELI
	2400	80	DURAN

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	77	CLO BURNE
	0600	78	CLO BURNE
	0900	80	CLO BURNE
	1200	84	CLO BURNE
	1500	84	CLO SANCHEZ
	1800	83	CLO SANCHEZ
	2100	83	CLO SANCHEZ
	2400	82	CLO PEREZ

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	77	CLO BURNE
	0600	78	MARIA DEL
	0900	79	MARIA DEL
	1200	80	MARIA DEL
	1500	81	CHAVES
	1800	82	CHAVES
	2100	80	CHAVES
	2400	80	CLO BURNE <i>SP</i>

Notes

8/15/24 1225 Stage F
8/18/24 1340 Stage 1

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

Temp Reading Location: Dorm 214

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	80	DURAN SW
	0600	80	DURAN SW
	0900	80	DURAN SW
	1200	81	DURAN SW
	1500	82	Cobanillas
	1800	84	Cobanillas
	2100	85	Cobanillas
	2400	83	K. AMAROLIA

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	78	Pawhew
	0600	78	D.R.
	0900	78	D.R.
	1200	80	D.R.
	1500	83	Cobanillas
	1800	84	Cobanillas
	2100	83	Cobanillas
	2400	80	J. Garcia

Friday

Date	Time	Temp.	Name(Print)
August 23, 2024	0300	79	C. Bunn
	0600	78	D. CREECHTON
	0900	78	D. CREECHTON
	1200	80	D. CREECHTON
	1500	80	F. GARCIA
	1800	80	F. GARCIA
	2100	80	T. GARDNER
	2400	80	C. Bunn SW

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	78	C. Bunn SW
	0600	76	D.R.
	0900	78	D.R.
	1200	78	D.R.
	1500	80	J. DAVIS
	1800	80	J. DAVIS
	2100	80	J. DAVIS
	2400	79	C. Bunn SW

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	81	K. AMAROLIA
	0600	81	R. Gomez
	0900	81	R. Gomez
	1200	83	R. Gomez
	1500	86	B. LOMELI
	1800	86	B. LOMELI
	2100	85	B. LOMELI
	2400	80	Pawhew

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	79	J. GARCIA
	0600	77	Gutierrez
	0900	79	Gutierrez
	1200	82	Gutierrez
	1500	82	Cobanillas
	1800	82	Cobanillas
	2100	81	Cobanillas
	2400	80	C. Bunn

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	77	C. Bunn
	0600	77	C. Bunn
	0900	79	C. Bunn
	1200	80	C. Bunn
	1500	80	J. DAVIS
	1800	80	J. DAVIS
	2100	80	J. DAVIS
	2400	81	ZAWAD SW

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 108, 111, 201, 202, 203, 204, 300, 311, 312, 313, 401, 402, 403, 407, 408, 409, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSID ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM - Z14
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/25/24	0300	77	Cl/Burn
	0600	76	DeSan
	0900	77	DeR
	1200	80	DeR
	1500	82	Lyn
	1800	81	DeR
	2100	81	DeR
	2400	80	Duran

Wednesday

Date	Time	Temp.	Name (Print)
8/26/24	0300	77	Duran
	0600	76	DeR
	0900	75	DeR
	1200	78	DeR
	1500	80	Cobanbros
	1800	80	Cobanbros
	2100	79	Cobanbros
	2400	80	Cl/Burn

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	75	A-few
	0600	74	DeSan
	0900	74	DeSan
	1200	77	DeSan
	1500	78	Cobanbros
	1800	78	Cobanbros
	2100	77	Cobanbros
	2400	77	Cl/Burn

Sunday

Date	Time	Temp.	Name (Print)
	0300	78	DURAN
	0600	79	Sum
	0900	80	Sum
	1200	81	Sum
	1500	80	J.DAVIS
	1800	80	J.Davis
	2100	80	J.Davis
	2400	79	K.Amezola

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	78	Duran
	0600	79	DeSan
	0900	71	Sum
	1200	80	Sum
	1500	80	Unkn
	1800	80	Unkn
	2100	80	Unkn
	2400	79	Duran

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	78	Cl/Burn
	0600	73	DeR
	0900	74	DeR
	1200	76	DeB
	1500	78	Cobanbros
	1800	78	Cobanbros
	2100	76	Cobanbros
	2400	75	A-few

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	75	Cl/Burn
	0600	75	MacLean
	0900	75	MacLean
	1200	80	MacLean
	1500	80	J.DAVIS
	1800	80	J.Davis
	2100	80	J.DAVIS
	2400	79	Duran

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From 45474 through 45504, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
August 2, 2024	0300	78	R.VAZQUEZ K
	0600	77	D.COSS JA
	0900	78	D.COSS JA
	1200	79	D.COSS
	1500	85	Azumma / 1651 STAGE II
	1800	90	Azumma
	2100	82	Azumma
	2400	83	R.VAZQUEZ

Sunday

Date	Time	Temp.	Name(Print)
August 4, 2024	0300	77	R.VAZQUEZ
	0600	78	DIAZ
	0900	80	DIAZ
	1200	88	DIAZ
	1500	93	J.SILVA PONCE
	1800	95	J.SILVA PONCE
	2100	91	J.SILVA PONCE
	2400	86	J.SILVA PONCE

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
August 1, 2024	0300	72	R.VAZQUEZ JF
	0600	74	D.COSS JG
	0900	76	D.COSS JG
	1200	78	D.COSS JG
	1500	84	J.SILVA PONCE
	1800	88	J.SILVA PONCE
	2100	88	J.SILVA PONCE
	2400	84	R.VAZQUEZ

Saturday

Date	Time	Temp.	Name(Print)
August 3, 2024	0300	80	R.VAZQUEZ
	0600	81	M.BROWN
	0900	85	M.BROWN
	1200	87	M.BROWN
	1500	90	M.BROWN
	1800	95	M.BROWN
	2100	89	M.BROWN
	2400	92	M.BROWN

Notes

Stage II @ 1722 8/2/24 95° inside

8/4/24 Stage II @ 1322

Stage III 1758 8/4/24 95° inside
Deactivate Stage III 2010

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 5, 2024	0300	82	R. VAZQUEZ
	0600	78	R. VAZQUEZ
	0900	80	R. VAZQUEZ
	1200	86	R. VAZQUEZ
	1500	95	J. SILVA PONCE
	1800	94	J. SILVA PONCE
	2100	92	J. SILVA PONCE
	2400	89	J. SILVA PONCE

Wednesday			
Date	Time	Temp.	Name(Print)
August 7, 2024	0300	80	R. VAZQUEZ
	0600	80	J. MARQUEZ
	0900	78	J. MARQUEZ
	1200	85	J. MARQUEZ
	1500	91	J. SILVA PONCE
	1800	90	J. SILVA PONCE
	2100	89	J. SILVA PONCE
	2400	83	R. VAZQUEZ

Friday			
Date	Time	Temp.	Name(Print)
August 9, 2024	0300	78	R. VAZQUEZ
	0600	73	R. DELLAZO
	0900	75	R. DELLAZO
	1200	78	R. DELLAZO
	1500	80	A. VAREZ
	1800	80	A. VAREZ
	2100	80	A. VAREZ
	2400	81	O. RANDOLPH

Sunday			
Date	Time	Temp.	Name(Print)
August 11, 2024	0300	77	M. BROWN
	0600	79	M. BROWN
	0900	81	M. BROWN
	1200	83	M. BROWN
	1500	91	J. SILVA PONCE
	1800	90	J. SILVA PONCE
	2100	89	J. SILVA PONCE
	2400	86	R. VAZQUEZ

Tuesday			
Date	Time	Temp.	Name(Print)
August 6, 2024	0300	75	R. VAZQUEZ
	0600	80	J. MARQUEZ
	0900	84	J. MARQUEZ
	1200	88	J. MARQUEZ
	1500	92	J. SILVA PONCE
	1800	95	J. SILVA PONCE
	2100	91	J. SILVA PONCE
	2400	83	R. VAZQUEZ

Thursday			
Date	Time	Temp.	Name(Print)
August 8, 2024	0300	78	R. VAZQUEZ
	0600	77	D. COSS
	0900	78	D. COSS
	1200	84	D. COSS
	1500	89	R. MARQUEZ
	1800	89	R. MARQUEZ
	2100	88	R. MARQUEZ
	2400	80	R. VAZQUEZ

Saturday			
Date	Time	Temp.	Name(Print)
August 10, 2024	0300	80	O. RANDOLPH
	0600	80	M. BROWN
	0900	83	M. BROWN
	1200	87	M. BROWN
	1500	89	M. BROWN
	1800	92	M. BROWN
	2100	88	M. BROWN
	2400	82	P. ROSE

Notes
 8/05/24 STAGE II @ 1330, WATCH NOTIFIED
 8/17/24 STAGE II @ 1423, WATCH NOTIFIED
 8/17/24 OUT OF STAGE II @ 2000
 8/10/24 Stage II @ 1530 under Notified
 8/10/24 out of stage II @ 1954
 8/11/24 STAGE II @ 1426

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 12, 2024	0300	78	LUNED
	0600	77	CHAVARRIEZ
	0900	78	CHAVARRIEZ
	1200	81	CHAVARRIEZ
	1500	91	J. SILVA PONCE
	1800	90	J. SILVA PONCE
	2100	89	J. SILVA PONCE
	2400	88	J. SILVA PONCE

Tuesday			
Date	Time	Temp.	Name(Print)
August 13, 2024	0300	77	JONES
	0600	77	A. ELLIOTT
	0900	79	A. ELLIOTT
	1200	83	A. ELLIOTT
	1500	90	J. SILVA PONCE
	1800	91	J. SILVA PONCE
	2100	89	J. SILVA PONCE
	2400	83	R. VAZQUEZ

Wednesday			
Date	Time	Temp.	Name(Print)
August 14, 2024	0300	77	R. VAZQUEZ
	0600	77	A. ELLIOTT
	0900	79	A. ELLIOTT
	1200	82	A. ELLIOTT
	1500	89	J. SILVA PONCE
	1800	90	J. SILVA PONCE
	2100	88	J. SILVA PONCE
	2400	81	R. VAZQUEZ

Thursday			
Date	Time	Temp.	Name(Print)
August 15, 2024	0300	79	R. VAZQUEZ
	0600	77	F. VASCO
	0900	78	F. VASCO
	1200	82	F. VASCO
	1500	90	R. MARTINEZ
	1800	90	R. MARTINEZ
	2100	88	R. MARTINEZ
	2400	82	R. VAZQUEZ

Friday			
Date	Time	Temp.	Name(Print)
August 16, 2024	0300	83	R. VAZQUEZ
	0600	80	BUSTOS
	0900	80	BUSTOS
	1200	80	BUSTOS
	1500	80	Amarr
	1800	75	Amarr
	2100	73	Amarr
	2400	79	R. Gonzalez

Saturday			
Date	Time	Temp.	Name(Print)
August 17, 2024	0300	74	R. Gonzalez
	0600	73	A. VILLENA
	0900	73	A. VILLENA
	1200	86	A. VILLENA
	1500	87	MUNDSEN
	1800	82	MUNDSEN
	2100	80	MUNDSEN
	2400	79	MUNDSEN

Sunday			
Date	Time	Temp.	Name(Print)
August 18, 2024	0300	75	MUNDSEN
	0600	78	A. ELLIOTT
	0900	80	A. ELLIOTT
	1200	84	A. ELLIOTT
	1500	89	J. SILVA PONCE
	1800	89	J. SILVA PONCE
	2100	88	J. SILVA PONCE
	2400	88	J. SILVA PONCE

Notes
STAGE II @ 1508(OUT OF STAGE II @ 2033)
STAGE II 90° 8/14/24 @ 1554
OUT OF STAGE II 86° @ 2125

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405
 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	82	72
	0600	80	A. Elliott
	0900	83	A. Elliott
	1200	83	A. Elliott
	1500	90	J. Silva Ponce
	1800	92	J. Silva Ponce
	2100	87	J. Silva Ponce
	2400	83	CUSTARD SW

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	73	A. Elliott
	0600	73	A. Elliott
	0900	76	A. Elliott
	1200	84	A. Elliott ✓
	1500	93	J. Silva Ponce
	1800	92	J. Silva Ponce
	2100	83	J. Silva Ponce
	2400	82	Satashi

Friday

Date	Time	Temp.	Name(Print)
August 23, 2024	0300	74	V Aguayo
	0600	76	Cross
	0900	76	Coss
	1200	81	Coss
	1500	82	Annam ✓
	1800	79	Annam
	2100	77	Annam
	2400	76	G. Gonzales

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	76	Bordford
	0600	70	RODRIGUEZ
	0900	76	Rodriguez
	1200	80	Rodriguez
	1500	84	J. Silva Ponce
	1800	82	J. Silva Ponce
	2100	77	J. Silva Ponce
	2400	74	✓✓

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	76	CUSTARD SW
	0600	73	A. Elliott SW
	0900	77	A. Elliott
	1200	85	A. Elliott
	1500	97	J. Silva Ponce
	1800	94	J. Silva Ponce
	2100	89	J. Silva Ponce
	2400	88	A. Elliott

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	86	SATAGI
	0600	80	D. COSS
	0900	80	D. COSS
	1200	82	D. COSS
	1500	89	MR
	1800	81	MR
	2100	84	MR
	2400	74	V Aguayo

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	75	G. Gonzales
	0600	79	M. Brown
	0900	81	M. Brown
	1200	81	M. Brown
	1500	83	Perry, L
	1800	83	Perry, L
	2100	83	Perry, L
	2400	78	Bradford

Notes

STAGE II @ 1354 8/19/24
 OUT OF STAGE II 87° At 2051 8/19/24
 8/20/24 Stage II @ 1327
 8/20/24 Stage II @ 1420
 1900 8/20/24 OUT OF STAGE III
 8/21/24 Stage II @ 1312
 8/21/24 Stage II @ 1421

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 26, 2024	0300	74	72
	0600	75	A. ELLIOTT
	0900	76	A. ELLIOTT
	1200	82	A. ELLIOTT
	1500	89	J. SILVA PONCE
	1800	86	J. SILVA PONCE
	2100	80	J. SILVA PONCE
	2400	77	I. FERNANDEZ SA

Wednesday

Date	Time	Temp.	Name(Print)
August 28, 2024	0300	75	A. SANTOS
	0600	73	A. ELLIOTT
	0900	76	A. ELLIOTT
	1200	70	A. ELLIOTT H
	1500	86	J. SILVA PONCE
	1800	81	J. SILVA PONCE
	2100	75	J. SILVA PONCE
	2400	75	DUARTE

Friday

Date	Time	Temp.	Name(Print)
August 30, 2024	0300	71	BERNARDO
	0600	70	NAGAO, F
	0900	70	NAGAO, F P
	1200	77	NAGAO, F P
	1500	82	GIGENA
	1800	80	GIGENA
	2100	80	GIGENA
	2400	78	ZEPES

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
August 27, 2024	0300	76	I. FERNANDEZ SA
	0600	73	A. ELLIOTT
	0900	75	A. ELLIOTT
	1200	83	A. ELLIOTT
	1500	88	J. SILVA PONCE
	1800	86	J. SILVA PONCE
	2100	80	J. SILVA PONCE
	2400	76	A. SANTOS

Thursday

Date	Time	Temp.	Name(Print)
August 29, 2024	0300	73	DUARTE
	0600	70	GUTIERREZ
	0900	70	GUTIERREZ
	1200	72	GUTIERREZ
	1500	85	R. MARTINEZ
	1800	80	R. MARTINEZ
	2100	76	R. MARTINEZ
	2400	74	BERNARDO

Saturday

Date	Time	Temp.	Name(Print)
August 31, 2024	0300	76	A. TORRES
	0600	76	A. TORRES
	0900	70	A. ELLIOTT
	1200	80	A. ELLIOTT
	1500	88	M. M. MM
	1800	85	M. M. MM
	2100	80	M. M. MM
	2400	80	M. M. MM

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU.

From 45474 through 45504, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)

Friday			
Date	Time	Temp.	Name(Print)
	0300	79	Morales
	0600	80	R. Garcia Jr
	0900	80	R. Garcia Jr
	1200	85	R. Garcia Jr
	1500	85-90	R. Delgado
	1800	88	R. Delgado
	2100	88	R. Delgado
	2400	79	M. Addison

August 1, 2024	Date	Time	Temp.	Name(Print)
		0300	74	Morales
		0600	72	R. Garcia Jr
		0900	76	R. Garcia Jr
		1200	80	R. Garcia Jr
		1500	81	R. Delgado
		1800	79	R. Delgado
		2100	79	R. Delgado
		2400	79	Morales

Sunday			
Date	Time	Temp.	Name(Print)
	0300	82	Zelkini
	0600	80	Gomez
	0900	81	Gomez
	1200	84	Gomez
	1500	92	Rodriguez
	1800	95	Rodriguez
	2100	92	Rodriguez
	2400	87	Zelkini

August 3, 2024	Date	Time	Temp.	Name(Print)
		0300	79	M. Addison
		0600	78	R. Garcia Jr
		0900	82	R. Garcia Jr
		1200	88	R. Garcia Jr
		1500	91	L. Espinoza
		1800	91	Coss
		2100	90	Coss
		2400	810	Zelkini

Notes

1515 Stage II 8-3-24
1418 Stage II 8-4-24
1720 Stage III 96° 8-4-24
1823 Stage III deactivated 94° 8-4-24

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 5, 2024	0300	84	Tukimbo
	0600	80	C-DELEGATE
	0900	82	C-RELATOR
	1200	88	C-DECATORPE
	1500	89	R-DELARDO
	1800	89	R-DELARDO
	2100	89	R-DELARDO
	2400	88	CECIS DH

Wednesday			
Date	Time	Temp.	Name(Print)
August 7, 2024	0300	82	Morano
	0600	80	Najao
	0900	82	Najao
	1200	86	Najao
	1500	88	GARCIA
	1800	88	GARCIA
	2100	80	GARCIA
	2400	80	Morano

Friday			
Date	Time	Temp.	Name(Print)
August 9, 2024	0300	82	Morano
	0600	76	R. GARCIA
	0900	78	R. GARCIA
	1200	82	R. GARCIA
	1500	85	R-DELARDO
	1800	83	R-DELARDO
	2100	81	R-DELARDO
	2400	81	M. Adleson

Sunday			
Date	Time	Temp.	Name(Print)
August 11, 2024	0300	80	ZZ
	0600	81	R. GARCIA
	0900	83	R. GARCIA
	1200	88	R. GARCIA
	1500	88	Mehristian
	1800	89	Mehristian
	2100	86	Mehristian
	2400	85	Mehristian

Tuesday			
Date	Time	Temp.	Name(Print)
August 6, 2024	0300	85	CSC4 DH
	0600	80	C-DELEGATE
	0900	82	C-DELEGATE
	1200	82	C-DELEGATE
	1500	90	GARCIA
	1800	90	GARCIA
	2100	85	CFC
	2400	82	Morano

Thursday			
Date	Time	Temp.	Name(Print)
August 8, 2024	0300	80	WHERE
	0600	78	R. GARCIA
	0900	78	R. GARCIA
	1200	83	R. GARCIA
	1500	88	R-DELARDO
	1800	86	R-DELARDO
	2100	82	R-DELARDO
	2400	82	Morano

Saturday			
Date	Time	Temp.	Name(Print)
August 10, 2024	0300	80	M. Adleson
	0600	78	R. GARCIA
	0900	81	R. GARCIA
	1200	84	R. GARCIA
	1500	87	R-DELARDO
	1800	88	R-DELARDO
	2100	86	R-DELARDO
	2400	84	ZZ

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 12, 2024	0300	79	CCY
	0600	79	C. DELATORRE
	0900	78	C. DELATORRE
	1200	80	C. DELATORRE
	1500	90	LEO
	1800	90	LEO
	2100	90	LEO
	2400	80	CCY

Tuesday			
Date	Time	Temp.	Name(Print)
August 13, 2024	0300	79	CCY
	0600	79	GOMEZ
	0900	80	GOMEZ
	1200	82	GOMEZ
	1500	88	GARCIA, MS
	1800	97	GARCIA, MS
	2100	82	GARCIA, MS
	2400	80	CCY

Wednesday			
Date	Time	Temp.	Name(Print)
August 14, 2024	0300	79	CCY
	0600	79	NAGAO
	0900	80	NAGAO
	1200	82	NAGAO
	1500	86	GARCIA, MS
	1800	86	MURKIN
	2100	85	MURKIN
	2400	84	MURKIN

Thursday			
Date	Time	Temp.	Name(Print)
August 15, 2024	0300	80	MURKIN
	0600	89	R. GARCIA
	0900	82	R. GARCIA
	1200	84	R. GARCIA
	1500	88	SMITH
	1800	89	SMITH
	2100	89	SUTH
	2400	86	MURKIN

Friday			
Date	Time	Temp.	Name(Print)
August 16, 2024	0300	78	MURKIN
	0600	78	R. GARCIA
	0900	80	R. GARCIA
	1200	85	R. GARCIA
	1500	90	LEO
	1800	90	LEO
	2100	90	LEO
	2400	85	LEO

Saturday			
Date	Time	Temp.	Name(Print)
August 17, 2024	0300	84	LEO
	0600	82	R. GARCIA
	0900	83	R. GARCIA
	1200	81	R. GARCIA
	1500	80	LEO
	1800	80	LEO
	2100	80	LEO
	2400	80	LEO

Sunday			
Date	Time	Temp.	Name(Print)
August 18, 2024	0300	78	LEO
	0600	70	R. GARCIA
	0900	74	R. GARCIA
	1200	80	R. GARCIA
	1500	82	LEO
	1800	82	LEO
	2100	82	LEO
	2400	80	DAVIS

Notes
1356 HRS. 8/12/24 STAGE II - WN.
1422 HRS. 8/16/24 STAGE II - WN.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	81	SPDRUGS
	0600	78	WNTIDA
	0900	79	WNTIDA
	1200	82	WNTIDA
	1500	90	LEO
	1800	90	LEO
	2100	88	CECO
	2400	88	CECO 88

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	87	CECO
	0600	79	Majao
	0900	84	Majao
	1200	81	Majao
	1500	78	R. Lopez
	1800	78	R. Lopez
	2100	78	R. Lopez
	2400	80	Majao

Friday

Date	Time	Temp.	Name(Print)
August 23, 2024	0300	80	MORAWA
	0600	74	R. GARCIA
	0900	75	R. GARCIA
	1200	79	R. GARCIA
	1500	80	LEO
	1800	80	LEO
	2100	78	LEO
	2400	78	LEO

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	78	G. Gonzalez
	0600	76	DAT
	0900	78	DAT
	1200	80	DAT
	1500	80	LEO
	1800	80	LEO
	2100	80	LEO
	2400	79	CECO

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	79	CECO
	0600	76	CECO
	0900	79	AREED
	1200	80	AREED
	1500	92	GARCIAS 1450
	1800	91	GARCIAS
	2100	91	GARCIAS
	2400	85	CECO

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	80	Marcus
	0600	75	R. GARCIA
	0900	78	R. GARCIA
	1200	80	R. GARCIA
	1500	82	LEO
	1800	82	LEO
	2100	80	LEO
	2400	80	Marcus

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	76	LEO
	0600	71	R. GARCIA
	0900	73	R. GARCIA
	1200	77	R. GARCIA
	1500	80	LEO
	1800	79	LEO
	2100	79	LEO
	2400	78	B. GONZALEZ

Notes

8-19-24 1450 STAGE II 90°, WN.

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405
 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 26, 2024	0300	79	CECIS
	0600	79	C. DELATORRE
	0900	83	C. DELATORRE
	1200	83	C. DELATORRE
	1500	84	A. TORRES
	1800	83	A. TORRES
	2100	80	A. TORRES
	2400	78	CECIS <i>84</i>

Wednesday

Date	Time	Temp.	Name(Print)
August 28, 2024	0300	79	CECIS
	0600	74°	G. VELA
	0900	76°	G. VELA
	1200	79°	G. VELA
	1500	80°	GARIBAGO
	1800	80°	GARIBAGO
	2100	80°	GARIBAGO
	2400	80°	Mallora <i>N</i>

Friday

Date	Time	Temp.	Name(Print)
August 30, 2024	0300	78	MURKIN
	0600	78	CERVANTES
	0900	79	CERVANTES
	1200	79	CERVANTES
	1500	78	SANCHEZ <i>R</i>
	1800	78	SANCHEZ
	2100	78	SANCHEZ
	2400	78	R. SANCHEZ

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
August 27, 2024	0300	77	CECIS <i>80</i>
	0600	77	C. DELATORRE
	0900	78	C. DELATORRE
	1200	80	C. DELATORRE
	1500	82	GARIBAGO
	1800	84	GARIBAGO
	2100	86	GARIBAGO
	2400	81	CECIS

Thursday

Date	Time	Temp.	Name(Print)
August 29, 2024	0300	78	Wheeler
	0600	74	HANSEN
	0900	76	HANSEN
	1200	78	HANSEN
	1500	80	SANCHEZ
	1800	80	SANCHEZ
	2100	78	SANCHEZ
	2400	78	Wheeler

Saturday

Date	Time	Temp.	Name(Print)
August 31, 2024	0300	75°	L. SANCHEZ
	0600	78°	Q. A. ARREDONDO
	0900	78°	Q. A. ARREDONDO
	1200	80°	Q. A. ARREDONDO
	1500	85°	A. ARENDONDO
	1800	85°	A. ARENDONDO
	2100	85°	A. ARENDONDO
	2400	82	Z. Z.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY C Temp. Reading Location: DORM 304
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	75°	E. MELENDEZ
	0600	74	SERRATO
	0900	72	SERRATO
	1200	75	SERRATO
	1500	890	C. ONUOAH
	1800	88°	C. ONUOAH
	2100	790	C. ONUOAH
	2400	78	M. Wren

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	78	M. Noy
	0600	79	R. DELGADO Jr
	0900	85	R. DELGADO Jr
	1200	87	R. DELGADO
	1500	840	C. ONUOAH
	1800	880	C. ONUOAH
	2100	80°	C. ONUOAH
	2400	78	M. KNUDSEN

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	78	M. KNUDSEN
	0600	79	R. DELGADO
	0900	84	R. DELGADO
	1200	87	R. DELGADO
	1500	96	Z.Z
	1800	76	Z.Z
	2100	78	Z.Z
	2400	83°	E. MELENDEZ

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	80°	E. MELENDEZ
	0600	890	M. Wren
	0900	82	M. Wren
	1200	88	M. Wren
	1500	76	Z.Z
	1800	76	Z.Z
	2100	72	Z.Z
	2400	80	Z.Z

Notes

✓

A

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/05/24	0300	86	A. Perez
	0600	78	M. Serrano
	0900	80	M. Serrano
	1200	84	M. Serrano
	1500	87°	G. Gómez
	1800	89°	G. Gómez
	2100	88°	G. Gómez
	2400	88	M. Serrano SW

Tuesday

Date	Time	Temp.	Name (Print)
08/06/24	0300	84	M. Serrano LN
	0600	80	GIGENA
	0900	80	GIGENA
	1200	86	GIGENA
	1500	84°	G. Gómez
	1800	85	G. Gómez
	2100	84	G. Gómez
	2400	85	M. Serrano

Wednesday

Date	Time	Temp.	Name (Print)
08/07/24	0300	84	M. Neira
	0600	82	M. Neira
	0900	80°	E. Melendez ✓
	1200	88°	E. Melendez ✓
	1500	88°	G. Gómez
	1800	88°	G. Gómez
	2100	80°	G. Gómez
	2400	78	Parker

Thursday

Date	Time	Temp.	Name (Print)
08/08/24	0300	78	Parker
	0600	78	Serrato ✓
	0900	80	Serrato JC
	1200	82	Serrato
	1500	88°	G. Gómez
	1800	88°	G. Gómez
	2100	80°	G. Gómez
	2400	80°	E. Melendez

Friday

Date	Time	Temp.	Name (Print)
08/09/24	0300	77°	E. Melendez
	0600	78°	A. Arevalo
	0900	78°	A. Arevalo ✓
	1200	78°	A. Arevalo ✓
	1500	89°	G. Gómez
	1800	89	G. Gómez
	2100	81°	G. Gómez
	2400	80°	E. Melendez

Saturday

Date	Time	Temp.	Name (Print)
08/10/24	0300	77°	E. Melendez
	0600	78°	A. Arevalo
	0900	79°	A. Arevalo
	1200	82°	A. Arevalo
	1500	94	ZZ
	1800	94	ZZ
	2100	90	ZZ
	2400	82	Serrato

Sunday

Date	Time	Temp.	Name (Print)
08/11/24	0300	82	Serrato
	0600	70	M. Serrano
	0900	79	M. Serrano
	1200	85	M. Serrano
	1500	90	ZZ
	1800	90	ZZ
	2100	88	ZZ
	2400	81	A. Arevalo

Notes

8/5 @ 1230 Stage II 90° inside watch informed
8/6 @ 1040 STAGE II ACTIVATED! STAGE II @ 1300 WATCH INFORMED
8/11 @ 1334 Stage II 90° inside watch informed

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday							
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)				
8/12	0300	80	M. Addison	8/13	0300	77	ADDISON	8/14	0300	77°	E. MELENDEZ	8/15	0300	80	Bradford	8/16	0300	80°	E. MELENDEZ	8/17	0300	80	L. Senita	8/18	0300	76	Durante				
	0600	78	M. Addison		0600	77	R. DELCARDO		0600	78	SERATO		0600	78	SERATO		0600	79	A. Arevalo		0600	79	A. Arevalo		0600	79	A. Arevalo				
	0900	80	M. Addison		0900	80	R. DELCARDO		0900	80	SERATO		0900	80	SERATO		0900	80	A. Arevalo		0900	80	A. Arevalo		0900	80	A. Arevalo				
	1200	82	M. Addison		1200	82	R. DELCARDO		1200	82	SERATO		1200	82	SERATO		1200	82	A. Arevalo		1200	82	A. Arevalo		1200	82	A. Arevalo				
	1500	88°	C. Gouwats		1500	87°	GOUWATS		1500	89°	C. Gouwats		1500	89°	C. Gouwats		1500	89°	C. Gouwats		1500	89°	C. Gouwats		1500	89°	C. Gouwats				
	1800	88°	C. Gouwats		1800	86°	GOUWATS		1800	86°	C. Gouwats		1800	86°	C. Gouwats		1800	86°	C. Gouwats		1800	86°	C. Gouwats		1800	86°	C. Gouwats				
	2100	80°	GOUWATS		2100	80°	E. MELENDEZ		2100	80°	C. Gouwats		2100	83°	C. Gouwats		2100	83°	C. Gouwats		2100	83°	C. Gouwats		2100	83°	C. Gouwats				
	2400	78	ADDISON		2400	80°	E. MELENDEZ		2400	80°	Bradford		2400	80°	E. MELENDEZ		2400	80°	E. MELENDEZ		2400	80°	E. MELENDEZ		2400	80°	E. MELENDEZ				
8/14/24	0300	77°	E. MELENDEZ	8/14/24	0300	80	Bradford	8/14/24	0300	78	SERATO	8/14/24	0300	78	SERATO	8/14/24	0300	78	SERATO	8/14/24	0300	78	SERATO	8/14/24	0300	78	SERATO	8/14/24	0300	78	SERATO
	0600	78	SERATO		0600	78	SERATO		0600	78	SERATO		0600	78	SERATO		0600	78	SERATO		0600	78	SERATO		0600	78	SERATO		0600	78	SERATO
	0900	76	SERATO		0900	76	SERATO		0900	76	SERATO		0900	76	SERATO		0900	76	SERATO		0900	76	SERATO		0900	76	SERATO		0900	76	SERATO
	1200	80	SERATO		1200	80	SERATO		1200	80	SERATO		1200	80	SERATO		1200	80	SERATO		1200	80	SERATO		1200	80	SERATO		1200	80	SERATO
	1500	86°	GOUWATS		1500	89°	C. GOUWATS		1500	88°	GOUWATS		1500	88°	GOUWATS		1500	88°	GOUWATS		1500	88°	GOUWATS		1500	88°	GOUWATS		1500	88°	GOUWATS
	1800	86°	GOUWATS		1800	86°	GOUWATS		1800	86°	GOUWATS		1800	86°	GOUWATS		1800	86°	GOUWATS		1800	86°	GOUWATS		1800	86°	GOUWATS		1800	86°	GOUWATS
	2100	80°	GOUWATS		2100	80°	C. GOUWATS		2100	83°	C. GOUWATS		2100	83°	C. GOUWATS		2100	83°	C. GOUWATS		2100	83°	C. GOUWATS		2100	83°	C. GOUWATS		2100	83°	C. GOUWATS
	2400	80	Bradford		2400	80°	E. MELENDEZ		2400	80°	E. MELENDEZ		2400	80°	E. MELENDEZ		2400	80°	E. MELENDEZ		2400	80°	E. MELENDEZ		2400	80°	E. MELENDEZ		2400	80°	E. MELENDEZ
8/16/24	0300	80°	E. MELENDEZ	8/16/24	0300	79	A. Gutierrez	8/16/24	0300	79	A. Gutierrez	8/16/24	0300	79	A. Gutierrez	8/16/24	0300	79	A. Gutierrez	8/16/24	0300	79	A. Gutierrez	8/16/24	0300	79	A. Gutierrez	8/16/24	0300	79	A. Gutierrez
	0600	79	A. Gutierrez		0600	79	A. Gutierrez		0600	79	A. Gutierrez		0600	79	A. Gutierrez		0600	79	A. Gutierrez		0600	79	A. Gutierrez		0600	79	A. Gutierrez		0600	79	A. Gutierrez
	0900	79	A. Gutierrez		0900	79	A. Gutierrez		0900	79	A. Gutierrez		0900	79	A. Gutierrez		0900	79	A. Gutierrez		0900	79	A. Gutierrez		0900	79	A. Gutierrez		0900	79	A. Gutierrez
	1200	81	A. Gutierrez		1200	81	A. Gutierrez		1200	81	A. Gutierrez		1200	81	A. Gutierrez		1200	81	A. Gutierrez		1200	81	A. Gutierrez		1200	81	A. Gutierrez		1200	81	A. Gutierrez
	1500	84°	D. Bourne		1500	84°	D. Bourne		1500	88°	D. Bourne		1500	88°	D. Bourne		1500	88°	D. Bourne		1500	88°	D. Bourne		1500	88°	D. Bourne		1500	88°	D. Bourne
	1800	88°	D. Bourne		1800	88°	D. Bourne		1800	88°	D. Bourne		1800	88°	D. Bourne		1800	88°	D. Bourne		1800	88°	D. Bourne		1800	88°	D. Bourne		1800	88°	D. Bourne
	2100	84°	D. Bourne		2100	84°	D. Bourne		2100	84°	D. Bourne		2100	84°	D. Bourne		2100	84°	D. Bourne		2100	84°	D. Bourne		2100	84°	D. Bourne		2100	84°	D. Bourne
	2400	80	L. Senita		2400	80	L. Senita		2400	80	L. Senita		2400	80	L. Senita		2400	80	L. Senita		2400	80	L. Senita		2400	80	L. Senita		2400	80	L. Senita
8/18/24	0300	76	Durante	8/18/24	0300	77	M. Addison	8/18/24	0300	77	M. Addison	8/18/24	0300	77	M. Addison	8/18/24	0300	77	M. Addison	8/18/24	0300	77	M. Addison	8/18/24	0300	77	M. Addison	8/18/24	0300	77	M. Addison
	0600	77	M. Addison		0600	77	M. Addison		0600	77	M. Addison		0600	77	M. Addison		0600	77	M. Addison		0600	77	M. Addison		0600	77	M. Addison		0600	77	M. Addison
	0900	78	M. Addison		0900	78	M. Addison		0900	78	M. Addison		0900	78	M. Addison		0900	78	M. Addison		0900	78	M. Addison		0900	78	M. Addison		0900	78	M. Addison
	1200	81	M. Addison		1200	81	M. Addison		1200	81	M. Addison		1200	81	M. Addison		1200	81	M. Addison		1200	81	M. Addison		1200	81	M. Addison		1200	81	M. Addison
	1500	86	Z.Z.		1500	86	Z.Z.		1500	86	Z.Z.		1500	86	Z.Z.		1500	86	Z.Z.		1500	86	Z.Z.		1500	86	Z.Z.		1500	86	Z.Z.
	1800	83	Z.Z.		1800	83	Z.Z.		1800	83	Z.Z.		1800	83	Z.Z.		1800	83	Z.Z.		1800	83	Z.Z.		1800	83	Z.Z.		1800	83	Z.Z.
	2100	86	Z.Z.		2100	86	Z.Z.		2100	86	Z.Z.		2100	86	Z.Z.		2100	86	Z.Z.		2100	86	Z.Z.		2100	86	Z.Z.		2100	86	Z.Z.
	2400	80	M. Addison		2400	80	M. Addison		2400	80	M. Addison		2400	80	M. Addison		2400	80	M. Addison		2400	80	M. Addison		2400	80	M. Addison		2400	80	M. Addison

Notes

8/12 @ 1359 STAGE II 90° inside called watch

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	76	N. REEDNER
	0600	76°	J. MARTINEZ
	0900	80°	J. MARTINEZ
	1200	80°	J. MARTINEZ
	1500	88	J. ELIAS
	1800	90	J. ELIAS
	2100	86	J. ELIAS
	2400	84	M. SANTOS

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	80	M. SANTOS
	0600	74	J. SILVER PONCE
	0900	75	J. SILVER PONCE
	1200	83	J. SILVER PONCE
	1500	84	Loon
	1800	80	Loon
	2100	79	Loon
	2400	89	A. SANTOS

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	80	A. SANTOS
	0600	80	SERRATO
	0900	80	SERRATO
	1200	84	SERRATO
	1500	88°	GONZALEZ
	1800	88°	GONZALEZ
	2100	88°	GONZALEZ
	2400	88°	SANTOS

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	79	A. SANTOS
	0600	77	SERRATO
	0900	76	SERRATO
	1200	81	SERRATO
	1500	86°	GONZALEZ
	1800	83°	GONZALEZ
	2100	78°	GONZALEZ
	2400	77	B. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	76	G. GONZALEZ
	0600	78°	A. ARREDONDO
	0900	78°	A. ARREDONDO
	1200	78°	A. ARREDONDO
	1500	86°	GONZALEZ
	1800	83°	GONZALEZ
	2100	78°	GONZALEZ
	2400	77	T. HAROLD

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	76	T. HAROLD
	0600	73	R. GONZALEZ
	0900	73	R. GONZALEZ
	1200	74	R. GONZALEZ
	1500	80°	B. CHISHOLM
	1800	86	B. CHISHOLM
	2100	80	B. CHISHOLM
	2400	76	M. ADDISON

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	78	M. ADDISON
	0600	78	R. GONZALEZ
	0900	78	R. GONZALEZ
	1200	80	R. GONZALEZ
	1500	82	GARCIASO
	1800	81	GARCIASO
	2100	80	GARCIASO
	2400	78	BRODFOORD

Notes

1530 8-19-24 - STAGE II UNT DORM TEMP @ 90° F
8-20-24 - STAGE II 91° @ 1342

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	75	Bradford
	0600	76	M. Serrano
	0900	80	M. Serrano
	1200	85	M. Serrano
	1500	83	M. Serrano
	1800	80°	G. Gomez
	2100	78°	G. Gomez
	2400	80	M. Serrano SW

Tuesday

Date	Time	Temp.	Name (Print)
	0300	73	M. Serrano SW
	0600	73	M. Serrano
	0900	79	M. Serrano
	1200	81	M. Serrano
	1500	84	P. Pacheco
	1800	81	P. Pacheco
	2100	76°	C. Gutierrez
	2400	75°	M. Serrano

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	73	M. Serrano
	0600	74	Gomez
	0900	78	Gomez
	1200	81	Gomez
	1500	81°	G. Gomez
	1800	80°	G. Gomez
	2100	76°	G. Gomez
	2400	76°	Pacheco

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	76	Pacheco
	0600	73	Gomez
	0900	73	Gomez
	1200	79	Gomez
	1500	82°	G. Gomez
	1800	81°	G. Gomez
	2100	73°	G. Gomez
	2400	80	Pacheco

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	78	Bradford
	0600	76	A. Arredondo
	0900	80°	A. Arredondo
	1200	80°	A. Arredondo
	1500	81°	G. Gomez
	1800	79°	G. Gomez
	2100	76°	G. Gomez
	2400	74	Pacheco

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	76	Pacheco
	0600	76°	A. Arredondo
	0900	80	A. Arredondo
	1200	80	A. Arredondo
	1500	84	72
	1800	86	72
	2100	88	72
	2400	80	Pacheco

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	83	
	0600	80	
	0900	79	
	1200	81	
	1500	88	72
	1800	80	72
	2100	84	72
	2400	82	A. Bradford

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FAC C Temp. Reading Location: 305
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/21/18	0300	79	M. Moreno
	0600	79	M. Moreno
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
1/24/18	0300	78	M. Moreno
	0600	78	M. Moreno
	0900	80	M. Moreno
	1200	82	M. Moreno
	1500	81	Z. Collier
	1800	85	Z. Collier
	2100	88	Z. Collier
	2400	78	A. Diaz

Friday

Date	Time	Temp.	Name (Print)
1/26/18	0300	78	A. Diaz
	0600	77	M. Moreno
	0900	79	M. Moreno
	1200	84	M. Moreno
	1500	89	T. Edwards
	1800	89	T. Edwards
	2100	89	T. Edwards
	2400	84	D. Mercado

Saturday

Date	Time	Temp.	Name (Print)
1/27/18	0300	84	D. Mercado
	0600	82	M. Moreno
	0900	84	M. Moreno
	1200	87	M. Moreno
	1500	87	T. Edwards
	1800	88	T. Edwards
	2100	89	T. Edwards
	2400	85	A. Diaz

Sunday

Date	Time	Temp.	Name (Print)
	0300	82	A. Diaz
	0600	84	M. Brown
	0900	85	M. Brown
	1200	87	M. Brown
	1500	89	L. Ponz
	1800	89	L. Ponz
	2100	89	L. Ponz
	2400	86	L. Ponz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 305 Temp. Reading Location: 305
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8-5-24	0300	82	AVILA	8-6-24	0300	80	AVILA <i>MM</i>
	0600	82	D. Garcia		0600	82	M. Mireles
	0900	82	P. Garcia		0900	84	M. Mireles
	1200	84	D. Garcia		1200	88	M. Mireles
	1500	88	Cabreiro		1500	90	Cabreiro
	1800	88	Cabreiro		1800	90	Cabreiro
	2100	89	Cabreiro		2100	88	Cabreiro
	2400	85	AVILA <i>MM</i>		2400	80	AVILA
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8-7-24	0300	82	AVILA	8-8-24	0300	80	AVILA
	0600	81	M. Mireles		0600	80	M. Mireles <i>K</i>
	0900	83	M. Mireles		0900	82	M. Mireles <i>K</i>
	1200	86	M. Mireles <i>X</i>		1200	85	M. Mireles
	1500	87	T. Edwards		1500	88	T. Edwards
	1800	88	T. Edwards		1800	87	T. Edwards
	2100	86	T. Edwards		2100	87	T. Edwards
	2400	84	AVILA		2400	82	A. DIAL
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8-9-24	0300	80	A. DIAL	8-10-24	0300	80°	D. Bourne
	0600	81	M. Mireles		0600	81	M. Mireles
	0900	82	M. Mireles <i>X</i>		0900	83	M. Mireles
	1200	85	M. Mireles <i>JM</i>		1200	85	M. Mireles
	1500	87	T. Edwards		1500	89°	D. Bourne
	1800	89	T. Edwards		1800	88°	D. Bourne
	2100	89	T. Edwards		2100	84°	D. Bourne
	2400	88°	D. Bourne		2400	82	AVILA
Sunday				Notes			
Date	Time	Temp.	Name (Print)	Stage II @ 1445 90°			
8-11-24	0300	80	AVILA				
	0600	76	Rodriguez				
	0900	80	Rodriguez				
	1200	86	Rodriguez				
	1500	81	T. Edwards/S				
	1800	88	T. Edwards				
	2100	89	T. Edwards/S				
	2400	86	AVILA				

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 12, 2024	0300	82	Auria
	0600	82	Ramirez
	0900	82	D. Garcia
	1200	84	J. Garcia
	1500	88	Cabreza
	1800	88	Cabreza
	2100	84	Cabreza
	2400	82	Auria

Wednesday

Date	Time	Temp.	Name(Print)
August 14, 2024	0300	80	Auria
	0600	81	M. Niles
	0900	83	M. Niles
	1200	85	M. Niles
	1500	82	Mill
	1800	82	Mill
	2100	85	Mill
	2400	82	Auria

Friday

Date	Time	Temp.	Name(Print)
August 16, 2024	0300	80	M. KNUDSEN
	0600	81	M. Niles
	0900	83	M. Niles
	1200	84	M. Niles
	1500	81	T. Edwards
	1800	89	T. Edwards
	2100	80	T. Edwards
	2400	78	D. MERCADO

Sunday

Date	Time	Temp.	Name(Print)
August 18, 2024	0300	78	Auria
	0600	68	Rodriguez
	0900	70	Rodriguez
	1200	80	Rodriguez
	1500	80	T. Edwards
	1800	85	T. Edwards
	2100	83	T. Edwards
	2400	80	WITCH

Tuesday

Date	Time	Temp.	Name(Print)
August 13, 2024	0300	79	Auria
	0600	80	M. Niles
	0900	83	M. Niles
	1200	85	M. Niles
	1500	88	Cabreza
	1800	89	Cabreza
	2100	86	Cabreza
	2400	84	Auria

Thursday

Date	Time	Temp.	Name(Print)
August 15, 2024	0300	80	Auria
	0600	81	M. Niles
	0900	83	M. Niles
	1200	84	M. Niles
	1500	87	Mill
	1800	89	Mill
	2100	87	Mill
	2400	83	M. KNUDSEN

Saturday

Date	Time	Temp.	Name(Print)
August 17, 2024	0300	76	D. MERCADO
	0600	78	M. Niles
	0900	80	M. Niles
	1200	84	M. Niles
	1500	80	T. Edwards
	1800	85	T. Edwards
	2100	78	T. Edwards
	2400	78	Auria

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	79	WHTCH
	0600	79	D.GARCIA
	0900	81	D.GARCIA
	1200	83	D.GARCIA
	1500	84	E.Cabreva
	1800	84	E.Cabreva
	2100	80	E.Cabreva
	2400	80	Auria

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	80	Auria
	0600	81	M.Nuez
	0900	82	M.Nuez
	1200	83	M.Nuez
	1500	89	CMH
	1800	87	CMH
	2100	89	CMH
	2400	82	Auria

Friday

Date	Time	Temp.	Name(Print)
August 23, 2024	0300	82	T.Edwards
	0600	82	M.Nuez
	0900	83	M.Nuez
	1200	84	M.Nuez
	1500	82	T.Edwards
	1800	80	T.Edwards
	2100	76	T.Edwards
	2400	72	D.MERCADO

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	70	Auria
	0600	66	Pedroquez
	0900	70	Pedroquez
	1200	76	Pedroquez
	1500	79	L.Ron
	1800	77	L.Ron
	2100	76	L.Ron
	2400	77	Auria

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	79	Auria
	0600	79	D.GARCIA
	0900	79	D.GARCIA
	1200	89	D.GARCIA
	1500	92	Cabreva
	1800	94	Cabreva
	2100	88	Cabreva
	2400	85	Auria

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	79	Auria
	0600	78	M.Nuez
	0900	80	M.Nuez
	1200	83	M.Nuez
	1500	89	TCM
	1800	88	TCM
	2100	86	TCM
	2400	84	Tihard

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	72	D.MERCADO
	0600	73	M.Nuez
	0900	73	M.Nuez
	1200	74	M.Nuez
	1500	75	T.Edwards
	1800	75	T.Edwards
	2100	75	T.Edwards
	2400	73	Auria

Notes

124F Stage I UHT Activated 8/12/24
1500 Stage II UHT Activated 8/20/24
1705 Stage III UHT Activated 8/20/24

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 26, 2024	0300	70	AVILA
	0600	72	P. GARCIA
	0900	73	D. GARCIA
	1200	72	D. GARCIA
	1500	78	E. CABRERA
	1800	84	E. CABRERA
	2100	80	E. CABRERA
	2400	80	AVILA SW

Tuesday			
Date	Time	Temp.	Name(Print)
August 27, 2024	0300	74	AVILA
	0600	74	P. GARCIA
	0900	75	D. GARCIA
	1200	73	D. GARCIA
	1500	76	CABRERA
	1800	84	CABRERA
	2100	80	CABRERA
	2400	75	AVILA

Wednesday			
Date	Time	Temp.	Name(Print)
August 28, 2024	0300	72	AVILA
	0600	72	M. NUNEZ
	0900	73	M. NUNEZ
	1200	78	M. NUNEZ R
	1500	81	R. MALL
	1800	83	R. MALL
	2100	80	R. MALL
	2400	77	AVILA

Thursday			
Date	Time	Temp.	Name(Print)
August 29, 2024	0300	74	AVILA
	0600	71	M. NUNEZ
	0900	72	M. NUNEZ
	1200	73	M. NUNEZ
	1500	77	M. NUNEZ
	1800	80	M. NUNEZ
	2100	79	M. NUNEZ
	2400	72	A. DIAL

Friday			
Date	Time	Temp.	Name(Print)
August 30, 2024	0300	70	A. DIAL
	0600	70	M. NUNEZ
	0900	71	M. NUNEZ
	1200	73	M. NUNEZ
	1500	82	T. EDWARDS
	1800	80	T. EDWARDS
	2100	79	T. EDWARDS O
	2400	76	P. ROJAS

Saturday			
Date	Time	Temp.	Name(Print)
August 31, 2024	0300	76	P. ROJAS
	0600	71	M. NUNEZ
	0900	72	M. NUNEZ
	1200	75	M. NUNEZ
	1500	70	T. EDWARDS
	1800	83	T. EDWARDS
	2100	80	T. EDWARDS
	2400	80	H. AURN

Sunday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

8/26/24 Stage 1 VHT Activated 13:00

8/27/24 Stage 1 VHT Activated 13:00

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45474 through 45504, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300	79	BEAUCHAMP
	0600	79°	TAPIA
	0900	77°	TAPIA
	1200	78°	TAPIA
	1500	80°	D. BOURNE
	1800	83°	D. BOURNE
	2100	82°	D. BOURNE
	2400	80	BEAUCHAMP

Friday			
Date	Time	Temp.	Name(Print)
	0300	79	BEAUCHAMP
	0600	79°	TAPIA
	0900	79°	TAPIA
	1200	82°	TAPIA
	1500	82	TAPIA
	1800	90	TAPIA
	2100	88	TAPIA
	2400	83	BEAUCHAMP

Saturday			
Date	Time	Temp.	Name(Print)
	0300	80	BEAUCHAMP
	0600	80°	TAPIA
	0900	80°	TAPIA
	1200	82°	TAPIA
	1500	80	TAPIA
	1800	93	TAPIA
	2100	88	TAPIA
	2400	84	D. MERCADO

Sunday			
Date	Time	Temp.	Name(Print)
	0300	82°	D. MERCADO
	0600	82	KIES
	0900	80	KIES
	1200	80	KIES
	1500	89	KIES
	1800	83	KIES
	2100	81	KIES
	2400	87	KIES

Notes

8/3/24: STAGE II @ 1330 HRS ICE X3
8/4/24: Stage II @ 1705 HRS ICE

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 5, 2024	0300	73°	Villa
	0600	80	GIGENA
	0900	80	GIGENA
	1200	84	GIGENA
	1500	80	Moore
	1800	88	Moore
	2100	89	moore
	2400	87	BEAUCHAMP

Wednesday			
Date	Time	Temp.	Name(Print)
August 7, 2024	0300	81	BEAUCHAMP
	0600	80°	TAPIA
	0900	80"	TAPIA
	1200	85°	TAPIA
	1500	90°	Moore
	1800	90°	MOORE
	2100	84°	moore
	2400	81	BEAUCHAMP

Friday			
Date	Time	Temp.	Name(Print)
August 9, 2024	0300	77	BEAUCHAMP
	0600	77°	TAPIA
	0900	77°	TAPIA
	1200	80°	TAPIA
	1500	87	Moore
	1800	89	Moore
	2100	84.	Moore
	2400	80	BEAUCHAMP

Sunday			
Date	Time	Temp.	Name(Print)
August 11, 2024	0300	77	M.KNUDSEN
	0600	80°	TAPIA
	0900	80°	TAPIA
	1200	82°	TAPIA
	1500	90°	Moore
	1800	88°	Moore
	2100	86°	Moore
	2400	80°	Villa

Tuesday			
Date	Time	Temp.	Name(Print)
August 6, 2024	0300	82	BEAUCHAMP
	0600	78	Cabrera
	0900	80	Cabrera
	1200	86	Cabrera
	1500	90	Moore
	1800	92	Moore
	2100	90	Moore
	2400	86	BEAUCHAMP

Thursday			
Date	Time	Temp.	Name(Print)
August 8, 2024	0300	77	BEAUCHAMP
	0600	78°	TAPIA
	0900	76°	TAPIA
	1200	80°	TAPIA
	1500	86°	Moore
	1800	88°	Moore
	2100	82	Moore
	2400	79	BEAUCHAMP

Saturday			
Date	Time	Temp.	Name(Print)
August 10, 2024	0300	77	BEAUCHAMP
	0600	79°	TAPIA
	0900	77°	TAPIA
	1200	80°	TAPIA
	1500	88	Cabrera
	1800	87	Cabrera
	2100	84	Cabrera
	2400	86	M.KNUDSEN

Notes
 8/11/24 @1340 hrs STAGE II HEAT ALERT

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 12, 2024	0300	71°	Villa
	0600	76°	Cabrera
	0900	78°	Cabrera
	1200	82°	Cabrera
	1500	90°	Moore
	1800	90°	Moore
	2100	88°	Moore
	2400	82°	BEAUMAUP

Wednesday

Date	Time	Temp.	Name(Print)
August 14, 2024	0300	75°	BEAUMAUP
	0600	80°	TAPIA
	0900	80°	TAPIA
	1200	82°	TAPIA
	1500	87°	Moore
	1800	89°	Moore
	2100	82°	MOORE
	2400	79°	BEAUMAUP

Friday

Date	Time	Temp.	Name(Print)
August 16, 2024	0300	76°	BEAUMAUP
	0600	79°	TAPIA
	0900	79°	TAPIA
	1200	82°	TAPIA
	1500	86°	Moore
	1800	88°	Moore
	2100	86°	Moore
	2400	78°	BEAUMAUP

Sunday

Date	Time	Temp.	Name(Print)
August 18, 2024	0300	76°	D. MERCADO
	0600	76°	TAPIA
	0900	76°	TAPIA
	1200	78°	TAPIA
	1500	80°	Moore
	1800	85°	Moore
	2100	85°	Moore
	2400	82°	A. TORRES

Tuesday

Date	Time	Temp.	Name(Print)
August 13, 2024	0300	76°	BEAUMAUP
	0600	74°	Cabrera
	0900	78°	Cabrera
	1200	84°	Cabrera
	1500	88°	M. Moore
	1800	89°	M. Moore
	2100	80°	M. Moore
	2400	77°	BEAUMAUP

Thursday

Date	Time	Temp.	Name(Print)
August 15, 2024	0300	77°	BEAUMAUP
	0600	78°	TAPIA
	0900	77°	TAPIA
	1200	80°	TAPIA
	1500	90°	TAPIA
	1800	90°	DAR
	2100	88°	DAR
	2400	81°	BEAUMAUP

Saturday

Date	Time	Temp.	Name(Print)
August 17, 2024	0300	75°	BEAUMAUP
	0600	79°	TAPIA
	0900	79°	TAPIA
	1200	80°	TAPIA
	1500	84°	Cabell
	1800	83°	Cabell
	2100	84°	Cabell
	2400	78°	D. MERCADO

Notes

8/15/24 - STAGE II @ 150 HRS

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	76	A. TAPIA
	0600	76	A. TAPIA
	0900	76	E. CABRERA
	1200	80	E. CABRERA
	1500	89	M. MOORE
	1800	91	M. MOORE
	2100	85	M. MOORE
	2400	80	BEAUCHAMP

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	78	BEAUCHAMP
	0600	76	CABRERA
	0900	76	CABRERA
	1200	86	CABRERA
	1500	90	MOORE
	1800	94	MOORE
	2100	88	MOORE
	2400	84	BEAUCHAMP

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	77	BEAUCHAMP
	0600	80	TAPIA
	0900	80	TAPIA
	1200	82	TAPIA
	1500	89	MOORE
	1800	89	MOORE
	2100	84	MOORE
	2400	82	BEAUCHAMP

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	78	BEAUCHAMP
	0600	79	TAPIA
	0900	78	TAPIA
	1200	80	TAPIA
	1500	85	MOORE
	1800	82	MOORE
	2100	79	MOORE
	2400	78	BEAUCHAMP

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	72	R. ALBUSSAR
	0600	70	R. ALBUSSAR
	0900	70	TAPIA
	1200	76	TAPIA
	1500	83	MOORE
	1800	82	MOORE
	2100	80	MOORE
	2400	78	D. MERCADO

Notes

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	76	D. MERCADO
	0600	70	R. TAPIAS
	0900	70	R. TAPIAS
	1200	72	R. TAPIAS
	1500	78	M. MOORE
	1800	82	M. MOORE
	2100	80	M. MOORE
	2400	80	D. MERCADO

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 26, 2024	0300	79	REAVENING
	0600	71	Cabreva
	0900	73	Cabreva
	1200	81	Cabreva
	1500	85	Moore
	1800	83	moore
	2100	81	moore
	2400	79	REAVENING

Wednesday			
Date	Time	Temp.	Name(Print)
August 28, 2024	0300	75	REAVENING
	0600	76°	TAPIA
	0900	74°	TAPIA
	1200	79°	TAPIA
	1500	83	Moore
	1800	85°	moore
	2100	77	moore
	2400	75	REAVENING

Friday			
Date	Time	Temp.	Name(Print)
August 30, 2024	0300	73	REAVENING
	0600	72°	TAPIA
	0900	70°	TAPIA
	1200	72°	TAPIA
	1500	70	REAVENING
	1800	72	CANELL
	2100	79	CANELL
	2400	76	REAVENING

Sunday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
August 27, 2024	0300	71	REAVENING
	0600	74	Cabreva
	0900	76	Cabreva
	1200	81	Cabreva
	1500	87	Moore
	1800	86	Moore
	2100	80	REAVENING
	2400	75	REAVENING

Thursday			
Date	Time	Temp.	Name(Print)
August 29, 2024	0300	71	REAVENING
	0600	71°	TAPIA
	0900	70°	TAPIA
	1200	71°	TAPIA
	1500	80	Moore
	1800	83	Moore
	2100	77	Moore
	2400	70	REAVENING

Saturday			
Date	Time	Temp.	Name(Print)
August 31, 2024	0300	71	REAVENING
	0600	70	Parker
	0900	70	Parker
	1200	72	Parker
	1500	83	REAVENING
	1800	84	REAVENING
	2100	81	REAVENING
	2400	80	Anthony

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
 406, 407, 408, 409, OHU.

From 45474 through 45504, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
August 2, 2024	0300	72	J. Henn
	0600	75	T. Edwards
	0900	89	T. Edwards
	1200	89	T. Edwards
	1500	89	M. Brown
	1800	88	M. Brown
	2100	85	M. Brown
	2400	82	Bradford

Sunday

Date	Time	Temp.	Name(Print)
August 4, 2024	0300	82	A. Torres
	0600	80	A. Torres
	0900	78	Agbakwuru
	1200	88	Agbakwuru
	1500	86	R. Clegg
	1800	80	R. Clegg
	2100	87	R. Clegg
	2400	84	Jones

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
August 1, 2024	0300	74	J. Henn
	0600	70	Agbakwuru
	0900	70	Agbakwuru
	1200	76	Agbakwuru
	1500	87	R. Gomez
	1800	87	R. Gomez
	2100	80	R. Gomez
	2400	76	J. Henn

Saturday

Date	Time	Temp.	Name(Print)
August 3, 2024	0300	80	Bradford
	0600	85	T. Edwards
	0900	81	T. Edwards
	1200	89	T. Edwards
	1500	89	M. Brown
	1800	89	M. Brown
	2100	86	M. Brown
	2400	84	J. Coates

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 5, 2024	0300	76'	C. Jones
	0600	76'	R. Gomez
	0900	78'	R. Gomez
	1200	88'	R. Gomez
	1500	90'	Perez
	1800	90'	Perez
	2100	88'	Perez
	2400	89'	VILLA

Tuesday

Date	Time	Temp.	Name(Print)
August 6, 2024	0300	80	Villa
	0600	76	Agbakwuru
	0900	76	Agbakwuru
	1200	82	Agbakwuru
	1500	92	R. Gomez
	1800	95	R. Gomez
	2100	91	R. Gomez
	2400	81	VILLA

Wednesday

Date	Time	Temp.	Name(Print)
August 7, 2024	0300	72'	VILLA
	0600	72	Agbakwuru
	0900	76	Agbakwuru
	1200	80	Agbakwuru
	1500	87'	R. Gomez
	1800	90'	R. Gomez
	2100	82'	R. Gomez
	2400	78	S. THemr

Thursday

Date	Time	Temp.	Name(Print)
August 8, 2024	0300	76	T. THemr
	0600	74	Dave
	0900	76	Dave
	1200	80	Dave
	1500	89'	R. Gomez
	1800	90'	R. Gomez
	2100	80'	R. Gomez
	2400	77	S. THemr

Friday

Date	Time	Temp.	Name(Print)
August 9, 2024	0300	74	S. THemr
	0600	70	T. Edwards
	0900	73	T. Edwards
	1200	80	T. Edwards
	1500	85°	D. Brown
	1800	89°	D. Brown
	2100	82°	D. Brown
	2400	78	M. Perez

Saturday

Date	Time	Temp.	Name(Print)
August 10, 2024	0300	82	income
	0600	71	T. Edwards
	0900	71	T. Edwards
	1200	81	T. Edwards
	1500	89	M. Brown
	1800	89	M. Brown
	2100	87	M. Brown
	2400	85	A. Perez

Notes

Sunday

Date	Time	Temp.	Name(Print)
August 11, 2024	0300	80	A. Perez
	0600	74	Agbakwuru
	0900	78	Agbakwuru
	1200	88	Agbakwuru
	1500	89	Z. Clegg
	1800	88	Z. Clegg
	2100	86	Z. Clegg
	2400	80	S. THemr

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 12, 2024	0300	75	JTHammer
	0600	74	Ashaknum
	0900	74	Ashaknum
	1200	86	Ashaknum
	1500	86	Peeer
	1800	81	Peeer
	2100	82	Peeer
	2400	80	Villa

Wednesday			
Date	Time	Temp.	Name(Print)
August 14, 2024	0300	76	Neal
	0600	74	Ashaknum
	0900	76	Ashaknum
	1200	82	Ashaknum
	1500	88	R.Gomez
	1800	81	R.Gomez
	2100	80	R.Gomez
	2400	77	JTHammer

Friday			
Date	Time	Temp.	Name(Print)
August 16, 2024	0300	74	JTHammer
	0600	76	M.Bown
	0900	81	M.Bown
	1200	86	M.Bown
	1500	89	M.Bown
	1800	89	M.Bown
	2100	87	M.Bown
	2400	82	JTHammer

Sunday			
Date	Time	Temp.	Name(Print)
August 18, 2024	0300	76	JTHammer
	0600	72	Ashaknum
	0900	71	Ashaknum
	1200	78	Ashaknum
	1500	82	R.Cheif
	1800	85	R.Cheif
	2100	83	R.Cheif
	2400	82	A.Bradford

Tuesday			
Date	Time	Temp.	Name(Print)
August 13, 2024	0300	73	Villa
	0600	74	GIGENA
	0900	76	GIGENA
	1200	80	GIGENA
	1500	70	P.Gomez
	1800	92	P.Gomez
	2100	80	P.Gomez
	2400	76	Neal

Thursday			
Date	Time	Temp.	Name(Print)
August 15, 2024	0300	74	JTHammer
	0600	70	Ashaknum
	0900	72	Ashaknum
	1200	80	Ashaknum
	1500	88	R.Gomez
	1800	87	R.Gomez
	2100	85	R.Gomez
	2400	80	JTHammer

Saturday			
Date	Time	Temp.	Name(Print)
August 17, 2024	0300	74	JTHammer
	0600	78	M.Bown
	0900	83	M.Bown
	1200	85	M.Bown
	1500	87	M.Bown
	1800	88	M.Bown
	2100	83	M.Bown
	2400	78	Jay

Notes

8/13 STAGE I & 1230

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
August 19, 2011	0300	80	Bradford
	0600	74	Ashakunini
	0900	76	Ashakunini
	1200	80	Ashakunini
	1500	86	Perez
	1800	88	Perez
	2100	86	Perez
	2400	82	Jones

Tuesday			
Date	Time	Temp.	Name (Print)
8-20-11	0300	80	A. ROGERS
	0600	74	A. ROGERS
	0900	75	Ashakunini
	1200	84	Ashakunini
	1500	83	COSTELLO
	1800	84	COSTELLO
	2100	88	COSTELLO
	2400	86	A. ROGERS

Wednesday			
Date	Time	Temp.	Name (Print)
8-21-11	0300	84	J. Jones
	0600	81	Sadler
	0900	84	Sadler
	1200	85	Sadler
	1500	86	Sadler
	1800	85	Sadler
	2100	84	Sadler
	2400	85	P. Davis

Thursday			
Date	Time	Temp.	Name (Print)
8-22-11	0300	80	P. DAVIS
	0600	80	P. DAVIS
	0900	74	Ashakunini
	1200	81	Ashakunini
	1500	83	KERMAN
	1800	85	KERMAN
	2100	85	KERMAN
	2400	79	J. HARRIS

Friday			
Date	Time	Temp.	Name (Print)
8-23-11	0300	75	J. HARRIS
	0600	77	M. BOWN
	0900	80	M. BOWN
	1200	81	M. BOWN
	1500	81	M. BOWN
	1800	80	M. BOWN
	2100	72	M. BOWN
	2400	72	N. JORDAN

Saturday			
Date	Time	Temp.	Name (Print)
8-24-11	0300	69	N. JORDAN
	0600	70	N. JORDAN
	0900	75	T. EDWARDS
	1200	76	T. EDWARDS
	1500	79	M. BOWN
	1800	80	M. BOWN
	2100	77	M. BOWN
	2400	77	J. LYONS

Sunday			
Date	Time	Temp.	Name (Print)
8-25-11	0300	75	J. LYONS
	0600	68	Ashakunini
	0900	72	Ashakunini
	1200	79	Ashakunini
	1500	84	COSTELLO
	1800	85	COSTELLO
	2100	83	COSTELLO
	2400	80	C. SAWYER

Notes			
STAGE II CLIMATE 2010			

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 307 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday													
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)										
Aug 26, 2024	0300	76	E. SANSON	8/27/24	0300	72	Villa <i>sw</i>	8/28/24	0300	73	J. HARRIS	8/29/24	0300	73	Villa	8/30/24	0300	74	T. Edwards	8/31/24	0300	72	A. SANTOS	9/1/24	0300	72	T. Edwards										
	0600	69	Aghakunini		0600	72	Aghakunini		0600	68	Aghakunini		0600	70	Aghakunini		0600	70	T. Edwards		0600	71	T. Edwards		0600	72	T. Edwards										
	0900	72	Aghakunini		0900	72	Aghakunini		0900	67	Aghakunini		0900	70	Aghakunini		0900	70	T. Edwards		0900	71	T. Edwards		0900	72	T. Edwards										
	1200	80	Aghakunini		1200	83	Aghakunini		1200	80	Aghakunini		1200	83	Aghakunini		1200	80	T. Edwards		1200	83	T. Edwards		1200	80	T. Edwards										
	1500	87	S. GRADY		1500	89	R. Gomez		1500	83	R. Gomez		1500	89	R. Gomez		1500	85	R. Gomez		1500	89	R. Gomez		1500	85	R. Gomez										
	1800	87	S. GRADY		1800	85	R. Gomez		1800	85	R. Gomez		1800	85	R. Gomez		1800	79	R. Gomez		1800	79	R. Gomez		1800	79	R. Gomez										
	2100	86	S. GRADY		2100	80	R. Gomez		2100	80	R. Gomez		2100	79	R. Gomez		2100	77	R. Gomez		2100	77	R. Gomez		2100	77	R. Gomez										
	2400	74	Villa <i>sw</i>		2400	77	Villa		2400	77	Villa		2400	77	Villa		2400	77	Villa		2400	77	Villa		2400	77	Villa										
Wednesday				Thursday				Friday				Saturday				Sunday				Notes																	
8/28/24	0300	73	Villa	8/29/24	0300	73	J. HARRIS	8/30/24	0300	74	T. Edwards	8/31/24	0300	70	A. SANTOS	9/1/24	0300	72	T. Edwards		8/29/24	0600	68	Aghakunini	8/30/24	0600	68	Aghakunini	8/31/24	0600	67	Aghakunini	9/1/24	0600	67	Aghakunini	
	0600	70	Aghakunini		0600	68	Aghakunini		0600	67	Aghakunini		0600	68	Aghakunini		0600	68	Aghakunini		0600	68	Aghakunini		0600	68	Aghakunini		0600	68	Aghakunini						
	0900	70	Aghakunini		0900	67	Aghakunini		0900	67	Aghakunini		0900	67	Aghakunini		0900	67	Aghakunini		0900	67	Aghakunini		0900	67	Aghakunini		0900	67	Aghakunini						
	1200	79	Aghakunini		1200	80	Aghakunini		1200	80	Aghakunini		1200	80	Aghakunini		1200	80	Aghakunini		1200	80	Aghakunini		1200	80	Aghakunini		1200	80	Aghakunini						
	1500	82	R. Gomez <i>+</i>		1500	83	R. Gomez		1500	83	R. Gomez		1500	83	R. Gomez		1500	80	R. Gomez		1500	80	R. Gomez		1500	80	R. Gomez		1500	80	R. Gomez						
	1800	81	R. Gomez		1800	80	R. Gomez		1800	80	R. Gomez		1800	80	R. Gomez		1800	79	R. Gomez		1800	79	R. Gomez		1800	79	R. Gomez		1800	79	R. Gomez						
	2100	80	R. Gomez		2100	80	M. Bown <i>+</i>		2100	80	M. Bown		2100	80	M. Bown		2100	80	M. Bown		2100	80	M. Bown		2100	80	M. Bown		2100	80	M. Bown						
	2400	76	J. HARRIS		2400	76	J. HARRIS		2400	76	J. HARRIS		2400	76	J. HARRIS		2400	76	J. HARRIS		2400	76	J. HARRIS		2400	76	J. HARRIS		2400	76	J. HARRIS						
Sunday				Notes																																	
8/31/24	0300	72	A. SANTOS																																		
	0600	71	T. Edwards																																		
	0900	76	T. Edwards																																		
	1200	83	T. Edwards																																		
	1500	88	T. Edwards <i>+</i>																																		
	1800	87	T. Edwards																																		
	2100	85	T. Edwards																																		
	2400	80	J. HARRIS																																		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, DHU

From 45474 through 45504, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
August 2, 2024	0300	78	C SANDOVAL
	0600	76	E. CLAUDIO
	0900	80	E. CLAUDIO
	1200	88	E. CLAUDIO
	1500	92°	A. AGUILAR
	1800	90°	A. AGUILAR
	2100	90°	A. AGUILAR
	2400	86	C. MUNIZA

Sunday

Date	Time	Temp.	Name(Print)
August 4, 2024	0300	83	C. MUNIZA
	0600	80	F. GOMEZ
	0900	80	F. GOMEZ
	1200	84	F. GOMEZ
	1500	88	F. GOMEZ
	1800	98	F. GOMEZ
	2100	92	F. GOMEZ
	2400	90	C. SANDOVAL

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
August 1, 2024	0300	78	C. SANDOVAL
	0600	78	E. CLAUDIO
	0900	78	E. CLAUDIO
	1200	80	E. CLAUDIO
	1500	84	PEREZ
	1800	88	PEREZ
	2100	84	PEREZ
	2400	81	C. SANDOVAL

Saturday

Date	Time	Temp.	Name(Print)
August 3, 2024	0300	82	C. MUNIZA
	0600	80	E. CLAUDIO
	0900	82	E. CLAUDIO
	1200	88	E. CLAUDIO
	1500	93°	A. AGUILAR
	1800	91°	A. AGUILAR
	2100	87°	A. AGUILAR
	2400	85	C. MUNIZA

Notes

8/2/24 STAGE 2 @ 1430 WATCH NOTIFIED
 8/3/24 STAGE 2 @ 1445 WATCH NOTIFIED
 8/3/24 STAGE 2 INACTIVATED @ 2040
 8/4/24 Stage 2 @ 1255
 8/4/24 Stage 3 @ 1539
 8/4/24 Stage 3 deactivated @ 1917

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 5, 2024	0300	86	C SANDOVAL
	0600	86	MARTINEZ
	0900	88	MARTINEZ
	1200	88	MARTINEZ
	1500	100	F GARCIA
	1800	100	F GARCIA
	2100	96	F GARCIA
	2400	90	C SANDOVAL

Wednesday

Date	Time	Temp.	Name(Print)
August 7, 2024	0300	84	C SANDOVAL
	0600	80	E CLAUDIO
	0900	80	E CLAUDIO
	1200	88	E CLAUDIO
	1500	88	A AGUILAR
	1800	84	A AGUILAR
	2100	82	A AGUILAR
	2400	82	R ALHUSAN

Friday

Date	Time	Temp.	Name(Print)
August 9, 2024	0300	80	C SANDOVAL
	0600	74	E CLAUDIO
	0900	78	E CLAUDIO
	1200	86	E CLAUDIO
	1500	88	PEREZ
	1800	88	PEREZ
	2100	86	PEREZ
	2400	86	C ROTAS

Sunday

Date	Time	Temp.	Name(Print)
August 11, 2024	0300	79	C M
	0600	77	Pojas
	0900	79	Pojas
	1200	84	Pojas
	1500	92	F GARCIA
	1800	90	F GARCIA
	2100	88	F GARCIA
	2400	86	C SANDOVAL

Tuesday

Date	Time	Temp.	Name(Print)
August 6, 2024	0300	87	C SANDOVAL (SW)
	0600	80	C SANDOVAL
	0900	82	C SANDOVAL
	1200	88	C SANDOVAL
	1500	94	F GARCIA
	1800	94	F GARCIA
	2100	94	F GARCIA
	2400	89	C SANDOVAL

Thursday

Date	Time	Temp.	Name(Print)
August 8, 2024	0300	81°	R ALHUSAN
	0600	81°	R ALHUSAN
	0900	76	E CLAUDIO
	1200	84	E CLAUDIO
	1500	88	PEREZ
	1800	90	PEREZ
	2100	84	PEREZ
	2400	80	C SANDOVAL

Saturday

Date	Time	Temp.	Name(Print)
August 10, 2024	0300	84	R ROTAS
	0600	76	E CLAUDIO
	0900	78	E CLAUDIO
	1200	82	EV HERNANDEZ
	1500	93	J JANICET
	1800	93	Guarida
	2100	93	Garcia
	2400	81	Me

Notes

8-5-2024 0100 STAGE II DEACTIVATED
 8-5-24 STAGE II 1219 ACTIVATED
 8-5-24 Stage 3 @ 1407 96°
 8-5-24 STAGE III DEACTIVATED 2300
 8-6-24 STAGE II DEACTIVATED 0225
 8-6-24 STAGE II ACTIVATED 1233
 8-11-24 Stage T UHT Activated 1100
 8-11-24 Stage 2 92° @ 1445
 8-11-24 Stage 2 98 deactivated @ 1933

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, DHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 12, 2024	0300	82	C Sandoval
	0600	80	V. MARTINEZ
	0900	80	V. MARTINEZ
	1200	86	V. MARTINEZ
	1500	89	F Gómez
	1800	89	F Gómez
	2100	86	F Gómez
	2400	83	C Sandoval

Wednesday

Date	Time	Temp.	Name(Print)
August 14, 2024	0300	80	C Sandoval
	0600	78	E. CLAUDIO
	0900	78	E. CLAUDIO
	1200	84	E. CLAUDIO
	1500	88	A. AGUILAR
	1800	84	A. AGUILAR
	2100	83	A. AGUILAR
	2400	82	C Sandoval

Friday

Date	Time	Temp.	Name(Print)
August 16, 2024	0300	76	C Sandoval
	0600	78	E. CLAUDIO
	0900	78	E. CLAUDIO
	1200	84	E. CLAUDIO
	1500	89	S. GRADY
	1800	89	S. GRADY
	2100	88	S. GRADY
	2400	82	DAVAN

Sunday

Date	Time	Temp.	Name(Print)
August 18, 2024	0300	78	N. KERIN
	0600	74	E. Gómez
	0900	76	E. Gómez
	1200	80	E. Gómez
	1500	86	F Gómez
	1800	86	F Gómez
	2100	80	F Gómez
	2400	70	C Sandoval

Tuesday

Date	Time	Temp.	Name(Print)
August 13, 2024	0300	80	C Sandoval
	0600	76	E. CLAUDIO
	0900	80	E. CLAUDIO
	1200	82	E. CLAUDIO
	1500	88	F Gómez
	1800	88	F Gómez
	2100	84	F Gómez
	2400	81	C Sandoval

Thursday

Date	Time	Temp.	Name(Print)
August 15, 2024	0300	80	C Sandoval
	0600	76	E. CLAUDIO
	0900	78	E. CLAUDIO
	1200	84	E. CLAUDIO
	1500	88	A. AGUILAR
	1800	86	A. AGUILAR
	2100	85	A. AGUILAR
	2400	82	C Sandoval

Saturday

Date	Time	Temp.	Name(Print)
August 17, 2024	0300	80	DANIEL
	0600	78	BUSTOS
	0900	80	BUSTOS
	1200	80	BUSTOS
	1500	80	Brown
	1800	80	Brown
	2100	70	Brown
	2400	80	NICOLAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409 OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 19, 2024	0300	80	C.SANJUAN
	0600	88	M.RODRIGUEZ
	0900	80	A.VILLANUEVA
	1200	80	M.RODRIGUEZ
	1500	91	F.GARCIA
	1800	92	F.GARCIA
	2100	87	F.GARCIA
	2400	82	C.SANJUAN (4)

Wednesday			
Date	Time	Temp.	Name(Print)
August 21, 2024	0300	83	C.PENA
	0600	76	A.VILLANUEVA
	0900	76	A.VILLANUEVA
	1200	85	A.VILLANUEVA
	1500	92	F.GARCIA
	1800	88	F.GARCIA
	2100	84	F.GARCIA
	2400	84	C.PENA

Friday			
Date	Time	Temp.	Name(Print)
August 23, 2024	0300	77	D.RODRIGUEZ
	0600	70	A.VILLANUEVA
	0900	74	A.VILLANUEVA
	1200	80	A.VILLANUEVA
	1500	82	S.GRAY
	1800	80	S.GRAY
	2100	80	S.GRAY
	2400	78	A.RODRIGUEZ

Sunday			
Date	Time	Temp.	Name(Print)
August 25, 2024	0300	76	J.RODRIGUEZ
	0600	72	R.SANCHEZ
	0900	70	R.SANCHEZ
	1200	70	R.SANCHEZ
	1500	89	F.GARCIA
	1800	83	F.GARCIA
	2100	79	F.GARCIA
	2400	78	L.NIX

Tuesday			
Date	Time	Temp.	Name(Print)
August 20, 2024	0300	80	C.SANJUAN (4)
	0600	75	A.VILLANUEVA
	0900	77	A.VILLANUEVA
	1200	85	A.VILLANUEVA
	1500	96	F.GARCIA
	1800	99	F.GARCIA
	2100	88	F.GARCIA
	2400	85	C.PENA

Thursday			
Date	Time	Temp.	Name(Print)
August 22, 2024	0300	82	C.PENA
	0600	75	A.VILLANUEVA
	0900	74	A.VILLANUEVA
	1200	84	A.VILLANUEVA
	1500	86	PEREZ
	1800	89	PEREZ
	2100	82	PEREZ
	2400	80	DURANTE

Saturday			
Date	Time	Temp.	Name(Print)
August 24, 2024	0300	76	J.RODRIGUEZ
	0600	70	A.VILLANUEVA
	0900	72	A.VILLANUEVA
	1200	76	A.VILLANUEVA
	1500	81	A.AGUILAR
	1800	79	A.AGUILAR
	2100	78	A.AGUILAR
	2400	76	J.RODRIGUEZ

Notes

8-19-24 activated Stage 2 1502
 8-19-24 deactivated Stage 2 2011
 8-20-24 Stage 3 7:30 AM 91
 8-20-24 Stage 3 8:10 AM
 8-20-24 Stage 3 deactivated 1:27 PM
 8-20-24 Stage 2 deactivated 2:11 PM
 8-21-24 Stage 2 @ 1444 PM 120
 8-21-24 Stage 2 deactivated 0:1200

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409 OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 26, 2024	0300	76	L.NIE
	0600	76	MARTINEZ
	0900	80	MARTINEZ
	1200	83	MARTINEZ
	1500	87	F.Garcia
	1800	85	F.Garcia
	2100	84	F.Garcia
	2400	80	CORTINAS

Wednesday

Date	Time	Temp.	Name(Print)
August 28, 2024	0300	78	DUARTE
	0600	78	E.CLAUDIO
	0900	74	E.CLAUDIO
	1200	79	E.CLAUDIO
	1500	86	F.GARCIA
	1800	84	F.GARCIA
	2100	82	F.GARCIA
	2400	75	BERNARDINI

Friday

Date	Time	Temp.	Name(Print)
August 30, 2024	0300	75°	Perez
	0600	70	E.CLAUDIO
	0900	70	E.CLAUDIO
	1200	76	E.CLAUDIO
	1500	82	PEREZ
	1800	82	PEREZ
	2100	80	PEREZ
	2400	77	CARRANZA

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
August 27, 2024	0300	78	CORTINAS
	0600	78	E.CLAUDIO
	0900	78	E.CLAUDIO
	1200	84	E.CLAUDIO
	1500	88	F.GARCIA
	1800	86	F.GARCIA
	2100	83	F.GARCIA
	2400	80	DUARTE

Thursday

Date	Time	Temp.	Name(Print)
August 29, 2024	0300	72	BERNARDINI
	0600	72	E.CLAUDIO
	0900	72	E.CLAUDIO
	1200	76	E.CLAUDIO
	1500	82	PEREZ
	1800	80	PEREZ
	2100	80	PEREZ
	2400	80	Reyes

Saturday

Date	Time	Temp.	Name(Print)
August 31, 2024	0300	75°	Chu
	0600	73	Godinez
	0900	75	Godinez
	1200	77	Godinez
	1500	88	A.AGUILAR
	1800	86	A.AGUILAR
	2100	83	A.AGUILAR
	2400	80	DAVILA

Notes

1310 Stage 1 called by Control

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____ Housing Unit: 309 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	80	Ez

Thursday

Date	Time	Temp.	Name (Print)
	0300	79	EZPC
	0600	79	S. CEJA
	0900	79	S. CEJA
	1200	80	CEJA
	1500	84	Morales
	1800	84	Morales
	2100	83	Morales
	2400	80	E Guzman

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	76	E Guzman
	0600	77	RIVERIA
	0900	77	RIVERIA
	1200	79	RIVERIA
	1500	83	YPINA
	1800	83	YPINA
	2100	83	YPINA
	2400	83	Ale

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	80	Ale
	0600	80	GIGENA
	0900	80	GIGENA
	1200	84	GIGENA
	1500	85	Lopez
	1800	85	Zamora
	2100	82	Lopez
	2400	80	Ale

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	80	Ale
	0600	81	J. Sanchez
	0900	81	J. Sanchez
	1200	87	J. Sanchez
	1500	90	PEREZ
	1800	92	PEREZ
	2100	94	PEREZ
	2400	85	Ale

Notes

STAGE I 1200

8/3/24 - STAGE 2 1130

8/3/24 - STAGE II 1315 (WATCH NOTIFIED)

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS - 102, 103, 104, 111, 201, 202, 203, 208, 214, 304, 305, 311, 312, 313, 401, 402, 403, 404, 408, 407, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: C309 Temp. Reading Location: C309
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
8/05/24	0300	80	<i>[Signature]</i>
	0600	78	<i>RIVERA</i>
	0900	80	<i>RIVERA</i>
	1200	80	<i>RIVERA</i>
	1500	98	<i>SAC-EL CO</i>
	1800	95	<i>COTS</i>
	2100	97	<i>COTS</i>
	2400	99	<i>E. Fuentes</i>

Wednesday

Date	Time	Temp.	Name(Print)
8/07/24	0300	80	<i>[Signature]</i>
	0600	80	<i>[Signature]</i>
	0900	80	<i>[Signature]</i>
	1200	86	<i>[Signature]</i>
	1500	89	<i>Morano</i>
	1800	89	<i>[Signature]</i>
	2100	88	<i>[Signature]</i>
	2400	84	<i>[Signature]</i>

Friday

Date	Time	Temp.	Name(Print)
8/09/24	0300	80	<i>Garcia</i>
	0600	80	<i>RIVERA</i>
	0900	81	<i>RIVERA</i>
	1200	82	<i>RIVERA</i>
	1500	86	<i>Morano</i>
	1800	83	<i>Morano</i>
	2100	84	<i>Morano</i>
	2400	82	<i>AH</i>

Sunday

Date	Time	Temp.	Name(Print)
8/11/24	0300	84	<i>[Signature]</i>
	0600	90	<i>RIVERA</i>
	0900	80	<i>RIVERA</i>
	1200	83	<i>RIVERA</i>
	1500	87	<i>E. Chisholm</i>
	1800	90	<i>E. Chisholm</i>
	2100	86	<i>E. Chisholm</i>
	2400	84	<i>[Signature]</i>

Tuesday

Date	Time	Temp.	Name(Print)
8/07/24	0300	85	<i>E. Guzman</i>
	0600	80	<i>MARTINEZ</i>
	0900	80	<i>MARTINEZ</i>
	1200	85	<i>MARTINEZ</i>
	1500	81	<i>SAC-EL CO</i>
	1800	96	<i>SAC-EL CO</i>
	2100	93	<i>[Signature]</i>
	2400	90	<i>[Signature]</i>

Thursday

Date	Time	Temp.	Name(Print)
8/09/24	0300	76	<i>[Signature]</i>
	0600	76	<i>[Signature]</i>
	0900	78	<i>[Signature]</i>
	1200	81	<i>CEJA</i>
	1500	86	<i>Morano</i>
	1800	85	<i>Morano</i>
	2100	84	<i>Morano</i>
	2400	82	<i>Guzman</i>

Saturday

Date	Time	Temp.	Name(Print)
8/10/24	0300	80	<i>AH</i>
	0600	80	<i>RIVERA</i>
	0900	82	<i>RIVERA</i>
	1200	82	<i>RIVERA</i>
	1500	87	<i>P. Rodriguez</i>
	1800	89	<i>A. Aguirre</i>
	2100	85	<i>A. Aguirre</i>
	2400	85	<i>[Signature]</i>

Notes

1007 - STAGE 1
1315 STAGE II
1230 - STAGE I 8/9
8/10 STAGE I 1231
8/11 STAGE I 1100
8/11 Stage 2 1613

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS - 102, 103, 109, 111, 201, 202, 203, 208, 214,
304, 302, 311, 312, 313, 401, 402, 403, 404,
405, 407, 408, 409, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: C309 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
8/12/24	0300	80	AHE
	0600	80	CEJA
	0900	80	CEJA
	1200	88	CEJA
	1500	86	CEJA
	1800	84	CEJA
	2100	82	CEJA
	2400	80	GUENNAR

Tuesday

Date	Time	Temp.	Name(Print)
8/13/24	0300	80	GUENNAR
	0600	80	MOLVARD
	0900	80	MONTES
	1200	80	PEREZ
	1500	82	PEREZ
	1800	80	PEREZ
	2100	78	PEREZ
	2400	78	PEREZ

Wednesday

Date	Time	Temp.	Name(Print)
8/24/24	0300	75	CEJA
	0600	78	CEJA
	0900	78	CEJA
	1200	80	CEJA
	1500	86	MORGAN
	1800	88	MORGAN
	2100	84	MORRISON
	2400	82	CEJA

Thursday

Date	Time	Temp.	Name(Print)
8/15/24	0300	80	CEJA
	0600	79	CEJA
	0900	79	CEJA
	1200	80	CEJA
	1500	86	MORGAN
	1800	86	MORGAN
	2100	85	MORGAN
	2400	82	MORGAN

Friday

Date	Time	Temp.	Name(Print)
8/16/24	0300	80	GUENNAR
	0600	80	RIVERA
	0900	80	RIVERA
	1200	82	RIVERA
	1500	84	S. GONZALEZ
	1800	83	S. GONZALEZ
	2100	79	S. GONZALEZ
	2400	77	GUENNAR

Saturday

Date	Time	Temp.	Name(Print)
8/17/24	0300	76	GUENNAR
	0600	78	RIVERA
	0900	78	RIVERA
	1200	79	RIVERA
	1500	81	S. GRADY
	1800	80	S. GRADY
	2100	80	S. GRADY
	2400	77	GUENNAR

Sunday

Date	Time	Temp.	Name(Print)
8/18/24	0300	77	GUENNAR
	0600	74	K. AMARAL
	0900	73	K. AMARAL
	1200	79	K. AMARAL
	1500	82	PEREZ
	1800	84	PEREZ
	2100	82	PEREZ
	2400	76	PEREZ

Notes

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	78	CJA
	0600	78	CEJA
	0900	78	CEJA
	1200	79	CEJA
	1500	88	CEJA
	1800	91	CEJA
	2100	84	CEJA
	2400	82	Guanaro

STAGE
II
1619

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	80	Guanaro
	0600	80	MARTINEZ
	0900	80	MARTINEZ
	1200	80	MARTINEZ
	1500	85	CEJA
	1800	91	CEJA
	2100	80	CEJA
	2400	80	CEJA

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	79	CJA
	0600	79	RIVERA
	0900	79	RIVERA
	1200	80	RIVERA
	1500	88	MORENO
	1800	84	MORENO
	2100	80	MORENO
	2400	80	Guanaro

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	79	AJ
	0600	79	RIVERA
	0900	79	RIVERA
	1200	80	RIVERA
	1500	80	KERMAN
	1800	80	KERMAN
	2100	80	KERMAN
	2400	80	AJ

Notes

STAGE II 1619

8/21/24 - STAGE I 1195
- STAGE II
- RECOMMENDED ICE

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	76	RIVERA
	0600	76	RIVERA
	0900	76	RIVERA
	1200	74	RIVERA
	1500	76	BROWN
	1800	74	BROWN
	2100	76	BROWN
	2400	76	AJ

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409 OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 26, 2024	0300	78	RIVERA
	0600	79	RIVERA
	0900	79	RIVERA
	1200	79	RIVERA
	1500	88	CECIS
	1800	88	CECIS
	2100	70	CECIS
	2400	78	GUERRERO

Wednesday			
Date	Time	Temp.	Name(Print)
August 28, 2024	0300	78	
	0600	78	
	0900	78	MARTINEZ
	1200	80	MARTINEZ
	1500	86	Martinez
	1800	86	Martinez
	2100	86	Martinez
	2400	86	Martinez

Friday			
Date	Time	Temp.	Name(Print)
August 30, 2024	0300	78	RIVERA
	0600	78	RIVERA
	0900	78	RIVERA
	1200	78	RIVERA
	1500	85	WHITEHORN
	1800	86	WHITEHORN
	2100	81	WHITEHORN
	2400	81	WHITEHORN

Sunday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
August 27, 2024	0300	76	RIVERA
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	80	MARTINEZ
	1500	85	CECIS
	1800	84	CECIS
	2100	83	CECIS
	2400	86	CECIS

Thursday			
Date	Time	Temp.	Name(Print)
August 29, 2024	0300	68	CECIS
	0600	70	CECIS
	0900	70	S. CEJA
	1200	74	S. CEJA
	1500	84	WHEELER
	1800	82	WHEELER
	2100	82	WHEELER
	2400	80	CECIS

Saturday			
Date	Time	Temp.	Name(Print)
August 31, 2024	0300	77	RIVERA
	0600	77	RIVERA
	0900	78	RIVERA
	1200	81	RIVERA
	1500	85	S. GRADY
	1800	83	S. GRADY
	2100	86	S. GRADY
	2400	86	S. GRADY

Notes

8/26 - STAGE #1 1301
8/31 - STAGE #1 1312

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY C Temp. Reading Location: DORM 310
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
08-02-2024	0300	80	R. Davis
	0600	78°	R. Paramo JC
	0900	80°	R. Paramo JG
	1200	88°	R. Paramo
	1500	91	Gutierrez
	1800	92	Gutierrez
	2100	91	Gutierrez
	2400	86	Esquivel

Sunday

Date	Time	Temp.	Name (Print)
08-04-2024	0300	80	L. Max
	0600	80	Sever
	0900	82	Sever
	1200	88	Sever
	1500	92	Gutierrez
	1800	93	Gutierrez
	2100	92	Gutierrez
	2400	89	B. Cox

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
08-01-2024	0300	72	moreno
	0600	70°	R. Paramo JC
	0900	71°	R. Paramo JC
	1200	78°	R. Paramo
	1500	80	Gutierrez
	1800	81	Gutierrez
	2100	80	Gutierrez
	2400	80	P. Davis

Saturday

Date	Time	Temp.	Name (Print)
08-03-2024	0300	80	Esquivel
	0600	78	Rodriguez
	0900	80	Rodriguez
	1200	88	Rodriguez
	1500	92	Gutierrez
	1800	94	Gutierrez
	2100	91	Eduardo
	2400	88	C. M. F.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 310-C Temp. Reading Location: DORM 310
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05 - 05 - 2024	0300	80	B.Cox
	0600	80	R.Paramo
	0900	80	R.Paramo
	1200	90°	R.Paramo
	1500	93°	Villa
	1800	93°	Villa
	2100	92°	Villa
	2400	88	B.Cox

Tuesday

Date	Time	Temp.	Name (Print)
08 - 06 - 2024	0300	80	B.Cox
	0600	80°	R.Paramo
	0900	80°	R.Paramo
	1200	89°	R.Paramo
	1500	93°	Villa
	1800	92°	Villa
	2100	93°	Villa
	2400	82	B.Cox

Wednesday

Date	Time	Temp.	Name (Print)
08 - 07 - 2024	0300	80	B.Cox
	0600	80°	R.Paramo
	0900	83°	R.Paramo
	1200	89°	B.Cox
	1500	91	Gutierrez
	1800	90	Gutierrez
	2100	80	Gutierrez
	2400	80	B.Cox

Thursday

Date	Time	Temp.	Name (Print)
08 - 08 - 2024	0300	78	B.Cox
	0600	79°	R.Paramo
	0900	79°	R.Paramo
	1200	87°	R.Paramo
	1500	80	A.Gutierrez
	1800	80	A.Gutierrez
	2100	80	A.Gutierrez
	2400	75	Esquivel

Friday

Date	Time	Temp.	Name (Print)
08 - 09 - 2024	0300	70	Esquivel
	0600	70	Mageo
	0900	74	Mageo
	1200	80	Mageo
	1500	80	Gutierrez
	1800	81	Gutierrez
	2100	80	Gutierrez
	2400	78	Esquivel

Saturday

Date	Time	Temp.	Name (Print)
08 - 10 - 2024	0300	72	Esquivel
	0600	74	Babbin
	0900	75°	Babbin
	1200	83°	Babbin
	1500	92	Morse
	1800	91	Morse
	2100	90	Morse
	2400	86°	R.Alhussein

Sunday

Date	Time	Temp.	Name (Print)
08 - 11 - 2024	0300	80°	R.Alhussein
	0600	90°	M.Babbin
	0900	87°	M.Babbin
	1200	85	M.Babbin
	1500	92	M.Muniz
	1800	90	M.Muniz
	2100	90	M.Muniz
	2400	84	B.Cox

Notes

8-5-24 Stage II of (WHT) @ 1200 - 90° inside.
8-7-24 Stage II of (CUHT) @ 1329 90 inside.
8-10-24 Stage II of (WHT) @ 1311 - 90° inside.
8-10-24 Temp° drops to 86° @ 2230
8-11-24 Stage II of (WHT) @ 1250 91° inside.
8-11 Stage III @ 1625 96° inside

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, DHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 12, 2024	0300	80	B. COX
	0600	80	R. Paramo
	0900	80°	R. Paramo
	1200	88°	R. Paramo
	1500	87	Villa
	1800	88	Villa
	2100	87	Villa
	2400	82	B. COX

Wednesday

Date	Time	Temp.	Name(Print)
August 14, 2024	0300	78	B. COX
	0600	78°	R. Paramo
	0900	80°	R. Paramo
	1200	80°	R. Paramo
	1500	86	Gutierrez
	1800	81	Gutierrez
	2100	81	Gutierrez
	2400	80	B. COX

Friday

Date	Time	Temp.	Name(Print)
August 16, 2024	0300	78	P. Esquivel
	0600	78	J. GARNERA
	0900	78	J. CABRERA
	1200	82	J. CABRERA
	1500	84	Gutierrez
	1800	85	Gutierrez
	2100	88	Gutierrez
	2400	82	P. Esquivel

Sunday

Date	Time	Temp.	Name(Print)
August 18, 2024	0300	76	B. COX
	0600	74	Babin
	0900	74°	Babin
	1200	80	Babin
	1500	88	KIES
	1800	88	KIES
	2100	85	KIES
	2400	80	B. COX

Tuesday

Date	Time	Temp.	Name(Print)
August 13, 2024	0300	80	B. COX
	0600	80°	R. Paramo
	0900	80°	R. Paramo
	1200	87°	R. Paramo
	1500	88	Villa
	1800	85	Villa
	2100	83	Villa
	2400	80	B. COX

Thursday

Date	Time	Temp.	Name(Print)
August 15, 2024	0300	80	B. COX
	0600	80°	R. Paramo
	0900	80°	R. Paramo
	1200	81°	R. Paramo
	1500	90	Gutierrez
	1800	89	Gutierrez
	2100	89	Gutierrez
	2400	84	P. Esquivel

Saturday

Date	Time	Temp.	Name(Print)
August 17, 2024	0300	75	Esquivel
	0600	76	Babin
	0900	80	Babin
	1200	82°	Babin
	1500	88	KIES
	1800	89	KIES
	2100	88	KIES
	2400	79	B. COX

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	78°	B. Cox
	0600	78°	R. Paramo
	0900	79°	R. Paramo
	1200	80°	R. Paramo
	1500	83°	Villa
	1800	83°	Villa
	2100	87°	Villa
	2400	83°	B. Cox

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	79°	B. Cox
	0600	77°	R. Paramo
	0900	74°	R. Paramo
	1200	85°	R. Paramo
	1500	89°	Gutierrez
	1800	88	Gutierrez
	2100	89	Gutierrez
	2400	79°	B. Cox

Friday

Date	Time	Temp.	Name(Print)
August 23, 2024	0300	78	Esquibel
	0600	79°	R. Paramo
	0900	73°	R. Paramo
	1200	76°	R. Paramo
	1500	81	Gutierrez
	1800	80	Gutierrez
	2100	80	Gutierrez
	2400	78	Esquibel

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	70	B. Cox
	0600	70°	E. Chisholm
	0900	73°	E. Chisholm
	1200	75°	E. Chisholm
	1500	81	Reyes, L. P
	1800	80	Reyes, L
	2100	80	Reyes, L
	2400	79	Reyes, L

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	80°	B. Cox
	0600	80°	R. Paramo
	0900	80°	R. Paramo
	1200	84°	R. Paramo
	1500	93°	Villa
	1800	94°	Villa
	2100	93°	Villa
	2400	84°	B. Cox

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	76°	B. Cox
	0600	74°	R. Paramo
	0900	76°	R. Paramo
	1200	83°	R. Paramo
	1500	89°	A. Gutierrez
	1800	89	A. Gutierrez
	2100	81	A. Gutierrez
	2400	80	Esquibel

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	76	Esquibel
	0600	75	E. Chisholm
	0900	75	E. Chisholm
	1200	75	E. Chisholm
	1500	80	K. IES
	1800	80	K. IES
	2100	80	K. IES
	2400	72	B. Cox

Notes

8/20 Stage II Activated @1415 hrs.
8/20 STAGE II DEACTIVATED 202140 Hrs

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 26, 2024	0300	75	PETNEVSKI
	0600	72	OLVERA
	0900	77	OLVERA
	1200	78	OLVERA
	1500	80	PEAY
	1800	81	PEAY
	2100	81	PEAY
	2400	78	PETNEVSKI SW

Wednesday			
Date	Time	Temp.	Name(Print)
August 28, 2024	0300	72	PETNEVSKI
	0600	70°	R.Paramo
	0900	72°	R.Paramo
	1200	78°	R.Paramo ✓
	1500	88	G.SHERREL
	1800	88	G.SHERREL
	2100	80	G.SHERREL
	2400	76	PETNEVSKI

Friday			
Date	Time	Temp.	Name(Print)
August 30, 2024	0300	70	Esquibel
	0600	70°	R.Paramo
	0900	74°	R.Paramo
	1200	76°	R.Paramo ✓
	1500	80	G.SHERREL
	1800	80	G.SHERREL
	2100	80	Esquibel
	2400	76	Esquibel

Sunday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
August 27, 2024	0300	75	PETNEVSKI CM
	0600	72°	R.Paramo
	0900	79°	R.Paramo
	1200	80°	R.Paramo
	1500	82	VILLA
	1800	81	VILLA
	2100	80°	VILLA
	2400	77	PETNEVSKI

Thursday			
Date	Time	Temp.	Name(Print)
August 29, 2024	0300	71	PETNEVSKI
	0600	70°	R.Paramo
	0900	72°	R.Paramo
	1200	76°	R.Paramo
	1500	82	G.SHERREL
	1800	81	G.SHERREL
	2100	81	G.SHERREL
	2400	75	Esquibel

Saturday			
Date	Time	Temp.	Name(Print)
August 31, 2024	0300	72	Esquibel
	0600	70	GIGENA
	0900	76	GIGENA
	1200	80	GIGENA
	1500	88	KIES
	1800	88	KIES
	2100	85	KIES
	2400	80	PETNEVSKI

Notes

8/31- STAGE 1 @ 1510 HOURS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 311 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	80	S Brooks
	0600	80	Zamora
	0900	78	Zamora
	1200	78	Zamora
	1500	78	Richardson
	1800	80	Richardson
	2100	80	Richardson
	2400	80	S Brooks

Friday

Date	Time	Temp.	Name (Print)
	0300	80	S Brooks
	0600	78	Zamora
	0900	80	Zamora
	1200	80	Zamora
	1500	80	Richardson
	1800	84	Richardson
	2100	85	Richardson
	2400	82	S Brooks

Saturday

Date	Time	Temp.	Name (Print)
	0300	82	S Brooks
	0600	82	Zamora
	0900	84	Zamora
	1200	84	Zamora
	1500	86	Richardson
	1800	84	Richardson
	2100	84	Richardson
	2400	80	Mechanician

Sunday

Date	Time	Temp.	Name (Print)
	0300	78	Mechanician
	0600	80	Zamora
	0900	82	Zamora
	1200	84	Zamora
	1500	83	Richardson
	1800	83	Richardson
	2100	88	Richardson
	2400	88	Richardson

Notes

8-2-24 UHT 1200 A
 8-3-24 VHT 1130 Z
 8-4-24 UHT 1102 Z

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 5, 2024	0300	82	K. MORGAN
	0600	79	G. Gandy
	0900	80	G. Gandy
	1200	82	G. Gandy
	1500	88	G. Gandy
	1800	88	G. Gandy
	2100	88	G. Gandy
	2400	84	W. PORRAS

Wednesday

Date	Time	Temp.	Name(Print)
August 7, 2024	0300	78	S. Brooks
	0600	78	RICHARDSON
	0900	78	RICHARDSON
	1200	80	RICHARDSON
	1500	89	RICHARDSON
	1800	89	RICHARDSON
	2100	89	RICHARDSON
	2400	80	C. Brooks

Friday

Date	Time	Temp.	Name(Print)
August 9, 2024	0300	80	C. Brooks
	0600	80	M. SENANO
	0900	80	M. SENANO
	1200	82	M. SENANO
	1500	84	D. R. Dyer
	1800	88	D. R. Dyer
	2100	88	D. R. Dyer
	2400	82	S. Brooks

Sunday

Date	Time	Temp.	Name(Print)
August 11, 2024	0300	78	M. SENANO
	0600	79	C. Adeno
	0900	79	C. Adeno
	1200	80	C. Adeno
	1500	86	J. Tove
	1800	88	J. Tove
	2100	84	J. Tove
	2400	80	K. MORGAN

Tuesday

Date	Time	Temp.	Name(Print)
August 6, 2024	0300	86	W. PORRAS
	0600	80	R. Gandy
	0900	80	R. Gandy
	1200	80	R. Gandy
	1500	80	R. Gandy
	1800	80	R. Gandy
	2100	80	R. Gandy
	2400	82	S. Brooks

Thursday

Date	Time	Temp.	Name(Print)
August 8, 2024	0300	80	S. Brooks
	0600	80	Zamora
	0900	78	Zamora
	1200	82	Zamora
	1500	82	Zamora
	1800	82	Zamora
	2100	80	Zamora
	2400	80	S. Brooks

Saturday

Date	Time	Temp.	Name(Print)
August 10, 2024	0300	80	S. Brooks
	0600	80	F. Amerzon
	0900	82	F. Amerzon
	1200	86	F. Amerzon
	1500	80	F. Amerzon
	1800	81	F. Amerzon
	2100	81	F. Amerzon
	2400	80	Mechristian

Notes

8-7-24 stage 1 UHT @ 120

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 12, 2024	0300	80	K. MORGAN
	0600	80	K. Amerzola
	0900	83	K. Amerzola
	1200	85	K. Amerzola
	1500	80	J. Judy
	1800	82	J. Judy
	2100	81	J. Judy
	2400	80	S. Brooks

Wednesday			
Date	Time	Temp.	Name(Print)
August 14, 2024	0300	80	S. Brooks
	0600	78	J. Woods
	0900	80	J. Woods
	1200	80	J. Woods
	1500	82	J. Richardson
	1800	82	J. Richardson
	2100	80	J. Richardson
	2400	80	S. Brooks

Friday			
Date	Time	Temp.	Name(Print)
August 16, 2024	0300	80	S. Brooks
	0600	79	Hardge
	0900	79	Hardge
	1200	80	Hardge
	1500	84	Morse
	1800	82	Mark
	2100	80	Mark
	2400	80	S. Brooks

Sunday			
Date	Time	Temp.	Name(Print)
August 18, 2024	0300	78	C. Dray
	0600	77	Hardge
	0900	77	Hardge
	1200	77	Hardge
	1500	80	J. Richardson
	1800	80	J. Richardson
	2100	80	J. Richardson
	2400	80	K. MORGAN

Tuesday			
Date	Time	Temp.	Name(Print)
August 13, 2024	0300	80	S. Brooks
	0600	76	J. Richardson
	0900	76	J. Richardson
	1200	80	J. Richardson
	1500	80	J. Richardson
	1800	80	J. Richardson
	2100	80	J. Richardson
	2400	80	S. Brooks

Thursday			
Date	Time	Temp.	Name(Print)
August 15, 2024	0300	80	S. Brooks
	0600	80	J. Sanchez
	0900	80	J. Sanchez
	1200	80	J. Sanchez
	1500	80	J. Richardson
	1800	82	J. Richardson
	2100	82	J. Richardson
	2400	82	S. Brooks

Saturday			
Date	Time	Temp.	Name(Print)
August 17, 2024	0300	80	S. Brooks
	0600	76	Rodriguez
	0900	74	Rodriguez
	1200	76	Rodriguez
	1500	80	D. Harlow
	1800	80	M. Hunter
	2100	80	M. Hunter
	2400	79	R. Sauer

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 19, 2024	0300	78	K. MORGAN
	0600	76	C. Ceada
	0900	78	T. Gonda
	1200	80	C. Ceada
	1500	81	C. Ceada
	1800	88	Glerda
	2100	82	S. Brooks
	2400	82	S. Brooks

Wednesday

Date	Time	Temp.	Name(Print)
August 21, 2024	0300	82	S. Brooks
	0600	80	D. Woods
	0900	80	D. Woods
	1200	82	D. Woods
	1500	84	RICHARDSON
	1800	84	RICHARDSON
	2100	84	RICHARDSON
	2400	82	S. Brooks

Friday

Date	Time	Temp.	Name(Print)
August 23, 2024	0300	80	S. Brooks
	0600	78	Hardge
	0900	76	Hardge
	1200	78	Hardge
	1500	85	Hardge
	1800	85	Hardge
	2100	85	Hardge
	2400	80	R. GUARANTEZ

Sunday

Date	Time	Temp.	Name(Print)
August 25, 2024	0300	79	R. GUARANTEZ
	0600	74	Hardge
	0900	74	Hardge
	1200	75	Hardge
	1500	75	Hardge
	1800	85	Hardge
	2100	80	W. MORGAN
	2400	77	W. MORGAN

Tuesday

Date	Time	Temp.	Name(Print)
August 20, 2024	0300	82	S. Brooks
	0600	82	B. Richardson
	0900	82	B. Richardson
	1200	82	B. Richardson
	1500	82	B. Richardson
	1800	82	B. Richardson
	2100	82	B. Richardson
	2400	82	S. Brooks

Thursday

Date	Time	Temp.	Name(Print)
August 22, 2024	0300	82	S. Brooks
	0600	82	Hardge
	0900	78	Hardge
	1200	74	Hardge
	1500	80	TAPIA
	1800	80	TAPIA
	2100	80	TAPIA
	2400	80	S. Brooks

Saturday

Date	Time	Temp.	Name(Print)
August 24, 2024	0300	75	R. GONZALEZ
	0600	76	J. SANCHEZ
	0900	76	J. SANCHEZ
	1200	76	J. SANCHEZ
	1500	76	J. SANCHEZ
	1800	76	J. SANCHEZ
	2100	76	J. SANCHEZ
	2400	78	A. VELASQUEZ

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 26, 2024	0300	79	K. Morgan
	0600	75	G. Carter
	0900	75	G. Carter
	1200	80	G. Carter
	1500	85	G. Carter
	1800	84	G. Carter
	2100	82	G. Carter
	2400	82	S. Brooks

Wednesday

Date	Time	Temp.	Name(Print)
August 28, 2024	0300	80	S. Brooks
	0600	76	C. Martinez
	0900	76	C. Martinez
	1200	78	C. Martinez
	1500	82	P. Martinez
	1800	82	P. Martinez
	2100	82	P. Martinez
	2400	80	S. Brooks

Friday

Date	Time	Temp.	Name(Print)
August 30, 2024	0300	80	S. Brooks
	0600	78	L. Hernandez
	0900	79	L. Hernandez
	1200	81	L. Hernandez
	1500	86	C. Martinez
	1800	95	J. Scott
	2100	92	J. Scott
	2400	78	S. Brooks

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
August 27, 2024	0300	80	S. Brooks
	0600	80	R. Richardson
	0900	80	R. Richardson
	1200	80	R. Richardson
	1500	80	R. Richardson
	1800	80	R. Richardson
	2100	80	R. Richardson
	2400	80	S. Brooks

Thursday

Date	Time	Temp.	Name(Print)
August 29, 2024	0300	80	S. Brooks
	0600	80	J. Sanchez
	0900	82	J. Sanchez
	1200	84	J. Sanchez
	1500	89	J. Sanchez
	1800	87	A. Chavez
	2100	84	A. Chavez
	2400	80	S. Brooks

Saturday

Date	Time	Temp.	Name(Print)
August 31, 2024	0300	78	S. Brooks
	0600	78	K. Lee
	0900	80	K. Lee
	1200	85	K. Lee
	1500	88	B. Rivera
	1800	88	B. Rivera
	2100	84	B. Rivera
	2400	78	J. Scott

Notes

From 45474 through 45504, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
August 2, 2024	0300	74	MORGAN
	0600	77	M.Brown
	0900	82	M.Brown
	1200	81	M.Brown
	1500	80	J.Smith
	1800	80	J.Smith
	2100	82	J.Smith
	2400	82	J.Smith

Sunday

Date	Time	Temp.	Name(Print)
August 4, 2024	0300	80	J.Smith
	0600	80	J.Smith
	0900	80	J.Smith
	1200	80	J.Smith
	1500	80	J.Smith
	1800	80	J.Smith
	2100	80	J.Smith
	2400	82	J.Smith

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
August 1, 2024	0300	74	K. MORGAN
	0600	70	J.CHANCE
	0900	73	J.CHAUVE
	1200	78	J.CHANCE
	1500	84	BERNARDINO
	1800	86	BERNARDINO
	2100	81	BERNARDINO
	2400	78	K.MORGAN

Saturday

Date	Time	Temp.	Name(Print)
August 3, 2024	0300	80	J.Smith
	0600	80	J.Smith
	0900	80	J.Smith
	1200	80	J.Smith
	1500	84	J.Smith
	1800	84	J.Smith
	2100	82	J.Smith
	2400	82	J.Smith

Notes 2359

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409 OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 5, 2024	0300	86	J.C. CEROS
	0600	78	CHAVEZ, J.
	0900	78	CHAVEZ, J.
	1200	86	CHAVEZ, J.
	1500	94	LEO
	1800	94	LEO
	2100	90	LEO
	2400	85	J.C. CEROS

Wednesday 2359

Date	Time	Temp.	Name(Print)
August 7, 2024	0300	84	J.C. CEROS
	0600	75	J. CHAVEZ
	0900	75	J. CHAVEZ
	1200	82	J. CHAVEZ
	1500	89	BERNARDINO
	1800	86	BERNARDINO
	2100	81	BERNARDINO
	2400	85	DAVALOS

Friday

Date	Time	Temp.	Name(Print)
August 9, 2024	0300	76	D. BOURNE
	0600	76	G. AM
	0900	80	G. AM
	1200	82	G. AM
	1500	80	F. SANCHEZ
	1800	80	F. SANCHEZ
	2100	80	F. SANCHEZ
	2400	80	J.C. CEROS

Sunday 2359

Date	Time	Temp.	Name(Print)
August 11, 2024	0300	79	J.C. CEROS
	0600	75	XIONG
	0900	80	XIONG
	1200	86	XIONG
	1500	86	XIONG
	1800	87	XIONG
	2100	87	XIONG
	2400	84	J.C. CEROS

Tuesday

Date	Time	Temp.	Name(Print)
August 6, 2024	0300	85	J.C. CEROS
	0600	77	J. CHAVEZ
	0900	77	J. CHAVEZ
	1200	87	J. CHAVEZ
	1500	89	BERNARDO
	1800	91	BERNARDO
	2100	86	BERNARDO
	2400	84	J.C. CEROS

Thursday 2359

Date	Time	Temp.	Name(Print)
August 8, 2024	0300	85	DAVALOS
	0600	76	J. CHAVEZ
	0900	75	J. CHAVEZ
	1200	80	J. CHAVEZ
	1500	88	BERNARDO
	1800	84	BERNARDO
	2100	81	BERNARDO
	2400	80	T. BOURNE

Saturday

Date	Time	Temp.	Name(Print)
August 10, 2024	0300	79	J.C. CEROS
	0600	79	G. AM
	0900	79	G. AM
	1200	74	G. AM
	1500	74	B. MUN
	1800	74	B. MUN
	2100	72	B. MUN
	2400	74	J.C. CEROS

Notes 2359

8-5-24 STAGE 2 @ 1501 WATCH
 NOTIFIED.
 8-6-24 STAGE 2 @ 1635 @ 91°

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 12, 2024	0300	81	J.CENICEROS
	0600	75°	J.MARQUEZ
	0900	80°	J.MARTINEZ
	1200	85°	J.MARTINEZ
	1500	87	R.DELGADO
	1800	86	R.DELGADO
	2100	84	R.DELGADO
	2400	82	J.CENICEROS

Wednesday 2359

Date	Time	Temp.	Name(Print)
August 14, 2024	0300	80	J.CENICEROS
	0600	80	J.CENICEROS
	0900	80	J.CENICEROS
	1200	83	J.CENICEROS
	1500	88	J.CENICEROS
	1800	85	J.CENICEROS
	2100	82	J.CENICEROS
	2400	80	K.MORGAN

Friday

Date	Time	Temp.	Name(Print)
August 16, 2024	0300	76	K.MORGAN
	0600	74	K.MORGAN
	0900	79	L.XIONG
	1200	82	L.XIONG
	1500	86°	E.Chisholm
	1800	87	E.Chisholm
	2100	87	E.Chisholm
	2400	85	J.CENICEROS

Sunday 2359

Date	Time	Temp.	Name(Print)
August 18, 2024	0300	80	J.CENICEROS
	0600	74°	G. VELA
	0900	77°	G. VELA
	1200	81°	G. VELA
	1500	82	Hardy
	1800	82	Hardy
	2100	82	Hardy
	2400	82	J.CENICEROS

2359 DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name(Print)
August 13, 2024	0300	82	J.CENICEROS
	0600	80	G.BUSTOS
	0900	80	G.BUSTOS
	1200	82	G.BUSTOS
	1500	83	Kay.
	1800	83	Kay.
	2100	82	Kay.
	2400	82	J.CENICEROS

Thursday 2359

Date	Time	Temp.	Name(Print)
August 15, 2024	0300	78	K.MORGAN
	0600	78	R.Gomez
	0900	78	R.Gomez
	1200	78	R.Gomez
	1500	80	J.SANCHEZ
	1800	80	J.SANCHEZ
	2100	80	J.SANCHEZ
	2400	80	K.MORGAN

Saturday

Date	Time	Temp.	Name(Print)
August 17, 2024	0300	84	J.CENICEROS
	0600	78	N.Miranda
	0900	80	N.Miranda
	1200	80	N.Miranda
	1500	84	Rodriguez
	1800	84	Rodriguez
	2100	80	Rodriguez
	2400	80	J.CENICEROS

Notes 2359

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 19, 2024	0300	72	J. CHAVEZ, J
	0600	72	J. CHAVEZ, J
	0900	75	J. CHAVEZ, J
	1200	80	J. CHAVEZ, J
	1500	94	J. CHAVEZ, J
	1800	95	J. CHAVEZ, J
	2100	90	J. CHAVEZ, J
	2400	86	J. CHAVEZ, J

Wednesday			
Date	Time	Temp.	Name(Print)
August 21, 2024	0300	86	J. CHAVEZ, J
	0600	75	J. CHAVEZ, J
	0900	76	J. CHAVEZ, J
	1200	85	J. CHAVEZ, J
	1500	88	K. MORGAN
	1800	85	K. MORGAN
	2100	85	K. MORGAN
	2400	80	K. MORGAN

Friday			
Date	Time	Temp.	Name(Print)
August 23, 2024	0300	76	K. MORGAN
	0600	72	G. Cerdas
	0900	74	G. Cerdas
	1200	76	G. Cerdas
	1500	78	A. Amato
	1800	78	A. Amato
	2100	76	A. Amato
	2400	72	M. KNUDSEN

Sunday			
Date	Time	Temp.	Name(Print)
August 25, 2024	0300	76	J. CHAVEZ, J
	0600	69	J. CHAVEZ, J
	0900	72	J. CHAVEZ, J
	1200	80	J. CHAVEZ, J
	1500	82	B. Chisholm
	1800	82	B. Chisholm
	2100	80	J. CHAVEZ, J
	2400	80	J. CHAVEZ, J

2359 DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday			
Date	Time	Temp.	Name(Print)
August 20, 2024	0300	86	J. CHAVEZ, J
	0600	75	J. CHAVEZ, J
	0900	77	J. CHAVEZ, J
	1200	88	J. CHAVEZ, J
	1500	95	J. CHAVEZ, J
	1800	98	A. Amato
	2100	89	A. Amato
	2400	88	J. CHAVEZ, J

Thursday			
Date	Time	Temp.	Name(Print)
August 22, 2024	0300	78	K. MORGAN
	0600	75	F. Naga
	0900	80	F. Naga
	1200	87	F. Naga
	1500	84	
	1800	80	K. MORGAN
	2100	78	K. MORGAN
	2400	78	K. MORGAN

Saturday			
Date	Time	Temp.	Name(Print)
August 24, 2024	0300	72	M. KNUDSEN
	0600	70	G. Cerdas
	0900	74	G. Cerdas
	1200	78	G. Cerdas
	1500	85	ALVAREZ
	1800	82	ALVAREZ
	2100	78	ALVAREZ
	2400	77	J. CHAVEZ, J

Notes			
8/19/24 @ 151 Stage III 95° inside with/medev ✓			
8-19-24 STAGE 2 UHT @ 1338			
8-20-24 STAGE 3 UHT @ 1454 WATCH/medev			

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405
 406, 407, 408, 409 OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 26, 2024	0300	79	J.CENICEROS
	0600	72	J.CHAVEZ
	0900	80	J.CHAVEZ
	1200	83	J.CHAVEZ
	1500	85	R.DELARDO
	1800	81	R.DELARDO
	2100	85	R.DELARDO
	2400	80	J.CENICEROS

Wednesday 2359

Date	Time	Temp.	Name(Print)
August 28, 2024	0300	80	J.CENICEROS
	0600	72	J.CHAVEZ
	0900	75	J.CHAVEZ
	1200	85	J.CHAVEZ
	1500	88	Bernardino
	1800	87	Bernardino
	2100	79	Bernardino
	2400	76	K.MORGAN

Friday

Date	Time	Temp.	Name(Print)
August 30, 2024	0300	74	K.MORGAN
	0600	71	G.Carr
	0900	78	G.Carr
	1200	70	G.Carr
	1500	80	P.Sanchez
	1800	86	P.Sanchez
	2100	86	P.Sanchez
	2400	79	J.CENICEROS

Sunday 2359

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
August 27, 2024	0300	80	J.CENICEROS
	0600	79	J.CHAVEZ
	0900	75	J.CHAVEZ
	1200	86	J.CHAVEZ
	1500	89	Bernardino
	1800	90	Bernardino
	2100	82	Romardino
	2400	80	J.CENICEROS

Thursday 2359

Date	Time	Temp.	Name(Print)
August 29, 2024	0300	72	K.MORGAN
	0600	72	F.Nagy
	0900	75	F.Nagy
	1200	78	F.Nagy
	1500	77	Bernardino
	1800	86	Bernardino
	2100	78	Romardino
	2400	76	K.MORGAN

Saturday

Date	Time	Temp.	Name(Print)
August 31, 2024	0300	78	J.CENICEROS
	0600	76	G.Carr
	0900	76	G.Carr
	1200	86	G.Carr
	1500	85	E.Sanchez
	1800	86	E.Sanchez
	2100	87	E.Sanchez
	2400	80	J.CENICEROS

Notes 2359

Case ID #1538 8/27/24

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45474 through 45504, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
August 2, 2024	0300	78	John
	0600	79	WATKIN
	0900	78	WATKIN
	1200	80	WATKIN
	1500	86°	E. Chisholm
	1800	87	E. Chisholm
	2100	87	E. Chisholm
	2400	80	WATKIN

Sunday

Date	Time	Temp.	Name(Print)
August 4, 2024	0300	80	K. MORGAN
	0600	79	WATKIN
	0900	79	WATKIN
	1200	81	WATKIN
	1500	90°	LED
	1800	95°	LED
	2100	89°	LED
	2400	80	R. A. Green

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
August 1, 2024	0300	78	John
	0600	71	WATKIN
	0900	72	WATKIN
	1200	76	WATKIN
	1500	80	WATKIN
	1800	80	WATKIN
	2100	80	WATKIN
	2400	80	WATKIN

Saturday

Date	Time	Temp.	Name(Print)
August 3, 2024	0300	79	WATKIN
	0600	79	WATKIN
	0900	83	WATKIN
	1200	84	WATKIN
	1500	86	Mechristian
	1800	89	Mechristian
	2100	88	Mechristian
	2400	84	K. MORGAN

Notes

8/4/24. 1415 hrs. Stage 2. 1743
Stage 3. Nurse AT X4167 NOTIFIED. X429
MOREAU.

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
August 5, 2024	0300	80°	R. Alhuray
	0600	80	K. Amezola
	0900	81	K. Amezola
	1200	89	K. Amezola
	1500	92	J. Cabrena
	1800	72	J. Cabrena
	2100	71	J. Cabrena
	2400	86°	S. Leckey

Wednesday

Date	Time	Temp.	Name(Print)
August 7, 2024	0300	82	S. Leckey
	0600	70	WHICH
	0900	78	WHICH
	1200	70	WHICH
	1500	88	J. Cabrena
	1800	88	J. Cabrena
	2100	82	J. Cabrena
	2400	82	S. Leckey

Friday

Date	Time	Temp.	Name(Print)
August 9, 2024	0300	78	S. Leckey
	0600	70	WHICH
	0900	75	WHICH
	1200	70	WHICH
	1500	80	WHICH
	1800	75	WHICH
	2100	80	WHICH
	2400	78	K. Morgan

Sunday

Date	Time	Temp.	Name(Print)
August 11, 2024	0300	78	K. Morgan
	0600	79	Godinez
	0900	79	Godinez
	1200	80	Godinez
	1500	89	60
	1800	89	60
	2100	82	60
	2400	82°	S. Leckey

Tuesday

Date	Time	Temp.	Name(Print)
August 6, 2024	0300	82°	S. Leckey
	0600	78	J. Cabrena
	0900	78	J. Cabrena
	1200	84	J. Cabrena
	1500	91	J. Cabrena
	1800	71	J. Cabrena
	2100	88	J. Cabrena
	2400	86°	S. Leckey

Thursday

Date	Time	Temp.	Name(Print)
August 8, 2024	0300	80°	S. Leckey
	0600	78	WHICH
	0900	79	WHICH
	1200	84	WHICH
	1500	86	WHICH
	1800	85	WHICH
	2100	85	WHICH
	2400	80°	S. Leckey

Saturday

Date	Time	Temp.	Name(Print)
August 10, 2024	0300	78	K. Morgan
	0600	71	WHICH
	0900	76	WHICH
	1200	80	WHICH
	1500	90	60
	1800	90	60
	2100	84	60
	2400	80	K. Morgan

Notes

8-5-24 : Stage II . Notified ~~W.C. 01249~~
 8-6-24 OFF STAGE II @ 0015
 8-6-24 STAGE II 1420 HRS (OFF 2112)
 8-10-24 - STAGE II: 1500 HRS.
 8-11-24 - STAGE II: 1544 HRS.

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409 OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 12, 2024	0300	80°	S. Leckey
	0600	80°	PEREZ
	0900	80°	PEREZ
	1200	82°	PEREZ
	1500	87°	R. Parano
	1800	87°	R. Parano
	2100	82	R. Parano
	2400	84°	S. Leckey 86

Wednesday			
Date	Time	Temp.	Name(Print)
August 14, 2024	0300	79°	S. Leckey 84
	0600	77	J CABRERA
	0900	77	J CABRERA
	1200	78	J CABRERA
	1500	88	J CABRERA
	1800	80	J CABRERA
	2100	84	J CABRERA
	2400	81°	S. Leckey

Friday			
Date	Time	Temp.	Name(Print)
August 16, 2024	0300	79°	S. Leckey
	0600	78°	G. DIAZ
	0900	79°	DIAZ 84
	1200	84	DIAZ
	1500	90	J CABRERA
	1800	90	J CABRERA
	2100	88	J CABRERA
	2400	82	K. MORGAN

Sunday			
Date	Time	Temp.	Name(Print)
August 18, 2024	0300	74	K. MORGAN
	0600	74	PEREZ
	0900	74	PEREZ
	1200	80	PEREZ
	1500	85	M
	1800	88	M
	2100	80	M
	2400	77°	S. Leckey

Tuesday			
Date	Time	Temp.	Name(Print)
August 13, 2024	0300	80°	S. Leckey LN
	0600	80	GEMILLI
	0900	80	GEMILLI
	1200	80	GEMILLI
	1500	88	J. CABRERA
	1800	88	J. CABRERA
	2100	82	J. CABRERA
	2400	80°	S. Leckey

Thursday			
Date	Time	Temp.	Name(Print)
August 15, 2024	0300	79°	S. Leckey
	0600	77	P. TROUSSET
	0900	75	P. TROUSSET
	1200	85	P. TROUSSET
	1500	85	E. CHISHOLM 86
	1800	86°	E. CHISHOLM
	2100	83°	E. CHISHOLM
	2400	81°	S. Leckey

Saturday			
Date	Time	Temp.	Name(Print)
August 17, 2024	0300	80	K. MORGAN
	0600	77	WHICH
	0900	73	WHICH
	1200	76	WHICH
	1500	80	WHICH
	1800	81	WHICH
	2100	80	WHICH
	2400	78	K. MORGAN

Notes
 VHT Stage I @ 1220 8/15/24
 STAGE II 1500 8/16/24 / off 8/100

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 26, 2024	0300	75°	S. Laley
	0600	72°	PEREZ
	0900	74°	PEREZ
	1200	78°	PEREZ
	1500	88	J.CARNEVA
	1800	88	J.CARNEVA
	2100	82	J.CARNEVA
	2400	78°	S. Laley

Wednesday			
Date	Time	Temp.	Name(Print)
August 28, 2024	0300	75°	S. Laley
	0600	73°	W.HICK
	0900	75°	W.HICK
	1200	79°	W.HICK
	1500	86	J.CARNEVA
	1800	80°	J.CARNEVA
	2100	81	J.CARNEVA
	2400	78°	S. Laley

Friday			
Date	Time	Temp.	Name(Print)
August 30, 2024	0300	74°	S. Laley
	0600	71°	W.HICK
	0900	73°	W.HICK
	1200	75°	W.HICK
	1500	80°	J.CARNEVA
	1800	86	J.CARNEVA
	2100	87°	J.CARNEVA
	2400	78°	K.MORGAN

Sunday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
August 27, 2024	0300	75°	S. Laley
	0600	79°	J.CARNEVA
	0900	74°	J.CARNEVA
	1200	80°	J.CARNEVA
	1500	86	J.CARNEVA
	1800	87°	J.CARNEVA
	2100	82	J.CARNEVA
	2400	78°	S. Laley

Thursday			
Date	Time	Temp.	Name(Print)
August 29, 2024	0300	75°	S. Laley
	0600	71°	W.HICK
	0900	73°	W.HICK
	1200	73°	W.HICK
	1500	80°	W.HICK
	1800	87°	W.HICK
	2100	81	W.HICK
	2400	77°	S. Laley

Saturday			
Date	Time	Temp.	Name(Print)
August 31, 2024	0300	74°	K.MORGAN
	0600	75°	W.HICK
	0900	76°	W.HICK
	1200	79°	W.HICK
	1500	82°	K.MORGAN
	1800	85°	K.MORGAN
	2100	87°	K.MORGAN
	2400	78°	K.MORGAN

Notes

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
August 19, 2024	0300	74°	S. Lachey
	0600	74°	Perez
	0900	80°	Perez
	1200	82°	Perez
	1500	90°	J. CABRERA
	1800	92°	J. CABRERA
	2100	89°	J. CABRERA
	2400	84°	S. Lachey

Wednesday			
Date	Time	Temp.	Name(Print)
August 21, 2024	0300	81°	S. Lachey
	0600	74°	WATCH
	0900	79°	WATCH
	1200	84°	WATCH
	1500	92°	WATCH
	1800	90°	J. CABRERA
	2100	88°	J. CABRERA
	2400	83°	S. Lachey

Friday			
Date	Time	Temp.	Name(Print)
August 23, 2024	0300	76°	S. Lachey
	0600	74°	J. CABRERA
	0900	74°	J. CABRERA
	1200	80°	J. CABRERA
	1500	81°	D. Rodriguez
	1800	82°	D. Rodriguez
	2100	79°	D. Rodriguez
	2400	78°	K. MORGAN

Sunday			
Date	Time	Temp.	Name(Print)
August 25, 2024	0300	70°	K. MORGAN
	0600	72°	J. MARTINEZ
	0900	74°	J. MARTINEZ
	1200	77°	J. MARTINEZ
	1500	80°	R. DELGADO
	1800	80°	R. DELGADO
	2100	79°	R. DELGADO
	2400	76°	S. Lachey

Tuesday			
Date	Time	Temp.	Name(Print)
August 20, 2024	0300	81°	S. Lachey
	0600	72°	J. CABRERA
	0900	76°	J. CABRERA
	1200	84°	J. CABRERA
	1500	92°	J. CABRERA
	1800	85°	J. CABRERA
	2100	90°	J. CABRERA
	2400	88°	S. Lachey

Thursday			
Date	Time	Temp.	Name(Print)
August 22, 2024	0300	77°	S. Lachey
	0600	75°	WATCH
	0900	75°	WATCH
	1200	85°	WATCH
	1500	87°	WATCH
	1800	85°	WATCH
	2100	82°	WATCH
	2400	80°	S. Lachey

Saturday			
Date	Time	Temp.	Name(Print)
August 24, 2024	0300	74°	K. MORGAN
	0600	75°	L. XIONG
	0900	78°	L. XIONG
	1200	77°	L. XIONG
	1500	80°	R. DELGADO
	1800	80°	R. DELGADO
	2100	76°	R. DELGADO
	2400	72°	K. MORGAN

Notes

STAGE II 1500 8/19/2024 OFF 2100
 STAGE II 1410 8/20/2024 STAGE III 1700
 OFF STAGE III 2000
 STAGE II 1500 8/21/2024 (OFF 2057)

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 401

Temp. Reading Location: Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
8/1/2024	0300	79	J. Gonzalez ✓
	0600	79	J. Sanchez ✓
	0900	79	J. Sanchez ✓
	1200	80	J. Sanchez ✓
	1500	78	J. Gonzalez ✓
	1800	79	J. Gonzalez ✓
	2100	78	J. Gonzalez ✓
	2400	78	J. Gonzalez ✓

Friday

Date	Time	Temp	Name (Print)
8/2/2024	0300	78	J. Gonzalez ✓
	0600	80	A.M. Hernandez
	0900	80	A.M. Hernandez
	1200	80	A.M. Hernandez
	1500	82	S. Rizvif ✓
	1800	82	S. Rizvif ✓
	2100	80	S. Rizvif ✓
	2400	80	JM ✓

Saturday

Date	Time	Temp	Name (Print)
8/3/2024	0300	80	Jon ✓
	0600	78	HARVEY
	0900	82	HARVEY
	1200	84	HARVEY ✓
	1500	88	Rodriguez
	1800	88	Rodriguez
	2100	88	✓
	2400	87	ENCISO ✓

Sunday

Date	Time	Temp	Name (Print)
8/4/2024	0300	85	ENCISO ✓
	0600	82	Darrow
	0900	83	Darrow
	1200	83	Darrow ✓
	1500	90	Fay ✓
	1800	90	Fay ✓
	2100	90	Fay ✓
	2400	89	ENCISO ✓

Notes

8/4/24 90° inside dorm #1430. ICE/WATER Provided.

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/5/2024	0300	84	ENCISO ✓
	0600	82	Darrow
	0900	83	Darrow
	1200	85	Darrow
	1500	90	Faizang ✓
	1800	94	Fay ✓
	2100	94	Fay ✓
	2400	88	Fay ✓

Tuesday

Date	Time	Temp	Name (Print)
8/6/2024	0300	84	Fay ✓
	0600	83	Darrow
	0900	84	Darrow
	1200	85	Darrow ✓
	1500	86	Fay ✓
	1800	88	Fay ✓
	2100	88	Fay ✓
	2400	89	Fay ✓

Wednesday

Date	Time	Temp	Name (Print)
8/7/2024	0300	83	Fay ✓
	0600	83	Darrow
	0900	83	Darrow
	1200	84	Darrow
	1500	81	J. Gonzalez
	1800	80	J. Gonzalez
	2100	81	J. Gonzalez
	2400	80	J. Gonzalez

Thursday

Date	Time	Temp	Name (Print)
8/8/2024	0300	80	J. Gonzalez ✓
	0600	80	Darrow
	0900	81	Darrow
	1200	82	Darrow ✓
	1500	82	J. Gonzalez
	1800	81	J. Gonzalez
	2100	82	J. Gonzalez
	2400	80	J. Gonzalez ✓

Friday

Date	Time	Temp	Name (Print)
8/9/2024	0300	80	J. Gonzalez ✓
	0600	78	C. Bailey
	0900	78	C. Bailey
	1200	78	C. Bailey
	1500	79	Ricardo ✓
	1800	79	Ricardo
	2100	79	Ricardo
	2400	80	Brentford ✓

Saturday

Date	Time	Temp	Name (Print)
8/10/2024	0300	80	Brentford ✓
	0600	78	C. Bailey
	0900	78	C. Bailey
	1200	78	C. Bailey
	1500	80	Anthony ✓
	1800	81	Anthony
	2100	81	Anthony
	2400	83	ENCISO ✓

Sunday

Date	Time	Temp	Name (Print)
8/11/2024	0300	80	ENCISO ✓
	0600	80	Darrow
	0900	80	Darrow
	1200	81	Darrow
	1500	81	DAVIS ✓
	1800	82	DAVIS
	2100	81	DAVIS
	2400	81	DAVIS ✓

Notes

- 8/5/2024 90° inside dorm / Ice bucket provided / inmate not in
- 90° @ 1430 hrs.
- 8/6/2024 90° inside dorm / Ice bucket provided / inmate not in
- 90° @ 1900 hrs.

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/12/2024	0300	80	ENCISO ✓
	0600	80	Darrow
	0900	81	Darrow
	1200	82	Darrow
	1500	84	Fay ✓
	1800	84	Fay ✓
	2100	85	Fay ✓
	2400	81	Fay ✓

Tuesday

Date	Time	Temp	Name (Print)
8/13/2024	0300	80	Fay ✓
	0600	80	Darrow
	0900	80	Darrow
	1200	82	Darrow
	1500	82	Fay ✓
	1800	82	Fay ✓
	2100	82	Fay ✓
	2400	81	J. Gonzalez ✓

Wednesday

Date	Time	Temp	Name (Print)
8/14/2024	0300	80	J. Gonzalez ✓
	0600	80	Darrow
	0900	81	Darrow
	1200	82	Darrow
	1500	84	SPERAENE ✓
	1800	84	SPERAENE
	2100	84	EDERAZNE
	2400	80	EDERAZNE ✓

Thursday

Date	Time	Temp	Name (Print)
8/15/2024	0300	80	J. Gonzalez ✓
	0600	80	STANIS ✓
	0900	80	J. STANIS
	1200	80	J. YARINA
	1500	81	J. Gonzalez ✓
	1800	81	J. Gonzalez ✓
	2100	80	J. Gonzalez ✓
	2400	80	J. Gonzalez ✓

Friday

Date	Time	Temp	Name (Print)
8/16/2024	0300	80	J. Gonzalez ✓
	0600	80	Nava
	0900	80	Nava
	1200	82	Nava
	1500	84	S. RIZVIT
	1800	83	S. RIZVIT
	2100	82	S. RIZVIT
	2400	80	J. Gonzalez ✓

Saturday

Date	Time	Temp	Name (Print)
8/17/2024	0300	80	J. Gonzalez ✓
	0600	80	CBailey
	0900	80	CBailey
	1200	80	CBailey ✓
	1500	81	S. RIZVIT
	1800	82	S. RIZVIT
	2100	81	S. RIZVIT
	2400	80	ENCISO ✓

Notes

Date	Time	Temp	Name (Print)
8/18/2024	0300	78	ENCISO ✓
	0600	79	ENCISO ✓
	0900	79	ENCISO ✓
	1200	79	ENCISO ✓
	1500	80	Fay ✓
	1800	82	Fay ✓
	2100	82	Fay ✓
	2400	80	Fay ✓

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/19/2024	0300	80	Darrow ✓
	0600	80	Darrow
	0900	80	Darrow
	1200	81	Darrow
	1500	84	Fazaga
	1800	85	Fay
	2100	85	Fay
	2400	84	Fay ✓

Tuesday

Date	Time	Temp	Name (Print)
8/20/2024	0300	82	Fay ✓
	0600	81	Darrow
	0900	81	Darrow
	1200	82	Darrow
	1500	89	Fazaga
	1800	86	Fay
	2100	86	Fay
	2400	88	J. Gonzalez ✓

Wednesday

Date	Time	Temp	Name (Print)
8/21/2024	0300	86	J. Gonzalez ✓
	0600	83	Darrow
	0900	83	Darrow
	1200	84	Darrow
	1500	86	SMITH
	1800	87	SMITH
	2100	87	SMITH
	2400	80	J. Gonzalez ✓

Thursday

Date	Time	Temp	Name (Print)
8/22/2024	0300	80	J. Gonzalez ✓
	0600	80	Darrow
	0900	80	Darrow
	1200	83	Darrow
	1500	81	J. Gonzalez ✓
	1800	81	J. Gonzalez
	2100	81	J. Gonzalez
	2400	80	J. Gonzalez ✓

Friday

Date	Time	Temp	Name (Print)
8/23/2024	0300	80	J. Gonzalez SW
	0600	80	Darrow
	0900	80	Darrow
	1200	81	Darrow
	1500	81	R. Alburn
	1800	80	R. Alburn
	2100	80	R. Alburn
	2400	79	J. Gonzalez SW

Saturday

Date	Time	Temp	Name (Print)
8/24/2024	0300	79	J. Gonzalez SW
	0600	72	C. Bailey
	0900	72	C. Bailey
	1200	76	C. Bailey
	1500	80	T. Thomas
	1800	75	D. Velez
	2100	74	D. Velez
	2400	73	R. Alburn

Sunday

Date	Time	Temp	Name (Print)
8/25/2024	0300	70°	R. Alburn
	0600	74	Darrow ✓
	0900	76	Darrow
	1200	80	Darrow
	1500	78	Fay
	1800	78	Fay
	2100	78	Fay
	2400	78	Enciso ✓

Notes

8/20/2024 - 90° @ 100 hrs. Water/ice provided to dorm.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 401

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 80 degrees and again at 85 degrees.

Monday

Monday			
Date	Time	Temp	Name (Print)
8/26/2024	0300	78	ENC180
	0600	78	Darrow
	0900	79	Darrow
	1200	80	Darrow
	1500	83	Fly
	1800	82	Fly
	2100	82	Fly
	2400	80	Fly

Tuesday

Tuesday			
Date	Time	Temp	Name (Print)
8/27/2024	0300	78	Fay
	0600	78	Darrow
	0900	79	Darrow
	1200	81	Darrow
	1500	84	Fay
	1800	84	Fay
	2100	82	Fay
	2400	81	J. Gonzalez

Wednesday

Date	Time	Temp	Name (Print)
8/28/2024	0300	79	J. Gonzalez
	0600	79	Darrow
	0900	80	Darrow
	1200	81	Darrow
	1500	80	Tay
	1800	80	Fay
	2100	80	Fay
	2400	79	J. Gonzalez

Thursday

Date	Time	Temp	Name (Print)
8/29/2024	0300	79	J. Gonzalez
	0600	79	Darrow
	0900	79	Darrow
	1200	79	Darrow
	1500	79	J. Gonzalez
	1800	79	J. Gonzalez
	2100	79	J. Gonzalez
	2400	78	J. Gonzalez

Friday

Date	Time	Temp	Name (Print)
8/30/2024	0300	78	J. Gonzalez <i>red</i>
	0600	74	Bilbin <i>purple</i>
	0900	74	Bilbin <i>purple</i>
	1200	74	Bilbin <i>purple</i>
	1500	74	CHAVEZ
	1800	77	CHAVEZ
	2100	78	CHAVEZ
	2400	80	R. Alhassan <i>purple</i>

Saturday

Saturday			
Date	Time	Temp	Name (Print)
8/31/2024	0300	80	R. Athur
	0600	74	C Bailey
	0900	74	C Bailey
	1200	71	C Bailey
	1500	81	ANNEXO
	1800	83	ANNEXO
	2100	83	ANNEXO
	2400	82	Cheselle

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402Temp. Reading Location: Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
8/1/2024	0300	79	SILVAS
	0600	79	SILVAS
	0900	79	POTELLO
	1200	80	POTELLO
	1500	78	COLIRAS (90)
	1800	78	COLIRAS
	2100	78	COLIRAS
	2400	78	SILVAS EW

Friday

Date	Time	Temp	Name (Print)
8/2/2024	0300	78	SILVAS
	0600	78	POTELLO
	0900	80	POTELLO
	1200	80	POTELLO
	1500	82	COLIRAS
	1800	82	COLIRAS
	2100	80	COLIRAS
	2400	80	B-PHSNER

Saturday

Date	Time	Temp	Name (Print)
8/3/2024	0300	81	PETER EW
	0600	81	PETER
	0900	81	PETER
	1200	83	PETER
	1500	80	COLIRAS
	1800	88	COLIRAS
	2100	88	COLIRAS
	2400	87	PETER

Sunday

Date	Time	Temp	Name (Print)
8/4/2024	0300	85	B-PHSNER
	0600	81	SILVAS
	0900	81	SILVAS
	1200	84	SILVAS
	1500	90	COLIRAS
	1800	90	COLIRAS
	2100	90	COLIRAS
	2400	91	PETER

Notes

8-4-24 - W1430 = 90 degrees
ICE/water provided.

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410.

OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 402

Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/5/2024	0300	84	B.PFISTER ✓
	0600	87	PJ
	0900	83	PJ
	1200	84	PJ
	1500	90	S.DIAZ ✓
	1800	84	J.DIAZ
	2100	84	J.DIAZ
	2400	84	B.PFISTER ✓

Tuesday

Date	Time	Temp	Name (Print)
8/6/2024	0300	83	B.PFISTER ✓
	0600	84	PJ
	0900	83	PJ
	1200	86	PJ
	1500	83	S.DIAZ
	1800	83	S.DIAZ
	2100	83	S.DIAZ
	2400	83	B.PFISTER ✓

Wednesday

Date	Time	Temp	Name (Print)
8/7/2024	0300	83	PFISTER ✓
	0600	83	PJ
	0900	81	PJ
	1200	85	PJ
	1500	85	✓
	1800	85	✓
	2100	85	✓
	2400	80	SILVAS ✓

Thursday

Date	Time	Temp	Name (Print)
8/8/2024	0300	80	SILVAS ✓
	0600	80	POTELLO
	0900	80	POTELLO
	1200	80	POTELLO
	1500	82	COLIRAS ✓
	1800	82	COLIRAS
	2100	82	COLIRAS
	2400	80	SILVAS ✓

Friday

Date	Time	Temp	Name (Print)
8/9/2024	0300	80	SILVAS ✓
	0600	78	POTELLO
	0900	78	POTELLO
	1200	80	POTELLO
	1500	80	COLIRAS
	1800	82	COLIRAS
	2100	80	COLIRAS
	2400	80	E.G. ✓

Saturday

Date	Time	Temp	Name (Print)
8/10/2024	0300	80	S. Soto ✓
	0600	81	✓
	0900	82	✓
	1200	83	✓
	1500	84	J.DIAZ
	1800	83	J.DIAZ
	2100	83	J.DIAZ
	2400	83	B.PFISTER ✓

Sunday

Date	Time	Temp	Name (Print)
8/11/2024	0300	80	B.PFISTER
	0600	80	SJ
	0900	87	SJ
	1200	87	SJ
	1500	82	COLIRAS
	1800	82	COLIRAS
	2100	81	COLIRAS
	2400	80	B.PFISTER

Notes

Aug 5 90° P1430 hrs. Ice provided

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC/NORCO**Housing Unit: **DORM 402**

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/12/2024	0300	83	PFISHER, B
	0600	81	
	0900	81	
	1200	83	
	1500	84	DIAZ
	1800	86	DIAZ
	2100	85	DIAZ
	2400	81	PFISHER, B

Tuesday

Date	Time	Temp	Name (Print)
8/13/2024	0300	80	PFISHER, B
	0600	80	
	0900	82	
	1200	82	
	1500	80	S. ORME
	1800	80	S. ORME
	2100	82	S. ORME
	2400	81	PFISHER

Wednesday

Date	Time	Temp	Name (Print)
8/14/2024	0300	80	PFISHER
	0600	80	
	0900	81	
	1200	82	
	1500	80	G. VELA
	1800	80	G. VELA
	2100	84	G. VELA
	2400	80	SILVAS

Thursday

Date	Time	Temp	Name (Print)
8/15/2024	0300	80	SILVAS
	0600	80	BOTELLO
	0900	80	BOTELLO
	1200	80	BOTELLO
	1500	81	COLIRAS
	1800	81	COLIRAS
	2100	81	COLIRAS
	2400	80	T. TIBURCIO

Friday

Date	Time	Temp	Name (Print)
8/16/2024	0300	80	PFISHER SW
	0600	80	SW
	0900	80	SW
	1200	82	SW
	1500	84	COLIRAS
	1800	83	COLIRAS
	2100	82	COLIRAS
	2400	80	PFISHER SW

Saturday

Date	Time	Temp	Name (Print)
8/17/2024	0300	80	B. PFISHER SW
	0600	80	SW
	0900	81	SW
	1200	81	SW
	1500	81	COLIRAS
	1800	82	COLIRAS
	2100	81	COLIRAS
	2400	80	SW

Sunday

Date	Time	Temp	Name (Print)
8/18/2024	0300	80	SW
	0600	80	SW
	0900	80	SW
	1200	80	SW
	1500	80	COLIRAS
	1800	82	COLIRAS
	2100	82	COLIRAS
	2400	80	PFISHER

Notes

Designated Heat Doms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 402

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/19/2024	0300	80	B. Pfeifer
	0600	80	J. M.
	0900	80	Renes
	1200	82	Keyes
	1500	84	Dire
	1800	82	Dire
	2100	85	Dire
	2400	84	B. Pfeifer

Tuesday

Date	Time	Temp	Name (Print)
8/20/2024	0300	82	A. GARDNER
	0600	81	J. H.
	0900	82	J. H.
	1200	83	J. H.
	1500	89	S. DAVIS
	1800	88	S. DAVIS
	2100	86	S. DAVIS
	2400	86	E. D. SHARER

Wednesday

Date	Time	Temp	Name (Print)
8/21/2024	0300	84	BARTER
	0600	83	BOY
	0900	83	BOY
	1200	84	BOY
	1500	86	CHINCH
	1800	87	CHINCH
	2100	87	CHINCH
	2400	80	SILVER

Thursday

Date	Time	Temp	Name (Print)
8/22/2024	0300	80	SILVAS
	0600	80	BOTELLO
	0900	79	BOTELLO
	1200	79	BOTELLO
	1500	81	COLLRAI
	1800	81	(COLLRAI)
	2100	80	COLLRAI
	2400	80	SILVAS 80

Friday

Date	Time	Temp	Name (Print)
8/23/2024	0300	80	SILVAS <i>SLV</i>
	0600	80	ROTELLO <i>ROTELLO</i>
	0900	79	ROTELLO <i>ROTELLO</i>
	1200	76	ROTELLO <i>ROTELLO</i>
	1500	81	COLIRAS <i>COLIRAS</i>
	1800	81	COLIRAS <i>COLIRAS</i>
	2100	80	COLIRAS <i>COLIRAS</i>
	2400	79	ROTELLO <i>ROTELLO</i>

Saturday

Saturday			
Date	Time	Temp	Name (Print)
8/24/2024	0300	78	B. DE SIERRA JM
	0600	72	Rodriguez
	0900	72	Rodriguez
	1200	76	Rodriguez
	1500	80	Solitras
	1800	75	Colirao
	2100	74	Colirao
	2400	73	B. DE SIERRA

Sunday

Date	Time	Temp	Name (Print)
8/25/2024	0300	70	B.P.FISHER
	0600	76	IN
	0900	76	IN
	1200	77	IN
	1500	79	ERICKSON
	1800	80	ERICKSON
	2100	80	ERICKSON
	2400	78	B.P.FISHER

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Designated Heat Dorms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410.
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 402

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/26/2024	0300	76	BESTER
	0600	79	BLA
	0900	80	BLA
	1200	80	BLA
	1500	83	R. BONNER
	1800	78	R. BONNER
	2100	82	R. BONNER
	2400	80	BESTER

Tuesday

Tuesday			
Date	Time	Temp	Name (Print)
8/27/2024	0300	78	BPFHAR
	0600	79	
	0900	80	
	1200	80	
	1500	84	S. orowz
	1800	84	S. orowz
	2100	84	S. orowz
	2400	88	KOSSAR

Wednesday

Date	Time	Temp	Name (Print)
8/28/2024	0300	79	BARTER
	0600	79	Barter
	0900	80	Barter
	1200	80	
	1500	82	Silence
	1800	82	Silence
	2100	80	Silence
	2400	79	Silence

Thursday

Thursday			
Date	Time	Temp	Name (Print)
8/29/2024	0300	79	SILVAS
	0600	79	BOTELLO
	0900	79	BOTELLO
	1200	79	BOTELLO
	1500	79	R. BONTE
	1800	79	R. BONTE
	2100	79	R. BONTE
	2400	78	TILLOSON

Friday

Date	Time	Temp	Name (Print)
8/30/2024	0300	78	TILLOTSON <i>LW</i>
	0600	74	BOTELLO <i>LL</i>
	0900	74	BOTELLO
	1200	76	BOTELLO
	1500	81	R. BONTE
	1800	80	R. BONTE
	2100	76	R. BONTE
	2400	69	G. FERRI <i>LW</i>

Saturday

Date	Time	Temp	Name (Print)
8/31/2024	0300	80	B. PETERSON
	0600	80	
	0900	80	
	1200	80	
	1500	84	R. SWANSON
	1800	83	R. SWANSON
	2100	83	R. SWANSON
	2400	80	PETERSON

Sunday

Date	Time	Temp	Name (Print)
	0300	70	R. PEPPER
	0600	79	
	0900	83	R. H.
	1200	86	
	1500	89	R. BOUTC
	1800	84	R. BOUTC
	2100	82	R. BOUTC
	2400	87	R. BOUTC

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300	78	O. Randolph ✓
	0600	78	L. Sevilla ✓
	0900	78	L. Sevilla ✓
	1200	80	L. Sevilla ✓
	1500	80	NIEISEN ✓
	1800	90	NIEISEN ✓
	2100	80	NIEISEN ✓
	2400	80	Parker SW ✓

Friday

Date	Time	Temp	Name (Print)
8/2/2024	0300	90	Parker ✓
	0600	76	J. Scott ✓
	0900	78	J. Scott ✓
	1200	80	J. Scott ✓
	1500	80	NIEISEN ✓
	1800	80	NIEISEN ✓
	2100	80	NIEISEN ✓
	2400	80	Rangel ✓

Saturday

Date	Time	Temp	Name (Print)
8/3/2024	0300	Reingel	Reingel SW ✓
	0600	80	Vasquez ✓
	0900	81	Vasquez ✓
	1200	81	Vasquez ✓
	1500	81	NIEISEN ✓
	1800	81	NIEISEN ✓
	2100	81	NIEISEN ✓
	2400	80	Reingel ✓

Sunday

Date	Time	Temp	Name (Print)
8/4/2024	0300	80	Rangel ✓
	0600	76	Rosa ✓
	0900	80	Rosa ✓
	1200	85	Rosa ✓
	1500	86	Kefaljanos ✓
	1800	84	Kefaljanos ✓
	2100	83	Kefaljanos ✓
	2400	83	Rangel ✓

Notes

8/2/24	Stage 1 reach 1200
8/4/24	Stage 1 @ 1102 hrs
8/4/24	stage 2 2010 de-activate

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/5/2024	0300	80	Gernale ✓
	0600	80	F.Dohoa
	0900	80	F.Dohoa
	1200	82	F.Dohoa
	1500	83	F.Dohoa
	1800	83	F.Dohoa
	2100	83	F.Dohoa
	2400	80	S.Jones

Tuesday

Date	Time	Temp	Name (Print)
8/6/2024	0300	80	S.Jones
	0600	80	Vera
	0900	80	Vera
	1200	84	Vera
	1500	86	Craig
	1800	85	Craig
	2100	85	Craig
	2400	82	S.Jones

Wednesday

Date	Time	Temp	Name (Print)
8/7/2024	0300	80	S.Jones
	0600	80	Vera
	0900	80	Vera
	1200	80	Vera
	1500	80	NIELSEN
	1800	80	NIELSEN
	2100	80	NIELSEN
	2400	80	KRAGLE

Thursday

Date	Time	Temp	Name (Print)
8/8/2024	0300	78	KRAGLE
	0600	78	Vera
	0900	78	Vera
	1200	78	Vera
	1500	83	NIELSEN
	1800	83	NIELSEN
	2100	82	NIELSEN
	2400	82	KRAGLE

Friday

Date	Time	Temp	Name (Print)
8/9/2024	0300	80	KRAGLE
	0600	80	Vera
	0900	79	Vera
	1200	79	Vera
	1500	81	NIELSEN
	1800	80	NIELSEN
	2100	80	NIELSEN
	2400	80	Ranger

Saturday

Date	Time	Temp	Name (Print)
8/10/2024	0300	80	Reinert
	0600	80	J.Sanchez
	0900	80	J.Sanchez
	1200	80	J.Sanchez
	1500	82	Kefanos
	1800	82	Kefanos
	2100	80	Kefanos
	2400	80	Kefanos

Sunday

Date	Time	Temp	Name (Print)
8/11/2024	0300	78	Ranger
	0600	78	Vera
	0900	78	Vera
	1200	78	Vera
	1500	80	Obrien
	1800	80	Obrien
	2100	80	Obrien
	2400	80	Ranger

Notes

8/6/2024 STAGE I UHT ACTIVATED 1048 hrs
 8/7/2024 STAGE II UHT ACTIVATED 1220 hrs

Designated Heat Dorms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 403

Temp. Reading Location:

Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/12/2024	0300	78	Ramuel ✓
	0600	78	Ramuel ✓
	0900	80	Fochon ✓
	1200	80	F. Fochon ✓
	1500	82	E. Gammor ✓
	1800	82	E. Gammor ✓
	2100	80	E. Gammor ✓
	2400	81	S. Onnor ✓

Tuesday

Date	Time	Temp	Name (Print)
8/13/2024	0300	78	S. Onnor ✓
	0600	79	Chicrates ✓
	0900	79	Chicrates ✓
	1200	80	Chicrates ✓
	1500	80	Chicrates ✓
	1800	80	Chicrates ✓
	2100	80	Chicrates ✓
	2400	80	S. Onnor ✓

Wednesday

Date	Time	Temp	Name (Print)
8/14/2024	0300	80	S. Onnor ✓
	0600	79	BENJAMIN ✓
	0900	78	BENJAMIN ✓
	1200	80	BENJAMIN ✓
	1500	80	NIE(SR) ✓
	1800	80	NIE(SR) ✓
	2100	80	NIE(SR) ✓
	2400	80	K RAGLE ✓

Thursday

Date	Time	Temp	Name (Print)
8/15/2024	0300	80	K RAGLE ✓
	0600	80	VERA ✓
	0900	81	VERA ✓
	1200	82	VERA ✓
	1500	82	NIE(SR) ✓
	1800	82	NIE(SR) ✓
	2100	82	NIE(SR) ✓
	2400	80	K RAGLE ✓

Friday

Date	Time	Temp	Name (Print)
8/16/2024	0300	78	K RAGLE ✓
	0600	78	VERA ✓
	0900	78	VERA ✓
	1200	78	VERA ✓
	1500	78	NIE(SR) ✓
	1800	78	NIE(SR) ✓
	2100	78	NIE(SR) ✓
	2400	76	D. Bowers S.W.

Saturday

Date	Time	Temp	Name (Print)
8/17/2024	0300	74	D. Bowers S.W.
	0600	74	VERA ✓
	0900	74	VERA ✓
	1200	74	VERA ✓
	1500	79	NIE(SR) ✓
	1800	79	NIE(SR) ✓
	2100	78	NIE(SR) ✓
	2400	80	K RAGLE ✓

Sunday

Date	Time	Temp	Name (Print)
8/18/2024	0300	80	Ramuel ✓
	0600	80	Obatin ✓
	0900	72	Obatin ✓
	1200	72	Obatin ✓
	1500	78	Kefalianos ✓
	1800	78	Kefalianos ✓
	2100	77	Kefalianos ✓
	2400	75	Remymp ✓

Notes
8/15/24 1220hrs STAGE I LIGHT ACTIVATED
8/16/24 1215hr STAGE I LIGHT ACTIVATED

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403

Temp. Reading Location:

Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/19/2024	0300	72	Rangel ✓
	0600	72	Rangel ✓
	0900	80	F.Ochoa ✓
	1200	79	F.Ochoa ✓
	1500	82	Ogden ✓
	1800	82	Ogden ✓
	2100	80	Ogden ✓
	2400	84	S.Dunn ✓

Tuesday

Date	Time	Temp	Name (Print)
8/20/2024	0300	77	S.Dunn ✓
	0600	76	VEVA ✓
	0900	79	VEVA ✓
	1200	81	VEVA ✓
	1500	82	Ogden ✓
	1800	82	Ogden ✓
	2100	82	Ogden ✓
	2400	80	S.Dunn ✓

Wednesday

Date	Time	Temp	Name (Print)
8/21/2024	0300	79	S.Dunn ✓
	0600	78	VEVA ✓
	0900	80	VEVA ✓
	1200	82	VEVA ✓
	1500	85	NIEISFA ✓
	1800	82	NIEISFA ✓
	2100	82	NIEISFA ✓
	2400	80	KRAGLE ✓

Thursday

Date	Time	Temp	Name (Print)
8/22/2024	0300	78	KRAGLE ✓
	0600	75	VEVA ✓
	0900	73	VEVA ✓
	1200	82	VEVA ✓
	1500	80	NIEISFA ✓
	1800	80	NIEISFA ✓
	2100	80	NIEISFA ✓
	2400	70	KRAGLE ✓

Friday

Date	Time	Temp	Name (Print)
8/23/2024	0300	74	KRAGLE ✓
	0600	72	VEVA ✓
	0900	73	VEVA ✓
	1200	75	VEVA ✓
	1500	75	NIEISFA ✓
	1800	75	NIEISFA ✓
	2100	75	NIEISFA ✓
	2400	73	Rangel ✓

Saturday

Date	Time	Temp	Name (Print)
8/24/2024	0300	70	Rangel ✓
	0600	70	VEVA ✓
	0900	72	VEVA ✓
	1200	77	VEVA ✓
	1500	77	EVON ✓
	1800	78	EVON ✓
	2100	78	EVON ✓
	2400	76	Rangel ✓

Sunday

Date	Time	Temp	Name (Print)
8/25/2024	0300	74	Rangel ✓
	0600	70	Charley ✓
	0900	68	Charley ✓
	1200	68	Charley ✓
	1500	72	Kefaligios ✓
	1800	74	Kefaligios ✓
	2100	76	Kefaligios ✓
	2400	78	Mehristian ✓

Notes

8/20/24 STAGE 2 UNIT ACTIVATED

Designated Heat Doms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 403

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/26/2024	0300	80	McChristan
	0600	80	Fochon
	0900	80	Fochon
	1200	60	Fochon
	1500	63	Ogden
	1800	83	Ogden
	2100	80	Ogden
	2400	80	Sidman

Tuesday

Date	Time	Temp	Name (Print)
8/27/2024	0300	80°	S. Brown
	0600	76°	LENA
	0900	78°	LENA
	1200	80°	LENA
	1500	80°	LENA
	1800	79°	LENA
	2100	79°	LENA
	2400	79°	S. Brown

Wednesday

Date	Time	Temp	Name (Print)
8/28/2024	0300	78	S. ORAN
	0600	71	VELTA
	0900	75	LENA
	1200	78	LENA
	1500	78	NIELSEN
	1800	74	NIELSEN
	2100	75	NIELSEN
	2400	76	KRAGLE

Thursday

Date	Time	Temp	Name (Print)
8/29/2024	0300	79	KRAGLE
	0600	92	WANICHEK
	0900	95	WANICHEK
	1200	76	WANICHEK
	1500	76	WIESSNER
	1800	76	WIESSNER
	2100	76	WIESSNER
	2400	77	KRAGLE

Friday

Date	Time	Temp	Name (Print)
8/30/2024	0300	75	K RAGUE
	0600	75	A HANCOCK
	0900	71	C JANCHEE
	1200	76	NIELSEN
	1500	76	NIELSEN
	1800	76	NIELSEN
	2100	76	NIELSEN
	2400	76	RIVAS
			SM

Saturday

Date	Time	Temp	Name (Print)
8/31/2024	0300	77	RICO
	0600	67°	DANIELLE
	0900	78°	JENNIFER
	1200	78°	DANIELLE
	1500	78	NIESEL
	1800	78	NIELSEN
	2100	78	NIELSEN
	2400	76	SARAH

Sunday

Date	Time	Temp	Name (Print)
	0300	74	Samuel
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

8/27/24 12:15pm STAGE I UHT ACTIVATED

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404Temp. Reading Location: Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
8/1/2024	0300	80	R. Vukanic ✓
	0600	80	Ruesta
	0900	78	Ruesta
	1200	80	Ruesta
	1500	80	Esquivel
	1800	81	Esquivel
	2100	80	Esquivel
	2400	80	B. Bonzalez ✓

Friday

Date	Time	Temp	Name (Print)
8/2/2024	0300	80	G. Bonzalez ✓
	0600	80	Ruesta
	0900	80	Ruesta
	1200	82	Ruesta
	1500	82	Esquivel
	1800	82	Esquivel
	2100	80	Esquivel
	2400	81	O. Randolph XW

Saturday

Date	Time	Temp	Name (Print)
8/3/2024	0300	80	O. Randolph XW
	0600	79	A. Lay
	0900	79	A. Lay
	1200	81	A. Lay
	1500	83	E. Rester
	1800	85	E. Rester
	2100	86	E. Rester
	2400	86	E. Rester

Sunday

Date	Time	Temp	Name (Print)
8/4/2024	0300	80	J. Foster
	0600	75	River
	0900	78	River
	1200	81	River
	1500	86	CHONG
	1800	84	CHONG
	2100	83	OFFICER
	2400	82	OFFICER

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/5/2024	0300	80	J. Jones
	0600	80	A. Turner
	0900	80	A. Turner
	1200	82	A. Turner
	1500	84	C. Val
	1800	84	C. Val
	2100	81	C. Val
	2400	80	R. Valencia

Tuesday

Date	Time	Temp	Name (Print)
8/6/2024	0300	80	R. Valencia
	0600	80	G. Vela
	0900	80	G. Vela
	1200	84	G. Vela
	1500	86	G. Vela
	1800	88	G. Vela
	2100	86	G. Vela
	2400	81	R. Valencia

Wednesday

Date	Time	Temp	Name (Print)
8/7/2024	0300	80	R. Valencia
	0600	81	Riestra
	0900	82	Riestra
	1200	84	Riestra
	1500	86	Riestra
	1800	85	Riestra
	2100	85	Riestra
	2400	80	R. Valencia

Thursday

Date	Time	Temp	Name (Print)
8/8/2024	0300	78	R. Valencia
	0600	78	Riestra
	0900	79	Riestra
	1200	80	Riestra
	1500	83	Riestra
	1800	81	Riestra
	2100	80	R. Valencia
	2400	80	R. Valencia

Friday

Date	Time	Temp	Name (Print)
8/9/2024	0300	80	R. Valencia SW
	0600	80	Riestra
	0900	81	Riestra
	1200	82	Riestra
	1500	83	Esquivel
	1800	83	Esquivel
	2100	80	Esquivel
	2400	80	K. Ragle

Saturday

Date	Time	Temp	Name (Print)
8/10/2024	0300	78	K. Ragle
	0600	79	A. Lay
	0900	78	A. Lay
	1200	78	A. Lay
	1500	80	Esquivel
	1800	84	Esquivel
	2100	80	Esquivel
	2400	80	K. Ragle

Sunday

Date	Time	Temp	Name (Print)
8/11/2024	0300	80	K. Ragle
	0600	80	Gordon
	0900	80	Gordon
	1200	80	Gordon
	1500	82	Clay
	1800	82	Clay
	2100	80	Clay
	2400	80	B. Bradford

Notes

8/6/24 STAGE I UHT @ 1048

·OH

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CBC/NORCO

Housing Unit: DORM 404

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp	Name (Print)
8/12/2024	0300	78	A. Bradfield
	0600	79	Adenoye
	0900	79	Adenoye
	1200	80	Adenoye
	1500	82	Adenoye
	1800	82	Adenoye
	2100	80	Adenoye
	2400	80	R. Valenciano

Tuesday			
Date	Time	Temp	Name (Print)
8/13/2024	0300	78	Avalencia
	0600	78	peach m
	0900	78	Ruesta
	1200	80	Ruesta
	1500	80	t
	1800	80	t
	2100	80	t
	2400	80	Avalencia

Wednesday			
Date	Time	Temp	Name (Print)
8/14/2024	0300	80	R. Valencia
	0600	78	rectum
	0900	78	Rectum
	1200	80	Rectum
	1500	80	Rectum
	1800	80	GW
	2100	68	GW
	2400	86	R. Valencia

Thursday			
Date	Time	Temp	Name (Print)
8/15/2024	0300	89	R. Valencia
	0600	82	Ruesta
	0900	82	Ruesta
	1200	82	Ruesta
	1500	81	tl
	1800	81	tl
	2100	80	tl
	2400	80	R. Valencia

Friday			
Date	Time	Temp	Name (Print)
8/16/2024	0300	78	R. Valencia
	0600	78	Ruesta
	0900	80	Ruesta
	1200	80	Ruesta
	1500	80	Esquivel
	1800	80	Esquivel
	2100	80	Esquivel
	2400	80	K. Ritchie

Saturday			
Date	Time	Temp	Name (Print)
8/17/2024	0300	78	KRAGLE
	0600	74	Alay
	0900	76	Alay
	1200	77	Alay
	1500	80	Escalebe
	1800	80	Escalebe
	2100	80	Escalebe
	2400	80	KRAGLE

Sunday			
Date	Time	Temp	Name (Print)
8/18/2024	0300	76	K. Ragle
	0600	74	D. Rojers
	0900	72	D. Rojers
	1200	72	D. Rojers
	1500	78	clima
	1800	78	clima
	2100	77	clima
	2400	75	M. Knuojen

Notes

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411
DHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404

Temp. Reading Location:

Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/19/2024	0300	72	M.KNUDSEN
	0600	72	Adenoye ✓
	0900	72	Adenoye
	1200	79	Adenoye ✓
	1500	82	CHONG
	1800	82	CHONG
	2100	80	CHONG
	2400	83	Jung ✓

Tuesday

Date	Time	Temp	Name (Print)
8/20/2024	0300	79	Jung
	0600	76	S.Brown
	0900	76	S.Brown
	1200	78	S.Brown
	1500	82	✓
	1800	82	✓
	2100	80	✓
	2400	80	R.Valecia ✓

Wednesday

Date	Time	Temp	Name (Print)
8/21/2024	0300	78	R.Valecia
	0600	77	Riesky
	0900	79	Riesky
	1200	80	✓
	1500	80	✓
	1800	80	✓
	2100	80	✓
	2400	78	R.Valecia

Thursday

Date	Time	Temp	Name (Print)
8/22/2024	0300	76	R.Valecia
	0600	74	M.Serrano
	0900	77	M.Serrano
	1200	82	M.Serrano
	1500	80	P.Esquibel
	1800	80	P.Esquibel
	2100	80	P.Esquibel
	2400	76	R.Valecia 8W

Friday

Date	Time	Temp	Name (Print)
8/23/2024	0300	72	R.Valecia SW
	0600	74	Riesky
	0900	78	Riesky
	1200	80	Riesky
	1500	80	Esquibel
	1800	80	Esquibel
	2100	78	Esquibel
	2400	78	K.Ragle

Saturday

Date	Time	Temp	Name (Print)
8/24/2024	0300	76	K.Ragle
	0600	72	Alay
	0900	77	Alay
	1200	74	Alay
	1500	79	✓
	1800	75	✓
	2100	74	✓
	2400	77	K.Ragle

Sunday

Date	Time	Temp	Name (Print)
8/25/2024	0300	72	K.Ragle
	0600	68	Adenoye
	0900	68	Adenoye
	1200	68	Adenoye
	1500	72	✓
	1800	75	R.Davis
	2100	78	R.Davis
	2400	78	A.Torres

Notes

8/20/24 1245 Stage I Heat Activated

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410.

OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 404

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/26/2024	0300	77°	Torrey
	0600	77	Adensop
	0900	77	Adensop
	1200	77	Adensop
	1500	83	Clyburn
	1800	83	Clarke
	2100	80	Clarke
	2400	80	Lotwin

Tuesday

Date	Time	Temp	Name (Print)
8/27/2024	0300	60	Lorraine
	0600	74	Rustay
	0900	78	Rustay
	1200	80	Rustay
	1500	80	EE
	1800	79	G
	2100	74	S
	2400	76	R. Nakayama

Wednesday

Date	Time	Temp	Name (Print)
8/28/2024	0300	73	R. Valencia
	0600	74	Resting
	0900	74	Resting
	1200	78	Resting
	1500	78	Resting
	1800	76	de
	2100	75	
	2400	76	R. Valencia

Thursday

Date	Time	Temp	Name (Print)
8/29/2024	0300	79	R. Valencia
	0600	70'	R. Gomez
	0900	70°	R. Gomez
	1200	70°	R. Gomez
	1500	75	R. Escalante
	1800	75	R. Escalante
	2100	75	R. Escalante
	2400	77	R. Valencia

Friday

Date	Time	Temp	Name (Print)
8/30/2024	0300	75	R. Valencia <i>✓</i>
	0600	76	Prestre <i>✓</i>
	0900	78	Betha
	1200	78	Ruston
	1500	78	D. Gesselby
	1800	75	D. Gesselby
	2100	73	D. Gesselby
	2400	76	K. Ragle

Saturday

Date	Time	Temp	Name (Print)
8/31/2024	0300	75	KRAFLE
	0600	76	Rustra
	0900	78	Rustra
	1200	79	Rustra
	1500	80	Rojas
	1800	82	Rojas
	2100	79	Rojas
	2400	79	KRAFLE

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

405

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405Temp. Reading Location: Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300	80	NIESE
	0600	80	Bailey
	0900	80	Bailey
	1200	78	Bailey
	1500	78	Bailey
	1800	78	Bailey
	2100	78	Bailey
	2400	78	GORDON SW

Friday

Date	Time	Temp	Name (Print)
8/2/2024	0300	78	GORDON
	0600	78	PLOCENCIA
	0900	79	PLOCENCIA
	1200	80	PLOCENCIA
	1500	88	ARMSTRONG
	1800	82	ARMSTRONG
	2100	88	ARMSTRONG
	2400	84	KEFALIANOS

Saturday

Date	Time	Temp	Name (Print)
8/3/2024	0300	82	KEFALIANOS
	0600	80	KEFALIANOS
	0900	80	CHAGOLLA
	1200	83	CHAGOLLA
	1500	84	CHAGOLLA
	1800	83	CHAGOLLA
	2100	80	CHAGOLLA
	2400	80	KEFALIANOS

Sunday

Date	Time	Temp	Name (Print)
8/4/2024	0300	80	KEFALIANOS
	0600	79	KEFALIANOS
	0900	80	CHAGOLLA
	1200	80	F. OCHOA
	1500	88	F. OCHOA
	1800	90	F. OCHOA
	2100	88	F. OCHOA
	2400	85	KEFALIANOS

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/5/2024	0300	80	Aman
	0600	80	Chagolla
	0900	80	Chagolla
	1200	84	Chagolla
	1500	95	F.Ochoa
	1800	95	F.Ochoa
	2100	91	F.Ochoa
	2400	90	T.ABORA

Tuesday

Date	Time	Temp	Name (Print)
8/6/2024	0300	78	T.ABORA
	0600	80	Chagolla
	0900	80	Chagolla
	1200	84	Chagolla
	1500	90	F.Ochoa
	1800	90	F.Ochoa
	2100	90	F.Ochoa
	2400	89	T.ABORA

Wednesday

Date	Time	Temp	Name (Print)
8/7/2024	0300	83	F.Ochoa
	0600	84	Chagolla
	0900	84	Chagolla
	1200	84	Chagolla
	1500	82	R.Shaw
	1800	78	R.Shaw
	2100	78	R.Shaw
	2400	70	M.Fecsa

Thursday

Date	Time	Temp	Name (Print)
8/8/2024	0300	70	N.Fecsa
	0600	78	Bailey
	0900	78	Bailey
	1200	78	Bailey
	1500	78	Bailey
	1800	78	Bailey
	2100	79	Bailey
	2400	79	C.Bailey

Friday

Date	Time	Temp	Name (Print)
8/9/2024	0300	79	G.Perez SH
	0600	78	Nava
	0900	78	Nava
	1200	78	Nava
	1500	79	A.Izmaile
	1800	86	A.Izmaile
	2100	80	A.Izmaile
	2400	80	Kefalianos MA

Saturday

Date	Time	Temp	Name (Print)
8/10/2024	0300	79	Kefalianos MA
	0600	78	Kefalianos MA
	0900	78	Chagolla
	1200	80	Chagolla
	1500	80	Chagolla
	1800	84	J.Trindade
	2100	84	J.Trindade
	2400	82	Kefalianos

Sunday

Date	Time	Temp	Name (Print)
8/11/2024	0300	80	Kefalianos
	0600	79	Kefalianos
	0900	80	Chagolla
	1200	82	Chagolla
	1500	81	Chagolla
	1800	81	Chagolla
	2100	81	Chagolla
	2400	81	Kefalianos

Notes

8/5/24 @ 1440 stage 11311
 Notified Watch #174
 8/5/24 @ 1928 off of stage 1311
 8/9/24 @ 1220 stage 1111

405

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 405

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday		Date	Time	Temp	Name (Print)
8/12/2024	0300		80		Kefalianos
	0600		79		Kefalianos
	0900		80		Chagolla
	1200		87		Chagolla
	1500		89		F. Ochoa
	1800		89		F. Ochoa
	2100		88		F. Ochoa
	2400		83		T. Aranda

Tuesday

Date	Time	Temp	Name (Print)
8/13/2024	0300	80	Tabora
	0600	80	Chagolla
	0900	80	Chagolla
	1200	80	Chagolla
	1500	89	F. Ochoa
	1800	85	F. Ochoa
	2100	85	F. Ochoa
	2400	85	Tabora

Wednesday

Date	Time	Temp	Name (Print)
8/14/2024	0300	83	T. Acree
	0600	79	Chagolla
	0900	80	Chagolla
	1200	80	Chagolla
	1500	82	R. Shaw
	1800	82	R. Shaw
	2100	80	R. Shaw
	2400	80	NIELSRW

Thursday

Date	Time	Temp	Name (Print)
8/15/2024	0300	60	NIESFER
	0600	79	Bailey
	0900	79	Bailey
	1200	79	Bailey
	1500	82	C Bailey
	1800	81	C Bailey
	2100	81	C Bailey
	2400	80	Kefalious

Friday

Date	Time	Temp	Name (Print)
8/16/2024	0300	79	Kefalios
	0600	79	Kefalios
	0900	79°	A. Krouse
	1200	79	A. Krouse
	1500	86	Ansel
	1800	86	Ansel
	2100	86	Ansel
	2400	82	Kefalios

Saturday

Date	Time	Temp	Name (Print)
8/17/2024	0300	81	Kefaliosnos
	0600	80	Kefaliosnos
	0900	81	Sardina
	1200	82	Seas
	1500	82	Catfish
	1800	82	Catfish
	2100	80	Amia
	2400	79	Kefaliosnos

Sunday

Date	Time	Temp	Name (Print)
8/18/2024	0300	78	Kefalios
	0600	78	Gearino
	0900	78	Braze
	1200	78	Gearino
	1500	80	R Shaw
	1800	78	R Shaw
	2100	77	R Shaw
	2400	77	Kefalios

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

405

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405

Temp. Reading Location:

Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/19/2024	0300	78	Kefalianos
	0600	78	Chagolla
	0900	78	Chagolla
	1200	80	Chagolla
	1500	81	F.Ochoa
	1800	95	F.Ochoa
	2100	92	F.Ochoa
	2400	82	J.DAVIS

Tuesday

Date	Time	Temp	Name (Print)
8/20/2024	0300	80	J.DAVIS
	0600	79	CChangolla
	0900	79	CChangolla
	1200	81	CChangolla
	1500	96	F.Ochoa
	1800	96	F.Ochoa
	2100	91	F.Ochoa
	2400	90	T.Aren

Wednesday

Date	Time	Temp	Name (Print)
8/21/2024	0300	80 90	J.DAVIS
	0600	79	Chagolla
	0900	80	Chagolla
	1200	82	Chagolla
	1500	85	J.DAVIS
	1800	89	J.DAVIS
	2100	89	J.DAVIS
	2400	85	M.Elias

Thursday

Date	Time	Temp	Name (Print)
8/22/2024	0300	85	M.Elias
	0600	79	CBailey
	0900	80	CBailey
	1200	80	CBailey
	1500	80	C.Elias
	1800	80	C.Elias
	2100	80	C.Elias
	2400	79	Kefalianos

Friday

Date	Time	Temp	Name (Print)
8/23/2024	0300	78	Kefalianos
	0600	78	Nava
	0900	78	Nava
	1200	80	Nava
	1500	82	Arcoria
	1800	82	Arcoria
	2100	82	Arcoria
	2400	79	Mechanistam

Saturday

Date	Time	Temp	Name (Print)
8/24/2024	0300	77	Mechanistam
	0600	78	Chagolla
	0900	78	Chagolla
	1200	78	Chagolla
	1500	80	Chagolla
	1800	77	Ellavas
	2100	77	Ellavas
	2400	72	Chagolla

Sunday

Date	Time	Temp	Name (Print)
8/25/2024	0300	74	Chagolla
	0600	74	Chagolla
	0900	78	Chagolla
	1200	78	Chagolla
	1500	78	E.Hernandez
	1800	82	E.Hernandez
	2100	82	E.Hernandez
	2400	80	Kefalianos

Notes

8/19/24 (1) 1640 Stage 1311 95°
8/19/24 (1) 1640 Stage 1311
8/19/24 (1) 1920

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/26/2024	0300	78	Kefalios
	0600	78	Chagolla
	0900	78	Chagolla
	1200	78	Chagolla
	1500	78	LOCKETT
	1800	78	LOCKETT
	2100	77	LOCKETT
	2400	82	T.ABAREA

Tuesday

Date	Time	Temp	Name (Print)
8/27/2024	0300	80	T.ABAREA
	0600	79	Chagolla
	0900	80	Chagolla
	1200	80	Chagolla
	1500	85	OCHOA
	1800	85	OCHOA
	2100	85	OCHOA
	2400	85	TABAREA

Wednesday

Date	Time	Temp	Name (Print)
8/28/2024	0300	75	T.ABAREA
	0600	79	Chagolla
	0900	79	Chagolla
	1200	80	Chagolla
	1500	81	F.OCHOA
	1800	81	F.OCHOA
	2100	81	F.OCHOA
	2400	78	NIESEN

Thursday

Date	Time	Temp	Name (Print)
8/29/2024	0300	76	NIESEN
	0600	71	CBailey
	0900	72	CBailey
	1200	75	CBailey
	1500	81	CBailey
	1800	79	CBailey
	2100	74	C.Bailey
	2400	79	GORDON

Friday

Date	Time	Temp	Name (Print)
8/30/2024	0300	77	GORDON
	0600	71	P.DICEREA
	0900	79	R.Daw
	1200	80	R.Daw
	1500	78	A.MALO
	1800	79	A.MALO
	2100	79	A.MALO
	2400	78	Kefalios

Saturday

Date	Time	Temp	Name (Print)
8/31/2024	0300	78	Kefalios
	0600	78	Chagolla
	0900	78	Chagolla
	1200	80	Chagolla
	1500	80	Ward
	1800	89	Ward
	2100	86	Ward
	2400	84	Kefalios

Sunday

Date	Time	Temp	Name (Print)
	0300	82	Kefalios
	0600	80	Chagolla
	0900	80	Chagolla
	1200	81	
	1500	81	R.DAW
	1800	83	R.DAW
	2100	83	R.DAW
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102,103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406Temp. Reading Location: **Building 2nd Floor**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300	77	PETE VSIG
	0600	78	I. Martinez
	0900	79	In Martinez
	1200	81	JA Martinez
	1500	83	R. CHACON
	1800	82	R. CHACON
	2100	81	R. CHACON
	2400	78	PELLOVY SW

Friday

Date	Time	Temp	Name (Print)
	0300	76	PETE VSIG
	0600	76	BRAGDON
	0900	80	BRAGDON
	1200	84	BRAGDON
	1500	87	R. CHACON
	1800	85	R. CHACON
	2100	84	R. CHACON
	2400	81	B. Gonzalez

Saturday

Date	Time	Temp	Name (Print)
	0300	80	G. Gonzalez
	0600	80	I. Pineda
	0900	89	I. Pineda
	1200	86	I. Pineda
	1500	89	A. Armas ✓
	1800	89	A. Armas
	2100	88	N. Miranda
	2400	88	N. Miranda

Sunday

Date	Time	Temp	Name (Print)
	0300	88	N. Miranda
	0600	88	I. Pineda
	0900	88	I. Pineda
	1200	88	I. Pineda
	1500	88	S. Sandoval
	1800	90	S. Sandoval
	2100	82	Deverell
	2400	81	Darrow

Notes

8/4/24 - Stage II - DORM hit 90°

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/5/2024	0300	81	Darrow
	0600	82	Thiebaud
	0900	86	Pineda
	1200	88	Pineda
	1500	88	S.DMNR
	1800	89	S.DMNR
	2100	89	S.DMNR
	2400	88	A-Durso

Tuesday

Date	Time	Temp	Name (Print)
8/6/2024	0300	88	A-Durso
	0600	87	A-Durso
	0900	87	A-Cuevas
	1200	88	A-Cuevas
	1500	88	R-Chacon
	1800	88	R-Chacon
	2100	88	R-Chacon
	2400	88	A-Durso SW

Wednesday

Date	Time	Temp	Name (Print)
8/7/2024	0300	80	A-Durso
	0600	82	S.Brown
	0900	84	S.Brown
	1200	86	S.Brown
	1500	89	R.Chacon C
	1800	88	R.Chacon
	2100	88	R.Chacon
	2400	86	A-Durso

Thursday

Date	Time	Temp	Name (Print)
8/8/2024	0300	86	A-Durso
	0600	80	S.Brown
	0900	80	S.Brown
	1200	82	S.Brown
	1500	85	R.Chacon
	1800	89	R.Chacon
	2100	83	R.Chacon
	2400	82	R.Rojas SW

Friday

Date	Time	Temp	Name (Print)
8/9/2024	0300	82	A-Durso SW
	0600	82	D.Watts
	0900	84	D.Watts
	1200	86	D.Watts
	1500	89	R.Chacon
	1800	85	R.Chacon
	2100	82	R.Chacon
	2400	81	R.Chacon W

Saturday

Date	Time	Temp	Name (Print)
8/10/2024	0300	81	R.Chacon SW
	0600	80	Godinez
	0900	82	Godinez
	1200	85	Godinez
	1500	87	Arriaga R
	1800	89	Arriaga R
	2100	89	Arriaga R
	2400	82	Placencia

Sunday

Date	Time	Temp	Name (Print)
8/11/2024	0300	82	Placencia
	0600	82	Placencia
	0900	82	Placencia
	1200	86	Placencia
	1500	88	Placencia C
	1800	88	Placencia C
	2100	88	Placencia C
	2400	88	Nava

Notes

08/07/2024 12:20 hrs STAGE 1 Heat Alert
08-11-24 STAGE 1 @ 11:00

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/12/2024	0300	86	Nava
	0600	87	Centriles
	0900	87	Centriles
	1200	86	Centriles
	1500	88	S. Orms
	1800	87	S. Orms
	2100	87	S. Orms
	2400	83	A. Russas

Tuesday

Date	Time	Temp	Name (Print)
8/13/2024	0300	86	A. Russas
	0600	80	Collras
	0900	80	Collras
	1200	87	Collras
	1500	85	Chacon
	1800	84	Chacon
	2100	84	Chacon
	2400	81	A. Russas

Wednesday

Date	Time	Temp	Name (Print)
8/14/2024	0300	81	A. Russas
	0600	82	R. CHACON
	0900	82	R. CHACON
	1200	84	R. CHACON
	1500	85	R. Chacon
	1800	84	R. Chacon
	2100	84	R. Chacon
	2400	82	A. Russas

Thursday

Date	Time	Temp	Name (Print)
8/15/2024	0300	82	A. Russas
	0600	80	Centriles
	0900	80	Centriles
	1200	80	Centriles
	1500	82	R. CHACON
	1800	81	R. CHACON
	2100	84	R. CHACON
	2400	82	A. Russas

Friday

Date	Time	Temp	Name (Print)
8/16/2024	0300	77	A. Russas SW
	0600	80	D. Posadas SW
	0900	80	D. Posadas
	1200	82	D. Posadas
	1500	85	R. CHACON
	1800	85	R. CHACON
	2100	84	R. CHACON
	2400	84	A. Russas SW

Saturday

Date	Time	Temp	Name (Print)
8/17/2024	0300	82	A. Russas SW
	0600	80	D. Posadas
	0900	82	D. Posadas
	1200	82	D. Posadas
	1500	84	Zamora
	1800	83	Zamora
	2100	82	Zamora
	2400	78	Zamora

Sunday

Date	Time	Temp	Name (Print)
8/18/2024	0300	76	O. Zamora
	0600	76	T. Aguirre
	0900	78	T. Aguirre
	1200	80	T. Aguirre
	1500	80	S. Daniel
	1800	80	SPRING SW
	2100	80	SPRING
	2400	80	Nava

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/19/2024	0300	78	Nava
	0600	78	MONTOYA
	0900	78	MONTOYA
	1200	78	MONTOYA
	1500	82	S. ORNAZ
	1800	86	S. ORNAZ
	2100	88	S. ORNAZ
	2400	90	A. RUSAS

Tuesday

Date	Time	Temp	Name (Print)
8/20/2024	0300	84	A. RUSAS
	0600	80	COLTRAS
	0900	80	COLTRAS
	1200	83	COLTRAS
	1500	88	R. CHACON
	1800	88	R. CHACON
	2100	88	R. CHACON
	2400	84	A. RUSAS

Wednesday

Date	Time	Temp	Name (Print)
8/21/2024	0300	84	A. RUSAS
	0600	80	M. Vazquez
	0900	80	M. Vazquez
	1200	83	M. Vazquez
	1500	87	R. CHACON
	1800	85	R. CHACON
	2100	83	R. CHACON
	2400	82	A. RUSAS

Thursday

Date	Time	Temp	Name (Print)
8/22/2024	0300	82	A. RUSAS
	0600	81	R. CHACON
	0900	81	R. CHACON
	1200	81	R. CHACON
	1500	83	R. CHACON
	1800	82	R. CHACON
	2100	80	R. CHACON
	2400	70	A. RUSAS

Friday

Date	Time	Temp	Name (Print)
8/23/2024	0300	79	A. RUSAS
	0600	73	R. CHACON
	0900	74	R. CHACON
	1200	78	R. CHACON
	1500	80	R. CHACON
	1800	80	R. CHACON
	2100	79	R. CHACON
	2400	78	A. RUSAS

Saturday

Date	Time	Temp	Name (Print)
8/24/2024	0300	78	A. RUSAS
	0600	73	R. CHACON
	0900	74	R. CHACON
	1200	74	R. CHACON
	1500	78	E. ALMENDRAZ
	1800	75	S. GARCIA
	2100	75	S. GARCIA
	2400	76	ZAMORA

Sunday

Date	Time	Temp	Name (Print)
8/25/2024	0300	75	ZAMORA
	0600	73	R. CHACON
	0900	74	R. CHACON
	1200	77	R. CHACON
	1500	80	Mechristian
	1800	80	Mechristian
	2100	79	Mechristian
	2400	79	Nava

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406

Temp. Reading Location:

Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/26/2024	0300	76	Nava
	0600	73	R. Chacon
	0900	75	R. Chacon
	1200	78	R. Chacon
	1500	80	S. orange
	1800	83	S. orange
	2100	83	S. orange
	2400	80	A. Tureas

Tuesday

Date	Time	Temp	Name (Print)
8/27/2024	0300	79	A. Tureas
	0600	79	MONToya
	0900	79	MONToya
	1200	80	MONToya
	1500	83	R. Chacon
	1800	83	R. Chacon
	2100	83	R. Chacon
	2400	80	A. Tureas

Wednesday

Date	Time	Temp	Name (Print)
8/28/2024	0300	79	A. Tureas
	0600	79	J.A. Martinez
	0900	80	J.A. Martinez
	1200	80	J.A. Martinez
	1500	80	R. Morales
	1800	80	R. Morales
	2100	80	R. Morales
	2400	79	A. Tureas

Thursday

Date	Time	Temp	Name (Print)
8/29/2024	0300	78	A. Tureas
	0600	78	J.A. Martinez
	0900	78	J.A. Martinez
	1200	78	J.A. Martinez
	1500	78	J. SANCHEZ
	1800	78	J. SANCHEZ
	2100	78	J. SANCHEZ
	2400	75	N. Miranda

Friday

Date	Time	Temp	Name (Print)
8/30/2024	0300	75	N. Miranda
	0600	75	Darrow
	0900	77	Darrow
	1200	79	Darrow
	1500	80	M. Miner
	1800	82	M. Miner
	2100	79	M. Miner
	2400	79	Mechanistic

Saturday

Date	Time	Temp	Name (Print)
8/31/2024	0300	79	Mechanistic
	0600	79	B. Chisholm
	0900	80	B. Chisholm
	1200	82	B. Chisholm
	1500	83	A. Mirel
	1800	83	A. Mirel
	2100	82	A. Mirel
	2400	78	N. Miranda

Sunday

Date	Time	Temp	Name (Print)
8/31/2024	0300	78	N. Miranda
	0600	78	I. Pineda
	0900	80	I. Pineda
	1200	84	I. Pineda
	1500	87	Kewlind
	1800	86	Kewlind
	2100	84	Kewlind
	2400	82	Nava

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS - 102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- Temp. Reading Location: DORM - 407
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	72°	PENA
	0600	71°	M. Balbin
	0900	71°	M. Balbin
	1200	71°	M. Balbin
	1500	72	J. Woods
	1800	72	J. Woods
	2100	72	J. Woods
	2400	72	TILLOTSON

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	72	TILLOTSON
	0600	71°	M. Balbin
	0900	71°	M. Balbin
	1200	71°	M. Balbin
	1500	72	J. Woods
	1800	72	J. Woods
	2100	72	J. Woods
	2400	72	TILLOTSON SW

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	72	TILLOTSON SW
	0600	72	ELEVATOR
	0900	72	ELEVATOR
	1200	72	ELEVATOR
	1500	74	J. Tanori
	1800	71	J. Tanori
	2100	72	J. Tanori
	2400	72	TILLOTSON

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	72	TILLOTSON
	0600	72	ELEVATOR
	0900	72	ELEVATOR
	1200	72	ELEVATOR
	1500	72	Woods
	1800	72	Woods
	2100	72	Woods
	2400	72	TILLOTSON

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 407

Temp. Reading Location:

Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/5/2024 DO NOT PRINT	0300	72	Tillotson
	0600	72	CASTRO
	0900	72	CASTRO
	1200	72	CASTRO
	1500	72	RIZVET
	1800	72	RIZVET
	2100	71	RIZVET
	2400	73	Tillotson

Tuesday

Date	Time	Temp	Name (Print)
8/6/2024 DO NOT PRINT	0300	73	FERNANDEZ
	0600	73	CASTRO
	0900	72	CASTRO
	1200	72	CASTRO
	1500	72	RIZVET
	1800	72	RIZVET
	2100	72	RIZVET
	2400	72	TILLOTSON

Wednesday

Date	Time	Temp	Name (Print)
8/7/2024 DO NOT PRINT	0300	72	TILLOTSON
	0600	72	CASTRO
	0900	72	CASTRO
	1200	72	CASTRO
	1500	72	WOODS
	1800	72	WOODS
	2100	72	WOODS
	2400	72	TILLOTSON

Thursday

Date	Time	Temp	Name (Print)
8/8/2024 DO NOT PRINT	0300	72	TILLOTSON
	0600	72	BUBBIN
	0900	72	BUBBIN
	1200	73	BUBBIN
	1500	70	KIES
	1800	70	KIES
	2100	70	KIES
	2400	70	TILLOTSON

Friday

Date	Time	Temp	Name (Print)
8/9/2024 DO NOT PRINT	0300	70	TILLOTSON
	0600	71	BUBBIN
	0900	72	BUBBIN
	1200	73	BUBBIN
	1500	72	WOODS
	1800	72	WOODS
	2100	72	WOODS
	2400	72	TILLOTSON

Saturday

Date	Time	Temp	Name (Print)
8/10/2024 DO NOT PRINT	0300	72	TILLOTSON
	0600	72	EVERT
	0900	72	EVERT
	1200	72	EVERT
	1500	72	WOODS
	1800	72	WOODS
	2100	72	WOODS
	2400	72	TILLOTSON

Sunday

Date	Time	Temp	Name (Print)
8/11/2024 DO NOT PRINT	0300	72	TILLOTSON
	0600	72	EVERT
	0900	72	EVERT
	1200	72	EVERT
	1500	72	EVERT
	1800	72	EVERT
	2100	72	EVERT
	2400	72	M. KNUDSEN

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 407Temp. Reading Location: Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/12/2024	0300	72	M KNUDSEN
	0600	74	Ongaro
	0900	74	Ongaro
	1200	74	Ongaro
	1500	74	S RIZVI
	1800	74	S RIZVI
	2100	72	S RIZVI
	2400	72	I FERNANDEZ

Tuesday

Date	Time	Temp	Name (Print)
8/13/2024	0300	72	I FERNANDEZ
	0600	72	L BELCHER
	0900	74	L BELCHER
	1200	74	L BELCHER
	1500	74	R Parma
	1800	74	R Parma
	2100	74	R Parma
	2400	72	TILLOTSON

Wednesday

Date	Time	Temp	Name (Print)
8/14/2024	0300	72	TILLOTSON
	0600	75	ESPINOZA
	0900	75	ESPINOZA
	1200	75	ESPINOZA
	1500	72	J. Woods
	1800	72	J. Woods
	2100	72	J. Woods
	2400	72	TILLOTSON

Thursday

Date	Time	Temp	Name (Print)
8/15/2024	0300	72	TILLOTSON
	0600	72°	Babin
	0900	72°	Babin
	1200	72°	Babin
	1500	72	J. Woods
	1800	74	J. Woods
	2100	74	J. Woods
	2400	72	TILLOTSON SW

Friday

Date	Time	Temp	Name (Print)
8/16/2024	0300	72	TILLOTSON SW
	0600	72	Babin
	0900	72	Babin
	1200	73	Babin
	1500	75	Hardy
	1800	77	Hardy
	2100	77	Hardy
	2400	72	TILLOTSON SW

Saturday

Date	Time	Temp	Name (Print)
8/17/2024	0300	72	TILLOTSON SW
	0600	72°	Babin
	0900	72°	Babin
	1200	72°	Babin
	1500	72	J. Woods
	1800	72	J. Woods
	2100	72	J. Woods
	2400	72	TILLOTSON

Sunday

Date	Time	Temp	Name (Print)
8/18/2024	0300	72	TILLOTSON
	0600	72	Elmer
	0900	72	Elmer
	1200	72	Elmer
	1500	72	J. Turner
	1800	72	J. Turner
	2100	72	J. Turner
	2400	72	T. Adams

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 407Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/19/2024	0300	72	T. more
	0600	72	CASTRO
	0900	73	CASTRO
	1200	75	CASTRO
	1500	73	RIZVJ
	1800	75	RIZVJ
	2100	72	RIZVJ
	2400	71	FERMANOV

Tuesday

Date	Time	Temp	Name (Print)
8/20/2024	0300	70	FERMANOV
	0600	70	A. CASTRO
	0900	72	A. CASTRO
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
8/21/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
8/22/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
8/23/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
8/24/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
8/25/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 407Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/26/2024	0300		
	0600		
	0900		
	1200	70	
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
8/27/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
8/28/2024	0300	72	Quinones
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	70	Woods
	1800	70	Woods
	2100	70	Woods
	2400	70	McTeeon

Thursday

Date	Time	Temp	Name (Print)
8/29/2024	0300	70	McTeeon
	0600	70	Babin
	0900	70	Babin
	1200	70	Babin
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
8/30/2024	0300		
	0600		
	0900		
	1200	70	Closed
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
8/31/2024	0300		
	0600		
	0900		
	1200	70	Closed
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200	70	Closed
	1500		
	1800		
	2100		
	2400		

Notes

8/29/2024 1500 Dorin Closed
no ITP's assigned. 8/19 - 8/25

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300	70	BELANGER
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	76	D. JUNIOR
	1800	74	D. JUNIOR
	2100	74	D. JUNIOR
	2400	72	NAVARRO

Friday

Date	Time	Temp	Name (Print)
	0300	71	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	76	D. JUNIOR
	1800	74	D. JUNIOR
	2100	72	D. JUNIOR
	2400	72	NAVARRO

Saturday

Date	Time	Temp	Name (Print)
	0300	72	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	A. MORENO
	1800	78	A. MORENO
	2100	78	A. MORENO
	2400	78	R. SHAW

Sunday

Date	Time	Temp	Name (Print)
	0300	70	R. SHAW
	0600	72	Rodriguez
	0900	72	Rodriguez
	1200	72	Rodriguez
	1500	75	A. MORENO
	1800	75	A. MORENO
	2100	75	A. MORENO
	2400	72	C. PENK

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/5/2024	0300	70	C PENNA
	0600	70	J. SILVA PONCE
	0900	70	J. SILVA PONCE
	1200	70	J. SILVA PONCE
	1500	70	J. ELIAS
	1800	72	J. ELIAS
	2100	74	J. ELIAS
	2400	72	M. KNUDSEN

Tuesday

Date	Time	Temp	Name (Print)
8/6/2024	0300	70	M. KNUDSEN
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	77	A. Moreno
	1800	77	A. Moreno
	2100	77	A. Moreno
	2400	72	K RAGLE

Wednesday

Date	Time	Temp	Name (Print)
8/7/2024	0300	72	K RAGLE
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	75	A. Moreno
	1800	75	A. Moreno
	2100	71	A. Moreno
	2400	70	NAVA

Thursday

Date	Time	Temp	Name (Print)
8/8/2024	0300	70	NAVA
	0600	70	KIES
	0900	70	KIES
	1200	70	KIES
	1500	70	CLIFF
	1800	72	F. CLIFF
	2100	71	T. CLIFF
	2400	70	BERNARDINO

Friday

Date	Time	Temp	Name (Print)
8/9/2024	0300	70	BERNARDINO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	E. ELLIOTT
	1800	72	E. ELLIOTT
	2100	72	C. THOMAS
	2400	72	A. MORENO SW

Saturday

Date	Time	Temp	Name (Print)
8/10/2024	0300	72	A. MORENO SW
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	75	A. Moreno
	1800	75	A. Moreno
	2100	72	A. Moreno
	2400	72	NAVARRO

Sunday

Date	Time	Temp	Name (Print)
8/11/2024	0300	71	NAVARRO
	0600	71	WITHERS
	0900	72	WITHERS
	1200	72	WITHERS
	1500	78	Moreno
	1800	78	Moreno
	2100	75	Moreno
	2400	72	NAVARRO

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/12/2024	0300	72	NAVARRO
	0600	72	J. SILVA PONCE
	0900	72	J. SILVA PONCE
	1200	72	J. SILVA PONCE
	1500	74	Moreno
	1800	74	Moreno
	2100	72	Moreno
	2400	71	NAVARRO

Tuesday

Date	Time	Temp	Name (Print)
8/13/2024	0300	71	NAVARRO
	0600	70	G. VELA
	0900	71	G. VELA
	1200	71	G. VELA
	1500	75	Moreno
	1800	75	Moreno
	2100	72	Moreno
	2400	70	K RAGLE

Wednesday

Date	Time	Temp	Name (Print)
8/14/2024	0300	70	K RAGLE
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	A. Moreno
	1800	72	A. Moreno
	2100	70	A. Moreno
	2400	70	Nava

Thursday

Date	Time	Temp	Name (Print)
8/15/2024	0300	70	Nava
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	J. LEONARD
	1800	74	D. JUNNE
	2100	72	D. JUNNE
	2400	71	Jones

Friday

Date	Time	Temp	Name (Print)
8/16/2024	0300	71	Jones
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. JUNNE
	1800	74	D. JUNNE
	2100	72	D. JUNNE
	2400	71	Sordeno SW

Saturday

Date	Time	Temp	Name (Print)
8/17/2024	0300	70	Sordeno SW
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	A. Moreno
	1800	72	A. Moreno
	2100	71	A. Moreno
	2400	72	R. Shaw

Sunday

Date	Time	Temp	Name (Print)
8/18/2024	0300	72	R. Shaw
	0600	70	WITHERS
	0900	71	WITHERS
	1200	72	WITHERS
	1500	72	A. Moreno
	1800	72	A. Moreno
	2100	71	A. Moreno
	2400	71	NAVARRO

Notes

8/13/24 STAGE 1 UHT ACTIVATED @ 1230

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411
DHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/19/2024	0300	71	NAVARRO
	0600	71	R. MARTINEZ
	0900	72	R. MARTINEZ
	1200	74	R. MARTINEZ
	1500	74	A. Moreno
	1800	74	A. Moreno
	2100	71	A. Moreno
	2400	71	NAVARRO

Tuesday

Date	Time	Temp	Name (Print)
8/20/2024	0300	71	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	A. Moreno
	1800	72	A. Moreno
	2100	71	A. Moreno
	2400	71	K RAGLE SW

Wednesday

Date	Time	Temp	Name (Print)
8/21/2024	0300	71	K RAGLE
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	A. Moreno
	1800	71	A. Moreno
	2100	71	A. Moreno
	2400	71	Nava

Thursday

Date	Time	Temp	Name (Print)
8/22/2024	0300	71	Nava
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. JUNIOR
	1800	74	D. JUNIOR
	2100	72	D. JUNIOR
	2400	71	NAVARRO SW

Friday

Date	Time	Temp	Name (Print)
8/23/2024	0300	71	NAVARRO SW
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. JUNIOR
	1800	72	D. JUNIOR
	2100	72	D. JUNIOR
	2400	70	R. Rivas SW

Saturday

Date	Time	Temp	Name (Print)
8/24/2024	0300	70	R. Rivas
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	M. ADDISON
	1800	73	M. ADDISON
	2100	72	M. ADDISON
	2400	71	R. Rivas

Sunday

Date	Time	Temp	Name (Print)
8/25/2024	0300	70	R. Rivas
	0600	71	Gomez
	0900	72	Gomez
	1200	72	Gomez
	1500	72	M. Addison
	1800	72	M. Addison
	2100	71	M. Addison
	2400	71	NAVARRO

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
411
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/26/2024	0300	71	NAVARRO
	0600	71	J. SILVA PONCE
	0900	71	J. SILVA PONCE
	1200	71	J. SILVA PONCE
	1500	71	A. Moreno
	1800	71	A. Moreno
	2100	70	A. Moreno
	2400	70	NAVARRO

Tuesday

Date	Time	Temp	Name (Print)
8/27/2024	0300	70	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	A. Moreno
	1800	72	A. Moreno
	2100	71	A. Moreno
	2400	72	KRAGLE

Wednesday

Date	Time	Temp	Name (Print)
8/28/2024	0300	72	KRAGLE
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	A. Moreno
	1800	71	A. Moreno
	2100	71	A. Moreno
	2400	71	Nava <i>SW</i>

Thursday

Date	Time	Temp	Name (Print)
8/29/2024	0300	71	Nava
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	D. JURAN
	1800	72	D. JURAN
	2100	72	D. JURAN
	2400	71	NAVARRO <i>EW</i>

Friday

Date	Time	Temp	Name (Print)
8/30/2024	0300	71	NAVARRO <i>EW</i>
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. JURAN
	1800	74	D. JURAN
	2100	72	D. JURAN
	2400	71	NAVARRO <i>EW</i>

Saturday

Date	Time	Temp	Name (Print)
8/31/2024	0300	71	NAVARRO <i>EW</i>
	0600	71	EVERT
	0900	71	EVERT
	1200	71	EVERT
	1500	72	A. Moreno
	1800	72	A. Moreno <i>EW</i>
	2100	71	A. Moreno
	2400	71	NAVARRO

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102,103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409Temp. Reading Location: Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300	72	Orvalles
	0600	70	A-SANTOS
	0900	74	A-SANTOS
	1200	76	A-SANTOS
	1500	74	Hernandez A.M.
	1800	74	Hernandez A.M.
	2100	74	Hernandez A.M.
	2400	72	Orvalles

Friday

Date	Time	Temp	Name (Print)
	0300	72	L-Garcia
	0600	72	Arnao
	0900	72	Arnao
	1200	76	Arnao ✓
	1500	76	Hernandez A
	1800	75	Hernandez A
	2100	72	Hernandez A
	2400	76	E-Santos

Saturday

Date	Time	Temp	Name (Print)
	0300	69	J-Santos
	0600	70	S-Arnao
	0900	71	S-Arnao
	1200	71	S-Arnao
	1500	71	Fernandez C
	1800	71	Hernandez
	2100	71	Hernandez
	2400	72	Orvalles

Sunday

Date	Time	Temp	Name (Print)
	0300	72	L-Garcia
	0600	72	Arnao
	0900	73	Arnao
	1200	73	Arnao ✓
	1500	72	Hernandez A
	1800	75	Hernandez A
	2100	73	Hernandez A
	2400	73	Orvalles

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410.
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/5/2024	0300	73	Ortizales
	0600	73	Almon
	0900	72	Almonte
	1200	72	Almag
	1500	71	Swamy
	1800	73	Howard
	2100	72	Hernandez
	2400	73	Ortizales

Tuesday

Date	Time	Temp	Name (Print)
8/6/2024	0300	73	Ortizales
	0600	67	R. Chacon
	0900	70	R. Chacon
	1200	70	R. Chacon
	1500	71	C. Vong
	1800	71	C. Vong
	2100	70	Ortizales
	2400	73	Ortizales

Wednesday

Date	Time	Temp	Name (Print)
8/7/2024	0300	73	Ortizales
	0600	68	Withers
	0900	70	Withers
	1200	70	Withers
	1500	70	Hernandez
	1800	70	Hernandez
	2100	70	Hernandez
	2400	73	Ortizales

Thursday

Date	Time	Temp	Name (Print)
8/8/2024	0300	73	Ortizales
	0600	68	Withers
	0900	70	Withers
	1200	70	Withers
	1500	70	Hernandez
	1800	70	Hernandez
	2100	70	Hernandez
	2400	70	Nava

Friday

Date	Time	Temp	Name (Print)
8/9/2024	0300	68	Nava
	0600	68	Ainsley
	0900	69	Ainsley
	1200	73	Ainsley
	1500	73	Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	70	Nava

Saturday

Date	Time	Temp	Name (Print)
8/10/2024	0300	68	Nava
	0600	68	Ainsley
	0900	70	Ainsley
	1200	70	Ainsley
	1500	70	Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	72	Hernandez

Sunday

Date	Time	Temp	Name (Print)
8/11/2024	0300	68	Nava
	0600	68	S. Ainsley
	0900	70	S. Ainsley
	1200	70	S. Ainsley
	1500	73	Hernandez
	1800	73	Hernandez
	2100	73	Hernandez
	2400	73	Ortizales

Notes

409

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/12/2024	0300	73	Ornelas
	0600	73	Ornelas
	0900	73	Ornelas
	1200	73	Ornelas
	1500	70	E Hernandez
	1800	70	E Hernandez
	2100	70	E Hernandez
	2400	73	Ornelas

Tuesday

Date	Time	Temp	Name (Print)
8/13/2024	0300	73	Ornelas
	0600	70	R. Chacon
	0900	70	R. Chacon
	1200	70	R. Chacon
	1500	72	Ornelas
	1800	70	Ornelas
	2100	70	Ornelas
	2400	73	Ornelas

Wednesday

Date	Time	Temp	Name (Print)
8/14/2024	0300	73	Ornelas
	0600	70	Withers
	0900	72	Withers
	1200	71	Withers
	1500	72	Hernandez AM
	1800	72	Hernandez
	2100	71	Hernandez
	2400	73	Ornelas

Thursday

Date	Time	Temp	Name (Print)
8/15/2024	0300	73	Ornelas
	0600	70	Withers
	0900	71	Withers
	1200	72	Withers
	1500	72	Hernandez
	1800	72	Hernandez
	2100	71	Hernandez
	2400	70	Hernandez

Friday

Date	Time	Temp	Name (Print)
8/16/2024	0300	68	Nava
	0600	68	Arnal
	0900	70	Arnal
	1200	70	Arnal
	1500	72	Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	70	Nava

Saturday

Date	Time	Temp	Name (Print)
8/17/2024	0300	68	Nava
	0600	69	Arnal
	0900	70	Arnal
	1200	70	Arnal
	1500	70	E. Chisholm
	1800	70	E. Chisholm
	2100	70	E. Chisholm
	2400	73	Ornelas

Sunday

Date	Time	Temp	Name (Print)
8/18/2024	0300	73	Ornelas
	0600	69	Arnal
	0900	70	Arnal
	1200	70	Arnal
	1500	71	Hernandez AM
	1800	72	Hernandez AM
	2100	70	Hernandez AM
	2400	73	Ornelas

Notes

409

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 409

Temp. Reading Location: Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/19/2024	0300	73	Oñateles
	0600	73	C. Vargas
	0900	72	A. Lopez
	1200	72	R. Chacon
	1500	71	Huay
	1800	71	Huay
	2100	71	Huay
	2400	73	Oñateles

Tuesday

Date	Time	Temp	Name (Print)
8/20/2024	0300	73	Oñateles
	0600	70	R. Chacon
	0900	70	R. Chacon
	1200	72	R. Chacon
	1500	72	C. Vargas
	1800	72	C. Vargas
	2100	70	C. Vargas
	2400	73	Oñateles

Wednesday

Date	Time	Temp	Name (Print)
8/21/2024	0300	75	Oñateles
	0600	70	W. Hernandez
	0900	70	W. Hernandez
	1200	70	W. Hernandez
	1500	70	Roman
	1800	70	Hernandez AM
	2100	70	Fernando
	2400	72	Oñateles

Thursday

Date	Time	Temp	Name (Print)
8/22/2024	0300	72	Oñateles
	0600	66	R. Gonzalez
	0900	67	R. Gonzalez
	1200	70	R. Gonzalez
	1500	71	Hernandez AM
	1800	71	Hernandez AM
	2100	69	Hernandez AM
	2400	68	Nava

Friday

Date	Time	Temp	Name (Print)
8/23/2024	0300	68	Mara SW
	0600	68	Angel
	0900	68	Angel
	1200	69	Angel
	1500	71	Hernandez AM
	1800	70	Hernandez AM
	2100	70	Hernandez AM
	2400	68	Mara SW

Saturday

Date	Time	Temp	Name (Print)
8/24/2024	0300	68	Mara SW
	0600	68	Angel
	0900	69	Angel
	1200	70	Angel
	1500	72	(Woods)
	1800	70	Woods
	2100	73	Woods
	2400	73	Oñateles

Sunday

Date	Time	Temp	Name (Print)
8/25/2024	0300	73	Oñateles
	0600	70	Edwin
	0900	70	Edwin
	1200	71	Edwin
	1500	71	Bailey
	1800	70	Bailey
	2100	73	Bailey
	2400	73	Oñateles

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/26/2024	0300	73	CM Crables
	0600	72	CM Crables
	0900	72	CM Crables
	1200	72	CM Crables
	1500	71	Hernandez A
	1800	71	Hernandez A
	2100	70	Hernandez A
	2400	73	CM Crables

Tuesday

Date	Time	Temp	Name (Print)
8/27/2024	0300	73	CM Crables
	0600	70	R. CHACON
	0900	71	R. CHACON
	1200	72	R. CHACON
	1500	72	CM Crables
	1800	70	CM Crables
	2100	70	CM Crables
	2400	73	CM Crables

Wednesday

Date	Time	Temp	Name (Print)
8/28/2024	0300	73	CM Crables
	0600	69	WITHERS
	0900	70	WITHERS
	1200	72	WITHERS
	1500	72	Hernandez A
	1800	70	Hernandez A
	2100	68	Hernandez A
	2400	70	R. Alhassan

Thursday

Date	Time	Temp	Name (Print)
8/29/2024	0300	71	R. Alhassan
	0600	70	WITHERS
	0900	70	WITHERS
	1200	71	WITHERS
	1500	73	Hernandez A
	1800	80	Hernandez A
	2100	80	Hernandez A
	2400	71	Navy

Friday

Date	Time	Temp	Name (Print)
8/30/2024	0300	70	Mava
	0600	70	Amy
	0900	70	Amy
	1200	74	Amy
	1500	74	Hernandez AM
	1800	73	Hernandez AM
	2100	72	Hernandez AM
	2400	70	Mava

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
8/31/2024	0300	70	Mava
	0600	72	Amy
	0900	72	Amy
	1200	72	Amy
	1500	75	Piencencio
	1800	73	Piencencio
	2100	72	Piencencio
	2400	73	Some

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 410

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/5/2024	0300		
	0600		
	0900		
	1200		
	1500	92	R Shaw
	1800	92	R Shaw
	2100	90	R Shaw
	2400	89	Walterscheid

Tuesday ~~FRI~~ SAT

Date	Time	Temp	Name (Print)
8/6/2024	0300	75	DIAZ, L
	0600	70	Hernandez, R.
	0900	73	Hernandez, R.
	1200	75	Hernandez, R.
	1500	81	DIAZ, L
	1800	83	DIAZ, L
	2100	80	DIAZ, L
	2400	77	DIAZ, L

Wednesday ~~TUESDAY~~

Date	Time	Temp	Name (Print)
8/6/2024	0300	78	Walterscheid
	0600	81	Hernandez, R.
	0900	82	Hernandez, R.
	1200	84	Hernandez, R.
	1500	88	BELCHER, L
	1800	88	BELCHER
	2100	80	BELCHER
	2400	85	Walterscheid

Thursday ~~SATURDAY~~

Date	Time	Temp	Name (Print)
8/10/2024	0300	75	DIAZ, L
	0600	75	DIAZ, L
	0900	75	Sierra
	1200	81	Sierra
	1500	82	Hernandez, E
	1800	85	Hernandez, E
	2100	84	Hernandez, E
	2400	80	Esquivel

Friday ~~WEDNESDAY~~

Date	Time	Temp	Name (Print)
8/21/2024	0300	78	Walterscheid
	0600	78	Benz
	0900	80	Benz
	1200	80	Benz
	1500	84	Benz
	1800	82	Gutierrez
	2100	80	Gutierrez
	2400	80	SANTOS

Saturday ~~SUNDAY~~

Date	Time	Temp	Name (Print)
8/22/2024	0300	75	Esquivel
	0600	75	J. MARTINEZ
	0900	76	J. MARTINEZ
	1200	76	J. MARTINEZ
	1500	85	A. TORRES
	1800	84	A. TORRES
	2100	84	A. TORRES
	2400	84	L. NIEK

Sunday ~~TUESDAY~~

Date	Time	Temp	Name (Print)
8/23/2024	0300	78	SANTOS
	0600	73	Hernandez, R.
	0900	75	Hernandez, R.
	1200	78	Hernandez, R.
	1500	78	CASTRO
	1800	75	CASTRO
	2100	75	CASTRO
	2400	78	Domingo

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 410

Temp. Reading Location:

Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/12/2024	0300	80	C. NIX
	0600	78	L BELCHER
	0900	78	L BELCHER
	1200	82	L BELCHER
	1500	84	BENJAMIN
	1800	82	BENJAMIN
	2100	76	Benjamin
	2400	78	BELCHER

Tuesday

Date	Time	Temp	Name (Print)
8/13/2024	0300	76	BELCHER
	0600	76	Bennet
	0900	80	Bennet
	1200	82	Bennet
	1500	88	W PORRAS
	1800	89	W PORRAS
	2100	85	W PORRAS
	2400	80	M. Castlederry

Wednesday

Date	Time	Temp	Name (Print)
8/14/2024	0300	79	M. Castlederry
	0600	80	C. Sandoval
	0900	80	C. Sandoval
	1200	82	C. Sandoval
	1500	83°	E. Chisholm
	1800	85	P. Chisholm
	2100	83	E. Chisholm
	2400	80	ED

Thursday

Date	Time	Temp	Name (Print)
8/15/2024	0300	76	ED
	0600	74	R. ROJAS
	0900	76	R. ROJAS
	1200	80	R. ROJAS
	1500	80	A. CASTRO
	1800	80	A. CASTRO
	2100	79	A. CASTRO
	2400	80	ED

Friday

Date	Time	Temp	Name (Print)
8/16/2024	0300	80	DALEZ
	0600	78	R. ROJAS
	0900	76	R. ROJAS
	1200	82	R. ROJAS
	1500	82	BENJAMIN
	1800	82	BENJAMIN
	2100	78	BENJAMIN
	2400	78	R. Shaw

Saturday

Date	Time	Temp	Name (Print)
8/17/2024	0300	79	R. Shaw
	0600	80	D. VELZ
	0900	80	D. VELZ
	1200	81	D. VELZ
	1500	80	L. DIAZ
	1800	79	L. DIAZ
	2100	77	L. DIAZ
	2400	77	A. JARAWAN

Sunday

Date	Time	Temp	Name (Print)
8/18/2024	0300	76	A. JARAWAN
	0600	76	Cadinez
	0900	78	Cadinez
	1200	79	Cadinez
	1500	79	DRIVER
	1800	80	DRIVER
	2100	80	DRIVER
	2400	80	S. CLEMENTS

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 410

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/19/2024	0300	79°	S.CLEMENT
	0600	78°	S.CLEMENTS
	0900	78	N. Miranda
	1200	80	N. Miranda
	1500	82	A. CASTRO
	1800	84	A. CASTRO
	2100	83	A. CASTRO
	2400	80°	S.CLEMENTS

Tuesday

Date	Time	Temp	Name (Print)
8/20/2024	0300	79°	S.CLEMENTS
	0600	80	BRAZON
	0900	80	BRAZON
	1200	86	BRAZON
	1500	85	RIZVJ
	1800	86	RIZVJ
	2100	86	RIZVJ
	2400	86	TILLOTSON

Wednesday

Date	Time	Temp	Name (Print)
8/21/2024	0300	84	TILLOTSON
	0600	84	CASTRO
	0900	85	CASTRO
	1200	86	CASTRO
	1500	86	Woods
	1800	86	Woods
	2100	85	Woods
	2400	84	TILLOTSON

Thursday

Date	Time	Temp	Name (Print)
8/22/2024	0300	82	TILLOTSON
	0600	83	Conway
	0900	83	Conway
	1200	85	Conway
	1500	84	Shrat
	1800	84	SMITH
	2100	87	SMITH
	2400	81	SMITH

Friday

Date	Time	Temp	Name (Print)
8/23/2024	0300	78	SMITH SW
	0600	78	SMITH
	0900	78°	Babin
	1200	78°	Babin
	1500	80°	Babin
	1800	74°	Babin
	2100	70°	Babin
	2400	70	TILLOTSON SW

Saturday

Date	Time	Temp	Name (Print)
8/24/2024	0300	70	TILLOTSON SW
	0600	70	DURKEE
	0900	71	D. VELER
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
8/25/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 410

Temp. Reading Location:

Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/26/2024	0300		
	0600		
	0900		
	1200		<i>vacant</i>
	1500		<i>vacant</i>
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
8/27/2024	0300		
	0600		
	0900		
	1200		<i>vacant</i>
	1500		<i>vacant</i>
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
8/28/2024	0300		
	0600		
	0900		
	1200		<i>vacant</i>
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
8/29/2024	0300		
	0600		
	0900		
	1200		<i>vacant</i>
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
8/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	79	A. SANTOS ✓

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

IP went OTM never returned.

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: INFIRMARY

Temp. Reading Location:

OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
5/1/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	72	PENNINGTON
	1800	72	PENNINGTON
	2100	72	PENNINGTON
	2400	72	J. ANDRADE

Friday

Date	Time	Temp	Name (Print)
5/1/24	0300	71	J. ANDRADE
	0600	72	PENNINGTON
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	72	CLOSS
	1800	72	CLOSS
	2100	72	CLOSS
	2400	72	I. FERNANDEZ

Saturday

Date	Time	Temp	Name (Print)
5/1/24	0300	72	J. ANDRADE
	0600	72	PENNINGTON
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	72	BROWN
	1800	72	BROWN
	2100	72	BROWN
	2400	72	A. PEREZ

Sunday

Date	Time	Temp	Name (Print)
5/1/24	0300	72	A. PEREZ
	0600	74	RODRIGUEZ
	0900	74	RODRIGUEZ
	1200	74	RODRIGUEZ
	1500	76	CEDENO
	1800	76	CEDENO
	2100	76	CEDENO
	2400	76	J. ANDRADE

Notes

STAGE 1 @ 11:02 8-4-24

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: INFIRMARY

Temp. Reading Location:

OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/5/24	0300	74	J. ANDRADE
	0600	74	J. ANDRADE
	0900	73	F. CARLOS
	1200	74	F. CARLOS
	1500	77	J. ROBISON
	1800	80	BENJAMIN
	2100	80	BENJAMIN
	2400	76	J. ANDRADE

Tuesday

Date	Time	Temp	Name (Print)
8/6/24	0300	76	J. ANDRADE
	0600	76	J. ANDRADE
	0900	75	G. RONALD
	1200	78	G. RONALD
	1500	75	PHILIPPE
	1800	77	PHILIPPE
	2100	76	PHILIPPE
	2400	76	J. ANDRADE

Wednesday

Date	Time	Temp	Name (Print)
8/7/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	D. CREDITTON
	1200	72	D. CREDITTON
	1500	72	PHILIPPE
	1800	73	PHILIPPE
	2100	72	PHILIPPE
	2400	72	J. ANDRADE

Thursday

Date	Time	Temp	Name (Print)
8/8/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	SOLARIO
	1200	73	SOLARIO
	1500	73	COSI
	1800	73	COSI
	2100	73	COSI
	2400	72	I. FERNANDEZ

Friday

Date	Time	Temp	Name (Print)
8/9/24	0300	71	I. FERNANDEZ
	0600	71	J. DURAF
	0900	73	J. DURAF
	1200	73	J. DURAF
	1500	70	DURAN
	1800	70	DURAN
	2100	76	DURAN
	2400	73	I. FERNANDEZ

Saturday

Date	Time	Temp	Name (Print)
8/10/24	0300	73	I. FERNANDEZ
	0600	74	R. BONITO
	0900	74	R. BONITO
	1200	74	R. BONITO
	1500	73	PHILIPPE
	1800	73	PHILIPPE
	2100	72	PHILIPPE
	2400	73	K. SANSON

Sunday

Date	Time	Temp	Name (Print)
8/11/24	0300	70	Sanson
	0600	70	PENNIGTON
	0900	71	PENNIGTON
	1200	71	PENNIGTON
	1500	71	PHILIPPE
	1800	71	PHILIPPE
	2100	71	PHILIPPE
	2400	71	J. ANDRADE

Notes

INSIDE TEMPERATURE RECORD

COCR 2031 (04/18)

ATTACHMENT E

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC/NORCO**

Housing Unit:

INFIRMARY

Temp. Reading Location:

OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/12/24	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	F. C. MILES
	1200	70	F. C. MILES
	1500	71	PENNINGTON
	1800	71	PENNINGTON
	2100	71	PENNINGTON
	2400	70	J. ANDRADE SW

Tuesday

Date	Time	Temp	Name (Print)
8/13/24	0300	70	J. ANDRADE 82
	0600	70	J. ANDRADE SW
	0900	70	G. R. ROBERT
	1200	70	G. R. ROBERT
	1500	74	E. HERNANDEZ
	1800	74	E. HERNANDEZ
	2100	74	E. HERNANDEZ
	2400	72	J. ANDRADE

Wednesday

Date	Time	Temp	Name (Print)
8/14/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	J. ANDRADE
	1200	72	J. ANDRADE
	1500	71	PENNINGTON
	1800	71	PENNINGTON
	2100	71	PENNINGTON
	2400	72	J. ANDRADE

Thursday

Date	Time	Temp	Name (Print)
8/15/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	76	BENJAMIN
	1200	78	BENJAMIN
	1500	78	MONTUYA
	1800	78	MONTUYA
	2100	78	MONTUYA
	2400	71	FERNANDEZ

Friday

Date	Time	Temp	Name (Print)
8/16/24	0300	71	FERNANDEZ
	0600	72	PENNINGTON
	0900	72	PENNINGTON
	1200	76	PENNINGTON
	1500	78	MONTUYA
	1800	78	MONTUYA
	2100	78	MONTUYA
	2400	72	I. FERNANDEZ

Saturday

Date	Time	Temp	Name (Print)
8/17/24	0300	72	I. FERNANDEZ
	0600	72	PENNINGTON
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	72	PENNINGTON
	1800	71	PENNINGTON
	2100	71	PENNINGTON
	2400	71	J. ANDRADE

Notes

Date	Time	Temp	Name (Print)
8/18/24	0300	71	J. ANDRADE
	0600	72	PENNINGTON
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	72	PENNINGTON
	1800	72	PENNINGTON
	2100	72	PENNINGTON
	2400	72	J. ANDRADE

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: INFIRMARYTemp. Reading Location: OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/19/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	73	F. CANTOR
	1200	73	F. CANTOR
	1500	74	PHILOCETE
	1800	74	PHILOCETE
	2100	73	PHILOCETE
	2400	72	J. ANDRADE <i>ew</i>

Tuesday

Date	Time	Temp	Name (Print)
8/20/24	0300	72	J. ANDRADE <i>ew</i>
	0600	72	J. ANDRADE <i>ew</i>
	0900	72	J. ANDRADE
	1200	72	J. ANDRADE
	1500	72	PHILOCETE
	1800	72	PHILOCETE
	2100	72	PHILOCETE
	2400	72	J. ANDRADE

Wednesday

Date	Time	Temp	Name (Print)
8/21/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	Tony
	1200	72	Tony
	1500	72	IBARRA
	1800	72	PHILOCETE
	2100	72	PHILOCETE <i>x</i>
	2400	72	J. ANDRADE

Thursday

Date	Time	Temp	Name (Print)
8/22/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	PENNINSON
	1200	72	PENNINSON
	1500	72	MONTYNA
	1800	72	MONTYNA
	2100	72	MONTYNA
	2400	70	FERNANDEZ

Friday

Date	Time	Temp	Name (Print)
8/23/24	0300	70	FERNANDEZ
	0600	70	PENNINSON
	0900	72	PENNINSON
	1200	72	PENNINSON
	1500	72	MONTYNA
	1800	72	MONTYNA
	2100	71	MONTYNA
	2400	71	FERNANDEZ

Saturday

Date	Time	Temp	Name (Print)
8/24/24	0300	70	FERNANDEZ
	0600	70	PENNINSON
	0900	72	PENNINSON
	1200	72	PENNINSON
	1500	72	Mechristian
	1800	71	Mechristian
	2100	70	Mechristian
	2400	70	J. ANDRADE

Sunday

Date	Time	Temp	Name (Print)
8/25/24	0300	70	J. ANDRADE
	0600	70	PENNINSON
	0900	72	PENNINSON
	1200	72	PENNINSON
	1500	72	PHILOCETE
	1800	72	PHILOCETE
	2100	72	PHILOCETE
	2400	72	J. ANDRADE

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC/NORCO**Housing Unit: **INFIRMARY**Temp. Reading Location: **OHU**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
8/20/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	70	R. SANCHEZ
	1200	70	R. SANCHEZ
	1500	71	PHILOCETE
	1800	71	PHILOCETE
	2100	71	PHILOCETE
	2400	71	J. ANDRADE <i>HW</i>

Tuesday

Date	Time	Temp	Name (Print)
8/21/24	0300	71	J. ANDRADE <i>HW</i>
	0600	71	J. ANDRADE
	0900	72	G. Rawls
	1200	73	G. Rawls
	1500	72	PHILOCETE
	1800	72	PHILOCETE
	2100	72	PHILOCETE
	2400	72	J. ANDRADE

Wednesday

Date	Time	Temp	Name (Print)
8/22/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	<i>Boyle</i>
	1200	72	<i>Boyle</i>
	1500	72	PHILOCETE
	1800	72	PHILOCETE <i>b</i>
	2100	72	PHILOCETE
	2400	72	J. ANDRADE

Thursday

Date	Time	Temp	Name (Print)
8/23/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	J. ANDRADE
	1200	72	S. TRINA
	1500	72	MONTY
	1800	72	MONTY
	2100	72	MONTY
	2400	70	FERNANDEZ

Friday

Date	Time	Temp	Name (Print)
8/24/24	0300	70	FERNANDEZ
	0600	72	YPIÑA
	0900	72	YPIÑA
	1200	72	YPIÑA
	1500	72	RIESZKA
	1800	72	RIESZKA
	2100	71	<i>Davis</i>
	2400	71	I. FERNANDEZ <i>OB</i>

Saturday

Date	Time	Temp	Name (Print)
8/25/24	0300	71	I. FERNANDEZ
	0600	72	YPIÑA
	0900	72	YPIÑA
	1200	72	YPIÑA
	1500	72	KENDRY
	1800	72	KENDRY
	2100	72	PHILOCETE
	2400	72	J. ANDRADE

Sunday

Date	Time	Temp	Name (Print)
8/26/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	J. YPIÑA
	1200	72	J. YPIÑA
	1500	71	PHILOCETE
	1800	71	PHILOCETE
	2100	71	PHILOCETE <i>b</i>
	2400	71	J. ANDRADE

Notes