Monthly Summary Report

Institution: SOL

Memorandum

Date: July 3, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - June 2024

The following is a summary of the heat related activity for the month of June

at SOL (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 15

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

   Number of days Stage II Alert initiated: 8

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

JASON SCHULTZ, Warden (A)
Warden Name

Warden Signature

ERINYVONNE DAVIS, CEO (A)
Chief Executive Officer Name

7/3/2024
Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Temperature Log JUNE 2024

Central Services																													
Date	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Outside	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Medical	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Date	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
CTC	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Level III, Facility A and B																														
Date	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Building 1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 3	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 4	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 5	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Date	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Building 7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 9	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 10	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 11	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Level II, Facility C and D																														
Date	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Building 13	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 14	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 15	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 16	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 17	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Building 18	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Date	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Building 19	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 20	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 21	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 22	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 23	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Building 24	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 5 Temp. Reading Location: 2nd TIER NEAR CELL#216 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	86	Tejeda
	0300	85	Tejeda
	0600	85	Tejeda
	0900	84	RODRIGUEZ
	1200	84	RODRIGUEZ
	1500	84	RODRIGUEZ
	1800	84.4	RODRIGUEZ
	2100	84.4	RODRIGUEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	84	Rubio
	0300	84	Rubio
	0600	83	Joseph
	0900	83	R. Evans
	1200	84	R. Evans
	1500	83	Lopez
	1800	83	Lopez
	2100	83	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	83	ROBINSON
	0300	83	
	0600	82	O'Leary
	0900	83	Loza
	1200	83	Loza
	1500	82	Peterson
	1800	81	Peterson
	2100	80	Peterson

Thursday

Date	Time	Temp.	Name (Print)
	0000	78	
	0300	78	
	0600	79	O'Leary
	0900	80	Loza
	1200	80	Loza
	1500	80	Niebla
	1800	78	Niebla
	2100	78	Niebla

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	77	[illegible]
	0300	77	[illegible]
	0600	77	O'Leary
	0900	78	O'Leary
	1200	80	O'Leary
	1500	84	Place
	1800	84.6	Place
	2100	84.6	Place

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	82	[illegible]
	0300	82	[illegible]
	0600	81	O'Leary
	0900	82	Loza
	1200	84	Loza
	1500	84.7	Place
	1800	85.6	Place
	2100	85.3	Place

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	84	Torres
	0300	84	Torres
	0600	82	O'Leary
	0900	84.6	Rodriguez
	1200	84	O'Leary
	1500	84.8	Ramos
	1800	84	Leon
	2100	83	Leon

Notes

RIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 6 Temp. Reading Location: 2nd TIER NEAR CELL#216 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	86	Tejeda
	0300	86	Tejeda
	0600	84	DIAZ.S
	0900	84	DIAZ.S
	1200	84	DIAZ.S
	1500	83.7	Vang
	1800	84	Vang
	2100	83	Vang

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	83	Rubinson
	0300	82	Rubinson
	0600	82	DIAZ.S
	0900	82	DIAZ.S
	1200	83	DIAZ.S
	1500	86	PVang
	1800	86	PVang
	2100	85	PVang

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	84.8	ROBINSON
	0300	84	
	0600	83.7	DIAZ.S
	0900	83.5	DIAZ.S
	1200	82.8	DIAZ.S
	1500	83	MA
	1800	82.7	MA
	2100	82.1	MA

Thursday

Date	Time	Temp.	Name (Print)
	0000	82	W. Barfoot
	0300	82	W. Barfoot
	0600	82	DIAZ.S
	0900	82	DIAZ.S
	1200	83	DIAZ.S
	1500	83.7	MA
	1800	83.5	MA
	2100	83.5	MA

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	82	M Mulder
	0300	82	M Mulder
	0600	81	Joseph
	0900	80	Joseph
	1200	83	Joseph
	1500	84.5	MA
	1800	84	MA
	2100		

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	82	M Mulder
	0300	82	M Mulder
	0600	83	RODRIGUEZ
	0900	83	RODRIGUEZ
	1200	84	RODRIGUEZ
	1500	85.6	MA
	1800	86	MA
	2100	86.6	MA

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	86	Torres
	0300	85	Torres
	0600	83.6	DIAZ.S
	0900	84.1	DIAZ.S
	1200	85.3	DIAZ.S
	1500	88	PVang
	1800	88	PVang
	2100	85	PVang

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: 7 Temp. Reading Location: 2ND

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	81	HAN
	0600	80	HAN
	0900	80	BARTLETT
	1200	83	K.FISH
	1500	84	[illegible]
	1800	84	[illegible]
	2100	80	Teseda
	2400	79	HAN

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	79	HAN
	0600	78	HAN
	0900	79	BARTLETT
	1200	83	BARTLETT
	1500	83	[illegible]
	1800	83	[illegible]
	2100	83	[illegible]
	2400	74	J. SAETEURN

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	72	J. SAETEURN
	0600	74	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	77	D. CONTRERAS.
	1800	80	[illegible]
	2100	80	D. CONTRERAS.
	2400	78	A. Mendoza

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	77	A. Mendoza
	0600	76	A. Mendoza
	0900	80	Rodriguez
	1200	82	Rodriguez
	1500	82	ROSS
	1800	80	ROSS
	2100	80	ROSS
	2400	[illegible]	DIAZ

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	77	DIAZ
	0600	78	Bartlett
	0900	79	Rodriguez
	1200	79	Rodriguez
	1500	80	ROSS
	1800	80	ROSS
	2100	80	ROSS
	2400	81	DIAZ

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	80	DIAZ
	0600	80	Bartlett
	0900	85	Bartlett
	1200	87	BARTLETT
	1500	83	ROSS
	1800	83	Miner
	2100	80	ROSS
	2400	80	HAN

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	79	HAN
	0600	79	Bartlett
	0900	81	Bartlett
	1200	84	Bartlett
	1500	85	Nabarrete
	1800	86	Nabarrete
	2100	84	HAN
	2400	81	HAN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: Building 8 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	76	HAN
	0600	75	HAN
	0900	75	E. Ramirez
	1200	77	E. Ramirez
	1500	80	J. SAETEURN
	1800	78	J. SAETEURN
	2100	76	Torres
	2400	74	HAN

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	74	HAN
	0600	74	THOMAS
	0900	74	THOMAS
	1200	75	THOMAS
	1500	78	J. SAETEURN
	1800	76	J. SAETEURN
	2100	74	J. SAETEURN
	2400	72	J. SAETEURN

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	72	J. SAETEURN
	0600	75	E. Reyes
	0900	76	THOMAS
	1200	77	THOMAS
	1500	78	J. SAETEURN
	1800	76	J. SAETEURN
	2100	74	J. SAETEURN
	2400	78	A. Mendez

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	77	A. Mendez
	0600	76	A. Mendez
	0900	76	THOMAS
	1200	76	THOMAS
	1500	78	J. SAETEURN
	1800	76	J. SAETEURN
	2100	74	J. SAETEURN
	2400	76	DIAZ

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	76	DIAZ
	0600	76	Reyes
	0900	76	THOMAS
	1200	77	THOMAS
	1500	80	J. SAETEURN
	1800	78	J. SAETEURN
	2100	76	J. SAETEURN
	2400	76	DIAZ

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	76	DIAZ
	0600	76	THOMAS
	0900	76	THOMAS
	1200	76	THOMAS
	1500	76	Torres
	1800	76	Torres
	2100	76	Torres
	2400	75	HAN

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	75	HAN
	0600	75	Chahal
	0900	75	Chahal
	1200	76	Chahal
	1500	76	Chahal
	1800	76	Chahal
	2100	74	TORRES
	2400	76	TORRES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 9 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	77	MARTIN
	0300	77	MARTIN
	0600	76	BROWN
	0900	90°	DACANAY
	1200	81°	DACANAY
	1500	81	Torres
	1800	81	Torres
	2100	79	Martinez

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	78	MARTIN
	0300	78	MARTIN
	0600	90°	DACANAY
	0900	81°	DACANAY
	1200	81°	DACANAY
	1500	81	[illegible]
	1800	81	[illegible]
	2100	80	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0000	83	LAGORIO
	0300	82	LAGORIO
	0600	78	[illegible]
	0900	79	BROWN
	1200	80	BROWN
	1500	79	GLO
	1800	78	GLO
	2100	78	GLO

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0000	79	LAGORIO
	0300	79	LAGORIO
	0600	78	BROWN
	0900	79	[illegible]
	1200	78	[illegible]
	1500	78	SILVA
	1800	78	[illegible]
	2100	78	[illegible]

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0000	77	MARTINEZ
	0300	76	MARTINEZ
	0600	74	[illegible]
	0900	76	E. RAMIREZ
	1200	75	[illegible]
	1500	76	SILVA
	1800	77	SILVA
	2100	77	SILVA

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	82	Tejeda
	0300	81	Tejeda
	0600	75	[illegible]
	0900	76.8	[illegible]
	1200	77	[illegible]
	1500	77	OLIVEROS
	1800	78	OLIVEROS
	2100	77	OLIVEROS

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0000	82	S. Montes
	0300	83	S. Montes
	0600	81	Reyes
	0900	81	Reyes
	1200	83	Reyes
	1500	83	Torres
	1800	82	Torres
	2100	82	S. Montes

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 11 Temp. Reading Location: Tier 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	80	Ramirez
	0600	81	Fernandez
	0900	83	Zasueta
	1200	85	Zasueta
	1500	85	Zasueta
	1800	86	Zasueta
	2100	86	Zasueta
	2400	85	Schwabauer

Tuesday

Date	Time	Temp.	Name (Print)
	0300	84	Schwabauer
	0600	80	Nicolson
	0900	81	Fernandez
	1200	82	Fernandez
	1500	85	Zasueta
	1800	82	Zasueta
	2100	82	Zasueta
	2400	82	Schwabauer

Wednesday

Date	Time	Temp.	Name (Print)
	0300	82	Schwabauer
	0600	81	Bravo
	0900	81	Bravo
	1200	82	Nicolson
	1500	82	Carden
	1800	81	Carden
	2100	86	Carden
	2400	82	Edwards

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	82	Edwards
	0600	82	E Ramirez
	0900	82	Nicolson
	1200	82	Nicolson
	1500	83	Nicolson
	1800	83	Nicolson
	2100	83	Nicolson
	2400	82	Santana

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	82	Santana
	0600	83	Fernandez
	0900	84	Fernandez
	1200	86	Fernandez
	1500	85	Hess
	1800	85	Hess
	2100	86	Hess
	2400	81	Ramirez

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	80	Ramirez
	0600	81	Fernandez
	0900	81	Fernandez
	1200	82	Bravo
	1500	83	Reynaga
	1800	84	Reynaga
	2100	84	Reynaga
	2400	83	Ramirez

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	83	Ramirez
	0600	83	El-Hadad
	0900	82	El-Hadad
	1200	82	El-Hadad
	1500	84	Zasueta
	1800	86	Machuca
	2100	86	Ramirez
	2400	84	Ramirez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 10 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0000	83	Rodriguez
	0300	80	Rodriguez
	0600	80	D. Deliciro
	0900	80	D. Deliciro
	1200	81	D. Deliciro
	1500	80	TOTT
	1800	80	TOTT
	2100	79	TOTT

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0000	86	GRIFFIN
	0300	85	GRIFFIN
	0600	85	D. Deliciro
	0900	85	D. Deliciro
	1200	85	D. Deliciro
	1500	84	TWH
	1800	84	TWH
	2100	81	TW

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0000	86	GRIFFIN
	0300	86	GRIFFIN
	0600	86	D. Deliciro
	0900	86	TWH
	1200	86	TWH
	1500	85	SAMANIEGO
	1800	86	SAMANIEGO
	2100	86	SAMANIEGO

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0000	83	GRIFFIN
	0300	82	GRIFFIN
	0600	82	D. Deliciro
	0900	83	D. Deliciro
	1200	83	D. Deliciro
	1500	84	SAMANIEGO
	1800	85	SAMANIEGO
	2100	85	SAMANIEGO

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0000	84	GRIFFIN
	0300	83	GRIFFIN
	0600	83	D. Deliciro
	0900	87	D. Deliciro
	1200	87	D. Deliciro
	1500	84	SAMANIEGO
	1800	87	SAMANIEGO
	2100	87	SAMANIEGO

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0000	86	GRIFFIN
	0300	85	GRIFFIN
	0600	85	Green
	0900	85	Green
	1200	85	Green
	1500	85	Generoso
	1800	85	Generoso
	2100	85	Generoso

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0000	84	Rodriguez
	0300	83	Rodriguez
	0600	84	Generoso
	0900	84	Generoso
	1200	85	Generoso
	1500	85	Generoso
	1800	88	WATERMAN
	2100	88	WATERMAN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

m May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 1 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	85	Santa
	0300	83	Santa
	0600	79	CERON
	0900	79	BLANCO
	1200	80	BLANCO
	1500	80	Sanchez
	1800	80	Niebla
	2100	79	Niebla

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	85	Santa
	0300	84	Santa
	0600	81	BLANCO
	0900	80	BLANCO
	1200	80	BLANCO
	1500	80	Niebla
	1800	79	Niebla
	2100	79	Niebla

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	85	Santa
	0300	85	Santa
	0600	82	DeAnda
	0900	82	DeAnda
	1200	81	DeAnda
	1500	81	Guzman
	1800	80	Sanchez
	2100	80	Sanchez

Thursday

Date	Time	Temp.	Name (Print)
6/27	0000	83	Santa
	0300	82	Santa
	0600	82	DeAnda
	0900	82	DeAnda
	1200	82	DeAnda
	1500	82	M. Guzma
	1800	83	M. Guzman
	2100	82	M. Guzman

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	83	Santa
	0300	83	Santa
	0600	83	DeAnda
	0900	83	DeAnda
	1200	83.	DeAnda
	1500	83	BERNAL
	1800	83	BERNAL
	2100	85	BERNAL

Saturday

Date	Time	Temp.	Name (Print)
6-29	0000	82	Niebla
	0300	82	Niebla
	0600	82	Niebla
	0900	83	Esquivel
	1200	83	Esquivel
	1500	82	Guzman
	1800	82	BERNAL
	2100	82	BERNAL

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	82	Santa
	0300	82	Santa
	0600	81	M. Guzman
	0900	84	LEE
	1200	85	LEE
	1500	85	BERNAL
	1800	85	BERNAL
	2100	84	BERNAL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Sol Housing Unit: Bld #2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	75	Santa
	0300	75	Santa
	0600	76	Pavlioglo
	0900	76	Pavlioglo
	1200	76	Pavlioglo
	1500	76	Schwarbauer
	1800	76	Schwarbauer
	2100	76	Schwarbauer

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	75	Santa
	0300	75	Santa
	0600	75	Pavlioglo
	0900	76	Pavlioglo
	1200	76	Pavlioglo
	1500	76	Jamanego
	1800	76	Jamanego
	2100	76	Jamanego

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	75	Santa
	0300	75	Santa
	0600	75	Espinosa
	0900	76	Meier
	1200	76	Meier
	1500	76	Meier
	1800	76	Meier
	2100	76	Meier

Thursday

Date	Time	Temp.	Name (Print)
6/27	0000	75	Santa
	0300	75	Santa
	0600	76	Meier
	0900	76	Meier
	1200	76	Meier
	1500	75	Lu
	1800	75	Lu
	2100	75	Lu

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	75	Santa
	0300	74	Santa
	0600	74	Espinosa
	0900	75	Espinosa
	1200	75	Espinosa
	1500	75	Contreras
	1800	75	Contreras
	2100	75	Contreras

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	74	Niebla
	0300	74	Niebla
	0600	74	Niebla
	0900	74	Niebla
	1200	75	Niebla
	1500	75	Elthorb
	1800	76	Elthorb
	2100	76	Elthorb

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	73	Gomez
	0300	72	Gomez
	0600	75	Pavlioglo
	0900	75	Jamanego
	1200	75	Jamanego
	1500	75	Jamanego
	1800	75	Contreras
	2100	75	Contreras

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6-24-24

Date	Time	Temp.	Name (Print)
	0000	82	VALADEZ
	0300	80	VALADEZ
	0600	81.3	TRUJILLO
	0900	81.8	TRUJILLO
	1200	82	TRUJILLO
	1500	82	CORONA
	1800	82	CORONA
	2100	82	CORONA

Tuesday 6-25-24

Date	Time	Temp.	Name (Print)
	0000	80	[illegible]
	0300	80	[illegible]
	0600	80	XIONG
	0900	82	TRUJILLO
	1200	82	TRUJILLO
	1500	83	Torres
	1800	83.5	Torres
	2100	83	CORONA

Wednesday 6-26-24

Date	Time	Temp.	Name (Print)
	0000	82	VANG
	0300	81	VANG
	0600	82	Torres
	0900	82	Torres
	1200	82	Torres
	1500	83	[illegible]
	1800	83	[illegible]
	2100	82	[illegible]

Thursday 6-27-24

Date	Time	Temp.	Name (Print)
6/27	0000	81	Tehanda
	0300	81	Tehanda
	0600	81	MORIS
	0900	83	Morris
	1200	83	MORIS
	1500	82	Bravo
	1800	82	Bravo
	2100	82	[illegible]

Friday 6-28-24

Date	Time	Temp.	Name (Print)
	0000	81	Lara
	0300	81	Lara
	0600	82	Mirones
	0900	79	BERRY
	1200	78.9	Mirones
	1500	81.5	SAHLMAN
	1800	81.7	SAHLMAN
	2100	81.7	SAHLMAN

Saturday 6/29/24

Date	Time	Temp.	Name (Print)
	0000	81	Yang
	0300	81	Yang
	0600	79.5	TRUJILLO
	0900	79	TRUJILLO
	1200	81.5	BERRY
	1500	82	SAHLMAN
	1800	82.6	SAHLMAN
	2100	82.8	SAHLMAN

Sunday

Date	Time	Temp.	Name (Print)
6-30	0000	71°	M. MARIANO
	0300	66°	
	0600	81	TRUJILLO
	0900	81.5	TRUJILLO
	1200	82	TRUJILLO
	1500	83	CORONA
	1800	83	CORONA
	2100	83	CORONA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SQ2 Housing Unit: BLD. 4 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	82	VALADEZ
	0300	81	VALADEZ
	0600	81	BLANCHE
	0900	82	BLANCHE
	1200	82	BLANCHE
	1500	82	BLANCHE
	1800	82	[illegible]
	2100	81	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	82	Phan
	0300	82	Phan
	0600	82	Vang
	0900	82	Vang
	1200	82	Vang
	1500	81	LAGORIO
	1800	82	LAGORIO
	2100	81	LAGORIO

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	84	VANG
	0300	84	VANG
	0600	85	DELAHOZ
	0900	86	DELAHOZ
	1200	82	DELAHOZ
	1500	80	LAGORIO
	1800	80	LAGORIO
	2100	80	LAGORIO

Thursday

Date	Time	Temp.	Name (Print)
6/27	0000	81	Tehandon
	0300	81	Tehandon
	0600	80	Sachen
	0900	80	Sachen
	1200	80	Sachen
	1500	80	LAGORIO
	1800	79	LAGORIO
	2100	79	LAGORIO

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	79	Lara
	0300	79	Lara
	0600	80	Sachen
	0900	79	Sachen
	1200	79	Sachen
	1500	79	Valuiski
	1800	88	Valuiski
	2100	78	Valuiski

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	80	Yang
	0300	81	Yang
	0600	80	Bogarda
	0900	80	Bogarda
	1200	80	Bogarda
	1500	79	Robinson
	1800	80	Reynaga
	2100	81	Reynaga

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	71°	MARCIANO
	0300	66°	MARCIANO
	0600	81	XIONG
	0900	82	XIONG
	1200	83	XIONG
	1500	82	Reynaga
	1800	84	Reynaga
	2100	83	HALL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

FACILITY "D"

WEEKLY INSIDE TEMPERATURE RECORD

FOR THE WEEK OF: 06/03/24 - 06/09/24

- [x] Building 19
- [x] Building 20
- [x] Building 21
- [x] Building 22
- [x] Building 23
- [x] Building 24

RECEIVED
JUN 11 2024
CSP - SOLANO
BUSINESS SERVICES

NOTED/REVIEWED BY:

GUERRERO

FACILITY "D" CAPTAIN (A)

DATE: 6·10·24

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 19 Temp. Reading Location: Behind CO's Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0000	73	C COSSE
	0300	72	C COSSE
	0600	72	G.W
	0900	72	G.W
	1200	72	G.W
	1500	75	MORALES
	1800	74	MORALES
	2100	73	MORALES

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0000	71	Khan
	0300	70	Khan
	0600	70	MORALES
	0900	72	MORALES
	1200	72	MORALES
	1500	77	XIONG
	1800	77	XIONG
	2100	76	XIONG

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0000	76	Khan
	0300	74	Khan
	0600	74	Alcantar
	0900	75	Alcantar
	1200	77	Alcantar
	1500	78	B. GRANT
	1800	78	D. SAVANGSY
	2100	79	SAVANGSY

Thursday

Date	Time	Temp.	Name (Print)
6/6	0000	79	Khan
	0300	77	Khan
	0600	77	DOYLE
	0900	77	DOYLE
	1200	77	
	1500	78	CEJA
	1800	79	CEJA
	2100	79	CEJA

Friday

Date	Time	Temp.	Name (Print)
6/7	0000	77	[illegible]
	0300	75	VANG
	0600	74	DOYLE
	0900	74	DOYLE
	1200	74	DOYLE
	1500	75	CEJA
	1800	75	CEJA
	2100	75	CEJA

Saturday

Date	Time	Temp.	Name (Print)
6/8	0000	74	CEJA
	0300	74	CEJA
	0600	72	G.W
	0900	72	G.W
	1200	72	G.W
	1500	72	CEJA
	1800	72	CEJA
	2100	72	CEJA

Sunday

Date	Time	Temp.	Name (Print)
6/9	0000	70	Khan
	0300	70	Khan
	0600	69	XIONG
	0900	70	CASTELLANOS
	1200	72	XIONG
	1500	72	MORALES
	1800	72	MORALES
	2100	71	MORALES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0000	78	YANG
	0300	78.0	[illegible]
	0600	79	SINGH
	0900	80	SINGH
	1200	82	BOLTON
	1500	89	HURT
	1800	80	HURT
	2100	80	HURD

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0000	80	FRANCKET
	0300	80	FRANCKET
	0600	77	FRANCKET
	0900	84	BOLTON
	1200	86	BOLTON
	1500	88	CRUZ
	1800	88	CRUZ
	2100	86	CRUZ

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0000	85	FRANCKET
	0300	84	FRANCKET
	0600	84	BOLTON
	0900	85	[illegible]
	1200	86	[illegible]
	1500	86	CRUZ
	1800	88	CRUZ
	2100	89	CRUZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0000	75°	S. [illegible]
	0300	74°	S. [illegible]
	0600	82	[illegible]
	0900	86	BOLTON
	1200	88	[illegible]
	1500	88	Morales
	1800	88	Morales
	2100	84	Wingard

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0000	80	HER
	0300	75	HER
	0600	82	SINGH
	0900	83	SINGH
	1200	81	SINGH
	1500	82	Wingard
	1800	81	Wingard
	2100	80	WINGGARD

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0000	76	[illegible]
	0300	76	[illegible]
	0600	75	SINGH
	0900	76	[illegible]
	1200	74	[illegible]
	1500	80	HURT
	1800	80	HURT
	2100	80	HURT

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0000	77	YANG
	0300	74	YANG
	0600	73	SINGH
	0900	73	BOLTON
	1200	75	BOLTON
	1500	79	HURT
	1800	79	HURT
	2100	78	HURT

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: Building 21 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	78	Corona
	0600	78	L. Cruz
	0900	78	L. Cruz
	1200	80	L. Cruz
	1500	81	C. Cosse
	1800	81	C. Cosse
	2100	80	C. Cosse
	2400	80	C. Cosse

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	80	Corona
	0600	78	Barajas
	0900	79	Barajas
	1200	83	Barajas
	1500	86	Sclerio
	1800	87	Sclerio
	2100	87	W. Baltazar
	2400	88	Corona

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	88	Corona
	0600	83	Barajas
	0900	84	L. Cruz
	1200	88	Barajas
	1500	88	W. Baltazar
	1800	89	W. Baltazar
	2100	89	W. Baltazar
	2400	89	Montoya

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	82	Montoya
	0600	79	Barajas
	0900	83	Morales. D
	1200	88	Barajas
	1500	88	Vang
	1800	90	Vang
	2100	88	Vang
	2400	83	Sobrzano

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	83	Sobrzano
	0600	81	Morales. D
	0900	82	Morales. D
	1200	83	Morales. D
	1500	82	Vang
	1800	81	Vang
	2100	80	Vang
	2400	80	Valiski

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	80	Valiski
	0600	76	Hurt
	0900	77	Hurt
	1200	79	P. Cosse
	1500	80	Vang
	1800	79	Vang
	2100	76	Vang
	2400	74	Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	73	Valiski
	0600	74	Hurt
	0900	75	Hurt
	1200	77	Muy
	1500	79	Muy
	1800	79	Sclerio
	2100	79	Sclerio
	2400	79	Solario

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 22 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0000	80	VALADEZ
	0300	79	VALADEZ
	0600	78	Dullas
	0900	80	Hernandez
	1200	81	Hernandez
	1500	84	SAETEURN
	1800	83	SAETEURN
	2100	82	Dullas

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0000	78	Gonzalez
	0300	77	C. LOPEZ
	0600	78	XIONG
	0900	79	XIONG
	1200	81	XIONG
	1500	84	SAETEURN
	1800	89	SAETEURN
	2100	90	SAETEURN

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0000	87	C. LOPEZ.
	0300	84	De la cruz
	0600	84	Martinez
	0900	85	Martinez
	1200	87	Rodriguez
	1500	89	SAETEURN
	1800	90	SAETEURN
	2100	88	C. LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0000	88	YLAGAN
	0300	86	YLAGAN
	0600	81	MORRIS
	0900	81	A. PEREZ
	1200	83	A. PEREZ
	1500	88	MARANGE
	1800	90	SAETEURN
	2100	88	SAETEURN

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0000	70	J. SAETEURN
	0300	70	J. SAETEURN
	0600	76	J. CASTELLANOS
	0900	78	CASTELLANOS
	1200	82	CASTELLANOS
	1500	84	SCURTO
	1800	87	SCURTO
	2100	80	SCURTO

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0000	68	Vigil
	0300	68	Vigil
	0600	68	Morris
	0900	69	Dullas
	1200	74	Dullas
	1500	80	Wilcox
	1800	80	Wilcox
	2100	78	Wilcox

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0000	79°	Mora
	0300	79°	Mora
	0600	79°	Mora
	0900	78	Dullas
	1200	79	Dullas
	1500	80	Wilcox
	1800	81	Wilcox
	2100	79	Wilcox

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DocuSign Envelope ID: 3B85DFA8-718D-406F-90A9-2AED78C84A6F

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT I

From May 1st through October 31st or whenever excessive heat conditions or temperature fluctuations exist, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SOL Housing Unit: 23 Temp. Reading Location: tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0000	78	GONZALEZ
	0300	76	GONZALEZ
	0600	75	Ayala
	0900	78	Ayala
	1200	80	Rahiman
	1500	81	Chahal
	1800	81	Chahal
	2100	82	Chahal

Tuesday

Date	Time	Temp.	Name (Print)
06-04-23	0000	81	GONZALEZ
	0300	79	GONZALEZ
	0600	77	GONZALEZ
	0900	80	Ayala
	1200	84	Ayala
	1500	82	MARQUEZ. J
	1800	83	MARQUEZ. J
	2100	83	MARQUEZ. J

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0000	82	GONZALEZ
	0300	82	GONZALEZ
	0600	81	GONZALEZ
	0900	81	Dennis
	1200	83	Dennis
	1500	86	Basar
	1800	87	Basar
	2100	88	Basar

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0000	88	KONG
	0300	87	KONG
	0600	83	KONG
	0900	84	FUENTES
	1200	84	CARTERON
	1500	84	REYES
	1800	86	Basar
	2100	86	Basar

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0000	85	CESA
	0300	85	CESA
	0600	76	D. Lee
	0900	80	D. Lee
	1200	82	D. Lee
	1500	83	Bass
	1800	82	Bass
	2100	80	Bass

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0000	84	KNIGHT
	0300	80	KNIGHT
	0600	~~76~~ 78	~~D. Lee~~ Contreras
	0900	~~80~~ 78	~~D. Lee~~ Contreras
	1200	80	Contreras
	1500	80	Miner
	1800	78	Miner
	2100	78	Miner

Sunday

Date	Time	Temp.	Name (Print)
06-09-24	0000	78	GONZALEZ
	0300	76	GONZALEZ
	0600	74	GONZALEZ
	0900	80	Machuca
	1200	80	Machuca
	1500	81	Gonzalez
	1800	82	Gonzalez
	2100	80	GONZALEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 24 Temp. Reading Location: Officer's Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0000	72	SAETEURN
	0300	72	SAETEURN
	0600	72	Gutierrez
	0900	72	Gutierrez
	1200	73	Gutierrez
	1500	74	YARMOLYUK
	1800	74	YARMOLYUK
	2100	74	YARMOLYUK

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0000	72	OROZCO
	0300	72	OROZCO
	0600	72	SINGH
	0900	72	SINGH
	1200	73	SINGH
	1500	76	Rogers
	1800	78	Rogers
	2100	79	Rogers

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0000	78	OROZCO
	0300	78	OROZCO
	0600	78	SAETEURN
	0900	75	SAETEURN
	1200	76	SAETEURN
	1500	78	Rogers
	1800	79	Rogers
	2100	79	Rogers

Thursday

Date	Time	Temp.	Name (Print)
6/6	0000	80	OROZCO
	0300	79	OROZCO
	0600	79	FUENTES
	0900	78	FUENTES
	1200	79	FUENTES
	1500	79	Solorzano
	1800	79	Rogers
	2100	79	Rogers

Friday

Date	Time	Temp.	Name (Print)
6/7	0000	78	A. OROZCO
	0300	77	A. OROZCO
	0600	74	A. OROZCO
	0900	75	A. OROZCO
	1200	75	A. OROZCO
	1500	76	J. MARQUEZ
	1800	75	Solorzano
	2100	75	J. MARQUEZ

Saturday

Date	Time	Temp.	Name (Print)
6/8	0000	75	OROZCO
	0300	75	OROZCO
	0600	71	OROZCO
	0900	72	OROZCO
	1200	72	OROZCO
	1500	73	MARQUEZ, J
	1800	73	MARQUEZ, J
	2100	72	MARQUEZ, J

Sunday

Date	Time	Temp.	Name (Print)
6/9	0000	70	MARQUEZ, J
	0300	70	MARQUEZ, J
	0600	68	MARQUEZ, J
	0900	69	Gutierrez
	1200	71	Gutierrez
	1500	72	A. PEREZ
	1800	70	A. PEREZ
	2100	72	A. PEREZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

FACILITY "D"

WEEKLY INSIDE TEMPERATURE RECORD

FOR THE WEEK OF: 06/24/24 - 06/30/24

- [x] Building 19
- [x] Building 20
- [x] Building 21
- [x] Building 22
- [x] Building 23
- [x] Building 24

NOTED/REVIEWED BY:

L GUERRERO

FACILITY "D" CAPTAIN (A)

DATE:

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 19 Temp. Reading Location: Behind CO's Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	79	Fernandez
	0300	73	Fernandez
	0600	72	C.LO
	0900	73	C.LO
	1200	73	C.LO
	1500	73	B.GRANT
	1800	73	B GRANT
	2100	73	B Grant

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	72	SCUERO
	0300	72	SCUERO
	0600	70	MORALES
	0900	70	MORALES
	1200	71	MORALES
	1500	71	DEMESA
	1800	73	DEMESA
	2100	73	DEMESA

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	72	DEMESA
	0300	70	DEMESA
	0600	69	C.LO
	0900	70	C.LO
	1200	72	C.LO
	1500	74	DEMESA
	1800	74	C. vang
	2100	73	C. vang

Thursday

Date	Time	Temp.	Name (Print)
6/27	0000	71	DEMESA
	0300	68	DEMESA
	0600	70	DOYLE
	0900	70	DOYLE
	1200	72	DOYLE
	1500	73	CEJA
	1800	73	CEJA
	2100	73	CEJA

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	72	VANG
	0300	71	VANG
	0600	71	DOYLE
	0900	71	DOYLE
	1200	71	DOYLE
	1500	74	CEJA
	1800	76	CEJA
	2100	76	CEJA

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	74	VANG
	0300	72	VANG
	0600	70	Chahal
	0900	70	Chahal
	1200	72	Chahal
	1500	77	CEJA
	1800	78	CEJA
	2100	76	CEJA

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	76	SCUERO
	0300	76	SCUERO
	0600	76	C.LO
	0900	77	C.LO
	1200	77	C.LO
	1500	77	Khan
	1800	77	Khan
	2100	77	Khan

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 20 Temp. Reading Location: TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0000	82	YANG
	0300	80	YANG
	0600	82	Bolton
	0900	82	Bolton
	1200	86	BOLTON
	1500	86	HURT
	1800	85	HURT
	2100	86	HURT

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0000	86	FRANCOIS
	0300	85	FRANCOIS
	0600	82	[illegible]
	0900	86	BOLTON
	1200	85	[illegible]
	1500	88	CRUZ
	1800	88	CRUZ
	2100	87	CRUZ

Wednesday

Date	Time	Temp.	Name (Print)
	0000	80	YANG
	0300	85	YANG
	0600	78	BOLTON
	0900	80	BOLTON
	1200	79	BOLTON
	1500	82	CRUZ
	1800	82	CRUZ
	2100	80	CRUZ

PLATOON

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0000	76	SPRINGER
	0300	76	SPRINGER
	0600	76	[illegible]
	0900	78	[illegible]
	1200	82	[illegible]
	1500	80	[illegible]
	1800	80	MORALES
	2100	80	MORALES

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0000	80	Prasad
	0300	76	Prasad
	0600	78	[illegible]
	0900	78	Saechao
	1200	80	Saechao
	1500	82	Cosse
	1800	86	P. COSSE
	2100	86	P. COSSE

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0000	80	Yang
	0300	77	Yang
	0600	78	FUENTES
	0900	80	FUENTES
	1200	83	CRUZ
	1500	87	HURT
	1800	86	HURT
	2100	88	COSSE

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0000	80	YANG
	0300	80	YANG
	0600	78	NIELSEN
	0900	87	BOLTON
	1200	86	BOLTON
	1500	86	HURT
	1800	88	HURT
	2100	86	HURT

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 2C Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3243 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	87	Gonzalez
	0300	76	VALUDKI
	0600	79	PRADO
	0900	83	PRADO
	1200	85	L-cruz
	1500	87	Reyes
	1800	87	Reyes
	2100	87	Reyes

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	87	CORONA
	0300	86	CORONA
	0600	84	Barajas
	0900	84	L-cruz
	1200	86	L-cruz
	1500	90	SOLERIO
	1800	88	SOLERIO
	2100	87	SOLERIO

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0000	86	Corona
	0300	85	Corona
	0600	88	Barajas
	0900	76	L-cruz
	1200	82	L-cruz
	1500	84	W. Baltazar
	1800	85	W. Baltazar
	2100	83	W. Baltazar

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0000	81	HURT
	0300	80	HURT
	0600	77	Barajas
	0900	79	Morales
	1200	82	Morales
	1500	84	VANG
	1800	85	VANG
	2100	83	VANG

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0000	82	Yang
	0300	80	Yang
	0600	76	Morales
	0900	78	Morales
	1200	82	Morales
	1500	83	VANG
	1800	85	VANG
	2100	85	VANG

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0000	82	VALADEZ
	0300	80	VALADEZ
	0600	80	HURT
	0900	81	HURT
	1200	85	HURT
	1500	87	W. Baltazar
	1800	88	VANG
	2100	86	VANG

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0000	82	Phan
	0300	82	Phan
	0600	82	Muy
	0900	83	Muy
	1200	83	Muy
	1500	88	COSSE
	1800	89	SOLERIO
	2100	87	SOLERIO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 22 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	0000	80	Mora
	0300	80	Mora
	0600	80	Mora
	0900	80	Dullas
	1200	82	Hernandez
	1500	85	Dullas
	1800	87	Dullas
	2100	87	Dullas

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	0000	80	LOPEZ
	0300	80	LOPEZ
	0600	80	DULLA
	0900	80	SAETERUM
	1200	83	Dullas
	1500	83	SAETERUM
	1800	80	M-Mora
	2100	86	SAETERUM

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	0000	80	C.LOPEZ
	0300	80	C.LOPEZ
	0600	78	M. Martinez
	0900	78	TUYUC
	1200	82	TUYUC
	1500	83	SAETERUM
	1800	84	SAETERUM
	2100	85	SAETERUM

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	0000	82	YLAGAN
	0300	80	YLAGAN
	0600	80	A. PEREZ
	0900	80	A. PEREZ
	1200	80	A. PEREZ
	1500	83	SAETERUM
	1800	84	SAETERUM
	2100	82	SAETERUM

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	0000	82	YLAGAN
	0300	80	YLAGAN
	0600	77	KAUR
	0900	80	KAUR
	1200	82	KAUR
	1500	85	SAETERUM
	1800	85	SAETERUM
	2100	82	SAETERUM

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	0000	81	Dista
	0300	81	Mora
	0600	80	CASTELLANOS
	0900	80	CASTELLANOS
	1200	87	CASTELLANOS
	1500	88	SUERO
	1800	88	Wilcox
	2100	88	Wilcox

Sunday

Date	Time	Temp.	Name (Print)
6/30/2024	0000	80	Mora
	0300	80	Mora
	0600	80	P. COSE
	0900	83	Dullas
	1200	86	Dullas
	1500	88	Wilcox
	1800	88	Wilcox
	2100	89	Wilcox

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 23 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	87	RONG
	0600	84	RONG
	0900	83	Almeida
	1200	85	Ayala
	1500	86	Almeida
	1800	87	Almeida
	2100	85	Almeida
	2400	85	VANG

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	84	VANG
	0600	80	Ayala
	0900	81	Ayala
	1200	82	Ayala
	1500	85	MARQUEZ. J
	1800	85	MARQUEZ. J
	2100	86	MARQUEZ. J
	2400	85	GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	84	GONZALEZ
	0600	83	GONZALEZ
	0900	80	FUENTES
	1200	81	Fuentes
	1500	82	Basuez
	1800	84	Basuez
	2100	83	Basuez
	2400	81	Kong

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	81	Gray
	0600	80	Montes
	0900	81	Lopez
	1200	82	Lopez
	1500	82	Diaz
	1800	82	Diaz
	2100	80	Diaz
	2400	80	DELA CRUZ

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	80	DE LACRUZ
	0600	80	HER
	0900	81	HER
	1200	82	HER
	1500	83	Didlot
	1800	85	Didlot
	2100	82	Didlot
	2400	82	Salas

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	81	Chaidez
	0600	80	Contreras
	0900	80	Contreras
	1200	80	Contreras
	1500	85	Didlot
	1800	82	Nguyen
	2100	85	Didlot
	2400	85	Didlot

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	79	Salas
	0600	80	Mulhuce
	0900	80	OLIVEROS
	1200	80	OLIVEROS
	1500	82	OLIVEROS
	1800	88.2	NG
	2100	87	NG
	2400	85	NG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 24 Temp. Reading Location: Officer's Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	75	SAETEURN
	0300	75	SAETEURN
	0600	75	Smith
	0900	75	Smith
	1200	75	Smith
	1500	76	Castillo
	1800	75	Castillo
	2100	75	Castillo

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	73	OROZCO
	0300	72	OROZCO
	0600	71	SAETEURN
	0900	72	SAETEURN
	1200	73	ZAMORA.
	1500	78	Miner
	1800	78	Miner
	2100	78	Miner

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	76	OROZCO
	0300	72	OROZCO
	0600	72	DISIBIO
	0900	72	DISIBIO
	1200	72	DISIBIO
	1500	76	SCHWARZNEGGER
	1800	76	FUENTES
	2100	76	FUENTES

Thursday

Date	Time	Temp.	Name (Print)
6/27	0000	71	OROZCO
	0300	71	OROZCO
	0600	70	DISIBIO
	0900	70	DISIBIO
	1200	70	DISIBIO
	1500	76	LOPEZ
	1800	76	REYES
	2100	76	LOPEZ

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	74	OROZCO
	0300	72	OROZCO
	0600	71	DISIBIO
	0900	73	SMITH
	1200	75	SMITH
	1500	75	MARQUEZ, J
	1800	77	MARQUEZ, J
	2100	77	MARQUEZ, J

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	75	OROZCO
	0300	73	OROZCO
	0600	73	Medina
	0900	73	Medina
	1200	75	Medina
	1500	75	VALADEZ
	1800	75	MARQUEZ
	2100	75	MARQUEZ

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	76	SAETEURN
	0300	76	SAETEURN
	0600	76	SAETEURN
	0900	75	SAETEURN
	1200	77	SAETEURN
	1500	78	SAETEURN
	1800	78	SAETEURN
	2100	78	SAETEURN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

FACILITY "C"

WEEKLY INSIDE TEMPERATURE RECORD

FOR THE WEEK OF: 06/03/24 - 06/09/24

- [x] Building 13
- [x] Building 14
- [x] Building 15
- [x] Building 16
- [x] Building 17
- [x] Building 18

RECEIVED
JUN 11 2024
CSP - SOLANO
BUSINESS SERVICES

NOTED/REVIEWED BY:

L. BRIDA

FACILITY "C" CAPTAIN

6-18-24

DATE:

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: C 13 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
	0300	76	Meraz
	0600	76	YARMOLYUK
	0900	77	YARMOLYUK
	1200	79	YARMOLYUK
	1500	78	SABER
	1800	78	SABER
	2100	79	SABER
	2400	78	R.LA

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
	0300	78	[illegible]
	0600	78	[illegible]
	0900	80	YARMOLYUK
	1200	84	YARMOLYUK
	1500	84	SABER
	1800	88	SABER
	2100	85	C.Romo
	2400	81	C.Romo

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
	0300	79	C.Romo
	0600	81	YARMOLYUK
	0900	83	Gallegos
	1200	83	Gallegos
	1500	84	SABER
	1800	90	SABER
	2100	88	SABER
	2400	83	Scuderi

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Scuderi
	0600	75	Rogers
	0900	79	Gallegos
	1200	85	Gallegos
	1500	88	Meraz
	1800	88	Meraz
	2100	87	Meraz
	2400	84	Flores

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Scuderi
	0600	75	Connolly
	0900	75	Connolly
	1200	77	Connolly
	1500	78	Connolly
	1800	75	Connolly
	2100	75	Connolly
	2400	74	Meraz

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
	0300	72	Meraz
	0600	72	Connolly
	0900	70	Connolly
	1200	70	Connolly
	1500	70	Connolly
	1800	70	Connolly
	2100	70	Flores
	2400	70	Flores

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
	0300	70	Flores
	0600	70	Flores
	0900	75	YARMOLYUK
	1200	78	YARMOLYUK
	1500	79	EVENSON
	1800	78	EVENSON
	2100	78	EVENSON
	2400	78	Evenson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 14 Temp. Reading Location: 2nd tier HS
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
	0300	77	M. Bravo
	0600	77	Albright
	0900	77	Albright
	1200	77	Albright
	1500	78	Lara
	1800	79	Lara
	2100	79	Lara
	2400	79	Lara

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
	0300	79	Lagest
	0600	80	Moore
	0900	79	Moore
	1200	84	Moore
	1500	90	Phan
	1800	90	Phan
	2100	90	Phan
	2400	82	Lara

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
	0300	80	Lara
	0600	81	Moore
	0900	88	Moore
	1200	88	Moore
	1500	90	Lara
	1800	90	Gonsalves
	2100		Gonsalves
	2400	89	Castanon

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
	0300	84	Castanon
	0600	86	Dennis
	0900	83	Dennis
	1200	89	Rahimian
	1500	89	Gonsalves
	1800	90	Gonsalves
	2100	88	Gonsalves
	2400	86	Moore

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
	0300	84	Mercer
	0600	84	Salas
	0900	86	Moore
	1200	86	Moore
	1500	86	Salas
	1800	85	Salas
	2100	82	Salas
	2400	80	Gonsalves

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
	0300	79	Gonsalves
	0600	79	Salas
	0900	79	Salas
	1200	80	Salas
	1500	81	Salas
	1800	80	Salas
	2100	79	Salas
	2400	78	M. Bravo

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
	0300	78	M. Bravo
	0600	73	Smithman
	0900	78	Allen
	1200	80	Allen
	1500	82	M. Bravo
	1800	83	M. Bravo
	2100	82	M. Bravo
	2400	80	M. Bravo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 15 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	78	Bowens
	0600	77	Bowens
	0900	76	Torres
	1200	76	Torres
	1500	79	Kaur
	1800	79	Kaur
	2100	74	Kaur
	2400	73	Diaz

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	Diaz
	0600	73	Torres
	0900	77	Torres
	1200	80	Torres
	1500	86	Dela Cruz
	1800	88	Kaur
	2100	89	Kaur
	2400	89	Peterson

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	89	Peterson
	0600	90	Olson
	0900	86	Vang
	1200	89	Vang
	1500	90	Dela Cruz
	1800	91	Dela Cruz
	2100	91	[illegible]
	2400	~~85~~ 91	Peterson

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	90	Kaur
	0600	87	Vang
	0900	87	Vang
	1200	90	Vang
	1500	90	Diaz
	1800	89	Diaz
	2100	88	Diaz
	2400	89	[illegible]

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	80	[illegible]
	0600	81	[illegible]
	0900	85	Vang
	1200	86	Vang
	1500	87	Diaz
	1800	88	Diaz
	2100	83	Diaz
	2400	83	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	83	[illegible]
	0600	86	Vang
	0900	81	Vang
	1200	81	Vang
	1500	81	Rodriguez
	1800	81	Rodriguez
	2100	80	Rodriguez
	2400	80	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	78	Diaz
	0600	74	Gutierrez
	0900	73	Kaur
	1200	75	Gutierrez
	1500	74	Kaur
	1800	78	Mones
	2100	73	Bowens
	2400	71	Bows

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Q

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 16 Temp. Reading Location: behind Officer's Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
6/3/24	0300	62	n/loc
	0600	64	[illegible]
	0900	64	[illegible]
	1200	64	[illegible]
	1500	64	Torres
	1800	64	Torres
	2100	64	Eric
	2400	64	LAGORIO

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
6/4/24	0300	64	LAGORIO
	0600	64	Mills
	0900	68	Mills
	1200	72	Mills
	1500	76	Mills
	1800	76	Mills
	2100	76	Mills
	2400	76	n/loc

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
6/5/24	0300	76	n/loc
	0600	76	Mills
	0900	76	Mills
	1200	76	Mills
	1500	78	Torres
	1800	78	Torres
	2100	78	Torres
	2400		n/loc

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
6/6/24	0300	64	n/loc
	0600	64	Ortiz
	0900	73	Xiong
	1200	79	Xiong
	1500	79	Covarrubias
	1800	79	Covarrubias
	2100	79	Covarrubias
	2400	65	Peterson

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
6/7/24	0300	78	M. Peterson
	0600	76	M. Covarrubias
	0900	72	Torres
	1200	74	Torres
	1500	77	Montes
	1800	76	Montes
	2100	72	Montes
	2400	78	M. Peterson

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
6/8/24	0300	74	Peterson
	0600	70	Torres
	0900	70	Chas
	1200	76	Torres
	1500	72	A. Perez
	1800	72	A. Perez
	2100	72	A. Perez
	2400	75	Peterson

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	Vail
	0600	72	Vail
	0900	72	Torres
	1200	72	Torres
	1500	75	Nahamete
	1800	72	Nahamete
	2100	72	Nahamete
	2400	72	Uiles

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 17 Temp. Reading Location: behind Officer podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	WILCOX
	0600	70	NIEVA
	0900	72	NIEVA
	1200	72	NIEVA.
	1500	80	Garcia
	1800	74	Gallardo
	2100	73	Gallardo
	2400	70	VALADEZ

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
6-4-24	0300	70	VARG
	0600	71	Reyes
	0900	72	Reyes
	1200	75	Reyes
	1500	78	Perales
	1800	80	Perales
	2100	79	Perales
	2400	79	Gez

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
6/5/2024	0300	78	VARG
	0600	76	Reyes
	0900	78	NIEVA.
	1200	78	NIEVA
	1500	79	Lu
	1800	82	Lu
	2100	82	Lu
	2400	80	Montes

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
	0300	76	Montes
	0600	74	Reyes
	0900	76	Reyes
	1200	80	WALKER
	1500	83	Garcia
	1800	78	Gun
	2100	77	Garcia
	2400	77	VALADEZ

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
	0300	76	VALADEZ
	0600	75	~~REYES~~
	0900	72	~~PEREZ~~
	1200	71	REYES
	1500	72	GARCIA
	1800	74	GARCIA
	2100	72	GARCIA
	2400	72	Rodriguez

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
	0300	70	Rodriguez
	0600	75	REYES
	0900	72	REYES.
	1200	72	REYES
	1500	73	Flores
	1800	72	Flores
	2100	73	Flores
	2400	72	Wilcox

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
	0300	71	WILCOX
	0600	70	REYNAGA
	0900	70	A. PEREZ
	1200	70	A. PEREZ
	1500	72	REYNAGA
	1800	73	REYNAGA
	2100	71	REYNAGA
	2400	70	Wilcox

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: 18 Temp. Reading Location: Behind Officers Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0000	72	Fuentes
	0300	70	Fuentes
	0600	72	Morales. D
	0900	72	Morales. D
	1200	72	Morales. D
	1500	74	Fuentes
	1800	74	Perales
	2100	73	Perales

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0000	72	Fuentes
	0300	70	Fuentes
	0600	70	Niepla
	0900	72	Niepla
	1200	74	Niepla
	1500	74	Fuentes
	1800	76	Fuentes
	2100	76	Fuentes

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0000	76	FLORES
	0300	74	FLORES
	0600	74	O. CUTAFRAS
	0900	73	O. CUTAFRAS
	1200	78	O. CUTAFRAS
	1500	79	Hudson
	1800	79	Hudson
	2100	79	Hudson

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0000	78	Hudson
	0300	76	Hudson
	0600	78	O. CUTAFRAS
	0900	78	O. CUTAFRAS
	1200	80	O. CUTAFRAS
	1500	80	Hudson
	1800	80	Hudson
	2100	79	Hudson

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0000	78	Hudson
	0300	76	Hudson
	0600	76	O. CUTAFRAS
	0900	77	O. CUTAFRAS
	1200	77	O. CUTAFRAS
	1500	77	SALAZAR
	1800	77	SALAZAR
	2100	75	SALAZAR

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0000	73	SALAZAR
	0300	71	SALAZAR
	0600	70	BERNAL
	0900	70	BERNAL
	1200	71	BERNAL
	1500	73	SALAZAR
	1800	74	SALAZAR
	2100	73	SALAZAR

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0000	72	SALAZAR
	0300	70	SALAZAR
	0600	70	Medina
	0900	70	C. Ruiz
	1200	72	Medina
	1500	76	Fuentes
	1800	77	Fuentes
	2100	75	Fuentes

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

FACILITY "C"

WEEKLY INSIDE TEMPERATURE RECORD

FOR THE WEEK OF: 06/24/24 - 06/30/24

- [x] Building 13
- [x] Building 14
- [x] Building 15
- [x] Building 16
- [x] Building 17
- [x] Building 18

NOTED/REVIEWED BY:

_____ _____

BRIDA **DATE:**

FACILITY "C" CAPTAIN

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: C 13 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 24, 2024

Date	Time	Temp.	Name (Print)
6/24	0300	82.3	T. Carruthers
	0600	82	YARMOLYUK
	0900	82	YARMOLYUK
	1200	84	YARMOLYUK
	1500	88	EVENSON
	1800	88	EVENSON
	2100	87	Evenson
	2400	86	[illegible]

Tuesday JUNE 25, 2024

Date	Time	Temp.	Name (Print)
6/25	0300	85	[illegible]
	0600	87	[illegible]
	0900	84	YARMOLYUK
	1200	86	YARMOLYUK
	1500	88	SABER
	1800	90	SABER
	2100	87.5	SABER
	2400	85.4	C. Pero

Wednesday JUNE 26, 2024

Date	Time	Temp.	Name (Print)
6/26	0300	81c	C. Pero
	0600	80	YARMOLYUK
	0900	81	YARMOLYUK
	1200	81	Gallegos
	1500	84	SABER
	1800	85	SABER
	2100	84	Salas
	2400	83	[illegible]

Thursday JUNE 27, 2024

Date	Time	Temp.	Name (Print)
6/27	0300	80	[illegible]
	0600	79	Gallegos
	0900	79	Gallegos
	1200	80	Gallegos
	1500	82°	C. Pero
	1800	83	C. Pero
	2100	82	C. Pero
	2400	81	[illegible]

Friday JUNE 28, 2024

Date	Time	Temp.	Name (Print)
6/28	0300	79	[illegible]
	0600	78	Gallegos
	0900	77	Conboy
	1200	78	Conroy
	1500	80	Mercer
	1800	83	Mercer
	2100	84	Conroy
	2400	82	Mercer

Saturday JUNE 29, 2024

Date	Time	Temp.	Name (Print)
6/29	0300	81	Flores
	0600	81	Flores
	0900	79	Conroy
	1200	82	Conroy
	1500	90°	Mercer
	1800	91	Conroy
	2100	88	Conroy
	2400	88	Mercer

Sunday JUNE 30, 2024

Date	Time	Temp.	Name (Print)
6/30	0300	82	Flores
	0600	82	Flores
	0900	83	YARMOLYUK
	1200	89	YARMOLYUK
	1500	88	EVENSON
	1800	88	EVENSON
	2100	88	SABER
	2400	85	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 34 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 24, 2024

Date	Time	Temp.	Name (Print)
	0300	80	M. Bravo
	0600	82	Moore
	0900	83	Moore
	1200	84	Medina
	1500	84	Carruthers
	1800	87	Carruthers
	2100	83	Castaneda
	2400	82	Castaneda

Tuesday JUNE 25, 2024

Date	Time	Temp.	Name (Print)
	0300	81	Castaneda
	0600	80	Albright
	0900	82	Moore
	1200	83	Moore
	1500	89	Lara
	1800	89	T. Carruthers
	2100	88	T. Carruthers
	2400	84	Castaneda

Wednesday JUNE 26, 2024

Date	Time	Temp.	Name (Print)
	0300	83	Castaneda
	0600	83	Salas
	0900	84	Salas
	1200	84	Salas
	1500	84	Lara
	1800	84	Lara
	2100	81	Lara
	2400	80	Castaneda

Thursday JUNE 27, 2024

Date	Time	Temp.	Name (Print)
	0300	80	Castaneda
	0600	80	Albright
	0900	81	Albright
	1200	81	Albright
	1500	82	Gonzales
	1800	83	Gonzales
	2100	82	Gonzales
	2400	81	Castaneda

Friday JUNE 28, 2024

Date	Time	Temp.	Name (Print)
	0300	81	Valadez
	0600	81	Moore
	0900	81	Moore
	1200	85	Moore
	1500	86	Salas
	1800	85	M. Bravo
	2100	84	M. Bravo
	2400	84	M. Bravo

Saturday JUNE 29, 2024

Date	Time	Temp.	Name (Print)
	0300	82	M. Bravo
	0600	82	Sahlman
	0900	84	Sahlman
	1200	88	Sahlman
	1500	90	Salas
	1800	90	M. Bravo
	2100	88	M. Bravo
	2400	86	M. Bravo

Sunday JUNE 30, 2024

Date	Time	Temp.	Name (Print)
	0300	83	M. Bravo
	0600	83	Sahlman
	0900	85	Sahlman
	1200	89	Sahlman
	1500	90	M. Bravo
	1800	89	M. Bravo
	2100	87	M. Bravo
	2400	85	M. Bravo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: B5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3742 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	75	Bowers
	0600	78	Gutierrez
	0900	80	Torres
	1200	80	Gutierrez
	1500	85	Kaur
	1800	87	Kaur
	2100	82	Kaur
	2400	80	Kaur

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	79	Santiago
	0600	81	Sahlman
	0900	81	Torres
	1200	82	Sahlman
	1500	82	Kaur
	1800	82	Kaur
	2100	82	Kaur
	2400	80	Peterson

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	80	Peterson
	0600	80	Vang
	0900	81	Vang
	1200	85	Vang
	1500	86	C. Pero
	1800	86	C. Pero
	2100	85	C. Pero
	2400	84	De La Cruz

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	83	De La Cruz
	0600	81	Vang
	0900	81	Vang
	1200	82	Vang
	1500	87	De La Cruz
	1800	85	De La Cruz
	2100	85	De La Cruz
	2400	80	Yang

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	79	Yang
	0600	80	Gutierrez
	0900	82	Vang
	1200	85	Vang
	1500	86	De La Cruz
	1800	87	De La Cruz
	2100	87	Diaz
	2400	83	Solis

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	80	Solis
	0600	83	Vang
	0900	84	Vang
	1200	85	Vang
	1500	90	Carr
	1800	90	Carr
	2100	88	[illegible]
	2400	85	Vang

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	75	Kaur
	0600	75	Gutierrez
	0900	84	Kaur
	1200	85	Kaur
	1500	85	Kaur
	1800	83	Kaur
	2100	83	Kaur
	2400	83	Vang

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

$$\frac{3/100}{+\ 6}$$

$$\frac{4/80}{\times\ 2}$$

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 16 Temp. Reading Location: behind officer Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 24, 2024

Date	Time	Temp.	Name (Print)
6/24/24	0300	72	ullOA
	0600	72	Mills
	0900	72	Mills
	1200	74	Mills
	1500	74	Mills
	1800	74	YARMOLYUK
	2100	74	YARMOLYUK
	2400	72	ullOA

Tuesday JUNE 25, 2024

Date	Time	Temp.	Name (Print)
	0300	72	ullOA
	0600	72	Mills
	0900	72	Mills
	1200	74	Mills
	1500	74	Mills
	1800	74	Mills
	2100	74	Mills
	2400	72	ullOA

Wednesday JUNE 26, 2024

Date	Time	Temp.	Name (Print)
6/26/24	0300	72	ullOA
	0600	71	HER
	0900	74	HER
	1200	76	HER
	1500	75	Nabarrete
	1800	74	Nabarrete
	2100	75	Nabarrete
	2400	74	ullOA

Thursday JUNE 27, 2024

Date	Time	Temp.	Name (Print)
	0300	74	ullOA
	0600	74	Cornejo
	0900	74	Cornejo
	1200	75	Cornejo
	1500	75	Cornejo
	1800	75	Marks
	2100	75	Marks
	2400	74	Peterson

Friday JUNE 28, 2024

Date	Time	Temp.	Name (Print)
	0300	73	Peterson
	0600	74	Cornejo
	0900	75	Cornejo
	1200	75	Cornejo
	1500	75	Cornejo
	1800	75	VANG
	2100	75	VANG
	2400	75	Peterson

Saturday JUNE 29, 2024

Date	Time	Temp.	Name (Print)
	0300	74	Peterson
	0600	70	Torres
	0900	72	Torres
	1200	72	Torres
	1500	72	A. PEREZ
	1800	72	A. PEREZ
	2100	72	A. PEREZ
	2400	78	Rey

Sunday JUNE 30, 2024

Date	Time	Temp.	Name (Print)
	0300	73	Peterson
	0600	72	Torres
	0900	74	Torres
	1200	75	Torres
	1500	77	SALAZAR
	1800	77	SALAZAR
	2100	76	SALAZAR
	2400	74	Duff

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP - SOL Housing Unit: 18 Temp. Reading Location: Behind officer Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0000	78	FUENTES
	0300	75	Fuentes
	0600	76	Vaughn
	0900	78	D. Lopez
	1200	78	D. Lopez
	1500	76°	Fuentes
	1800	77°	Fuentes
	2100	72	Fuentes

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0000	75	Fuentes
	0300	74	Fuentes
	0600	76	Vaughn
	0900	76	Vaughn
	1200	77	Vaughn
	1500	78	Fernandez
	1800	77	Fernandez
	2100	76	Fernandez

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0000	75°	Fernandez
	0300	73°	Fernandez
	0600	74	Vaughn
	0900	74	O. Contreras
	1200	75	O. Contreras.
	1500	75	Fernandez
	1800	75	Fernandez
	2100	75	Fernandez

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0000	73	Fernandez
	0300	73	Fernandez
	0600	74	Vaughn
	0900	74	O. Contreras.
	1200	75	O. Contreras
	1500	75	Hudson
	1800	75	Hudson
	2100	75	Hudson

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0000	74	Hudson
	0300	74	Hudson
	0600	74	Bernal
	0900	75	Bernal
	1200	75	Bernal
	1500	76	Salazar
	1800	77	Salazar
	2100	77	Salazar

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0000	75	Salazar
	0300	75	Salazar
	0600	75	Bernal
	0900	75	Bernal
	1200	78	Bernal
	1500	78	Salazar
	1800	78	Salazar
	2100	78	Salazar

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0000	78	Salazar
	0300	77	Salazar
	0600	75	Saber
	0900	76	Vaughn
	1200	77	Vaughn
	1500	78	Fuentes
	1800	79	Fuentes
	2100	79	Fuentes

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: 17 Temp. Reading Location: behind officer podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	0000	77	Wilcox
	0300	74	Wilcox
	0600	74	Monteon
	0900	75	Niebla
	1200	77	Niebla
	1500	78	Gallardo
	1800	78	Gallardo
	2100	78	Gallardo

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0000	72	VALADEZ
	0300	72	VALADEZ
	0600	74	Reyes
	0900	76	Reyes
	1200	78	Reyes
	1500	79	Perales
	1800	79	Perales
	2100	79	Perales

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0000	75	Gallardo
	0300	73	Gallardo
	0600	73	Reyes
	0900	75	Reyes
	1200	76	Reyes
	1500	77	Gallardo
	1800	78	Gallardo
	2100	75	Gallardo

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0000	71	Gallardo
	0300	70	Gallardo
	0600	72	Reyes
	0900	74	Reyes
	1200	75	Reyes
	1500	76	Ruelas
	1800	75	Ruelas
	2100	73	Ruelas

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0000	74	Gearhart
	0300	73	Gearhart
	0600	74	Reyes
	0900	75	Reyes
	1200	76	Reyes
	1500	76	Flores
	1800	76	Flores
	2100	75	Flores

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	0000	75	Basurto
	0300	74	Basurto
	0600	74	A. PEREZ
	0900	76	A. PEREZ
	1200	76	A. PEREZ
	1500	78	Monteon
	1800	78	Monteon
	2100	78	Monteon

Sunday

Date	Time	Temp.	Name (Print)
6/30/2024	0000	76	Monteon
	0300	74	Monteon
	0600	74	Monteon
	0900	75	REYNAGA
	1200	78	A-PEREZ
	1500	79	Monteon
	1800	82	Monteon
	2100	90	MONTEON

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 1 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	85	Santos
	0300	83	Santos
	0600	79	CERON
	0900	79	BLANCO
	1200	80	BLANCO
	1500	80	Sanchez
	1800	80	NIEBLA
	2100	79	NIEBLA

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	85	Santos
	0300	84	Santos
	0600	81	BLANCO
	0900	80	BLANCO
	1200	80	BLANCO
	1500	80	NIEBLA
	1800	79	NIEBLA
	2100	79	NIEBLA

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	85	Santos
	0300	85	Santos
	0600	82	DeAnda
	0900	82	DeAnda
	1200	81	DeAnda
	1500	81	GUZMAN
	1800	80	Sanchez
	2100	80	Sanchez

Thursday

Date	Time	Temp.	Name (Print)
6/27	0000	83	Santos
	0300	82	Santos
	0600	82	DeAnda
	0900	82	DeAnda
	1200	82	DeAnda
	1500	82	M. GUZMAN
	1800	83	M. GUZMAN
	2100	82	M. GUZMAN

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	83	Santos
	0300	83	Santos
	0600	83	DeAnda
	0900	83	DeAnda
	1200	83.	DeAnda
	1500	83	BERNAL
	1800	83	BERNAL
	2100	83	BERNAL

Saturday

Date	Time	Temp.	Name (Print)
6-29	0000	82	NIEBLA
	0300	82	NIEBLA
	0600	82	NIEBLA
	0900	83	Esquivel
	1200	83	Esquivel
	1500	82	GUZMAN
	1800	82	BERNAL
	2100	82	BERNAL

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	82	Santos
	0300	82	Santos
	0600	81	M. GUZMAN
	0900	84	LEE
	1200	85	LEE
	1500	85	BERNAL
	1800	85	BERNAL
	2100	84	BERNAL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Sol Housing Unit: Bld #2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	75	Santos
	0300	75	Santos
	0600	76	Pavlioglo
	0900	76	Pavlioglo
	1200	76	Pavlioglo
	1500	76	Schwarbauer
	1800	76	Schwarbauer
	2100	76	Schwarbauer

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	75	Santos
	0300	75	Santos
	0600	75	Pavlioglo
	0900	76	Pavlioglo
	1200	76	Pavlioglo
	1500	76	Samanego
	1800	76	Samanego
	2100	76	Samanego

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	75	Santos
	0300	75	Santos
	0600	75	Espinosa
	0900	76	Meier
	1200	76	Meier
	1500	76	Meier
	1800	76	Meier
	2100	76	Meier

Thursday

Date	Time	Temp.	Name (Print)
6/27	0000	75	Santos
	0300	75	Santos
	0600	76	Meier
	0900	76	Meier
	1200	76	Meier
	1500	75	Lu
	1800	75	Lu
	2100	75	Lu

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	75	Santos
	0300	74	Santos
	0600	74	Espinosa
	0900	75	Espinosa
	1200	75	Espinosa
	1500	75	Contreras
	1800	75	Contreras
	2100	75	Contreras

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	74	Niebla
	0300	74	Niebla
	0600	74	Niebla
	0900	74	Niebla
	1200	74	Niebla
	1500	75	Elthorb
	1800	76	Elthorb
	2100	76	Elthorb

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	73	Gomez
	0300	72	Gomez
	0600	75	Pavlioglo
	0900	75	Samanego
	1200	75	Samanego
	1500	75	Samanego
	1800	75	Contreras
	2100	75	Contreras

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6-24-24

Date	Time	Temp.	Name (Print)
	0000	82	VALADEZ
	0300	80	VALADEZ
	0600	81.3	TRUJILLO
	0900	81.8	TRUJILLO
	1200	82	TRUJILLO
	1500	82	CORONA
	1800	82	CORONA
	2100	82	CORONA

Tuesday 6-25-24

Date	Time	Temp.	Name (Print)
	0000	80	[illegible]
	0300	80	[illegible]
	0600	80	XIONG
	0900	82	TRUJILLO
	1200	82	TRUJILLO
	1500	83	Toms
	1800	83.5	Toms
	2100	83	CORONA

Wednesday 6-26-24

Date	Time	Temp.	Name (Print)
	0000	82	VANG
	0300	81	VANG
	0600	82	Toms
	0900	82	Toms
	1200	82	Toms
	1500	83	[illegible]
	1800	83	[illegible]
	2100	82	[illegible]

Thursday 6-27-24

Date	Time	Temp.	Name (Print)
6/27	0000	81	Tehanda
	0300	81	Tehanda
	0600	81	MOMS
	0900	83	MOMS
	1200	83	MOMS
	1500	82	Bravo
	1800	82	Bravo
	2100	82	[illegible]

Friday 6-28-24

Date	Time	Temp.	Name (Print)
	0000	81	Lara
	0300	81	Lara
	0600	82	Mirabonor
	0900	79	BERRY
	1200	78.9	Mirabonor
	1500	81.5	SAHLMAN
	1800	81.7	SAHLMAN
	2100	81.7	SAHLMAN

Saturday 6/29/24

Date	Time	Temp.	Name (Print)
	0000	81	Yang
	0300	81	Yang
	0600	79.5	TRUJILLO
	0900	79	TRUJILLO
	1200	81.5	BERRY
	1500	82	SAHLMAN
	1800	82.6	SAHLMAN
	2100	82.8	SAHLMAN

Sunday

Date	Time	Temp.	Name (Print)
6-30	0000	71°	M. MARSANO
	0300	66°	
	0600	81	TRUJILLO
	0900	81.5	TRUJILLO
	1200	82	TRUJILLO
	1500	83	CORONA
	1800	83	CORONA
	2100	83	CORONA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: BLD. 4 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	82	VALADEZ
	0300	81	VALADEZ
	0600	81	BLANCHE
	0900	82	BLANCHE
	1200	82	BLANCHE
	1500	82	BLANCHE
	1800	82	HALL
	2100	81	HALL

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	82	Phan
	0300	82	Phan
	0600	82	Vang
	0900	82	Vang
	1200	82	Vang
	1500	81	LAGORIO
	1800	82	LAGORIO
	2100	81	LAGORIO

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	84	VANG
	0300	84	VANG
	0600	85	DELAHOZ
	0900	86	DELAHOZ
	1200	82	DELAHOZ
	1500	80	LAGORIO
	1800	80	LAGORIO
	2100	80	LAGORIO

Thursday

Date	Time	Temp.	Name (Print)
6/27	0000	81	Tehandon
	0300	81	Tehandon
	0600	80	Sachen
	0900	80	Sachen
	1200	80	Sachen
	1500	80	LAGORIO
	1800	79	LAGORIO
	2100	79	LAGORIO

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	79	Lara
	0300	79	Lara
	0600	80	Sachen
	0900	79	Sachen
	1200	79	Sachen
	1500	79	Valuiski
	1800	88	Valuiski
	2100	78	Valuiski

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	80	Yang
	0300	81	Yang
	0600	80	Bogardo
	0900	80	Bogardo
	1200	80	Bogardo
	1500	79	Romaga
	1800	80	Romaga
	2100	81	Romaga

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	71°	MARCIANO
	0300	66°	MARCIANO
	0600	81	XIONG
	0900	82	XIONG
	1200	83	XIONG
	1500	82	Romaga
	1800	84	Romaga
	2100	83	HALL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 5 Temp. Reading Location: 2nd TIER NEAR CELL#216 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	86	Tejeda
	0300	85	Tejeda
	0600	85	Tejeda
	0900	84	RODRIGUEZ
	1200	84	RODRIGUEZ
	1500	84	RODRIGUEZ
	1800	84.4	RODRIGUEZ
	2100	84.4	RODRIGUEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	84	Rubio
	0300	84	Rubio
	0600	83	Joseph
	0900	83	R. Evans
	1200	84	R. Evans
	1500	83	Lopez
	1800	83	Lopez
	2100	83	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	83	ROBINSON
	0300	83	
	0600	82	O'Leary
	0900	83	Loza
	1200	83	Loza
	1500	82	Peterson
	1800	81	Peterson
	2100	80	Peterson

Thursday

Date	Time	Temp.	Name (Print)
	0000	78	
	0300	78	
	0600	79	O'Leary
	0900	80	Loza
	1200	80	Loza
	1500	90	Nieva
	1800	78	Nieva
	2100	78	Nieva

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	77	Mendez
	0300	77	Mendez
	0600	77	O'Leary
	0900	78	O'Leary
	1200	80	O'Leary
	1500	84	Place
	1800	84.6	Place
	2100	84.6	Place

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	82	Mendez
	0300	82	Mendez
	0600	81	O'Leary
	0900	82	Loza
	1200	84	Loza
	1500	84.7	Place
	1800	85.6	Place
	2100	85.3	Place

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	84	Torres
	0300	84	Torres
	0600	82	O'Leary
	0900	84.6	Rodriguez
	1200	84	O'Leary
	1500	84.8	Place
	1800	84	Leon
	2100	83	Leon

Notes

RIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 6 Temp. Reading Location: 2nd TIER NEAR CELL#216 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	86	Tejeda
	0300	86	Tejeda
	0600	84	DIAZ S
	0900	84	DIAZ S
	1200	84	DIAZ S
	1500	83.7	Vang
	1800	84	Vang
	2100	83	Vang

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	83	Rubinson
	0300	82	Rubinson
	0600	82	DIAZ S
	0900	82	DIAZ S
	1200	83	DIAZ S
	1500	86	P Vang
	1800	86	P Vang
	2100	85	P Vang

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	84.8	ROBINSON
	0300	84	
	0600	83.7	DIAZ S
	0900	83.5	DIAZ S
	1200	82.8	DIAZ S
	1500	83	MA
	1800	82.7	MA
	2100	82.1	MA

Thursday

Date	Time	Temp.	Name (Print)
	0000	82	W. Barfoot
	0300	82	W. Barfoot
	0600	82	DIAZ S
	0900	82	DIAZ S
	1200	83	DIAZ S
	1500	83.7	MA
	1800	83.5	MA
	2100	83.5	MA

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	82	M Hunter
	0300	82	M Hunter
	0600	81	Joseph
	0900	80	Joseph
	1200	83	Joseph
	1500	84.5	MA
	1800	84	MA
	2100		

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	82	[illegible]
	0300	82	[illegible]
	0600	83	RODRIGUEZ
	0900	83	RODRIGUEZ
	1200	84	RODRIGUEZ
	1500	85.6	MA
	1800	86	MA
	2100	86.6	MA

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	86	Torres
	0300	85	Torres
	0600	83.6	DIAZ S
	0900	84.7	DIAZ S
	1200	89.3	DIAZ S
	1500	88	P Vang
	1800	88	P Vang
	2100	85	P Vang

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 1, 2024	0000	63	MATHW
	0100	62	MATHW
	0200	61	MATHW
	0300	60	MATHW
	0400	58	MATHW
	0500	58	MATHW
	0600	60	FONTE
	0700	61	FONTE
	0800	63	FONTE
	0900	65	FONTE
	1000	67	FONTE
	1100	72	FONTE
	1200	76	FONTE
	1300	81	FONTE
	1400	82	FONTE
	1500	81	FONTE
	1600	80	FONTE
	1700	78	FONTE
	1800	76	FONTE
	1900	74	FONTE
	2000	71	FONTE
	2100	68	FONTE
	2200	66	Nonegh
	2300	65	Nonegh

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 2, 2024	0000	64	M. Noriega
	0100	64	M. Noriega
	0200	63	M. Noriega
	0300	63	M. Noriega
	0400	62	M. Noriega
	0500	62	M. Noriega
	0600	58	Guzman
	0700	60	Guzman
	0800	64	Guzman
	0900	68	Guzman
	1000	72	Guzman
	1100	75	Guzman
	1200	78	Guzman
	1300	82	Guzman
	1400	82	Frey
	1500	83	Frey
	1600	83	Frey
	1700	82	Frey
	1800	80	Frey
	1900	78	Frey
	2000	75	Frey
	2100	73	Frey
	2200	73	M. Noriega
	2300	73	M. Noriega

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS A

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 3, 20244	0000	66	M. Noriega
	0100	65	M. Noriega
	0200	65	M. Noriega
	0300	65	M. Noriega
	0400	64	M. Noriega
	0500	64	M. Noriega
	0600	60	FONTE
	0700	63	FONTE
	0800	66	FONTE
	0900	69	FONTE
	1000	72	FONTE
	1100	75	FONTE
	1200	78	FONTE
	1300	78	FONTE
	1400	79	FONTE
	1500	79	FONTE
	1600	80	FONTE
	1700	78	FONTE
	1800	75	FONTE
	1900	72	FONTE
	2000	71	FONTE
	2100	70	FONTE
	2200	67	Magdrum
	2300	66	Magdrum

...ORNIA
...E TEMPERATURE RECORD
...2030 (04/18)

INSTITUTION: CSP- SOLANO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 9, 2024	0000	58	MATHEW
	0100	57	MATHEW
	0200	56	MATHEW
	0300	55	MATHEW
	0400	54	MATHEW
	0500	53	MATHEW
	0600	55	GUZMAN
	0700	59	GUZMAN
	0800	62	GUZMAN
	0900	65	GUZMAN
	1000	68	GUZMAN
	1100	70	GUZMAN
	1200	74	GUZMAN
	1300	79	GUZMAN
	1400	80	FONTE
	1500	81	FONTE
	1600	82	FONTE
	1700	81	FONTE
	1800	78	FONTE
	1900	71	FONTE
	2000	66	FONTE
	2100	66	FONTE
	2200	64	FONTE
	2300	62	FONTE

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP- SOLANO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 4, 2024	0000	66	Hagerman
	0100	65	Hagerman
	0200	65	Hagerman
	0300	64	Hagerman
	0400	62	Hagerman
	0500	61	Hagerman
	0600	62	Singh
	0700	65	Singh
	0800	73	Singh
	0900	78	Singh
	1000	83	Singh
	1100	89	Singh
	1200	92	Singh
	1300	97	Singh
	1400	100	Fonte
	1500	101	Fonte
	1600	103	Fonte
	1700	102	Fonte
	1800	101	Fonte
	1900	95	Fonte
	2000	92	Fonte
	2100	96	Fonte
	2200	88	Hagerman
	2300	86	Hagerman

1118 - Stage 1 Activated
2230 - Stage 1 deactivated

DISTRIBUTION: Original: Institution ADA Coordinator

CENTRAL CONTROL FIRE WATCH LOG
CSP- SOLANO

Fire watch must be completed hourly, 24 hours a day, seven days a week. Rout completed Fire Watch log to First Watch, Watch Commander

DATE	TIME	STAFF NAME	SIGNATURE
June 5, 2024	0000	Hagerman	
	0100	Hagerman	
	0200	Hagerman	
	0300	Hagerman	
	0400	Hagerman	
	0500	Hagerman	
	0600	Singh	
	0700	Singh	
	0800	Singh	
	0900	Singh	
	1000	Singh	
	1100	Singh	
	1200	Singh	
	1300	Singh	
	1400	Singh	
	1500	Singh	
	1600	Singh	
	1700	Singh	
	1800	Singh	
	1900	Singh	
	2000	Singh	
	2100	Singh	
	2200	Max	
	2300	Max	

First Watch Commander's Signature

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP- SOLANO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 6, 2024	0000	86	MAYhew
	0100	84	MAYhew
	0200	83	MAYhew
	0300	82	MAYhew
	0400	80	MAYhew
	0500	77	MAYhew
	0600	74	MAYhew
	0700	76	MAYhew
	0800	78	MAYhew
	0900	80	MAYhew
	1000	82	Singh
	1100	84	Singh
	1200	87	Singh
	1300	90	Singh
	1400	92	FRADE
	1500	93	FRADE
	1600	93	FRADE
	1700	92	FRADE
	1800	90.	FRADE
	1900	86	FRADE
	2000	83	FRADE
	2100	76	FRADE
	2200	75	MAYhew
	2300	74	MAYhew

1257- Stage 1 Heat Alert Activated
2000 - STAGE 1 HEAT ALERT ACTIVATED

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 7, 2024	0000	73	MATHEW
	0100	71	MAYHEW
	0200	70	MAYHEW
	0300	68	MAYHEW
	0400	68	MAYHEW
	0500	66	MAYHEW
	0600	64	MAYHEW
	0700	63	Singh
	0800	67	Singh
	0900	70	Singh
	1000	74	Singh
	1100	76	Singh
	1200	78	Singh
	1300	81	Singh
	1400	82	BROWN
	1500	81	BROWN
	1600	78	BROWN
	1700	75	BROWN
	1800	72	BROWN
	1900	68	BROWN
	2000	63	BROWN
	2100	62	BROWN
	2200	61	MAYHEW
	2300	60	MAYHEW

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 8, 2024	0000	59	MAXIM
	0100	57	MAXIM
	0200	57	MAXIM
	0300	56	MAXIM
	0400	56	MAXIM
	0500	55	MAXIM
	0600	59	~~MAXIM~~ FONTE
	0700	60	FONTE
	0800	62	FONTE
	0900	64	FONTE
	1000	66	FONTE
	1100	68	FONTE
	1200	71	FONTE
	1300	74	FONTE
	1400	78	FONTE
	1500	78	FONTE
	1600	77	FONTE
	1700	77	FONTE
	1800	73	FONTE
	1900	67	FONTE
	2000	65	FONTE
	2100	60	FONTE
	2200	58	MAXIM
	2300	57	MAXIM

DISTRIBUTION: Original: Institution ADA Coordinator

CENTRAL CONTROL FIRE WATCH LOG
CSP- SOLANO

Fire watch must be completed hourly, 24 hours a day, seven days a week. Rout completed Fire Watch log to First Watch, Watch Commander

DATE	TIME	STAFF NAME	SIGNATURE
June 11, 2024	0000	M. Noriega	
	0100	M. Noriega	
	0200	M. Noriega	
	0300	M. Noriega	
	0400	M. Noriega	
	0500	M. Noriega	
	0600	Singh	
	0700	Singh	
	0800	Singh	
	0900	Singh	
	1000	Singh	
	1100	Singh	
	1200	Singh	
	1300	Singh	
	1400	Fry	
	1500	Fry	
	1600	Fry	
	1700	Fry	
	1800	Fry	
	1900	Fry	
	2000	Fry	
	2100	Fry	
	2200	Hagerman	
	2300	Hagerman	

First Watch Commander's Signature

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 10, 2024	0000	61	FONTE
	0100	60	FONTE
	0200	60	FONTE
	0300	60	FONTE
	0400	59	FONTE
	0500	59	FONTE
	0600	55	Guzman
	0700	59	Guzman
	0800	65	Guzman
	0900	67	Guzman
	1000	72	Guzman
	1100	76	Guzman
	1200	81	Guzman
	1300	83	Guzman
	1400	88	FICKER
	1500	89	FICKER
	1600	90	FICKER
	1700	91	FICKER
	1800	89	FICKER
	1900	86	FICKER
	2000	83	FICKER
	2100	83	FICKER
	2200	76	~~FICKER~~ Noriega
	2300	76	~~FICKER~~ Noriega

Stage 1 activated @ 1609

Deactivated @ 1901

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 13, 2024	0000	60	Mayne
	0100	58	Mayne
	0200	58	Mayne
	0300	54	Mayne
	0400	58	Mayne
	0500	58	Mayne
	0600	55	Aveian
	0700	55	Aveian
	0800	58	Singh
	0900	59	Singh
	1000	64	Singh
	1100	67	Singh
	1200	71	Singh
	1300	72	Singh
	1400	71	Valadez
	1500	70	Valadez
	1600	69	Valadez
	1700	68	Valadez
	1800	67	Valadez
	1900	67	Valadez
	2000	66	Valadez
	2100	65	Valadez
	2200	65	Mayne
	2300	64	May

DISTRIBUTION: Original: Institution ADA Coordinator

CENTRAL CONTROL FIRE WATCH LOG
CSP- SOLANO

Fire watch must be completed hourly, 24 hours a day, seven days a week. Rout completed Fire Watch log to First Watch, Watch Commander

DATE	TIME	STAFF NAME	SIGNATURE
June 12, 2024	0000	Magtoon	
	0100	Magtoon	
	0200	Magtoon	
	0300	Magtoon	
	0400	Magtoon	
	0500	Magtoon	
	0600	Singh	
	0700	Singh	
	0800	Singh	
	0900	Singh	
	1000	Singh	
	1100	Singh	
	1200	Singh	
	1300	Singh	
	1400	Singh	
	1500	Singh	
	1600	Singh	
	1700	Singh	
	1800	Singh	
	1900	Singh	
	2000	Singh	
	2100	Singh	
	2200	MAX	
	2300	MAX	

Roseman Roseman

First Watch Commander's Signature

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: CSP- SOLANO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 14, 2024	0000	64	Mathu
	0100	61	Mathu
	0200	60	Mathu
	0300	56	Mathu
	0400	55	Mathu
	0500	53	Mathu
	0600	55	Singh
	0700	57	Singh
	0800	60	Singh
	0900	64	Singh
	1000	68	Singh
	1100	73	Singh
	1200	78	Singh
	1300	80	Singh
	1400	83	Singh
	1500	85	Singh
	1600	86	Singh
	1700	85	Singh
	1800	80	Singh
	1900	76	Singh
	2000	72	Singh
	2100	68	Singh
	2200	67°	Nameeja
	2300	65°	Nameeja

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP- SOLANO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 15, 2024	0000	64	M. Noriega
	0100	64	M. Noriega
	0200	62	M. Noriega
	0300	60°	M. Noriega
	0400	61	M. Noriega
	0500	61	M. Noriega
	0600	59	Singh
	0700	60	Singh
	0800	64	Singh
	0900	67	Singh
	1000	71	Singh
	1100	77	Singh
	1200	82	Singh
	1300	87	Singh
	1400	89	Frey
	1500	90	Frey
	1600	90	Frey
	1700	89	Frey
	1800	86	Frey
	1900	83	Frey
	2000	79	Frey
	2100	77	Frey
	2200	75	Noriega
	2300	73	Noriega

1445 90°
1635 89°
1735 below 90° for 1 hr.

DISTRIBUTION: Original: Institution ADA Coordinator

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 16, 2024	0000	68	M. Noriega
	0100	67	M. Noriega
	0200	64	M. Noriega
	0300	63	M. Noriega
	0400	61	M. Noriega
	0500	60	M. Noriega
	0600	60	Guzman
	0700	62	Guzman
	0800	67	Guzman
	0900	69	Guzman
	1000	73	Guzman
	1100	76	Guzman
	1200	80	Guzman
	1300	83	Guzman
	1400	84	Guzman
	1500	85	Guzman
	1600	85	Guzman
	1700	83	Guzman
	1800	81	Guzman
	1900	78	Guzman
	2000	76	Guzman
	2100	75	Guzman
	2200	73	Noriega
	2300	72	Noriega

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 17, 2024	0000	68	M. Noriega
	0100	68	M- Noriega
	0200	66	M. Noriega
	0300	65	M. Noriega
	0400	63	M. Noriega
	0500	62	M. Noriega
	0600	58	Guzman
	0700	62	Guzman
	0800	65	Guzman
	0900	70	Guzman
	1000	73	Guzman
	1100	75	Guzman
	1200	78	Guzman
	1300	81	Guzman
	1400	84	White
	1500	86	White
	1600	87	White
	1700	87	White
	1800	86	White
	1900	84	White
	2000	79	White
	2100	75	White
	2200	73	Noriega
	2300	73	Noriega

DISTRIBUTION: Original: Institution ADA Coordinator

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 18, 2024	0000	72	Noriega
	0100	71	Noriega
	0200	71	Noriega
	0300	71	Noriega
	0400	68	Noriega
	0500	66	Noriega
	0600	63	Singh
	0700	64	Singh
	0800	69	Singh
	0900	73	Singh
	1000	78	Singh
	1100	80	Singh
	1200	82	Singh
	1300	85	Singh
	1400	89	Frey
	1500	87	Frey
	1600	88	Frey
	1700	85	Frey
	1800	84	Frey
	1900	82	Frey
	2000	78	Frey
	2100	76	Frey
	2200	68	Myers
	2300	67	Myers

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP- SOLANO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 19, 2024	0000	63	MYGRS
	0100	63	MYGRS
	0200	63	MYGRS
	0300	63	MYGRS
	0400	63	MYGRS
	0500	61	MYGRS
	0600	60	Singh
	0700	62	Singh
	0800	64	Singh
	0900	68	Singh
	1000	72	Singh
	1100	74	Singh
	1200	77	Singh
	1300	80	Singh
	1400	83	Singh
	1500	84	Singh
	1600	86	Singh
	1700	85	Singh
	1800	81	Singh
	1900	75	Singh
	2000	71	Singh
	2100	65	Singh
	2200	62	BRYANT
	2300	62	BRYANT

DISTRIBUTION: Original: Institution ADA Coordinator

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 20, 2024	0000	61	Bryant
	0100	60	Bryant
	0200	60	Bryant
	0300	59	Bryant
	0400	58	Bryant
	0500	57	Bryant
	0600	56	Singh
	0700	58	Singh
	0800	61	Singh
	0900	65	Singh
	1000	68	Singh
	1100	71	Singh
	1200	74	Singh
	1300	77	Singh
	1400	81	Rashid
	1500	84	Rashid
	1600	86	Rashid
	1700	85	Broom,B
	1800	83	Broom,B
	1900	80	Broom,B
	2000	75	Broom,B
	2100	70	Broom,B
	2200	64	Rodriguez
	2300	64	Rodriguez

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 21, 2024	0000	63°	Rodriguez
	0100	62°	Rodriguez
	0200	59°	Rodriguez
	0300	58°	Rodriguez
	0400	58°	Rodriguez
	0500	58°	Rodriguez
	0600	59	Singh
	0700	60	Singh
	0800	63	Singh
	0900	67	Singh
	1000	72	Singh
	1100	75	Singh
	1200	79	Singh
	1300	83	Singh
	1400	87	Singh
	1500	89	Singh
	1600	91	Singh
	1700	90	Singh
	1800	89	Singh
	1900	88	Singh
	2000	83	Singh
	2100	78	Singh
	2200	75	Myers
	2300	72	Myers

1504 - Stage 1 Activated
1852 - Stage 1 De-Activated

DISTRIBUTION: Original: Institution ADA Coordinator

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 22, 2024	0000	68	G. MYERS
	0100	67	G. MYERS
	0200	66	G. MYERS
	0300	65	Myers
	0400	63	MYERS
	0500	62	MYERS
	0600	62	Singh
	0700	64	Singh
	0800	69	Singh
	0900	73	Singh
	1000	78	Singh
	1100	84	Singh
	1200	89	Singh
	1300	94	Singh
	1400	97	Miller
	1500	99	Miller
	1600	100	Miller
	1700	100	Miller
	1800	99	Miller
	1900	95	Miller
	2000	91	Miller
	2100	88	Miller
	2200	84	Bryant
	2300	83	Bryant

1214 - Stage 1 Activated
2105 - Stage 1 Deactivated

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP- SOLANO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 23, 2024	0000	80	BRYANT
	0100	76	BRYANT
	0200	75	BRYANT
	0300	75	BRYANT
	0400	72	BRYANT
	0500	72	BRYANT
	0600	70	Guzman
	0700	73	Guzman
	0800	75	Guzman
	0900	75	Guzman
	1000	80	Guzman
	1100	82	Guzman
	1200	84	Guzman
	1300	88	Guzman
	1400	92	G.MYGT
	1500	95	G.MYGTS
	1600	96	G.MYGTS
	1700	94	G.MYGTS
	1800	91	G.MYGTS
	1900	88	G.MYGTS
	2000	87	G.MYGTS
	2100	84	G.MYGT
	2200	80	WELLR
	2300	75	WELLR

1315hr. 90°
1850 hr. 88° 88° for 1 hour @ 1950

DISTRIBUTION: Original: Institution ADA Coordinator

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 24, 2024	0000	70	Weller
	0100	70	Weller
	0200	68	Weller
	0300	67	Weller
	0400	67	Weller
	0500	66	Weller
	0600	67	Garman
	0700	69	Garman
	0800	72	Garman
	0900	74	Garman
	1000	78	Garman
	1100	81	Garman
	1200	85	Garman
	1300	88	Garman
	1400	93	Conte
	1500	94	Conte
	1600	94	Conte
	1700	93	Conte
	1800	90	Conte
	1900	88	Conte
	2000	82	Conte
	2100	78	Conte
	2200	77	Haggerman
	2300	76	Haggerman

1322 88

1930 OFF
STAG 1

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 25, 2024	0000	75	Hagerman
	0100	74	Hagerman
	0200	73	Hagerman
	0300	72	Hagerman
	0400	72	Hagerman
	0500	72	Hagerman
	0600	72	Singh
	0700	77	Singh
	0800	73	Singh
	0900	76	Singh
	1000	84	Singh
	1100	86	Singh
	1200	88	Singh
	1300	90	Singh
	1400	91	Fonte
	1500	92	Fonte
	1600	94	Fonte
	1700	90	Fonte
	1800	88	Fonte
	1900	88	Fonte
	2000	83	Fonte
	2100	77	Fonte
	2200	76	Hagerman
	2300	75	Hagerman

OFF STAGE 1 1845

12:18 - Stage 1 Activated

DISTRIBUTION: Original: Institution ADA Coordinator

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 26, 2024	0000	73	Hagerman
	0100	71	Hagerman
	0200	69	Hagerman
	0300	68	Hagerman
	0400	64	Hagerman
	0500	58	Hagerman
	0600	57	Singh
	0700	59	Singh
	0800	64	Singh
	0900	64	Singh
	1000	68	Singh
	1100	73	Singh
	1200	77	Singh
	1300	79	Singh
	1400	83	Singh
	1500	85	Singh
	1600	84	Singh
	1700	84	Singh
	1800	81	Singh
	1900	77	Singh
	2000	74	Singh
	2100	68	Singh
	2200	67	[illegible]
	2300	66	[illegible]

DISTRIBUTION: Original: Institution ADA Coordinator

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 28, 2024	0000	67	Mayk
	0100	65	Mayk
	0200	64	Mayk
	0300	63	Mayk
	0400	62	Mayk
	0500	61	Mayk
	0600	63	Fletcher
	0700	65	Fletcher
	0800	70	Fletcher
	0900	74	Fletcher
	1000	78	Fletcher
	1100	82	Fletcher
	1200	85	Fletcher
	1300	88	Fletcher
	1400	91	Hagerman
	1500	93	Hagerman
	1600	93	Hagerman
	1700	93	Hagerman
	1800	91	Hagerman
	1900	89	Hagerman
	2000	86	Hagerman
	2100	82	Hagerman
	2200	81	Mayk
	2300	80	Mayk

1320 ~~Phase~~ Stage 1 Heat Plan

1955 Stage 1 deactived

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP- SOLANO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	
June 29, 2024	0000	77	Mayr	
	0100	75	Mayr	
	0200	73	Mayr	
	0300	71	Mayr	
	0400	68	Mayr	
	0500	67	Mayr	
	0600	67	FONTE	
	0700	68	FONTE	
	0800	69	FONTE	
	0900	73	FONTE	
	1000	77	FONTE	
	1100	82	FONTE	
	1200	85	FONTE	
	1300	89	FONTE	1315 Stage 1 Activated
	1400	93	FONTE	
	1500	93	FONTE	
	1600	93	FONTE	
	1700	91	FONTE	
	1800	89	FONTE	OFF STAGE 1 @ 1800
	1900	88	FONTE	
	2000	87	FONTE	
	2100	82	FONTE	
	2200	78	FRY	
	2300	77	FRY	

DISTRIBUTION: Original: Institution ADA Coordinator

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	
June 30, 2024	0000	76	FRY	
	0100	74	FRY	
	0200	73	FRY	
	0300	72	FRY	
	0400	71	FRY	
	0500	70	FRY	
	0600	68	GUZMAN	
	0700	71	GUZMAN	
	0800	74	GUZMAN	
	0900	80	GUZMAN	
	1000	84	GUZMAN	
	1100	87	GUZMAN	
	1200	90	GUZMAN	90° 1206
	1300	91	GUZMAN	
	1400	93	FONTE	
	1500	93	FONTE	
	1600	93	FONTE	
	1700	92	FONTE	
	1800	90	FONTE	
	1900	90	FONTE	
	2000	85	FONTE	2015 OFF STAGE 1
	2100	82	FONTE	
	2200	80	BROWN	
	2300	80	BROWN	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP- SOLANO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 11, 2024	0000	73	M-Noriega
	0100	71	M-Noriega
	0200	69	M-Noriega
	0300	67	M-Noriega
	0400	65	M-Noriega
	0500	64	M-Noriega
	0600	63	Singh
	0700	64	Singh
	0800	69	Singh
	0900	73	Singh
	1000	80	Singh
	1100	86	Singh
	1200	92	Singh
	1300	97	Singh
	1400	97	Fry
	1500	99	Fry
	1600	101	Fry
	1700	102	Fry
	1800	99	Fry
	1900	95	Fry
	2000	92	Fry
	2100	89	Fry
	2200	87	Hagerman
	2300	85	Hagerman

1138 - Stage 1 Activated
1145 - Stage 1 deactivated

DISTRIBUTION: Original: Institution ADA Coordinator

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: **CSP- SOLANO**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **Central Control**

Immediately notify the Watch Commander at extension 3243 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 12, 2024	0000	81	Hagerman
	0100	78	Hagerman
	0200	76	Hagerman
	0300	74	Hagerman
	0400	72	Hagerman
	0500	72	Hagerman
	0600	68	Singh
	0700	70	Singh
	0800	76	Singh
	0900	80	Singh
	1000	82	Singh
	1100	84	Singh
	1200	84	Singh
	1300	85	Singh
	1400	86	Singh
	1500	85	Singh
	1600	84	Singh
	1700	80	Singh
	1800	76	Singh
	1900	73	Singh
	2000	68	Singh
	2100	62	Singh
	2200	60	Mathew
	2300	60	Mat

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 12 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	83	Garcia
	0600	84	Dimaggio
	0900	84.3	Minnis
	1200	84.7	Minnis
	1500	85.3	A Lee
	1800	83.7	A Lee
	2100	82.5	A Lee
	2400	85	Schwabauer

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	79.3	Schwabauer
	0600	78	Minnis
	0900	79	Minnis
	1200	89	Dimaggio
	1500	84	Turner
	1800	83	Pace
	2100	83	Pace
	2400	83	Schwabauer

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	85	Schwabauer
	0600	85	Dimaggio
	0900	86	Dimaggio
	1200	86	Dimaggio
	1500	86	Turner
	1800	86	Turner
	2100	86	Turner
	2400	82	Edwards

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	82	Edwards
	0600	80	Dimaggio
	0900	81	Dimaggio
	1200	82	Galvan
	1500	83	Casas
	1800	84	Casas
	2100	84	Casas
	2400	84	Schwabauer

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	84	Schwabauer
	0600	80	Minnis
	0900	80.4	Minnis
	1200	81	Minnis
	1500	83	Casas
	1800	84	Casas
	2100	84	Casas
	2400	81	Ramirez

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	81	Ramirez
	0600	79	Minnis
	0900	79.9	Minnis
	1200	82.3	Minnis
	1500	89	Casas
	1800	88	Casas
	2100	87	Pace
	2400	86	Ramirez

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	84	Ramirez
	0600	80	Minnis
	0900	80.7	Minnis
	1200	82	Minnis
	1500	84	Minnis
	1800	86	Mdrias
	2100	86	Ramirez
	2400	85	Ramirez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: C 13 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 24, 2024

Date	Time	Temp.	Name (Print)
6/24	0300	82.3	T. Carrubbo
	0600	82	YARMOLYUK
	0900	82	YARMOLYUK
	1200	84	YARMOLYUK
	1500	88	EVENSON
	1800	88	EVENSON
	2100	87	EVENSON
	2400	86	EVENSON

Tuesday JUNE 25, 2024

Date	Time	Temp.	Name (Print)
6/25	0300	85	[illegible]
	0600	87	[illegible]
	0900	84	YARMOLYUK
	1200	86	YARMOLYUK
	1500	88	SABER
	1800	90	SABER
	2100	89.5	SABER
	2400	89.4	C. Pero

Wednesday JUNE 26, 2024

Date	Time	Temp.	Name (Print)
6/26	0300	81 c	C. Pero
	0600	80	YARMOLYUK
	0900	81	YARMOLYUK
	1200	81	Gallegos
	1500	84	SABER
	1800	85	SABER
	2100	84	SABER
	2400	83	[illegible]

Thursday JUNE 27, 2024

Date	Time	Temp.	Name (Print)
6/27	0300	80	[illegible]
	0600	79	Gallegos
	0900	79	Gallegos
	1200	80	Gallegos
	1500	82°	C. Pero
	1800	83	C. Pero
	2100	82	C. Pero
	2400	81	[illegible]

Friday JUNE 28, 2024

Date	Time	Temp.	Name (Print)
6/28	0300	79	[illegible]
	0600	78	Gallegos
	0900	77	CONNOLLY
	1200	78	CONNOLLY
	1500	80	Mercaz
	1800	83	Mercaz
	2100	84	CONNOLLY
	2400	83	Mercaz

Saturday JUNE 29, 2024

Date	Time	Temp.	Name (Print)
6/29	0300	81	Flores
	0600	81	Flores
	0900	79	CONNOLLY
	1200	82	CONNOLLY
	1500	90°	Mercaz
	1800	91	CONNOLLY
	2100	88	CONNOLLY
	2400	88	Mercaz

Sunday JUNE 30, 2024

Date	Time	Temp.	Name (Print)
6/30	0300	82	Flores
	0600	82	Flores
	0900	83	YARMOLYUK
	1200	89	YARMOLYUK
	1500	88	EVENSON
	1800	88	EVENSON
	2100	88	SABER
	2400	85	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 14 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 24, 2024

Date	Time	Temp.	Name (Print)
	0300	89	M. Brave
	0600	89	Moore
	0900	83	Moore
	1200	84	Medina
	1500	84	Carruthers
	1800	84	Carruthers
	2100	83	Castaneda
	2400	82	Castaneda

Tuesday JUNE 25, 2024

Date	Time	Temp.	Name (Print)
	0300	81	Castaneda
	0600	80	Albright
	0900	82	Moore
	1200	83	Moore
	1500	89°	Long
	1800	89	T. Carruthers
	2100	88	T. Carruthers
	2400	84	Castaneda

Wednesday JUNE 26, 2024

Date	Time	Temp.	Name (Print)
	0300	83	Castaneda
	0600	83	Salas
	0900	84	Salas
	1200	84	Salas
	1500	84	Long
	1800	84	Long
	2100	81	Long
	2400	80	Castaneda

Thursday JUNE 27, 2024

Date	Time	Temp.	Name (Print)
	0300	80	Castaneda
	0600	80	Albright
	0900	81	Albright
	1200	81	Albright
	1500	82	Grandes
	1800	83	Grandes
	2100	82	Grandes
	2400	81	Castaneda

Friday JUNE 28, 2024

Date	Time	Temp.	Name (Print)
	0300	81	Valadez
	0600	81	Moore
	0900	81	Moore
	1200	85	Moore
	1500	86	Salas
	1800	85	M. Brave
	2100	84	M. Brave
	2400	81	M. Brave

Saturday JUNE 29, 2024

Date	Time	Temp.	Name (Print)
	0300	82	M. Brave
	0600	82	Sahlman
	0900	84	Sahlman
	1200	88	Sahlman
	1500	90	Salas
	1800	90	M. Brave
	2100	88	M. Brave
	2400	86	M. Brave

Sunday JUNE 30, 2024

Date	Time	Temp.	Name (Print)
	0300	83	M. Brave
	0600	83	Sahlman
	0900	85	Sahlman
	1200	89	Sahlman
	1500	90	M. Brave
	1800	89	M. Brave
	2100	87	M. Brave
	2400	85	M. Brave

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 15 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3342 when the inside air temperature reaches 80 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	75	Bowen
	0600	78	Gutierrez
	0900	[redacted]	Torres
	1200	80	Gutierrez
	1500	85	KAUR
	1800	87	KAUR
	2100	82	KAUR
	2400	80	KAUR

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	79	Santiago
	0600	81	SAHUMAN
	0900	81	Torres
	1200	82	SAHUMAN
	1500	82	KAUR
	1800	82	KAUR
	2100	82	KAUR
	2400	80	Peterson

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	80	Peterson
	0600	80	VANG
	0900	81	VANG
	1200	85	VANG
	1500	86	C. Pero
	1800	86	C. Pero
	2100	85	C. Pero
	2400	84	De La Cruz

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	83	DELACRUZ
	0600	81	VANG
	0900	81	VANG
	1200	82	VANG
	1500	87	De La Cruz
	1800	85	De La Cruz
	2100	85	De La Cruz
	2400	80	Yang

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	79	Yang
	0600	80	Gutierrez
	0900	82	VANG
	1200	85	VANG
	1500	86	DE LA CRUZ
	1800	87	De La Cruz
	2100	87	DIAZ
	2400	83	Solis

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	80	Solis
	0600	83	VANG
	0900	84	VANG
	1200	85	Vang
	1500	90	Cano
	1800	90	Cano
	2100	85	[illegible]
	2400	85	VANG

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	75	KAUR
	0600	75	Gutierrez
	0900	84	KAUR
	1200	85	KAUR
	1500	85	KAUR
	1800	83	KAUR
	2100	83	KAUR
	2400	83	VANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 16 Temp. Reading Location: Behind Officer Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 24, 2024

Date	Time	Temp.	Name (Print)
6/24/24	0300	72	ulloa
	0600	72	Mills
	0900	72	Mills
	1200	74	Mills
	1500	74	Mills
	1800	74	YARMOLYUK
	2100	74	YARMOLYUK
	2400	72	ULLOA

Tuesday JUNE 25, 2024

Date	Time	Temp.	Name (Print)
	0300	72	ULLOA
	0600	72	Mills
	0900	72	Mills
	1200	74	Mills
	1500	74	Mills
	1800	74	Mills
	2100	74	Mills
	2400	72	ULLOA

Wednesday JUNE 26, 2024

Date	Time	Temp.	Name (Print)
6/26/24	0300	72	ULLOA
	0600	71	HER
	0900	74	HER
	1200	76	HER
	1500	75	Nabarrete
	1800	74	Nabarrete
	2100	75	Nabarrete
	2400	74	ULLOA

Thursday JUNE 27, 2024

Date	Time	Temp.	Name (Print)
	0300	77	ULLOA
	0600	74	Cornejo
	0900	74	Cornejo
	1200	75	Cornejo
	1500	75	Cornejo
	1800	75	Marks
	2100	75	Marks
	2400	74	Peterson

Friday JUNE 28, 2024

Date	Time	Temp.	Name (Print)
	0300	73	Peterson
	0600	74	Cornejo
	0900	75	Cornejo
	1200	75	Cornejo
	1500	75	Cornejo
	1800	75	VANG
	2100	75	VANG
	2400	75	Peterson

Saturday JUNE 29, 2024

Date	Time	Temp.	Name (Print)
	0300	74	Peterson
	0600	70	Torres
	0900	72	Torres
	1200	72	Torres
	1500	72	A. PEREZ
	1800	72	A. PEREZ
	2100	72	A. PEREZ
	2400	78	Reyes

Sunday JUNE 30, 2024

Date	Time	Temp.	Name (Print)
	0300	73	Peterson
	0600	72	Torres
	0900	74	Torres
	1200	75	Torres
	1500	77	SALAZAR
	1800	77	SALAZAR
	2100	76	SALAZAR
	2400	74	Mills

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 19 Temp. Reading Location: Behind CO's Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	79	Fernandez
	0300	73	Fernandez
	0600	72	C.LO
	0900	73	C.LO
	1200	73	C.LO
	1500	73	B.GRANT
	1800	73	B GRANT
	2100	73	B Grant

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	72	SCUERO
	0300	72	SCUERO
	0600	70	MORALES
	0900	70	MORALES
	1200	71	MORALES
	1500	71	DEMESA
	1800	73	DEMESA
	2100	73	DEMESA

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	72	DEMESA
	0300	70	DEMESA
	0600	69	C.LO
	0900	70	C.LO
	1200	72	C.LO
	1500	74	DEMESA
	1800	74	C. vang
	2100	73	C. vang

Thursday

Date	Time	Temp.	Name (Print)
6/27	0000	71	DEMESA
	0300	68	DEMESA
	0600	70	DOYLE
	0900	70	DOYLE
	1200	72	DOYLE
	1500	73	CEJA
	1800	73	CEJA
	2100	73	CEJA

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	72	VANG
	0300	71	VANG
	0600	71	DOYLE
	0900	71	DOYLE
	1200	71	DOYLE
	1500	74	CEJA
	1800	76	CEJA
	2100	76	CEJA

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	74	VANG
	0300	72	VANG
	0600	70	Chahal
	0900	70	Chahal
	1200	72	Chahal
	1500	77	CEJA
	1800	78	CEJA
	2100	76	CEJA

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	76	SCUERO
	0300	76	SOLORIO
	0600	76	C.LO
	0900	77	C.LO
	1200	77	C.LO
	1500	77	Khan
	1800	77	Khan
	2100	77	Khan

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 20 Temp. Reading Location: TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0000	82	YANG
	0300	80	YANG
	0600	82	Bolton
	0900	82	Bolton
	1200	86	Bolton
	1500	86	HURT
	1800	85	HURT
	2100	86	HURT

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0000	86	FRANCKET
	0300	85	FRANCKES
	0600	82	[illegible]
	0900	86	BOLTON
	1200	85	[illegible]
	1500	88	CRUZ
	1800	88	CRUZ
	2100	87	CRUZ

Wednesday

Date	Time	Temp.	Name (Print)
	0000	80	YANG
	0300	85	YANG
	0600	78	BOLTON
	0900	80	BOLTON
	1200	79	BOLTON
	1500	82	CRUZ
	1800	82	CRUZ
	2100	80	CRUZ

platform

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0000	76	SPRIN
	0300	76	SPRIN
	0600	76	[illegible]
	0900	78	[illegible]
	1200	82	[illegible]
	1500	80	[illegible]
	1800	80	MONTES
	2100	80	MORALES

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0000	80	Prasad
	0300	76	Prasad
	0600	78	[illegible]
	0900	78	Saechao
	1200	80	Saechao
	1500	82	Losse
	1800	86	P. COSSE
	2100	86	P. COSSE

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0000	80	[illegible]
	0300	77	[illegible]
	0600	78	FUENTES
	0900	80	FUENTES
	1200	83	CRUZ
	1500	87	HURT
	1800	86	HURT
	2100	88	COSSE

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0000	80	YANG
	0300	80	YANG
	0600	78	MICHAEL
	0900	82	BOLTON
	1200	86	BOLTON
	1500	86	HURT
	1800	88	HURT
	2100	86	HURT

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 2C Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3243 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	87	Gonzalez
	0300	76	VALUSKI
	0600	79	PRADO
	0900	83	PRADO
	1200	85	L-cruz
	1500	87	REYES
	1800	87	REYES
	2100	87	REYES

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	87	CORONA
	0300	86	CORONA
	0600	84	Barajas
	0900	84	L-cruz
	1200	86	L-cruz
	1500	90	SOLERIO
	1800	88	SOLERIO
	2100	87	SOLERIO

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0000	86	Corona
	0300	85	Corona
	0600	83	Barajas
	0900	76	L-cruz
	1200	82	L-cruz
	1500	84	W. Baltazar
	1800	85	W. Baltazar
	2100	83	W. Baltazar

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0000	81	HURT
	0300	80	HURT
	0600	77	Barajas
	0900	79	Morales
	1200	82	Morales
	1500	84	VANG
	1800	85	VANG
	2100	83	VANG

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0000	82	Yang
	0300	80	Yang
	0600	76	Morales
	0900	78	Morales
	1200	82	Morales
	1500	83	VANG
	1800	85	VANG
	2100	85	VANG

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0000	82	VALADEZ
	0300	80	VALADEZ
	0600	80	HURT
	0900	81	HURT
	1200	85	HURT
	1500	87	W. Baltazar
	1800	88	VANG
	2100	86	VANG

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0000	82	Phan
	0300	82	Phan
	0600	82	MUY
	0900	83	MUY
	1200	83	MUY
	1500	88	COSSE
	1800	89	SOLERIO
	2100	87	SOLERIO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 22 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	0000	82	Mora
	0300	82	Mora
	0600	80	Mora
	0900	80	Dullas
	1200	82	Hernandez
	1500	85	Dullas
	1800	87	Dullas
	2100	87	Dullas

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	0000	80	LOPEZ
	0300	80	LOPEZ
	0600	80	DULLA
	0900	80	SAETERUM
	1200	83	Dullas
	1500	83	SAETERUM
	1800	80	M-Mora
	2100	86	SAETERUM

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	0000	80	C. LOPEZ
	0300	80	C. LOPEZ
	0600	78	M. Martinez
	0900	78	TAYLOR
	1200	82	TAYLOR
	1500	83	SAETERUM
	1800	84	SAETERUM
	2100	85	SAETERUM

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	0000	82	YLAGAN
	0300	80	YLAGAN
	0600	80	A. PEREZ
	0900	80	A. PEREZ
	1200	80	A. PEREZ
	1500	83	SAETERUM
	1800	84	SAETERUM
	2100	82	SAETERUM

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	0000	82	YLAGAN
	0300	80	YLAGAN
	0600	77	KAUR
	0900	80	KAUR
	1200	82	KAUR
	1500	85	SAETERUM
	1800	85	SAETERUM
	2100	82	SAETERUM

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	0000	81	DISA
	0300	81	MORA
	0600	80	CASTELLANOS
	0900	80	CASTELLANOS
	1200	82	CASTELLANOS
	1500	88	SUERO
	1800	88	WILCOX
	2100	88	WILCOX

Sunday

Date	Time	Temp.	Name (Print)
6/30/2024	0000	80	Mora
	0300	80	Mora
	0600	80	PROSE
	0900	83	Dullas
	1200	86	Dullas
	1500	88	WILCOX
	1800	88	WILCOX
	2100	89	WILCOX

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 23 Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	87	KONG
	0600	84	KONG
	0900	83	Almeida
	1200	85	Ayala
	1500	86	Almeida
	1800	87	Almeida
	2100	85	Almeida
	2400	85	VANG

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	84	VANG
	0600	80	Ayala
	0900	81	Ayala
	1200	82	Ayala
	1500	85	MARQUEZ. J
	1800	85	MARQUEZ. J
	2100	86	MARQUEZ. J
	2400	85	GONCALEZ

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	84	GONZALEZ
	0600	83	GONCALEZ
	0900	80	FUENTES
	1200	81	Fuentes
	1500	82	BUSQUEZ
	1800	84	Buzen
	2100	83	Buzen
	2400	81	Kong

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	81	Kong
	0600	80	Montes
	0900	81	LOPEZ
	1200	82	LOPEZ
	1500	82	Diaz
	1800	82	Diaz
	2100	80	Diaz
	2400	80	DeLa CRUZ

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	80	De Leon
	0600	80	HER
	0900	81	HER
	1200	82	HER
	1500	83	Diaz
	1800	85	Diaz
	2100	82	Didlot
	2400	82	Salas

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	81	Chandler
	0600	80	Contreras
	0900	80	Contreras
	1200	80	Contreras
	1500	85	Didlot
	1800	82	Nguyen
	2100	85	Diaz
	2400	85	Didlot

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	79	Salas
	0600	80	Mahurin
	0900	80	OLMEDO
	1200	80	OLMEDO
	1500	82	OLMEDO
	1800	88.2	NG
	2100	87	NG
	2400	85	NG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 24 Temp. Reading Location: Officer's Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0000	75	SAETEURN
	0300	75	SAETEURN
	0600	75	Smith
	0900	75	Smith
	1200	75	Smith
	1500	76	Castillo
	1800	75	Castillo
	2100	75	Castillo

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0000	73	OROZCO
	0300	72	OROZCO
	0600	71	SAETEURN
	0900	72	SAETEURN
	1200	73	ZAMORA.
	1500	78	Miner
	1800	78	Miner
	2100	78	Miner

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0000	76	OROZCO
	0300	72	OROZCO
	0600	72	DISIBIO
	0900	72	DISIBIO
	1200	72	DISIBIO
	1500	76	SCHWARZNOCK
	1800	76	FUENTES
	2100	76	FUENTES

Thursday

Date	Time	Temp.	Name (Print)
6/27	0000	71	OROZCO
	0300	71	OROZCO
	0600	70	DISIBIO
	0900	70	DISIBIO
	1200	70	DISIBIO
	1500	76	LOPEZ
	1800	76	REYES
	2100	76	LOPEZ

Friday

Date	Time	Temp.	Name (Print)
6/28	0000	74	OROZCO
	0300	72	OROZCO
	0600	71	DISIBIO
	0900	75	Smith
	1200	75	Smith
	1500	75	MARQUEZ, J
	1800	77	MARQUEZ, J
	2100	77	MARQUEZ, J

Saturday

Date	Time	Temp.	Name (Print)
6/29	0000	75	OROZCO
	0300	73	OROZCO
	0600	73	Medina
	0900	73	Medina
	1200	75	Medina
	1500	75	VALADEZ
	1800	75	MARQUEZ
	2100	75	MARQUEZ

Sunday

Date	Time	Temp.	Name (Print)
6/30	0000	76	SAETEURN
	0300	76	SAETEURN
	0600	76	SAETEURN
	0900	75	SAETEURN
	1200	77	SAETEURN
	1500	78	SAETEURN
	1800	78	SAETEURN
	2100	78	SAETEURN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

FACILITY "D"

WEEKLY INSIDE TEMPERATURE RECORD

FOR THE WEEK OF: 06/17/24 - 06/23/24

- [x] Building 19
- [x] Building 20
- [x] Building 21
- [x] Building 22
- [x] Building 23
- [x] Building 24

NOTED/REVIEWED BY:

J. GUERRERO

FACILITY "D" CAPTAIN (A)

6/24/24

DATE:

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 19 Temp. Reading Location: Behind CO's Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0000	70	C. COSSE
	0300	70	C. COSSE
	0600	70	CASTELLANOS
	0900	70	CASTELLANOS
	1200	70	CASTELLANOS
	1500	70	MORALES
	1800	70	MORALES
	2100	69	MORALES

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0000	69	Khan
	0300	69	Khan
	0600	69	C.LO
	0900	69	MORALES
	1200	70	MORALES
	1500	70	DEMESA
	1800	72	DEMESA
	2100	71	DEMESA

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0000	69	DEMESA
	0300	66	DEMESA
	0600	69	C.LO
	0900	69	C.LO
	1200	70	C.LO
	1500	70	B. GRANT
	1800	70	B. GRANT
	2100	70	DE MESA

Thursday

Date	Time	Temp.	Name (Print)
6/20	0000	70	DEMESA
	0300	68	DEMESA
	0600	69	DOYLE
	0900	70	DOYLE
	1200	70	DOYLE
	1500	70	CEJA
	1800	71	CEJA
	2100	72	CEJA

Friday

Date	Time	Temp.	Name (Print)
6/21	0000	71	VANG
	0300	70	VANG
	0600	70	DOYLE
	0900	70	DOYLE
	1200	70	DOYLE
	1500	72	CEJA
	1800	74	CEJA
	2100	74	CEJA

Saturday

Date	Time	Temp.	Name (Print)
6/22	0000	72	CEJA
	0300	72	CEJA
	0600	69	Chahal
	0900	71	Chahal
	1200	70	Chahal
	1500	74	CEJA
	1800	78	CEJA
	2100	79	CEJA

Sunday

Date	Time	Temp.	Name (Print)
6/23	0000	76	Vigil
	0300	74	SCUDERI
	0600	73	C.LO
	0900	73	C.LO
	1200	74	C.LO
	1500	76	C.LO
	1800	76	C.LO
	2100	77	C.LO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 20 Temp. Reading Location: TIER (e.g., 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0000	80	FRANCIES
	0300	78	FRANCIES
	0600	74	BOLTON
	0900	74	BOLTON
	1200	80	BOLTON
	1500	81	Almeida
	1800	82	HURT
	2100	81	Almeida

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0000	82	FRANCIES
	0300	80	FRANCIES
	0600	78	BOLTON
	0900	80	
	1200	80	
	1500	82	CRUZ
	1800	82	CRUZ
	2100	80	CRUZ

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0000	80	FRANCIES
	0300	78	FRANCIES
	0600	76	BOLTON
	0900	78	BOLTON
	1200	80	
	1500	81	CRUZ
	1800	82	CRUZ
	2100	81	CRUZ

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0000	78	Rosales
	0300	76	Rosales
	0600	72	
	0900	74	
	1200	76	
	1500	80	Morales
	1800	80	Wingo
	2100	80	Morales

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0000	78	Schmidt
	0300	76	Schmidt
	0600	74	
	0900	74	FRANCIES
	1200	78	
	1500	80	Wingo
	1800	82	P.COSSE
	2100	82	P. COSSE

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0000	80	Yang
	0300	79	Yang
	0600	78	Dennis
	0900	78	CASTELLANOS
	1200	80	CASTELLANOS
	1500	84	Flores
	1800	87	P.COSSE
	2100	86	P.COSSE

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0000	84	Yang
	0300	83	Yang
	0600	82	BOLTON
	0900	82	BOLTON
	1200	84	BOLTON
	1500	86	P.COSSE
	1800	86	P.COSSE
	2100	87	P. COSSE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Sol Housing Unit: 21 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3243 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	79	Gonzalez
	0600	77	C. Vang
	0900	78	C. Vang
	1200	79	C. Vang
	1500	80	C. COSSE
	1800	82	C. COSSE
	2100	81	C. COSSE
	2400	81	CORONA

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	80	CORONA
	0600	79	Barajas
	0900	80	L. Cruz
	1200	82	L. Cruz
	1500	83	SCERRO
	1800	85	W. Baltazar
	2100	82	W. Baltazar
	2400	82	CORONA

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	81	Corona
	0600	78	Barajas
	0900	78	L. Cruz
	1200	80	L. Cruz
	1500	82	W. Baltazar
	1800	83	W. Baltazar
	2100	82	W. Baltazar
	2400	80	Montoya

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	78	Montoya
	0600	78	Barajas
	0900	79	Morales. D
	1200	80	Barajas
	1500	81	VANG
	1800	83	VANG
	2100	81	VANG
	2400	78	Yang

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	76	Yang
	0600	71	Barajas
	0900	73	Barajas
	1200	76	Barajas
	1500	81	VANG
	1800	83	VANG
	2100	83	VANG
	2400	82	Vaursai

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	78	Vaursai
	0600	78	P. COSSE
	0900	81	P. COSSE
	1200	83	HURD
	1500	85	VANG
	1800	86	VANG
	2100	86	VANG
	2400	84	Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	83	Gonzalez
	0600	83	HURT
	0900	84	HURT
	1200	85	HURT
	1500	88	RAMIREZ
	1800	89	RAMIREZ
	2100	88	RAMIREZ
	2400	87	Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 22 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/17/24

Date	Time	Temp.	Name (Print)
6/17/2024	0000	80	J. Mun
	0300	80	J. Mun
	0600	79	J. Mun
	0900	79	M Hernandez
	1200	80	M Hernandez
	1500	82	Dullas
	1800	83	Dullas
	2100	82	Dullas

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0000	80	Gonzalez
	0300	80	Gonzalez
	0600	79	Dullas
	0900	79	SABERUN
	1200	80	SABERUN
	1500	82	SABERUN
	1800	82	SABERUN
	2100	80	SABERUN

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0000	80	De Lacre
	0300	79	De Lacre
	0600	79	M. Martinez
	0900	80	Tuyul
	1200	80	M. Martinez
	1500	81	SABERUN
	1800	81	SABERUN
	2100	80	SABERUN

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0000	80	VLAGAN
	0300	78	VLAGAN
	0600	78	A. PEREZ
	0900	78	A. PEREZ
	1200	80	A. PEREZ
	1500	80	M Martinez
	1800	84	M. Martinez
	2100	84	M. Martinez

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0000	80	VLAGAN
	0300	80	Dullas
	0600	80	A. PEREZ
	0900	78	TUYUL
	1200	78	TUYUL
	1500	80	Scherbo
	1800	82	Scherbo
	2100	80	Scherbo

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0000	81	J. Mun
	0300	80	J. Mun
	0600	78	Tuyul
	0900	80	Tuyul
	1200	84	Tuyul
	1500	84	Wilcox
	1800	86	Wilcox
	2100	84	Scherbo

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0000	83	J. Mun
	0300	82	J. Mun
	0600	80	J. Mun
	0900	82	P. COSSE
	1200	84	P. COSSE
	1500	86	Wilcox
	1800	88	Wilcox
	2100	87	Wilcox

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DocuSign Envelope ID: 3B85DFA8-718D-406F-90A9-2AED78C84A6F

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT I

From May 1st through October 31st or whenever excessive heat conditions or temperature fluctuations exist, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 23 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-17-24	0000	82	GONZALEZ
	0300	80	GONZALEZ
	0600	77	GONZALEZ
	0900	78	Ayala
	1200	80	Ayala
	1500	82	Perez
	1800	82	Vang
	2100	82	Vang

Tuesday

Date	Time	Temp.	Name (Print)
06-18-24	0000	82	KONG
	0300	81	KONG
	0600	80	KONG
	0900	78	Ayala
	1200	80	Ayala
	1500	82	MARQUEZ, J
	1800	83	MARQUEZ, J
	2100	81	MARQUEZ, J

Wednesday

Date	Time	Temp.	Name (Print)
06-19-24	0000	81	GONZALEZ
	0300	80	GONZALEZ
	0600	79	GONZALEZ
	0900	80	SAHLMAN
	1200	80	SAHLMAN
	1500	82	Perez
	1800	82	Perez
	2100	80	Perez

Thursday

Date	Time	Temp.	Name (Print)
06-20-24	0000	80	Kong
	0300	80	Ong
	0600	73	FUENTES
	0900	74	FUENTES
	1200	76	FUENTES
	1500	79	Bonzo
	1800	81	Didlot
	2100	81	Didlot

Friday

Date	Time	Temp.	Name (Print)
06-21-24	0000	81	CEJA
	0300	80	CEJA
	0600	80	Bogarde
	0900	80	Bogarde
	1200	80	Bogarde
	1500	82	Didlot
	1800	84	Didlot
	2100	81	Didlot

Saturday

Date	Time	Temp.	Name (Print)
06-22-24	0000	80	Choochen
	0300	79	Choochen
	0600	79	NICOLL
	0900	80	Contreras
	1200	80	Contreras
	1500	86	Didlot
	1800	86	Didlot
	2100	87	Didlot

Sunday

Date	Time	Temp.	Name (Print)
06-23-24	0000	85	GONZALEZ
	0300	84	GONZALEZ
	0600	83	GONZALEZ
	0900	84	C. VANG
	1200	85	C. VANG
	1500	85	NS
	1800	85	NS
	2100	84	NS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st or whenever excessive heat conditions or temperature fluctuations exist, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 24 Temp. Reading Location: OFFICER'S PODIUM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0000	72	W Baltazar
	0300	70	W. Baltazar
	0600	69	Gutierrez
	0900	70	Gutierrez
	1200	70	Gutierrez
	1500	70	GONZALEZ
	1800	70	GONZALEZ
	2100	70	GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0000	70	OROZCO
	0300	70	OROZCO
	0600	69	OROZCO
	0900	70	OROZCO
	1200	71	OROZCO
	1500	72	A. Montoya
	1800	71	Montoya
	2100	71	Montoya

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0000	70	OROZCO
	0300	70	OROZCO
	0600	70	Cornejo
	0900	71	Cornejo
	1200	71	Cornejo
	1500	71	Montoya
	1800	70	Montoya
	2100	69	Montoya

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0000	69	OROZCO
	0300	69	OROZCO
	0600	69	Diaz
	0900	70	Diaz
	1200	71	Disibio
	1500	71	Solorzano
	1800	71	A. PEREZ
	2100	70	A. PEREZ

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0000	70	OROZCO
	0300	70	OROZCO
	0600	70	OROZCO
	0900	71	OROZCO
	1200	72	OROZCO
	1500	71	Solorzano
	1800	72	MARQUEZ, J
	2100	72	MARQUEZ, J

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0000	71	OROZCO
	0300	71	OROZCO
	0600	70	CHAO
	0900	72	CHAO
	1200	75	CHAO
	1500	73	Solorzano
	1800	77	MARQUEZ, J
	2100	75	MARQUEZ, J

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0000	79	Sanchez
	0300	79	SCORZO
	0600	72	Gutierrez
	0900	73	Gutierrez
	1200	75	Gutierrez
	1500	77	MARQUEZ, J
	1800	77	MARQUEZ, J
	2100	76	MARQUEZ, J

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

FACILITY "C"

WEEKLY INSIDE TEMPERATURE RECORD

FOR THE WEEK OF: 06/17/24 - 06/23/24

- [x] Building 13
- [x] Building 14
- [x] Building 15
- [x] Building 16
- [x] Building 17
- [x] Building 18

NOTED/REVIEWED BY:

DM

D. BRIDA

FACILITY "C" CAPTAIN

6.24.24

DATE:

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: C 13 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 17, 2024

Date	Time	Temp.	Name (Print)
06/17/24	0300	78°	T. Carruthers
	0600	77	YARMOLYUK
	0900	77	EVENSON
	1200	78	YARMOLYUK
	1500	78	Chahal
	1800	79	Chahal
	2100	79	Chahal
	2400	78	T. Carruthers

Tuesday JUNE 18, 2024

Date	Time	Temp.	Name (Print)
06/18/24	0300	74°	T. Carruthers
	0600	78	YARMOLYUK
	0900	79	YARMOLYUK
	1200	82	YARMOLYUK
	1500	81	SABER
	1800	81	SABER
	2100	80	Romo
	2400	80	Romo

Wednesday JUNE 19, 2024

Date	Time	Temp.	Name (Print)
06/19/24	0300	78	T. Carruthers
	0600	78	DAI
	0900	79	YARMOLYUK
	1200	81	YARMOLYUK
	1500	79	C. Romo
	1800	80°	C. Romo
	2100	78	C. Romo
	2400	77	Gonsalves

Thursday JUNE 20, 2024

Date	Time	Temp.	Name (Print)
06/20/24	0300	76	Gonsalves
	0600	76	Rogers
	0900	76	Galleyos
	1200	77	Galleyos
	1500	78	[illegible]
	1800	77	O. Gutierrez
	2100	77	O. Gutierrez
	2400	76	Flores

Friday JUNE 21, 2024

Date	Time	Temp.	Name (Print)
06/21/24	0300	74	Flores
	0600	74	Flores
	0900	74	Conroy
	1200	75	Galleyos
	1500	75	Conroy
	1800	78	Conroy
	2100	78	Conroy
	2400	78	Moraz

Saturday JUNE 22, 2024

Date	Time	Temp.	Name (Print)
06/22/24	0300	76	Moraz
	0600	76	Galleyos
	0900	77	Galleyos
	1200	84	Galleyos
	1500	88	M. Romo
	1800	91	Conroy
	2100	87	M. Romo
	2400	84	Casas

Sunday JUNE 23, 2024

Date	Time	Temp.	Name (Print)
06/23/24	0300	82	Casas
	0600	82	Casas
	0900	83	YARMOLYUK
	1200	85	YARMOLYUK
	1500	~~89~~ 90	SABER
	1800	88.7	EVENSON
	2100	86.5	SABER
	2400	84.2	T. Carruthers

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 14 Temp. Reading Location: Behind Desk C/O
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 17, 2024

Date	Time	Temp.	Name (Print)
	0300	79	M. Bravo
	0600	80	Almeida
	0900	80	Almeida
	1200	81	Almeida
	1500	82	Lara
	1800	82	Lara
	2100	81	Lara
	2400	80	Lara

Tuesday JUNE 18, 2024

Date	Time	Temp.	Name (Print)
	0300	79	Lara
	0600	79	Lara
	0900	79	Albright
	1200	80	Albright
	1500	82	T. Carruthers
	1800	82	Carruthers
	2100	81	Lara
	2400	80	Lara

Wednesday JUNE 19, 2024

Date	Time	Temp.	Name (Print)
	0300	78	Lara
	0600	78	Salas
	0900	79	Salas
	1200	80	Gonsalves
	1500	80	Gonsalves
	1800	81	Gonsalves
	2100	81	Gonsalves
	2400	81	C. Ramos

Thursday JUNE 20, 2024

Date	Time	Temp.	Name (Print)
	0300	79	C. Ramos
	0600	79	Albright
	0900	79	Albright
	1200	80	Albright
	1500	80	Gonsalves
	1800	81	Gonsalves
	2100	80	Gonsalves
	2400	79	Moraz

Friday JUNE 21, 2024

Date	Time	Temp.	Name (Print)
	0300	80	Castaneda
	0600	80	Dennis
	0900	80	Dennis
	1200	80	Dennis
	1500	81	Gonsalves
	1800	81	Gonsalves
	2100	80	Gonsalves
	2400	82	M. Bravo

Saturday JUNE 22, 2024

Date	Time	Temp.	Name (Print)
	0300	81	M. Bravo
	0600	~~86~~ 78	Moore
	0900	80	Moore
	1200	84	Moore
	1500	87	Salas
	1800	88	Salas
	2100	86	Salas
	2400	83	M. Bravo

Sunday JUNE 23, 2024

Date	Time	Temp.	Name (Print)
	0300	82	M. Bravo
	0600	84	Allen
	0900	85	Sahuman
	1200	86	Allen
	1500	89	M. Bravo
	1800	89	M. Bravo
	2100	85	M. Bravo
	2400	83	M. Bravo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 15 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	74	Bowens
	0600	74	Gutierrez
	0900	79	[illegible]
	1200	80	Gutierrez
	1500	81	Bowens
	1800	76	Miner
	2100	73	Miner
	2400	74	Hall

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	74	Hall
	0600	74	Gutierrez
	0900	75	Gutierrez
	1200	78	[illegible]
	1500	83	De La Cruz
	1800	86	De La Cruz
	2100	85	De La Cruz
	2400	82	Bowens

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	74	Bowens
	0600	79	Vang
	0900	81	Vang
	1200	84	Vang
	1500	85	De La Cruz
	1800	81	De La Cruz
	2100	86	De La Cruz
	2400	84	De La Cruz

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	83	De La Cruz
	0600	81	Vang
	0900	81	Vang
	1200	81	Vang
	1500	80	Xiong
	1800	79	Xiong
	2100	80	Xiong
	2400	80	De La Cruz

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	80	De La Cruz
	0600	72	Gutierrez
	0900	81	Vang
	1200	83	Vang
	1500	78	Yang
	1800	78	Yang
	2100	79	Yang
	2400	79	Yang

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	80	Yang
	0600	80	Vang
	0900	81	Vang
	1200	81	Vang
	1500	81	Chahal
	1800	87	Chahal
	2100	85	Chahal
	2400	85	Chahal

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	78	Gurrill
	0600	79	Kaur
	0900	80	Kaur
	1200	84	Kaur
	1500	78	Bowens
	1800	74	Bowens
	2100	74	Bowens
	2400	74	Bowens

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 16 Temp. Reading Location: Behind Officer's Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 17, 2024

Date	Time	Temp.	Name (Print)
	0300	69	ulloa
	0600	70	Miner
	0900	70	Miner
	1200	70	Miner
	1500	70	B Grant
	1800	70	B. GRANT
	2100	70	B. GRANT
	2400	69	ulloa

Tuesday JUNE 18, 2024

Date	Time	Temp.	Name (Print)
	0300	69	ulloa
	0600	68	Mills
	0900	68	Mills
	1200	68	Mills
	1500	70	Mills
	1800	70	Mills
	2100	70	Mills
	2400	69	ulloa

Wednesday JUNE 19, 2024

Date	Time	Temp.	Name (Print)
	0300	69	ulloa
	0600	68	Mills
	0900	68	Mills
	1200	69	Mills
	1500	69	Cornejo
	1800	70	Cornejo
	2100	70	Cornejo
	2400	69	ulloa

Thursday JUNE 20, 2024

Date	Time	Temp.	Name (Print)
	0300	68	ulloa
	0600	68	Mills
	0900	68	Mills
	1200	68	Mills
	1500	70	Montes
	1800	73	Montes
	2100	70	Montes
	2400	69	ulloa

Friday JUNE 21, 2024

Date	Time	Temp.	Name (Print)
	0300	69	ulloa
	0600	68	Ortiz
	0900	69	Cornejo
	1200	69	Cornejo
	1500	70	A. PEREZ
	1800	72	A. PEREZ
	2100	76	A. PEREZ
	2400	70	C. Pang

Saturday JUNE 22, 2024

Date	Time	Temp.	Name (Print)
	0300	70	C. Pang
	0600	70	Torres
	0900	70	Torres
	1200	70	Torres
	1500	73	VANG
	1800	75	VANG
	2100	76	VANG
	2400	76	Peterson

Sunday JUNE 23, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Peterson
	0600	75	Torres
	0900	75	Torres
	1200	76	Torres
	1500	76	Salazar
	1800	76	Salazar
	2100	76	Salazar
	2400	77	ulloa

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Sol Housing Unit: 17 Temp. Reading Location: behind Officer Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6.17.24	0000	71	Monteon
	0300	71	Wilcox
	0600	70	Monteon
	0900	70	Niebla
	1200	71	Niebla
	1500	72	Gallardo
	1800	74	Gallardo
	2100	74	Gallardo

Tuesday

Date	Time	Temp.	Name (Print)
6.18.24	0000	72	Monteon
	0300	70	Monteon
	0600	75	BECERRA.
	0900	75	BECERRA
	1200	78	BECERRA.
	1500	76	Perales
	1800	77	Perales
	2100	75	Perales

Wednesday

Date	Time	Temp.	Name (Print)
6.19.24	0000	73	Gallardo
	0300	70	Gallardo
	0600	71	Reyes
	0900	72	Reyes
	1200	72	Reyes
	1500	72	Gallardo
	1800	72	Gallardo
	2100	72	Gallardo

Thursday

Date	Time	Temp.	Name (Print)
6.20.24	0000	70	Gallardo
	0300	69	Gallardo
	0600	70	Reyes
	0900	70	Reyes
	1200	71	Reyes
	1500	70	Garcia
	1800	71	Garcia
	2100	71	Perales

Friday

Date	Time	Temp.	Name (Print)
6.21.24	0000	70	[illegible]
	0300	70	[illegible]
	0600	70	Solas
	0900	70	Soles
	1200	71	Soles
	1500	80	Flores
	1800	79	Flores
	2100	80	Flores

Saturday

Date	Time	Temp.	Name (Print)
6.22.24	0000	72	Barraez
	0300	73	Barraez
	0600	75	Solas
	0900	78	Solas
	1200	76	Solas
	1500	80	Flores
	1800	78	Monteon
	2100	78	Monteon

Sunday

Date	Time	Temp.	Name (Print)
6.23.24	0000	72	Monteon
	0300	78	Monteon
	0600	74	Monteon
	0900	74	A. PEREZ
	1200	77	REYNAGA
	1500	81	[illegible]
	1800	81	Monteon
	2100	79	Monteon

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: 18 Temp. Reading Location: Behind Officers Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0000	72	SALAZAR
	0300	72	SALAZAR
	0600	72	Morales.D
	0900	72	Morales.D
	1200	72	Morales.D
	1500	72	Perales
	1800	72	Perales
	2100	72	Perales

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0000	71	Hudson
	0300	71	Hudson
	0600	71	Niebla
	0900	72	Niebla
	1200	72	Niebla
	1500	74	Fuentes
	1800	74	Fuentes
	2100	74	Fuentes

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0000	71	HER
	0300	71	HER
	0600	72	O. Cuitarras
	0900	73	D. Cuitarras
	1200	73	D. Cuitarras
	1500	73	Hudson
	1800	73	Hudson
	2100	73	Hudson

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0000	71	Hudson
	0300	71	Hudson
	0600	72	D. Cuitarras
	0900	73	D. Cuitarras
	1200	73	D. Cuitarras
	1500	73	Fernandez
	1800	73	Fernandez
	2100	72	Fernandez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0000	72	Fernandez, C
	0300	72	Fernandez, C
	0600	70	BERNAL
	0900	70	BERNAL
	1200	70	BERNAL
	1500	74	SALAZAR
	1800	75	SALAZAR
	2100	75	SALAZAR

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0000	73	SALAZAR
	0300	73	SALAZAR
	0600	70	BERNAL
	0900	72	BERNAL
	1200	72	BERNAL
	1500	77	SALAZAR
	1800	78	SALAZAR
	2100	78	SALAZAR

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0000	78	SALAZAR
	0300	76	SALAZAR
	0600	77	SABER
	0900	77	SABER
	1200	78	SABER
	1500	78	Fuentes
	1800	78	Fuentes
	2100	79	Fuentes

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

FACILITY "D"

WEEKLY INSIDE TEMPERATURE RECORD

FOR THE WEEK OF: 06/10/24 - 06/16/24

- [x] Building 19
- [x] Building 20
- [x] Building 21
- [x] Building 22
- [x] Building 23
- [x] Building 24

NOTED/REVIEWED BY:

J. GUERRERO

FACILITY "D" CAPTAIN (A)

6/17/24

DATE:

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 19 Temp. Reading Location: Behind CO's Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0000	70	Khan
	0300	70	Khan
	0600	70	Busing
	0900	70	Busing
	1200	71	Busing
	1500	75	MORALES
	1800	76	MORALES
	2100	75	MORALES

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0000	72	Khan
	0300	71	Khan
	0600	71	MORALES
	0900	72	MORALES
	1200	75	MORALES
	1500	77	DEMESA
	1800	78	DEMESA
	2100	78	DEMESA

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0000	76	DEMESA
	0300	75	DEMESA
	0600	73	CLW
	0900	73	CLW
	1200	74	CLW
	1500	75	B. GRANT
	1800	77	DEMESA
	2100	76	DEMESA

Thursday

Date	Time	Temp.	Name (Print)
6/13	0000	74	DEMESA
	0300	72	DEMESA
	0600	70	Contreras
	0900	70	Contreras
	1200	70	Contreras
	1500	71	CEJA
	1800	72	CEJA
	2100	71	CEJA

Friday

Date	Time	Temp.	Name (Print)
6/14	0000	71	VANG
	0300	70	VANG
	0600	70	Beverly
	0900	70	Beverly
	1200	71	Beverly
	1500	71	CEJA
	1800	72	CEJA
	2100	72	CEJA

Saturday

Date	Time	Temp.	Name (Print)
6/15	0000	70	CEJA
	0300	70	CEJA
	0600	70	Berry
	0900	70	Berry
	1200	70	Berry
	1500	71	CEJA
	1800	72	CEJA
	2100	71	KNIGHT

Sunday

Date	Time	Temp.	Name (Print)
6/16	0000	70	C. COSSE
	0300	70	C. COSSE
	0600	69	MORALES
	0900	70	MORALES
	1200	70	MORALES
	1500	71	MORALES
	1800	71	MORALES
	2100	71	MORALES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 20 Temp. Reading Location: 2 TIER
(e.g., 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0000	74	FRANCIES
	0300	73	FRANCIES
	0600	74	SINGH
	0900	76	SINGH
	1200	76	SINGH
	1500	79	Almeida
	1800	82	Almeida
	2100	82	Almeida

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0000	81	CCOSSE
	0300	79	C COSSE
	0600	77	[illegible]
	0900	79	[illegible]
	1200	82°	[illegible]
	1500	86°	Cruz
	1800	86°	CRUZ
	2100	87°	CRUZ

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0000	86	FRANCIES
	0300	86	FRANCIES
	0600	82	BOCCO
	0900	84	BOCCO
	1200	84	BOCCO
	1500	87°	CRUZ
	1800	87°	CRUZ
	2100	84°	CRUZ

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0000	80	YANG
	0300	74°	[illegible]
	0600	76	[illegible]
	0900	76	BOCCO
	1200	78	BOCCO
	1500	78	Morales
	1800	79	Morales
	2100	77°	Morales

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0000	76	S. [illegible]
	0300	74	S. [illegible]
	0600	74	SINGH
	0900	75	SINGH
	1200	76	[illegible]
	1500	80	P COSSE
	1800	82	P. COSSE
	2100	80	P. COSSE

Saturday

Date	Time	Temp.	Name (Print)
	0000	79	Yang
	0300	75	Yang
	0600	74	SINGH
	0900	76	[illegible]
	1200	78	[illegible]
	1500	80	HUET
	1800	80	HUET
	2100	79	Yang

Sunday

Date	Time	Temp.	Name (Print)
	0000	77	Yang
	0300	77	YANG
	0600	76	D. Vang
	0900	77	D. Vang
	1200	77	D. VANG
	1500	80	P. COSSE
	1800	80	P. COSSE
	2100	80	P. COSSE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: Building 21 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3243 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/10/24	0300	77	Valuiski
	0600	74	Barajas
	0900	76	Barajas
	1200	79	Barajas
	1500	84	C. Cosse
	1800	84	C. Cosse
	2100	83	C. Cosse
	2400	83	Corona

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	81	Corona
	0600	78	Barajas
	0900	80	Barajas
	1200	83	Barajas
	1500	87	Schroeder
	1800	88	Schroeder
	2100	87	W. Baltazar
	2400	86	Corona

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	85	Corona
	0600	80	Barajas
	0900	84	L. Cruz
	1200	86	Barajas
	1500	85	Fuentes
	1800	84	Baltazar
	2100	78	Fuentes
	2400	76	Yang

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	75	Montoya
	0600	75	Barajas
	0900	77	Morales D
	1200	78	Morales D
	1500	80	Vang
	1800	79	Vang
	2100	75	Vang
	2400	74	Yang

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	Yang
	0600	72	Morales D
	0900	74	Morales D
	1200	78	Morales D
	1500	80	Vang
	1800	81	Vang
	2100	78	Vang
	2400	77	Marquez

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	74	Valuiski
	0600	74	Hurt
	0900	75	Hurt
	1200	79	Hurt
	1500	81	Vang
	1800	82	Vang
	2100	81	Vang
	2400	81	Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	80	Gonzalez
	0600	79	M. Muy
	0900	83	M. Muy
	1200	83	M. Muy
	1500	82	Lor
	1800	83	Lor
	2100	82	Lor
	2400	82	Lor

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 22 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0000	80	J. Nunn
	0300	79	J. Nunn
	0600	79	J. Nunn
	0900	79	Hernandez
	1200	79	Hernandez
	1500	82	Dullas
	1800	81	C-Lopez
	2100	80	C-Lopez

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0000	79	C. Lopez
	0300	79	C. Lopez
	0600	78	Dullas
	0900	80	Dullas
	1200	85	Dullas
	1500	89	MARTINEZ
	1800	90	SAETEURN
	2100	90	SAETEURN

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0000	85	DeLa Cruz
	0300	83	DeLa Cruz
	0600	80	M. Martinez
	0900	80	J. SAETEURN
	1200	80	SAETEURN
	1500	82	SAETEURN
	1800	80	SAETEURN
	2100	80	C-Lopez

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0000	80	YLAGAN
	0300	80	YLAGAN
	0600	78	A. PEREZ
	0900	78	A. PEREZ
	1200	80	A. PEREZ
	1500	80	M. Martinez
	1800	79	SAETEURN
	2100	79	SAETEURN

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0000	76	YLAGAN
	0300	76	YLAGAN
	0600	78	A. PEREZ
	0900	78	A. PEREZ
	1200	78	A. PEREZ
	1500	79	Sciurzo
	1800	79	SAETEURN
	2100	79	Sciurzo

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0000	79	Mora J
	0300	79	Mora J
	0600	78	NICKELL
	0900	78	NICKELL
	1200	79	NICKELL
	1500	82	Wilcox
	1800	82	Sciurzo
	2100	81	Sciurzo

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0000	80	Mora J
	0300	79	Mora J
	0600	79	Mora J
	0900	78	C. Vang
	1200	79	C. Vang
	1500	82	Wilcox
	1800	83	Wilcox
	2100	80	Wilcox

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DocuSign Envelope ID: 3B85DFA8-718D-406F-90A9-2AED78C84A6F

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT I

From May 1st through October 31st or whenever excessive heat conditions or temperature fluctuations exist, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SOL Housing Unit: 23 Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-10-24	0000	79	GONZALEZ
	0300	77	GONZALEZ
	0600	76	GONZALEZ
	0900	80	Saechao
	1200	81	Saechao
	1500	82	Nguyen
	1800	84	Nguyen
	2100	82	Nguyen

Tuesday

Date	Time	Temp.	Name (Print)
06-11-24	0000	80	GONZALEZ
	0300	78	GONZALEZ
	0600	77	GONZALEZ
	0900	80	Ayala
	1200	83	Ayala
	1500	83	OLIVEROS
	1800	83	OLIVEROS
	2100	82	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
06-12-24	0000	83	GONZALEZ
	0300	82	GONZALEZ
	0600	80	GONZALEZ
	0900	80	HER
	1200	82	HER
	1500	83	Miner
	1800	85	Miner
	2100	82	Miner

Thursday

Date	Time	Temp.	Name (Print)
06-13-24	0000	80	[illegible]
	0300	80	[illegible]
	0600	80	FUENTES
	0900	78	Machuca
	1200	79	Machuca
	1500	81	Didier
	1800	75	Didier
	2100	70	Didier

Friday

Date	Time	Temp.	Name (Print)
06-14-24	0000	70	CEJA
	0300	70	CEJA
	0600	75	Chahal
	0900	78	Chahal
	1200	80	Machuca
	1500	82	Didier
	1800	82	Didier
	2100	74	Didier

Saturday

Date	Time	Temp.	Name (Print)
06-15-24	0000	80	Knight
	0300	78	Knight
	0600	78	Contreras
	0900	78	Contreras
	1200	80	Contreras
	1500	85	NS
	1800	82	[illegible]
	2100	81	NS

Sunday

Date	Time	Temp.	Name (Print)
06-16-24	0000	79	GONZALEZ
	0300	78	GONZALEZ
	0600	76	GONZALEZ
	0900	80	Vang
	1200	80	Vang
	1500	81	NS
	1800	81	NS
	2100	81	NS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st or whenever excessive heat conditions or temperature fluctuations exist, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: # 24 Temp. Reading Location: OFFICER'S PODIUM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0000	72	SCUDERI
	0300	69	Scuderi
	0600	69	Castillo
	0900	70	B-Castillo
	1200	71	B-Castillo
	1500	72	B. Castillo
	1800	74	YARMOLYUK
	2100	74	YARMOLYUK

Tuesday

Date	Time	Temp.	Name (Print)
06/11/24	0000	73	OROZCO
	0300	73	OROZCO
	0600	72	SINGH
	0900	72	Singh
	1200	73	SINGH
	1500	78	Rogers
	1800	78	Montoya
	2100	79	Montoya

Wednesday

Date	Time	Temp.	Name (Print)
06/12/24	0000	70	OROZCO
	0300	70	OROZCO
	0600	70	Cornejo
	0900	72	Cornejo
	1200	75	Cornejo
	1500	78	Montoya
	1800	78	Montoya
	2100	76	Montoya

Thursday

Date	Time	Temp.	Name (Print)
06/13/24	0000	74	OROZCO
	0300	73	OROZCO
	0600	73	Valdovinos
	0900	73	Valdovinos
	1200	73	Valdovinos
	1500	74	Rogers
	1800	71	Solorzano
	2100	71	Solorzano

Friday

Date	Time	Temp.	Name (Print)
06/14/24	0000	70	OROZCO
	0300	90	OROZCO
	0600	70	OROZCO
	0900	71	OROZCO
	1200	72	OROZCO
	1500	70	Solorzano
	1800	70	MARQUEZ
	2100	70	MARQUEZ

Saturday

Date	Time	Temp.	Name (Print)
06/15/24	0000	71	Solorzano
	0300	69	Solorzano
	0600	69	Castillo
	0900	69	Castillo
	1200	70	Castillo
	1500	70	MARQUEZ, J
	1800	71	MARQUEZ, J
	2100	70	MARQUEZ, J

Sunday

Date	Time	Temp.	Name (Print)
06/16/24	0000	70	Vigil
	0300	70	OLIVEROS
	0600	69	Gutierrez
	0900	70	MARQUEZ
	1200	71	MARQUEZ
	1500	72	A. PEREZ
	1800	70	A. PEREZ
	2100	70	A. PEREZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

FACILITY "C"

WEEKLY INSIDE TEMPERATURE RECORD

FOR THE WEEK OF: 06/10/24 - 06/16/24

- [x] Building 13
- [x] Building 14
- [x] Building 15
- [x] Building 16
- [x] Building 17
- [x] Building 18

NOTED/REVIEWED BY:

L. BRIDA

FACILITY "C" CAPTAIN

6.17.24

DATE:

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: C 13 Temp. Reading Location: 2 TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 10, 2024

Date	Time	Temp.	Name (Print)
6/10	0300	74	T. Carruthers
	0600	74	T. Carruthers
	0900	76	YARMOLYUK
	1200	79	YARMOLYUK
	1500	81	EVENSON
	1800	83	EVENSON
	2100	80	Miner
	2400	78	T. Carruthers

Tuesday JUNE 11, 2024

Date	Time	Temp.	Name (Print)
6/11	0300	74	Rodriguez
	0600	74	Rodriguez
	0900	78	YARMOLYUK
	1200	82	YARMOLYUK
	1500	86	YARMOLYUK
	1800	87	YARMOLYUK
	2100	87	YARMOLYUK
	2400	84	C. Romo

Wednesday JUNE 12, 2024

Date	Time	Temp.	Name (Print)
6/12	0300	80	C. Romo
	0600	80	T. Carruthers
	0900	78	DAY
	1200	82	YARMOLYUK
	1500	84	C. Romo
	1800	83	C. Romo
	2100	79	C. Romo
	2400	78	EVENSON

Thursday JUNE 13, 2024

Date	Time	Temp.	Name (Print)
6/13	0300	76	EVENSON
	0600	76	ROGERS
	0900	74	Rahiman
	1200	72	Rahiman
	1500	73	Peterson
	1800	74	Peterson
	2100	74	Peterson
	2400	71°	T. Carruthers

Friday JUNE 14, 2024

Date	Time	Temp.	Name (Print)
6/14	0300	70°	T. Carruthers
	0600	70	Connolly
	0900	72	Gallegos
	1200	73	Gallegos
	1500	76	Meraz
	1800	80	Meraz
	2100	77	Connolly
	2400	75	Meraz

Saturday JUNE 15, 2024

Date	Time	Temp.	Name (Print)
6/15	0300	73	Meraz
	0600	71	XIONG
	0900	73	Gallegos
	1200	73	Connolly
	1500	78	Connolly
	1800	78	Connolly
	2100	80	Meraz
	2400	79	Flores

Sunday JUNE 16, 2024

Date	Time	Temp.	Name (Print)
6/16	0300	76	Meraz
	0600	76	YARMOLYUK
	0900	78	YARMOLYUK
	1200	80	YARMOLYUK
	1500	82	EVENSON
	1800	83	YARMOLYUK
	2100	82	YARMOLYUK
	2400	79°	T. Carruthers

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 14 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 10, 2024

Date	Time	Temp.	Name (Print)
	0300	78	M. Bravo
	0600	78	Miun
	0900	78	Albright
	1200	81	Albright
	1500	84	Chavez
	1800	85	Chavez
	2100	85	Chavez
	2400	84	M. Bravo

Tuesday JUNE 11, 2024

Date	Time	Temp.	Name (Print)
	0300	81	M. Bravo
	0600	81	Albright
	0900	81	Albright
	1200	84	Albright
	1500	85	Gonsalves
	1800	86	Gonsalves
	2100	87	Gonsalves
	2400	[illegible]	[illegible]

Wednesday JUNE 12, 2024

Date	Time	Temp.	Name (Print)
	0300	82	[illegible]
	0600	82	Nieto
	0900	83	Nieto
	1200	84	Nieto
	1500	86	Gonsalves
	1800	85	Gonsalves
	2100	85	Gonsalves
	2400	81	C. Rios

Thursday JUNE 13, 2024

Date	Time	Temp.	Name (Print)
	0300	80	C. Rios
	0600	80	HER
	0900	81	HER
	1200	80	HER
	1500	80	A. PEREZ
	1800	80	A. PEREZ
	2100	80	A. PEREZ
	2400	78	Meraz

Friday JUNE 14, 2024

Date	Time	Temp.	Name (Print)
	0300	74	Meraz
	0600	75	SALAS
	0900	75	Salas
	1200	76	Salas
	1500	77	Salas
	1800	77	Phan
	2100	78	Phan
	2400	78	SAECHAO

Saturday JUNE 15, 2024

Date	Time	Temp.	Name (Print)
	0300	78	SAECHAO
	0600	79	SAECHAO
	0900	80	Saechao
	1200	81	SOHLMAN
	1500	83	Salas
	1800	85	Salas
	2100	82	Salas
	2400	80	Phan

Sunday JUNE 16, 2024

Date	Time	Temp.	Name (Print)
	0300	80	Phan
	0600	76	SOHLMAN
	0900	78	SOHLMAN
	1200	82	SOHLMAN
	1500	84	M. Bravo
	1800	82	M. Bravo
	2100	82	M. Bravo
	2400	80	M. Bravo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 15 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/10

Date	Time	Temp.	Name (Print)
	0300	73	Bohers
	0600	74	NICICELI
	0900	74	NICICELI
	1200	79	[illegible]
	1500	80	KAUR
	1800	78	KAUR
	2100	79	KAUR
	2400	79	DIAZ

Tuesday 6/11

Date	Time	Temp.	Name (Print)
	0300	75	DIAZ
	0600	74	Guitierrez
	0900	75	Guitierrez
	1200	86	Guitierrez
	1500	89	DELACRUZ
	1800	90	DELACRUZ
	2100	90	DELACRUZ
	2400	89	Bohers

Wednesday 6/12

Date	Time	Temp.	Name (Print)
	0300	73	Guitierrez
	0600	81	VANG
	0900	85	VANG
	1200	87	VANG
	1500	89	DELACRUZ
	1800	89	[illegible]
	2100	89	[illegible]
	2400	84	Peterson

Thursday 6/13

Date	Time	Temp.	Name (Print)
	0300	88	Peterson
	0600	81	VANG
	0900	81	VANG
	1200	81	VANG
	1500	82	DELACRUZ
	1800	82	DELACRUZ
	2100	80	DELACRUZ
	2400	88	Peterson

Friday 6/14

Date	Time	Temp.	Name (Print)
	0300	72	Yang
	0600	72	Guitierrez
	0900	78	VANG
	1200	81	VANG
	1500	80	DIAZ
	1800	80	Guitierrez
	2100	81	Guitierrez
	2400	82	Vigil

Saturday 6/15

Date	Time	Temp.	Name (Print)
	0300	82	Vigil
	0600	77	Vang
	0900	80	Vang
	1200	81	VANG
	1500	80	Rodriguez
	1800	79	Rodriguez
	2100	78	Rodriguez
	2400	75	Salas

Sunday 6/16

Date	Time	Temp.	Name (Print)
	0300	73	SALAS
	0600	73	Guitierrez
	0900	79	VANG
	1200	83	VANG
	1500	82	HAN
	1800	80	HAN
	2100	80	HAN
	2400	79	Bohers

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 16 Temp. Reading Location: behind officer Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 10, 2024

Date	Time	Temp.	Name (Print)
6/10/24	0300	68	ulloa
	0600	69	mills
	0900	69	mills
	1200	70	mills
	1500	72	mills
	1800	74	mills
	2100	76	mills
	2400	74	ulloa

Tuesday JUNE 11, 2024

Date	Time	Temp.	Name (Print)
	0300	74	ulloa
	0600	76	mills
	0900	76	mills
	1200	78	mills
	1500	80	mills
	1800	80	mills
	2100	78	mills
	2400	76	ulloa

Wednesday JUNE 12, 2024

Date	Time	Temp.	Name (Print)
	0300	74	ulloa
	0600	76	mills
	0900	76	mills
	1200	78	mills
	1500	78	Cornejo
	1800	79	Cornejo
	2100	79	Cornejo
	2400	76	Peterson

Thursday JUNE 13, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Peterson
	0600	75	ORTIZ
	0900	70	mills
	1200	70	mills
	1500	70	Cornejo
	1800	70	Cornejo
	2100	70	Cornejo
	2400	74	ulloa

Friday JUNE 14, 2024

Date	Time	Temp.	Name (Print)
	0300	74	ulloa
	0600	68	Cornejo
	0900	69	Cornejo
	1200	69	Cornejo
	1500	70	Cornejo
	1800	70	Cornejo
	2100	70	VANG
	2400	71	Peterson

Saturday JUNE 15, 2024

Date	Time	Temp.	Name (Print)
	0300	71	Peterson
	0600	68	Torres
	0900	68	Torres
	1200	68	Torres
	1500	68	A. PEREZ
	1800	68	A. PEREZ
	2100	68	A. PEREZ
	2400	68	Putsitha

Sunday JUNE 16, 2024

Date	Time	Temp.	Name (Print)
	0300	74	Reynoso
	0600	66	Torres
	0900	66	Torres
	1200	68	Torres
	1500	69	REYNAGA
	1800	71	REYNAGA
	2100	71	REYNAGA
	2400	69	ulloa

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 17 Temp. Reading Location: behind officer podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday ~~May~~ June 10th 2024

Date	Time	Temp.	Name (Print)
	0000	77	Wilcox
	0300	75	Wilcox
	0600	76	A.BECERRA
	0900	76	A. BECERRA
	1200	76	A. BECERRA.
	1500	78	OLIVEROS
	1800	78	OLIVEROS
	2100	78	OLIVEROS

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0000	78	HALL
	0300	77	HALL
	0600	76	Reyes
	0900	76	Reyes
	1200	77	Reyes
	1500	78	Perales
	1800	80	Perales
	2100	80	Perales

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0000	78	March
	0300	78	March
	0600	78	Reyes
	0900	78	Reyes
	1200	78	Reyes
	1500	78	Rueias
	1800	77	Xiong.
	2100	77	Xiong

Thursday

Date	Time	Temp.	Name (Print)
6/13	0000	72	Montoya
	0300	72	Montoya
	0600	72	Montoya
	0900	74	Reyes
	1200	75	Reyes
	1500	76	Xiong
	1800	77	Xiong
	2100	76	Xiong

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0000	70	Pha
	0300	69	Busson
	0600	70	Reyes
	0900	71	REYES
	1200	74	REYES
	1500	76	Nickell
	1800	75	nickell
	2100	75	nickell

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0000	70	DELA CRUZ
	0300	69	De La Cruz
	0600	68	A. PEREZ
	0900	68	A. PEREZ
	1200	68	A. PEREZ
	1500	71	Flores
	1800	71	Flores
	2100	70	Flores

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0000	74	Wilcox
	0300	72	Wilcox
	0600	70	Montoya
	0900	70	A. PEREZ
	1200	70	A. PEREZ
	1500	73	Montoya
	1800	74	Montoya
	2100	75	Montoya

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: 18 Temp. Reading Location: Behind Officers Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3247 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0000	72	Fuentes
	0300	71	Fuentes
	0600	72	Morales, D
	0900	72	Morales, D
	1200	72	Morales, D
	1500	75	Perales
	1800	77	Perales
	2100	75	Perales

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0000	74	Fuentes
	0300	73	Fuentes
	0600	72	Mebla
	0900	73	Mebla
	1200	74	Mebla
	1500	78	Fuentes
	1800	79	Fuentes
	2100	79	Fuentes

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0000	77	Hudson
	0300	75	Hudson
	0600	76	O. Contreras
	0900	78	O. Contreras
	1200	79	O. Contreras
	1500	78	Hudson
	1800	78	Hudson
	2100	77	Hudson

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0000	75	Hudson
	0300	73	Hudson
	0600	72	Vanlu
	0900	74	O. Contreras
	1200	74	O. Contreras
	1500	73	Fernandez
	1800	73	Fernandez
	2100	73	Fernandez

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0000	71	Fernandez
	0300	71	Fernandez
	0600	70	Bernal
	0900	70	Bernal
	1200	72	O. Contreras
	1500	72	Salazar
	1800	72	Salazar
	2100	72	Salazar

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0000	71	Salazar
	0300	70	Salazar
	0600	70	Bernal
	0900	70	Bernal
	1200	70	Bernal
	1500	72	Salazar
	1800	72	Salazar
	2100	75	Salazar

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0000	72	Salazar
	0300	70	Salazar
	0600	70	Saber
	0900	70	Saber
	1200	70	Saber
	1500	70	Lopez
	1800	71	Lopez
	2100	70	Lopez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: 18 Temp. Reading Location: Behind Officers Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0000	72	Fuentes
	0300	70	Fuentes
	0600	72	Morales. D
	0900	72	Morales. D
	1200	72	Morales. D
	1500	74	Fuentes
	1800	74	Perales
	2100	73	Perales

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0000	72	Fuentes
	0300	70	Fuentes
	0600	70	Nieto
	0900	72	Nieto
	1200	74	Nieto
	1500	74	Fuentes
	1800	76	Fuentes
	2100	76	Fuentes

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0000	76	FLORES
	0300	74	FLORES
	0600	74	O. CUTBERTS.
	0900	73	O. CUTBERTS
	1200	78	O. CUTBERTS
	1500	79	Hudson
	1800	79	Hudson
	2100	79	Hudson

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0000	78	Hudson
	0300	76	Hudson
	0600	78	O. CUTBERTS
	0900	78	O. CUTBERTS
	1200	80	O. CUTBERTS
	1500	80	Hudson
	1800	80	Hudson
	2100	79	Hudson

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0000	78	Hudson
	0300	76	Hudson
	0600	76	O. CUTBERTS
	0900	77	O. CUTBERTS
	1200	77	O. CUTBERTS
	1500	72	SALAZAR
	1800	72	SALAZAR
	2100	75	SALAZAR

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0000	73	SALAZAR
	0300	71	SALAZAR
	0600	70	BERNAL
	0900	70	BERNAL
	1200	71	BERNAL
	1500	73	SALAZAR
	1800	74	SALAZAR
	2100	73	SALAZAR

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0000	72	SALAZAR
	0300	70	SALAZAR
	0600	70	Medina
	0900	70	C. Medina
	1200	72	Medina
	1500	76	Fuentes
	1800	77	Fuentes
	2100	75	Fuentes

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 17 Temp. Reading Location: behind Officer station
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	WILCOX
	0600	70	NIEVA
	0900	72	NIEVA
	1200	72	NIEVA.
	1500	80	GARCIA
	1800	74	Gallardo
	2100	73	Gallardo
	2400	70	VALADEZ

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
6-4-24	0300	70	VARG
	0600	71	Reyes
	0900	72	Reyes
	1200	75	Reyes
	1500	78	Perales
	1800	80	Perales
	2100	79	Perales
	2400	79	Gz

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
6/5/2024	0300	78	VARG
	0600	76	Reyes
	0900	78	NIEVA.
	1200	78	NIEVA
	1500	79	Lu
	1800	82	Lu
	2100	82	Lu
	2400	80	Montes

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
	0300	76	Montes
	0600	74	Reyes
	0900	76	Reyes
	1200	80	WALKER
	1500	83	Garcia
	1800	78	Gar
	2100	77	Gar
	2400	77	VALADEZ

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
	0300	76	VALADEZ
	0600	75	~~REYES~~
	0900	72	~~PEREZ~~
	1200	71	REYES
	1500	72	Garcia
	1800	74	GARCIA
	2100	72	GARCIA
	2400	72	Rodriguez

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
	0300	70	Rodriguez
	0600	75	REYES
	0900	77	REYES.
	1200	77	REYES
	1500	73	Flores
	1800	72	Flores
	2100	73	Flores
	2400	72	Wilcox

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
	0300	71	WILCOX
	0600	70	REYNAGA
	0900	70	A. PEREZ
	1200	70	A. PEREZ
	1500	72	REYNAGA
	1800	73	REYNAGA
	2100	71	REYNAGA
	2400	70	WILCOX

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Q

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 16 Temp. Reading Location: behind Officers Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
6/3/24	0300	62	n/loc
	0600	64	[illegible]
	0900	64	[illegible]
	1200	64	[illegible]
	1500	64	Torres
	1800	64	Torres
	2100	64	Eric
	2400	64	LAGORIO

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
6/4/24	0300	64	LAGORIO
	0600	64	Mills
	0900	68	Mills
	1200	72	Mills
	1500	76	Mills
	1800	76	Mills
	2100	76	Mills
	2400	76	n/loc

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
6/5/24	0300	76	n/loc
	0600	76	Mills
	0900	76	Mills
	1200	76	Mills
	1500	75	Torres
	1800	75	Torres
	2100	78	Torres
	2400		n/loc

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
6/6/24	0300	68	n/loc
	0600	69	Ortiz
	0900	73	Xiong
	1200	79	Xiong
	1500	79	Cornejo
	1800	79	Cornejo
	2100	79	Cornejo
	2400	65	Petersen

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
6/7/24	0300	78	M. Petersen
	0600	76	M. Cornejo
	0900	72	Torres
	1200	74	Torres
	1500	77	Montes
	1800	76	Montes
	2100	72	Montes
	2400	78	M. Petersen

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
6/8/24	0300	74	Petersen
	0600	70	Torres
	0900	76	Cruz
	1200	76	Torres
	1500	72	A. Perez
	1800	72	A. Perez
	2100	72	A. Perez
	2400	75	Petersen

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	V. Gil
	0600	72	V. Gil
	0900	72	Torres
	1200	72	Torres
	1500	75	Nguarete
	1800	72	Nguarete
	2100	72	Nguarete
	2400	72	Nguarete

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Sol Housing Unit: 15 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 8242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	78	Bowens
	0600	77	Bowens
	0900	76	Torres
	1200	76	Torres
	1500	79	Kaur
	1800	79	Kaur
	2100	74	Kaur
	2400	73	Diaz

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	Diaz
	0600	73	Torres
	0900	77	Torres
	1200	80	Torres
	1500	86	Dela cruz
	1800	88	Kaur
	2100	89	Kaur
	2400	88	Peterson

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	84	Rohm
	0600	80	Chen
	0900	86	Vang
	1200	89	Vang
	1500	90	Dela cruz
	1800	91	Dela cruz
	2100	91	[illegible]
	2400	89	Peterson

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	90	Kaur
	0600	87	Vang
	0900	87	Vang
	1200	90	Vang
	1500	90	Diaz
	1800	89	Diaz
	2100	88	Diaz
	2400	89	

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	[illegible]	[illegible]
	0600	81	[illegible]
	0900	85	Vang
	1200	86	Vang
	1500	87	Diaz
	1800	88	Diaz
	2100	83	Diaz
	2400	83	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	83	[illegible]
	0600	86	Vang
	0900	87	Vang
	1200	81	Vang
	1500	81	Rodriguez
	1800	81	Rodriguez
	2100	80	Rodriguez
	2400	80	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	78	Diaz
	0600	74	Gutierrez
	0900	73	Kaur
	1200	75	Gutierrez
	1500	74	Kaur
	1800	73	Mones
	2100	73	Bowens
	2400	71	Bows

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 14 Temp. Reading Location: 2nd tier HS (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
	0300	77	M. Bravo
	0600	77	Albright
	0900	77	Albright
	1200	77	Albright
	1500	78	Lara
	1800	79	Lara
	2100	79	Lara
	2400	79	Lara

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
	0300	79	[illegible]
	0600	80	Moore
	0900	79	Moore
	1200	84	Moore
	1500	90	Phan
	1800	90	Phan
	2100	90	Phan
	2400	82	Lara

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
	0300	80	Lara
	0600	81	Moore
	0900	83	Moore
	1200	88	Moore
	1500	90	Lara
	1800	90	Gonsalves
	2100		Gonsalves
	2400	81	Castaneda

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
	0300	84	Castaneda
	0800	86	Dennis
	0900	83	Dennis
	1200	89	Rahim
	1500	90	[illegible]
	1800	90	Gonsalves
	2100	88	Gonsalves
	2400	86	Moore

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
	0300	84	Mercer
	0600	84	Salas
	0900	86	Moore
	1200	86	Moore
	1500	86	Salas
	1800	85	Salas
	2100	82	Salas
	2400	80	Gonsalves

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
	0300	79	Gonsalves
	0600	79	Salas
	0900	79	Salas
	1200	80	Salas
	1500	81	Salas
	1800	80	Salas
	2100	79	Salas
	2400	78	M. Bravo

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
	0300	78	M. Bravo
	0600	78	Smilman
	0900	78	Allen
	1200	80	Allen
	1500	82	M. Bravo
	1800	83	M. Bravo
	2100	82	M. Bravo
	2400	80	M. Bravo

Notes

Sign Here

Sign Here

Sign Here

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: C 13 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 80 degrees and again at 85 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
	0300	76	MERAZ
	0600	76	YARMOLYUK
	0900	77	YARMOLYUK
	1200	79	YARMOLYUK
	1500	78	SABER
	1800	78	SABER
	2100	77	SABER
	2400	78	R-LA

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
	0300	78	[illegible]
	0600	78	[illegible]
	0900	80	YARMOLYUK
	1200	84	YARMOLYUK
	1500	84	SABER
	1800	88	SABER
	2100	85	C. Romo
	2400	87	C. Romo

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
	0300	79	C. Romo
	0600	81	YARMOLYUK
	0900	83	Gallegos
	1200	83	Gallegos
	1500	84	SABER
	1800	90	SABER
	2100	88	SABER
	2400	83	Scuderi

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Scuderi
	0600	75	Rogers
	0900	79	Gallegos
	1200	85	Gallegos
	1500	88	Morris
	1800	88	Morris
	2100	87	Meraz
	2400	84	Flores

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Scuderi
	0600	75	Connolly
	0900	75	Connolly
	1200	77	Connolly
	1500	78	Connolly
	1800	75	Connolly
	2100	75	Connolly
	2400	74	Meraz

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
	0300	72	Meraz
	0600	72	Connolly
	0900	70	Connolly
	1200	70	Connolly
	1500	70	Connolly
	1800	70	Connolly
	2100	70	Flores
	2400	70	Flores

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
	0300	70	Flores
	0600	70	Flores
	0900	75	YARMOLYUK
	1200	78	YARMOLYUK
	1500	79	EVENSON
	1800	78	EVENSON
	2100	78	EVENSON
	2400	78	EVENSON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD LOG

CALIFORNIA STATE PRISON - SOLANO

DATE: **June 3, 2024** BUILDING: **Correctional Treatment Center**

Temperatures are to be taken every three (3) hours on the highest tier, and/or warmest area in the housing unit, where an inmate on the heat list is housed, seven days a week.

NOTE: SPECIFIC LOCATION OF TEMPERATURE READING: Back Hallway

Immediately notify the Unit Supervisor and Watch Commander at extension 3242 when the temperature reaches **90 degrees** and again at **95 degrees**. Immediately notify the Unit supervisor if the temperature monitor becomes inoperable.

TIME	TEMPERATURE	PRINTED NAME	Supervisor
0001	73.1 °F	O. Dingcong, RN	SRN II Serebrynik
0300	73.0 °F	O. Dingcong, RN	
0600	73.0 °F	O. Dingcong, RN	
0900	72.1 °F	J. Gamueda, RN	SRN II Holloway
1200	72.1 °F	J. Gamueda, RN	
1500	72.1 °F	J. Gamueda, RN	SRN II Holloway ~~Hines~~
1800	72.1 °F	J. Gamueda, RN	
2100	72.1 °F	J. Gamueda, RN	

It will be the responsibility of the Facility Captain to ensure the Institution's Heat Plan Coordinator (Compliance Coordinator/AA/PIO) receives this original log. At the end of each watch, Supevisors (i.e., Program or Watch Sergeant) or the affected unit staff will be responsible for checking all entries for their watch and sign off in the designated space provided.

NOTE: It is imperative that ALL portions of the report are completely filled out and legible.

This original form is to be sent to the Instiution's Heat Risk Coordinator (Compliance Coordinator/AA/PIO).

INSIDE TEMPERATURE RECORD LOG

CALIFORNIA STATE PRISON - SOLANO

DATE: June 4, 2024 **BUILDING:** Correctional Treatment Center

Temperatures are to be taken every three (3) hours on the highest tier, and/or warmest area in the housing unit, where an inmate on the heat list is housed, seven days a week.

NOTE: SPECIFIC LOCATION OF TEMPERATURE READING: Front Hallway

Immediately notify the Unit Supervisor and Watch Commander at extension 3242 when the temperature reaches 90 degrees and again at 95 degrees. Immediately notify the Unit supervisor if the temperature monitor becomes inoperable.

TIME	TEMPERATURE	PRINTED NAME	Supervisor
0001	74.0 °F	O. Dingcong, RN	SRN II Serebrynik
0300	73.8 °F	O. Dingcong, RN	
0600	73.5 °F	O. Dingcong, RN	
0900	°F		
1200	°F		
1500	74.3 °F	J. Yuzon, RN	SRN II [illegible]
1800	74.2 °F	J. Yuzon, RN	
2100	74.0 °F	J. Yuzon, RN	

It will be the responsibility of the Facility Captain to ensure the Institution's Heat Plan Coordinator (Compliance Coordinator/AA/PIO) receives this original log. At the end of each watch, Supevisors (i.e., Program or Watch Sergeant) or the affected unit staff will be responsible for checking all entries for their watch and sign off in the designated space provided.

NOTE: It is imperative that ALL portions of the report are completely filled out and legible.

This original form is to be sent to the Instiution's Heat Risk Coordinator (Compliance Coordinator/AA/PIO).

INSIDE TEMPERATURE RECORD LOG

CALIFORNIA STATE PRISON - SOLANO

DATE: June 5, 2024 BUILDING: Correctional Treatment Center

Temperatures are to be taken every three (3) hours on the highest tier, and/or warmest area in the housing unit, where an inmate on the heat list is housed, seven days a week.

NOTE: SPECIFIC LOCATION OF TEMPERATURE READING: Middle Hallway

Immediately notify the Unit Supervisor and Watch Commander at extension 3242 when the temperature reaches 90 degrees and again at 95 degrees. Immediately notify the Unit supervisor if the temperature monitor becomes inoperable.

TIME	TEMPERATURE	PRINTED NAME	Supervisor
0001	73.4 °F	K. Acosta, RN	SRN II Saini
0300	73 °F	K. Acosta, RN	
0600	72.5 °F	K. Acosta, RN	
0900	72.3 °F	J. GAMUEDA, RN	SRN II Henry
1200	73.5 °F	J. GAMUEDA, RN	
1500	77.2 °F	[illegible]	SRN Holloway
1800	77.2 °F	[illegible]	
2100	77.2 °F	[illegible]	

It will be the responsibility of the Facility Captain to ensure the Institution's Heat Plan Coordinator (Compliance Coordinator/AA/PIO) receives this original log. At the end of each watch, Supevisors (i.e., Program or Watch Sergeant) or the affected unit staff will be responsible for checking all entries for their watch and sign off in the designated space provided.

NOTE: It is imperative that ALL portions of the report are completely filled out and legible.

This original form is to be sent to the Instiution's Heat Risk Coordinator (Compliance Coordinator/AA/PIO).

INSIDE TEMPERATURE RECORD LOG

CALIFORNIA STATE PRISON - SOLANO

DATE: June 6, 2024 BUILDING: Correctional Treatment Center

Temperatures are to be taken every three (3) hours on the highest tier, and/or warmest area in the housing unit, where an inmate on the heat list is housed, seven days a week.

NOTE: SPECIFIC LOCATION OF TEMPERATURE READING: Back Hallway

Immediately notify the Unit Supervisor and Watch Commander at extension 3242 when the temperature reaches 90 degrees and again at 95 degrees. Immediately notify the Unit supervisor if the temperature monitor becomes inoperable.

TIME	TEMPERATURE	PRINTED NAME	Supervisor
0001	74 °F	K. Acosta, RN	SRN II Saini
0300	75.5 °F	K. Acosta, RN	
0600	74 °F	K. Acosta, RN	
0900	72.1 °F	J. GAMUEDA, RN	SRN II Henry
1200	72.3 °F	J. GAMUEDA RN	
1500	76.2 °F	Kelly	SRN Hines
1800	76.2 °F	Kelly	
2100	76.2 °F	Kelly	

It will be the responsibility of the Facility Captain to ensure the Institution's Heat Plan Coordinator (Compliance Coordinator/AA/PIO) receives this original log. At the end of each watch, Supevisors (i.e., Program or Watch Sergeant) or the affected unit staff will be responsible for checking all entries for their watch and sign off in the designated space provided.

NOTE: It is imperative that ALL portions of the report are completely filled out and legible.

This original form is to be sent to the Instiution's Heat Risk Coordinator (Compliance Coordinator/AA/PIO).

INSIDE TEMPERATURE RECORD LOG
CALIFORNIA STATE PRISON - SOLANO

DATE: June 7, 2024 **BUILDING:** Correctional Treatment Center

Temperatures are to be taken every three (3) hours on the highest tier, and/or warmest area in the housing unit, where an inmate on the heat list is housed, seven days a week.

NOTE: SPECIFIC LOCATION OF TEMPERATURE READING: Front Hallway

Immediately notify the Unit Supervisor and Watch Commander at extension 3242 when the temperature reaches 90 degrees and again at 95 degrees. Immediately notify the Unit supervisor if the temperature monitor becomes inoperable.

TIME	TEMPERATURE	PRINTED NAME	Supervisor
0001	73.6 °F	K. Acosta, RN	SRN II Saini
0300	73.2 °F	K. Acosta, RN	
0600	73 °F	K. Acosta, RN	
0900	73.2 °F	KHW	SRN Naval
1200	73.2 °F	KHW	
1500	73.6 °F	KHW	SRN Serebrymik
1800	73.6 °F	KHW	
2100	73.6 °F	KHW	

It will be the responsibility of the Facility Captain to ensure the Institution's Heat Plan Coordinator (Compliance Coordinator/AA/PIO) receives this original log. At the end of each watch, Supevisors (i.e., Program or Watch Sergeant) or the affected unit staff will be responsible for checking all entries for their watch and sign off in the designated space provided.

NOTE: It is imperative that ALL portions of the report are completely filled out and legible.

This original form is to be sent to the Instiution's Heat Risk Coordinator (Compliance Coordinator/AA/PIO).

INSIDE TEMPERATURE RECORD LOG

CALIFORNIA STATE PRISON - SOLANO

DATE: **June 8, 2024** BUILDING: **Correctional Treatment Center**

Temperatures are to be taken every three (3) hours on the highest tier, and/or warmest area in the housing unit, where an inmate on the heat list is housed, seven days a week.

NOTE: SPECIFIC LOCATION OF TEMPERATURE READING: Middle Hallway

Immediately notify the Unit Supervisor and Watch Commander at extension 3242 when the temperature reaches **90 degrees** and again at **95 degrees**. Immediately notify the Unit supervisor if the temperature monitor becomes inoperable.

TIME	TEMPERATURE	PRINTED NAME	Supervisor
0001	75.4 °F	K. Acosta, RN	SRN II Saini
0300	75 °F	K. Acosta, RN	
0600	74.5 °F	K. Acosta, RN	
0900	74.6 °F	M. Encina, RN	SRN II NAUAL
1200	74.8 °F	M. Encina, RN	
1500	74.5 °F	R. Castañeda	SRN II HINES
1800	70.9 °F	Fu RN	
2100	70.4 °F	Fu RN	

It will be the responsibility of the Facility Captain to ensure the Institution's Heat Plan Coordinator (Compliance Coordinator/AA/PIO) receives this original log. At the end of each watch, Supevisors (i.e., Program or Watch Sergeant) or the affected unit staff will be responsible for checking all entries for their watch and sign off in the designated space provided.

NOTE: It is imperative that ALL portions of the report are completely filled out and legible.

This original form is to be sent to the Instiution's Heat Risk Coordinator (Compliance Coordinator/AA/PIO).

INSIDE TEMPERATURE RECORD LOG

CALIFORNIA STATE PRISON - SOLANO

DATE: **June 9, 2024** BUILDING: **Correctional Treatment Center**

Temperatures are to be taken every three (3) hours on the highest tier, and/or warmest area in the housing unit, where an inmate on the heat list is housed, seven days a week.

NOTE: SPECIFIC LOCATION OF TEMPERATURE READING: Front Hallway

Immediately notify the Unit Supervisor and Watch Commander at extension 3242 when the temperature reaches **90 degrees** and again at **95 degrees**. Immediately notify the Unit supervisor if the temperature monitor becomes inoperable.

TIME	TEMPERATURE	PRINTED NAME	Supervisor
0001	74.8 °F	O. Dingcong, RN	SRN II Serebrynik
0300	73.9 °F	O. Dingcong, RN	
0600	73.8 °F	O. Dingcong, RN	
0900	74.7 °F	M. Encina, RN	SRN II HOLLOWAY
1200	74.6 °F	M. Encina, RN	
1500	72.0 °F	J. YUTON, RN	SRN II Holloway
1800	72.0 °F	J. YUTON, RN	
2100	71.9 °F	J. YUTON, RN	

It will be the responsibility of the Facility Captain to ensure the Institution's Heat Plan Coordinator (Compliance Coordinator/AA/PIO) receives this original log. At the end of each watch, Supevisors (i.e., Program or Watch Sergeant) or the affected unit staff will be responsible for checking all entries for their watch and sign off in the designated space provided.

NOTE: It is imperative that ALL portions of the report are completely filled out and legible.

This original form is to be sent to the Instiution's Heat Risk Coordinator (Compliance Coordinator/AA/PIO).

FACILITY "C"

WEEKLY INSIDE TEMPERATURE RECORD

FOR THE WEEK OF: 06/03/24 - 06/09/24

- [x] Building 13
- [x] Building 14
- [x] Building 15
- [x] Building 16
- [x] Building 17
- [x] Building 18

NOTED/REVIEWED BY:

D. BRIDA

FACILITY "C" CAPTAIN

6-18-24

DATE:

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: C 13 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
	0300	76°	Mercaz
	0600	76	YARMOLYUK
	0900	77	YARMOLYUK
	1200	79	YARMOLYUK
	1500	78	SABER
	1800	78	SABER
	2100	79	SABER
	2400	78	R-LA

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
	0300	78	Valdenlwu
	0600	78	[illegible]
	0900	80	YARMOLYUK
	1200	84	YARMOLYUK
	1500	84	SABER
	1800	88	SABER
	2100	85	C-Romo
	2400	81	C-Romo

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
	0300	79	C-Romo
	0600	81	YARMOLYUK
	0900	83	Gallegos
	1200	83	Gallegos
	1500	84	SABER
	1800	90	SABER
	2100	88	SABER
	2400	93	Scuderi

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Scuderi
	0600	75	Rogers
	0900	79	Gallegos
	1200	85	Gallegos
	1500	88	Morales
	1800	88	Morales
	2100	87	Mercaz
	2400	84	Flores

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Scuderi
	0600	75	Connolly
	0900	75	Connolly
	1200	71	Connolly
	1500	78	Connolly
	1800	75	Connolly
	2100	75	Connolly
	2400	74	Mercaz

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
	0300	72	Mercaz
	0600	72	Connolly
	0900	70	Connolly
	1200	70	Connolly
	1500	70	Connolly
	1800	70	Connolly
	2100	70	Flores
	2400	70	Flores

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
	0300	70	Flores
	0600	70	Flores
	0900	75	YARMOLYUK
	1200	78	YARMOLYUK
	1500	79	EVENSON
	1800	78	EVENSON
	2100	78	EVENSON
	2400	78	EVENSON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Q

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 16 Temp. Reading Location: behind Officer's Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
6/3/24	0300	62	n/loa
	0600	64	[illegible]
	0900	64	[illegible]
	1200	64	[illegible]
	1500	64	Torres
	1800	64	Tyler
	2100	64	Ennis
	2400	64	LAGORIO

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
6/4/24	0300	64	LAGORIO
	0600	64	Mills
	0900	68	Mills
	1200	72	Mills
	1500	76	Mills
	1800	76	Mills
	2100	76	Mills
	2400	76	n/loa

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
6/5/24	0300	76	n/loa
	0600	76	Mills
	0900	76	Mills
	1200	76	Mills
	1500	78	Torres
	1800	78	Torres
	2100	78	Torres
	2400		n/loa

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
6/6/24	0300	64	n/loa
	0600	64	Ortiz
	0900	73	Xiong
	1200	79	Xiong
	1500	79	Cornejo
	1800	79	Cornejo
	2100	79	Cornejo
	2400	65	Peterson

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
6/7/24	0300	78	M. Peterson
	0600	76	M. Cornejo
	0900	72	Torres
	1200	74	Torres
	1500	77	Montes
	1800	76	Montes
	2100	72	Montes
	2400	78	M Peterson

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
6/8/24	0300	74	Peterson
	0600	70	Torres
	0900	70	Chas
	1200	70	Torres
	1500	72	A. Perez
	1800	72	A. Perez
	2100	72	A. Perez
	2400	75	Peterson

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	Vizi
	0600	72	Vizi
	0900	72	Torres
	1200	72	Torres
	1500	75	Navarrete
	1800	72	Nakamura
	2100	72	Nakamura
	2400	72	Miller

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Solano Housing Unit: 17 Temp. Reading Location: behind Officer podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	WILCOX
	0600	70	NIEVA
	0900	72	Nieva
	1200	72	Nieva.
	1500	80	Garcia
	1800	79	Gallardo
	2100	73	Gallardo
	2400	70	VALADEZ

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
6-4-24	0300	70	Vank
	0600	71	Reyes
	0900	72	Reyes
	1200	75	Reyes
	1500	78	Perales
	1800	80	Perales
	2100	79	Perales
	2400	79	[illegible]

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
6/5/2024	0300	78	VAnG
	0600	76	Reyes
	0900	78	Nieva.
	1200	78	Nieva
	1500	79	Lu
	1800	82	Lu
	2100	82	Lu
	2400	80	Montes

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
	0300	76	Montes
	0600	74	Reyes
	0900	76	Reyes
	1200	80	WALKER
	1500	85	Garcia
	1800	78	Gar
	2100	77	Gar
	2400	77	VALADEZ

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
	0300	76	VALADEZ
	0600	75	~~REYES~~
	0900	72	~~PEREZ~~
	1200	71	REYES
	1500	72	GARCIA
	1800	74	GARCIA
	2100	72	GARCIA
	2400	72	Barrwez

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
	0300	70	Barrwez
	0600	75	REYES
	0900	77	REYES.
	1200	77	REYES
	1500	73	Flores
	1800	72	Flores
	2100	73	Flores
	2400	72	Wilcox

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
	0300	71	WILCOX
	0600	70	REYNAGA
	0900	70	A. PEREZ
	1200	70	A. PEREZ
	1500	72	REYNAGA
	1800	73	REYNAGA
	2100	71	REYNAGA
	2400	70	WILCOX

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: 18 Temp. Reading Location: Behind Officers Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0000	72	Fuentes
	0300	70	Fuentes
	0600	72	Morales. D
	0900	72	Morales. D
	1200	72	Morales. D
	1500	74	Fuentes
	1800	74	Perales
	2100	73	Perales

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0000	72	Fuentes
	0300	70	Fuentes
	0600	70	Nieto
	0900	72	Nieto
	1200	74	Nieto
	1500	74	Fuentes
	1800	76	Fuentes
	2100	76	Fuentes

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0000	76	FLORES
	0300	74	FLORES
	0600	74	O. CUTBERNAS
	0900	73	O. CUTBERNAS
	1200	78	O. CUTBERNAS
	1500	79	Hudson
	1800	79	Hudson
	2100	79	Hudson

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0000	78	Hudson
	0300	76	Hudson
	0600	78	O. CUTBERNAS
	0900	78	O. CUTBERNAS
	1200	80	O. CUTBERNAS
	1500	80	Hudson
	1800	80	Hudson
	2100	79	Hudson

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0000	78	Hudson
	0300	76	Hudson
	0600	76	O. CUTBERNAS
	0900	77	O. CUTBERNAS
	1200	77	O. CUTBERNAS
	1500	77	SALAZAR
	1800	77	SALAZAR
	2100	75	SALAZAR

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0000	73	SALAZAR
	0300	71	SALAZAR
	0600	70	BERNAL
	0900	70	BERNAL
	1200	71	BERNAL
	1500	73	SALAZAR
	1800	74	SALAZAR
	2100	73	SALAZAR

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0000	72	SALAZAR
	0300	70	SALAZAR
	0600	70	Medina
	0900	70	C. Ruiz
	1200	72	Medina
	1500	76	Fuentes
	1800	77	Fuentes
	2100	75	Fuentes

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

FACILITY "D"

WEEKLY INSIDE TEMPERATURE RECORD

FOR THE WEEK OF: 06/03/24 - 06/09/24

- [x] Building 19
- [x] Building 20
- [x] Building 21
- [x] Building 22
- [x] Building 23
- [x] Building 24

NOTED/REVIEWED BY:

J. GUERRERO

FACILITY "D" CAPTAIN (A)

6·10·24

DATE:

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 19 Temp. Reading Location: Behind CO's Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0000	73	COSSE
	0300	72	C COSSE
	0600	72	G.W
	0900	72	G.W
	1200	72	G.W
	1500	75	MORALES
	1800	74	MORALES
	2100	73	MORALES

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0000	71	Khan
	0300	70	Khan
	0600	70	MORALES
	0900	72	MORALES
	1200	72	MORALES
	1500	77	XIONG
	1800	77	XIONG
	2100	76	XIONG

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0000	76	Khan
	0300	74	Khan
	0600	74	Alcantar
	0900	75	Alcantar
	1200	77	Alcantar
	1500	78	B. GRANT
	1800	78	D. SAVANOSY
	2100	79	SAVANOSY

Thursday

Date	Time	Temp.	Name (Print)
6/6	0000	79	Khan
	0300	77	Khan
	0600	77	DOYLE
	0900	77	DOYLE
	1200	77	
	1500	78	CEJA
	1800	79	CEJA
	2100	79	CEJA

Friday

Date	Time	Temp.	Name (Print)
6/7	0000	77	[illegible]
	0300	75	VANG
	0600	74	DOYLE
	0900	74	DOYLE
	1200	74	DOYLE
	1500	75	CEJA
	1800	75	CEJA
	2100	75	CEJA

Saturday

Date	Time	Temp.	Name (Print)
6/8	0000	74	CEJA
	0300	74	CEJA
	0600	72	G.W
	0900	72	G.W
	1200	72	G.W
	1500	72	CEJA
	1800	72	CEJA
	2100	72	CEJA

Sunday

Date	Time	Temp.	Name (Print)
6/9	0000	70	Khan
	0300	70	Khan
	0600	69	XIONG
	0900	70	CASTELLANOS
	1200	72	XIONG
	1500	72	MORALES
	1800	72	MORALES
	2100	71	MORALES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0000	78	YANG
	0300	78.0	[illegible]
	0600	79	SINGH
	0900	80	SINGH
	1200	82	BOLTON
	1500	89	HURT
	1800	90	HURT
	2100	90	HURT

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0000	80	FLANCET
	0300	80	FLANCET
	0600	77	FLANCET
	0900	84	BOLTON
	1200	86	BOLTON
	1500	88	CRUZ
	1800	88	CRUZ
	2100	86	CRUZ

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0000	85	FLANCET
	0300	84	FLANCET
	0600	89	BOLTON
	0900	85	[illegible]
	1200	86	[illegible]
	1500	86	CRUZ
	1800	88	CRUZ
	2100	89	CRUZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0000	75.0	S. Rai
	0300	74.0	S. Rai
	0600	82	[illegible]
	0900	86	BOLTON
	1200	88	[illegible]
	1500	88	Morales
	1800	80	Morales
	2100	84	Wingard

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0000	80	HER
	0300	75	HER
	0600	82	SINGH
	0900	83	SINGH
	1200	81	SINGH
	1500	82	Wingard
	1800	81	Wingard
	2100	80	WINGARD

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0000	76	[illegible]
	0300	76	[illegible]
	0600	75	SINGH
	0900	76	[illegible]
	1200	76	[illegible]
	1500	80	HURT
	1800	80	HURT
	2100	80	HURT

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0000	77	YANG
	0300	74	YANG
	0600	73	SINGH
	0900	73	BOLTON
	1200	75	BOLTON
	1500	79	HURT
	1800	79	HURT
	2100	78	HURT

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: Building 21 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	78	Corona
	0600	78	L. Cruz
	0900	78	L. Cruz
	1200	80	L. Cruz
	1500	81	C. Cosse
	1800	81	C. Cosse
	2100	80	C. Cosse
	2400	80	C. Cosse

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	80	Corona
	0600	78	Barajas
	0900	79	Barajas
	1200	83	Barajas
	1500	86	Sclerio
	1800	87	Sclerio
	2100	87	W. Baltazar
	2400	88	Corona

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	88	Corona
	0600	83	Barajas
	0900	84	L. Cruz
	1200	88	Barajas
	1500	88	W. Baltazar
	1800	89	W. Baltazar
	2100	89	W. Baltazar
	2400	89	Montoya

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	82	Montoya
	0600	79	Barajas
	0900	83	Morales. D
	1200	88	Barajas
	1500	88	Vang
	1800	90	Vang
	2100	88	Vang
	2400	83	Solorzano

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	83	Solorzano
	0600	81	Morales. D
	0900	82	Morales. D
	1200	83	Morales. D
	1500	82	Vang
	1800	81	Vang
	2100	80	Vang
	2400	80	Valiski

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	80	Valiski
	0600	76	Hurt
	0900	77	Hurt
	1200	79	P. Cosse
	1500	80	Vang
	1800	79	Vang
	2100	76	Vang
	2400	74	Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	73	Valiski
	0600	74	Hurt
	0900	75	Hurt
	1200	77	Muy
	1500	79	Muy
	1800	79	Sclerio
	2100	79	Sclerio
	2400	79	Solario

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

ATTACHMENT H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 22 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0000	80	VALADEZ
	0300	79	VALADEZ
	0600	78	Dullas
	0900	80	Hernandez
	1200	81	Hernandez
	1500	84	SAETEURN
	1800	83	SAETEURN
	2100	82	Dullas

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0000	78	Gonzalez
	0300	77	C.LOPEZ
	0600	78	XIONG
	0900	79	XIONG
	1200	81	XIONG
	1500	84	SAETEURN
	1800	89	SAETEURN
	2100	90	SAETEURN

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0000	87	C.LOPEZ.
	0300	84	De la cruz
	0600	84	Martinez
	0900	85	Martinez
	1200	87	Rodriguez
	1500	89	SAETEURN
	1800	90	SAETEURN
	2100	88	C.LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0000	88	VLAGRO
	0300	86	VLAGRO
	0600	81	MOVIS
	0900	81	A.PEREZ
	1200	83	A. PEREZ
	1500	88	MARTINEZ
	1800	90	SAETEURN
	2100	88	SAETEURN

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0000	76	J. SAETEURN
	0300	76	J. SAETEURN
	0600	76	J. CASTELLANOS
	0900	78	CASTELLANOS
	1200	82	CASTELLANOS
	1500	84	SOLORIO
	1800	87	SOLORIO
	2100	80	SOLORIO

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0000	68	Vigil
	0300	68	Vigil
	0600	68	MOVIS
	0900	69	Dullas
	1200	74	Dullas
	1500	80	Wilcox
	1800	80	Wilcox
	2100	78	Wilcox

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0000	70°	Mar
	0300	79°	Mar
	0600	79°	Mar
	0900	78	Dullas
	1200	79	Dullas
	1500	80	Wilcox
	1800	81	Wilcox
	2100	79	Wilcox

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DocuSign Envelope ID: 3B85DFA8-718D-406F-90A9-2AED78C84A6F

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT I

From May 1st through October 31st or whenever excessive heat conditions or temperature fluctuations exist, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SOL Housing Unit: 23 Temp. Reading Location: tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0000	78	GONZALEZ
	0300	76	GONZALEZ
	0600	75	Ayala
	0900	78	Ayala
	1200	80	Ruhiman
	1500	81	Chahal
	1800	81	Chahal
	2100	82	Chahal

Tuesday

Date	Time	Temp.	Name (Print)
06-04-23	0000	81	GONZALEZ
	0300	79	GONZALEZ
	0600	77	GONZALEZ
	0900	80	Ayala
	1200	84	Ayala
	1500	82	MARQUEZ. J
	1800	83	MARQUEZ. J
	2100	85	MARQUEZ. J

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0000	82	GONZALEZ
	0300	82	GONZALEZ
	0600	81	GONZALEZ
	0900	81	Dennis
	1200	83	Dennis
	1500	86	Bazan
	1800	87	Bazan
	2100	88	Bazan

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0000	88	KONG
	0300	87	KONG
	0600	83	KONG
	0900	84	FUENTES
	1200	84	[illegible]
	1500	84	REYES
	1800	86	Bazan
	2100	86	Bazan

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0000	85	CEJA
	0300	85	CEJA
	0600	76	D. Lee
	0900	80	D. Lee
	1200	82	D. Lee
	1500	83	Bazan
	1800	82	Bazan
	2100	80	Bazan

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0000	84	Knight
	0300	80	Knight
	0600	78	Contreras
	0900	78	Contreras
	1200	80	Contreras
	1500	80	Miner
	1800	76	Miner
	2100	78	Miner

Sunday

Date	Time	Temp.	Name (Print)
06-09-24	0000	78	GONZALEZ
	0300	76	GONZALEZ
	0600	74	GONZALEZ
	0900	80	Machuca
	1200	80	Machuca
	1500	81	Gonzalez
	1800	82	Gonzalez
	2100	80	GONZALEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 24 Temp. Reading Location: Officer's Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0000	72	SAETEURN
	0300	72	SAETEURN
	0600	72	Gutierrez
	0900	72	Gutierrez
	1200	73	Gutierrez
	1500	74	YARMOLYUK
	1800	74	YARMOLYUK
	2100	74	YARMOLYUK

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0000	72	OROZCO
	0300	72	OROZCO
	0600	72	SINGH
	0900	72	SINGH
	1200	73	SINGH
	1500	76	Rogers
	1800	78	Rogers
	2100	79	Rogers

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0000	78	OROZCO
	0300	78	OROZCO
	0600	78	SAETEURN
	0900	75	SAETEURN
	1200	76	SAETEURN
	1500	78	Rogers
	1800	79	Rogers
	2100	79	Rogers

Thursday

Date	Time	Temp.	Name (Print)
6/6	0000	80	OROZCO
	0300	79	OROZCO
	0600	79	FUENTES
	0900	78	FUENTES
	1200	79	FUENTES
	1500	79	Solorzano
	1800	79	Rogers
	2100	79	Rogers

Friday

Date	Time	Temp.	Name (Print)
6/7	0000	78	A. OROZCO
	0300	77	A. OROZCO
	0600	76	A. OROZCO
	0900	75	A. OROZCO
	1200	75	A. OROZCO
	1500	76	J. MARQUEZ
	1800	75	Solorzano
	2100	75	J. MARQUEZ

Saturday

Date	Time	Temp.	Name (Print)
6/8	0000	75	OROZCO
	0300	75	OROZCO
	0600	71	OROZCO
	0900	72	OROZCO
	1200	72	OROZCO
	1500	73	MARQUEZ, J
	1800	73	MARQUEZ, J
	2100	72	MARQUEZ, J

Sunday

Date	Time	Temp.	Name (Print)
6/9	0000	70	MARQUEZ, J
	0300	70	MARQUEZ, J
	0600	68	MARQUEZ, J
	0900	69	Gutierrez
	1200	71	Gutierrez
	1500	72	A. PEREZ
	1800	70	A. PEREZ
	2100	72	A. PEREZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachi
DEPARTMENT OF CORRECTIONS AND REHABI

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 7 Temp. Reading Location: 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	75	[illegible]
	0600	78	XIONG
	0900	78	BARTLETT
	1200	79	XIONG
	1500	80	[illegible]
	1800	86	[illegible]
	2100	78	[illegible]
	2400	78	TORRES

Tuesday

Date	Time	Temp.	Name (Print)
	0300	76	TORRES
	0600	78	CASTELLANOS
	0900	80	A. LEE
	1200	81	A. LEE
	1500	82	O. CONTRERAS
	1800	84	O. CONTRERAS
	2100	84	O. CONTRERAS
	2400	77	J. SAETEURN

Wednesday

Date	Time	Temp.	Name (Print)
	0300	73	J. SAETEURN
	0600	74	SAETURN
	0900	78	TORRES
	1200	79	TORRES
	1500	83	O. CONTRERAS
	1800	86	O. CONTRERAS
	2100	86	O. CONTRERAS
	2400	80	A. Mendoza

Thursday 6/6/24

Date	Time	Temp.	Name (Print)
6/6/24	0300	77	A. Mendoza
	0600	79	A. Mendoza
	0900	83	Bravo
	1200	85	Bravo
	1500	86	ROSS
	1800	86	ROSS
	2100	86	ROSS
	2400	78	ROSS

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	85	Villalvazo
	0600	85	BARTLETT
	0900	84	BARTLETT
	1200	85	BARTLETT
	1500	80	ROSS
	1800	79	ROSS
	2100	79	Yang
	2400	80	Yang

Saturday

Date	Time	Temp.	Name (Print)
	0300	78	Yang
	0600	78	BARTLETT
	0900	78	BARTLETT
	1200	78	TORRES
	1500	78	ROSS
	1800	78	ROSS
	2100	78	ROSS
	2400	78	Yang

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	77	Yang
	0600	78	BARTLETT
	0900	79	TORRES
	1200	80	TORRES
	1500	80	Chahal
	1800	80	Chahal
	2100	82	Chahal
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment H

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: 8 Temp. Reading Location: Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday June 3, 2024

Date	Time	Temp.	Name (Print)
6/3/24	0300	79	[illegible]
	0600	75	[illegible]
	0900	75	[illegible]
	1200	76	E. Ramirez
	1500	76	J. SAETEURN
	1800	78	Turner
	2100	74	Turner
	2400	76	Turner

Tuesday June 4, 2024

Date	Time	Temp.	Name (Print)
06/04/2024	0300	75	Turner
	0600	76	[illegible]
	0900	77	THOMAS
	1200	77	THOMAS
	1500	80	J. SAETEURN
	1800	77	J. SAETEURN
	2100	77	J. SAETEURN
	2400	76	J. SAETEURN

Wednesday June 5, 2024

Date	Time	Temp.	Name (Print)
06/05/2024	0300	73	J. SAETEURN
	0600	75	[illegible]
	0900	76	THOMAS
	1200	76	THOMAS
	1500	88	J. SAETEURN
	1800	83	J. SAETEURN
	2100	78	J. SAETEURN
	2400	80	A. Mendoza

Thursday June 6, 2024

Date	Time	Temp.	Name (Print)
06/06/2024	0300	77	A. Mendoza
	0600	77	A. Mendoza
	0900	78	THOMAS
	1200	79	THOMAS
	1500	85	J. SAETEURN
	1800	83	J. SAETEURN
	2100	78	J. SAETEURN
	2400		

Friday June 7, 2024

Date	Time	Temp.	Name (Print)
06/07/2024	0300	77°	VPlaluuzo
	0600	76	E. REYES
	0900	76	THOMAS
	1200	76	THOMAS
	1500	76	J. SAETEURN
	1800	75	J. SAETEURN
	2100	73	J. SAETEURN
	2400	73	Yang

Saturday June 8, 2024

Date	Time	Temp.	Name (Print)
06/08/2024	0300	73	Yang
	0600	73	THOMAS
	0900	73	THOMAS
	1200	74	THOMAS
	1500	75	Turner
	1800	76	Turner
	2100	76	Turner
	2400	73	Yang

Sunday June 9, 2024

Date	Time	Temp.	Name (Print)
06/09/2024	0300	73	Yang
	0600	73	Chahal
	0900	73	Chahal
	1200	73	Chahal
	1500	74	Turner
	1800	75	Turner
	2100	75	Turner
	2400	73	Yang

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F.

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 9 Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	75	MARTINEZ
	0600	75	MARTINEZ
	0900	78	DACANAY
	1200	79	DACANAY
	1500	79	Zapien
	1800	79	Zapien
	2100	77	Zapien
	2400	77	MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	78	MARTINEZ
	0600	75	MARTINEZ
	0900	79	DACANAY
	1200	81	DACANAY
	1500	80	MEDINA
	1800	80	MEDINA
	2100	80	MEDINA
	2400	80	ROBINSON

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	80	ROBINSON
	0600	78	[illegible]
	0900	80	D. BROWN
	1200	[illegible]	BROWN
	1500	82.8	Bravo
	1800	82.0	Straub
	2100	80.0	Straub
	2400	80.0	Straub

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	78	BROWN
	0600	79	BROWN
	0900	80	BROWN
	1200	81	BROWN
	1500	81	STRAUB
	1800	80	STRAUB
	2100	80	STRAUB
	2400	80	STRAUB

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	77	[illegible]
	0600	78	[illegible]
	0900	81	E. Ramirez
	1200	82	E. Ramirez
	1500	83	STRAUB
	1800	83	Straub
	2100	84	Straub
	2400	84	Straub

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	74	[illegible]
	0600	71	[illegible]
	0900	75	[illegible]
	1200	77	[illegible]
	1500	77	[illegible]
	1800	77	[illegible]
	2100	77	[illegible]
	2400	77	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	76	[illegible]
	0600	78	IRIZARRY
	0900	81	IRIZARRY
	1200	81	Contreras
	1500	81	Torres
	1800	80	Torres
	2100	80	Torres
	2400	72	MARTINEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 11 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0000	81	RAMIREZ
	0300	82	RAMIREZ
	0600	76	ZASUETA
	0900	76	ZASUETA
	1200	76	ZASUETA
	1500	77	ZASUETA
	1800	80	ZASUETA
	2100	80	ZASUETA

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0000	73	J. SAETEURN
	0300	73	J. SAETEURN
	0600	75	Niccolson
	0900	79	Niccolson
	1200	83	Niccolson
	1500	86	ZASUETA
	1800	87	ZASUETA
	2100	86	

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0000	81	RAMIREZ
	0300	82	RAMIREZ
	0600	81	
	0900	83	
	1200	83	
	1500	85	DEVATHOR
	1800	88	DEVATHOR
	2100	88	DEVATHOR

Thursday

Date	Time	Temp.	Name (Print)
6/6	0000	86	Edwards
	0300	86	Edwards
	0600	85	E. Ramirez
	0900	85.6	E. Ramirez
	1200	86.6	Seechu
	1500	85.8	Bravo
	1800	86.2	Joseph
	2100	85	Bravo

Friday

Date	Time	Temp.	Name (Print)
6/7	0000	83.4	Casas
	0300	83.5	Casas
	0600	84	Fahrman
	0900	84	Yang
	1200	84	Yang
	1500	85	Chahal
	1800	85	Chahal
	2100	81.7	Joseph

Saturday

Date	Time	Temp.	Name (Print)
6/8	0000	81	SCHWABAUER
	0300	81	SCHWABAUER
	0600	80	FUENTES
	0900	80	Dennis
	1200	81	Dennis
	1500	81	Machuca
	1800	81	Machuca
	2100	81	Machuca

Sunday

Date	Time	Temp.	Name (Print)
6/9	0000	80	SCHWABAUER
	0300	80	SCHWABAUER
	0600	81	BLANO
	0900	81	BLANO
	1200	82	BLANO
	1500	80	Montemoso
	1800	81	Machuca
	2100	78	MONTEMOSO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 12 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0000	81	RAMIREZ
	0300	82	RAMIREZ
	0600	82	Zapien
	0900	79	MINNAR
	1200	80	Zapien
	1500	81	A. LEE
	1800	82	A. LEE
	2100	78	A. LEE

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0000	73	J. SAETEURN
	0300	73	J. SAETEURN
	0600	77	DiMaggio
	0900	80	DiMaggio
	1200	81.3	DiMaggio
	1500	82.1	Ponce
	1800	83	Turson
	2100	83	Ponce

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0000	81	RAMIREZ
	0300	82	RAMIREZ
	0600	83	Rogers
	0900	84	ULLOA
	1200	85	Rogers
	1500	86	DiBino
	1800	86	Turson
	2100	86	Turson

Thursday

Date	Time	Temp.	Name (Print)
6/6	0000	85	Edwards
	0300	85	Edwards
	0600	85.3	DiMaggio
	0900	85.3	Krithorp
	1200	86.2	Elahua
	1500	87.3	DiMaggio
	1800	87.7	Casas
	2100	86.4	Casas

Friday

Date	Time	Temp.	Name (Print)
6/7	0000	85.8	Casas
	0300	85.2	Casas
	0600	82	MINNAR
	0900	83	MINNAR
	1200	84	Ponce
	1500	84	Ponce
	1800	83	Ponce
	2100	83	Ponce

Saturday

Date	Time	Temp.	Name (Print)
6/8	0000	83	SCHWARZNEGGER
	0300	83	SCHWARZNEGGER
	0600	80	MINNAR
	0900	81.4	Ponce
	1200	82	Ponce
	1500	82	Casas
	1800	82	Casas
	2100	79	Casas

Sunday

Date	Time	Temp.	Name (Print)
6/9	0000	79	SCHWARZNEGGER
	0300	79	SCHWARZNEGGER
	0600	77.3	MINNAR
	0900	77	Zapien
	1200	78	Zapien
	1500	79	A. LEE
	1800	78	A. LEE
	2100	78	A. LEE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: Bld #1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0000	81	Santos
	0300	80	Santos
	0600	80	BLANCO
	0900	77	BLANCO
	1200	77	CERON
	1500	77	Sanchez
	1800	76	NIEBLA
	2100	76	NIEBLA

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0000	80	Santos
	0300	79	Santos
	0600	77	Esquivel
	0900	78	CERON
	1200	80	Esquivel
	1500	80	Sanchez
	1800	80	Sanchez
	2100	78	Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0000	83	Santos
	0300	82	Santos
	0600	82	DeAnda
	0900	82	DeAnda
	1200	83	DeAnda
	1500	83	Sanchez
	1800	84	GUZMAN
	2100	83	GUZMAN

Thursday

Date	Time	Temp.	Name (Print)
6/6	0000	84	Santos
	0300	84	Santos
	0600	84	DeAnda
	0900	84	DeAnda
	1200	85	DeAnda
	1500	85	GUZMAN
	1800	85	Sanchez
	2100	85	Sanchez

Friday

Date	Time	Temp.	Name (Print)
6/7	0000	85	Santos
	0300	84	Santos
	0600	84	DeAnda
	0900	83	DeAnda
	1200	83	DeAnda
	1500	83	GUZMAN
	1800	83	GUZMAN
	2100	82	GUZMAN

Saturday

Date	Time	Temp.	Name (Print)
6/8	0000	80	Phan
	0300	80	Phan
	0600	80	Lee
	0900	80	Lee
	1200	80	Lee
	1500	80	BEDNA
	1800	80	GUZMA
	2100	79	GUZMA

Sunday

Date	Time	Temp.	Name (Print)
6/9	0000	82	VALADEZ
	0300	80	VALADEZ
	0600	79	Lee
	0900	79	Lee
	1200	79	Vivas
	1500	79	Vivas
	1800	79	Vives
	2100	78	Vivas

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 4 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0000	78	Vang
	0300	78	Vang
	0600	78	BLANCHE
	0900	78	BLANCHE
	1200	78	Vang
	1500	77	LAGORIO
	1800	76	LAGORIO
	2100	76	LAGORIO

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0000	78	Vang
	0300	78	Vang
	0600	76	Vang
	0900	77	Vang
	1200	78	Vang
	1500	79	LAGORIO
	1800	79	LAGORIO
	2100	80	LAGORIO

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0000	80	Xiong
	0300	80	Xiong
	0600	80	Vang
	0900	80	Vang
	1200	81	Vang
	1500	81	LAGORIO
	1800	82	LAGORIO
	2100	82	LAGORIO

Thursday

Date	Time	Temp.	Name (Print)
6/6	0000	80	Gomez
	0300	80	Gomez
	0600	82	DEVAHOL
	0900	83	DEVAHOL
	1200	84	DEVAHOL
	1500	81	LAGORIO
	1800	82	LAGORIO
	2100	81	LAGORIO

Friday

Date	Time	Temp.	Name (Print)
6/7	0000	81	LAGORIO
	0300	80	LAGORIO
	0600	81	M. MUN
	0900	81	M. MUN
	1200	81	M. MUN
	1500	80	LAGORIO
	1800	79	LAGORIO
	2100	79	LAGORIO

Saturday

Date	Time	Temp.	Name (Print)
6/8	0000	79	XIONG
	0300	78	XIONG
	0600	77	Bogardus
	0900	77	Bogardus
	1200	77	Bogardus
	1500	79	Reynaga
	1800	78	Reynaga
	2100	77	Reynaga

Sunday

Date	Time	Temp.	Name (Print)
6/9	0000	80	Vang
	0300	80	Vang
	0600	77	Vang
	0900	77	Vang
	1200	77	Vang
	1500	77	Reynaga
	1800	75	Reynaga
	2100	75	Reynaga

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: Bld #2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0000	75	Santa
	0300	75	Santa
	0600	75	Pynnson
	0900	76	Pynnson
	1200	76	Pynnson
	1500	77	Magarell
	1800	77	Magarell
	2100	77	Magarell

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0000	76	Santa
	0300	75	Santa
	0600	76	Pynnson
	0900	76	Pavlioglo
	1200	77	Pavlioglo
	1500	77	Cazarez
	1800	76.1	Cazarez
	2100	78	Cazarez

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0000	78	Santa
	0300	78	Santa
	0600	78	MEIER
	0900	78	MEIER
	1200	78	MEIER
	1500	78	VANG
	1800	78	R. EVANS
	2100	77	R. EVANS

Thursday

Date	Time	Temp.	Name (Print)
6/6	0000	77	Santa
	0300	76	Santa
	0600	76	MEIER
	0900	76	MEIER
	1200	77	MEIER
	1500	77	R. EVANS
	1800	77	R. EVANS
	2100	77	R. EVANS

Friday

Date	Time	Temp.	Name (Print)
6/7	0000	76	Santa
	0300	75	Santa
	0600	75	MEIER
	0900	76	Chavez
	1200	76	MEIER
	1500	77	Contreras
	1800	77	Contreras
	2100	77	Contreras

Saturday

Date	Time	Temp.	Name (Print)
6/8	0000	77	Pynn
	0300	77	Pynn
	0600	76	MEIER
	0900	77	CHARLES
	1200	77	CHARLES
	1500	75	Nabarrete
	1800	75	Nabarrete
	2100	75	Nabarrete

Sunday

Date	Time	Temp.	Name (Print)
6/9	0000	76	VALADEZ
	0300	75	VALADEZ
	0600	74	Pavlioglo
	0900	73	Pavlioglo
	1200	74	Pavlioglo
	1500	75	Hay
	1800	73	Hay
	2100	76	Hay

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: 3 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0000	78	Vang
	0300	78	Vang
	0600	78.3	TRUJILLO
	0900	77.4	TRUJILLO
	1200	78.1	TRUJILLO
	1500	78	CORONA
	1800	78	CORONA
	2100	78	CORONA

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0000	78	Vang
	0300	78	Vang
	0600	77	TRUJILLO
	0900	77.2	TRUJILLO
	1200	78.8	TRUJILLO
	1500	79	CORONA
	1800	79	CORONA
	2100	80	CORONA

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0000	80	Xiong
	0300	80	Xiong
	0600	80	Torres
	0900	81	Torres
	1200	81	Torres
	1500	83	Torres
	1800	85	MUNZ
	2100	85	Torres

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0000	85	Gomez
	0300	83	Gomez
	0600	83	LOPEZ
	0900	85	[illegible]
	1200	85	[illegible]
	1500	85	FUENTES
	1800	85	[illegible]
	2100	84	BERRY

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0000	84	LAGORIO
	0300	84	LAGORIO
	0600	85.1	MIRONOV
	0900	85.0	BERRY
	1200	86.3	MIRONOV
	1500	87.1	MIRONOV
	1800	85	Torres
	2100	81.7	CARE

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0000	82	XIONG
	0300	81	XIONG
	0600	77.7	TRUJILLO
	0900	78	TRUJILLO
	1200	78.5	TRUJILLO
	1500	79.5	TRUJILLO
	1800	79.7	TRUJILLO
	2100	80	TRUJILLO

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0000	78	Vang
	0300	78	Vang
	0600	78	TRUJILLO
	0900	79	BERRY
	1200	79	BERRY
	1500	79	SAHLMAN
	1800	78.7	SAHLMAN
	2100	79	CORONA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOL Housing Unit: #5 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension #3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	70	[illegible]
	0600	70	LOPEZ
	0900	70	LOPEZ
	1200	79	LOPEZ
	1500	81	Scuderi
	1800	81	Place
	2100	81	Place
	2400	80	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	80	[illegible]
	0600	80	[illegible]
	0900	81	RODRIGUEZ
	1200	81	RODRIGUEZ
	1500	81	SCUDERI
	1800	83	Scuderi
	2100	83	SCUDERI
	2400	81	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	82	[illegible]
	0600	81	[illegible]
	0900	82	LOZA
	1200	82	LOZA
	1500	83	SCUDERI
	1800	85	SCUDERI
	2100	85	SCUDERI
	2400	84	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	85	[illegible]
	0600	84	[illegible]
	0900	84	Montes
	1200	~~85.6~~	~~Place~~
	1500	85.6	Place
	1800	85.6	Reynaga
	2100	85.6	Place
	2400	84	REYNAGA

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	85	REYNAGA
	0600	85	REYNAGA
	0900	85	LOZA
	1200	86	LOZA
	1500	85	Reynaga
	1800	84.6	Reynaga
	2100	84.	Reynaga
	2400	83.2	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	~~84~~	~~REYNAGA~~ 82 [illegible]
	0600	80.6	CASTELLANOS
	0900	81.3	CASTELLANOS
	1200	81.3	CASTELLANOS
	1500	82	SCUDERI
	1800	81	SCUDERI
	2100	81	SCUDERI
	2400	82	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
6/9/2024	0300	81	[illegible]
	0600	81	HER
	0900	83	~~HER~~
	1200	84	HER
	1500	81	Scuderi
	1800	81	Scuderi
	2100	80	Scuderi
	2400	79.4	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SOL Housing Unit: BUILDING 6 Temp. Reading Location: 2nd TIER NEAR CELL#216 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/3

Date	Time	Temp.	Name (Print)
6-3-24	0000	81.4	Tejeda
	0300	80.1	Tejeda
	0600	80	DIAZ. S
	0900	80	DIAZ. S
	1200	80	DIAZ. S
	1500	80.6	P. Vang
	1800	80.5	P. Vang
	2100	80.4	P. Vang

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0000	80	M. Hunter
	0300	80	M. Hunter
	0600	80	M. Hunter
	0900	80	DIAZ. S
	1200	84	DIAZ. S
	1500	89	P. Vang
	1800	88	P. Vang
	2100	83.	P. Vang

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0000	82	M. Hunter
	0300	80	M. Hunter
	0600	82.	DIAZ. S
	0900	83	Bravo
	1200	84	Bravo
	1500	84.2	MA
	1800	84	P. Vang
	2100	85.3	P. Vang

Thursday

Date	Time	Temp.	Name (Print)
6/6	0000	85	Hunter
	0300	84	Hunter
	0600	84	DIAZ. S
	0900	85	Luna
	1200	85	DIAZ. S
	1500	86.1	MA
	1800	86.4	MA
	2100	86.9	MA

Friday

Date	Time	Temp.	Name (Print)
6/7	0000	85	REYNAGA
	0300	86	REYNAGA
	0600	85	Joseph
	0900	84.6	SMPO
	1200	84.2	Joseph
	1500	84	MA
	1800	83.7	MA
	2100	83.5	MA

Saturday

Date	Time	Temp.	Name (Print)
6/8	0000	83.7	Estrada
	0300	83.5	Estrada
	0600	82.6	Joseph
	0900	81.4	Joseph
	1200	81.3	Joseph
	1500	82.4	MA
	1800	82.7	MA
	2100	82.1	MA

Sunday

Date	Time	Temp.	Name (Print)
6/9	0000	82	A. Mendoza
	0300	81	A. Mendoza
	0600	81.0	DIAZ. S
	0900	81.2	DIAZ. S
	1200	81.4	DIAZ. S
	1500	80.2	Eathington
	1800	80.2	Eathington
	2100	80.	Tejeda

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP Sol Housing Unit: RHU 10 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3242 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0000	76.6	A. Rodriguez
	0300	75.3	A. Rodriguez
	0600	76	D. Delicino
	0900	77	D. Delicino
	1200	77	D. Delicino
	1500	77	[illegible]
	1800	78	[illegible]
	2100	79	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0000	77	Griffin
	0300	76	Griffin
	0600	76	D. Delicino
	0900	76	D. Delicino
	1200	77	D. Delicino
	1500	79	K. Green
	1800	79	K. Green
	2100	79	K. Green

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0000	78	Griffin
	0300	77	Griffin
	0600	77	D. Delicino
	0900	77	D. Delicino
	1200	77	D. Delicino
	1500	76	KHM
	1800	78	KHM
	2100	77	KHM

Thursday

Date	Time	Temp.	Name (Print)
	0000		
	0300		
	0600	76	D. Delicino
	0900	77	D. Delicino
	1200	79	D. Delicino
	1500	80	Machuca
	1800	79	Machuca
	2100	78	Machuca

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0000	74	Griffin
	0300	74	Griffin
	0600	74	D. Delicino
	0900	75	D. Delicino
	1200	77	D. Delicino
	1500	76	KHM
	1800	76	KHM
	2100	75	Machuca

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0000	78	Griffin
	0300	77	Griffin
	0600	77	Rogers
	0900	77	Rogers
	1200	77	Waterman
	1500	77	Waterman
	1800	77	Waterman
	2100	77	Waterman

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0000	76	Rodriguez
	0300	77	Rodriguez
	0600	76	WATERMAN
	0900	76	WATERMAN
	1200	76	WATERMAN
	1500	77	BRAVO
	1800	77	Rogers
	2100	77	Rogers

Notes

DISTRIBUTION: Original: Institution ADA Coordinator