

Monthly Summary Report

Institution: CTF

Memorandum

Date: October 3, 2024
To: Statewide Heat Plan Coordinator
Subject: Heat Plan Activity -
The following is a summary of the heat related activity for the month of September 2024,
at CTF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: No _____
Number of days Stage I Alert initiated: 0 _____

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____
Number of days Stage II Alert initiated: 1 _____

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____
Number of days Stage III Alert initiated: 0 _____

4. Weekly list of heat risk patients archived?: Yes _____

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Edward Borla

Warden Name



Warden Signature

Bayode Omosaiye

Chief Executive Officer Name



Chief Executive Officer Signature

INSTITUTION: CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL BOILER ROOM

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	58.9	J.B. char
	0200	56.8	J.B. char
	0300	56.5	J.B. char
	0400	56.4	J.B. char
	0500	56.0	J.B. char
	0600	56.8	J.B. char
	0700	56.4	V. Montanez
	0800	60.0	V. Montanez
	0900	62.9	V. Montanez
	1000	64.5	V. Montanez
	1100	67.5	V. Montanez
	1200	73.3	V. Montanez
	1300	75.2	V. Montanez
	1400	78.7	V. Montanez
	1500	76.7	V. Montanez
	1600	74.4	V. Montanez
	1700	73.6	V. Montanez
	1800	71.7	V. Montanez
	1900	70.0	V. Montanez
	2000	65.4	V. Montanez
	2100	63.4	V. Montanez
	2200	63.1	V. Montanez
	2300	61.0	Am
	2400	60.4	Am

September 01, 2024 - Sunday

Date	Time	Temp.	Printed Name
	0100	59.5	Am
	0200	58.4	Am
	0300	57.2	Am
	0400	56.7	Am
	0500	56.7	Am
	0600	55.9	AM
	0700	55.6	V. Montanez
	0800	59.0	V. Montanez
	0900	63.4	V. Montanez
	1000	65.0	V. Montanez
	1100	69.9	V. Montanez
	1200	72.8	V. Montanez
	1300	77.0	V. Montanez
	1400	78.1	V. Montanez
	1500	76.7	R HOUSE
	1600	75.8	R HOUSE
	1700	75.5	R HOUSE
	1800	73.6	R HOUSE
	1900	71.1	R HOUSE
	2000	66.5	R HOUSE
	2100	64.5	R HOUSE
	2200	62.8	R HOUSE
	2300	61.0	R HOUSE
	2400	60.6	R HOUSE

September 02, 2024 - Monday

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL BOILER ROOM

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
Sept. 3 2024	0100	59.1	R HOUSE
	0200	58.4	R HOUSE
	0300	58.1	R HOUSE
	0400	57.7	R HOUSE
	0500	57.4	R HOUSE
	0600	56	R HOUSE
	0700	56.4	Clyde
	0800	60.6	Clyde
	0900	65.6	Clyde
	1000	71.3	Clyde
	1100	76.2	Clyde
	1200	81.3	Clyde
	1300	84.6	Clyde
	1400	84.5	Clyde
	1500	80.5	R HOUSE
	1600	77.1	R HOUSE
	1700	75.5	R HOUSE
	1800	71.5	R HOUSE
	1900	68.5	R HOUSE
	2000	65.2	R HOUSE
	2100	63.6	R HOUSE
	2200	61.8	R HOUSE
	2300	60.8	Am
	2400	60.8	Am

Date	Time	Temp.	Printed Name
Sept. 4 2024	0100	61.2	Am
	0200	60.5	Am
	0300	59.8	Am
	0400	58.5	Am
	0500	58.4	Clyde
	0600	57.0	Am
	0700	55.4	JB.chave
	0800	58.4	JB.chave
	0900	63.4	JB.chave
	1000	68.6	JB.chave
	1100	68.6	JB.chave
	1200	73.8	JB.chave
	1300	79.5	JB.chave
	1400	78.2	JB.chave
	1500	76.8	C.Guillet
	1600	75.9	C.Guillet
	1700	74.1	C.Guillet
	1800	72.7	C.Guillet
	1900	68.2	C.Guillet
	2000	64.1	C.Guillet
	2100	61.3	C.Guillet
	2200	60.0	C.Guillet
	2300	59.7	Am
	2400	59.4	Am

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL BOILER ROOM

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
05 Sept. 2024	0100	59.7	cm
	0200	59.4	cm
	0300	58.9	cm
	0400	58.4	cm
	0500	57.8	cm
	0600	57.7	cm
	0700	56.5	J. Morten
	0800	58.7	J. Morten
	0900	61.9	J. Morten
	1000	68.5	J. Morten
	1100	74.9	J. Morten
	1200	80.5	J. Morten
	1300	85.3	J. Morten
	1400	87.3	J. Morten
	1500	89.4	J.B. char
	1600	89.3	J.B. char
	1700	84.0	J.B. char
	1800	80.8	J.B. char
	1900	77.5	J.B. char
	2000	72.2	J.B. char
	2100	69.1	J.B. char
	2200	68.3	J.B. char
	2300	63.0	cm
	2400	61.8	cm

Date	Time	Temp.	Printed Name
06 Sept. 2024	0100	60.9	cm
	0200	60.3	cm
	0300	59.6	cm
	0400	58.9	cm
	0500	58.5	cm
	0600	57.8	cm
	0700	57.6	J.B. char
	0800	63.4	cm
	0900	65.9	J.B. char
	1000	78.2	cm
	1100	79.0	cm
	1200	80.0	cm
	1300	84.0	cm
	1400	85.4	ad
	1500	85.6	J. Morten
	1600	86.8	J. Morten
	1700	83.4	J. Morten
	1800	80.9	J. Morten
	1900	75.9	J. Morten
	2000	73.0	J. Morten
	2100	69.9	J. Morten
	2200	65.4	J. Morten
	2300	63.6	J. Morten
	2400	63.2	ad

INSTITUTION: CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL BOILER ROOM

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY - 9/7/2024	0100	61.6	JB.Chan
	0200	59.6	JB.Chan
	0300	59.3	JB.Chan
	0400	58.9	JB.Chan
	0500	58.5	JB.Chan
	0600	58.5	JB.Chan
	0700	57.8	R HOUSE
	0800	58.6	R HOUSE
	0900	64.5	R HOUSE
	1000	71.7	R HOUSE
	1100	77.6	R HOUSE
	1200	84.1	R HOUSE
	1300	85.9	R HOUSE
	1400	86.9	R HOUSE
	1500	86.2	R HOUSE
	1600	84.2	R HOUSE
	1700	83	R HOUSE
	1800	80.9	R HOUSE
	1900	78.4	R HOUSE
	2000	72.3	R HOUSE
	2100	67.1	R HOUSE
	2200	65.2	R HOUSE
	2300	63.5	JB.Chan
	2400	62.3	JB.Chan

Date	Time	Temp.	Printed Name
SUNDAY - 9/8/2024	0100	60.6	JB.Chan
	0200	59.1	JB.Chan
	0300	58.6	JB.Chan
	0400	58.3	JB.Chan
	0500	58.1	JB.Chan
	0600	57.4	JB.Chan
	0700	56.8	z
	0800	60°	z
	0900	66°	z
	1000	72°	z
	1100	79°	z
	1200	84°	z
	1300	87°	z
	1400	86°	z
	1500	81.3	RHOUSE
	1600	75.9	RHOUSE
	1700	73.7	RHOUSE
	1800	71.3	RHOUSE
	1900	65.7	RHOUSE
	2000	62.7	RHOUSE
	2100	60.2	RHOUSE
	2200	59.6	RHOUSE
	2300	59.5	Cm
	2400	59.5	Gn

1330 hrs 90°

INSTITUTION: CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL BOILER ROOM

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
18 SEPT. 2024 MONDAY	0100	59.5	Cm
	0200	59.2	Cm
	0300	58.9	Cm
	0400	58.7	Cm
	0500	58.9	Cm
	0600	59.0	Cm
	0700	59.0	1B. char
	0800	60.0	1B. char
	0900	61.2	1B. char
	1000	65.0	1B. char
	1100	65.0	1B. char
	1200	69.1	1D. char
	1300	70.5	1B. char
	1400	71.5	1B. char
	1500	71.4	R HOUSE
	1600	70.8	R HOUSE
	1700	70.3	R HOUSE
	1800	68.5	R HOUSE
	1900	66.2	R HOUSE
	2000	63	R HOUSE
	2100	61.3	R HOUSE
	2200	59.9	R HOUSE
	2300	60.6	Cm
	2400	61.1	Cm

Date	Time	Temp.	Printed Name
18 SEPT. 2024 TUESDAY	0100	60.9	Cm
	0200	60.4	Cm
	0300	60.7	Cm
	0400	60.9	Cm
	0500	60.9	Cm
	0600	61.2	Cm
	0700	60.9	Cm
	0800	61.4	SM
	0900	62.5	SM
	1000	65.9	SM
	1100	64.5	SM
	1200	66.1	SM
	1300	64.5	SM
	1400	71.2	SM
	1500	70.3	R HOUSE
	1600	70.6	R HOUSE
	1700	69.1	R HOUSE
	1800	67.1	R HOUSE
	1900	64.1	R HOUSE
	2000	60.8	R HOUSE
	2100	59.8	R HOUSE
	2200	60.1	R HOUSE
	2300	60.3	Cm
	2400	60.2	Cm

INSTITUTION: CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL BOILER ROOM

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
11 SEP 24	0100	60.1	Cm
	0200	59.7	Cm
	0300	59.1	Cm
	0400	58.5	Cm
	0500	59.3	Cm
	0600	59.1	Cm
	0700	59.5	1B. char
	0800	61.8	Om
	0900	61.6	Om
	1000	63.9	Om
	1100	67.4	Om
	1200	71.8	Om
	1300	72.6	Om
	1400	71.9	Om
	1500	72.1	R HOUSE
	1600	71.4	R HOUSE
	1700	70.1	R HOUSE
	1800	68.6	R HOUSE
	1900	66.4	R HOUSE
	2000	64.9	R HOUSE
	2100	63.9	R HOUSE
	2200	63.4	R HOUSE
	2300	62.0	Cm
	2400	61.1	Cm

Date	Time	Temp.	Printed Name
12 SEP 24	0100	61.4	Cm
	0200	60.8	Cm
	0300	60.3	Cm
	0400	60.0	Cm
	0500	59.5	Cm
	0600	57.2	Om
	0700	56.6	1B. char
	0800	59.5	Om
	0900	62.0	JM
	1000	63.4	Om
	1100	66.4	1B1
	1200	71.2	1B2
	1300	74.9	Om
	1400	72.2	1B2h gus
	1500	74.0	J. Morten
	1600	73.0	J. Morten
	1700	71.6	J. Morten
	1800	70.1	J. Morten
	1900	68.8	J. Morten
	2000	66.2	J. Morten
	2100	63.3	J. Morten
	2200	61.9	J. Morten
	2300	60.4	Cm
	2400	59.3	Cm

INSTITUTION: CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL BOILER ROOM

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	57.8	Cm
	0200	57.0	Cm
	0300	56.1	Cm
	0400	54.9	Cm
	0500	54.4	Cm
	0600	53.9	Cm
	0700	53.8	10. char
	0800	57.6	cm
	0900	61.3	13. char
	1000	62.0	13. char
	1100	71.4	JM
	1200	75.8	JM
	1300	78.8	JM
	1400	79.5	cm
	1500	74.1	J. Martine
	1600	71.4	J. Martine
	1700	70.7	J. Martine
	1800	68.2	J. Martine
	1900	63.7	J. Martine
	2000	59.3	J. Martine
	2100	58.5	J. Martine
	2200	58.2	J. Martine
	2300	58.3	13. char
	2400	58.8	13. char

FRIDAY THE - 13TH - 2024-09

Date	Time	Temp.	Printed Name
	0100	57.9	10. char
	0200	52.9	13. char
	0300	57.3	13. char
	0400	57.5	13. char
	0500	52.4	13. char
	0600	57.0	13. char
	0700	56.4	J. Martine
	0800	56.9	J. Martine
	0900	57.9	J. Martine
	1000	61.0	J. Martine
	1100	62.7	J. Martine
	1200	64.5	J. Martine
	1300	68.3	J. Martine
	1400	69.8	J. Martine
	1500	69.8	R House
	1600	68.3	R House
	1700	67.1	R House
	1800	63.6	R House
	1900	60.9	R House
	2000	59	R House
	2100	58.5	R House
	2200	58.3	R House
	2300	57.5	13. char
	2400	57.5	13. char

SATURDAY - 9/14/2024

INSTITUTION: CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL BOILER ROOM

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	57.1	J.B. Charr
	0200	52.4	J.B. Charr
	0300	57.9	J.B. Charr
	0400	58.5	J.B. Charr
	0500	59.0	J.B. Charr
	0600	59.0	J.B. Charr
	0700	59.4	J.B. Charr
	0800	60.6	J.B. Charr
	0900	61.8	J.B. Charr
	1000	63.3	J.B. Charr
	1100	64.0	J.B. Charr
	1200	66.0	J.B. Charr
	1300	66.2	J.B. Charr
	1400	68.1	J.B. Charr
	1500	67.7	R HOUSE
	1600	67.7	R HOUSE
	1700	65.6	R HOUSE
	1800	63.5	R HOUSE
	1900	62	R HOUSE
	2000	61.5	R HOUSE
	2100	60.6	R HOUSE
	2200	60.6	R HOUSE
	2300	59.6	an
	2400	60.2	an

Sept - 15, 2024 - Sunday

Date	Time	Temp.	Printed Name
	0100	59.4	an
	0200	59.1	an
	0300	59.3	an
	0400	59.9	an
	0500	59.6	an
	0600	59.5	an
	0700	59.1	J. Mchay
	0800	60.1	an
	0900	60.7	an
	1000	62.5	an
	1100	64.7	an
	1200	66.0	an
	1300	67.1	an
	1400	67.0	an
	1500	64.8	R HOUSE
	1600	65.0	R HOUSE
	1700	64.3	R HOUSE
	1800	63.4	R HOUSE
	1900	61.9	R HOUSE
	2000	60	R HOUSE
	2100	58.9	R HOUSE
	2200	58.3	R HOUSE
	2300	55.5	an
	2400	54.8	an

Sept - 16, 2024 - Monday

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL BOILER ROOM

Thermometer Location: CENTRAL BOILER ROOM

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	54.1	CM
	0200	55.0	CM
	0300	54.8	CM
	0400	54.7	CM
	0500	54.9	CM
	0600	56.2	CM
	0700	56.7	Clyde
	0800	57.1	OM
	0900	58.1	OM
	1000	62.4	OM
MONDAY	1100	63.8	OM
	1200	63.7	OM / RHOUSE
	1300	66.5	OM / RHOUSE
	1400	68.9	RHOUSE
	1500	70.3	RHOUSE
	1600	69.0	RHOUSE
TUESDAY	1700	66.7	RHOUSE
	1800	64.5	RHOUSE
	1900	62	RHOUSE
	2000	60.1	RHOUSE
	2100	58.7	RHOUSE
	2200	58.5	RHOUSE
	2300	57.0	CM
	2400	57.5	CM

Date	Time	Temp.	Printed Name
WEDNESDAY	0100	57.1	CM
	0200	56.8	CM
	0300	56.5	CM
	0400	56.2	CM
	0500	56.3	CM
	0600	55.5	CM
	0700	56.3	15.0HAR
	0800	57.3	OM
	0900	58.6	OM
	1000	60.1	OM
	1100	64.2	OM
	1200	69.2	OM
	1300	70.8	OM
	1400	72.4	OM
	1500	73.7	RHOUSE
	1600	71.5	RHOUSE
	1700	69.6	RHOUSE
	1800	68.6	RHOUSE
	1900	66	RHOUSE
	2000	63.7	RHOUSE
	2100	62.3	RHOUSE
	2200	62	RHOUSE
	2300	60.1	CM
	2400	58.9	CM

INSTITUTION:

CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL BOILER ROOM

Thermometer Location:

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
19 SEP 2014	0100	58.9	Cm
	0200	59.1	Cm
	0300	58.7	Cm
	0400	60.1	Cm
	0500	59.8	Cm
	0600	60.0	Cm
	0700	59.3	10. char
	0800	59.9	Om
	0900	61.9	Om
	1000	64.1	Om
	1100	64.4	Om
	1200	66.5	Om
	1300	66.6	Om
	1400	67.9	Om
	1500	69.1	J. Martinez
	1600	67.8	J. Martinez
	1700	65.5	J. Martinez
	1800	63.7	J. Martinez
	1900	61.2	J. Martinez
	2000	59.4	J. Martinez
	2100	59.5	J. Martinez
	2200	59.1	J. Martinez
	2300	58.5	Cm
	2400	58.3	Cm

Date	Time	Temp.	Printed Name
20 Sep 2014 Friday	0100	58.1	Cm
	0200	57.8	Cm
	0300	57.5	Cm
	0400	57.3	Cm
	0500	57.4	Cm
	0600	57.0	Cm
	0700	57.0	1B2
	0800	57.3	Om
	0900	58.5	Om
	1000	59.9	Om
	1100	61.5	Om
	1200	64.7	Om
	1300	65.1	Om
	1400	67.4	Om
	1500	68.3	J. Martinez
	1600	67.9	J. Martinez
	1700	66.1	J. Martinez
	1800	62.3	J. Martinez
	1900	59.9	J. Martinez
	2000	59.1	J. Martinez
	2100	59.0	J. Martinez
	2200	59.0	J. Martinez
	2300	59.0	15. char
	2400	58.8	10. char

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL BOILER ROOM

Thermometer Location:

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	58.6	1B. char
	0200	58.3	1B. char
	0300	58.0	1B. char
	0400	52.9	1B. char
	0500	52.6	1B. char
	0600	52.3	1B. char
	0700	57.4	V. Montoya
	0800	57.4	V. Montoya
	0900	58.8	V. Montoya
	1000	61.7	V. Montoya
	1100	64.7	V. Montoya
	1200	65.8	V. Montoya
	1300	69.8	V. Montoya
	1400	72.7	V. Montoya
	1500	70.6	R HOUSE
	1600	67.9	R HOUSE
	1700	66.8	R HOUSE
	1800	64.6	R HOUSE
	1900	60.8	R HOUSE
	2000	59	R HOUSE
	2100	59.3	R HOUSE
	2200	59.1	R HOUSE
	2300	58.9	1B. char
	2400	59.0	1B. char

SATURDAY - 9/21/2024

Date	Time	Temp.	Printed Name
	0100	58.9	1B. char
	0200	58.7	1B. char
	0300	58.8	1B. char
	0400	58.6	1B. char
	0500	58.2	1B. char
	0600	58.0	1B. char
	0700	57.8	V. Montoya
	0800	58.0	V. Montoya
	0900	59.1	V. Montoya
	1000	63.7	V. Montoya
	1100	65.8	V. Montoya
	1200	68.9	V. Montoya
	1300	74.7	V. Montoya
	1400	76.7	V. Montoya
	1500	73.8	R HOUSE
	1600	70.6	R HOUSE
	1700	70.2	R HOUSE
	1800	66.3	R HOUSE
	1900	61.4	R HOUSE
	2000	59.4	R HOUSE
	2100	58.7	R HOUSE
	2200	58.8	R HOUSE
	2300	58.3	JM
	2400	58.1	Cm

SUNDAY - 9/22/2024

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL BOILER ROOM

Thermometer Location:

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY 23 SEPT. 2024	0100	58.0	Cm
	0200	57.7	Cm
	0300	56.8	Cm
	0400	56.1	Cm
	0500	55.5	Cm
	0600	57.1	Cm
	0700	53.0	J. Montrey
	0800	57.5	Om
	0900	61.0	Om
	1000	68.6	Om
	1100	73.9	Om
	1200	80.4	Om
	1300	85.5	Om
	1400	87.7	Om
	1500	88.4	R HOUSE
	1600	84.8	R HOUSE
	1700	82	R HOUSE
	1800	78.1	R HOUSE
	1900	71.7	R HOUSE
	2000	68	R HOUSE
	2100	65.6	R HOUSE
	2200	64.7	R HOUSE
	2300	63.1	Cm
	2400	61.6	Cm

Date	Time	Temp.	Printed Name
TUESDAY 24 SEPT. 2024	0100	60.4	Cm
	0200	61.2	Cm
	0300	60.5	Cm
	0400	59.9	Cm
	0500	59.9	Cm
	0600	59.5	Cm
	0700	59.4	Om
	0800	61.5	Om
	0900	65.7	Om
	1000	70.9	Om
	1100	72.6	Om
	1200	74.4	Om
	1300	74.8	Om
	1400	73.2	Om
	1500	72.4	Om
	1600	70.6	R HOUSE
	1700	67.9	R HOUSE
	1800	64.5	R HOUSE
	1900	61.2	R HOUSE
	2000	60.6	R HOUSE
	2100	60.5	R HOUSE
	2200	60.6	R HOUSE
	2300	60.3	Cm
	2400	59.4	Cm

9-23-24 1425 - HEAT PLAN INTO EFFECT
NOTIFIED WATCH COMMANDER

1605 Heat Plan deactivated
w/c LT Gonzales informed

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL BOILER ROOM

Thermometer Location:

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
24 SEP 24	0100	59.2	Cm
	0200	58.7	Cm
	0300	58.8	Cm
	0400	59.4	Cm
	0500	59.3	Cm
	0600	59.5	Cm
	0700	59.4	B. char
	0800	59.5	Om
	0900	60.1	Om
	1000	62.0	Om
	1100	65.8	Om
	1200	66.5	Om
	1300	67.1	Om
	1400	69.0	Om
	1500	67.6	R HOUSE
	1600	66.9	R HOUSE
	1700	66.8	R HOUSE
	1800	65.4	R HOUSE
	1900	63.1	R HOUSE
	2000	60.5	R HOUSE
	2100	60	R HOUSE
	2200	60	R HOUSE
	2300	60.4	R HOUSE
	2400	60.6	R HOUSE

Date	Time	Temp.	Printed Name
24 SEP 24	0100	60.5	R HOUSE
	0200	60.7	R HOUSE
	0300	59	R HOUSE
	0400	59.6	R HOUSE
	0500	59.6	R HOUSE
	0600	59.5	R HOUSE
	0700	58.9	B. char
	0800	59.1	B. char
	0900	61.4	B. char
	1000	63.1	B. char
	1100	64.7	B. char
	1200	68.0	Om
	1300	71.8	Om
	1400	75.7	Om
	1500	77.5	J. Martin
	1600	75.7	J. Martin
	1700	71.1	J. Martin
	1800	66.9	J. Martin
	1900	63.7	J. Martin
	2000	59.8	J. Martin
	2100	60.0	J. Martin
	2200	59.3	J. Martin
	2300	59.1	Cm
	2400	58.9	Cm

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL BOILER ROOM

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	58.9	Cm
	0200	58.4	Cm
	0300	57.7	Cm
	0400	56.9	Cm
	0500	56.6	Cm
	0600	54.9	Cm
	0700	54.1	1B. char
	0800	55.0	om
	0900	59.4	om
	1000	65.2	om
	1100	70.6	om
	1200	72.1	1B. char
	1300	80.9	1B. char
	1400	86.2	1B. char
	1500	88.5	V. Martinez
	1600	85.1	V. Martinez
	1700	82.4	V. Martinez
	1800	77.5	V. Martinez
	1900	73.7	V. Martinez
	2000	68.4	V. Martinez
	2100	66.1	V. Martinez
	2200	63.8	V. Martinez
	2300	62.3	1B. char
	2400	60.8	1B. char

FRIDAY - 9/27/24

61.0

Date	Time	Temp.	Printed Name
	0100	60.4	1B. char
	0200	58.1	1B. char
	0300	52.3	1B. char
	0400	57.0	1B. char
	0500	56.8	1B. char
	0600	57.1	1B. char
	0700	57.2	R HOUSE
	0800	57.5	R HOUSE
	0900	58.5	R HOUSE
	1000	60.1	R HOUSE
	1100	62.9	R HOUSE
	1200	63.8	R HOUSE
	1300	66.6	R HOUSE
	1400	69.2	R HOUSE
	1500	69.4	R HOUSE
	1600	67.7	R HOUSE
	1700	65.3	R HOUSE
	1800	62.9	R HOUSE
	1900	61.1	R HOUSE
	2000	60.3	R HOUSE
	2100	59.9	R HOUSE
	2200	59.7	R HOUSE
	2300	59.3	1B. char
	2400	58.8	1B. char

63.9

SATURDAY - 9/28/24

INSTITUTION:

CORRECTIONAL TRAINING FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL BOILER ROOM

Thermometer Location:

Immediately notify the Watch Commander at extension 5853 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	58.6	JB.chan
	0200	58.6	JB.chan
	0300	58.4	JB.chan
	0400	58.2	JB.chan
	0500	58.0	JB.chan
	0600	58.8	JB.chan
	0700	57.6	Clyde
	0800	57.8	Clyde
	0900	58.8	Clyde
	1000	60.8	Clyde
	1100	64.9	Clyde
	1200	64.4	Clyde
	1300	65.7	Clyde
	1400	69.5	Clyde
	1500	71.2	R.HOUSE
	1600	69.8	R.HOUSE
	1700	67.7	R.HOUSE
	1800	64.4	R.HOUSE
	1900	60.7	R.HOUSE
	2000	58.3	R.HOUSE
	2100	57.1	R.HOUSE
	2200	56.2	R.HOUSE
	2300	54.5	Cm
	2400	54.0	Cm

Sept - 29, 2024 - Sunday

Date	Time	Temp.	Printed Name
	0100	52.9	Cm
	0200	52.6	Cm
	0300	52.1	Cm
	0400	51.7	Cm
	0500	51.8	Cm
	0600	51.8	Cm
	0700	51.9	R
	0800	52.1	R
	0900	55.6	Om
	1000	65.2	Om
	1100	70.6	Om
	1200	77.6	Om
	1300	80.8	Om
	1400	86.6	R
	1500	88.5	R.HOUSE
	1600	85.6	R.HOUSE
	1700	81.8	R.HOUSE
	1800	78.7	R.HOUSE
	1900	72.3	R.HOUSE
	2000	68.7	R.HOUSE
	2100	67.3	R.HOUSE
	2200	66.7	R.HOUSE
	2300	63.4	Cm
	2400	64.8	Cm

88.5

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: B-WING Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
09/01/2024	0300	62°	Mender
	0600	65°	Altamirano
	0900	65°	Altamirano
	1200	70°	Altamirano
	1500	70°	C. Rodiguez
	1800	69°	A. Lopez
	2100	67°	A. Lopez
	2400	64°	Quintana

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIF Housing Unit: BW Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5653 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	65°	Quintero
	0600	66	Flores
	0900	69	Flores
	1200	71	Flores
	1500	70	Villa
	1800	69	Villa
	2100	68	Villa
	2400	66°	Quintero

Wednesday

Date	Time	Temp.	Name (Print)
9-4-24	0300	67°	Quintero
	0600	66°	M. Alvarado
	0900	69°	M. Alvarado
	1200	70°	M. Alvarado
	1500	72°	M. Alvarado
	1800	72°	M. Alvarado
	2100	72°	M. Alvarado
	2400	69	Quintero

Friday

Date	Time	Temp.	Name (Print)
9-6-24	0300	72°	J. HATT
	0600	72°	J. HATT
	0900	72°	Nomura
	1200	72°	Nomura
	1500	72°	Villa
	1800	69°	Villa
	2100	68°	Villa
	2400	69°	J. HATT

Sunday

Date	Time	Temp.	Name (Print)
9-8-24	0300	70°	G. Johnson
	0600	70°	M. Alvarado
	0900	75°	M. Alvarado
	1200	82°	M. Alvarado
	1500	80°	S. Vega
	1800	75°	S. Vega
	2100	70°	S. Vega
	2400	70°	J. HATT

Tuesday

Date	Time	Temp.	Name (Print)
9-3-24	0300	66°	Quintero
	0600	68°	Naoma
	0900	70°	Naoma
	1200	72°	Naoma
	1500	72°	X. Peterson
	1800	72°	X. Peterson
	2100	72°	X. Peterson
	2400	69°	Quintero

Thursday

Date	Time	Temp.	Name (Print)
9-5-24	0300	67	Quintero
	0600	68°	Naoma
	0900	69°	Naoma
	1200	71°	Naoma
	1500	71°	Villa
	1800	72°	Villa
	2100	72°	Villa
	2400	72°	J. HATT

Saturday

Date	Time	Temp.	Name (Print)
9-7-24	0300	70°	J. HATT
	0600	71°	J. HATT
	0900	72°	J. Melendez
	1200	72°	J. Melendez
	1500	72°	Vega
	1800	72°	Vega
	2100	70°	Vega
	2400	70°	G. Johnson

Notes

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: BW Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-1-19	0300		
	0600	66	Flores
	0900	66	Flores
	1200	71	Flores
	1500	71	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	69	Quintero

Tuesday

Date	Time	Temp.	Name (Print)
9-2-19	0300	69	Quintero
	0600	69	Flores
	0900	69	Flores
	1200	69	Flores
	1500	70°	K. Peterson
	1800	70°	K. Peterson
	2100	70°	K. Peterson
	2400	67	Quintero

Wednesday

Date	Time	Temp.	Name (Print)
9-3-19	0300	67	Quintero
	0600	68	Norma
	0900	68°	Norma
	1200	68°	Norma
	1500	69	Quintero
	1800	69	Quintero
	2100	69	Quintero
	2400	67°	Quintero

Thursday

Date	Time	Temp.	Name (Print)
9-4-19	0300	67	Quintero DS
	0600	68	Norma
	0900	68	Norma
	1200	68	Norma
	1500	71	C. Green
	1800	70	C. Green
	2100	70	C. Green
	2400	70	J. HATT

Friday

Date	Time	Temp.	Name (Print)
9-13-19	0300	70°	J. HATT
	0600	70°	J. HATT
	0900	70°	Norma
	1200	70°	Norma
	1500	70	Vasquez
	1800	69	Vasquez
	2100	68	Vasquez
	2400	70°	J. HATT

Saturday

Date	Time	Temp.	Name (Print)
9-14-19	0300	70°	J. HATT
	0600	70°	J. HATT
	0900	70	Flores
	1200	73	Flores
	1500	74	Romo
	1800	72	Romo
	2100	70	Romo
	2400	67	Southernway

Notes

Date	Time	Temp.	Name (Print)
9-15-19	0300	64	southernway
	0600	66	Flores
	0900	68	Flores
	1200	71	Flores
	1500	70°	Vasquez
	1800	70°	Vasquez
	2100	69°	Vasquez
	2400	67°	J. HATT

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: BW Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	65°	Vega
	0600	65°	Vazquez
	0900	65°	Vazquez
	1200	66°	Vazquez
	1500	68°	Vega
	1800	68°	Vega
	2100	68°	Vega
	2400	66	Quintero

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	66	Quintero
	0600	67	Flores
	0900	68	Flores
	1200	71	Flores
	1500	70	V. Rodriguez
	1800	70	V. Rodriguez
	2100	68	Quintero
	2400	68	Quintero

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	66	Quintero
	0600	67	Flores
	0900	69	Flores
	1200	71	Flores
	1500	71	Quintero
	1800	70	Quintero
	2100	68	Quintero
	2400	67	Quintero

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	67	Quintero RS
	0600	65	Vargas
	0900	70	Vargas
	1200	70	Vargas
	1500	70	Lilia
	1800	69	Lilia
	2100	68	Lilia
	2400	66	J. HATT

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	66	J. HATT
	0600	66	J. HATT
	0900	67	Norman
	1200	67°	Norman
	1500	67°	Lilia
	1800	66	Lilia
	2100	65	Lilia
	2400	66	J. HATT

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	66	J. HATT
	0600	66	J. HATT
	0900	65	Norman
	1200	65	Norman
	1500	66	Rodrigo
	1800	65	Rodrigo
	2100	65	Rodrigo
	2400	64	goutham

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	64	goutham
	0600	65°	J. Alvarado
	0900	65°	J. Alvarado
	1200	65°	J. Alvarado
	1500	68	J. Valdez
	1800	67	J. Valdez
	2100	65	J. Valdez
	2400	65	goutham

Notes

9/17/14 over 70° since 2400

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: BW Temp. Reading Location: 3rd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	64	Souphanthawong
	0600	55	Flores
	0900	68	Flores
	1200	72	Flores
	1500	80°	Naga
	1800	85°	Naga
	2100	70°	Naga
	2400	66	Xiong

Tuesday

Date	Time	Temp.	Name (Print)
1/24/24	0300	66	Quinton <i>H</i>
	0600	67	Floey
	0900	69	Floey
	1200	72	Plotz <i>H</i>
	1500	75°	Hannah <i>H</i>
	1800	73°	K. Peterson
	2100	72°	C. Peterson
	2400	69	Quinton

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	67	Quintero
	0600	65°	Nicole
	0900	67°	Nicole
	1200	68°	Nicole
	1500	73	Quintero
	1800	71	Quintero
	2100	69	Quintero
	2400	68	Quintero

Thursday

Date	Time	Temp.	Name (Print)
3/26/21	0300	66	Clinton
	0600	66	Clinton
	0900	67	Clinton
	1200	68	Clinton
	1500	68	Clinton
	1800	67	Lila
	2100	66	Lila
	2400	68	J. HATT

Friday

Date	Time	Temp.	Name (Print)
9/22/24	0300	68	J. HATT
	0600	68	J. HATT
	0900	68	Northeast
	1200	68	Northeast
	1500	69	Lille
	1800	68	Lille
	2100	66	Lille
	2400	65	J. HATT

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	65°	J. HATT
	0600	64°	J. HATT
	0900	79°	Flora
	1200	79°	Flora
	1500	71°	Vega
	1800	68°	Vega
	2100	66°	Vega
	2400	64°	SOPHIA STANWIX

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	64°	SOPHIA ANDREWS
	0600	65°	J. Gonzalez
	0900	67°	J. Gonzalez
	1200	70°	J. Gonzalez
	1500	70°	S. Vega
	1800	70°	Vega
	2100	68°	Vega
	2400	66°	MONICA ANDREWS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: BW Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/14	0300	63	Southern Monk
	0600	60	M Lopez
	0900	65	M Lopez
	1200	70	M Lopez
	1500	76	G. GARRETTO
	1800	78	G. GARRETTO
	2100	72	G. GARRETTO
	2400	76	T. Brown

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: C-Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/21	0300	68°	Florres
	0600	70°	F. VASQUEZ AB
	0900	70°	E. VASQUEZ
	1200	72°	D. Acosta
	1500	74	Aceves
	1800	72	Aceves
	2100	71	Aceves
	2400	70°	Florres

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: C-WING Temp. Reading Location: 3rd. Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	68	Florres
	0600	70°	Guzman
	0900	70	Acosta
	1200	72	Acosta
	1500	73	Paredes
	1800	73	Paredes
	2100	72	Paredes
	2400	71°	A. Rosario

Tuesday

Date	Time	Temp.	Name (Print)
9-3-24	0300	70°	A. Foroutanesh
	0600	70°	Guevara
	0900	70°	Gutierrez
	1200	71°	Gutierrez
	1500	75°	Negrón
	1800	73	Negrón
	2100	71	Negrón
	2400	70	A. Foroutanesh

Wednesday

Date	Time	Temp.	Name (Print)
9-4-24	0300	70	A. FORCZANDA
	0600	70	Gudega
	0900	70°	Guevara
	1200	72°	E. VASQUEZ
	1500	74	Aceves
	1800	74	Aceves
	2100	73	Carr
	2400	72	A. FORCZANDA

Thursday

Date	Time	Temp.	Name (Print)
9-5-24	0300	70°	A. Folacarden
	0600	70°	Gutierrez
	0900	70°	Guelan
	1200	7d°	Pascualer
	1500	76	Paredes
	1800	76	Paredes
	2100	75	Dorvalo
	2400	73°	A. Folacarden

Friday

Date	Time	Temp.	Name (Print)
9-6-24	0300	70°	A. Folgarzanoli
	0600	71°	Guelogu
	0900	73°	Guelogu
	1200	75°	E. V. S. G. E. Z.
	1500	76	Paredes
	1800	77	Paredes
	2100	77	Paredes
	2400	74	A. Folgarzanoli

Saturday

Date	Time	Temp.	Name (Print)
9-7-24	0300	73°	A. FORSTENDER
	0600	72°	E. MUSCLEZ
	0900	72°	E. LASSWELL
	1200	74°	E. MUSCLEZ
	1500	78°	Lombay
	1800	76°	Lombay
	2100	76°	Lombay
	2400	72°	Flores

Sunday

Date	Time	Temp.	Name (Print)
9-5-24	0300	70°	D. Flores
	0600	71°	F. VASQUEZ
	0900	72°	D. Austin
	1200	77°	D. Austin
	1500	77°	PerezES
	1800	76°	Flores
	2100	77°	Flores
	2400	70°	Flores

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTP Housing Unit: C - Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9-24	0300	70°	D. Flores
	0600	71°	Gudogay
	0900	71°	Guzman
	1200	71°	Guzman
	1500	73	Paredes
	1800	73	Sanchez
	2100	73	Sanchez
	2400	70	Wynn

Tuesday

Date	Time	Temp.	Name (Print)
9-10-24	0300	70	N. Wynn
	0600	70°	Gudogay
	0900	70°	Guzman
	1200	70°	Guzman
	1500	72°	Negron
	1800	70°	Negron
	2100	69°	Negron
	2400	68°	A. Forouzandeh

Wednesday

Date	Time	Temp.	Name (Print)
9-11-24	0300	68°	A. Forouzandeh
	0600	69°	Gudogay
	0900	68°	Guzman
	1200	71°	Guzman
	1500	72	Aceves
	1800	72	Aceves
	2100	72	Aceves
	2400	70°	A. Forouzandeh

Thursday

Date	Time	Temp.	Name (Print)
9-12-24	0300	70°	A. Forouzandeh
	0600	69°	Gudogay
	0900	69°	Guzman
	1200	70°	Guzman
	1500	73	Paredes
	1800	73	Paredes
	2100	72	Paredes
	2400	70	A. Forouzandeh

Friday

Date	Time	Temp.	Name (Print)
9-13-24	0300	68°	A. Forouzandeh
	0600	68°	Gudogay
	0900	69°	E. Vasquez
	1200	70°	E. Vasquez
	1500	73	Paredes
	1800	73	Paredes
	2100	71°	Penedez
	2400	71°	Medina

Saturday

Date	Time	Temp.	Name (Print)
9-14-24	0300	71°	Medina
	0600	70°	Medina
	0900	69	Acosta
	1200	71	Acosta
	1500	71	Loredo
	1800	71°	Loredo
	2100	71°	Loredo
	2400	68°	Medina

Sunday

Date	Time	Temp.	Name (Print)
9-15-24	0300	66°	D. Flores
	0600	68°	E. Vasquez
	0900	69	Acosta AB
	1200	70°	E. Vasquez
	1500	71	Paredes
	1800	70	Paredes
	2100	68°	Paredes
	2400	69°	Flores

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIF Housing Unit: C-Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
9-16-24	0300	62°	Florres	9-17-24	0300	68°	A. Forazandeh	9-18-24	0300	66°	Gueleguz	9-19-24	0300	68°	Gueleguz	9-20-24	0300	68°	A. Forazandeh	9-21-24	0300	67°	A. Forazandeh	9-22-24	0300	66°	Florres																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	0600	69°	Gueleguz		0600	68°	Gueleguz		0600	68°	Gueleguz		0600	68°	Gueleguz		0600	68°	E. VASQUEZ		0600	67°	E. VASQUEZ			0900	65	Acosta		0900	66	Gueleguz		0900	66	Gueleguz		0900	68°	E. VASQUEZ		0900	68°	D. Acosta		0900	68°	D. Acosta			1200	68	Acosta		1200	68°	Gueleguz		1200	68°	Gueleguz		1200	70°	E. VASQUEZ		1200	70°	Paredes		1200	70°	Paredes			1500	69	Paredes		1500	69°	Paredes		1500	69°	Paredes		1500	70°	Paredes		1500	70°	Paredes		1500	70°	Paredes			1800	69	Paredes		1800	68°	Paredes		1800	68°	Paredes		1800	70°	Paredes		1800	70°	Paredes		1800	70°	Paredes			2100	69	Paredes		2100	69°	Paredes			2400	69°	A. Forazandeh		2400	67°	A. Forazandeh		2400	68°	A. Forazandeh		Wednesday				Thursday				Friday				Saturday				Sunday				Notes				9-18-24	0300	66°	A. Forazandeh	9-19-24	0300	68°	Gueleguz	9-20-24	0300	68°	A. Forazandeh	9-21-24	0300	67°	A. Forazandeh	9-22-24	0300	66°	Florres								0600	68°	Gueleguz		0600	68°	Gueleguz		0600	68°	Gueleguz		0600	68°	E. VASQUEZ		0600	67°	E. VASQUEZ		0600	67°	E. VASQUEZ			0900	67°	E. VASQUEZ		0900	68°	Gueleguz		0900	68°	Gueleguz		0900	68°	E. VASQUEZ		0900	68°	D. Acosta		0900	68°	D. Acosta			1200	68°	Gueleguz		1200	70°	Gueleguz		1200	70°	Gueleguz		1200	70°	E. VASQUEZ		1200	70°	Paredes		1200	70°	Paredes			1500	70	Aceves		1500	70°	Aceves		1500	70°	Aceves		1500	70°	Paredes		1500	70°	Paredes		1500	70°	Paredes			1800	70	Aceves		1800	70°	Aceves		1800	70°	Aceves		1800	70°	Paredes		1800	70°	Paredes		1800	70°	Paredes			2100	68°	Aceves		2100	68°	Aceves		2100	68°	Aceves		2100	68°	Paredes		2100	68°	Paredes		2100	68°	Paredes			2400	69°	A. Forazandeh		2400	68°	A. Forazandeh		Friday				Saturday				Sunday				Notes												9-20-24	0300	68°	Flores	9-21-24	0300	67°	E. VASQUEZ	9-22-24	0300	66°	Florres															0600	68°	E. VASQUEZ		0600	68°	E. VASQUEZ		0600	68°	E. VASQUEZ															0900	68°	D. Acosta		0900	68°	D. Acosta		0900	68°	D. Acosta															1200	70°	E. VASQUEZ		1200	70°	E. VASQUEZ		1200	70°	E. VASQUEZ															1500	72	Paredes		1500	72	Paredes		1500	72	Paredes															1800	71	Paredes		1800	71	Paredes		1800	71	Paredes															2100	70	Paredes		2100	70	Paredes		2100	70	Paredes															2400	70	Gonzalez		2400	70	Gonzalez		2400	70	Gonzalez																																																									
	0900	65	Acosta		0900	66	Gueleguz		0900	66	Gueleguz		0900	68°	E. VASQUEZ		0900	68°	D. Acosta		0900	68°	D. Acosta																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	1200	68	Acosta		1200	68°	Gueleguz		1200	68°	Gueleguz		1200	70°	E. VASQUEZ		1200	70°	Paredes		1200	70°	Paredes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	1500	69	Paredes		1500	69°	Paredes		1500	69°	Paredes		1500	70°	Paredes		1500	70°	Paredes		1500	70°	Paredes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	1800	69	Paredes		1800	68°	Paredes		1800	68°	Paredes		1800	70°	Paredes		1800	70°	Paredes		1800	70°	Paredes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	2100	69	Paredes		2100	69°	Paredes		2100	69°	Paredes		2100	69°	Paredes		2100	69°	Paredes		2100	69°	Paredes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	2400	69°	A. Forazandeh		2400	67°	A. Forazandeh		2400	68°	A. Forazandeh		2400	68°	A. Forazandeh		2400	68°	A. Forazandeh		2400	68°	A. Forazandeh																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Wednesday				Thursday				Friday				Saturday				Sunday				Notes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
9-18-24	0300	66°	A. Forazandeh	9-19-24	0300	68°	Gueleguz	9-20-24	0300	68°	A. Forazandeh	9-21-24	0300	67°	A. Forazandeh	9-22-24	0300	66°	Florres																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	0600	68°	Gueleguz		0600	68°	Gueleguz		0600	68°	Gueleguz		0600	68°	E. VASQUEZ		0600	67°	E. VASQUEZ		0600	67°	E. VASQUEZ																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	0900	67°	E. VASQUEZ		0900	68°	Gueleguz		0900	68°	Gueleguz		0900	68°	E. VASQUEZ		0900	68°	D. Acosta		0900	68°	D. Acosta																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	1200	68°	Gueleguz		1200	70°	Gueleguz		1200	70°	Gueleguz		1200	70°	E. VASQUEZ		1200	70°	Paredes		1200	70°	Paredes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	1500	70	Aceves		1500	70°	Aceves		1500	70°	Aceves		1500	70°	Paredes		1500	70°	Paredes		1500	70°	Paredes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	1800	70	Aceves		1800	70°	Aceves		1800	70°	Aceves		1800	70°	Paredes		1800	70°	Paredes		1800	70°	Paredes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	2100	68°	Aceves		2100	68°	Aceves		2100	68°	Aceves		2100	68°	Paredes		2100	68°	Paredes		2100	68°	Paredes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	2400	69°	A. Forazandeh		2400	68°	A. Forazandeh		2400	68°	A. Forazandeh		2400	68°	A. Forazandeh		2400	68°	A. Forazandeh		2400	68°	A. Forazandeh																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Friday				Saturday				Sunday				Notes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
9-20-24	0300	68°	Flores	9-21-24	0300	67°	E. VASQUEZ	9-22-24	0300	66°	Florres																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	0600	68°	E. VASQUEZ		0600	68°	E. VASQUEZ		0600	68°	E. VASQUEZ																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	0900	68°	D. Acosta		0900	68°	D. Acosta		0900	68°	D. Acosta																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	1200	70°	E. VASQUEZ		1200	70°	E. VASQUEZ		1200	70°	E. VASQUEZ																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	1500	72	Paredes		1500	72	Paredes		1500	72	Paredes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	1800	71	Paredes		1800	71	Paredes		1800	71	Paredes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	2100	70	Paredes		2100	70	Paredes		2100	70	Paredes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	2400	70	Gonzalez		2400	70	Gonzalez		2400	70	Gonzalez																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: C-Wing Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>9/23/24</u>	0300	68°	Gottfried
	0600	66	D. Acosta
	0900	68	D. Acosta
	1200	70	D. Acosta
	1500	73	V. Sanchez
	1800	72	V. Sanchez
	2100	72	V. Sanchez
	2400	71°	A. Forazancho

Tuesday			
Date	Time	Temp.	Name (Print)
	0300	70°	A. Forazancho
	0600	70	Gutierrez
	0900	70	D. Acosta
	1200	71°	Gutierrez
	1500	72°	Negron
	1800	72°	Negron
	2100	71°	Sanchez
	2400	70	Hudson

Wednesday			
Date	Time	Temp.	Name (Print)
	0300	69	Gutierrez
	0600	68°	Gutierrez
	0900	68°	Gutierrez
	1200	70°	Gutierrez
	1500	70	Aceves
	1800	71	Aceves
	2100	70	Aceves
	2400	70°	A. Forazancho

Thursday			
Date	Time	Temp.	Name (Print)
	0300	68°	A. Forazancho
	0600	68	Gutierrez
	0900	69°	Gutierrez
	1200	70°	Gutierrez
	1500	71	Paredes
	1800	72	Paredes
	2100	71	Paredes
	2400	70°	F. Gutierrez

Friday			
Date	Time	Temp.	Name (Print)
	0300	70°	F. Gutierrez
	0600	66	Gutierrez
	0900	68°	Gutierrez
	1200	70°	E. Vasquez
	1500	73	Paredes
	1800	73	Paredes
	2100	73	Paredes
	2400	72°	Gottfried

Saturday			
Date	Time	Temp.	Name (Print)
	0300	72°	Gottfried
	0600	68°	E. Vasquez
	0900	70°	E. Vasquez
	1200	71°	E. Vasquez
	1500	72°	Lopez
	1800	71°	Lopez
	2100	70°	Lopez
	2400	68°	Vega

Sunday			
Date	Time	Temp.	Name (Print)
	0300	68°	Vega
	0600	68°	F. Vasquez
	0900	68°	F. Vasquez
	1200	70°	E. Vasquez
	1500	70°	Aceves
	1800	70°	Aceves
	2100	69°	Aceves
	2400	66	Mores

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: C-WING Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/21	0300	66°	FLORES
	0600	68°	GUEQUE
	0900	66°	GUEQUE
	1200	68°	GUEQUE
	1500	72	PAREDES
	1800	74	PAREDES
	2100	72°	PAREDES
	2400	72°	A. FORSTANDER

Tuesday

Date	Time	Temp.	Name (Print)
	0300		RS
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: D-WING Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
09/02/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
09/03/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
09/04/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
09/05/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
09/06/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
09/07/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
09/08/2024	0300	69	Thomas
	0600	69	Solis
	0900	71	Solis
	1200	72	Solis
	1500	76	J. Rodriguez
	1800	77	J. Rodriguez
	2100	74	S. Obregon
	2400	68	Mendez

Notes			

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: D Temp. Reading Location: 3rd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
09-02-24	0300	62	Mender	09-03-24	0300	62	Mender
	0600	62	Solir		0600	68°	Galicia
	0900	64	Solir		0900	69°	Galicia
	1200	68	Solir		1200	70	Galicia
	1500	70	Castillo		1500	77°	LUGUE
	1800	70	Castillo		1800	74°	LUGUE
	2100	68	Castillo		2100	72°	LUGUE
	2400	64	Mender		2400	68°	Mender
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
09-04-24	0300	64	Mender	09-05-24	0300	62	Mender
	0600	70°	Galicia		0600	70°	Galicia
	0900	70°	Galicia		0900	70°	Galicia
	1200	72°	Galicia		1200	71	Galicia
	1500	76°	LUGUE		1500	77	J. Palacio
	1800	79	LUGUE		1800	78	J. Palacio
	2100	72	LUGUE		2100	73	J. Palacio
	2400	68	Mender		2400	70	Mender
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
09-06-24	0300	66	Mender	09-07-24	0300	68°	Vinde
	0600	70	Galicia		0600	72°	Galicia
	0900	70°	Galicia		0900	72°	Galicia
	1200	72°	Galicia		1200	72°	Galicia
	1500	77	J. Palacio		1500	79	J. Palacio
	1800	78	J. Palacio		1800	80	J. Palacio
	2100	74	J. Palacio		2100	74	J. Palacio
	2400	70	A. Neda		2400	73	Thomas
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
09-08-24	0300	70	Thomas				
	0600	70	Hernandez				
	0900	70	Hernandez				
	1200	75°	Hernandez				
	1500	80	J. Palacio				
	1800	77	J. Palacio				
	2100	74	J. Palacio				
	2400	72	Mender				

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: D-WING Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/09/2024	0300	60°	Mender
	0600	66°	Hernandez
	0900	69°	Hernandez
	1200	69°	Hernandez
	1500	70	Harper
	1800	70	Harper
	2100	66	Harper
	2400	68	Mender

Tuesday

Date	Time	Temp.	Name (Print)
09/10/2024	0300	64	Mender
	0600	70°	Galicia
	0900	70°	Galicia
	1200	70°	Galicia
	1500	68°	Harper
	1800	67°	Harper
	2100	66	Harper
	2400	66	Mender

Wednesday

Date	Time	Temp.	Name (Print)
09/11/2024	0300	62	Mender
	0600	68	Galicia
	0900	68	Galicia
	1200	70°	Galicia
	1500	74°	LUGUE
	1800	74°	LUGUE
	2100	74°	LUGUE
	2400	68	Mender

Thursday

Date	Time	Temp.	Name (Print)
09/12/2024	0300	62	Mender
	0600	68°	Galicia
	0900	68°	Galicia
	1200	70°	Galicia
	1500	75°	LUGUE
	1800	75°	LUGUE
	2100	75°	LUGUE
	2400	70	Mender

Friday

Date	Time	Temp.	Name (Print)
09/13/2024	0300	64	Mender
	0600	68	Galicia
	0900	68°	Galicia
	1200	70°	Galicia
	1500	76	J. Galicia
	1800	75	J. Galicia
	2100	75	J. Galicia
	2400	72	TELLEZ

Saturday

Date	Time	Temp.	Name (Print)
09/14/2024	0300	68	TELLEZ
	0600	68°	Galicia
	0900	68°	Galicia
	1200	70°	Galicia
	1500	79°	Mares
	1800	68°	Mares
	2100	66°	Mares
	2400	66	Thomas

Sunday

Date	Time	Temp.	Name (Print)
09/15/2024	0300	66	Thom
	0600	66	Hernandez
	0900	67	Hernandez
	1200	68	Hernandez
	1500	72	J. Galicia
	1800	71	J. Galicia
	2100	69	J. Galicia
	2400	66	A. Mender

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: D-WING Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/16/2024	0300	62°	Mender
	0600	62°	Hernandez
	0900	65°	Hernandez
	1200	68°	Hernandez
	1500	71°	Castillo
	1800	70°	Castillo
	2100	69°	Castillo
	2400	68°	Mender

Tuesday

Date	Time	Temp.	Name (Print)
09/17/2024	0300	62°	Mender
	0600	62°	Galicia
	0900	62°	Galicia
	1200	64°	Galicia
	1500	67°	Miranda
	1800	66°	Miranda
	2100	68°	Lugue
	2400	66°	Mender

Wednesday

Date	Time	Temp.	Name (Print)
09/18/2024	0300	62°	Mender
	0600	62°	Galicia
	0900	62°	Galicia
	1200	64°	Galicia
	1500	72°	S. Garcia
	1800	70°	S. Garcia
	2100	67°	S. Garcia
	2400	66°	A. Mender

Thursday

Date	Time	Temp.	Name (Print)
09/19/2024	0300	64°	A. Mender
	0600	68°	Galicia
	0900	68°	Galicia
	1200	68°	Galicia
	1500	72°	S. Garcia
	1800	70°	S. Garcia
	2100	68°	S. Garcia
	2400	64°	Mender

Friday

Date	Time	Temp.	Name (Print)
09/20/2024	0300	62°	Mender
	0600	64°	Galicia
	0900	64°	Galicia
	1200	64°	Galicia
	1500	77°	Lugue
	1800	76°	Lugue
	2100	70°	Lugue
	2400	68°	Pineda

Saturday

Date	Time	Temp.	Name (Print)
09/21/2024	0300	66°	Pineda
	0600	66°	Galicia
	0900	66°	Galicia
	1200	66°	Galicia
	1500	71°	Parada
	1800	70°	Parada
	2100	70°	Parada
	2400	66°	Thomas

Sunday

Date	Time	Temp.	Name (Print)
09/22/2024	0300	66°	Thomas
	0600	66°	Hernandez
	0900	69°	Baldwin
	1200	70°	Baldwin
	1500	64°	Gutierrez
	1800	64°	Gutierrez
	2100	64°	Gutierrez
	2400	64°	Mender

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: D-WING Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday								
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)					
09/23/2024	0300	62°	Mender	09/24/2024	0300	64°	Mender	09/25/2024	0300	66°	Mender	09/26/2024	0300	66°	Mender PS	09/27/2024	0300	66°	Mender	09/28/2024	0300	69°	Villa	09/29/2024	0300	72°	Medina	9-29-24				
	0600	62°	Hernandez		0600	70°	Galicia		0600	66°	Galicia		0600	66°	Galicia		0600	66°	Galindo		0600	69°	Medina		0600	71°	GARRIDO					
	0900	65°	Hernandez		0900	70°	Galicia		0900	66°	Galicia		0900	66°	Galicia		0900	66°	Galindo		0900	71°	GARRIDO		0900	72°	GARRIDO					
	1200	68°	Hernandez		1200	70°	Galicia		1200	70°	Galicia		1200	66°	Galicia		1200	70°	Galindo		1200	72°	GARRIDO		1200	73°	GARRIDO					
	1500	75	Castillo		1500	74°	LUGUE		1500	73°	LUGUE		1500	73°	LUGUE		1500	73°	LUGUE		1500	74°	LUGUE		1500	74°	LUGUE					
	1800	74	Castillo		1800	74°	LUGUE																									
	2100	73	Castillo		2100	74°	LUGUE																									
	2400	68°	Mender		2400	70°	Mender																									
Notes																																

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: D-WING Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
09/30/2024	0300	60°	Mendoza
	0600	66°	Hernandez
	0900	66°	Solis
	1200	66°	Solis
	1500	68°	Garcia
	1800	71°	Garcia
	2100	70°	Garcia
	2400	64°	A. Mendoza

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: E-WING Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	64°	Henderson
	0600	64°	Lopez
	0900	65°	Lopez
	1200	69°	Conter
	1500	78°	Conter
	1800	70°	Conter
	2100	68°	Fernandez
	2400	66°	Henderson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: E-WING Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	65	Hender
	0600	66	COPER ✓
	0900	68	Lopez
	1200	68	Lopez
	1500	69°	J. Sullivan ✓
	1800	69°	Sullivan
	2100	69°	Sullivan
	2400	68°	Tindu

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	65°	G. Flores ✓
	0600	64°	E. Salas ✓
	0900	65	E. Salas
	1200	69	E. Salas
	1500	70	N. Conley
	1800	71	N. Conley
	2100	69	N. Conley
	2400	65	N. Conley

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	60	N. Conley
	0600	60	J. Hernandez
	0900	65	J. Hernandez
	1200	67	J. Hernandez
	1500	68	A. Alonzo
	1800	68	A. Alonzo
	2100	67	A. Alonzo
	2400	72°	Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	72°	Gutierrez
	0600	67°	J. Hernandez
	0900	66	Juris
	1200	72°	Juris
	1500	60°	Acenzo
	1800	60°	Acenzo
	2100	70°	Acenzo
	2400	69	Thomas

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	66	Fernan
	0600	64°	E. Perez
	0900	67°	J. Sullivan
	1200	65°	J. Sullivan
	1500	69°	J. Sullivan
	1800	69°	J. Sullivan
	2100	68°	J. Sullivan
	2400	67°	G. Flores

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	63	N. Conley
	0600	63°	E. Salas
	0900	64°	E. Salas
	1200	70°	E. Salas
	1500	71	N. Conley
	1800	72	N. Conley
	2100	69°	N. Conley
	2400	69	N. Conley

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	66	Hernandez
	0600	67°	Hernandez
	0900	69°	Hernandez
	1200	67°	Hernandez
	1500	70°	Margot
	1800	74	Margot
	2100	74	Margot
	2400	70	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: E-WING Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/21	0300	65	Thomas
	0600	65°	Cope
	0900	68°	Cope
	1200	69	Cope
	1500	70	E. Marquez
	1800	69	E. Marquez
	2100	68	E. Marquez
	2400	68°	Pineda

Wednesday

Date	Time	Temp.	Name (Print)
9/11/21	0300	62°	E. Marquez
	0600	62°	E. Salas
	0900	62°	E. Salas
	1200	64°	E. Salas
	1500	68°	N. Conley
	1800	67°	N. Conley
	2100	66°	N. Conley
	2400	63°	N. Conley

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	62°	N. Conley
	0600	62°	J. Hernandez
	0900	64°	J. Hernandez
	1200	67°	J. Hernandez
	1500	69°	N. Conley
	1800	68°	N. Conley
	2100	67°	N. Conley
	2400	65°	W. Jones

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	57	Z. MARQUEZ
	0600	56	Z. MARQUEZ
	0900	58	Z. MARQUEZ
	1200	67	Z. MARQUEZ
	1500	66	Z. MARQUEZ
	1800	63	Z. MARQUEZ
	2100	60	Z. MARQUEZ
	2400	60	Thom

Tuesday

Date	Time	Temp.	Name (Print)
9/10/21	0300	63	Linda
	0600	63°	A. Perez
	0900	68°	A. Perez
	1200	69°	A. Perez
	1500	70	E. Marquez
	1800	69	E. Marquez
	2100	68	E. Marquez
	2400	67	E. Marquez

Thursday

Date	Time	Temp.	Name (Print)
9/12/21	0300	62°	N. Conley
	0600	62°	E. Salas
	0900	63	E. Salas
	1200	65	E. Salas
	1500	66°	N. Conley
	1800	66°	N. Conley
	2100	65°	N. Conley
	2400	62°	N. Conley

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	63°	W. Jones
	0600	63°	J. Hernandez
	0900	63°	J. Hernandez
	1200	66	J. Hernandez
	1500	66	Z. MARQUEZ
	1800	66	Z. MARQUEZ
	2100	63	Z. MARQUEZ
	2400	60	Z. MARQUEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: E-WING Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-24	0300	60	Thomas
	0600	62°	Perez
	0900	64°	Perez
	1200	65°	Perez
	1500	65°	J. Sullivan
	1800	64°	J. Sullivan
	2100	63°	J. Sullivan
	2400	63°	Pineda

Tuesday

Date	Time	Temp.	Name (Print)
9-17-24	0300	62°	Pineda
	0600	62°	Perez
	0900	62°	Sullivan
	1200	63°	Perez
	1500	63°	J. Sullivan
	1800	64°	J. Sullivan
	2100	62°	J. Sullivan
	2400	61°	N. Conley

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	60	N. Conley
	0600	62	N. Conley
	0900	62°	Sullivan
	1200	62°	F. Gutierrez
	1500	65°	N. Conley
	1800	64°	N. Conley
	2100	63°	N. Conley
	2400	60°	N. Conley

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	61°	N. Conley
	0600	65°	F. Gutierrez
	0900	65°	F. Gutierrez
	1200	66°	F. Gutierrez
	1500	68°	N. Conley
	1800	67°	N. Conley
	2100	68°	N. Conley
	2400	63°	Z. Marquez

Sunday

Date	Time	Temp.	Name (Print)
9-22-24	0300	64°	Gottfried
	0600	61°	Salas
	0900	64°	Salas
	1200	61°	Salas
	1500	68	E. Marquez
	1800	68	E. Marquez
	2100	67	E. Marquez
	2400	67°	Vega

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	59°	N. Conley
	0600	60°	E. Salas
	0900	62°	E. Salas
	1200	62°	E. Salas
	1500	75°	N. Conley
	1800	73°	N. Conley
	2100	70°	N. Conley
	2400	65°	N. Conley

Saturday

Date	Time	Temp.	Name (Print)
9-21-24	0300	59	Z. Marquez
	0600	60°	J. Hernandez
	0900	63°	Hernandez
	1200	67°	Hernandez
	1500	69	Z. Marquez
	1800	67	Z. Marquez
	2100	60	Z. Marquez
	2400	64°	B. Gottfried

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: E-WING Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-24	0300	65°	Vega
	0600	64°	N. Perez
	0900	66°	A. Perez
	1200	67°	A. Perez
	1500	68°	J. Sullivan
	1800	69°	J. Sullivan
	2100	67°	J. Sullivan
	2400	67°	Morn

Wednesday

Date	Time	Temp.	Name (Print)
9-26	0300	64°	Morn
	0600	62°	Solis
	0900	64°	E. Solis
	1200	64°	E. Solis
	1500	69°	N. Conley
	1800	68°	N. Conley
	2100	67°	N. Conley
	2400	65°	N. Conley

Friday

Date	Time	Temp.	Name (Print)
9-27	0300	64°	N. Conley
	0600	64°	J. Hernandez
	0900	66°	J. Hernandez
	1200	66°	E. Solis
	1500	66°	Conley
	1800	66°	Conley
	2100	64°	Conley
	2400	64°	Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
9-29	0300	62°	Z. Marquez
	0600	62°	E. Solis
	0900	67°	Z. Marquez
	1200	67°	E. Solis
	1500	79°	N. Conley
	1800	75°	N. Conley
	2100	72°	N. Conley
	2400	71°	Rineda

Tuesday

Date	Time	Temp.	Name (Print)
9-27	0300	65°	merzel
	0600	64°	A. Perez
	0900	66°	A. Perez
	1200	68°	A. Perez
	1500	69°	Miranda
	1800	67°	Miranda
	2100	66°	Miranda
	2400	68°	Miranda

Thursday

Date	Time	Temp.	Name (Print)
9-29	0300	63°	N. Conley
	0600	64°	E. Solis
	0900	65°	E. Solis
	1200	69°	E. Solis
	1500	67°	N. Conley
	1800	68°	N. Conley
	2100	66°	N. Conley
	2400	65°	N. Conley

Saturday

Date	Time	Temp.	Name (Print)
9-30	0300	63°	F. Gutierrez
	0600	63°	FWR58
	0900	65°	Hernandez
	1200	65°	Hernandez
	1500	66°	Z. Marquez
	1800	65°	Z. Marquez
	2100	68°	Z. Marquez
	2400	62°	Z. Marquez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: E-WING Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	68°	Pineda
	0600	62°	A. Lopez
	0900	65°	Lopez
	1200	68°	Lopez
	1500	69°	Lopez
	1800	69°	Sullivan
	2100	68°	Sullivan
	2400	68	Thomas

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTFHousing Unit: F-WingTemp. Reading Location: 3rd tier(e.g., 1st tier, 2nd tier, 3rd tier, etc.)5853

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/11/2024	0300	67	Garcia
	0600	68	Garcia
	0900	100	M. Gonzalez
	1200	70	M. Gonzalez
	1500	70	I. Garcia
	1800	710	I. Garcia
	2100	69	Z. Garcia
	2400	68	E. Garcia

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: FW Temp. Reading Location: 3RD Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-3-24	0300	67°	I. Garcia
	0600	67°	L. Espinoza
	0900	70°	L. Espinoza
	1200	73°	L. Espinoza
	1500	70°	C. Munguia
	1800	70°	C. Munguia
	2100	70°	C. Munguia
	2400	68	ESPAÑA

Tuesday

Date	Time	Temp.	Name (Print)
9-3-24	0300	67	ESPAÑA
	0600	70	M. Gonzalez
	0900	70	M. Gonzalez
	1200	79°	M. Gonzalez
	1500	71	ESPAÑA
	1800	70	ESPAÑA
	2100	69	ESPAÑA
	2400	67	Tesfamichael

Wednesday

Date	Time	Temp.	Name (Print)
9-4-24	0300	64°	Tesfamichael
	0600	66°	M. Gonzalez
	0900	66°	M. Gonzalez
	1200	68°	M. Gonzalez
	1500	70°	H. Gomez
	1800	70°	H. Gomez
	2100	69°	H. Gomez
	2400	67	C. Garcia

Thursday

Date	Time	Temp.	Name (Print)
9-5-24	0300	64	C. Garcia
	0600	70	M. Gonzalez
	0900	70	M. Gonzalez
	1200	70	M. Gonzalez
	1500	71°	H. Gomez
	1800	71°	H. Gomez
	2100	70°	H. Gomez
	2400	69	H. Gomez

Friday

Date	Time	Temp.	Name (Print)
9-6-24	0300	68°	Finley
	0600	66°	A. Perez
	0900	62°	A. Perez
	1200	70°	A. Perez
	1500	78°	E. Sandoval
	1800	72°	E. Sandoval
	2100	70°	E. Sandoval
	2400	68	I. Garcia

Saturday

Date	Time	Temp.	Name (Print)
9-7-24	0300	67°	I. Garcia
	0600	68	I. Garcia
	0900	70	I. Garcia
	1200	75	I. Garcia
	1500	75	I. Garcia
	1800	72	I. Garcia
	2100	70°	I. Garcia
	2400	70°	I. Garcia

Sunday

Date	Time	Temp.	Name (Print)
9-8-24	0300	69°	I. Garcia
	0600	70°	A. Perez
	0900	71°	A. Perez
	1200	78°	M. Gonzalez
	1500	76	Garcia
	1800	72	Garcia
	2100	72	Garcia
	2400	70	Garcia

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CYP Housing Unit: EW

Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-09-24	0300	68	Garcia
	0600	68	L. Bond
	0900	70°	M. Gonzalez
	1200	73°	M. Comaler
	1500	74°	R. Torres
	1800	74°	T. Torres
	2100	70°	T. Torres
	2400	70	Espana

Tuesday

Date	Time	Temp.	Name (Print)
9-10-24	0300	68	Espana
	0600	69°	M. Gonzalez
	0900	68°	M. Comaler
	1200	68°	M. Gonzalez
	1500	69°	H. Romero
	1800	69°	H. Romero
	2100	68°	H. Romero
	2400	68	T. Comaler

Wednesday

Date	Time	Temp.	Name (Print)
9-11-24	0300	62°	T. Comaler
	0600	62°	T. Comaler
	0900	61°	M. Comaler
	1200	70°	M. Gonzalez
	1500	74°	Espana
	1800	73°	Espana
	2100	70	Espana
	2400	68	C. Garcia

Thursday

Date	Time	Temp.	Name (Print)
9-12-24	0300	67	C. Green
	0600	67°	M. Gonzalez
	0900	65°	M. Gonzalez
	1200	68°	M. Gonzalez
	1500	68°	H. Romero
	1800	68°	H. Romero
	2100	68°	H. Romero
	2400	67	Pineda

Friday

Date	Time	Temp.	Name (Print)
9-13-24	0300	66°	Pineda
	0600	65°	A. Perez
	0900	70°	A. Perez
	1200	72°	A. Perez
	1500	70°	H. Romero
	1800	69°	H. Romero
	2100	68°	H. Romero
	2400	67	T. Garcia

Saturday

Date	Time	Temp.	Name (Print)
9-14-24	0300	66	T. Garcia
	0600	66	T. Garcia
	0900	67	T. Garcia
	1200	69	T. Garcia
	1500	67°	H. Romero
	1800	67°	H. Romero
	2100	65°	H. Romero
	2400	65	T. Garcia

Sunday

Date	Time	Temp.	Name (Print)
9-15-24	0300	66	T. Garcia
	0600	67°	A. Perez
	0900	67°	M. Comaler
	1200	67°	M. Comaler
	1500	68°	T. Garcia
	1800	67	T. Garcia
	2100	67	T. Garcia
	2400	66	T. Garcia

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTY Housing Unit: F-Wing Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	66	C. Garcia
	0600	60	M. Gonzalez
	0900	64	M. Gonzalez
	1200	64	M. Gonzalez
	1500	64	O'Brien
	1800	64	A. Rich
	2100	62	O'Brien
	2400	62	ESPARZA

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	62	ESPARZA
	0600	60	M. Gonzalez
	0900	64	M. Gonzalez
	1200	60	M. Gonzalez
	1500	64	H. Romer
	1800	62	H. Romer
	2100	61	H. Romer
	2400	62	Tesfamichael

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	62	Tesfamichael
	0600	61	Tesfamichael
	0900	62°	M. Gonzalez
	1200	63°	M. Gonzalez
	1500	65	ESPARZA
	1800	64	ESPARZA
	2100	62	ESPARZA
	2400	63	GARCIA

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	61	GARCIA
	0600	60	M. Gonzalez
	0900	62	M. Gonzalez
	1200	60	M. Gonzalez
	1500	65	ESPARZA
	1800	64	ESPARZA
	2100	63	ESPARZA
	2400	63	Fineda

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	60	Linda
	0600	60°	A. Perez
	0900	62°	A. Perez
	1200	64°	A. Perez
	1500	65°	H. Romer
	1800	64°	H. Romer
	2100	62°	H. Romer
	2400	63	Z. Garcia

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	63	Z. Garcia
	0600	62	Z. Garcia
	0900	63	Z. Garcia
	1200	62	Z. Garcia
	1500	65°	H. Romer
	1800	63°	H. Romer
	2100	61°	H. Romer
	2400	61	Z. Garcia

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	60	Z. Garcia
	0600	61°	Z. Garcia
	0900	62°	M. Gonzalez
	1200	64	M. Gonzalez
	1500	67	Z. Garcia
	1800	66°	Z. Garcia
	2100	65	Z. Garcia
	2400	64	Z. Garcia

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJF Housing Unit: F Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	62	P. Coffey
	0600	62	L. Edwards
	0900	63	L. Edwards
	1200	68	L. Edwards
	1500	70°	C. Miranda
	1800	70°	C. Miranda
	2100	67	ESPAZTA
	2400	65	ESPAZTA

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	64	ESPAZTA
	0600	64	Tesfamichael
	0900	64	Tesfamichael
	1200	66	Tesfamichael
	1500	67	ESPAZTA
	1800	66	ESPAZTA
	2100	65	ESPAZTA
	2400	64	Tesfamichael

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	62	Tesfamichael
	0600	62	Tesfamichael
	0900	64	M. Gonzalez
	1200	64	M. Gonzalez
	1500	67	H. Romens
	1800	67	H. Romens
	2100	67	H. Romens
	2400	63°	MARTINSON

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	62°	MARTINSON
	0600	62°	MARTINSON
	0900	63°	M. Gonzalez
	1200	65°	M. Gonzalez
	1500	67	ESPAZTA
	1800	66	ESPAZTA
	2100	65	ESPAZTA
	2400	64°	MARTINSON

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	64°	MARTINSON
	0600	63°	MARTINSON
	0900	63°	A. LOPEZ
	1200	64°	A. LOPEZ
	1500	64°	H. Romens
	1800	64°	H. Romens
	2100	65°	H. Romens
	2400	68	I. Gómez

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	67	I. Gómez
	0600	67	I. Gómez
	0900	68	I. Gómez
	1200	69	I. Gómez
	1500	66°	GOTTFRIDSEN
	1800	67°	GOTTFRIDSEN
	2100	67°	GOTTFRIDSEN
	2400	66°	AMADER

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	62°	M. Mender
	0600	62°	A. Perez
	0900	64°	A. Perez
	1200	66°	A. Perez
	1500	67	C. Hernandez
	1800	67	C. Hernandez
	2100	66	C. Hernandez
	2400	64	R. Sosa

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: F-Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1803 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	64	R. Sacayat
	0600	63	L. Ethel
	0900	68	L. Brown
	1200	70	L. Feltys
	1500	70	C. Navarria
	1800	70	C. Navarria
	2100	69	C. Navarria
	2400	67	ESPARZA

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	7	
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Fremont Dom Temp. Reading Location: Behind c/b Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 9/1/24

Date	Time	Temp.	Name (Print)
<u>9/1/24</u>	0300	65	B Cardoso
	0600	68	B Cardoso
	0900	68°	J Altimirano
	1200	70°	J Altimirano
	1500	71	H Seward
	1800	70°	H Seward
	2100	70°	H Seward
	2400	79	AMAZON

Notes

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTP Housing Unit: FREMONT Temp. Reading Location: BELTEAU C/O DESK
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday SEPT. 02, 2024

Date	Time	Temp.	Name (Print)
9/2	0300	79	AMADOR ✓
	0600	69°	J. Altamirano ✓
	0900	69°	J. Altamirano ✓
	1200	70°	J. Altamirano ✓
	1500	70	H. SWAG ✓
	1800	70°	H. SWAG ✓
	2100	69°	H. SWAG ✓
	2400	65	AMADOR ✓

Wednesday SEPT. 04, 2024

Date	Time	Temp.	Name (Print)
9/4	0300	69	AMADOR
	0600	69°	M. Jackson ✓
	0900	70°	M. Jackson ✓
	1200	71°	M. Jackson ✓
	1500	71	C. Tharou ✓
	1800	72	C. Tharou ✓
	2100	71°	C. Tharou ✓
	2400	70	AMADOR

Friday 9-6-24

Date	Time	Temp.	Name (Print)
9/6	0300	70°	C. Tharou ✓
	0600	70°	M. Jackson ✓
	0900	70°	M. Jackson ✓
	1200	72°	M. Jackson ✓
	1500	73	H. SWAG ✓
	1800	73	H. SWAG ✓
	2100	73	H. SWAG ✓
	2400	73	b. Cardoso ✓

Sunday 9-8-24

Date	Time	Temp.	Name (Print)
9/8	0300	70	b. Cardoso
	0600	70	b. Cardoso
	0900	70°	J. Altamirano ✓
	1200	71°	J. Altamirano ✓
	1500	73	H. SWAG ✓
	1800	73	H. SWAG ✓
	2100	70	H. SWAG ✓
	2400	69	AMADOR ✓

Tuesday SEPT. 03, 2024

Date	Time	Temp.	Name (Print)
9/3	0300	67	AMADOR ✓
	0600	69°	J. Altamirano ✓
	0900	70°	J. Altamirano ✓
	1200	70°	J. Altamirano ✓
	1500	72°	C. Tharou ✓
	1800	74°	C. Tharou ✓
	2100	71°	C. Tharou ✓
	2400	69	AMADOR ✓

Thursday September 5, 2024

Date	Time	Temp.	Name (Print)
9/5	0300	68	Amador
	0600	69°	M. Jackson ✓
	0900	69°	M. Jackson ✓
	1200	72°	M. Jackson ✓
	1500	73°	C. Tharou ✓
	1800	74°	C. Tharou ✓
	2100	73°	C. Tharou ✓
	2400	70°	C. Tharou ✓

Saturday 9-7-24

Date	Time	Temp.	Name (Print)
9/7	0300	71	b. Cardoso
	0600	70	b. Cardoso
	0900	70°	J. Altamirano ✓
	1200	72°	J. Altamirano ✓
	1500	74	H. SWAG ✓
	1800	74	H. SWAG ✓
	2100	74	H. SWAG ✓
	2400	72	b. Cardoso ✓

Notes

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: FREMONT Temp. Reading Location: BEHIND C/o DESK
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday SEPT. 09, 2024

Date	Time	Temp.	Name (Print)
9/9	0300	70	AMADOR
	0600	70°	m. Jackson
	0900	69°	m. Jackson
	1200	70	M. JACKSON
	1500	70°	m. Jackson
	1800	71°	m. Jackson
	2100	71°	m. Jackson
	2400	70	AMADOR ✓

Wednesday SEPT 11, 2024

Date	Time	Temp.	Name (Print)
9/11	0300	69	AMADOR
	0600	69°	m. Jackson
	0900	69°	m. Jackson
	1200	70°	m. Jackson
	1500	70°	KURAMURA
	1800	70°	KURAMURA
	2100	70°	KURAMURA
	2400	70°	AMADOR

Friday 9-13-2024

Date	Time	Temp.	Name (Print)
9/13	0300	68°	Tharun
	0600	68°	m. Jackson
	0900	68°	m. Jackson
	1200	70°	M. JACKSON
	1500	71°	C. Tharun
	1800	72°	C. Tharun
	2100	72	C. Tharun
	2400	70	B. Cardoso

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	68	B. Cardoso
	0600	68°	R. GARCIA
	0900	68°	BALDWIN
	1200	68°	R. Garcia
	1500	69°	KURAMURA
	1800	69°	KURAMURA
	2100	69°	KURAMURA
	2400	70	AMADOR ✓

Tuesday SEPTEMBER 10, 2024

Date	Time	Temp.	Name (Print)
9/10	0300	68	AMADOR
	0600	70°	m. Jackson
	0900	69°	m. Jackson
	1200	69°	M. Jackson
	1500	70°	KURAMURA
	1800	70°	KURAMURA
	2100	70°	KURAMURA
	2400	69	AMADOR

Thursday 9-12-24

Date	Time	Temp.	Name (Print)
9/12	0300	68	Dorr
	0600	69°	m. Jackson
	0900	68°	J. McKenzie
	1200	68°	M. Jackson
	1500	71°	C. Tharun
	1800	70°	C. Tharun
	2100	70	C. Tharun
	2400	69	C. Tharun

Saturday 9/14/24

Date	Time	Temp.	Name (Print)
9/14	0300	68	B. Cardoso
	0600	68	B. Cardoso
	0900	68°	J. Alcumireno
	1200	69°	J. Alcumireno
	1500	69°	B. Cardoso
	1800	69°	B. Cardoso
	2100	69	B. Cardoso
	2400	68	B. Cardoso

Notes

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: FREMONT Temp. Reading Location: BEHIND C/O's DESK
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday SEPTEMBER 16, 2024

Date	Time	Temp.	Name (Print)
9/16	0300	69	AMADOR
	0600	68°	M. JACKSON
	0900	68°	R. Garcia
	1200	70°	R. Garcia
	1500	69	H. STAVIS
	1800	70	H. STAVIS
	2100	70	H. STAVIS
	2400	69	AMADOR

Wednesday SEPTEMBER 18, 2024

Date	Time	Temp.	Name (Print)
9/18	0300	68	AMADOR
	0600	68°	M. JACKSON
	0900	68°	M. JACKSON
	1200	68°	JACKSON
	1500	68°	C. THOMAS
	1800	68°	C. THOMAS
	2100	68°	C. THOMAS
	2400	68	CUNNINGHAM

Friday 9/20/24

Date	Time	Temp.	Name (Print)
9/20	0300	68	CUNNINGHAM
	0600	68°	M. JACKSON
	0900	68°	M. JACKSON
	1200	68°	M. JACKSON
	1500	68	B. CARDOSO
	1800	68	B. CARDOSO
	2100	68	B. CARDOSO
	2400	68	B. CARDOSO

Sunday 9-22-24

Date	Time	Temp.	Name (Print)
9/22	0300	68°	MALDONADO
	0600	68°	KURAMURA
	0900	68°	KURAMURA
	1200	69	KURAMURA
	1500	70°	KURAMURA
	1800	70°	KURAMURA
	2100	70	KURAMURA
	2400	70	AMADOR

Tuesday SEPTEMBER 17, 2024

Date	Time	Temp.	Name (Print)
9/17	0300	68	AMADOR
	0600	68°	Perez
	0900	68°	Jackson
	1200	68°	Jackson
	1500	68°	THOMAS
	1800	68°	THOMAS
	2100	68	THOMAS
	2400	68	AMADOR

Thursday 9/19/24

Date	Time	Temp.	Name (Print)
9/19	0300	67	THOMAS
	0600	67	THOMAS
	0900	65°	M. JACKSON
	1200	68°	M. JACKSON
	1500	68°	C. THOMAS
	1800	68°	C. THOMAS
	2100	68°	C. THOMAS
	2400	68	C. THOMAS

Saturday 9-21-24

Date	Time	Temp.	Name (Print)
9/21	0300	66	B. CARDOSO
	0600	66	B. CARDOSO
	0900	66	MCKENZIE
	1200	67	MCKENZIE
	1500	70	H. YINAH
	1800	72	H. STAVIS
	2100	68	H. STAVIS
	2400	68	M. MCDONALD

Notes

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: FREMONT Temp. Reading Location: BEHIND CLOSET DESK
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday SEPTEMBER 23, 2024			
Date	Time	Temp.	Name (Print)
9/23	0300	68	AMADOR
	0600	68°	m. Jackson
	0900	69°	Jackson <i>m</i>
	1200	70°	m. Jackson
	1500	78°	KURAMURA <i>a</i>
	1800	77°	KURAMURA
	2100	75	KURAMURA <i>c</i>
	2400	71	AMADOR

Wednesday SEPTEMBER 25, 2024			
Date	Time	Temp.	Name (Print)
9/25	0300	68	AMADOR
	0600	69°	m. Jackson
	0900	69°	M. Jackson
	1200	69°	M. Jackson
	1500	70°	C. Thorne
	1800	69°	C. Thorne
	2100	69°	Cenna <i>s</i>
	2400	70°	Cenna <i>s</i>

Friday 9.27.24			
Date	Time	Temp.	Name (Print)
9/27	0300	68°	100% <i>PS</i>
	0600	68°	m. Jackson
	0900	70	m. Jackson <i>n</i>
	1200	72°	M. Jackson
	1500	78	H. SINGH <i>y</i>
	1800	71°	H. SINGH
	2100	71°	H. SINGH
	2400	71	b. Cardoso

Sunday 9/29/24			
Date	Time	Temp.	Name (Print)
9/29	0300	68	b. Cardoso
	0600	68	b. Cardoso <i>w</i>
	0900	67	McKenzie
	1200	68	McKenzie
	1500	69	McKenzie <i>th</i>
	1800	69	McKenzie
	2100	68	McKenzie
	2400	68	M. School

Tuesday 9/24/24			
Date	Time	Temp.	Name (Print)
9/24	0300	70	AMADOR
	0600	70°	m. Jackson
	0900	70°	m. Jackson <i>m</i>
	1200	72°	m. Jackson
	1500	73°	KURAMURA
	1800	73°	KURAMURA
	2100	72°	KURAMURA
	2400	70	AMADOR

Thursday 9/26/24			
Date	Time	Temp.	Name (Print)
9/26	0300	68	Chris <i>m</i>
	0600	68°	Cena
	0900	68	M. Jackson
	1200	70°	M. Jackson
	1500	71°	C. Thorne
	1800	70°	C. Thorne
	2100	70	C. Thorne
	2400	69°	Doris <i>BS</i>

Saturday 9/28/24			
Date	Time	Temp.	Name (Print)
9/28	0300	70	b. Cardoso
	0600	68	b. Cardoso
	0900	68	McKenzie
	1200	69	McKenzie
	1500	70	b. Cardoso
	1800	70	b. Cardoso
	2100	70	b. Cardoso
	2400	68	b. Cardoso

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CF Housing Unit: FREMONT Temp. Reading Location: Behind podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	67	M. SCHUCH
	0600	66	M. JACKSON
	0900	68	M. JACKSON
	1200	69	M. JACKSON
	1500	70	K. KUNAMURA
	1800	68	K. KUNAMURA
	2100	67	K. KUNAMURA
	2400	66	M. SCHUCH

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: G-WING Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/02/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
09/03/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
09/04/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
09/05/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
09/06/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
09/07/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
09/08/2024	0300	62	Hudson
	0600	62	Flores
	0900	69	FLORES
	1200	71	Flores
	1500	71	Negron
	1800	71	Vargas
	2100	65	Vargas
	2400	66	Negron

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Ground Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	62°	Negrin
	0600	62°	Surber
	0900	65	Surber
	1200	69	Surber
	1500	70	none
	1800	68	none
	2100	67	none
	2400	66	S. nemo

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	65	J. mero
	0600	66	S. nemo
	0900	68	S. nemo
	1200	70	S. nemo
	1500	72	none
	1800	69	none
	2100	68	none
	2400	69	none

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	68	mercas
	0600	67	mercas
	0900	64°	Salva
	1200	72°	Salva
	1500	70	J. mero
	1800	71	J. mero
	2100	68	S. nemo
	2400	66°	C. Garcia

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	68°	C. Garcia
	0600	65	Salva
	0900	67°	Salva
	1200	72°	Salva
	1500	71	T. Garcia
	1800	75	T. Garcia
	2100	69	T. Garcia
	2400	68	C. Garcia

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	67	C. Garcia
	0600	66°	Salva
	0900	68°	Salva
	1200	70°	Engon
	1500	72°	T. Garcia
	1800	73°	T. Garcia
	2100	73	T. Garcia
	2400	71	C. Garcia

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	68°	M. Garcia
	0600	68	M. Garcia
	0900	66	M. Garcia
	1200	75	M. Garcia
	1500	78	Flor
	1800	78°	Flor
	2100	72°	Flor
	2400	65°	J. Garcia

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	68°	Negrin
	0600	65°	Vargas
	0900	72	C. Garcia
	1200	72	C. Garcia
	1500	70°	Negrin
	1800	69°	Negrin
	2100	68°	Negrin
	2400	65°	Negrin

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: G-wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
Q-9-24	0300	63°	Neyron
	0600	63°	Sidran
	0900	63	Sidran
	1200	70	Sidran
	1500	71	None
	1800	68	None
	2100	66	None
	2400	65	None

Tuesday

Date	Time	Temp.	Name (Print)
Q-10-24	0300	66	none
	0600	67	T. Davis
	0900	67	T. Davis
	1200	71	T. Davis
	1500	69	J. none
	1800	68	J. none
	2100	68	J. none
	2400	65	Neyron

Wednesday

Date	Time	Temp.	Name (Print)
Q-11-24	0300	63	Neyron
	0600	64	Salmon
	0900	65	Salmon
	1200	70	Salmon
	1500	71	none
	1800	69	None
	2100	66	None
	2400	64°	C Garcia

Thursday

Date	Time	Temp.	Name (Print)
Q-12-24	0300	68°	C Garcia R8
	0600	63°	Salmon
	0900	62	Salmon
	1200	70	Salmon
	1500	70	T. Davis
	1800	65	T. Davis
	2100	63°	T. Davis
	2400	61°	C Garcia

Friday

Date	Time	Temp.	Name (Print)
Q-13-24	0300	61	C Garcia
	0600	61°	Salmon
	0900	63°	Salmon
	1200	70°	Salmon
	1500	65°	T. Davis
	1800	64°	T. Davis
	2100	63°	T. Davis
	2400	67°	Flores

Saturday

Date	Time	Temp.	Name (Print)
Q-14-24	0300	62°	Flores
	0600	63°	Vargas
	0900	65°	Vargas
	1200	66°	Vargas
	1500	67°	Vargas
	1800	65	Vargas
	2100	62	Vargas
	2400	63°	Neyron

Sunday

Date	Time	Temp.	Name (Print)
Q-15-24	0300	61°	Neyron
	0600	61°	C. Garcia
	0900	62°	C. Garcia
	1200	62°	C. Garcia
	1500	63°	Salmon
	1800	62°	Salmon
	2100	62°	Salmon
	2400	63	Neyron

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: G-wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	60°	Negrin
	0600	59°	Salinas
	0900	62°	Salinas
	1200	65°	Salinas
	1500	65°	Salinas
	1800	65	Jones
	2100	66	Jones
	2400	68	J. Jones

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	66	J. Jones
	0600	60°	K. Peterson
	0900	60°	K. Peterson
	1200	60°	K. Peterson
	1500	66	J. Jones
	1800	67	J. Jones
	2100	65	J. Jones
	2400	65°	Negrin

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	62	Negrin
	0600	62°	Salinas
	0900	62°	Salinas
	1200	65°	Salinas
	1500	66	Jones
	1800	65	J. Jones
	2100	65	J. Jones
	2400	63	Carter RS

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	62°	Carter RS
	0600	62°	Salinas
	0900	63°	Salinas
	1200	66	Salinas
	1500	66	Negron
	1800	67	Negron
	2100	67	Negron
	2400	63	Carter

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	60	Carter
	0600	60°	Salinas
	0900	60°	Salinas
	1200	62°	Salinas
	1500	62°	I. Thomas
	1800	62	I. Thomas
	2100	63	I. Thomas
	2400	62°	D. Flores

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	60°	D. Flores
	0600	63°	J. Vargas
	0900	64°	J. Vargas
	1200	64°	J. Vargas
	1500	68°	E. Flores
	1800	66°	E. Flores
	2100	66°	E. Flores
	2400	64°	Negrin

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	62°	Negrin
	0600	63°	Vargas
	0900	64°	Vargas
	1200	66	Vargas
	1500	70°	Negrin
	1800	69°	Negrin
	2100	68°	Negrin
	2400	65°	Negrin

Notes

9/18/24 and 9/19/24

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: G-wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/23/24	0300	65°	Neyron
	0600	63	Martinez
	0900	63	Sundri
	1200	75	Sundri
	1500	77	unrec
	1800	72	unrec
	2100	67	unrec
	2400	66	unrec

Tuesday			
Date	Time	Temp.	Name (Print)
9/24/24	0300	66	J. marr
	0600	65	Sundri
	0900	72	Sundri
	1200	72	Sundri
	1500	73	J. marr
	1800	70	J. marr
	2100	68	J. marr
	2400	66	J. marr

Wednesday			
Date	Time	Temp.	Name (Print)
9/25/24	0300	62	J. marr
	0600	62	Sundri
	0900	62	Sundri
	1200	65	Sundri
	1500	67	J. marr
	1800	66	J. marr
	2100	68	J. marr
	2400	69°	CARL

Thursday			
Date	Time	Temp.	Name (Print)
9/26/24	0300	62°	CARL
	0600	62°	Sundri
	0900	65	Sundri
	1200	68	Sundri
	1500	65	J. marr
	1800	65	J. marr
	2100	65	J. marr
	2400	64	Villa

Friday			
Date	Time	Temp.	Name (Print)
9/27/24	0300	63	Lilla
	0600	63°	Sundri
	0900	63	Z. MAREZ
	1200	68	Sundri
	1500	72	Sundri
	1800	74	Sundri
	2100	72	Sundri
	2400	66	Z. MAREZ

Saturday			
Date	Time	Temp.	Name (Print)
9/28/24	0300	62	Z. MAREZ
	0600	63	Vargas
	0900	65	Vargas
	1200	66	Vargas
	1500	68°	LOPEZ
	1800	68°	LOPEZ
	2100	65°	LOPEZ
	2400	64°	Neyron

Sunday			
Date	Time	Temp.	Name (Print)
9/29/24	0300	60°	Neyron
	0600	62	Vargas
	0900	63	Vargas
	1200	66	Vargas
	1500	69	Neyron
	1800	70	Neyron
	2100	69	Neyron
	2400	69	Paredes

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: G-WING Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
21 5/20 Q.S.	0300		
	0600	60	Sundin
	0900	62	Sundin
	1200	65	Sundin
	1500	68	J. mmez
	1800	78	J. mmez
	2100	68	J. mmez
	2400	68	Mcding

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600	.	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Lassen "B" Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	61	T. NYNH A. BROWN
	0600	60	R. COTA
	0900	64	R. COTA
	1200	66	R. COTA
	1500	65	G. OBRIEN
	1800	64	G. OBRIEN
	2100	62	G. OBRIEN
	2400	61	A. BROWN

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Lassen II B Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5889 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	60	Baldwin
	0600	62	Cota
	0900	64	Cota
	1200	64	Cota
	1500	67	Partida
	1800	65	Partida
	2100	64	Partida
	2400	64	O'Brien

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	66	O'Brien
	0600	64	Cota
	0900	64	Cota
	1200	65	Cota
	1500	67	Buenaventura
	1800	67	Buenaventura
	2100	62	Buenaventura
	2400	64	O'Brien

Friday

Date	Time	Temp.	Name (Print)
9/6/14	0300		
	0600	65	D. Crawford
	0900	72	D. Crawford
	1200	70	D. Crawford
	1500	80	Acevedo
	1800	80	Acevedo
	2100	70	Acevedo
	2400	62	Sierra

Sunday

Date	Time	Temp.	Name (Print)
9-8-14	0300	72	Baldwin
	0600	72	Baldwin
	0900	75	Baldwin
	1200	85	Baldwin
	1500	85	Baldwin
	1800	78	Ringo
	2100	72	Ringo
	2400	67	O'Brien

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	67	O'Brien
	0600	64	Cota
	0900	64	Cota
	1200	67	Cota
	1500	69	Buenaventura
	1800	68	Partida
	2100	67	Partida
	2400	66	O'Brien

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	64	O'Brien
	0600	68	D. Crawford
	0900	72	D. Crawford
	1200	78	D. Crawford
	1500	76	Ringo
	1800	75	Ringo
	2100	70	Ringo
	2400	76	Ringo

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	61	Sierra
	0600	66	J. Martinez
	0900	66	J. Martinez
	1200	72	J. Martinez
	1500	78	S. Roberts
	1800	77	S. Roberts
	2100	76	S. Roberts
	2400	72	Baldwin

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: L3 Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension LB when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	67	O'Brien
	0600	66	Cota
	0900	66	Cota
	1200	67	Cota
	1500	67	Robert
	1800	66	Robert
	2100	64	Robert
	2400	60	O'Brien

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	58	O'Brien
	0600	60	Cota
	0900	62	Cota
	1200	64	Cota
	1500	66	Buenaventura
	1800	64	Buenaventura
	2100	68	Buenaventura
	2400	60	O'Brien

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	60°	J. Kamel
	0600	60	P. Crawford
	0900	63	P. Crawford
	1200	62	P. Crawford
	1500	68	S. Rivera
	1800	64	S. Rivera
	2100	64	S. Rivera
	2400	60	J. Kamel

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	58°	Baldwin
	0600	58	Baldwin
	0900	60	Cota
	1200	60	Cota
	1500	66	A. Alonzo
	1800	64	A. Alonzo
	2100	61	A. Alonzo
	2400	58	O'Brien

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	60	O'Brien
	0600	62	Cota
	0900	65	Sunchez
	1200	66	Cota
	1500	67	Buenaventura
	1800	64	Buenaventura
	2100	60	Buenaventura
	2400	60	O'Brien

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	60	O'Brien
	0600	61°	M. Crawford
	0900	61°	M. Crawford
	1200	62°	M. Crawford
	1500	70°	S. Rogers
	1800	68°	S. Rogers
	2100	66°	S. Rogers
	2400	46°	Kathy

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	60	C. Hernandez
	0600	62	Cota
	0900	64	Cota
	1200	64	Cota
	1500	67	(Robert)
	1800	65	Robert
	2100	62	Robert
	2400	60°	Baldwin

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAT Housing Unit: LASSON B Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	57	O'Brien
	0600	60	Cota
	0900	62	Cota
	1200	64	Cota
	1500	66	Roberts
	1800	64	Roberts
	2100	61	Roberts
	2400	56	O'Brien

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	58	O'Brien
	0600	60	Cota
	0900	62	Cota
	1200	62	Cota
	1500	63	Buenaventura
	1800	62	Buenaventura
	2100	60	Buenaventura
	2400	58	O'Brien

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	58	O'Brien
	0600	60	Cota
	0900	62	Cota
	1200	64	Cota
	1500	65	Buenaventura
	1800	63	Buenaventura
	2100	60	Buenaventura
	2400	58	O'Brien

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	58	O'Brien
	0600	60	Sierra
	0900	60	Sierra
	1200	61	Sierra
	1500	63	Rwanda
	1800	63	Rwanda
	2100	60	Sierra
	2400	60	Remy

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	60	Frank
	0600	60	Gilmore
	0900	60	Gilmore
	1200	65	Elton
	1500	64	Hoyer
	1800	62	Hoyer
	2100	60	Hoyer
	2400	58	Sierra

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	58	Sierra
	0600	62	Cota
	0900	62	Cota
	1200	65	Cota
	1500	67	Roberts
	1800	69	Roberts
	2100	61	Roberts
	2400	59°	Baldwin

Notes

Date	Time	Temp.	Name (Print)
9/22	0300	58°	Baldwin
	0600	59°	Baldwin
	0900	60	Cota
	1200	63	Cota
	1500	65	Pacifica
	1800	64	Pacifica
	2100	60	Pacifica
	2400	60	O'Brien

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: GTF Housing Unit: Lassen B Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	60	O'Brien
	0600	60	Cota
	0900	64	Cota
	1200	66	Cota
	1500	78	Roberts
	1800	71	Roberts
	2100	68	Partida
	2400	68	O'Brien

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	69	O'Brien
	0600	64	Cota
	0900	66	Cota
	1200	69	Cota
	1500	70	Buenaventura
	1800	67	Buenaventura
	2100	67	Buenaventura
	2400	60	O'Brien

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	60	O'Brien
	0600	60	Cota
	0900	64	Cota
	1200	64	Cota
	1500	66	Buenaventura
	1800	63	Buenaventura
	2100	61	Buenaventura
	2400	60	O'Brien

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	60	O'Brien
	0600	60	O'Brien
	0900	64	O'Brien
	1200	68	O'Brien
	1500	68	S.Rivera
	1800	66	S.Rivera
	2100	63	S.Rivera
	2400	60	Munoz

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	62°	Munoz
	0600	61°	Torres
	0900	61°	Trujillo
	1200	64°	Trujillo
	1500	68°	S.Rivera
	1800	67°	S.Rivera
	2100	65°	S.Rivera
	2400	64	Sierra

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	62	Sierra
	0600	62	Cota
	0900	64	Cota
	1200	66°	Baldwin
	1500	68°	S.Rivera
	1800	66°	S.Rivera
	2100	66°	S.Rivera
	2400	59°	Saldwin

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	58°	Baldwin
	0600	59°	Baldwin
	0900	61°	Partida
	1200	63°	Partida
	1500	69°	Roberts
	1800	67°	Roberts
	2100	67°	Roberts
	2400	62	O'Brien

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTY Housing Unit: LASSEN Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	62	Briley
	0600	62	Cota
	0900	64	Cota EU
	1200	70	Cota
	1500	76	Roberts
	1800	72	Roberts
	2100	68	Roberts
	2400	65	OBrien DR

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CY Housing Unit: D wing Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-1-2K	0300	70°	VALENCIA
	0600	77°	NEVILLE (2)
	0900	77°	NEVILLE
	1200	78°	NEVILLE ✓
	1500	78°	MALDONADO
	1800	78°	MALDONADO (2)
	2100	78°	MALDONADO
	2400	76°	Valencia

Notes

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: O-Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	77	Valencia
	0600	77	Nealn
	0900	78	Neul
	1200	78	Nevue
	1500	80°	MALDONADO
	1800	80°	MALDONADO
	2100	80°	MALDONADO
	2400	78°	FLURES

Tuesday

Date	Time	Temp.	Name (Print)
9/3/2024	0300	77°	FLORES
	0600	78°	LERO
	0900	80°	LERO
	1200	81°	LERO
	1500	82°	AZIZO
	1800	82°	AZIZO
	2100	82°	AZIZO
	2400	81°	Reyes

Wednesday

Date	Time	Temp.	Name (Print)
9-4-24	0300	86°	Peguera
	0600	80°	SIM
	0900	82°	WAP
	1200	82°	WAP
	1500	83.40	AZIZO
	1800	82°	AZIZO
	2100	81°	AZIZO
	2400	80°	Valencia

Thursday

Date	Time	Temp.	Name (Print)
9-5-24	0300	78°	Valencia
	0600	80°	WAP
	0900	82°	WAP
	1200	83°	WAP
	1500	82°	AZIZO
	1800	80°	AZIZO
	2100	80°	AZIZO
	2400	82°	Valencia

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	80°	Valencia
	0600	80°	WAP
	0900	81°	WAP
	1200	81°	WAP
	1500	86°	AZIZO
	1800	84°	AZIZO
	2100	83°	AZIZO
	2400	81°	Valencia

Saturday

Date	Time	Temp.	Name (Print)
9-7-24	0300	80°	Valencia
	0600	79°	WAP
	0900	80°	LAPP
	1200	82°	WAP
	1500	85°	AZIZO
	1800	84°	AZIZO
	2100	82°	AZIZO
	2400	80°	Valencia

Sunday

Date	Time	Temp.	Name (Print)
9-8-24	0300	79°	Valencia
	0600	80°	Muniz
	0900	80°	Muniz
	1200	85°	Muniz
	1500	85°	MALDONADO
	1800	83°	MALDONADO
	2100	80°	MALDONADO
	2400	80°	Valencia

Notes

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: O-Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/10/24	0300	78°	Valencia
	0600	77°	Marta
	0900	78°	Nash
	1200	78°	NEVILLE
	1500	76°	MALDONADO
	1800	76°	MALDONADO
	2100	74°	MALDONADO
	2400	77°	FLORES

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	78°	FLORES
	0600	78°	CLEP
	0900	78°	CLEP
	1200	78°	CLEP
	1500	84°	AZRAYO
	1800	82°	AZRAYO
	2100	81°	AZRAYO
	2400	77°	REGUER

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	78°	REGUER
	0600	72°	CLEP
	0900	74°	CLEP
	1200	74°	CLEP
	1500	80°	AZRAYO
	1800	79°	AZRAYO
	2100	78°	AZRAYO
	2400	78°	Valencia PS

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	77°	Valencia PS
	0600	78°	CLEP
	0900	78°	CLEP
	1200	80°	CLEP
	1500	82°	AZRAYO
	1800	80°	AZRAYO
	2100	86°	AZRAYO
	2400	79°	Valencia

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	77°	Valencia
	0600	77°	VASQUEZ
	0900	77°	VASQUEZ
	1200	79°	VASQUEZ
	1500	83°	AZRAYO
	1800	82°	AZRAYO
	2100	80°	AZRAYO
	2400	78°	Valencia

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	76°	Valencia
	0600	76°	Lopez
	0900	78°	Lopez
	1200	80°	Lopez
	1500	82°	AZRAYO
	1800	80°	AZRAYO
	2100	80°	AZRAYO
	2400	79°	Valencia

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	75°	Valencia
	0600	75°	MARJORIE
	0900	75°	MARJORIE
	1200	76°	MARJORIE
	1500	76°	MALDONADO
	1800	76°	MALDONADO
	2100	72°	MALDONADO
	2400	71°	Valencia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTFHousing Unit: O-WingTemp. Reading Location: 3rd Tier(e.g., 1st tier, 2nd tier, 3rd tier, etc.)5853

when the inside air temperature reaches

Immediately notify the Watch Commander at extension
90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	75°	Valencia ✓
	0600	75°	Arreaga ✓
	0900	75°	Cervantes ✓
	1200	74°	Cervantes ✓
	1500	72°	Maldonado ✓
	1800	71°	Maldonado ✓
	2100	71°	Maldonado ✓
	2400	71°	Flores ✓

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	75°	Flores ✓
	0600	75°	Arreaga ✓
	0900	76°	Arreaga ✓
	1200	77°	Arreaga ✓
	1500	77°	Arreaga ✓
	1800	75°	Arreaga ✓
	2100	75°	Arreaga ✓
	2400	74°	Peguero ✓

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	74°	Peguero ✓
	0600	73°	Arreaga ✓
	0900	73°	Arreaga ✓
	1200	74°	Arreaga ✓
	1500	76°	Arreaga ✓
	1800	75°	Arreaga ✓
	2100	74°	Arreaga ✓
	2400	73°	Valencia RS

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	70°	Valencia RS
	0600	72°	Arreaga ✓
	0900	74°	Arreaga ✓
	1200	75°	Arreaga ✓
	1500	75°	Arreaga ✓
	1800	73°	Arreaga ✓
	2100	72°	Arreaga ✓
	2400	72°	Valencia ✓

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	68°	Valencia ✓
	0600	67°	✓
	0900	69°	✓
	1200	72°	✓
	1500	78°	Arreaga ✓
	1800	76°	Arreaga ✓
	2100	74°	Arreaga ✓
	2400	71°	Valencia ✓

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70°	Valencia ✓
	0600	70°	Arreaga ✓
	0900	72°	Arreaga ✓
	1200	74°	Arreaga ✓
	1500	75°	Arreaga ✓
	1800	74°	Arreaga ✓
	2100	72°	Arreaga ✓
	2400	70°	Valencia ✓

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	69°	Valencia ✓
	0600	72°	Arreaga ✓
	0900	74°	Arreaga ✓
	1200	75°	Arreaga ✓
	1500	77°	Arreaga ✓
	1800	76°	Arreaga ✓
	2100	75°	Arreaga ✓
	2400	74°	Valencia ✓

Notes

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: O-wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	73°	Valencia
	0600	74°	NEVILLE
	0900	76°	NEVILLE
	1200	76°	NEVILLE
	1500	85°	Mars
	1800	85°	Mars
	2100	80°	Mars
	2400	77°	FLORES

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	78°	FLORES
	0600	79°	CAS TRO
	0900	79°	CAS TRO
	1200	79°	CAS TRO
	1500	82°	Arreaga
	1800	82°	Arreaga
	2100	81°	Arreaga
	2400	77°	Perez

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	77°	Pezero
	0600	77°	Wimber
	0900	79°	Wimber
	1200	79°	Mars
	1500	78°	Arreaga
	1800	77°	Arreaga
	2100	76°	Arreaga
	2400	75°	Valencia

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70°	Valencia
	0600	69°	Goddett
	0900	69°	Goddett
	1200	69°	Goddett
	1500	76°	Arreaga
	1800	75°	Arreaga
	2100	74°	Arreaga
	2400	72°	Valencia

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	69°	Valencia
	0600	69°	Lori
	0900	70°	WLP
	1200	70°	WLP
	1500	75°	Arreaga
	1800	75°	Arreaga
	2100	72°	Arreaga
	2400	70°	Valencia

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	69°	Valencia
	0600	69°	WLP
	0900	70°	WLP
	1200	71°	WLP
	1500	75°	Arreaga
	1800	75°	Arreaga
	2100	74°	Arreaga
	2400	72°	Valencia

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	69°	Gimenez
	0600	69°	WLP
	0900	70°	WLP
	1200	70°	WLP
	1500	70°	MARS
	1800	70°	MARS
	2100	70°	MARS
	2400	70°	Gimenez

Notes

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: O Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-18	0300	69	Vega
	0600	69	Neville
	0900	70	✓
	1200	70	✓
	1500	80	MALDONADO
	1800	80	MALDONADO
	2100	80	MALDONADO
	2400	79	Neville

Tuesday

Date	Time	Temp.	Name (Print)
10-1-18	0300	78	Neville
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: RD Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6444 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-1	0300	65°	Ramirez
	0600	65°	Ramirez
	0900	66°	Taylor
	1200	67°	Taylor
	1500	70°	GARIBOLDI
	1800	72°	GARIBOLDI
	2100	69°	Mora
	2400	65°	F.Gutiérrez

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: R A Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6444 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9 2 24	0300	66°	F Gutierrez ✓
	0600	68°	T. Lotz ✓
	0900	69°	T. Lotz ✓
	1200	70°	T. Lotz ✓
1500	1500	69°	PELAMP ✓
	1800	69°	PELAMP ✓
	2100	69°	PELAMP ✓
	2400	65°	F Gutierrez ✓

Wednesday

Date	Time	Temp.	Name (Print)
9 4 24	0300	68°	F Gutierrez ✓
	0600	64°	LUNIOS ✓
	0900	68°	LUNIOS ✓
	1200	70°	LUNIOS ✓
1500	1500	71°	PELAMP ✓
	1800	71°	PELAMP ✓
	2100	70°	PELAMP ✓
	2400	68°	F Gutierrez ✓

Friday

Date	Time	Temp.	Name (Print)
9 4	0300	70°	F Gutierrez ✓
	0600	70°	J. Harrone ✓
	0900	70°	K. TAYLOR ✓
	1200	71°	K. TAYLOR ✓
1500	1500	82°	PELAMP ✓
	1800	79°	PELAMP ✓
	2100	77°	PELAMP ✓
	2400	74°	J. Harrone ✓

Sunday

Date	Time	Temp.	Name (Print)
9 8	0300	68°	J. Harrone ✓
	0600	72°	K. TAYLOR ✓
	0900	74°	K. TAYLOR ✓
	1200	74°	K. TAYLOR ✓
1500	1500	78	0000 ✓
	1800	74	0000 ✓
	2100	72	0000 ✓
	2400	70	F Gutierrez ✓

Tuesday

Date	Time	Temp.	Name (Print)
9 3 24	0300	65°	F Gutierrez ✓
	0600	68°	T. Lotz ✓
	0900	69°	T. Lotz ✓
	1200	71°	✓ 0 + n
1500	1500	71°	PELAMP ✓
	1800	71°	PELAMP ✓
	2100	70°	PELAMP ✓
	2400	70°	F Gutierrez ✓

Thursday

Date	Time	Temp.	Name (Print)
9 5	0300	65°	F Gutierrez ✓
	0600	65°	CD MUL ✓
	0900	67°	CD MUL ✓
	1200	73°	CD MUL ✓
1500	1500	81°	PELAMP ✓
	1800	81°	PELAMP ✓
	2100	76°	PELAMP ✓
	2400	74°	F Gutierrez ✓

Saturday

Date	Time	Temp.	Name (Print)
9 7	0300	74°	J. Harrone ✓
	0600	70°	K. TAYLOR ✓
	0900	70°	K. TAYLOR ✓
	1200	72°	K. TAYLOR ✓
1500	1500	72°	0000 ✓
	1800	70°	0000 ✓
	2100	69°	0000 ✓
	2400	68°	J. Harrone ✓

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: R A Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6444 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	69°	F GUTIERREZ ✓
9	0600	70°	Latz
9	0900	70°	Latz
9	1200	70°	Latz
9	1500	73	AMADOR ✓
9	1800	75	AMADOR
9	2100	70	AMADOR
9	2400	70	F GUTIERREZ ✓

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	65°	F GUTIERREZ ✓
9	0600	65°	SULLIVAN ✓
9	0900	65°	SULLIVAN
11	1200	65°	SULLIVAN
11	1500	65°	PELAMO
11	1800	65°	PELAMO
24	2100	65°	PELAMO
24	2400	65°	F GUTIERREZ

Friday

Date	Time	Temp.	Name (Print)
9	0300	65°	F GUTIERREZ
9	0600	65	K. TAYLOR ✓
9	0900	65°	K. TAYLOR
13	1200	66	K. TAYLOR
13	1500	69°	PELAMO
13	1800	69°	PELAMO
24	2100	68°	PELAMO
24	2400	67°	J. RAMOS

Sunday

Date	Time	Temp.	Name (Print)
9/14/2024	0300	62°	J. RAMOS
9/14/2024	0600	62°	K. TAYLOR
9/14/2024	0900	62°	K. TAYLOR ✓
9/14/2024	1200	60	K. TAYLOR
9/14/2024	1500	60°	G. FLORES
9/14/2024	1800	61°	G. FLORES
9/14/2024	2100	60°	G. FLORES
9/14/2024	2400	59	Reyes

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	68°	F GUTIERREZ ✓
9	0600	68°	OPEAD
9	0900	68	OPEAD
9	1200	68	OPEAD
10	1500	65°	PELAMO
10	1800	65°	PELAMO
10	2100	64°	PELAMO
10	2400	69°	F GUTIERREZ

Thursday

Date	Time	Temp.	Name (Print)
9	0300	65°	F GUTIERREZ
9	0600	64	K. TAYLOR
9	0900	66	K. TAYLOR
12	1200	68	K. TAYLOR ✓
12	1500	67°	PELAMO
12	1800	67°	PELAMO
24	2100	67°	PELAMO
24	2400	67°	F GUTIERREZ

Saturday

Date	Time	Temp.	Name (Print)
9/14/2024	0300	65°	J. RAMOS
9/14/2024	0600	64	TAYLOR
9/14/2024	0900	64	TAYLOR
9/14/2024	1200	65°	TAYLOR
9/14/2024	1500	65°	TAYLOR
9/14/2024	1800	65°	TAYLOR
9/14/2024	2100	61°	TAYLOR
9/14/2024	2400	62°	J. RAMOS

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Panier Temp. Reading Location: 3rd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	57	Rogel
	0600	62	Lotz ✓
	0900	64	Lotz
	1200	62	Lotz
	1500	62	PELAMO ✓
	1800	62	PELAMO
	2100	62	PELAMO
	2400	60	Rogel

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	58	Rogel
	0600	58	Sullivan
	0900	60	Sullivan
	1200	62	Sullivan
	1500	62	PELAMO
	1800	62	PELAMO
	2100	62	PELAMO
	2400	60	Rogel

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	60	Rogel RS
	0600	62	TAYLOR
	0900	62	TAYLOR
	1200	62	TAYLOR
	1500	65	PELAMO
	1800	65	PELAMO
	2100	62	PELAMO
	2400	60	J. Ray

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	62	Ramirez ✓
	0600	64	TAYLOR
	0900	62	TAYLOR
	1200	62	TAYLOR ✓
	1500	64	Murphy
	1800	62	Murphy
	2100	62	Murphy
	2400	60	Rogel

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	58	Rogel
	0600	62	Lotz
	0900	62	Lotz
	1200	68	Lotz
	1500	68	PELAMO
	1800	68	PELAMO
	2100	66	PELAMO
	2400	60	Rogel

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	59	Rogel
	0600	61	TAYLOR
	0900	63	TAYLOR ✓
	1200	68	TAYLOR
	1500	68	PELAMO
	1800	67	PELAMO
	2100	67	TAYLOR
	2400	64	Rogel RS

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	60	J. Ray ✓
	0600	61	TAYLOR
	0900	61	TAYLOR
	1200	63	TAYLOR
	1500	63	Hannover
	1800	63	Hannover
	2100	68	Hannover
	2400	68	J. Ray ✓

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Rainier Temp. Reading Location: 3rd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	59°	Reyes
	0600	64°	Lotz
	0900	64°	Lotz
	1200	64°	Luniga
	1500	75°	Meng
	1800	74°	Pecano
	2100	72°	Pecano
	2400	69°	Reyes

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	64°	Reyes
	0600	64°	Lotz
	0900	66°	Monica
	1200	66°	Monica
	1500	65°	Pecano
	1800	62°	Pecano
	2100	62°	Pecano
	2400	60°	Reyes

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	58°	Reyes RS
	0600	62°	J. Hernandez
	0900	62°	K. Taylor
	1200	64°	K. Taylor
	1500	69°	Pecano
	1800	71°	Pecano
	2100	70°	Pecano
	2400	69°	S. Magana

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	64°	S. Magana
	0600	65°	Villanueva
	0900	65°	Villanueva
	1200	66°	Villanueva
	1500	64°	Monica
	1800	62°	Monica
	2100	62°	Monica
	2400	61°	Reyes

Tuesday

Date	Time	Temp.	Name (Print)
9/28	0300	65°	Reyes
	0600	70°	Lotz
	0900	68°	Lotz
	1200	68°	Lotz
	1500	69°	Meng
	1800	70°	Pecano
	2100	69°	Pecano
	2400	67°	Reyes

Thursday

Date	Time	Temp.	Name (Print)
9/30	0300	58°	Reyes
	0600	62°	Taylor
	0900	63°	Taylor
	1200	63°	Taylor
	1500	63°	Pecano
	1800	64°	Pecano
	2100	62°	Pecano
	2400	60°	Reyes RS

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	69°	S. Magana
	0600	66°	K. Taylor
	0900	64°	K. Taylor
	1200	64°	K. Taylor
	1500	64°	Monica
	1800	62°	Monica
	2100	62°	Monica
	2400	64°	S. Magana

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Rainier Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	58°	Reyer
7/30	0600	64°	K. Reyer
	0900	64°	K. Reyer
	1200	65°	K. Reyer
	1500	69°	Reyer
	1800	69°	Reyer
	2100	69°	Reyer
	2400	67°	Reyer

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJR Housing Unit: SHASHK - A Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 09/01/2024

Date	Time	Temp.	Name (Print)
	0300	68°	C. Brown
	0600	68°	C. Rodriguez
	0900	70°	C. Rodriguez
	1200	73°	C. Rodriguez
	1500	74°	A. GARCIA
	1800	73°	A. GARCIA
	2100	70°	A. GARCIA
	2400	68°	C. Brown

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Shasta Temp. Reading Location: S bed
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/2 2024	0300	68°	R. Garcia
	0600	69°	C. Brown
	0900	70°	J. White
	1200	70-	S. Martinez
	1500	71°	A. Garcia
	1800	70	A. Garcia
	2100	68°	A. Garcia
	2400	68°	R. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
	0300	68°	R. Garcia
	0600	70	D. Crawford
	0900	70	D. Crawford
	1200	70	D. Crawford
	1500	70°	S. Vazquez
	1800	70°	S. Vazquez
	2100	65°	S. Vazquez
	2400	65°	R. Garcia

Friday

Date	Time	Temp.	Name (Print)
	0300	65°	SANDRA
	0600	79	Lotsa
	0900	77	WILSON
	1200	72	GUYAN
	1500	78	C. GARCIA
	1800	77	C. GARCIA
	2100	76	C. GARCIA
	2400	71	(RE) C. GARCIA

Sunday

Date	Time	Temp.	Name (Print)
	0300	108	DIAZ
	0600	68	SANBORN, HARRIET
	0900	72	SOUTHWELL, MARY
	1200	78	SOUTHARD, MARY
	1500	79	Thomas
	1800	70	Thomas
	2100	68	Thomas
	2400	68	Thomas

Temp. Reading Location: S
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Tuesday			
Date	Time	Temp.	Name (Print)
9/3	0300	68°	R Garcia
	0600	70°	R Moya
	0900	70°	R Moya
	1200	71°	R Moya
	1500	70°	R Garcia
	1800	68°	R Garcia
	2100	68°	R Garcia
	2400	68°	R Garcia

Thursday

Thursday		Date	Time	Temp.	Name (Print)
			0300	65°	R. Gandy
			0600	70°	LPR
			0900	70°	Eduardo
			1200	72°	Cesar
			1500	80°	SAM VERA
			1800	80°	SAM VERA
			2100	70°	SAM VERA
			2400	65°	SAM VERA

Saturday

Date	Time	Temp.	Name (Print)
9/17	0300	48°	DIV 2
	0600	68°	Esi-1000
	0900	70°	Ceballos
	1200	78°	Figueroa
	1500	70°	A. Vazquez
	1800	74°	A. Vazquez
	2100	72°	A. Vazquez
	2400	71°	SDA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Shots A Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5B53 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	68°	R. Garcia
	0600	69°	Crawford
	0900	72°	Crawford
	1200	74°	Crawford
	1500	75°	Perez
	1800	74°	Perez
	2100	73°	Oliver
	2400	70°	R. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	68°	R. Garcia
	0600	70°	D. Crawford
	0900	74°	D. Crawford
	1200	74°	D. Crawford
	1500	74°	Entwistle
	1800	72°	SAAVEDRA
	2100	70°	SAAVEDRA
	2400	68°	R. Garcia

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	68°	SAAVEDRA
	0600	64°	Salazar
	0900	70°	Salazar
	1200	70°	Salazar
	1500	74°	DINE
	1800	69°	SAAVEDRA
	2100	65°	SAAVEDRA
	2400	65°	DINE

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	65°	SAAVEDRA
	0600	68°	Salazar
	0900	70°	Salazar
	1200	70°	Salazar
	1500	70°	Thomas
	1800	68°	Thomas
	2100	68°	Thomas
	2400	68°	R. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	70°	R. Garcia
	0600	70°	R. Maya
	0900	73°	R. Garcia
	1200	73°	R. Garcia
	1500	73°	R. Garcia
	1800	70°	R. Garcia
	2100	70°	R. Garcia
	2400	68°	R. Garcia

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	68°	R. Garcia
	0600	70°	Salazar
	0900	70°	Burgos M
	1200	70°	Burgos
	1500	72°	SAAVEDRA
	1800	70°	SAAVEDRA
	2100	68°	SAAVEDRA
	2400	68°	SAAVEDRA

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	69°	Dras
	0600	70°	Robles
	0900	70°	Davis
	1200	70°	Salazar
	1500	70°	SAAVEDRA
	1800	70°	SAAVEDRA
	2100	68°	SAAVEDRA
	2400	65°	SAAVEDRA

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIF Housing Unit: Shacks

Temp. Reading Location: 3 tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5953 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	68°	T. Correa
	0600	68°	D. Dohr
	0900	69°	R. Garcia
	1200	69°	R. Garcia
	1500	69	Thomas
	1800	68	C. Garcia
	2100	66	C. Garcia
	2400	64°	R. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	66	R. Garcia
	0600	66	E. Garcia
	0900	66	E. Garcia
	1200	66	E. Garcia
	1500	69°	SARVEDER
	1800	65°	SARVEDER
	2100	64°	SARVEDER
	2400	64°	R. Garcia

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	66°	SARVEDER
	0600	67°	SARVEDER
	0900	67°	SARVEDER
	1200	68°	SARVEDER
	1500	68°	SARVEDER
	1800	67°	SARVEDER
	2100	67°	SARVEDER
	2400	67°	DIAZ

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	69	Tom
	0600	69	C. Garcia
	0900	69	C. Garcia
	1200	70	C. Garcia
	1500	74	R. Garcia
	1800	70	R. Garcia
	2100	69	R. Garcia
	2400	67	R. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	64°	R. Garcia
	0600	66	R. Garcia
	0900	66°	R. Garcia
	1200	68°	R. Garcia
	1500	70	R. Garcia
	1800	66	R. Garcia
	2100	66°	R. Garcia
	2400	66°	R. Garcia

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	64°	R. Garcia
	0600	66	R. Garcia
	0900	68°	R. Garcia
	1200	69°	R. Garcia
	1500	69°	SARVEDER
	1800	68°	SARVEDER
	2100	67°	SARVEDER
	2400	66°	SARVEDER

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	60°	DIAZ
	0600	65	DIAZ
	0900	66	DIAZ
	1200	66	DIAZ
	1500	65°	SARVEDER
	1800	64°	SARVEDER
	2100	67°	SARVEDER
	2400	67°	SARVEDER

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJE Housing Unit: Shasta Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	67°	R Garcia
	0600	68°	C Rodriguez
	0900	72°	R Robledo
	1200	72	C Armento
	1500	77	Robledo
	1800	76	Robledo
	2100	76	Robledo
	2400	69°	R Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	68°	R Garcia
	0600	68	MARTINEZ
	0900	68	MARTINEZ
	1200	68	MARTINEZ
	1500	70°	SARVEDRA
	1800	70°	SARVEDRA
	2100	68°	SARVEDRA
	2400	68°	R Garcia

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	67°	SARVEDRA
	0600	68°	Robledo
	0900	69°	Robledo
	1200	70°	Robledo
	1500	78°	SARVEDRA
	1800	78°	SARVEDRA
	2100	78°	SARVEDRA
	2400	67	Robledo

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	67	Robledo
	0600	69°	Robledo
	0900	69°	Robledo
	1200	70°	Robledo
	1500	70	Thomas
	1800	68	Thomas
	2100	67	Thomas
	2400	69°	R Garcia

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	69°	R Garcia
	0600	69°	R Garcia
	0900	70°	R Garcia
	1200	72°	R Garcia
	1500	71	Robledo
	1800	70	Robledo
	2100	68	R Garcia
	2400	68°	R Garcia

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	68°	R Garcia
	0600	69°	R Garcia
	0900	69°	R Garcia
	1200	70°	R Garcia
	1500	70°	SARVEDRA
	1800	69°	SARVEDRA
	2100	68°	SARVEDRA
	2400	68°	SARVEDRA

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	68°	R Garcia
	0600	68°	R Garcia
	0900	68	R Garcia
	1200	69°	R Garcia
	1500	69°	SARVEDRA
	1800	69°	SARVEDRA
	2100	68°	SARVEDRA
	2400	67	R Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Shuster Temp. Reading Location: Shuster
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	65°	R. Carter
	0600	69	Loper
	0900	70	Loper
	1200	71	Loper
	1500	81	Pever
	1800	80	Pever
	2100	80	Pever
	2400	67	Loper

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Top Down Temp. Reading Location: Padron

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
Q	0300	79	Maiv
1	0600	72	Bromus
1	0900	74	Bromus
1	1200	74	Baldwin
1	1500	76	Mercado
1	1800	78	Mercado
1	2100	76	Mercado
1	2400	76	B. Cardosa

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Toro Dorm Temp. Reading Location: Rodriguez
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	72°	Bardoso
	0600	72°	Bardoso
	0900	74°	Bramers
	1200	75°	Bramers
	1500	79	MERCADO
	1800	78	MERCADO
	2100	78	MERCADO
	2400	78	A. Bryant

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	76	A. Bryant
	0600	76°	Bramers
	0900	76°	Bramers
	1200	77°	Bramers
	1500	80	MERCADO
	1800	80	MERCADO
	2100	78	MERCADO
	2400	78	J. Ruiz

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	77	J. Ruiz
	0600	75	Bramers
	0900	76°	Bramers
	1200	80°	Bramers
	1500	80	MERCADO
	1800	80	MERCADO
	2100	78	MERCADO
	2400	78	J. Ruiz

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	77°	J. Ruiz
	0600	77°	Quiroz
	0900	77°	J. Martinez
	1200	78°	Quiroz
	1500	80°	J. Ruiz
	1800	81°	J. Ruiz
	2100	80°	J. Ruiz
	2400	78°	Quiroz

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	78°	A. Bryant
	0600	75°	CB
	0900	75°	CB
	1200	80	CB
	1500	81°	J. Ruiz
	1800	82°	J. Ruiz
	2100	82°	J. Ruiz
	2400	80°	Maier

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	80°	Maier
	0600	80	D. Crawford
	0900	80°	M. Bramers
	1200	84	M. Bramers
	1500	84	P. DACANAY
	1800	82°	GRANILLO
	2100	82°	GARNILLE
	2400	80°	Maier

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	80°	Maier
	0600	80°	D. Crawford
	0900	80°	D. Crawford
	1200	80°	D. Crawford
	1500	80	MERCADO
	1800	80	MERCADO
	2100	80	MERCADO
	2400	78	MERCADO

Notes

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: T020 DORM Temp. Reading Location: Prochim
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	78	MERCADO
	0600	78	J. martinez
.	0900	78	J. Martinez
10	1200	78	J. morsica
.	1500	79	MERCADO
11	1800	78	MERCADO
.	2100	78	MERCADO
24	2400	78	A Brown

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	76	A Brown
.	0600	76	SCHILL
.	0900	76	ESTELLA
10	1200	75	ESTELLA
.	1500	79	ESTELLA
11	1800	76	ESTELLA
.	2100	79	ESTELLA
24	2400	78	Quibi

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	79	Quibi
.	0600	76	DARLA
.	0900	78	ESTELLA
10	1200	79	ESTELLA
.	1500	78	MERCADO
11	1800	78	J. Ruiz
.	2100	78	MERCADO
24	2400	77	J. Ruiz

Thursday

Date	Time	Temp.	Name (Print)
9	0300	77°	J. Ruiz
.	0600	77°	SOTO
.	0900	76°	CAN
10	1200	76°	CAN
.	1500	78°	J. Ruiz
11	1800	78°	J. Ruiz
.	2100	78°	J. Ruiz
24	2400	78°	A Brown

Friday

Date	Time	Temp.	Name (Print)
9	0300	76	A Brown
.	0600	74°	SOTO
.	0900	76°	SMITH
10	1200	78°	SMITH
.	1500	78°	J. Smith
11	1800	77°	J. Smith
.	2100	77	J. Smith
24	2400	77°	Mercado

Saturday

Date	Time	Temp.	Name (Print)
9	0300	77°	Mair
.	0600	75°	Bramers
.	0900	75°	Bramers
10	1200	75°	Brammer
.	1500	79	AMADOR
11	1800	77	AMADOR
.	2100	79	AMADOR
24	2400	77°	Mair

Sunday

Date	Time	Temp.	Name (Print)
9	0300	77°	Mair
.	0600	74	D. Crawford
.	0900	72°	D. Crawford
10	1200	72°	D. Crawford
.	1500	76°	Mercado
11	1800	76°	Mercado
.	2100	76°	Mercado
24	2400	75	Mercado

Notes

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTP Housing Unit: T01D

Temp. Reading Location: Podium
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	72	MERCADO
.	0600	74°	Bramm
.	0900	74°	Bramers
16	1200	74°	Bramers
.	1500	74°	GRANILLO
24	1800	74	MERCADO
.	2100	74	MERCADO
	2400	74	MERCADO

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	74	MERCADO
.	0600	74	J. martinez
.	0900	76	J. martinez
17	1200	76°	Bramers, M.
.	1500	72	MERCADO
24	1800	72	MERCADO
.	2100	72	MERCADO
	2400	73	J. Ruiz

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	73°	J. Ruiz
.	0600	74°	Bramers, M.
.	0900	74°	Bramers, M.
18	1200	73°	Bramers
.	1500	72	MERCADO
24	1800	72	MERCADO
.	2100	72	MERCADO
	2400	73°	Quiroz

Thursday

Date	Time	Temp.	Name (Print)
9	0300	73°	Quiroz
.	0600	73°	Quiroz
.	0900	73°	Quiroz
19	1200	74°	Quiroz
.	1500	74°	I. Smith
24	1800	74°	I. Smith
.	2100	74°	I. Smith
	2400	70°	Teller

Friday

Date	Time	Temp.	Name (Print)
9	0300	67°	Teller
.	0600	67°	Soto
.	0900	72°	J. Martinez
20	1200	72°	M. Bramers
.	1500	72	C. Garcia
24	1800	69	C. Garcia
.	2100	69	C. Garcia
	2400	69°	Moore

Saturday

Date	Time	Temp.	Name (Print)
9	0300	69°	Moore
.	0600	71°	D. Crawford
.	0900	71°	M. Bramers
21	1200	71°	M. Bramers
.	1500	71°	O'Brien
24	1800	69	O'Brien
.	2100	69	O'Brien
	2400	69°	Moore

Sunday

Date	Time	Temp.	Name (Print)
9	0300	69°	
.	0600	71°	D. Crawford
.	0900	71°	D. Crawford
21	1200	71°	D. Crawford
.	1500	73°	M. Bramers
IX	1800	74°	M. Bramers
2	2100	74°	M. Bramers
	2400	72°	M. Bramers

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: 1020

Temp. Reading Location:

Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-23-24	0300	78	C. Mercado
	0600	77°	M. Bramers
	0900	73°	M. Bramers
	1200	74°	M. Bramers
	1500	80°	MERCADO
	1800	79°	MERCADO
	2100	79°	MERCADO
	2400	78	G. M. Red

Tuesday

Date	Time	Temp.	Name (Print)
9-24-24	0300	76	G. M. Red
	0600	75°	M. Bramers. A
	0900	75°	Bramers
	1200	79°	Bramers
	1500	79°	MERCADO
	1800	77°	GRANILLO
	2100	77°	MERCADO
	2400	78	Quirol Red

Wednesday

Date	Time	Temp.	Name (Print)
9-25-24	0300	74°	Quirol Red
	0600	75°	Bramers
	0900	75°	Bramers
	1200	75°	Bramers
	1500	75°	J. Ruiz
	1800	75°	J. Ruiz
	2100	75°	J. Ruiz
	2400	75°	J. Ruiz

Thursday

Date	Time	Temp.	Name (Print)
9-26-24	0300	74°	J. Ruiz
	0600	73°	C. Soto Red
	0900	70°	an
	1200	70°	C. Soto
	1500	77°	J. Ruiz
	1800	77°	J. Ruiz
	2100	77°	J. Ruiz
	2400	76	C. Soto Red

Friday

Date	Time	Temp.	Name (Print)
9-27-24	0300	74°	C. Soto Red
	0600	74°	C. Soto
	0900	72°	C. Soto Red
	1200	75°	C. Soto
	1500	78°	I. Smith
	1800	79°	I. Smith
	2100	79°	I. Smith
	2400	78	G. M. Red

Saturday

Date	Time	Temp.	Name (Print)
9 - 28 - 24	0300	74°	M. -
	0600	75°	M. Bramers Red
	0900	76°	M. Bramers
	1200	78°	GRANILLO
	1500	77°	GRANILLO
	1800	77°	GRANILLO
	2100	76°	GRANILLO
	2400	76°	M. -

Notes

Date	Time	Temp.	Name (Print)
9 - 29 - 24	0300	78°	M. -
	0600	74°	Bramers
	0900	74°	Bramers Red
	1200	79°	Bramers
	1500	74°	I. Smith
	1800	74°	I. Smith
	2100	74°	I. Smith
	2400	78	MERCADO

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: T010 Temp. Reading Location: Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	72	MERCADAS
	0600	72°	Bramers
	0900	72°	Bramers
30	1200	74°	Bramers
	1500	79	MERCADAS
-	1800	79	Mercadado
24	2100	79°	Mail
	2400	79°	Mail

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: WHITNEY Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5880 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1 24	0300	69	Carter
	0600	68	Carter
	0900	72°	Santos
	1200	74°	Santos
	1500	80	Santos
	1800	78	Santos
	2100	76	Santos
	2400	74	Lamarr

Notes

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Whitney

Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5850 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/2/24</u>	0300	73	Ramirez
	0600	73	Ramirez
	0900	74	Ramirez
	1200	74	Ramirez
	1500	75°	Gonzalez <u>R</u>
	1800	75°	Gonzalez
	2100	75°	Gonzalez
	2400	75°	Sánchez <u>R</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/3/24</u>	0300	74° <u>R</u>	Sánchez <u>R</u>
	0600	74°	Sánchez <u>R</u>
	0900	74°	Sánchez
	1200	74°	Sánchez
	1500	74°	S. Jones
	1800	74°	S. Jones <u>R</u>
	2100	74°	S. Jones
	2400	74°	A. Jamison

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/4/24</u>	0300	74°	A. Jamison
	0600	71°	L. Padilla
	0900	74°	S. Jones <u>R</u>
	1200	74°	S. Jones
	1500	78°	S. Jones <u>R</u>
	1800	77°	S. Jones
	2100	76°	S. Jones
	2400	74°	Padilla

Thursday

Date	Time	Temp.	Name (Print)
<u>9-5-24</u>	0300	70°	Hawkins
	0600	70°	H. Soto <u>R</u>
	0900	71°	H. Soto
	1200	74°	H. Soto
	1500	78°	S. Jones
	1800	77°	S. Jones
	2100	77°	S. Jones
	2400	75°	J. Cortes

Friday

Date	Time	Temp.	Name (Print)
<u>9-6-24</u>	0300	73	J. Cortes
	0600	73°	H. Soto <u>R</u>
	0900	74°	L. Ch
	1200	74°	L. Ch
	1500	80°	Villanueva
	1800	80°	Villanueva
	2100	76°	Villanueva
	2400	74°	Temer

Saturday

Date	Time	Temp.	Name (Print)
<u>9/7/24</u>	0300	69°	Teller
	0600	70°	F. De Mayo
	0900	71°	F. De Mayo <u>R</u>
	1200	74°	F. De Mayo
	1500	80°	O'Brien
	1800	85°	O'Brien
	2100	76°	O'Brien
	2400	74°	G. Merino

Sunday

Date	Time	Temp.	Name (Print)
<u>9/8/24</u>	0300	72	L. M. L.
	0600	70°	F. De Mayo
	0900	71	F. De Mayo
	1200	78	F. De Mayo <u>R</u>
	1500	79	Sierra
	1800	79	Sierra
	2100	78	Sierra
	2400	76°	Gottlieb <u>R</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Whitney B Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5856 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
2/9/24	0300	76°	G. H. 200
	0600	73°	S. J. Soto
	0900	74°	Soto
	1200	75°	Soto
	1500	76°	E. Soto
	1800	71°	S. Soto
	2100	73°	S. Jones
	2400	71°	S. Soto

Tuesday

Date	Time	Temp.	Name (Print)
2/10/24	0300	73°	S. Soto
	0600	73°	S. Soto
	0900	73°	Goto
	1200	73°	Soto
	1500	72°	M. Gonzalez
	1800	73°	M. Lewis
	2100	73°	M. Lewis
	2400	74°	Lewis

Wednesday

Date	Time	Temp.	Name (Print)
2/11/24	0300	71°	Lamont
	0600	72°	Melvin
	0900	74°	Melvin
	1200	76°	Melvin
	1500	77°	J. Soto
	1800	77°	S. Soto
	2100	74°	S. Soto
	2400	74°	S. Soto

Thursday

Date	Time	Temp.	Name (Print)
2/12/24	0300	73°	S. Jones
	0600	72°	S. Jones
	0900	73°	Martinez
	1200	73°	Martinez
	1500	74°	S. Jones
	1800	73°	S. Jones
	2100	72°	F. Jones
	2400	70°	F. Jones

Friday

Date	Time	Temp.	Name (Print)
2/13/24	0300	70°	C. H.
	0600	70°	C. H.
	0900	72°	C. H.
	1200	74°	C. H.
	1500	75°	100%
	1800	74°	100%
	2100	74°	100%
	2400	72°	100%

Saturday

Date	Time	Temp.	Name (Print)
2/14/24	0300	71°	S. C.
	0600	70°	C. C.
	0900	71°	C. C.
	1200	72°	C. C.
	1500	74°	M. Gonzalez
	1800	73°	M. Gonzalez
	2100	70°	M. Gonzalez
	2400	71°	M. Gonzalez

Notes

Date	Time	Temp.	Name (Print)
2/15/24	0300	71°	M. Gonzalez
	0600	70°	M. Gonzalez
	0900	71°	M. Gonzalez
	1200	72°	M. Gonzalez
	1500	71°	S. Jones
	1800	72°	S. Jones
	2100	72°	S. Jones
	2400	71°	S. Jones

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTP Housing Unit: Whitney Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5850 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	69°	Pamela
	0600	70°	Lorraine
	0900	70°	Ronita
	1200	70°	Ronita
	1500	70°	S. Smith
	1800	70°	S. Smith
	2100	70°	S. Smith
	2400	70°	C. Sanchez

Wednesday 9-18-24

Date	Time	Temp.	Name (Print)
9/18/24	0300	70°	Zambreno
	0600	69°	Soto
	0900	72°	E. Zambreno
	1200	72°	E. Zambreno
	1500	71°	C. Zambreno
	1800	66°	Zambreno
	2100	64°	C. Zambreno
	2400	71°	C. Zambreno

Friday 9/20

Date	Time	Temp.	Name (Print)
9/20/24	0300	68°	
	0600	63°	
	0900	67°	
	1200	67°	
	1500	71°	Torres
	1800	71°	Torres
	2100	66°	Torres
	2400	67°	Cen

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	64°	Cen
	0600	66°	F. De Mayo
	0900	66°	F. De Mayo
	1200	67°	F. De Mayo
	1500	76°	S. Smith
	1800	70°	S. Smith
	2100	70°	S. Smith
	2400	70°	F. Gutierrez

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	70°	Sanchez
	0600	70°	Romero
	0900	64°	Romero
	1200	65°	Romero
	1500	70°	J. Soto
	1800	70°	S. Smith
	2100	70°	S. Smith
	2400	70°	M. Pacheco

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70°	A. Rodriguez
	0600	64°	J. Taylor
	0900	66°	J. Taylor
	1200	68°	J. Taylor
	1500	70°	Zambreno
	1800	67°	Zambreno
	2100	65°	Zambreno
	2400	65°	Cen

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	64°	Cen
	0600	66°	F. De Mayo
	0900	64°	F. De Mayo
	1200	66°	F. De Mayo
	1500	66°	Thomas
	1800	66°	Thomas
	2100	66°	Thomas
	2400	70°	Cen

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Whitney Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/23	0300	69°	F. Guzman
9/23	0600	70°	Ramirez
9/23	0900	74°	Ramirez
9/23	1200	77°	Ramirez
9/23	1500	78°	S. Scott
9/23	1800	79°	S. Scott
9/23	2100	72°	S. Scott
9/23	2400	71°	C. Sanchez

Wednesday			
Date	Time	Temp.	Name (Print)
9/25/14	0300	71°	Flores
9/25/14	0600	70°	H. Bonilla
9/25/14	0900	70°	H. Bonilla
9/25/14	1200	71°	H. Bonilla
9/25/14	1500	77°	S. Scott
9/25/14	1800	76°	S. Scott
9/25/14	2100	76°	S. Scott
9/25/14	2400	70°	Teller

Friday			
Date	Time	Temp.	Name (Print)
9/26/14	0300	66°	Teller
9/26/14	0600	66°	Winters
9/26/14	0900	63°	Moore
9/26/14	1200	70°	Moore
9/26/14	1500	75°	A. Sanchez
9/26/14	1800	74°	A. Sanchez
9/26/14	2100	72°	Otero
9/26/14	2400	70°	Teller

Sunday			
Date	Time	Temp.	Name (Print)
9/28/14	0300	72°	Gutierrez
9/28/14	0600	70°	F. De Mayo
9/28/14	0900	70°	F. De Mayo
9/28/14	1200	71°	F. De Mayo
9/28/14	1500	71°	Sierra
9/28/14	1800	72°	Sierra
9/28/14	2100	72°	Sierra
9/28/14	2400	67°	Thomas

Tuesday			
Date	Time	Temp.	Name (Print)
9/24/14	0300	71°	Sanchez
9/24/14	0600	71°	Sanchez
9/24/14	0900	74°	Ramirez
9/24/14	1200	74°	Ramirez
9/24/14	1500	74°	S. Scott
9/24/14	1800	72°	S. Scott
9/24/14	2100	72°	S. Scott
9/24/14	2400	72°	Flores

Thursday			
Date	Time	Temp.	Name (Print)
9/26/14	0300	68°	Teller
9/26/14	0600	70°	Winters
9/26/14	0900	70°	Winters
9/26/14	1200	70°	Winters
9/26/14	1500	72°	Quintana
9/26/14	1800	70°	Quintana
9/26/14	2100	68°	Quintana
9/26/14	2400	68°	Teller

Saturday			
Date	Time	Temp.	Name (Print)
9/28/14	0300	67°	Teller
9/28/14	0600	66°	F. De Mayo
9/28/14	0900	70°	F. De Mayo
9/28/14	1200	71°	F. De Mayo
9/28/14	1500	76°	Thomas
9/28/14	1800	68°	Thomas
9/28/14	2100	67°	Thomas
9/28/14	2400	72°	Gutierrez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Whitney Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24	0300	66	Thomas
8/24	0600	65	Romine
8/24	0900	70	Romine
8/24	1200	70	Romine
8/24	1500	85	Sarmienta
8/24	1800	86	Sarmienta
8/24	2100	88	Sarmienta
8/24	2400	78	M. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTf Housing Unit: X-wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	51°	HAT
	0600	52°	HAT
	0900	63°	ASL AR
	1200	65°	ASL AR
	1500	78°	MARR
	1800	68°	MARL
	2100	68°	MARL
	2400	66°	HAT

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: X-wing Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
9/12	0300	70°	J. HATT
	0600	70°	J. HATT
	0900	70°	P. Valdez
	1200	70°	P. Valdez
	1500	70°	CASILLO
	1800	65°	CASILLO
	2100	60°	CASILLO
	2400	70°	J. HATT

9/2

Date	Time	Temp.	Name (Print)
9/13	0300	66°	OROZCO
	0600	67°	T. Rosales
	0900	69°	T. Rosales
	1200	71°	T. Rosales
	1500	72°	CASILLO
	1800	69°	CASILLO
	2100	63°	CASILLO
	2400	68°	OROZCO

9/3

Date	Time	Temp.	Name (Print)
9/13	0300	70°	J. HATT
	0600	70°	J. HATT
	0900	70°	Valdez
	1200	73°	Valdez
	1500	73°	CASILLO
	1800	70°	CASILLO
	2100	68°	CASILLO
	2400	68°	OROZCO

9/3

Date	Time	Temp.	Name (Print)
9/14	0300	66°	OROZCO
	0600	67°	T. Rosales
	0900	69°	T. Rosales
	1200	71°	T. Rosales
	1500	72°	CASILLO
	1800	69°	CASILLO
	2100	63°	CASILLO
	2400	68°	OROZCO

9/4

Date	Time	Temp.	Name (Print)
9/15	0300	66°	OROZCO
	0600	68°	MELENDEZ
	0900	74°	MELENDEZ
	1200	77°	MELENDEZ
	1500	72°	Salas
	1800	73°	Salas
	2100	70°	Salas
	2400	70°	OROZCO

9/5

Date	Time	Temp.	Name (Print)
9/16	0300	68°	OROZCO
	0600	68°	MELENDEZ
	0900	72°	MELENDEZ
	1200	77°	MELENDEZ
	1500	78°	J. Gonzalez
	1800	75°	J. Gonzalez
	2100	75°	J. Gonzalez
	2400	72°	OROZCO

9/6

Date	Time	Temp.	Name (Print)
9/17	0300	70°	OROZCO
	0600	70°	MELENDEZ
	0900	72°	MELENDEZ
	1200	77°	MELENDEZ
	1500	77°	MARTINEZ
	1800	75°	MARTINEZ
	2100	72°	MARTINEZ
	2400	70°	J. HATT

9/7

Date	Time	Temp.	Name (Print)
9/18	0300	78°	J. HATT
	0600	78°	J. HATT
	0900	75°	J. MELENDEZ
	1200	80°	J. MELENDEZ
	1500	79°	MARTINEZ
	1800	78°	MARTINEZ
	2100	77°	MARTINEZ
	2400	76°	J. HATT

9/8

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTP Housing Unit: X-Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	76°	J. HATT
	0600	76°	J. HATT
	0900	77°	ASENTO
	1200	79°	CASTILLO
	1500	77°	CASTILLO
	1800	75°	CASTILLO
	2100	71°	CASTILLO
	2400	70°	OREO

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	70°	OROZCO
	0600	73°	ASENTO
	0900	76°	ASENTO
	1200	79°	ASENTO
	1500	74°	CASTILLO
	1800	72°	CASTILLO
	2100	70°	CASTILLO
	2400	70°	OREO

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	68°	OREO
	0600	70°	MELENDEZ
	0900	72°	MELENDEZ
	1200	74°	MELENDEZ
	1500	73°	CASTILLO
	1800	73°	CASTILLO
	2100	70°	CASTILLO
	2400	70°	OREO

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	68°	OREO
	0600	66°	MELENDEZ
	0900	68°	MELENDEZ
	1200	75°	MELENDEZ
	1500	74	GALNOT
	1800	71°	GALNOT
	2100	70°	GALNOT
	2400	69°	Teller

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	65°	Teller
	0600	66°	MELENDEZ
	0900	68°	MELENDEZ
	1200	74°	MELENDEZ
	1500	78°	CASTILLO
	1800	74°	CASTILLO
	2100	70°	CASTILLO
	2400	69	Z. MARQUEZ

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	68	Z. MARQUEZ
	0600	68°	MELENDEZ
	0900	70	MELENDEZ
	1200	72°	MELENDEZ
	1500	73	Lopez
	1800	72	Lopez
	2100	70	Lopez
	2400	68	J. HATT

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	68°	J. HATT
	0600	68°	J. HATT
	0900	61	Sierra
	1200	62	Sierra
	1500	62	J. SULLIVAN
	1800	62	J. SULLIVAN
	2100	61	J. SULLIVAN
	2400	60°	J. HATT

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: X-Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	68°	J. HATT
	0600	68°	J. HATT
	0900	69°	ASENDO
	1200	71°	ASENDO
	1500	70°	CASILLO
	1800	69°	CASILLO
	2100	66°	CASILLO
	2400	66°	OROZCO

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	69°	OROZCO
	0600	66°	ASENDO
	0900	67°	ASENDO
	1200	69°	ASENDO
	1500	68°	CASILLO
	1800	65°	CASILLO
	2100	64°	CASILLO
	2400	64°	OROZCO

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	69°	OROZCO
	0600	66°	MELENDEZ
	0900	68°	MELENDEZ
	1200	74°	MELENDEZ
	1500	72°	CASILLO
	1800	70°	CASILLO
	2100	68°	CASILLO
	2400	68°	OROZCO

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	69°	OROZCO
	0600	66°	MELENDEZ
	0900	68°	MELENDEZ
	1200	72°	MELENDEZ
	1500	72°	SALMÁN
	1800	70°	SALMÁN
	2100	68°	SALMÁN
	2400	66°	OROZCO

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	69°	OROZCO
	0600	66°	MELENDEZ
	0900	68°	MELENDEZ
	1200	72°	MELENDEZ
	1500	72°	MARTINEZ
	1800	70°	MARTINEZ
	2100	69°	MARTINEZ
	2400	68°	OROZCO

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	69°	OROZCO
	0600	68°	MELENDEZ
	0900	70°	MELENDEZ
	1200	74°	MELENDEZ
	1500	73°	MARTINEZ
	1800	71°	MARTINEZ
	2100	69°	MARTINEZ
	2400	68°	J. HATT

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	68°	J. HATT
	0600	68°	J. HATT
	0900	70°	MELENDEZ
	1200	70°	MARTINEZ
	1500	70°	MARR
	1800	70°	MARR
	2100	68°	MARR
	2400	68°	J. HATT

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: X-Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	68°	J. HATT
	0600	68°	J. HATT
	0900	70°	ASENO
	1200	75°	ASENO
	1500	78°	CASTILLO
	1800	76°	CASTILLO
	2100	75°	CASTILLO
	2400	74°	OROZCO

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	72°	OROZCO
	0600	75°	ASENO
	0900	77°	ASENO
	1200	80°	ASENO
	1500	80°	CASTILLO
	1800	75°	CASTILLO
	2100	74°	CASTILLO
	2400	74°	OROZCO

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	72°	OROZCO
	0600	72°	MELENDEZ
	0900	74°	MELENDEZ
	1200	76°	MELENDEZ
	1500	77°	MELENDEZ
	1800	78°	CASTILLO
	2100	76°	CASTILLO
	2400	74°	OROZCO

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	72°	OROZCO
	0600	72°	MELENDEZ
	0900	75°	MELENDEZ
	1200	76°	MELENDEZ
	1500	77°	SALINAS
	1800	77°	SALINAS
	2100	74°	SALINAS
	2400	72°	OROZCO

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	70°	OROZCO
	0600	72°	MELENDEZ
	0900	74°	MELENDEZ
	1200	78°	MELENDEZ
	1500	78°	CASTILLO
	1800	75°	CASTILLO
	2100	74°	CASTILLO
	2400	77°	OROZCO

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	72°	OROZCO
	0600	72°	MELENDEZ
	0900	75°	MELENDEZ
	1200	76°	MELENDEZ
	1500	75°	MARTINEZ
	1800	72°	MARTINEZ
	2100	70°	MARTINEZ
	2400	68°	G. GARRIDO

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	66°	G. GARRIDO
	0600	68°	MELENDEZ
	0900	68°	MELENDEZ
	1200	74°	MELENDEZ
	1500	75°	J. SULLIVAN
	1800	73°	J. SULLIVAN
	2100	70°	J. SULLIVAN
	2400	69°	J. SULLIVAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: X-wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	64°	J. Sullivan
	0600	64°	J. Sullivan
	0900	68°	P. ...
	1200	70°	P. ...
	1500	71°	M. Madrigal
	1800	70	M. Madrigal
	2100	66	M. Madrigal
	2400	66	M. Madrigal

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Y-WING Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

9/8/24

Date	Time	Temp.	Name (Print)
9/8/24	0300		
9/8/24	0600		
9/8/24	0900		
9/8/24	1200	70°	Lutierrez
9/8/24	1500	85°	J. Gonzalez
9/8/24	1800	80°	J. Gonzalez
9/8/24	2100	75°	J. Gonzalez
9/8/24	2400	68°	Vega

Notes

9/8/24 Y-wing activation w/
1020 hours

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

- Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Y-Wing Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/10/21	0300	68°	Vega ✓
	0600	68°	Valdez ✓
	0900	69°	Valdez ✓
	1200	71°	Valdez ✓
	1500	71°	Valdez ✓
	1800	69°	Valdez ✓
	2100	69°	Valdez ✓
	2400	68°	Villa

Tuesday

Date	Time	Temp.	Name (Print)
9/10/21	0300	67°	Villa ✓
	0600	67°	Valdez ✓
	0900	68°	Valdez ✓
	1200	70°	Valdez ✓
	1500	68°	Toscana ✓
	1800	68°	Toscana ✓
	2100	67°	Toscana ✓
	2400	67°	Puentes

Wednesday

Date	Time	Temp.	Name (Print)
9/11/21	0300	64°	Puentes
	0600	65°	Valdez ✓
	0900	65°	Valdez ✓
	1200	70°	Valdez ✓
	1500	70°	Salvia ✓
	1800	69°	Salvia ✓
	2100	65°	Salvia ✓
	2400	67°	Lopez RS

Thursday

Date	Time	Temp.	Name (Print)
9/11/21	0300	67°	Lopez RS
12/1	0600	65°	Lopez ✓
12/1	0900	67°	Lopez ✓
12/1	1200	68°	Lopez ✓
12/1	1500	69°	Lopez ✓
12/1	1800	70°	Lopez ✓
12/1	2100	68°	Lopez ✓
12/1	2400	67°	Villa

Friday

Date	Time	Temp.	Name (Print)
9/13/21	0300	66	Villa
	0600	65	Lopez
	0900	67	Lopez ✓
	1200	70°	Lopez ✓
	1500	72	M Lopez
	1800	70	M Lopez ✓
	2100	69	M Lopez ✓
	2400	68	Villa

Saturday

Date	Time	Temp.	Name (Print)
9/14/21	0300	67	Villa
	0600	67°	EMPLOYEE ✓
	0900	68	Garrido
	1200	70	Garrido
	1500	72	M Lopez
	1800	70	M Lopez ✓
	2100	68	M Lopez ✓
	2400	66°	Vega

Notes

REINITIATED 3W 9/15/21 2020 7A.

Date	Time	Temp.	Name (Print)
9/15/21	0300	66°	Vega
	0600	67	Garrido
	0900	67	Garrido
	1200	62	Garrido
	1500	68	Miranda
	1800	69	Miranda ✓
	2100	70	Miranda ✓
	2400	68	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Zwing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5893 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	62	Aceves
	0600	63°	Lopez
	0900	65°	Lopez
	1200	65°	Lopez
	1500	70°	Vazquez
	1800	67°	Vazquez
	2100	67°	D. Vazquez
	2400	65	V. Sanchez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Z - Wing Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5893 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1	0300	64°	V.Sanchez
	0600	69°	J.Lopez
	0900	65°	J.Lopez
	1200	70°	J.Lopez
	1500	71°	M.Simo
	1800	70°	M.Simo
9/2	2100	68°	MISS. J
	2400	65°	Sanchez

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	64°	Sanchez
	0600	69°	J.Lopez
	0900	66°	J.Lopez
	1200	71°	J.Lopez
	1500	72°	M.Simo
	1800	70°	M.Simo
9/24	2100	69°	MISS. J
	2400	67°	Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	65°	Sanchez
	0600	65°	Simo
	0900	65°	Simo
	1200	65°	Simo
	1500	70°	MACELIN
	1800	70°	MACELIN
9/24	2100	68°	MACELIN
	2400	65°	Sanchez

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	62°	Sanchez
	0600	65°	Simo
	0900	66°	Simo
	1200	70°	Simo
	1500	71°	MACELIN
	1800	72°	MACELIN
9/24	2100	71°	MACELIN
	2400	67°	Lombay

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	65°	Lombay
	0600	65°	NAVA
	0900	65°	NAVA
	1200	68°	NAVA
	1500	70°	MACELIN
	1800	70°	MACELIN
9/24	2100	74°	MACELIN
	2400	67°	CARES

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	66°	CARES
	0600	69°	Gurman
	0900	70°	Gurman
	1200	75°	Gurman
	1500	75°	J.Garza
	1800	74°	J.Garza
9/24	2100	71°	J.Garza
	2400	68°	Aceves

Sunday

Date	Time	Temp.	Name (Print)
9/24	0300	68°	Aceves
	0600	68°	Gurman
	0900	70°	Gurman
	1200	72°	Gurman
	1500	76°	SOUZA & WARD
	1800	73°	SOUZA & WARD
9/24	2100	70°	SOUZA & WARD
	2400	68°	Sanchez

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: 2 - wing Temp. Reading Location: 3rd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 9853 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1	0300	65	Sanchez
	0600	65	V. Gutierrez
9/1	0900	66	V. Gutierrez
	1200	66	V. Gutierrez
9/1	1500	69	M. Siso
	1800	69	M. Siso
9/24	2100	67	M. Siso
	2400	66	Sanchez

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	65	Sanchez
	0600	66	V. Gutierrez
9/10	0900	67	V. Gutierrez
	1200	69	V. Gutierrez
9/24	1500	70	M. Siso
	1800	68	M. Siso
9/24	2100	63	M. Siso
	2400	67	Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	67	Sanchez
	0600	67	Simone
9/11	0900	68	Simone
	1200	68	Simone
9/24	1500	69	Macayla
	1800	69	Macayla
9/24	2100	69	Macayla
	2400	64	Sanchez PS

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	64	Sanchez PS
	0600	65	Simone
9/12	0900	66	Simone
	1200	67	Simone
9/24	1500	68	Macayla
	1800	66	Macayla
9/24	2100	64	Macayla
	2400	64	Lonboy

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	67	Lonboy
	0600	66	Simone
9/13	0900	70	Gorman
	1200	70	Gorman
9/24	1500	72	Zambreno
	1800	72	Zambreno
9/24	2100	71	Zambreno
	2400	67	Carrillo

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	66	CTF
	0600	66	Gorman
9/14	0900	66	Gorman
	1200	70	Gorman
9/24	1500	66	Macayla
	1800	66	Macayla
9/24	2100	64	Macayla
	2400	64	Sanchez

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	62	Sanchez
	0600	65	Gorman
9/15	0900	65	Gorman
	1200	65	Gorman
9/24	1500	60	Macayla
	1800	64	Macayla
9/24	2100	64	Macayla
	2400	64	Sanchez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Z - WING Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5057 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1	0300	62°	Sanchez
	0600	62°	J. Gutierrez
	0900	68°	J. Gutierrez
16/	1200	72°	J. Gutierrez
	1500	71°	J. Gutierrez
24	1800	69°	J. Gutierrez
	2100	65°	J. Gutierrez
	2400	65°	Sanchez

Tuesday

Date	Time	Temp.	Name (Print)
9/1	0300	64°	Sanchez
	0600	64°	J. Gutierrez
	0900	68°	J. Gutierrez
17/	1200	70°	J. Gutierrez
	1500	71°	Quiros
	1800	69°	Quiros
24	2100	67°	Quiros
	2400	66°	Aceves

Wednesday

Date	Time	Temp.	Name (Print)
9/1	0300	62°	Aceves
	0600	64°	Bartolomeo
	0900	64°	Cinca
18/	1200	64°	Cinca
	1500	62°	MacIsaac
	1800	62°	MacIsaac
24	2100	62°	MacIsaac
	2400	62°	Sanchez

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	62°	Sanchez
	0600	64	Simo
	0900	65	Simo
	1200	65	MacIsaac
	1500	64	MacIsaac
	1800	64	MacIsaac
	2100	62	MacIsaac
	2400	62	Lombay

Friday

Date	Time	Temp.	Name (Print)
9/1	0300	62	Lombay
10/	0600	64	Simo
	0900	65	Simo
	1200	66	Simo
	1500	64	MacIsaac
	1800	64	MacIsaac
	2100	62	MacIsaac
	2400	61°	Cinca

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	60°	Cinca
	0600	65	Gorman
	0900	65	Gorman
	1200	65	Gorman
	1500	67	Sanchez & Gorman
	1800	62	MacIsaac
	2100	62	MacIsaac
	2400	61	Perez

Notes

9/17 0600 IT SNED

Date	Time	Temp.	Name (Print)
9/1	0300	60	
12/	0600	60	Gorman
	0900	65	H. Gorman
	1200	65	MacIsaac
	1500	64	MacIsaac
	1800	64	MacIsaac
	2100	62	MacIsaac
	2400	60	Aceves

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: 2-wing Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	60	Aceves
	0600	62	Simo
	0900	63	Simo
	1200	65	Simo
	1500	74	Miguel
	1800	77	Miguel
	2100	75	Miguel
	2400	73	Sanchez

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	73	Sanchez
	0600	60	Guevara
	0900	63	Guevara
	1200	70	Guevara
	1500	74	Pintero
	1800	72	Pintero
	2100	70	Pintero
	2400	69	Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	67	Sanchez
	0600	60	Simo
	0900	63	Simo
	1200	70	Simo
	1500	65	Masaytha
	1800	64	Masaytha
	2100	62	Masaytha
	2400	62	Sanchez

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	62	Sanchez
	0600	63	Simo
	0900	65	Simo
	1200	70	Gurman
	1500	66	Masaytha
	1800	64	Masaytha
	2100	62	Masaytha
	2400	60	Lombay

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	60	Lombay
	0600	65	Gurman
	0900	65	Gurman
	1200	67	Gurman
	1500	70	Masaytha
	1800	70	Masaytha
	2100	68	Masaytha
	2400	65	Carr

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	68	Carr
	0600	60	H. Gurman
	0900	65	H. Gurman
	1200	65	H. Gurman
	1500	68	Souphanthavong
	1800	67	Souphanthavong
	2100	66	Johnson
	2400	64	Aceves

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	62	Aceves
	0600	60	H. Gurman
	0900	65	H. Gurman
	1200	65	H. Gurman
	1500	67	Souphanthavong
	1800	68	Souphanthavong
	2100	66	Souphanthavong
	2400	66	Ortiz

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTF Housing Unit: Z-wing Temp. Reading Location: 3rd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
01/30	0300	64	OPTA
	0600	64	Y. LUNNEY
	0900	65	Y. LUNNEY
	1200	66	Y. LUNNEY
	1500	72	M. S.S.D.
	1800	72	S. M. T. R. M.
	2100	68	S. M. T. R. M.
	2400	68	L. T. G.

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes
