

STATE OF CALIFORNIA
HEAT PLAN - MONTHLY SUMMARY REPORT
CDCR MH-7711-1 (02/17)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Page 1 of 1

Monthly Summary Report

Institution: CEN

MemorandumDate: October 4, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Centinela State Prison

The following is a summary of the heat related activity for the month of September 2024
at CEN (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes _____

Number of days Stage I Alert initiated: 30 _____

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____

Number of days Stage II Alert initiated: 0 _____

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: 0 _____

4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness: 2. List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

FIDENCIO GUZMAN

Warden Name

DocuSigned by:

913A254A21D742E...

Warden Signature

JOHN MUNGER

Chief Executive Officer Name

DocuSigned by:

7AE06A42CC8341E...

Chief Executive Officer Signature

Heat Incident Log

Institution: CENTINELA	Date: SEPTEMBER 2024	Number of Heat Incidents: 2
1. Patient Name: [REDACTED]	CDCR#: [REDACTED]	Housing: [REDACTED]
MHSDS Designation: GP	Level of Care: GP	Date of Heat Incident: 09/05/2024
Location of Incident: [REDACTED]	Change in Level of Care: HLOC ECRMC ER	
List of Heat Risk Medications: N/A		
Chief Medical Complaint: Heat related illness, Syncope. Patient states, " I passed out in my cell, I feel weak."		
Diagnosis of Heat Related Illness (specify): Concern for heat related illness		
Treatment Rendered: Normal Saline 500 ml IV bolus, Monitor, EKG POC, transfer to HLOC ECRMC ER		
Medication Changes Made: N/A		
Ultimate Disposition of Patient: HLOC ECRMC ER		
Clinician's Name and Title: RN Estrada/MD Ortega		
2. Patient Name: [REDACTED]	CDCR#: [REDACTED]	Housing: [REDACTED]
MHSDS Designation: B4	Level of Care: GP	Date of Heat Incident: 09/07/2024
Location of Incident: [REDACTED]	Change in Level of Care: HLOC ECRMC ER	
List of Heat Risk Medications: Heat related illness, pre-syncope Sx/ Syncope. Patient states, " I started cramping".		
Chief Medical Complaint: Patient states, " I went out. I started cramping and went down."		
Diagnosis of Heat Related Illness (specify): Concern for heat related illness and syncope		
Treatment Rendered: Normal Saline 500 ml IV bolus, Monitor, transfer to HLOC ECRMC ER		
Medication Changes Made: N/A		
Ultimate Disposition of Patient: HLOC ECRMC ER		
Clinician's Name and Title: RN Estrada/MD Ko		
3. Patient Name: [REDACTED]	CDCR#: [REDACTED]	Housing: [REDACTED]
MHSDS Designation: [REDACTED]	Level of Care: [REDACTED]	Date of Heat Incident: [REDACTED]
Location of Incident: [REDACTED]	Change in Level of Care: [REDACTED]	
List of Heat Risk Medications: [REDACTED]		
Chief Medical Complaint: [REDACTED]		
Diagnosis of Heat Related Illness (specify): [REDACTED]		
Treatment Rendered: [REDACTED]		
Medication Changes Made: [REDACTED]		
Ultimate Disposition of Patient: [REDACTED]		
Clinician's Name and Title: [REDACTED]		

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY SEPTEMBER 01, 2024	0100	89	Cardenas
	0200	90	Cardenas
	0300	88	Cardenas
	0400	87	Cardenas
	0500	86	Cardenas
	0600	85	Cardenas
	0700	86	Cardenas
	0800	89	Cardenas
	0900	95	Cardenas
	1000	99	Cardenas
	1100	105	Cardenas
	1200	104	Cardenas
	1300	107	Cardenas
	1400	108	J. Castillo
	1500	109	J. Castillo
	1600	109	J. Castillo
	1700	109	J. Castillo
	1800	107	J. Castillo
	1900	103	J. Castillo
	2000	98	J. Castillo
	2100	97	J. Castillo
	2200	94	Barba
	2300	93	Barba
	2400	93	Barba

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

SUNDAY SEPTEMBER 1, 2024

Date	Time	Temp.	Printed Name
	0100	91	WOODRUFF
	0200	91	WOODRUFF
	0300	90	WOODRUFF
	0400	88	WOODRUFF
	0500	88	WOODRUFF
	0600	88	OSUNA
	0700	88	OSUNA
	0800	93	OSUNA
	0900	98	OSUNA
	1000	102	OSUNA
	1100	105	OSUNA
	1200	108	OSUNA
	1300	109	OSUNA
	1400	111	OSUNA
	1500	117	OSUNA
	1600	112	Bojorquez
	1700	114	Bojorquez
	1800	110	Bojorquez
	1900	108	Bojorquez
	2000	105	Bojorquez
	2100	101	Bojorquez
	2200	100	RUIZ
	2300	95	RUIZ
	2400	71	RUIZ

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY SEPTEMBER 02, 2024	0100	92	Barba
	0200	90	Barba
	0300	88	Barba
	0400	84	Barba
	0500	84	Barba
	0600	63	METS
	0700	84	METS
	0800	89	METS
	0900	94	METS
	1000	100	METS
	1100	103	METS
	1200	105	METS
	1300	107	METS
	1400	109	Buchanan
	1500	109	Buchanan
	1600	107	Buchanan
	1700	107	Buchanan
	1800	105	Buchanan
	1900	102	Buchanan
	2000	99	Buchanan
	2100	98	Buchanan
	2200	95	Buchanan
	2300	94	Barba
	2400	93	Barba

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY SEPTEMBER 2, 2024	0100	93	O.Perry
	0200	91	O.Perry
	0300	89	O.Perry
	0400	87	O.Perry
	0500	84	O.Perry
	0600	84	C.Fowler
	0700	86	C.Fowler
	0800	91	C.Fowler
	0900	98	C.Fowler
	1000	102	C.Fowler
	1100	105	C.Fowler
	1200	107	C.Fowler
	1300	109	C.Fowler
	1400	113	S.Gaddis
	1500	111	S.Gaddis
	1600	111	S.Gaddis
	1700	110	S.Gaddis
	1800	109	S.Gaddis
	1900	104	S.Gaddis
	2000	99	S.Gaddis
	2100	99	S.Gaddis
	2200	99	T.WOODRUFF
	2300	97	T.WOODRUFF
	2400	96	T.WOODRUFF

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY SEPTEMBER 03, 2024	0100	90	Burton
	0200	87	Burton
	0300	85	Burton
	0400	84	Burton
	0500	84	Burton
	0600	83	Martinez
	0700	85	Martinez
	0800	89	Martinez
	0900	93	Martinez
	1000	96	Martinez
	1100	101	Martinez
	1200	104	Martinez
	1300	104	Martinez
	1400	110	MORLET
	1500	109	MORLET
	1600	110	MORLET
	1700	108	MORLET
	1800	105	MORLET
	1900	103	MORLET
	2000	100	MORLET
	2100	95	MORLET
	2200	96	Burton
	2300	95	Burton
	2400	93	Burton

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

TUESDAY SEPTEMBER 3, 2024

Date	Time	Temp.	Printed Name
	0100	93	T.WOODRUFF
	0200	90	T.WOODRUFF
	0300	87	T.WOODRUFF
	0400	88	T.WOODRUFF
	0500	87	T.WOODRUFF
	0600	87	V.NORIEGA
	0700	78	V.NORIEGA
	0800	91	V.NORIEGA
	0900	96	V.NORIEGA
	1000	100	V.NORIEGA
	1100	103	V.NORIEGA
	1200	106	V.NORIEGA
	1300	109	V.NORIEGA
	1400	111	C.FUNZ
	1500	111	C.FUNZ
	1600	111	C.FUNZ
	1700	111	C.FUNZ
	1800	110	C.FUNZ
	1900	105	C.FUNZ
	2000	102	C.FUNZ
	2100	98	C.FUNZ
	2200	100	T.WOODRUFF
	2300	97	T.WOODRUFF
	2400	96	T.WOODRUFF

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	92	Barby
	0200	90	Barby
	0300	90	Barby
	0400	88	Barby
	0500	86	Barby
	0600	85	Renes
	0700	88	Renes
	0800	93	Renes
	0900	100	Renes
	1000	102	Renes
	1100	105	Renes
	1200	108	Renes
	1300	109	Renes
	1400	110	J. Castillo
	1500	110	J. Castillo
	1600	111	J. Castillo
	1700	111	J. Castillo
	1800	108	J. Castillo
	1900	103	J. Castillo
	2000	98	J. Castillo
	2100	97	J. Castillo
	2200	97	Barby
	2300	90	Barby
	2400	90	Barby

WEDNESDAY SEPTEMBER 04, 2024

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY SEPTEMBER 4, 2024	0100	95	T. Woodruff
	0200	93	T. Woodruff
	0300	93	T. Woodruff
	0400	93	T. Woodruff
	0500	91	T. Woodruff
	0600	93	Martin
	0700	93	Martin
	0800	96	Martin
	0900	99	Martin
	1000	105	Martin
	1100	108	Martin
	1200	111	Martin
	1300	112	Carver
	1400	113	Green
	1500	115	Green
	1600	113	Green
	1700	114	Green
	1800	111	Green
	1900	109	Green
	2000	103	Green
	2100	103	Green
	2200	101	Cardenas
	2300	100	Cardenas
	2400	96	Cardenas

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
THURSDAY SEPTEMBER 05, 2024	0100	95	Barbin
	0200	93	Barbin
	0300	90	Barbin
	0400	87	Barbin
	0500	86	Barbin
	0600	87	Martinez
	0700	87	Martinez
	0800	88	Martinez
	0900	102	Martinez
	1000	107	Martinez
	1100	109	Martinez
	1200	111	Martinez
	1300	112	Martinez
	1400	113	MORLET
	1500	113	MORLET
	1600	114	MORLET
	1700	113	MORLET
	1800	111	MORLET
	1900	105	MORLET
	2000	103	Morlet
	2100	101	Morlet
	2200	93	Barbin
	2300	94	Barbin
	2400	95	Barbin

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
GDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

THURSDAY SEPTEMBER 5, 2024

Date	Time	Temp.	Printed Name
	0100	100	Cardenas
	0200	96	Cardenas
	0300	94	Cardenas
	0400	92	Cardenas
	0500	90	Cardenas
	0600	97	Martin
	0700	99	Martin
	0800	96	Martin
	0900	104	✓ Fenz
	1000	103	Martin
	1100	113	Martin
	1200	115	Martin
	1300	115	Martin
	1400	116	Buchanan
	1500	117	Buchanan
	1600	117	Buchanan
	1700	117	Buchanan
	1800	110	Buchanan
	1900	108	Buchanan
	2000	105	Buchanan
	2100	103	Buchanan
	2200	101	Cardenas
	2300	98	Cardenas
	2400	96	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution Heat Plain Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

FRIDAY SEPTEMBER 6, 2024

Date	Time	Temp.	Printed Name
	0100	100	Cardenas
	0200	98	Cardenas
	0300	97	Cardenas
	0400	96	Cardenas
	0500	95	Cardenas
	0600	89	Martin
	0700	88	Martin
	0800	90	MARTIN
	0900	93	MARTIN
	1000	101	Martin
	1100	105	Martin
	1200	108	Martin
	1300	110	Martin
	1400	112	Buchanan
	1500	112	Buchanan
	1600	112	Buchanan
	1700	108	Buchanan
	1800	108	Buchanan
	1900	104	Buchanan
	2000	102	Buchanan
	2100	98	Buchanan
	2200	97	Trevino
	2300	96	Trevino
	2400	95	Trevino

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA:
OUTSIDE TEMPERATURE RECORD
CDCR 203d (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	95	Barber
	0200	93	Barber
	0300	91	Barber
	0400	90	Barber
	0500	90	Barber
	0600	89	Reyes
	0700	88	Reyes
	0800	88	Reyes
	0900	93	Reyes
	1000	99	Reyes
	1100	104	Reyes
	1200	107	Reyes
	1300	107	Reyes
	1400	107	MORLET
	1500	109	MORLET
	1600	109	MORLET
	1700	109	MORLET
	1800	106	MORLET
	1900	102	MORLET
	2000	99	MORLET
	2100	96	MORLET
	2200	94	Cardenas
	2300	92	Cardenas
	2400	92	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY SEPTEMBER 07, 2024	0100	92	Cardenas
	0200	89	Cardenas
	0300	88	Cardenas
	0400	87	Cardenas
	0500	87	Cardenas
	0600	85	Lopez-Lorillo
	0700	86	Lopez-Lorillo
	0800	90	Lopez-Lorillo
	0900	100	Lopez-Lorillo
	1000	101	Lopez-Lorillo
	1100	105	Lopez-Lorillo
	1200	107	Thompson
	1300	108	Lopez-Lorillo
	1400	108	J. Castillo
	1500	107	J. Castillo
	1600	107	J. Castillo
	1700	106	J. Castillo
	1800	105	J. Castillo
	1900	101	J. Castillo
	2000	100	J. Castillo
	2100	95	J. Castillo
	2200	94	Cardenas
	2300	93	Cardenas
	2400	91	Cardenas

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

SATURDAY SEPTEMBER 7, 2024

Date	Time	Temp.	Printed Name
	0100	94	D.Trevino
	0200	92	D.Trevino
	0300	91	D.Trevino
	0400	91	D.Trevino
	0500	90	D.Trevino
	0600	89	Martin
	0700	90	Martin
	0800	99	Martin
	0900	102	Martin
	1000	103	Martin
	1100	103	Martin
	1200	109	Martin
	1300	111	Martin
	1400	117	Buchanan
	1500	112	Buchanan
	1600	117	Buchanan
	1700	111	Buchanan
	1800	110	Buchanan
	1900	108	Buchanan
	2000	100	Buchanan
	2100	99	Buchanan
	2200	97	TORRES
	2300	96	TORRES
	2400	96	TORRES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY SEPTEMBER 08, 2024	0100	92	Cardenas
	0200	90	Cardenas
	0300	89	Cardenas
	0400	88	Cardenas
	0500	88	Cardenas
	0600	88	J. Castillo
	0700	85	J. (Castillo)
	0800	91	J. Castillo
	0900	90	J. Castillo
	1000	99	J. (Castillo)
	1100	102	J. Castillo
	1200	104	J. Castillo
	1300	100	J. Castillo
	1400	108	J. Castillo
	1500	108	J. Castillo
	1600	107	J. (Castillo)
	1700	106	J. (Castillo)
	1800	104	J. Castillo
	1900	101	J. Castillo
	2000	98	J. Castillo
	2100	91	J. Castillo
	2200	90	Barba
	2300	90	Barba
	2400	90	Barba

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	9.3	TORRES
	0200	9.3	TORRES
	0300	9.2	TORRES
	0400	9.1	TORRES
	0500	9.1	TORRES
	0600	9.2	TORRES
	0700	8.9	Martin
	0800	9.2	Martin
	0900	9.3	Martin
	1000	10.7	Murphy
	1100	10.6	L.Gandy
	1200	10.8	R.Gandy
	1300	11.0	R.Gandy
	1400	11.4	Sepulveda
	1500	11.1	Sepulveda
	1600	11.1	Sepulveda
	1700	11.6	Sepulveda
	1800	10.5	Sepulveda
	1900	10.5-6	Sepulveda
	2000	10.3-6	Sepulveda
	2100	10.2-7	Sepulveda
	2200	9.3-7	Sepulveda
	2300	9.3	T.WOODWUFF
	2400	9.1	T.WOODWUFF

SUNDAY SEPTEMBER 8, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY SEPTEMBER 09, 2024	0100	88	Bairon
	0200	86	Bairon
	0300	85	Bairon
	0400	82	Bairon
	0500	82	Bairon
	0600	83	Rutes
	0700	83	Rutes
	0800	91	Rutes
	0900	98	Rutes
	1000	100	Rutes
	1100	102	Rutes
	1200	105	Rutes
	1300	107	Rutes
	1400	108	Buchanan
	1500	109	Buchanan
	1600	109	Buchanan
	1700	107	Buchanan
	1800	106	Buchanan
	1900	102	Buchanan
	2000	95	Buchanan
	2100	94	Buchanan
	2200	93	Bairon
	2300	90	Bairon
	2400	90	Bairon

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	89	T.Woodnutt
	0200	87	T.Woodnutt
	0300	87	T.Woodnutt
	0400	87	T.Woodnutt
	0500	86	T.Woodnutt
	0600	86	C.Funz
	0700	88	C.Funz
	0800	90	J.NUNEZ
	0900	100	J.NUNEZ
	1000	104	J.NUNEZ
	1100	105	B.Bell
	1200	107	B.Bell
	1300	110	J.NUNEZ
	1400	111	S.Gaddis
	1500	113	S.Gaddis
	1600	113	S.Gaddis
	1700	108	S.Gaddis
	1800	104	S.Gaddis
	1900	104	S.Gaddis
	2000	99	S.Gaddis
	2100	99	S.Gaddis
	2200	95	T.Woodnutt
	2300	93	T.Woodnutt
	2400	91	T.Woodnutt

MONDAY SEPTEMBER 9, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY SEPTEMBER 10, 2024	0100	88	Barba
	0200	80	Barba
	0300	86	Barba
	0400	85	Barba
	0500	84	Barba
	0600	85	Martinez
	0700	86	Martinez
	0800	88	Martinez
	0900	97	Martinez
	1000	102	Martinez
	1100	100	Martinez
	1200	107	Martinez
	1300	108	Martinez
	1400	109	Penteno
	1500	109	Morlet
	1600	109	Morlet
	1700	109	Morlet
	1800	106	Morlet
	1900	101	Morlet
	2000	99	Morlet
	2100	97	Morlet
	2200	94	Barba
	2300	94	Barba
	2400	92	Barba

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

TUESDAY SEPTEMBER 10, 2024

Date	Time	Temp.	Printed Name
	0100	91	T.Woodnuff
	0200	92	T.Woodnuff
	0300	90	T.Woodnuff
	0400	88	T.Woodnuff
	0500	88	T.Woodnuff
	0600	88	J.NUNEZ
	0700	89	J.NUNEZ
	0800	92	J.NUNEZ
	0900	101	J.NUNEZ
	1000	104	J.NUNEZ
	1100	109	J.NUNEZ
	1200	109	J.NUNEZ
	1300	111	J.NUNEZ
	1400	112	S.Tirado
	1500	113	S.Tirado
	1600	113	S.Tirado
	1700	112	S.Tirado
	1800	107	S.Tirado
	1900	104	S.Tirado
	2000	102	S.Tirado
	2100	101	S.Tirado
	2200	97	T.Woodnuff
	2300	95	T.Woodnuff
	2400	94	T.Woodnuff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	88	Barba
	0200	88	Barba
	0300	88	Barba
	0400	88	Barba
	0500	87	Barba
	0600	88	Rutes
	0700	98	Rutes
	0800	92	Rutes
	0900	97	Rutes
	1000	100	Rutes
	1100	103	Rutes
	1200	104	Rutes
	1300	105	Rutes
	1400	105	J.Castillo
	1500	105	MORLET
	1600	104	MORLET
	1700	100	J.CASTILLO
	1800	98	J.CASTILLO
	1900	93	J.CASTILLO
	2000	90	J.CASTILLO
	2100	87	J.CASTILLO
	2200	84	Barba
	2300	85	Barba
	2400	85	Barba

WEDNESDAY SEPTEMBER 11, 2024

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY SEPTEMBER 11, 2024	0100	94	Woodruff
	0200	93	Whigham
	0300	91	Woodruff
	0400	92	Woodruff
	0500	91	T. Woodruff
	0600	90	Whigham
	0700	91	Martin
	0800	90	Martin
	0900	100	Martin
	1000	101	Martin
	1100	104	Martin
	1200	100	Martin
	1300	107	Martin
	1400	108	C.Funes
	1500	108	C.Funes
	1600	107	C.Funes
	1700	107	C.Funes
	1800	100	C.Funes
	1900	97	C.Funes
	2000	92	C.Funes
	2100	90	C.Funes
	2200	88	R.Cardenas
	2300	86	R.Cardenas
	2400	85	R.Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
THURSDAY SEPTEMBER 12, 2024	0100	84	Barby		0100		
	0200	83	Barby		0200		
	0300	83	Barby		0300		
	0400	82	Barby		0400		
	0500	82	Barby		0500		
	0600	78	Martinez		0600		
	0700	82	Martinez		0700		
	0800	86	Martinez		0800		
	0900	90	Martinez		0900		
	1000	93	Martinez		1000		
	1100	95	Martinez		1100		
	1200	97	Martinez		1200		
	1300	99	Martinez		1300		
	1400	102	J. Castillo		1400		
	1500	102	J. Castillo		1500		
	1600	102	J. Castillo		1600		
	1700	100	J. Castillo		1700		
	1800	96	J. Castillo		1800		
	1900	92	J. Castillo		1900		
	2000	87	J. Castillo		2000		
	2100	84	J. Castillo		2100		
	2200	83	Barby		2200		
	2300	81	Barby		2300		
	2400	81	Barby		2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

THURSDAY SEPTEMBER 12, 2024

Date	Time	Temp.	Printed Name
	0100	85	Cardenas
	0200	85	Cardenas
	0300	84	Cardenas
	0400	85	Cardenas
	0500	86	Cardenas
	0600	88	C Fourn
	0700	88	C Fourn
	0800	89	C Fourn
	0900	92	C Fourn
	1000	95	C Fourn
	1100	97	C Fourn
	1200	99	C Fourn
	1300	102	C Fourn
	1400	104.7	CARLOS
	1500	104.7	CARLOS
	1600	105.1	FERNANDEZ
	1700	103.3	FERNANDEZ
	1800	97.3	FERNANDEZ
	1900	92.7	FERNANDEZ
	2000	89.5	FERNANDEZ
	2100	86.5	FERNANDEZ
	2200	85	Cardenas
	2300	85	Cardenas
	2400	84	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

FRIDAY SEPTEMBER 13, 2024

Date	Time	Temp.	Printed Name
	0100	83	Cardenas
	0200	80	Cardenas
	0300	78	Cardenas
	0400	75	Cardenas
	0500	72	Cardenas
	0600	72	Taylor
	0700	72	Taylor
	0800	79	Trevino
	0900	84	TREVINO
	1000	90	TREVINO
	1100	92	TREVINO
	1200	97	TREVINO
	1300	99	TREVINO
	1400	101	Buchanan
	1500	102	Buchanan
	1600	101	Buchanan
	1700	100	Buchanan
	1800	98	Buchanan
	1900	97	Buchanan
	2000	94	Buchanan
	2100	90	Buchanan
	2200	88	MELECIDO
	2300	86	MELECIDO
	2400	84	MELECIDO

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRIDAY SEPTEMBER 13, 2024	0100	80	Barba
	0200	78	Barba
	0300	78	Barba
	0400	74	Barba
	0500	71	Barba
	0600	71	Ruites
	0700	71	Ruites
	0800	80	Ruites
	0900	75	Ruites
	1000	88	Ruites
	1100	99	Ruites
	1200	99	Ruites
	1300	97	Ruites
	1400	97	MORLET
	1500	98	MORLET
	1600	98	MORLET
	1700	98	MORLET
	1800	96	MORLET
	1900	90	MORLET
	2000	89	MORLET
	2100	88	MORLET
	2200	86	Cardenas
	2300	83	Cardenas
	2400	81	Cardenas

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY SEPTEMBER 14, 2024	0100	79	Cardenas
	0200	79	Cardenas
	0300	79	Cardenas
	0400	76	Cardenas
	0500	75	Cardenas
	0600	74	Lopez-Lantika
	0700	74	J. NUNEZ
	0800	78	J. NUNEZ
	0900	82	J. NUNEZ
	1000	85	J. NUNEZ
	1100	90	J. NUNEZ
	1200	93	J. NUNEZ
	1300	95	J. NUNEZ
	1400	99	J. Castillo
	1500	100	J. Castillo
	1600	100	J. Castillo
	1700	99	MENDEZ
	1800	97	J. Castillo
	1900	97	J. Castillo
	2000	90	J. Castillo
	2100	88	J. Castillo
	2200	87	Cardenas
	2300	85	Cardenas
	2400	85	Cardenas

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

SATURDAY SEPTEMBER 14, 2024

Date	Time	Temp.	Printed Name
	0100	81	MELECIDO
	0200	82	MELECIDO
	0300	78	MELECIDO
	0400	77	MELECIDO
	0500	76	MELECIDO
	0600	75	Martin
	0700	76	Martin
	0800	81	Martin
	0900	84	Martin
	1000	88	L Sanchez
	1100	92	L Sanchez
	1200	96	L Sanchez
	1300	99	Martin
	1400	102	Buchanan
	1500	102	Buchanan
	1600	102	Buchanan
	1700	100	Buchanan
	1800	99	Buchanan
	1900	98	Buchanan
	2000	93	Buchanan
	2100	89	Buchanan
	2200	89	Sepulveda
	2300	89	Sepulveda
	2400	89	Sepulveda

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location; the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY SEPTEMBER 15, 2024	0100	85	Cardenas
	0200	84	Cardenas
	0300	82	Cardenas
	0400	81	Cardenas
	0500	80	Cardenas
	0600	74	Reyes
	0700	74	Reyes
	0800	79	Reyes
	0900	83	Reyes
	1000	87	Reyes
	1100	91	Reyes
	1200	95	Reyes
	1300	97	Reyes
	1400	99	J. Castillo
	1500	99	J. Castillo
	1600	97	J. Castillo
	1700	95	J. Castillo
	1800	91	J. Castillo
	1900	87	J. Castillo
	2000	83	Buckingham
	2100	79	Buckingham
	2200	79	Barba
	2300	77	Barba
	2400	77	Barba

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY SEPTEMBER 15, 2024	0100	88	Sebulluda
	0200	88	Sebulluda
	0300	85	Sebulluda
	0400	84	Sebulluda
	0500	83	Sebulluda
	0600	76	Sebulluda
	0700	74	Martin
	0800	78	Martin
	0900	83	Martin
	1000	88	Martin
	1100	93	Martin
	1200	98	Martin
	1300	98	Martin
	1400	100	S. Goddard
	1500	100	S. Goddard
	1600	99	S. Goddard
	1700	96	S. Goddard
	1800	89	S. Goddard
	1900	89	S. Goddard
	2000	84	S. Goddard
	2100	83	S. Goddard
	2200	80	Woodmuff
	2300	80	Woodmuff
	2400	80	Woodmuff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	77	Borba
	0200	75	Rubba
	0300	75	Rubba
	0400	74	Rubba
	0500	74	Rubba
	0600	72	Reyes
	0700	72	Reyes
	0800	74	Reyes
	0900	78	Myles
	1000	81	Myles
	1100	85	MCS
	1200	84	Myles
	1300	87	Myles
	1400	88	Buchanan
	1500	68	Buchanan
	1600	87	Buchanan
	1700	85	Buchanan
	1800	80	Buchanan
	1900	80	Buchanan
	2000	71	Buchanan
	2100	70	Buchanan
	2200	64	Borba
	2300	69	Borba
	2400	69	Borba

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

MONDAY SEPTEMBER 16, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY SEPTEMBER 16, 2024	0100	77	Woodruff
	0200	77	Woodruff
	0300	76	Woodruff
	0400	75	Woodruff
	0500	75	Woodruff
	0600	73	J. NUNEZ
	0700	74	J. NUNEZ
	0800	78	J. NUNEZ
	0900	79	J. NUNEZ
	1000	82	J. NUNEZ
	1100	85	J. NUNEZ
	1200	86	J. NUNEZ
	1300	88	J. NUNEZ
	1400	89	S. Gaddis
	1500	89	S. Gaddis
	1600	89	S. Gaddis
	1700	87	S. Gaddis
	1800	79	S. Gaddis
	1900	75	S. Gaddis
	2000	72	S. Gaddis
	2100	72	S. Gaddis
	2200	71	WOODRUFF
	2300	70	WOODRUFF
	2400	70	WOODRUFF

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY SEPTEMBER 17, 2024	0100	67	Barber
	0200	67	Barber
	0300	66	Barber
	0400	65	Barber
	0500	64	Barber
	0600	63	Martinez
	0700	65	Martinez
	0800	69	Martinez
	0900	74	Martinez
	1000	77	Martinez
	1100	81	Martinez
	1200	82	Martinez
	1300	83	Martinez
	1400	85	MORLET
	1500	86	MORLET
	1600	86	MORLET
	1700	87	MORLET
	1800	85	MORLET
	1900	80	MORLET
	2000	78	MORLET
	2100	77	MORLET
	2200	75	Barber
	2300	74	Barber
	2400	73	Barber

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

TUESDAY SEPTEMBER 17, 2024

Date	Time	Temp.	Printed Name
	0100	69	Woodmuff
	0200	68	Woodmuff
	0300	67	Woodmuff
	0400	66	Woodmuff
	0500	67	Woodmuff
	0600	64	J.Nunez
	0700	65	J.Nunez
	0800	69	J.Nunez
	0900	74	J.Nunez
	1000	77	J.Nunez
	1100	80	J.Nunez
	1200	83	J.Nunez
	1300	85	J.Nunez
	1400	86	OT Murray
	1500	87	OT Murray
	1600	88	OT Murray
	1700	89	OT Murray
	1800	85	OT Murray
	1900	82	OT Murray
	2000	78	OT Murray
	2100	78	OT Murray
	2200	76	Woodmuff
	2300	76	Woodmuff
	2400	75	Woodmuff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
	0100	70	Barba		0100		
	0200	70	Barba		0200		
	0300	70	Barba		0300		
	0400	67	Barba		0400		
	0500	68	Reyes		0500		
	0600	64	Reyes		0600		
	0700	67	Reyes		0700		
	0800	71	Reyes		0800		
	0900	74	Reyes		0900		
	1000	80	Reyes		1000		
	1100	83	Reyes		1100		
	1200	84	Reyes		1200		
	1300	88	Reyes		1300		
	1400	88	MORLET		1400		
	1500	90	MORLET		1500		
	1600	90	MORLET		1600		
	1700	90	MORLET		1700		
	1800	89	MORLET		1800		
	1900	84	MORLET		1900		
	2000	81	MORLET		2000		
	2100	80	MORLET		2100		
	2200	78	Cardenas		2200		
	2300	77	Cardenas		2300		
	2400	77	Cardenas		2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

WEDNESDAY SEPTEMBER 18, 2024

Date	Time	Temp.	Printed Name
	0100	73	WOODRUFF
	0200	73	WOODRUFF
	0300	70	WOODRUFF
	0400	68	WOODRUFF
	0500	67	WOODRUFF
	0600	66	Martin
	0700	66	Martin
	0800	71	Martin
	0900	77	Martin
	1000	80	Martin
	1100	80	Martin
	1200	89	Martin
	1300	88	Martin
	1400	92	S. Gaddis
	1500	92	S. Gaddis
	1600	92	S. Gaddis
	1700	92	S. Gaddis
	1800	89	S. Gaddis
	1900	86	S. Gaddis
	2000	84	S. Gaddis
	2100	82	S. Gaddis
	2200	80	Martin
	2300	79	Martin
	2400	77	Martin

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
THURSDAY SEPTEMBER 19, 2024	0100	75	Cardenas
	0200	73	Cardenas
	0300	70	Cardenas
	0400	70	Cardenas
	0500	70	Cardenas
	0600	70	Martinez
	0700	70	Martinez
	0800	74	Martinez
	0900	78	Martinez
	1000	80	Martinez
	1100	83	Martinez
	1200	85	Martinez
	1300	89	Martinez
	1400	89	J. Castillo
	1500	91	J. Castillo
	1600	92	J. Castillo
	1700	89	J. Castillo
	1800	89	J. Castillo
	1900	84	J. Castillo
	2000	81	J. Castillo
	2100	79	J. Castillo
	2200	76	Burbs
	2300	75	Burbs
	2400	73	Burbs

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	77	TREVINO
	0200	73	TREVINO
	0300	71	TREVINO
	0400	71	TREVINO
	0500	71	TREVINO
	0600	73	Martin
	0700	71	Martin
	0800	74	Martin
	0900	90	Martin
	1000	80	Martin
	1100	83	Martin
	1200	87	Martin
	1300	90	Martin
	1400	92	S. Gaddis
	1500	92	S. Gaddis
	1600	93	S. Gaddis
	1700	90	S. Gaddis
	1800	89	S. Gaddis
	1900	85	S. Gaddis
	2000	83	S. Gaddis
	2100	81	S. Gaddis
	2200	77	Cardenas
	2300	76	Cardenas
	2400	73	Cardenas

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	74	Barba
	0200	72	Barba
	0300	70	Barba
	0400	71	Barba
	0500	70	Barba
	0600	69	Myles
	0700	69	Rufes
	0800	73	Rufes
	0900	74	Rufes
	1000	79	Rufes
	1100	83	Rufes
	1200	85	Rufes
	1300	86	Rufes
	1400	87	MORLET
	1500	89	MORLET
	1600	89	MORLET
	1700	88	MORLET
	1800	83	MORLET
	1900	80	MORLET
	2000	71	MORLET
	2100	75	MORLET
	2200	74	Cardenas
	2300	74	Cardenas
	2400	73	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	75	Cardenas
	0200	73	Cardenas
	0300	72	Cardenas
	0400	71	Cardenas
	0500	71	Cardenas
	0600	71	Martin
	0700	70	Martin
	0800	73	Martin
	0900	71	Martin
	1000	80	Martin
	1100	83	Martin
	1200	85	Martin
	1300	84	Martin
	1400	89	Buchanan
	1500	89	Buchanan
	1600	89	Buchanan
	1700	85	Buchanan
	1800	84	Buchanan
	1900	78	Buchanan
	2000	78	Buchanan
	2100	76	Buchanan
	2200	75	Woodmuff
	2300	75	Woodmuff
	2400	73	Woodmuff

FRIDAY SEPTEMBER 20, 2024

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	72	Cardenas
	0200	71	Cardenas
	0300	70	Cardenas
	0400	70	Cardenas
	0500	69	Cardenas
	0600	69	Lopez Castillo
	0700	69	J. Nunez
	0800	74	J. Nunez
	0900	78	J. Nunez
	1000	81	J. Nunez
	1100	84	J. Nunez
	1200	87	J. Nunez
	1300	90	Lopez Castillo
	1400	91	J. Castillo
	1500	94	J. Castillo
	1600	93	J. Castillo
	1700	92	J. Castillo
	1800	91	J. Castillo
	1900	86	J. Castillo
	2000	82	J. Castillo
	2100	80	J. Castillo
	2200	79	Cardenas
	2300	78	Cardenas
	2400	76	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

SATURDAY SEPTEMBER 21, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

SATURDAY SEPTEMBER 21, 2024

Date	Time	Temp.	Printed Name
	0100	73	Woodnuff
	0200	72	Woodnuff
	0300	72	Woodnuff
	0400	72	Woodnuff
	0500	71	Woodnuff
	0600	71	Martin
	0700	72	Martin
	0800	75	CORRAL
	0900	79	Martin
	1000	82	Martin
	1100	87	CORRAL
	1200	90	CORRAL
	1300	90	CORRAL
	1400	94	Buchanan
	1500	95	Buchanan
	1600	96	Buchanan
	1700	94	Buchanan
	1800	91	Buchanan
	1900	87	Buchanan
	2000	85	Buchanan
	2100	83	Buchanan
	2200	81	Woodnuff
	2300	79	Woodnuff
	2400	76	Woodnuff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	75	Cardenas
	0200	75	Cardenas
	0300	74	Cardenas
	0400	72	Cardenas
	0500	71	Cardenas
	0600	71	Martinez
	0700	70	Martinez
	0800	77	Martinez
	0900	79	Martinez
	1000	87	Martinez
	1100	92	Martinez
	1200	93	Martinez
	1300	95	Martinez
	1400	98	J. Castillo
	1500	98	J. Castillo
	1600	98	J. Castillo
	1700	98	J. Castillo
	1800	95	J. Castillo
	1900	90	J. Castillo
	2000	86	J. Castillo
	2100	84	J. Castillo
	2200	82	Cardenas
	2300	81	Cardenas
	2400	80	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

SUNDAY SEPTEMBER 22, 2024

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	76	Woodmuff
	0200	74	Woodmuff
	0300	76	Woodmuff
	0400	75	Woodmuff
	0500	75	Woodmuff
	0600	70	CORRAL
	0700	71	J. Edwards
	0800	79	CORRAL
	0900	84	J. Edwards
	1000	90	CORRAL
	1100	92	CORRAL
	1200	94	CORRAL
	1300	98	J. Edwards
	1400	100	S. Gaddis
	1500	100	S. Gaddis
	1600	101	S. Gaddis
	1700	101	S. Gaddis
	1800	98	S. Gaddis
	1900	92	S. Gaddis
	2000	90	S. Gaddis
	2100	88	S. Gaddis
	2200	84	Woodmuff
	2300	84	Woodmuff
	2400	83	Woodmuff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

SUNDAY SEPTEMBER 22, 2024

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
MONDAY SEPTEMBER 23, 2024	0100	78	Cardenas		0100		
	0200	78	Cardenas		0200		
	0300	78	Cardenas		0300		
	0400	77	Cardenas		0400		
	0500	77	Cardenas		0500		
	0600	75	Reyes		0600		
	0700	74	Reyes		0700		
	0800	82	Reyes		0800		
	0900	88	Reyes		0900		
	1000	93	Reyes		1000		
	1100	94	Reyes		1100		
	1200	100	Reyes		1200		
	1300	100	Reyes		1300		
	1400	102	Buchanan		1400		
	1500	102	Buchanan		1500		
	1600	100	Buchanan		1600		
	1700	99	Buchanan		1700		
	1800	98	Buchanan		1800		
	1900	93	Buchanan		1900		
	2000	89	Buchanan		2000		
	2100	87	Buchanan		2100		
	2200	85	GARCIA		2200		
	2300	83	GARCIA		2300		
	2400	84	GARCIA		2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	82	Woodnuff
	0200	82	Woodnuff
	0300	83	Woodnuff
	0400	80	Woodnuff
	0500	80	Woodnuff
	0600	77	Nunez
	0700	75	Nunez
	0800	84	NUNEZ
	0900	90	NUNEZ
	1000	95	NUNEZ
	1100	99	NUNEZ
	1200	102	NUNEZ
	1300	105	NUNEZ
	1400	106	S. Gaddis
	1500	106	S. Gaddis
	1600	106	S. Gaddis
	1700	105	S. Gaddis
	1800	98	S. Gaddis
	1900	96	S. Gaddis
	2000	95	S. Gaddis
	2100	92	S. Gaddis
	2200	89	Woodnuff
	2300	87	Woodnuff
	2400	87	Woodnuff

MONDAY SEPTEMBER 23, 2024

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)
INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
TUESDAY SEPTEMBER 24, 2024	0100	83	GARCIA		0100		
	0200	82	GARCIA		0200		
	0300	80	GARCIA		0300		
	0400	80	GARCIA		0400		
	0500	78	GARCIA		0500		
	0600	76	Martinez		0600		
	0700	77	Martinez		0700		
	0800	85	Martinez		0800		
	0900	88	Martinez		0900		
	1000	95	Martinez		1000		
	1100	99	Martinez		1100		
	1200	102	Martinez		1200		
	1300	102	Martinez		1300		
	1400	103	MORLET		1400		
	1500	105	MORLET		1500		
	1600	105	MORLET		1600		
	1700	103	MORLET		1700		
	1800	101	MORLET		1800		
	1900	92	MORLET		1900		
	2000	93	MORLET		2000		
	2100	92	MORLET		2100		
	2200	89	Woodmuff		2200		
	2300	87	Woodmuff		2300		
	2400	86	Woodmuff		2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	87	Woodruff
	0200	85	Woodruff
	0300	85	Woodruff
	0400	84	Woodruff
	0500	84	Woodruff
	0600	81	NUNEZ
	0700	81	NUNEZ
	0800	84	NUNEZ
	0900	91	NUNEZ
	1000	97	NUNEZ
	1100	102	NUNEZ
	1200	105	NUNEZ
	1300	104	Nunez
	1400	108	S. Gaddis
	1500	109	S. Gaddis
	1600	109	S. Gaddis
	1700	107	S. Gaddis
	1800	99	S. Gaddis
	1900	97	S. Gaddis
	2000	97	S. Gaddis
	2100	95	S. Gaddis
	2200	92	L-Morales
	2300	91	L-Morales
	2400	90	L-Morales

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

TUESDAY SEPTEMBER 24, 2024

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

WEDNESDAY SEPTEMBER 25, 2024

Date	Time	Temp.	Printed Name
	0100	84	Woodnuff
	0200	84	Woodnuff
	0300	82	Woodnuff
	0400	80	Woodnuff
	0500	79	Woodnuff
	0600	77	Ruves
	0700	78	Ruves
	0800	83	Ruves
	0900	91	Ruves
	1000	95	Ruves
	1100	98	Ruves
	1200	101	Ruves
	1300	102	Ruves
	1400	105	J. Castillo
	1500	106	J. Castillo
	1600	105	J. Castillo
	1700	104	J. Castillo
	1800	100	J. Castillo
	1900	96	J. Castillo
	2000	93	J. Castillo
	2100	91	J. Castillo
	2200	87	R. CORONADO
	2300	86	R. CORONADO
	2400	86	R. CORONADO

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY SEPTEMBER 25, 2024	0100	89	L.MURALES
	0200	88	L.MURALES
	0300	85	L.MURALES
	0400	83	L.MURALES
	0500	82	L.MURALES
	0600	80	O.FUNEZ
	0700	82	O.MARTIN
	0800	80	O.Martin
	0900	94	O.Martin
	1000	93	O.Martin
	1100	101	O.Martin
	1200	104	O.Martin
	1300	107	O.Martin
	1400	109	S.Goddard
	1500	109	S.Goddard
	1600	108	S.Goddard
	1700	106	S.Goddard
	1800	105	S.Goddard
	1900	99	S.Goddard
	2000	97	S.Goddard
	2100	95	S.Goddard
	2200	92	Cardenas
	2300	89	Cardenas
	2400	88	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
THURSDAY SEPTEMBER 26, 2024	0100	84	R. Coronado
	0200	82	R. Coronado
	0300	80	R. Coronado
	0400	79	R. Coronado
	0500	79	D. Corrales
	0600	77	Reyes
	0700	80	Reyes
	0800	83	Reyes
	0900	88	Reyes
	1000	94	Reyes
	1100	90	Reyes
	1200	100	Reyes
	1300	102	Reyes
	1400	104	J. Castillo
	1500	105	J. Castillo
	1600	105	J. Castillo
	1700	103	Morlet
	1800	100	J. Castillo
	1900	90	J. Castillo
	2000	93	J. Castillo
	2100	90	J. Castillo
	2200	87	Burba
	2300	85	Burba
	2400	84	Burba

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
THURSDAY SEPTEMBER 26, 2024	0100	87	Cardenas
	0200	85	Cardenas
	0300	83	Cardenas
	0400	83	Cardenas
	0500	82	Cardenas
	0600	81	Martin
	0700	81	Martin
	0800	85	Martin
	0900	90	Martin
	1000	95	Martin
	1100	99	Martin
	1200	102	Martin
	1300	104	Martin
	1400	107	S-Goddard
	1500	107	S-Goddard
	1600	106	S-Goddard
	1700	106	S-Goddard
	1800	104	S-Goddard
	1900	97	S-Goddard
	2000	95	S-Goddard
	2100	94	S-Goddard
	2200	93	Cardenas
	2300	89	Cardenas
	2400	88	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRIDAY SEPTEMBER 27, 2024	0100	83	Barba
	0200	80	Barba
	0300	82	Barba
	0400	81	Barba
	0500	80	Barba
	0600	80	Ruiz
	0700	80	Ruiz
	0800	85	Ruiz
	0900	84	Ruiz
	1000	95	Ruiz
	1100	98	Ruiz
	1200	107	Ward
	1300	104	NUNEZ
	1400	106	MORLET
	1500	106	MORLET
	1600	105	MORLET
	1700	103	MORLET
	1800	101	MORLET
	1900	96	MORLET
	2000	93	MORLET
	2100	91	MORLET
	2200	89	Cardenas
	2300	88	Cardenas
	2400	86	Cardenas

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	88	Cardenas
	0200	87	Cardenas
	0300	86	Cardenas
	0400	85	Cardenas
	0500	85	Cardenas
	0600	84	J.Ruiz
	0700	82	J.Ruiz
	0800	84	J.Ruiz
	0900	91	J.Ruiz
	1000	101	J.Ruiz
	1100	103	J.Ruiz
	1200	106	J.Ruiz
	1300	108	J.Ruiz
	1400	109	J.Vega
	1500	109	J.Vega
	1600	110	J.VEGA
	1700	106	J.VEGA
	1800	101	J.Vega
	1900	99	J.VEGA
	2000	97	J.Vega
	2100	95	J.Vega
	2200	94	Woodring
	2300	92	Woodring
	2400	91	Woodring

FRIDAY SEPTEMBER 27, 2024

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

SATURDAY SEPTEMBER 28, 2024

Date	Time	Temp.	Printed Name
	0100	84	Cardenas
	0200	83	Cardenas
	0300	83	Cardenas
	0400	79	Cardenas
	0500	78	Cardenas
	0600	80	Lopez/Parikh
	0700	80	NUNEZ
	0800	85	NUNEZ
	0900	92	NUNEZ
	1000	100	NUNEZ
	1100	104	NUNEZ
	1200	105	NUNEZ
	1300	107	NUNEZ
	1400	108	MENDEZ
	1500	108	A. Bejarano
	1600	107	A. Bejarano
	1700	103	A. Bejarano
	1800	100	A. Bejarano
	1900	94	A. Bejarano
	2000	94	A. Bejarano
	2100	93	A. Bejarano
	2200	92	Cardenas
	2300	91	Cardenas
	2400	91	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY SEPTEMBER 28, 2024	0100	88	Woodruff
	0200	66	Woodruff
	0300	83	Woodruff
	0400	82	Woodruff
	0500	82	Woodruff
	0600	82	Martin
	0700	83	Martin
	0800	88	Martin
	0900	93	Martin
	1000	100	Martin
	1100	104	Martin
	1200	103	Martin
	1300	110	Martin
	1400	110	S. Gaddis
	1500	100	S. Gaddis
	1600	110	S. Gaddis
	1700	107	S. Gaddis
	1800	99	S. Gaddis
	1900	98	S. Gaddis
	2000	98	S. Gaddis
	2100	96	S. Gaddis
	2200	69	H. Edwards
	2300	69	H. Edwards
	2400	69	H. Edwards

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week:

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	91	Cardenas
	0200	90	Cardenas
	0300	90	Cardenas
	0400	88	Cardenas
	0500	87	Cardenas
	0600	86	Martinez
	0700	86	Martinez
	0800	89	Martinez
	0900	93	Martinez
	1000	91	Martinez
	1100	98	Martinez
	1200	99	Martinez
	1300	103	Martinez
	1400	104	Buchanan
	1500	105	Buchanan
	1600	104	Buchanan
	1700	102	Buchanan
	1800	100	Buchanan
	1900	96	Buchanan
	2000	93	Buchanan
	2100	90	Buchanan
	2200	89	Barbin
	2300	86	Barbin
	2400	85	Barbin

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY SEPTEMBER 29, 2024	0100	85	
	0200	85	
	0300	84	
	0400	87	
	0500	87	
	0600	90	Martin
	0700	90	Martin
	0800	93	Martin
	0900	90	Martin
	1000	100	Martin
	1100	105	Martin
	1200	105	Martin
	1300	106	Martin
	1400	108	Valencia
	1500	108	Valencia
	1600	108	Valencia
	1700	106	Valencia
	1800	103	Valencia
	1900	101	Valencia
	2000	97	Valencia
	2100	95	Valencia
	2200	93	Woodnutt
	2300	91	Woodnutt
	2400	90	Woodnutt

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

MONDAY SEPTEMBER 30, 2024

Thermo calibrated @ 32°
on 9/30/24 @ 12:30 AM

DISTRIBUTION: Original: Institution Heat Plan Coordinator.

Date	Time	Temp.	Printed Name
	0100	72	Barba
	0200	70	Barba
	0300	77	Barba
	0400	76	Barba
	0500	75	Barba
	0600	75	Ruys
	0700	74	Ruys
	0800	80	Ruys
	0900	84	Ruys
	1000	88	Ruys
	1100	91	Ruys
	1200	96	Ruys
	1300	92	Ruys
	1400	99	Buchanan
	1500	100	Buchanan
	1600	100	Buchanan
	1700	99	Buchanan
	1800	98	Buchanan
	1900	93	Buchanan
	2000	89	Buchanan
	2100	90	Buchanan
	2200	86	Barba
	2300	84	Barba
	2400	82	Barba

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY SEPTEMBER 30, 2024	0100	79	Woodruff
	0200	79	Woodruff
	0300	78	Woodruff
	0400	77	Woodruff
	0500	77	Woodruff
	0600	77	NUNEZ
	0700	75	NUNEZ
	0800	79	NUNEZ
	0900	87	NUNEZ
	1000	90	NUNEZ
	1100	94	NUNEZ
	1200	98	NUNEZ
	1300	100	NUNEZ
	1400	102	S. Gaddis
	1500	102	S. Gaddis
	1600	103	S. Gaddis
	1700	100	S. Gaddis
	1800	99	S. Gaddis
	1900	97	S. Gaddis
	2000	92	S. Gaddis
	2100	92	S. Gaddis
	2200	85	Woodruff
	2300	85	Woodruff
	2400	84	Woodruff
Thermometer calibration on 9/30/24 @ 32°C 12:15 AM			

Heat Plan Expectation Meeting

9/3/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden (A)
A. Esquivel, CDW (A)
H. Perez AW Complex I (A)
R. Zavala, AW Complex II
F. Vasquez, AW Business Service
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
J. Perez, CPM II
B. Espitia, CSA (A)
J. Covarrubias, SRN II

Meeting started at 1200 hours

Facility A

Facility A Lieutenant did the daily tour in his facility. Temperatures in Facility A Housing Units: A1: 73, A2: 72, A3: 71, A4: 74, and A5: 72. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello did the daily tour. Ice machines in dining is not working again, work order was submitted. The highest temperature in Facility B Housing Units B1: 79 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountain for Facility B are working fine. Facility B has three incarcerated persons in the heat med list. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility C

Facility C Captain, R. Solorio did the daily tour. Facility C Housing Units 3 is the highest temperature with 76 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Highest temperature for Facility Housing Units is D4 with 79 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF highest temperature is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 73 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There are no heat medication patients reported for Central Health.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 76 degrees and R&R 73 degrees and visiting 74 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Facility B ice machines is still down, the supervisor will go into the facility to check it out and fix the issue.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 3 staff pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics. We can relocate the items to a Conex, if needed. We may also relocate temperature-controlled items to the support warehouse. Pharmacy receives alarm alerts from Sens scientific for all medication refrigerators. Contingency plan includes moving medications to TTA and pharmacy refrigerators if necessary

Medical

No heat related illness for TTA or CTC at the moment.

Meeting adjourned at 1205 hours



FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET


DCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 9/3/24
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			


PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Bearffy, Robert	CPM	0800-1600	1200	1230	~	~	
2	Cavimbias, Javier	SANII	0800-1600	1200	1230	~	~	
3	Cardenuz, Tiffany	CBM	0800-1600	1200	1230	~	~	
4	Zavalta, Roberto	AN	0800-1600	1200	1230	~	~	
5	Coitez, Virginia	CPI	0800-1600	1200	1230	~	~	
6	Esquivel, Andres	CWVA	0800-1600	1200	1230	—	~	
7	Soriano, Tamya	CPI	0800-1600	1200	1230	~	—	
8	Espitia, Betty	CSEPM	0800-1600	1200	1230	~	~	
9	Perez, Humberto	PAW/M	0800-1600	1200	1230	~	—	
0	Botello, Johnny	CPI	0800-1600	1200	1230	~	~	
1	Bustamante, Ernesto	AN	0800-1600	1200	1230	~	~	
2	Munger, John	EDU/M	0800-1600	1200	1230	~	~	
3	Loop, Dustin	CPI/A	0800-1600	1200	1230	~	~	
4	Vasquez, Felipe	PAW	0800-1600	1200	1230	~	~	
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/4/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden (A)
A. Esquivel, CDW (A)
J. Munger CEO (A)
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
T. Rico, Facility B Lieutenant
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
D. Loop, HCAU Captain (A)
B. Beatty, CPM II
B. Espitia, CSA (A)
J. Covarrubias, SRN II

Meeting started at 1200 hours

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units: A1: 74, A2: 75, A3: 71, A4: 77, and A5: 73. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Lieutenant, T. Rico did the daily tour. Ice machines is working. The highest temperature in Facility B Housing Units B1: 77 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountain for Facility B are working fine. Facility B has three incarcerated persons in the heat med list. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility C

Facility C Captain, V. Cortez did the daily tour. Facility C Housing Units 3 is the highest temperature with 75 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Highest temperature for Facility Housing Units is D4 with 79 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF highest temperature is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 75 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There are no heat medication patients reported for Central Health.

RHU / R&R / Visiting

Captain D. Loop did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 78 degrees and R&R 75 degrees and visiting 74 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Facility B ice machines has been fixed yesterday, when the supervisor went to the facility.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 2 staff pending.

Medical Warehouse, B. Espitia, CSA (A)


No issues for the medical warehouse or the facility clinics. We can relocate the items to a Conex, if needed. We may also relocate temperature-controlled items to the support warehouse.

Pharmacy receives alarm alerts from Sens scientific for all medication refrigerators. Contingency plan includes moving medications to TTA and pharmacy refrigerators if necessary

Medical

No heat related illness for TTA or CTC at the moment.

Meeting adjourned at 1206 hours



FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

ITLE	Heat Plan Meeting	TIME	1200	DATE	9/4/2024
UDIENCE	Executive Staff	INSTRUCTOR	A. Esquivel	LENGTH (IN HOURS)	.5
ET ID (list all applicable)					

SET 1B (list all applicable)

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNP

Heat Plan Expectation Meeting

9/5/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden (A)
A. Esquivel, CDW (A)
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
V. Cortez, Facility D/MSF Captain
D. Loop, HCAU Captain (A)
E. Saucedo, IST Lt
B. Beatty, CPM II
E. Silva, SRN II

Meeting started at 1200 hours

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units: A1: 74, A2: 75, A3: 71, A4: 77, and A5: 73. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Lieutenant, M. Garcia did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units: B1: 78, B2: 76, B3: 75, B4: 70, and B5: 73. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility C

Facility C Captain, V. Cortez did the daily tour. Temperatures in Facility C Housing Units: C1: 77, C2: 78, C3: 85, C4: 80, and C5: 75. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units: D1: 72, D2: 80, D3: 76, D4: 79, and D5: 79. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69.6 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 75 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There are no heat medication patients reported for Central Health.

RHU / R&R / Visiting

Captain D. Loop did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 78 degrees and R&R 75 degrees and visiting 74 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No new work orders have been submitted to plant operations.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 2 staff pending.


Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics. We can relocate the items to a Conex, if needed. We may also relocate temperature-controlled items to the support warehouse. Pharmacy receives alarm alerts from Sens scientific for all medication refrigerators.

Medical

No heat related illness for TTA or CTC at the moment.

Meeting adjourned at 1204 hours


FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 9/5/2024
AUDIENCE	Executive Staff	INSTRUCTOR	A. Esquivel
BET ID (list all applicable)			


PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Beatty, Robert	CMT	0800-1600	1200	1230	~	~	
2	Saucedo, Eddie	LT	0800-1600	1200	1230	~	~	
3	Carter, Virginia	Cpt	0800-1600	1200	1230	~	~	
4	Silva, Elizabeth	CPT	0800-1600	1200	1230	~	~	
5	Bujalance, Enrique	MW	0800-1600	1200	1230	~	~	
6	Llop, Dustin	Cpt	0800-1600	1200	1230	~	~	
7	Hupper, Tony	Cpt	0800-1600	1200	1230	~	~	
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/6/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden (A)
A. Esquivel, CDW (A)
E. Bustamante, AW Central Services
F. Vasquez, AW Business Service
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
D. Loop, HCAU Captain (A)
E. Saucedo, IST Lt
B. Beatty, CPM II
B. Espitia, CSA (A)
J. Covarrubias, SRN II

Meeting started at 1200 hours

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units: A1: 73, A2: 73, A3: 72, A4: 78, and A5: 74. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units: B1: 79, B2: 76, B3: 75, B4: 72, and B5: 70. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list. There was a heat incident yesterday in B5 I/P HOWARD BR0708, more information will be sent shortly. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units: C1: 77, C2: 79, C3: 85, C4: 80, and C5: 75. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units: D1: 73, D2: 80, D3: 75, D4: 79, and D5: 79. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69.6 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 75 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There are no heat medication patients reported for Central Health.

RHU / R&R / Visiting

Captain D. Loop did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 78 degrees and R&R 75 degrees and visiting 74 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No new work orders have been submitted to plant operations.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 custody staff pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics. We can relocate the items to a Conex, if needed. We may also relocate temperature-controlled items to the support warehouse. Pharmacy receives alarm alerts from Sens scientific for all medication refrigerators.

Medical

One heat related illness was reported yesterday at approximately 1252 hours, a Code 1 Medical Emergency was announced in Facility B Building B5. Housing unit staff in Building B5 observed Incarcerated Person HOWARD BR0708 B5-107L in his cell with symptoms of heat exhaustion and seizures. The Institution Emergency Transport Vehicle (IETV) was requested and 911 was activated. HOWARD was transported to Central Health Triage Treatment Area (TTA) and is pending transport via AMR Ambulance (ALS) to El Centro Regional Medical Center for a higher level of care. We don't have more updates at the moment, but we will follow up.

Meeting adjourned at 1204 hours



FIDENCIO N. GUZMAN

Warden (A)

Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET


CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 9/6/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			


PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Guzman, Fidencio	Ward	0800-1600	1200	1230	n	n	
2	Esquivel, Andies	WWDN	0800-1600	1200	1230	n	n	
3	Buitamante, Enrierto	AN	0800-1600	1200	1230	v	n	
4	Vazquez, Felipe	AN	0800-1600	1200	1230	n	v	
5	Hopper, Cary	Cpt	0800-1600	1200	1230	n	n	
6	Botello, Johnny	Cpt	0800-1600	1200	1230	n	n	
7	Solano, Richard	Cpt	0800-1600	1200	1230	n	v	
8	Cortez, Virginia	Cpt	0800-1600	1200	1230	n	n	
9	Soriano, Tullyci	Cpt	0800-1600	1200	1230	n	n	
10	Lopez, Duttin	Cpt	0800-1600	1200	1230	n	n	
11	Saucedo, Eddie	LT	0800-1600	1200	1230	n	n	
12	Beatty, Robert	UNII	0800-1600	1200	1230	n	n	
13	Espinosa, Betty	USFII	0800-1600	1200	1230	n	n	
14	Cocanubias, Javier	SRNII	0800-1600	1200	1230	n	n	
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/9/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden (A)
A. Esquivel, CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
F. Vasquez, AW business Services
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
D. Loop, HCAU Captain (A)
T. Soriano, Custody Captain
J. Burgos, CCIII
E. Saucedo, IST Lt
J. Perez, CPM II
B. Espitia, CSE (A)
J. Covarrubias, SRN II

Meeting started at 1200 hours

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units: A1: 74, A2: 76, A3: 71, A4: 76, and A5: 72. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Lieutenant, M. Garcia did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units: B1: 78, B2: 76, B3: 75, B4: 70, and B5: 73. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has three incarcerated persons in the heat med list. There was one Heat exhaustion case on Saturday 9/7/2024 from incarcerated person Espinoza CDCR # BD5079.

Facility C

Facility C Captain, V. Cortez did the daily tour. Temperatures in Facility C Housing Units: C1: 75, C2: 76, C3: 80, C4: 82, and C5: 76. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III

Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units: D1: 72, D2: 80, D3: 76, D4: 79, and D5: 79. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69.6 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 77 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There are no heat medication patients reported for Central Health.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 77 degrees and R&R 75 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Plant operations received a work order regarding the armory/range A/C was not working. They went this morning to go repair it.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics. We can relocate the items to a Conex, if needed. We may also relocate temperature-controlled items to the support warehouse. Pharmacy receives alarm alerts from Sens scientific for all medication refrigerators.

Medical

On Saturday, September 7, 2024, at approximately 1100 hours, incarcerated person Espinoza BD5079 (B yard) with "heat exhaustion" symptoms after having been out playing handball at 1100 hours.

Meeting adjourned at 1213 hours



FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 9/9/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
ID # (list all applicable)			


PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Cortez, Virginia	CPT	0800-1600	1200	1230	~	~	
2	Burgos, Jennifer	CPT	0800-1600	1200	1230	✓	✓	
3	Carrienz, Tiffany	IBM	0800-1600	1200	1230	~	~	
4	Llop, Dustin	CPT	0800-1600	1200	1230	~	~	
5	Covarrubias, Janex	SPMI	0800-1600	1200	1230	~	~	
6	Solano Richard	CPT	0800-1600	1200	1230	~	~	
7	Hopper, Gary	CPT	0800-1600	1200	1230	~	~	
8	Bustamante, Ernesto	MN	0800-1600	1200	1230	~	~	
9	Soriano, Tamya	CPT	0800-1600	1200	1230	~	~	
0	Perez, Jessie		0800-1600	1200	1230	~	~	
1	Perez, Humberto	MN(D)	0800-1600	1200	1230	~	~	
2	Esquivel, Michael	CDW(M)	0800-1600	1200	1230	~	~	
3	Espitia, Betty	CSFM	0800-1600	1200	1230	~	~	
4	Zavala, Roberto	MN	0800-1600	1200	1230	~	~	
5	Saucedo, Eddie	LT	0800-1600	1200	1230	~	~	
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/10/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden (A)
A. Esquivel, CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
F. Vasquez, AW business Services
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
D. Loop, HCAU Captain (A)
T. Soriano, Custody Captain
E. Saucedo, IST Lieutenant
J. Perez, CPS
B. Espitia, CSE (A)
J. Covarrubias, SRN II

Meeting started at 1200 hours

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units: A1: 72, A2: 78, A3: 72, A4: 78, and A5: 73. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units: B1: 78, B2: 76, B3: 74, B4: 71, and B5: 74. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, V. Cortez did the daily tour. Temperatures in Facility C Housing Units: C1: 75, C2: 76, C3: 80, C4: 82, and C5: 76. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units: D1: 70, D2: 79, D3: 75, D4: 78, and D5: 77. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 70 and dorm 2 is 72 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 77 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There are no heat medication patients reported for Central Health.

RHU / R&R / Visiting

Captain D. Loop did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 77 degrees and R&R 75 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. There were no work orders submitted.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics. We can relocate the items to a Conex, if needed. We may also relocate temperature-controlled items to the support warehouse. Pharmacy receives alarm alerts from Sens scientific for all medication refrigerators.

Medical

Nothing to report for medical.

Meeting adjourned at 1211 hours



FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE Heat Plan Meeting		TIME 1200	DATE 9/10/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Guzman, Fidencio	Warden (A)	0800-1630	1200	1230			
2	Esquivel, Andres	CDW (A)	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Zavala, Roberto	AW	0800-1600	1200	1230			
5	Bustamante, Ernesto	AW	0800-1600	1200	1230			
6	Hopper, Gary	Cpt	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
12	Saucedo, Eddie	Lt	0800-1600	1200	1230			
13	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
14	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
15	Perez, Jesse	CPM	0800-1600	1200	1230			
16	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR

[REDACTED]

Heat Plan Expectation Meeting

9/11/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden (A)
A. Esquivel, CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
J. Covarrubias, SRN II

Meeting started at 1200 hours

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units: A1: 74, A2: 75, A3: 72, A4: 75, and A5: 71. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units: B1: 78, B2: 76, B3: 80, B4: 72, and B5: 74. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, V. Cortez did the daily tour. Temperatures in Facility C Housing Units: C1: 76, C2: 76, C3: 80, C4: 79, and C5: 80. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units: D1: 72, D2: 80, D3: 80, D4: 80, and D5: 78. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 70 and dorm 2 is 72 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 77 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There are no heat medication patients reported for Central Health.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 77 degrees and R&R 75 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. There were no work orders submitted.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical.

Meeting adjourned at 1206 hours

A handwritten signature in black ink, appearing to read "fulz".

FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET


CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200		DATE 9/11/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5		LOCATION TEAMS
BET ID (list all applicable)				

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Guzman, Fidencio	Warden (A)	0800-1630	1200	1230			
2	Esquivel, Andres	CDW (A)	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Zavala, Roberto	AW	0800-1600	1200	1230			
5	Bustamante, Ernesto	AW	0800-1600	1200	1230			
6	Hopper, Gary	Cpt	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Saucedo, Eddie	Cpt (A)	0800-1600	1200	1230			
12	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
13	Beatty, Robert	CBM	0800-1600	1200	1230			
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/12/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden (A)
A. Esquivel, CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CSE (A)

Meeting started at 1200 hours

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units: A1: 73, A2: 72, A3: 70, A4: 74, and A5: 72. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units: B1: 78, B2: 74, B3: 74, B4: 72, and B5: 72. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, V. Cortez did the daily tour. Temperatures in Facility C Housing Units: C1: 75, C2: 76, C3: 80, C4: 84, and C5: 70. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units: D1: 72, D2: 80, D3: 80, D4: 80, and D5: 78. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 70 and dorm 2 is 72 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 72 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There are no heat medication patients reported for Central Health.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 75 degrees and R&R 76 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. There were no work orders submitted.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical.

Meeting adjourned at 1211 hours



FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)


TITLE Heat Plan Meeting		TIME 1200	DATE 9/12/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS

BET ID (list all applicable)

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Guzman, Fidencio	Warden (A)	0800-1630	1200	1230			
2	Esquivel, Andres	CDW (A)	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Zavala, Roberto	AW	0800-1600	1200	1230			
5	Bustamante, Ernesto	AW	0800-1600	1200	1230			
6	Hopper, Gary	Cpt	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Saucedo, Eddie	Cpt (A)	0800-1600	1200	1230			
12	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
13	Beatty, Robert	CBM	0800-1600	1200	1230			
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/13/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
G. Hopper, Facility A Captain
D. Loop, HCAU Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CSE (A)
J. Covarrubias, SRN II

Meeting started at 1200 hours

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units: A1: 73, A2: 72, A3: 70, A4: 74, and A5: 72. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units: B1: 78, B2: 74, B3: 74, B4: 72, and B5: 72. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units: C1: 75, C2: 76, C3: 80, C4: 84, and C5: 70. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units: D1: 70, D2: 72, D3: 75, D4: 73, and D5: 75. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 75 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There is no heat medication patients reported for Central Health.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 73 degrees and R&R 74 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. There was no work orders submitted.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical.

Meeting adjourned at 1205 hours

fng
FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 9/13/2024
AUDIENCE Executive Staff	INSTRUCTOR F. Guzman	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Guzman, Fidencio	Warden (A)	0800-1630	1200	1230			
2	Beatty, Robert	CPM II	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Zavala, Roberto	AW	0800-1600	1200	1230			
5	Hopper, Gary	Cpt	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR

Heat Plan Expectation Meeting

9/16/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden (A)
H. Perez, AW Complex I (A)
G. Hopper, Facility A Captain
D. Loop, HCAU Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CSE (A)
J. Covarrubias, SRN II

Meeting started at 1200 hours

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 71 degrees. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 76 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 73 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has eleven incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 72 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 75 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There is one on heat medication patient reported for Central Health.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 73 degrees and R&R 75 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Plant ops received

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1206 hours



FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE Heat Plan Meeting		TIME 1200	DATE 9/13/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS

BET ID (list all applicable)

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Guzman, Fidencio	Warden (A)	0800-1630	1200	1230			
2	Beatty, Robert	CPM II	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
5	Hopper, Gary	Cpt	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR

Heat Plan Expectation Meeting

9/17/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel, CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
D. Loop, HCAU Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CSE (A)
J. Covarrubias, SRN II

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 70 degrees. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 76 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 73 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has eleven incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 71 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 69 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 75 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There is one on heat medication patient reported for Central Health.

RHU / R&R / Visiting

Captain D. Loop did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 73 degrees and R&R 75 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Plant ops didn't receive work orders for today.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.


Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1204 hours.



FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)


DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE Heat Plan Meeting		TIME 1200	DATE 9/17/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Esquivel, Andres	CDW(A)	0800-1600	1200	1230			
2	Beatty, Robert	CPM II	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
5	Hopper, Gary	Cpt	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Zavala, Roberto	AW	0800-1600	1200	1230			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/18/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel, CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
D. Loop, HCAU Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CSE (A)
J. Covarrubias, SRN II

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 70 degrees. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A at the moment. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 77 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has three incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 76 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has twelve incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 68 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 70 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There is one on heat medication patient reported for Central Health.

RHU / R&R / Visiting

Captain D. Loop did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 72 degrees and R&R 75 degrees and visiting 74 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. There has been issues with plumbing, but my staff is on top of the work orders we have received.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.


Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics to report as of 9/18/2024.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1206 hours.



FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200		DATE 9/18/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5		LOCATION TEAMS
BET ID (list all applicable)				

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Esquivel, Andres	CDW(A)	0800-1600	1200	1230			
2	Beatty, Robert	CPM II	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
5	Hopper, Gary	Cpt	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Zavala, Roberto	AW	0800-1600	1200	1230			
12	Espitia, Betty	CSE (A)	0800-1600					
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/19/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel, CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CSE (A)
J. Covarrubias, SRN II

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 69 degrees. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A. Facility A has eight incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 70 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 71 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has eleven incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 68 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain T. Soriano did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 70 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There is one on heat medication patient reported for Central Health.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 71 degrees and R&R 74 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Work order for drinking fountain in Charlie visiting has been fixed.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.


Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1205 hours.


FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 9/19/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
DET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Esquivel, Andres	CDW(A)	0800-1600	1200	1230			
2	Beatty, Robert	CPM II	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	Hopper, Gary	Cpt	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2								
3								
4								
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/20/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel, CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CSE (A)
C. Ramirez, SRN II
J. Perez, CPS

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 70 degrees. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. No work orders submitted for Facility A. Facility A has eight incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 71 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 70 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. We had an issue with the water fountain, but it got fixed. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has eleven incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 74 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 60 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain T. Soriano did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 71 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There is one on heat medication patient reported for Central Health.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 70 degrees and R&R 74 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Work order for drinking fountain in Charlie visiting has been fixed.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1204 hours.



FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET


CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 9/20/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
RET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Esquivel, Andres	CDW(A)	0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	Hopper, Gary	Cpt	0800-1600	1200	1230			
6	Ramirez, Cesar	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2								
3								
4								
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/23/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel, CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
D. Loop, HCAU Captain (A)
E. Saucedo, IST Lieutenant
T. Cardenaz, CBM
R. Beatty, CPM II
B. Espitia, CSE (A)
J. Perez, CPS

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 71 degrees. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has eight incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 71 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 70 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has eleven incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 74 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 61 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 71 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There is one on heat medication patient reported for Central Health.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 70 degrees and R&R 74 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Work order for drinking fountain in Charlie visiting has been fixed.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1204 hours.



FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION


TITLE Heat Plan Meeting		TIME 1200	DATE 9/23/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS

BET ID (list all applicable)

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Esquivel, Andres	CDW(A)	0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	Hopper, Gary	Cpt	0800-1600	1200	1230			
6	Ramirez, Cesar	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Zavala, Roberto	AW	0800-1600	1200	1230			
12	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
13	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
14	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
15	Vasquez, Felipe	AWBS	0800-1600	1200	1230			
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/24/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel, CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
D. Loop, HCAU Captain (A)
E. Saucedo, IST Lieutenant
T. Cardenaz, CBM
R. Beatty, CPM II
B. Espitia, CSE (A)
J. Perez, CPS

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 71 degrees. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has eight incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 79 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 79 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has eleven incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 75 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 68 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 79 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There is one on heat medication patient reported for Central Health.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 75 degrees and R&R 74 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No Work orders for today so far.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training, with 1 staff pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1206 hours.



FIDENCIO N. GUZMAN
Warden (A)
Centinela State Prison

STATE OF CALIFORNIA

RAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE Heat Plan Meeting		TIME 1200	DATE 9/24/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
SET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Esquivel, Andres	CDW(A)	0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	Hopper, Gary	Cpt	0800-1600	1200	1230			
6	Ramirez, Cesar	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
3	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
4	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
5	Vasquez, Felipe	AWBS	0800-1600	1200	1230			
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

9/25/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel, CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
D. Loop, HCAU Captain (A)
E. Saucedo, IST Lieutenant
T. Cardenaz, CBM
R. Beatty, CPM II
B. Espitia, CSE (A)

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 72 degrees. Drinking fountains are all functional in all housing units. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has eight incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 79 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 79 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 75 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 68 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 79 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. There is one on heat medication patient reported for Central Health.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 75 degrees and R&R 74 degrees and visiting 75 degrees. The armory/range A/C was not working but work order was submitted. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No Work orders for today so far.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1205 hours.



FIDENCIO N. GUZMAN

Warden (A)

Centinela State Prison

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TRAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 9/25/2024
UDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
SHEET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Esquivel, Andres	CDW(A)	0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	Hopper, Gary	Cpt	0800-1600	1200	1230			
6	Ramirez, Cesar	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
3	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
4	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
5	Vasquez, Felipe	AWBS	0800-1600	1200	1230			
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR



Heat Plan Expectation Meeting

9/26/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
F. Vasquez, AW Business Services
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
D. Loop, HCAU Captain (A)
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CSE (A)

Meeting started at 1200 hours.

Facility A

Facility A Lieutenant F. Castellanos did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 73 degrees. Drinking fountains are all functional in all housing units of exception of A1- C section fountain leaks with low water pressure, operational but continued to leak, staff mentioned that maintenance has assessed the issue and are waiting for a part to repair completely. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has eight incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 73 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 79 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 75 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 69 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 79 degrees. Ice machines and drinking fountains are working as they should. No work orders were submitted as of today. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 75 degrees and R&R 74 degrees and visiting 75 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No Work orders for today. Waiting for a part to fix A1- C Section fountain leak, once it arrives my team will go to Alpha yard and fix the issue.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. 1 staff is pending.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1204 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

RAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 9/26/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
SET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Vasquez, Felipe		0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5			0800-1600	1200	1230			
6	Tabarez, Nadia	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
3	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
4	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR

[REDACTED]

Heat Plan Expectation Meeting

9/27/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
T. Soriano, Custody Captain
D. Loop, HCAU Captain (A)
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CSE (A)

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 71 degrees. Drinking fountains are all functional in all housing units of exception, A1 C section was fixed. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has eight incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 73 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 79 degrees. Ice machines and drinking fountains are working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 76 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 79 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 74 degrees and R&R 75 degrees and visiting 75 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No Work orders for today.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1205 hours.

A handwritten signature in black ink, appearing to read "Fidencio N. Guzman".

FIDENCIO N. GUZMAN
Warden
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 9/27/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Vasquez, Felipe		0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5			0800-1600	1200	1230			
6	Tabarez, Nadia	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
3	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
4	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR



Heat Plan Expectation Meeting

9/30/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel CDW (A)
J. Munger CEO (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
N. Tabarez, SRN II
D. Loop, HCAU Captain (A)
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CSE (A)

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 75 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has eight incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain, J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 73 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 76 degrees. Ice machines are working correctly. Work order was submitted due to water fountain in C2 that is not working properly, it shoots water everywhere. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 74 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 72 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain D. Loop did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 74 degrees and R&R 75 degrees and visiting 75 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Plant ops will be going to Facility C to fix C2 water fountain.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1206 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 9/30/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Vasquez, Felipe	AWBS	0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	A. Esquivel	CDW (A)	0800-1600	1200	1230			
6	Tabarez, Nadia	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Zavala, Roberto	AW	0800-1600	1200	1230			
12	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
13	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
14	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
15	Fidencio Guzman	Warden	0800-1600	1200	1230			
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR

