

Monthly Summary Report

Institution: LAC

**Memorandum**

Date: October 7, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - September 2024

The following is a summary of the heat related activity for the month of September 2024,  
at LAC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 23 \_\_\_\_\_

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No \_\_\_\_\_

Number of days Stage II Alert initiated: 0 \_\_\_\_\_

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No \_\_\_\_\_

Number of days Stage III Alert initiated: 0 \_\_\_\_\_

4. Weekly list of heat risk patients archived? Yes \_\_\_\_\_

5. Number of patients with heat related illness.<sup>2</sup> List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

L. Lundy, Warden

Warden Name



Warden Signature

DR. CHRISTINA GALSTIAN

Chief Executive Officer Name



Chief Executive Officer Signature

Heat Incident Log

Institution: LAC

Date: 9-02-2024 -3w

Number of Heat Incidents: 1

1. Patient Name: [REDACTED]

CDCR#: [REDACTED]

Housing: [REDACTED]

MHSDS Designation: EOP

Level of Care: Outpatient

Date of Heat Incident: 9-02-2024

Location of Incident: [REDACTED]

Change in Level of Care: N/A

List of Heat Risk Medications: NA

Chief Medical Complaint: Nausea/ Vomiting/Headache/Dizziness

Diagnosis of Heat Related Illness (specify): Possible Heat Exhaustion

Treatment Rendered: Zofran 4mg x1/Toradol 15mg x1/Transfer to ED for higher level of care.

Medication Changes Made: N/A

Ultimate Disposition of Patient: PRMC-ED

Clinician's Name and Title: Dr. Sekhon, Navjot.

2. Patient Name: [REDACTED]

CDCR#: [REDACTED] Housing: [REDACTED]

MHSDS Designation: [REDACTED]

Level of Care: [REDACTED]

Date of Heat Incident: 9-02-2024

Location of Incident: [REDACTED]

Change in Level of Care: [REDACTED]

List of Heat Risk Medications: [REDACTED]

Chief Medical Complaint: [REDACTED]

Diagnosis of Heat Related Illness (specify): [REDACTED]

Treatment Rendered: [REDACTED]

Medication Changes Made: [REDACTED]

Ultimate Disposition of Patient: [REDACTED]

Clinician's Name and Title: [REDACTED]

3. Patient Name: [REDACTED]

CDCR#: [REDACTED] Housing: [REDACTED]

MHSDS Designation: [REDACTED]

Level of Care: [REDACTED]

Date of Heat Incident: 9-02-2024

Location of Incident: [REDACTED]

Change in Level of Care: [REDACTED]

List of Heat Risk Medications: [REDACTED]

Chief Medical Complaint: [REDACTED]

Diagnosis of Heat Related Illness (specify): [REDACTED]

Treatment Rendered: [REDACTED]

Medication Changes Made: [REDACTED]

Ultimate Disposition of Patient: [REDACTED]

Clinician's Name and Title: [REDACTED]

Heat Incident Log  
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log

Institution: LAC

Date: 9/23/24

Number of Heat Incidents:

1. Patient Name: [REDACTED] CDCR#: [REDACTED] Housing: [REDACTED]

MHSDS Designation: \_\_\_\_\_ Level of Care: HLOC Date of Heat Incident: 9/23/24

Location of Incident: [REDACTED] Change in Level of Care: Transfer to HLOC

List of Heat Risk Medications: zyprexa, risperdal and cogentin

Chief Medical Complaint: dizziness

Diagnosis of Heat Related Illness (specify): \_\_\_\_\_

Treatment Rendered: Received orders for IV insertion, 1000mL, 650mg Tylenol. MD on scene at 1330 at bedside. Received orders for Rapid covid test.

Medication Changes Made: n/a

Ultimate Disposition of Patient: Transfer to HLOC

Clinician's Name and Title: Dr. Banayan

2. Patient Name: \_\_\_\_\_ CDCR#: \_\_\_\_\_ Housing: \_\_\_\_\_

MHSDS Designation: \_\_\_\_\_ Level of Care: \_\_\_\_\_ Date of Heat Incident: \_\_\_\_\_

Location of Incident: \_\_\_\_\_ Change in Level of Care: \_\_\_\_\_

List of Heat Risk Medications: \_\_\_\_\_

Chief Medical Complaint: \_\_\_\_\_

Diagnosis of Heat Related Illness (specify): \_\_\_\_\_

Treatment Rendered: \_\_\_\_\_

Medication Changes Made: \_\_\_\_\_

Ultimate Disposition of Patient: \_\_\_\_\_

Clinician's Name and Title: \_\_\_\_\_

3. Patient Name: \_\_\_\_\_ CDCR#: \_\_\_\_\_ Housing: \_\_\_\_\_

MHSDS Designation: \_\_\_\_\_ Level of Care: \_\_\_\_\_ Date of Heat Incident: \_\_\_\_\_

Location of Incident: \_\_\_\_\_ Change in Level of Care: \_\_\_\_\_

List of Heat Risk Medications: \_\_\_\_\_

Chief Medical Complaint: \_\_\_\_\_

Diagnosis of Heat Related Illness (specify): \_\_\_\_\_

Treatment Rendered: \_\_\_\_\_

Medication Changes Made: \_\_\_\_\_

Ultimate Disposition of Patient: \_\_\_\_\_


Clinician's Name and Title: \_\_\_\_\_

Heat Incident Log  
CDCR MH-7711-2 (02/17)

Confidential Patient Information

(

)



*This  
diss*

*Rev*

(

)

C

C

C

C

(

)

This  
diss

Rev

(

(



C

C



From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORRAC Housing Unit: INFIRMARY Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	72	Poggi
	0600	72	Christiansen
	0900	72	Christiansen
	1200	73	Christiansen
	1500	73	Poggi
	1800	75	Avelar
	2100	73	Avelar
	2400	73	Poggi

#### Tuesday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	72	Poggi
	0600	72	Christiansen
	0900	72	Christiansen
	1200	73	Christiansen
	1500	73	Galan
	1800	73	Galan
	2100	73	Galan
	2400	72	MALDONADO

#### Wednesday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	72	MALDONADO
	0600	72	Christiansen
	0900	72	Christiansen
	1200	72	FERNANDEZ
	1500	75	Avelar
	1800	75	Avelar
	2100	75	Poggi
	2400	75	Poggi

#### Thursday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	73	Poggi
	0600	72	FERNANDEZ
	0900	73	FERNANDEZ
	1200	74	FERNANDEZ
	1500	74	Richardson
	1800	74	Richardson
	2100	74	Richardson
	2400	74	Soto

#### Friday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	73	M SOTO
	0600	72	FERNANDEZ
	0900	72	FERNANDEZ
	1200	72	FERNANDEZ
	1500	74	Johnson
	1800	74	Johnson
	2100	74	Johnson
	2400	72	Galapon

#### Saturday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	72	Galapon
	0600	72	Theyakov
	0900	72	INNOCENCI
	1200	73	Tracollier
	1500	74	Johnson
	1800	74	Johnson
	2100	74	Johnson
	2400	73	Galapon

#### Notes

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	72	Oliver
	0600	72	S. YANEZ
	0900	72	S. YANEZ
	1200	73	S. YANEZ
	1500	73	S. YANEZ
	1800	73	S. YANEZ
	2100	73	S. YANEZ
	2400	73	Galapon

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/1 2024	0100	77.4	T. Galvan
	0200	76	T. Galvan
	0300	75	T. Galvan
	0400	73	T. Galvan
	0500	72	T. Galvan
	0600	72	walker
	0700	74	walker
	0800	74	walker
	0900	78	walker
	1000	86	walker
	1100	94	walker
	1200	98	walker
	1300	101	walker
	1400	101	walker
	1500	101	walker
	1600	101	walk
	1700	101	wALKER
	1800	101	wALKER
	1900	92	wALKER
	2000	11	wALKER
	2100	88	wALKER
	2200	83	wALKER
	2300	85	P. DORTY
	2400	84	P. DORTY

Date	Time	Temp.	Printed Name
9/2 2024	0100	83	P. DORTY
	0200	86	P. DORTY
	0300	78	P. DORTY
	0400	75	P. DORTY
	0500	74	P. DORTY
	0600	73	NUNEZ
	0700	74	NUNEZ
	0800	79	NUNEZ
	0900	86	NUNEZ
	1000	89	NUNEZ
	1100	94	NUNEZ
	1200	99	NUNEZ
	1300	100	NUNEZ
	1400	102	A. Renter
	1500	101	Renter
	1600	101	Puentes
	1700	101	Puentes
	1800	97	Renter
	1900	94	Renter
	2000	91	Renter
	2100	88	Puentes
	2200	87°	ABEL
	2300	85°	ABEL
	2400	83°	ABEL

STAGE 1 HEAT ALERT

START 1030

END 2150

STAGE 1 HEAT ALERT

START 1003

END 2115

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/3 2024	0100	82°	ABEL
	0200	81°	ABEL
	0300	79°	ABEL
	0400	78°	ABEL
	0500	77°	ABEL
	0600	76	CAMPBELL
	0700	76	CAMPBELL
	0800	79	CAMPBELL
	0900	81	CAMPBELL
	1000	83	CAMPBELL
	1100	86	CAMPBELL
	1200	90	CAMPBELL
	1300	90	CAMPBELL
	1400	89	Puentes
	1500	89	Puentes
	1600	89	Puentes
	1700	86	Puentes
	1800	84	Puentes
	1900	83	Puentes
	2000	81	Puentes
	2100	87	Puentes
	2200	86	G. LINGFIELD
	2300	86	G. LINGFIELD
	2400	86	G. LINGFIELD

Date	Time	Temp.	Printed Name
9/4 2024	0100	85	G. LINGFIELD
	0200	83	G. LINGFIELD
	0300	80	G. LINGFIELD
	0400	77	G. LINGFIELD
	0500	76	G. LINGFIELD
	0600	74	MORAN
	0700	74	MORAN
	0800	83	MORAN
	0900	83	MORAN
	1000	89	MORAN
	1100	85	MORAN
	1200	89	MORAN
	1300	90	MORAN
	1400	91	Puentes
	1500	92	Puentes
	1600	92	Puentes
	1700	90	Puentes
	1800	89	Puentes
	1900	84	Puentes
	2000	81	Puentes
	2100	84	Puentes
	2200	87	G. LINGFIELD
	2300	86	G. LINGFIELD
	2400	86	G. LINGFIELD

STAGE 1 HEAT ALERT

START 1000

END 2115

STAGE 1 HEAT ALERT

START 1005

END 2200

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 5, 2024	0100	86	G.W.GFIELD
	0200	84	G.W.GFIELD
	0300	83	G.W.GFIELD
	0400	81	G.W.GFIELD
	0500	79	G.W.GFIELD
	0600	77	MORAN
	0700	76	MORAN
	0800	81	MORAN
	0900	87	MORAN
	1000	90	MORAN
	1100	96	MORAN
	1200	100	MORAN
	1300	103	MORAN
	1400	105	A.Ruett.s
	1500	106	A.Ruett.s
	1600	105	A.Ruett.s
	1700	104	A.Ruett.s
	1800	102	A.Ruett.s
	1900	96	A.Ruett.s
	2000	93	A.Ruett.s
	2100	92	A.Ruett.s
	2200	89	G.W.GFIELD
	2300	89	G.W.GFIELD
	2400	88	G.W.GFIELD

Stage 1 0934 ACTIVATED  
2245 DEACTIVATED

Date	Time	Temp.	Printed Name
SEPTEMBER 6, 2024	0100	86	G.W.GFIELD
	0200	85	G.W.GFIELD
	0300	83	G.W.GFIELD
	0400	81	G.W.GFIELD
	0500	80	G.W.GFIELD
	0600	76	HUERTA
	0700	78	HUERTA
	0800	82	HUERTA
	0900	86	HUERTA
	1000	92	HUERTA
	1100	95	HUERTA
	1200	99	HUERTA
	1300	102	HUERTA
	1400	105	Gewirtz,C
	1500	105	Gewirtz,C
	1600	101	Gewirtz,C
	1700	104	Gewirtz
	1800	101	Gewirtz,C
	1900	95	Gewirtz,C
	2000	93	Gewirtz,C
	2100	90	Gewirtz
	2200	87	C.Gewirtz
	2300	88	G.W.GFIELD
	2400	97	G.W.GFIELD

Stage 1 0948 ACTIVATED  
2200 DEACTIVATED

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 7, 2024	0100	80	LINGFIELD
	0200	78	LINGFIELD
	0300	77	LINGFIELD
	0400	77	LINGFIELD
	0500	76	LINGFIELD
	0600	76	C. Geiwitz
	0700	78	C. Geiwitz
	0800	80	C. Geiwitz
	0900	85	C. Geiwitz
	1000	90	C. Geiwitz
	1100	96	C. Geiwitz
	1200	101	C. Geiwitz
	1300	105	C. Geiwitz
	1400	104	C. Geiwitz
	1500	101	C. Geiwitz
	1600	98	C. Geiwitz
	1700	98	C. Geiwitz
	1800	96	C. Geiwitz
	1900	94	C. Geiwitz
	2000	91	C. Geiwitz
	2100	88	C. Geiwitz
	2200	87	LINGFIELD
	2300	84	LINGFIELD
	2400	86	LINGFIELD

Date	Time	Temp.	Printed Name
SEPTEMBER 8, 2024	0100	84	LINGFIELD
	0200	81	LINGFIELD
	0300	78	LINGFIELD
	0400	78	LINGFIELD
	0500	75	LINGFIELD
	0600	75	Puentes
	0700	80	Puentes
	0800	85	Puentes
	0900	88	Puentes
	1000	90	Puentes
	1100	95	Puentes
	1200	98	Puentes
	1300	101	Puentes
	1400	106	Puentes
	1500	99	Puentes
	1600	98	Puentes
	1700	96	Puentes
	1800	95	Puentes
	1900	94	Puentes
	2000	89	Puentes
	2100	87	Puentes
	2200	85	H. ANACA
	2300	83	H. ANACA
	2400	81	H. ANACA

Stage 1 1000 ACTIVATED  
2145 DEACTIVATED

Stage 1 1000 ACTIVATED  
2100 DEACTIVATED

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: MSF-DORN 1 Temp. Reading Location: DAY ROOM

Immediately notify the Watch Commander at extension 5551 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	89	SILVA
	0600	76	SILVA
	0900	76	EVANGELIST
	1200	78	C. CONFERAS
	1500	80°	M. CONTRERAS
	1800	80°	M. CONTRERAS
	2100	80°	M. CONTRERAS
	2400	82	D. SILVA

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	80	VACANT
	0600	76	EVANGELISTA
	0900	76	EVANGELISTA
	1200	78	EVANGELISTA
	1500	80°	M. CONTRERAS
	1800	80°	M. CONTRERAS
	2100	80°	M. CONTRERAS
	2400	80	VACANT

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	77	VACANT
	0600	75	BONGES
	0900	77	BONGES
	1200	79	BONGES
	1500	80	C. MARELLO
	1800	75	C. MARELLO
	2100	73	C. MARELLO
	2400	75	VACANT

Sunday

Date	Time	Temp.	Name (Print)
9/24	0300	72	VACANT
	0600	72	VACANT
	0900	74°	CRIDDLE
	1200	77°	CRIDDLE
	1500	80°	M. CONTRERAS
	1800	80°	M. CONTRERAS
	2100	80°	M. CONTRERAS
	2400	77	VACANT

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	70°	VACANT
	0600	74	EVANGELISTA
	0900	75	EVANGELISTA
	1200	78	EVANGELISTA
	1500	80°	M. CONTRERAS
	1800	80°	M. CONTRERAS
	2100	80°	M. CONTRERAS
	2400	70°	VACANT

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	77	VACANT
	0600	76	CHRISTENSEN
	0900	76	CHRISTENSEN
	1200	78	CHRISTENSEN
	1500	80	BONGES
	1800	79	BONGES
	2100	77	BONGES
	2400	76	VACANT

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	77	VACANT
	0600	76	VACANT
	0900	76°	CRIDDLE
	1200	76°	CRIDDLE
	1500	80°	M. CONTRERAS
	1800	80°	M. CONTRERAS
	2100	80°	M. CONTRERAS
	2400	77	VACANT

Notes

9/24 1003 STAGE 1

9/24 1004 STAGE 1

9/24 1010 STAGE 1

9/24 @ 1000 HRS. 1ST. STAGE HEAT ALERT

9/24 @ 1000 HRS. 1ST. STAGE HEAT ALERT









CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9-2-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	79°	79°	78°	80°	70°	60°	60°	70°	J. Aquilar	
03:00	79°	78°	77°	80°	70°	60°	59°	70°	J. Aquilar	
06:00	79°	79°	78°	80°	71°	66°	62°	70°	B. Cruz	
09:00	79°	76°	79°	79°	70°	67°	60°	70°	B. Cruz	
12:00	80°	80°	79°	80°	70°	65°	63°	70°	B. Cruz	
15:00	80°	78°	80°	80°	70°	68°	63°	69°	D. Acosta	
18:00	79°	78°	79°	80°	70°	63°	63°	69°	D. Acosta	
21:00	80°	80°	79°	80°	70°	60°	62°	70°	D. Acosta	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



9-9-2024  
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: Sept 3, 24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	80°	80°	72°	80°	70°	64°	64°	70°	STEPHENSON	(Skel)
03:00	80°	80°	74°	80°	70°	62°	64°	70°	STEPHENSON	(Skel)
06:00	78	78	78	80	70	60	60	70	S. Agapong	(Almittiff)
09:00	76	70	76	78	71	65	60	70	S. Agapong	(Almittiff)
12:00	76	70	77	78	72	65	61	70	S. Agapong	(Almittiff)
15:00	76	70	77	78	72	66	62	70	Sinko	(Sinko)
18:00	76	70	80	80	72	76	64	70	Sinko	(Sinko)
21:00	76	70	80	80	72	66	64	70	Sinko	(Sinko)

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



9-9-2024  
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-I

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: \_\_\_\_\_

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	78	76	72	80	70	66	66	70	Sirko	<i>Sirko</i>
03:00	78	76	80	80	70	66	66	70	Sirko	<i>Sirko</i>
06:00	71	70	72	79	70	66	66	70	J. Reyna	<i>J. Reyna</i>
09:00	71	70	79	80	70	69	65	70	J. Reyna	<i>J. Reyna</i>
12:00	71	70	79	80	70	66	65	70	J. Reyna	<i>J. Reyna</i>
15:00	76	70	79	80	68	68	68	70	Sirko	<i>Sirko</i>
18:00	74	70	80	80	68	68	60	70	Sirko	<i>Sirko</i>
21:00	74	70	80	80	68	68	60	70	Sirko	<i>Sirko</i>

The 3<sup>rd</sup> Watch ASU-I Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-I Lieutenant is responsible to review, sign, and date the completed form. The ASU-I Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-I Lieutenant

9-9-2024  
Date






CALIFORNIA STATE PRISON – LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 9/5/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	74	70	80	80	70	68	62	70	Funes	
03:00	72	72	78	80	70	64	62	72	Funes	
06:00	74	70	76	78	70	60	64	70	S. Agrapong	
09:00	74	70	78	78	70	64	64	70	S. Agrapong	
12:00	74	70	78	80	70	68	64	70	S. Agrapong	
15:00	74	70	78	80	70	68	64	70	Sinko	
18:00	74	70	78	80	70	68	64	70	Sinko	
21:00	74	70	78	80	70	68	64	70	Sinko	

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



9-9-2024  
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 65 degrees for one (1) hour and again when it falls below 60 degrees for one (1) hour.


DATE: 9-6-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	73°	70°	78°	80°	70°	61°	60°	70°	J. Acuña	<i>J. Acuña</i>
03:00	72°	70°	74°	80°	70°	60°	60°	70°	J. Acuña	<i>J. Acuña</i>
06:00	72	70	78	80	70	60	62	70	Funes	<i>Funes</i>
09:00	72	70	78	80	70	67	67	70	Funes	<i>Funes</i>
12:00	72	70	78	78	70	67	62	70	Funes	<i>Funes</i>
15:00	71	69	76	72	70	61	60	70	Blanco	<i>Blanco</i>
18:00	71	69	70	72	70	61	60	70	Blanco	<i>Blanco</i>
21:00	71	69	70	72	70	61	60	70	Blanco	<i>Blanco</i>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



9-9-2024  
Date:









CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9-7-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	71°	67°	70°	74°	70°	66°	60°	70°	J. Aquilano	
03:00	70°	67°	70°	73°	70°	65°	61°	70°	J. Aquilano	
06:00	70°	65°	70°	75°	70°	65°	60°	70°	E. Cervantes	
09:00	78°	68°	70°	75°	70°	68°	60°	70°	E. Cervantes	
12:00	78	68°	70°	75°	70°	68°	60°	70°	E. Cervantes	
15:00	71	71	72	75	71	70	61	70	J. Riallado	
18:00	71	70	70	75	70	62	60	70	J. B. Vargas	
21:00	71	70	70	75	70	62	60	70	J. B. Vargas	

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 2130 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



9-8-2024

Date







CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 09/08/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	72	70	70	75	70	65	61	70	F. GUTIERREZ	
03:00	71	69	70	75	70	65	61	70	F. GUTIERREZ	
06:00	71	69	72	75	70	68	65	70	S. Agyapong	
09:00	71	70	76	78	71	68	65	70	S. Agyapong	
12:00	71	70	76	77	72	69	65	70	S. Agyapong	
15:00	72	71	77	78	72	68	64	70	S. BOME	
18:00	75	75	80	80	72	67	62	70	S. BOME	
21:00	75	75	80	80	72	67	62	70	S. BOME	

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancy will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



9-9-2024  
Date

## Heat Alert Check List Correctional Officer

UNIT: R Hu

DATE: 09/08/24

### ACTIVATION SEQUENCE

#### 90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by Central Control at 1000 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

#### 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

#### 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

### DEACTIVATION SEQUENCE

#### BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.


#### BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.


#### BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

  
1<sup>ST</sup>/W OFFICER'S SIGNATURE

  
2<sup>ND</sup>/W OFFICERS SIGNATURE

  
3<sup>RD</sup>/W OFFICERS SIGNATURE

**Heat Alert Check List**  
**Correctional Officer**

UNIT: RHU

DATE: 9-7-2024

**ACTIVATION SEQUENCE**

**90 DEGREES OUTSIDE:**

1. Heat Plan activated, notified by \_\_\_\_\_ at \_\_\_\_\_ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and/or;
  - B. Shower with cool water or;
  - C. Encourage use of water in cell for cooling.

**90 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or;
  - B. Inmate-Patients will be given access to frequent showers or;
  - C. Inmate-Patients will be given access to spray bottles for misting.
3. Increased custodial observation of heat risk Inmate-Patients.

**95 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

**DEACTIVATION SEQUENCE**

**BELOW 95 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.

**BELOW 90 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

**BELOW 90 DEGREES OUTSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Heat-Risk Inmate-Patients returned to regular program.

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

*[Signature]*  
1<sup>ST</sup> OFFICER'S SIGNATURE

*[Signature]*  
2<sup>ND</sup> OFFICER'S SIGNATURE

*[Signature]*  
3<sup>RD</sup> OFFICER'S SIGNATURE

**Heat Alert Check List**  
**Correctional Officer**

UNIT: RHC

DATE: 9-6-2024

**ACTIVATION SEQUENCE**

**90 DEGREES OUTSIDE:**

1. Heat Plan activated, notified by \_\_\_\_\_ at \_\_\_\_\_ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and/or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

**90 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

**95 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

**DEACTIVATION SEQUENCE**

**BELOW 95 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.

**BELOW 90 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

**BELOW 90 DEGREES OUTSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE VARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

1<sup>ST</sup> LAW OFFICER'S SIGNATURE

2<sup>ND</sup> LAW OFFICERS SIGNATURE

3<sup>RD</sup> LAW OFFICERS SIGNATURE

**Heat Alert Check List**  
**Correctional Officer**

UNIT: RUTU-1

DATE: 9/15/24

**ACTIVATION SEQUENCE**

**90 DEGREES OUTSIDE:**

1. Heat Plan activated, notified by Central Control at 0934 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

**90 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

**95 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

**DEACTIVATION SEQUENCE**

**BELOW 95 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.

**BELOW 90 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.


**BELOW 90 DEGREES OUTSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

  
1<sup>ST</sup>/W OFFICER'S SIGNATURE

  
2<sup>ND</sup>/W OFFICERS SIGNATURE

  
3<sup>RD</sup>/W OFFICERS SIGNATURE

**Heat Alert Check List**  
**Correctional Officer**

UNIT: 2nd

DATE: 9/4/24

**ACTIVATION SEQUENCE**

**90 DEGREES OUTSIDE:**

1. Heat Plan activated, notified by \_\_\_\_\_ at \_\_\_\_\_ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and/or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

**90 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

**95 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

**DEACTIVATION SEQUENCE**

**BELOW 95 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.

**BELOW 90 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

**BELOW 90 DEGREES OUTSIDE:**

1. Notified Program Lt./Sgt. Central Ctrd at 2200 hours.
2. Heat Risk Inmate-Patients returned to regular program.

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

*[Signature]*  
1<sup>ST</sup>/W OFFICER'S SIGNATURE

*[Signature]*  
2<sup>ND</sup>/W OFFICERS SIGNATURE

*[Signature]*  
3<sup>RD</sup>/W OFFICERS SIGNATURE

**Heat Alert Check List**  
**Correctional Officer**

UNIT: R Hill

DATE: Sept. 3, 2024

**ACTIVATION SEQUENCE**

**90 DEGREES OUTSIDE:**

1. Heat Plan activated, notified by Central Control at 1000 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

**90 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

**95 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

**DEACTIVATION SEQUENCE**

**BELOW 95 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.

**BELOW 90 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

**BELOW 90 DEGREES OUTSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

I/W Stepl  
1<sup>ST</sup>/W OFFICER'S SIGNATURE

Dimitoff  
2<sup>ND</sup>/W OFFICERS SIGNATURE

Durke  
3<sup>RD</sup>/W OFFICERS SIGNATURE

**Heat Alert Check List**  
**Correctional Officer**

UNIT: RHU

DATE: 9-2-2024

**ACTIVATION SEQUENCE**

**90 DEGREES OUTSIDE:**

B-Crew

1. Heat Plan activated, notified by Central Control at 1003 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and/or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

**90 DEGREES INSIDE:**

1. Notified Program Lt/Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

**95 DEGREES INSIDE:**

1. Notified Program Lt/Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

**DEACTIVATION SEQUENCE**

**BELOW 95 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.

**BELOW 90 DEGREES INSIDE:**

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

**BELOW 90 DEGREES OUTSIDE:**

1. Notified Program Lt./Sgt. Central Control at 2115 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

John Glancy  
1<sup>ST</sup> OFFICER'S SIGNATURE

B-Crew  
2<sup>ND</sup> OFFICER'S SIGNATURE

John Glancy  
3<sup>RD</sup> OFFICER'S SIGNATURE

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1

Temp. Reading Location: 2<sup>nd</sup> Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/2/24

Date	Time	Temp.	Name (Print)
9/2/24	0300	70	Fay
	0600	70	Rodriguez JL
	0900	70	Rodriguez JL
	1200	70	Rodriguez JL
	1500	70	Alvarado
	1800	70	Alvarado
	2100	70	Alvarado
	2400	70	Fay

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	70	Fay
	0600	69	D. Ortiz
	0900	70	V. Mireles
	1200	70	V. Mireles
	1500	70	Alvarado
	1800	70	Alvarado
	2100	70	Alvarado
	2400	70	J. Soto

Friday

Date	Time	Temp.	Name (Print)
9-6-24	0300	80	J. Soto
	0600	80	L. Ro
	0900	80	L. Ro
	1200	80	L. Ro
	1500	80	Recinas
	1800	80	L. Ro
	2100	79	L. Ro
	2400	80	J. Astor

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	80	Hernandez
	0600	76	Nelson
	0900	77	Wilson
	1200	80	Wilson
	1500	80	Gallivan, M.
	1800	80	J. Astor
	2100	80	Ortega
	2400	80	Fay

Tuesday 9/3/24

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	Fay
	0600	70	Fuentes
	0900	70	Fuentes
	1200	70	Fuentes
	1500	70	D. Rodriguez
	1800	70	Rodriguez
	2100	70	Rodriguez
	2400	70	Fay

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	76	J. Soto
	0600	68	H. Garcia
	0900	70	H. Garcia
	1200	72	H. Garcia
	1500	80	Nelson
	1800	80	Whittaker
	2100	76	Whittaker
	2400	80	J. Soto

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	80	Fay
	0600	69	Acevedo
	0900	69	Acevedo
	1200	69	Acevedo
	1500	80	Gonzalez
	1800	80	Gonzalez
	2100	80	Gonzalez
	2400	80	Gonzalez

Notes

9/11000 - FIRST STAGE HEAT ALERT

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	70°	B. PRESNELL
	0600	70°	TOMIC
	0900	70°	TOMIC
	1200	70°	TOMIC
	1500	71	Gonzalez
	1800	70	Gonzalez
	2100	70	Gonzalez
	2400	70°	B. PRESNELL

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	70°	B. PRESNELL
	0600	70°	F. ESTRADA
	0900	71°	F. ESTRADA
	1200	71°	F. ESTRADA
	1500	71°	OLLA
	1800	70	OLLA
	2100	70	OLLA
	2400	70	B. PRESNELL

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	70	B. PRESNELL
	0600	70	F. ESTRADA
	0900	70	F. ESTRADA
	1200	71	F. ESTRADA
	1500	71°	OLLA
	1800	70	OLLA
	2100	70	OLLA
	2400	70	B. PRESNELL

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	70	B. PRESNELL
	0600	70	F. ESTRADA
	0900	70	F. ESTRADA
	1200	71	F. ESTRADA
	1500	70	OLLA
	1800	70	OLLA
	2100	70	OLLA
	2400	70	B. PRESNELL

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	70	B. PRESNELL
	0600	70	ESTRADA
	0900	70	ESTRADA
	1200	75	ESTRADA
	1500	71°	OLLA
	1800	71°	OLLA
	2100	70	OLLA
	2400	70	J. S. J.

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	70	J. S. J.
	0600	70	S. WALTERS
	0900	70	S. WALTERS
	1200	71°	S. WALTERS
	1500	70	OLLA
	1800	70	OLLA
	2100	70	OLLA
	2400	70	J. S. J.

Notes

Date	Time	Temp.	Name (Print)
9/24	0300	70	J. S. J.
	0600	70	TOMIC
	0900	70	TOMIC
	1200	70	TOMIC
	1500	70	D. ORTEGA
	1800	70°	D. ORTEGA
	2100	70°	D. ORTEGA
	2400	70	B. PRESNELL

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A-3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1	0300	70	J. S. V.
	0600	71	Estrada IV
	0900	71	Estrada Jr
	1200	71	Estrada Jr
	1500	70	D. Chaney
	1800	70	D. Chaney
	2100	70	D. Chaney
	2400	70	M. Crimmins

Tuesday

Date	Time	Temp.	Name (Print)
9/2	0300	70°	M. Crimmins
	0600	70	Perez CA
	0900	71	Perez CA
	1200	71	Perez CA
	1500	71	Gonzales
	1800	71	Gonzales
	2100	71	Gonzales
	2400	70	████████ (CRITCHFIELD)

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	70°	CRITCHFIELD
	0600	70	Lar.
	0900	70	Lar.
	1200	70	Lar.
	1500	70	Hentes
	1800	70	Hentes
	2100	70	Hentes
	2400	70	MARTIN

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	70	MARTIN
	0600	69	E. Granados
	0900	70	E. Granados
	1200	70	E. Granados
	1500	70	NUNEZ
	1800	70	NUNEZ
	2100	70	NUNEZ
	2400	70	MARTIN

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	70	MARTIN
	0600	70	E. Granados
	0900	70	E. Granados
	1200	70	E. Granados
	1500	70	E. Granados
	1800	70	E. Granados
	2100	70	E. Granados
	2400	70	MARTIN

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	70	Lar.
	0600	68	E. Granados
	0900	70	E. Granados
	1200	70	E. Granados
	1500	70	D. Chaney
	1800	70	D. Chaney
	2100	70	D. Chaney
	2400	70	████████

Sunday

Date	Time	Temp.	Name (Print)
9/24	0300	70	LOPEZ
	0600	70	E. Granados
	0900	70	E. Granados
	1200	70	E. Granados
	1500	70	D. Chaney
	1800	70	D. Chaney
	2100	70	D. Chaney
	2400	70	LOPEZ

Notes

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A4 Temp. Reading Location: 2<sup>nd</sup> Tier

**Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
1/11/14	0300	70	Diamond
	0600	73	Thomas
	0900	73	Thomas
	1200	73	Thomas
	1500	75	Flores
	1800	94	Flores
	2100	79	Flores
	2400	73	Akanda

Wednesday

Date	Time	Temp.	Name (Print)
9/14	0300	73	Alande
	0600	73	Thomas
	0900	73	Thomas
	1200	74	Thomas
	1500	75	Florles
	1800	74	Florles
	2100	73	Foray
	2400	73	Alande

Friday

Date	Time	Temp.	Name (Print)
9/16	0300	72	Akauelua
	0600	72	Lopue
	0900	73	Torv
	1200	74	Lopue
	1500	70	Huenks
	1800	74	Huenks
	2100	70	Huenks
	2400	72	Akauelua

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	72	DINGOARD
	0600	73	MARTIN
	0900	80	VARENCIA
	1200	80	VARENCIA
	1500	77	FIGARES
	1800	77	FIGARES
	2100	77	FIGARES
	2400	72	DINGOARD

Tuesday

Date	Time	Temp.	Name (Print)
9/13	0300	73	Akande
	0600	73	Thomas
	0900	73	Thomas
	1200	72	Thomas
	1500	73	Funes
	1800	73	Funes
	2100	73	Funes
	2400	73	Akande

Thursday

Date	Time	Temp.	Name (Print)
9/15	0300	13	Akande
	0600	73	larr
	0900	73	larr
	1200	73	larr
	1500	76	larr
	1800	70	Fuentes
	2100	70	Fuentes
	2400	13	Akande

## Saturday

Date	Time	Temp.	Name (Print)
9/1	0300	71	Akande
	0600	71	L Thomas
	0900	72	L Thomas
	1200	73	L Thomas
	1500	74	R Jones
	1800	73	R Jones
	2100	73	R Jones
	2400	71	Akande

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5 Temp. Reading Location: 2<sup>nd</sup> Tier

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/10/24	0300	73°	Robles, O.
0600	73°	J. Alvarado	
0900	73°	J. Alvarado	
1200	74°	J. Alvarado	
1500	75°	B. Frazier	
1800	75°	B. Frazier	
2100	75°	B. Frazier	
2400	74°	Robles, O.	

Wednesday

Date	Time	Temp.	Name (Print)
09/10/24	0300	74°	Robles, O.
0600	73°	J. Alvarado	
0900	73°	J. Alvarado	
1200	74°	J. Alvarado	
1500	75°	B. Frazier	
1800	76°	B. Frazier	
2100	76°	B. Frazier	
2400	75°	Robles, O.	

Friday

Date	Time	Temp.	Name (Print)
09/10/24	0300	74	Evangelista
0600	76°	J. Alvarado	
0900	74°	J. Alvarado	
1200	76°	J. Alvarado	
1500	76°	B. Frazier	
1800	77°	B. Frazier	
2100	77°	B. Frazier	
2400	75	Evangelista	

Sunday

Date	Time	Temp.	Name (Print)
09/10/24	0300	74°	Robles, O.
0600	73	Robles, O.	
0900	74	Robles, O.	
1200	75	Robles, O.	
1500	77	A. Martin	
1800	77	A. Martin	
2100	77	A. Martin	
2400	75	Robles, O.	

Tuesday

Date	Time	Temp.	Name (Print)
09/10/24	0300	73	Dickman
0600	73°	J. Alvarado	
0900	73°	J. Alvarado	
1200	74°	J. Alvarado	
1500	75°	B. Frazier	
1800	75°	B. Frazier	
2100	75	B. Frazier	
2400	73	Dickman	

Thursday

Date	Time	Temp.	Name (Print)
09/10/24	0300	74°	Robles, O.
0600	73°	J. Alvarado	
0900	74°	J. Alvarado	
1200	75°	J. Alvarado	
1500	76°	J. Alvarado	
1800	76°	B. Frazier	
2100	76°	B. Frazier	
2400	75°	Robles, O.	

Saturday

Date	Time	Temp.	Name (Print)
09/10/24	0300	75	Merrick
0600	74	Wright	
0900	74	Wright	
1200	75	Wright	
1500	77	A. Martin	
1800	77	A. Martin	
2100	76	A. Martin	
2400	76	Merrick	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/24/2018	0300	70°	D. REYES
	0600	68°	J. GUARDO
	0900	70	Gonzales
	1200	70	Gonzales
	1500	71	G. HERNANDEZ
	1800	70	G. HERNANDEZ
	2100	70	G. HERNANDEZ
	2400	70°	D. REYES

Tuesday

Date	Time	Temp.	Name (Print)
09/24/2018	0300	70°	D. REYES
	0600	69	J. MOZA
	0900	70	J. MOZA
	1200	71	J. MOZA
	1500	71	G. HERNANDEZ
	1800	71	G. HERNANDEZ
	2100	70	G. HERNANDEZ
	2400	70°	D. REYES

Wednesday

Date	Time	Temp.	Name (Print)
09/24/2018	0300	70°	D. REYES
	0600	70	Loy
	0900	70	Loy
	1200	70	Loy
	1500	71	G. HERNANDEZ
	1800	71	G. HERNANDEZ
	2100	71	G. HERNANDEZ
	2400	71	G. HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
09/24/2018	0300	70	GONZALEZ
	0600	70	Lugillo
	0900	70°	Lugillo
	1200	70°	Mengual
	1500	70°	E. Hernandez
	1800	70°	E. Hernandez
	2100	70°	C. Hernandez
	2400	70	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
09/24/2018	0300	70	Gonzalez
	0600	70	A. PAVICA
	0900	71	Smith
	1200	71	Smith
	1500	71	J. AGUILAR
	1800	70°	J. AGUILAR
	2100	70°	J. AGUILAR
	2400	70	Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
09/24/2018	0300	70°	D. REYES
	0600	70°	Perea
	0900	70°	Perea
	1200	70°	Perea
	1500	71	J. AGUILAR
	1800	71	J. AGUILAR
	2100	70°	J. AGUILAR
	2400	70°	D. REYES

Sunday

Date	Time	Temp.	Name (Print)
09/24/2018	0300	70°	D. REYES
	0600	70	S. BROWNEAN
	0900	70	S. BROWNEAN
	1200	70	S. BROWNEAN
	1500	71	G. HERNANDEZ
	1800	71	G. HERNANDEZ
	2100	71	G. HERNANDEZ
	2400	70	D. REYES

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	70	SCOTT
	0600	70°	D-CHAVEZ
	0900	70°	D-CHAVEZ
	1200	70°	D-CHAVEZ
	1500	72	H-Galindo
	1800	72	H-Galindo
	2100	70	H-Galindo
	2400	70	SCOTT

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	SCOTT
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	HART
	1800	70	HART
	2100	70	HART
	2400	70	SCOTT

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	70	SCOTT
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Ayon
	1800	70	Ayon
	2100	70	Ayon
	2400	70	MARRON

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	70	MARION
	0600	71	PEEZE
	0900	75	PEEZE
	1200	79	PEEZE
	1500	81	Glorance
	1800	83	E-OCEGUEDA
	2100	83	U-Hernandez
	2400	83	SCOTT

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	80	HERNANDEZ
	0600	80	HERNANDEZ
	0900	82	PEEZE
	1200	85	PEEZE
	1500	80	Rodriguez
	1800	80	Rodriguez
	2100	80	Rodriguez
	2400	80	HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	70	UMANA
	0600	71	PEEZE
	0900	71	PEEZE
	1200	71	PEEZE
	1500	81	PEEZE
	1800	80	PEEZE
	2100	79	PEEZE
	2400	70	UMANA

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	70	UMANA
	0600	70	Anderson
	0900	70	Hallerson
	1200	72	Hallerson
	1500	78°	Xili
	1800	78°	Xili
	2100	70°	Xili
	2400	70	UMANA

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
9/24	0300	70	UMANA
	0600	70	A. Columbus
	0900	70	A. Columbus
	1200	70	A. Columbus
	1500	70	B. Rosario
	1800	70	B. Rosario
	2100	70	B. Rosario
	2400	70	UMANA

## Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	Parish
	0600	70	Parish
	0900	70	Parish
	1200	70	Parish
	1500	70	J. Aguirre
	1800	71	J. Aguirre
	2100	70	J. Aguirre
	2400	70	umana

## Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	68°	JACKARD
	0600	68°	Recinos
	0900	70	Recinos
	1200	70	Recinos
	1500	70	S. Juan
	1800	70	S. Juan
	2100	70	S. Juan
	2400	68°	JACKARD

## Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	69°	JACKARD
	0600	70	A. Columbus
	0900	70	A. Columbus
	1200	70	A. Columbus
	1500	72	H. Correa
	1800	72	H. Correa
	2100	70	H. Correa
	2400	69°	JACKARD

## Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	69°	JACKARD
	0600	70	A. Columbus
	0900	70	A. Columbus
	1200	70	R. Mendoza
	1500	70°	HART
	1800	70°	HART
	2100	70°	HART
	2400	69°	JACKARD

## Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	69°	JACKARD
	0600	70	A. Columbus
	0900	70	A. Columbus
	1200	70	A. Columbus
	1500	70°	F. Baca
	1800	70°	F. Baca
	2100	70°	E. Hernandez
	2400	69°	JACKARD

## Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	70	JACKARD
	0600	70	J. MILLER
	0900	70	J. MILLER
	1200	70	J. MILLER
	1500	70	K. Lopez
	1800	70	K. Lopez
	2100	70	K. Lopez
	2400	70	JACKARD

## Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	70°	GARCIA
	0600	70	BELIPE
	0900	70	BELIPE
	1200	70	BELIPE
	1500	70	NONON
	1800	70	NONON
	2100	70	NONON
	2400	71°	GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	70	CORONA
	0600	70	BELIPE
	0900	70	BELIPE
2024	1200	70	BELIPE
	1500	71	GUEFFA
	1800	71	GUEFFA
	2100	70	GUEFFA
	2400	70	CORONA

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	70°	McDonald
	0600	70	FELIPE
	0900	70	RECINO
	1200	70	RECINOS
	1500	70	RECINOS
	1800	70	RECINOS
	2100	70	RECINOS
	2400	70°	McDonald

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	70°	McDonald
	0600	70	REINAS
	0900	70	REINAS
	1200	70	REINAS
	1500	70	E. TAN
	1800	70	E. TAN
	2100	70	E. TAN
	2400	70°	McDonald

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	70	RECINOS
	0600	70	RECINOS
	0900	70	RECINA
	1200	70	REYNAS
	1500	70	E. TAN
	1800	70	E. TAN
	2100	70	E. TAN
	2400	70	McDonald

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	70°	McDonald
	0600	70°	G. AGUILERA
	0900	70°	G. AGUILERA
	1200	70°	G. AGUILERA
	1500	70	WONG
	1800	70	NONON
	2100	70	NONON
	2400	70°	McDonald

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	70	GARCIA
	0600	70	GARCIA
	0900	70	GARCIA
	1200	70	GARCIA
	1500	70	WONG
	1800	70	WONG
	2100	70	WONG
	2400	70	GARCIA

Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	70	E. Rodriguez
9/24	0600	70	Alfonso
9/24	0900	70	Alfonso
9/24	1200	70	Alfonso
9/24	1500	70	Carl
9/24	1800	70	M. Carl
9/24	2100	70	M. Carl
9/24	2400	70	E. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	70	E. Rodriguez
9/24	0600	70	Alfonso
9/24	0900	70	Alfonso
9/24	1200	70	Alfonso
9/24	1500	70	Carl
9/24	1800	70	Carl
9/24	2100	70	Peak
9/24	2400	70	E. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	70	E. Rodriguez
9/24	0600	70	Alfonso
9/24	0900	70	Alfonso
9/24	1200	70	Alfonso
9/24	1500	70	Carl
9/24	1800	70	Carl
9/24	2100	70	Carl
9/24	2400	70	E. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	70	Johnson
9/24	0600	70	Alfonso
9/24	0900	70	Alfonso
9/24	1200	70	Alfonso
9/24	1500	71	Peele
9/24	1800	72	Peele
9/24	2100	70	Peele
9/24	2400	70	Johnson

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	70	GARCIA
9/24	0600	70	Alfonso
9/24	0900	70	Alfonso
9/24	1200	70	Alfonso
9/24	1500	71	Peele
9/24	1800	70	Peele
9/24	2100	70	Peele
9/24	2400	70	GARCIA

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	70	Reynolds
9/24	0600	70	Reynolds
9/24	0900	70	Reynolds
9/24	1200	70	Reynolds
9/24	1500	70	Briones
9/24	1800	70	Caplinger
9/24	2100	70	Caplinger
9/24	2400	70	Briones

Notes

Date	Time	Temp.	Name (Print)
9/24	0300	70	Johnson
9/24	0600	70	Peele
9/24	0900	70	Reynolds
9/24	1200	70	Reynolds
9/24	1500	70	MILLER
9/24	1800	70	MILLER
9/24	2100	70	MILLER
9/24	2400	70	Johnson

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
09-02-2024	0300	68°	CRIDDLE
	0600	69	GUERRA
	0900	69	GUERRA
	1200	70	GUERRA
	1500	70	Hill
	1800	70	Hill
	2100	69	Hill
	2400	68	CRIDDLE

JL

Tuesday			
Date	Time	Temp.	Name (Print)
09-03-2024	0300	68	Evangelista
	0600	70	GUERRA
	0900	70	GUERRA
	1200	71	GUERRA
	1500	70	Hill
	1800	70	Hill
	2100	70	Hill
	2400	68	Evangelista

JL

Wednesday			
Date	Time	Temp.	Name (Print)
09-04-2024	0300	68	Evangelista
	0600	69	GUERRA
	0900	69	GUERRA
	1200	70	GUERRA
	1500	70	Hill
	1800	70	Hill
	2100	70	Hill
	2400	68	Evangelista

JL

Thursday			
Date	Time	Temp.	Name (Print)
09-05-2024	0300	70	CORONA
	0600	65	GUERRA
	0900	69	GUERRA
	1200	70	GUERRA
	1500	70	Hill
	1800	70	Hill
	2100	70	Hill
	2400	70	CORONA

JL

Friday			
Date	Time	Temp.	Name (Print)
09-06-2024	0300	70	CORONA
	0600	70	MES
	0900	70	MES
	1200	70	MES
	1500	69	SANGUIST
	1800	69	SANGUIST
	2100	69	SANGUIST
	2400	70	CORONA

JL

Saturday			
Date	Time	Temp.	Name (Print)
09-07-2024	0300	68°	CRIDDLE
	0600	70	SABIDO
	0900	70	SABIDO
	1200	70	SABIDO
	1500	70	SABIDO
	1800	70	SABIDO
	2100	70	SABIDO
	2400	68	CRIDDLE

JL

Sunday			
Date	Time	Temp.	Name (Print)
09-08-2024	0300	68°	CRIDDLE
	0600	68°	CRIDDLE
	0900	68°	CAZIERA
	1200	69°	WILLIAMS
	1500	70°	PUMIRIO
	1800	70	BURRS
	2100	70°	BURRS
	2400	68°	CRIDDLE

JL

Notes


STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9 1 24	0300	70°	S. DIXON
	0600	70	SABINO
	0900	71	SABINO
	1200	71	SABINO
	1500	70	GUERRA
	1800	70	GUERRA
	2100	69	GUERRA
	2400	70°	DIXON

Tuesday

Date	Time	Temp.	Name (Print)
9 1 24	0300	70°	DIXON
	0600	70°	T. HART
	0900	74°	HART
	1200	74	JARD
	1500	80°	C. OLIVAS
	1800	80	C. OLIVAS
	2100	79	C. OLIVAS
	2400	79°	DIXON

Wednesday

Date	Time	Temp.	Name (Print)
9 1 24	0300	71°	DIXON
	0600	71	SABINO
	0900	71	SABINO
	1200	71	SABINO
	1500	80	OLIVAS
	1800	80	OLIVAS
	2100	79	OLIVAS
	2400	71°	DIXON

Thursday

Date	Time	Temp.	Name (Print)
9 1 24	0300	71°	DIXON
	0600	74°	HART
	0900	74°	HART
	1200	74°	HART
	1500	75	SANQUIST
	1800	74	SANQUIST
	2100	72	SANQUIST
	2400	71°	DIXON

Friday

Date	Time	Temp.	Name (Print)
9 1 24	0300	71°	DIXON
	0600	70°	T. HART
	0900	74°	T. HART
	1200	70°	T. HART
	1500	80	ESTRADA
	1800	76	ESTRADA
	2100	72	ESTRADA
	2400	74	DIXON

Saturday

Date	Time	Temp.	Name (Print)
9 1 24	0300	70	CORONA
	0600	70°	T. HART
	0900	70°	HART
	1200	72°	HART
	1500	70	E. GRANADOS
	1800	70	E. GRANADOS
	2100	70	E. GRANADOS
	2400	70	CORONA

Sunday

Date	Time	Temp.	Name (Print)
9 1 24	0300	71°	BONAN
	0600	70°	BONAN
	0900	71°	BONAN
	1200	71°	BONAN
	1500	72	QUIROZ
	1800	74	QUIROZ
	2100	72	QUIROZ
	2400	70°	DIXON

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/21/24	0300	70	MILSON
	0600	70	SANQUIST
	0900	72	SANQUIST 1003900
	1200	74	SANQUIST
	1500	73	PELICHA
	1800	72	PELICHA
	2100	71	PELICHA
	2400	70	MILSON

Tuesday			
Date	Time	Temp.	Name (Print)
9/13/24	0300	70	MIRNA
	0600	70	SABUDO
	0900	70	SABUDO
	1200	73	SABUDO
	1500	71	UR2UAG
	1800	71	UR2UAG
	2100	71	UR2UAG
	2400	70	MIRNA

Wednesday			
Date	Time	Temp.	Name (Print)
9/4/24	0300	70	S. AGYAPONG
	0600	70	D. ORTENZ
	0900	70	D. ORTENZ
	1200	71	D. ORTENZ
	1500	71	A. LIGON
	1800	70	A. LIGON
	2100	70	A. LIGON
	2400	70	S. AGYAPONG

Thursday			
Date	Time	Temp.	Name (Print)
9/5/24	0300	70	S. AGYAPONG
	0600	70	SANQUIST
	0900	72	SANQUIST
	1200	74	SANQUIST
	1500	75	LONI
	1800	75	LONI
	2100	70	LONI
	2400	70	S. AGYAPONG

Friday			
Date	Time	Temp.	Name (Print)
9/6/24	0300	70	S. AGYAPONG
	0600	72	SANQUIST
	0900	72	SANQUIST 0946900
	1200	74	SANQUIST
	1500	74	PELICHA
	1800	74	PELICHA
	2100	71	PELICHA
	2400	70	S. AGYAPONG

Saturday			
Date	Time	Temp.	Name (Print)
9/7/24	0300	70	S. AGYAPONG
	0600	70	SANQUIST
	0900	72	SANQUIST 1000900
	1200	72	SANQUIST
	1500	73	PELICHA
	1800	73	PELICHA
	2100	71	PELICHA
	2400	70	S. AGYAPONG

Sunday			
Date	Time	Temp.	Name (Print)
9/8/24	0300	70	S. AGYAPONG
	0600	71	S. AGYAPONG
	0900	71	S. AGYAPONG
	1200	72	S. AGYAPONG
	1500	70	S. AGYAPONG
	1800	71	V. PELICHA
	2100	70	V. PELICHA
	2400	70	S. AGYAPONG

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1	0300	70	Miranda
	0600	70	Gomez
1/2	0900	71	M. R. Rodriguez
	1200	71	M. R. Rodriguez
1/3	1500	71	M. R. Rodriguez
	1800	71	M. R. Rodriguez
1/4	2100	71	M. R. Rodriguez
	2400	70	Miranda

Tuesday

Date	Time	Temp.	Name (Print)
9/1	0300	70	MILSON
3/2	0600	70	RODRIGUEZ
	0900	70	RODRIGUEZ
2/4	1200	70	RODRIGUEZ
	1500	70	Garcia
2/5	1800	71	GARCIA
	2100	70	GARCIA
2/6	2400	70	MILSON

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	70	MILSON
	0600	70	TERRIQUEZ
	0900	70°	TERRIQUEZ
	1200	70°	TERRIQUEZ
	1500	70	Garcia
	1800	70	Garcia
	2100	70	Garcia
	2400	70	MILSON

Thursday

Date	Time	Temp.	Name (Print)
	0300	70	MILSON/BALLET
	0600	70	A. ESPARZA
	0900	70	ESPARZA
	1200	70	ESPARZA
	1500	70°	G. AGUILERA
	1800	70°	G. AGUILERA
	2100	70°	G. AGUILERA
	2400	70	MILSON/BALLET

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	70	MILSON
	0600	70°	G. Hernandez
	0900	70	G. HERNANDEZ
	1200	70	G. HERNANDEZ
	1500	70°	X. Li
	1800	70°	X. Li
	2100	70°	X. Li
	2400	70	MILSON

Saturday

Date	Time	Temp.	Name (Print)
	0300	70	G. Hernandez
	0600	70	TERRIQUEZ
	0900	70	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	71	TERRIQUEZ
	1800	70	TERRIQUEZ
	2100	70	TERRIQUEZ
	2400	70	G. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	70	J. MATSUMURA
	0600	70	J. MATSUMURA
	0900	70	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	70	TERRIQUEZ
	1800	70	C. CHILLO
	2100	70	C. CHILLO
	2400	70	C. CHILLO

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FC B 5 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1	0300	72	S. OTOOLE
1/2	0600	70	S. OTOOLE
1/3	0900	75	LAMBERT
1/4	1200	73	LAMBERT
1/5	1500	78	R. HERNANDEZ
1/6	1800	78	R. HERNANDEZ
1/7	2100	75	R. HERNANDEZ
1/8	2400	74	S. OTOOLE

Tuesday

Date	Time	Temp.	Name (Print)
9/1	0300	71	S. OTOOLE
1/2	0600	69	S. OTOOLE
1/3	0900	72	E. OTHMA
1/4	1200	72	E. OTHMA
1/5	1500	70	Flores
1/6	1800	78	Flores
1/7	2100	78	DIOGU
1/8	2400	73	S. OTOOLE

Wednesday

Date	Time	Temp.	Name (Print)
9/1	0300	72	O'TOOLE
1/2	0600	70	O'TOOLE
1/3	0900	75	LAMBERT
1/4	1200	73	LAMBERT
1/5	1500	80	R. HERNANDEZ
1/6	1800	80	R. HERNANDEZ
1/7	2100	78	R. HERNANDEZ
1/8	2400	74	O'TOOLE

Thursday

Date	Time	Temp.	Name (Print)
9/1	0300	73	GROGAN
1/2	0600	70	LAMPY
1/3	0900	75	CAHILL
1/4	1200	80	TRUHAR
1/5	1500	80	R. HERNANDEZ
1/6	1800	82	R. HERNANDEZ
1/7	2100	80	R. HERNANDEZ
1/8	2400	75	GROGAN

Friday

Date	Time	Temp.	Name (Print)
9/1	0300	73	MIRMAN
1/2	0600	70	LAMBERT
1/3	0900	80	LAMBERT
1/4	1200	80	LAMBERT
1/5	1500	82	O'NEIL
1/6	1800	80	LI
1/7	2100	76	LI
1/8	2400	75	MIRMAN

Saturday

Date	Time	Temp.	Name (Print)
9/1	0300	71	MIRMAN
1/2	0600	84	MIRMAN
1/3	0900	84	MIRMAN
1/4	1200	84	MIRMAN
1/5	1500	84	ELIAS
1/6	1800	79	TERRELL
1/7	2100	74	TERRELL
1/8	2400	74	MIRMAN

Notes

9/3/24 1<sup>st</sup> stage at 1:00 hrs.

Date	Time	Temp.	Name (Print)
9/1	0300	78	E. JIMENEZ
1/2	0600	78	N. FLORES
1/3	0900	79	N. FLORES
1/4	1200	79	N. FLORES
1/5	1500	75	N. FLORES
1/6	1800	73	N. FLORES
1/7	2100	72	N. FLORES
1/8	2400	70	N. FLORES

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/21/24	0300	80	Murine
0600	78	A. Jimenez	
0900	77	A. Jimenez	
1200	78	A. Jimenez	
1500	80	A. Jimenez	
1800	81	A. Jimenez	
2100	80	A. Jimenez	
2400	80	Murine	

Tuesday

Date	Time	Temp.	Name (Print)
9/21/24	0300	80	Murine
0600	77	A. Jimenez	
0900	77	A. Jimenez	
1200	77	A. Jimenez	
1500	80	A. Jimenez	
1800	80	Davis	
2100	81	DAVIS	
2400	80	Murine	

Wednesday

Date	Time	Temp.	Name (Print)
9/21/24	0300	80	A. Lopez
0600	77	D. Lopez	
0900	77	D. Lopez	
1200	80	D. Lopez	
1500	81	D. Lopez	
1800	82	D. Lopez	
2100	81	D. Lopez	
2400	80	A. Lopez	

Thursday

Date	Time	Temp.	Name (Print)
9/21/24	0300	80	STANLEY
0600	78	J. Hernandez	
0900	78	J. Hernandez	
1200	81	J. Hernandez	
1500	81	J. Lopez	
1800	81	J. Lopez	
2100	81	J. Lopez	
2400	80	STANLEY	

Friday

Date	Time	Temp.	Name (Print)
9/21/24	0300	80	STANLEY
0600	78	Hernandez	
0900	78	Hernandez	
1200	80	Hernandez	
1500	80	Hernandez	
1800	80	CUST 10	
2100	80	CUST 10	
2400	80	STANLEY	

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	74	C. Holmes
0600	78	ARGUELLES	
0900	78	ARGUELLES	
1200	78	J. Garcia	
1500	79	N. Flores	
1800	78	N. Flores	
2100	79	N. Flores	
2400	70	C. Holmes	

Sunday

Date	Time	Temp.	Name (Print)
9/21/24	0300	78*	STANLEY
0600	77	Murine	
0900	77	A. Jimenez	
1200	78	A. Jimenez	
1500	78	A. Jimenez	
1800	79	A. Jimenez	
2100	79	A. Jimenez	
2400	78	STANLEY	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D-2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-2-24

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	M. CRISTWELL
0600	74	E. Hernandez	
0900	74	E. Hernandez	
1200	76	E. Hernandez	
1500	77	W. Sanchez	
1800	77	W. Sanchez	
2100	77	W. Sanchez	
2400	70	M. CRISTWELL	

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	75°	M. CRISTWELL
0600	75°	Barnes	
0900	75°	Barnes	
1200	75°	Barnes	
1500	67°	Rios	
1800	67°	ACEVEDO	
2100	67°	ACEVEDO	
2400	76	M. CRISTWELL	

Wednesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	78°	J. Acuña
0600	74°	J. Urt	
0900	74	J. Urt	
1200	81	J. Urt	
1500	80	M. Caceres	
1800	80	M. Caceres	
2100	80	M. Caceres	
2400	79°	J. Acuña	

Thursday

Date	Time	Temp.	Name (Print)
9/24/24	0300	79	Murie
0600	76°	Barnes	
0900	76	Barnes	
1200	77°	Barnes	
1500	79	Murie	
1800	79	Murie	
2100	79	Murie	
2400	79	Murie	

Friday

Date	Time	Temp.	Name (Print)
9/24/24	0300	78	Murie
0600	77°	Barnes	
0900	77°	Barnes	
1200	78°	Barnes	
1500	79	CADENA	
1800	79	CADENA	
2100	79	CADENA	
2400	79	Murie	

Saturday

Date	Time	Temp.	Name (Print)
9/24/24	0300	78	J. MILLER
0600	78	Flores	
0900	78	Flores	
1200	78	Flores	
1500	80	CASTRO	
1800	80	CASTRO	
2100	78	CASTRO	
2400	78	J. MILLER	

Sunday

Date	Time	Temp.	Name (Print)
9/24/24	0300	73	C. Holmes
0600	78	J. GARCIA	
0900	77	J. GARCIA	
1200	78	J. GARCIA	
1500	78	W. Sanchez	
1800	79	W. Sanchez	
2100	79	W. Sanchez	
2400	73	C. Holmes	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/21	0800	70°	STANLEY
	0600	71°	Reyes CR
	0900	71°	Reyes CR
	1200	71°	Reyes CR
	1500	76°	D. CRA
	1800	70°	D. CRA
	2100	71°	D. CRA
	2400	72°	STANLEY

Wednesday

Date	Time	Temp.	Name (Print)
9/14/24	0300	77	VEGA
	0600	78	Sciaro
	0900	78°	Sciaro
	1200	78°	Sciaro
	1500	74	Anil
	1800	74	Anil
	2100	72	Anil
	2400	73	VEGA

Friday

Date	Time	Temp.	Name (Print)
9/16/24	0300	72	VEGA
	0600	72	Anil
	0900	72	Anil
	1200	72	Anil
	1500	73°	Rovira CR
	1800	73	Rovira
	2100	73	Rovira
	2400	73	VEGA

Sunday

Date	Time	Temp.	Name (Print)
9/18/24	0300	71°	Rovira
	0600	71°	Reyes CR
	0900	71°	Reyes CR
	1200	71°	Reyes CR
	1500	73°	Rovira
	1800	73°	Rovira
	2100	73°	Rovira
	2400	72°	STANLEY

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	71°	J. Carter
	0600	72	E. Hernandez
	0900	72	E. Hernandez
	1200	72	E. Hernandez
	1500	73	N. Sanchez
	1800	73	N. Sanchez
	2100	73	N. Sanchez
	2400	72°	VEGA

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	71°	VEGA
	0600	72	Anil
	0900	72	Anil
	1200	72	Anil
	1500	73°	Rovira
	1800	74°	Rovira
	2100	73°	Rovira
	2400	73	VEGA

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	73	VEGA
	0600	74°	Reyes CR
	0900	74°	Reyes CR
	1200	74°	Reyes CR
	1500	73°	Rovira
	1800	73°	Rovira
	2100	73°	Rovira
	2400	73°	VEGA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D 4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9 /2 24	0300	70	S. Carter
	0600	75	J. Higuer
	0900	70	J. Higuer
	1200	70	J. Higuer
	1500	70	J. AREAS
	1800	70	J. AREAS
	2100	70	S. ARIAS
	2400	70	J. Carter

Wednesday

Date	Time	Temp.	Name (Print)
9 /4 24	0300	74	R. Phillips
	0600	74	A. Arevalo
	0900	74	A. Arevalo
	1200	74	A. Arevalo
	1500	74	J. AREAS
	1800	74	Arias
	2100	74	Arias
	2400	74	R. Phillips

Friday

Date	Time	Temp.	Name (Print)
9 /4 24	0300	74	R. Phillips
	0600	74	Machado
	0900	74	Machado
	1200	70	Machado
	1500	76	Arias
	1800	76	Arias
	2100	76	Arias
	2400	74	R. Phillips

Sunday

Date	Time	Temp.	Name (Print)
9 /8 24	0300	70	J. Carter
	0600	72	Marcos
	0900	74	Marcos
	1200	70	Marcos
	1500	78	J. AREAS
	1800	78	J. AREAS
	2100	74	J. AREAS
	2400	70	J. Carter

Tuesday

Date	Time	Temp.	Name (Print)
9 /3 24	0300	72	F. Phillips
	0600	75	A. Arevalo
	0900	75	A. Arevalo
	1200	69	A. Arevalo
	1500	80	J. ARTIS
	1800	75	J. ARTIS
	2100	70	S. AREAS
	2400	72	J. Phillips

Thursday

Date	Time	Temp.	Name (Print)
9 /5 24	0300	74	R. Phillips
	0600	74	Machado
	0900	74	Machado
	1200	74	Machado
	1500	74	Arias
	1800	74	Arias
	2100	72	Arias
	2400	74	R. Phillips

Saturday

Date	Time	Temp.	Name (Print)
9 /7 24	0300	74	R. Phillips
	0600	70	A. Arevalo
	0900	70	A. Arevalo
	1200	60	A. Arevalo
	1500	80	J. ARTIS
	1800	80	J. ARTIS
	2100	75	J. ARTIS
	2400	74	R. Phillips

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D5 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	69°	Serrato
	0600	70°	MENDOZA
	0900	70°	MENDOZA
	1200	70°	MENDOZA
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	69°	Serrato

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	70°	Serrato
	0600	70°	MENDOZA
	0900	70°	MENDOZA
	1200	70°	MENDOZA
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	Serrato

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	70°	Richardson
	0600	70°	MENDOZA
	0900	70°	MENDOZA
	1200	70°	MENDOZA
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	Richardson

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	70°	Richardson
	0600	70°	MENDOZA
	0900	70°	MENDOZA
	1200	70°	MENDOZA
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	Richardson

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	70°	J. CURTIS
	0600	70°	MENDOZA
	0900	70°	MENDOZA
	1200	70°	MENDOZA
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	J. CURTIS

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	70°	J. CURTIS
	0600	65°	Machado
	0900	65°	Machado
	1200	70°	Machado
	1500	70°	Alvarez
	1800	70°	Alvarez
	2100	65°	Alvarez
	2400	70°	J. CURTIS

Notes

2250 hrs - 9/5/24 Heat alert deactivated

Date	Time	Temp.	Name (Print)
9/8/24	0300	70°	M. DIXON
	0600	70°	Machado
	0900	70°	Machado
	1200	70°	Machado
	1500	70°	Machado
	1800	70°	Machado
	2100	70°	Machado
	2400	70°	M. DIXON

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CSPAC Housing Unit: Infirmary

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/11/2018	0300	72	Olive
	0600	73	Oliver
	0900	73	OT
	1200	73	OTS
	1500	74	Olivier
	1800	73	OLIVER
	2100	73	OLIVER
	2400	72	Pogg

Tuesday

Date	Time	Temp.	Name (Print)
5/12/2018	0300	72	Pogg
	0600	72	Christiansen
	0900	73	CHRISTIANSEN
	1200	72	SPL
	1500	73	OTIVER
	1800	74	OLIVE
	2100	73	OLIVER
	2400	70	Pogg

Wednesday

Date	Time	Temp.	Name (Print)
5/13/2018	0300	70	Pogg
	0600	71	Christiansen
	0900	72	Christiansen
	1200	73	Christiansen
	1500	72	OSCEOLA
	1800	72	JELING
	2100	72	OSCEOLA
	2400	72	Pogg

Thursday

Date	Time	Temp.	Name (Print)
5/14/2018	0300	72	OSCEOLA
	0600	72	Christiansen
	0900	72	CHRISTIANSEN
	1200	72	Christiansen
	1500	72	RICHARDSON
	1800	72	RICHARDSON
	2100	72	RICHARDSON
	2400	72	MALDONADO

Friday

Date	Time	Temp.	Name (Print)
5/15/2018	0300	72°	MALDONADO
	0600	72	Christiansen
	0900	72	Christiansen
	1200	72	Johnson
	1500	72	Johnson
	1800	72	Johnson
	2100	72	Johnson
	2400	72	CHEE

Saturday

Date	Time	Temp.	Name (Print)
5/16/2018	0300	72	J-Galapon
	0600	72	TWENTYNINE
	0900	72°	S-YANEZ
	1200	72°	S-YANEZ
	1500	72	Johnson
	1800	72	Johnson
	2100	72	Johnson
	2400	72	J-Galapon

Notes

Date	Time	Temp.	Name (Print)
5/17/2018	0300	72	Pogg
	0600	72°	S-YANEZ
	0900	73	YANEZ
	1200	73	YANEZ
	1500	72	Iwuchukwu
	1800	71	Iwuchukwu
	2100	72	Iwuchukwu
	2400	71	Iwuchukwu

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR-2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 9, 2024	0100	79	AYALA
	0200	76	L.Villa
	0300	73	L.Villa
	0400	71	L.Villa
	0500	71	L.Villa
	0600	71	Puentes
	0700	71	Puentes
	0800	77	Puentes
	0900	84	Puentes
	1000	90	Puentes
	1100	94	Puentes
	1200	100	Puentes
	1300	102	Puentes
	1400	103	Puentes
	1500	101	Puentes
	1600	98	Puentes
	1700	95	Puentes
	1800	93	Puentes
	1900	91	Puentes
	2000	89	Puentes
	2100	88	Puentes
	2200	84°	ABEL
	2300	81°	ABEL
	2400	80°	ABEL

HEAT ALERT

START 1000

END 2100

DISTRIBUTION: Original: Institution ADA Coordinator

Date	Time	Temp.	Printed Name
SEPTEMBER 10, 2024	0100	78°	ABEL
	0200	76°	ABEL
	0300	75°	ABEL
	0400	73°	ABEL
	0500	72°	ABEL
	0600	71	NUNEZ
	0700	73	NUNEZ
	0800	75	NUNEZ
	0900	82	NUNEZ
	1000	89	NUNEZ
	1100	93	NUNEZ
	1200	95	NUNEZ
	1300	97	NUNEZ
	1400	97	Puentes
	1500	96	Puentes
	1600	93	Puentes
	1700	94	Puentes
	1800	91	Puentes
	1900	89	Puentes
	2000	86	Puentes
	2100	82	Puentes
	2200	78	WINGFIELD
	2300	76	WINGFIELD
	2400	74	WINGFIELD

HEAT ALERT

START 1000

END 2000

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature:

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/11 2024	0100	75	LINGFIELD
	0200	73	LINGFIELD
	0300	71	LINGFIELD
	0400	70	LINGFIELD
	0500	70	LINGFIELD
	0600	71	NUNEZ
	0700	74	NUNEZ
	0800	78	NUNEZ
	0900	82	NUNEZ
	1000	84	NUNEZ
	1100	87	NUNEZ
	1200	88	NUNEZ
	1300	81	NUNEZ
	1400	82	Puentes
	1500	89	Puentes
	1600	85	Puentes
	1700	83	Puentes
	1800	80	Puentes
	1900	78	Puentes
	2000	77	Puentes
	2100	76	Puentes
	2200	73	LINGFIELD
	2300	72	LINGFIELD
	2400	72	LINGFIELD

STAGE 1 HEAT ALERT

START 1230

END 1600

DISTRIBUTION: Original: Institution ADA Coordinator

Date	Time	Temp.	Printed Name
9/12 2024	0100	72	LINGFIELD
	0200	70	LINGFIELD
	0300	68	LINGFIELD
	0400	68	LINGFIELD
	0500	68	LINGFIELD
	0600	63	NUNEZ
	0700	65	NUNEZ
	0800	69	NUNEZ
	0900	73	NUNEZ
	1000	77	NUNEZ
	1100	81	NUNEZ
	1200	84	NUNEZ
	1300	88	NUNEZ
	1400	89	A. Puentes
	1500	89	A Puentes
	1600	89	A. Puentes
	1700	88	A. Puentes
	1800	84	A Puentes
	1900	80	A.Puentes
	2000	76	A.Puentes
	2100	72	A. Puentes
	2200	70	L. LINGFIELD
	2300	68	L. LINGFIELD
	2400	67	L. LINGFIELD

STAGE 1 HEAT ALERT

START \_\_\_\_\_

END \_\_\_\_\_

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 13, 2024	0100	64	WINGFIELD
	0200	62	WINGFIELD
	0300	62	WINGFIELD
	0400	62	WINGFIELD
	0500	62	WINGFIELD
	0600	60	C.Gewirtz
	0700	64	C.Gewirtz
	0800	66	C.Gewirtz
	0900	70	C.Gewirtz
	1000	75	C.Gewirtz
	1100	81	C.Gewirtz
	1200	86	C.Gewirtz
	1300	90	C.Gewirtz
	1400	90	C.Gewirtz
	1500	91	C.Gewirtz
	1600	91	C.Gewirtz
	1700	90	C.Gewirtz
	1800	84	C.Gewirtz
	1900	79	C.Gewirtz
	2000	77	C.Gewirtz
	2100	76	C.Gewirtz
	2200	74	WINGFIELD
	2300	74	WINGFIELD
	2400	74	WINGFIELD

Date	Time	Temp.	Printed Name
SEPTEMBER 14, 2024	0100	72	WINGFIELD
	0200	70	WINGFIELD
	0300	69	WINGFIELD
	0400	64	WINGFIELD
	0500	65	WINGFIELD
	0600	63	C.Gewirtz
	0700	64	C.Gewirtz
	0800	65	C.Gewirtz
	0900	72	C.Gewirtz
	1000	80	C.Gewirtz
	1100	85	C.Gewirtz
	1200	89	C.Gewirtz
	1300	91	C.Gewirtz
	1400	92	C.Gewirtz
	1500	91	C.Gewirtz
	1600	90	C.Gewirtz
	1700	86	C.Gewirtz
	1800	82	C.Gewirtz
	1900	78	C.Gewirtz
	2000	75	C.Gewirtz
	2100	73	C.Gewirtz
	2200	74	WINGFIELD
	2300	74	WINGFIELD
	2400	74	WINGFIELD

Stage 1 1355 ACTIVATED  
1805 DEACTIVATED

Stage 1 1250 ACTIVATED  
1705 DEACTIVATED

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 15, 2024	0100	74	GINGFIELD
	0200	73	GINGFIELD
	0300	73	GINGFIELD
	0400	71	GINGFIELD
	0500	70	GINGFIELD
	0600	70	A. Ruentes
	0700	70	A. Ruentes
	0800	74	Puentes
	0900	76	Puentes
	1000	78	Puentes
	1100	62	Puentes
	1200	81	Puentes
	1300	80	Puentes
	1400	75	Puentes
	1500	75	Puentes
	1600	73	Puentes
	1700	72	Puentes
	1800	72	Puentes
	1900	69	Puentes
	2000	66	Puentes
	2100	66	Puentes
	2200	65	GARREN
	2300	64	GARREN
	2400	64	GARREN

Stage 1  ACTIVATED  
 DEACTIVATED

Date	Time	Temp.	Printed Name
SEPTEMBER 16, 2024	0100	64	GARREN
	0200	64	GARREN
	0300	63	GARREN
	0400	63	GARREN
	0500	62	GARREN
	0600	60	NUNEZ
	0700	60	NUNEZ
	0800	62	NUNEZ
	0900	64	NUNEZ
	1000	67	NUNEZ
	1100	70	NUNEZ
	1200	71	NUNEZ
	1300	73	NUNEZ
	1400	72	Puentes
	1500	72	Puentes
	1600	70	Puentes
	1700	69	Puentes
	1800	67	Puentes
	1900	66	Puentes
	2000	65	Puentes
	2100	64	Puentes
	2200	63°	ABEL
	2300	61°	ABEL
	2400	61°	ABEL

Stage 1  ACTIVATED  
 DEACTIVATED

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: MSF - DORM 1 Temp. Reading Location: DAY ROOM

Immediately notify the Watch Commander at extension 5551 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	79	SILVA
	0600	75	SILVA
	0900	76	EVANGELIST
	1200	78	EVANGELIST
	1500	80°	M. CONTRERAS
	1800	80°	M. CONTRERAS
	2100	80°	M. CONTRERAS
	2400	72	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	77	VACAN
	0600	74	EVANGELIST
	0900	76	EVANGELIST
	1200	78	EVANGELIST
	1500	80°	M. CONTRERAS
	1800	80°	M. CONTRERAS
	2100	80°	M. CONTRERAS
	2400	79	VACAN

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	75	VACAN
	0600	73	EVANGELIST
	0900	75	EVANGELIST
	1200	75	EVANGELIST
	1500	79°	M. CONTRERAS
	1800	79°	M. CONTRERAS
	2100	79°	M. CONTRERAS
	2400	79	VACAN

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	75	VACAN
	0600	70	CHESLUSSEN
	0900	70	CHESLUSSEN
	1200	74	CHESLUSSEN
	1500	71	BRIAGG
	1800	78	BRIAGG
	2100	77	BRIAGG
	2400	79	VACAN

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	79	VACAN
	0600	73	VACAN
	0900	73	VACAN
	1200	73	VACAN
	1500	75	BRIAGG
	1800	75	BRIAGG
	2100	74	BRIAGG
	2400	79	VACAN

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	79	VACAN
	0600	73	VACAN
	0900	74°	CRIDDLE
	1200	75°	CRIDDLE
	1500	79°	M. CONTRERAS
	1800	79°	M. CONTRERAS
	2100	79°	M. CONTRERAS
	2400	79	VACAN

Notes

1000 STAGE 1 9/9/24

1005 STAGE 1 9/10/24

1230 STAGE 1 9/11/24

9/14/24 @ 1250 1ST STAGE HEAT ALERT

Date	Time	Temp.	Name (Print)
9/15/24	0300	72	HIDALGO
	0600	74	HIDALGO
	0900	74°	CRIDDLE
	1200	74°	CRIDDLE
	1500	74	FERRSG
	1800	74	FERRSG
	2100	73	FERRSG
	2400	79	HIDALGO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.


Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 09/09/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	72	70	77	79	70	61	60	70	F. GUTIERREZ	J. Smith
03:00	72	69	75	79	70	64	61	70	F. GUTIERREZ	J. Smith
06:00	65	65	73	79	66	64	61	65	M. Velazquez	<u>MMV</u>
09:00	64	66	76	79	68	64	61	70	M. Velazquez	<u>MMV</u>
12:00	72	68	78	79	70	65	61	70	M. Velazquez	<u>MMV</u>
15:00	72°	69°	78°	79°	70°	65°	60°	70°	J. Acuña	<u>J. Acuña</u>
18:00	71°	69°	78°	79°	70°	69°	66°	70°	J. Acuña	<u>J. Acuña</u>
21:00	71°	69°	77°	79°	70°	62°	60°	70°	J. Acuña	<u>J. Acuña</u>

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

  
ASU-1 Lieutenant

9/14/24  
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: Sept 10, 24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	70	70	80	80	70°	60	60	70	STEPHENSON	cSteph
03:00	72	70	72	80	70	60	60	70	STEPHENSON	cSteph
06:00	72	68	78	78	70	64	62	70	Funes	cr
09:00	72	68	68	78	70	68	64	70	Funes	cr
12:00	72	70	70	78	70	68	62	70	Funes	g
15:00	72	70	70	78	70	68	62	70	Sirko	Lulu
18:00	72	70	70	78	70	68	62	70	Sirko	Lulu
21:00	72	70	70	78	70	68	62	70	Sirko	Lulu

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

L. Dom  
ASU-1 Lieutenant

L. Dom  
Date a/16/21

CALIFORNIA STATE PRISON – LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9/11/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	70	70	78	78	70	62	62	70	Sirko	<i>Sirko</i>
03:00	72	70	72	78	70	62	62	70	Sirko	<i>Sirko</i>
06:00	72	68	66	68	70	68	66	70	Phipps	<i>Phipps</i>
09:00	72	70	68	70	71	69	68	72	Phipps	<i>Phipps</i>
12:00	73	71	69	71	72	70	69	73	Phipps	<i>Phipps</i>
15:00	70	70	67	70	70	66	60	70	Fines	<i>Fines</i>
18:00	70	70	66	70	70	66	60	72	Fines	<i>Fines</i>
21:00	70	70	66	70	70	66	62	70	Fines	<i>Fines</i>

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

*L. Rom* *LL*  
ASU-1 Lieutenant

*a/14/24*  
Date



CALIFORNIA STATE PRISON – LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9/12/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	70	70	64	66	70	68	64	70	Finn	
03:00	70	68	64	68	70	68	64	70	Finn	
06:00	70	68	64	68	70	68	64	70	Phipps	
09:00	71	69	65	68	70	69	65	71	Phipps	
12:00	72	70	65	68	70	70	65	72	Phipps	
15:00	71	70	66	68	70	70	65	72	Sirko	
18:00	72	70	66	68	70	70	65	72	Sirko	
21:00	70	68	64	68	70	66	64	70	Sirko	

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

  
ASU-1 Lieutenant

9/14/24  
Date







CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9-13-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	69°	68°	65°	67°	70°	67°	62°	70°	J. Aquilano	
03:00	69°	67°	65°	67°	70°	68°	63°	70°	J. Aquilano	
06:00	70	68	65	65	70	68	63	70	A. Daniels	
09:00	70	68	66	68	70	68	64	70	Funes	
12:00	70	68	68	68	70	68	64	70	Funes	
15:00	70	68	68	68	70	68	64	70	Sirko	
18:00	70	68	68	68	70	68	64	70	Sirko	
21:00	70	68	68	68	70	68	64	70	Sirko	

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

9/14/24

CALIFORNIA STATE PRISON – LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9-14-24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	69	68	65	67	69	68	63	70	Sinko	<i>Sinko</i>
03:00	69	68	65	67	69	68	63	70	Sinko	<i>Sinko</i>
06:00	69	68	65	68	70	68	65	70	I. GARCIA	<i>I. Garcia</i>
09:00	69	68	67	68	70	68	63	70	S Bone	<i>S. Bone</i>
12:00	70	68	66	67	70	68	63	70	S Bone	<i>S. Bone</i>
15:00	70	68	66	67	70	68	63	70	Sinko	<i>Sinko</i>
18:00	70	68	66	67	70	68	63	70	Sinko	<i>Sinko</i>
21:00	70	68	66	67	70	68	63	70	Sinko	<i>Sinko</i>

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

*L. Ron C.H.*  
ASU-1 Lieutenant

*9/16/24*  
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.


Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 09/15/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	70	66	65	67	70	68	62	70	F. GUTIERREZ	<u>J. Smith</u>
03:00	70	67	66	67	70	68	65	70	F. GUTIERREZ	<u>J. Smith</u>
06:00	70	66	66	67	70	68	65	70	M. SGT	<u>M. SGT</u>
09:00	70	67	66	67	69	68	64	70	M. SGT	<u>M. SGT</u>
12:00	70	67	66	67	70	68	65	70	M. SGT	<u>M. SGT</u>
15:00	70	67	65	67	70	68	64	70	S. BONE	<u>S. BONE</u>
18:00	70	66	66	67	70	68	64	70	S. BONE	<u>S. BONE</u>
21:00	70	66	65	67	70	68	63	70	S. BONE	<u>S. BONE</u>

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

  
ASU-1 Lieutenant

9/16/24  
Date

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	80	Rodriguez JL
	0600	80	Rodriguez JL
	0900	80	Rodriguez JL
	1200	80	Rodriguez JL
	1500	81	Rodriguez
	1800	81	D-Rodriguez
	2100	81	D-Rodriguez
	2400	80	Fors

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	80	Fors
11/24	0600	81	Rodriguez JL
	0900	81	Rodriguez JL
	1200	82	Rodriguez JL
	1500	82	Rodriguez JL
	1800	82	Rodriguez
	2100	82	Rodriguez
	2400	80	Fors

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	80	Tomar
11/24	0600	70	Tomar
	0900	70	Tomar
	1200	70	Tomar
	1500	72	Gonzales
	1800	72	Gonzales
	2100	71	Gonzales
	2400	70	Fors

Sunday

Date	Time	Temp.	Name (Print)
9/24	0300	70	Fors
	0600	70	Morales
	0900	70	Morales
	1200	71	Morales
	1500	70	E.Granados
	1800	70	E.Granados
	2100	70	E.Granados
	2400	70	Fors

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	80	Fors
10/24	0600	80	Morales JL
	0900	80	Morales JL
	1200	80	Morales JL
	1500	80	Alabone
	1800	80	Alabone
	2100	79	Alabone
	2400	80	Fors

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	80	J-S JL
	0600	79	Morales JL
	0900	79	Morales JL
	1200	80	Morales JL
	1500	81	Rodriguez
	1800	81	Rodriguez
	2100	81	Rodriguez
	2400	80	J-S JL

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	70	Fors
10/24	0600	70	Tomar
	0900	67	Tomar
	1200	70	Tomar
	1500	71	Gonzales
	1800	71	Gonzales
	2100	71	Gonzales
	2400	70	Fors

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	70	<u>M PRESNELL</u>
	0600	70	<u>TOMIE</u>
	0900	70	<u>TOMIE</u>
	1200	70	<u>TOMIE</u>
	1500	70	<u>Gonzalez</u>
	1800	71	<u>Gonzalez</u>
	2100	71	<u>Gonzalez</u>
	2400	70	<u>M PRESNELL</u>

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	70	<u>M PRESNELL</u>
	0600	70	<u>F. ESTRADA</u>
	0900	70	<u>F. ESTRADA</u>
	1200	71	<u>F. ESTRADA</u>
	1500	71	<u>OLLA</u>
	1800	71	<u>OLLA</u>
	2100	71	<u>OLLA</u>
	2400	70	<u>M PRESNELL</u>

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	70	<u>M PRESNELL</u>
	0600	70	<u>F. ESTRADA</u>
	0900	70	<u>F. ESTRADA</u>
	1200	70	<u>F. ESTRADA</u>
	1500	70	<u>OLLA</u>
	1800	70	<u>OLLA</u>
	2100	70	<u>OLLA</u>
	2400	70	<u>M PRESNELL</u>

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	70	<u>M PRESNELL</u>
	0600	70	<u>F. ESTRADA</u>
	0900	70	<u>F. ESTRADA</u>
	1200	70	<u>F. ESTRADA</u>
	1500	70	<u>OLLA</u>
	1800	70	<u>OLLA</u>
	2100	70	<u>OLLA</u>
	2400	70	<u>M PRESNELL</u>

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	70	<u>M PRESNELL</u>
	0600	70	<u>F. ESTRADA</u>
	0900	70	<u>F. ESTRADA</u>
	1200	71	<u>F. ESTRADA</u>
	1500	70	<u>OLLA</u>
	1800	70	<u>OLLA</u>
	2100	70	<u>OLLA</u>
	2400	70	<u>J. SOLIS</u>

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	70	<u>J. SOLIS</u>
	0600	70	<u>F. ESTRADA</u>
	0900	70	<u>F. ESTRADA</u>
	1200	70	<u>F. ESTRADA</u>
	1500	70	<u>OLLA</u>
	1800	70	<u>OLLA</u>
	2100	70	<u>OLLA</u>
	2400	70	<u>J. SOLIS</u>

Sunday

Date	Time	Temp.	Name (Print)
9/24	0300	70	<u>J. SOLIS</u>
	0600	70	<u>J. SOLIS</u>
	0900	70	<u>C. MARELLO</u>
	1200	70	<u>C. MARELLO</u>
	1500	70	<u>Florres</u>
	1800	70	<u>PLOPS</u>
	2100	70	<u>PLOPS</u>
	2400	70	<u>M PRESNELL</u>

Notes

9/10/24 - S.A.H.T Deactivated @ 2000 hours

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A-3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
7/9/24	0300	71	J. Solis
	0600	68	E. Grandes
	0900	70	E. Grandes
	1200	70	E. Grandes
	1500	71	GUEVARA
	1800	72	GUEVARA
	2100	72	GUEVARA
	2400	72	J. Solis

Date	Time	Temp.	Name (Print)
7/10/24	0300	70	D. Woodard
	0600	70	TOM
	0900	70	TOM
	1200	70	TOM
	1500	71	Gonzales
	1800	71	Gonzales
	2100	71	Gonzales
	2400	70	D. Woodard

Date	Time	Temp.	Name (Print)
9/11/24	0300	70°	STORY
	0600	70	LAW
	0900	70	LAW
	1200	70	LAW
	1500	70	MARTIN
	1800	70	MARTIN
	2100	70	MARTIN
	2400	70	MARTIN

Date	Time	Temp.	Name (Print)
9/12/24	0300	70	MARTIN
	0600	68	E. Grandes
	0900	69	E. Grandes
	1200	70	E. Grandes
	1500	70	NUNEZ
	1800	70	NUNEZ
	2100	70	NUNEZ
	2400	70	MARTIN

Date	Time	Temp.	Name (Print)
9/13/24	0300	70	MARTIN
	0600	69	E. Grandes
	0900	70	E. Grandes
	1200	70	E. Grandes
	1500	70	NUNEZ
	1800	70	NUNEZ
	2100	70	NUNEZ
	2400	70	MARTIN

Date	Time	Temp.	Name (Print)
9/14/24	0300	70	MARTIN
	0600	68	E. Grandes
	0900	68	E. Grandes
	1200	68	E. Grandes
	1500	70	D. Chaney
	1800	70	D. Chaney
	2100	70	D. Chaney
	2400	70	MARTIN

Date	Time	Temp.	Name (Print)
9/15/24	0300	70	OLLA
	0600	70	BUTTER
	0900	70	BUTTER
	1200	68	E. Grandes
	1500	70	D. Chaney
	1800	70	D. Chaney
	2100	70	D. Chaney
	2400	70	OLLA

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A 4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	69	BOLD	
0600	68	MURKEL	
0900	72	MURKEL	
1200	75	MURKEL	
1500	75	FLORES	
1800	75	FLORES	
2100	74	FLORES	
2400	70	BOLD	

Wednesday

Date	Time	Temp.	Name (Print)
0300	69	LOPEZ	
0600	71	L. Thomas	
0900	71	L. Thomas	
1200	71	L. Thomas	
1500	72	FLORES	
1800	72	FLORES	
2100	72	FLORES	
2400	69	LOPEZ	

Friday

Date	Time	Temp.	Name (Print)
0300	71	Hernandez	
0600	71	MANGUM	
0900	71	MANGUM	
1200	72	MANGUM	
1500	72	Fuentes	
1800	72	Fuentes	
2100	72	Fuentes	
2400	71	Hernandez	

Sunday

Date	Time	Temp.	Name (Print)
0300	70	D. WOODARD	
0600	70°	J. FLETES	
0900	70°	J. FLETES	
1200	71°	J. FLETES	
1500	72	FLORES	
1800	72	FLORES	
2100	71	FLORES	
2400	70	D. WOODARD	

Tuesday

Date	Time	Temp.	Name (Print)
0300	73	Alauda	
0600	74	R. REYES	
0900	73	R. REYES	
1200	73	R. REYES	
1500	75	FLORES	
1800	72	FLORES	
2100	71	FLORES	
2400	73	Alauda	

Thursday

Date	Time	Temp.	Name (Print)
0300	72	CHARTO	
0600	76	GARALOZ	
0900	71	LOW	
1200	71	LOW	
1500	72	LOW	
1800	71	LOW	
2100	71	LOW	
2400	72	CHARTO	

Saturday

Date	Time	Temp.	Name (Print)
0300	71	K. DORAME	
0600	71	MATINIAN	
0900	71	MATINIAN	
1200	72	MATINIAN	
1500	72	S. BROWN	
1800	72	A. DORAME	
2100	71	A. DORAME	
2400	71	M. McDowell	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5

Temp. Reading Location: 2<sup>nd</sup> Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/09/24	0300	74°	Robles, O.
09/09/24	0600	73°	J. Alvarado
09/09/24	0900	73°	J. Alvarado
09/09/24	1200	74°	J. Alvarado
09/09/24	1500	75°	B. Frazier
09/09/24	1800	75°	B. Frazier
09/09/24	2100	75°	B. Frazier
09/09/24	2400	75°	Robles, O.

Tuesday

Date	Time	Temp.	Name (Print)
09/10/24	0300	74°	Robles, O.
09/10/24	0600	73°	J. Alvarado
09/10/24	0900	73°	J. Alvarado
09/10/24	1200	73°	J. Alvarado
09/10/24	1500	74°	B. Frazier
09/10/24	1800	74°	B. Frazier
09/10/24	2100	74°	B. Frazier
09/10/24	2400	74°	Robles, O.

Wednesday

Date	Time	Temp.	Name (Print)
09/11/24	0300	71°	Robles, O.
09/11/24	0600	72°	J. Alvarado
09/11/24	0900	71°	J. Alvarado
09/11/24	1200	71°	J. Alvarado
09/11/24	1500	72°	B. Frazier
09/11/24	1800	73°	B. Frazier
09/11/24	2100	72°	B. Frazier
09/11/24	2400	72°	Robles, O.

Thursday

Date	Time	Temp.	Name (Print)
09/12/24	0300	72°	Robles, O.
09/12/24	0600	72°	J. Alvarado
09/12/24	0900	72°	J. Alvarado
09/12/24	1200	72°	J. Alvarado
09/12/24	1500	73°	B. Frazier
09/12/24	1800	74°	B. Frazier
09/12/24	2100	74°	B. Frazier
09/12/24	2400	71°	Robles, O.

Friday

Date	Time	Temp.	Name (Print)
09/13/24	0300	71°	Richards, S.
09/13/24	0600	72°	J. Alvarado
09/13/24	0900	72°	J. Alvarado
09/13/24	1200	72°	J. Alvarado
09/13/24	1500	73°	B. Frazier
09/13/24	1800	74°	B. Frazier
09/13/24	2100	73°	B. Frazier
09/13/24	2400	71°	Richards, S.

Saturday

Date	Time	Temp.	Name (Print)
09/14/24	0300	70	D. Woodward
09/14/24	0600	72	Woodward
09/14/24	0900	71	Woodward
09/14/24	1200	75	Woodward
09/14/24	1500	75	Frazier
09/14/24	1800	75	Frazier
09/14/24	2100	75	Frazier
09/14/24	2400	70	D. Woodward

Notes

Date	Time	Temp.	Name (Print)
09/15/24	0300	72°	Robles, O.
09/15/24	0600	72	J. Alvarado
09/15/24	0900	73	J. Alvarado
09/15/24	1200	73	J. Alvarado
09/15/24	1500	73	A. C. Martin
09/15/24	1800	73	A. C. Martin
09/15/24	2100	73	A. C. Martin
09/15/24	2400	73°	Robles, O.

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FBB1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1 9/1 29	0300	70°	D. REYES
	0600	70°	J. ARIAS
	0900	70°	J. ARIAS
	1200	70°	J. ARIAS
	1500	70°	A. CASTILLO
	1800	71°	G. HERNANDEZ
	2100	71°	G. HERNANDEZ
	2400	70°	D. REYES

Tuesday

Date	Time	Temp.	Name (Print)
9/10/29	0300	70°	D. REYES
	0600	70°	L. GONZALEZ
	0900	70°	L. GONZALEZ
	1200	71°	L. GONZALEZ
	1500	70°	G. HERNANDEZ
	1800	71°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70°	D. REYES

Wednesday

Date	Time	Temp.	Name (Print)
9/11/29	0300	70°	D. REYES
	0600	70°	MASON HENRY
	0900	70°	MASON HENRY
	1200	70°	MASON HENRY
	1500	70°	G. HERNANDEZ
	1800	70°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/12/29	0300	69°	GONZALEZ
	0600	69°	GONZALEZ
	0900	69°	GONZALEZ
	1200	69°	GONZALEZ
	1500	69°	G. HERNANDEZ
	1800	70°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	69°	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
9/13/29	0300	70°	GONZALEZ
	0600	70°	O'NEILL
	0900	70°	O'NEILL
	1200	69°	O'NEILL
	1500	70°	J. AGUILAR
	1800	70°	J. AGUILAR
	2100	70°	J. AGUILAR
	2400	70°	E. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
9/14/29	0300	70°	ESPARRA
	0600	70°	O'NEILL
	0900	70°	O'NEILL
	1200	70°	O'NEILL
	1500	70°	FRAJID
	1800	71°	J. AGUILAR
	2100	70°	J. AGUILAR
	2400	70°	ESPARRA

Sunday

Date	Time	Temp.	Name (Print)
9/15/29	0300	70°	D. REYES
	0600	70°	
	0900	70°	DAVILA
	1200	69°	DAVILA
	1500	69°	G. HERNANDEZ
	1800	68°	G. HERNANDEZ
	2100	65°	G. HERNANDEZ
	2400	70°	D. REYES

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B-2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 9-9-24

Date	Time	Temp.	Name (Print)
9/9/24	0300	70°	M. O'neill
	0600	21	O'neill
	0900	21	O'neill
	1200	23	O'neill
	1500	23	Frazee
	1800	73	August
	2100	70	August
	2400	70°	M. Critchfield

Tuesday

Date	Time	Temp.	Name (Print)
9/10/21	0300	70°	J. NEWMAN
	0600	70	M. Cook
	0900	71	M. Cook
	1200	74	M. Cook
	1500	75	Ibarra
	1800	75	Ibana
	2100	72	Ibana
	2400	70°	J. NEWMAN

## Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	70	MILSON
	0600	70	Cook
	0900	71	Cook
	1200	73	Cook
	1500	77	Cook
	1800	78	IBCINE
	2100	75	1126179
	2400	70	MILSON

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	70	Jessie
	0600	74	PETE
	0900	76	PETE
	1200	77	PETE
	1500	77	R. Alan
	1800	77	R. Alan
	2100	77	R. Alan
	2400	70	Dan

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	70	OLLA
	0600	74	POESE
	0900	74	POESE
	1200	71	PEESE
	1500	71	PEESE
	1800	75	GALAN
	2100	75	GALAN
	2400	70	OLLA

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	70	EVANS
	0600	70	PETE
	0900	73	PETER
	1200	76	PETE
	1500	74	HANNA
	1800	73	THEME
	2100		HANNA
	2400	70	EVANS

Sunday

Date	Time	Temp.	Name (Print)
9.15	0300	70	Jot
	0600	71	O'Neil '11
	0900	71	O'Neil '11
	1200	71	O'Neil '11
	1500	71	SANGUST
	1800	70	SANGUST
	2100	70	SANGUST
	2400	70	CRITCHFIELD

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/ 19  21	0300	69°	T. JACKARD
	0600	70	A. Gombaris
	0900	70	A. Gombaris
	1200	70	A. Gombaris
	1500	70	F. Bracamonte
	1800	70	F. Bracamonte
	2100	70°	F. Bracamonte
	2400	69°	T. JACKARD

Tuesday

Date	Time	Temp.	Name (Print)
9/ 20	0300	69°	Garcia
	0600	69	O'reilly
	0900	69	O'reilly
	1200	69	O'reilly
	1500	68	O'reilly
	1800	63	Gutierrez
	2100	63	Gutierrez
	2400	61°	Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/ 11  21	0300	68°	T. JACKARD
	0600	68°	Parrish
	0900	68	Parrish
	1200	70	Parrish
	1500	70°	E. Tarr
	1800	70	E. Tarr
	2100	70°	E. Tarr
	2400	68°	T. JACKARD

Thursday

Date	Time	Temp.	Name (Print)
9/ 12  21	0300	68	T. JACKARD
	0600	68	Alvarez
	0900	68	Alvarez
	1200	70	Alvarez
	1500	70	F. Bracamonte
	1800	70°	F. Bracamonte
	2100	70°	F. Bracamonte
	2400	68	T. JACKARD

Friday

Date	Time	Temp.	Name (Print)
9/ 13  21	0300	67°	T. JACKARD
	0600	69	A. Gombaris
	0900	70	A. Gombaris
	1200	70	A. Gombaris
	1500	70	A. Pye
	1800	70	A. Pye
	2100	70	A. Pye
	2400	67°	T. JACKARD

Saturday

Date	Time	Temp.	Name (Print)
9/ 14  21	0300	68	T. JACKARD
	0600	70	V. Alvarado
	0900	70	V. Alvarado
	1200	70	V. Alvarado
	1500	70°	F. Bracamonte
	1800	70°	F. Bracamonte
	2100	70°	F. Bracamonte
	2400	68°	T. JACKARD

Notes

Date	Time	Temp.	Name (Print)
9/ 15  21	0300	67°	V. Alvarado
	0600	67	V. Alvarado
	0900	67	V. Alvarado
	1200	67	V. Alvarado
	1500	70°	F. Bracamonte
	1800	70°	F. Bracamonte
	2100	70	F. Bracamonte
	2400	67°	V. Alvarado

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B 4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/11/24	0300	70°	GARCIA
	0600	70	BELMEDE
	0900	70	BELMEDE
	1200	70	BELMEDE
	1500	70	WIMMIS
	1800	70	WIMMIS
	2100	70	NGMIS
	2400	70°	GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	70°	McDonald
	0600	70	BELMEDE
	0900	70	BELMEDE
	1200	70	BELMEDE
	1500	70	BELMEDE
	1800	70	Ramsey Jr
	2100	70	Nutone Jr
	2400	70°	McDonald

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	70°	McDonald
	0600	70	BELMEDE
	0900	70	BELMEDE
	1200	70	BELMEDE
	1500	70	R. Alaris
	1800	70	R. Alaris
	2100	70	R. Alaris
	2400	70°	McDonald

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	70°	McDonald
	0600	70	Reinaldo
	0900	70	Reinaldo
	1200	70	Reinaldo
	1500	70	E. Tavares
	1800	70	E. Tavares
	2100	70	E. Tavares
	2400	70°	McDonald

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	70°	McDonald
	0600	70	Reinaldo
	0900	70	Reinaldo
	1200	70	Reinaldo
	1500	70	E. Tavares
	1800	70	E. Tavares
	2100	70	E. Tavares
	2400	70°	McDonald

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	70°	McDonald
	0600	70	BELMEDE
	0900	70	BELMEDE
	1200	70	BELMEDE
	1500	70	WIMMIS
	1800	70	WIMMIS
	2100	70	WIMMIS
	2400	70°	McDonald

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	69°	GARCIA
	0600	70	Parrish
	0900	70°	Parrish
	1200	70°	Parrish
	1500	70	WIMMIS
	1800	70	WIMMIS
	2100	70	WIMMIS
	2400	69°	GARCIA

Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 85 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
11/1/24	0300	70	Johnson
	0600	70	Anderson
	0900	70	Anderson
	1200	70	Anderson
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
11/1/24	0300	70	E. Rodriguez
	0600	70	Anderson
	0900	70	Anderson
	1200	70	Anderson
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	E. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
11/1/24	0300	70	E. Rodriguez
	0600	70	Anderson
	0900	70	Anderson
	1200	70	Anderson
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	E. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
11/1/24	0300	71°	M. Contreras
	0600	70	Anderson
	0900	70	Anderson
	1200	70	Anderson
	1500	71	Perez
	1800	72	Perez
	2100	70	Perez
	2400	71°	M. Contreras

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	69°	Garcia
	0600	70	Brown
	0900	70	Brown
	1200	70	Brown
	1500	72	Perez
	1800	72	Perez
	2100	70	Perez
	2400	69°	Garcia

Saturday

Date	Time	Temp.	Name (Print)
11/4/24	0300	69°	Garcia
	0600	70°	Recinos
	0900	70	Recinos
	1200	70	Recinos
	1500	70	Perez
	1800	70	Perez
	2100	70	Perez
	2400	70°	Garcia

Notes

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
11/5/24	0300	70	Johnson
	0600	70	Anderson
	0900	70°	Anderson
	1200	70°	Anderson
	1500	70°	MILLER
	1800	70°	MILLER
	2100	70°	MILLER
	2400	70	Johnson

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 2-1 Central Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	68°	CRIDDLE
	0600	68	GUERRA
11	0900	68	GUERRA
	1200	69	GUERRA
13	1500	70°	Hill
	1800	70°	Hill
14	2100	69°	Hill
	2400	68°	CRIDDLE

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	68	Evangelist
	0600	68	GUERRA
11	0900	69	GUERRA
	1200	70	GUERRA
13	1500	70°	Hill
	1800	70°	Hill
14	2100	70°	Hill
	2400	68	Evangelist

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	68	Evangelist
	0600	69	GUERRA
11	0900	69	GUERRA
	1200	70	GUERRA
13	1500	70°	Hill
	1800	70°	Hill
14	2100	69°	Hill
	2400	68	Evangelist

Thursday

Date	Time	Temp.	Name (Print)
9	0300	68°	BAKER
	0600	69	GUERRA
11	0900	68	GUERRA
	1200	68	GUERRA
13	1500	70°	Hill
	1800	70°	Hill
14	2100	70°	Hill
	2400	68	Baker

Friday

Date	Time	Temp.	Name (Print)
9	0300	68	Evangelist
	0600	69	SABIO
11	0900	70	SABIO
	1200	70	SABIO
13	1500	70	LAW
	1800	70	MESSENHEIDER
14	2100	70	MESSENHEIDER
	2400	68	Evangelist

Saturday

Date	Time	Temp.	Name (Print)
9	0300	68°	CRIDDLE
	0600	68°	CRIDDLE
11	0900	69°	KRI
	1200	70°	KRI
13	1500	70°	KRI
	1800	70°	KRI
14	2100	70°	KRI
	2400	68°	CRIDDLE

Notes

Date	Time	Temp.	Name (Print)
9	0300	68°	CRIDDLE
	0600	68°	CRIDDLE
11	0900	70	HILL
	1200	70°	HILL
13	1500	70°	HILL
	1800	70°	HILL
14	2100	70°	HILL
	2400	68°	CRIDDLE

STATE OF CALIFORNIA  
 INSIDE TEMPERATURE RECORD  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-2 Temp. Reading Location: 2<sup>nd</sup> Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/24	0300	71°	S. DIXON
	0600	71	SABEDO
	0900	71	SABEDO
	1200	71	SABEDO
	1500	71	SABEDO
	1800	70	SABEDO
	2100	70	SABEDO
	2400	70°	DIXON

Tuesday			
Date	Time	Temp.	Name (Print)
9/24	0300	70°	DIXON
	0600	72°	T. HART
	0900	75°	HART
	1200	75°	HART
	1500	75	Oliver
	1800	75	Oliver
	2100	79	Oliver
	2400	70°	DIXON

Wednesday			
Date	Time	Temp.	Name (Print)
9/24	0300	70°	DIXON
	0600	70	HART
	0900	70	HART
	1200	70	HART
	1500	70	Mr. C.
	1800	70	MILLS
	2100	70	MILLS
	2400	70	GONZALEZ

Thursday			
Date	Time	Temp.	Name (Print)
9/24	0300	70	DIXON
	0600	70°	T. HART
	0900	70	HART
	1200	70	HART
	1500	73	Oliver
	1800	73	Oliver
	2100	73	Oliver
	2400	70	DIXON

Friday			
Date	Time	Temp.	Name (Print)
9/24	0300	70°	DIXON
	0600	70°	HART
	0900	70°	HART
	1200	71	HART
	1500	73	Oliver
	1800	73	Oliver
	2100	73	Oliver
	2400	70°	DIXON

Saturday			
Date	Time	Temp.	Name (Print)
9/24	0300	70	CORONA
	0600	70	LUTTICK
	0900	85	LUTTICK
	1200	85	LUTTICK
	1500	90	LUTTICK
	1800	70	Ayala
	2100	70	Ayala
	2400	70	CORONA

Sunday			
Date	Time	Temp.	Name (Print)
9/24	0300	69°	M. CONTRERAS
	0600	69	ESCALERA
	0900	70	ESCALERA
	1200	70	ESCALERA
	1500	70	Mr. Contreras
	1800	70	GARCIA
	2100	70	GARCIA
	2400	70°	M. CONTRERAS

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1/18	0300	70	ACEVEDO
	0600	70	SANQUIST
	0900	72	SANQUIST
	1200	72	SANQUIST 1000 90°
	1500	71	
	1800	72	POLKMAN
	2100	71	POLKMAN
	2400	70	ACEVEDO

Tuesday

Date	Time	Temp.	Name (Print)
9/1/18	0300	72	J. MILLER
	0600	72	SABEDO
	0900	71	B. GONZALEZ-SABEDO
	1200	71	C. GONZALEZ
	1500	72	C. GONZALEZ
	1800	71	B. GONZALEZ
	2100	72	C. GONZALEZ
	2400	72	J. MILLER

Wednesday

Date	Time	Temp.	Name (Print)
9/1/18	0300	70	S. Agyapong
	0600	70	3 mins
	0900	71	3 mins
	1200	71	3 mins
	1500	70	
	1800	70	Agyapong
	2100	70	Agyapong
	2400	70	S. Agyapong

Thursday

Date	Time	Temp.	Name (Print)
9/1/18	0300	70	S. Agyapong
	0600	70	SANQUIST
	0900	72	SANQUIST
	1200	77	SANQUIST
	1500	72	LOR
	1800	72	LOR
	2100	72	LOR
	2400	70	S. Agyapong

Friday

Date	Time	Temp.	Name (Print)
9/13/18	0300	70	S. Agyapong
	0600	70	SANQUIST
	0900	72	SANQUIST
	1200	72	SANQUIST
	1500	71	POLKMAN
	1800	72	POLKMAN
	2100	71	POLKMAN
	2400	70	S. Agyapong

Saturday

Date	Time	Temp.	Name (Print)
9/14/18	0300	70	S. Agyapong
	0600	70	SANQUIST
	0900	72	SANQUIST
	1200	72	SANQUIST
	1500	72	POLKMAN
	1800	71	POLKMAN
	2100	71	POLKMAN
	2400	70	S. Agyapong

Sunday

Date	Time	Temp.	Name (Print)
9/15/18	0300	70	S. Agyapong
	0600	70	SANQUIST
	0900	72	SANQUIST
	1200	72	SANQUIST
	1500	71	POLKMAN
	1800	71	POLKMAN
	2100	71	POLKMAN
	2400	70	S. Agyapong

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 64 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/11/24	0300	70	J. MILLER
	0600	70	RODRIGUEZ
	0900	71	MORINCE
	1200	72	MORINCE
	1500	72	M. CECIL
	1800	72	D. CHAVEZ
	2100	72	D. CHAVEZ
	2400	70	J. MILLER

Tuesday

Date	Time	Temp.	Name (Print)
9/12/24	0300	70	MILSON
	0600	70	Hanfield
	0900	70	Hanfield
	1200	70	Hanfield
	1500	70	QUIROZ
	1800	70	QUIROZ
	2100	70	QUIROZ
	2400	70	MILSON

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	70	MONTAÑEZ
	0600	70	TERRIQUEZ
	0900	70	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	70	GALVAN
	1800	70	GALVAN
	2100	70	GALVAN
	2400	70	MONTAÑEZ

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	70	MONTAÑEZ
	0600	70	AMAYA
	0900	70	AMAYA
	1200	70	AMAYA
	1500	70	VELA
	1800	70	VELA
	2100	70	VELA
	2400	70	MONTAÑEZ

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	70	L. CANALDO
	0600	70	TOVAR
	0900	70	TOVAR
	1200	70	TOVAR
	1500	70	X. LI
	1800	70	X. LI
	2100	70	X. LI
	2400	70	L. CANALDO

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	70	J. Acquilano
	0600	70	TERRIQUEZ
	0900	70	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	70	TERRIQUEZ
	1800	70	TERRIQUEZ
	2100	70	TERRIQUEZ
	2400	70	J. Acquilano

Notes

Date	Time	Temp.	Name (Print)
9/15/24	0300	70	J. MILLER
	0600	70	TERRIQUEZ
	0900	70	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	70	M. QUIROZ
	1800	70	M. QUIROZ
	2100	70	M. QUIROZ
	2400	70	J. MILLER

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C5 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
9/9	0300	78	OTOLE
9/9	0600	74	OTOLE
9/9	0900	76	AYALA
9/9	1200	70	ABEL
9/9	1500	70	PLORER
9/9	1800	74	PLORER
9/9	2100	74	PERDOS
9/9	2400	80	OTOLE

Date	Time	Temp.	Name (Print)
9/9	0300	74	OTOLE
9/9	0600	70	OTOLE
9/9	0900	77	LEE
9/9	1200	80	LEE
9/9	1500	81	R. HERNANDEZ
9/9	1800	80	R. HERNANDEZ
9/9	2100	78	R. HERNANDEZ
9/9	2400	77	OTOLE

Date	Time	Temp.	Name (Print)
9/10	0300	70	OTOLE
9/10	0600	70	OTOLE
9/10	0900	79	LEE
9/10	1200	81	LEE
9/10	1500	80	R. HERNANDEZ
9/10	1800	80	R. HERNANDEZ
9/10	2100	78	R. HERNANDEZ
9/10	2400	70	OTOLE

Date	Time	Temp.	Name (Print)
9/11	0300	70	OTOLE
9/11	0600	70	OTOLE
9/11	0900	80	LEE
9/11	1200	80	LEE
9/11	1500	80	R. HERNANDEZ
9/11	1800	78	R. HERNANDEZ
9/11	2100	78	R. HERNANDEZ
9/11	2400	71	OTOLE

Date	Time	Temp.	Name (Print)
9/12	0300	70	OTOLE
9/12	0600	70	OTOLE
9/12	0900	81	LEE
9/12	1200	80	LEE
9/12	1500	78	R. HERNANDEZ
9/12	1800	78	R. HERNANDEZ
9/12	2100	75	R. HERNANDEZ
9/12	2400	70	OTOLE

Date	Time	Temp.	Name (Print)
9/13	0300	75	J. MILLER
9/13	0600	75	LEE
9/13	0900	74	LEE
9/13	1200	77	LEE
9/13	1500	80	SANQUIST
9/13	1800	80	SANQUIST
9/13	2100	80	SANQUIST
9/13	2400	75	J. MILLER

Notes

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
9/14	0300	78	J. MILLER
9/14	0600	73	J. Aguirre
9/14	0900	74	J. Aguirre
9/14	1200	73	J. Aguirre
9/14	1500	74	E. Aguirre
9/14	1800	74	E. Aguirre
9/14	2100	74	E. Aguirre
9/14	2400	78	J. MILLER

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC      Housing Unit: D1      Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	74	LOPEZ
	0600	75	SILVERS C. COZ
	0900	74	SILVERS
	1200	73	SILVERS
	1500	78	Hernandez
	1800	79	Hernandez
	2100	79	Hernandez
	2400	74	LOPEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	74	LOPEZ
	0600	76°	A. Jimenez
	0900	76	A. Jimenez
	1200	77	A. Jimenez
	1500	77	G. AGUILERA
	1800	77	G. AGUILERA
	2100	77	G. AGUILERA
	2400	74	LOPEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	75	C. Elliott
	0600	75	A. Jimenez
	0900	74	A. Jimenez
	1200	75	A. Jimenez
	1500	76	A. Jimenez
	1800	76	A. Jimenez
	2100	75	A. Jimenez
	2400	75	C. Elliott

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	75°	STANLEY
	0600	74°	A. Jimenez
	0900	74	A. Jimenez
	1200	74	A. Jimenez
	1500	75°	WATSON
	1800	76°	V. Hines
	2100	76	V. Hines
	2400	75°	STANLEY

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	75°	STANLEY
	0600	73	Hernandez
	0900	73	Hernandez
	1200	74	Hernandez
	1500	74	W. Sanchez
	1800	75	W. Sanchez
	2100	75	W. Sanchez
	2400	75°	STANLEY

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	75	MUÑOZ
	0600	75	J. GARCIA
	0900	73°	J. GARCIA
	1200	74°	J. GARCIA
	1500	75	W. Sanchez
	1800	75	W. Sanchez
	2100	75	W. Sanchez
	2400	75	MUÑOZ

Notes

9/25  
per

Date	Time	Temp.	Name (Print)
	0300	74	MUÑOZ
	0600	74	ARGUELLES
	0900	74	ARGUELLES
	1200	74	ARGUELLES
	1500	74	LOPEZ
	1800	74	LOPEZ
	2100	74	LOPEZ
	2400	74	MUÑOZ

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D - 2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/19/24	0300	77	C. Holmes
	0600	79	E. Hernandez
	0900	78	E. Hernandez
	1200	77	E. Hernandez
	1500	77	W. Sanchez
	1800	76	W. Sanchez
	2100	78	W. Sanchez
	2400	77	C. Holmes

Tuesday

Date	Time	Temp.	Name (Print)
9/20/24	0300	77	C. Holmes
	0600	75	Barnes
	0900	75	Barnes
	1200	77	Barnes
	1500	77	Hess
	1800	77	Hess
	2100	77	Hess
	2400	77	C. Holmes

Wednesday

Date	Time	Temp.	Name (Print)
9/21/24	0300	74	Sienna
	0600	73°	Barnes
	0900	73°	Barnes
	1200	74°	Barnes
	1500	72	J. Toledo
	1800	74	J. Toledo
	2100	74	J. Toledo
	2400	74	Sienna

Thursday

Date	Time	Temp.	Name (Print)
9/22/24	0300	72°	J. Astier
	0600	72°	Barnes
	0900	72°	Barnes
	1200	73°	BARNES
	1500	74	SANQUIST
	1800	75	SANQUIST
	2100	74	SANQUIST
	2400	72°	J. Astier

Friday

Date	Time	Temp.	Name (Print)
9/23/24	0300	74	C. Holmes
	0600	72°	Barnes
	0900	72°	Barnes
	1200	73°	BARNES
	1500	75	Hernandez
	1800	75	Hernandez
	2100	75	Hernandez
	2400	74	C. Holmes

Saturday

Date	Time	Temp.	Name (Print)
9/24/24	0300	74°	STORRY
	0600	74	Nomad
	0900	74	Nomad
	1200	74	Nomad
	1500	74	Hess
	1800	73	Hess
	2100	73	Hess
	2400	74°	STORRY

Notes

Date	Time	Temp.	Name (Print)
9/25/24	0300	71°	M. Gorman
	0600	71	Sierra
	0900	71	J. Garcia
	1200	72°	J. Garcia
	1500	72	W. Sanchez
	1800	73	W. Sanchez
	2100	72	W. Sanchez
	2400	72°	M. Gorman

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1/24	0300	72°	STANLEY
	0600	72°	GOMEZ
	0900	72°	LOMINE
	1200	72°	GOMEZ
	1500	73°	ROVIRA
	1800	73°	ROVIRA
	2100	71°	LOMINE
	2400	73°	STANLEY

Tuesday

Date	Time	Temp.	Name (Print)
9/2/24	0300	70°	J. CARTER
	0600	71°	E. Hernandez
	0900	71°	E. Hernandez
	1200	72°	E. Hernandez
	1500	72°	W. Sanchez
	1800	73°	W. Sanchez
	2100	71°	W. Sanchez
	2400	70°	J. CARTER

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	71°	VEGA
	0600	71°	MACHADAS
	0900	70°	MACHADAS
	1200	71°	MACHADAS
	1500	71°	CARLOS
	1800	71°	C. MORALES
	2100	71°	C. MORALES
	2400	71°	VEGA

Thursday

Date	Time	Temp.	Name (Print)
9/12-24	0300	71°	VEGA
	0600	71°	ROVIRA
	0900	70°	ROVIRA
	1200	70°	ROVIRA
	1500	70°	ROVIRA
	1800	71°	ROVIRA
	2100	72°	ROVIRA
	2400	71°	VEGA

Friday

Date	Time	Temp.	Name (Print)
9/13-24	0300	70°	VEGA
	0600	70°	CLAVET W
	0900	70°	CLAVET W
	1200	70°	RUBIO
	1500	70°	ROVIRA
	1800	70°	ROVIRA
	2100	70°	ROVIRA
	2400	70°	VEGA

Saturday

Date	Time	Temp.	Name (Print)
9/14-24	0300	70°	VEGA
	0600	70°	C. ROMERO
	0900	70°	C. ROMERO
	1200	71°	C. ROMERO
	1500	71°	ROVIRA
	1800	71°	ROVIRA
	2100	70°	ROVIRA
	2400	70°	VEGA

Notes

Date	Time	Temp.	Name (Print)
9/15-24	0300	71°	VEGA
	0600	70°	DEPENA
	0900	71°	DEPENA
	1200	71°	DEPENA
	1500	71°	DEPENA
	1800	71°	DEPENA
	2100	71°	DEPENA
	2400	71°	VEGA

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC      Housing Unit: D 4      Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9	0300	70	J. Carter
	0600	70	Kens C/N
9	0900	76	Kens
	1200	78	Kens
24	1500	78	Higuera
	1800	79	Higuera
	2100	75	Higuera
	2400	70	J. Carter

**Tuesday**

Date	Time	Temp.	Name (Print)
9	0300	72	L. Phillips
	0600	72	A. Gonzalez
10	0900	75	A. Gonzalez
	1200	78	A. Gonzalez
24	1500	78	A. Gonzalez
	1800	75	A. Gonzalez
	2100	72	A. Gonzalez
	2400	72	L. Phillips

**Wednesday**

Date	Time	Temp.	Name (Print)
9	0300	73	R. Phillips
	0600	73	A. Gonzalez
11	0900	75	A. Gonzalez
	1200	78	A. Gonzalez
24	1500	78	A. Gonzalez
	1800	78	A. Gonzalez
	2100	75	A. Gonzalez
	2400	73	R. Phillips

**Thursday**

Date	Time	Temp.	Name (Print)
9	0300	72	R. Phillips
	0600	72	Machado
12	0900	72	Machado
	1200	72	Machado
24	1500	72	Rose
	1800	72	Rose
	2100	72	Rose
	2400	72	R. Phillips

**Friday**

Date	Time	Temp.	Name (Print)
9	0300	72	R. Phillips
	0600	72	Machado
13	0900	72	Machado
	1200	72	Machado
24	1500	72	Machado
	1800	72	Machado
	2100	72	Machado
	2400	72	R. Phillips

**Saturday**

Date	Time	Temp.	Name (Print)
9	0300	70	Leon
	0600	70	J. A. R. I. A. S.
14	0900	70	J. A. R. I. A. S.
	1200	70	J. A. R. I. A. S.
24	1500	70	J. A. R. I. A. S.
	1800	70	J. A. R. I. A. S.
	2100	70	Leon
	2400	70	Leon

**Sunday**

Date	Time	Temp.	Name (Print)
9	0300	70	J. Carter
	0600	70	J. Carter
15	0900	70	J. A. R. I. A. S.
	1200	70	J. A. R. I. A. S.
24	1500	70	J. A. R. I. A. S.
	1800	70	J. A. R. I. A. S.
	2100	70	J. A. R. I. A. S.
	2400	70	J. Carter

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D5 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1 24	0300	70°	MENDOZA
	0600	70°	MENDOZA
	0900	70°	MENDOZA
	1200	70°	MENDOZA
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	MENDOZA

Wednesday

Date	Time	Temp.	Name (Print)
9/1 24	0300	70°	RICHARDSON
	0600	70°	MENDOZA
	0900	70°	MENDOZA
	1200	70°	MENDOZA
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	RICHARDSON

Friday

Date	Time	Temp.	Name (Print)
9/1 24	0300	70°	J. CARTER
	0600	70°	MENDOZA
	0900	70°	MENDOZA
	1200	70°	MENDOZA
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	J. CARTER

Sunday

Date	Time	Temp.	Name (Print)
9/1 24	0300	70°	M. DIXON
	0600	70°	LOPEZ
	0900	70°	LOPEZ
	1200	70°	LOPEZ
	1500	70°	PALACIOS
	1800	70°	PALACIOS
	2100	70°	PALACIOS
	2400	70°	M. DIXON

Tuesday

Date	Time	Temp.	Name (Print)
9/1 24	0300	70°	RICHARDSON
	0600	70°	MENDOZA
	0900	70°	MENDOZA
	1200	70°	MENDOZA
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	RICHARDSON

Thursday

Date	Time	Temp.	Name (Print)
9/1 24	0300	70°	RICHARDSON
	0600	70°	MENDOZA
	0900	70°	MENDOZA
	1200	70°	MENDOZA
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	RICHARDSON

Saturday

Date	Time	Temp.	Name (Print)
9/1 24	0300	70°	J. CARTER
	0600	70°	J. CARTER
	0900	70°	LOPEZ
	1200	70°	LOPEZ
	1500	70°	FLORAL
	1800	70°	FLORAL
	2100	70°	PETERSON
	2400	70°	J. CARTER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: Infirmary Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/16/14	0300	71°	M. Contreras
	0600	71	Christiansen
	0900	72	Christiansen
	1200	73	Christiansen
	1500	72°	Alex
	1800	72°	Alex
	2100	72°	Alex
	2400	71°	M. Contreras

**Wednesday**

Date	Time	Temp.	Name (Print)
9/18/14	0300	70	Oliver
	0600	72	Christiansen
	0900	72	Christiansen
	1200	72	Christiansen
	1500	72	Christiansen
	1800	72	Kory
	2100	72	Kory
	2400	72°	MALDONADO

**Friday**

Date	Time	Temp.	Name (Print)
9/20/14	0300	72°	MALDONADO
	0600	72	Christiansen
	0900	72	Christiansen
	1200	72	Christiansen
	1500	72	Johnson
	1800	72	Johnson
	2100	72	Johnson
	2400	72	Johnson

**Sunday**

Date	Time	Temp.	Name (Print)
9/22/14	0300	70	Oliver
	0600	70°	S.Yanez
	0900	72°	S.Yanez
	1200	72°	S.Yanez
	1500	72	Oliver
	1800	71	Oliver
	2100	70	Oliver
	2400	71	Galapon

**Tuesday**

Date	Time	Temp.	Name (Print)
9/17/14	0300	72°	Oliver
	0600	73	Christiansen
	0900	73	Christiansen
	1200	73	Christiansen
	1500	73	Oliver
	1800	72	Oliver
	2100	71	Oliver
	2400	72°	MALDONADO

**Thursday**

Date	Time	Temp.	Name (Print)
9/19/14	0300	72°	MALDONADO
	0600	72°	Oliver
	0900	72°	Oliver
	1200	72°	Oliver
	1500	72°	Richardson
	1800	72°	Richardson
	2100	72°	Richardson
	2400	72°	MALDONADO

**Saturday**

Date	Time	Temp.	Name (Print)
9/21/14	0300	72°	J. Galapon
	0600	72	Infirmary
	0900	72	Fors
	1200	72	Fors
	1500	72	Johnson
	1800	72	Johnson
	2100	72	Johnson
	2400	72	J. Galapon

**Notes**

9/22/14 14030 Start alert ok action 1d

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/21 2024	0100	70°	J. BRAVO
	0200	69°	J. BRAVO
	0300	68°	J. BRAVO
	0400	68°	J. BRAVO
	0500	68°	J. BRAVO
	0600	66	C. Gewirtz
	0700	68	C. Gewirtz
	0800	71	C. Gewirtz
	0900	74	C. Gewirtz
	1000	80	C. Gewirtz
	1100	83	C. Gewirtz
	1200	88	C. Gewirtz
	1300	91	C. Gewirtz
	1400	91	C. Gewirtz
	1500	92	C. Gewirtz
	1600	90	C. Gewirtz
	1700	87	C. Gewirtz
	1800	84	C. Gewirtz
	1900	80	C. Gewirtz
	2000	76	C. Gewirtz
	2100	75	C. Gewirtz
	2200	74°	J. BRAVO
	2300	73°	J. BRAVO
	2400	70°	J. BRAVO

STAGE 1 HEAT ALERT

START 1250

END 1730

DISTRIBUTION: Original: Institution ADA Coordinator

Date	Time	Temp.	Printed Name
9/22 2024	0100	70°	J. BRAVO
	0200	68°	J. BRAVO
	0300	66°	J. BRAVO
	0400	65°	J. BRAVO
	0500	65°	J. BRAVO
	0600	65	A. Puerto
	0700	65	A. Puerto
	0800	64	A. Puerto
	0900	7.2	Puerto
	1000	76	Puerto
	1100	82	Puerto
	1200	86	Puerto
	1300	89	Puerto
	1400	91	Puerto
	1500	93	Puerto
	1600	92	Puerto
	1700	90	Puerto
	1800	88	Puerto
	1900	84	Puerto
	2000	80	Puerto
	2100	77	Puerto
	2200	76	Galvan
	2300	74	Galvan
	2400	73	Galvan

STAGE 1 HEAT ALERT

START 1311

END 1830

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/19 2024	0100	64	WINGFIELD
	0200	62	WINGFIELD
	0300	62	WINGFIELD
	0400	62	WINGFIELD
	0500	62	WINGFIELD
	0600	64	KUNEZ
	0700	65	KUNEZ
	0800	68	KUNEZ
	0900	69	KUNEZ
	1000	70	KUNEZ
	1100	72	KUNEZ
	1200	74	KUNEZ
	1300	77	KUNEZ
	1400	77	Ruentes
	1500	76	Ruentes
	1600	75	Ruentes
	1700	73	Ruentes
	1800	71	Ruentes
	1900	70	Ruentes
	2000	68	Ruentes
	2100	66	Ruentes
	2200	66	WINGFIELD
	2300	66	WINGFIELD
	2400	66	WINGFIELD

Date	Time	Temp.	Printed Name
9/20 2024	0100	65	WINGFIELD
	0200	64	WINGFIELD
	0300	64	WINGFIELD
	0400	64	WINGFIELD
	0500	64	WINGFIELD
	0600	64	C.Gewirtz
	0700	64	C.Gewirtz
	0800	68	C.Gewirtz
	0900	72	C.Gewirtz
	1000	71	C.Gewirtz
	1100	70	C.Gewirtz
	1200	76	C.Gewirtz
	1300	78	C.Gewirtz
	1400	79	C.Gewirtz
	1500	81	C.Gewirtz
	1600	80	C.Gewirtz
	1700	79	C.Gewirtz
	1800	75	C.Gewirtz
	1900	72	C.Gewirtz
	2000	71	C.Gewirtz
	2100	71	C.Gewirtz
	2200	70	J.BIND
	2300	70	J.BIND
	2400	70	J.BIND

STAGE 1 HEAT ALERT

START \_\_\_\_\_

END \_\_\_\_\_

STAGE 1 HEAT ALERT

START \_\_\_\_\_

END \_\_\_\_\_

DISTRIBUTION: Original Institution ADA Coordinator

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
September 17, 2024	0100	61°	ABEL
	0200	60°	ABEL
	0300	60°	ABEL
	0400	60°	ABEL
	0500	59°	ABEL
	0600	59	NUNEZ
	0700	60	NUNEZ
	0800	63	NUNEZ
	0900	65	NUNEZ
	1000	68	NUNEZ
	1100	72	NUNEZ
	1200	75	NUNEZ
	1300	76	NUNEZ
	1400	78	Puentes
	1500	77	Puentes
	1600	77	Puentes
	1700	75	Puentes
	1800	71	Puentes
	1900	69	Puentes
	2000	67	Puentes
	2100	65	Puentes
	2200	65	LINFIELD
	2300	65	LINFIELD
	2400	65	LINFIELD

Date	Time	Temp.	Printed Name
September 18, 2024	0100	64	LINFIELD
	0200	63	LINFIELD
	0300	63	LINFIELD
	0400	60	LINFIELD
	0500	58	LINFIELD
	0600	56	NUNEZ
	0700	59	NUNEZ
	0800	61	NUNEZ
	0900	66	NUNEZ
	1000	69	NUNEZ
	1100	74	NUNEZ
	1200	75	NUNEZ
	1300	77	NUNEZ
	1400	81	Puentes
	1500	79	Puentes
	1600	77	Puentes
	1700	76	Puentes
	1800	74	Puentes
	1900	72	Puentes
	2000	70	Puentes
	2100	67	Puentes
	2200	67	LINFIELD
	2300	67	LINFIELD
	2400	66	LINFIELD

Stage 1                  ACTIVATED  
                 DEACTIVATED

Stage 1                  ACTIVATED  
                 DEACTIVATED

STATE OF CALIFORNIA,  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 15, 2024	0100	74	LINGFIELD
	0200	73	LINGFIELD
	0300	73	LINGFIELD
	0400	71	LINGFIELD
	0500	70	LINGFIELD
	0600	70	A. Ruentes
	0700	70	A. Ruentes
	0800	74	Ruentes
	0900	76	Ruentes
	1000	78	Ruentes
	1100	62	Ruentes
	1200	81	Ruentes
	1300	80	Ruentes
	1400	75	Ruentes
	1500	75	Ruentes
	1600	73	Ruentes
	1700	72	Ruentes
	1800	72	Ruentes
	1900	69	Ruentes
	2000	64	Ruentes
	2100	66	Ruentes
	2200	65	GARRET-
	2300	64	GARRET-
	2400	64	GARRET-

Date	Time	Temp.	Printed Name
SEPTEMBER 16, 2024	0100	64	GARRET-
	0200	69	GARRET-
	0300	63	GARRET-
	0400	63	GARRET-
	0500	62	GARRET-
	0600	61	NUNEZ
	0700	60	NUNEZ
	0800	62	NUNEZ
	0900	64	NUNEZ
	1000	67	NUNEZ
	1100	70	NUNEZ
	1200	71	NUNEZ
	1300	73	NUNEZ
	1400	72	Ruentes
	1500	72	Ruentes
	1600	70	Ruentes
	1700	69	Ruentes
	1800	67	Ruentes
	1900	66	Ruentes
	2000	65	Ruentes
	2100	64	Ruentes
	2200	63°	ABEL
	2300	61°	ABEL
	2400	61°	ABEL

Stage 1            ACTIVATED  
           DEACTIVATED

Stage 1            ACTIVATED  
           DEACTIVATED

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP LAC Housing Unit: DORM 1 Temp. Reading Location: DAY ROOM

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	75	SILVA
	0600	70	SILVA
	0900	70	EVANGELIST
	1200	70	EVANGELIST
	1500	70	J. MILLER
	1800	70	J. MILLER
	2100	70	J. MILLER
	2400	77	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
9/17 24	0300	71	VACAN
	0600	70	EVANGELIST
	0900	70	EVANGELIST
	1200	72	EVANGELIST
	1500	72	J. MILLER
	1800	72	J. MILLER
	2100	72	J. MILLER
	2400	71	VACAN

Wednesday

Date	Time	Temp.	Name (Print)
9/18 24	0300	71	VACAN
	0600	72	Briggs
	0900	74	Briggs
	1200	74	Briggs
	1500	74	J. MILLER
	1800	74	J. MILLER
	2100	74	J. MILLER
	2400	76	VACAN

Thursday

Date	Time	Temp.	Name (Print)
9/19 24	0300	71	VACAN
	0600	70	CHRISTENSEN
	0900	70	CHRISTENSEN
	1200	74	CHRISTENSEN
	1500	74	Briggs
	1800	73	Briggs
	2100	72	Briggs
	2400	71	VACAN

Friday

Date	Time	Temp.	Name (Print)
9/20 24	0300	75	VACAN
	0600	71	Briggs
	0900	71	Briggs
	1200	71	Briggs
	1500	72	Briggs
	1800	72	Briggs
	2100	71	Briggs
	2400	75	VACAN

Saturday

Date	Time	Temp.	Name (Print)
9/21 24	0300	70	Briggs
	0600	70	Briggs
	0900	72	CRIDDLE
	1200	75	CRIDDLE
	1500	75	C. MARELLO
	1800	75	C. MARELLO
	2100	74	C. MARELLO
	2400	71	Briggs

Notes

9/22/74 @ 1300 HRS. 1ST. STAGE

Date	Time	Temp.	Name (Print)
9/22 24	0300	72	IRVING
	0600	72	IRVING
	0900	74	CRIDDLE
	1200	75	CRIDDLE
	1500	78	J. MILLER
	1800	78	J. MILLER
	2100	78	J. MILLER
	2400	72	IRVING

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 09/16/14

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	69	67	66	67	70	67	64	70	F. GUTIERREZ	J. S. J.
03:00	69	67	65	67	70	67	64	70	F. GUTIERREZ	J. S. J.
06:00	70°	68°	68°	68°	70°	68°	65°	70°	M. QUINTERO	J. S. J.
09:00	69°	68°	65°	68°	70°	68°	65°	70°	M. QUINTERO	J. S. J.
12:00	70°	68°	66°	68°	70°	68°	64°	70°	M. QUINTERO	J. S. J.
15:00	69°	67°	65°	67°	70°	68°	64°	70	J. Acuilaro	Jm Acuilaro
18:00	69°	67°	65°	67°	70°	66°	64°	70°	J. Acuilaro	Jm Acuilaro
21:00	69°	67°	65°	66°	70°	66°	65°	70°	J. Acuilaro	Jm Acuilaro

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9-17-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	70	68	66	68	70	64	62	70	STEPHENSON	Ostapl
03:00	70	70	68	68	70	66	62	70	STEPHENSON	Ostapl
06:00	68°	68°	68°	68°	70°	67°	65°	70°	M. QUINTERO	<del>Q</del>
09:00	68°	68°	68°	68°	70°	67°	65°	70°	M. QUINTERO	<del>Q</del>
12:00	70°	68°	68°	68°	70°	68°	65°	70°	M. QUINTERO	<del>Q</del>
15:00	70	68	68	68	70	68	65	70	Sirko	<del>Sirko</del>
18:00	70	68	68	68	70	68	65	70	Sirko	<del>Sirko</del>
21:00	70	68	68	68	70	68	65	70	Sirko	<del>Sirko</del>

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 01/18/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	70	68	66	68	70	64	62	70	SIRKO	<i>Sirko</i>
03:00	70	68	66	68	70	64	62	70	SIRKO	<i>Sirko</i>
06:00	69°	68°	68°	68°	70°	66°	65°	70°	M. QUINTERO	<i>M. QUINTERO</i>
09:00	69°	68°	66°	68°	70°	68°	62°	70°	M. QUINTERO	<i>M. QUINTERO</i>
12:00	69°	68°	64°	66°	70°	68°	62°	70°	M. QUINTERO	<i>M. QUINTERO</i>
15:00	69	68	64	66	70	68	62	70	Sirko	<i>Sirko</i>
18:00	69	68	64	66	70	68	62	70	Sirko	<i>Sirko</i>
21:00	69	68	69	66	70	68	62	70	Sirko	<i>Sirko</i>

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

\_\_\_\_\_  
ASU-1 Lieutenant

\_\_\_\_\_  
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9/19/21

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	70	68	68	68	70	68	62	70	Enes	<u>✓</u>
03:00	70	68	68	68	70	66	64	70	Enes	<u>(G)</u>
06:00	70	68°	68°	68°	70°	68°	65°	70°	M.QUINTERO	<u>(G)</u>
09:00	70	68°	68°	68°	70°	68°	65°	70°	M.QUINTERO	<u>(G)</u>
12:00	70	68	68	68	70	68	66	70	M.QUINTERO	<u>(G)</u>
15:00	70	68	68	68	70	68	66	70	Sirkko	<u>Anho</u>
18:00	70	68	68	68	70	68	66	70	Sirkko	<u>Anho</u>
21:00	70	68	68	68	70	68	66	70	Sirkko	<u>Anho</u>

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9-20-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	69°	67°	65°	66°	69°	68°	64°	70°	J. Acuña	J. Acuña
03:00	69°	67°	65°	66°	70°	68°	63°	70°	J. Acuña	J. Acuña
06:00	68	68	66	66	70	68	64	70	Funes	Funes
09:00	68	68	66	66	70	68	64	70	Funes	Funes
12:00	68	68	68	68	70	68	66	70	Funes	Funes
15:00	68	68	68	68	70	68	66	70	Sirko	Sirko
18:00	68	68	68	68	70	68	66	70	Sirko	Sirko
21:00	68	68	68	68	70	68	68	70	Sirko	Sirko

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

\_\_\_\_\_  
ASU-1 Lieutenant

\_\_\_\_\_  
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9-21-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	69°	68°	65°	66°	70°	70°	62°	70°	J. Acuila	J. Acuila
03:00	69°	68°	65°	66°	69°	68°	62°	70°	J. Acuila	J. Acuila
06:00	69	68	66	66	69	68	62	70	S. Bone	S. Bone
09:00	69°	68°	65°	66°	70°	68°	60°	70°	E. Gruenes	E. Gruenes
12:00	70	66	62	65	70	63	60	69	E. Gruenes	E. Gruenes
15:00	70	67	66	66	69	67	61	70	DURAN	DURAN
18:00	70	67	66	66	69	67	60	70	DURAN	DURAN
21:00	70	67	66	65	69	67	60	70	DURAN	DURAN

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9-22-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	66°	64°	65°	66°	69°	61°	60°	70°	J. Acuña	jm cyano
03:00	67°	64°	64°	65°	69°	61°	61°	70°	J. Acuña	jm cyano
06:00	68	68	67	67	67	65	64	70	J. Alvarez	JA
09:00	67	67	68	68	68	67	65	70	J. Alvarez	JA
12:00	68	69	68	68	69	69	60	70	M. Juarez	MJ
15:00	68	68	68	69	69	69	60	70	D. Arguedo	DA
18:00	68	68	68	69	69	69	60	70	MSRO	MSRO
21:00	68	68	68	68	69	69	61	69	MSRO	MSRO

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1

Temp. Reading Location: 2<sup>nd</sup> Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	70	Fors	
0600	70	Rodriguez JR	
0900	70	Rodriguez JR	
1200	70	Rodriguez JR	
1500	70	Murphy	
1800	70	Murphy	
2100	70	Murphy	
2400	70	Fors	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	Fors	
0600	70	Rodriguez JR	
0900	70	Rodriguez JR	
1200	70	Rodriguez JR	
1500	70	Alatome	
1800	70	Alatome	
2100	70	Alatome	
2400	70	Fors	

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	Fors	
0600	70	Rodriguez JR	
0900	70	Rodriguez JR	
1200	70	Rodriguez JR	
1500	70	Rodriguez JR	
1800	70	Newby	
2100	70	J. S. T.	
2400	70	J. S. T.	

Thursday

Date	Time	Temp.	Name (Print)
0300	70	J. S. T.	
0600	70	Martinez JR	
0900	70	Martinez JR	
1200	70	Martinez JR	
1500	70	Alatome	
1800	70	Alatome	
2100	70	Alatome	
2400	70	J. S. T.	

Friday

Date	Time	Temp.	Name (Print)
0300	70	J. S. T.	
0600	70	Tomac	
0900	70	Tomac	
1200	70	Tomac	
1500	70	Tomac	
1800	70	Aguinaldo	
2100	70	Aguinaldo	
2400	70	Fors	

Saturday

Date	Time	Temp.	Name (Print)
0300	70	Fors	
0600	70	Tomac	
0900	70	Tomac	
1200	70	Tomac	
1500	70	A. MARTINEZ	
1800	70	A. MARTINEZ	
2100	70	A. MARTINEZ	
2400	70	Fors	

Notes

Date	Time	Temp.	Name (Print)
0300	70	Fors	
0600	70	WOMEN	
0900	70	WOMEN	
1200	70	WOMEN	
1500	70	E. Granado	
1800	70	A. MARTINEZ	
2100	70	A. MARTINEZ	
2400	70	Fors	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70°	B PRESNEC
	0600	70°	TOMIC
	0900	70°	TOMIC
	1200	70°	TOMIC
	1500	70°	Alston
	1800	70°	Alston
	2100	70°	Alston
	2400	70°	B PRESNEC

Tuesday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70°	B PRESNEC
	0600	70°	F. ESTRADA
	0900	70°	F. ESTRADA
	1200	70°	F. ESTRADA
	1500	70°	BOLTON
	1800	70°	BOLTON
	2100	68°	BOLTON
	2400	70°	B PRESNEC

Wednesday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70°	B PRESNEC
	0600	70°	F. ESTRADA
	0900	70°	F. ESTRADA
	1200	70°	F. ESTRADA
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70°	B PRESNEC

Thursday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70°	B PRESNEC
	0600	70°	F. ESTRADA
	0900	70°	F. ESTRADA
	1200	70°	F. ESTRADA
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70°	B PRESNEC

Friday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70°	B PRESNEC
	0600	70°	C. OLIVAS
	0900	72°	C. OLIVAS
	1200	72°	C. OLIVAS
	1500	69°	RODRIGUEZ
	1800	69°	RODRIGUEZ
	2100	69°	RODRIGUEZ
	2400	70°	J. SOLIS

Saturday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70°	J. SOLIS
	0600	70°	C. MARCELLO
	0900	70°	C. MARCELLO
	1200	70°	C. MARCELLO
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70°	J. SOLIS

Notes

Date	Time	Temp.	Name (Print)
9/24/24	0300	70°	J. SOLIS
	0600	70°	TOMIC
	0900	70°	TOMIC
	1200	70°	TOMIC
	1500	70°	DAVIS
	1800	70°	DAVIS
	2100	70°	DAVIS
	2400	70°	B PRESNEC

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	J-SUE
	0600	68	E. Granados
	0900	69	E. Granados
	1200	70	E. Granados
	1500	70	D. Chanter
	1800	70	D. Chanter
	2100	70	D. Chanter
	2400	70	J. SUE

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	68	D. Woodard
	0600	70	Tom. C
	0900	70	Tom. C
	1200	70	Tom. C
	1500	70	D. Rodriguez
	1800	71	D. Rodriguez
	2100	71	D. Rodriguez
	2400	68	D. Woodard

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70°	STORY
	0600	70°	J. FERES
	0900	70	J. FERES
	1200	70	J. FERES
	1500	70	J. FERES
	1800	70	J. FERES
	2100	70	J. FERES
	2400	70°	MARTIN

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	MARTIN
	0600	68	E. Granados
	0900	68	E. Granados
	1200	68	E. Granados
	1500	68	E. Granados
	1800	68	E. Granados
	2100	68	E. Granados
	2400	70	MARTIN

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	MARTIN
	0600	68	E. Granados
	0900	68	E. Granados
	1200	68	E. Granados
	1500	70	NUNEZ
	1800	70	NUNEZ
	2100	70	NUNEZ
	2400	70	MARTIN

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	MARTIN
	0600	68	E. Granados
	0900	69	E. Granados
	1200	70	D. Chanter
	1500	70	D. Chanter
	1800	70	D. Chanter
	2100	70	D. Chanter
	2400	70	MARTIN

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	MARTIN
	0600	70	E. Granados
	0900	68	E. Granados
	1200	68	E. Granados
	1500	70	D. Chanter
	1800	70	D. Chanter
	2100	70	D. Chanter
	2400	70	J. SUE

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A 4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/11	0300	69	D.Woodard
	0600	72	L.Thomas
14	0900	72	L.Thomas
	1200	72	L.Thomas
1	1500	72	R.Fernes
24	1800	72	R.Fernes
	2100	71	R.Fernes
	2400	69	D.Woodard

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	71	LOPEZ
	0600	71	Martel
24	0900	72	Martel
	1200	71	Martel
	1500	71	Fernes
	1800	71	Fernes
	2100	71	Fernes
	2400	69	LOPEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	73	Akande
	0600	73	Clavel
24	0900	73	Clavel
	1200	72	Clavel
	1500	72	Fernes
	1800	72	Fernes
	2100	73	Fernes
	2400	73	Akande

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	71	Akande
	0600	71	Fernes
24	0900	71	Fernes
	1200	71	Fernes
	1500	71	Duentes
	1800	71	Duentes
	2100	71	Duentes
	2400	71	Akande

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	73	Akande
24	0600	72	Urena
	0900	71	Clavel
	1200	71	Clavel
	1500	71	Rengifo
	1800	71	Rengifo
	2100	71	Rengifo
	2400	73	Akande

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	72	Akande
	0600	72	Perez
24	0900	72	Perez
	1200	72	Perez
	1500	72	Perez
	1800	72	Perez
	2100	70	Perez
	2400	72	Akande

Notes

Date	Time	Temp.	Name (Print)
9/22	0300	72	D.Woodard
24	0600	73	D.Martel
	0900	72	D.Martel
	1200	72	D.Martel
	1500	72	R.Fernes
	1800	71	R.Fernes
	2100	71	R.Fernes
	2400	72	D.Woodard

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5 Temp. Reading Location: 2<sup>nd</sup> Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/16/24	0300	72°	Rosses o.
	0600	72°	J. Alvarado
	0900	72°	J. Alvarado
	1200	72°	J. Alvarado
	1500	71°	G. M. Lpez
	1800	71°	G. M. Lpez
	2100	71°	G. M. Lpez
	2400	72°	Rosses o.

Tuesday

Date	Time	Temp.	Name (Print)
09/17/24	0300	72°	Rosses o.
	0600	72°	J. Alvarado
	0900	72°	J. Alvarado
	1200	72°	J. Alvarado
	1500	72°	BURDEN
	1800	72°	BURDEN
	2100	72°	BURDEN
	2400	72°	Rosses o.

Wednesday

Date	Time	Temp.	Name (Print)
09/18/24	0300	72	Hernandez
	0600	71°	J. Alvarado
	0900	72°	J. Alvarado
	1200	72°	J. Alvarado
	1500	72°	BURDEN
	1800	72°	BURDEN
	2100	72°	BURDEN
	2400	72	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
09/19/24	0300	72°	C. Flint
	0600	71°	J. Alvarado
	0900	71°	J. Alvarado
	1200	72°	J. Alvarado
	1500	72°	J. Alvarado
	1800	72°	S. Martinez
	2100	72°	S. Martinez
	2400	71°	C. Flint

Friday

Date	Time	Temp.	Name (Print)
09/20/24	0300	68	D. W. Bedford
	0600	71	J. Alvarado
	0900	72°	J. Alvarado
	1200	72°	J. Alvarado
	1500	72°	BURDEN
	1800	72°	BURDEN
	2100	72°	BURDEN
	2400	68	D. W. Bedford

Saturday

Date	Time	Temp.	Name (Print)
09/21/24	0300	72°	Rosses o.
	0600	71°	Davis
	0900	71°	Davis
	1200	74	Davis
	1500	75	A. C. Martin
	1800	74	A. C. Martin
	2100	74	A. C. Martin
	2400	73°	Rosses o.

Sunday

Date	Time	Temp.	Name (Print)
09/22/24	0300	71	D. Hay A.
	0600	72	D. Hay A.
	0900	74	D. Hay A.
	1200	74	D. Hay A.
	1500	74	A. C. Martin
	1800	74	A. C. Martin
	2100	74	A. C. Martin
	2400	70	D. Hay A.

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FBB1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70°	D. REYES
	0600	70	GARSON
	0900	71	GARSON
	1200	71	GARSON
	1500	69	C. HERNANDEZ
	1800	69	G. HERNANDEZ
	2100	69	O. HERNANDEZ
	2400	69	D. REYES

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	69	D. REYES
	0600	70°	M. FALCONER
	0900	70°	M. FALCONER
	1200	70°	M. FALCONER
	1500	68°	O. HERNANDEZ
	1800	68°	G. HERNANDEZ
	2100	68°	G. HERNANDEZ
	2400	69°	D. REYES

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	69	D. REYES
	0600	68	LAWRENCE
	0900	69	LAWRENCE
	1200	69	LAWRENCE
	1500	69	G. HERNANDEZ
	1800	68	G. HERNANDEZ
	2100	69	G. HERNANDEZ
	2400	69	D. REYES

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	GONZALEZ
	0600	70	GONZALEZ
	0900	70	GONZALEZ
	1200	70	GONZALEZ
	1500	70	GONZALEZ
	1800	70	GONZALEZ
	2100	70	GONZALEZ
	2400	70	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	HIDALGO
	0600	70	HIDALGO
	0900	69	O'REILLY
	1200	69	O'REILLY
	1500	70	J. SIGALA
	1800	70	J. SIGALA
	2100	70	J. SIGALA
	2400	70	HIDALGO

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70°	D. REYES
	0600	70	A. DAVALA
	0900	70	A. DAVALA
	1200	70	A. DAVALA
	1500	70	O'REILLY
	1800	70	O'REILLY
	2100	70	O'REILLY
	2400	70°	D. REYES

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70°	D. REYES
	0600	70°	XILO
	0900	72°	XILO
	1200	72°	XILO
	1500	72°	XILO
	1800	72°	XILO
	2100	69°	XILO
	2400	70°	D. REYES

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B-2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-16-24

Date	Time	Temp.	Name (Print)
9/16/24	0300	70°	M. Cantrell
	0600	71	O'Neill
	0900	71	O'Neill
	1200	71	O'Neill
	1500	68°	J. Aguilar
	1800	69°	J. Aguilar
	2100	69°	J. Aguilar
	2400	70°	M. Cantrell

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	Scott
	0600	70	M. Cook
	0900	71	M. Cook
	1200	71	M. Cook
	1500	73	Ibana
	1800	72	Ibana
	2100	70	Ibana
	2400	70	Scott

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	70	Scott
	0600	71	PAGE
	0900	75	PAGE
	1200	76	PAGE
	1500	77	Ibana
	1800	76	Ibana
	2100	75	Ibana
	2400	70	UMANA

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	70	UMANA
	0600	71	O'Neill
	0900	71	O'Neill
	1200	71	O'Neill
	1500	71	J. Aguilar
	1800	70	J. Aguilar
	2100	70	J. Aguilar
	2400	70	UMANA

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	70	Scott
	0600	70	M. Cook
	0900	71	M. Cook
	1200	71	M. Cook
	1500	70	A. Page
	1800	70	A. Page
	2100	70	Ibana
	2400	70	Scott

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	70	Scott
	0600	71	Page
	0900	73	Page
	1200	75	Page
	1500	77	Ibana
	1800	76	Ibana
	2100	75	Ibana
	2400	70	Scott

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	70	UMANA
	0600	70	GALVAN
	0900	70	GALVAN
	1200	70	GALVAN
	1500	79	Ibana
	1800	78	Ibana
	2100	77	Ibana
	2400	70	UMANA

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	69	UMANA
	0600	69	A.Covarobias
	0900	69	A.Covarobias
	1200	69	KOURAHI, JR
	1500	70°	BALAMONTE
	1800	70°	BALAMONTE
	2100	70°	BALAMONTE
	2400	69	UMANA

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	69°	Garcia
	0600	73	O'NEILL
	0900	73	O'NEILL
	1200	73	O'NEILL
	1500	73	J. Aguilar
	1800	70	J. Aguilar
	2100	70	J. Aguilar
	2400	69	Garcia

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	68	FARINA (FARINA)
	0600	69	Recinas
	0900	69	Recinas
	1200	69	Recinas
	1500	70	S.Tavares
	1800	70	S.Tavares
	2100	70	S.Tavares
	2400	69	FARINA (FARINA)

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	68	JACOBS
	0600	69	A.Covarobias
	0900	69	A.Covarobias
	1200	69	PALOMINO
	1500	68	M.CAGGIO
	1800	68	M.CAGGIO
	2100	68	M.CAGGIO
	2400	68	JACOBS (JACOBS)

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	68	JACOBS
	0600	69	A.Covarobias
	0900	69	A.Covarobias
	1200	69	A.Covarobias
	1500	70	IBARRA
	1800	70	IBARRA
	2100	70	IBARRA
	2400	70	JACOBS

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	68°	JACOBS
	0600	69	A.Covarobias
	0900	69	A.Covarobias
	1200	70	A.Covarobias
	1500	69°	XI LI
	1800	68°	XI LI
	2100	62°	XI LI
	2400	68	JACOBS

Notes

Date	Time	Temp.	Name (Print)
9/22/24	0300	65°	BOHLIGER
	0600	70°	COLEMAN
	0900	70°	COLEMAN
	1200	70°	COLEMAN
	1500	70°	C.MARESCO
	1800	70	C.MARESCO
	2100	70	C.MARESCO
	2400	62°	BOHLIGER

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 34 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/10/18	0300	70°	Gullion
	0600	70°	C. Gonzalez
	0900	70°	C. Gonzalez
	1200	70°	C. Gonzalez
	1500	70°	NGMHN
	1800	70°	NGMHN
	2100	70°	NGMHN
	2400	70°	McDaniel

Tuesday

Date	Time	Temp.	Name (Print)
9/11/18	0300	70°	McDaniel
	0600	70°	PARKER
	0900	70°	PARKER
	1200	70°	PARKER
	1500	70°	Stanis
	1800	70°	Stanis
	2100	70°	Stanis
	2400	70°	McDaniel

Wednesday

Date	Time	Temp.	Name (Print)
9/18/18	0300	70°	McDaniel
	0600	72°	Clavel
	0900	72°	Clavel
	1200	72°	Clavel
	1500	70°	██████████
	1800	70°	██████████
	2100	70°	██████████
	2400	70°	McDaniel

Thursday

Date	Time	Temp.	Name (Print)
9/19/18	0300	70°	McDaniel
	0600	70°	Reedman
	0900	70°	Reedman
	1200	70°	Reedman
	1500	70°	S. Tava
	1800	70°	S. Tava
	2100	70°	S. Tava
	2400	70°	McDaniel

Friday

Date	Time	Temp.	Name (Print)
9/20/18	0300	70°	McDaniel
	0600	70°	Reedman
	0900	70°	Reedman
	1200	70°	Reedman
	1500	70°	S. Tava
	1800	70°	S. Tava
	2100	70°	S. Tava
	2400	70°	McDaniel

Saturday

Date	Time	Temp.	Name (Print)
9/21/18	0300	70°	McDaniel
	0600	70°	D. Chancie
	0900	70°	D. Chancie
	1200	70°	D. Chancie
	1500	70°	NEVER
	1800	70°	NGMHN
	2100	70°	NGMHN
	2400	70°	McDaniel

Sunday

Date	Time	Temp.	Name (Print)
9/22/18	0300	69°	GARCIA
	0600	70°	D. GONZALES
	0900	70°	D. GONZALES
	1200	70°	D. GONZALES
	1500	70°	NGMHN
	1800	70°	NGMHN
	2100	70°	NGMHN
	2400	69°	GARCIA

Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	Johnson
	0600	70	Alntone
	0900	70	Alntone
	1200	70	Alntone
	1500	70	M. Cook
	1800	70	M. Cook
	2100	70	M. Cook
	2400	70	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	70	E. Rodriguez
	0600	70	Alntone
	0900	70	Alntone
	1200	70	Alntone
	1500	70	M. Cook
	1800	70	M. Cook
	2100	70	M. Cook
	2400	70	E. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	E. Rodriguez
	0600	70	Alntone
	0900	70	Alntone
	1200	70	Alntone
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	E. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	E. Rodriguez
	0600	70	Alntone
	0900	70	Alntone
	1200	70	Alntone
	1500	71	PEESE
	1800	70	PEESE
	2100	70	PEESE
	2400	70	E. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	Garcia
	0600	70	D. Rodriguez
	0900	70	D. Rodriguez
	1200	70	D. Rodriguez
	1500	70	PEESE
	1800	70	PEESE
	2100	70	PEESE
	2400	70	Garcia

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	Garcia
	0600	70	Flores
	0900	70	Flores
	1200	70	Flores
	1500	70	S. Tava
	1800	70	S. Tava
	2100	70	S. Tava
	2400	70	Garcia

Sunday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	Johnson
	0600	70	J. Chandler
	0900	70	J. Chandler
	1200	70	J. Chandler
	1500	70	G. Miller
	1800	70	G. Miller
	2100	70	G. Miller
	2400	70	Johnson

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 CONTROL Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	68°	CRIDDLE
	0600	68	GUERRA
	0900	68	GUERRA
16	1200	70	GUERRA
	1500	70	Hill
	1800	70	Hill
24	2100	70	Hill
	2400	67°	CRIDDLE

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	68	Evangelista
	0600	68	GUERRA
	0900	69	GUERRA
16	1200	70	GUERRA
	1500	70	Hill
	1800	70	Hill
24	2100	70	Hill
	2400	68	Evangelista

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	68	Evangelista
	0600	68	GUERRA
	0900	69	GUERRA
16	1200	69	GUERRA
	1500	70	Hill
	1800	70	Hill
24	2100	70	Hill
	2400	68	Evangelista

Friday

Date	Time	Temp.	Name (Print)
9	0300	70°	CRIDDLE
	0600	70°	SABINO
	0900	70°	SABINO
16	1200	70°	SABINO
	1500	70°	SABINO
	1800	70	SABINO
24	2100	70	SABINO
	2400	70°	CRIDDLE

Sunday

Date	Time	Temp.	Name (Print)
9	0300	68°	CRIDDLE
	0600	68°	CRIDDLE
	0900	68°	Hill
16	1200	70°	Hill
	1500	70°	Hill
	1800	70°	Hill
24	2100	69°	Hill
	2400	67°	CRIDDLE

Thursday

Date	Time	Temp.	Name (Print)
9	0300	68	AT
	0600	69	GUERRA
	0900	69	GUERRA
16	1200	70	GUERRA
	1500	70	HILL
	1800	70	HILL
24	2100	70	HILL
	2400	68	AT

Saturday

Date	Time	Temp.	Name (Print)
9	0300	68°	CRIDDLE
	0600	70°	WALTERS
	0900	70°	WALTERS
16	1200	70°	WALTERS
	1500	70°	O. ROMERO
	1800	70°	ROMERO
24	2100	70°	ROMERO
	2400	67°	CRIDDLE

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	70°	S. DIXON
	0600	70	SABEDO
	0900	70	SABEDO
	1200	69	SABEDO
	1500	70	GUEVARA
9/24	1800	70	GUEVARA
	2100	69	GUEVARA
	2400	70°	DIXON

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	70°	DIXON
	0600	70	I. HART
	0900	74	HART
	1200	74	HART
	1500	74	C. ESTRELLA
9/24	1800	74	F. ESTRELLA
	2100	71	F. ESTRELLA
	2400	72°	DIXON

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	72°	DIXON
	0600	72	HART
	0900	75°	HART
	1200	75°	HART
9/24	1500	79	M. GARCIA
	1800	75	C. M. M.
	2100	73	C. MONTZON
	2400	72°	DIXON

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	72°	DIXON
	0600	74	HART
	0900	74	HART
	1200	74	HART
	1500	72	OIVAS
9/24	1800	71	OIVAS
	2100	71	OIVAS
	2400	71	DIXON

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	70°	DIXON
	0600	70°	HART
	0900	74°	HART
	1200	74°	HART
9/24	1500	74°	OIVAS
	1800	73	OIVAS
	2100	73	OIVAS
	2400	71	DIXON

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	69°	Lope
	0600	74°	HART
	0900	74°	HART
	1200	74°	HART
	1500	74	OIVAS
9/24	1800	73	OIVAS
	2100	73	OIVAS
	2400	69°	Lope

Notes

Date	Time	Temp.	Name (Print)
9/22	0300	69	Lope
	0600	69	SABEDO
	0900	70	SABEDO
	1200	70	SABEDO
9/24	1500	70	M. GARCIA
	1800	70	M. GARCIA
	2100	70	M. GARCIA
	2400	70	Lope

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C 3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
9/16/24	0300	80°	Lope
	0600	80	J. BARRIOS
	0900	72	J. BARRIOS
	1200	73	J. BARRIOS
	1500	71	P. LIMA
	1800	71	P. LIMA
	2100	71	P. LIMA
	2400	80°	Lope

Tuesday 09-17-24

Date	Time	Temp.	Name (Print)
9/17/24	0300	70	M. SANCHEZ
	0600	70	SABEDU
	0900	72	SABEDU
	1200	72	SABEDU
	1500	71	GUERRA
	1800	71	GUERRA
	2100	70	GUERRA
	2400	70	GUERRA

Wednesday 09-18-24

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	S. AGYAPONG
	0600	70	Lope
	0900	70	Lope
	1200	70	Lope
	1500	70	A. LIMA
	1800	70	A. LIMA
	2100	70	A. LIMA
	2400	70	S. AGYAPONG

Thursday 09-19-24

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	S. AGYAPONG
	0600	70	Ronquillo
	0900	72	Ronquillo
	1200	72	Ronquillo
	1500	72	Ronquillo
	1800	72	Ronquillo
	2100	70	Ronquillo
	2400	70	S. AGYAPONG

Friday 09-20-24

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	S. AGYAPONG
	0600	70	L. RODRIGUEZ
	0900	70	L. RODRIGUEZ
	1200	70	L. RODRIGUEZ
	1500	71	P. LIMA
	1800	71	P. LIMA
	2100	71	P. LIMA
	2400	70	S. AGYAPONG

Saturday 09-21-24

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	S. AGYAPONG
	0600	71	mm
	0900	71	mm
	1200	71	mm
	1500	71	DYLIPIM
	1800	71	REGIM
	2100	70	P. LIMA
	2400	70	S. AGYAPONG

Sunday 09-22-24

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	S. AGYAPONG
	0600	70	J. BARRIOS
	0900	70	J. BARRIOS
	1200	70	J. BARRIOS
	1500	71	P. LIMA
	1800	71	P. LIMA
	2100	70	P. LIMA
	2400	70	S. AGYAPONG

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-14-24	0300	70°	M. QUIROT
0600	70°	M. QUIROT	
0900	70°	TERRIQUEZ	
1200	70°	TERRIQUEZ	
1500	70°	M. GARCIA	
1800	70°	M. GARCIA	
2100	70°	M. GARCIA	
2400	70°	M. QUIROT	

Tuesday

Date	Time	Temp.	Name (Print)
9-17-24	0300	70°	M. QUIROT
0600	70°	S. AREVALO	
0900	70°	J. M. AREVALO	
1200	72°	S. AREVALO	
1500	72°	S. AREVALO	
1800	72°	S. AREVALO	
2100	72°	S. AREVALO	
2400	70°	M. QUIROT	

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	70°	M. GARCIA
0600	70°	M. GARCIA	
0900	70°	M. GARCIA	
1200	70°	M. GARCIA	
1500	70°	M. GARCIA	
1800	70°	M. GARCIA	
2100	71°	M. GARCIA	
2400	70°	M. GARCIA	

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	70°	M. GARCIA
0600	70°	M. GARCIA	
0900	70°	M. GARCIA	
1200	70°	M. GARCIA	
1500	70°	M. GARCIA	
1800	70°	M. GARCIA	
2100	70°	M. GARCIA	
2400	70°	M. GARCIA	

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	70°	GARCIA
0600	70°	BALLES	
0900	70°	BALLES	
1200	70°	D. W.	
1500	70°	GARCIA	
1800	70°	GARCIA	
2100	70°	GARCIA	
2400	71°	GARCIA	

Saturday

Date	Time	Temp.	Name (Print)
9-21-24	0300	71°	GARCIA
0600	70°	TERRIQUEZ	
0900	70°	TERRIQUEZ	
1200	70°	TERRIQUEZ	
1500	70°	TERRIQUEZ	
1800	70°	TERRIQUEZ	
2100	70°	TERRIQUEZ	
2400	70°	GARCIA	

Notes

Date	Time	Temp.	Name (Print)
9/22/24	0300	70°	N. K. OCTAY
0600	70°	TERRIQUEZ	
0900	70°	TERRIQUEZ	
1200	70°	TERRIQUEZ	
1500	70°	TERRIQUEZ	
1800	70°	TERRIQUEZ	
2100	70°	TERRIQUEZ	
2400	70°	M. QUIROT	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 5 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
9/16/18	0300	74	Dickinson
16/18	0600	74	H. Balin
16/18	0900	75	H. Balin
16/18	1200	76	H. Balin
16/18	1500	77	K. Davidson
16/18	1800	77	K. Davidson
16/18	2100	76	K. Davidson
16/18	2400	75	Dickinson

Date	Time	Temp.	Name (Print)
9/17/18	0300	70	O'TOOLE
17/18	0600	70	GROUPE
17/18	0900	75	Lambert
17/18	1200	75	Lambert
17/18	1500	70	CONTE, S
17/18	1800	70	CONTE, S
17/18	2100	70	CONTE, S
17/18	2400	70	O'TOOLE

Date	Time	Temp.	Name (Print)
9/18/18	0300	68	O'TOOLE
18/19	0600	68	O'TOOLE
18/19	0900	70	Lambert
18/19	1200	70	Lambert
18/19	1500	72	R. HERNANDEZ
18/19	1800	72	R. HERNANDEZ
18/19	2100	70	R. HERNANDEZ
18/19	2400	70	O'TOOLE

Date	Time	Temp.	Name (Print)
9/19/18	0300	70	O'TOOLE
19/20	0600	70	O'TOOLE
19/20	0900	70	O'TOOLE
19/20	1200	70	Lambert
19/20	1500	75	R. HERNANDEZ
19/20	1800	72	R. HERNANDEZ
19/20	2100	70	R. HERNANDEZ
19/20	2400	70	O'TOOLE

Date	Time	Temp.	Name (Print)
9/20/18	0300	70	O'TOOLE
20/21	0600	70	O'TOOLE
20/21	0900	75	Lambert
20/21	1200	75	Lambert
20/21	1500	75	R. HERNANDEZ
20/21	1800	72	R. HERNANDEZ
20/21	2100	70	R. HERNANDEZ
20/21	2400	70	O'TOOLE

Date	Time	Temp.	Name (Print)
9/21/18	0300	75	Miranda
21/22	0600	75	Lambert
21/22	0900	75	Lambert
21/22	1200	75	Lambert
21/22	1500	75	R. HERNANDEZ
21/22	1800	72	R. HERNANDEZ
21/22	2100	70	R. HERNANDEZ
21/22	2400	70	R. HERNANDEZ

Date	Time	Temp.	Name (Print)
9/22/18	0300	70	Miranda
22/23	0600	70	Devins
22/23	0900	75	Devins
22/23	1200	75	Devins
22/23	1500	70	Devins
22/23	1800	70	Devins
22/23	2100	70	Devins
22/23	2400	70	Miranda

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	74	MURK
	0600	74	ESCOBAR
	0900	74	ESCOBAR
	1200	74	ESCOBAR
	1500	73	Hernandez
	1800	72°	WHITTAKER
	2100	70°	WHITTAKER
	2400	74	MURK

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	73	MURK
	0600	72	A. MARTINEZ
	0900	72	A. MARTINEZ
	1200	72	A. MARTINEZ
	1500	73	A. MARTINEZ
	1800	73	A. MARTINEZ
	2100	73	A. MARTINEZ
	2400	73	MURK

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	73	MURK
	0600	73	A. MARTINEZ
	0900	72	A. MARTINEZ
	1200	73	A. MARTINEZ
	1500	73°	D. Lopez
	1800	73°	D. Lopez
	2100	73°	D. Lopez
	2400	73	MURK

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	72	SANCHEZ
	0600	72	SANCHEZ
	0900	72	SANCHEZ
	1200	73	A. Hernandez
	1500	73°	J. Lopez
	1800	73°	J. Lopez
	2100	73°	J. Lopez
	2400	72	J. M. M. S.

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	73	STOREY
	0600	72	Hernandez, E
	0900	71	Hernandez, E
	1200	73	Hernandez, E
	1500	73	MENDOZA
	1800	73	MENDOZA
	2100	73	MENDOZA
	2400	73°	STOREY

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	73	J. Devore
	0600	73°	J. GARCIA
	0900	73°	J. GARCIA
	1200	73°	J. GARCIA
	1500	74	W. Sanchez
	1800	74	W. Sanchez
	2100	74	W. Sanchez
	2400	73	J. Devore

Notes

Date	Time	Temp.	Name (Print)
9/22/24	0300	73	MURK
	0600	73	ARGUELLES
	0900	73	ARGUELLES
	1200	73	ARGUELLES
	1500	74°	C. AHN
	1800	75°	C. AHN
	2100	75°	C. AHN
	2400	73	MURK

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	73	C. Holme
11/24	0600	71°	COLEMAN
	0900	71°	COLEMAN
	1200	71	SILVER
	1500	71	W. Sanchez
	1800	71	W. Sanchez
	2100	71	W. Sanchez
	2400	74	C. Holme

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	71	C. Holme
24	0600	70°	Barnes
	0900	70°	Barnes
	1200	71°	Barnes
	1500	71°	Barnes
	1800	71°	Barnes
	2100	71°	Barnes
	2400	71	C. Holme

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	74	C. Holme
24	0600	70°	Barnes
	0900	70°	Barnes
	1200	71°	Barnes
	1500	71°	Barnes
	1800	71°	Barnes
	2100	71°	Barnes
	2400	74	C. Holme

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	73	C. Holme
24	0600	70°	Barnes
	0900	70	Do not
	1200	70	Barnes
	1500	74	HERNANDEZ
	1800	74	HERNANDEZ
	2100	72	HERNANDEZ
	2400	73	C. Holme

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	73	C. Holme
24	0600	70	HERNANDEZ
	0900	72	HERNANDEZ
	1200	74	HERNANDEZ
	1500	74	HERNANDEZ
	1800	74	HERNANDEZ
	2100	72	HERNANDEZ
	2400	73	C. Holme

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	73	C. Holme
24	0600	70	HERNANDEZ
	0900	72	HERNANDEZ
	1200	72	HERNANDEZ
	1500	74	HERNANDEZ
	1800	74	HERNANDEZ
	2100	72	HERNANDEZ
	2400	74	C. Holme

Notes

Date	Time	Temp.	Name (Print)
9/22	0300	71	J. Devore
24	0600	71	J. Garcia
	0900	71	J. Garcia
	1200	72°	J. Garcia
	1500	73°	K. Lopez
	1800	73	W. Sanchez
	2100	73	W. Sanchez
	2400	71	J. Devore

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 03 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/14	0300	74°	Bogd
	0600	71°	Nicadera
	0900	71°	W.Garcia
	1200	71°	Nicadera
	1500	70°	M. QUIROZ
	1800	70°	M. QUIROZ
	2100	70°	M. QUIROZ
	2400	75°	Bogd

Tuesday			
Date	Time	Temp.	Name (Print)
9/17	0300	70	J. Carter
	0600	71	P. Hernandez
	0900	71	F. Hernandez
	1200	71	F. Hernandez
	1500	71	W. Sanchez
	1800	71	W. Sanchez
	2100	71	W. Sanchez
	2400	70	J. Carter

Wednesday			
Date	Time	Temp.	Name (Print)
9/18/24	0300	71°	VEGA
	0600	71	Machado
	0900	71	Machado
	1200	71	Machado
	1500	70	Anita A
	1800	70	Anita A
	2100	70	Anita A
	2400	71°	VEGA

Thursday			
Date	Time	Temp.	Name (Print)
9/19/24	0300	70	VEGA
	0600	70	Anita
	0900	71	Anita
	1200	71	Anita
	1500	70	Hernandez
	1800	70	Hernandez
	2100	70	Hernandez
	2400	70	VEGA

Friday			
Date	Time	Temp.	Name (Print)
9/20/24	0300	71°	VEGA
	0600	71	Anita
	0900	71	Anita
	1200	71	Anita
	1500	71	Routine
	1800	71	Routine
	2100	71	Routine
	2400	71	J. Denare

Saturday			
Date	Time	Temp.	Name (Print)
9/21/24	0300	71°	VEGA
	0600	71°	VEGA
	0900	71°	VEGA
	1200	71°	VEGA
	1500	71°	Routine
	1800	71°	Routine
	2100	71°	Routine
	2400	71	VEGA

Sunday			
Date	Time	Temp.	Name (Print)
9/22/24	0300	71°	VEGA
	0600	71°	Dawson
	0900	71°	Dawson
	1200	71°	Dawson
	1500	71°	Routine
	1800	71°	Routine
	2100	71°	Routine
	2400	71°	VEGA

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D4 Control Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	70	J. Carter
16	0600	70	A. Gonzalez
24	0900	70	A. Gonzalez
	1200	71	A. Gonzalez
	1500	71	J. Arias
	1800	70	J. Arias
	2100	70	J. Arias
	2400	70	J. Carter

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	70	R. Phillips
17	0600	70	A. Gonzalez
24	0900	70	A. Gonzalez
	1200	72	A. Gonzalez
	1500	72	A. Gonzalez
	1800	70	A. Gonzalez
	2100	70	A. Gonzalez
	2400	70	A. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	70	R. Phillips
18	0600	70	A. Gonzalez
24	0900	72	A. Gonzalez
	1200	72	A. Gonzalez
	1500	72	A. Gonzalez
	1800	72	A. Gonzalez
	2100	70	A. Gonzalez
	2400	70	R. Phillips

Thursday

Date	Time	Temp.	Name (Print)
9	0300	70	R. Phillips
19	0600	70	Machado
24	0900	72	Machado
	1200	72	Machado
	1500	72	Machado
	1800	70	Machado
	2100	70	Machado
	2400	70	R. Phillips

Friday

Date	Time	Temp.	Name (Print)
9	0300	70	Serrato
20	0600	70	Hanfield
24	0900	70	Hanfield
	1200	70	Hanfield
	1500	72	Anita
	1800	72	Anita
	2100	70	Anita
	2400	690	Serrato

Saturday

Date	Time	Temp.	Name (Print)
9	0300	70	L. Hernandez
21	0600	70	J. Arias
24	0900	70	J. Arias
	1200	70	J. Arias
	1500	72	J. Arias
	1800	72	J. Arias
	2100	70	J. Arias
	2400	70	L. Hernandez

Notes

Date	Time	Temp.	Name (Print)
9	0300	70	J. Carter
22	0600	70	J. Arias
24	0900	70	J. Arias
	1200	71	J. Arias
	1500	71	J. Arias
	1800	70	J. Arias
	2100	70	J. Arias
	2400	70	J. Carter

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D5 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-24	0300	70°	M. DIXON
	0600	70	CORTES, S
	0900	70	CORTES, S
	1200	70	CORTES, S
	1500	70	CORTES, S
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70°	M. DIXON

Tuesday

Date	Time	Temp.	Name (Print)
9-17-24	0300	70	Sirko
	0600	70	CORTES, S
	0900	70	CORTES, S
	1200	70	CORTES, S
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	Sirko

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	70	J. Devore
	0600	70	CORTES, S
	0900	70	CORTES, S
	1200	70	CORTES, S
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	J. Devore

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	70	Richardson
	0600		
	0900		
	1200		
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	Richardson

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	70	J. Carter
	0600	70	CORTES, S
	0900	70	CORTES, S
	1200	70	CORTES, S
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	J. Carter

Saturday

Date	Time	Temp.	Name (Print)
9-21-24	0300	70	J. Carter
	0600	70	LOPEZ
	0900	70	LOPEZ
	1200	70	LOPEZ
	1500	70	Naya
	1800	70	Naya
	2100	70	Naya
	2400	70	J. Carter

Notes

Date	Time	Temp.	Name (Print)
9-22-24	0300	70°	M. DIXON
	0600	70	LOPEZ
	0900	70	LOPEZ
	1200	70	LOPEZ
	1500	70	Naya
	1800	70	Naya
	2100	70	Naya
	2400	70°	M. DIXON

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: Infirmary Temp. Reading Location: 1<sup>st</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	70	Oliver
0600	71	Christensen	
0900	72	Christensen	
1200	73	Christensen	
1500	72	J. Williams	
1800	72	Oliver	
2100	72	Oliver	
2400	71	Oliver	

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	71	Oliver
0600	71	Christensen	
0900	71	Christensen	
1200	72	Christensen	
1500	73	J. Williams	
1800	72	Oliver	
2100	72	Oliver	
2400	71	Oliver	

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	71	Oliver
0600	71	Christensen	
0900	71	Christensen	
1200	72	Christensen	
1500	72	J. Williams	
1800	72	Oliver	
2100	72	Oliver	
2400	72	Maldonado	

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	71	Maldonado
0600	71	Christensen	
0900	71	Christensen	
1200	72	Christensen	
1500	72	Richardson	
1800	72	Richardson	
2100	72	Richardson	
2400	72	Leon	

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	72	Leah
0600	72	Christensen	
0900	72	Christensen	
1200	72	Christensen	
1500	72	Johnson	
1800	72	Johnson	
2100	72	Johnson	
2400	70	Leah	

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300		J. Galapon
0600	70	Fors	
0900	70	Fors	
1200	70	Fors	
1500	73	Oliver	
1800	72	Oliver	
2100	72	Oliver	
2400	71	J. Galapon	

Notes

Date	Time	Temp.	Name (Print)
9/29	0300	72	Oliver
0600	72	Oliver	
0900	72	Oliver	
1200	72	Oliver	
1500	73	Oliver	
1800	72	Oliver	
2100	72	Oliver	
2400	72	Oliver	

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR.2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPT 23, 2024	0100	69	T. Galvan
	0200	68	T. Galvan
	0300	67	T. Galvan
	0400	67	T. Galvan
	0500	65	T. Galvan
	0600	64	NUNEZ
	0700	66	NUNEZ
	0800	69	NUNEZ
	0900	70	NUNEZ
	1000	73	NUNEZ
	1100	76	NUNEZ
	1200	83	NUNEZ
	1300	89	NUNEZ
	1400	95	Puentes
	1500	95	Puentes
	1600	95	Puentes
	1700	93	Puentes
	1800	89	Puentes
	1900	86	Puentes
	2000	83	Puentes
	2100	78	Puentes
	2200	75°	ABEL
	2300	73°	ABEL
	2400	71°	ABEL

HEAT ALERT  
START 1310  
END 1900

Date	Time	Temp.	Printed Name
SEPT 24, 2024	0100	71°	ABEL
	0200	70°	ABEL
	0300	69°	ABEL
	0400	68	ABEL
	0500	67°	ABEL
	0600	66	NUNEZ
	0700	64	NUNEZ
	0800	65	NUNEZ
	0900	67	NUNEZ
	1000	75	NUNEZ
	1100	82	NUNEZ
	1200	88	NUNEZ
	1300	97	NUNEZ
	1400	95	Puentes
	1500	93	Puentes
	1600	92	Puentes
	1700	91	Puentes
	1800	91	Puentes
	1900	86	Puentes
	2000	83	Puentes
	2100	81	Puentes
	2200	78	WINGFIELD
	2300	78	WINGFIELD
	2400	78	WINGFIELD

HEAT ALERT  
START 1222  
END 1900

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
09/25 2024	0100	76	WINGFIELD
	0200	76	WINGFIELD
	0300	75	WINGFIELD
	0400	75	WINGFIELD
	0500	75	WINGFIELD
	0600	69	MNEZ
	0700	72	MNEZ
	0800	77	MNEZ
	0900	81	MNEZ
	1000	84	MNEZ
	1100	87	MNEZ
	1200	89	MNEZ
	1300	92	MNEZ
	1400	93	Puentes
	1500	93	Puentes
	1600	92	Puentes
	1700	89	Puentes
	1800	85	Puentes
	1900	83	Puentes
	2000	77	Puentes
	2100	78	Puentes
	2200	75	WINGFIELD
	2300	73	WINGFIELD
	2400	72	WINGFIELD

Date	Time	Temp.	Printed Name
09/26 2024	0100	70	WINGFIELD
	0200	69	WINGFIELD
	0300	68	WINGFIELD
	0400	65	WINGFIELD
	0500	65	WINGFIELD
	0600	62	MNEZ
	0700	61	MNEZ
	0800	65	MNEZ
	0900	72	MNEZ
	1000	78	MNEZ
	1100	81	MNEZ
	1200	87	MNEZ
	1300	90	MNEZ
	1400	94	Puentes
	1500	94	Puentes
	1600	94	Puentes
	1700	92	Puentes
	1800	89	Puentes
	1900	85	Puentes
	2000	81	Puentes
	2100	78	Puentes
	2200	75	A ENCALADE
	2300	72	A ENCALADE
	2400	70	A ENCALADE

STAGE 1 HEAT ALERT

START 1220

END 1800

STAGE 1 HEAT ALERT

START 1235

END 1900

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 27, 2024	0100	64	Puentes
	0200	63	Puentes
	0300	62	Puentes
	0400	62	Puentes
	0500	62	Puentes
	0600	64	MCDUFFY
	0700	64	MCDUFFY
	0800	67	MCDUFFY
	0900	67	MCDUFFY
	1000	76	MCDUFFY
	1100	78	MCDUFFY
	1200	86	MCDUFFY
	1300	91	MCDUFFY
	1400	94	MCDUFFY
	1500	97	GARRET
	1600	95	GARRET
	1700	93	GARRET
	1800	89	GARRET
	1900	86	GARRET
	2000	83	GARRET
	2100	81	GARRET
	2200	78	WINGFIELD
	2300	74	WINGFIELD
	2400	74	WINGFIELD

Stage 1 1230 ACTIVATED  
1805 DEACTIVATED

Date	Time	Temp.	Printed Name
SEPTEMBER 28, 2024	0100	72	WINGFIELD
	0200	70	WINGFIELD
	0300	68	WINGFIELD
	0400	66	WINGFIELD
	0500	64	WINGFIELD
	0600	65	C.Gewirtz
	0700	65	C.Gewirtz
	0800	65	C.Gewirtz
	0900	70	C.Gewirtz
	1000	75	C.Gewirtz
	1100	84	C.Gewirtz
	1200	89	C.Gewirtz
	1300	93	C.Gewirtz
	1400	94	C.Gewirtz
	1500	94	C.Gewirtz
	1600	93	C.Gewirtz
	1700	90	C.Gewirtz
	1800	86	C.Gewirtz
	1900	84	C.Gewirtz
	2000	82	C.Gewirtz
	2100	79	C.Gewirtz
	2200	77	WINGFIELD
	2300	77	WINGFIELD
	2400	77	WINGFIELD

Stage 1 1205 ACTIVATED  
1805 DEACTIVATED

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 29, 2024	0100	75	WINGFIELD
	0200	73	WINGFIELD
	0300	72	WINGFIELD
	0400	72	WINGFIELD
	0500	72	WINGFIELD
	0600	74	Puentes
	0700	77	Puentes
	0800	80	Puentes
	0900	82	Puentes
	1000	83	Puentes
	1100	85	Puentes
	1200	89	Puentes
	1300	91	Puentes
	1400	93	Puentes
	1500	92	Puentes
	1600	91	Puentes
	1700	89	Puentes
	1800	87	Puentes
	1900	83	Puentes
	2000	81	Puentes
	2100	77	Puentes
	2200	76	Villa
	2300	75	Villa
	2400	73	Villa
SEPTEMBER 30, 2024	0100	69	Villa
	0200	69	Villa
	0300	68	Villa
	0400	65	Villa
	0500	63	Villa
	0600	63	Villa
	0700	65	NUNEZ
	0800	69	NUNEZ
	0900	73	NUNEZ
	1000	77	NUNEZ
	1100	80	NUNEZ
	1200	84	NUNEZ
	1300	88	NUNEZ
	1400	91	Puentes
	1500	94	Puentes
	1600	97	Puentes
	1700	95	Puentes
	1800	94	Puentes
	1900	89	Puentes
	2000	82	Puentes
	2100	80	Puentes
	2200	78	BLAVO
	2300	76	BLAVO
	2400	74	BLAVO

Stage 1 1230 ACTIVATED  
1800 DEACTIVATED

Stage 1 1315 ACTIVATED  
2000 DEACTIVATED

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LPC Housing Unit: DORM 1

Temp. Reading Location: MSF

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	77	SILVA
24	0600	75	SILVA
	0900	75	EVANGELIST
	1200	77	EVANGELIST
	1500	81°	M. CONTRERAS
	1800	81°	M. CONTRERAS
	2100	80°	M. CONTRERAS
	2400	80	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	77	VACIN
	0600	76	EVANGELIST
	0900	76	EVANGELIST
	1200	78	EVANGELIST
	1500	78	Garcia
	1800	78	Garcia
	2100	78	Garcia
	2400	77	VACIN

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	77	VACIN
	0600	79	EDWARDSON
	0900	79	GRANBUT
	1200	79	GRANBUTA
	1500	81°	M. CONTRERAS
	1800	81°	M. CONTRERAS
	2100	81°	M. CONTRERAS
	2400	77	VACIN

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	77	VACIN
	0600	72	
	0900	76	PALM
	1200	76	PALM
	1500	80	PALM
	1800	81	PALM
	2100	80	PALM
	2400	78	VACIN

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	78	HIDALGO
	0600	78	HIDALGO
	0900	76°	CRIDDLE
	1200	78°	CRIDDLE
	1500	81°	M. CONTRERAS
	1800	81°	M. CONTRERAS
	2100	79°	M. CONTRERAS
	2400	78	HIDALGO

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	77	VACIN
	0600	72	VACIN
	0900	75°	CRIDDLE
	1200	77°	CRIDDLE
	1500	81°	M. CONTRERAS
	1800	81°	M. CONTRERAS
	2100	81°	M. CONTRERAS
	2400	77	VACIN

Notes

9/23/24 1310 STAGE 1

9/24/24 1222 STAGE 1

9/28/24 @ 1205 1ST. STAGE HEAT ALERT

9/29/24 @ 1230 1ST. STAGE HEAT ALERT

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 09/23/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	68	67	65	66	65	66	70	68	F. GUTIERREZ	J. S. J. S.
03:00	68	68	64	66	69	66	62	69	F. GUTIERREZ	J. S. J. S.
06:00	68	68	68	68	70	67	61	69	J. Alvarez	J. Alvarez
09:00	68	68	68	68	70	69	60	70	J. Alvarez	J. Alvarez
12:00	67	67	69	69	70	68	61	71	J. Alvarez	J. Alvarez
15:00	68°	67°	66°	67°	69°	67°	60°	70°	J. Acuña	J. Acuña
18:00	69°	67°	65°	67°	69°	67°	60°	70°	J. Acuña	J. Acuña
21:00	68°	67°	66°	67°	69°	67°	60°	69°	J. Acuña	J. Acuña

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



9.23.24  
Date




CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9-24-24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	68	70	64	68	70	64	66	70	STEPHENSON	cstpl
03:00	68	68	68	68	70	66	64	70	STEPHENSON	CSbol
06:00	68°	68°	68°	68°	70°	66°	65°	70°	M. QUINTERO	
09:00	68°	68°	66°	68°	70°	68°	66°	70°	M. QUINTERO	
12:00	68°	68°	64°	68°	70°	68°	64°	70°	M. QUINTERO	
15:00	68	66	63	66	69	68	63	69	S.BONE	
18:00	68	66	63	66	69	68	63	69	SIRKO	
21:00	68	66	63	66	69	68	63	69	SIRKO	

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

  
ASU-1 Lieutenant

9.24.24  
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9-25-24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	68	70	64	68	70	64	66	70	Sirkko	<i>Sirkko</i>
03:00	68	68	68	68	70	66	64	70	Sirkko	<i>Sirkko</i>
06:00	68°	68°	66°	68°	70°	66°	65°	70°	M. QUINTERO	<i>M. QUINTERO</i>
09:00	70°	68°	66°	68°	70°	64°	64°	70°	M. QUINTERO	<i>M. QUINTERO</i>
12:00	70°	68°	66°	66°	70°	64°	62°	70°	M. QUINTERO	<i>M. QUINTERO</i>
15:00	70	66	66	68	70	64	60	70	Sirkko	<i>Sirkko</i>
18:00	70	64	64	68	70	64	60	70	Sirkko	<i>Sirkko</i>
21:00	70	66	64	68	70	64	60	70	Sirkko	<i>Sirkko</i>

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



9-25-24  
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 9/26/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	70	68	64	68	70	64	60	70	Funes	<u>        </u>
03:00	70	68	66	68	70	67	62	70	Funes	<u>(6)</u>
06:00	70	69	70	69	70	68	64	70	M. QUINTERO	<u>      </u>
09:00	70	68	64	68	70	68	62	70	M. QUINTERO	<u>      </u>
12:00	70	68	64	68	70	68	61	70	M. QUINTERO	<u>      </u>
15:00	70	68	66	66	70	68	60	70	Sirko	<u>      </u>
18:00	68	68	66	66	70	68	60	70	Sirko	<u>      </u>
21:00	68	68	64	66	70	68	60	70	Sirko	<u>      </u>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



9.26.24  
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 9-27-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	69°	66°	64°	64°	70°	65°	65°	70	J. Acuña	J. Acuña
03:00	69°	67°	66°	65°	76°	65°	64°	70°	J. Acuña	J. Acuña
06:00	68	68	68	68	70	66	64	70	Funes	Funes
09:00	68	68	68	68	70	67	64	70	Funes	Funes
12:00	76	74	68	68	70	68	64	70	Funes	Funes
15:00	76	74	68	66	70	68	64	70	Sirkos	Sirkos
18:00	76	74	68	68	70	68	64	70	Sirkos	Sirkos
21:00	76	74	68	68	70	68	64	70	Sirkos	Sirkos

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



9.27.24  
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.


Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 90 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 9-28-24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	69	66	64	64	70	66	66	70	Sinko	<i>Sinko</i>
03:00	69	66	64	64	70	66	66	70	Sinko	<i>Sinko</i>
06:00	70	70	68	70	70	66	60	70	E. CERVANTES	<i>E. Cervantes</i>
09:00	70	70	68	65	70	68	60	70	E. CERVANTES	<i>E. Cervantes</i>
12:00	70	70	68	68	70	68	60	70	E. CERVANTES	<i>E. Cervantes</i>
15:00	70	70	68	68	70	70	60	70	E. CERVANTES	<i>E. Cervantes</i>
18:00	72	72	68	68	70	70	60	70	E. CERVANTES	<i>E. Cervantes</i>
21:00	70	70	65	68	70	70	60	70	E. CERVANTES	<i>E. Cervantes</i>

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant  


9.28.24  
 Date






CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 9-29-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	72°	72°	64°	65°	70°	66°	60°	76°	J. Acuña	
03:00	72°	72°	65°	66°	70°	68°	61°	70°	J. Acuña	
06:00	71°	70°	65°	68°	70°	70°	64°	70°	Gardner	
09:00	71°	71°	66°	68°	68°	70°	65°	70°	Gardner	
12:00	72°	74°	(69°)	69°	70°	66°	62°	70°	Gardner	
15:00	72	74	65	69	70	67	63	70	S. Bone	
18:00	72	73	65	66	70	68	63	70	S. Bone	
21:00	72	72	64	66	70	66	62	70	S. Bone	

The 3<sup>rd</sup> Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

  
ASU-1 Lieutenant

  
Date

## Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: 9-29-2024

### ACTIVATION SEQUENCE

#### 90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by \_\_\_\_\_ at \_\_\_\_\_ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

#### 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

#### 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

### DEACTIVATION SEQUENCE

#### BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.

#### BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

#### BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

  
1<sup>ST</sup>/W OFFICER'S SIGNATURE

  
2<sup>ND</sup>/W OFFICERS SIGNATURE

  
3<sup>RD</sup>/W OFFICERS SIGNATURE

## Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: 9.28.24

### ACTIVATION SEQUENCE

#### 90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by \_\_\_\_\_ at \_\_\_\_\_ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

#### 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

#### 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

### DEACTIVATION SEQUENCE

#### BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.

#### BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.


#### BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

  
1<sup>ST</sup>/W OFFICER'S SIGNATURE

  
2<sup>ND</sup>/W OFFICERS SIGNATURE

  
3<sup>RD</sup>/W OFFICERS SIGNATURE

## Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: 9-27-2024

### ACTIVATION SEQUENCE

#### 90 DEGREES OUTSIDE:

CF

1. Heat Plan activated, notified by Central Control at (230) hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

#### 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting.
3. Increased custodial observation of heat risk Inmate-Patients.

#### 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

### DEACTIVATION SEQUENCE

#### BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.

#### BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.


#### BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Central Control at 1920 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

  
John Johnson  
1<sup>ST</sup>/W OFFICER'S SIGNATURE

  
Con  
2<sup>ND</sup>/W OFFICERS SIGNATURE

  
Arlo  
3<sup>RD</sup>/W OFFICERS SIGNATURE

## Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: 9/26/24

### ACTIVATION SEQUENCE

#### 90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by CENTRAL CONTROL at 1235 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

#### 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

#### 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

### DEACTIVATION SEQUENCE

#### BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.


#### BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

#### BELOW 90 DEGREES OUTSIDE:

- TS  
TS
1. Notified Program Lt./Sgt. Central Control at 1900 hours.
  2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

  
1<sup>ST</sup>/W OFFICER'S SIGNATURE

  
2<sup>ND</sup>/W OFFICERS SIGNATURE

  
3<sup>RD</sup>/W OFFICER'S SIGNATURE

## Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: 9-25-24

### ACTIVATION SEQUENCE

#### 90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by CENTRAL CONTROL at 120 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

#### 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

#### 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

### DEACTIVATION SEQUENCE

#### BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.


#### BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.


#### BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Central control at 120 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

  
1<sup>ST</sup> W OFFICER'S SIGNATURE

  
2<sup>ND</sup> W OFFICERS SIGNATURE

  
3<sup>RD</sup> W OFFICERS SIGNATURE

## Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: Sept. 24, 2024

### ACTIVATION SEQUENCE

#### 90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by CENTRAL CONTROL at 1222 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

#### 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

#### 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

### DEACTIVATION SEQUENCE

#### BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.

#### BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

#### BELOW 90 DEGREES OUTSIDE:

- TS  
TS
1. Notified Program Lt./Sgt. Central Control at 1900 hours.
  2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

W. E. S.  
1<sup>ST</sup>/W OFFICER'S SIGNATURE

W. E. S.  
2<sup>ND</sup>/W OFFICER'S SIGNATURE

W. E. S.  
3<sup>RD</sup>/W OFFICERS SIGNATURE

## Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: 09/23/24

### ACTIVATION SEQUENCE

#### 90 DEGREES OUTSIDE:

- \_\_\_\_\_ 1. Heat Plan activated, notified by Central Control at 1310 hours.
- \_\_\_\_\_ 2. All heat risk Inmate-Patients are mandated to their Housing Units.  
OR
- \_\_\_\_\_ 3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
- \_\_\_\_\_ 4. Cooling Measures include:
  - A. Encourage Inmate-Patients to drink cool water and or,
  - B. Shower with cool water or,
  - C. Encourage use of water in cell for cooling.

#### 90 DEGREES INSIDE:

- \_\_\_\_\_ 1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
- \_\_\_\_\_ 2. Initiated cooling measures for heat risk Inmate-Patients, which include:
  - A. Giving Inmate-Patients access to cooled water or,
  - B. Inmate-Patients will be given access to frequent showers or,
  - C. Inmate-Patients will be given access to spray bottles for misting,
- \_\_\_\_\_ 3. Increased custodial observation of heat risk Inmate-Patients.

#### 95 DEGREES INSIDE:

- \_\_\_\_\_ 1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
- \_\_\_\_\_ 2. Continued cooling measures and observation of heat risk Inmate-Patients.
- \_\_\_\_\_ 3. Clinician must make rounds in the unit.

### DEACTIVATION SEQUENCE

#### BELOW 95 DEGREES INSIDE:

- \_\_\_\_\_ 1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.


#### BELOW 90 DEGREES INSIDE:


- \_\_\_\_\_ 1. Notified Program Lt./Sgt. \_\_\_\_\_ at \_\_\_\_\_ hours.
- \_\_\_\_\_ 2. Cease cooling measures when temperature remains below for one (1) hour.

#### BELOW 90 DEGREES OUTSIDE:

- \_\_\_\_\_ 1. Notified Program Lt./Sgt. Central Control at 1900 hours.
- \_\_\_\_\_ 2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

  
1<sup>ST</sup>/W OFFICER'S SIGNATURE

  
2<sup>ND</sup>/W OFFICERS SIGNATURE

  
3<sup>RD</sup>/W OFFICERS SIGNATURE

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/29	0300	70	FAS
0600	70	Ruizguar Jr	
0900	70	Ruizguar Jr	
1200	70	Ruizguar Jr	
1500	70	Ruizguar Jr	
1800	70	SANCHEZ	
2100	70	SANCHEZ	
2400	70	FAS	

Tuesday

Date	Time	Temp.	Name (Print)
9/24/29	0300	70	FAS
0600	70	Ruizguar Jr	
0900	70	Ruizguar Jr	
1200	70	Ruizguar Jr	
1500	70	MURPHY	
1800	70	MURPHY	
2100	70	MURPHY	
2400	70	FAS	

Wednesday

Date	Time	Temp.	Name (Print)
9/25/29	0300	70	FAS
0600	70	Ruizguar Jr	
0900	70	Ruizguar Jr	
1200	70	Ruizguar Jr	
1500	70	A. REYES	
1800	69	A. REYES	
2100	69	A. REYES	
2400	70	J-S-J	

Thursday

Date	Time	Temp.	Name (Print)
9/26/29	0300	70	J-S-J
0600	70	Ruizguar Jr	
0900	70	Ruizguar Jr	
1200	70	Ruizguar Jr	
1500	70	REYES	
1800	68	REYES	
2100	69	REYES	
2400	70	J-S-J	

Friday

Date	Time	Temp.	Name (Print)
9/27/29	0300	70	J-S-J
0600	69	TOMAS	
0900	69	TOMAS	
1200	69	TOMAS	
1500	69	MACHADO	
1800	70	MACHADO	
2100	70	MACHADO	
2400	70	FAS	

Saturday

Date	Time	Temp.	Name (Print)
9/28/29	0300	70	FAS
0600	70	TOMAS	
0900	70	TOMAS	
1200	70	TOMAS	
1500	70	MACHADO	
1800	70	MACHADO	
2100	70	MACHADO	
2400	70	FAS	

Sunday

Date	Time	Temp.	Name (Print)
9/29/29	0300	70	LOPEZ
0600	70	D. ORTEGA	
0900	70	NGUYEN	
1200	70	NGUYEN	
1500	70	A. MARTINEZ	
1800	70	A. MARTINEZ	
2100	70	A. MARTINEZ	
2400	70	LOPEZ	

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Control Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/21	0300	78	B. PRESSEL
	0600	76	T. MURPHY
	0900	70	T. MURPHY
	1200	70	T. MURPHY
	1500	70	Murphy
	1800	70	Murphy
	2100	70	Murphy
	2400	70	B. PRESSEL

Tuesday

Date	Time	Temp.	Name (Print)
9/21	0300	70	B. PRESSEL
	0600	76	F. ESTRADA
	0900	70	F. ESTRADA
	1200	70	F. ESTRADA
	1500	70	A. ALSTON
	1800	70	A. ALSTON
	2100	70	A. ALSTON
	2400	70	B. PRESSEL

Wednesday

Date	Time	Temp.	Name (Print)
9/21	0300	70	B. PRESSEL
	0600	70	F. ESTRADA
	0900	70	F. ESTRADA
	1200	70	F. ESTRADA
	1500	70	Machado
	1800	70	Machado
	2100	70	Machado
	2400	70	B. PRESSEL

Thursday

Date	Time	Temp.	Name (Print)
9/21	0300	70	B. PRESSEL
	0600	70	F. ESTRADA
	0900	70	F. ESTRADA
	1200	70	F. ESTRADA
	1500	70	Chavez
	1800	70	Chavez
	2100	70	Chavez
	2400	70	B. PRESSEL

Friday

Date	Time	Temp.	Name (Print)
9/21	0300	70	B. PRESSEL
	0600	70	F. ESTRADA
	0900	70	F. ESTRADA
	1200	70	F. ESTRADA
	1500	70	██████████
	1800	70	██████████
	2100	70	██████████
	2400	70	J. SOLIS

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	70	J. SOLIS
	0600	70	✓
	0900	70	✓
	1200	70	✓
	1500	70	A. MARTINEZ
	1800	70	A. MARTINEZ
	2100	70	A. MARTINEZ
	2400	70	J. SOLIS

Sunday

Date	Time	Temp.	Name (Print)
9/21	0300	70	J. SOLIS
	0600	70	A. CASTILLO
	0900	71	A. CASTILLO
	1200	71	A. CASTILLO
	1500	72	L. GONZALEZ
	1800	71	L. GONZALEZ
	2100	71	L. GONZALEZ
	2400	70	B. PRESSEL

Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A-3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24/21	0300	70	J. Solt A
	0600	68	E. Grandes
	0900	70	E. Grandes
	1200	70	E. Grandes
	1500	70	W. Chanor
	1800	70	D. Chancor
	2100	70	D. Chancor
	2400	70	J. Solt A

Tuesday

Date	Time	Temp.	Name (Print)
9/24/21	0300	69	D. Woodard
	0600	70	T. M. C.
	0900	70	T. M. C.
	1200	70	T. M. C.
	1500	70	R. Lawrence
	1800	70	R. Lawrence
	2100	70	R. Lawrence
	2400	69	D. Woodard

Wednesday

Date	Time	Temp.	Name (Print)
9/25/21	0300	70	STORCY
	0600	70	STORCY
	0900	70	STORCY
	1200	70	STORCY
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	70	STORCY

Thursday

Date	Time	Temp.	Name (Print)
9/26/21	0300	70	MARTIN
	0600	68	E. Grandes
	0900	68	E. Grandes
	1200	70	E. Grandes
	1500	70	NUNEZ
	1800	70	NUNEZ
	2100	70	NUNEZ
	2400	70	MARTIN

Friday

Date	Time	Temp.	Name (Print)
9/27/21	0300	70	MARTIN
	0600	71	ACEVEDO
	0900	71	ACEVEDO
	1200	71	ACEVEDO
	1500	70	NUNEZ
	1800	70	NUNEZ
	2100	70	NUNEZ
	2400	70	MARTIN

Saturday

Date	Time	Temp.	Name (Print)
9/28/21	0300	70	MARTIN
	0600	71	STAN
	0900	71	STAN
	1200	70	D. Chancor
	1500	70	D. Chancor
	1800	70	D. Chancor
	2100	70	D. Chancor
	2400	70	MARTIN

Sunday

Date	Time	Temp.	Name (Print)
9/29/21	0300	70°	Anglin
	0600	68	E. Grandes
	0900	68	E. Grandes
	1200	70	E. Grandes
	1500	70°	A. ALAGBATA
	1800	70°	A. ALAGBATA
	2100	68°	A. ALAGBATA
	2400	70	Anglin

Notes

9/27/21 - 1230 FIRST STAGE HEAT ALERT

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	69	D.Woodard
23	0600	73	L.Thomas
23	0900	72	L.Thomas
23	1200	72	L.Thomas
24	1500	71	R.Parker
24	1800	71	R.Parker
24	2100	71	P.Gomes
24	2400	69	D.Woodard

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	71	Akande
24	0600	71	MARTIN
24	0900	71	VALENCIA
24	1200	71	VALENCIA
24	1500	71	EVANS
24	1800	72	PARKER
24	2100	72	PARKER
24	2400	71	Akande

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	71	Akande
25	0600	70	MARTIN
25	0900	71	MARTIN
25	1200	71	MARTIN
25	1500	72	PARKER
25	1800	72	PARKER
25	2100	72	PARKER
25	2400	71	Akande

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	71	Akande
26	0600	71	ROBLES O.
26	0900	71	ROBLES O.
26	1200	71	ROBLES O.
26	1500	71	VENTRESCA
26	1800	71	VENTRESCA
26	2100	71	VENTRESCA
26	2400	71	Akande

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	72	Akande
27	0600	72	VALENCIA
27	0900	72	VALENCIA
27	1200	72	VALENCIA
27	1500	72	TURNER
27	1800	71	TURNER
27	2100	72	TURNER
27	2400	72	Akande

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	72	Akande
28	0600	71	VALENCIA
28	0900	71	VALENCIA
28	1200	71	VALENCIA
28	1500	71	SOLORZANO
28	1800	71	SOLORZANO
28	2100	70	BLAKE
28	2400	72	Akande

Notes

Date	Time	Temp.	Name (Print)
9/29	0300	69	D.Woodard
29	0600	71°	ROBLES O.
29	0900	72°	ROBLES O.
29	1200	72°	ROBLES O.
29	1500	72	PARKER
29	1800	71	PARKER
29	2100	71	PARKER
29	2400	69	D.Woodard

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: AS Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/23	0300	72°	ROBLES, O.
09/23	0600	72	RAMIREZ
09/23	0900	73	RAMIREZ
09/23	1200	75	RAMIREZ
09/23	1500	74	FRAZIER, B.
09/23	1800	76	FRAZIER, B.
09/23	2100	76	FRAZIER, B.
09/23	2400	73°	ROBLES, O.

Tuesday

Date	Time	Temp.	Name (Print)
09/24	0300	72°	ROBLES, O.
09/24	0600	72°	RAMIREZ
09/24	0900	73	RAMIREZ
09/24	1200	74	RAMIREZ
09/24	1500	74	B. FRAZIER
09/24	1800	74°	B. FRAZIER
09/24	2100	74°	B. FRAZIER
09/24	2400	73°	ROBLES, O.

Wednesday

Date	Time	Temp.	Name (Print)
09/25	0300	72	ROBLES, O.
09/25	0600	72	RAMIREZ
09/25	0900	73	RAMIREZ
09/25	1200	74	RAMIREZ
09/25	1500	74°	B. FRAZIER
09/25	1800	74°	B. FRAZIER
09/25	2100	74	B. FRAZIER
09/25	2400	73°	ROBLES, O.

Thursday

Date	Time	Temp.	Name (Print)
09/26	0300	72°	ROBLES, O.
09/26	0600	72°	B. FRAZIER
09/26	0900	72°	B. FRAZIER
09/26	1200	73°	B. FRAZIER
09/26	1500	75°	B. FRAZIER
09/26	1800	76°	B. FRAZIER
09/26	2100	77°	B. FRAZIER
09/26	2400	72°	ROBLES, O.

Friday

Date	Time	Temp.	Name (Print)
09/27	0300	72	C. KELLY
09/27	0600	73	B. FRAZIER
09/27	0900	72	B. FRAZIER
09/27	1200	73	B. FRAZIER
09/27	1500	73	B. FRAZIER
09/27	1800	73	B. FRAZIER
09/27	2100	73	B. FRAZIER
09/27	2400	72	C. KELLY

Saturday

Date	Time	Temp.	Name (Print)
09/28	0300	71	D. WOODARD
09/28	0600	70	DAVIS
09/28	0900	70	DAVIS
09/28	1200	75°	DAVIS
09/28	1500	73	DAVIS
09/28	1800	73°	GOMEZ
09/28	2100	72°	GOMEZ
09/28	2400	71	D. WOODARD

Notes

Date	Time	Temp.	Name (Print)
09/29	0300	71°	ROBLES, O.
09/29	0600	72	ROBLES, O.
09/29	0900	73	ROBLES, O.
09/29	1200	73	A. MARTIN
09/29	1500	73	A. MARTIN
09/29	1800	72	A. MARTIN
09/29	2100	72	A. MARTIN
09/29	2400	71°	ROBLES, O.

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FBB1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70°	D. REYES
	0600	74°	J. CARRASCO
	0900	72°	J. CARRASCO
	1200	72°	J. CARRASCO
	1500	72°	J. BROWNSON
	1800	72°	J. BROWNSON
	2100	72°	J. BROWNSON
	2400	70°	D. REYES

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70°	D. REYES
	0600	70°	Hartfield
	0900	70°	Hartfield
	1200	71°	Hartfield
	1500	72°	M. QUIROZ
	1800	72°	M. QUIROZ
	2100	72°	M. QUIROZ
	2400	70°	D. REYES

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70°	D. REYES
	0600	70°	Razo J.
	0900	70°	Razo J.
	1200	71°	Razo J.
	1500	71°	A. Zaldana
	1800	71°	M. LOPEZ
	2100	71°	M. LOPEZ
	2400	70°	D. REYES

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70°	UMAIAUA
	0600	70°	Bunker
	0900	70°	Bunker
	1200	70°	Ocenec
	1500	73°	Perez
	1800	71°	Perez
	2100	71°	Perez
	2400	70°	UMAIAUA

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70°	UMAIAUA
	0600	74°	O'Neill
	0900	73°	O'Neill
	1200	72°	O'Neill
	1500	72°	J. Aguirre
	1800	70°	J. Aguirre
	2100	70°	J. Aguirre
	2400	70°	UMAIAUA

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70°	F. Hernandez
	0600	74°	G. Hernandez
	0900	71°	G. Hernandez
	1200	70°	G. Hernandez
	1500	70°	J. Aguirre
	1800	70°	J. Aguirre
	2100	70°	J. Aguirre
	2400	70°	F. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	70°	F. Hernandez
	0600	70°	F. Hernandez
	0900	70°	J. Aguirre
	1200	70°	J. Aguirre
	1500	69°	G. Hernandez
	1800	69°	G. Hernandez
	2100	70°	G. Hernandez
	2400	70°	F. Hernandez

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B-2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-23-24				Tuesday 9-24-24			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
9/23/24	0300	70°	M. Cantabri	9/24/24	0300	70°	Scott
	0600	70	J. OPTIZ		0600	70	Cook
	0900	71	J. OPTIZ		0900	71	Cook
	1200	71	J. OPTIZ		1200	71	Cook
	1500	73	Galindo		1500	73	Ibanna
	1800	73	Galindo		1800	78	Ibanna
	2100	71	Galindo		2100	76	Ibanna
	2400	70°	M. Cantabri		2400	73	Scott

Wednesday 9-25-24				Thursday 9-26-24			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
9/25/24	0300	72	Scott	9/26/24	0300	70	Scott
	0600	70	Cook		0600	70	Correa
	0900	70	Cook		0900	70	Clavel
	1200	71	Cook		1200	70	Clavel
	1500	73	Ibanna		1500	80	Ibanna
	1800	72	Ibanna		1800	79	Ibanna
	2100	72	Ibanna		2100	79	Ibanna
	2400	70	Scott		2400	72	Scott

Friday 9-27-24				Saturday 9-28-24			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
9/27/24	0300	72	Scott	9/28/24	0300	70	UMANA
	0600	70	Perez		0600	74	Perez
	0900	71	Perez		0900	75	Perez
	1200	71	Perez		1200	70	Perez
	1500	82	Ibanna		1500	78	Ibanna
	1800	82	Ibanna		1800	76	Ibanna
	2100	82	Ibanna		2100	74	Ibanna
	2400	71	Scott		2400	70	UMANA

Sunday 9-29-24				Notes			
Date	Time	Temp.	Name (Print)	Notes			
9/29/24	0300	70°	Quadrado				
	0600	740	Quadrado				
	0900	71	O'Neill				
	1200	71	O'Neill				
	1500	71	UCAKE				
	1800	71°	UCAKE				
	2100	71	UGNATO				
	2400	70°	Quadrado				

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	69	UMAN A
	0600	69	A. GARCIA
	0900	69	A. GARCIA
	1200	70	A. GARCIA
	1500	70°	F. BONAMANTE
	1800	70°	F. BONAMANTE
	2100	70°	F. BONAMANTE
	2400	69	UMAN A

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	69°	M. GARCIA
	0600	69	J. ORTIZ
	0900	70	J. ORTIZ
	1200	70	J. ORTIZ
	1500	71	J. AGUILAR
	1800	70°	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70°	M. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	68°	JACINTO
	0600	69	Reinaldo
	0900	69°	Reinaldo
	1200	70°	REGINA
	1500	70	M. CEARCA
	1800	70	M. CEARCA
	2100	70	M. CEARCA
	2400	68	JACINTO

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	68°	JACINTO
	0600	69	A. GARCIA
	0900	69	A. GARCIA
	1200	70	A. GARCIA
	1500	70°	M. GARCIA
	1800	70°	M. GARCIA
	2100	69°	M. GARCIA
	2400	68°	HILL

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	67°	JACINTO
	0600	68	A. GARCIA
	0900	70	A. GARCIA
	1200	70	A. GARCIA
	1500	70°	F. ESTRADA
	1800	70°	F. ESTRADA
	2100	69°	F. ESTRADA
	2400	67	JACINTO

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	68°	JACINTO
	0600	69	A. GARCIA
	0900	69	A. GARCIA
	1200	70	A. GARCIA
	1500	70	R. BANER
	1800	70	R. BANER
	2100	70	R. BANER
	2400	68	JACINTO

Notes

Date	Time	Temp.	Name (Print)
9/29/24	0300	68	KEN ROSE
	0600	68	VAGHAN
	0900	68	VAGHAN
	1200	70	VAGHAN
	1500	70°	Parry
	1800	70°	Parry
	2100	70°	Parry
	2400	68	KEN ROSE

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B-4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/13	0300	70°	GARCIA
	0600	70	B.FELIPE
	0900	70	B.FELIPE
	1200	70	B.FELIPE
	1500	70	NGUYEN
	1800	70	NGUYEN
	2100	70	NGUYEN
	2400	70°	GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	70°	McDowell
	0600	70	B.FELIPE
	0900	70	B.FELIPE
	1200	70	B.FELIPE
	1500	70	A.Ian's
	1800	70	A.Ian's
	2100	70	A.Ian's
	2400	70°	McDowell

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	70°	McDowell
	0600	70	Recinos
	0900	70	Recinos
	1200	70	Recinos
	1500	70	Hartfield
	1800	70	Hartfield
	2100	70	Hartfield
	2400	70°	McDowell

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	75	Matsuura
	0600	75	Matsuura
	0900	75°	Parrish
	1200	76°	Parrish
	1500	72	NGUYEN
	1800	72	NGUYEN
	2100	72	NGUYEN
	2400	75	Matsuura

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	70°	McDowell
	0600	70	E.WALTERS
	0900	70°	E.WALTERS
	1200	70°	E.WALTERS
	1500	70	Nguyen
	1800	70	Nguyen
	2100	70	Nguyen
	2400	70°	McDowell

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	70°	McDowell
	0600	70	Recinos
	0900	70	Reeves
	1200	70	Reeves
	1500	70	Reeves
	1800	70	Reeves
	2100	70	Reeves
	2400	70°	McDowell

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	70°	McDowell
	0600	70°	Z-Julian
	0900	70	Z-Julian
	1200	69	Z-Julian
	1500	70	Nguyen
	1800	70	Nguyen
	2100	70	Nguyen
	2400	70°	McDowell

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/13	0300	70	Johnson
13	0600	70	Antone
13	0900	70	Antone
13	1200	70	Antone
13	1500	70	M. Cook
13	1800	70	M. Cook
13	2100	70	M. Cook
13	2400	70	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	70	E. Rodriguez
24	0600	70	Antone
24	0900	70	Antone
24	1200	70	Antone
24	1500	70	M. Cook
24	1800	70	M. Cook
24	2100	70	M. Cook
24	2400	70	E. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	70	E. Rodriguez
25	0600	76	Antone
25	0900	70	Antone
25	1200	70	Antone
25	1500	70	M. Cook
25	1800	70	M. Cook
25	2100	70	M. Cook
25	2400	70	E. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	70	E. Rodriguez
26	0600	70	Antone
26	0900	70	Fitz
26	1200	70	Fitz
26	1500	73	Amaya
26	1800	72	Amaya
26	2100	72	Amaya
26	2400	70	E. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	69	Garcia
27	0600	70	Figueroa
27	0900	70	Figueroa
27	1200	71	Figueroa
27	1500	71	Perez
27	1800	71	Perez
27	2100	70	Perez
27	2400	69	Garcia

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	70	Garcia
28	0600	70	Reinier
28	0900	70	Reinier
28	1200	70	Reinier
28	1500	70	Reinier
28	1800	70	G. Miller
28	2100	70	G. Miller
28	2400	70	Garcia

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	70	Johnson
29	0600	70	Reinier
29	0900	70	Reinier
29	1200	70	Reinier
29	1500	70	Xili
29	1800	70	Xili
29	2100	69	Xili
29	2400	70	Johnson

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 CONTROL Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	68°	C. PEREA
0600	70	GUERRA	
0900	70	GUERRA	
1200	70	GUERRA	
1500	70	HILL	
1800	70	HILL	
2100	70°	HILL	
2400	68°	C. PEREA	

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	68	EVANGELISTA
0600	68	GUERRA	
0900	69	GUERRA	
1200	70	GUERRA	
1500	70°	HILL	
1800	70°	HILL	
2100	70	HILL	
2400	68	EVANGELISTA	

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	68	EVANGELISTA
0600	68	GUERRA	
0900	69	GUERRA	
1200	70	GUERRA	
1500	70	GUERRA	
1800	70	HILL	
2100	70	HILL	
2400	68	EVANGELISTA	

Thursday

Date	Time	Temp.	Name (Print)
9	0300	68	STALLER
0600	70	STALLER	
0900	69	GUERRA	
1200	70	GUERRA	
1500	70	HILL	
1800	70	HILL	
2100	70	HILL	
2400	68	SAIL WORTH	

Friday

Date	Time	Temp.	Name (Print)
9	0300	69	ACEVEDO
0600	70	SABIDO	
0900	70	SABIDO	
1200	70	SABIDO	
1500	70	SABIDO	
1800	70	M. HILL	
2100	70	M. HILL	
2400	69	ACEVEDO	

Saturday

Date	Time	Temp.	Name (Print)
9	0300	67°	CRIDALE
0600	70	SAUBO	
0900	70°	G. SABIDO	
1200	70°	G. SABIDO	
1500	70	SAUBO	
1800	70°	CHIAGO	
2100	70°	CHIAGO	
2400	67°	CRIDALE	

Notes

Date	Time	Temp.	Name (Print)
9	0300	67°	CRIDALE
0600	68°	CRIDALE	
0900	68	J. APALA	
1200	68	J. APALA	
1500	68	L. LOPEZ	
1800	68	L. LOPEZ	
2100	68	L. LOPEZ	
2400	67°	CRIDALE	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>9</u> <u>23</u>	0300	70°	S. DIXON
	0600	70	SABIDO
	0900	71	SABIDO
	1200	71	SABIDO
	1500	71	m. cascid
	1800	71	m. GALLIA
<u>24</u>	2100	71	m. GALLIA
	2400	71°	DIXON

Tuesday			
Date	Time	Temp.	Name (Print)
<u>9</u> <u>24</u>	0300	70°	DIXON
	0600	72°	HART
	0900	73°	HART
	1200	73°	HART
	1500	73°	HART
	1800	73	F. ESTEADA
<u>24</u>	2100	73	F. ESTEADA
	2400	71°	DIXON

Wednesday			
Date	Time	Temp.	Name (Print)
<u>9</u> <u>25</u>	0300	71°	DIXON
	0600	70	Gunner
	0900	70	Gunner
	1200	70	Gunner
	1500	72	OLIVER
	1800	71	OLIVER
<u>24</u>	2100	71	OLIVER
	2400	71°	DIXON

Thursday			
Date	Time	Temp.	Name (Print)
<u>9</u> <u>26</u>	0300	71°	DIXON
	0600	71	Hart
	0900	71	Hart
	1200	71	Hart
	1500	72	OLIVER
	1800	72	OLIVER
<u>24</u>	2100	72	OLIVER
	2400	70	NIXON

Friday			
Date	Time	Temp.	Name (Print)
<u>9</u> <u>27</u>	0300	71	ALDAMA
	0600	71	ALDAMA
	0900	71	T. HART
	1200	71	T. HART
	1500	71	G. AGUILERA
	1800	71	G. AGUILERA
<u>24</u>	2100	71	G. AGUILERA
	2400	72	ALDAMA

Saturday			
Date	Time	Temp.	Name (Print)
<u>9</u> <u>28</u>	0300	70°	LEPE
	0600	70	Anderson
	0900	70	Anderson
	1200	70°	Anderson
	1500	70°	XULI
	1800	70°	XULI
<u>24</u>	2100	69°	XULI
	2400	70°	LEPE

Notes

---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
<u>9</u> <u>29</u>	0300	70°	LEPE
	0600	70	RESENDIZ
	0900	70	RESENDIZ
	1200	70	RESENDIZ
	1500	70	RESENDIZ
	1800	70	RESENDIZ
<u>24</u>	2100	70	RESENDIZ
	2400	70°	LEPE

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 09-23-24

Date	Time	Temp.	Name (Print)
0300	70°	LEPE	
0600	70	CHATMON	
0900	70	CHATMON	
1200	70	CHATMON	
1500	71	PEPELIAU	
1800	70	PEPELIAU	
2100	70	PEPELIAU	
2400	70°	LEPE	

Wednesday 09-25-24

Date	Time	Temp.	Name (Print)
0300	70	S. AGYAPONG	
0600	71	Mera	
0900	71	Mera	
1200	71	Mera	
1500	71	GUEVARA	
1800	72	GUEVARA	
2100	72	GUEVARA	
2400	70	S. AGYAPONG	

Friday 09-27-24

Date	Time	Temp.	Name (Print)
0300	70	S. AGYAPONG	
0600	70	SANQUIST	
0900	70	SANQUIST	
1200	70	SANQUIST	1230 90°
1500	72	SANQUIST	
1800	70	SANQUIST	
2100	70	SANQUIST	
2400	70	S. AGYAPONG	

Sunday 09-29-24

Date	Time	Temp.	Name (Print)
0300	70°	NKWOCHA	
0600	70	SANQUIST	
0900	70	SANQUIST	
1200	72	SANQUIST	
1500	70	M. QUIROZ	
1800	70	M. QUIROZ	
2100	70	M. QUIROZ	
2400	70°	NKWOCHA	

Tuesday 09-24-24

Date	Time	Temp.	Name (Print)
0300	70	Miranda	
0600	70	SABLO	
0900	73	SABLO	
1200	73	SABLO	
1500	73	GUERRA	
1800	72	GUERRA	
2100	72	GUERRA	
2400	70	Miranda	

Thursday 09-26-24

Date	Time	Temp.	Name (Print)
0300	70	S. AGYAPONG	
0600	70	SANQUIST	
0900	70	SANQUIST	
1200	70	SANQUIST	1235 90°
1500	70	TOPIC	
1800	70°	DAVIS	
2100	70°	DAVIS	
2400	70	S. AGYAPONG	

Saturday 09-28-24

Date	Time	Temp.	Name (Print)
0300	70	S. AGYAPONG	
0600	70	SANQUIST	
0900	70	SANQUIST	
1200	70	SANQUIST	
1500	72	SANQUIST	
1800	70	SANQUIST	
2100	70	SANQUIST	
2400	70	S. AGYAPONG	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
09/13/24	0300	70	Miranda
	0600	70	TERRIONEZ
	0900	70	TERRIONEZ
	1200	70	TERRIONEZ
	1500	70	M. QUIROZ
	1800	70	Mo
	2100	70	Mo
	2400	70	Miranda

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	M. GONZALEZ
	0600	70	TERRIONEZ
	0900	70	TERRIONEZ
	1200	70	TERRIONEZ
	1500	71	TERRELL
	1800	71	OALINDO
	2100	70	OALINDO
	2400	70	M. GONZALEZ

Date	Time	Temp.	Name (Print)
9/25/24	0300	70	M. GONZALEZ
	0600	70	D. RODRIGUEZ
	0900	70	D. RODRIGUEZ
	1200	70	D. RODRIGUEZ
	1500	70	G. CIANI
	1800	70	G. CIANI
	2100	70	G. CIANI
	2400	70	M. GONZALEZ

Date	Time	Temp.	Name (Print)
9/26/24	0300	70	M. GONZALEZ
	0600	70	G. HERNANDEZ
	0900	70	G. Hernandez
	1200	70	G. Hernandez
	1500	70	G. Hernandez
	1800	70	G. Hernandez
	2100	70	G. Hernandez
	2400	70	M. GONZALEZ

Date	Time	Temp.	Name (Print)
9/27/24	0300	70	CORONA
	0600	70	J. TOLEDO
	0900	70	J. TOLEDO
	1200	70	J. TOLEDO
	1500	70	X. LI
	1800	70	X. LI
	2100	70	X. LI
	2400	70	CORONA

Date	Time	Temp.	Name (Print)
9/28/24	0300	70	J. Acosta
	0600	70	GUERNANDEL
	0900	70	G. MENDANEZ
	1200	70	G. Hernandez
	1500	70	A. MEZA
	1800	70	A. MEZA
	2100	70	A. MEZA
	2400	70	J. Acosta

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	Miranda
	0600	70	Fraijo
	0900	70	Fraijo
	1200	70	Fraijo
	1500	71	OALINDO
	1800	70	OALINDO
	2100	70	OALINDO
	2400	70	Miranda

Notes

---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-5 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday SUNDAY			
Date	Time	Temp.	Name (Print)
9/23/24	0300	70	LOPEZ
	0600	70	Davison
	0900	70	Davison
	1200	71	Davison
	1500	74	Martinez
	1800	76	Martinez
	2100	73	Martinez
	2400	70	LOPEZ

Tuesday Monday			
Date	Time	Temp.	Name (Print)
9/23/24	0300	71	Lambert
	0600	72	Lambert
	0900	73	Lambert
	1200	75	Lambert
	1500	78	CHAPMAN
	1800	76	J. MILLER
	2100	77	J. MILLER
	2400	72	Flores

Wednesday Tuesday			
Date	Time	Temp.	Name (Print)
9/24/24	0300	70	O'TOLE
	0600	70	O'TOLE
	0900	70	O'TOLE
	1200	75	Lambert
	1500	75	Chapman
	1800	78	Chapman
	2100	75	Chapman
	2400	72	O'TOLE

Thursday Wednesday			
Date	Time	Temp.	Name (Print)
9/25/24	0300	70	O'TOLE
	0600	70	O'TOLE
	0900	75	Lambert
	1200	75	Lambert
	1500	75	Mary Coleen
	1800	75	Mary Coleen
	2100	75	Madeleine
	2400	70	O'TOLE

Friday Thursday			
Date	Time	Temp.	Name (Print)
9/26/24	0300	70	O'TOLE
	0600	70	Lambert
	0900	70	Lambert
	1200	70	Lambert
	1500	72	R. HERNANDEZ
	1800	70	R. HERNANDEZ
	2100	70	O'TOLE R. HERNANDEZ
	2400	70	O'TOLE

Saturday Friday			
Date	Time	Temp.	Name (Print)
9/27/24	0300	70	M. T. COLE
	0600	78	G. HERNANDEZ
	0900	75	Lambert
	1200	76	Lambert
	1500	78	B. H. COLE
	1800	76	B. H. COLE
	2100	78	B. H. COLE
	2400	70	M. T. COLE

Notes

Sunday Saturday			
Date	Time	Temp.	Name (Print)
9/28/24	0300	70	Arnold
	0600	70	ESPINOZA
	0900	70	ESPINOZA
	1200	72	ESPINOZA
	1500	75	ESPINOZA
	1800	72	SABINO
	2100	71	SABINO
	2400	70	Arnold

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	74	Muniz
	0600	73	A.R.GUILLERMO
	0900	73	A.R.GUILLERMO
	1200	73	A.R.GUILLERMO
	1500	75	F.Medina
	1800	75	E.Hernandez
	2100	73	E.Hernandez
	2400	74	Muniz

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	73	Muniz
	0600	73	S.JORDAN
	0900	73	S.JORDAN
	1200	73	S.JORDAN
	1500	73	A.MARTINEZ
	1800	73	A.MARTINEZ
	2100	73	A.MARTINEZ
	2400	73	Muniz

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	74	Muniz
	0600	74	Audia
	0900	74	Audia
	1200	75	Audia
	1500	75	B.Lopez
	1800	75	B.Lopez
	2100	75	B.Lopez
	2400	75	Muniz

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	73	
	0600	71	Carrasco
	0900	71	Carrasco
	1200	71	Carrasco
	1500	75	D.Lopez
	1800	75	D.Lopez
	2100	75	D.Lopez
	2400	73	

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	73	J.Devore
	0600	73	E.Hernandez
	0900	73	E.Hernandez
	1200	77	E.Hernandez
	1500	74	W.Sanchez
	1800	75	W.Sanchez
	2100	75	W.Sanchez
	2400	74	J.Devore

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	73°	Serrato
	0600	73	Bungle
	0900	73	Bungle
	1200	74	Bungle
	1500	75	W.Sanchez
	1800	75	W.Sanchez
	2100	74	W.Sanchez
	2400	73°	Serrato

Notes

Date	Time	Temp.	Name (Print)
9/29/24	0300	74	J.Devore
	0600	74	S.Walker
	0900	74	S.Walker
	1200	74	S.Walker
	1500	74	M.Carrasco
	1800	74	M.Carrasco
	2100	74	M.Carrasco
	2400	74	J.Devore

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D-2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	74	C. Holmlia
24	0600	71	E. Hernandez
	0900	73	E. Hernandez
	1200	73	E. Hernandez
	1500	73	W. Sanchez
	1800	74	W. Sanchez
	2100	74	W. Sanchez
	2400	74	C. Holmlia

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	73	C. Holmlia
24	0600	71°	Barnes
	0900	71°	Barnes
	1200	72°	Barnes
	1500	73°	Barnes
	1800	74°	Barnes
	2100	74°	Barnes
	2400	71	C. Holmlia

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	71	C. Holmlia
24	0600	73°	Barnes
	0900	73°	Barnes
	1200	74°	Barnes
	1500	74°	Barnes
	1800	74	Barnes
	2100	74	Barnes
	2400	71	C. Holmlia

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	71	C. Holmlia
24	0600	72	HERNANDEZ
	0900	72	HERNANDEZ
	1200	72	HERNANDEZ
	1500	72	HERNANDEZ
	1800	72	HERNANDEZ
	2100	73	HERNANDEZ
	2400	73	C. Holmlia

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	67	J. Garcia
21	0600	69	J. Garcia
	0900	71	J. Garcia
	1200	73	J. Garcia
	1500	73	W. Sanchez
	1800	73	W. Sanchez
	2100	73	W. Sanchez
	2400	70	C. Holmlia

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	75	C. Holmlia
24	0600	72°	Barnes
	0900	73°	Barnes
	1200	73°	Barnes
	1500	73	HERNANDEZ
	1800	74	HERNANDEZ
	2100	74	HERNANDEZ
	2400	71	C. Holmlia

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	72	J. Devore
24	0600	72	HERNANDEZ
	0900	72	HERNANDEZ
	1200	73	HERNANDEZ
	1500	73	HERNANDEZ
	1800	72	HERNANDEZ
	2100	73	HERNANDEZ
	2400	72	J. Devore

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP LAC Housing Unit: D3 Temp. Reading Location: 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	74	Vega
	0600	74	Vega
	0900	74	Oceguera
	1200	73	Oceguera
	1500	75	Rovira
	1800	73	Rovira
	2100	73	Rovira
	2400	74	Vega

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	70	CARTER
	0600	73	CARTER
	0900	73	HERNANDEZ
	1200	73	HERNANDEZ
	1500	73	Sanchez
	1800	72	Sanchez
	2100	72	Sanchez
	2400	70	CARTER

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	70	Vega
	0600	70	Vega
	0900	72	Machado
	1200	73	Machado
	1500	73	Avila
	1800	72	Avila
	2100	71	Avila
	2400	70	Vega

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	72	Vega
	0600	72	Vega
	0900	72	Avila
	1200	72	Avila
	1500	74	Machado
	1800	74	Machado
	2100	73	Machado
	2400	72	Vega

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	72	Vega
	0600	72	Vega
	0900	74	Avila
	1200	74	Avila
	1500	75	Rovira
	1800	74	Rovira
	2100	72	Rovira
	2400	72	Vega

Saturday

Date	Time	Temp.	Name (Print)
9/29	0300	72	Vega
	0600	72	Vega
	0900	72	Oceguera
	1200	73	Oceguera
	1500	74	Rovira
	1800	74	Rovira
	2100	74	Rovira
	2400	72	Vega

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	71	PEREA
	0600	72	PEREA
	0900	72	Oceguera
	1200	74	Oceguera
	1500	74	Rovira
	1800	74	Rovira
	2100	72	Rovira
	2400	72	PEREA

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D 4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/23	0300	70	J. Carter
	0600	70	J. Higuera
	0900	70	J. Higuera
24	1200	70	J. Higuera
	1500	70	E. Tavares
	1800	70	E. Tavares
	2100	70	E. Tavares
	2400	70	J. Carter

Tuesday			
Date	Time	Temp.	Name (Print)
9/24	0300	70	R. Phillips
	0600	70	D. Davis
	0900	70	A. Gonzalez
	1200	70	M. Lopez
	1500	72	M. Lopez
	1800	70	S. Tavares
	2100	70	S. Tavares
	2400	70	J. Phillips

Wednesday			
Date	Time	Temp.	Name (Print)
9/25	0300	70	R. Phillips
	0600	70	M. Gonzalez
	0900	70	M. Gonzalez
24	1200	72	M. Gonzalez
	1500	70	M. Cesar
	1800	70	M. Cesar
	2100	73	R. Phillips
	2400	70	R. Phillips

Thursday			
Date	Time	Temp.	Name (Print)
9/24	0300	70	R. Phillips
	0600	70	Machado
	0900	70	Machado
	1200	70	Machado
	1500	72	B. Price
	1800	72	B. Price
	2100	70	B. Price
	2400	70	R. Phillips

Friday			
Date	Time	Temp.	Name (Print)
9/27	0300	70	R. Phillips
	0600	70	S. Tavares
	0900	72	J. Blvd
24	1200	72	J. Blvd
	1500	72	Anita
	1800	72	Anita
	2100	70	Anita
	2400	70	R. Phillips

Saturday			
Date	Time	Temp.	Name (Print)
9/28	0300	70	J. Blvd
	0600	70	J. Blvd
	0900	70	J. Blvd
	1200	72	S. Tavares
	1500	72	S. Tavares
	1800	70	S. Tavares
	2100	70	S. Tavares
	2400	70	J. Blvd

Sunday			
Date	Time	Temp.	Name (Print)
9/29	0300	70	S. Arceas
	0600	70	S. Arceas
	0900	70	S. Arceas
24	1200	72	S. Arceas
	1500	72	S. Arceas
	1800	70	S. Arceas
	2100	70	S. Arceas
	2400	70	S. Arceas

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE  
Housed

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP/LAC Housing Unit: TNF

Temp. Reading Location:

1<sup>st</sup>

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension: 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70	OLIVER
30	0600	70	FERNANDEZ
30	0900	70	FERNANDEZ
30	1200	70	FERNANDEZ
30	1500	70	W. TILLMAN
30	1800	70	W. TILLMAN
30	2100	70	W. TILLMAN
30	2400	73	MALDONADO

Tuesday

Date	Time	Temp.	Name (Print)
10/01	0300	73	MALDONADO
01	0600	73	Christensen
01	0900	73	Christensen
01	1200	74	Christensen
01	1500	75	Avelar
01	1800	75	Avelar
01	2100	75	Avelar
01	2400	75	Dogg

Wednesday

Date	Time	Temp.	Name (Print)
10/24	0300	74	Christensen
24	0600	74	Christensen
24	0900	74	Christensen
24	1200	74	Christensen
24	1500	75	Avelar
24	1800	75	Avelar
24	2100	75	Avelar
24	2400	75	MALDONADO

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	75	MALDONADO
24	0600	75	Christensen
24	0900	75	Christensen
24	1200		
24	1500		
24	1800		
24	2100		
24	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
SEPTEMBER 29, 2024	0100	75	WNEFIECO	SEPTEMBER 30, 2024	0100	69	Villa
	0200	73	WNEFIECO		0200	69	Villa
	0300	72	WNEFIECO		0300	68	Villa
	0400	72	WNEFIECO		0400	65	Villa
	0500	72	WNEFIECO		0500	63	Villa
	0600	74	Puentes		0600	63	Villa
	0700	77	Puentes		0700	70.5	NUNEZ
	0800	80	Puentes		0800	69	NUNEZ
	0900	82	Puentes		0900	73	NUNEZ
	1000	83	Puentes		1000	77	NUNEZ
	1100	85	Puentes		1100	80	NUNEZ
	1200	89	Puentes		1200	84	NUNEZ
	1300	91	Puentes		1300	88	NUNEZ
	1400	93	Puentes		1400	91	Puentes
	1500	92	Puentes		1500	94	Puentes
	1600	91	Puentes		1600	97	Puentes
	1700	89	Puentes		1700	95	Puentes
	1800	87	Puentes		1800	94	Puentes
	1900	83	Puentes		1900	89	Puentes
	2000	81	Puentes		2000	82	Puentes
	2100	77	Puentes		2100	80	Puentes
	2200	76	Villa		2200	78	BRAVO
	2300	75	Villa		2300	760	BRAVO
	2400	73	Villa		2400	74°	BRAVO

Stage 1 1230 ACTIVATED  
1800 DEACTIVATED

Stage 1 1315 ACTIVATED  
2000 DEACTIVATED

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: MSF - DORM 1 Temp. Reading Location: DAY ROOM

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30	0300	77	SILVA
	0600	75	SILVA
	0900	78	Kopler
	1200	75	M. Rosler
	1500	80°	M. Contreras
	1800	80°	M. Contreras
	2100	79°	M. Contreras
	2400	78	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
	0300	77	V. Vargas
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	77	V. Vargas

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---







CALIFORNIA STATE PRISON - LOS ANGELES COUNTY  
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 90 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 09/30/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	74	74	65	65	70	67	64	70	F. GUTIERREZ	
03:00	73	73	69	67	76	66	61	70	F. GUTIERREZ	
06:00	72°	72°	68°	68°	70°	66°	62°	70°	M. QUINTERO	
09:00	72°	72°	64°	64°	70°	68°	60°	70°	M. QUINTERO	
12:00	72°	74°	62°	62°	70°	69°	60°	70°	M. QUINTERO	
15:00	73°	75	63°	64°	70°	67°	60°	70°	Acuilar	
18:00	74°	76	64°	66	70°	66°	60°	70°	Acuilar	
21:00	75°	75°	66°	69°	70°	66°	60°	70°	Acuilar	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

  
ASU-1 Lieutenant

09.30.24  
Date

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: F8B1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday:

Date	Time	Temp.	Name (Print)
9/30	0300	67°	C. Davis
	0600	70°	J. CARRASCO
	0900	69°	J. CARRASCO
	1200	69°	J. CARRASCO
	1500	71°	G. VENAMORE
	1800	70°	G. VENAMORE
	2100	70°	G. VENAMORE
	2400	70°	D. REED

Tuesday:

Date	Time	Temp.	Name (Print)
10/1/24	0300	70°	D. REED
	0600	69°	L. GONZALEZ
	0900	70°	L. GONZALEZ
	1200	71°	L. GONZALEZ
	1500		
	1800		
	2100		
	2400		

Wednesday:

Date	Time	Temp.	Name (Print)
10/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday:

Date	Time	Temp.	Name (Print)
10/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday:

Date	Time	Temp.	Name (Print)
10/4/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday:

Date	Time	Temp.	Name (Print)
10/5/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday:

Date	Time	Temp.	Name (Print)
10/6/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes:

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FBB2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension: 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	73	Scott
	0600	71	O'Malley
	0900	71	O'Neill
	1200	71	O'Neill
	1500	78	Calindu
	1800	78	Gelindu
	2100	75	Calindu
	2400	75	Scott

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	73	Scott
	0600	71	Cook
	0900	71	Cook
	1200	71	Cook
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD:  
CDCR 2001 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 13 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5651 when the inside air temperature reaches 30 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	70	Rolando	
0600	70	Alfonso	
0900	70	Alfonso	
1200	70	Alfonso	
1500	70	Connes	
1800	70	Connes	
2100	70	Connes	
2400	70	Rolando	

Wednesday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Friday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Sunday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Tuesday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Thursday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Saturday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Notes

---



---



---



---



---



---



---



---



---



---



---

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B4 Temp. Reading Location: 2<sup>nd</sup> Tier

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	69°	GARCIA
	0600	70°	GARCIA
	0900	70°	GONZALEZ
	1200	70°	GONZALEZ
	1500	70°	NIEBLER
	1800	70°	MENENDEZ
	2100	70°	MENENDEZ
	2400	69°	GARCIA

## Wednesday

Date	Time	Temp.	Name (Print)
10/24	0300	70	McDonald
	0600	69	ACEVEDO
	0900	70	ACEVEDO
	1200	70	ACEVEDO
	1500	70	Alani's
	1800	70	Alani's
	2100	70	Alani's
	2400	70	McDonald

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70°	Melvin
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	70°	Melvin

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70°	McDonald /
	0600	70°	Reynolds
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	70°	McDonald /

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

## DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2<sup>nd</sup> Tier

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	70	Johnson
	0600	70	A. Johnson
	0900	70	A. Johnson
	1200	70	A. Johnson
	1500	70	M. Clark
	1800	70	M. Clark
	2100	70	M. Clark
	2400	70	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
	0800		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0600		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

DISTRIBUTION: Original institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 CONTROL Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	67°	CRIDDLE
	0600	67	GUERRA
	0900	69	GUERRA
30	1200	70	GUERRA
	1500	70	HILL
	1800	70	HILL
24	2100	70	HILL
	2400	67°	CRIDDLE

Tuesday

Date	Time	Temp.	Name (Print)
A	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC      Housing Unit: C-2      Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9	0300	77	S. DIXON
	0600	76	SABIO S.
	0900	76	SABIO S.
30	1200	71	SABIO S.
	1500	76	ROBERTSON
24	1800	77	PETTUM
	2100	70	PETTUM
	2400	70	DIXON

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/30/24			
Date	Time	Temp.	Name (Print)
	0300	70	H.C. Mandeville
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	72	SANQUIST
	1500	72	Mr. Garcin
	1800	72	Mr. Garcin
	2100	70	Mr. Garcin
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
10/1	0300	70	Miranda
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	70	Miranda

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70°	L.CAMAROTO
	0600	70	RODRIGUEZ
	0900	70	RODRIGUEZ
	1200	70	RODRIGUEZ
	1500	72°	C. ALLEN
	1800	70°	C. ALLEN
	2100	70°	C. ALLEN
	2400	70°	L.CAMAROTO

Tuesday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70°	M.GOWDALEK
	0600	70°	Rodriguez
	0900	70°	Rodriguez
	1200		
	1500		
	1800		
	2100		
	2400	76°	M.GOWDALEK

Wednesday

Date	Time	Temp.	Name (Print)
6/1/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
6/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
6/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/4/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/5/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 5 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
9/30	0300	70	OTTOOLE
9/30	0600	70	OTTOOLE
9/30	0900	70	MARTINEZ
9/30	1200	71	MARTINEZ
9/30	1500	71	Hartfield
9/30	1800	71	Hartfield
9/30	2100	71	Hartfield
9/30	2400	70	OTTOOLE

Date	Time	Temp.	Name (Print)
9/31	0300	70	OTTOOLE
9/31	0600	70	OTTOOLE
9/31	0900		Lamb
9/31	1200		Lamb
9/31	1500		
9/31	1800		
9/31	2100		
9/31	2400	70	OTTOOLE

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-18	0300	70	M. Caplinger
	0600	70	M. Caplinger
	0900	71	M. Caplinger
	1200	71	M. Caplinger
	1500	71	B. Gray
	1800	71	B. Gray
	2100	70	B. Gray
	2400	70	M. Caplinger

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**ATTACHMENT D**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Control Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	76	PRESLEY
	0600	69	CASHIO
	0900	70	CASHIO
	1200	71°	CASHIO
	1500	71	Chapman
	1800	71	Chapman
	2100	71	Chapman
	2400	70	PRESLEY

Tuesday

Tuesday		Date	Time	Temp.	Name (Print)
	0300				
	0600				
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				

Wednesday

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

~~Thursday~~

Thursday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Friday

Friday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Saturday

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday		Date	Time	Temp.	Name (Print)
10/10/99	0300				
	0600				
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				

## Notes

---

---

---

---

---

---

---

---

---

---

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC      Housing Unit: H3      Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Date	Time	Temp.	Name (Print)
	0300	70	J. John
	0600	68	E. Granda
	0900	68	E. Granda
	1200	70	E. Granda
	1500	70	D. Chan
	1800	70	D. Chan
	2100	70	D. Chan
	2400	70	T. G. S.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

DISTRIBUTION: Original: institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC      Housing Unit: A4      Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	70	Milson
	0600	71	
	0900	71	
	1200	71	
	1500	72	Flowers
	1800	71	Kroll
	2100	71	Flowers
	2400	70	Milson

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 45 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/20/24	0300	70°	RAMIREZ O.
	0600	71°	RAMIREZ
	0900	71°	RAMIREZ
	1200	71°	RAMIREZ
	1500	73	FRAZIER D.
	1800	74	FRAZIER
	2100	74	FRAZIER
	2400	71°	RAMIREZ O.

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D1

Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	74	MARIE
	0600	73	ALMENES
	0900	73	ALMENES
	1200	73	NUVELLES
	1500	74	NUVELLES
	1800	74	
	2100	74	
	2400	75	MARIE

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D - 2 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9	0300	73	C. Holmes
10	0600	71	A. Garcia
11	0900	71	A. Garcia
12	1200	71	A. Garcia
13	1500	73	W. Sanchez
14	1800	74	W. Sanchez
15	2100	73	W. Sanchez
16	2400	73	C. Holmes

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

## DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: D Housing Unit: 3 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	72	D. C. Jones
	0600	72	H. G. Miller
	0900	72	J. P. Johnson
	1200	74	D. A. Brown
	1500	74	D. C. Miller
	1800	72	D. C. Jones
	2100	72	C. White
	2400	70	C. Brown

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Humidity	Print
	1600			
	1700			
	1800			
	1900			
	2000			
	2100			
	2400			

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

---

---

---

---

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: D Housing Unit: 4 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	76	J Miller
	0600	76	Arnes
	0900	78	Aure
	1200	78	J. M.
	1500	76	Arnes
	1800	76	Aure
	2100	76	Aure
	2400	76	J. M.

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

---

---

---

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 05 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	70°	M. DIXON
	0600	70	CONTR215
	0900	70	CONTR215
	1200	70	CONTR215
	1500	70	MALES
	1800	70	MALES
	2100	70	TALES
	2400	70°	M. DIXON

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

1315 STAGE 1 HEAT ALERT

DISTRIBUTION: Original: Institution ADA Coordinator