

Monthly Summary Report

Institution: CIW _____

Memorandum

Date: November 4, 2024 _____

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - California Institution for Women

The following is a summary of the heat related activity for the month of October 2024
at CIW _____ (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 10 _____

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____

Number of days Stage II Alert initiated: 0 _____

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: 0 _____

4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness. 0 _____ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

L. Parker, Warden (A)

Warden Name



Warden Signature

J. Elliot, CEO

Chief Executive Officer Name



Chief Executive Officer Signature

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CIV

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

1132
1ST
STAGT
90°

| Date | Time | Temp. | Printed Name |
|--------------------------|-----------|-------|--------------|
| 1149 | 900 STAGT | | |
| TUESDAY, OCTOBER 1, 2024 | | | |
| | 0100 | 69 | CANDIE |
| | 0200 | 68 | CANDIE |
| | 0300 | 67 | CANDIE |
| | 0400 | 66 | CANDIE |
| | 0500 | 66 | CANDIE |
| | 0600 | 61 | W. QUINONEZ |
| | 0700 | 61 | W. QUINONEZ |
| | 0800 | 64 | W. QUINONEZ |
| | 0900 | 70 | W. QUINONEZ |
| | 1000 | 77 | W. QUINONEZ |
| | 1100 | 85 | W. QUINONEZ |
| | 1200 | 91 | W. QUINONEZ |
| | 1300 | 95 | W. QUINONEZ |
| | 1400 | 97 | T SANCHEZ |
| | 1500 | 98 | T SANCHEZ |
| | 1600 | 96 | T SANCHEZ |
| | 1700 | 92 | T SANCHEZ |
| | 1800 | 87 | T SANCHEZ |
| | 1900 | 82 | T SANCHEZ |
| | 2000 | 77 | T SANCHEZ |
| | 2100 | 74 | T SANCHEZ |
| | 2200 | 74 | M GOM |
| | 2300 | 73 | M GOM |
| | 2400 | 72 | M GOM |

X/SDNESDAY OCTOBER 2, 2024

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 71 | M GOM |
| | 0200 | 70 | M GOM |
| | 0300 | 69 | M GOM |
| | 0400 | 68 | M GOM |
| | 0500 | 67 | M GOM |
| | 0600 | 69 | S. TORRES |
| | 0700 | 64 | S. TORRES |
| | 0800 | 68 | S. TORRES |
| | 0900 | 72 | S. TORRES |
| | 1000 | 79 | S. TORRES |
| | 1100 | 86 | S. TORRES |
| | 1200 | 94 | S. TORRES |
| | 1300 | 99 | S. TORRES |
| | 1400 | 100 | T Sanchez |
| | 1500 | 99 | T Sanchez |
| | 1600 | 99 | T Sanchez |
| | 1700 | 96 | T Sanchez |
| | 1800 | 91 | T Sanchez |
| | 1900 | 86 | T Sanchez |
| | 2000 | 80 | T Sanchez |
| | 2100 | 78 | T Sanchez |
| | 2200 | 76 | Albert |
| | 2300 | 74 | Albert |
| | 2400 | 72 | Albert |

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TDWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name | Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|------|------|-------|--------------|
| | 0100 | 70 | HIBERN | | 0100 | 67 | ALBERT |
| | 0200 | 68 | HIBERN | | 0200 | 66 | HIBERN |
| | 0300 | 69 | HIBERN | | 0300 | 64 | HIBERN |
| | 0400 | 67 | HIBERN | | 0400 | 64 | HIBERN |
| | 0500 | 66 | HIBERN | | 0500 | 62 | HIBERN |
| | 0600 | 65 | HOLGUIN | | 0600 | 61 | HOLGUIN |
| | 0700 | 66 | HOLGUIN | | 0700 | 63 | HOLGUIN |
| | 0800 | 68 | HOLGUIN | | 0800 | 65 | HOLGUIN |
| | 0900 | 74 | HOLGUIN | | 0900 | 70 | HOLGUIN |
| | 1000 | 80 | HOLGUIN | | 1000 | 76 | HOLGUIN |
| | 1100 | 85 | HOLGUIN | | 1100 | 81 | HOLGUIN |
| | 1200 | 90 | HOLGUIN | | 1200 | 88 | HOLGUIN |
| | 1300 | 92 | HOLGUIN | | 1300 | 91 | HOLGUIN |
| | 1400 | 94 | HOLGUIN | | 1400 | 93° | E.HAM |
| | 1500 | 92 | HOLGUIN | | 1500 | 93° | E.HAM |
| | 1600 | 91 | HOLGUIN | | 1600 | 90° | E.HAM |
| | 1700 | 86 | HOLGUIN | | 1700 | 89° | E.HAM |
| | 1800 | 85 | HOLGUIN | | 1800 | 86° | E.HAM |
| | 1900 | 80 | HOLGUIN | | 1900 | 80° | E.HAM |
| | 2000 | 76 | HOLGUIN | | 2000 | 76° | E.HAM |
| | 2100 | 73 | HOLGUIN | | 2100 | 75° | E.HAM |
| | 2200 | 72 | ALBERT | | 2200 | 72° | E.HAM |
| | 2300 | 70 | ALBERT | | 2300 | 68° | E.HAM |
| | 2400 | 68 | ALBERT | | 2400 | 67° | E.HAM |

THURS. OCT 3, 2024

1157
900

1743 OFF STAGE 1

OFF STAGE 1 HEAT

ALERT @ 1800 (86°)

1236
900

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIF. INSTITUTION FOR WOMEN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|--------------------------|------|-------|--------------|
| SATURDAY OCTOBER 5, 2024 | 0100 | 66° | E. HAM |
| | 0200 | 64° | E. HAM |
| | 0300 | 63° | E. HAM |
| | 0400 | 63° | E. HAM |
| | 0500 | 62° | E. HAM |
| | 0600 | 62° | T. THOMPSON |
| | 0700 | 62° | T. THOMPSON |
| | 0800 | 64° | T. THOMPSON |
| | 0900 | 68° | T. THOMPSON |
| | 1000 | 75° | T. THOMPSON |
| | 1100 | 82° | T. THOMPSON |
| | 1200 | 85° | T. THOMPSON |
| | 1300 | 88° | T. THOMPSON |
| | 1400 | 93° | E. HAM |
| | 1500 | 94° | E. HAM |
| | 1600 | 92° | B. HAM |
| | 1700 | 89° | B. HAM |
| | 1800 | 84° | B. HAM |
| | 1900 | 80° | E. HAM |
| | 2000 | 77° | E. HAM |
| | 2100 | 74° | E. HAM |
| | 2200 | 72 | J. TORRES |
| | 2300 | 71 | J. TORRES |
| | 2400 | 70 | J. TORRES |

| Date | Time | Temp. | Printed Name |
|------------------------|------|-------|--------------|
| SUNDAY OCTOBER 6, 2024 | 0100 | 68 | J. TORRES |
| | 0200 | 67 | J. TORRES |
| | 0300 | 63 | J. TORRES |
| | 0400 | 61 | J. TORRES |
| | 0500 | 61 | J. TORRES |
| | 0600 | 61 | D. GALENO |
| | 0700 | 62 | D. GALENO |
| | 0800 | 65 | D. GALENO |
| | 0900 | 69 | D. GALENO |
| | 1000 | 75 | D. GALENO |
| | 1100 | 85 | D. GALENO |
| | 1200 | 87 | D. GALENO |
| | 1300 | 90 | D. GALENO |
| | 1400 | 96 | M. CASWELL |
| | 1500 | 96 | M. CASWELL |
| | 1600 | 95 | M. CASWELL |
| | 1700 | 92 | M. CASWELL |
| | 1800 | 87 | M. CASWELL |
| | 1900 | 80 | M. CASWELL |
| | 2000 | 76 | M. CASWELL |
| | 2100 | 75 | M. CASWELL |
| | 2200 | 73 | J. TORRES |
| | 2300 | 71 | J. TORRES |
| | 2400 | 70 | J. TORRES |

OFF STAGE 1 HEAT ALERT
@1800 (84°)

DISTRIBUTION: Original: Institution ADA Coordinator

1305 Stage 1 Heat Alert
Thermostat reading 88.
Phone weather is 105
Thermostat not working

83°
1827
Off 1st
Stage
Heat Alert

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------------------------|------|-------|--------------|
| MONDAY OCTOBER 7, 2024 | 0100 | 68 | J. Torres |
| | 0200 | 65 | J. Torres |
| | 0300 | 64 | J. Torres |
| | 0400 | 63 | J. Torres |
| | 0500 | 62 | J. Torres |
| | 0600 | 62 | J. Torres |
| | 0700 | 62 | HYPOLite |
| | 0800 | 66 | HYPOLite |
| | 0900 | 73 | HYPOLite |
| | 1000 | 78 | HYPOLite |
| | 1100 | 84 | HYPOLite |
| | 1200 | 91 | HYPOLite |
| | 1300 | 93 | HYPOLite |
| | 1400 | 95 | Orion |
| | 1500 | 93 | Orion |
| | 1600 | 92 | M. Caswell |
| | 1700 | 89 | M. Caswell |
| | 1800 | 84 | M. Caswell |
| | 1900 | 78 | M. Caswell |
| | 2000 | 75 | M. Caswell |
| | 2100 | 73 | M. Caswell |
| | 2200 | 73 | M. Carr |
| | 2300 | 72 | M. Carr |
| | 2400 | 70 | M. Carr |

1745
86°

| Date | Time | Temp. | Printed Name |
|-------------------------|------|-------|--------------|
| TUESDAY OCTOBER 8, 2024 | 0100 | 69 | M. Carr |
| | 0200 | 67 | M. Carr |
| | 0300 | 67 | M. Carr |
| | 0400 | 66 | M. Carr |
| | 0500 | 65 | M. Carr |
| | 0600 | 62 | Dominguez |
| | 0700 | 60 | Dominguez |
| | 0800 | 63 | Dominguez |
| | 0900 | 69 | Dominguez |
| | 1000 | 75 | Dominguez |
| | 1100 | 83 | Dominguez |
| | 1200 | 89 | Dominguez |
| | 1300 | 92 | Dominguez |
| | 1400 | 93 | M. Caswell |
| | 1500 | 92 | M. Caswell |
| | 1600 | 91 | M. Caswell |
| | 1700 | 88 | M. Caswell |
| | 1800 | 83 | M. Caswell |
| | 1900 | 78 | M. Caswell |
| | 2000 | 74 | M. Caswell |
| | 2100 | 72 | M. Caswell |
| | 2200 | 72 | M. Carr |
| | 2300 | 69 | M. Carr |
| | 2400 | 67 | M. Carr |

ON
1225
5:05

OFF
1730
96°

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/10)

INSTITUTION: *CW*

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: *WALK 1*

Immediately notify the Watch Commander at extension *4913* when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 64 | M. Caswell |
| | 0200 | 63 | M. Caswell |
| | 0300 | 62 | M. Caswell |
| | 0400 | 61 | M. Caswell |
| | 0500 | 61 | M. Caswell |
| | 0600 | 60 | S. Tonnes |
| | 0700 | 59 | S. Tonnes |
| | 0800 | 60 | S. Tonnes |
| | 0900 | 65 | S. Tonnes |
| | 1000 | 71 | S. Tonnes |
| | 1100 | 79 | S. Tonnes |
| | 1200 | 85 | S. Tonnes |
| | 1300 | 89 | S. Tonnes |
| | 1400 | 89 | M. Caswell |
| | 1500 | 87 | M. Caswell |
| | 1600 | 88 | M. Caswell |
| | 1700 | 86 | M. Caswell |
| | 1800 | 81 | M. Caswell |
| | 1900 | 75 | M. Caswell |
| | 2000 | 72 | M. Caswell |
| | 2100 | 69 | M. Caswell |
| | 2200 | 68 | M. Caswell |
| | 2300 | 66 | M. Caswell |
| | 2400 | 64 | M. Caswell |

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 62 | A. Hart |
| | 0200 | 61 | A. Hart |
| | 0300 | 60 | A. Hart |
| | 0400 | 59 | A. Hart |
| | 0500 | 59 | A. Hart |
| | 0600 | 66 | Gutierrez |
| | 0700 | 60 | Gutierrez |
| | 0800 | 68 | Gutierrez |
| | 0900 | 61 | Gutierrez |
| | 1000 | 70 | Gutierrez |
| | 1100 | 78 | Gutierrez |
| | 1200 | 81 | Gutierrez |
| | 1300 | 84 | Gutierrez |
| | 1400 | 87 | Gutierrez |
| | 1500 | 87 | M. Caswell |
| | 1600 | 86 | M. Caswell |
| | 1700 | 83 | M. Caswell |
| | 1800 | 79 | M. Caswell |
| | 1900 | 75 | M. Caswell |
| | 2000 | 72 | M. Caswell |
| | 2100 | 69 | M. Caswell |
| | 2200 | 68 | Martinez |
| | 2300 | 66 | Martinez |
| | 2400 | 65 | A. Hart |

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 64 | A. HAM |
| | 0200 | 62 | A. HAM |
| | 0300 | 62 | A. HAM |
| | 0400 | 61 | A. HAM |
| | 0500 | 60 | H. HAM |
| | 0600 | 60 | Gutierrez |
| | 0700 | 60 | Gutierrez |
| | 0800 | 65 | Gutierrez |
| | 0900 | 68 | Gutierrez |
| | 1000 | 74 | Gutierrez |
| | 1100 | 81 | Gutierrez |
| | 1200 | 86 | Gutierrez |
| | 1300 | 88 | Gutierrez |
| | 1400 | 88° | E. HAM |
| | 1500 | 89° | E. HAM |
| | 1600 | 89° | E. HAM |
| | 1700 | 85° | E. HAM |
| | 1800 | 80° | E. HAM |
| | 1900 | 77° | E. HAM |
| | 2000 | 73° | E. HAM |
| | 2100 | 70° | E. HAM |
| | 2200 | 68 | J. Torres |
| | 2300 | 66 | J. Torres |
| | 2400 | 65 | J. Torres |

FRI OCT 11, 2013

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 63 | J. Torres |
| | 0200 | 62 | J. Torres |
| | 0300 | 61 | J. Torres |
| | 0400 | 60 | J. Torres |
| | 0500 | 58 | J. Torres |
| | 0600 | 58 | M. Gutierrez |
| | 0700 | 58 | M. Gutierrez |
| | 0800 | 58 | M. Gutierrez |
| | 0900 | 65 | M. Gutierrez |
| | 1000 | 76 | M. Gutierrez |
| | 1100 | 80 | M. Gutierrez |
| | 1200 | 83 | M. Gutierrez |
| | 1300 | 86 | M. Gutierrez |
| | 1400 | 86° | E. HAM |
| | 1500 | 84° | E. HAM |
| | 1600 | 82° | E. HAM |
| | 1700 | 78° | E. HAM |
| | 1800 | 75° | E. HAM |
| | 1900 | 71° | E. HAM |
| | 2000 | 68° | E. HAM |
| | 2100 | 66° | E. HAM |
| | 2200 | 64 | J. Torres |
| | 2300 | 62 | J. Torres |
| | 2400 | 61 | J. Torres |

SAT OCT 12, 2013

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|----------------------------|------|-------|--------------|
| SUNDAY OCTOBER 13, 2024 | 0100 | 59 | J. Torres |
| | 0200 | 58 | J. Torres |
| | 0300 | 57 | J. Torres |
| | 0400 | 55 | J. Torres |
| | 0500 | 53 | J. Torres |
| | 0600 | 53 | M. Gutierrez |
| | 0700 | 53 | M. Gutierrez |
| | 0800 | 55 | M. Gutierrez |
| | 0900 | 60 | M. Gutierrez |
| | 1000 | 67 | M. Gutierrez |
| | 1100 | 70 | M. Gutierrez |
| | 1200 | 77 | M. Gutierrez |
| | 1300 | 78 | M. Gutierrez |
| | 1400 | 80 | M. Caswell |
| | 1500 | 82 | M. Caswell |
| | 1600 | 81 | M. Caswell |
| | 1700 | 78 | M. Caswell |
| | 1800 | 73 | M. Caswell |
| | 1900 | 69 | M. Caswell |
| | 2000 | 66 | M. Caswell |
| | 2100 | 64 | M. Caswell |
| | 2200 | 63 | M. Caswell |
| | 2300 | 61 | M. Caswell |
| | 2400 | 60 | M. Caswell |

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | | |
| | 0200 | | |
| | 0300 | | |
| | 0400 | | |
| | 0500 | | |
| | 0600 | | |
| | 0700 | | |
| | 0800 | | |
| | 0900 | | |
| | 1000 | | |
| | 1100 | | |
| | 1200 | | |
| | 1300 | | |
| | 1400 | | |
| | 1500 | | |
| | 1600 | | |
| | 1700 | | |
| | 1800 | | |
| | 1900 | | |
| | 2000 | | |
| | 2100 | | |
| | 2200 | | |
| | 2300 | | |
| | 2400 | | |

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|--------------------|------|-------|--------------|
| MONDAY 10-14-24 | 0100 | 59 | M. CADWELL |
| | 0200 | 59 | M. CADWELL |
| | 0300 | 59 | M. CADWELL |
| | 0400 | 58 | M. CADWELL |
| | 0500 | 59 | M. CADWELL |
| | 0600 | 58 | Dominguez |
| | 0700 | 54 | Dominguez |
| | 0800 | 56 | Dominguez |
| | 0900 | 59 | Dominguez |
| | 1000 | 64 | Dominguez |
| | 1100 | 69 | Dominguez |
| | 1200 | 73 | Dominguez |
| | 1300 | 70 | Dominguez |
| | 1400 | 77 | MARTINEZ |
| | 1500 | 79 | MARTINEZ |
| | 1600 | 77 | MARTINEZ |
| | 1700 | 74 | MARTINEZ |
| | 1800 | 69 | MARTINEZ |
| | 1900 | 67 | MARTINEZ |
| | 2000 | 64 | MARTINEZ |
| | 2100 | 63 | MARTINEZ |
| | 2200 | 60 | JMWS |
| | 2300 | 60 | JMWS |
| | 2400 | 59 | JMWS |

| Date | Time | Temp. | Printed Name |
|------------------|------|-------|--------------|
| TUES 10-15-24 | 0100 | 59 | Jones |
| | 0200 | 57 | Jones |
| | 0300 | 57 | Jones |
| | 0400 | 55 | Jones |
| | 0500 | 55 | Jones |
| | 0600 | 55 | Jones |
| | 0700 | 55 | M. Caswell |
| | 0800 | 57 | M. Caswell |
| | 0900 | 59 | M. Caswell |
| | 1000 | 62 | M. Caswell |
| | 1100 | 67 | M. Caswell |
| | 1200 | 71 | M. Caswell |
| | 1300 | 74 | M. Caswell |
| | 1400 | 77 | M. Caswell |
| | 1500 | 78 | M. Caswell |
| | 1600 | 76 | M. Caswell |
| | 1700 | 74 | M. Caswell |
| | 1800 | 71 | M. Caswell |
| | 1900 | 67 | M. Caswell |
| | 2000 | 64 | M. Caswell |
| | 2100 | 62 | M. Caswell |
| | 2200 | 60 | Jones |
| | 2300 | 60 | Jones |
| | 2400 | 60 | Jones |

INSTITUTION: CIN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER ①

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 68 | JONES |
| | 0200 | 59 | JONES |
| | 0300 | 57 | Jones |
| | 0400 | 57 | Jones |
| | 0500 | 57 | Jones |
| | 0600 | 57 | Jones |
| | 0700 | 62 | S. Tonnes |
| | 0800 | 63 | S. Tonnes |
| | 0900 | 63 | S. Tonnes |
| | 1000 | 64 | S. Tonnes |
| | 1100 | 65 | S. Tonnes |
| | 1200 | 67 | S. Tonnes |
| | 1300 | 68 | S. Tonnes |
| | 1400 | 75 | M. Caswell |
| | 1500 | 78 | M. Caswell |
| | 1600 | 75 | M. Caswell |
| | 1700 | 72 | M. Caswell |
| | 1800 | 69 | M. Caswell |
| | 1900 | 67 | M. Caswell |
| | 2000 | 64 | M. Caswell |
| | 2100 | 62 | M. Caswell |
| | 2200 | 61 | Albert |
| | 2300 | 61 | Albert |
| | 2400 | 61 | Albert |

WED 10/16/24

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 61 | Albert |
| | 0200 | 60 | Albert |
| | 0300 | 60 | Albert |
| | 0400 | 60 | Albert |
| | 0500 | 60 | Albert |
| | 0600 | 60 | Gutierrez |
| | 0700 | 60 | Gutierrez |
| | 0800 | 60 | Gutierrez |
| | 0900 | 63 | Gutierrez |
| | 1000 | 65 | Gutierrez |
| | 1100 | 67 | Gutierrez |
| | 1200 | 69 | Gutierrez |
| | 1300 | 71 | Gutierrez |
| | 1400 | 73 | M. Caswell |
| | 1500 | 73 | M. Caswell |
| | 1600 | 72 | M. Caswell |
| | 1700 | 70 | M. Caswell |
| | 1800 | 68 | M. Caswell |
| | 1900 | 66 | M. Caswell |
| | 2000 | 64 | M. Caswell |
| | 2100 | 62 | M. Caswell |
| | 2200 | 62 | Albert |
| | 2300 | 61 | Albert |
| | 2400 | 60 | Albert |

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TDWEP 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 59 | Albert |
| | 0200 | 59 | Albert |
| | 0300 | 59 | Albert |
| | 0400 | 59 | Albert |
| | 0500 | 57 | Albert |
| | 0600 | 57 | Gutierrez |
| | 0700 | 57 | Gutierrez |
| | 0800 | 58 | Gutierrez |
| | 0900 | 62 | Gutierrez |
| | 1000 | 66 | Gutierrez |
| | 1100 | 70 | Gutierrez |
| | 1200 | 74 | Gutierrez |
| | 1300 | 76 | Gutierrez |
| | 1400 | 77 | MALTOZ |
| | 1500 | 78 | MALTOZ |
| | 1600 | 78 | MALTOZ |
| | 1700 | 76 | MALTOZ |
| | 1800 | 75 | MALTOZ |
| | 1900 | 65 | MALTOZ |
| | 2000 | 65 | MALTOZ |
| | 2100 | 64 | MALTOZ |
| | 2200 | 59 | Caceres |
| | 2300 | 58 | Caceres |
| | 2400 | 57 | Caceres |

Fri. Oct 18, 2013

| Date | Time | Temp. | Printed Name |
|------|------|------------------|--------------|
| | 0100 | 57 | Caceres |
| | 0200 | 58 | Caceres |
| | 0300 | 58 | Caceres |
| | 0400 | 57 | Caceres |
| | 0500 | 57 | Caceres |
| | 0600 | 59 ⁶¹ | Miranda |
| | 0700 | 67 | Miranda |
| | 0800 | 71 | Miranda |
| | 0900 | 74 | Miranda |
| | 1000 | 78 | Miranda |
| | 1100 | 79 | Miranda |
| | 1200 | 81 | Miranda |
| | 1300 | 82 | Miranda |
| | 1400 | 81° | E.Han |
| | 1500 | 81° | E.Han |
| | 1600 | 80° | E.Han |
| | 1700 | 78° | E.Han |
| | 1800 | 74° | E.Han |
| | 1900 | 70° | E.Han |
| | 2000 | 68° | E.Han |
| | 2100 | 66° | E.Han |
| | 2200 | 61 | Jones |
| | 2300 | 60 | Jones |
| | 2400 | 59 | Jones |

Sat. Oct 19, 2013

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Tower 1

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

10-20-24

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 59 | Jone |
| | 0200 | 57 | Jone |
| | 0300 | 54 | Jone |
| | 0400 | 52 | Jone |
| | 0500 | 52 | Jone |
| | 0600 | 52 | Gutierrez |
| | 0700 | 53 | Gutierrez |
| | 0800 | 55 | Gutierrez |
| | 0900 | 60 | Gutierrez |
| | 1000 | 68 | Gutierrez |
| | 1100 | 77 | Gutierrez |
| | 1200 | 80 | Gutierrez |
| | 1300 | 82 | Gutierrez |
| | 1400 | 85 | HANNS |
| | 1500 | 86 | HANNS |
| | 1600 | 75 | HANNS |
| | 1700 | 71 | HANNS |
| | 1800 | 77 | HANNS |
| | 1900 | 73 | HANNS |
| | 2000 | 68 | HANNS |
| | 2100 | 60 | HANNS |
| | 2200 | 66 | MCCARTHY |
| | 2300 | 64 | MCCARTHY |
| | 2400 | 63 | MCCARTHY |

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | | |
| | 0200 | | |
| | 0300 | | |
| | 0400 | | |
| | 0500 | | |
| | 0600 | | |
| | 0700 | | |
| | 0800 | | |
| | 0900 | | |
| | 1000 | | |
| | 1100 | | |
| | 1200 | | |
| | 1300 | | |
| | 1400 | | |
| | 1500 | | |
| | 1600 | | |
| | 1700 | | |
| | 1800 | | |
| | 1900 | | |
| | 2000 | | |
| | 2100 | | |
| | 2200 | | |
| | 2300 | | |
| | 2400 | | |

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CYR

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 80 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 61 | M Caswell |
| | 0200 | 60 | M Caswell |
| | 0300 | 59 | M Caswell |
| | 0400 | 58 | M Caswell |
| | 0500 | 58 | M Caswell |
| | 0600 | 58 | Gutierrez |
| | 0700 | 59 | Gutierrez |
| | 0800 | 59 | Gutierrez |
| | 0900 | 67 | Gutierrez |
| | 1000 | 71 | Gutierrez |
| | 1100 | 78 | Gutierrez |
| | 1200 | 82 | Gutierrez |
| | 1300 | 83 | Gutierrez |
| | 1400 | 85 | M. Caswell |
| | 1500 | 87 | M. Caswell |
| | 1600 | 84 | M. Caswell |
| | 1700 | 81 | M. Caswell |
| | 1800 | 77 | M. Caswell |
| | 1900 | 72 | M. Caswell |
| | 2000 | 68 | M. Caswell |
| | 2100 | 64 | M. Caswell |
| | 2200 | 66 | Bungay |
| | 2300 | 64 | Bungay |
| | 2400 | 64 | Bungay |

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 62 | Bungay |
| | 0200 | 61 | Bungay |
| | 0300 | 60 | Bungay |
| | 0400 | 58 | Bungay |
| | 0500 | 56 | Bungay |
| | 0600 | 55 | Gutierrez |
| | 0700 | 54 | Gutierrez |
| | 0800 | 56 | Gutierrez |
| | 0900 | 63 | Gutierrez |
| | 1000 | 70 | Gutierrez |
| | 1100 | 77 | Gutierrez |
| | 1200 | 83 | Gutierrez |
| | 1300 | 86 | Gutierrez |
| | 1400 | 89 | Gutierrez |
| | 1500 | 89 | M. Caswell |
| | 1600 | 88 | M. Caswell |
| | 1700 | 85 | M. Caswell |
| | 1800 | 80 | M. Caswell |
| | 1900 | 76 | M. Caswell |
| | 2000 | 71 | M. Caswell |
| | 2100 | 69 | M. Caswell |
| | 2200 | 66 | M. Caswell |
| | 2300 | 65 | M. Caswell |
| | 2400 | 64 | M. Caswell |

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C/W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MURK 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 63 | M Caswell |
| | 0200 | 62 | M Caswell |
| | 0300 | 61 | M Caswell |
| | 0400 | 60 | M Caswell |
| | 0500 | 60 | M Caswell |
| | 0600 | 59 | S Tonnes |
| | 0700 | 55 | S Tonnes |
| | 0800 | 58 | S Tonnes |
| | 0900 | 60 | S Tonnes |
| | 1000 | 70 | S Tonnes |
| | 1100 | 70 | S Tonnes |
| | 1200 | 86 | S Tonnes |
| | 1300 | 90 | S Tonnes |
| | 1400 | 90 | M Caswell |
| | 1500 | 90 | M Caswell |
| | 1600 | 89 | M Caswell |
| | 1700 | 85 | M Caswell |
| | 1800 | 80 | M Caswell |
| | 1900 | 74 | M Caswell |
| | 2000 | 70 | M Caswell |
| | 2100 | 67 | M Caswell |
| | 2200 | 65 | A. Albert |
| | 2300 | 64 | A. Albert |
| | 2400 | 63 | A. Albert |

11-23-24

OFF stage
OFF I
1630
87°

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 62 | A. Albert |
| | 0200 | 61 | A. Albert |
| | 0300 | 59 | A. Albert |
| | 0400 | 57 | A. Albert |
| | 0500 | 56 | A. Albert |
| | 0600 | 55 | M Gutierrez |
| | 0700 | 55 | M Gutierrez |
| | 0800 | 58 | M Gutierrez |
| | 0900 | 64 | M Gutierrez |
| | 1000 | 71 | M Gutierrez |
| | 1100 | 77 | M Gutierrez |
| | 1200 | 83 | M Gutierrez |
| | 1300 | 86 | M Gutierrez |
| | 1400 | 87 | M Caswell |
| | 1500 | 87 | M Caswell |
| | 1600 | 85 | M Caswell |
| | 1700 | 83 | M Caswell |
| | 1800 | 78 | M Caswell |
| | 1900 | 73 | M Caswell |
| | 2000 | 69 | M Caswell |
| | 2100 | 67 | M Caswell |
| | 2200 | 65 | A. Albert |
| | 2300 | 64 | A. Albert |
| | 2400 | 62 | A. Albert |

THURS. OCT 24, 2024

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|--------------|------|-------|--------------|
| MAY 25, 2024 | | | |
| | 0100 | 60 | AUBERT |
| | 0200 | 59 | AUBERT |
| | 0300 | 67 | AUBERT |
| | 0400 | 56 | AUBERT |
| | 0500 | 55 | AUBERT |
| | 0600 | 53 | M. Gutierrez |
| | 0700 | 53 | M. Gutierrez |
| | 0800 | 57 | M. Gutierrez |
| | 0900 | 63 | M. Gutierrez |
| | 1000 | 73 | M. Gutierrez |
| | 1100 | 77 | M. Gutierrez |
| | 1200 | 82 | M. Gutierrez |
| | 1300 | 84 | M. Gutierrez |
| | 1400 | 85° | E. HAM |
| | 1500 | 84° | E. HAM |
| | 1600 | 83° | E. HAM |
| | 1700 | 80° | E. HAM |
| | 1800 | 74° | E. HAM |
| | 1900 | 70° | E. HAM |
| | 2000 | 68° | E. HAM |
| | 2100 | 66° | E. HAM |
| | 2200 | 64 | J. Torres |
| | 2300 | 62 | J. Torres |
| | 2400 | 60 | J. Torres |

| Date | Time | Temp. | Printed Name |
|--------------|------|-------|--------------|
| MAY 25, 2024 | | | |
| | 0100 | 58 | J. Torres |
| | 0200 | 55 | J. Torres |
| | 0300 | 53 | J. Torres |
| | 0400 | 52 | J. Torres |
| | 0500 | 51 | J. Torres |
| | 0600 | 54 | M. Gutierrez |
| | 0700 | 54 | M. Gutierrez |
| | 0800 | 58 | M. Gutierrez |
| | 0900 | 64 | M. Gutierrez |
| | 1000 | 71 | M. Gutierrez |
| | 1100 | 78 | M. Gutierrez |
| | 1200 | 84 | M. Gutierrez |
| | 1300 | 86 | M. Gutierrez |
| | 1400 | 88° | E. HAM |
| | 1500 | 88° | E. HAM |
| | 1600 | 87° | E. HAM |
| | 1700 | 83° | E. HAM |
| | 1800 | 77° | E. HAM |
| | 1900 | 73° | E. HAM |
| | 2000 | 71° | E. HAM |
| | 2100 | 70° | E. HAM |
| | 2200 | 67 | J. Torres |
| | 2300 | 64 | J. Torres |
| | 2400 | 61 | J. Torres |

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|----------------------------|------|-------|--------------|
| SUNDAY OCTOBER 27, 2014 | 0100 | 60 | J. Torres |
| | 0200 | 59 | J. Torres |
| | 0300 | 58 | J. Torres |
| | 0400 | 57 | J. Torres |
| | 0500 | 56 | J. Torres |
| | 0600 | 56 | M. Gutierrez |
| | 0700 | 57 | M. Gutierrez |
| | 0800 | 59 | M. Gutierrez |
| | 0900 | 66 | M. Gutierrez |
| | 1000 | 75 | M. Gutierrez |
| | 1100 | 77 | M. Gutierrez |
| | 1200 | 80 | M. Gutierrez |
| | 1300 | 83 | M. Gutierrez |
| | 1400 | 85 | M. Caswell |
| | 1500 | 84 | M. Caswell |
| | 1600 | 82 | M. Caswell |
| | 1700 | 78 | M. Caswell |
| | 1800 | 74 | M. Caswell |
| | 1900 | 70 | M. Caswell |
| | 2000 | 68 | M. Caswell |
| | 2100 | 66 | M. Caswell |
| | 2200 | 64 | J. Torres |
| | 2300 | 62 | J. Torres |
| | 2400 | 61 | J. Torres |

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | | |
| | 0200 | | |
| | 0300 | | |
| | 0400 | | |
| | 0500 | | |
| | 0600 | | |
| | 0700 | | |
| | 0800 | | |
| | 0900 | | |
| | 1000 | | |
| | 1100 | | |
| | 1200 | | |
| | 1300 | | |
| | 1400 | | |
| | 1500 | | |
| | 1600 | | |
| | 1700 | | |
| | 1800 | | |
| | 1900 | | |
| | 2000 | | |
| | 2100 | | |
| | 2200 | | |
| | 2300 | | |
| | 2400 | | |

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|-------------------------|------|-------|--------------|
| MONDAY OCTOBER 28, 2024 | 0100 | 60 | J. Torres |
| | 0200 | 59 | J. Torres |
| | 0300 | 58 | J. Torres |
| | 0400 | 58 | J. Torres |
| | 0500 | 59 | J. Torres |
| | 0600 | 58 | M. Gutierrez |
| | 0700 | 58 | M. Gutierrez |
| | 0800 | 60 | M. Gutierrez |
| | 0900 | 65 | M. Gutierrez |
| | 1000 | 68 | M. Gutierrez |
| | 1100 | 71 | M. Gutierrez |
| | 1200 | 74 | M. Gutierrez |
| | 1300 | 74 | M. Gutierrez |
| | 1400 | 73 | M. Caswell |
| | 1500 | 72 | M. Caswell |
| | 1600 | 69 | M. Caswell |
| | 1700 | 66 | M. Caswell |
| | 1800 | 63 | M. Caswell |
| | 1900 | 61 | M. Caswell |
| | 2000 | 60 | M. Caswell |
| | 2100 | 59 | M. Caswell |
| | 2200 | 59 | M. Caswell |
| | 2300 | 56 | M. Caswell |
| | 2400 | 58 | M. Caswell |

| Date | Time | Temp. | Printed Name |
|--------------------------|------|-------|----------------|
| TUESDAY OCTOBER 29, 2024 | 0100 | 55 | M. Caswell |
| | 0200 | 54 | M. Caswell |
| | 0300 | 54 | M. Caswell |
| | 0400 | 53 | M. Caswell |
| | 0500 | 53 | M. Caswell |
| | 0600 | 53 | A. SZULCZEWICZ |
| | 0700 | 55 | A. SZULCZEWICZ |
| | 0800 | 57 | A. SZULCZEWICZ |
| | 0900 | 58 | A. SZULCZEWICZ |
| | 1000 | 63 | A. SZULCZEWICZ |
| | 1100 | 70 | A. SZULCZEWICZ |
| | 1200 | 70 | A. SZULCZEWICZ |
| | 1300 | 70 | A. SZULCZEWICZ |
| | 1400 | 69 | M. Caswell |
| | 1500 | 69 | M. Caswell |
| | 1600 | 68 | M. Caswell |
| | 1700 | 67 | M. Caswell |
| | 1800 | 64 | M. Caswell |
| | 1900 | 61 | M. Caswell |
| | 2000 | 58 | M. Caswell |
| | 2100 | 56 | M. Caswell |
| | 2200 | 55 | M. Caswell |
| | 2300 | 54 | M. Caswell |
| | 2400 | 53 | M. Caswell |

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: CW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Thru K1

Immediately notify the Watch Commander at extension 4917 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|----------------------|------|-------|--------------|
| Wednesday - 10-30-24 | 0100 | 52 | M. Cappa |
| | 0200 | 51 | M. Cappa |
| | 0300 | 51 | M. Cappa |
| | 0400 | 50 | M. Cappa |
| | 0500 | 51 | M. Cappa |
| | 0600 | 48 | S. Tonnes |
| | 0700 | 48 | S. Tonnes |
| | 0800 | 48 | S. Tonnes |
| | 0900 | 54 | S. Tonnes |
| | 1000 | 58 | S. Tonnes |
| | 1100 | 64 | S. Tonnes |
| | 1200 | 69 | S. Tonnes |
| | 1300 | 72 | S. Tonnes |
| | 1400 | 71 | M. Caswell |
| | 1500 | 73 | M. Caswell |
| | 1600 | 73 | M. Caswell |
| | 1700 | 72 | M. Caswell |
| | 1800 | 68 | M. Caswell |
| | 1900 | 64 | M. Caswell |
| | 2000 | 60 | M. Caswell |
| | 2100 | 58 | M. Caswell |
| | 2200 | 50 | A. Hertel |
| | 2300 | 54 | A. Hertel |
| | 2400 | 53 | A. Hertel |

| Date | Time | Temp. | Printed Name |
|---------------------|------|-------|--------------|
| Thursday - 10-31-24 | 0100 | 52 | Hertel |
| | 0200 | 50 | Hertel |
| | 0300 | 48 | Hertel |
| | 0400 | 48 | Hertel |
| | 0500 | 47 | Hertel |
| | 0600 | 47 | M. Gutierrez |
| | 0700 | 47 | M. Gutierrez |
| | 0800 | 48 | M. Gutierrez |
| | 0900 | 56 | M. Gutierrez |
| | 1000 | 64 | M. Gutierrez |
| | 1100 | 66 | M. Gutierrez |
| | 1200 | 69 | M. Gutierrez |
| | 1300 | 71 | M. Gutierrez |
| | 1400 | 72 | M. Caswell |
| | 1500 | 73 | M. Caswell |
| | 1600 | 71 | M. Caswell |
| | 1700 | 69 | M. Caswell |
| | 1800 | 65 | M. Caswell |
| | 1900 | 62 | M. Caswell |
| | 2000 | 59 | M. Caswell |
| | 2100 | 57 | M. Caswell |
| | 2200 | 50 | Hertel |
| | 2300 | 53 | Hertel |
| | 2400 | 52 | Hertel |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Miller A' Temp. Reading Location: LH / SH

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/02/24 | 0300 | 79 | A. Flores |
| | 0600 | 73 | B. Martinez |
| | 0900 | 74 | B. Martinez |
| | 1200 | 74 | Y. Garcia |
| | 1500 | 80 | A. Lopez |
| | 1800 | 84 | A. Lopez |
| | 2100 | 84 | A. Lopez |
| | 2400 | 82 | A. Flores |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/04/24 | 0300 | 77 | S. Lopez |
| | 0600 | 79 | D. Renteria |
| | 0900 | 79 | D. Renteria |
| | 1200 | 80 | D. Renteria |
| | 1500 | 83 | V. Allen |
| | 1800 | 83 | A. Alvarado |
| | 2100 | 81 | A. Alvarado |
| | 2400 | 79 | A. Flores |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/06/24 | 0300 | 80 | A. Flores |
| | 0600 | 78 | S. Voliz |
| | 0900 | 81 | S. Voliz |
| | 1200 | 81 | S. Voliz |
| | 1500 | 82 | A. Lopez |
| | 1800 | 83 | A. Lopez |
| | 2100 | 83 | A. Lopez |
| | 2400 | 82 | J. Gomez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/01/24 | 0300 | 78 | J. Gomez |
| | 0600 | 77 | S. Voliz |
| | 0900 | 77 | S. Voliz |
| | 1200 | 80 | S. Voliz |
| | 1500 | 87 | A. Lopez |
| | 1800 | 85 | A. Lopez |
| | 2100 | 84 | A. Flores |
| | 2400 | 80 | A. Flores |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/03/24 | 0300 | 81 | A. Flores |
| | 0600 | 79 | E. Acosta |
| | 0900 | 79 | E. Acosta |
| | 1200 | 80 | E. Acosta |
| | 1500 | 87 | A. Lopez |
| | 1800 | 82 | A. Lopez |
| | 2100 | 83 | A. Lopez |
| | 2400 | 78 | A. Lopez |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/05/24 | 0300 | 88 | A. Flores |
| | 0600 | 78 | S. Voliz |
| | 0900 | 80 | S. Voliz |
| | 1200 | 81 | S. Voliz |
| | 1500 | 82 | S. Voliz |
| | 1800 | 82 | S. Voliz |
| | 2100 | 83 | S. Voliz |
| | 2400 | 87 | A. Flores |

Notes: Date and type of cooling measures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C/W Housing Unit: MILLER A Temp. Reading Location: C4/S1

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/07/24 | 0300 | 78 | J. Gomez |
| | 0600 | 79 | S. VDIZ |
| | 0900 | 79 | S. VDIZ |
| | 1200 | 81 | S. VDIZ |
| | 1500 | 88 | A. Flores |
| | 1800 | 86 | A. Flores |
| | 2100 | 83 | A. Flores |
| | 2400 | 82 | J. Gomez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/08/24 | 0300 | 80 | J. Gomez |
| | 0600 | 80 | N. Amor |
| | 0900 | 79 | N. Amor |
| | 1200 | 82 | N. Amor |
| | 1500 | 88 | A. Flores |
| | 1800 | 84 | A. Flores |
| | 2100 | 82 | A. Flores |
| | 2400 | 82 | J. Gomez |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/09/24 | 0300 | 71 | A. Flores |
| | 0600 | 79 | D. Galeno |
| | 0900 | 80 | D. Galeno |
| | 1200 | 85 | D. Galeno |
| | 1500 | 86 | A. Arellano |
| | 1800 | 84 | A. Arellano |
| | 2100 | 88 | A. Arellano |
| | 2400 | 80 | A. Flores |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/10/24 | 0300 | 78 | A. Flores |
| | 0600 | 77 | A. Arellano |
| | 0900 | 79 | A. Arellano |
| | 1200 | 80 | A. Arellano |
| | 1500 | 83 | A. Arellano |
| | 1800 | 82 | A. Arellano |
| | 2100 | 81 | A. Arellano |
| | 2400 | 77 | S. Lewis |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/11/24 | 0300 | 77 | S. Lewis |
| | 0600 | 77 | Rubio |
| | 0900 | 77 | Rubio |
| | 1200 | 78 | Rubio |
| | 1500 | 78 | Garcia |
| | 1800 | 78 | Garcia |
| | 2100 | 78 | Garcia |
| | 2400 | 79 | A. Flores |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/12/24 | 0300 | 78 | A. Flores |
| | 0600 | 76 | Acosta |
| | 0900 | 77 | Acosta |
| | 1200 | 78 | Acosta |
| | 1500 | 79 | Pizarro |
| | 1800 | 78 | Pizarro |
| | 2100 | 77 | Pizarro |
| | 2400 | 75 | Douglas |

Notes: Date and type of cooling measures provided

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/13/24 | 0300 | 74 | Douglas |
| | 0600 | 75 | M. Larios |
| | 0900 | 76 | M. Larios |
| | 1200 | 77 | M. Larios |
| | 1500 | 84 | A. Arellano |
| | 1800 | 80 | A. Arellano |
| | 2100 | 78 | A. Arellano |
| | 2400 | 77 | J. Gomez |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

AMERICAN INSTITUTION
INSTITUTIONAL HEAT PLAN COORDINATOR
DATE: 10-13-2024

FORMED BY THE
INSTITUTIONAL HEAT PLAN COORDINATOR
INSTITUTIONAL HEAT PLAN COORDINATOR
DATE: 10-13-2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (06/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C/W Housing Unit: MILLER A Temp. Reading Location: 24/54

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/14/24 | 0300 | 76 | J. Gomez |
| | 0600 | 75 | Sabanos |
| | 0900 | 76 | Sabanos |
| | 1200 | 76 | Sabanos |
| | 1500 | 82 | America |
| | 1800 | 74 | America |
| | 2100 | 74 | America |
| | 2400 | 78 | J. Gomez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/15/24 | 0300 | 75 | J. Gomez |
| | 0600 | 76 | Haro |
| | 0900 | 76 | Haro |
| | 1200 | 77 | Haro |
| | 1500 | 89 | America |
| | 1800 | 89 | America |
| | 2100 | 76 | America |
| | 2400 | 76 | A. FLORES |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/16/24 | 0300 | 74 | A. FLORES |
| | 0600 | 74 | L. MORENO |
| | 0900 | 75 | L. MORENO |
| | 1200 | 75 | L. MORENO |
| | 1500 | 74 | America |
| | 1800 | 73 | America |
| | 2100 | 72 | America |
| | 2400 | 72 | A. FLORES |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/24 | 0300 | 72 | A. FLORES |
| | 0600 | 73 | J. Ramos |
| | 0900 | 74 | J. Ramos |
| | 1200 | 74 | J. Ramos |
| | 1500 | 73 | America |
| | 1800 | 73 | America |
| | 2100 | 73 | America |
| | 2400 | 71 | Stu |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/24 | 0300 | 71 | Stu |
| | 0600 | 70 | D. RENTGENA |
| | 0900 | 75 | D. RENTGENA |
| | 1200 | 74 | D. RENTGENA |
| | 1500 | 75 | b. RENTGENA |
| | 1800 | 78 | b. RENTGENA |
| | 2100 | 73 | b. RENTGENA |
| | 2400 | 72 | A. FLORES |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/19/24 | 0300 | 71 | A. FLORES |
| | 0600 | 72 | M. Tavira |
| | 0900 | 72 | M. Tavira |
| | 1200 | 75 | M. Tavira |
| | 1500 | 68 | Moratorium |
| | 1800 | 68 | Moratorium |
| | 2100 | 68 | Moratorium |
| | 2400 | 70 | DUNOZO |

Notes: Date and type of cooling measures provided

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/24 | 0300 | 70 | Dunozo |
| | 0600 | 71 | M. Tavira |
| | 0900 | 71 | M. Tavira |
| | 1200 | 75 | M. Tavira |
| | 1500 | 82 | America |
| | 1800 | 79 | America |
| | 2100 | 74 | America |
| | 2400 | 75 | J. Gomez |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

For more information, contact the Heat Plan Coordinator.

1607 / 1607

for and retain. Inside
risk list may be present
and printed.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: O/W Housing Unit: MILLER A Temp. Reading Location: L14/S14

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|--------------|--------------|
| 10/21/24 | 0300 | 74 | J. Gomez |
| 0600 | 79 | Stubblefield | |
| 0900 | 74 | Stubblefield | |
| 1200 | 75 | Stubblefield | |
| 1500 | 82 | A. Hernandez | |
| 1800 | 79 | A. Hernandez | |
| 2100 | 77 | A. Hernandez | |
| 2400 | 75 | J. Gomez | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|--------------|--------------|
| 10/22/24 | 0300 | 74 | J. Gomez |
| 0600 | 64 | A. Hernandez | |
| 0900 | 65 | A. Hernandez | |
| 1200 | 66 | A. Hernandez | |
| 1500 | 72 | A. Hernandez | |
| 1800 | 81 | A. Hernandez | |
| 2100 | 79 | A. Hernandez | |
| 2400 | 77 | A. Flores | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-----------|--------------|
| 10/23/24 | 0300 | 76 | A. Flores |
| 0600 | 75 | D. Galeno | |
| 0900 | 76 | D. Galeno | |
| 1200 | 82 | D. Galeno | |
| 1500 | 84 | A. Flores | |
| 1800 | 83 | A. Flores | |
| 2100 | 80 | A. Flores | |
| 2400 | 77 | A. Flores | |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|------------|--------------|
| 10/24/24 | 0300 | 76 | A. Flores |
| 0600 | 77 | J. Serrato | |
| 0900 | 78 | J. Serrato | |
| 1200 | 80 | J. Serrato | |
| 1500 | 89 | A. Flores | |
| 1800 | 92 | A. Flores | |
| 2100 | 78 | A. Flores | |
| 2400 | 75 | Serrato | |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|----------------|--------------|
| 10/25/24 | 0300 | 75 | S. Thompson |
| 0600 | 74 | T. Thompson | |
| 0900 | 67 | T. Thompson | |
| 1200 | 69 | T. Thompson | |
| 1500 | 69 | M. Morganstein | |
| 1800 | 67 | Morganstein | |
| 2100 | 68 | Morganstein | |
| 2400 | 77 | Flores | |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|----------------|--------------|
| 10/26/24 | 0300 | 75 | A. Flores |
| 0600 | 75 | M. Tavira | |
| 0900 | 75 | M. Tavira | |
| 1200 | 75 | M. Tavira | |
| 1500 | 70 | M. Morganstein | |
| 1800 | 70 | M. Morganstein | |
| 2100 | 70 | M. Morganstein | |
| 2400 | 70 | D. Russo | |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|--------------|--------------|
| 10/27/24 | 0300 | 70 | D. Russo |
| 0600 | 70 | D. Russo | |
| 0900 | 60 | Quintana | |
| 1200 | 60 | Quintana | |
| 1500 | 82 | A. Hernandez | |
| 1800 | 79 | A. Hernandez | |
| 2100 | 77 | A. Hernandez | |
| 2400 | 76 | J. Gomez | |

Notes: Date and type of cooling measures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIA Housing Unit: MICHAEL A Temp. Reading Location: LH/SH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/28/24 | 0300 | 74 | J. Gomez |
| | 0600 | 74 | Stubblefield |
| | 0900 | 74 | Stubblefield |
| | 1200 | 73 | Stubblefield |
| | 1500 | 82 | America |
| | 1800 | 76 | America |
| | 2100 | 74 | Gomez |
| | 2400 | 74 | J. Gomez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/29/24 | 0300 | 73 | J. Gomez |
| | 0600 | 73 | C. Serrano |
| | 0900 | 73 | C. Serrano |
| | 1200 | 73 | C. Serrano |
| | 1500 | 80 | A. Medina |
| | 1800 | 78 | A. Medina |
| | 2100 | 75 | A. Medina |
| | 2400 | 72 | A. Flores |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/30/24 | 0300 | 70 | A. FLORES |
| | 0600 | 79 | Lafcavard |
| | 0800 | 71 | Cedexar |
| | 1200 | 72 | Lafcavard |
| | 1500 | 78 | A. M. Flores |
| | 1500 | 78 | Adriana etc |
| | 2100 | 71 | A. FLORES |
| | 2400 | 71 | A. FLORES |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/31/24 | 0300 | 70 | A-Flores |
| | 0600 | 69 | D Flores |
| | 0900 | 70 | D Flores |
| | 1200 | 71 | D Flores. |
| | 1500 | 79 | Amelia |
| | 1800 | 79 | Amelia |
| | 2100 | 73 | Amelia |
| | 2400 | 72 | Amelia |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0500 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: MILLER B Temp. Reading Location: Hall 1 Hall 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-2-24 | 0300 | 72 | J. Escalante |
| | 0600 | 72 | C. CONTE |
| | 0900 | 76 | C. CONTE |
| | 1200 | 76 | C. CONTE |
| | 1500 | 76 | Stubblefield |
| | 1800 | 76 | Stubblefield |
| | 2100 | 76 | Stubblefield |
| | 2400 | 74 | J. Escalante |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-4-24 | 0300 | 74 | J. Escalante |
| | 0600 | 74 | Stubblefield |
| | 0900 | 76 | Stubblefield |
| | 1200 | 77 | Stubblefield |
| | 1500 | 77 | Stubblefield |
| | 1800 | 79 | Stubblefield |
| | 2100 | 79 | Stubblefield |
| | 2400 | 78 | A. THIAS |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-6-24 | 0300 | 77° | A. THIAS |
| | 0600 | 79 | Amine |
| | 0900 | 79 | Amine |
| | 1200 | 75 | Amine |
| | 1500 | 78 | Amine BAIRD |
| | 1800 | 78 | Bairns |
| | 2100 | 78 | Bairns |
| | 2400 | 76 | ESCALANTE |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-1-24 | 0300 | 69 | J. Escalante |
| | 0600 | 70 | COBERN |
| | 0900 | 75 | COBERN |
| | 1200 | 75 | COBERN |
| | 1500 | 75 | COBERN |
| | 1800 | 78 | COBERN |
| | 2100 | 78 | COBERN |
| | 2400 | 79 | J. Escalante |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-3-24 | 0300 | 72 | J. Escalante |
| | 0600 | 72 | C. CONTE |
| | 0900 | 75 | C. CONTE |
| | 1200 | 76 | C. CONTE |
| | 1500 | 78 | Stubblefield |
| | 1800 | 78 | Stubblefield |
| | 2100 | 76 | Stubblefield |
| | 2400 | 72 | J. Escalante |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-5-24 | 0300 | 77° | A. THIAS |
| | 0600 | 75 | B. IMPENS |
| | 0900 | 75 | B. IMPENS |
| | 1200 | 75 | B. IMPENS |
| | 1500 | 77 | DURAN |
| | 1800 | 81 | DURAN |
| | 2100 | 77 | DURAN |
| | 2400 | 77° | A. THIAS |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

L8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Miller B Temp. Reading Location: Hall 1 Hall 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|---------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-7-24 | 0300 | 74 | ESCALADO |
| | 0600 | 79 | COBERN |
| | 0900 | 71 | COBERN |
| | 1200 | 79 | COBERN |
| | 1500 | 78 | Navarrete |
| | 1800 | 78 | Navarrete |
| | 2100 | 77 | Navarrete |
| | 2400 | 76 | J. Escalado |

| Wednesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-9-24 | 0300 | 72 | J. Escalado |
| | 0600 | 76 | C. CORTEZ |
| | 0900 | 78 | C. CORTEZ |
| | 1200 | 79 | C. CORTEZ |
| | 1500 | 78 | Haro |
| | 1800 | 78 | Haro |
| | 2100 | 78 | Haro |
| | 2400 | 74 | J. Escalado |

| Friday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-12-24 | 0300 | 72 | J. Escalado |
| | 0600 | 70 | COBERN |
| | 0900 | 75 | COBERN |
| | 1200 | 75 | COBERN |
| | 1500 | 77 | Stubblefield |
| | 1800 | 71 | Stubblefield |
| | 2100 | 76 | Stubblefield |
| | 2400 | 76 | Stacy |

| Sunday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-14-24 | 0300 | 71° | A. TIAS |
| | 0600 | 71 | SMITH |
| | 0900 | 75 | SMITH |
| | 1200 | 79 | Smith |
| | 1500 | 70 | Morganstein |
| | 1800 | 70 | Morganstein |
| | 2100 | 70 | Morganstein |
| | 2400 | 78 | Morganstein |

| Tuesday | | | |
|---------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-8-24 | 0300 | 74 | J. Escalado |
| | 0600 | 75 | CASTANON |
| | 0900 | 75 | CASTANON |
| | 1200 | 75 | CASTANON |
| | 1500 | 76 | Haro |
| | 1800 | 76 | Haro |
| | 2100 | 76 | Haro |
| | 2400 | 74 | J. Escalado |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-11-24 | 0300 | 72 | J. Escalado |
| | 0600 | 70 | D. Galeno |
| | 0900 | 70 | D. Galeno |
| | 1200 | 70 | D. Galeno |
| | 1500 | 75 | Stubblefield |
| | 1800 | 77 | Stubblefield |
| | 2100 | 77 | Stubblefield |
| | 2400 | 74 | J. Escalado |

| Saturday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-13-24 | 0300 | 76 | Stacy |
| | 0600 | 70 | COBERN |
| | 0900 | 75 | COBERN |
| | 1200 | 75 | COBERN |
| | 1500 | 75 | Morales |
| | 1800 | 76 | Morales |
| | 2100 | 70 | Morales |
| | 2400 | 72° | A. TIAS |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Miller B Temp. Reading Location: Hall 1 Hall 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-14-24 | 0300 | 68 | J. Escalada |
| | 0600 | 70 | D. RUBIO |
| | 0900 | 70 | D. RUBIO |
| | 1200 | 72 | RUBIO |
| | 1500 | 71 | MONTGOMERY |
| | 1800 | 70 | MONTGOMERY |
| | 2100 | 69 | MONTGOMERY |
| | 2400 | 68 | J. Escalada |

| Wednesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-16-24 | 0300 | 67 | J. Escalada |
| | 0600 | 70 | C. CORTEZ |
| | 0900 | 70 | C. CORTEZ |
| | 1200 | 71 | C. CORTEZ |
| | 1500 | 70 | A. HERNANDEZ |
| | 1800 | 69 | A. HERNANDEZ |
| | 2100 | 68 | A. HERNANDEZ |
| | 2400 | 67 | J. Escalada |

| Friday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-18-24 | 0300 | 65 | J. Escalada |
| | 0600 | 65 | CORTES |
| | 0900 | 65 | CORTES |
| | 1200 | 67 | CORTES |
| | 1500 | 68 | C. HERRERA |
| | 1800 | 68 | C. HERRERA |
| | 2100 | 67 | C. HERRERA |
| | 2400 | 67 | A. TILAS |

| Sunday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-20-24 | 0300 | 68° | A. TILAS |
| | 0600 | 68 | MEDINA |
| | 0900 | 68 | MEDINA |
| | 1200 | 69 | MEDINA |
| | 1500 | 69 | D. RENTERIA |
| | 1800 | 65 | C. SOTO |
| | 2100 | 68 | C. Serrano |
| | 2400 | 65 | Perez |

| Tuesday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-15-24 | 0300 | 67 | J. Escalada |
| | 0600 | 70 | COBERN |
| | 0900 | 70 | COBERN |
| | 1200 | 70 | COBERN |
| | 1500 | 70 | Sabatino |
| | 1800 | 70 | Sabatino |
| | 2100 | 69 | Sabatino |
| | 2400 | 68 | J. Escalada |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-17-24 | 0300 | 66 | J. Escalada |
| | 0600 | 69 | C. CORTEZ |
| | 0900 | 69 | C. CORTEZ |
| | 1200 | 68 | S. ALVIZO |
| | 1500 | 68 | Ramirez |
| | 1800 | 68 | Ramirez |
| | 2100 | 67 | Ramirez |
| | 2400 | 67 | J. Escalada |

| Saturday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-19-24 | 0300 | 67° | A. TILAS |
| | 0600 | 65 | COBERN |
| | 0900 | 65 | COBERN |
| | 1200 | 65 | COBERN |
| | 1500 | 72 | Bryant |
| | 1800 | 70 | Bryant |
| | 2100 | 70 | Bryant |
| | 2400 | 69° | A. TILAS |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: MB Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | J. Escobedo |
| 8 | 0600 | 70 | Quintero |
| | 0900 | 70 | Quintero |
| | 1200 | 70 | Quintero |
| | 1500 | 71 | J. CUELLAR |
| | 1800 | 73 | J. CUELLAR |
| | 2100 | 74 | J. CUELLAR |
| | 2400 | 72 | J. Escobedo |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | J. Escobedo |
| | 0600 | 70 | C. CORTEZ |
| | 0900 | 70 | C. CORTEZ |
| | 1200 | 72 | C. CORTEZ |
| | 1500 | 73 | MARQUEZ |
| | 1800 | 73 | MARQUEZ |
| | 2100 | 72 | MARQUEZ |
| | 2400 | 71 | J. Escobedo |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 69° | J. Escobedo |
| | 0600 | 70° | VALENTEA, F. |
| | 0900 | 70° | VALENTEA, F. |
| | 1200 | 70° | VALENTEA, F. |
| | 1500 | 70° | Quiñonez |
| | 1800 | 73 | Quiñonez |
| | 2100 | 71 | Quiñonez |
| | 2400 | 70° | A. TIAS |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 69° | A. TIAS |
| | 0600 | 70 | Martinez |
| | 0900 | 70 | Martinez |
| | 1200 | 70 | Martinez |
| | 1500 | 71 | HEREDIA |
| | 1800 | 70 | HEREDIA |
| | 2100 | 70 | HEREDIA |
| | 2400 | 69 | J. Escobedo |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|---------------------|
| | 0300 | 70 | J. Escobedo |
| | 0600 | 65 | COBERN (short 4411) |
| | 0900 | 68 | COBERN |
| | 1200 | 70 | COBERN |
| | 1500 | 74 | Olivier |
| | 1800 | 74 | Olivier |
| | 2100 | 75 | Olivier |
| | 2400 | 72 | J. Escobedo |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | J. Escobedo |
| | 0600 | 70 | C. CORTEZ |
| | 0900 | 70 | C. CORTEZ |
| | 1200 | 71 | C. CORTEZ |
| | 1500 | 73 | C. CORTEZ |
| | 1800 | 74 | MARQUEZ |
| | 2100 | 72 | MARQUEZ |
| | 2400 | 70 | J. Escobedo |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | A. TIAS |
| | 0600 | 70 | VARERA |
| | 0900 | 70 | VARERA |
| | 1200 | 70 | VARERA |
| | 1500 | 70 | M. Tavira |
| | 1800 | 71 | M. Tavira |
| | 2100 | 70 | M. Tavira |
| | 2400 | 70° | A. TIAS |

Notes: Date and type of cooling measures provided

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Milken B Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4912 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-28-29 | 0300 | 67 | J-Escardezo |
| | 0600 | 69 | Bielawik |
| | 0900 | 69 | Bielawik |
| | 1200 | 69 | Bielawik |
| | 1500 | 69 | (far) |
| | 1800 | 68 | (far) |
| | 2100 | 68 | Faro |
| | 2400 | 67 | J-Escardezo |

| Tuesday | | Date | Time | Temp. | Name (Print) |
|----------|--|------|------|-------|--------------|
| 10-29-24 | | | 0300 | 66 | Escobedo |
| | | | 0600 | 74 | B. MRCAS |
| | | | 0900 | 74 | B. MRCAS |
| | | | 1200 | 77 | B. MRCAS |
| | | | 1500 | 67 | Juddkins |
| | | | 1800 | 66 | Juddkins |
| | | | 2100 | 65 | Juddkins |
| | | | 2400 | 65 | V. Escobedo |

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-30-21 | 0300 | 64 | J. Escalante |
| | 0600 | 65 | GONZALEZ |
| | 0900 | 69 | GONZALEZ |
| | 1200 | 70 | GONZALEZ |
| | 1500 | 70 | MLOP |
| | 1800 | 69 | MLOP |
| | 2100 | 65 | MLOP |
| | 2400 | 64 | J. Escalante |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-31-24 | 0300 | 63 | J. Escalera |
| | 0600 | 64 | D. Galeno |
| | 0900 | 63 | D. Galeno |
| | 1200 | 65 | D. Galeno |
| | 1500 | 70 | MGB |
| | 1800 | 70 | MGB |
| | 2100 | 65 | MGB |
| | 2400 | 68 | J. Escalera |

| Friday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Saturday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Sunday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: LA A

Temp. Reading Location: SH, LH, FOYER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/24 | 0300 | 63 | M. Alvarez |
| 10/24 | 0600 | 72 | Guzman, C |
| 10/24 | 0900 | 69 | D. Perez |
| 10/24 | 1200 | 74 | D. Perez |
| 10/24 | 1500 | 79 | Avalos, H |
| 10/24 | 1800 | 80 | C. Martinez |
| 10/24 | 2100 | 76 | C. Martinez |
| 10/24 | 2400 | 77 | T. Contreras |

Friday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/24 | 0300 | 71 | T. Contreras |
| 10/24 | 0600 | 76 | WAKEFIELD |
| 10/24 | 0900 | 73 | WAKEFIELD |
| 10/24 | 1200 | 78 | WAKEFIELD |
| 10/24 | 1500 | 82 | M. Tavira |
| 10/24 | 1800 | 80 | M. Tavira |
| 10/24 | 2100 | 78 | M. Tavira |
| 10/24 | 2400 | 77 | Martinez 2 |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|------------------|
| | 0300 | 76 | Martinez 2 |
| | 0600 | 76 | Martinez 2 PEREZ |
| | 0900 | 74 | Perez |
| | 1200 | 76 | Perez |
| | 1500 | 80 | C. Martinez |
| | 1800 | 78 | C. Martinez |
| | 2100 | 74 | C. Martinez |
| | 2400 | 75 | ROZELLING |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/24 | 0300 | 65 | M. Alvarez |
| 10/24 | 0600 | 71 | D. Perez |
| 10/24 | 0900 | 69 | D. Perez |
| 10/24 | 1200 | 72 | D. Perez |
| 10/24 | 1500 | 80 | C. Martinez |
| 10/24 | 1800 | 76 | C. Martinez |
| 10/24 | 2100 | 72 | C. Martinez |
| 10/24 | 2400 | 65 | M. Alvarez |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/24 | 0300 | 77 | T. Contreras |
| 10/24 | 0600 | 73 | Perez |
| 10/24 | 0900 | 74 | Perez |
| 10/24 | 1200 | 76° | Perez |
| 10/24 | 1500 | 80 | C. Martinez |
| 10/24 | 1800 | 78 | C. Martinez |
| 10/24 | 2100 | 74 | C. Martinez |
| 10/24 | 2400 | 71 | T. Contreras |

Saturday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/24 | 0300 | 77 | Martinez 2 |
| 10/24 | 0600 | 76 | WAKEFIELD |
| 10/24 | 0900 | 75 | WAKEFIELD |
| 10/24 | 1200 | 78 | WAKEFIELD |
| 10/24 | 1500 | 80 | M. Tavira |
| 10/24 | 1800 | 81 | M. Tavira |
| 10/24 | 2100 | 79 | M. Tavira |
| 10/24 | 2400 | 77 | Martinez 2 |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LATHAM A Temp. Reading Location: TIER 1 AND TIER 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/7/24 | 0300 | 70 | Koellings |
| | 0600 | 73 | Perez |
| | 0900 | 70 | Perez |
| | 1200 | 80 | Perez |
| | 1500 | 80 | Ramirez |
| | 1800 | 79 | Ramirez |
| | 2100 | 79 | Ramirez |
| | 2400 | 77 | VILLELA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/8/24 | 0300 | 76 | VILLELA |
| | 0600 | 73 | Perez |
| | 0900 | 75 | Perez |
| | 1200 | 74 | Perez |
| | 1500 | 80 | Olivier |
| | 1800 | 80 | Olivier |
| | 2100 | 78 | Olivier |
| | 2400 | 71 | Koellings |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/9/24 | 0300 | 70 | Koellings |
| | 0600 | 72 | Perez |
| | 0900 | 70 | Perez |
| | 1200 | 80 | Perez |
| | 1500 | 79 | J. VILLAR |
| | 1800 | 76 | C. Martinez |
| | 2100 | 74 | C. Martinez |
| | 2400 | 74 | T. Contreras |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/10/24 | 0300 | 74 | T. CONTRERAS |
| | 0600 | 74 | D. Flores |
| | 0900 | 74 | D. FLORES |
| | 1200 | 73 | D. Flores |
| | 1500 | 70 | C. VASQUEZ |
| | 1800 | 70 | C. VASQUEZ |
| | 2100 | 70 | C. VASQUEZ |
| | 2400 | 74 | T. CONTRERAS |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/11/24 | 0300 | 74 | T. CONTRERAS |
| | 0600 | 69 | VASQUEZ |
| | 0900 | 65 | VASQUEZ |
| | 1200 | 67 | VASQUEZ |
| | 1500 | 72 | DONOSO |
| | 1800 | 72 | DONOSO |
| | 2100 | 72 | DONOSO |
| | 2400 | 70 | Koellings |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/12/24 | 0300 | 70 | Koellings |
| | 0600 | 73 | T. CONTRERAS |
| | 0900 | 68 | Hanson |
| | 1200 | 70 | Hanson |
| | 1500 | 74 | DONOSO |
| | 1800 | 75 | DONOSO |
| | 2100 | 76 | DONOSO |
| | 2400 | 74 | Kelley |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/13/24 | 0300 | 73 | Veloz |
| | 0600 | 79 | D. Perez |
| | 0900 | 72 | X. Perez |
| | 1200 | 70 | D. Perez |
| | 1500 | 72 | N. Perez |
| | 1800 | 72 | N. Perez |
| | 2100 | 70 | N. Perez |
| | 2400 | 70 | Koellings |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LATHAM A Temp. Reading Location: TIER 1 AND TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-------------------|
| 10/14/24 | 0300 | 69 | Roellin <i>GB</i> |
| | 0600 | 68 | Haro |
| | 0900 | 68 | Haro |
| | 1200 | 69 | Haro |
| | 1500 | 70 | Martinez |
| | 1800 | 70 | Martinez |
| | 2100 | 68 | Martinez |
| | 2400 | 67 | Kaeling |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-------------------|
| 10/16/24 | 0300 | 71 | Roellin <i>GB</i> |
| | 0600 | 65 | C. Martinez |
| | 0900 | 65 | C. Martinez |
| | 1200 | 65 | C. Martinez |
| | 1500 | 64 | Martinez |
| | 1800 | 64 | Martinez |
| | 2100 | 62 | Martinez |
| | 2400 | 61 | Tomme (AT) |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/24 | 0300 | 61 | CONTENI |
| | 0600 | 66 | J. MARTINEZ |
| | 0900 | 66 | J. MARTINEZ |
| | 1200 | 71 | J. MARTINEZ |
| | 1500 | 72 | DONUSO |
| | 1800 | 70 | DONUSO |
| | 2100 | 70 | DONUSO |
| | 2400 | 73 | Roellin |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/24 | 0300 | 67 | Z. G. |
| | 0600 | 66 | Z. G. |
| | 0900 | 69 | Z. G. |
| | 1200 | 67 | Z. G. |
| | 1500 | 70 | Martinez |
| | 1800 | 68 | Martinez |
| | 2100 | 68 | Martinez |
| | 2400 | 73 | Roellin |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-------------------|
| 10/15/24 | 0300 | 63 | Roellin <i>GB</i> |
| | 0600 | 61 | S. G. |
| | 0900 | 62 | S. G. |
| | 1200 | 60 | S. G. |
| | 1500 | 60 | S. G. |
| | 1800 | 72 | Quinonez |
| | 2100 | 71 | Quinonez |
| | 2400 | 75 | Roellin |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/24 | 0300 | 61 | T. CONTRERAS |
| | 0600 | 71 | J. CUELLAR |
| | 0900 | 69 | J. CUELLAR |
| | 1200 | 69 | J. CUELLAR |
| | 1500 | 64 | C. Martinez |
| | 1800 | 64 | C. Martinez |
| | 2100 | 62 | C. Martinez |
| | 2400 | 67 | T. CONTRERAS |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/19/24 | 0300 | 67 | Roellin |
| | 0600 | 66 | J. MARTINEZ |
| | 0900 | 70 | J. MARTINEZ |
| | 1200 | 72 | J. MARTINEZ |
| | 1500 | 73 | G. Meeks |
| | 1800 | 73 | G. Meeks |
| | 2100 | 72 | G. Meeks |
| | 2400 | 66 | Blatto |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: Lathera A Temp. Reading Location: LH / SH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/21/24 | 0300 | 72 | Ruelleng |
| | 0600 | 72 | Zavala |
| | 0900 | 72 | ZAVALA |
| | 1200 | 72 | ZAVALA |
| | 1500 | 72 | CMartinez |
| | 1800 | 70 | CMartinez |
| | 2100 | 68 | CMartinez |
| | 2400 | 72 | Ruelleng |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/22/24 | 0300 | 72 | Ruelleng |
| | 0600 | 73 | Haro |
| | 0900 | 73 | Haro |
| | 1200 | 75 | Haro |
| | 1500 | 74 | CMartinez |
| | 1800 | 72 | CMartinez |
| | 2100 | 70 | CMartinez |
| | 2400 | 65 | COBERN |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/23/24 | 0300 | 65 | COBERN |
| | 0600 | 65 | COBERN |
| | 0900 | 67 | J. Moreno |
| | 1200 | 77 | J. Moreno |
| | 1500 | 72 | CMartinez |
| | 1800 | 70 | CMartinez |
| | 2100 | 70 | CMartinez |
| | 2400 | 72 | CMartinez |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/24/24 | 0300 | 72 | T.GONZALEZ |
| | 0600 | 73 | Reyes |
| | 0900 | 70 | Reyes |
| | 1200 | 70 | Reyes |
| | 1500 | 70 | CMartinez |
| | 1800 | 70 | CMartinez |
| | 2100 | 68 | CMartinez |
| | 2400 | 67 | Veloz |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/25/24 | 0300 | 67 | Veloz |
| | 0600 | 66 | J. MARTINEZ |
| | 0900 | 68 | J. MARTINEZ |
| | 1200 | 68 | J. MARTINEZ |
| | 1500 | 68 | DONALDO |
| | 1800 | 68 | DONALDO |
| | 2100 | 68 | DONALDO |
| | 2400 | 68 | DONALDO |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/26/24 | 0300 | 65 | Ruelleng |
| | 0600 | 64 | J. MARTINEZ |
| | 0900 | 66 | J. MARTINEZ |
| | 1200 | 68 | J. MARTINEZ |
| | 1500 | 68 | MARTINEZ |
| | 1800 | 68 | MARTINEZ |
| | 2100 | 69 | MARTINEZ |
| | 2400 | 68 | Perez |

Notes: Date and type of cooling measures provided

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/27/24 | 0300 | 66 | Ruelleng |
| | 0600 | 67 | Haro |
| | 0900 | 70 | Haro |
| | 1200 | 70 | Haro |
| | 1500 | 70 | M.Taylor |
| | 1800 | 69 | M.Taylor |
| | 2100 | 68 | M.Taylor |
| | 2400 | 69 | Ruelleng |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Long Start Hall Temp. Reading Location: Watch A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension J913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/23/24 | 0300 | 67 | Roellung |
| | 0600 | 68 | Kugler |
| | 0900 | 68 | Kugler |
| | 1200 | 69 | Kugler |
| | 1500 | 70 | CMartinez |
| | 1800 | 68 | CMartinez |
| | 2100 | 67 | CMartinez |
| | 2400 | 65 | Roellung |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/24 | 0300 | 64 | Roellung |
| | 0600 | 63 | Kugler |
| | 0900 | 63 | Kugler |
| | 1200 | 65 | Kugler |
| | 1500 | 64 | CMartinez |
| | 1800 | 64 | CMartinez |
| | 2100 | 63 | CMartinez |
| | 2400 | 68 | T. Contreras |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/29/24 | 0300 | 64 | Roellung |
| | 0600 | 64 | Kugler |
| | 0900 | 63 | Kugler |
| | 1200 | 64 | CMartinez |
| | 1500 | 64 | CMartinez |
| | 1800 | 62 | CMartinez |
| | 2100 | 62 | CMartinez |
| | 2400 | 65 | Roellung |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-----------------|
| 10/31/24 | 0300 | 68 | T. Contreras |
| | 0600 | 67 | C. Kugler |
| | 0900 | 67 | C. Kugler |
| | 1200 | 65 | Kugler |
| | 1500 | 64 | CMartinez |
| | 1800 | 62 | CMartinez |
| | 2100 | 62 | CMartinez |
| | 2400 | 69 | O. T. Contreras |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LATHAM B Temp. Reading Location: Shanty / Long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4983 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | VILLELA |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Tuesday | | | |
|---------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-1 | 0300 | 76 | VILLELA |
| | 0600 | 76 | M. Gonzalez |
| | 0900 | 76 | M. Gonzalez |
| | 1200 | 78 | M. Gonzalez |
| | 1500 | 79 | Ruiz |
| | 1800 | 72 | Ruiz |
| | 2100 | 72 | Ruiz |
| | 2400 | 74 | O. Rodriguez |

| Wednesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-2 | 0300 | 74 | O. Rodriguez |
| | 0600 | 74 | |
| | 0900 | 78 | |
| | 1200 | 78 | |
| | 1500 | 78 | |
| | 1800 | 78 | |
| | 2100 | 77 | |
| | 2400 | 76 | O. Rodriguez |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-3 | 0300 | 75 | O. Rodriguez |
| | 0600 | 74 | |
| | 0900 | 77 | |
| | 1200 | 78 | |
| | 1500 | 80 | M. Gonzalez |
| | 1800 | 80 | M. Gonzalez |
| | 2100 | 80 | M. Gonzalez |
| | 2400 | 78 | O. Rodriguez |

| Friday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-4 | 0300 | 75 | O. Rodriguez |
| | 0600 | 78 | E. Acosta |
| | 0900 | 78 | E. Acosta |
| | 1200 | 80 | E. Acosta |
| | 1500 | 78 | CASTANON |
| | 1800 | 78 | CASTANON |
| | 2100 | 77 | CASTANON |
| | 2400 | 78 | Peralta |

| Saturday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-5 | 0300 | 78 | Peralta |
| | 0600 | 79 | M. Tavira |
| | 0900 | 78 | M. Tavira |
| | 1200 | 81 | M. Tavira |
| | 1500 | 83 | Magallanes |
| | 1800 | 81 | Magallanes |
| | 2100 | 80 | Magallanes |
| | 2400 | 77 | Peralta |

| Sunday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10-4 | 0300 | 77 | Peralta |
| | 0600 | 79 | V. Rios |
| | 0900 | 79 | V. Rios |
| | 1200 | 79 | V. Rios |
| | 1500 | 81 | M. Tavira |
| | 1800 | 82 | M. Tavira |
| | 2100 | 81 | M. Tavira |
| | 2400 | 80 | DONBO |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: LATHAM B Temp. Reading Location: short / long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/7

| Date | Time | Temp. | Name (Print) |
|------|------|-------|----------------|
| | 0300 | 78 | DONOSO ✓ |
| ✓ | 0600 | 77 | MAMA 12 |
| | 0900 | 78 | MAMA 12 |
| | 1200 | 81 | MAMA 12 |
| | 1500 | 84 | A. FONES |
| | 1800 | 84 | A. FONES |
| | 2100 | 82 | A. FONES |
| | 2400 | 79 | O. Rodriguez ✓ |

Wednesday 10/9

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|----------------|
| 10-9 | 0300 | 74 | O. Rodriguez ✓ |
| | 0600 | 78 | P. BROWN |
| | 0900 | 79 | P. BROWN |
| | 1200 | 79 | P. BROWN |
| | 1500 | 80 | N. PHILIP ✓ |
| | 1800 | 82 | N. PHILIP ✓ |
| | 2100 | 80 | N. PHILIP ✓ |
| 10-10 | 2400 | 77 | O. Rodriguez |

Friday 10/11

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|----------------|
| 10-11 | 0300 | 76 | O. Rodriguez ✓ |
| | 0600 | 74 | VARGAS |
| | 0900 | 79 | VARGAS |
| | 1200 | 78 | LMPLOTT |
| | 1500 | 78 | GREGO |
| | 1800 | 79 | M. GONZALEZ |
| | 2100 | 79 | M. GONZALEZ |
| 10-12 | 2400 | 78 | T. CONTRERAS |

Sunday 10/13

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10-13 | 0300 | 77 | DRAYN ✓ |
| | 0600 | 77 | DRAYN |
| | 0900 | 77 | M. GONZALEZ |
| | 1200 | 77 | M. GONZALEZ |
| | 1500 | 78 | DONOSO |
| | 1800 | 77 | DONOSO |
| | 2100 | 77 | DONOSO |
| 10-14 | 2400 | 77 | DRAYN |

Tuesday 10/18

| Date | Time | Temp. | Name (Print) |
|------|------|-------|----------------|
| 10-8 | 0300 | 76 | O. Rodriguez ✓ |
| | 0600 | 79 | V. RIOS |
| | 0900 | 79 | V. RIOS |
| | 1200 | 79 | V. RIOS |
| | 1500 | 79 | B. BUR |
| | 1800 | 79 | R. RIOS |
| | 2100 | 78 | R. RIOS |
| 10-9 | 2400 | 76 | O. Rodriguez |

Thursday 10/16

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|----------------|
| 10-10 | 0300 | 77 | O. Rodriguez ✓ |
| | 0600 | 78 | M. GONZALEZ |
| | 0900 | 77 | M. GONZALEZ |
| | 1200 | 78 | M. GONZALEZ |
| | 1500 | 80 | M. GONZALEZ |
| | 1800 | 80 | M. GONZALEZ |
| | 2100 | 79 | M. GONZALEZ |
| 10-11 | 2400 | 76 | O. Rodriguez |

Saturday 10/12

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|---------------|
| 10-12 | 0300 | 78 | I. GONZALEZ ✓ |
| | 0600 | 78 | I. GONZALEZ ✓ |
| | 0900 | 78 | I. GONZALEZ ✓ |
| | 1200 | 78 | R. ROCHE |
| | 1500 | 79 | MEEKS |
| | 1800 | 78 | MEEKS |
| | 2100 | 78 | MEEKS |
| 10-13 | 2400 | 78 | R. ROCHE |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Lathem B Temp. Reading Location: Foyer
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4943 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/14

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|---------------------|
| | 0300 | 75 | <u>O. Rodriguez</u> |
| | 0600 | 75 | <u>M. Gonzalez</u> |
| | 0900 | 76 | <u>M. Gonzalez</u> |
| | 1200 | 78 | <u>M. Gonzalez</u> |
| <u>10/14</u> | 1500 | 78 | <u>A. Flores</u> |
| | 1800 | 78 | <u>A. Flores</u> |
| | 2100 | 76 | <u>A. Flores</u> |
| | 2400 | 74 | <u>O. Rodriguez</u> |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|---------------------|
| | 0300 | 74 | <u>O. Rodriguez</u> |
| | 0600 | 71 | <u>M. Gonzalez</u> |
| | 0900 | 71 | <u>M. Gonzalez</u> |
| | 1200 | 71 | <u>M. Gonzalez</u> |
| <u>10/16</u> | 1500 | 73 | <u>M. Gonzalez</u> |
| | 1800 | 73 | <u>M. Gonzalez</u> |
| | 2100 | 73 | <u>M. Gonzalez</u> |
| | 2400 | 73 | <u>O. Rodriguez</u> |

Friday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|---------------------|
| | 0300 | 74 | <u>O. Rodriguez</u> |
| | 0600 | 74 | <u>E. Garcia</u> |
| <u>10/18</u> | 0900 | 75 | <u>E. Garcia</u> |
| | 1200 | 75 | <u>E. Garcia</u> |
| | 1500 | 75 | <u>E. Garcia</u> |
| | 1800 | 73 | <u>E. Garcia</u> |
| | 2100 | 73 | <u>E. Garcia</u> |
| | 2400 | 71 | <u>T. Gonzalez</u> |

Sunday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|---------------------|
| | 0300 | 75 | <u>T. Gonzalez</u> |
| | 0600 | 70 | <u>P. Reyes</u> |
| | 0900 | 71 | <u>C. Reyes</u> |
| <u>10/20</u> | 1200 | 71 | <u>C. Reyes</u> |
| | 1500 | 74 | <u>D. Durso</u> |
| | 1800 | 74 | <u>D. Durso</u> |
| | 2100 | 74 | <u>D. Durso</u> |
| <u>10/21</u> | 2400 | 75 | <u>O. Rodriguez</u> |

Tuesday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|---------------------|
| | 0300 | 74 | <u>O. Rodriguez</u> |
| | 0600 | 74 | <u>V. Rios</u> |
| | 0900 | 76 | <u>V. Rios</u> |
| | 1200 | 76 | <u>V. Rios</u> |
| <u>10/15</u> | 1500 | 75 | <u>P. Ruiz</u> |
| | 1800 | 75 | <u>P. Ruiz</u> |
| | 2100 | 74 | <u>P. Ruiz</u> |
| | 2400 | 74 | <u>O. Rodriguez</u> |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|---------------------|
| | 0300 | 73 | <u>O. Rodriguez</u> |
| | 0600 | 70 | <u>V. Rios</u> |
| | 0900 | 71 | <u>V. Rios</u> |
| | 1200 | 70 | <u>V. Rios</u> |
| <u>10/17</u> | 1500 | 75 | <u>M. Gonzalez</u> |
| | 1800 | 74 | <u>M. Gonzalez</u> |
| | 2100 | 73 | <u>M. Gonzalez</u> |
| | 2400 | 74 | <u>O. Rodriguez</u> |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------------|------|-------|--------------------|
| | 0300 | 71 | <u>T. Gonzalez</u> |
| | 0600 | 70 | <u>P. Reyes</u> |
| | 0900 | 70 | <u>P. Reyes</u> |
| | 1200 | 72 | <u>P. Reyes</u> |
| <u>10/19</u> | 1500 | 72 | <u>P. Reyes</u> |
| | 1800 | 72 | <u>P. Reyes</u> |
| | 2100 | 72 | <u>P. Reyes</u> |
| <u>10/20</u> | 2400 | 75 | <u>T. Gonzalez</u> |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Lotham B Temp. Reading Location: Shoe / Long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|----------------|
| 10-21 | 0300 | 74 | O. Hodguen ✓ |
| | 0600 | 65 | A. Hernandez ✓ |
| | 0900 | 66 | A. Hernandez ✓ |
| | 1200 | 67 | A. Hernandez ✓ |
| | 1500 | 71 | A. Hernandez ✓ |
| | 1800 | 75 | C. Hudnac ✓ |
| | 2100 | 72 | C. Hudnac ✓ |
| 10-22 | 2400 | 73 | O. Hodguen ✓ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10-22 | 0300 | 73 | O. Hodguen ✓ |
| | 0600 | 76 | Guzman, C. ✓ |
| | 0900 | 70 | Ruiz, C. ✓ |
| | 1200 | 70 | Ruiz, C. ✓ |
| | 1500 | 70 | Ruiz, C. ✓ |
| | 1800 | 71 | Ruiz, C. ✓ |
| | 2100 | 70 | Ruiz, C. ✓ |
| 10-23 | 2400 | 71 | O. Hodguen ✓ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|---------------|
| 10-23 | 0300 | 70 | O. Hodguen ✓ |
| | 0600 | 71 | Reyes, C. ✓ |
| | 0900 | 71 | Reyes, C. ✓ |
| | 1200 | 72 | Reyes, C. ✓ |
| | 1500 | 76 | M. Gonzalez ✓ |
| | 1800 | 76 | M. Gonzalez ✓ |
| | 2100 | 77 | M. Gonzalez ✓ |
| 10-24 | 2400 | 75 | O. Hodguen ✓ |

Friday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10-25 | 0300 | 73 | O. Hodguen ✓ |
| | 0600 | 70 | Reyes, C. ✓ |
| | 0900 | 70 | Reyes, C. ✓ |
| | 1200 | 72 | Reyes, C. ✓ |
| | 1500 | 73 | Reyes, C. ✓ |
| | 1800 | 73 | Reyes, C. ✓ |
| | 2100 | 72 | Reyes, C. ✓ |
| 10-26 | 2400 | 76 | O. Hodguen ✓ |

Sunday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10-27 | 0300 | 71 | O. Hodguen ✓ |
| | 0600 | 71 | Reyes, C. ✓ |
| | 0900 | 72 | Reyes, C. ✓ |
| | 1200 | 72 | Reyes, C. ✓ |
| | 1500 | 73 | Durso, C. ✓ |
| | 1800 | 73 | Durso, C. ✓ |
| | 2100 | 74 | Durso, C. ✓ |
| 10-28 | 2400 | 74 | O. Hodguen ✓ |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10-24 | 0300 | 74 | O. Hodguen ✓ |
| | 0600 | 74 | Reyes, C. ✓ |
| | 0900 | 73 | Reyes, C. ✓ |
| | 1200 | 75 | Reyes, C. ✓ |
| | 1500 | 76 | Reyes, C. ✓ |
| | 1800 | 77 | Reyes, C. ✓ |
| | 2100 | 75 | Reyes, C. ✓ |
| 10-25 | 2400 | 74 | O. Hodguen ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|----------------|
| 10-26 | 0300 | 76 | Coronado, C. ✓ |
| | 0600 | 79 | Coronado, C. ✓ |
| | 0900 | 78 | Coronado, C. ✓ |
| | 1200 | 76 | Coronado, C. ✓ |
| | 1500 | 78 | M. Gonzalez ✓ |
| | 1800 | 78 | M. Gonzalez ✓ |
| | 2100 | 77 | M. Gonzalez ✓ |
| 10-27 | 2400 | 71 | O. Hodguen ✓ |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Lotham B Temp. Reading Location: Shoe / Long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10-28 | 0300 | 73 | O. Rodriguez |
| | 0600 | 73 | R. Reyes |
| | 0900 | 70 | R. Reyes |
| | 1200 | 72 | R. Reyes |
| | 1500 | 72 | A. Flores |
| | 1800 | 74 | A. Flores |
| | 2100 | 73 | A. Flores |
| 10-29 | 2400 | 72 | O. Rodriguez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10-29 | 0300 | 77 | O. Rodriguez |
| | 0600 | 70 | R. Reyes |
| | 0900 | 70 | R. Reyes |
| | 1200 | 72 | O. Ruiz |
| | 1500 | 72 | O. Ruiz |
| | 1800 | 71 | O. Ruiz |
| | 2100 | 72 | O. Ruiz |
| 10-30 | 2400 | 71 | O. Rodriguez |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10-30 | 0300 | 71 | O. Rodriguez |
| | 0600 | 70 | R. Reyes |
| | 0900 | 70 | R. Reyes |
| | 1200 | 71 | R. Reyes |
| | 1500 | 73 | M. Lopez |
| | 1800 | 73 | M. Lopez |
| | 2100 | 73 | M. Lopez |
| 10-31 | 2400 | 72 | O. Rodriguez |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10-31 | 0300 | 73 | O. Rodriguez |
| | 0600 | 72 | R. Reyes |
| | 0900 | 71 | R. Reyes |
| | 1200 | 72 | R. Reyes |
| | 1500 | 73 | M. Lopez |
| | 1800 | 72 | M. Lopez |
| | 2100 | 71 | M. Lopez |
| 11-1 | 2400 | 71 | O. Rodriguez |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Emmons B Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/2/24 | 0300 | 79 | Hompton |
| | 0600 | 79 | OBREGON |
| | 0900 | 79 | OBREGON |
| | 1200 | 80 | OBREGON |
| | 1500 | 82 | Saldívar |
| | 1800 | 82 | Saldívar |
| | 2100 | 80 | Saldívar |
| | 2400 | 80 | Hompton |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-4-24 | 0300 | 80 | Hompton |
| | 0600 | 80 | OBREGON |
| | 0900 | 82 | OBREGON |
| | 1200 | 82 | OBREGON |
| | 1500 | 82 | Saldívar |
| | 1800 | 82 | Saldívar |
| | 2100 | 82 | Saldívar |
| | 2400 | 81 | Schneiders |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/6/24 | 0300 | 80 | meeks |
| | 0600 | 80 | RUEDA |
| | 0900 | 80 | RUEDA |
| | 1200 | 80 | RUEDA |
| | 1500 | 80 | meeks |
| | 1800 | 81 | meeks |
| | 2100 | 81 | meeks |
| | 2400 | 81 | Hompton |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/1/24 | 0300 | 79 | C.mendosa |
| | 0600 | 79 | OBREGON |
| | 0900 | 84 | OBREGON |
| | 1200 | 84 | OBREGON |
| | 1500 | 80 | Saldívar |
| | 1800 | 80 | Saldívar |
| | 2100 | 80 | Saldívar |
| | 2400 | 80 | Hompton |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/3/24 | 0300 | 80 | Hompton |
| | 0600 | 80 | OBREGON |
| | 0900 | 80 | OBREGON |
| | 1200 | 80 | OBREGON |
| | 1500 | 82 | Saldívar |
| | 1800 | 82 | Saldívar |
| | 2100 | 82 | Saldívar |
| | 2400 | 81 | Hompton |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/5/24 | 0300 | 80 | Schneiders |
| | 0600 | 80 | OBREGON |
| | 0900 | 82 | OBREGON |
| | 1200 | 82 | OBREGON |
| | 1500 | 82 | Saldívar |
| | 1800 | 82 | Saldívar |
| | 2100 | 82 | Saldívar |
| | 2400 | 81 | meeks |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Elmwood B Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|-----------------|
| 10/7/24 | 0300 | 70 | Honda <i>✓</i> |
| | 0600 | 80 | Rueda <i>✓</i> |
| | 0900 | 80 | Rueda <i>✓</i> |
| | 1200 | 81 | Mead |
| | 1500 | 82 | Meeks |
| | 1800 | 81 | Meeks |
| | 2100 | 81 | Meeks |
| | 2400 | 82 | Guzman <i>✓</i> |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/8/24 | 0300 | 81 | Guzman |
| | 0600 | 80 | O'Brien |
| | 0900 | 80 | O'Brien |
| | 1200 | 82 | O'Brien |
| | 1500 | 82 | Saldinvar |
| | 1800 | 81 | Saldinvar |
| | 2100 | 80 | Saldinvar |
| | 2400 | 70 | Honda |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------------|
| 10/9/24 | 0300 | 80 | Honda <i>✓</i> |
| | 0600 | 80 | O'Brien |
| | 0900 | 80 | O'Brien |
| | 1200 | 80 | O'Brien |
| | 1500 | 80 | Saldinvar |
| | 1800 | 80 | Saldinvar <i>✓</i> |
| | 2100 | 80 | Saldinvar |
| | 2400 | 79 | Schaefer |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-------------------|
| 10/10/24 | 0300 | 78 | Schaefer <i>✓</i> |
| | 0600 | 80 | O'Brien |
| | 0900 | 80 | O'Brien |
| | 1200 | 80 | O'Brien |
| | 1500 | 80 | Saldinvar |
| | 1800 | 79 | Saldinvar |
| | 2100 | 79 | Saldinvar |
| | 2400 | 79 | Schaefer |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-------------------|
| 10/11/24 | 0300 | 77 | Schaefer <i>✓</i> |
| | 0600 | 76 | O'Brien |
| | 0900 | 79 | O'Brien |
| | 1200 | 80 | Rueda <i>✓</i> |
| | 1500 | 80 | Saldinvar |
| | 1800 | 80 | Saldinvar |
| | 2100 | 78 | Saldinvar |
| | 2400 | 78 | Schaefer <i>✓</i> |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-------------------|
| 10/12/24 | 0300 | 77 | Schaefer <i>✓</i> |
| | 0600 | 76 | O'Brien |
| | 0900 | 77 | O'Brien |
| | 1200 | 77 | O'Brien |
| | 1500 | 73 | Gutierrez |
| | 1800 | 72 | Gutierrez |
| | 2100 | 72 | Gutierrez |
| | 2400 | 72 | Meeks |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------|
| 10/13/24 | 0300 | 72 | Meeks <i>✓</i> |
| | 0600 | 74 | Rueda |
| | 0900 | 74 | Rueda |
| | 1200 | 76 | Rueda |
| | 1500 | 77 | Meeks |
| | 1800 | 76 | Meeks |
| | 2100 | 76 | Meeks |
| | 2400 | 76 | Flores |

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C/W Housing Unit: EMMUNUS B Temp. Reading Location: C/H/S/A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/14/2024 | 0300 | 72 | Flones |
| | 0600 | 72 | Rheba |
| | 0900 | 72 | Rueda |
| | 1200 | 72 | Rueda |
| | 1500 | 72 | Bryant |
| | 1800 | 70 | Bryant |
| | 2100 | 70 | Bryant |
| | 2400 | 72 | C. Munton |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/16/24 | 0300 | 69 | Wreld |
| | 0600 | 69 | Wreld |
| | 0900 | 70 | Oregon |
| | 1200 | 72 | Oregon |
| | 1500 | 74 | Saldivar |
| | 1800 | 74 | Saldivar |
| | 2100 | 74 | Saldivar |
| | 2400 | 74 | Saldivar |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/24 | 0300 | 73 | Henry |
| | 0600 | 73 | OREGON |
| | 0900 | 75 | OREGON |
| | 1200 | 75 | OREGON |
| | 1500 | 75 | MEERS |
| | 1800 | 74 | MEERS |
| | 2100 | 74 | MEERS |
| | 2400 | 73 | Schmidts |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/24 | 0300 | 70 | Meeks |
| | 0600 | 72 | RVEDA |
| | 0900 | 74 | RVEDA |
| | 1200 | 74 | RVEDA |
| | 1500 | 74 | Meeks |
| | 1800 | 74 | Meeks |
| | 2100 | 73 | Meeks |
| | 2400 | 72 | Thompson |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/15/24 | 0300 | 72 | C-mendan |
| | 0600 | 74 | Morgan |
| | 0900 | 74 | Morgan |
| | 1200 | 75 | Morgan |
| | 1500 | 74 | Saldinav |
| | 1800 | 74 | Saldinav |
| | 2100 | 73 | Saldinav |
| | 2400 | 71 | Lo(edi)O |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/21 | 0300 | 74 | Morphy |
| | 0600 | 74 | O'Bryan |
| | 0900 | 75 | O'Bryan |
| | 1200 | 75 | O'Bryan |
| | 1500 | 75 | Oliver |
| | 1800 | 75 | Oliver |
| | 2100 | 75 | Oliver |
| | 2400 | 74 | Morphy |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/19/24 | 0300 | 73 | Schreiner |
| | 0600 | 72 | Fordyce |
| | 0900 | 73 | Eggers |
| | 1200 | 75 | Fordyce |
| | 1500 | 79 | AIBSTA |
| | 1800 | 70 | Espinosa |
| | 2100 | 70 | Espinosa |
| | 2400 | 70 | MIRELES |

Notes: Date and type of cooling measures provided

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Emmons B Temp. Reading Location: 11212 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 9913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/21/27 | 0300 | 71 | Thompson |
| | 0600 | 70 | MASCHER |
| | 0900 | 70 | MASCHER |
| | 1200 | 70 | MASCHER |
| | 1500 | 72 | MECKS |
| | 1800 | 73 | MECKS |
| | 2100 | 71 | MECKS |
| | 2400 | 74 | C-menday |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/22/24 | 0300 | 74 | C. mendez |
| | 0600 | 74 | REGGIO |
| | 0900 | 74 | OBREGON |
| | 1200 | 74 | OBREGON |
| | 1500 | 74 | Sabater |
| | 1800 | 74 | Sabater |
| | 2100 | 74 | Sabater |
| | 2400 | 73 | MONTIB |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/22/29 | 0300 | 72 | Longley |
| | 0600 | 73 | OBRECON |
| | 0900 | 74 | OBRECON |
| | 1200 | 74 | OBRECON |
| | 1500 | 81 | Oliver |
| | 1800 | 78 | Oliver |
| | 2100 | 77 | Oliver |
| | 2400 | 75 | Longley |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/24/24 | 0300 | 73 | Lia Obregon |
| | 0600 | 74 | Obregon |
| | 0900 | 74 | Obregon |
| | 1200 | 75 | Obregon |
| | 1500 | 81 | Fernando |
| | 1800 | 80 | Edwards |
| | 2100 | 78 | Edwards |
| | 2400 | 76 | Morgan |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/25/21 | 0300 | 75 | Lough |
| | 0600 | 75 | OREGON |
| | 0900 | 75 | OREGON |
| | 1200 | 76 | OREGON |
| | 1500 | 77 | MECKS |
| | 1800 | 76 | MECKS |
| | 2100 | 76 | MECKS |
| | 2400 | 75 | Schulmeyer |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 1/26/12 | 0300 | 70° | Silva Obregon |
| | 0600 | 74 | OBREGON |
| | 0900 | 75 | OBREGON |
| | 1200 | 75 | OBREGON |
| | 1500 | 76 | MECKS |
| | 1800 | 76 | MECKS |
| | 2100 | 75 | Meeks |
| | 2400 | 75 | meeks |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/27/24 | 0300 | 74 | MCKEE |
| | 0600 | 70 | Hudson |
| | 0900 | 71 | Hudson |
| | 1200 | 71 | Hudson |
| | 1500 | 78 | Oliver |
| | 1800 | 77 | Oliver |
| | 2100 | 77 | Oliver |
| | 2400 | 75 | Thompson |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CFW Housing Unit: Emmons B Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/29/24 | 0300 | 75 | Morriston ✓ |
| | 0600 | 70 | Audrey |
| | 0900 | 76 | Antonia |
| | 1200 | 70 | Ronald |
| | 1500 | 75 | Olive |
| | 1800 | 75 | Olive |
| | 2100 | 74 | Olive |
| | 2400 | 73 | C. Mendez |

| Tuesday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/29/24 | 0300 | 73 | Comendador |
| | 0600 | 73 | O'Bryan |
| | 0900 | 73 | O'Bryan |
| | 1200 | 73 | O'Bryan |
| | 1500 | 73 | Sabana |
| | 1800 | 73 | J. Lopez |
| | 2100 | 72 | Sabana |
| | 2400 | 72 | Morriston |

| Wednesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/30/24 | 0300 | 72 | Morriston ✓ |
| | 0600 | 72 | O'Bryan |
| | 0900 | 72 | O'Bryan |
| | 1200 | 72 | O'Bryan |
| | 1500 | 73 | Comedero |
| | 1800 | 73 | Comedero |
| | 2100 | 72 | Comedero |
| | 2400 | 71 | Morriston |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/31/24 | 0300 | 70 | Morriston |
| | 0600 | 71 | Acosta |
| | 0900 | 71 | Acosta |
| | 1200 | 72 | Acosta |
| | 1500 | 72 | Olive |
| | 1800 | 71 | Olive |
| | 2100 | 71 | Olive |
| | 2400 | 70 | Schmidbauer |

| Friday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Saturday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Sunday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Harrison A Temp. Reading Location: long / short hall
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4013 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10.2.24 | 0300 | 78 | REYER |
| | 0600 | 77 | Chavez |
| | 0900 | 77 | M. Chavez |
| | 1200 | 78 | M. Chavez |
| | 1500 | 78 | Magallanes |
| | 1800 | 80 | Magallanes |
| | 2100 | 79 | Magallanes |
| | 2400 | 78 | REYER |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10.4.24 | 0300 | 79 | T. HUERTA |
| | 0600 | 78 | Magallanes |
| | 0900 | 78 | Magallanes |
| | 1200 | 78 | Magallanes |
| | 1500 | 80 | Martinez |
| | 1800 | 78 | Martinez |
| | 2100 | 78 | Martinez |
| | 2400 | 79 | HUESO |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10.6.24 | 0300 | 73 | MARQUEZ |
| | 0600 | 74 | SOUZA |
| | 0900 | 74 | SOUZA |
| | 1200 | 76 | SOUZA |
| | 1500 | 79 | N. FLORES |
| | 1800 | 79 | N. FLORES |
| | 2100 | 77 | N. FLORES |
| | 2400 | 74 | A. FLORES |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10.1.24 | 0300 | 77 | REYER |
| | 0600 | 70 | Her |
| | 0900 | 75 | Her O |
| | 1200 | 75 | Her O |
| | 1500 | 79 | Call |
| | 1800 | 78 | Call |
| | 2100 | 78 | Call |
| | 2400 | 78 | REYER |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10.5.24 | 0300 | 77 | REYER |
| | 0600 | 78 | Magallanes |
| | 0900 | 78 | Magallanes |
| | 1200 | 80 | Magallanes |
| | 1500 | 80 | N. PEREZ |
| | 1800 | 79 | N. PEREZ |
| | 2100 | 77 | N. PEREZ |
| | 2400 | 80 | T. HUERTA |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10.5.24 | 0300 | 70 | HUESO |
| | 0600 | 70 | Rocha |
| | 0900 | 70 | Rocha |
| | 1200 | 78 | Rocha |
| | 1500 | 78 | Martinez |
| | 1800 | 76 | Martinez |
| | 2100 | 76 | Martinez |
| | 2400 | 75 | MARQUEZ |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HARRISON A Temp. Reading Location: Lower HALL / Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/1/2024 | 0300 | 72 | A. FLORES |
| | 0600 | 70° | SOUZA |
| | 0900 | 71° | SOUZA |
| | 1200 | 78 | SOUZA |
| | 1500 | 75 | CORIA |
| | 1800 | 75 | A. CORIA |
| | 2100 | 75 | A. CORIA |
| | 2400 | 80 | A. FLORES |

| Tuesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/1/2024 | 0300 | 78 | A. FLORES |
| | 0600 | 78 | Magallanes |
| | 0900 | 78 | Magallanes |
| | 1200 | 78 | Magallanes |
| | 1500 | 79° | Call |
| | 1800 | 79° | Call |
| | 2100 | 78° | Call |
| | 2400 | 70 | HUESO |

| Wednesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/1/2024 | 0300 | 70 | HUESO |
| | 0600 | 71 | Magallanes |
| | 0900 | 76 | Magallanes |
| | 1200 | 81 | Magallanes |
| | 1500 | 80° | Call |
| | 1800 | 79° | Call |
| | 2100 | 78 | Call |
| | 2400 | 70 | VILLELA |

| Thursday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/1/2024 | 0300 | 70 | VILLELA |
| | 0600 | 71 | Magallanes |
| | 0900 | 71 | Magallanes |
| | 1200 | 76 | Magallanes |
| | 1500 | 76 | Oliver |
| | 1800 | 76 | Oliver |
| | 2100 | 76 | Oliver |
| | 2400 | 70 | HUESO |

| Friday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/11/2024 | 0300 | 70 | HUESO |
| | 0600 | 70 | Oliver |
| | 0900 | 70 | Oliver |
| | 1200 | 70 | Oliver |
| | 1500 | 80 | Martinez |
| | 1800 | 82 | Martinez |
| | 2100 | 80 | Martinez |
| | 2400 | 70 | HUESO |

| Saturday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/12/2024 | 0300 | 70 | HUESO |
| | 0600 | 70 | Anderson |
| | 0900 | 70 | Anderson |
| | 1200 | 72 | Anderson |
| | 1500 | 80 | Martinez |
| | 1800 | 78 | Martinez |
| | 2100 | 76 | Martinez |
| | 2400 | 70 | Martinez |

| Sunday | | | |
|------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/13/2024 | 0300 | 70 | MARQUEZ |
| | 0600 | 70 | Call |
| | 0900 | 71 | Call |
| | 1200 | 76 | Call |
| | 1500 | 78° | Call |
| | 1800 | 77° | Call |
| | 2100 | 77 | Call |
| | 2400 | 77 | Call |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Harrison A Temp. Reading Location: long short hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/14/21 | 0300 | 77 | Royer |
| | 0600 | 76 | GONZALEZ |
| | 0900 | 77 | GONZALEZ |
| | 1200 | 77 | GONZALEZ |
| | 1500 | 77° | Gon |
| | 1800 | 77° | Call |
| | 2100 | 76° | Call |
| | 2400 | 76 | HUERTA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/15/21 | 0300 | 75 | HUERTA |
| | 0600 | 75 | GONZALEZ |
| | 0900 | 76 | GONZALEZ |
| | 1200 | 77 | GONZALEZ |
| | 1500 | 76° | Call |
| | 1800 | 76° | Call |
| | 2100 | 76° | Call |
| | 2400 | 77 | Royer |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/16/21 | 0300 | 77 | Royer |
| | 0600 | 75 | COBERLY |
| | 0900 | 75 | COBERLY |
| | 1200 | 75 | COBERLY |
| | 1500 | 70° | Call Long Han |
| | 1800 | 71° | Call |
| | 2100 | 70° | Call |
| | 2400 | 77 | Royer |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/21 | 0300 | 77 | Royer |
| | 0600 | 75 | M.GONZALEZ |
| | 0900 | 74 | M.GONZALEZ |
| | 1200 | 75 | M.GONZALEZ |
| | 1500 | 75 | HUERTA |
| | 1800 | 75 | HUERTA |
| | 2100 | 76 | HUERTA |
| | 2400 | 74 | HUESO |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/18/21 | 0300 | 74 | HUESO |
| | 0600 | 65 | Rocha |
| | 0900 | 68 | Rocha |
| | 1200 | 70 | Rocha |
| | 1500 | 74 | Martinez |
| | 1800 | 75 | Martinez |
| | 2100 | 74 | Martinez |
| | 2400 | 73 | HUESO |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/19/21 | 0300 | 73 | HUESO |
| | 0600 | 72 | J.CUELLAR |
| | 0900 | 72 | J.CUELLAR |
| | 1200 | 72 | J.CUELLAR |
| | 1500 | 72 | Mun |
| | 1800 | 72 | Mun |
| | 2100 | 72 | Mun |
| | 2400 | 77 | Royer |

Notes: Date and type of cooling measures provided

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/20/21 | 00 | 77 | Royer |
| | 00 | 73 | COATKO |
| | 00 | 74 | COATKO |
| | 00 | 72° | Call |
| | 00 | 72° | Call |
| | 00 | 71° | Call |
| | 00 | 71 | Call |
| | 00 | 72 | Royer |

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: 4A Temp. Reading Location: long/short wall

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again, at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10.21.20 | 0300 | 70 | Deyon |
| | 0600 | 69 | SOUZA |
| | 0900 | 69 | SOUZA |
| | 1200 | 69 | SOUZA |
| | 1500 | 69 | Call |
| | 1800 | 70 | Call |
| | 2100 | 70 | Call |
| | 2400 | 74 | rupe |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10.23.20 | 0300 | 63 | AJAN |
| | 0600 | 63 | M. CONDEES |
| | 0900 | 69 | M. CONDEES |
| | 1200 | 67 | M. CONDEES |
| | 1500 | 70 | Call |
| | 1800 | 71 | Call |
| | 2100 | 70 | Call |
| | 2400 | 68 | LUDAN |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10.25.20 | 0300 | 65 | HUESO |
| | 0600 | 65 | AGUINE |
| | 0900 | 65 | AGUINE |
| | 1200 | 70 | AGUINE |
| | 1500 | 72 | MARTINEZ |
| | 1800 | 74 | MARTINEZ |
| | 2100 | 72 | MARTINEZ |
| | 2400 | 67 | HUESO |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10.27.20 | 0300 | 72 | BICK |
| | 0600 | 71 | SOUZA |
| | 0900 | 71 | SOUZA |
| | 1200 | 72 | SOUZA |
| | 1500 | 72 | STALLY |
| | 1800 | 71 | BICK |
| | 2100 | 68 | BICK |
| | 2400 | 68 | BICK |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10.22.20 | 0300 | 74 | KEYLS |
| | 0600 | 74 | MARQUEZ |
| | 0900 | 73 | MARQUEZ |
| | 1200 | 74 | MARQUEZ |
| | 1500 | 72 | Call |
| | 1800 | 72 | Call |
| | 2100 | 71 | Call |
| | 2400 | 63 | MUSMT |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10.24.20 | 0300 | 66 | LUJAN |
| | 0600 | 69 | AGUINE |
| | 0900 | 70 | AGUINE |
| | 1200 | 72 | AGUINE |
| | 1500 | 72 | Martinez |
| | 1800 | 74 | Martinez |
| | 2100 | 72 | Martinez |
| | 2400 | 63 | HUESO |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10.26.20 | 0300 | 65 | HUESO |
| | 0600 | 74 | Martinez |
| | 0900 | 79 | Martinez |
| | 1200 | 75 | Martinez |
| | 1500 | 74 | Martinez |
| | 1800 | 73 | Martinez |
| | 2100 | 73 | Martinez |
| | 2400 | 72 | Martinez |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HA Temp. Reading Location: 401B / Short Cell
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/28/24 | 0300 | 74 | LUTJAN |
| | 0600 | 70 | SOUZA |
| | 0900 | 70 | SOUZA |
| | 1200 | 70 | SOUZA |
| | 1500 | 70 | R. RAMIREZ |
| | 1800 | 68 | N. Ramirez |
| | 2100 | 65 | N. Ramirez |
| | 2400 | 77 | N. Reyes |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/29/24 | 0300 | 77 | PAYES |
| | 0600 | 73 | M. GONZALEZ |
| | 0900 | 73 | M. GONZALEZ |
| | 1200 | 74 | M. GONZALEZ |
| | 1500 | 69 | CAL |
| | 1800 | 67 | CAL |
| | 2100 | 67 | CAL |
| | 2400 | 72 | PAYES |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/30/24 | 0300 | 72 | Reyes |
| | 0600 | 71 | B. MARCOS |
| | 0900 | 71 | B. MARCOS |
| | 1200 | 72 | PEREZ |
| | 1500 | 69 | CAL |
| | 1800 | 65 | CAL |
| | 2100 | 65 | CAL |
| | 2400 | 72 | Reyes |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | HUESO |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/31/24 | 0300 | 71 | MAR |
| | 0600 | 70 | M. GONZALEZ |
| | 0900 | 70 | M. GONZALEZ |
| | 1200 | 72 | M. GONZALEZ |
| | 1500 | 71 | M. GONZALEZ |
| | 1800 | 68 | M. GONZALEZ |
| | 2100 | 67 | M. GONZALEZ |
| | 2400 | 65 | HUESO |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: HB Temp. Reading Location: LONG/SHORT / M
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday 10-2-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 72 | ST. AUBIN |
| | 0600 | 75 | S. TELLO |
| | 0900 | 75 | S. TELLO |
| | 1200 | 77 | S. TELLO |
| | 1500 | 81 | J. JEREZ |
| | 1800 | 79 | PEREZ |
| | 2100 | 79 | PEREZ |
| | 2400 | 74 | SOUZA |

Friday 10-4-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 72 | ST. AUBIN |
| | 0600 | 70 | SOUZA |
| | 0900 | 70 | SOUZA |
| | 1200 | 70 | PEREZ SOUZA |
| | 1500 | 81 | PEREZ |
| | 1800 | 70 | PEREZ |
| | 2100 | 79 | PEREZ |
| | 2400 | 70 | ST. AUBIN |

Sunday 10-6-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 77 | ADAME |
| | 0600 | 77 | TELLO |
| | 0900 | 77 | TELLO |
| | 1200 | 79 | TELLO |
| | 1500 | 81 | Martinez |
| | 1800 | 81 | Martinez |
| | 2100 | 80 | Martinez |
| | 2400 | 75 | HURSO |

Tuesday

10-1-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | ST. AUBIN |
| | 0600 | 75 | TELLO |
| | 0900 | 75 | TELLO |
| | 1200 | 76 | TELLO |
| | 1500 | 80 | W. QUINONES |
| | 1800 | 80 | W. QUINONES |
| | 2100 | 78 | W. QUINONES |
| | 2400 | 72 | ST. AUBIN |

Thursday

10-3-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 72 | ST. AUBIN |
| | 0600 | 77 | CHAMONTE |
| | 0900 | 79 | CHAMONTE |
| | 1200 | 79 | CHAMONTE |
| | 1500 | 81 | PEREZ |
| | 1800 | 71 | PEREZ |
| | 2100 | 70 | PEREZ |
| | 2400 | 76 | ST. AUBIN |

Saturday

10-5-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | ST. AUBIN |
| | 0600 | 72 | SOUZA |
| | 0900 | 72 | SOUZA |
| | 1200 | 76 | SOUZA |
| | 1500 | 74 | EGUERRA |
| | 1800 | 74 | EGUERRA |
| | 2100 | 76 | EGUERRA |
| | 2400 | 76 | ADAME |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer, on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: OLW Housing Unit: HB

Temp. Reading Location: Leng Hall, Shore Hall
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday 10-7-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 75 | HUESO ✓ |
| | 0600 | 78 | TELLO ✓ |
| | 0900 | 78 | TELLO ✓ |
| | 1200 | 78 | TELLO |
| | 1500 | 83 | Martinez |
| | 1800 | 81 | Martinez |
| | 2100 | 80 | Martinez |
| | 2400 | 78 | ST. ALBAN ✓ |

Wednesday 10-9-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 74 | ST. ALBAN ✓ |
| | 0600 | 79 | C. GARCIA ✓ |
| | 0900 | 79 | C. GARCIA ✓ |
| | 1200 | 80 | C. GARCIA |
| | 1500 | 81 | Perez |
| | 1800 | 80 | Perez |
| | 2100 | 79 | Perez |
| | 2400 | 74 | ST. ALBAN |

Friday 10-11-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 78 | Zamora ✓ |
| | 0600 | 70 | SOUZA ✓ |
| | 0900 | 70 | SOUZA ✓ |
| | 1200 | 70 | SOUZA ✓ |
| | 1500 | 80 | Perez |
| | 1800 | 80 | Perez |
| | 2100 | 79 | Perez |
| | 2400 | 72 | ST. ALBAN |

Sunday 10-13-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| ✓ | 0300 | 74 | HUESO ✓ |
| | 0600 | 73 | TELLO |
| | 0900 | 73 | TELLO |
| | 1200 | 74 | TELLO |
| | 1500 | 74 | oliver |
| | 1800 | 76 | oliver |
| | 2100 | 76 | oliver |
| | 2400 | 75 | HUESO |

Tuesday 10-8-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 76 | ST. ALBAN ✓ |
| | 0600 | 76 | CHAVON ✓ |
| | 0900 | 76 | CHAVON |
| | 1200 | 80 | CHAVON ✓ |
| | 1500 | 80 | PEREZ |
| | 1800 | 80 | PEREZ |
| | 2100 | 79 | PEREZ |
| | 2400 | 78 | ST. ALBAN |

Thursday 10-10-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 72 | ST. ALBAN |
| | 0600 | 72 | CHAVON ✓ |
| | 0900 | 74 | CHAVON ✓ |
| | 1200 | 76 | CHAVON ✓ |
| | 1500 | 80 | PEREZ |
| | 1800 | 80 | PEREZ |
| | 2100 | 78 | PEREZ |
| | 2400 | 78 | RAMIREZ |

Saturday 10-12-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 72 | ST. ALBAN |
| | 0600 | 70 | SOUZA |
| | 0900 | 70 | SOUZA ✓ |
| | 1200 | 70 | SOUZA |
| | 1500 | 80 | SOUZA |
| | 1800 | 80 | SOUZA |
| | 2100 | 78 | SOUZA |
| | 2400 | 75 | HUESO |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer, on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIV Housing Unit: H13 Temp. Reading Location: Lower Hall Shower Hall
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-14-24

| Date | Time | Temp. | Name (Print) |
|------|------|-----------|--------------|
| 0300 | 74 | HUESO | |
| 0600 | 74 | CHAVONA | |
| 0900 | 74 | CHAVONA | |
| 1200 | 76 | CHAVONA | |
| 1500 | 75 | M. Tavira | |
| 1800 | 75 | M. Tavira | |
| 2100 | 74 | M. Tavira | |
| 2400 | 72 | STUBBS | |

Wednesday 10-16-24

| Date | Time | Temp. | Name (Print) |
|------|------|---------|--------------|
| 0300 | 70 | STUBBS | |
| 0600 | 70 | CHAVONA | |
| 0900 | 70 | CHAVONA | |
| 1200 | 70 | CHAVONA | |
| 1500 | 68 | RIVERA | |
| 1800 | 68 | RIVERA | |
| 2100 | 68 | RIVERA | |
| 2400 | 60 | STUBBS | |

Friday 10-18-24

| Date | Time | Temp. | Name (Print) |
|------|------|--------|--------------|
| 0300 | 69 | STUBBS | |
| 0600 | 68 | SOUZA | |
| 0900 | 69 | SOUZA | |
| 1200 | 70 | SOUZA | |
| 1500 | 73 | TEJADA | |
| 1800 | 73 | TEJADA | |
| 2100 | 71 | TEJADA | |
| 2400 | 68 | STUBBS | |

Sunday 10-20-24

| Date | Time | Temp. | Name (Print) |
|------|------|-----------|--------------|
| 0300 | 71 | HUESO | |
| 0600 | 70 | ZURMAN | |
| 0900 | 70 | ALVIZO | |
| 1200 | 70 | ALVIZO | |
| 1500 | 72 | M. Tavira | |
| 1800 | 73 | M. Tavira | |
| 2100 | 72 | M. Tavira | |
| 2400 | 70 | LORADO | |

Tuesday 10-15-24

| Date | Time | Temp. | Name (Print) |
|------|------|----------|--------------|
| 0300 | 70 | STUBBS | |
| 0600 | 72 | CHAVONA | |
| 0900 | 74 | CHAVONA | |
| 1200 | 76 | CHAVONA | |
| 1500 | 74 | A. SMITH | |
| 1800 | 74 | A. SMITH | |
| 2100 | 72 | A. SMITH | |
| 2400 | 72 | STUBBS | |

Thursday 10-17-24

| Date | Time | Temp. | Name (Print) |
|------|------|---------|--------------|
| 0300 | 68 | STUBBS | |
| 0600 | 70 | CHAVONA | |
| 0900 | 68 | CHAVONA | |
| 1200 | 66 | CHAVONA | |
| 1500 | 66 | DEAN | |
| 1800 | 66 | DEAN | |
| 2100 | 66 | DEAN | |
| 2400 | 68 | STUBBS | |

Saturday 10-19-24

| Date | Time | Temp. | Name (Print) |
|------|------|--------------|--------------|
| 0300 | 66 | STUBBS | |
| 0600 | 68 | J. C. JEPSON | |
| 0900 | 68 | CELESTE | |
| 1200 | 73 | CELESTE | |
| 1500 | 73 | CELESTE | |
| 1800 | 73 | CELESTE | |
| 2100 | 73 | CELESTE | |
| 2400 | 72 | CELESTE | |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C.I.W Housing Unit: HP Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10 | 0300 | 70 | Loredo |
| . | 0600 | 70 | J.CUELLAR |
| 21 | 0900 | 70 | J.CUELLAR |
| . | 1200 | 71 | J.CUELLAR |
| 24 | 1500 | 75 | Oliver |
| . | 1800 | 74 | Perez |
| 24 | 2100 | 73 | Perez |
| . | 2400 | 68 | ST.AUBIN |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10 | 0300 | 64 | ST.AUBIN |
| . | 0600 | 70 | J.CUELLAR |
| 23 | 0900 | 71 | J.CUELLAR |
| . | 1200 | 73 | J.CUELLAR |
| 24 | 1500 | 75 | Perez |
| . | 1800 | 75 | Perez |
| 24 | 2100 | 72 | Perez |
| . | 2400 | 70 | ST.AUBIN |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10 | 0300 | 68 | ST.AUBIN |
| . | 0600 | 69 | SOUZA |
| 25 | 0900 | 71 | SOUZA |
| . | 1200 | 72 | SOUZA |
| 24 | 1500 | 75 | Perez |
| . | 1800 | 74 | Perez |
| 24 | 2100 | 73 | Perez |
| . | 2400 | 68 | ST.AUBIN |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10 | 0300 | 68 | HUESO |
| . | 0600 | 72 | J.CUELLAR |
| 27 | 0900 | 71 | J.CUELLAR |
| . | 1200 | 72 | J.CUELLAR |
| 24 | 1500 | 74 | Martinez |
| . | 1800 | 74 | Martinez |
| 24 | 2100 | 74 | Martinez |
| . | 2400 | 70 | HUESO |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10 | 0300 | 68 | ST.AUBIN |
| . | 0600 | 69 | J.CUELLAR |
| 22 | 0900 | 70 | J.CUELLAR |
| . | 1200 | 73 | J.CUELLAR |
| 24 | 1500 | 75 | Perez |
| . | 1800 | 74 | Perez |
| 24 | 2100 | 73 | Perez |
| . | 2400 | 70 | ST.AUBIN |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10 | 0300 | 68 | ST.AUBIN |
| . | 0600 | 72 | J.CUELLAR |
| 24 | 0900 | 71 | J.CUELLAR |
| . | 1200 | 71 | J.CUELLAR |
| 24 | 1500 | 75 | Perez |
| . | 1800 | 73 | Perez |
| 24 | 2100 | 73 | Perez |
| . | 2400 | 70 | ST.AUBIN |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10 | 0300 | 68 | ST.AUBIN |
| . | 0600 | 68 | SOUZA |
| 26 | 0900 | 68 | SOUZA |
| . | 1200 | 68 | SOUZA |
| 24 | 1500 | 71 | Tagorda |
| . | 1800 | 74 | Tagorda |
| 24 | 2100 | 73 | Tagorda |
| . | 2400 | 70 | HUESO |

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C/W Housing Unit: HBTemp. Reading Location: Shop Hall Long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday 10-28-24

| Date | Time | Temp. | Name (Print) |
|------|------|-----------|--------------|
| 0300 | 70 | Heresu | <u>✓</u> |
| 0600 | 72 | MOSTA | |
| 0900 | 73 | MOSTA | |
| 1200 | 74 | ACOSMA | <u>✓</u> |
| 1500 | 71 | VARECA | <u>✓</u> |
| 1800 | 72 | VARECA | <u>✓</u> |
| 2100 | 72 | VARECA | |
| 2400 | 68 | ST. AUBIN | |

Wednesday 10-30-24

| Date | Time | Temp. | Name (Print) |
|------|------|-----------|--------------|
| 0300 | 66 | ST. AUBIN | <u>✓</u> |
| 0600 | 66 | Perez | <u>✓</u> |
| 0900 | 67 | Perez | |
| 1200 | 69 | Perez | |
| 1500 | 68 | Perez | <u>✓</u> |
| 1800 | 70 | Perez | <u>✓</u> |
| 2100 | 71 | Perez | |
| 2400 | 68 | ST. AUBIN | |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 0300 | | | |
| 0600 | | | |
| 0900 | | | |
| 1200 | | | |
| 1500 | | | |
| 1800 | | | |
| 2100 | | | |
| 2400 | | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 0300 | | | |
| 0600 | | | |
| 0900 | | | |
| 1200 | | | |
| 1500 | | | |
| 1800 | | | |
| 2100 | | | |
| 2400 | | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-----------|--------------|
| 0300 | 66 | ST. AUBIN | <u>✓</u> |
| 0600 | 70 | Quiñones | |
| 0900 | 66 | Quiñones | |
| 1200 | 66 | Quiñones | |
| 1500 | 67 | Delgado | |
| 1800 | 66 | Delgado | |
| 2100 | 65 | Delgado | |
| 2400 | 68 | ST. AUBIN | |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-----------|--------------|
| 0300 | 64 | ST. AUBIN | <u>✓</u> |
| 0600 | 67 | Perez | |
| 0900 | 69 | Perez | |
| 1200 | 69 | Perez | |
| 1500 | 70 | Perez | |
| 1800 | 70 | Perez | |
| 2100 | 69 | Perez | |
| 2400 | 69 | ST. AUBIN | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 0300 | | | |
| 0600 | | | |
| 0900 | | | |
| 1200 | | | |
| 1500 | | | |
| 1800 | | | |
| 2100 | | | |
| 2400 | | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2091 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 85 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| XXXXXX | 0300 | | |
| | 0600 | | |
| | 0800 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-01-24 | 0300 | 77 | T-Fish |
| | 0600 | 76 | B. Mandore |
| | 0800 | 76 | B. Mandore |
| | 1200 | 77 | B. Mandore |
| | 1500 | 78 | ESchade |
| | 1800 | 77 | ESchade |
| | 2100 | 76 | ESchade |
| | 2400 | 78 | T-Fish |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-02-24 | 0300 | 77 | I-Ton |
| | 0600 | 70 | EGriffith |
| | 0800 | 76 | EGriffith |
| | 1200 | 77 | EGriffith |
| | 1500 | 75 | EGriffith |
| | 1800 | 78 | DCBanas |
| | 2100 | 80 | Sunrice |
| | 2400 | 80 | T-TZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-03-24 | 0300 | 78 | T-Ton |
| | 0600 | 77 | Jenata |
| | 0800 | 77 | Jenata |
| | 1200 | 77 | J. Mendo |
| | 1500 | 80 | ACUINT |
| | 1800 | 81 | ASCLINE |
| | 2100 | 79 | ASCLINE |
| | 2400 | 79 | NPFLAZA |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-04-24 | 0300 | 78 | N. VERA |
| | 0600 | 78 | Briant |
| | 0800 | 78 | Briant |
| | 1200 | 78 | Briant |
| | 1500 | 76 | SOUZA |
| | 1800 | 79 | SOUZA |
| | 2100 | 78 | SOUZA |
| | 2400 | 78 | Josuna |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-05-24 | 0300 | 78 | Josuna |
| | 0600 | 74 | ESchade |
| | 0800 | 74 | ESchade |
| | 1200 | 74 | ESchade |
| | 1500 | 80 | TP (30W) |
| | 1800 | 80 | TP (30W) |
| | 2100 | 79 | Briant |
| | 2400 | 74 | Josuna |

Notes: Date and type of cooling measures provided

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-06-24 | 0300 | 78 | Ton |
| | 0600 | 78 | Marcia |
| | 0800 | 78 | Marcia |
| | 1200 | 78 | Marcia |
| | 1500 | 80 | ACUIM |
| | 1800 | 80 | ACUIM |
| | 2100 | 80 | ACUIM |
| | 2400 | 80 | Ton |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short " "
(e.g. 1st flr, 2nd flr, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-07-24 | 0300 | 79 | T. Pusk |
| | 0800 | 79 | B. Mendoza |
| | 0800 | 78 | B. Mendoza |
| | 1200 | 79 | B. Mendoza |
| | 1500 | 80 | Aguirre |
| | 1800 | 79 | Aguirre |
| | 2100 | 79 | Aguirre |
| | 2400 | 80 | T. Pusk |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-08-24 | 0300 | 80 | T. Pusk |
| | 0800 | 78 | B. Mendoza |
| | 0800 | 77 | B. Mendoza |
| | 1200 | 78 | B. Mendoza |
| | 1500 | 79 | Aguirre |
| | 1800 | 79 | Aguirre |
| | 2100 | 79 | Aguirre |
| | 2400 | 80 | T. Pusk |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-09-24 | 0300 | 78 | T. Pusk |
| | 0800 | 77 | B. Mendoza |
| | 0800 | 77 | B. Mendoza |
| | 1200 | 77 | B. Mendoza |
| | 1500 | 79 | Aguirre |
| | 1800 | 78 | Aguirre |
| | 2100 | 78 | Aguirre |
| | 2400 | 78 | T. Pusk |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-10-24 | 0300 | 78 | T. Pusk |
| | 0800 | 76 | B. Mendoza |
| | 0800 | 76 | B. Mendoza |
| | 1200 | 77 | B. Mendoza |
| | 1500 | 78 | Aguirre |
| | 1800 | 78 | Aguirre |
| | 2100 | 77 | Aguirre |
| | 2400 | 77 | Osuna |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-11-24 | 0300 | 76 | Osuna |
| | 0800 | 75 | Bryant |
| | 0800 | 75 | Bryant |
| | 1200 | 75 | Bryant |
| | 1500 | 74 | MEEKS |
| | 1800 | 73 | MEEKS |
| | 2100 | 73 | MEEKS |
| | 2400 | 74 | Osuna |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-12-24 | 0300 | 76 | Osuna |
| | 0800 | 76 | Taylor |
| | 0800 | 76 | Taylor |
| | 1200 | 79 | Taylor |
| | 1500 | 76 | ANDERSON |
| | 1800 | 77 | Alvarez |
| | 2100 | 76 | Alvarez |
| | 2400 | 76 | T. Pusk |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-13-24 | 0300 | 77 | T. Pusk |
| | 0800 | 74 | Varela |
| | 0800 | 74 | Varela |
| | 1200 | 75 | Varela |
| | 1500 | 70 | Aguirre |
| | 1800 | 78 | Aguirre |
| | 2100 | 75 | Aguirre |
| | 2400 | 76 | T. Pusk |

Note: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2091 (04/16)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 80 degrees and again at 85 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-14-24 | 0300 | 76 | 424 |
| | 0800 | 76 | |
| | 0800 | 75 | B. MENDOZA |
| | 1200 | 74 | B. MENDOZA |
| | 1500 | 75 | A. GUILLEN |
| | 1800 | 75 | A. GUILLEN |
| | 2100 | 75 | H. HALLIE |
| | 2400 | 76 | T. TAN |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-15-24 | 0300 | 74 | T-TAN |
| | 0800 | 74 | B. MENDOZA |
| | 0800 | 74 | B. MENDOZA |
| | 1200 | 74 | B. MENDOZA |
| | 1500 | 74 | J. C. HILL |
| | 1800 | 75 | C. SERRANO |
| | 2100 | 75 | C. SERRANO |
| | 2400 | 75 | T-TAN |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-16-24 | 0300 | 74 | T-TAN |
| | 0800 | 74 | B. MENDOZA |
| | 0800 | 73 | B. MENDOZA |
| | 1200 | 73 | B. MENDOZA |
| | 1500 | 73 | A. GUILLEN |
| | 1800 | 73 | A. GUILLEN |
| | 2100 | 74 | A. GUILLEN |
| | 2400 | 74 | T-TAN |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-17-24 | 0300 | 74 | T-TAN |
| | 0800 | 73 | B. MENDOZA |
| | 0800 | 74 | B. MENDOZA |
| | 1200 | 73 | B. MENDOZA |
| | 1500 | 73 | A. GUILLEN |
| | 1800 | 73 | A. GUILLEN |
| | 2100 | 73 | A. GUILLEN |
| | 2400 | 73 | OSUNA |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-18-24 | 0300 | 73 | OSUNA |
| | 0800 | 70 | BRYANT |
| | 0800 | 70 | BRYANT |
| | 1200 | 70 | BRYANT |
| | 1500 | 73 | A. COSTA |
| | 1800 | 73 | A. COSTA |
| | 2100 | 73 | A. COSTA |
| | 2400 | 72 | OSUNA |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-19-24 | 0300 | 71 | OSUNA |
| | 0800 | 70 | BRYANT |
| | 0800 | 70 | BRYANT |
| | 1200 | 70 | BRYANT |
| | 1500 | 72 | M. TAVERA |
| | 1800 | 70 | M. TAVERA |
| | 2100 | 72 | M. TAVERA |
| | 2400 | 74 | T-TAN |

Notes: Date and type of cooling measures provided

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-20-24 | 0300 | 72 | T-TAN |
| | 0800 | 71 | MATIAS |
| | 0800 | 72 | MATIAS |
| | 1200 | 72 | MATIAS |
| | 1500 | 70 | HALLIE |
| | 1800 | 75 | A. GUILLEN |
| | 2100 | 74 | A. GUILLEN |
| | 2400 | 74 | T-TAN |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/03)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-21-24 | 0300 | 73 | T-Foster |
| | 0800 | 72 | L-Moreno |
| | 0800 | 73 | Ramos |
| | 1200 | 73 | Morreno |
| | 1500 | 75 | Taylor |
| | 1800 | 75 | Murphy |
| | 2100 | 74 | Unknown |
| | 2400 | 74 | T-Foster |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-22-24 | 0300 | 73 | T-Foster |
| | 0800 | 72 | B.Mendoza |
| | 0800 | 72 | B.Mendoza |
| | 1200 | 73 | B.Mendoza |
| | 1500 | 75 | Osuna |
| | 1800 | 75 | Aguilera |
| | 2100 | 75 | Perez |
| | 2400 | 74 | Taylor |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-23-24 | 0300 | 73 | Taylor |
| | 0800 | 73 | B.Mendoza |
| | 0800 | 73 | B.Mendoza |
| | 1200 | 74 | B.Mendoza |
| | 1500 | 75 | Aguilera |
| | 1800 | 75 | Perez |
| | 2100 | 75 | Perez |
| | 2400 | 74 | Taylor |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-24-24 | 0300 | 72 | Taylor |
| | 0800 | 73 | B.Mendoza |
| | 0800 | 72 | B.Mendoza |
| | 1200 | 73 | B.Mendoza |
| | 1500 | 74 | Ramos |
| | 1800 | 74 | Ramos |
| | 2100 | 74 | Ramos |
| | 2400 | 74 | Osuna |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-25-24 | 0300 | 73 | Osuna |
| | 0800 | 70 | Bryant |
| | 0800 | 74 | Bryant |
| | 1200 | 74 | Bryant |
| | 1500 | 71 | Hudson |
| | 1800 | 71 | Hudson |
| | 2100 | 70 | Hudson |
| | 2400 | 73 | Osuna |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-26-24 | 0300 | 72 | Osuna |
| | 0800 | 73 | Bryant |
| | 0800 | 70 | Bryant |
| | 1200 | 70 | Bryant |
| | 1500 | 71 | Hudson |
| | 1800 | 71 | Hudson |
| | 2100 | 70 | Hudson |
| | 2400 | 74 | Taylor |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2091 (04/16)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 80 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-28-24 | 0300 | 73 | T. Pena |
| | 0600 | 73 | B. Mendoza |
| | 0800 | 73 | B. Mendoza |
| | 1200 | 72 | B. Mendoza |
| | 1500 | 73 | A. Faure |
| | 1800 | 72 | A. Faure |
| | 2100 | 73 | A. Faure |
| | 2400 | 72 | T. Pena |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-29-24 | 0300 | 72 | T. Pena |
| | 0600 | 71 | B. Mendoza |
| | 0800 | 71 | B. Mendoza |
| | 1200 | 71 | B. Mendoza |
| | 1500 | 72 | A. Faure |
| | 1800 | 72 | A. Faure |
| | 2100 | 71 | A. Faure |
| | 2400 | 72 | T. Pena |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-30-24 | 0300 | 70 | T. Pena |
| | 0600 | 70 | B. Mendoza |
| | 0800 | 70 | B. Mendoza |
| | 1200 | 71 | B. Mendoza |
| | 1500 | 70 | A. Faure |
| | 1800 | 71 | A. Faure |
| | 2100 | 70 | A. Faure |
| | 2400 | 70 | T. Pena |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10-31-24 | 0300 | 70 | T. Pena |
| | 0600 | 70 | C. Buma |
| | 0800 | 69 | B. Mendoza |
| | 1200 | 69 | Mendoza |
| | 1500 | 69 | A. Faure |
| | 1800 | 70 | A. Faure |
| | 2100 | 71 | A. Faure |
| | 2400 | 70 | T. Pena |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0800 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND RECLAMATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: WILSON B Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| | 0300 | 65 | C. VASQUEZ |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Wednesday | | | |
|-----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/24 | 0300 | 81 | N. Khalil |
| 10/24 | 0600 | 82 | N. Khalil |
| 10/24 | 0900 | 82 | A. Overson |
| 10/24 | 1200 | 81 | A. Overson |
| 10/24 | 1500 | 70 | C. Vasquez |
| 10/24 | 1800 | 70 | C. Vasquez |
| 10/24 | 2100 | 70 | C. Vasquez |
| 10/24 | 2400 | 80 | F. Silfa |

| Friday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/24 | 0300 | 80 | F. Silfa |
| 10/24 | 0600 | 80 | A. Overson |
| 10/24 | 0900 | 80 | A. Overson |
| 10/24 | 1200 | 82 | A. Overson |
| 10/24 | 1500 | 70 | N. Hudson |
| 10/24 | 1800 | 70 | N. Hudson |
| 10/24 | 2100 | 74 | N. Hudson |
| 10/24 | 2400 | 70 | E. Suarez |

| Sunday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/25 | 0300 | 78 | R. Rivera |
| 10/25 | 0600 | 70 | M. Tavira |
| 10/25 | 0900 | 79 | M. Tavira |
| 10/25 | 1200 | 82 | M. Tavira |
| 10/25 | 1500 | 82 | S. Volz |
| 10/25 | 1800 | 84 | J. Volz |
| 10/25 | 2100 | 76 | Hudson |
| 10/25 | 2400 | 75 | Rivera |

| Tuesday | | | |
|---------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/24 | 0300 | 65 | C. Vasquez |
| 10/24 | 0600 | 78 | D. Rubio |
| 10/24 | 0900 | 78 | D. Rubio |
| 10/24 | 1200 | 80 | D. Rubio |
| 10/24 | 1500 | 81 | K. Smith |
| 10/24 | 1800 | 80 | K. Smith |
| 10/24 | 2100 | 79 | K. Smith |
| 10/24 | 2400 | 80 | N. Khalil |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/24 | 0300 | 80 | F. Silfa |
| 10/24 | 0600 | 80 | A. Overson |
| 10/24 | 0900 | 82 | A. Overson |
| 10/24 | 1200 | 82 | A. Overson |
| 10/24 | 1500 | 80 | Vasquez |
| 10/24 | 1800 | 80 | Vasquez |
| 10/24 | 2100 | 80 | Vasquez |
| 10/24 | 2400 | 80 | F. Silfa |

| Saturday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| 10/24 | 0300 | 78° | E. Suarez |
| 10/24 | 0600 | 79 | Eguinda |
| 10/24 | 0900 | 80 | Eguinda |
| 10/24 | 1200 | 82 | Eguinda |
| 10/24 | 1500 | 82° | Malzor |
| 10/24 | 1800 | 80 | Malzor |
| 10/24 | 2100 | 78 | Malzor |
| 10/24 | 2400 | 78 | Malzor |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/7/24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/7 | 0300 | 75 | Rivera A |
| | 0600 | 70 | Bryant |
| | 0900 | 70 | Bryant |
| | 1200 | 70 | Bryant |
| | 1500 | 86 | Olivier |
| | 1800 | 72 | Olivier |
| | 2100 | 82 | Olivier |
| | 2400 | 75 | Bryant J |

Wednesday 10/9/24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/9 | 0300 | 81 | N. Khalil |
| | 0600 | 80 | N. Khalil |
| | 0900 | 60 | Oversen |
| | 1200 | 81 | Oversen |
| | 1500 | 79 | Hudson |
| | 1800 | 77 | Hudson |
| | 2100 | 78 | Hudson |
| | 2400 | 79 | Silva |

Friday 10/11/24

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/11 | 0300 | 77 | F. Silva |
| | 0600 | 77 | Oversen |
| | 0900 | 78 | Oversen |
| | 1200 | 81 | Oversen |
| | 1500 | 75 | Bryant |
| | 1800 | 70 | Bryant |
| | 2100 | 70 | Bryant |
| | 2400 | 70 | Bryant |

Sunday 10/13/24

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/13 | 0300 | 74 | Riviera |
| | 0600 | 70 | Bryant |
| | 0900 | 70 | Bryant |
| | 1200 | 70 | Bryant |
| | 1500 | 69 | Aguilar |
| | 1800 | 65 | Aguilar |
| | 2100 | 66 | Aguilar |
| | 2400 | 75 | Riviera |

Tuesday 10/8/24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/8 | 0300 | 75 | Bryant |
| | 0600 | 79 | Oversen |
| | 0900 | 78 | Oversen |
| | 1200 | 80 | Oversen |
| | 1500 | 83 | J. Mansfield |
| | 1800 | 81 | J. Mansfield |
| | 2100 | 81 | J. Mansfield |
| | 2400 | 80 | N. Khalil |

Thursday 10/10/24

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/10 | 0300 | 78 | Silva |
| | 0600 | 78 | Oversen |
| | 0900 | 70 | Oversen |
| | 1200 | 80 | Oversen |
| | 1500 | 82 | Coberly |
| | 1800 | 82 | Coberly |
| | 2100 | 80 | Coberly |
| | 2400 | 78 | F. Silva |

Saturday 10/12/24

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/12 | 0300 | 70 | Aguilar |
| | 0600 | 72 | Aguilar |
| | 0900 | 78 | Oversen |
| | 1200 | 78 | Oversen |
| | 1500 | 80 | Navarrete |
| | 1800 | 79 | Navarrete |
| | 2100 | 79 | Navarrete |
| | 2400 | 79 | Riviera |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/14/24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | RIVERA |
| | 0600 | 62 | Bryant |
| | 0900 | 62 | Bryant |
| | 1200 | 62 | Bryant |
| | 1500 | 78 | J. Mancuso |
| | 1800 | 77 | J. Mancuso |
| | 2100 | 77 | J. Mancuso |
| | 2400 | 75 | J. Mancuso |

Wednesday 10/16/24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 79 | N. Khalil |
| | 0600 | 78 | N. Khalil |
| | 0900 | 77 | Oversen |
| | 1200 | 77 | Oversen |
| | 1500 | 75 | Oliver |
| | 1800 | 75 | Oliver |
| | 2100 | 75 | Oliver |
| | 2400 | 75 | Silva |

Friday 10/18/24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 74 | Silva |
| | 0600 | 74 | Oversen |
| | 0900 | 75 | Oversen |
| | 1200 | 75 | Oversen |
| | 1500 | 76 | Hudson |
| | 1800 | 76 | Hudson |
| | 2100 | 76 | Hudson |
| | 2400 | 75 | ADAMS |

Sunday 10/20/24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 72 | RIVERA |
| | 0600 | 65 | Bryant |
| | 0900 | 67 | Bryant |
| | 1200 | 67 | Bryant |
| | 1500 | 76 | Oliver |
| | 1800 | 75 | Oliver |
| | 2100 | 75 | Oliver |
| | 2400 | 75 | RIVERA |

Tuesday 10/15/24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 75 | RIVERA |
| | 0600 | 75 | Oversen |
| | 0900 | 75 | Oversen |
| | 1200 | 76 | Oversen |
| | 1500 | 77 | MARTINEZ |
| | 1800 | 76 | MARTINEZ |
| | 2100 | 75 | MARTINEZ |
| | 2400 | 76 | N. Khalil |

Thursday 10/17/24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 79 | Silva |
| | 0600 | 74 | Oversen |
| | 0900 | 75 | Oversen |
| | 1200 | 75 | Oversen |
| | 1500 | 74 | N. Khalil |
| | 1800 | 74 | N. Khalil |
| | 2100 | 73 | N. Khalil |
| | 2400 | 74 | Silva |

Saturday 10/19/24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 74 | ADAMS |
| | 0600 | 73 | Oversen |
| | 0900 | 73 | Oversen |
| | 1200 | 74 | Oversen |
| | 1500 | 76 | J. Mancuso |
| | 1800 | 76 | C. Serrano |
| | 2100 | 76 | C. Serrano |
| | 2400 | 73 | RIVERA |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 65 | RIVERA |
| | 0600 | 60 | Bryant |
| | 0900 | 62 | Bryant |
| | 1200 | 65 | Bryant |
| | 1500 | 76 | J. Mawashi |
| | 1800 | 76 | J. Mawashi |
| | 2100 | 76 | J. Mawashi |
| | 2400 | 75 | oliver |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 62 | Juddkins |
| | 0600 | 62 | Juddkins |
| | 0900 | 72 | Oversen |
| | 1200 | 74 | Oversen |
| | 1500 | 76 | MARTINEZ |
| | 1800 | 76 | MARTINEZ |
| | 2100 | 76 | MARTINEZ |
| | 2400 | 76 | N. Khalil |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 79 | N. Khalil |
| | 0600 | 79 | N. Khalil |
| | 0900 | 78 | Oversen |
| | 1200 | 78 | Oversen |
| | 1500 | 78 | Sabonis |
| | 1800 | 75 | Sabonis |
| | 2100 | 74 | Sabonis |
| | 2400 | 74 | Silfa |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 74 | Silfa |
| | 0600 | 74 | Oversen |
| | 0900 | 75 | Oversen |
| | 1200 | 75 | Oversen |
| | 1500 | 75 | Zam-Reza |
| | 1800 | 75 | Zam-Reza |
| | 2100 | 75 | Zam-Reza |
| | 2400 | 72 | Silfa |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | Silfa |
| | 0600 | 73 | Oversen |
| | 0900 | 74 | Oversen |
| | 1200 | 74 | Oversen |
| | 1500 | 74 | A. Hernandez |
| | 1800 | 73 | A. Hernandez |
| | 2100 | 73 | A. Hernandez |
| | 2400 | 68 | Zam-Reza |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | Bryant |
| | 0600 | 74 | Fayolle |
| | 0900 | 74 | Fayolle |
| | 1200 | 70 | Fayolle |
| | 1500 | 72 | Bryant |
| | 1800 | 70 | O. Espinoza |
| | 2100 | 70 | O. Espinoza |
| | 2400 | 70 | Rivens |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | RIVERA |
| | 0600 | 70 | Bryant |
| | 0900 | 70 | Bryant |
| | 1200 | 70 | Bryant |
| | 1500 | 71 | A. HERNANDEZ |
| | 1800 | 71 | A. HERNANDEZ |
| | 2100 | 71 | A. HERNANDEZ |
| | 2400 | 70 | R. VERA |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJW Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|----------------------------|
| | 0300 | 74 | MARTINEZ <i>(initials)</i> |
| 10/2 | 0600 | 73 | MARTINEZ |
| | 0900 | 77 | BAUTISTA |
| | 1200 | 78 | BAUTISTA |
| | 1500 | 79 | BAUTISTA |
| | 1800 | 79 | BAUTISTA |
| | 2100 | 79 | BAUTISTA |
| | 2400 | 78 | B. murray |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|-----------------------------|
| 10/4 | 0300 | 80 | T. Fisher <i>(initials)</i> |
| | 0600 | 78 | BAUTISTA |
| | 0900 | 78 | BAUTISTA |
| | 1200 | 81 | BAUTISTA |
| | 1500 | 82 | RENTERA |
| | 1800 | 82 | RENTERA |
| | 2100 | 82 | RENTERA |
| | 2400 | 80 | T. Fisher |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|----------------------------|
| 10/6 | 0300 | 76 | Lopez |
| | 0600 | 76 | @BAUTISTA |
| | 0900 | 77 | BAUTISTA |
| | 1200 | 81 | BAUTISTA <i>(initials)</i> |
| | 1500 | 82 | J. CUELLAR |
| | 1800 | 83 | J. CUELLAR |
| | 2100 | 82 | J. CUELLAR |
| | 2400 | 81 | B. murray |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|-----------------------------|
| 10/1 | 0300 | 74 | B. murray <i>(initials)</i> |
| | 0600 | 70 | SOUZA |
| | 0900 | 72 | SOUZA |
| | 1200 | 72 | SOUZA |
| | 1500 | 75 | J. CUELLAR |
| | 1800 | 75 | J. CUELLAR |
| | 2100 | 74 | J. CUELLAR |
| | 2400 | 74 | MARTINEZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|-----------------------------|
| 10/3 | 0300 | 77 | B. murray <i>(initials)</i> |
| | 0600 | 79 | BAUTISTA |
| | 0900 | 80 | BAUTISTA |
| | 1200 | 81 | BAUTISTA |
| | 1500 | 82 | J. CUELLAR |
| | 1800 | 83 | J. CUELLAR |
| | 2100 | 82 | J. CUELLAR |
| | 2400 | 80 | T. Fisher |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/5 | 0300 | 78 | T. Fisher |
| | 0600 | 78 | BAUTISTA |
| | 0900 | 79 | BAUTISTA |
| | 1200 | 81 | BAUTISTA |
| | 1500 | 82 | MARCAS |
| | 1800 | 78 | MARCAS |
| | 2100 | 78 | MARCAS |
| | 2400 | 78 | Lurodo |

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: BARNBERG A Temp. Reading Location: BARNBERG A
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/7 | 0300 | 80 | B. MURRAY |
| | 0600 | 78 | D. RUBIO |
| | 0900 | 80 | D. RUBIO |
| | 1200 | 82 | D. RUBIO |
| | 1500 | 83 | M. Chavez |
| | 1800 | 82 | M. Chavez |
| | 2100 | 82 | M. Chavez |
| | 2400 | 80 | B. MURRAY |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/8 | 0300 | 79 | B. MURRAY |
| | 0600 | 78 | SOUZA |
| | 0900 | 78 | SOUZA |
| | 1200 | 78 | SOUZA |
| | 1500 | 80 | Chavez |
| | 1800 | 80 | Chavez |
| | 2100 | 79 | Chavez |
| | 2400 | 79 | B. MURRAY |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/9 | 0300 | 78 | B. MURRAY |
| | 0600 | 76 | BAUTISTA |
| | 0900 | 76 | BAUTISTA |
| | 1200 | 79 | BAUTISTA |
| | 1500 | 80 | Chavez |
| | 1800 | 80 | Chavez |
| | 2100 | 79 | Chavez |
| | 2400 | 78 | B. MURRAY |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/10 | 0300 | 77 | B. MURRAY |
| | 0600 | 75 | BAUTISTA |
| | 0900 | 75 | BAUTISTA |
| | 1200 | 78 | BAUTISTA |
| | 1500 | 79 | Chavez |
| | 1800 | 78 | Chavez |
| | 2100 | 78 | Chavez |
| | 2400 | 77 | Chavez |

Friday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/11 | 0300 | 77 | Adame |
| | 0600 | 75 | Adame |
| | 0900 | 75 | BAUTISTA |
| | 1200 | 78 | BAUTISTA |
| | 1500 | 78 | COBERN |
| | 1800 | 78 | COBERN |
| | 2100 | 78 | COBERN |
| | 2400 | 78 | ADAME |

Saturday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/12 | 0300 | 77 | ADAME |
| | 0600 | 79 | BAUTISTA |
| | 0900 | 76 | BAUTISTA |
| | 1200 | 77 | BAUTISTA |
| | 1500 | 78 | MARLINS |
| | 1800 | 78 | MARLINS |
| | 2100 | 78 | MARLINS |
| | 2400 | 78 | MARLINS |

Sunday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/13 | 0300 | 78 | ADAME |
| | 0600 | 75 | Taylor |
| | 0900 | 70 | Taylor |
| | 1200 | 70 | Taylor |
| | 1500 | 70 | MORIN |
| | 1800 | 70 | MORIN |
| | 2100 | 70 | MORIN |
| | 2400 | 75 | B. MURRAY |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJW Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------------|
| 10/14 | 0300 | 74 | B. MURRAY <i>B</i> |
| | 0600 | 73 | J. CUELLAR |
| | 0900 | 74 | J. CUELLAR |
| | 1200 | 74 | J. CUELLAR |
| | 1500 | 76 | M. Chaver <i>X</i> |
| | 1800 | 76 | M. Chaver |
| | 2100 | 75 | M. Chaver |
| | 2400 | 74 | B. MURRAY |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------------|
| 10/15 | 0300 | 73 | B. MURRAY <i>B</i> |
| | 0600 | 72 | SOUZA |
| | 0900 | 72 | SOUZA |
| | 1200 | 72 | SOUZA |
| | 1500 | 75 | G. Chaver |
| | 1800 | 75 | G. Chaver |
| | 2100 | 74 | G. Chaver |
| | 2400 | 74 | HUERTA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|-----------------|
| 10/16 | 0300 | 78 | HUERTA <i>H</i> |
| | 0600 | 73 | BAUTISTA |
| | 0900 | 73 | BAUTISTA |
| | 1200 | 73 | BAUTISTA |
| | 1500 | 73 | Chaver <i>X</i> |
| | 1800 | 73 | Chaver |
| | 2100 | 73 | Chaver |
| | 2400 | 72 | B. MURRAY |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------------|
| 10/17 | 0300 | 72 | B. MURRAY <i>B</i> |
| | 0600 | 72 | BAUTISTA |
| | 0900 | 72 | BAUTISTA |
| | 1200 | 73 | BAUTISTA |
| | 1500 | 73 | ACOSTA |
| | 1800 | 73 | ACOSTA |
| | 2100 | 73 | ACOSTA |
| | 2400 | 72 | J. AVILA |

Friday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|-------------------|
| 10/18 | 0300 | 72 | J. AVILA <i>X</i> |
| | 0600 | 71 | BAUTISTA <i>O</i> |
| | 0900 | 71 | BAUTISTA <i>O</i> |
| | 1200 | 74 | BAUTISTA |
| | 1500 | 75 | COBERN <i>X</i> |
| | 1800 | 72 | COBERN <i>X</i> |
| | 2100 | 72 | COBERN <i>X</i> |
| | 2400 | 71 | J. AVILA |

Saturday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/19 | 0300 | 70 | J. AVILA |
| | 0600 | 75 | ROCHA |
| | 0900 | 75 | ROCHA |
| | 1200 | 75 | ROCHA |
| | 1500 | 73 | R. VARELA |
| | 1800 | 73 | VARELA |
| | 2100 | 73 | VARELA |
| | 2400 | 73 | B. MURRAY |

Sunday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|---------------------|
| 10/20 | 0300 | 73 | B. MURRAY <i>7</i> |
| | 0600 | 68 | C. VASQUEZ |
| | 0900 | 70 | C. VASQUEZ <i>X</i> |
| | 1200 | 70 | C. VASQUEZ |
| | 1500 | 75 | M. Chaver |
| | 1800 | 75 | M. Chaver |
| | 2100 | 75 | M. Chaver |
| | 2400 | 74 | B. MURRAY |

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/21 | 0300 | 72 | D. Murray |
| | 0600 | 72 | D. Rubio |
| | 0900 | 72 | D. Rubio |
| | 1200 | 74 | D. Rubio |
| | 1500 | 75 | M. Chavez |
| | 1800 | 76 | M. Chavez |
| | 2100 | 75 | M. Chavez |
| | 2400 | 74 | B. Murray |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/23 | 0300 | 74 | N. VELAZQUEZ |
| | 0600 | 73 | BAUTISTA |
| | 0900 | 73 | BAUTISTA |
| | 1200 | 76 | BAUTISTA |
| | 1500 | 76 | Chavez |
| | 1800 | 75 | Chavez |
| | 2100 | 76 | Chavez |
| | 2400 | 75 | B. Murray |

Friday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/25 | 0300 | 73 | J. AVILA |
| | 0600 | 73 | BAUTISTA |
| | 0900 | 73 | BAUTISTA |
| | 1200 | 75 | BAUTISTA |
| | 1500 | 70 | J. MARTINEZ |
| | 1800 | 70 | J. MARTINEZ |
| | 2100 | 70 | J. MARTINEZ |
| | 2400 | 74 | J. AVILA |

Sunday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/27 | 0300 | 73 | B. Murray |
| | 0600 | 72 | BAUTISTA |
| | 0900 | 72 | BAUTISTA |
| | 1200 | 76 | BAUTISTA |
| | 1500 | 75 | Chavez |
| | 1800 | 75 | Chavez |
| | 2100 | 75 | Chavez |
| | 2400 | 73 | B. Murray |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/22 | 0300 | 73 | B. Murray |
| | 0600 | 70 | SOUZA |
| | 0900 | 70 | SOUZA |
| | 1200 | 72 | SOUZA |
| | 1500 | 75 | Chavez |
| | 1800 | 75 | Chavez |
| | 2100 | 75 | MAVER |
| | 2400 | 75 | N. VELAZQUEZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/24 | 0300 | 74 | B. Murray |
| | 0600 | 73 | BAUTISTA |
| | 0900 | 73 | BAUTISTA |
| | 1200 | 76 | BAUTISTA |
| | 1500 | 76 | Chavez |
| | 1800 | 75 | Chavez |
| | 2100 | 75 | Chavez |
| | 2400 | 74 | J. AVILA |

Saturday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/26 | 0300 | 73 | Avila |
| | 0600 | 72 | BAUTISTA |
| | 0900 | 72 | BAUTISTA |
| | 1200 | 75 | BAUTISTA |
| | 1500 | 75 | Bryant |
| | 1800 | 75 | Bryant |
| | 2100 | 75 | Bryant |
| | 2400 | 74 | B. Murray |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Burnberg A Temp. Reading Location: Long / Short Halls
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/28/24 | 0300 | 71 | Blak |
| | 0600 | 73 | Rubio |
| | 0900 | 73 | RUBIO |
| | 1200 | 74 | RUBIO |
| | 1500 | 74 | Chavez |
| | 1800 | 74 | Chavez |
| | 2100 | 73 | Chavez |
| | 2400 | 72 | B. Murray |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/30 | 0300 | 71 | B. MURRAY |
| | 0600 | 71 | BAUTISTA |
| | 0900 | 72 | BAUTISTA |
| | 1200 | 73 | BAUTISTA |
| | 1500 | 74 | Chavez |
| | 1800 | 73 | Chavez |
| | 2100 | 72 | Chavez |
| | 2400 | 72 | B. MURRAY |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 11/1 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/29 | 0300 | 71 | B. Murray |
| | 0600 | 70 | Souza |
| | 0900 | 70 | Souza |
| | 1200 | 71 | Souza |
| | 1500 | 73 | Chever |
| | 1800 | 73 | Chever |
| | 2100 | 72 | Chever |
| | 2400 | 72 | B. Murray |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/31 | 0300 | 71 | B. MURRAY |
| | 0600 | 71 | BAUTISTA |
| | 0900 | 71 | BAUTISTA |
| | 1200 | 74 | BAUTISTA |
| | 1500 | 74 | mClaren |
| | 1800 | 73 | mChavez |
| | 2100 | 72 | mChavez |
| | 2400 | 72 | Auria |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Barneberg B Temp. Reading Location: Short & Long Hall

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/1/24 | 0300 | 71 | TOSCANO |
| | 0600 | 78 | N. PEREZ |
| | 0900 | 72 | N. PEREZ |
| | 1200 | 74 | N. PEREZ |
| | 1500 | 79 | S. JEMITO |
| | 1800 | 77 | S. JEMITO |
| | 2100 | 77 | S. JEMITO |
| | 2400 | 75 | TOSCANO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/2/24 | 0300 | 74 | TOSCANO |
| | 0600 | 73 | N. PEREZ |
| | 0900 | 73 | N. PEREZ |
| | 1200 | 74 | N. PEREZ |
| | 1500 | 77 | J. JEMITO |
| | 1800 | 78 | J. JEMITO |
| | 2100 | 77 | J. JEMITO |
| | 2400 | 75 | TOSCANO |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/3/24 | 0300 | 72 | A. REGEN |
| | 0600 | 72 | N. PEREZ |
| | 0900 | 74 | N. PEREZ |
| | 1200 | 74 | N. PEREZ |
| | 1500 | 78 | S. JEMITO |
| | 1800 | 77 | S. JEMITO |
| | 2100 | 77 | S. JEMITO |
| | 2400 | 79 | V. RIVS. |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 10/4/24 | 0300 | 79 | V. RIVS. |
| | 0600 | 78 | N. PEREZ |
| | 0900 | 79 | N. PEREZ |
| | 1200 | 70 | N. PEREZ |
| | 1500 | 74 | F. VALENZUELA |
| | 1800 | 77 | F. VALENZUELA |
| | 2100 | 76 | F. VALENZUELA |
| | 2400 | 76 | C. MUÑOZ |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 10/5/24 | 0300 | 78 | C. MUÑOZ |
| | 0600 | 78 | N. PEREZ |
| | 0900 | 78 | N. PEREZ |
| | 1200 | 79 | N. PEREZ |
| | 1500 | 78 | F. VALENZUELA |
| | 1800 | 77 | F. VALENZUELA |
| | 2100 | 76 | F. VALENZUELA |
| | 2400 | 77 | H. ALV |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/6/24 | 0300 | 76 | A. REGEN |
| | 0600 | 76 | H. ALV |
| | 0900 | 75 | H. ALV |
| | 1200 | 78 | H. ALV |
| | 1500 | 78 | M. PLAS |
| | 1800 | 78 | M. PLAS |
| | 2100 | 78 | M. PLAS |
| | 2400 | 78 | A. REGEN |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Ciw Housing Unit: BARNEY B Temp. Reading Location: LONG / SHORT HALL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|----------------------------|
| 10/7/24 | 0300 | 77 | J. Avila <i>(initials)</i> |
| | 0600 | 75 | N. Perez |
| | 0900 | 77 | N. Perez |
| | 1200 | 77 | N. Perez |
| | 1500 | 78 | B. Martinez |
| | 1800 | 78 | Martinez |
| | 2100 | 77 | Martinez |
| | 2400 | 77 | Loredo |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/9/24 | 0300 | 77 | Ausper |
| | 0600 | 77 | Azum |
| | 0900 | 75 | N. Perez |
| | 1200 | 79 | N. Perez |
| | 1500 | 78 | J. Serrato |
| | 1800 | 77 | J. Serrato |
| | 2100 | 77 | J. Serrato |
| | 2400 | 75 | TOSCANO |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------------------|
| 10/11/24 | 0300 | 74 | TOSCANO <i>(initials)</i> |
| | 0600 | 72 | N. Perez |
| | 0900 | 73 | N. Perez |
| | 1200 | 76 | N. Perez |
| | 1500 | 70° | F. VALENZUELA |
| | 1800 | 75° | F. VALENZUELA |
| | 2100 | 74° | F. VALENZUELA |
| | 2400 | 74 | DONOSO |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------------------|
| 10/13/24 | 0300 | 72 | CHAVES <i>(initials)</i> |
| | 0600 | 72 | Harris |
| | 0900 | 71 | Harris |
| | 1200 | 72 | Harris |
| | 1500 | 74 | B. Martinez |
| | 1800 | 74 | B. Martinez |
| | 2100 | 74 | B. Martinez |
| | 2400 | 74 | D. RUBEL |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/9/24 | 0300 | 75 | LOREDO |
| | 0600 | 75 | Loredo |
| | 0900 | 74 | N. Perez |
| | 1200 | 79 | J. Serrato |
| | 1500 | 79 | J. Serrato |
| | 1800 | 78 | J. Serrato |
| | 2100 | 77 | J. Serrato |
| | 2400 | 75 | N. Perez |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------------------|
| 10/10/24 | 0300 | 74 | TOSCANO <i>(initials)</i> |
| | 0600 | 72 | N. Perez |
| | 0900 | 75 | N. Perez |
| | 1200 | 79 | N. Perez |
| | 1500 | 76 | J. Serrato |
| | 1800 | 76 | J. Serrato |
| | 2100 | 76 | J. Serrato |
| | 2400 | 74 | TOSCANO |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------------------|
| 10/12/24 | 0300 | 76 | DONOSO |
| | 0600 | 73 | BANUELOS <i>(initials)</i> |
| | 0900 | 74 | BANUELOS |
| | 1200 | 75 | BANUELOS |
| | 1500 | 74 | VALENZUELA |
| | 1800 | 73 | J. VALENZUELA |
| | 2100 | 72 | F. VALENZUELA |
| | 2400 | 72 | CHAVES |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: BARNES B Temp. Reading Location: LONG / SHORT HALL
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/14 | 0300 | 72 | RUBIO |
| | 0600 | 71 | HARRIS |
| | 0900 | 71 | HARRIS |
| | 1200 | 71 | HARRIS |
| | 1500 | 74 | MARCUS |
| | 1800 | 74 | MARCUS |
| | 2100 | 75 | MARCUS |
| | 2400 | 72 | RUBIO |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/15 | 0300 | 70 | RASCONA |
| | 0600 | 70 | N. PEREZ |
| | 0900 | 71 | N. PEREZ |
| | 1200 | 70 | N. PEREZ |
| | 1500 | 71 | J. JERRATO |
| | 1800 | 70 | J. JERRATO |
| | 2100 | 70 | J. JERRATO |
| | 2400 | 70 | TOSCANO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/16 | 0300 | 69 | TOSCANO |
| | 0600 | 78 | N. PEREZ |
| | 0900 | 71 | N. PEREZ |
| | 1200 | 71 | N. PEREZ |
| | 1500 | 70 | J. JERRATO |
| | 1800 | 69 | J. JERRATO |
| | 2100 | 69 | J. JERRATO |
| | 2400 | 68 | TOSCANO |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/17 | 0300 | 67 | TOSCANO |
| | 0600 | 69 | N. PEREZ |
| | 0900 | 71 | N. PEREZ |
| | 1200 | 71 | N. PEREZ |
| | 1500 | 70 | J. JERRATO |
| | 1800 | 69 | J. JERRATO |
| | 2100 | 69 | J. JERRATO |
| | 2400 | 68 | TOSCANO |

Friday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/18 | 0300 | 67 | TOSCANO |
| | 0600 | 67 | N. PEREZ |
| | 0900 | 71 | N. PEREZ |
| | 1200 | 72 | N. PEREZ |
| | 1500 | 69° | F. VALENTE |
| | 1800 | 69° | F. VALENTE |
| | 2100 | 68° | F. VALENTE |
| | 2400 | 66 | DONOSO |

Saturday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/19 | 0300 | 64 | DONOSO |
| | 0600 | 64 | N. PEREZ |
| | 0900 | 64 | N. PEREZ |
| | 1200 | 70 | N. PEREZ |
| | 1500 | 69° | F. VALENTE |
| | 1800 | 69° | F. VALENTE |
| | 2100 | 67° | F. VALENTE |
| | 2400 | 70 | J. AVILA |

Notes

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/20 | 0300 | 68 | J. AVILA |
| | 0600 | 68 | HARRIS |
| | 0900 | 61 | HARRIS |
| | 1200 | 70 | HARRIS |
| | 1500 | 70 | MARCUS |
| | 1800 | 71 | MARCUS |
| | 2100 | 71 | MARCUS |
| | 2400 | 70 | J. AVILA |

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIV Housing Unit: BARNEBURG B Temp. Reading Location: LONG (SHORT HALL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 9913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------|
| 10/21/24 | 0300 | 69 | J. Avila |
| | 0600 | 67 | HANIES |
| | 0900 | 68 | HANIES |
| | 1200 | 69 | |
| | 1500 | 70 | Alma VARCAS |
| | 1800 | 70 | Barrera |
| | 2100 | 70 | Barras |
| | 2400 | 69 | Torres |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/22/24 | 0300 | 67 | TOSCANO |
| | 0600 | 67 | N. PEREZ |
| | 0900 | 70 | GUZMAN-C |
| | 1200 | 71 | J. PEREZ |
| | 1500 | 70° | VALENTELA, F |
| | 1800 | 70° | VALENTELA, F. |
| | 2100 | 70° | VALENTELA, F. |
| | 2400 | 70 | TOSCANO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/23/24 | 0300 | 70 | TOSCANO ✓ |
| | 0600 | 70 | N. PEREZ |
| | 0900 | 70 | N. PEREZ |
| | 1200 | 72 | N. PEREZ |
| | 1500 | 70 | S. PEREZ ✓ |
| | 1800 | 72 | S. PEREZ |
| | 2100 | 70 | S. PEREZ |
| | 2400 | 68 | TOSCANO |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|---------------|
| 10/24/24 | 0300 | 68 | TOSCANO |
| | 0600 | 69 | Gill |
| | 0900 | 70° | Gill |
| | 1200 | 71° | Gill |
| | 1500 | 69 | J. J. Serrato |
| | 1800 | 68 | S. Serrato |
| | 2100 | 68 | S. Serrato |
| | 2400 | 67 | TOSCANO |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------|
| 10/25/24 | 0300 | 67 | TOSCANO ✓ |
| | 0600 | 67 | PENEL ✓ |
| | 0900 | 67 | PEREZ ✓ |
| | 1200 | 69 | LOPEZ ✓ |
| | 1500 | 70° | VALENCIA, F. ✓ |
| | 1800 | 70° | VALENCIA, F. |
| | 2100 | 69° | VALENCIA, F. |
| | 2400 | 68 | DONATO ✓ |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|-----------------|
| 10/26/24 | 0300 | 68 | Dane (S) |
| | 0600 | 68 | M. Gonzalez |
| | 0900 | 68 | M. Gonzalez |
| | 1200 | 70 | M. Gonzalez |
| | 1500 | (69°) | F. VALENTE MORA |
| | 1800 | (69°) | F. VALENTE MORA |
| | 2100 | (69°) | F. VALENTE MORA |
| | 2400 | 68 | GARAYA TA |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/27/24 | 0300 | 67 | E-ARIZA |
| | 0600 | 67 | ENDRINA |
| | 0900 | 68 | HARLIES |
| | 1200 | 76 | HARLIES |
| | 1500 | 73 | WARRAS |
| | 1800 | 73 | WARRAS |
| | 2100 | 73 | WARRAS |
| | 2400 | 71 | J. AVILA |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Ciw Housing Unit: BARNEBORG B Temp. Reading Location: LONG / SHORT HALL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/28/01 | 0300 | 71 | J. AVILA |
| | 0600 | 70 | K. HARNES |
| | 0900 | 71 | K. HARNES |
| | 1200 | 71 | K. HARNES |
| | 1500 | 73 | MAREAS |
| | 1800 | 73 | MAREAS |
| | 2100 | 73 | MAREAS |
| | 2400 | 71 | TOSCANO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/30/29 | 0300 | 65 | TOSCAO |
| | 0600 | 68 | N. PINEZ |
| | 0900 | 69 | S. PENEZ |
| | 1200 | 70 | N. PINEZ |
| | 1500 | 73 | S. RAMIREZ |
| | 1800 | 71 | S. RAMIREZ |
| | 2100 | 70 | S. RAMIREZ |
| | 2400 | 68 | TOSCAO |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/29/23 | 0300 | 70 | TOSCANO |
| | 0600 | 70 | N. APATO |
| | 0900 | 70 | N. APATO |
| | 1200 | 72 | N. APATO |
| | 1500 | 68 | J. TERRATO |
| | 1800 | 67 | J. APATO |
| | 2100 | 67 | J. TERRATO |
| | 2400 | 66 | JOSÉ APATO |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|----------------|
| 10/21/24 | 0300 | 68 | TOSCANO |
| | 0600 | 68 | N. PENNE |
| | 0900 | 70 | N. PENNE |
| | 1200 | 71 | N. PENNE |
| | 1500 | 72 | GONZALEZ |
| | 1800 | 70 | GONZALEZ |
| | 2100 | 70 | GONZALEZ |
| | 2400 | 70 | C. M. GONZALEZ |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

OCTOBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday Tuesday | | | |
|----------------|------|-------|-------------------|
| Date | Time | Temp. | Name (Print) |
| O | 0300 | 69 | ACIPID |
| C | 0600 | 69 | ESPINDOLA |
| T | 0900 | 69 | Townsend |
| I. | 1200 | 69 | ESPINDOLA |
| | 1500 | 71 | L'evante <i>A</i> |
| | 1800 | 72 | Jones |
| | 2100 | 70 | ORTIZA |
| | 2400 | 69 | ALIPID |

| Tuesday | | | |
|---------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| O | 0300 | | |
| C | 0600 | | |
| T | 0900 | | |
| I. | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Wednesday | | | |
|-----------|------|-------|-------------------|
| Date | Time | Temp. | Name (Print) |
| O | 0300 | 69 | ACIPID |
| C | 0600 | 69 | ACIPID |
| T | 0900 | 69 | Townsend <i>A</i> |
| I. | 1200 | 70 | Townsend |
| | 1500 | 71 | ORTIZA |
| | 1800 | 71 | ORTIZA |
| | 2100 | 71 | ORTIZA |
| | 2400 | 70 | ORTIZA |

| Thursday | | | |
|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| O | 0300 | 70 | ORTIZA |
| C | 0600 | 70 | ESPINDOLA |
| T | 0900 | 70 | ESPINDOLA |
| I. | 1200 | 70 | ESPINDOLA |
| | 1500 | 70 | ESPINDOLA |
| | 1800 | 70 | ESPINDOLA |
| | 2100 | 70 | ESPINDOLA |
| | 2400 | 69 | ACIPID |

| Friday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| O | 0300 | 69 | ACIPID |
| C | 0600 | 70 | Escobedo |
| T | 0900 | 70 | Escobedo |
| I. | 1200 | 71 | L'Hernandez |
| | 1500 | 71 | L'Hernandez |
| | 1800 | 70 | Hovey |
| | 2100 | 70 | L'Hernandez |
| | 2400 | 70 | Hovey |

| Saturday | | | |
|----------|------|-------|----------------------|
| Date | Time | Temp. | Name (Print) |
| O | 0300 | 70 | Agnew |
| C | 0600 | 70 | Agnew |
| T | 0900 | 70 | Agnew, H |
| I. | 1200 | 70 | Agnew, H |
| | 1500 | 70 | L'Hernandez |
| | 1800 | 70 | Escobedo |
| | 2100 | 70 | L'Hernandez <i>A</i> |
| | 2400 | 70 | Hovey |

Notes: Date and type of cooling measures provided

| Sunday | | | |
|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| O | 0300 | 70 | Hovey |
| C | 0600 | 70 | Escobedo |
| T | 0900 | 70 | Escobedo |
| I. | 1200 | 70 | Escobedo |
| | 1500 | 70 | L'Hernandez |
| | 1800 | 70 | L'Hernandez |
| | 2100 | 69 | L'Hernandez |
| | 2400 | 70 | ACIPID |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1st Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-7-24 | 0300 | 70 | ALCIPIDIO |
| | 0600 | 71 | ESPIEDO |
| | 0900 | 70 | ESPIEDO |
| | 1200 | 70 | BACA |
| | 1500 | 71 | L.Hernandez |
| | 1800 | 71 | L.Hernandez |
| | 2100 | 76 | ORTIZCA |
| | 2400 | 70 | Aguirre |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10-8-24 | 0300 | 71 | ALCIPIDIO |
| | 0600 | 71 | TELLO |
| | 0900 | 70 | TOWNSEND |
| | 1200 | 70 | TOWNSEND |
| | 1500 | 70 | AGUILERA |
| | 1800 | 70 | Alvarez |
| | 2100 | 70 | Azamini |
| | 2400 | 70 | ALCIPIDIO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 10/9/2024 | 0300 | 70 | ALCIPIDIO |
| | 0600 | 70 | ESPINOLA |
| | 0900 | 70 | Townsend |
| | 1200 | 70 | BACA |
| | 1500 | 71 | ORTIZCA |
| | 1800 | 70 | ORTIZCA |
| | 2100 | 70 | ORTIZCA |
| | 2400 | 69 | ORTIZCA |

Thursday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/10/2024 | 0300 | 69 | ORTIZCA |
| | 0600 | 70 | ESPINOLA |
| | 0900 | 70 | Townsend |
| | 1200 | 70 | TOWNSEND |
| | 1500 | 70 | HOWELL |
| | 1800 | 70 | HOWELL |
| | 2100 | 70 | HOWELL |
| | 2400 | 70 | ALCIPIDIO |

Friday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/11/2024 | 0300 | 70 | ALCIPIDIO |
| | 0600 | 69 | A. Hernandez |
| | 0900 | 69 | Townsend |
| | 1200 | 69 | Townsend |
| | 1500 | 70 | L.Hernandez |
| | 1800 | 71 | L.Hernandez |
| | 2100 | 70 | L.Hernandez |
| | 2400 | 70 | Aguirre |

Saturday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/12/2024 | 0300 | 69 | Aguirre |
| | 0600 | 69 | ESPIEDO |
| | 0900 | 69 | P. Diaz |
| | 1200 | 69 | ESPIEDO |
| | 1500 | 69 | L.Hernandez |
| | 1800 | 70 | L.Hernandez |
| | 2100 | 70 | L.Hernandez |
| | 2400 | 70 | Aguirre |

Notes

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 69 | Aguirre |
| | 0600 | 64 | ESPIEDO |
| | 0900 | 66 | ESPIEDO |
| | 1200 | 68 | ESPIEDO |
| | 1500 | 69 | ESPIEDO |
| | 1800 | 69 | ESPIEDO |
| | 2100 | 67 | MALTOZ |
| | 2400 | 67 | ESPIEDO |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OCT 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | | Tuesday | | | | Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | |
|-----------|------|-------|--------------|---|------|-------|--------------|-----------|------|-------|--------------|----------|------|-------|--------------|--------|------|-------|--------------|----------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| O | 0300 | 68 | ALUDIO | O | 0300 | 69 | AGUINIRE, L | O | 0300 | 69 | AGUINIRE, L | O | 0300 | 68 | ASPINELLA | O | 0300 | 68 | AGUINIRE, L | O | 0300 | 68 | AGUINIRE, L |
| C | 0600 | 68 | ESPINDOLA | C | 0600 | 68 | TOWNSEND | C | 0600 | 68 | ESPINDOLA | C | 0600 | 68 | ESPINDOLA | C | 0600 | 68 | ESPINDOLA | C | 0600 | 68 | ESPINDOLA |
| T. | 0900 | 68 | ESPINDOLA | T. | 0900 | 69 | TOWNSEND | T. | 0900 | 69 | ESPINDOLA | T. | 0900 | 69 | ESPINDOLA | T. | 0900 | 69 | ESPINDOLA | T. | 0900 | 69 | ESPINDOLA |
| 14 | 1200 | 68 | ESPINDOLA | 14 | 1200 | 69 | ESPINDOLA | 14 | 1200 | 69 | ESPINDOLA | 14 | 1200 | 69 | ESPINDOLA | 14 | 1200 | 69 | ESPINDOLA | 14 | 1200 | 69 | ESPINDOLA |
| | 1500 | 69 | ORTIZA | | 1500 | 69 | ORTIZA | | 1500 | 69 | ORTIZA | | 1500 | 69 | ORTIZA | | 1500 | 69 | ORTIZA | | 1500 | 69 | ORTIZA |
| | 1800 | 69 | ORTIZA | | 1800 | 68 | ORTIZA | | 1800 | 68 | ORTIZA | | 1800 | 68 | ORTIZA | | 1800 | 68 | ORTIZA | | 1800 | 68 | ORTIZA |
| | 2100 | 69 | L.Hernandez | | 2100 | 68 | ORTIZA | | 2100 | 68 | ORTIZA | | 2100 | 68 | ORTIZA | | 2100 | 68 | ORTIZA | | 2100 | 68 | ORTIZA |
| | 2400 | 69 | AGUINIRE, L | | 2400 | 69 | ORTIZA | | 2400 | 69 | ORTIZA | | 2400 | 69 | ORTIZA | | 2400 | 69 | ORTIZA | | 2400 | 69 | ORTIZA |
| Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | | Sunday | | | |
| O | 0300 | 69 | AGUINIRE, L | O | 0300 | 68 | ORTIZA | O | 0300 | 68 | ORTIZA | O | 0300 | 68 | ORTIZA | O | 0300 | 68 | ORTIZA | O | 0300 | 68 | ORTIZA |
| C | 0600 | 68 | ESPINDOLA | C | 0600 | 68 | ESPINDOLA | C | 0600 | 68 | ESPINDOLA | C | 0600 | 68 | ESPINDOLA | C | 0600 | 68 | ESPINDOLA | C | 0600 | 68 | ESPINDOLA |
| T. | 0900 | 68 | ESPINDOLA | T. | 0900 | 68 | ESPINDOLA | T. | 0900 | 68 | ESPINDOLA | T. | 0900 | 68 | ESPINDOLA | T. | 0900 | 68 | ESPINDOLA | T. | 0900 | 68 | ESPINDOLA |
| 16 | 1200 | 68 | ESPINDOLA | 16 | 1200 | 69 | ORTIZA | 16 | 1200 | 69 | ORTIZA | 16 | 1200 | 69 | ORTIZA | 16 | 1200 | 69 | ORTIZA | 16 | 1200 | 69 | ORTIZA |
| | 1500 | 69 | ORTIZA | | 1500 | 69 | ORTIZA | | 1500 | 69 | ORTIZA | | 1500 | 69 | ORTIZA | | 1500 | 69 | ORTIZA | | 1500 | 69 | ORTIZA |
| | 1800 | 69 | ORTIZA | | 1800 | 68 | ORTIZA | | 1800 | 68 | ORTIZA | | 1800 | 68 | ORTIZA | | 1800 | 68 | ORTIZA | | 1800 | 68 | ORTIZA |
| | 2100 | 68 | ORTIZA | | 2100 | 68 | ORTIZA | | 2100 | 68 | ORTIZA | | 2100 | 68 | ORTIZA | | 2100 | 68 | ORTIZA | | 2100 | 68 | ORTIZA |
| | 2400 | 68 | ORTIZA | | 2400 | 68 | ORTIZA | | 2400 | 68 | ORTIZA | | 2400 | 68 | ORTIZA | | 2400 | 68 | ORTIZA | | 2400 | 68 | ORTIZA |
| Friday | | | | Saturday | | | | Sunday | | | | Sunday | | | | Sunday | | | | Sunday | | | |
| O | 0300 | 68 | Aliado | O | 0300 | 68 | AGUINIRE | O | 0300 | 68 | AGUINIRE | O | 0300 | 68 | AGUINIRE | O | 0300 | 68 | AGUINIRE | O | 0300 | 68 | AGUINIRE |
| C | 0600 | 68 | ESRIDO | C | 0600 | 68 | ESRIDO | C | 0600 | 68 | ESRIDO | C | 0600 | 68 | ESRIDO | C | 0600 | 68 | ESRIDO | C | 0600 | 68 | ESRIDO |
| T. | 0900 | 68 | ESRIDO | T. | 0900 | 68 | ESRIDO | T. | 0900 | 68 | ESRIDO | T. | 0900 | 68 | ESRIDO | T. | 0900 | 68 | ESRIDO | T. | 0900 | 68 | ESRIDO |
| 18 | 1200 | 68 | ESRIDO | 18 | 1200 | 69 | ESRIDO | 18 | 1200 | 69 | ESRIDO | 18 | 1200 | 69 | ESRIDO | 18 | 1200 | 69 | ESRIDO | 18 | 1200 | 69 | ESRIDO |
| | 1500 | 69 | ESRIDO | | 1500 | 69 | ESRIDO | | 1500 | 69 | ESRIDO | | 1500 | 69 | ESRIDO | | 1500 | 69 | ESRIDO | | 1500 | 69 | ESRIDO |
| | 1800 | 68 | L.Hernandez | | 1800 | 68 | ESRIDO | | 1800 | 68 | ESRIDO | | 1800 | 68 | ESRIDO | | 1800 | 68 | ESRIDO | | 1800 | 68 | ESRIDO |
| | 2100 | 68 | ESRIDO | | 2100 | 68 | ESRIDO | | 2100 | 68 | ESRIDO | | 2100 | 68 | ESRIDO | | 2100 | 68 | ESRIDO | | 2100 | 68 | ESRIDO |
| | 2400 | 68 | ESRIDO | | 2400 | 68 | ESRIDO | | 2400 | 68 | ESRIDO | | 2400 | 68 | ESRIDO | | 2400 | 68 | ESRIDO | | 2400 | 68 | ESRIDO |
| Sunday | | | | Notes: Date and type of cooling measures provided | | | | | | | | | | | | | | | | | | | |
| O | 0300 | 68 | AGUINIRE | | | | | O | 0300 | 68 | AGUINIRE | | | | | O | 0300 | 68 | AGUINIRE | | | | |
| C | 0600 | 68 | ESRIDO | | | | | C | 0600 | 68 | ESRIDO | | | | | C | 0600 | 68 | ESRIDO | | | | |
| T. | 0900 | 68 | ESRIDO | | | | | T. | 0900 | 68 | ESRIDO | | | | | T. | 0900 | 68 | ESRIDO | | | | |
| 20 | 1200 | 68 | ESRIDO | | | | | 20 | 1200 | 69 | ESRIDO | | | | | 20 | 1200 | 69 | ESRIDO | | | | |
| | 1500 | 69 | ESRIDO | | | | | | 1500 | 69 | ESRIDO | | | | | | 1500 | 69 | ESRIDO | | | | |
| | 1800 | 68 | ORTIZA | | | | | | 1800 | 68 | ORTIZA | | | | | | 1800 | 68 | ORTIZA | | | | |
| | 2100 | 68 | ORTIZA | | | | | | 2100 | 68 | ORTIZA | | | | | | 2100 | 68 | ORTIZA | | | | |
| | 2400 | 68 | ORTIZA | | | | | | 2400 | 68 | ORTIZA | | | | | | 2400 | 68 | ORTIZA | | | | |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OCT 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|--------------------|------|-------|--------------|
| O C T. 21 | 0300 | 67 | CHAVIEZ |
| | 0600 | 69 | ESPINDOLA |
| | 0900 | 69 | ESPINDOLA |
| | 1200 | 69 | Penantes, B. |
| | 1500 | 70 | Bach |
| | 1800 | 68 | Bach |
| | 2100 | 68 | Bach |
| | 2400 | 69 | ACIPIO |

Tuesday

| Date | Time | Temp. | Name (Print) |
|--------------------|------|-------|--------------|
| O C T. 22 | 0300 | 66 | HIPPO |
| | 0600 | 68 | Townsend |
| | 0900 | 68 | Townsend |
| | 1200 | 68 | ESPINDOLA |
| | 1500 | 68 | ORTEGA |
| | 1800 | 68 | AKA IVIE |
| | 2100 | 69 | AKA IVIE |
| | 2400 | 69 | AKA IVIE |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------------------|------|-------|--------------|
| O C T. 23 | 0300 | 69 | Akai IVIE |
| | 0600 | 69 | ESPINDOLA |
| | 0900 | 69 | ESPINDOLA |
| | 1200 | 69 | Townsend |
| | 1500 | 69 | Townsend |
| | 1800 | 69 | Townsend |
| | 2100 | 69 | ORTEGA |
| | 2400 | 68 | ORTEGA |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------------------|------|-------|--------------|
| O C T. 24 | 0300 | 68 | ORTEGA |
| | 0600 | 68 | ESPINDOLA |
| | 0900 | 68 | ESPINDOLA |
| | 1200 | 68° | Santana |
| | 1500 | 68 | 1991707 |
| | 1800 | 67 | MALTOZ |
| | 2100 | 67 | MALTOZ |
| | 2400 | 65 | ACIPIO |

Friday

| Date | Time | Temp. | Name (Print) |
|--------------------|------|-------|--------------|
| O C T. 25 | 0300 | 65 | ACIPIO |
| | 0600 | 66 | ESGARDO |
| | 0900 | 66 | ESGARDO |
| | 1200 | 66 | ESGARDO |
| | 1500 | 64 | Delgado |
| | 1800 | 64 | Delgado |
| | 2100 | 63 | Delgado |
| | 2400 | 64 | Aguirre |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------------------|------|-------|--------------|
| O C T. 26 | 0300 | 66 | Aguirre |
| | 0600 | 67 | Arredondo, H |
| | 0900 | 66 | Eschelby |
| | 1200 | 66 | Eschelby |
| | 1500 | 64 | Eschelby |
| | 1800 | 66 | Eschelby |
| | 2100 | 66 | Eschelby |
| | 2400 | 66 | Horne, J |

Notes: Date and type of cooling measures provided

| Date | Time | Temp. | Name (Print) |
|--------------------|------|-------|--------------|
| O C T. 27 | 0300 | 66 | Smith |
| | 0600 | 66 | Smith |
| | 0900 | 66 | Eschelby |
| | 1200 | 66 | Eschelby |
| | 1500 | 67 | Navarrete |
| | 1800 | 67 | Navarrete |
| | 2100 | 66 | Eschelby |
| | 2400 | 66 | Eschelby |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OCT. 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | | Tuesday | | | | Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | |
|-----------|------|-------|--------------|----------|------|-------|--------------|-----------|------|-------|--------------|----------|------|-------|--------------|--------|------|-------|--------------|----------|------|-------|--------------|--------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| O | 0300 | 65 | ACIPIDIO | O | 0300 | 65 | ACIPIDIO | O | 0300 | 66 | AGUIRRE, L | O | 0300 | 66 | Ortega | O | 0300 | | | O | 0300 | | | O | 0300 | | |
| C | 0600 | 65 | SZULCZEWSKI | C | 0600 | 65 | ESPINOLA | C | 0600 | 62 | TOWNSEND | C | 0600 | 62 | Townsend | C | 0600 | | | C | 0600 | | | C | 0600 | | |
| T. | 0900 | 64 | SZULCZEWSKI | T. | 0900 | 65 | ESPINOLA | T. | 0900 | 62 | TOWNSEND | T. | 0900 | 62 | Townsend | T. | 0900 | | | T. | 0900 | | | T. | 0900 | | |
| 28 | 1200 | 65 | SZULCZEWSKI | 28 | 1200 | 65 | ESPINOLA | 28 | 1200 | 62 | TOWNSEND | 28 | 1200 | 62 | Townsend | 28 | 1200 | | | 28 | 1200 | | | 28 | 1200 | | |
| | 1500 | 67 | Baca | | 1500 | 66 | ORTEGA | | 1500 | 63 | HOWELL | | 1500 | 63 | ACIPIDIO | | 1500 | | | | 1500 | | | | 1500 | | |
| | 1800 | 68 | NAVARRETE | | 1800 | 66 | ORTEGA | | 1800 | 63 | ORTEGA | | 1800 | 63 | ACIPIDIO | | 1800 | | | | 1800 | | | | 1800 | | |
| | 2100 | 68 | ORTEGA | | 2100 | 66 | ORTEGA | | 2100 | 63 | ORTEGA | | 2100 | 63 | ACIPIDIO | | 2100 | | | | 2100 | | | | 2100 | | |
| | 2400 | 65 | ACIPIDIO | | 2400 | 66 | ORTEGA | | 2400 | 63 | ORTEGA | | 2400 | 63 | ACIPIDIO | | 2400 | | | | 2400 | | | | 2400 | | |
| Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | | Sunday | | | | Sunday | | | |
| Date | | | | Date | | | | Date | | | | Date | | | | Date | | | | Date | | | | Date | | | |
| O | | | | O | | | | O | | | | O | | | | O | | | | O | | | | O | | | |
| C | | | | C | | | | C | | | | C | | | | C | | | | C | | | | C | | | |
| T. | | | | T. | | | | T. | | | | T. | | | | T. | | | | T. | | | | T. | | | |
| 30 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | | 31 | | | |
| 31 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C IW Housing Unit: SCU

Temp. Reading Location: Hallway

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 72 | JOHNSON |
| | 0600 | 72 | JOHNSON |
| | 0900 | 73 | JOHNSON |
| | 1200 | 74 | JOHNSON |
| | 1500 | 75 | JOHNSON |
| | 1800 | 76 | L. HICKS |
| | 2100 | 74 | L. HICKS |
| | 2400 | 74 | DIAZ |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 74 | DIAZ |
| | 0600 | 74 | S. RAMIREZ |
| | 0900 | 76 | S. RAMIREZ |
| | 1200 | 77 | C. ALLEN |
| | 1500 | 77 | C. ALLEN |
| | 1800 | 76 | S. RAMIREZ |
| | 2100 | 77 | C. RAMIREZ |
| | 2400 | 74 | RAMIREZ |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 74 | AVENDANO |
| | 0600 | 74 | D. PELAYO |
| | 0900 | 75 | D. PELAYO |
| | 1200 | 76 | D. PELAYO |
| | 1500 | 80 | D. PEREZ |
| | 1800 | 61 | J. HAMMERS |
| | 2100 | 78 | D. PELAYO |
| | 2400 | 74 | DIAZ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 72 | JOHNSON |
| | 0600 | 72 | JOHNSON |
| | 0900 | 72 | JOHNSON |
| | 1200 | 74 | JOHNSON |
| | 1500 | 73 | JOHNSON |
| | 1800 | 75 | JOHNSON |
| | 2100 | 74 | JOHNSON |
| | 2400 | 72 | JOHNSON |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 74 | DIAZ |
| | 0600 | 74 | C. ALLEN |
| | 0900 | 73 | S. RAMIREZ |
| | 1200 | 76 | S. RAMIREZ |
| | 1500 | 76 | L. HICKS |
| | 1800 | 76 | C. HYDE |
| | 2100 | 76 | C. HYDE |
| | 2400 | 74 | DIAZ |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 74 | C. RAMIREZ |
| | 0600 | 74 | D. PELAYO |
| | 0900 | 74 | S. RAMIREZ |
| | 1200 | 74 | C. ALLEN |
| | 1500 | 77 | C. HYDE |
| | 1800 | | |
| | 2100 | | |
| | 2400 | 74 | AVENDANO |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: 5CU Temp. Reading Location: 1 TIER - 2 HALLWAYS
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/1 | 0300 | 74 | A. Diaz |
| | 0600 | 76 | S. INIGUEZ |
| | 0900 | 74 | JOHNSON |
| | 1200 | 74 | JOHNSON |
| | 1500 | 77 | JOHNSON |
| | 1800 | 75 | D. VAUL |
| | 2100 | 75 | D. VAUL |
| | 2400 | 74 | Diaz |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/8 | 0300 | 74 | Diaz |
| | 0600 | 76 | C. ALLEN |
| | 0900 | 78 | L. MORENO |
| | 1200 | 78 | L. MORENO |
| | 1500 | 74 | L. HICKS |
| | 1800 | 76 | L. HICKS |
| | 2100 | 76 | L. HICKS |
| | 2400 | 74 | Diaz |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/9 | 0300 | 74 | Diaz |
| | 0600 | 75 | C. ALLEN |
| | 0900 | 75 | L. MORENO |
| | 1200 | 75 | L. MORENO |
| | 1500 | 74 | L. HICKS |
| | 1800 | 74 | L. HICKS |
| | 2100 | 74 | L. HICKS |
| | 2400 | 74 | Diaz |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/10 | 0300 | 74 | Diaz |
| | 0600 | 74 | Ramors |
| | 0900 | 75 | Ramors |
| | 1200 | 76 | Ramors |
| | 1500 | 76 | L. HICKS |
| | 1800 | 76 | L. HICKS |
| | 2100 | 74 | L. HICKS |
| | 2400 | 74 | A. Diaz |

Friday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/11 | 0300 | 74 | A. Diaz |
| | 0600 | 75 | C. ALLEN |
| | 0900 | 75 | Ramors |
| | 1200 | 74 | Ramors |
| | 1500 | 75 | S. RANGER |
| | 1800 | 74 | S. RANGER |
| | 2100 | 75 | S. RANGER |
| | 2400 | 70 | REYES |

Saturday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/12 | 0300 | 70 | REYES |
| | 0600 | 70 | D. Pelayo |
| | 0900 | 72 | D. Pelayo |
| | 1200 | 73 | D. Pelayo |
| | 1500 | 72 | Pr. De Vore |
| | 1800 | 70 | Pr. De Vore |
| | 2100 | 70 | B. Far |
| | 2400 | 73 | REYES |

Sunday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/13 | 0300 | 70 | REYES |
| | 0600 | 70 | D. Pelayo |
| | 0900 | 70 | D. Pelayo |
| | 1200 | 70 | D. Pelayo |
| | 1500 | 71 | Ramirez |
| | 1800 | 70 | Ramirez |
| | 2100 | 70 | Ramirez |
| | 2400 | 71 | Diaz |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCY Temp. Reading Location: Hallways
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/14 | 0300 | 74 | DIAZ |
| | 0600 | 71 | S. INFANTE |
| | 0900 | 71 | RAMIREZ RA |
| | 1200 | 72 | Ramirez M |
| | 1500 | 70 | D. PELAYO |
| | 1800 | 78 | D. PELAYO |
| | 2100 | 78 | D. PELAYO |
| | 2400 | 72 | A. DIAZ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/15 | 0300 | 72 | DIAZ |
| | 0600 | 74 | Johnson |
| | 0900 | 71 | Jewett |
| | 1200 | 71 | Ramirez RA |
| | 1500 | 74 | C. DRAKE |
| | 1800 | 75 | C. DRAKE |
| | 2100 | 75 | C. DRAKE |
| | 2400 | 74 | DIAZ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/16 | 0300 | 74 | DIAZ |
| | 0600 | 73 | S. INFANTE |
| | 0900 | 75 | Ramirez RA |
| | 1200 | 75 | Ramirez M |
| | 1500 | 73 | C. DRAKE |
| | 1800 | 73 | C. DRAKE |
| | 2100 | 72 | L. HICKS |
| | 2400 | 74 | DIAZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|------------------|--------------|
| 10/17 | 0300 | 74 | DIAZ |
| | 0600 | 75 | C. ALLEN |
| | 0900 | 74 | C. ALLEN |
| | 1200 | 74 | C. ALLEN |
| | 1500 | 74 | C. DRAKE |
| | 1800 | 73 | C. DRAKE |
| | 2100 | 73 | C. DRAKE |
| | 2400 | 71 st | SUAREZ |

Friday

| Date | Time | Temp. | Name (Print) |
|-------|------|------------------|--------------|
| 10/18 | 0300 | 71 st | SUAREZ |
| | 0600 | 72 | C. ALLEN |
| | 0900 | 71 | S. INFANTE |
| | 1200 | 73 | C. ALLEN |
| | 1500 | 71 | S. INFANTE |
| | 1800 | 71 | S. INFANTE |
| | 2100 | 70 | S. INFANTE |
| | 2400 | 70 | C. Ramrez |

Saturday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/19 | 0300 | 70 | C. Ramrez |
| | 0600 | 70 | D. PELAYO |
| | 0900 | 70 | S. INFANTE |
| | 1200 | 72 | D. PELAYO |
| | 1500 | 71 | B. GOMEZ |
| | 1800 | 70 | B. GOMEZ |
| | 2100 | 71 | B. GOMEZ |
| | 2400 | 72 | CHAVEZ |

Sunday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/20 | 0300 | 72 | CHAVEZ |
| | 0600 | 70 | D. PELAYO |
| | 0900 | 71 | R. RAMIREZ |
| | 1200 | 70 | D. PELAYO |
| | 1500 | 74 | WILLIAMS |
| | 1800 | 73 | WILLIAMS |
| | 2100 | 72 | WILLIAMS |
| | 2400 | 72 | WILLIAMS |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCU Temp. Reading Location: Hallways
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/21 | 0300 | 74 | Diaz |
| | 0600 | 72 | S. INFANTEZ |
| | 0900 | 72 | Ramirez |
| | 1200 | 74 | C.J. |
| | 1500 | 74 | Hicks |
| | 1800 | 70 | D. Pelayo |
| | 2100 | 70 | D. Pelayo |
| | 2400 | 72 | Diaz |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/22 | 0300 | 72 | Diaz |
| | 0600 | 73 | C. ALLEN |
| | 0900 | 73 | Ramirez |
| | 1200 | 73 | Ramirez |
| | 1500 | 74 | L. Hicks |
| | 1800 | 74 | L. Hicks |
| | 2100 | 74 | L. Hicks |
| | 2400 | 72 | Diaz |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/23 | 0300 | 72 | Diaz |
| | 0600 | 70 | C. ALLEN |
| | 0900 | 72 | Ramirez |
| | 1200 | 73 | Ramirez |
| | 1500 | 74 | L. Hicks |
| | 1800 | 74 | L. Hicks |
| | 2100 | 74 | L. Hicks |
| | 2400 | 74 | Diaz |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/24 | 0300 | 74 | Diaz |
| | 0600 | 73 | C. ALLEN |
| | 0900 | 72 | S. INFANTEZ |
| | 1200 | 77 | S. INFANTEZ |
| | 1500 | 74 | L. Hicks |
| | 1800 | 74 | L. Hicks |
| | 2100 | 74 | C. DRAKE |
| | 2400 | 74 | Diaz |

Friday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/25 | 0300 | 74 | Diaz |
| | 0600 | 72 | S. INFANTEZ |
| | 0900 | 71 | S. INFANTEZ |
| | 1200 | 72 | S. INFANTEZ |
| | 1500 | 71 | S. INFANTEZ |
| | 1800 | 71 | S. INFANTEZ |
| | 2100 | 71 | S. INFANTEZ |
| | 2400 | 71 | S. INFANTEZ |

Saturday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/26 | 0300 | 71 | Ramirez |
| | 0600 | 70 | D. Pelayo |
| | 0900 | 70 | S. INFANTEZ |
| | 1200 | 71 | C. ALLEN |
| | 1500 | 72 | D. Pelayo |
| | 1800 | 70 | D. Pelayo |
| | 2100 | 70 | D. Pelayo |
| | 2400 | 72 | CHAVEZ |

Notes: Date and type of cooling measures provided

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/27 | 0300 | 72 | CHAVEZ |
| | 0600 | 70 | D. Pelayo |
| | 0900 | 70 | D. Pelayo |
| | 1200 | 70 | D. Pelayo |
| | 1500 | 70 | D. PELAYO |
| | 1800 | 71 | J. RUIZ |
| | 2100 | 70 | J. RUIZ |
| | 2400 | 70 | Diaz |

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SC4 Temp. Reading Location: Hallways

Immediately notify the Watch Commander at extension 4913 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/18 | 0300 | 74 | Diaz |
| | 0600 | 75 | Ramirez RA |
| | 0900 | 75 | Ramirez RA |
| | 1200 | 75 | Ramirez RA |
| | 1500 | 75 | L.Hicks |
| | 1800 | 78 | D.Pelayo |
| | 2100 | 70 | D.Pelayo |
| | 2400 | 74 | Diaz |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/19 | 0300 | 74 | Diaz |
| | 0600 | 75 | Ramirez RA |
| | 0900 | 75 | Ramirez RA |
| | 1200 | 75 | Ramirez RA |
| | 1500 | 75 | L.Hicks |
| | 1800 | 74 | C.DRAKE |
| | 2100 | 74 | L.Hicks |
| | 2400 | 74 | Diaz |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/20 | 0300 | 74 | Diaz |
| | 0600 | 74 | S.RAMIREZ |
| | 0900 | 74 | S.RAMIREZ |
| | 1200 | 73 | S.RAMIREZ |
| | 1500 | 74 | L.Hicks |
| | 1800 | 74 | L.Hicks |
| | 2100 | 74 | L.Hicks |
| | 2400 | 74 | Diaz |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/21 | 0300 | 74 | Diaz |
| | 0600 | 70 | S.RAMIREZ |
| | 0900 | 70 | S.RAMIREZ |
| | 1200 | 70 | S.RAMIREZ |
| | 1500 | 72 | L.Hicks |
| | 1800 | 72 | L.Hicks |
| | 2100 | 72 | L.Hicks |
| | 2400 | 74 | Diaz |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/01/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 71* | M. Ritchie |
| | 1200 | 73* | M. Ritchie |
| | 1500 | 74* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/02/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 71* | M. Ritchie |
| | 1200 | 73* | M. Ritchie |
| | 1500 | 77* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/03/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | Espinoza |
| | 1200 | 73 | Espinoza |
| | 1500 | 76 | Magallanes |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI. SAT. SUN.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/07/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 71* | M. Ritchie |
| | 1200 | 73* | M. Ritchie |
| | 1500 | 75* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/08/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 71* | M. Ritchie |
| | 1200 | 72* | M. Ritchie |
| | 1500 | 74* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/09/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 71* | M. Ritchie |
| | 1200 | 73* | M. Ritchie |
| | 1500 | 74* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/10/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 72* | M. Ritchie |
| | 1200 | 73* | M. Ritchie |
| | 1500 | 74* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI. SAT. SUN.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/14/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 72* | M. Ritchie |
| | 1200 | 72* | M. Ritchie |
| | 1500 | 73* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/15/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 72* | M. Ritchie |
| | 1200 | 72* | M. Ritchie |
| | 1500 | 73* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/16/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 72* | M. Ritchie |
| | 1200 | 72* | M. Ritchie |
| | 1500 | 73* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/17/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 72* | M. Ritchie |
| | 1200 | 72* | M. Ritchie |
| | 1500 | 73* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI. SAT. SUN.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/21/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 72* | M. Ritchie |
| | 1200 | 74* | M. Ritchie |
| | 1500 | 74* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/22/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 72* | J. Perez |
| | 1200 | 74* | J. Perez |
| | 1500 | 75* | J. Perez |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/23/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 71* | M. Ritchie |
| | 1200 | 73* | M. Ritchie |
| | 1500 | 74* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/24/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 70* | T. Thompson |
| | 1200 | 72* | T. Thompson |
| | 1500 | 72* | T. Thompson |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI. SAT. SUN.

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/28/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 72* | M. Ritchie |
| | 1200 | 74* | M. Ritchie |
| | 1500 | 74* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/29/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 72* | M. Ritchie |
| | 1200 | 73* | M. Ritchie |
| | 1500 | 74* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/30/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 71* | M. Ritchie |
| | 1200 | 72* | M. Ritchie |
| | 1500 | 72* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/31/24 | 0300 | | |
| | 0600 | | |
| | 0900 | 70* | M. Ritchie |
| | 1200 | 71* | M. Ritchie |
| | 1500 | 73* | M. Ritchie |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI, SAT, SUN.

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DOTSON |
| | 1200 | 73 | M DOTSON |
| | 1500 | 73 | Nelson |
| | 1800 | 72 | Nelson |
| | 2100 | | |
| | 2400 | | |

Wednesday 10-2-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DOTSON |
| | 1200 | 73 | M DOTSON |
| | 1500 | 73 | Nelson |
| | 1800 | 73 | Nelson |
| | 2100 | | |
| | 2400 | | |

Thursday 10-3-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DOTSON |
| | 1200 | 73 | M DOTSON |
| | 1500 | 73 | Nelson |
| | 1800 | 73 | Nelson |
| | 2100 | | |
| | 2400 | | |

Friday 10-4-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | Fogueda |
| | 1200 | 73 | oliver |
| | 1500 | 73 | oliver |
| | 1800 | 74 | oliver |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-7

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DOTSON |
| | 1200 | 72 | M DOTSON |
| | 1500 | 73 | Nelson |
| | 1800 | 72 | Nelson |
| | 2100 | | |
| | 2400 | | |

Tuesday 10-8

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DOTSON |
| | 1200 | 72 | M DOTSON |
| | 1500 | 72 | Nelson |
| | 1800 | 72 | Nelson |
| | 2100 | | |
| | 2400 | | |

Wednesday 10-9

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DOTSON |
| | 1200 | 72 | M DOTSON |
| | 1500 | 73 | Nelson |
| | 1800 | 72 | Nelson |
| | 2100 | | |
| | 2400 | | |

Thursday 10-10

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DOTSON |
| | 1200 | 72 | M DOTSON |
| | 1500 | 72 | Nelson |
| | 1800 | 72 | Nelson |
| | 2100 | | |
| | 2400 | | |

Friday 10-11

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DOTSON |
| | 1200 | 72 | M DOTSON |
| | 1500 | 72 | Nelson |
| | 1800 | 72 | Nelson |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-14

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DODSON ✓ |
| | 1200 | 72 | M DODSON ✓ |
| | 1500 | 72 | Nelson |
| | 1800 | 70 | Nelson |
| | 2100 | | |
| | 2400 | | |

Tuesday 10-15

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DODSON ✓ |
| | 1200 | 72 | M DODSON ✓ |
| | 1500 | 71 | Nelson |
| | 1800 | 70 | Nelson |
| | 2100 | | |
| | 2400 | | |

Wednesday 10-16

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DODSON ✓ |
| | 1200 | 72 | M DODSON ✓ |
| | 1500 | 70 | Nelson |
| | 1800 | 70 | Nelson |
| | 2100 | | |
| | 2400 | | |

Thursday 10-17

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DODSON ✓ |
| | 1200 | 71 | M DODSON ✓ |
| | 1500 | 70 | Nelson |
| | 1800 | 70 | Nelson |
| | 2100 | | |
| | 2400 | | |

Friday 10-18

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M DODSON ✓ |
| | 1200 | 72 | M DODSON ✓ |
| | 1500 | 71 | Nelson |
| | 1800 | 70 | Nelson |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-21-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| CH | 0900 | 70 | M Dots |
| | 1200 | 72 | M Dots |
| | 1500 | 72 | Nelson |
| | 1800 | 70 | Nelson |
| | 2100 | | |
| | 2400 | | |

Tuesday 10-22-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M Dots |
| | 1200 | 72 | M Dots |
| | 1500 | 72 | Nelson |
| | 1800 | 71 | Nelson |
| | 2100 | | |
| | 2400 | | |

Wednesday 10-23-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M Dots |
| | 1200 | 72 | M Dots |
| | 1500 | 72 | Nelson |
| | 1800 | 71 | Nelson |
| | 2100 | | |
| | 2400 | | |

Thursday 10-24-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M Dots |
| | 1200 | 71 | M Dots |
| | 1500 | 71 | Nelson |
| | 1800 | 70 | Nelson |
| | 2100 | | |
| | 2400 | | |

Friday 10-25-24

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | M Dots |
| | 1200 | 72 | M Dots |
| | 1500 | 72 | Nelson |
| | 1800 | 71 | Nelson |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 75 | CASTRO |
| | 1200 | 73 | Nelson |
| | 1500 | 73 | Nelson |
| | 1800 | 70 | Nelson |
| | 2100 | | |
| | 2400 | | |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 75 | MEDINA |
| | 1200 | 73 | Nelson |
| | 1500 | 72 | Nelson |
| | 1800 | 72 | Nelson |
| | 2100 | | |
| | 2400 | | |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | MEDINA |
| | 1200 | 72 | MEDINA |
| | 1500 | 73 | Nelson |
| | 1800 | 71 | Nelson |
| | 2100 | | |
| | 2400 | | |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | 70 | 121 0750C |
| | 1200 | 72 | Nelson |
| | 1500 | 71 | Nelson |
| | 1800 | 70 | Nelson |
| | 2100 | | |
| | 2400 | | |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cen Housing Unit: Forestry Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/2 | 0300 | 74 | Smith |
| | 0600 | 75 | C. mendoza |
| | 0900 | 76 | C. mendoza |
| | 1200 | 76 | C. mendoza |
| | 1500 | 77 | ROSILLO |
| | 1800 | 77 | ROSILLO |
| | 2100 | 76 | EDWARDS |
| | 2400 | 76 | SOMOZA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/2 | 0300 | 76 | SOMOZA |
| | 0600 | 72 | C. mendoza |
| | 0900 | 77 | C. mendoza |
| | 1200 | 79 | C. mendoza |
| | 1500 | 70 | M. LIMA |
| | 1800 | 79 | M. LIMA |
| | 2100 | 79 | ARAYA |
| | 2400 | 81 | L. TRAN |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/3 | 0300 | 79 | L. TRAN |
| | 0600 | 81 | C. mendoza |
| | 0900 | 78 | C. mendoza |
| | 1200 | 80 | C. mendoza |
| | 1500 | 80 | SEKMA |
| | 1800 | 79 | SEKMA |
| | 2100 | 78 | Seque |
| | 2400 | 76 | SMITH |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/4 | 0300 | 70 | SMITH |
| | 0600 | 77 | C. mendoza |
| | 0900 | 76 | Van Allen |
| | 1200 | 71 | C. mendoza |
| | 1500 | 80 | N. VELAZQUEZ |
| | 1800 | 79 | N. VELAZQUEZ |
| | 2100 | 77 | N. VELAZQUEZ |
| | 2400 | 77 | Smith |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/5 | 0300 | 74 | Smith |
| | 0600 | 75 | C. mendoza |
| | 0900 | 76 | Van Allen |
| | 1200 | 80 | C. mendoza |
| | 1500 | 80 | SEKMA |
| | 1800 | 82 | OSuna |
| | 2100 | 82 | OSuna |
| | 2400 | 80 | OSuna |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 10/6 | 0300 | 76 | SANCHEZ |
| | 0600 | 76 | Van Allen |
| | 0900 | 74 | Van Allen |
| | 1200 | 76 | Van Allen |
| | 1500 | 77 | N. VELAZQUEZ |
| | 1800 | 77 | N. VELAZQUEZ |
| | 2100 | 76 | N. VELAZQUEZ |
| | 2400 | 82 | J. OSuna |

Notes: Date and type of cooling measures provided

(P)

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C.I.W Housing Unit: 7C Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 10/7/2024 | 0300 | 78 | Josuna |
| | 0600 | 77 | C.mendona |
| | 0900 | 77 | Cmendona |
| | 1200 | 79 | Cmendona |
| | 1500 | 79 | N.VERAZAVER |
| | 1800 | 77 | N.VERAZAVER |
| | 2100 | 76 | N.VERAZAVER |
| | 2400 | 79 | Hueso |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/8/24 | 0300 | 79 | Hueso |
| | 0600 | 78 | C.mendona |
| | 0900 | 78 | Cmendona |
| | 1200 | 79 | Cmendona |
| | 1500 | 78 | Ramona M |
| | 1800 | 77 | Ramona M |
| | 2100 | 77 | Ramona M |
| | 2400 | 80 | Cmendona |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 10/9/24 | 0300 | 78 | Cmendona |
| | 0600 | 78 | C.mendona |
| | 0900 | 78 | Cmendona |
| | 1200 | 79 | C.Jawor |
| | 1500 | 79 | C.SERKMA |
| | 1800 | 78 | C.SERKMA |
| | 2100 | 78 | C.SERKMA. |
| | 2400 | 78 | LOREDO |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/10/24 | 0300 | 78 | LOREDO |
| | 0600 | 77 | C.Jawor |
| | 0900 | 79 | Jewell |
| | 1200 | 79 | Jewell |
| | 1500 | 79 | L.-Iran |
| | 1800 | 78 | L.-Iran |
| | 2100 | 78 | L.-Iran |
| | 2400 | 78 | Reyes |

Friday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/11/2024 | 0300 | 76 | Perry J |
| | 0600 | 77 | ABROTT N |
| | 0900 | 79 | CATANAS |
| | 1200 | 80 | CATANAS |
| | 1500 | 79 | N.VERAZAVER |
| | 1800 | 77 | N.VERAZAVER |
| | 2100 | 77 | N.VERAZAVER |
| | 2400 | 77 | Rita I |

Saturday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/12/2024 | 0300 | 76 | D.R.41 |
| | 0600 | 74 | C.SOLITSON |
| | 0900 | 75 | J.moreno |
| | 1200 | 76 | J.moreno |
| | 1500 | 76 | SEKMA |
| | 1800 | 76 | SEKMA |
| | 2100 | 75 | SEKMA |
| | 2400 | 75 | OSuna |

Notes: Date and type of cooling measures provided

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/13/2024 | 0300 | 75 | Josuna |
| | 0600 | 77 | M.BALMER |
| | 0900 | 79 | M.BALMER |
| | 1200 | 79 | M.BALMER |
| | 1500 | 79 | Josuna |
| | 1800 | 76 | Josuna |
| | 2100 | 75 | Josuna |
| | 2400 | 75 | Josuna |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C.I.W. Housing Unit: Rc Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/14/2014 | 0300 | 73 | Osuna |
| | 0600 | 72 | Cmendona |
| | 0900 | 71 | Cmendona |
| | 1200 | 71 | Cmendona |
| | 1500 | 72 | N.ULAZARZUE |
| | 1800 | 72 | N.ULAZARZUE |
| | 2100 | 70 | N.ULAZARZUE |
| | 2400 | 70 | VILLEJO |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/15/2014 | 0300 | 70 | Riley |
| | 0600 | 72 | RAMIREZ |
| | 0900 | 72 | C.mendona |
| | 1200 | 75 | Cmendona |
| | 1500 | 74 | Ramirez |
| | 1800 | 71 | Ramirez |
| | 2100 | 70 | Ramirez |
| | 2400 | 70 | C.mendona |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/16/2014 | 0300 | 71 | Mendez |
| | 0600 | 72 | CASANOV |
| | 0900 | 72 | C.mendona |
| | 1200 | 73 | CASANOV |
| | 1500 | 73 | SEKINA |
| | 1800 | 73 | Stabbiefield |
| | 2100 | 72 | Stabbiefield |
| | 2400 | 71 | Serrano |

Thursday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/17/2014 | 0300 | 70 | Serrano |
| | 0600 | 71 | CASANOV |
| | 0900 | 73 | CASANOV |
| | 1200 | 74 | CASANOV |
| | 1500 | 74 | SEKINA |
| | 1800 | 73 | SEKINA |
| | 2100 | 73 | SEKINA |
| | 2400 | 72 | Casano |

Friday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/18/2014 | 0300 | 72 | Lorenz |
| | 0600 | 73 | CASANOV |
| | 0900 | 73 | MORENO |
| | 1200 | 74 | CASANOV |
| | 1500 | 74 | SEKINA |
| | 1800 | 72 | Osuna |
| | 2100 | 72 | Osuna |
| | 2400 | 71 | Thompson |

Saturday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/19/2014 | 0300 | 70 | Thompson |
| | 0600 | 71 | CASANOV |
| | 0900 | 70 | VanAllen |
| | 1200 | 70 | VanAllen |
| | 1500 | 72 | N.ULAZARZUE |
| | 1800 | 70 | N.ULAZARZUE |
| | 2100 | 69 | N.ULAZARZUE |
| | 2400 | 70 | N.ULAZARZUE |

Notes: Date and type of cooling measures provided

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/20/2014 | 0300 | 70 | N.ULAZARZUE |
| | 0600 | 68 | XUNDERSON |
| | 0900 | 68 | XUNDERSON |
| | 1200 | 71 | XUNDERSON |
| | 1500 | 72 | N.ULAZARZUE |
| | 1800 | 70 | N.ULAZARZUE |
| | 2100 | 70 | N.ULAZARZUE |
| | 2400 | 70 | Riley Carter |

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTV Housing Unit: Forstry 1/RCU Temp: Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/21 | 0300 | 71 | D. R. W. |
| | 0600 | 70 | Van Allen |
| | 0900 | 70 | C. Menden |
| | 1200 | 72 | C. Menden |
| | 1500 | 72 | V. Venzquez |
| | 1800 | 70 | N. Velazquez |
| | 2100 | 70 | N. Velazquez |
| | 2400 | 73° | C. Johnson |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/23 | 0300 | 72° | C. Johnson |
| | 0600 | 72 | C. Johnson |
| | 0900 | 73 | C. Johnson |
| | 1200 | 74 | C. Johnson |
| | 1500 | 75 | Gonzalez |
| | 1800 | 70 | S. Ramirez |
| | 2100 | 70 | S. Ramirez |
| | 2400 | 75 | C. Johnson |

Friday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/25 | 0300 | 73 | C. Johnson |
| | 0600 | 72 | A. Casanave |
| | 0900 | 74 | C. Johnson |
| | 1200 | 74 | Van Allen |
| | 1500 | 73 | N. Velazquez |
| | 1800 | 72 | N. Velazquez |
| | 2100 | 71 | N. Velazquez |
| | 2400 | 73 | C. Johnson |

Sunday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/27 | 0300 | 72 | Osuna |
| | 0600 | 73 | Anderson |
| | 0900 | 71 | Anderson |
| | 1200 | 70 | Osuna |
| | 1500 | 78 | Osuna |
| | 1800 | 75 | Osuna |
| | 2100 | 73 | Osuna |
| | 2400 | 73 | Osuna |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/22 | 0300 | 72 | C. Johnson |
| | 0600 | 72 | Araine |
| | 0900 | 72 | C. Mendoza |
| | 1200 | 73 | C. Mendoza |
| | 1500 | 73 | Ramirez |
| | 1800 | 73 | Ramirez |
| | 2100 | 73 | Ramirez |
| | 2400 | 73 | C. Johnson |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/24 | 0300 | 72° | Sonora |
| | 0600 | 72 | C. Johnson |
| | 0900 | 73 | C. Johnson |
| | 1200 | 74 | C. Johnson |
| | 1500 | 73 | Lakefield |
| | 1800 | 78 | Sequoia |
| | 2100 | 76 | Wakewood |
| | 2400 | 74 | C. Johnson |

Saturday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 10/26 | 0300 | 72 | C. Johnson |
| | 0600 | 73 | C. Casanave |
| | 0900 | 74 | Van Allen |
| | 1200 | 75 | C. Johnson |
| | 1500 | 79 | Osuna |
| | 1800 | 78 | Osuna |
| | 2100 | 77 | Osuna |
| | 2400 | 75 | Osuna |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: FIU Housing Unit: RCV Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/28/24 | 0300 | 77 | O'Suna |
| | 0600 | 72 | Van Allen |
| | 0900 | 71 | N. PEREZ |
| | 1200 | 70 | Van Allen |
| | 1500 | 71 | N. PEREZ |
| | 1800 | 70 | N. PEREZ |
| | 2100 | 70 | N. PEREZ |
| | 2400 | 70 | D. Rizzo |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 10/13/2011 | 0300 | 70 | D. R. W. |
| | 0600 | 71 | CASPER |
| | 0900 | 70 | C. MENDOZA |
| | 1200 | 72 | CASPER |
| | 1500 | 74 | RAMIREZ RA |
| | 1800 | 74 | RAMIREZ RA |
| | 2100 | 73 | RAMIREZ RA |
| | 2400 | 70° | C. T. TOLSON |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 10/10/24 | 0300 | 69 | C. Johnson |
| | 0600 | 70 | C. mundan |
| | 0900 | 70 | c. mundan |
| | 1200 | 72 | C. mundan |
| | 1500 | 72 | GONZALEZ |
| | 1800 | 72 | SERINA |
| | 2100 | 70 | GONZALEZ |
| | 2400 | 71 | C. Johnson |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 1/21/1961 | 0300 | 71 | C. JOHNSON |
| | 0600 | 72 | CHASIN |
| | 0900 | 74 | CASTNER |
| | 1200 | 77 | COSTAN |
| | 1500 | 73 | WAKEFIELD |
| | 1800 | 70 | Van Allen |
| | 2100 | 70 | Van Allen |
| | 2400 | 71 | C. Johnson |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 11/1/2011 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 11/2/04 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator