

Monthly Summary Report

Institution: MCSP

Memorandum

Date: 9/4/2024
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Mule Creek State Prison

The following is a summary of the heat related activity for the month of September 2024
at MCSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes
Number of days Stage I Alert initiated: 18

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No
Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No
Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? Yes

5. Number of patients with heat related illness 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Patrick Covello

Warden Name

Warden Signature

W. David Smiley

Chief Executive Officer Name

Chief Executive Officer Signature

Facility A

Mule Creek State Prison

Date	Sunday	Temp.	Name (Print)
11/26/01		68	Yates
		2400	
		2100	
		1800	
		1500	
		1200	
		0900	
		0600	
		0300	

Notes

Date	Time	Temp.	Name (Pmt)
			2400
			2100
			1800
			1500
			1200
			0900
			0600
			0300

-1-

Date	Time	Temp.	Name (Print)
		0300	
		0600	
		0900	
		1200	
		1500	
		1800	
		2100	
		2400	

Measurement

Date	Time	Temp.	Name (Pmt)
		2400	
		2100	
		1800	
		1500	
		1200	
		0900	
		0600	
		0300	

Page 1

Immediately notify the Watch Commander at extension 5000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Temp. Reading Location: out of tank

Using an accurate thermometer on the highest location in the house (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Mule Creek State Prison
Facility A

Date	Time	Temp.	Name (Print)	Notes
0300	70	70	70	
0600	69.5	69.5	69.5	
0900	71.5	71.5	71.5	
1200	72.5	72.5	72.5	
1500	73.5	73.5	73.5	
1800	74.5	74.5	74.5	
2100	75.5	75.5	75.5	
2400	76.5	76.5	76.5	

Date	Time	Temp.	Name (Print)	Notes
0300	70	70	70	
0600	71.5	71.5	71.5	
0900	72.5	72.5	72.5	
1200	73.5	73.5	73.5	
1500	74.5	74.5	74.5	
1800	75.5	75.5	75.5	
2100	76.5	76.5	76.5	
2400	77.5	77.5	77.5	

Date	Time	Temp.	Name (Print)	Notes
0300	70	70	70	
0600	71.5	71.5	71.5	
0900	72.5	72.5	72.5	
1200	73.5	73.5	73.5	
1500	74.5	74.5	74.5	
1800	75.5	75.5	75.5	
2100	76.5	76.5	76.5	
2400	77.5	77.5	77.5	

Date	Time	Temp.	Name (Print)	Notes
0300	70	70	70	
0600	71.5	71.5	71.5	
0900	72.5	72.5	72.5	
1200	73.5	73.5	73.5	
1500	74.5	74.5	74.5	
1800	75.5	75.5	75.5	
2100	76.5	76.5	76.5	
2400	77.5	77.5	77.5	

Date	Time	Temp.	Name (Print)	Notes
0300	70	70	70	
0600	71.5	71.5	71.5	
0900	72.5	72.5	72.5	
1200	73.5	73.5	73.5	
1500	74.5	74.5	74.5	
1800	75.5	75.5	75.5	
2100	76.5	76.5	76.5	
2400	77.5	77.5	77.5	

Date	Time	Temp.	Name (Print)	Notes
0300	70	70	70	
0600	71.5	71.5	71.5	
0900	72.5	72.5	72.5	
1200	73.5	73.5	73.5	
1500	74.5	74.5	74.5	
1800	75.5	75.5	75.5	
2100	76.5	76.5	76.5	
2400	77.5	77.5	77.5	

Date	Time	Temp.	Name (Print)	Notes
0300	70	70	70	
0600	71.5	71.5	71.5	
0900	72.5	72.5	72.5	
1200	73.5	73.5	73.5	
1500	74.5	74.5	74.5	
1800	75.5	75.5	75.5	
2100	76.5	76.5	76.5	
2400	77.5	77.5	77.5	

Date	Time	Temp.	Name (Print)	Notes
0300	70	70	70	
0600	71.5	71.5	71.5	
0900	72.5	72.5	72.5	
1200	73.5	73.5	73.5	
1500	74.5	74.5	74.5	
1800	75.5	75.5	75.5	
2100	76.5	76.5	76.5	
2400	77.5	77.5	77.5	

Date	Time	Temp.	Name (Print)	Notes
0300	70	70	70	
0600	71.5	71.5	71.5	
0900	72.5	72.5	72.5	
1200	73.5	73.5	73.5	
1500	74.5	74.5	74.5	
1800	75.5	75.5	75.5	
2100	76.5	76.5	76.5	
2400	77.5	77.5	77.5	

Date	Time	Temp.	Name (Print)	Notes
0300	70	70	70	
0600	71.5	71.5	71.5	
0900	72.5	72.5	72.5	
1200	73.5	73.5	73.5	
1500	74.5	74.5	74.5	
1800	75.5	75.5	75.5	
2100	76.5	76.5	76.5	
2400	77.5	77.5	77.5	

Using an accurate thermometer in the highest location in the housing unit (e.g., top tier, 3rd tier, etc.) ambient air temperature in all non-air-conditioned housing units where an inmate is housed. (Note: Air-conditioned housing units will also be monitored when the heat list may be housed.) Immediately notify the Watch Commander at extension 55325 when the inside air temperature reaches 90 degrees and again at 95 degrees. (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: MLCSP Housing Unit: 1 Date: May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE heat list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. (Note: Air-conditioned housing units will also be monitored when the heat list may be housed.)

DEPARTMENT OF CORRECTIONS AND REHABILITATION STATE OF CALIFORNIA CCR 2031 (04/18) INSIDE TEMPERATURE RECORD

Facility A

Mule Creek State Prison

Date	Time	Temp.	Name (Print)
Sunday	0300	70	Chandler
	0600	68	Swanson
	0900	70	Swanson
	1200	70	Swanson
	1500	70	Swanson
	1800	70	Swanson
	2100	72	Ward
	2400	70	Ward

Notes

Date	Time	Temp.	Name (Print)
0300	70	TWOO	
0600	70	DEEES	
0900	70	DEEES	
1200	71.7	DEEES	
1500	72.4	DEEES	
1800	72.3	DEEES	
2100	70	DEEES	
2400	70	DEEES	

Saturday

Date	Time	Temp.	Name (Print)
Friday	0300	70	Thurs
	0600	70	Thurs
	0900	71	Alexander
	1200	72	Alexander
	1500	73	TAAO
	1800	72	Thurs
	2100	71	Thurs
	2400	76	Thurs

Sunday

Lunes

Date	Time	Temp.	Name (Print)
0300	70	Water	0300
0600	30	Water	0600
0900	30	Water	0900
1200	30	Water	1200
1500	35	Water	1500
1800	75	Water	1800
2100	78	Water	2100
2400	77	Water	2400
			MORNING

911312024

Date	Time	Temp.	Name (Print)
Wednesday	0300	75	Yvonne
	0600	30.1	Alexander
	0900	31.1	Alexander
	1200	32.6	Alexander
	1500	74	Mona
	1800	73	Mona
	2100	72	Mona
	2400	72	Mona

son |

Date	Time	Temp.	Name (Print)	House #
0300	69	74.5	HANNAH	13
0600	69.1	74.5	MARIE	12
0900	71.2	75	DARREN	10
1200	73	76	TYRONE	9
1500	73	76	TYRONE	8
1800	73	76	TYRONE	7
2100	71	75	TYRONE	6
2400	70	75	TYRONE	5

四百九

immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Sample reading lesson (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Mile Greek State Prison
Facility A

Notes

Date	Time	Temp.	Name (Print)
0300	70	70	helene
0600	70	70	Yann
0900	70	70	Yann
1200	70	70	Yann
1500	71	71	Yann
1800	72	72	Yann
2100	72	72	Yann
2400	70	70	helene

Sunday
Date Time Name (Print)

0300	70	helene
0600	70	helene
0900	70	helene
1200	70	helene
1500	71	helene
1800	72	helene
2100	72	helene
2400	70	helene

Date	Time	Temp.	Name (Print)
0300	70	helene	
0600	70	helene	
0900	70	helene	
1200	70	helene	
1500	70	helene	
1800	70	helene	
2100	70	helene	
2400	70	helene	

Friday
Date Time Name (Print)

0300	70	helene
0600	70	helene
0900	70	helene
1200	70	helene
1500	70	helene
1800	70	helene
2100	70	helene
2400	70	helene

Date	Time	Temp.	Name (Print)
0300	70	helene	
0600	70	helene	
0900	70	helene	
1200	70	helene	
1500	70	helene	
1800	70	helene	
2100	70	helene	
2400	70	helene	

Wednesday
Date Time Name (Print)

0300	70	helene
0600	70	helene
0900	70	helene
1200	70	helene
1500	70	helene
1800	70	helene
2100	70	helene
2400	70	helene

Monday
Date Time Name (Print)

0300	70	helene
0600	70	helene
0900	70	helene
1200	70	helene
1500	70	helene
1800	70	helene
2100	70	helene
2400	70	helene

Tuesday
Date Time Name (Print)

0300	70	helene
0600	70	helene
0900	70	helene
1200	70	helene
1500	70	helene
1800	70	helene
2100	70	helene
2400	70	helene

Wednesday
Date Time Name (Print)

0300	70	helene
0600	70	helene
0900	70	helene
1200	70	helene
1500	70	helene
1800	70	helene
2100	70	helene
2400	70	helene

Thursday
Date Time Name (Print)

0300	70	helene
0600	70	helene
0900	70	helene
1200	70	helene
1500	70	helene
1800	70	helene
2100	70	helene
2400	70	helene

Friday
Date Time Name (Print)

0300	70	helene
0600	70	helene
0900	70	helene
1200	70	helene
1500	70	helene
1800	70	helene
2100	70	helene
2400	70	helene

Saturday
Date Time Name (Print)

0300	70	helene
0600	70	helene
0900	70	helene
1200	70	helene
1500	70	helene
1800	70	helene
2100	70	helene
2400	70	helene

Sunday
Date Time Name (Print)

0300	70	helene
0600	70	helene
0900	70	helene
1200	70	helene
1500	70	helene
1800	70	helene
2100	70	helene
2400	70	helene

90 degrees and again at 95 degrees.
When the inside air temperature reaches

immediately notify the Watch Commander at extension 5533
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer housed in the highest unit in the housing unit (e.g., top tier) where an inmate is housed.

Note: Air-conditioned housed units will also be monitored when the heat list may be housed.

Ambient air temperature in all non-air-conditioned housed units will also be monitored when the heat list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

INSIDE TEMPERATURE RECORD
DEPARTMENT OF CORRECTIONS AND REHABILITATION
CDCR 2031 (04/18)
STATE OF CALIFORNIA

Mule Creek State Prison

Mule Creek State Prison

Notes

Date	Time	Temp.	Name (Print)
	0300	70	THRU
	0600	70	THRU
	0900	70	THRU
	1200	70	THRU
	1500	71	THRU
	1800	70	THRU
	2100	70	THRU
	2400	70	THRU

Saturday

Date	Time	Temp.	Name (Print)
0300	70.	70°	EXTREME
0600	70	70	MORNING
0900	70	70	TOUCH
1200	70	70	TOUCH
1500	75	75	TOUCH
1800	75	75	TOUCH
2100	75	75	TOUCH
2400	71	71	TOUCH

Thursday

Date	Time	Temp.	Name (Print)
0300	30.	70.	DENIER
0600	30	70	DENIER
0900	70	80	DENIER
1200	71	82	DENIER
1500	71	85	ESPAGNE
1800	71	88	ESPAGNE
2100	72	92	ESPAGNE
2400	71	96	ESPAGNE

Tuesday

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

immersed in the first few layers of soil. This is often referred to as the **soil horizon**.

Institution: MSR Housing Unit: 1 Temp. Reading Location: outdoor

task list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat-risk list is housed. The inside air temperature is to be taken at the top tier of the housing unit (e.g., top tier) where an inmate on the heat-risk list is housed.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

(Note: All-conditioned buildings will also be monitored where an immediate risk may be housed.)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DEPARTMENT OF CORRECTIONS AND REHABILITATION
CDCR 2031 (04/18)

Date	Time	Temp.	Name (Print)	Notes
0300	70	75	BLUESIDE	
0600	70	70	BLUESIDE	
0900	70	70	BLUESIDE	
1200	70	70	BLUESIDE	
1500	70	70	BLUESIDE	
1800	70	70	BLUESIDE	
2100	70	70	BLUESIDE	
2400	70	70	BLUESIDE	

Sunday

Date	Time	Temp.	Name (Print)
0300	70	70	hellebore
0600	69	70	
0900	70	70	
1200	71	71	
1500	71	71	
1800	71	71	
2100	71	71	
2400	71	71	

Fri

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	70	ESCAPE
0600	65	72	ESCAPE
0900	70	70	ESCAPE
0600	70	70	ESCAPE
0900	70	70	ESCAPE
1200	71	71	ESCAPE
1500	71	71	ESCAPE
1800	72	72	ESCAPE
2100	71	71	ESCAPE
2400	70	70	ESCAPE

Monday

Mule Creek State Prison

Mule Creek State Prison

Notes

Date	Time	Temp.	Name (Print)
		0300	
		0600	
		0900	
		1200	
		1500	
		1800	
		2100	
		2400	

Saturday

Date	Time	Temp.	Name (Print)
		0300	0300
		0600	0600
		0900	0900
		1200	1200
		1500	1500
		1800	1800
		2100	2100
		2400	2400

Thursday

Date	Name (Print)	Temp.	Time
			0300
			0600
			0900
			1200
			1500
			1800
			2100
			2400

Tuesday

when the inside air temperature reaches 90 degrees and again at 95 degrees immediately owing the water connection.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: WUCS Housing Unit: 1 Temp. Reading Location: outhouse

Each test is housed. The tissue will tolerate air every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat

(Note: All recommended measures will also be followed when all conditions is maintained).

ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

CDR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION STATE OF CALIFORNIA

Facility A
Mule Creek State Prison

Date	Time	Temp.	Name (Print)
Saturday			
		2400	
		2100	
		1800	
		1500	
		1200	
		900	
		0600	
		0300	
		0000	
		2400	
		2100	
		1800	
		1500	
		1200	
		900	
		0600	
		0300	
		0000	

Date	Time	Temp.	Name (Print)
Friday			
		2400	
		2100	
		1800	
		1500	
		1200	
		900	
		0600	
		0300	
		0000	

Date	Time	Temp.	Name (Print)
Wednesday			
		2400	
		2100	
		1800	
		1500	
		1200	
		900	
		0600	
		0300	
		0000	

Date	Time	Temp.	Name (Print)
Tuesday			
		2400	
		2100	
		1800	
		1500	
		1200	
		900	
		0600	
		0300	
		0000	

Date	Time	Temp.	Name (Print)
Monday			
		2400	
		2100	
		1800	
		1500	
		1200	
		900	
		0600	
		0300	
		0000	

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier, 3rd tier, etc.) Temp. Reading Location: *out tier* *5533* Temp. Reading Unit: *MCSF* Housing Unit: *MCSF*

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier, 3rd tier, etc.) Temp. Reading Location: *out tier* *5533* Temp. Reading Unit: *MCSF* Housing Unit: *MCSF*

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed, ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed, using an accurate thermometer on the highest location in the housing unit (e.g., top tier, 3rd tier, etc.) Temp. Reading Location: *out tier* *5533* Temp. Reading Unit: *MCSF* Housing Unit: *MCSF*)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

DEPARTMENT OF CORRECTIONS AND REHABILITATION INSIDE TEMPERATURE RECORD CCR 2031 (04/18) STATE OF CALIFORNIA

Date	Time	Temp.	Name (Print)
Tuesday			
0300	06	70	MICHAEL
0600	09	70	A. VILLENA
0900	12	70	R. VILLENA
1200	15	70	R. VILLENA
1500	18	70	R. VILLENA
1800	21	70	R. VILLENA
2100	24	70	R. VILLENA
2400	01	70	QUINTIN
Wednesday			
0300	08	70	MICHAEL
0600	11	70	A. VILLENA
0900	14	70	R. VILLENA
1200	17	70	R. VILLENA
1500	20	70	R. VILLENA
1800	23	70	R. VILLENA
2100	26	70	R. VILLENA
2400	01	70	QUINTIN
Thursday			
0300	07	70	A. VILLENA
0600	10	70	R. VILLENA
0900	13	70	R. VILLENA
1200	16	70	R. VILLENA
1500	19	70	R. VILLENA
1800	22	70	R. VILLENA
2100	25	70	R. VILLENA
2400	00	70	QUINTIN
Friday			
0300	07	70	A. VILLENA
0600	10	70	R. VILLENA
0900	13	70	R. VILLENA
1200	16	70	R. VILLENA
1500	19	70	R. VILLENA
1800	22	70	R. VILLENA
2100	25	70	R. VILLENA
2400	00	70	QUINTIN
Saturday			
0300	07	70	A. VILLENA
0600	10	70	R. VILLENA
0900	13	70	R. VILLENA
1200	16	70	R. VILLENA
1500	19	70	R. VILLENA
1800	22	70	R. VILLENA
2100	25	70	R. VILLENA
2400	00	70	QUINTIN
Sunday			
0300	07	70	A. VILLENA
0600	10	70	R. VILLENA
0900	13	70	R. VILLENA
1200	16	70	R. VILLENA
1500	19	70	R. VILLENA
1800	22	70	R. VILLENA
2100	25	70	R. VILLENA
2400	00	70	QUINTIN

Using an accurate thermometer housed in the highest location in the housing unit (e.g., top tier, 3rd tier, etc.) immediately notify the Watch Commander at extension 5633 when the inside air temperature reaches 90 degrees and again at 95 degrees.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning). Using an accurate thermometer housed in the highest location in the housing unit (e.g., top tier, 3rd tier) days a week, risks list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Date	Time	Temp.	Name (Print)
Tuesday			
0300	72	71	MICHAEL
0600	70	69	WILLARD
0900	68	67	ROBERT
1200	72	70	E. WALTER
1500	70	68	R. WALTER
1800	70	68	J. WALTER
2100	70	68	T. WALTER
2400	69	68	WALTER
Wednesday			
0300	70	69	WILLARD
0600	68	67	ROBERT
0900	66	65	J. WALTER
1200	68	67	R. WALTER
1500	68	67	T. WALTER
1800	68	67	WALTER
2100	68	67	WALTER
2400	67	66	WALTER
Thursday			
0300	70	69	WILLARD
0600	68	67	ROBERT
0900	66	65	J. WALTER
1200	68	67	R. WALTER
1500	68	67	T. WALTER
1800	68	67	WALTER
2100	68	67	WALTER
2400	67	66	WALTER
Friday			
0300	70	69	WILLARD
0600	68	67	ROBERT
0900	66	65	J. WALTER
1200	68	67	R. WALTER
1500	68	67	T. WALTER
1800	68	67	WALTER
2100	68	67	WALTER
2400	67	66	WALTER
Saturday			
0300	70	69	WILLARD
0600	68	67	ROBERT
0900	66	65	J. WALTER
1200	68	67	R. WALTER
1500	68	67	T. WALTER
1800	68	67	WALTER
2100	68	67	WALTER
2400	67	66	WALTER
Sunday			
0300	70	69	WILLARD
0600	68	67	ROBERT
0900	66	65	J. WALTER
1200	68	67	R. WALTER
1500	68	67	T. WALTER
1800	68	67	WALTER
2100	68	67	WALTER
2400	67	66	WALTER

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer on the highest unit in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is monitored shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units when the heat risk list may be housed. From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is monitored.)

Institution: MCSF Housing Unit: 8
 Temp. Reading Location: *out Tie*
 Temp. Readings at extension 5533
 When the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
0300	70	69	L. ALEXANDER
0600	68	67	C. MULLER
0900	66	65	T. ALEXANDER
1200	68	67	G. MULLER
1500	68	67	A. MULLER
1800	68	67	T. ALEXANDER
2100	68	67	G. MULLER
2400	67	66	A. MULLER

Date	Time	Temp.	Name (Print)
0300	70	69	L. ALEXANDER
0600	68	67	C. MULLER
0900	66	65	T. ALEXANDER
1200	68	67	G. MULLER
1500	68	67	A. MULLER
1800	68	67	T. ALEXANDER
2100	68	67	G. MULLER
2400	67	66	A. MULLER

Date	Time	Temp.	Name (Print)
0300	70	69	L. ALEXANDER
0600	68	67	C. MULLER
0900	66	65	T. ALEXANDER
1200	68	67	G. MULLER
1500	68	67	A. MULLER
1800	68	67	T. ALEXANDER
2100	68	67	G. MULLER
2400	67	66	A. MULLER

Date	Time	Temp.	Name (Print)
0300	70	69	L. ALEXANDER
0600	68	67	C. MULLER
0900	66	65	T. ALEXANDER
1200	68	67	G. MULLER
1500	68	67	A. MULLER
1800	68	67	T. ALEXANDER
2100	68	67	G. MULLER
2400	67	66	A. MULLER

Date	Time	Temp.	Name (Print)
0300	70	69	L. ALEXANDER
0600	68	67	C. MULLER
0900	66	65	T. ALEXANDER
1200	68	67	G. MULLER
1500	68	67	A. MULLER
1800	68	67	T. ALEXANDER
2100	68	67	G. MULLER
2400	67	66	A. MULLER

heat 1/16

heat 1/16

heat 1/16

Date	Time	Temp.	Name (Print)
Saturday			
0300	70	70	HOLLY
0600	70	70	BRUNNERS
0900	70	70	BRUNNERS
1200	70	70	BRUNNERS
1500	70	70	BRUNNERS
1800	70	70	BRUNNERS
2100	70	70	BRUNNERS
2400	70	70	BRUNNERS
Sunday			
0300	70	70	HOLLY
0600	70	70	SPIKE
0900	70	70	SPIKE
1200	70	70	SPIKE
1500	70	70	SPIKE
1800	70	70	SPIKE
2100	70	70	SPIKE
2400	70	70	SPIKE

Date	Time	Temp.	Name (Print)
Monday			
0300	70	70	HOLLY
0600	70	70	DARLEEN
0900	70	70	DARLEEN
1200	70	70	DARLEEN
1500	70	70	DARLEEN
1800	70	70	DARLEEN
2100	70	70	DARLEEN
2400	70	70	DARLEEN

Date	Time	Temp.	Name (Print)
Tuesday			
0300	70	70	HOLLY
0600	70	70	SPIKE
0900	70	70	SPIKE
1200	70	70	SPIKE
1500	70	70	SPIKE
1800	70	70	SPIKE
2100	70	70	SPIKE
2400	70	70	SPIKE

Date	Time	Temp.	Name (Print)
Wednesday			
0300	75	75	AWRA
0600	74	74	AWRA
0900	74	74	AWRA
1200	75	75	ESPIKE
1500	75	75	ESPIKE
1800	75	75	ESPIKE
2100	75	75	ESPIKE
2400	75	75	ESPIKE

Date	Time	Temp.	Name (Print)
Thursday			
0300	70	70	HOLLY
0600	70	70	HOLLY
0900	70	70	HOLLY
1200	70	70	HOLLY
1500	70	70	HOLLY
1800	70	70	HOLLY
2100	70	70	HOLLY
2400	70	70	HOLLY

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier, 2nd tier, 3rd tier, etc.) immediately notify the Watch Commander when the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored where an inmate on the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where an inmate is malfuncitioning.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

Facility A

Mule Creek State Prison

Notes

Saturday

Sunday

Date	Time	Temp.	Name (Print)
			Friday
			2400
			2100
			1800
			1500
			1200
			0900
			0600
			0300

Frida

2400

Date	Name (Print)	Temp.	Time
			0300
			0600
			0900
			1200
			1500
			1800
			2100
			2400

Thursday

Wednesday Time

Geographia

immediately notify the Watch Commander when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Emp. Reading Location:

— [View Details](#)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

INSIDE TEMPERATURE RECORD
STATE OF CALIFORNIA
CDCR 2031 (04/18)

Facility A

Mule Creek State Prison

Date	Time	Temp.	Name (Print)
Wednesday	0300	0600	0900
Wednesday	1200	1500	1800
Wednesday	2100	2400	
Thursday	0300	0600	0900
Thursday	1200	1500	1800
Thursday	2100	2400	
Saturday	0300	0600	0900
Saturday	1200	1500	1800
Saturday	2100	2400	

Immediately notify the Watch Commander when the inside air temperature reaches 90 degrees and again at 95 degrees.

Immediately notify the Watch Committee at extension 5533 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: Muse Housing Unit: 3 Temp. Reading Location: outdoor

risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer units will also be monitored when the air conditioner is malfunctioning.

(Note: All-conditioned housing units where an inmate on the heat risk list may be housed, ambient air temperature in all non-air-conditioned housing units shall be responsible to monitor and log the INSIDE

From May 1st through October 31st, the weather shall dictate what's best for you.

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
INSIDE TEMPERATURE RECORD

Date	Time	Temp.	Name (Print)
Sunday	0300	0600	0900
	1200	1500	1800
	1800	2100	2400
	2100	2400	2100
	2400	2100	2100

Date	Time	Temp.	Name (Print)
Wednesday			
			2400
			2100
			1800
			1500
			1200
			0900
			0600
			0300

Date	Time	Temp.	Name (Perm)	Wedgeless
			0300	
			0600	
			0900	
			1200	
			1500	
			1800	
			2100	
			2400	

Immediately notify the Watch Commander at extreme
90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier, 3rd tier, etc.) immediately notify the Watch Commander at extension 5000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. Ambiente air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Using a risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

ambiente air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier, 3rd tier, etc.) immediately notify the Watch Commander at extension 5000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)	Notes
0300	71	WILLIAMS		
0600	70	WILLIAMS		
0900	70	J. CHAVES		
0600	70	J. CHAVES		
0900	70	J. CHAVES		
1200	70	J. CHAVES		
1500	70	J. CHAVES		
1800	70	J. CHAVES		
2100	70	J. CHAVES		
2400	70	J. CHAVES		

Date	Time	Temp.	Name (Print)	Notes
0300	70	WILLIAMS		
0600	70	J. CHAVES		
0900	70	J. CHAVES		
1200	70	J. CHAVES		
1500	70	J. CHAVES		
1800	70	J. CHAVES		
2100	70	J. CHAVES		
2400	70	J. CHAVES		

Date	Time	Temp.	Name (Print)	Notes
0300	70	WILLIAMS		
0600	70	J. CHAVES		
0900	70	J. CHAVES		
1200	70	J. CHAVES		
1500	70	J. CHAVES		
1800	70	J. CHAVES		
2100	70	J. CHAVES		
2400	70	J. CHAVES		

Date	Time	Temp.	Name (Print)	Notes
0300	70	ESTRADA		
0600	70	ESTRADA		
0900	70	ESTRADA		
1200	70	ESTRADA		
1500	70	ESTRADA		
1800	70	ESTRADA		
2100	70	ESTRADA		
2400	70	ESTRADA		

Date	Time	Temp.	Name (Print)	Notes
0300	70	ESTRADA		
0600	70	ESTRADA		
0900	70	ESTRADA		
1200	70	ESTRADA		
1500	70	ESTRADA		
1800	70	ESTRADA		
2100	70	ESTRADA		
2400	70	ESTRADA		

Date	Time	Temp.	Name (Print)	Notes
0300	70	MULE CREEK STATE PRISON		

Date	Time	Temp.	Name (Print)
Tuesday			
0300	40	54.125	
0600	70	54.125	
0900	70	54.125	
1200	70	54.125	
1500	73	54.125	
1800	75	54.125	
2100	76	54.125	
2400	76	54.125	
Wednesday			
0300	40	54.125	
0600	70	54.125	
0900	70	54.125	
1200	70	54.125	
1500	73	54.125	
1800	75	54.125	
2100	76	54.125	
2400	76	54.125	
Thursday			
0300	40	54.125	
0600	70	54.125	
0900	70	54.125	
1200	70	54.125	
1500	73	54.125	
1800	75	54.125	
2100	76	54.125	
2400	76	54.125	
Friday			
0300	40	54.125	
0600	70	54.125	
0900	70	54.125	
1200	70	54.125	
1500	73	54.125	
1800	75	54.125	
2100	76	54.125	
2400	76	54.125	
Saturday			
0300	40	54.125	
0600	70	54.125	
0900	70	54.125	
1200	70	54.125	
1500	73	54.125	
1800	75	54.125	
2100	76	54.125	
2400	76	54.125	
Sunday			
0300	40	54.125	
0600	70	54.125	
0900	70	54.125	
1200	70	54.125	
1500	73	54.125	
1800	75	54.125	
2100	76	54.125	
2400	76	54.125	

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is housed. Assemble all temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

Date	Time	Temp.	Name (Print)
0300	70	140.125	
0600	70	140.125	
0900	70	140.125	
1200	71	140.125	
1500	71	140.125	
1800	72	140.125	
2100	70	140.125	
2400	70	140.125	

Date	Time	Temp.	Name (Print)
0300	70	140.125	
0600	70	140.125	
0900	70	140.125	
1200	72	140.125	
1500	72	140.125	
1800	70	140.125	
2100	70	140.125	
2400	70	140.125	

Date	Time	Temp.	Name (Print)
0300	70	140.125	
0600	70	140.125	
0900	70	140.125	
1200	72	140.125	
1500	72	140.125	
1800	70	140.125	
2100	70	140.125	
2400	70	140.125	

Date	Time	Temp.	Name (Print)
0300	70	140.125	
0600	70	140.125	
0900	70	140.125	
1200	72	140.125	
1500	72	140.125	
1800	70	140.125	
2100	70	140.125	
2400	70	140.125	

heat/silb

heat/silb

heat/silb

heat/silb

Facility A

Multi Greek State Prison

Date	Time	Temp.	Name (Print)
0300	30.0	C. ENDICOTT	
0600	30.0	A. ENDICOTT	
0900	69.8	C. ENDICOTT	
0300	69.8	C. ENDICOTT	
0600	69.8	C. ENDICOTT	
0900	70.0	A. ENDICOTT	
1200	70.0	A. ENDICOTT	
1500	70.0	A. ENDICOTT	
1800	70.0	A. ENDICOTT	
2100	70.0	A. ENDICOTT	
2400	70.0	C. ENDICOTT	

Notes

Date	Time	Temp.	Name (Print)
0300	30.0	C. ENDICOTT	
0600	30.0	A. ENDICOTT	
0900	70.0	A. ENDICOTT	
1200	70.0	A. ENDICOTT	
1500	70.0	A. ENDICOTT	
1800	70.0	A. ENDICOTT	
2100	70.0	A. ENDICOTT	
2400	70.0	C. ENDICOTT	

Date	Time	Temp.	Name (Print)
0300	30.0	C. ENDICOTT	
0600	30.0	A. ENDICOTT	
0900	70.0	A. ENDICOTT	
1200	70.0	A. ENDICOTT	
1500	70.0	A. ENDICOTT	
1800	70.0	A. ENDICOTT	
2100	70.0	A. ENDICOTT	
2400	70.0	C. ENDICOTT	

Date	Time	Temp.	Name (Print)
0300	69.3	J. CHAVEZ	
0600	69.3	J. CHAVEZ	
0900	69.3	J. CHAVEZ	
1200	70	J. CHAVEZ	
1500	70	J. CHAVEZ	
1800	70	J. CHAVEZ	
2100	70	J. CHAVEZ	
2400	70	J. CHAVEZ	

Date	Time	Temp.	Name (Print)
0300	69.7	LARIES	
0600	69.7	LARIES	
0900	70	LARIES	
1200	70	R. LARIES	
1500	72	R. LARIES	
1800	72	R. LARIES	
2100	70	R. LARIES	
2400	69.9	LARIES	

Wednesday

90 degrees and again at 95 degrees.

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat

risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.)

Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

housing unit location.

Institution: MCFSP Housing Unit: 3

CDCR 2031 (04/18)

INSIDE TEMPERATURE RECORD

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

heathelb

heathelb

heathelb

heathelb

Sunday			
2400	70	B. Gandy	
2100	70	Thruw	
1800	70	Thruw	
1500	71	R. A. H. L. Williams	
1200	72	R. A. H. L. Williams	
0900	72	R. A. H. L. Williams	
0600	70	Walker	
0300	70	Name (Print)	
Date	Time	Temp.	Notes

heathelb

heathelb

heathelb

Friday			
2400	70	M. W.	
2100	70	A. S. Smith	
1800	70	A. S. Smith	
1500	70	A. S. Smith	
1200	70	A. S. Smith	
0900	70	A. S. Smith	
0600	70	C. E. McCallum	
0300	70	Name (Print)	
Date	Time	Temp.	Notes

heathelb

heathelb

heathelb

Wednesday			
2400	70	J. C. Chauvin	
2100	70	J. C. Chauvin	
1800	70	J. C. Chauvin	
1500	70	J. C. Chauvin	
1200	70	J. C. Chauvin	
0900	70	J. C. Chauvin	
0600	70	J. C. Chauvin	
0300	70	Name (Print)	
Date	Time	Temp.	Notes

heathelb

heathelb

heathelb

Tuesday			
2400	70	C. D. Edwards	
2100	70	C. D. Edwards	
1800	70	C. D. Edwards	
1500	70	C. D. Edwards	
1200	70	C. D. Edwards	
0900	70	C. D. Edwards	
0600	70	C. D. Edwards	
0300	70	Name (Print)	
Date	Time	Temp.	Notes

heathelb

heathelb

heathelb

Monday			
2400	72	J. M. Edwards	
2100	70	J. M. Edwards	
1800	72	V. Williams	
1500	70	R. A. H. L. Williams	
1200	70	R. A. H. L. Williams	
0900	70	R. A. H. L. Williams	
0600	70	R. A. H. L. Williams	
0300	70	Name (Print)	
Date	Time	Temp.	Notes

heathelb

heathelb

heathelb

immediately notify the Watch Commander at extension 5553 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored where an inmate on the heat risk list may be housed.)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored where an inmate on the heat risk list may be housed.)

Facility A

Mule Creek State Prison

Date	Time	Temp.	Name (Print)
Saturday	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	
Notes			

Date	Time	Temp.	Name (Print)
Sunday	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	
Notes			

Date	Time	Temp.	Name (Print)
Wednesday	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	
Friday	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	
Saturday	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	
Sunday	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	
Notes			

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier, 2nd tier, 3rd tier, etc.) take a reading every three (3) hours, seven (7) days a week.

Note: Air-conditioned housed units will also be monitored when the heat risk list may be housed.

Ambient air temperature in all non-air-conditioned housed units where an inmate is assigned.

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE

risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier, 2nd tier, 3rd tier, etc.) take a reading every three (3) hours, seven (7) days a week.

Note: Air-conditioned housed units will also be monitored when the heat risk list may be housed.

Ambient air temperature in all non-air-conditioned housed units where an inmate is assigned.

Date 06/16

Date 06/16

Date 06/16

Date 06/16

Date	Time	Temp.	Name (Print)
0300	70	70	Mule Creek State Prison
0600	70	70	
0900	70	70	
1200	72	72	
1500	72	72	
1800	74	74	
2100	76	76	
2400	78	78	

Date	Time	Temp.	Name (Print)
0300	70	70	
0600	70	70	
0900	70	70	
1200	72	72	
1500	72	72	
1800	74	74	
2100	76	76	
2400	78	78	

Date	Time	Temp.	Name (Print)
0300	70	70	
0600	70	70	
0900	70	70	
1200	72	72	
1500	72	72	
1800	74	74	
2100	76	76	
2400	78	78	

Date	Time	Temp.	Name (Print)
0300	69	69	
0600	69	69	
0900	69	69	
1200	71	71	
1500	73	73	
1800	73	73	
2100	73	73	
2400	73	73	

Date	Time	Temp.	Name (Print)
0300	70	70	
0600	70	70	
0900	70	70	
1200	71	71	
1500	71	71	
1800	71	71	
2100	75	75	
2400	78	78	

Date	Time	Temp.	Name (Print)
0300	69	69	
0600	69	69	
0900	70	70	
1200	73	73	
1500	75	75	
1800	77	77	
2100	78	78	
2400	79	79	

Date	Time	Temp.	Name (Print)
0300	69	69	
0600	69	69	
0900	69	69	
1200	71	71	
1500	73	73	
1800	75	75	
2100	78	78	
2400	79	79	

Using an accurate thermometer in the highest location in the housing unit will also be monitored when the air conditioner is malfunctioning.	From May 1 st through October 31 st , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.	(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)	Institution: MDCP Housing Unit: 4	Temps. Reading Location: And TUR	When the inside air temperature reaches 90 degrees and again at 95 degrees.	Immediately notify the Watch Commander at extension 5033.	When the inside air temperature reaches 90 degrees and again at 95 degrees.
The risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.	Using an accurate thermometer on the highest location in the housing unit will also be monitored when the air conditioner is malfunctioning.	(e.g., 1 st tier, 2 nd tier, 3 rd tier, etc.)					
Using an accurate thermometer on the highest location in the housing unit will also be monitored when the air conditioner is malfunctioning.	Using an accurate thermometer on the highest location in the housing unit will also be monitored when the air conditioner is malfunctioning.	(e.g., 1 st tier, 2 nd tier, 3 rd tier, etc.)					
The risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.	The risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.	(e.g., 1 st tier, 2 nd tier, 3 rd tier, etc.)					

heat/s/b

heat/s/b

heat/s/b

heat/s/b

Date	Time	Temp.	Name (Print)
0300	70	69	heat/s/b
0600	70	68	heat/s/b
0900	70	68	heat/s/b
1200	70	68	heat/s/b
1500	70	68	heat/s/b
1800	70	68	heat/s/b
2100	70	68	heat/s/b
2400	70	68	heat/s/b

Date	Time	Temp.	Name (Print)
0300	67	65	heat/s/b
0600	67	65	heat/s/b
0900	67	65	heat/s/b
1200	67	65	heat/s/b
1500	67	65	heat/s/b
1800	67	65	heat/s/b
2100	67	65	heat/s/b
2400	67	65	heat/s/b

Date	Time	Temp.	Name (Print)
0300	72	71	heat/s/b
0600	72	71	heat/s/b
0900	72	71	heat/s/b
1200	72	71	heat/s/b
1500	72	71	heat/s/b
1800	72	71	heat/s/b
2100	72	71	heat/s/b
2400	72	71	heat/s/b

Date	Time	Temp.	Name (Print)
0300	70	69	heat/s/b
0600	70	68	heat/s/b
0900	70	68	heat/s/b
1200	70	68	heat/s/b
1500	70	68	heat/s/b
1800	70	68	heat/s/b
2100	70	68	heat/s/b
2400	70	68	heat/s/b

Date	Time	Temp.	Name (Print)
0300	70	69	heat/s/b
0600	70	68	heat/s/b
0900	70	68	heat/s/b
1200	70	68	heat/s/b
1500	70	68	heat/s/b
1800	70	68	heat/s/b
2100	70	68	heat/s/b
2400	70	68	heat/s/b

Date	Time	Temp.	Name (Print)
0300	70	69	heat/s/b
0600	70	68	heat/s/b
0900	70	68	heat/s/b
1200	70	68	heat/s/b
1500	70	68	heat/s/b
1800	70	68	heat/s/b
2100	70	68	heat/s/b
2400	70	68	heat/s/b

Date	Time	Temp.	Name (Print)
0300	70	69	heat/s/b
0600	70	68	heat/s/b
0900	70	68	heat/s/b
1200	70	68	heat/s/b
1500	70	68	heat/s/b
1800	70	68	heat/s/b
2100	70	68	heat/s/b
2400	70	68	heat/s/b

Date	Time	Temp.	Name (Print)
0300	70	69	heat/s/b
0600	70	68	heat/s/b
0900	70	68	heat/s/b
1200	70	68	heat/s/b
1500	70	68	heat/s/b
1800	70	68	heat/s/b
2100	70	68	heat/s/b
2400	70	68	heat/s/b

Using an accurate thermometer in the highest housing unit in the wardens office to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: MCSF Housing Unit: 4 Temp. Reading Location: 4th Tier

Using an accurate thermometer in the highest housing unit in the wardens office to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 55333 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed (e.g., 1st tier, 2nd tier, 3rd tier, etc.).

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Temp. Reading Location: 4th floor

Institution: MSP Housing Unit: 4

immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Date	Time	Temp.	Name (Print)	Notes
0300	69	71	WILLIAMS	
0600	69	71	WILLIAMS	
0900	73	72	WILLIAMS	
1200	73	72	WILLIAMS	
1500	74	72	WILLIAMS	
1800	75	71	WILLIAMS	
2100	75	71	WILLIAMS	
2400	76	70	WILLIAMS	

Date	Time	Temp.	Name (Print)	Notes
0300	70	71	WILLIAMS	
0600	70	71	WILLIAMS	
0900	70	71	WILLIAMS	
1200	70	71	WILLIAMS	
1500	70	71	WILLIAMS	
1800	71	71	WILLIAMS	
2100	71	71	WILLIAMS	
2400	72	71	WILLIAMS	

Date	Time	Temp.	Name (Print)	Notes
0300	69	71	WILLIAMS	
0600	69	71	WILLIAMS	
0900	70	71	WILLIAMS	
1200	70	71	WILLIAMS	
1500	70	71	WILLIAMS	
1800	70	71	WILLIAMS	
2100	70	71	WILLIAMS	
2400	70	71	WILLIAMS	

Date	Time	Temp.	Name (Print)	Notes
0300	67	71	WILLIAMS	
0600	67	71	WILLIAMS	
0900	67	71	WILLIAMS	
1200	67	70	WILLIAMS	
1500	67	70	WILLIAMS	
1800	67	70	WILLIAMS	
2100	67	70	WILLIAMS	
2400	67	70	WILLIAMS	

Mula Creek State Prison
Facility A

Date	Time	Temp.	Name (Print)	Notes
Saturday	0300	0300		
	0600	0600		
	0900	0900		
	1200	1200		
	1500	1500		
	1800	1800		
	2100	2100		
	2400	2400		

Date	Time	Temp.	Name (Print)	Notes
Sunday	0300	0300		
	0600	0600		
	0900	0900		
	1200	1200		
	1500	1500		
	1800	1800		
	2100	2100		
	2400	2400		

Date	Time	Temp.	Name (Print)	Notes
Monday	0300	0300		
	0600	0600		
	0900	0900		
	1200	1200		
	1500	1500		
	1800	1800		
	2100	2100		
	2400	2400		

Date	Time	Temp.	Name (Print)	Notes
Friday	0300	0300		
	0600	0600		
	0900	0900		
	1200	1200		
	1500	1500		
	1800	1800		
	2100	2100		
	2400	2400		

Date	Time	Temp.	Name (Print)	Notes
Wednesday	0300	0300		
	0600	0600		
	0900	0900		
	1200	1200		
	1500	1500		
	1800	1800		
	2100	2100		
	2400	2400		

Date	Time	Temp.	Name (Print)	Notes
Tuesday	0300	0300		
	0600	0600		
	0900	0900		
	1200	1200		
	1500	1500		
	1800	1800		
	2100	2100		
	2400	2400		

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.

Using an accurate thermometer on the highest air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

heating

Sunday

Date	Time	Temp.	Name (Print)
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	
2100	2400		
2400			

Notes

Saturday

Date	Time	Temp.	Name (Print)
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	
2100	2400		
2400			

Notes

Friday

Date	Time	Temp.	Name (Print)
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	
2100	2400		
2400			

Notes

Thursday

Date	Time	Temp.	Name (Print)
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	
2100	2400		
2400			

Notes

Wednesday

Date	Time	Temp.	Name (Print)
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	
2100	2400		
2400			

Notes

Tuesday

Date	Time	Temp.	Name (Print)
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	
2100	2400		
2400			

Notes

Monday

Date	Time	Temp.	Name (Print)
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	
2100	2400		
2400			

Notes

Temp. Reading Location: *outlet*

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed.

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches

90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: *MCSF* Housing Unit: *5* Temp. *5*

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

heat/16
heat/16

Date	Time	Temp.	Name (Print)
0300	67	61	
0600	65	59	
0900	63	57	
1200	61	54	
1500	59	51	
1800	56	48	
2100	53	45	
2400	50	42	

Notes

Date	Time	Temp.	Name (Print)
0300	69	56	
0600	67	53	
0900	69	56	
1200	70	57	
1500	70	57	
1800	70	57	
2100	70	57	
2400	70	57	

Date	Time	Temp.	Name (Print)
0300	63	50	
0600	62	49	
0900	63	50	
1200	64	51	
1500	64	51	
1800	64	51	
2100	64	51	
2400	64	51	

Date	Time	Temp.	Name (Print)
0300	65	52	
0600	66	53	
0900	67	54	
1200	68	55	
1500	69	56	
1800	70	57	
2100	71	58	
2400	72	59	

Wednesday heat/16

Date	Time	Temp.	Name (Print)
0300	66	53	
0600	67	54	
0900	68	55	
1200	69	56	
1500	70	57	
1800	71	58	
2100	72	59	
2400	73	60	

Tuesday heat/16

Date	Time	Temp.	Name (Print)
0300	65	52	
0600	64	51	
0900	65	52	
1200	66	53	
1500	67	54	
1800	68	55	
2100	69	56	
2400	70	57	

Monday heat/16

Date	Time	Temp.	Name (Print)
0300	67	54	heat/16
0600	67	54	heat/16
0900	67	54	heat/16
1200	68	55	heat/16
1500	69	56	heat/16
1800	70	57	heat/16
2100	70	57	heat/16
2400	70	57	heat/16

Immediately notify the Watch Commander at extension 5623 when the inside air temperature reaches 90 degrees and again at 95 degrees.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where air conditioner is manufactured.

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE

heat/s/b

Date	Time	Temp.	Name (Print)
Sunday			
0300	68	WILLIAMS	
0600	63	SANCHEZ	
0900	65	SCARLATA	
1200	65	SCARLATA	
1500	66	SCARLATA	
1800	66	SCARLATA	
2100	66	SCARLATA	
2400	64	SCARLATA	

Notes

Date	Time	Temp.	Name (Print)
Saturday			
0300	70.2	heath/b	
0600	70.2	heath/b	
0900	70.2	heath/b	
1200	71.0	heath/b	
1500	71.0	heath/b	
1800	70	heath/b	
2100	69	heath/b	
2400	68	heath/b	

Facility A

Mule Creek State Prison

Date	Time	Temp.	Name (Print)
Friday			
0300	68.9	LADY/OS	
0600	69	LADY/OS	
0900	70	LADY/OS	
1200	70	LADY/OS	
1500	70	LADY/OS	
1800	70	LADY/OS	
2100	70	LADY/OS	
2400	70	LADY/OS	

heat/s/b

Date	Time	Temp.	Name (Print)
Thursday			
0300	69	heath/b	
0600	69	heath/b	
0900	70	heath/b	
1200	71.5	heath/b	
1500	71.5	heath/b	
1800	69	heath/b	
2100	68	heath/b	
2400	67	heath/b	

heat/s/b

Date	Time	Temp.	Name (Print)
Wednesday			
0300	69.8	SCHEWCHEN	
0600	69.8	SCHEWCHEN	
0900	70	SCHEWCHEN	
1200	71	SCHEWCHEN	
1500	70	SCHEWCHEN	
1800	69	SCHEWCHEN	
2100	69	SCHEWCHEN	
2400	69	SCHEWCHEN	

heat/s/b

Date	Time	Temp.	Name (Print)
Monday			
0300	70	heath/b	
0600	65	heath/b	
0900	68	heath/b	
1200	69	heath/b	
1500	71	heath/b	
1800	71	heath/b	
2100	70	heath/b	
2400	70	heath/b	

heat/s/b

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: MCSB Housing Unit: 5533 Temp. Reading Location: Due TWR

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the inside air temperature is monitored.)

Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

DEPARTMENT OF CORRECTIONS AND REHABILITATION

heat cell 16

heat cell 16

heat cell 16

heat cell 16

Monday

Date	Time	Temp.	Name (Print)
0300	60	Stairs	heat cell 16
0600	59	Stairs	heat cell 16
0900	70	SARLAKE	heat cell 16
1200	70	SARLAKE	heat cell 16
1500	70	VANU	heat cell 16
1800	70	VANU	heat cell 16
2100	67	VANU	heat cell 16
2400	69	VANU	heat cell 16

Tuesday

Date	Time	Temp.	Name (Print)
0300	62	Stairs	heat cell 16
0600	60	Stairs	heat cell 16
0900	60	SARLAKE	heat cell 16
1200	61	SARLAKE	heat cell 16
1500	62	SARLAKE	heat cell 16
1800	63	SARLAKE	heat cell 16
2100	62	SARLAKE	heat cell 16
2400	62	SARLAKE	heat cell 16

Wednesday

Date	Time	Temp.	Name (Print)
0300	63	Stairs	heat cell 16
0600	60	Stairs	heat cell 16
0900	60	SARLAKE	heat cell 16
1200	61	SARLAKE	heat cell 16
1500	62	SARLAKE	heat cell 16
1800	63	SARLAKE	heat cell 16
2100	62	SARLAKE	heat cell 16
2400	62	SARLAKE	heat cell 16

Thursday

Date	Time	Temp.	Name (Print)
0300	62	Stairs	heat cell 16
0600	60	Stairs	heat cell 16
0900	60	SARLAKE	heat cell 16
1200	61	SARLAKE	heat cell 16
1500	62	SARLAKE	heat cell 16
1800	63	SARLAKE	heat cell 16
2100	62	SARLAKE	heat cell 16
2400	62	SARLAKE	heat cell 16

Friday

Date	Time	Temp.	Name (Print)
0300	60	Stairs	heat cell 16
0600	60	Stairs	heat cell 16
0900	60	SARLAKE	heat cell 16
1200	61	SARLAKE	heat cell 16
1500	62	SARLAKE	heat cell 16
1800	63	SARLAKE	heat cell 16
2100	62	SARLAKE	heat cell 16
2400	62	SARLAKE	heat cell 16

Saturday

Date	Time	Temp.	Name (Print)
0300	61	Stairs	heat cell 16
0600	60	Stairs	heat cell 16
0900	60	SARLAKE	heat cell 16
1200	61	SARLAKE	heat cell 16
1500	62	SARLAKE	heat cell 16
1800	63	SARLAKE	heat cell 16
2100	62	SARLAKE	heat cell 16
2400	62	SARLAKE	heat cell 16

Sunday

Date	Time	Temp.	Name (Print)
0300	61	Stairs	heat cell 16
0600	60	Stairs	heat cell 16
0900	60	SARLAKE	heat cell 16
1200	61	SARLAKE	heat cell 16
1500	62	SARLAKE	heat cell 16
1800	63	SARLAKE	heat cell 16
2100	62	SARLAKE	heat cell 16
2400	62	SARLAKE	heat cell 16

Facility A
Mule Creek State Prison

Date	Time	Temp.	Name (Print)
0300	64	WILLIAMS	heat cell 16
0600	62	STAIRS	heat cell 16
0900	62	STAIRS	heat cell 16
1200	62	STAIRS	heat cell 16
1500	63	STAIRS	heat cell 16
1800	63	STAIRS	heat cell 16
2100	63	STAIRS	heat cell 16
2400	63	STAIRS	heat cell 16

Notes

Date	Time	Temp.	Name (Print)
0300	64	WILLIAMS	heat cell 16
0600	62	STAIRS	heat cell 16
0900	62	STAIRS	heat cell 16
1200	62	STAIRS	heat cell 16
1500	63	STAIRS	heat cell 16
1800	63	STAIRS	heat cell 16
2100	63	STAIRS	heat cell 16
2400	63	STAIRS	heat cell 16

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed, take a reading every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.)

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate is housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed, take a reading every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

heatbelts

heatbelts

heatbelts

heatbelts

Sunday	Date	Time	Temp.	Name (Print)
	0300	65	WILLIAMS	
	0600	64	J. CLARKSON'S A/T	
	0900	66	J. WILSON A/S	
	1200	66	J. WILSON A/S	
	1500	66	J. WILSON A/S	
	1800	66	J. WILSON A/S	
	2100	66	J. WILSON A/S	
	2400	66	J. WILSON A/S	

Friday	Date	Time	Temp.	Name (Print)
	0300	65	WILLIAMS	
	0600	64	J. CLARKSON A/T	
	0900	65	J. CLARKSON A/T	
	1200	65	J. CLARKSON A/T	
	1500	68	J. CLARKSON A/T	
	1800	69	J. CLARKSON A/T	
	2100	73	J. CLARKSON A/T	
	2400	73	J. CLARKSON A/T	

Wednesday	Date	Time	Temp.	Name (Print)
	0300	65	WILLIAMS	
	0600	64	J. CLARKSON A/T	
	0900	65	J. CLARKSON A/T	
	1200	67	J. CLARKSON A/T	
	1500	67	J. CLARKSON A/T	
	1800	69	J. CLARKSON A/T	
	2100	72	J. CLARKSON A/T	
	2400	75	J. CLARKSON A/T	

Tuesday	Date	Time	Temp.	Name (Print)
	0300	64	J. CLARKSON A/T	
	0600	65	J. CLARKSON A/T	
	0900	65	J. CLARKSON A/T	
	1200	65	J. CLARKSON A/T	
	1500	69	J. CLARKSON A/T	
	1800	69	J. CLARKSON A/T	
	2100	70	J. CLARKSON A/T	
	2400	73	J. CLARKSON A/T	

Monday	Date	Time	Temp.	Name (Print)
	0300	63	J. CLARKSON A/T	
	0600	64	J. CLARKSON A/T	
	0900	65	J. CLARKSON A/T	
	1200	65	J. CLARKSON A/T	
	1500	69	J. CLARKSON A/T	
	1800	69	J. CLARKSON A/T	
	2100	72	J. CLARKSON A/T	
	2400	75	J. CLARKSON A/T	

Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Temp. Reading Location: outdoor Housing Unit: 5 Institution: MCSF

Using an accurate thermometer in the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housed units will also be monitored when the air conditioner is malfunctioning.

ambient air temperature in all non-air-conditioned housed units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

Date	Time	Temp.	Name (Print)
Saturday			
	0300	0600	0900
	0600	0900	1200
	0900	1200	1500
	1200	1500	1800
	1500	1800	2100
	1800	2100	2400
	2100	2400	
	2400		

Date	Time	Temp.	Name (Print)
Sunday			
	0300	0600	0900
	0600	0900	1200
	0900	1200	1500
	1200	1500	1800
	1500	1800	2100
	1800	2100	2400
	2100	2400	
	2400		

Date	Time	Temp.	Name (Print)
Friday			
	0300	0600	0900
	0600	0900	1200
	0900	1200	1500
	1200	1500	1800
	1500	1800	2100
	1800	2100	2400
	2100	2400	
	2400		

Date	Time	Temp.	Name (Print)
Wednesday			
	0300	0600	0900
	0600	0900	1200
	0900	1200	1500
	1200	1500	1800
	1500	1800	2100
	1800	2100	2400
	2100	2400	
	2400		

Date	Time	Temp.	Name (Print)
Monday			
	0300	0600	0900
	0600	0900	1200
	0900	1200	1500
	1200	1500	1800
	1500	1800	2100
	1800	2100	2400
	2100	2400	
	2400		

Inmediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer inside air temperature is to be taken every three (3) hours, seven (7) days a week. This list is housed. The highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an air conditioner is malfunctioning).

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. Ambiente air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

Mule Creek State Prison
Facility A

Date	Time	Temp.	Name (Print)	Notes
0300	69	69	C. EADICHI	
0600	65	65	A. MUNAWAR	
0900	63	63	J. CHINWAN	
1200	72	72	DOOR ELIAS	
1500	74	74	DOROTHY	
1800	76	76	DOOR ELIAS	
2100	78	78	DOOR ELIAS	
2400	80	80	L. WATSON	

Date	Time	Temp.	Name (Print)	Notes
0300	67	67	L. WATSON	
0600	65	65	L. WATSON	
0900	63	63	J. CHINWAN	
1200	62	62	L. WATSON	
1500	64	64	J. CHINWAN	
1800	66	66	L. WATSON	
2100	70	70	S. MUSHTAQ	
2400	70	70	C. EADICHI	

Date	Time	Temp.	Name (Print)	Notes
0300	69	69	C. EADICHI	
0600	67	67	A. MUNAWAR	
0900	65	65	J. CHINWAN	
1200	70	70	G. MUNAWAR	
1500	70	70	G. MUNAWAR	
1800	70	70	S. MUSHTAQ	
2100	70	70	S. MUSHTAQ	
2400	70	70	C. EADICHI	

Date	Time	Temp.	Name (Print)	Notes
0300	68	68	S. MUSHTAQ	
0600	66	66	L. WATSON	
0900	64	64	L. WATSON	
1200	69	69	J. CHINWAN	
1500	70	70	S. MUSHTAQ	
1800	70	70	S. MUSHTAQ	
2100	70	70	S. MUSHTAQ	
2400	70	70	C. EADICHI	

Date	Time	Temp.	Name (Print)	Notes
0300	65	65	J. CHINWAN	
0600	64	64	I. ANHAWAN	
0900	65	65	I. ANHAWAN	
1200	66	66	I. ANHAWAN	
1500	67	67	T. AWKWEES J.	
1800	68	68	S. MUSHTAQ	
2100	68	68	S. MUSHTAQ	
2400	68	68	J. CHINWAN	

Date	Time	Temp.	Name (Print)	Notes
0300	67	67	J. CHINWAN	
0600	65	65	E. MCLEOD	
0900	67	67	E. MCLEOD	
1200	68	68	E. MCLEOD	
1500	69	69	E. MCLEOD	
1800	70	70	E. MCLEOD	
2100	70	70	E. MCLEOD	
2400	70	70	S. MUSHTAQ	

Institution: MCSP Housing Unit: 5 Temp. Reading Location: Day Thr When the inside air temperature reaches 90 degrees and again at 95 degrees.

Immediately notify the Watch Commander at extension 5038 if the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored where an inmate is malfuncioning.)

Using an accurate thermometer in all non-air-conditioned housing units where an inmate is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate is to be taken every three (3) hours, seven (7) days a week.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Institution: MCSF Housing Unit: 5 Temp. Reading Location: Inside Thr
 Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.
 (e.g., 1st floor, 2nd floor, 3rd floor, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top floor) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Date	Time	Temp.	Name (Print)
Thursday			
0300	63	68	<u>Sacramento</u>
0600	64	70.2	<u>San Jose</u>
0900	65	70.2	<u>San Jose</u>
1200	66	70.2	<u>San Jose</u>
1500	67	70.2	<u>San Jose</u>
1800	68	70.2	<u>San Jose</u>
2100	69	70.2	<u>San Jose</u>
2400	70	70.2	<u>San Jose</u>
Friday			
0300	68.9	70.2	<u>San Jose</u>
0600	69	70.2	<u>San Jose</u>
0900	70	70.2	<u>San Jose</u>
1200	70	70.2	<u>San Jose</u>
1500	70	70.2	<u>San Jose</u>
1800	70	70.2	<u>San Jose</u>
2100	70	70.2	<u>San Jose</u>
2400	70	70.2	<u>San Jose</u>
Saturday			
0300	68	70.2	<u>San Jose</u>
0600	69	70.2	<u>San Jose</u>
0900	70	70.2	<u>San Jose</u>
1200	70	70.2	<u>San Jose</u>
1500	70	70.2	<u>San Jose</u>
1800	70	70.2	<u>San Jose</u>
2100	70	70.2	<u>San Jose</u>
2400	70	70.2	<u>San Jose</u>
Sunday			
0300	68	70.2	<u>San Jose</u>
0600	69	70.2	<u>San Jose</u>
0900	70	70.2	<u>San Jose</u>
1200	70	70.2	<u>San Jose</u>
1500	70	70.2	<u>San Jose</u>
1800	70	70.2	<u>San Jose</u>
2100	70	70.2	<u>San Jose</u>
2400	70	70.2	<u>San Jose</u>

Date	Time	Temp.	Name (Print)
0300	68	70.2	<u>San Jose</u>
0600	69	70.2	<u>San Jose</u>
0900	70	70.2	<u>San Jose</u>
1200	70	70.2	<u>San Jose</u>
1500	70	70.2	<u>San Jose</u>
1800	70	70.2	<u>San Jose</u>
2100	70	70.2	<u>San Jose</u>
2400	70	70.2	<u>San Jose</u>

Date	Time	Temp.	Name (Print)
0300	68.9	70.2	<u>San Jose</u>
0600	69	70.2	<u>San Jose</u>
0900	70	70.2	<u>San Jose</u>
1200	70	70.2	<u>San Jose</u>
1500	70	70.2	<u>San Jose</u>
1800	70	70.2	<u>San Jose</u>
2100	70	70.2	<u>San Jose</u>
2400	70	70.2	<u>San Jose</u>

Date	Time	Temp.	Name (Print)
0300	68	70.2	<u>San Jose</u>
0600	69	70.2	<u>San Jose</u>
0900	70	70.2	<u>San Jose</u>
1200	70	70.2	<u>San Jose</u>
1500	70	70.2	<u>San Jose</u>
1800	70	70.2	<u>San Jose</u>
2100	70	70.2	<u>San Jose</u>
2400	70	70.2	<u>San Jose</u>

Date	Time	Temp.	Name (Print)
0300	70	70.2	<u>San Jose</u>
0600	69	70.2	<u>San Jose</u>
0900	68	70.2	<u>San Jose</u>
1200	67	70.2	<u>San Jose</u>
1500	66	70.2	<u>San Jose</u>
1800	65	70.2	<u>San Jose</u>
2100	64	70.2	<u>San Jose</u>
2400	64	70.2	<u>San Jose</u>

Date	Time	Temp.	Name (Print)
0300	68	70.2	<u>San Jose</u>
0600	69	70.2	<u>San Jose</u>
0900	70	70.2	<u>San Jose</u>
1200	70	70.2	<u>San Jose</u>
1500	70	70.2	<u>San Jose</u>
1800	70	70.2	<u>San Jose</u>
2100	70	70.2	<u>San Jose</u>
2400	70	70.2	<u>San Jose</u>

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Name (Print)	Notes
Sunday			
0300	64	LAWRENCE	
0600	63	D. LAWRENCE	
0900	62	J. LAWRENCE	
1200	61	D. LAWRENCE	
1500	60	LAWRENCE	
1800	59	LAWRENCE	
2100	58	LAWRENCE	
2400	57	LAWRENCE	

Date	Time	Name (Print)	Notes
Saturday			
0300	63	STEWART	
0600	60	STEWART	
0900	59	STEWART	
1200	57	STEWART	
1500	55	STEWART	
1800	53	STEWART	
2100	51	STEWART	
2400	49	STEWART	

Date	Time	Name (Print)	Notes
Friday			
0300	63	STEWART	
0600	60	STEWART	
0900	59	STEWART	
1200	57	STEWART	
1500	55	STEWART	
1800	53	STEWART	
2100	51	STEWART	
2400	49	STEWART	

Date	Time	Name (Print)	Notes
Wednesday			
0300	62	STEWART	
0600	60	STEWART	
0900	59	STEWART	
1200	57	STEWART	
1500	55	STEWART	
1800	53	STEWART	
2100	51	STEWART	
2400	49	STEWART	

Date	Time	Name (Print)	Notes
Tuesday			
0300	60	STEWART	
0600	59	STEWART	
0900	58	STEWART	
1200	57	STEWART	
1500	55	STEWART	
1800	53	STEWART	
2100	51	STEWART	
2400	49	STEWART	

Date	Time	Name (Print)	Notes
Monday			
0300	60	STEWART	
0600	59	STEWART	
0900	58	STEWART	
1200	57	STEWART	
1500	55	STEWART	
1800	53	STEWART	
2100	51	STEWART	
2400	49	STEWART	

Immediately notify the Watch Commander at extension 5538 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Using an accurate thermometer on the highest housing unit in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest housing unit in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

heebelb
heebelb

Sunday	Date	Time	Temp.	Name (Print)
	0300	71	65	WILLIAMS
	0600	68	64	J. CLARK
	0900	66	64	J. CLARK
	1200	66	64	J. CLARK
	1500	66	64	J. CLARK
	1800	66	64	J. CLARK
	2100	66	64	J. CLARK
	2400	66	64	J. CLARK

heebelb
heebelb

Friday	Date	Time	Temp.	Name (Print)
	0300	65	64	WILLIAMS
	0600	64	64	STUDHORN
	0900	65	64	STUDHORN
	1200	65	64	STUDHORN
	1500	68	68	STUDHORN
	1800	69	69	STUDHORN
	2100	73	73	STUDHORN
	2400	75	75	STUDHORN

heebelb
heebelb

Wednesday	Date	Time	Temp.	Name (Print)
	0300	65	64	STUDHORN
	0600	64	64	STUDHORN
	0900	65	64	STUDHORN
	1200	65	64	STUDHORN
	1500	68	68	STUDHORN
	1800	70	70	STUDHORN
	2100	72	72	STUDHORN
	2400	75	75	STUDHORN

heebelb
heebelb

Monday	Date	Time	Temp.	Name (Print)
	0300	64	63	WILLIAMS
	0600	63	63	WILLIAMS
	0900	64	64	WILLIAMS
	1200	64	64	WILLIAMS
	1500	69	69	WILLIAMS
	1800	70	70	WILLIAMS
	2100	72	72	WILLIAMS
	2400	75	75	WILLIAMS

Saturday	Date	Time	Temp.	Name (Print)
	0300	71	65	WILLIAMS
	0600	71	65	WILLIAMS
	0900	71	65	WILLIAMS
	1200	71	65	WILLIAMS
	1500	71	65	WILLIAMS
	1800	71	65	WILLIAMS
	2100	72	65	WILLIAMS
	2400	75	65	WILLIAMS

Thursday	Date	Time	Temp.	Name (Print)
	0300	65	65	STUDHORN
	0600	65	65	STUDHORN
	0900	65	65	STUDHORN
	1200	65	65	STUDHORN
	1500	68	68	STUDHORN
	1800	70	70	STUDHORN
	2100	72	72	STUDHORN
	2400	75	75	STUDHORN

Tuesday	Date	Time	Temp.	Name (Print)
	0300	64	64	STUDHORN
	0600	64	64	STUDHORN
	0900	65	65	STUDHORN
	1200	65	65	STUDHORN
	1500	68	68	STUDHORN
	1800	70	70	STUDHORN
	2100	72	72	STUDHORN
	2400	75	75	STUDHORN

Institution: MTSF Housing Unit: 5 Temp.: Reading Location: 5 When the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.) Immediately notify the Watch Commander at extension 5533 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Note: Air-conditioned housing units will also be monitored where an inmate on the heat risk list is housed. The highest temperature on the housing unit is to be taken every three (3) hours, seven (7) days a week. Using an accurate thermometer on the highest location in the housing unit is to be monitored when the air conditioner is malfunctioning.

Note: Air-conditioned housing units shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored where an inmate on the heat risk list is housed. The highest temperature on the housing unit is to be taken every three (3) hours, seven (7) days a week. Using an accurate thermometer on the highest location in the housing unit is to be monitored when the air conditioner is malfunctioning).

DISTRICT OF CALIFORNIA INSIDE TEMPERATURE RECORD CDRC 2031 (04/18) STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 6 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/19	0300		
	0600	67	SACARIO
	0900	69°	GEE
	1200	70	Austin
	1500	70	M. Rodriguez
	1800	69	M. Rodriguez
	2100	69	M. Rodriguez
	2400	69	Yang

Tuesday

Date	Time	Temp.	Name (Print)
9/19	0300	68	Yang
	0600	68	SACARIO
	0900	69	SANCHEZ
	1200	70	SANCHEZ
	1500	70	M. Rodriguez
	1800	69	M. Rodriguez
	2100	69	M. Rodriguez
	2400	69	Yang

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	68	Yang
	0600	65	M. Rodriguez
	0900	67	M. Rodriguez
	1200	68	M. Rodriguez
	1500	70	M. Rodriguez
	1800	70	M. Rodriguez
	2100	68	M. Rodriguez
	2400	68	Yang

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	68	Yang
	0600	68	SANCHEZ
	0900	70	Rodriguez
	1200	72	GATTI
	1500	80	GATTI
	1800	80	GATTI
	2100	80	GATTI
	2400		

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	68	MIRANDA
	0600	68	MIRANDA
	0900	70	MIRANDA
	1200	74	MIRANDA
	1500		
	1800		
	2100		
	2400	69	SALCIDO

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	68	SALCIDO
	0600	68	SALCIDO
	0900	70	MIRANDA
	1200	72	MIRANDA
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300		
	0600	67	Austin
	0900	69	Austin
	1200	70	Austin
	1500	70	D. Puerto
	1800	69	D. Puerto
	2100	69	D. Puerto
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P**Housing Unit: **6**

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____

when the inside air temperature reaches

90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300		
	0600	65	Austin
	0900	66	Austin
	1200	65	Austin
	1500	65	MONTAVERAN
	1800	65	MONTAVERAN
	2100	65	MONTAVERAN
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	65	Austin
	0600	65	MONTAVERAN
	0900	67	Austin
	1200	69	Austin
	1500	70	Dilane
	1800	69	MONTAVERAN
	2100	69	MONTAVERAN
	2400	69	MONTAVERAN

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 6 Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	68	Yany

Wednesday

Date	Time	Temp.	Name (Print)
9/10	0300		
	0600	61	Sanchur
	0900	62	Sanchur
	1200	66	McLanahan
	1500	67	M.Budops
	1800	68	M.Bellows
	2100	70	Patterson
	2400	70	

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	69	Cameron
	0600	61	Sanchur
	0900	66	McLanahan
	1200	68	McLanahan
	1500	69	McLanahan
	1800	69	McLanahan
	2100	68	
	2400	66	Cameron

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	63	Cameron
	0600	64	McLanahan
	0900	65	McLanahan
	1200	69	McLanahan
	1500		
	1800		
	2100		
	2400	70	Vargas

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
9/11	0300	67	Yany
	0600	61	D.Sanchez
	0900	67	D.Sanchez
	1200	67	SACARDU
	1500	66	MONTAUBAN
	1800	66	MONTAUBAN
	2100	66	MONTAUBAN
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300		
	0600	63	McLanahan
	0900	65	McLanahan
	1200	70	McLanahan
	1500	70	Patterson
	1800	70	Patterson
	2100	70	Patterson
	2400	70	Cameron

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300		
	0600	62	Sanchur
	0900	65	Sanchur
	1200	69	Sanchur
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 6 Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/18	0300	70	VIREAS
	0600	70	AUSNM
	0900	69	Ausnm
	1200	70	AUSNM
	1500	72	Rudgers
	1800	72	Rudgers
	2100	70	Rudgers
	2400	70	Cameron

Tuesday

Date	Time	Temp.	Name (Print)
9/19	0300	68	JL Giner
	0600	70	SACARDO
	0900	70	SACARDO
	1200	74	SACARDO
	1500	70	MONTALBAN
	1800	70	MONTALBAN
	2100	70	MONTALBAN
	2400	70	MONTALBAN

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	65	Mastine L
	0600	69	McCarney
	0900	71	McCarney
	1200	72	McCarney
	1500	72	Patum
	1800	70	Patum
	2100	70	Patum
	2400	69	VANG

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	67	Wade
	0600	69	Samour
	0900	67	McCarney
	1200	70	McCarney
	1500	70	M. Rudgers
	1800	70	M. Rudgers
	2100	71	Lewis
	2400	71	Morgan

Friday

Date	Time	Temp.	Name (Print)
9/27	0300		
	0600	65	McCarney
	0900	68	McCarney
	1200	70	Sanchez
	1500	70	M. Rudgers
	1800	72	D. Duke
	2100	69	D. Duke
	2400	69	RUNGS

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	68	Funes
	0600	69	McCarney
	0900	70	McCarney
	1200	70	McCarney
	1500	71	MONTALBAN
	1800	71	MONTALBAN
	2100	70	MONTALBAN
	2400	69	Wade

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	67	VANG
	0600	69	PEWISHA
	0900	69	PEWISHA
	1200	69	PEWISHA
	1500	70	MONTALBAN
	1800	70	MONTALBAN
	2100	70	MONTALBAN
	2400	70	M. Whitaker

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 6 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/13/0	0300	70	M. Whitlock
	0600	70	Austin
	0900	70	Austin
	1200	71	Austin
	1500		
	1800		
	2100	70	M. Whitlock
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9/14/0	0300		
	0600	70	SACARU
	0900	70	SANCHEZ
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 6 Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
AUGUST 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 6 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	67	YANG
	0600	67	SACARIO
	0900	68	SACARIO
	1200	70	SACARIO
	1500	70	Bulger
	1800	76	YANG
	2100	73	YANG
	2400	67	YANG

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	65	
	0600	65	SANCHEZ
	0900	68	SACARIO
	1200		
	1500	68	YANG
	1800	68	YANG
	2100	68	YANG
	2400	68	YANG

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	67	YANG
	0600	68	
	0900	69	
	1200	71	
	1500	70	D. KEMP
	1800	70	D. KEMP
	2100	70	D. KEMP
	2400	68	SANCHEZ

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	67	
	0600	68	
	0900	69	
	1200	78	
	1500	78	D. KEMP
	1800	70	D. KEMP
	2100	69	D. KEMP
	2400	69	YANG

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	69	MURRAY
	0600	68	MURRAY
	0900	69	CANTRELL
	1200	70	SANCHEZ
	1500	70	SANCHEZ
	1800		
	2100		
	2400	68	YANG

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	65	
	0600	68	YANG
	0900	69	YANG
	1200	70	SANCHEZ
	1500	70	YANG
	1800	70	YANG
	2100	70	YANG
	2400	68	YANG

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300		
	0600	65	MURRAY
	0900	69	MURRAY
	1200	69	MURRAY
	1500	69	MURRAY
	1800		
	2100		
	2400	69	YANG

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.PHousing Unit: 7

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____

when the inside air temperature reaches

90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600	68	GUTIERREZ
	0900	69	GUTIERREZ
	1200	69*	CLARK
	1500	69	RAMOS
	1800	69	RAMOS
	2100	69	RAMOS
	2400	68	BATSON

Tuesday

Date	Time	Temp.	Name (Print)
9/2	0300	68	BATSON
	0600	68	CLARK
	0900	68	CLARK
	1200	69	CLARK
	1500	69	RAMOS
	1800	69	RAMOS
	2100	69	RAMOS
	2400	69	SIMPSON

Wednesday

Date	Time	Temp.	Name (Print)
9/3	0300		
	0600	67	HASHIM
	0900	70	HASHIM
	1200	71	HASHIM
	1500	70	RAMOS
	1800	70	RAMOS
	2100	69	RAMOS
	2400	69	HASHIM

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	68	RAMOS
	0600	68	RAMOS
	0900	69	CLARK
	1200	70	CLARK
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	MAGARINA

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	69	MAGARINA
	0600	69	MAGARINA
	0900	73	HASHIM
	1200	74	HASHIM
	1500	73	BONOS
	1800	73	BONOS
	2100	73	BONOS
	2400	70	BONOS

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	69	RAMOS
	0600	68	RAMOS
	0900	70	LEE
	1200	69	LEE
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	69	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	69	RAMOS
	0600	68°	CLARK
	0900	69°	CLARK
	1200	70°	CLARK
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 [Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning].

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 7 Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	69	Marguera
	0600	69	Marguera
	0900		
	1200		
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	68	Bosae

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	68	Bosae
	0600	68	Zaydah
	0900	69	Austin
	1200	69	Hughes
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	67	Zaydah

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	68	Zaydah
	0600	68	Sims
	0900	68	Zaydah
	1200	70	Austin
	1500	70	Ramos
	1800	70	Ramos
	2100	69	Ramos
	2400	69	C. Vile

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	68	C. Vile
	0600	68	Clark
	0900	69	Clark
	1200	70	Clark
	1500	70	Sonley
	1800	70	Sonley
	2100	70	Sonley
	2400	70	Williams

Friday

Date	Time	Temp.	Name (Print)
9/13	0300		
	0600	68	Austin
	0900	69	Austin
	1200	69	Austin
	1500		
	1800		
	2100	68	Ramirez
	2400	69	Ramirez

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	69	Ramirez
	0600	67	C. Herring
	0900	68	Austin
	1200	68	Clark
	1500	69	Clark
	1800	70	Clark
	2100	69	Clark
	2400	69	Baker

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	68	Baker
	0600	68	C. Herring
	0900	68	C. Herring
	1200	69	C. Herring
	1500	70	Ramos
	1800	69	Ramos
	2100	69	Ramos
	2400	69	Ramos

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.PHousing Unit: 7Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____

when the inside air temperature reaches

90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	69	RAMOS
	0600	65	OCHUNA
	0900	65	SCARVEL
	1200	66	SCARVEL
	1500	66	RAMOS
	1800	69	RAMOS
	2100	68	RAMOS
	2400	68	RAMOS

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	68	RAMOS
	0600	68	AUSTIN
	0900	69	AUSTIN
	1200	69	AUSTIN. GR
	1500	69	RAMOS
	1800	69	RAMOS
	2100	69	RAMOS
	2400	68	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	68	RAMOS
	0600	67	RAMOS
	0900	68	ATKINS
	1200		
	1500	69	RAMOS
	1800	70	RAMOS
	2100	69	RAMOS
	2400	69	RAMOS

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	68	GOSAL
	0600	64	ATKINS
	0900	66	SCARVEL
	1200		
	1500	70	SONLEY
	1800	70	SONLEY
	2100	70	SANLON
	2400	69	GOSAL

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	70	
	0600		
	0900		
	1200		
	1500	70°	DRESDON
	1800	68	DRESDON
	2100	68	DRESDON
	2400	68	SALCIDO

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	68	SALCIDO
	0600	64	SALCIDO
	0900		
	1200		
	1500	69	RAMOS
	1800	71°	RAMOS
	2100	70°	RAMOS
	2400	69	ROBLES

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	68	ROBLES
	0600	68°	GEE
	0900		
	1200		
	1500	69	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	69	RAMOS

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 7 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	69	RAMOS
	0600		
	0900		
	1200		
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	69	ZOSAE

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	68	ZOSAE
	0600	69	ZOSAE
	0900	69	ZOSAE
	1200	69	ZOSAE
	1500	70	LAMOS
	1800	72	RAMOS
	2100	70	RAMOS
	2400	70	ZOSAE

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	69	ZOSAE
	0600	68	ZAPAUZ
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	68	ZAPAUZ

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	68	ZAPAUZ
	0600	65°	CLARK
	0900	65	CLARK
	1200	67	CLARK
	1500	70	HOUSE
	1800	67	HOUSE
	2100	64	HOUSE
	2400	65	HOUSE

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	65	ZAPAUZ
	0600	64	ZAPAUZ
	0900	68	ZAPAUZ
	1200	69	ZAPAUZ
	1500	69	MONTAUBAN
	1800	69	MONTAUBAN
	2100	69	MONTAUBAN
	2400	68	ZAPAUZ

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	67	ZAPAUZ
	0600	65°	CLARK
	0900	67°	CLARK
	1200	69°	CLARK
	1500	70°	CLARK
	1800	69°	CLARK
	2100	68°	CLARK
	2400	68°	ZAPAUZ

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	68	ZAPAUZ
	0600	68	ZAPAUZ
	0900	69°	CLARK
	1200	70°	CLARK
	1500	70	RAMOS
	1800	69	RAMOS
	2100	68	RAMOS
	2400	69	ZAPAUZ

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 7 Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	68	Morgan
	0600	68	Morgan
	0900		
	1200		
	1500	70	Ramos
	1800		Ramos
	2100		Ramos
	2400	69	Erasar

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	68	
	0600	69	Austin
	0900	70	Austin
	1200	70	Austin
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P. Housing Unit: 7 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 7 Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P**Housing Unit: **8**

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____

when the inside air temperature reaches

90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600	69	L.Mills
	0900	70	L.Mills
	1200	70	L.Mills
	1500	69	L.Mills
	1800	69	L.Mills
	2100	70	F.Townsend
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600	67	D.Miller
	0900	70	D.Miller
	1200	70	D.Miller
	1500	69°	GEE
	1800	70	HER
	2100	69°	GEE
	2400	70	Bell MG

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70	Bell
	0600	70°	MANNAN
	0900	70	MANNAN
	1200	70	MILLER
	1500	70	HER
	1800	70	HER
	2100	69	HER
	2400	70	Bell

Thursday

Date	Time	Temp.	Name (Print)
	0300	70	Bell
	0600	70	D.MILLER
	0900	70	SARILED
	1200	70	D.MILLER
	1500	70	M.TORRES
	1800	70	HER
	2100	70	HER
	2400	70	Lomas

Friday

Date	Time	Temp.	Name (Print)
	0300	69	Lomas
	0600	70	D.MILLER
	0900	70	D.MILLER
	1200	70	D.MILLER
	1500	70	TORRES
	1800	70	TORRES
	2100	70	TORRES
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600	70	TORRES
	0900	70	TORRES
	1200	70	TORRES
	1500	71	TORRES
	1800	71	TORRES
	2100	70	TORRES
	2400	71	Breeding

Monday monday 9/18/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	69.0	K.Husband
	1800	70	K.Husband
	2100	70	K.Husband
	2400	70	K.Husband

Time	Temp.	Name (Print)
0600	70	Almedarez
0900	70	Almedarez
1200	70	Almedarez
1500	70	LEE
1800	70	LEE
2100	70	LEE
2400	70	Hullum

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

SEPTEMBER 2024



From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 8 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	68	Hullman
	0600	70	DILLER
	0900	70	
	1200		
	1500		
	1800		
	2100		
	2400	70	R. BREEN

Wednesday

Date	Time	Temp.	Name (Print)
	0300	68	Presler
	0600	68	MANNAN
	0900	69	DILLER
	1200	70	DILLER
	1500	69	Vega
	1800	70	Vega
	2100	70	Vega
	2400	72	CARTAGO

Friday

Date	Time	Temp.	Name (Print)
	0300	65	CARTAGO
	0600	67	DILLER
	0900	69	DILLER
	1200	70	DILLER
	1500	71.0	CARTAGO
	1800	70	TORRES
	2100	70	TORRES
	2400	69	CASTELL

Sunday

Date	Time	Temp.	Name (Print)
7/11	0300		
	0600	65	A. LIMPIROS
	0900	66	Vega
	1200	66	Vega
	1500	70	Vega
	1800	70	Vega
	2100	67	Vega
	2400	70	CARTAGO

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	69	R. BREEN
	0600	70	DILLER
	0900	70	DILLER
	1200	70	DILLER
	1500	70	HER
	1800	70	HER
	2100	69	HER
	2400	69	PRESLER

Thursday

Date	Time	Temp.	Name (Print)
	0300	70	CARTAGO
	0600	70	DILLER
	0900	70	DILLER
	1200	70	DILLER
	1500	70	TORRES
	1800	70	TORRES
	2100	69	TORRES
	2400	72	CARTAGO

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	69	CASTELL
	0600	69	CASQUE
	0900	70	TORRES
	1200	70	TORRES
	1500	70	TORRES
	1800	70	TORRES
	2100	70	TORRES
	2400	69	YANG

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P**Housing Unit: **8**Temp. Reading Location: **2ND TIER**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **5523**

when the inside air temperature reaches

90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	67	CARTAGO
	0600	62	Mills
	0900	60	Janni
	1200	62	Janni
	1500	68	HER
	1800	68	HER
	2100	68	Hern
	2400	68	Carrasco

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600	62	Janni
	0900	62	Janni
	1200	62	Janni
	1500	66	HER
	1800	69	Townsend
	2100	65	Townsend
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300	67	Carrasco
	0600	65	MANNAN
	0900	68	MANNAN
	1200	70	MANNAN
	1500	66	Ftownsend
	1800	64	Ftownsend
	2100	63	Ftownsend
	2400	70	CARTAGO

Thursday

Date	Time	Temp.	Name (Print)
	0300		CARTAGO
	0600	65	DILLER
	0900	69	DILLER
	1200	70	DILLER
	1500	70	DILLER
	1800	70	DILLER
	2100	68	DILLER
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600	67	DILLER
	0900	68	DILLER
	1200	69	DILLER
	1500	69	J.LAW
	1800	70	OverEZ
	2100	70	J.LAW
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600	70	FERRAR
	0900	71.3	FERRAR
	1200	72	FERRAR
	1500	71	Dantina
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-22-24	0300		
	0600	68	Mills
	0900	68	Mills
	1200	69	Mills
	1500	70	Porter
	1800		
	2100	69	ATKINS
	2400	68	ATKINS

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P**Housing Unit: **8**

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	68	ATKINS
	0600	68	MILLS
	0900	68	JANNI
	1200		
	1500	70	TOWNSEND
	1800	70	TOWN
	2100	69	TOWNSEND
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600	68	D MILLER
	0900	70	D MILLER
	1200	70	D MILLER
	1500	71	F TOWNSEND
	1800	70	F TOWNSEND
	2100	69	F TOWN
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600	68	D MILLER
	0900	69	D MILLER
	1200	70	D MILLER
	1500	70	F TOWN
	1800	70	F TOWN
	2100	68	F TOWN
	2400	68	CARTAGO

Thursday

Date	Time	Temp.	Name (Print)
	0300	65	CARTAGO
	0600	67	D MILLER
	0900	67	D MILLER
	1200	69	D MILLER
	1500	70	D MILLER
	1800	71	D MILLER
	2100	70	D MILLER
	2400	68	C. VUE

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	66	C. VUE
	0600	68	L MILLS
	0900	65	TORRES
	1200	68	TORRES
	1500	69	TORRES
	1800	69	TORRES
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	67	M. MIRANDA
	0600	68	TORRES
	0900	68	TORRES
	1200	69	TORRES
	1500	70	TORRES
	1800	70	TORRES
	2100	70	TORRES
	2400	68	MONTAUBAN

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300		MONTAUBAN
	0600	65	A. CIVICOS
	0900	70	Saeder
	1200	70	Saeder
	1500	70	TOWNSEND
	1800	68	TOWNSEND
	2100	68	ATKINS
	2400	68	ATKINS

Notes



From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **8** Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	68	ATKINS
	0600	69	AWONG
	0900	69	MONKS
	1200	69	PTEB
	1500	68	ETOWAH
	1800	68	ETOWAH
	2100	68	ETOWAH
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600	67	DWILLER
	0900	69	DWILLER
	1200	70	DWILLER
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

J

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 8 Temp. Reading Location:
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches
 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 8 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 9 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-1-24	0300		
	0600	68	E. Johnson
	0900	70	E. Johnson
	1200	71	
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11	0300	66	H. Hanna
	0600	68	E. Johnson
	0900	70	E. Johnson
	1200	71.0	E. Johnson
	1500	72.0	E. Johnson
	1800	73.0	E. Johnson
	2100	71.0	E. Johnson
	2400	70	E. Johnson

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P**Housing Unit: **9**

Temp. Reading Location:

2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **5523** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	70	NEBUN
	0600		
	0900		
	1200		
	1500	74.0	KELLY
	1800	73.0	BELL
	2100	72.0	KELLY
	2400	71	NEBUN

Wednesday**9. 4. 24**

Date	Time	Temp.	Name (Print)
	0300	70	ISLAS
	0600	70	Pendleton
	0900	70	Pendleton
	1200	70	Pendleton
	1500	70	BELL
	1800	72	BELL
	2100	70	BELL
	2400	70	Pester

Friday

Date	Time	Temp.	Name (Print)
	0300	70	CARTAGO
	0600	70	CARTAGO
	0900	70	P.DUBOIS
	1200	70	P.DUBOIS
	1500	71	V.NARDE
	1800	71	V.NARDE
	2100	70	V.NARDE
	2400	70	HANAG

Sunday**9/8**

Date	Time	Temp.	Name (Print)
9/8	0300	70	HANAG
	0600	70	P.DUBOIS
	0900	70	P.DUBOIS
	1200		
	1500	73	KELLY
	1800	73	KELLY
	2100	72	KELLY
	2400	70	HANAG

Tuesday**9. 3. 24**

Date	Time	Temp.	Name (Print)
	0300		
	0600	70	Pender
	0900	70	Pender
	1200	70	Pender
	1500	70	BELL
	1800	70	BELL
	2100	70	BELL
	2400	70	ISLAS

Thursday

Date	Time	Temp.	Name (Print)
	0300	69	Pester
	0600	70	Pender
	0900	70	Pender
	1200	70	Pender
	1500	70	BELL
	1800	70	BELL
	2100	70	BELL
	2400	73	CARTAGO

Saturday

Date	Time	Temp.	Name (Print)
	0300	68	Hanag
	0600	70	Pender
	0900	70	P.DUBOIS
	1200	71	P.DUBOIS
	1500	72	LAMMS
	1800	71	LAMMS
	2100		
	2400	70	Hanag

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 9 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	
	0600	70.6	
	0900	71.4	
	1200	71.6	
	1500	74.0	
	1800	74.0	TK
	2100	73.0	TK
	2400	71	AW

Tuesday

Date	Time	Temp.	Name (Print)
	0300	70	AW
	0600	70	SPIER
	0900	70	SPIER
	1200	70	SPIER
	1500	70	Bell
	1800	70	Bell
	2100	70	Bell
	2400	70	Bell

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70	Godard
	0600	70	Pendleton
	0900	70	Pendleton
	1200	70	Pendleton
	1500	70	Bell
	1800	70	Bell
	2100	70	Bell
	2400	70	Margurita

Thursday

Date	Time	Temp.	Name (Print)
	0300	70	Margurita
	0600	69	Margurita
	0900	70	P.DUBOIS
	1200	70	P. DUBOIS
	1500	70	Bell
	1800	70	Bell
	2100	70	Bell
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600	70	Pendleton
	0900	70	Pendleton
	1200	70	Pendleton
	1500	70	Bell
	1800	70	Bell
	2100	70	Bell
	2400	70	HANNA

Saturday

Date	Time	Temp.	Name (Print)
	0300	69	HANNA
	0600	70	Pendleton
	0900	70	Pendleton
	1200	70	Pendleton
	1500	70	Bell
	1800	70	Bell
	2100	70	Bell
	2400	70	HANNA

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	HANNA
	0600	70	P.DUBOIS
	0900	70	P.DUBOIS
	1200	70	P.DUBOIS
	1500	71	Kelly
	1800	71	Kelly
	2100	70	Kelly
	2400	68	Wendy

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P**Housing Unit: **9**

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	68	Neum
	0600	68.2	Dear
	0900		
	1200		a
	1500	70	Kelly
	1800	69	Kelly
	2100	68	Kelly
	2400	65	NEUM

Tuesday

Date	Time	Temp.	Name (Print)
	0300	66	Kelly
	0600	69	Pendleton
	0900	68	Chen
	1200	68	Pendleton
	1500	68	Bell
	1800	65	Bell
	2100	65	Bell
	2400	65	Bell

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70	Solito
	0600	70	Pendleton
	0900	70	Pendleton
	1200		
	1500	65	Bell
	1800	65	Bell
	2100	65	Bell
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600	67	Pendleton
	0900	70	Pendleton
	1200	70	Pendleton
	1500	70	Bell
	1800	70	Bell
	2100	65	Bell
	2400	65	Hana

Friday

Date	Time	Temp.	Name (Print)
9/19	0300	65	Hana
	0600	65	Pendleton
	0900	68	P. MARSH
	1200	68	P. MARSH
	1500	69	V. NARDE
	1800	69	V. NARDE
	2100	68	V. NARDE
	2400	68	Hana

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	67	Hana
	0600	70	Pendleton
	0900	70	Pendleton
	1200	70	Pendleton
	1500	70	Bell
	1800	70	Bell
	2100	70	Bell
	2400	70	Hana

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	69	Hana
	0600	70	P. MARSH
	0900	70	P. MARSH
	1200	70	P. MARSH
	1500	71	Garcia
	1800	72	Kelly
	2100	70	Kelly
	2400	68	

Notes

SEPTEMBER 2024



From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **9** Temp. Reading Location:

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	68	JESSIE MAR
	0600	68	DANIEL
	0900	70	DANIEL
	1200	71	DANIEL
	1500	73	KELLY
	1800	72	KELLY
	2100	72	KELLY
	2400	70	URGEON

Wednesday

Date	Time	Temp.	Name (Print)
	0300	71	Begnaud
	0600	70	Lyon
	0900	70	Pascal
	1200	70	Pendleton
	1500	70	Bell
	1800	70	Bell
	2100	70	Bell
	2400	70	Magnan

Friday

Date	Time	Temp.	Name (Print)
6/17	0300	69	Hanch
	0600	69	Pendleton
	0900	70	Pendleton
	1200	70	Pendleton
	1500	70	NAROK
	1800	70	NAROK
	2100	69	NAROK
	2400	69	Hanch

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	69	HANK
	0600	68	Open
	0900	70	Dian
	1200	70	Dray
	1500	72	KELLY
	1800	71	KELLY
	2100	70	KELLY
	2400	68	WEELEY

Tuesday

Date	Time	Temp.	Name (Print)
4/24	0300	65	Wetley
	0600	63	Pendle
	0900	70	Pendle
	1200	70	Pendle
	1500	70	Bell
	1800	70	Bell
	2100	70	Bell
	2400	71	Lynn

Thursday

Date	Time	Temp.	Name (Print)
8/26	0300	70	Maryann
	0600	69	Maryann
	0900	70	Pondley
	1200	70	Pondley
	1500	70	Bell
	1800	71	Bell
	2100	70	Bell
	2400	70	Hanna

Saturday

Date	Time	Temp.	Name (Print)
2/17/00	0300	67	Hanen
	0600	70	P. Dusole
	0900	71	Prud'homme
	1200	72	Bowditch
	1500	72	Eckley
	1800	71	Crosby
	2100	70	Crosby
	2400	69	Hanen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 9 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	65	NEELEY
	0600	70	Call
	0900	80	Sedgwick
	1200	85	Selena
	1500	90	Barb
	1800	72	Cell 17
	2100	70	Levy
	2400	70	NEELEY

Tuesday

Date	Time	Temp.	Name (Print)
9/30	0300	68	NEELEY
	0600	70	Pendleton
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9/30	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/30	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
9/30	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
9/30	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/30	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.
 Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 9 Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C11 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
	0300	76	M. Collins
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
9/1/24	0300	68	
	0600	69.4	
	0900	69	
	1200	70	Barringer
	1500	71	Barringer
	1800	71	Barringer
	2100	71	GARIBAY
	2400	72	GARIBAY

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C11 Temp. Reading Location: 2nd TIER
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/2/24	0300	68	GARIBAY
	0600	70	GARIBAY
	0900	70	LOM
	1200	70	XOM
	1500	71	BRAVO
	1800	70	BRAVO
	2100	70	BRAVO
	2400	70	FERNANDEZ

TUESDAY

Date	time	Temp.	Name (Print)
9/3/24	0300	70	FERNANDEZ
	0600	70	EASTON
	0900	71	EASTON
	1200	71	EASTON
	1500	71	BRAVO
	1800	72	BRAVO
	2100	71	BRAVO
	2400	71	CARTAGO

WEDNESDAY

Date	time	Temp.	Name (Print)
9/4/24	0300	70	CARTAGO
	0600	69	CARTAGO
	0900	70	EASTON
	1200	70	YOUNG
	1500	71	BRAVO
	1800	75	BRAVO
	2100	72	BRAVO
	2400	71	CORTEZ

THURSDAY

Date	time	Temp.	Name (Print)
9/5/24	0300	70.1	FERNANDEZ
	0600	71.1	EASTON
	0900	70	YOUNG
	1200	74.1	EASTON
	1500	72	BRAVO
	1800	77	BRAVO
	2100	76	BRAVO
	2400	74.2	FERNANDEZ

FRIDAY

Date	time	Temp.	Name (Print)
9/6/24	0300	68	MORGAN
	0600	72	EASTON
	0900	74	EASTON
	1200	74	KELLY
	1500	75	MORRISON
	1800	71	MORRISON
	2100	70	MORRISON
	2400	69	MORGAN

SATURDAY

Date	time	Temp.	Name (Print)
9/7/24	0300	70	FERNANDEZ
	0600	72	EASTON
	0900	72	KELLY
	1200	74	KELLY
	1500	76	SARAS
	1800	76	SARAS
	2100	76	SARAS
	2400	74	FERNANDEZ

SUNDAY

Date	time	Temp.	Name (Print)
9/8/24	0300	72	FERNANDEZ
	0600	71	PARK
	0900	71	YOUNG
	1200	71	YOUNG
	1500	73	BRAVO
	1800	73	SARAS
	2100	73	SARAS
	2400	71	FERNANDEZ

NOTES

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C11 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/9/24	0300	72	A. C. Miller
	0600	72	Greas
	0900	72	Greys
	1200	73	Grey
	1500	74	Vaccum
	1800	75	Vaccum
	2100	76	Vaccum
	2400	75	Fernandez

TUESDAY

Date	time	Temp.	Name (Print)
9/10/24	0300	73	Kewmyn
	0600	71	Younu
	0900	71	Younu
	1200	71	Younu
	1500	72	Yang
	1800	76	Younu
	2100	71	Younu
	2400	76	Fernandez

WEDNESDAY

Date	time	Temp.	Name (Print)
9/11/24	0300	70	Verma
	0600	72	Gaston
	0900	72.5	Gaston
	1200	73	Gaston
	1500	74.1	Tanay
	1800	75.2	Tanay
	2100	76	Tanay
	2400	74	Tanay

THURSDAY

Date	time	Temp.	Name (Print)
9/12/24	0300	71	Fernandez
	0600	72	Gaston
	0900	73.5	Gaston
	1200	73	Gaston
	1500	74	Phu
	1800	73	Phu
	2100	71	Phu
	2400	69.2	Fernandez

FRIDAY

Date	time	Temp.	Name (Print)
9/13/24	0300	75	Carilla
	0600	70	Gaston
	0900	71	Gaston
	1200	71	Gaston
	1500	71	Sant
	1800	71	Sant
	2100	71	Sant
	2400	70	Fernandez

SATURDAY

Date	time	Temp.	Name (Print)
9/14/24	0300	68	Fernandez
	0600	70	Gaston
	0900	70.1	Gaston
	1200	70.3	Gaston
	1500	71	W.WANG
	1800	70	W.WANG
	2100	70	W.WANG
	2400	70	Fernandez

SUNDAY

Date	time	Temp.	Name (Print)
9/15/24	0300	70	Fernandez
	0600	70	Rodriguez
	0900	71	Rodriguez
	1200	71	Rodriguez
	1500	70	W.WANG
	1800	70	W.WANG
	2100	70	W.WANG
	2400	69	R. Venzke

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C11 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/16/24	0300	68	DANG
	0600	70	ZUMA
	0900	70	ZUMA
	1200	70	ZUMA
	1500	69	ABELLA
	1800	70	ABELLA
	2100	71	ABELLA
	2400	70	ABELLA

TUESDAY

Date	time	Temp.	Name (Print)
9/17/24	0300	70	FERNANDEZ
	0600	71	GASTON
	0900	70	GASTON
	1200	70	GASTON
	1500	71	GASTON
	1800	72	GASTON
	2100	71	GASTON
	2400	70	GASTON

WEDNESDAY

Date	time	Temp.	Name (Print)
9/18/24	0300	70	FRANCISCO
	0600	70	JUAN
	0900	70	JUAN
	1200	70	JUAN
	1500	71	FRANCISCO
	1800	72	FRANCISCO
	2100	71	FRANCISCO
	2400	70	FRANCISCO

THURSDAY

Date	time	Temp.	Name (Print)
9/19/24	0300	70	WAD
	0600	70	YOUNG
	0900	70	YOUNG
	1200	70	YOUNG
	1500	73	YOUNG
	1800	72	PHILLIPS
	2100	71	PHILLIPS
	2400	71	WAD

FRIDAY

Date	time	Temp.	Name (Print)
9/20/24	0300	70	WAD
	0600	70	COSTA
	0900	70	KODAKA
	1200	72	MORENO
	1500	73	MORENO
	1800	72	MORENO
	2100	71	MORENO
	2400	70	MORENO

SATURDAY

Date	time	Temp.	Name (Print)
9/21/24	0300	70	YOUNG
	0600	70	COSTA
	0900	71	COSTA
	1200	72	COSTA
	1500	73	COSTA
	1800	73	MORENO
	2100	72	MORENO
	2400	70	MEDINA

SUNDAY

Date	time	Temp.	Name (Print)
9/22/24	0300	70	MEDINA
	0600	70	YOUNG
	0900	70	YOUNG
	1200	70	YOUNG
	1500	70	YOUNG
	1800	70	YOUNG
	2100	70	YOUNG
	2400	70	YOUNG

NOTES

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C11 Temp. Reading Location: 2nd tier
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/23/24	0300	70	Fernandez
	0600	70	Yuan
	0900	70	Young
	1200	71	Young
	1500	70	FUNG
	1800	71	FUNG
	2100	70	FUNG
	2400	70	Fernandez

TUESDAY

Date	time	Temp.	Name (Print)
9/24/24	0300	70	Fernandez
	0600	70	Yuan
	0900	70	Young
	1200	70	Young
	1500	75	FUNG
	1800	74	FUNG
	2100	74	FUNG
	2400	74	Yuan

WEDNESDAY

Date	time	Temp.	Name (Print)
9/25/24	0300	70	Yuan
	0600	70	Yuan
	0900	70	Young
	1200	70	Young
	1500	71	FUNG
	1800	72	FUNG
	2100	74	FUNG
	2400	70	Yuan

THURSDAY

Date	time	Temp.	Name (Print)
9/26/24	0300	70	Yuan
	0600	70	Yuan
	0900	70	Young
	1200	70	Young
	1500	70	Young
	1800	70	Young
	2100	71	Young
	2400	70	Yuan

FRIDAY

Date	time	Temp.	Name (Print)
9/27/24	0300	70	YAO
	0600	70	Keddyan
	0900	71	Yuan
	1200	71	Young
	1500	70	Young
	1800	71	Young
	2100	72	Young
	2400	70	Yuan

SATURDAY

Date	time	Temp.	Name (Print)
9/28/24	0300	70	Fernandez
	0600	70	GASTON
	0900	70	Yuan
	1200	71	Young
	1500	71	WANG
	1800	71	WANG
	2100	70	WANG
	2400	70	Fernandez

SUNDAY

Date	time	Temp.	Name (Print)
9/29/24	0300	70	Fernandez
	0600	70	Yuan
	0900	70	Yuan
	1200	70	Young
	1500	70	FUNG
	1800	71	FUNG
	2100	70	FUNG
	2400	71	Fernandez

NOTES

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C11 Temp. Reading Location: 2nd tier

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/30/24	0300	69	Fernandez
	0600	70	Gren
	0900	70	Gren
	1200	70	Gren
	1500	71	Hunter
	1800	71	Hunter
	2100	70	Hunter
	2400	70	Hunter

TUESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C12 Temp. Reading Location: CENTER LNR TIER

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
9/1/24	0300	61°	Melrose
	0600	62°	Melrose
	0900	63°	Melrose
	1200	68°	Crozier
	1500	68°	Crozier
	1800	68°	Crozier
	2100	65°	Crozier
	2400	63°	Melrose

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C12 Temp. Reading Location: 2ND TIER
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/2/24	0300	62	YANG
	0600	62	Melrose
	0900	63	Melrose
	1200	65	Melrose
	1500	67	Crozier
	1800	68	Crozier
	2100	65	Crozier
	2400	62	YANG

TUESDAY

Date	time	Temp.	Name (Print)
9/3/24	0300	60	YANG
	0600	62	Pierce
	0900	63	Pierce
	1200	66	Pierce
	1500	68	Pierce
	1800	68	Crozier
	2100	67	Crozier
	2400	64	YANG

WEDNESDAY

Date	time	Temp.	Name (Print)
9/4/24	0300	62	YANG
	0600	65	Melrose
	0900	66	Melrose
	1200	67	Melrose
	1500	68	Jimenez
	1800	69	Jimenez
	2100	70	Jimenez
	2400	68	YANG

THURSDAY

Date	time	Temp.	Name (Print)
9/5/24	0300	62	YANG
	0600	62	LINKE
	0900	65	LINKE
	1200	68	LINKE
	1500	66	Brown
	1800	68	MILLER
	2100	68	MILLER
	2400	65	MICHIN

FRIDAY

Date	time	Temp.	Name (Print)
9/6/24	0300	62	YANG
	0600	63	Pierce
	0900	64	Pierce
	1200	65	Pierce
	1500	67	Brown
	1800	68	Brown
	2100	66	Brown
	2400	62	YANG

SATURDAY

Date	time	Temp.	Name (Print)
9/7/24	0300	63	YANG
	0600	62	GORMAN
	0900	64	GORMAN
	1200	66	GORMAN
	1500	68	GORMAN
	1800	67	GORMAN
	2100	68	GORMAN
	2400	64	MORROW

SUNDAY

Date	time	Temp.	Name (Print)
9/8/24	0300	60	YANG
	0600	60	Pierce
	0900	63	Pierce
	1200	66	Pierce
	1500	68	Brown
	1800	68	Brown
	2100	68	Brown
	2400	69	YANG

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C12 Temp. Reading Location: 2ND TIER
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/9/24	0300	68	YANG
	0600	62	Pierce
	0900	63	Pierce
	1200	68	Pierce
	1500	68	Crozier
	1800	68	Crozier
	2100	68	Crozier
	2400	65	Crozier

TUESDAY

Date	time	Temp.	Name (Print)
9/10/24	0300	65	Crozier
	0600	66	Guzman
	0900	66	Guzman
	1200	67	Guzman
	1500	68	Crozier
	1800	69	Crozier
	2100	68	Crozier
	2400	62	Guzman

WEDNESDAY

Date	time	Temp.	Name (Print)
9/11/24	0300	63	YANG
	0600	60	Melrose
	0900	62	Melrose
	1200	63	Melrose
	1500	68	Crozier
	1800	68	Crozier
	2100	65	Crozier
	2400	62	YANG

THURSDAY

Date	time	Temp.	Name (Print)
9/12/24	0300	62	YANG
	0600	61	Melrose
	0900	65	Melrose
	1200	66	Melrose
	1500	68	Tovar
	1800	68	Tovar
	2100	63	Tovar
	2400	60	YANG

FRIDAY

Date	time	Temp.	Name (Print)
9/13/24	0300	62	YANG
	0600	60	Melrose
	0900	62	Melrose
	1200	65	Melrose
	1500	67	Jimenez
	1800	66	Jimenez
	2100	65	Jimenez
	2400	63	YANG

SATURDAY

Date	time	Temp.	Name (Print)
9/14/24	0300	60	YANG
	0600	61	Melrose
	0900	63	Melrose
	1200	66	Melrose
	1500	67	Jimenez
	1800	66	Jimenez
	2100	65	Jimenez
	2400	63	YANG

SUNDAY

Date	time	Temp.	Name (Print)
9/15/24	0300	60	YANG
	0600	59	Aguayo
	0900	60	Aguayo
	1200	61	Aguayo
	1500	65	Crozier
	1800	64	Crozier
	2100	61	Crozier
	2400	61	MEDINA

NOTES

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C12 Temp. Reading Location: 2nd Tier

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/16/24	0300	60	MEDINA
	0600	61	Guzman
	0900	62	Guzman
	1200	62	Guzman
	1500	63	Crozier
	1800	63	Crozier
	2100	61	Vic
	2400	60	Jenkins

TUESDAY

Date	time	Temp.	Name (Print)
9/17/24	0300	60	Jenkins
	0600	62	MEDINA
	0900	63	MEDINA
	1200	63	MEDINA
	1500	63	Vic
	1800	63	Vic
	2100	63	Jimenez
	2400	68	Moran

WEDNESDAY

Date	time	Temp.	Name (Print)
9/18/24	0300	68	MORAN
	0600	68	MORAN
	0900	62	JANNI
	1200	62	JANNI
	1500	62	MIC
	1800	62	MIC
	2100	61	Crozier
	2400	60	JANNI

THURSDAY

Date	time	Temp.	Name (Print)
9/19/24	0300	63	MORAN
	0600	61	Guzman
	0900	62	Guzman
	1200	63	Guzman
	1500	64	L.SANTABR
	1800	64	Jimenez
	2100	64	Jimenez
	2400	62	Moran

FRIDAY

Date	time	Temp.	Name (Print)
9/20/24	0300	60	YANG
	0600	60	MORAN
	0900	61	MORAN
	1200	64	MORAN
	1500	65	Jimenez
	1800	66	Jimenez
	2100	66	Jimenez
	2400	64	YANG

SATURDAY

Date	time	Temp.	Name (Print)
9/21/24	0300	62	YANG
	0600	59	MOSBY
	0900	61	MOSBY
	1200	63	MOSBY
	1500	64	Thur
	1800	65	Thur
	2100	65	Thur
	2400	63	YANG

SUNDAY

Date	time	Temp.	Name (Print)
9/22/24	0300	62	P.BRICE
	0600	64	P.BRICE
	0900	65	G.Guzman
	1200	66	G.Guzman
	1500	66	Crozier
	1800	67	Crozier
	2100	66	Crozier
	2400	64	YANG

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C12 Temp. Reading Location: 2nd TIER

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/23/24	0300	63	MARIA
	0600	60	N. melrose
	0900	61	N. melrose
	1200	63	N. melrose
	1500	63	Crozier
	1800	63	Crozier
	2100	63	Crozier
	2400	60	MANG

TUESDAY

Date	time	Temp.	Name (Print)
9/24/24	0300	62	MANG
	0600	61	Gurman
	0900	63	Gurman
	1200	65	Gurman
	1500	69	jimenez
	1800	69	jimenez
	2100	68	jimenez
	2400	65	LAR

WEDNESDAY

Date	time	Temp.	Name (Print)
9/25/24	0300	60	MANG
	0600	61	Gurman
	0900	62	Gurman
	1200	63	Gurman
	1500	63	Crozier
	1800	63	Crozier
	2100	61	Crozier
	2400	61	LAR

THURSDAY

Date	time	Temp.	Name (Print)
9/26/24	0300	63	LAR
	0600	63	AGUAYO
	0900	63	AGUAYO
	1200	65	AGUAYO
	1500	65	jimenez
	1800	65	jimenez
	2100	65	jimenez
	2400	63	MANG

FRIDAY

Date	time	Temp.	Name (Print)
9/27/24	0300	60	MANG
	0600	60	Gurman
	0900	61	Gurman
	1200	63	Gurman
	1500	64	Crozier
	1800	65	Crozier
	2100	65	Crozier
	2400	63	MANG

SATURDAY

Date	time	Temp.	Name (Print)
9/28/24	0300	62	MANG
	0600	60	Janni
	0900	62	Janni
	1200	62	Janni
	1500	64	Janni
	1800	64	Janni
	2100	62	Janni
	2400	60	Walters

SUNDAY

Date	time	Temp.	Name (Print)
9/29/24	0300	63	MANG
	0600	61	MEDINA
	0900	62	Gurman
	1200	63	Gurman
	1500	65	Crozier
	1800	65	Crozier
	2100	63	Crozier
	2400	62	MANG

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C12 Temp. Reading Location: 2nd TIER

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/30/24	0300	61	Yuan
	0600	59	Guzman
	0900	61	Guzman
	1200	62	Guzman
	1500	63	Crozier
	1800	63	Crozier
	2100	61	Crozier
	2400	60	Yuan

TUESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C13 Temp. Reading Location: 2nd TIER
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
9/1/24	0300	68	Fernando
	0600	70	ROMA
	0900	70	RONA
	1200	70	RONA
	1500	70	RONA (MEZ)
	1800	71	SCOTT
	2100	73	SCOTT
	2400	71	WILLIE FERNANDEZ

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C13 Temp. Reading Location: 2nd TIER
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
9/2/24	0300	69	FERNANDEZ
	0600	70	I. MACK
	0900	71	I. MACK
	1200	71	I. MACK
	1500	72	SCHERF
	1800	72	SCHERF
	2100	70	MEDINA
	2400	70	MEDINA

TUESDAY

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	MEDINA
	0600	70	I. MACK
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	MARTINEZ
	1800	70	MARTINEZ
	2100	70	MARTINEZ
	2400	69	FERNANDEZ

WEDNESDAY

Date	Time	Temp.	Name (Print)
9/4/24	0300	71	MEDINA
	0600	70	I. MACK
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	MARTINEZ
	1800	70	MARTINEZ
	2100	70	MARTINEZ
	2400	70	FERNANDEZ

THURSDAY

Date	Time	Temp.	Name (Print)
9/5/24	0300	69	FERNANDEZ
	0600	70	I. MACK
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	MARTINEZ
	1800	70	MARTINEZ
	2100	70	MARTINEZ
	2400	70	MARTINEZ

FRIDAY

Date	Time	Temp.	Name (Print)
9/6/24	0300	70	FERNANDEZ
	0600	70	I. MACK
	0900	70	I. MACK
	1200	71	I. MACK
	1500	71	G-Town
	1800	71	G-Town
	2100	71	G-Town
	2400	71	W.VANG

Date	Time	Temp.	Name (Print)
9/7/24	0300	71	W.VANG
	0600	70	RICH, JR.
	0900	70	RICH, JR.
	1200	70	RICH, JR.
	1500	70	G-TOWN
	1800	70	G-TOWN
	2100	70	G-TOWN
	2400	71	W.VANG

SUNDAY

Date	Time	Temp.	Name (Print)
9/8/24	0300	71	W.VANG
	0600	70	YOUNG, JR.
	0900	70	RICH, JR.
	1200	70	RICH, JR.
	1500	72	J. GALVAN
	1800	70	J. GALVAN
	2100	70	J. GALVAN
	2400	70	MEDINA

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C13 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/9/24	0300	70	M. Collins
	0600	70	J. DAVIN
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	YANEK
	1800	71	YANEK
	2100	70	YANEK
	2400	70	M. Collins

TUESDAY

Date	time	Temp.	Name (Print)
9/10/24	0300	70	M. Collins
	0600	70	I. MACK
	0900	70	I. MACK
	1200	71	I. MACK
	1500	70	ABELLA
	1800	70	ABELLA
	2100	70	ABELLA
	2400	70	M. Collins

WEDNESDAY

Date	time	Temp.	Name (Print)
9/11/24	0300	70	M. Collins
	0600	70	J. DAVIN
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	YANEK
	1800	70	YANEK
	2100	71	YANEK
	2400	70	M. Collins

THURSDAY

Date	time	Temp.	Name (Print)
9/12/24	0300	70	M. Collins
	0600	70	I. MACK
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	YANEK
	1800	70	YANEK
	2100	70	YANEK
	2400	70	M. Collins

FRIDAY

Date	time	Temp.	Name (Print)
9/13/24	0300	70	M. Collins
	0600	70	RICH N.
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	RICH N.
	1800	70	Averardo - Agripina
	2100	70	RICH N.
	2400	70	W. WANG

SATURDAY

Date	time	Temp.	Name (Print)
9/14/24	0300	70	M. Collins
	0600	70	RICH N.
	0900	70	RICH N.
	1200	70	RICH N.
	1500	70	QUINTERO
	1800	70	QUINTERO
	2100	70	QUINTERO
	2400	70	W. WANG

SUNDAY

Date	time	Temp.	Name (Print)
9/15/24	0300	70	W. WANG
	0600	70	W. WANG RICH N.
	0900	70	RICH N.
	1200	70	RICH N.
	1500	60	STANLEY
	1800	60	STANLEY
	2100	60	STANLEY
	2400	60	TRISHA

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C13 Temp. Reading Location: 2nd TIER

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/16/24	0300	68	T. MACK ✓
	0600	68	I. MACK
	0900	68	I. MACK
	1200	69	I. MACK ✓
	1500	68	SABERL
	1800	68	GARBER
	2100	68	GARBER
	2400	68	M. COLLINS

TUESDAY

Date	time	Temp.	Name (Print)
9/17/24	0300	68	M. COLLINS
	0600	68	I. MACK
	0900	69	I. MACK
	1200	69	I. MACK
	1500	70	I. MACK
	1800	71	I. MACK
	2100	70	I. MACK
	2400	68	M. COLLINS

WEDNESDAY

Date	time	Temp.	Name (Print)
9/18/24	0300	68	M. COLLINS ✓
	0600	69	I. MACK
	0900	69	I. MACK
	1200	69	I. MACK
	1500	69	T. MACK ✓
	1800	69	T. MACK ✓
	2100	69	T. MACK ✓
	2400	69	M. COLLINS

THURSDAY

Date	time	Temp.	Name (Print)
9/19/24	0300	68	M. COLLINS
	0600	69	I. MACK
	0900	69	I. MACK ✓
	1200	70	I. MACK
	1500	70	I. MACK
	1800	70	I. MACK
	2100	70	I. MACK
	2400	69	M. COLLINS

FRIDAY

Date	time	Temp.	Name (Print)
9/20/24	0300	69	M. COLLINS
	0600	70	I. MACK
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	SABERL
	1800	70	SABERL
	2100	70	SABERL
	2400	70	M. COLLINS

SATURDAY

Date	time	Temp.	Name (Print)
9/21/24	0300	70	M. COLLINS
	0600	70	RICH, N.
	0900	70	RICH, N.
	1200	70	RICH, N.
	1500	70	R. PRICE
	1800	71	R. PRICE
	2100	70	R. PRICE
	2400	70	W. VANG

SUNDAY

Date	time	Temp.	Name (Print)
9/22/24	0300	70	W. VANG
	0600	70	RICH, N.
	0900	70	RICH, N.
	1200	70	RICH, N.
	1500	70	SABERL
	1800	70	SABERL
	2100	70	SABERL
	2400	70	M. COLLINS

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C13 Temp. Reading Location: 2nd TIER

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/23/24	0300	70	M. COLLINS ✓
	0600	70	I. MACK
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	J. HALL ✓
	1800	70	S. SENDER ✓
	2100	70	S. SEABER ✓
	2400	70	COLLINS ✓

TUESDAY

Date	time	Temp.	Name (Print)
9/24/24	0300	70	COLLINS ✓
	0600	70	I. MACK
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	Y. YOUNG ✓
	1800	70	Y. YOUNG ✓
	2100	71	Y. YOUNG ✓
	2400	70	COLLINS ✓

WEDNESDAY

Date	time	Temp.	Name (Print)
9/25/24	0300	70	COLLINS ✓
	0600	70	I. MACK
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	MARTINEZ ✓
	1800	70	MARTINEZ ✓
	2100	70	MARTINEZ ✓
	2400	70	M. COLLINS ✓

THURSDAY

Date	time	Temp.	Name (Print)
9/26/24	0300	70	M. COLLINS ✓
	0600	70	I. MACK ✓
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	MARTINEZ ✓
	1800	70	MARTINEZ ✓
	2100	70	MARTINEZ ✓
	2400	70	M. COLLINS ✓

FRIDAY

Date	time	Temp.	Name (Print)
9/27/24	0300	70	M. COLLINS ✓
	0600	70	RICHARD ✓
	0900	70	I. MACK
	1200	70	I. MACK
	1500	70	MARTINEZ ✓
	1800	70	MARTINEZ ✓
	2100	70	MARTINEZ ✓
	2400	70	M. COLLINS ✓

SATURDAY

Date	time	Temp.	Name (Print)
9/28/24	0300	70	M. COLLINS ✓
	0600	70	RICHARD ✓
	0900	70	RICHARD ✓
	1200	70	RICHARD ✓
	1500	70	MARTINEZ ✓
	1800	70	MARTINEZ ✓
	2100	70	MARTINEZ ✓
	2400	71	M. WANG ✓

NOTES

Date	time	Temp.	Name (Print)
9/29/24	0300	70	W. WANG ✓
	0600	70	RICHARD ✓
	0900	70	RICHARD ✓
	1200	70	RICHARD ✓
	1500	70	S. SEABER ✓
	1800	70	S. SEABER ✓
	2100	70	K. KRAMER ✓
	2400	70	M. COLLINS ✓

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C13 Temp. Reading Location: 2ND TIER
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/30/24	0300	70	M. J. Follings
	0600	70	D. L. Clegg
	0900	70	J. A. Cosi
	1200	70	P. M. G. S.
	1500	70	S. A. R. C.
	1800	70	S. E. B. R. C.
	2100	70	S. E. B. R. C.
	2400	70	M. L. Collins

TUESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C14 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
9/1/24	0300	70	RENNARDO
	0600	71	W.HEN
	0900	72	YANN
	1200	73	YANN
	1500	74	CASTILLO
	1800	72	CASTILLO
	2100	73	CASTILLO
	2400	71	W.HEN

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C14 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/2/24	0300	71	VANCE
	0600	73	GATES
	0900	74	GATES
	1200	74	GATES
	1500	76	GARIBAY
	1800	76	GARIBAY
	2100	74	GARIBAY
	2400	73	VANCE

TUESDAY

Date	time	Temp.	Name (Print)
9/3/24	0300	72	VANG
	0600	72	VANG
	0900	75	Bauer
	1200	76	Bauer
	1500	76	Bauer
	1800	73	Bauer
	2100	73	Bauer
	2400	75	Phillyss

WEDNESDAY

Date	time	Temp.	Name (Print)
9/4/24	0300	72	KANE
	0600	70	J. GUMAN
	0900	71	J. GUMAN
	1200	72	J. GUMAN
	1500	73	J. GUMAN
	1800	74	J. GUMAN
	2100	73	J. GUMAN
	2400	72	J. GUMAN

THURSDAY

Date	time	Temp.	Name (Print)
9/5/24	0300	67	Phillyss
	0600	75	JOYCE
	0900	75	RODRIGUEZ
	1200	76	RODRIGUEZ
	1500	77	RODRIGUEZ
	1800	78	RODRIGUEZ
	2100	79	RODRIGUEZ
	2400	72	Phillyss

FRIDAY

Date	time	Temp.	Name (Print)
9/6/24	0300	74	
	0600	74	SOYLE
	0900	73	SOYLE
	1200	74	SOYLE
	1500	76	
	1800	75	
	2100	74	MORAN
	2400	72	MORAN

SATURDAY

Date	time	Temp.	Name (Print)
9/7/24	0300	71	MORAN
	0600	70	Bauer
	0900	71	Bauer
	1200	71	Bauer
	1500	70	Bauer
	1800	70	Bauer
	2100	69	Bauer
	2400	68	MORAN

SUNDAY

Date	time	Temp.	Name (Print)
9/8/24	0300	66	MORAN
	0600	67	MORAN
	0900	74	GATES
	1200	76	GATES
	1500	75	SINA
	1800	75	BAMBER
	2100	76	BAMBER
	2400	75	BAMBER

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C14 Temp. Reading Location: 2nd TIER

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/9/24	0300	75	BRAZON
	0600	75	GATES
	0900	76	GATES
	1200	78	GATES
	1500	78	GATES
	1800	78	GATES
	2100	77	GATES
	2400	77	GATES

TUESDAY

Date	time	Temp.	Name (Print)
9/10/24	0300	71	Alex
	0600	71	Rauer
	0900	75	Rauer
	1200	76.0	DICKENS
	1500	76.4	CASTILLO
	1800	78.3	CASTILLO
	2100	79	CASTILLO
	2400	74	CASTILLO

WEDNESDAY

Date	time	Temp.	Name (Print)
9/11/24	0300	70	and
	0600	70	J. VIMON
	0900	71	CASTILLO
	1200	71	CASTILLO
	1500	72	CASTILLO
	1800	75.2	CASTILLO
	2100	70.1	CASTILLO
	2400	70	YAN

THURSDAY

Date	time	Temp.	Name (Print)
9/12/24	0300	78	YAN
	0600	78	L. CAPUR
	0900	71	L. CAPUR
	1200	72	L. CAPUR
	1500	72	Y. CASTILLO
	1800	71	Y. CASTILLO
	2100	71	Y. CASTILLO
	2400	70	YAN

FRIDAY

Date	time	Temp.	Name (Print)
9/13/24	0300	71	YAN
	0600	71	YAN
	0900	70	YAN
	1200	73	YAN
	1500	70	YAN
	1800	70	YAN
	2100	70	YAN
	2400	70	YAN

SATURDAY

Date	time	Temp.	Name (Print)
9/14/24	0300	69	MORENO
	0600	71	CASTILLO
	0900	72	CASTILLO
	1200	72.5	CASTILLO
	1500	73	CASTILLO
	1800	71	CASTILLO
	2100	71	CASTILLO
	2400	71	MORENO

SUNDAY

Date	time	Temp.	Name (Print)
9/15/24	0300	70	MORENO
	0600	70	GATES
	0900	71	GATES
	1200	72	GATES
	1500	70	GATES
	1800	72	GATES
	2100	71	GATES
	2400	71	GATES

NOTES

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSF Housing Unit: C14 Temp. Reading Location: 2nd TIER
 (e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/16/24	0300	70	<i>[Signature]</i>
	0600	71	GATES
	0900	71	GATES
	1200	72	GATES
	1500	72	<i>[Signature]</i>
	1800	72	<i>[Signature]</i>
	2100	71	<i>[Signature]</i>
	2400	73	<i>[Signature]</i>

TUESDAY

Date	time	Temp.	Name (Print)
9/17/24	0300	75	<i>[Signature]</i>
	0600	73	Bauer
	0900	74	<i>[Signature]</i>
	1200	75	<i>[Signature]</i>
	1500	74	<i>[Signature]</i>
	1800	74	<i>[Signature]</i>
	2100	71	<i>[Signature]</i>
	2400	70	<i>[Signature]</i>

WEDNESDAY

Date	time	Temp.	Name (Print)
9/18/24	0300	70	<i>[Signature]</i>
	0600	70	Deston
	0900	73	<i>[Signature]</i>
	1200	73	<i>[Signature]</i>
	1500	71	CASTILLO
	1800	70.5	CASTILLO
	2100	70.2	CASTILLO
	2400	71.1	<i>[Signature]</i>

THURSDAY

Date	time	Temp.	Name (Print)
9/19/24	0300	70	<i>[Signature]</i>
	0600	70	BERNIE Z
	0900	70	<i>[Signature]</i>
	1200	70.1	<i>[Signature]</i>
	1500	71	Sanchez
	1800	70	<i>[Signature]</i>
	2100	70	<i>[Signature]</i>
	2400	70	<i>[Signature]</i>

FRIDAY

Date	time	Temp.	Name (Print)
9/20/24	0300	70	<i>[Signature]</i>
	0600	69	<i>[Signature]</i>
	0900	70	Bauer
	1200	71	<i>[Signature]</i>
	1500	72	Sanchez
	1800	71	<i>[Signature]</i>
	2100	71	<i>[Signature]</i>
	2400	70	MORENO

SATURDAY

Date	time	Temp.	Name (Print)
9/21/24	0300	68	<i>[Signature]</i>
	0600	68	Bauer
	0900	69	<i>[Signature]</i>
	1200	70	<i>[Signature]</i>
	1500	73	Sanchez
	1800	71	<i>[Signature]</i>
	2100	70	<i>[Signature]</i>
	2400	68	MORENO

NOTES

Date	time	Temp.	Name (Print)
9/22/24	0300	68	<i>[Signature]</i>
	0600	68	Bauer
	0900	69	<i>[Signature]</i>
	1200	70	<i>[Signature]</i>
	1500	70	Sanchez
	1800	71	<i>[Signature]</i>
	2100	70	<i>[Signature]</i>
	2400	70	<i>[Signature]</i>

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C14 Temp. Reading Location: 2ND TIER
 (e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/23/24	0300	70	M. MORENO
	0600	70	GATES
	0900	71	GATES
	1200	72	GATES
	1500	73	SANCHEZ
	1800	73	SANCHEZ
	2100	72	SANCHEZ
	2400	71	VAN

TUESDAY

Date	time	Temp.	Name (Print)
9/24/24	0300	71	PUNIG
	0600	72	GATES
	0900	72	GATES
	1200	73	GATES
	1500	70	SEARCA
	1800	71	SEARCA
	2100	72	SEARCA
	2400	71	VAN

WEDNESDAY

Date	time	Temp.	Name (Print)
9/25/24	0300	71	VAN
	0600	71	VEGA
	0900	72	VEGA
	1200	71	VEGA
	1500	71	CASTILLO
	1800	72	CASTILLO
	2100	71	CASTILLO
	2400	70	VAN

THURSDAY

Date	time	Temp.	Name (Print)
9/26/24	0300	72	YANEZ
	0600	69	S. HAMMER
	0900	70	S. HAMMER
	1200	72	S. HAMMER
	1500	72	S. SANDOVAL
	1800	71	S. SANDOVAL
	2100	70	S. SANDOVAL
	2400	70	MORENO

FRIDAY

Date	time	Temp.	Name (Print)
9/27/24	0300	70	VAN
	0600	70	BON
	0900	71	BON
	1200	70	BON
	1500	70	SANCHEZ
	1800	71	SANCHEZ
	2100	70	SANCHEZ
	2400	70	MORENO

SATURDAY

Date	time	Temp.	Name (Print)
9/28/24	0300	69	MORENO
	0600	70	MORENO
	0900	70	MORENO
	1200	71	MORENO
	1500	70	SANCHEZ
	1800	70	SANCHEZ
	2100	70	SANCHEZ
	2400	70	MORENO

SUNDAY

Date	time	Temp.	Name (Print)
9/29/24	0300	70	MORENO
	0600	70	GATES
	0900	71	GATES
	1200	72	GATES
	1500	71	SANCHEZ
	1800	73	SANCHEZ
	2100	71	SANCHEZ
	2400	70	FUNGS

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C11 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/30/24	0300	68	FUNGP
	0600	72	BATES
	0900	72	GATES
	1200	72	GATES
	1500	71	CHAZARO
	1800	71	CHAZARO
	2100	70	CHAZARO
	2400	70	WILLIAMS

TUESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C15 Temp. Reading Location: 2nd TIER
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
9/1/24	0300	71	Wanner
	0600	70	Wanner
	0900	71	Wanner
	1200	72	Wanner
	1500	72	Lyon
	1800	72	Lyon
	2100	71.9	Rice
	2400	70.8	Rice

NOTES

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C15 Temp. Reading Location: 2nd tier
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/2/24	0300	70.6	SPAIN
	0600	70	Silva
	0900	70	ODEM
	1200	71	SILVA
	1500	71	GREEN
	1800	72	GREEN
	2100	71	SILVA
	2400	70	SPAIN

TUESDAY

Date	time	Temp.	Name (Print)
9/3/24	0300	70.6	SPAIN
	0600	70	Silva
	0900	70	SILVA
	1200	71	SILVA
	1500	72	WALL
	1800	72	WALL
	2100	72	WALL
	2400	71.5	SPAIN

WEDNESDAY

Date	time	Temp.	Name (Print)
9/4/24	0300	70	SPAIN
	0600	70	M SILVA
	0900	70	KACB
	1200	71	KACB
	1500	73	WALL
	1800	73	WALL
	2100	72	WALL
	2400	71	SPAIN

THURSDAY

Date	time	Temp.	Name (Print)
9/5/24	0300	70.5	SPAIN
	0600	70	Silva
	0900	70	SILVA
	1200	71	SILVA
	1500	73	KATHM
	1800	74	WALL
	2100	73	WALL
	2400	71.6	SPAIN

FRIDAY

Date	time	Temp.	Name (Print)
9/6/24	0300	71.6	SPAIN
	0600	71	GATES
	0900	72	GATES
	1200	73	GATES
	1500	74	WALL
	1800	74	WALL
	2100	73	WALL
	2400	73	LAW

Date	time	Temp.	Name (Print)
9/7/24	0300	71.6	SPAIN
	0600	71	ODEM
	0900	72	GATES
	1200	74	GATES
	1500	71	ADAM
	1800	76	ADAM
	2100	76	ADAM
	2400	75	LAW

SUNDAY

Date	time	Temp.	Name (Print)
9/8/24	0300	71	LAW
	0600	71	ODEM
	0900	71	ODEM
	1200	72	ODEM
	1500	73	LAW
	1800	71	LAW
	2100	72	LAW
	2400	72	SPAIN

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C15 Temp. Reading Location: 2nd Tier

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/9/24	0300	71.6	Spain
	0600	71	Silva
	0900	71	Silva
	1200	72	O'Dell
	1500	72	SALINAR
	1800	75	SALINAR
	2100	75	SALINAR
	2400	74.6	Spain

TUESDAY

Date	time	Temp.	Name (Print)
9/10/24	0300	71.6	Spain
	0600	71	Silva
	0900	71	Silva
	1200	72	Silva
	1500	73	WALL
	1800	74	SEASIDE
	2100	73	WALL
	2400	72.1	Spain

WEDNESDAY

Date	time	Temp.	Name (Print)
9/11/24	0300	71.6	Spain
	0600	71	Silva
	0900	71	Silva
	1200	72	WALL
	1500	73	WALL
	1800	73	WALL
	2100	72	WALL
	2400	70.5	Spain

THURSDAY

Date	time	Temp.	Name (Print)
9/12/24	0300	70.5	Spain
	0600	70	Silva
	0900	71	Silva
	1200	72	Silva
	1500	71	WALL
	1800	73	WALL
	2100	73	WALL
	2400	72.5	Spain

FRIDAY

Date	time	Temp.	Name (Print)
9/13/24	0300	70.5	Spain
	0600	71	O'DELL
	0900	71	O'DELL
	1200	73	O'DELL
	1500	72	O'DELL
	1800	70	O'DELL
	2100	70	O'DELL
	2400	70	O'DELL

Date	time	Temp.	Name (Print)
9/14/24	0300	71	Miller
	0600	71	Miller
	0900	71	O'DELL
	1200	71	O'DELL
	1500	71	P. PRICE
	1800	70	P. PRICE
	2100	70	P. PRICE
	2400	70	IND

SUNDAY

Date	time	Temp.	Name (Print)
9/15/24	0300	70	LAW
	0600	71	Silva
	0900	71	Silva
	1200	72	Silva
	1500	73	GATES
	1800	73	GATES
	2100	71	GATES
	2400	71.6	Spain

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C15 Temp. Reading Location: 2nd TIER
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/16/24	0300	70.5	SPAIN W
	0600	70	SILVA
	0900	71	SILVA
	1200	71	SILVA DB
	1500	70	0900 1200
	1800	69	0900 1200
	2100	69	0900 1200
	2400	69.1	SPAIN JH

TUESDAY

Date	time	Temp.	Name (Print)
9/17/24	0300	68.2	SPAIN
	0600	69	SILVA
	0900	70	SILVA
	1200	70	SILVA
	1500	71	WALL
	1800	71	WALL
	2100	70	WALL
	2400	70.2	SPAIN

WEDNESDAY

Date	time	Temp.	Name (Print)
9/18/24	0300	70	SPAIN
	0600	70	SILVA
	0900	70	SILVA
	1200	71	SILVA
	1500	69	FLORES
	1800	69	WALL
	2100	70	WALL
	2400	70.5	SPAIN

THURSDAY

Date	time	Temp.	Name (Print)
9/19/24	0300	69.4	SPAIN
	0600	69	SILVA
	0900	70	SILVA DB
	1200	70	SILVA
	1500	71	0900 1200
	1800	71	0900 1200
	2100	70	WALL
	2400	70.6	SPAIN

FRIDAY

Date	time	Temp.	Name (Print)
9/20/24	0300	70.1	SPAIN
	0600	69	ODEN
	0900	69	GATES
	1200	70	GATES
	1500	69	WALL
	1800	70	WALL
	2100	70	WALL
	2400	70	WALL

SATURDAY

Date	time	Temp.	Name (Print)
9/21/24	0300	70	WALL
	0600	70	GATES
	0900	70	GATES
	1200	71	GATES
	1500	70	ROWE
	1800	72	WILLIAMS
	2100	73	WILLIAMS
	2400	73	WILLIAMS

SUNDAY

Date	time	Temp.	Name (Print)
9/22/24	0300	72	M. 60/600
	0600	70	SILVA
	0900	70	SILVA
	1200	71	ODEN
	1500	71	Adair
	1800	70	Adair
	2100	70	Adair
	2400	73	SPAIN

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C15 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/23/24	0300	71	Spain
	0600	70	O'DELL DB
	0900	70	O'DELL
	1200	71	Silva
	1500	71	GATES
	1800	71	Spain
	2100	70	Spain
	2400	71	Spain

TUESDAY

Date	time	Temp.	Name (Print)
9/24/24	0300	70.6	Spain
	0600	70	Silva
	0900	70	Silva
	1200	71	Silva
	1500	71	WALL
	1800	71	WALL
	2100	70	WALL
	2400	70.6	Spain

WEDNESDAY

Date	time	Temp.	Name (Print)
9/25/24	0300	70.1	Spain
	0600	70	Silva
	0900	70	Silva
	1200	71	Silva
	1500	71	WALL
	1800	70	WALL
	2100	70	WALL
	2400	71.3	Spain

THURSDAY

Date	time	Temp.	Name (Print)
9/26/24	0300	70.1	Spain
	0600	70	Silva
	0900	70	Silva DB
	1200	70	Silva
	1500	71	WALL
	1800	71	WALL
	2100	71	WALL
	2400	71.5	Spain

FRIDAY

Date	time	Temp.	Name (Print)
9/27/24	0300	70.6	Spain
	0600	70	GATES
	0900	70	GATES
	1200	71	GATES
	1500	72	Vega
	1800	72.5	Vega
	2100	72.0	Vega
	2400	73	Spain

SATURDAY

Date	time	Temp.	Name (Print)
9/28/24	0300	70	Spain
	0600	70	GATES
	0900	71	GATES
	1200	72	GATES
	1500	73	SMITH N
	1800	73	Smith N
	2100	74	Spain
	2400	73	Spain

SUNDAY

Date	time	Temp.	Name (Print)
9/29/24	0300	72	Spain
	0600	70	Silva DD
	0900	70	O'DELL
	1200	70	Silva
	1500	70	ATKINS
	1800	70.1	ATKINS
	2100	70.0	ATKINS
	2400	70.1	Spain

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C15 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
9/30/24	0300	66.8	SPAIN
	0600	70	ODAM
	0900	70	ODAM
	1200	71	ODAM
	1500	72	Leyva
	1800	72	Leyva
	2100	70	Leyva
	2400	70	SPAIN

TUESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where the inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days.

Institution: MCIC Housing Unit: 16 Temp. Reading Location: _____
(e.g., 1st tier)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	70	K. Hubbard
	0600	70	C. Hart
	0900	70	C. Hansen
	1200	70	C. Hansen CO
	1500	70	C. Hansen
	1800	70	C. Hansen
	2100	70	C. Hansen
	2400	70	Talton

Notes

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

Using an accurate thermometer in all non-air-conditioned housing units will also be monitored when the air conditioner is not used. Note: Air-conditioned housing units will also be monitored where an inmate on the heat risk list may be housed. Using an accurate thermometer in all non-air-conditioned housing units where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MJC Housing Unit: 16 Temp. Reading Location: 2ND TIER. Immediatly notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Temp.	Time	Name (Print)
9/9/24	70	0300	Baldon
	60	0600	Barber
	60	0900	Barber
	70	1200	Aldrete
	70	1500	Aldrete
	70	1800	TOLLES
	70	2100	TOLLES
	70	2400	C. L. Lue
9/10/24	60	0300	Aldrete
	60	0600	Aldrete
	70	0900	Aldrete
	70	1200	Aldrete
	70	1500	Aldrete
	70	1800	TOLLES
	70	2100	TOLLES
	70	2400	C. L. Lue
9/11/24	60	0300	Hawthorne
	60	0600	Hawthorne
	70	0900	Hawthorne
	70	1200	Hawthorne
	70	1500	Hawthorne
	70	1800	Hawthorne
	70	2100	Hawthorne
	70	2400	K. Hubbard
9/12/24	60	0300	Hawthorne
	60	0600	Hawthorne
	70	0900	Hawthorne
	70	1200	Hawthorne
	70	1500	Hawthorne
	70	1800	Hawthorne
	70	2100	Hawthorne
	70	2400	K. Hubbard
9/13/24	60	0300	K. Hubbard
	60	0600	K. Hubbard
	70	0900	K. Hubbard
	70	1200	K. Hubbard
	70	1500	K. Hubbard
	70	1800	K. Hubbard
	70	2100	K. Hubbard
	70	2400	K. Hubbard
9/14/24	60	0300	Mauri
	60	0600	Mauri
	70	0900	Mauri
	70	1200	Mauri
	70	1500	Mauri
	70	1800	TOLLES
	70	2100	TOLLES
	70	2400	TOLLES
9/15/24	60	0300	Mauri
	60	0600	Mauri
	70	0900	Mauri
	70	1200	Mauri
	70	1500	Mauri
	70	1800	TOLLES
	70	2100	TOLLES
	70	2400	TOLLES

Date	Temp.	Time	Name (Print)
9/15/24	60	0300	Mauri
	60	0600	Mauri
	70	0900	Mauri
	70	1200	Mauri
	70	1500	Mauri
	70	1800	TOLLES
	70	2100	TOLLES
	70	2400	TOLLES

Date	Temp.	Time	Name (Print)
9/13/24	60	0300	K. Hubbard
	60	0600	K. Hubbard
	70	0900	K. Hubbard
	70	1200	K. Hubbard
	70	1500	K. Hubbard
	70	1800	K. Hubbard
	70	2100	K. Hubbard
	70	2400	K. Hubbard
9/14/24	60	0300	K. Hubbard
	60	0600	K. Hubbard
	70	0900	K. Hubbard
	70	1200	K. Hubbard
	70	1500	K. Hubbard
	70	1800	K. Hubbard
	70	2100	K. Hubbard
	70	2400	K. Hubbard

Date	Temp.	Time	Name (Print)
9/11/24	60	0300	K. Hubbard
	60	0600	K. Hubbard
	70	0900	K. Hubbard
	70	1200	K. Hubbard
	70	1500	K. Hubbard
	70	1800	K. Hubbard
	70	2100	K. Hubbard
	70	2400	K. Hubbard
9/12/24	60	0300	K. Hubbard
	60	0600	K. Hubbard
	70	0900	K. Hubbard
	70	1200	K. Hubbard
	70	1500	K. Hubbard
	70	1800	K. Hubbard
	70	2100	K. Hubbard
	70	2400	K. Hubbard

Date	Temp.	Time	Name (Print)
9/9/24	60	0300	Baldon
	60	0600	Baldon
	70	0900	Baldon
	70	1200	Baldon
	70	1500	Baldon
	70	1800	TOLLES
	70	2100	TOLLES
	70	2400	TOLLES
9/10/24	60	0300	Baldon
	60	0600	Baldon
	70	0900	Baldon
	70	1200	Baldon
	70	1500	Baldon
	70	1800	TOLLES
	70	2100	TOLLES
	70	2400	TOLLES
9/11/24	60	0300	K. Hubbard
	60	0600	K. Hubbard
	70	0900	K. Hubbard
	70	1200	K. Hubbard
	70	1500	K. Hubbard
	70	1800	K. Hubbard
	70	2100	K. Hubbard
	70	2400	K. Hubbard
9/12/24	60	0300	K. Hubbard
	60	0600	K. Hubbard
	70	0900	K. Hubbard
	70	1200	K. Hubbard
	70	1500	K. Hubbard
	70	1800	K. Hubbard
	70	2100	K. Hubbard
	70	2400	K. Hubbard
9/13/24	60	0300	K. Hubbard
	60	0600	K. Hubbard
	70	0900	K. Hubbard
	70	1200	K. Hubbard
	70	1500	K. Hubbard
	70	1800	K. Hubbard
	70	2100	K. Hubbard
	70	2400	K. Hubbard
9/14/24	60	0300	K. Hubbard
	60	0600	K. Hubbard
	70	0900	K. Hubbard
	70	1200	K. Hubbard
	70	1500	K. Hubbard
	70	1800	K. Hubbard
	70	2100	K. Hubbard
	70	2400	K. Hubbard
9/15/24	60	0300	K. Hubbard
	60	0600	K. Hubbard
	70	0900	K. Hubbard
	70	1200	K. Hubbard
	70	1500	K. Hubbard
	70	1800	K. Hubbard
	70	2100	K. Hubbard
	70	2400	K. Hubbard

Date	Time	Temp.	Name (Print)
9/16/24	10:00 ~	70	MICC
9/17/24	0300	64	TUESDAY
9/17/24	0600	64	WEDNESDAY
9/17/24	0900	67	THURSDAY
9/17/24	0600	65	FRIDAY
9/18/24	0300	63	SATURDAY
9/19/24	0600	65	SUNDAY
9/20/24	0300	69	MONDAY
9/21/24	0600	64	TUESDAY
9/21/24	0900	67	WEDNESDAY
9/21/24	0600	64	THURSDAY
9/21/24	0900	67	FRIDAY
9/22/24	0300	69	SATURDAY
9/22/24	0600	64	SUNDAY

Date	Time	Temp.	Name (Print)
Monday	2400	69	WEDNESDAY
Tuesday	2100	69	THURSDAY
Wednesday	1800	69	FRIDAY
Thursday	1500	70	SATURDAY
Friday	1200	70	SUNDAY
Saturday	0900	70	MONDAY
Sunday	0600	69	TUESDAY
9/22/24	0300	69	WEDNESDAY
9/22/24	0600	64	THURSDAY
9/22/24	0900	67	FRIDAY
9/22/24	1200	70	SATURDAY
9/22/24	1500	70	SUNDAY
9/23/24	0600	69	MONDAY
9/23/24	0900	67	TUESDAY
9/23/24	1200	70	WEDNESDAY
9/23/24	1500	70	THURSDAY
9/23/24	1800	69	FRIDAY
9/23/24	2100	69	SATURDAY
9/23/24	2400	69	SUNDAY

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st floor, 2nd floor, 3rd floor, etc.)

Institution: MICC Housing Unit: 16 Temp. Reading Location: 2ND TIER

Using an accurate thermometer housing units will also be monitored when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housed housing units will also be monitored when the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week).

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housed units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housed housing units will also be monitored when the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week).

INSIDE TEMPERATURE RECORD

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION
CDCR 2031 (04/18)

Date	Time	Temp.	Name (Print)	Notes
9/23/24	0300	69	L.A. -Airecenter	
9/23/24	0600	68	L.A. -Airecenter	1st floor
9/23/24	0900	69	L.A. -Airecenter	2nd floor
9/23/24	1200	70	L.A. -Airecenter	3rd floor
9/23/24	1500	70	L.A. -Airecenter	4th floor
9/23/24	1800	70	L.A. -Airecenter	5th floor
9/23/24	2100	69	L.A. -Airecenter	6th floor
9/23/24	2400	69	L.A. -Airecenter	7th floor
9/24/24	0300	69	L.A. -Airecenter	
9/24/24	0600	68	L.A. -Airecenter	1st floor
9/24/24	0900	69	L.A. -Airecenter	2nd floor
9/24/24	1200	70	L.A. -Airecenter	3rd floor
9/24/24	1500	70	L.A. -Airecenter	4th floor
9/24/24	1800	70	L.A. -Airecenter	5th floor
9/24/24	2100	69	L.A. -Airecenter	6th floor
9/24/24	2400	69	L.A. -Airecenter	7th floor
9/25/24	0300	69	Alvaro's	
9/25/24	0600	68	Alvaro's	1st floor
9/25/24	0900	69	Alvaro's	2nd floor
9/25/24	1200	70	Alvaro's	3rd floor
9/25/24	1500	70	Alvaro's	4th floor
9/25/24	1800	70	Alvaro's	5th floor
9/25/24	2100	69	Alvaro's	6th floor
9/25/24	2400	69	Alvaro's	7th floor
9/26/24	0300	69	Alvaro's	
9/26/24	0600	68	Alvaro's	1st floor
9/26/24	0900	69	Alvaro's	2nd floor
9/26/24	1200	70	Alvaro's	3rd floor
9/26/24	1500	70	Alvaro's	4th floor
9/26/24	1800	70	Alvaro's	5th floor
9/26/24	2100	69	Alvaro's	6th floor
9/26/24	2400	69	Alvaro's	7th floor
9/27/24	0300	69	L.A. -Airecenter	
9/27/24	0600	68	L.A. -Airecenter	1st floor
9/27/24	0900	69	L.A. -Airecenter	2nd floor
9/27/24	1200	70	L.A. -Airecenter	3rd floor
9/27/24	1500	70	L.A. -Airecenter	4th floor
9/27/24	1800	70	L.A. -Airecenter	5th floor
9/27/24	2100	69	L.A. -Airecenter	6th floor
9/27/24	2400	69	L.A. -Airecenter	7th floor
9/28/24	0300	69	K-Hubbaro's	
9/28/24	0600	68	K-Hubbaro's	1st floor
9/28/24	0900	69	K-Hubbaro's	2nd floor
9/28/24	1200	70	K-Hubbaro's	3rd floor
9/28/24	1500	70	K-Hubbaro's	4th floor
9/28/24	1800	70	K-Hubbaro's	5th floor
9/28/24	2100	69	K-Hubbaro's	6th floor
9/28/24	2400	69	K-Hubbaro's	7th floor
9/29/24	0300	69	K-Hubbaro's	
9/29/24	0600	68	K-Hubbaro's	1st floor
9/29/24	0900	69	K-Hubbaro's	2nd floor
9/29/24	1200	70	K-Hubbaro's	3rd floor
9/29/24	1500	70	K-Hubbaro's	4th floor
9/29/24	1800	70	K-Hubbaro's	5th floor
9/29/24	2100	69	K-Hubbaro's	6th floor
9/29/24	2400	69	K-Hubbaro's	7th floor

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an air conditioner is housed.

Note: Air-conditioned housing units will also be monitored when the air conditioner is housed. Using an accurate thermometer on the highest unit will also be taken every three (3) hours, seven (7) days a week.

Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Using an accurate thermometer on the highest unit will also be monitored when the air conditioner is housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an air conditioner is housed.

Note: Air-conditioned housing units will also be taken every three (3) hours, seven (7) days a week. Using an accurate thermometer on the highest unit will also be taken every three (3) hours, seven (7) days a week.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Institution: MCIC Housing Unit: 16 Temp. Reading Location: 2ND TIER

Institution: MCIC Housing Unit: 16 Temp. Reading Location: 2ND TIER

Tuesday			
Date	Time	Temp.	Name (Print)
0300	68	LINDSA	
0600	67	GILMAR	
0900	70	GILMAR	
1200	70	GILMAR	
1500	70	GILMAR	
1800	70	GILMAR	
2100	70	GILMAR	
2400	70	GILMAR	

Wednesday			
Date	Time	Temp.	Name (Print)
0300	68	LINDSA	
0600	67	GILMAR	
0900	70	GILMAR	
1200	70	GILMAR	
1500	70	GILMAR	
1800	70	GILMAR	
2100	70	GILMAR	
2400	70	GILMAR	

Thursday			
Date	Time	Temp.	Name (Print)
0300	68	LINDSA	
0600	67	GILMAR	
0900	70	GILMAR	
1200	70	GILMAR	
1500	70	GILMAR	
1800	70	GILMAR	
2100	70	GILMAR	
2400	70	GILMAR	

Friday			
Date	Time	Temp.	Name (Print)
0300	68	LINDSA	
0600	67	GILMAR	
0900	70	GILMAR	
1200	70	GILMAR	
1500	70	GILMAR	
1800	70	GILMAR	
2100	70	GILMAR	
2400	70	GILMAR	

Saturday			
Date	Time	Temp.	Name (Print)
0300	68	LINDSA	
0600	67	GILMAR	
0900	70	GILMAR	
1200	70	GILMAR	
1500	70	GILMAR	
1800	70	GILMAR	
2100	70	GILMAR	
2400	70	GILMAR	

Sunday			
Date	Time	Temp.	Name (Print)
0300	68	LINDSA	
0600	67	GILMAR	
0900	70	GILMAR	
1200	70	GILMAR	
1500	70	GILMAR	
1800	70	GILMAR	
2100	70	GILMAR	
2400	70	GILMAR	

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st floor, 2nd floor, 3rd floor, etc.)

Institution: MJC Housing Unit: 16 Temp. Reading Location: 2ND TIER

Using an accurate thermometer on the highest location in the housing unit (e.g., top floor) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed in a combination air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

9/1/24

Date	Time	Temp.	Name (Print)	Sunday
0300	0600	0900	1200	2400
0600	0900	1200	1500	2100
0900	1200	1500	1800	2400
1200	1500	1800	2100	2400
1500	1800	2100	2400	2400
1800	2100	2400	2400	2400
2100	2400			
2400				

Date	Time	Temp.	Name (Print)	Saturday
0300	0600	0900	1200	2400
0600	0900	1200	1500	2100
0900	1200	1500	1800	2400
1200	1500	1800	2100	2400
1500	1800	2100	2400	2400
1800	2100	2400	2400	2400
2100	2400			
2400				

Date	Time	Temp.	Name (Print)	Friday
0300	0600	0900	1200	2400
0600	0900	1200	1500	2100
0900	1200	1500	1800	2400
1200	1500	1800	2100	2400
1500	1800	2100	2400	2400
1800	2100	2400	2400	2400
2100	2400			
2400				

Date	Time	Temp.	Name (Print)	Wednesday
0300	0600	0900	1200	2400
0600	0900	1200	1500	2100
0900	1200	1500	1800	2400
1200	1500	1800	2100	2400
1500	1800	2100	2400	2400
1800	2100	2400	2400	2400
2100	2400			
2400				

Date	Time	Temp.	Name (Print)	Tuesday
0300	0600	0900	1200	2400
0600	0900	1200	1500	2100
0900	1200	1500	1800	2400
1200	1500	1800	2100	2400
1500	1800	2100	2400	2400
1800	2100	2400	2400	2400
2100	2400			
2400				

Date	Time	Temp.	Name (Print)	Monday
0300	0600	0900	1200	2400
0600	0900	1200	1500	2100
0900	1200	1500	1800	2400
1200	1500	1800	2100	2400
1500	1800	2100	2400	2400
1800	2100	2400	2400	2400
2100	2400			
2400				

immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st floor, 2nd floor, 3rd floor, etc.)

Institution: MCIC Housing Unit: 17 Temp. Reading Location: 2ND TIER

Using an accurate thermometer on the highest location in the housing unit (e.g., top floor) where an inmate is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.

Ambient air temperature in all non-air-conditioned housing units where an inmate is housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

risk list is housed. The highest location in the housing unit (e.g., top floor) where an inmate is housed.

Day	Date	Temp.	Name (Print)	Notes
Tuesday	9/3/24	70.4	SACAY	
Wednesday	9/4/24	70.5	SACAY	
Thursday	9/5/24	70.6	SACAY	
Saturday	9/7/24	70.2	SACAY	
Sunday	9/8/24	70.3	SACAY	
Monday	9/10/24	70.4	SACAY	
Tuesday	9/11/24	70.5	SACAY	
Wednesday	9/12/24	70.6	SACAY	
Thursday	9/13/24	70.7	SACAY	
Friday	9/14/24	70.8	SACAY	
Saturday	9/15/24	70.9	SACAY	
Sunday	9/16/24	70.10	SACAY	
Monday	9/17/24	70.11	SACAY	
Tuesday	9/18/24	70.12	SACAY	
Wednesday	9/19/24	70.13	SACAY	
Thursday	9/20/24	70.14	SACAY	
Friday	9/21/24	70.15	SACAY	
Saturday	9/22/24	70.16	SACAY	
Sunday	9/23/24	70.17	SACAY	
Monday	9/24/24	70.18	SACAY	
Tuesday	9/25/24	70.19	SACAY	
Wednesday	9/26/24	70.20	SACAY	
Thursday	9/27/24	70.21	SACAY	
Friday	9/28/24	70.22	SACAY	
Saturday	9/29/24	70.23	SACAY	
Sunday	9/30/24	70.24	SACAY	
Monday	9/31/24	70.25	SACAY	
Tuesday	10/1/24	70.26	SACAY	
Wednesday	10/2/24	70.27	SACAY	
Thursday	10/3/24	70.28	SACAY	
Friday	10/4/24	70.29	SACAY	
Saturday	10/5/24	70.30	SACAY	
Sunday	10/6/24	70.31	SACAY	
Monday	10/7/24	70.32	SACAY	
Tuesday	10/8/24	70.33	SACAY	
Wednesday	10/9/24	70.34	SACAY	
Thursday	10/10/24	70.35	SACAY	
Friday	10/11/24	70.36	SACAY	
Saturday	10/12/24	70.37	SACAY	
Sunday	10/13/24	70.38	SACAY	
Monday	10/14/24	70.39	SACAY	
Tuesday	10/15/24	70.40	SACAY	
Wednesday	10/16/24	70.41	SACAY	
Thursday	10/17/24	70.42	SACAY	
Friday	10/18/24	70.43	SACAY	
Saturday	10/19/24	70.44	SACAY	
Sunday	10/20/24	70.45	SACAY	
Monday	10/21/24	70.46	SACAY	
Tuesday	10/22/24	70.47	SACAY	
Wednesday	10/23/24	70.48	SACAY	
Thursday	10/24/24	70.49	SACAY	
Friday	10/25/24	70.50	SACAY	
Saturday	10/26/24	70.51	SACAY	
Sunday	10/27/24	70.52	SACAY	
Monday	10/28/24	70.53	SACAY	
Tuesday	10/29/24	70.54	SACAY	
Wednesday	10/30/24	70.55	SACAY	
Thursday	10/31/24	70.56	SACAY	
Friday	11/1/24	70.57	SACAY	
Saturday	11/2/24	70.58	SACAY	
Sunday	11/3/24	70.59	SACAY	
Monday	11/4/24	70.60	SACAY	
Tuesday	11/5/24	70.61	SACAY	
Wednesday	11/6/24	70.62	SACAY	
Thursday	11/7/24	70.63	SACAY	
Friday	11/8/24	70.64	SACAY	
Saturday	11/9/24	70.65	SACAY	
Sunday	11/10/24	70.66	SACAY	
Monday	11/11/24	70.67	SACAY	
Tuesday	11/12/24	70.68	SACAY	
Wednesday	11/13/24	70.69	SACAY	
Thursday	11/14/24	70.70	SACAY	
Friday	11/15/24	70.71	SACAY	
Saturday	11/16/24	70.72	SACAY	
Sunday	11/17/24	70.73	SACAY	
Monday	11/18/24	70.74	SACAY	
Tuesday	11/19/24	70.75	SACAY	
Wednesday	11/20/24	70.76	SACAY	
Thursday	11/21/24	70.77	SACAY	
Friday	11/22/24	70.78	SACAY	
Saturday	11/23/24	70.79	SACAY	
Sunday	11/24/24	70.80	SACAY	
Monday	11/25/24	70.81	SACAY	
Tuesday	11/26/24	70.82	SACAY	
Wednesday	11/27/24	70.83	SACAY	
Thursday	11/28/24	70.84	SACAY	
Friday	11/29/24	70.85	SACAY	
Saturday	11/30/24	70.86	SACAY	
Sunday	11/31/24	70.87	SACAY	
Monday	12/1/24	70.88	SACAY	
Tuesday	12/2/24	70.89	SACAY	
Wednesday	12/3/24	70.90	SACAY	
Thursday	12/4/24	70.91	SACAY	
Friday	12/5/24	70.92	SACAY	
Saturday	12/6/24	70.93	SACAY	
Sunday	12/7/24	70.94	SACAY	
Monday	12/8/24	70.95	SACAY	
Tuesday	12/9/24	70.96	SACAY	
Wednesday	12/10/24	70.97	SACAY	
Thursday	12/11/24	70.98	SACAY	
Friday	12/12/24	70.99	SACAY	
Saturday	12/13/24	70.100	SACAY	
Sunday	12/14/24	70.101	SACAY	
Monday	12/15/24	70.102	SACAY	
Tuesday	12/16/24	70.103	SACAY	
Wednesday	12/17/24	70.104	SACAY	
Thursday	12/18/24	70.105	SACAY	
Friday	12/19/24	70.106	SACAY	
Saturday	12/20/24	70.107	SACAY	
Sunday	12/21/24	70.108	SACAY	
Monday	12/22/24	70.109	SACAY	
Tuesday	12/23/24	70.110	SACAY	
Wednesday	12/24/24	70.111	SACAY	
Thursday	12/25/24	70.112	SACAY	
Friday	12/26/24	70.113	SACAY	
Saturday	12/27/24	70.114	SACAY	
Sunday	12/28/24	70.115	SACAY	
Monday	12/29/24	70.116	SACAY	
Tuesday	12/30/24	70.117	SACAY	
Wednesday	12/31/24	70.118	SACAY	
Thursday	1/1/25	71.1	SACAY	
Friday	1/2/25	71.2	SACAY	
Saturday	1/3/25	71.3	SACAY	
Sunday	1/4/25	71.4	SACAY	
Monday	1/5/25	71.5	SACAY	
Tuesday	1/6/25	71.6	SACAY	
Wednesday	1/7/25	71.7	SACAY	
Thursday	1/8/25	71.8	SACAY	
Friday	1/9/25	71.9	SACAY	
Saturday	1/10/25	71.10	SACAY	
Sunday	1/11/25	71.11	SACAY	
Monday	1/12/25	71.12	SACAY	
Tuesday	1/13/25	71.13	SACAY	
Wednesday	1/14/25	71.14	SACAY	
Thursday	1/15/25	71.15	SACAY	
Friday	1/16/25	71.16	SACAY	
Saturday	1/17/25	71.17	SACAY	
Sunday	1/18/25	71.18	SACAY	
Monday	1/19/25	71.19	SACAY	
Tuesday	1/20/25	71.20	SACAY	
Wednesday	1/21/25	71.21	SACAY	
Thursday	1/22/25	71.22	SACAY	
Friday	1/23/25	71.23	SACAY	
Saturday	1/24/25	71.24	SACAY	
Sunday	1/25/25	71.25	SACAY	
Monday	1/26/25	71.26	SACAY	
Tuesday	1/27/25	71.27	SACAY	
Wednesday	1/28/25	71.28	SACAY	
Thursday	1/29/25	71.29	SACAY	
Friday	1/30/25	71.30	SACAY	
Saturday	1/31/25	71.31	SACAY	
Sunday	2/1/25	71.32	SACAY	
Monday	2/2/25	71.33	SACAY	
Tuesday	2/3/25	71.34	SACAY	
Wednesday	2/4/25	71.35	SACAY	
Thursday	2/5/25	71.36	SACAY	
Friday	2/6/25	71.37	SACAY	
Saturday	2/7/25	71.38	SACAY	
Sunday	2/8/25	71.39	SACAY	
Monday	2/9/25	71.40	SACAY	
Tuesday	2/10/25	71.41	SACAY	
Wednesday	2/11/25	71.42	SACAY	
Thursday	2/12/25	71.43	SACAY	
Friday	2/13/25	71.44	SACAY	
Saturday	2/14/25	71.45	SACAY	
Sunday	2/15/25	71.46	SACAY	
Monday	2/16/25	71.47	SACAY	
Tuesday	2/17/25	71.48	SACAY	
Wednesday	2/18/25	71.49	SACAY	
Thursday	2/19/25	71.50	SACAY	
Friday	2/20/25	71.51	SACAY	
Saturday	2/21/25	71.52	SACAY	
Sunday	2/22/25	71.53	SACAY	
Monday	2/23/25	71.54	SACAY	
Tuesday	2/24/25	71.55	SACAY	
Wednesday	2/25/25	71.56	SACAY	
Thursday	2/26/25	71.57	SACAY	
Friday	2/27/25	71.58	SACAY	
Saturday	2/28/25	71.59	SACAY	
Sunday	2/29/25	71.60	SACAY	
Monday	3/1/25	71.61	SACAY	
Tuesday	3/2/25	71.62	SACAY	
Wednesday	3/3/25	71.63	SACAY	
Thursday	3/4/25	71.64	SACAY	
Friday	3/5/25	71.65	SACAY	
Saturday	3/6/25	71.66	SACAY	
Sunday	3/7/25	71.67	SACAY	
Monday	3/8/25	71.68	SACAY	
Tuesday	3/9/25	71.69	SACAY	
Wednesday	3/10/25	71.70	SACAY	
Thursday	3/11/25	71.71	SACAY	
Friday	3/12/25	71.72	SACAY	
Saturday	3/13/25	71.73	SACAY	
Sunday	3/14/25	71.74	SACAY	
Monday	3/15/25	71.75	SACAY	
Tuesday	3/16/25	71.76	SACAY	
Wednesday	3/17/25	71.77	SACAY	
Thursday	3/18/25	71.78	SACAY	
Friday	3/19/25	71.79	SACAY	
Saturday	3/20/25	71.80	SACAY	
Sunday	3/21/25	71.81	SACAY	
Monday	3/22/25	71.82	SACAY	
Tuesday	3/23/25	71.83	SACAY	
Wednesday	3/24/25	71.84	SACAY	
Thursday	3/25/25	71.85	SACAY	
Friday	3/26/25	71.86	SACAY	
Saturday	3/27/25	71.87	SACAY	
Sunday	3/28/25	71.88	SACAY	
Monday	3/29/25	71.89	SACAY	
Tuesday	3/30/25	71.90	SACAY	
Wednesday	3/31/25	71.91	SACAY	
Thursday	4/1/25	71.92	SACAY	
Friday	4/2/25	71.93	SACAY	
Saturday	4/3/25	71.94	SACAY	
Sunday	4/4/25	71.95	SACAY	
Monday	4/5/25	71.96	SACAY	
Tuesday	4/6/25	71.97	SACAY	
Wednesday	4/7/25	71.98	SACAY	
Thursday	4/8/25	71.99	SACAY	
Friday	4/9/25	71.100	SACAY	

Date	Time	Temp.	Name (Print)
9/9/24	0300	70.3	CILA
0600	70.3	MCIC	
0900	70.3	THERMOS	
1200	70.3	THERMOS	
1500	70.3	THERMOS	
1800	70.3	THERMOS	
2100	70.3	THERMOS	
2400	70.3	THERMOS	
9/10/24	0300	69.8	SACAY
0600	69.8	SACAY	
0900	69.8	SACAY	
1200	69.8	SACAY	
1500	69.8	SACAY	
1800	69.8	SACAY	
2100	69.8	SACAY	
2400	69.8	SACAY	
9/11/24	0300	69.7	SACAY
0600	69.7	SACAY	
0900	69.7	SACAY	
1200	69.7	SACAY	
1500	69.7	SACAY	
1800	69.7	SACAY	
2100	69.7	SACAY	
2400	69.7	SACAY	
9/12/24	0300	69.6	SACAY
0600	69.6	SACAY	
0900	69.6	SACAY	
1200	69.6	SACAY	
1500	69.6	SACAY	
1800	69.6	SACAY	
2100	69.6	SACAY	
2400	69.6	SACAY	
9/13/24	0300	69.4	SACAY
0600	69.4	SACAY	
0900	69.4	SACAY	
1200	69.4	SACAY	
1500	69.4	SACAY	
1800	69.4	SACAY	
2100	69.4	SACAY	
2400	69.4	SACAY	
9/14/24	0300	69.0	RHTA
0600	69.0	RHTA	
0900	69.0	RHTA	
1200	69.0	RHTA	
1500	69.0	RHTA	
1800	69.0	RHTA	
2100	69.0	RHTA	
2400	69.0	RHTA	
9/15/24	0300	69.1	SLACAY
0600	69.1	SLACAY	
0900	69.1	SLACAY	
1200	69.1	SLACAY	
1500	69.1	SLACAY	
1800	69.1	SLACAY	
2100	69.1	SLACAY	
2400	69.1	SLACAY	

Date	Time	Temp.	Name (Print)
Monday	0300	70.1	MICC
0600	70.1	Housing Unit: 17	
0900	70.1	Temp. Reading Location: 2ND TIER	
1200	70.1	Institution: MCIC	
1500	70.1	Housing Unit: 17	
1800	70.1	Temp. Reading Location: 2ND TIER	
2100	70.1	Institution: MCIC	
2400	70.1	Housing Unit: 17	
Tuesday	0300	70.3	CILA
0600	70.3	CILA	
0900	70.3	THERMOS	
1200	70.3	THERMOS	
1500	70.3	THERMOS	
1800	70.3	THERMOS	
2100	70.3	THERMOS	
2400	70.3	THERMOS	
Wednesday	0300	70.2	CILA
0600	70.2	CILA	
0900	70.2	THERMOS	
1200	70.2	THERMOS	
1500	70.2	THERMOS	
1800	70.2	THERMOS	
2100	70.2	THERMOS	
2400	70.2	THERMOS	
Thursday	0300	70.2	CILA
0600	70.2	CILA	
0900	70.2	THERMOS	
1200	70.2	THERMOS	
1500	70.2	THERMOS	
1800	70.2	THERMOS	
2100	70.2	THERMOS	
2400	70.2	THERMOS	
Friday	0300	70.2	CILA
0600	70.2	CILA	
0900	70.2	THERMOS	
1200	70.2	THERMOS	
1500	70.2	THERMOS	
1800	70.2	THERMOS	
2100	70.2	THERMOS	
2400	70.2	THERMOS	
Saturday	0300	70.2	CILA
0600	70.2	CILA	
0900	70.2	THERMOS	
1200	70.2	THERMOS	
1500	70.2	THERMOS	
1800	70.2	THERMOS	
2100	70.2	THERMOS	
2400	70.2	THERMOS	
Sunday	0300	70.2	CILA
0600	70.2	CILA	
0900	70.2	THERMOS	
1200	70.2	THERMOS	
1500	70.2	THERMOS	
1800	70.2	THERMOS	
2100	70.2	THERMOS	
2400	70.2	THERMOS	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-solar-conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning. Using an accurate thermometer in all non-solar-conditioned housing units where an inmate on the heat risk list may be housed. Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Ambient air temperature in the highest units will also be monitored when the air conditioner is malfunctioning. Note: All-conditioned housed units will also be monitored when the air conditioner is malfunctioning. Using an accurate thermometer in all non-solar-conditioned staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-solar-conditioned housing units where an inmate on the heat risk list may be housed. (e.g., 1 meter, 2 meter, 3 meter, etc.) Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
9/17/24	0300	70.3	DAVIS
9/17/24	0600	70.2	DAVIS
9/17/24	0900	70.3	SACAR
9/17/24	1200	70.7	SACAR
9/17/24	1500	70.5	SACAR
9/17/24	1800	70.5	DICKENS
9/17/24	2100	70.5	DICKENS
9/17/24	2400	70.5	DICKENS
Notes			

Date	Time	Temp.	Name (Print)
9/22/24	0300	70.2	VASQUEZ
9/22/24	0600	70.2	VASQUEZ
9/22/24	0900	70.2	VASQUEZ
9/22/24	1200	70.5	VASQUEZ
9/22/24	1500	70.5	VASQUEZ
9/22/24	1800	70.5	VASQUEZ
9/22/24	2100	70.5	CASSEL
9/22/24	2400	70.5	CASSEL

Date	Time	Temp.	Name (Print)
9/20/24	0300	70.1	MUNIZ
9/20/24	0600	70.1	MUNIZ
9/20/24	0900	68.7	DAVIS
9/20/24	1200	68.7	DAVIS
9/20/24	1500	68.7	DAVIS
9/20/24	1800	68.7	DAVIS
9/20/24	2100	70.2	DAVIS
9/20/24	2400	70.2	DAVIS

Date	Time	Temp.	Name (Print)
9/18/24	0300	69.8	MURKIN
9/18/24	0600	70.2	MURKIN
9/18/24	0900	70.2	MURKIN
9/18/24	1200	70.1	MURKIN
9/18/24	1500	70.1	MURKIN
9/18/24	1800	70.1	MURKIN
9/18/24	2100	70.2	MURKIN
9/18/24	2400	70.2	MURKIN

Date	Time	Temp.	Name (Print)
9/16/24	0300	69.3	THOMAS
9/16/24	0600	70.0	THOMAS
9/16/24	0900	69.8	THOMAS
9/16/24	1200	70.7	THOMAS
9/16/24	1500	70.5	THOMAS
9/16/24	1800	70.5	THOMAS
9/16/24	2100	70.5	THOMAS
9/16/24	2400	69.8	THOMAS

Date	Time	Temp.	Name (Print)
Monday	0300	69.3	DAVIS
Monday	0600	70.0	DAVIS
Monday	0900	70.0	DAVIS
Monday	1200	70.0	DAVIS
Monday	1500	70.1	DAVIS
Monday	1800	70.1	DAVIS
Monday	2100	70.5	DAVIS
Monday	2400	69.8	DAVIS

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer in all non-air-conditioned housing units will also be monitored when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient-air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer in all non-air-conditioned housing units will also be monitored when the heat risk list is housed. The highest location in the building will be monitored every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient-air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer in all non-air-conditioned housing units will also be monitored every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units where an inmate on the heat risk list may be housed.

9/29/24

9/27/24

9/25/24

9/23/24

Wednesday

Tuesday

Monday

Sunday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70	SACAY
9/26/24	0600	68.9	SACAY
9/26/24	0900	69.8	SACAY
9/26/24	1200	70	SACAY
9/26/24	1500	70.2	SACAY
9/26/24	1800	70.2	SACAY
9/26/24	2100	71	SACAY
9/26/24	2400	71	SACAY

Date	Time	Temp.	Name (Print)
9/27/24	0300	70	SACAY
9/27/24	0600	70	SACAY
9/27/24	0900	70.2	SACAY
9/27/24	1200	70.2	SACAY
9/27/24	1500	71	SACAY
9/27/24	1800	71	SACAY
9/27/24	2100	71	SACAY
9/27/24	2400	71	SACAY

Date	Time	Temp.	Name (Print)
9/28/24	0300	70	SACAY
9/28/24	0600	70	SACAY
9/28/24	0900	70.2	SACAY
9/28/24	1200	70.2	SACAY
9/28/24	1500	71	SACAY
9/28/24	1800	71	SACAY
9/28/24	2100	71	SACAY
9/28/24	2400	71	SACAY

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	SACAY
9/29/24	0600	70	SACAY
9/29/24	0900	70.2	SACAY
9/29/24	1200	70.2	SACAY
9/29/24	1500	71	SACAY
9/29/24	1800	71	SACAY
9/29/24	2100	71	SACAY
9/29/24	2400	71	SACAY

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MJC Housing Unit: 17 Temp. Reading Location: 2nd TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Note: Air-conditioned housed units will also be monitored when the heat risk list may be housed.

Using a thermometer in all non-air-conditioned housed units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st floor, 2nd floor, 3rd floor, etc.)

Institution: MJC Housing Unit: 17 Temp. Reading Location: 2ND TIER

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.

Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

COI DOWN KIT INVENTORY SHEET

Facility D, Building 188

In accordance with California Code of Regulations, Title 15, section 33655(c)

Comments:

Date	Time	Temp.	Name (Print)
	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	

Notes

Date	Time	Temp.	Name (Print)
	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	

Sunday

Date	Time	Temp.	Name (Print)
	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	

Saturday

Date	Time	Temp.	Name (Print)
	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	

Date	Time	Temp.	Name (Print)
	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	

Date	Time	Temp.	Name (Print)
	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: MJC Housing Unit: 18 Temp. Reading Location: 2ND TIER

Immediately notify the Watch Commander at extension **5522** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 3^{1st}, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
STATE OF CALIFORNIA
CDCR 2031 (04/18)

Institution: MCGC Housing Unit: 18 Temp. Reading Location: 2ND TIER
 Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the air conditioners are installed or removed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Date	Time	Temp.	Name (Print)	Tuesday	
9/9/24	0300	71	(CONTINUED)	2400	71
	0600	71	Airflow	2100	71
	0900	71	Airflow	1800	71
	1200	71	Airflow	1500	71
	1500	71	Airflow	1200	70
	1800	71	Airflow	900	70
	2100	71	Airflow	600	70
	2400	71	Airflow	300	70
					Notes

Date	Time	Temp.	Name (Print)	Wednesday	
9/9/24	0300	71	(CONTINUED)	2400	71
	0600	71	Airflow	2100	71
	0900	71	Airflow	1800	71
	1200	71	Airflow	1500	71
	1800	71	Airflow	1200	71
	2100	71	Airflow	900	70
	2400	71	Airflow	600	70
					Notes

Date	Time	Temp.	Name (Print)	Thursday	
9/10/24	0300	71	(CONTINUED)	2400	71
	0600	71	Airflow	2100	71
	0900	71	Airflow	1800	71
	1200	71	Airflow	1500	71
	1800	71	Airflow	1200	71
	2100	71	Airflow	900	70
	2400	71	Airflow	600	70
					Notes

Date	Time	Temp.	Name (Print)	Friday	
9/11/24	0300	71	(CONTINUED)	2400	71
	0600	71	Airflow	2100	71
	0900	71	Airflow	1800	71
	1200	71	Airflow	1500	71
	1800	71	Airflow	1200	71
	2100	71	Airflow	900	70
	2400	71	Airflow	600	70
					Notes

Date	Time	Temp.	Name (Print)	Saturday	
9/13/24	0300	70	(CONTINUED)	2400	70
	0600	70	Airflow	2100	70
	0900	70	Airflow	1800	70
	1200	70	Airflow	1500	70
	1800	70	Airflow	1200	70
	2100	70	Airflow	900	70
	2400	70	Airflow	600	70
					Notes

Date	Time	Temp.	Name (Print)	Sunday	
9/15/24	0300	71	(CONTINUED)	2400	71
	0600	71	Airflow	2100	71
	0900	71	Airflow	1800	71
	1200	71	Airflow	1500	71
	1800	71	Airflow	1200	71
	2100	71	Airflow	900	70
	2400	71	Airflow	600	70
					Notes

Date	Time	Temp.	Name (Print)	Notes
9/16/24	0300	71	CANTEENS	
9/16/24	0600	72	MILITARY	
9/16/24	0900	73	MILITARY	
9/16/24	1200	74	MILITARY	
9/16/24	1500	75	MILITARY	
9/16/24	1800	76	MILITARY	
9/16/24	2100	77	MILITARY	
9/16/24	2400	78	MILITARY	
9/17/24	0300	71	MILITARY	
9/17/24	0600	72	MILITARY	
9/17/24	0900	73	MILITARY	
9/17/24	1200	74	MILITARY	
9/17/24	1500	75	MILITARY	
9/17/24	1800	76	MILITARY	
9/17/24	2100	77	MILITARY	
9/17/24	2400	78	MILITARY	
9/18/24	0300	71	MILITARY	
9/18/24	0600	68	MILITARY	
9/18/24	0900	69	MILITARY	
9/18/24	1200	70	MILITARY	
9/18/24	1500	71	MILITARY	
9/18/24	1800	72	MILITARY	
9/18/24	2100	73	MILITARY	
9/18/24	2400	74	MILITARY	
9/19/24	0300	71	MILITARY	
9/19/24	0600	69	MILITARY	
9/19/24	0900	70	MILITARY	
9/19/24	1200	71	MILITARY	
9/19/24	1500	72	MILITARY	
9/19/24	1800	73	MILITARY	
9/19/24	2100	74	MILITARY	
9/19/24	2400	75	MILITARY	
9/20/24	0300	71	MILITARY	
9/20/24	0600	70	MILITARY	
9/20/24	0900	71	MILITARY	
9/20/24	1200	72	MILITARY	
9/20/24	1500	73	MILITARY	
9/20/24	1800	74	MILITARY	
9/20/24	2100	75	MILITARY	
9/20/24	2400	76	MILITARY	
9/21/24	0300	71	MILITARY	
9/21/24	0600	70	MILITARY	
9/21/24	0900	71	MILITARY	
9/21/24	1200	72	MILITARY	
9/21/24	1500	73	MILITARY	
9/21/24	1800	74	MILITARY	
9/21/24	2100	75	MILITARY	
9/21/24	2400	76	MILITARY	
Saturday				
9/22/24	0300	71	MILITARY	
9/22/24	0600	70	MILITARY	
9/22/24	0900	71	MILITARY	
9/22/24	1200	72	MILITARY	
9/22/24	1500	73	MILITARY	
9/22/24	1800	74	MILITARY	
9/22/24	2100	75	MILITARY	
9/22/24	2400	76	MILITARY	
Sunday				

Date	Time	Temp.	Name (Print)	Notes
9/22/24	0300	71	MILITARY	
9/22/24	0600	70	MILITARY	
9/22/24	0900	71	MILITARY	
9/22/24	1200	72	MILITARY	
9/22/24	1500	73	MILITARY	
9/22/24	1800	74	MILITARY	
9/22/24	2100	75	MILITARY	
9/22/24	2400	76	MILITARY	

Date	Time	Temp.	Name (Print)	Notes
9/20/24	0300	71	MILITARY	
9/20/24	0600	70	MILITARY	
9/20/24	0900	71	MILITARY	
9/20/24	1200	72	MILITARY	
9/20/24	1500	73	MILITARY	
9/20/24	1800	74	MILITARY	
9/20/24	2100	75	MILITARY	
9/20/24	2400	76	MILITARY	
Friday				

Date	Time	Temp.	Name (Print)	Notes
9/18/24	0300	71	MILITARY	
9/18/24	0600	70	MILITARY	
9/18/24	0900	71	MILITARY	
9/18/24	1200	72	MILITARY	
9/18/24	1500	73	MILITARY	
9/18/24	1800	74	MILITARY	
9/18/24	2100	75	MILITARY	
9/18/24	2400	76	MILITARY	
9/19/24	0300	71	MILITARY	
9/19/24	0600	69	MILITARY	
9/19/24	0900	70	MILITARY	
9/19/24	1200	71	MILITARY	
9/19/24	1500	72	MILITARY	
9/19/24	1800	73	MILITARY	
9/19/24	2100	74	MILITARY	
9/19/24	2400	75	MILITARY	
9/20/24	0300	71	MILITARY	
9/20/24	0600	70	MILITARY	
9/20/24	0900	71	MILITARY	
9/20/24	1200	72	MILITARY	
9/20/24	1500	73	MILITARY	
9/20/24	1800	74	MILITARY	
9/20/24	2100	75	MILITARY	
9/20/24	2400	76	MILITARY	
Wednesday				

Date	Time	Temp.	Name (Print)	Notes
9/16/24	0300	71	CANTEENS	
9/16/24	0600	70	MILITARY	
9/16/24	0900	71	MILITARY	
9/16/24	1200	72	MILITARY	
9/16/24	1500	73	MILITARY	
9/16/24	1800	74	MILITARY	
9/16/24	2100	75	MILITARY	
9/16/24	2400	76	MILITARY	
9/17/24	0300	71	CANTEENS	
9/17/24	0600	70	MILITARY	
9/17/24	0900	71	MILITARY	
9/17/24	1200	72	MILITARY	
9/17/24	1500	73	MILITARY	
9/17/24	1800	74	MILITARY	
9/17/24	2100	75	MILITARY	
9/17/24	2400	76	MILITARY	
9/18/24	0300	71	CANTEENS	
9/18/24	0600	69	MILITARY	
9/18/24	0900	70	MILITARY	
9/18/24	1200	71	MILITARY	
9/18/24	1500	72	MILITARY	
9/18/24	1800	73	MILITARY	
9/18/24	2100	74	MILITARY	
9/18/24	2400	75	MILITARY	
9/19/24	0300	71	CANTEENS	
9/19/24	0600	68	MILITARY	
9/19/24	0900	69	MILITARY	
9/19/24	1200	70	MILITARY	
9/19/24	1500	71	MILITARY	
9/19/24	1800	72	MILITARY	
9/19/24	2100	73	MILITARY	
9/19/24	2400	74	MILITARY	
9/20/24	0300	71	CANTEENS	
9/20/24	0600	70	MILITARY	
9/20/24	0900	71	MILITARY	
9/20/24	1200	72	MILITARY	
9/20/24	1500	73	MILITARY	
9/20/24	1800	74	MILITARY	
9/20/24	2100	75	MILITARY	
9/20/24	2400	76	MILITARY	
Wednesday				

Using an accurate thermometer housed in the highest location in the housing unit (e.g., top tier) where an inmate on the heat list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housed units will also be monitored when the heat list is housed in the air conditioner is malfunctioning.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housed units where an inmate on the heat list may be housed.

Using an accurate thermometer housed in the highest location in the housing unit (e.g., top tier) where an inmate on the heat list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

simultaneously hold the water column under extension **5522** when the inside air temperature reaches 90 degrees and again at 95 degrees.

(איג'י, יוניבר, צאנטאל, סאנטאל, וכו')

Institution: MCIC Housing Unit: 18 Temp. Reading Location: 2ND TIER
risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all hon-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.) Using an accurate thermometer on the highest setting unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (0418)

9/1/24

Date	Time	Temp.	Name (Print)
Tuesday			
	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	

Date	Time	Temp.	Name (Print)
Sunday			
	0300	69	DONNETTS
	0600	68	PETERSEN
	0900	70	REILLY
	1200	70	REILLY
	1500	83	REILLY
	1800	82	REILLY
	2100	70	REILLY
	2400	70	REILLY

Date	Time	Temp.	Name (Print)
Saturday			
	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	

Date	Time	Temp.	Name (Print)
Friday			
	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	

Date	Time	Temp.	Name (Print)
Wednesday			
	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	

Date	Time	Temp.	Name (Print)
Tuesday			
	0300	0300	
	0600	0600	
	0900	0900	
	1200	1200	
	1500	1500	
	1800	1800	
	2100	2100	
	2400	2400	

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-all-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

During all accurate thermometer in the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-all-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

INSIDE TEMPERATURE RECORD

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MCSF Housing Unit: DORM 2 Temp. Reading Location: 1st. Tie
Institution: _____
There is to be taken every three (3) hours, seven (()) days a week.

Using an accurate thermometer on the highest location in the housekeeping unit (e.g., top tier) where an inmate on the heat task lists housed. The inside air temperature is to be taken away from (3°) below the ambient air temperature.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is used.)

From May 1st through October 31st, the weather will be

Date	Time	Temp.	Name (Print)
9/13/24	0300	69	Stefan
9/13/24	0600	66	Rodrigo
9/13/24	0900	68	PETERSEN
9/13/24	1200	68	PETERSEN
9/13/24	1500	70	PETERSEN
9/13/24	1800	71	Catalina
9/13/24	2100	70	Camila
9/13/24	2400	68	Wadee
Sunday			
9/15/24	0300	69	Stefan
9/15/24	0600	68	Rodrigo
9/15/24	0900	69	PETERSEN
9/15/24	1200	70	PETERSEN
9/15/24	1500	71	Catalina
9/15/24	1800	70	Camila
9/15/24	2100	70	Wadee
9/15/24	2400	68	Wadee

Date	Name (Print)	Temp.	Time	Temp.	Name (Print)	Date
9/9/24	Dulcinea S	70	0300	69	REBECCA	Wednesday
	B. Dulcinea	69	0600	69	REBECCA	
	Dulcinea S	70	0900	70	REBECCA	
	Dulcinea S	70	1200	71	REBECCA	
	Dulcinea S	71	1500	71	REBECCA	
	Dulcinea S	71	1800	71	REBECCA	
	Dulcinea S	71	2100	71	REBECCA	
	Dulcinea S	71	2400	71	REBECCA	
9/11/24	Dulcinea S	69	0300	69	R. Dulcinea	Frida
	Dulcinea S	69	0600	69	R. Dulcinea	
	Dulcinea S	69	0900	69	R. Dulcinea	
	Dulcinea S	69	1200	69	R. Dulcinea	
	Dulcinea S	69	1500	69	R. Dulcinea	
	Dulcinea S	69	1800	70	R. Dulcinea	
	Dulcinea S	70	2100	71	R. Dulcinea	
	Dulcinea S	71	2400	71	R. Dulcinea	

immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

task list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

INSIDE TEMPERATURE RECORD

INSIDE TEMPERATURE RECORD

degrees, and again at 95 degrees.

immediately notify the Watch Commander at extension 6522 when the following occurs:

This sick list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

During May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

From May 1st through October 31st, the warden shall designate areas for

From May 1st through October 31st, the

CDCR 2131 (4/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION INSIDE TEMPERATURE RECORD

INSIDE THE MEMBER PROCESS DEPARTMENT OF CORPORATE COMMUNICATIONS

STATE OF CALIFORNIA

Date	Time	Temp.	Name (Print)
Tuesday			
0300	72	80	Gwendolyn
0600	74	82	(S)andra
0900	75	76	Candice
1200	76	76	Debra
1500	75	75	Debra
1800	74	74	Debra
2100	72	72	Debra
2400	70	70	Debra
Wednesday			
0300	70	74	(S)andra
0600	69	75	Debra
0900	69	75	Debra
1200	68	75	Debra
1500	67	75	Debra
1800	66	75	Debra
2100	65	75	Debra
2400	62	75	Debra
Thursday			
0300	70	75	Gwendolyn
0600	69	75	Debra
0900	69	75	Debra
1200	68	75	Debra
1500	67	75	Debra
1800	66	75	Debra
2100	65	75	Debra
2400	62	75	Debra
Friday			
0300	70	75	PETERSEN
0600	69	75	PETERSEN
0900	69	75	PETERSEN
1200	68	75	PETERSEN
1500	67	75	PETERSEN
1800	66	75	PETERSEN
2100	65	75	PETERSEN
2400	62	75	PETERSEN
Saturday			
0300	69	75	PETERSEN
0600	66	75	PETERSEN
0900	66	75	PETERSEN
1200	65	75	PETERSEN
1500	64	75	PETERSEN
1800	63	75	PETERSEN
2100	62	75	PETERSEN
2400	60	75	PETERSEN
Sunday			
0300	69	75	PETERSEN
0600	66	75	PETERSEN
0900	66	75	PETERSEN
1200	65	75	PETERSEN
1500	64	75	PETERSEN
1800	63	75	PETERSEN
2100	62	75	PETERSEN
2400	60	75	PETERSEN

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/94)

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Using an accurate thermometer housed in the highest location in the housing unit (e.g., top floor) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Mondays

Date	Time	Temp.	Name (Print)
0300	67	DORM 2	Tuesday
0600	73	DAYTON	
0900	77	ESCALANTE	
1200	77	ESCALANTE	
1500	78	ESCALANTE	
1800	78	ESCALANTE	
2100	70	CECILIA	
2400	68	CECILIA	

9/30/24

Tuesday

Date	Time	Temp.	Name (Print)
0300	67	DORM 2	
0600	73	DAYTON	
0900	77	ESCALANTE	
1200	77	ESCALANTE	
1500	78	ESCALANTE	
1800	78	ESCALANTE	
2100	70	CECILIA	
2400	68	CECILIA	

Wednesday

Date	Time	Temp.	Name (Print)
0300	67	DORM 2	
0600	73	DAYTON	
0900	77	ESCALANTE	
1200	77	ESCALANTE	
1500	78	ESCALANTE	
1800	78	ESCALANTE	
2100	70	CECILIA	
2400	68	CECILIA	

Thursday

Date	Time	Temp.	Name (Print)
0300	67	DORM 2	
0600	73	DAYTON	
0900	77	ESCALANTE	
1200	77	ESCALANTE	
1500	78	ESCALANTE	
1800	78	ESCALANTE	
2100	70	CECILIA	
2400	68	CECILIA	

Saturday

Date	Time	Temp.	Name (Print)
0300	67	DORM 2	
0600	73	DAYTON	
0900	77	ESCALANTE	
1200	77	ESCALANTE	
1500	78	ESCALANTE	
1800	78	ESCALANTE	
2100	70	CECILIA	
2400	68	CECILIA	

Sunday

Date	Time	Temp.	Name (Print)
0300	67	DORM 2	
0600	73	DAYTON	
0900	77	ESCALANTE	
1200	77	ESCALANTE	
1500	78	ESCALANTE	
1800	78	ESCALANTE	
2100	70	CECILIA	
2400	68	CECILIA	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 19 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Thursday		Date	Time	Temp.	Name (Print)
10/10/2013			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	69	Desant Reo
	0600	69	R R Reo
	0900	69	R R Reo
	1200	69	R Reo
	1500	70	Young J
	1800	70	Young J
	2100	70	Young J
	2400	70	Desant Reo

Notes

THE ANGLO-INDIAN CO.

INSIDE TEMPERATURE RECORD

DCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 19 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	69	De SANTIAGO
	0600	69	CAMBEROS
	0900	69	CASANEDA
	1200	69	CHRISTIAN DIAZ
	1500	69	R Reed MC
	1800	69	R Reed
	2100	69	R Reed
	2400	69	De SANTIAGO

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	69	De SANTIAGO
	0600	69	DOCTORS
	0900	69	DOCTORS
	1200	69	DOCTORS
	1500	69	R Reed
	1800	69	R Reed
	2100	69	R Reed
	2400	69	De SANTIAGO

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	68	De SANTIAGO
	0600	68	ORTIZ
	0900	69	ORTIZ
	1200	70	ORTIZ
	1500	69	R Reed
	1800	70	RAMIREZ
	2100	70	R Reed
	2400	70	De SANTIAGO

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	70	De SANTIAGO
	0600	69	CASANEDA
	0900	70	CASANEDA
	1200	70	CASANEDA
	1500	70	R Reed
	1800	70	R Reed
	2100	70	R Reed
	2400	70	VANGUARD

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	70	VANGUARD
	0600	69	CAMBEROS
	0900	69	CAMBEROS
	1200	70	CAMBEROS
	1500	70	CUNHA
	1800	70	CASANEDA
	2100	70	CASANEDA
	2400	71	VANGUARD

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	71	VANGUARD
	0600	69	MARTINEZ
	0900	69	MARTINEZ
	1200	70	MARTINEZ
	1500	70	ZOR
	1800	71	ZOR
	2100	71	ZOR
	2400	70	De SANTIAGO

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	70	De SANTIAGO
	0600	70	ORTIZ
	0900	70	ORTIZ
	1200	70	ORTIZ
	1500	70	YOUNG
	1800	70	YOUNG
	2100	70	YOUNG
	2400	70	De SANTIAGO

Notes

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 19 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	69	DeSANTIAGO
	0600	69	ORTIZ
	0900	70	CASTANEDA
	1200	70	RAMIREZ
	1500	70	Z Reed
	1800	70	Z Reed
	2100	70	Z Reed
	2400	69	DeSANTIAGO

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	69	DeSANTIAGO
	0600	69	DOCHOW
	0900	69	DOCHOW
	1200	70	DOCHOW
	1500	70	R Reed
	1800	70	R Reed
	2100	70	R Reed
	2400	69	DeSANTIAGO

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	69	DeSANTIAGO
	0600	69	ORTIZ
	0900	69	ORTIZ
	1200	70	ORTIZ
	1500	69	RAMIREZ
	1800	69	RAMIREZ
	2100	70	RAMIREZ
	2400	69	DeSANTIAGO

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	69	DeSANTIAGO
	0600	69	ORTIZ
	0900	69	ORTIZ
	1200	69	ORTIZ
	1500	68	ORTIZ
	1800	70	ORTIZ
	2100	70	ORTIZ
	2400	69	RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	69	RAMIREZ
	0600	69	ORTIZ
	0900	69	ORTIZ
	1200	69	ORTIZ
	1500	70	ORTIZ
	1800	70	ORTIZ
	2100	69	ORTIZ
	2400	69	KHUM

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	68	KHUM
	0600	67	KHUM
	0900	65	CASTANEDA
	1200	66	CASTANEDA
	1500	66	YOUNG JR
	1800	66	YOUNG JR
	2100	66	YOUNG JR
	2400	68	KHUM

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	69	Ashford
	0600	69	Z Reed
	0900	69	Z Reed
	1200	69	Z Reed
	1500	68	Young Jr
	1800	69	Young Jr
	2100	69	Young Jr
	2400	69	Van

Notes

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 19 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	69	Mar
	0600	69	Or
	0900	62	CASTANEDA
	1200	63	BASSETT
	1500	64	Zerr
	1800	69	R Reed
	2100	69	Zerr
	2400	69	DeSANTO

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	67	DeSANTO
	0600	65	DOCHOW
	0900	65	DOCHOW
	1200	63	DOCHOW
	1500	64	DURAN
	1800	66	DOCHOW
	2100	69	DOCHOW
	2400	68	DeSANTO

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	66	DeSANTO
	0600	66	ORTIZ
	0900	66	ORTIZ
	1200	67	ORTIZ
	1500	67	Z Reed
	1800	67	R Reed
	2100	66	R Reed
	2400	65	DeSANTO

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	63	DeSANTO
	0600	64	ORTIZ
	0900	65	ORTIZ
	1200	65	ORTIZ
	1500	65	ORTIZ
	1800	67	ORTIZ
	2100	67	ORTIZ
	2400	68	WANGSON

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	68	WANGSON
	0600	68	ORTIZ
	0900	65	CASTANEDA
	1200	68	ORTIZ
	1500	68	ORTIZ
	1800	68	ORTIZ
	2100	68	ORTIZ
	2400	68	WANGSON

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	68	WANGSON
	0600	69	CASTANEDA
	0900	65	Zerr
	1200	65	CASTANEDA
	1500	66	Zerr
	1800	68	Young
	2100	68	Young
	2400	67	DeSANTO

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	66	DeSANTO
	0600	66	R Reed
	0900	66	Z Reed
	1200	66	R Reed
	1500	67	Zerr
	1800	67	Young
	2100	67	Young
	2400	65	DeSANTO

Notes

Fri 20 am
No

INSIDE TEMPERATURE RECORD
CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 19

Temp. Reading Location: 2nd. Tier

(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	65	DeSANTIAGO
	0600	66	BALAJAS
	0900	67	BALAJAS
	1200	68	BALAJAS
	1500	69	ORTIZ
	1800	70	ORTIZ
	2100	70	ORTIZ
	2400	69	DeSANTIAGO

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	67	DeSANTIAGO
	0600	68.2	DOCHOW
	0900	68	DOCHOW
	1200	68	DOCHOW
	1500	68	DOCHOW
	1800	69	DOCHOW
	2100	69	DOCHOW
	2400	67	DeSANTIAGO

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	66	DeSANTIAGO
	0600	67	TOVAR
	0900	69	TOVAR
	1200	70	D. YARNAZ
	1500	70	C. VINE
	1800	69	C. VINE
	2100	69	C. VINE
	2400	68	DeSANTIAGO

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	66	DeSANTIAGO
	0600	67	VANASOV
	0900	70	VANASOV
	1200	70	TONAR
	1500	68	CHUKAT
	1800	69	CASTANEDA
	2100	69	WOLTER
	2400	68	VANASOV

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	68	VANASOV
	0600	65	CASTANEDA
	0900	63	CASTANEDA
	1200	68	TONAR
	1500	65	CASTANEDA
	1800	70	ORTIZ
	2100	69	ORTIZ
	2400	69	VANASOV

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	68	VANASOV
	0600	70	MARTINEZ
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	70	YOUNG
	1800	70	YOUNG
	2100	70	YOUNG
	2400	69	DeSANTIAGO

Notes

Date	Time	Temp.	Name (Print)
9/29/24	0300	68	DeSANTIAGO
	0600	68	2 Rows
	0900	68	TONAR
	1200	69	TONAR
	1500	70	YOUNG
	1800	70	YOUNG
	2100	70	YOUNG
	2400	68	DeSANTIAGO

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 19 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	67	De SANTO, AFO
	0600	67	ORTIZ
	0900	68	ORTIZ
	1200	70	ORTIZ
	1500	68	SD P
	1800	68	SD P
	2100	68	R D
	2400	67	De SANTO, AFO

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 20 Temp. Reading Location: 2nd. Tier
 (e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)
 immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Date	Time	Temp.	Name (Print)
	0300	69	Yang
	0600	69	Vega
	0900	69	Vega
	1200	70	Vega
	1500	71	Vega
	1800	71	Daryl
	2100	70	Daryl
	2400	70	Daryl

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/16)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 20 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	69	DIAW
	0600	69	WATKIN
	0900	68	HPEO
	1200	70	HPEO
	1500	71	ROBERTS
	1800	70	ROBERTS
	2100	69	ROBERTS
	2400	68	ROBERTS

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	68	ROBERTS
	0600	68	HPEO
	0900	68.5	HONES
	1200	66.5	HPEO
	1500	69.	KATHBARD
	1800	70.8	KATHBARD
	2100	70.	KATHBARD
	2400	69	WANGSON

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	69	WANGSON
	0600	69	ALVAREZ
	0900	70	ALVAREZ
	1200	70	RAMIREZ
	1500	70	KHUBER
	1800	70	KHUBER
	2100	68	KHUBER
	2400	70	KHUBER

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	69	BOLAN
	0600	68	ALVAREZ
	0900	70	ALVAREZ
	1200	70	ALVAREZ
	1500	71	ROBERTS
	1800	70	ROBERTS
	2100	69	ROBERTS
	2400	69	ROBERTS

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	69	ROBERTS
	0600	70	HPEO
	0900	70	RAMIREZ
	1200	70	HPEO
	1500	71	ROBERTS
	1800	71	ROBERTS
	2100	70	ROBERTS
	2400	69	ROBERTS

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	69	ROBERTS
	0600	69	S. HPEO
	0900	71.	S. HPEO
	1200	71.5	HPEO
	1500	70	ASAD
	1800	70	ASAD
	2100	70	ASAD
	2400	70	ROBERTS

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	69	ROBERTS
	0600	69	HPEO
	0900	69	HPEO
	1200	70	HPEO
	1500	71	HPEO
	1800	71	VANGSON
	2100	71	VANGSON
	2400	71	VANGSON

Notes

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 20 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	72	VANIS
	0600	72	VANIS
	0900	70	K. H. PAO
	1200	70.1	H. PAO
	1500	70	MORA
	1800	70	MORA
	2100	70	MORA
	2400	71	VANGSON

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	70	VANGSON
	0600	70	H. PAO
	0900	70	H. PAO
	1200	70	H. PAO
	1500	69.0	K. H. PAO
	1800	70	K. H. PAO
	2100	70	K. H. PAO
	2400	70	VANGSON

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	69	VANGSON
	0600	70	RAMIREZ
	0900	69	RAMIREZ
	1200	69	RAMIREZ MG
	1500	69	unlisted
	1800	69	MG
	2100	69	Bozeman
	2400	69	Bozeman

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	68	BOZEMAN
	0600	68	Z. ALMENDRA
	0900	68	M. COLLING
	1200	68	M. COLLING
	1500	70	ROBERTS
	1800	69	ROBERTS
	2100	70	ROBERTS
	2400	67	ROBERTS

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	67	ROBERTS
	0600	69	K. H. PAO
	0900	68	RAMIREZ
	1200	69	ROBERTS
	1500	69	ROBERTS
	1800	69	ROBERTS
	2100	70	ROBERTS
	2400	68	ROBERTS

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	68	ROBERTS
	0600	68	L. RODRIGUEZ
	0900	63	H. PAO
	1200	65	Young J. H.
	1500	70	N. AYALA
	1800	70	WONG Y.
	2100	70	WONG Y.
	2400	69	ROBERTS

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	68	ROBERTS
	0600	68	H. PAO
	0900	63	H. PAO MG
	1200	65	H. PAO
	1500	68	VANIS
	1800	69	VANIS
	2100	69	VANIS
	2400	69	VANIS

Notes

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 20 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	68	VANIS
	0600	68	VANIS
	0900	62	ALPANO
	1200	64	H. SOTO
	1500	69	BOLINAS
	1800	69	BOLINAS
	2100	68	BOLINAS
	2400	68	VANIS

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	67	VANIS
	0600	67	ALPANO
	0900	64	H. SOTO
	1200	65	H. SOTO
	1500	68	BOLINAS
	1800	69	BOLINAS
	2100	68	WONG
	2400	68	VANIS

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	68	VANIS
	0600	68	ALPANO
	0900	69	ALPANO
	1200	69	ALPANO
	1500	69	WONG
	1800	69	WONG
	2100	69	WONG
	2400	68	BOLEMAN

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	67	BOLEMAN
	0600	67	BOLEMAN
	0900	68	ALPANO
	1200	69	ROBERTS
	1500	69	ROBERTS
	1800	69	ROBERTS
	2100	69	ROBERTS
	2400	68	ROBERTS

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	69	ROBERTS
	0600	69	H. SOTO
	0900	68	RAMIREZ
	1200	69	RAMIREZ
	1500	69	ROBERTS
	1800	69	ROBERTS
	2100	68	ROBERTS
	2400	68	ROBERTS

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	68	ROBERTS
	0600	68	H. SOTO
	0900	63	H. SOTO
	1200	64.5	H. SOTO
	1500	67	ROBERTS
	1800	69	ROBERTS
	2100	70	ABAP
	2400	69	ROBERTS

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	69	ROBERTS
	0600	69	H. SOTO
	0900	65	H. SOTO
	1200	65	H. SOTO
	1500	69	LEE
	1800	70	LEE
	2100	69	LEE
	2400	69	VANIS

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 20 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	68	VAN
	0600	68	WILLY
	0900	69	HECO
	1200	65	HECO
	1500	70	HEV
	1800	70	HEV
	2100	70	HEV
	2400	69	VANESSA

Wednesday TUESDAY

Date	Time	Temp.	Name (Print)
9/24/24	0300	68	J. Wayne
	0600	65	THRO
	0900	70	HECO
	1200	70	HECO
	1500	71	BOZEMAN
	1800	69	WONG
	2100	66	WONG
	2400	68	VANESSA

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	68	ROBERT
	0600	62	CAMBEROS
	0900	66	RAMIREZ
	1200	65	CAMBEROS
	1500	69	K-Hibbard
	1800	69	K-Hibbard
	2100	69	K-Hibbard
	2400	69	ROBERT

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	68	ROBERT
	0600	68	HES
	0900	67	HECO
	1200	65	HECO
	1500	69	HEV
	1800	70	HEV
	2100	70	HEV
	2400	70	WORTH

Tuesday Wednesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	68	VAN
	0600	68	P. ALVARADO
	0900	68	P. ALVARADO
	1200	68	P. ALVARADO
	1500	69	ROBERT
	1800	69	ROBERT
	2100	69	ROBERT
	2400	69	ROBERT

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	68	VAN
	0600	68	P. ALVARADO
	0900	68	P. ALVARADO
	1200	68	P. ALVARADO
	1500	69	ROBERT
	1800	69	ROBERT
	2100	69	ROBERT
	2400	69	ROBERT

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	68	ROBERT
	0600	65	CAMBEROS
	0900	65	CAMBEROS
	1200	65	CAMBEROS
	1500	65	K-Hibbard
	1800	69	K-Hibbard
	2100	69	K-Hibbard
	2400	68	ROBERT

Notes

INSIDE TEMPERATURE RECORD

CDCR-2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 20 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	69	WANG
	0600	69	WANG
	0900	65	WANG
	1200	65	WANG
	1500	70	WANG
	1800	70	WANG
	2100	67	WANG
	2400	68	WANG

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 21 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Date	Time	Temp.	Name (Print)
9/1/24	0300	70	Ward
	0600	70	HATCH 20
	0900	70	HATCH
	1200	70	HATCH
	1500	75	MOUNT
	1800	72	MOUNT
	2100	72	MOUNT
	2400	70	Ward

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **21** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension **5522** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	70	Ward
	0600	69	Garcia
	0900	70	Garcia
	1200	70	Garcia
	1500	70	GABRIEL
	1800	70	GABRIEL
	2100	70	GABRIEL
	2400	70	DHS

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	Lewis
	0600	70	Garcia
	0900	70	Garcia
	1200	70	Garcia
	1500	70	DeHow
	1800	70	DeHow
	2100	70	DeHow
	2400	70	Lewis

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	70	DHS
	0600	70	HATCH
	0900	70	HATCH
	1200	70	HATCH
	1500	71	DeHow
	1800	71	DeHow
	2100	70	DeHow
	2400	70	DHS

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	70	DHS
	0600	70	HATCH
	0900	70	Garcia
	1200	70	Garcia
	1500	70	VILLANUEVA
	1800	71	VILLANUEVA
	2100	70	VILLANUEVA
	2400	70	VILLANUEVA

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	69	VILLANUEVA
	0600	70	CUEVAS
	0900	70	HATCH
	1200	70	HATCH
	1500	70	VILLANUEVA
	1800	70	VILLANUEVA
	2100	70	VILLANUEVA
	2400	70	VILLANUEVA

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	69	VILLANUEVA
	0600	69	HATCH
	0900	70	HATCH
	1200	70	HATCH
	1500	71	HATCH
	1800	70	HATCH
	2100	70	HATCH
	2400	70	HATCH

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	70	Ward
	0600	70	HATCH
	0900	70	HATCH
	1200	70	HATCH
	1500	72	Morin
	1800	71	Morin
	2100	70	Morin
	2400	70	Ward

Notes

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 21 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	70	Ward
	0600	70	Garcia
	0900	70	Garcia
	1200	70	Garcia
	1500	71	GABRIEL
	1800	70	GABRIEL
	2100	70	GABRIEL
	2400	70	ENES

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	70	ENES
	0600	70	Garcia
	0900	70	CUNNINGHAM
	1200	70	Garcia
	1500	70	GABRIEL
	1800	70	GABRIEL
	2100	70	GABRIEL
	2400	70	ENES

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	70	ENES
	0600	70	Garcia
	0900	70	Garcia
	1200	70	Garcia
	1500	70	Dochow
	1800	71	Dochow
	2100	70	Dochow
	2400	70	ENES

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	70	ENES
	0600	70	Garcia
	0900	70	GARCIA
	1200	70	HATCH
	1500	70	VILLANUEVA
	1800	70	VILLANUEVA
	2100	70	VILLANUEVA
	2400	70	VILLANUEVA

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	70	VILLANUEVA
	0600	70	HATCH
	0900	70	HATCH
	1200	70	HATCH
	1500	70	Dochow
	1800	70	Dochow
	2100	70	Dochow
	2400	70	VILLANUEVA

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	69	VILLANUEVA
	0600	69	HATCH
	0900	70	HATCH
	1200	70	GOMEZ
	1500	71	HAW
	1800	70	HAW
	2100	70	HAW
	2400	70	WARD

Notes

Date	Time	Temp.	Name (Print)
9/15/24	0300	69	WARD
	0600	69	BRAVO
	0900	70	BRAVO
	1200	70	MORA
	1500	70	MORA
	1800	70	MORA
	2100	69	MORRIS
	2400	70	WARD

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 21Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	69	Ward
	0600	69	Garcia
	0900	69	Garcia
	1200	69	Garcia
	1500	70	GARCIA
	1800	69	GABRIEL
	2100	69	GABRIEL
	2400	65	Prestee

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	64	Prestee
	0600	70	Garcia
	0900	65	Garcia
	1200	66	CUNNINGHAM
	1500	65	GABRIEL
	1800	66	GABRIEL
	2100	66	GABRIEL
	2400	65	GABRIEL

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	65	ENOS
	0600	65	HATCH
	0900	65	HATCH
	1200	65	HATCH
	1500	65	BROWN
	1800	67	DODDOW
	2100	67	DODDOW
	2400	65	ENOS

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	65	ONE
	0600	60	Garcia
	0900	62	Garcia
	1200	65	Garcia
	1500	65	VILLANUEVA
	1800	65	VILLANUEVA
	2100	65	VILLANUEVA
	2400	65	VILLANUEVA

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	65	VILLANUEVA
	0600	65	Saeter
	0900	65	HATCH
	1200	66	HATCH
	1500	70	DODDOW
	1800	70	DODDOW
	2100	70	DODDOW
	2400	68	VILLANUEVA

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	68	VILLANUEVA
	0600	69	HER
	0900	70	HER
	1200	70	HER
	1500	70	VILLANUEVA
	1800	70	VILLANUEVA
	2100	70	VILLANUEVA
	2400	70	Ward

Notes

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	Ward
	0600	70	HATCH
	0900	70	HATCH
	1200	70	HATCH
	1500	71	Moua
	1800	70	Moua
	2100	70	GABRIEL
	2400	70	GABRIEL

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 21 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70	GARCIA
	0600	70	GARCIA
	0900	68	Garcia
	1200	69	Garcia
	1500	69	GARCIA
	1800	69	GARCIA
	2100	70	GARCIA
	2400	68	ENDS

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	68	
	0600	69	BIG
	0900	70	BIG
	1200	70	E
	1500	70	R-Haw
	1800	70	R-Haw
	2100	70	R-Haw
	2400	68	ENDS

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	68	ENDS
	0600	68	HATCH
	0900	69	HATCH
	1200	69	HATCH
	1500	70	BONJES
	1800	70	BONJES
	2100	69	BONJES
	2400	68	ENDS

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	67	VNG
	0600	68	HATCH
	0900	69	GARCIA
	1200	70	GARCIA
	1500	70	VILLAMENA
	1800	70	VILLAMENA
	2100	69	VILLAMENA
	2400	69	VILLAMENA

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	68	VILLAMENA
	0600	68	HATCH
	0900	68	HATCH
	1200	70	HATCH
	1500	70	VILLAMENA
	1800	70	VILLAMENA
	2100	69	VILLAMENA
	2400	69	VILLAMENA

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	68	VILLAMENA
	0600	65	PACHE
	0900	65	GOMEZ
	1200	65	GOMEZ
	1500	70	Haw
	1800	70	Haw
	2100	70	Haw
	2400	70	Haw

Notes

Date	Time	Temp.	Name (Print)
9/29/24	0300	69	Ward
	0600	68	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	GARCIA
	1800	70	GARCIA
	2100	70	GARCIA
	2400	70	Ward

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSB Housing Unit: 21 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	68	Ward
	0600	68	CUNNINGHAM
	0900	69	CUNNINGHAM
	1200	70	CUNNINGHAM
	1500	70	CARRIER
	1800	70	CARRIER
	2100	70	CARRIER
	2400	70	CARRIER

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

• 2000 • 10

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

M.C.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/31 1200 UHT 1400 1600 1800 1900 2000 2100 2200 2300 2400	0100	64	Bard
	0200	62	Bard
	0300	62	Bard
	0400	61	Bard
	0500	59	ED
	0600	59	Bard
	0700	61	STONE
	0800	72	STONE
	0900	80	STONE
	1000	81	STONE
	1100	83	STONE
	1200	90	STONE
	1300	93	STONE
	1400	93	WOMENHS
	1500	95	WOMENHS
	1600	97	WOMENHS
	1700	97	WOMENHS
	1800	96	WOMENHS
	1900	89	WOMENHS
	2000	81	WOMENHS
	2100	77	WOMENHS
	2200	73	Humphrys
	2300	70	EH
	2400	67	EH

LWT
2000
DEPT OF CORRECTIONS AND REHABILITATION

Date	Time	Temp.	Printed Name
9/1 1300 UHT 1800 1900 2000 2100 2200 2300 2400	0100	67	EH
	0200	64	EH
	0300	62	EH
	0400	60	EH
	0500	59	EH ALICE
	0600	57	EH
	0700	64	EH
	0800	74	EH
	0900	80	EH
	1000	80	EH
	1100	82	EH
	1200	85	EH
	1300	90	EH
	1400	92	EH
	1500	93	SD
	1600	93	SD
	1700	93	SD
	1800	87	SD
	1900	85	SD
	2000	76	SD
	2100	74	SD
	2200	69	D. Browne
	2300	65	D. Browne
	2400	63	D. Browne

B

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-02-24	0100	61	D. Browne
	0200	60	D. Browne
	0300	59	D. Browne
	0400	57	D. Browne
	0500	58	D. Browne
	0600	55	GONZO
	0700	63	GONZO
	0800	71	GONZO
	0900	75	GONZO
	1000	77	GONZO
	1100	80	GONZO
	1200	84	GONZO
	1300	88	GONZO
	1400	89	N Hause
	1500	91	N Hause
	1600	91	N Hause
	1700	90	N Hause
	1800	88	N Hause
	1900	85	N Hause
	2000	77	N Hause
	2100	70	N Hause
	2200	70	D. Browne
	2300	64	D. Browne
	2400	63	D. Browne

WAT
ACT
144

Date	Time	Temp.	Printed Name
9-03-24	0100	61	D. Browne
	0200	58	D. Browne
	0300	57	D. Browne
	0400	57	D. Browne
	0500	58	D. Browne
	0600	55	D. Browne
	0700	64	GONZO
	0800	71	GONZO
	0900	81	GONZO
	1000	84	GONZO
	1100	87	GONZO
	1200	89	GONZO
	1300	95	GONZO
	1400	97	N Hause
	1500	99	N Hause
	1600	100	N Hause
	1700	99	N Hause
	1800	98	N Hause
	1900	96	N Hause
	2000	90	N Hause
	2100	81	N Hause
	2200	77	D. Browne
	2300	73	D. Browne
	2400	71	D. Browne

PRIVATE
WAT
9/3
1230WAT
DEAD
8/10

B

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-04-24	0100	69	D. Browne
	0200	68	D. Browne
	0300	67	D. Browne
	0400	67	D. Browne
	0500	64	D. Browne
	0600	63	GONZO
	0700	71	GONZO
	0800	78	GONZO
	0900	88	GONZO
	1000	92	GONZO
	1100	94	GONZO
	1200	98	GONZO
	1300	100	GONZO
	1400	102	N Hause
	1500	104	N Hause
	1600	106	N Hause
	1700	105	N Hause
	1800	103	N Hause
	1900	99	N Hause
	2000	96	N Hause
	2100	84	N Hause
	2200	79	D. Browne
	2300	75	D. Browne
	2400	72	D. Browne

92°
ACUATE
WHT
94.5

WHT
DOING
7/15

Date	Time	Temp.	Printed Name
9/5	0100	71	D. Browne
	0200	68	D. Browne
	0300	66	D. Browne
	0400	66	D. Browne
	0500	64	D. Browne
	0600	64	D. Browne
	0700	68	GONZO
	0800	75	GONZO
	0900	89	GONZO
	1000	93	GONZO
	1100	95	GONZO
	1200	96	GONZO
	1300	98	GONZO
	1400	100	N Hause
	1500	102	N Hause
	1600	103	N Hause
	1700	101	N Hause
	1800	101	N Hause
	1900	98	N Hause
	2000	91	N Hause
	2100	85	N Hause
	2200	80	Bad
	2300	70	Bad
	2400	70	Bad

WHT
DOING
7/20

B

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCSF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Main Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/4 0948 UMT <i>WT DEPT 7045</i>	0100	70	Bart
	0200	69	Bard
	0300	68	Bart
	0400	66	Bard
	0500	65	Bard
	0600	64	Bart
	0700	65	Stone
	0800	79	Stone
	0900	83	Stone
	1000	93	Stone
	1100	94	Stone
	1200	98	Stone
	1300	99	Stone
	1400	101	N Haas
	1500	103	N Haas
	1600	105	N Haas
	1700	103	N Haas
	1800	100	N Haas
	1900	97	N Haas
	2000	88	N Haas
	2100	84	N Haas
	2200	80	Bart
	2300	79	Bard
	2400	69	Bard

Date	Time	Temp.	Printed Name
9/1 0915 UMT <i>WT DEPT 7045</i>	0100	69	Bard
	0200	69	Bart
	0300	69	Bard
	0400	68	Bard
	0500	66	? unk
	0600	65	STONE
	0700	72	STONE
	0800	80	STONE
	0900	89	STONE
	1000	96	STONE
	1100	95	Stone
	1200	98	Stone
	1300	102	Stone
	1400	102	Stone
	1500	102	WORNAAS
	1600	102	WORNAAS
	1700	103	WORNAAS
	1800	98	WORNAAS
	1900	92	WORNAAS
	2000	84	WORNAAS
	2100	83	WORNAAS
	2200	76	D. Browne
	2300	72	D. Browne
	2400	70	D. Browne

B

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCS

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-08-24	0100	68	D. Browne
	0200	67	D. Browne
	0300	65	D. Browne
	0400	64	D. Browne
	0500	64	D. Browne
	0600	68	Gonzo
	0700	74	Gonzo
	0800	80	Gonzo
	0900	89	Gonzo
	1000	92	Gonzo
	1100	95	Gonzo
	1200	97	Gonzo
	1300	99	Gonzo
	1400	101	Darley
	1500	99	Darley
	1600	102	Darley
	1700	100	Darley
	1800	100	Darley
	1900	94	Darley
	2000	83	Darley
	2100	79	Darley
	2200	76	Darley
	2300	73	D. Browne
	2400	72	D. Browne

WHT activated

WHT deactivated

Date	Time	Temp.	Printed Name
9-09-24	0100	69	D. Browne
	0200	66	D. Browne
	0300	66	D. Browne
	0400	66	D. Browne
	0500	64	D. Browne
	0600	63	D. Browne
	0700	66	Gonzo
	0800	72	Gonzo
	0900	89	Gonzo
	1000	92	Gonzo
	1100	94	Gonzo
	1200	99	Gonzo
	1300	101	Gonzo
	1400	105	N Hause
	1500	103	N Hause
	1600	102	N Hause
	1700	101	N Hause
	1800	99	N Hause
	1900	90	N Hause
	2000	82	N Hause
	2100	76	N Hause
	2200	74	D. Browne
	2300	71	D. Browne
	2400	68	D. Browne

WHT activated
8/10/24

B

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-10-24	0100	65	D. Browne
	0200	61	D. Browne
	0300	61	D. Browne
	0400	61	D. Browne
	0500	59	D. Browne
	0600	56	GONZO
	0700	58	GONZO
	0800	63	GONZO
	0900	68	GONZO
	1000	74	GONZO
	1100	76	GONZO
	1200	79	GONZO
	1300	82	GONZO
	1400	84	W Hause
	1500	86	W Hause
	1600	88	W Hause
	1700	89	W Hause
	1800	86	W Hause
	1900	79	W Hause
	2000	71	W Hause
	2100	67	W Hause
	2200	64	D. Browne
	2300	59	D. Browne
	2400	58	D. Browne

Date	Time	Temp.	Printed Name
9/11	0100	56	D. Browne
	0200	55	D. Browne
	0300	53	D. Browne
	0400	52	D. Browne
	0500	52	D. Browne
	0600	53	D. Browne
	0700	55	GONZO
	0800	60	GONZO
	0900	68	GONZO
	1000	74	GONZO
	1100	76	GONZO
	1200	79	GONZO
	1300	81	GONZO
	1400	83	W Hause
	1500	86	W Hause
	1600	87	W Hause
	1700	86	W Hause
	1800	84	W Hause
	1900	79	W Hause
	2000	74	W Hause
	2100	70	W Hause
	2200	67	D. Browne
	2300	64	D. Browne
	2400	62	D. Browne

B

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-12-24	0100	61	D. Browne
	0200	59	D. Browne
	0300	58	D. Browne
	0400	56	D. Browne
	0500	55	D. Browne
	0600	54	GONZO
	0700	58	GONZO
	0800	66	GONZO
	0900	75	GONZO
	1000	74	GONZO
	1100	77	GONZO
	1200	80	GONZO
	1300	82	GONZO
	1400	83	N Hause
	1500	83	W Hause
	1600	86	W Hause
	1700	86	N Hause
	1800		
	1900		
	2000		
	2100	70	
	2200	65	Bart
	2300	63	Dad
	2400	61	Bart

Date	Time	Temp.	Printed Name
9/13	0100	60	Bart
	0200	59	Bart
	0300	58	Bart
	0400	57	Bart
	0500	56	Bart
	0600	58	Bart
	0700	58	STONE
	0800	68	STONE
	0900	81	STONE
	1000	81	STONE
	1100	83	STONE
	1200	85	STONE
	1300	89	STONE
	1400	90	GOCHEVA
	1500	94	GOCHEVA
	1600	93	GOCHEVA
	1700	92	GOCHEVA
	1800	90	GOCHEVA
	1900	84	GOCHEVA
	2000	76	GOCHEVA
	2100	70	GOCHEVA
	2200	68	HERNANDEZ
	2300	66	HERNANDEZ
	2400	62	HERNANDEZ

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M. C. S. P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/14 1330 1850 WHT DEACT.	0100	60	HERNANDEZ
	0200	60	HERNANDEZ
	0300	59	HERNANDEZ
	0400	60	HERNANDEZ
	0500	58	HERNANDEZ
	0600	57	STONE
	0700	57	STONE
	0800	73	STONE
	0900	75	STONE
	1000	79	STONE
	1100	85	STONE
	1200	86	STONE
	1300	86	STONE
	1400	81	WOHWELLS
	1500	81	WOHWELLS
	1600	93	WOHWELLS
	1700	93	WOHWELLS
	1800	89	WOHWELLS
	1900	84	WOHWELLS
	2000	77	WOHWELLS
	2100	71	WOHWELLS
	2200	68	D. Browne
	2300	64	D. Browne
	2400	61	D. Browne

Date	Time	Temp.	Printed Name
9/15 1330 1850 WHT DEACT.	0100	61	D. Browne
	0200	61	D. Browne
	0300	60	D. Browne
	0400	57	D. Browne
	0500	57	D. Browne
	0600	57	GONZO
	0700	59	GONZO
	0800	63	GONZO
	0900	70	GONZO
	1000	75	GONZO
	1100	75	GONZO
	1200	76	GONZO
	1300	77	GONZO
	1400	78	Dailey
	1500	80	Dailey
	1600	80	Dailey
	1700	79	Dailey
	1800	70	Dailey
	1900	64	Benn
	2000	64	Benn
	2100	61	Dailey
	2200	59	D. Browne
	2300	58	D. Browne
	2400	57	D. Browne

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/16	0100	57	D. Browne
	0200	56	D. Browne
	0300	55	D. Browne
	0400	54	D. Browne
	0500	54	D. Browne
	0600	55	GONZO
	0700	57	GONZO
	0800	63	GONZO
	0900	68	GONZO
	1000	71	GONZO
	1100	71	GONZO
	1200	72	GONZO
	1300	74	GONZO
	1400	76	DEASER
	1500	76	DEASER
	1600	76	DEASER
	1700	76	DEASER
	1800	74	DEASER
	1900	69	DEASER
	2000	66	DEASER
	2100	62	DEASER
	2200	60	D. Browne
	2300	58	D. Browne
	2400	58	D. Browne

Date	Time	Temp.	Printed Name
9/17	0100	56	D. Browne
	0200	57	D. Browne
	0300	58	D. Browne
	0400	59	D. Browne
	0500	59	D. Browne
	0600	58	GONZO
	0700	62	GONZO
	0800	65	GONZO
	0900	69	GONZO
	1000	74	GONZO
	1100	75	GONZO
	1200	74	GONZO
	1300	79	GONZO
	1400	99	N Hause
	1500	81	N Hause
	1600	80	N Hause
	1700	78	N Hause
	1800	74	N Hause
	1900	72	N Hause
	2000	69	N Hause
	2100	66	N Hause
	2200	64	D. Browne
	2300	63	D. Browne
	2400	61	D. Browne

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/18	0100	61	D. Browne
	0200	59	D. Browne
	0300	58	D. Browne
	0400	58	D. Browne
	0500	56	D. Browne
	0600	56	GONZO
	0700	58	GONZO
	0800	64	GONZO
	0900	67	GONZO
	1000	70	GONZO
	1100	72	GONZO
	1200	73	GONZO
	1300	76	GONZO
	1400	75	N Hause
	1500	76	N Hause
	1600	75	N Hause
	1700	73	N Hause
	1800	71	N Hause
	1900	70	N Hause
	2000	68	N Hause
	2100	67	N Hause
	2200	66	D. Browne
	2300	64	D. Browne
	2400	62	D. Browne
9-19-24			

Date	Time	Temp.	Printed Name
9/19	0100	60	D. Browne
	0200	59	D. Browne
	0300	57	D. Browne
	0400	56	D. Browne
	0500	55	D. Browne
	0600	54	B. LANIER
	0700	55	B. LANIER
	0800	66	B. LANIER
	0900	76	B. LANIER
	1000	77	B. LANIER
	1100	79	B. LANIER
	1200	81	B. LANIER
	1300	82	B. LANIER
	1400	84	N Hause
	1500	84	N Hause
	1600	86	N Hause
	1700	87	N Hause
	1800	86	N Hause
	1900	80	N Hause
	2000	75	N Hause
	2100	69	E Thompson S
	2200	67	ET
	2300	63	ET
	2400	62	ET

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/20	0100	59	E. HUMPHREYS
	0200	57	E.H.
	0300	55	E.H.
	0400	55	E.H.
	0500	54	E.H.
	0600	52	B. LANIER
	0700	59	B. LANIER
	0800	69	B. LANIER
	0900	68	B. LANIER
	1000	71	B. LANIER
	1100	74	B. LANIER
	1200	79	B. LANIER
	1300	80	B. LANIER
	1400	83	E. ROMERO
	1500	87	E. ROMERO
	1600	87	E. ROMERO
	1700	86	E. ROMERO
	1800	85	E. ROMERO
	1900	82	E. ROMERO
	2000	73	E. ROMERO
	2100	69	E. ROMERO
	2200	68	U. SENIOR
	2300	67	U. SENIOR
	2400	65	U. SENIOR

Date	Time	Temp.	Printed Name
9/21	0100	64	U. SENIOR
	0200	62	U. SENIOR
	0300	61	U. SENIOR
	0400	59	U. SENIOR
	0500	58	U. SENIOR
	0600	57	W.O. HUTCHES
	0700	58	W.O. HUTCHES
	0800	68	W.O. HUTCHES
	0900	72	W.O. HUTCHES
	1000	76	W.O. HUTCHES
	1100	81	W.O. HUTCHES
	1200	85	W.O. HUTCHES
	1300	88	W.O. HUTCHES
	1400	90	W.O. HUTCHES
	1500	92	W.O. HUTCHES
	1600	92	W.O. HUTCHES
	1700	91	W.O. HUTCHES
	1800	90	W.O. HUTCHES
	1900	82	W.O. HUTCHES
	2000	77	W.O. HUTCHES
	2100	74	W.O. HUTCHES
	2200	69	D. Brown
	2300	65	D. Brown
	2400	64	D. Brown

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/22	0100	63	D. Browne
	0200	61	D. Browne
	0300	60	D. Browne
	0400	60	D. Browne
	0500	59	D. Browne
	0600	62	J. Linker
	0700	65	
	0800	69	
	0900	75	
	1000	78	
	1100	84	
	1200	86	
	1300	88	
	1400	90	D. Bailey
	1500	92	D. Bailey
	1600	93	D. Bailey
	1700	93	D. Bailey
	1800	90	D. Bailey
	1900	84	D. Bailey
	2000	79	D. Bailey
	2100	75	D. Bailey
	2200	70	D. Browne
	2300	67	D. Browne
	2400	63	D. Browne

WHT
1343

Date	Time	Temp.	Printed Name
9/23	0100	64	D. Browne
	0200	66	D. Browne
	0300	65	D. Browne
	0400	63	D. Browne
	0500	61	D. Browne
	0600	60	GONZO
	0700	71	GONZO
	0800	71	GONZO
	0900	80	GONZO
	1000	86	GONZO
	1100	88	GONZO
	1200	91	GONZO
	1300	92	GONZO
	1400	93	N. H. Haas
	1500	97	N. H. Haas
	1600	97	N. H. Haas
	1700	99	N. H. Haas
	1800	96	N. H. Haas
	1900	91	N. H. Haas
	2000	81	N. H. Haas
	2100	75	N. H. Haas
	2200	73	D. Browne
	2300	70	D. Browne
	2400	69	D. Browne

WHT
Activator
1200WHT
DRAFT
20/25

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M. C. S. P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/24	0100	69	D Browne
	0200	68	D Browne
	0300	68	D Browne
	0400	67	D Browne
	0500	66	D Browne
	0600	66	GONZO
	0700	74	GONZO
	0800	83	GONZO
	0900	89	GONZO
	1000	93	GONZO
	1100	95	GONZO
	1200	98	GONZO
	1300	100	GONZO
	1400	101	N Hause
	1500	100	N Hause
	1600	101	S. DIEMERAT
	1700	101	S. DIEMERAT
	1800	99	J. SESSIONS
	1900	90	S. DIEMERAT
	2000	82	J. SESSIONS
	2100	78	D. Browne
	2200	75	D. Browne
	2300	69	D. Browne
	2400	68	D. Browne

JET
Deactivated
2010

d-2524

Date	Time	Temp.	Printed Name
9/25	0100	67	D Browne
	0200	64	D. Browne
	0300	62	D. Browne
	0400	60	D. Browne
	0500	60	D. Browne
	0600	60	GONZO
	0700	68	GONZO
	0800	70	GONZO
	0900	75	GONZO
	1000	73	GONZO
	1100	75	GONZO
	1200	69	GONZO
	1300	66	GONZO
	1400	87	N Hause
	1500	88	N Hause
	1600	89	N Hause
	1700	88	N Hause
	1800	83	N Hause
	1900	79	N Hause
	2000	71	N Hause
	2100	67	N Hause
	2200	64	D. Browne
	2300	60	D. Browne
	2400	58	D. Browne

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M. C. S. P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/26	0100	55	D. Browne
	0200	55	D. Browne
	0300	55	D. Browne
	0400	55	D. Browne
	0500	54	D. Browne
	0600	52	GONZO
	0700	49	GONZO
	0800	56	GONZO
	0900	66	GONZO
	1000	69	GONZO
	1100	74	GONZO
	1200	80	GONZO
	1300	63	GONZO
	1400	84	109
	1500	89	109
	1600	88	N Hause
	1700	88	N Hause
	1800	85	N Hause
	1900	78	N Hause
	2000	71	N Hause
	2100	68	N Hause
	2200	65	Bart
	2300	62	Bart
	2400	62	Bart

Date	Time	Temp.	Printed Name
9/27	0100	61	Bart
	0200	61	Bart
	0300	60	Bart
	0400	59	Bart
	0500	57	Bart
	0600	55	Bart
	0700	55	G. STONE
	0800	64	STONE
	0900	72	STONE
	1000	79	STONE
	1100	85	STONE
	1200	87	STONE
	1300	90	STONE
	1400	94	E. ROMERO
	1500	94	E. ROMERO
	1600	94	E. ROMERO
	1700	95	E. ROMERO
	1800	89	E. ROMERO
	1900	83	E. ROMERO
	2000	78	E. ROMERO
	2100	73	E. ROMERO
	2200	68	E. ROMERO
	2300	68	Bart
	2400	66	Bart

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C.S.P.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/28	0100	64	Bald
	0200	65	Bald
	0300	65	Bald
	0400	62	Bald
	0500	60	Bald
	0600	58	Bald
	0700	64	STONE
	0800	67	STONE
	0900	79	STONE
	1000	65	STONE
	1100	69	STONE
	1200	69	STONE
	1300	62	STONE
	1400	92	STONE
	1500	86	DAILEY
	1600	76	WOMENHS
	1700	84	WOMENHS
	1800	81	WOMENHS
	1900	84	WOMENHS
	2000	77	WOMENHS
	2100	71	WOMENHS
	2200	67	D.Browne
	2300	64	D.Browne
	2400	61	D.Browne

9/29
1230 UMT
D.Browne
9/15

Date	Time	Temp.	Printed Name
9/29	0100	58	D. Browne
	0200	56	D. Browne
	0300	55	D. Browne
	0400	55	D. Browne
	0500	56	D. Browne
	0600	55	D. Browne
	0700	53	S.A.
	0800	60	Bald
	0900	71	S.A.
	1000	73	Bald
	1100	75	Bald
	1200	74	Bald
	1300	82	S.A.
	1400	83	DAILEY
	1500	86	DAILEY
	1600	88	DAILEY
	1700	88	DAILEY
	1800	85	DAILEY
	1900	76	DAILEY
	2000	72	DAILEY
	2100	68	DAILEY
	2200	65	DAILEY
	2300	62	S.A.
	2400	60	Bald

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C. SP.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/30	0100	61	Bart
	0200	61	BND
	0300	60	BND
	0400	60	BND
	0500	58	BND
	0600	57	BND
	0700	55	GONZO
	0800	71	GONZO
	0900	80	GONZO
	1000	83	GONZO
	1100	82	GONZO
	1200	85	GONZO
	1300	89	GONZO
	1400	94	N Hause
	1500	95	N Hause
	1600	97	N Hause
	1700	93	N Hause
	1800	90	N Hause
	1900	84	N Hause
	2000	79	N Hause
	2100	73	N Hause
	2200	70	BART
	2300	70	BART
	2400	67	BART

WT
ADJUST
1310
9/3

WT
DATA

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		