

STATE OF CALIFORNIA
HEAT PLAN - MONTHLY SUMMARY REPORT
 CDCR MH-7711-1 (02/17)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Page 1 of 1

Monthly Summary ReportInstitution: CAL**Memorandum**Date: October 7, 2024To: Statewide Heat Plan CoordinatorSubject: Heat Plan Activity - September 2024The following is a summary of the heat related activity for the month of September 2024at CAL (Institution)1. Were outside temperatures 90 degrees or above (Stage I Alerts)? YesNumber of days Stage I Alert initiated: 292. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? NoNumber of days Stage II Alert initiated: 03. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? NoNumber of days Stage III Alert initiated: 04. Weekly list of heat risk patients archived? Yes

5. Number of patients with heat related illness: 1. List these patients on the Heat Incident Log and include the patient's name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms/diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Robert Arjas, WardenWarden Name

Documented by:

Roberto ArjasWarden SignatureBrandy Hill, CEOChief Executive Officer Name

Signed by:

Brandy HillChief Executive Officer Signature

Adriana
Zuniga
Digital signature by
Adriana Zuniga
Date: 2024.10.03
10:59:32 -0700

Heat Incident Log

Institution: CAL Date of Review: 10/3/24 Auditor: A.Zuniga Review Period: 09/01-09/30/2024 Number of Heat Incidents: 1

1. Patient Name: [REDACTED] CDCR#: [REDACTED] Housing: [REDACTED]

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 09/05/2024

Location of Incident: [REDACTED] Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: Dizziness/dehydration

Diagnosis of Heat Related Illness (specify): None

Treatment Rendered: ESI, RN Assess, Iv start, education

Medication Changes Made: None

Ultimate Disposition of Patient: Returned to housing

Clinician's Name and Title: Estrada RN/ Jimenez RN

2. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

3. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

RECEIVED

OCT 07 2024

Heat Incident Log
CDCR MH-7711-2 (01/23)

LITIGATION'S OFFICE

Confidential Patient Information

From: [REDACTED]
Sent: Monday, October 7, 2024 12:55 PM
To: [REDACTED]
Subject: RE: Monthly Summary Reports - Heat Logs - September 2024
Attachments: Fw: Monthly Summary Reports - Heat Logs - September 2024

Thank you Adriana,

RECEIVED

OCT 07 2024

LITIGATION'S OFFICE

Gloria Rodriguez, Office Technician
Calipatria State Prison / Litigations
7018 Blair Road / PO Box 5001
Calipatria, CA 92233
(760) 348-7000, Ext. [REDACTED]

The information contained in this e-mail message (including attachments) may be privileged, confidential and protected from disclosure. The information herein may also be protected by the Electronic Communications Privacy Act, 18 USC §§ 2510-2521. If you are not the intended recipient, any dissemination, distribution or copying is strictly prohibited. If you think that you have received this e-mail message in error, please respond and inform the sender at the following e-mail address: Gloria.rodriguez@cdcr.ca.gov

From: [REDACTED]
Sent: Monday, October 7, 2024 12:51 PM
To: [REDACTED]
Subject: Fw: Monthly Summary Reports - Heat Logs - September 2024

Please see report for the month of September.

Thank you.

From: [REDACTED]
Sent: Thursday, October 3, 2024 1:55:00 PM
To: [REDACTED]
Cc: [REDACTED]
Subject: Monthly Summary Reports - Heat Logs - September 2024

Good afternoon,

There were one (1) heat related incidents sent to the TTA for the month of September 2024.

Please forward to applicable parties that may be missing from this e-mail.

Thank you,

Adriana Tuniga

Office Technician

Nursing Department

Calipatria State Prison

(760) 348 -7000 Ext [REDACTED]

RECEIVED

OCT 01 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/01/24	0300	72	P. HUYNH
	0600	72	A. BOGLI
	0900	72	A. BOGLI
	1200	73	S. ROTH
	1500	73	P. HUYNH
	1800	73	P. HUYNH
	2100	73	P. HUYNH
	2400	73	J. CAVACOS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	73	J. CANADER
	0600	72.8	R. Arciano
	0900	73	R. Booth
	1200	73	P. Reed L
	1500	73	J. Marco
	1800	73	J. Marco
	2100	73	J. Marco
	2400	73	J. CANADER

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	73	J. CANADER
	0600	73	G. Olivas
	0900	74	S. Ramos
	1200	74	G. Olivas
	1500	74	J. Marco
	1800	74	J. Marco
	2100	73	S. Ramos
	2400	73	J. CANADER

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	73	J. CANADER
	0600	73	B. Guevara
	0900	74	S. Ramos
	1200	74	B. Guevara
	1500	74	R. Alvar
	1800	74	S. Ramos
	2100	73	S. Ramos
	2400	73	B. Guevara

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	73	J. CANADER
	0600	73	B. Guevara
	0900	73	B. Guevara
	1200	74	B. Guevara
	1500	74	A. Duran
	1800	74	A. Duran
	2100	74	A. Duran
	2400	73	B. Guevara

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	73	B. Guevara
	0600	73	B. Guevara
	0900	74	S. Ramos
	1200	75	S. Ramos
	1500	75	A. Duran
	1800	75	A. Duran
	2100	75	A. Duran
	2400	74	S. B. Smith

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	74	S. B. Smith
	0600	74	B. Guevara
	0900	74	S. Ramos
	1200	75	S. Ramos
	1500	75	P. Huynh
	1800	75	P. Huynh
	2100	75	P. Huynh
	2400	74	J. CANADER

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	74	J. CANADER
	0600	74	E. Guevara
	0900	74	R. Booth
	1200	74	B. Guevara
	1500	74	GII-AMADRO
	1800	74	P. Huynh
	2100	74	P. Huynh
	2400	74	J. CANADER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	74	J. CANADER
	0600	73	A. Bautista
	0900	73	A. Bautista
	1200	74	F. RAMIREZ
	1500	74	J. Marco
	1800	74	J. Marco
	2100	74	J. Marco
	2400	74	J. CANADER

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	73	P. Huynh
	0600	73	B. GUEVARA
	0900	73	B. GUEVARA
	1200	74	S. RAMOS
	1500	74	P. Huynh
	1800	74	P. Huynh
	2100	73	P. Huynh
	2400	73	J. CANADER

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	72	B. GUEVARA
	0600	72	B. GUEVARA
	0900	72	B. GUEVARA
	1200	72	S. RAMOS
	1500	72	P. Huynh
	1800	72	P. Huynh
	2100	72	P. Huynh
	2400	72	S. RAMOS

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	72	B. GUEVARA
	0600	72	R. Guevara
	0900	72	E. GUEVARA
	1200	72	E. GUEVARA
	1500	72	P. Huynh
	1800	72	P. Huynh
	2100	72	P. Huynh
	2400	72	J. CANADER

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	74	J. CANADER
	0600	73	S. RAMOS
	0900	73	S. RAMOS
	1200	74	S. RAMOS
	1500	74	J. Marco
	1800	74	J. Marco
	2100	74	J. Marco
	2400	79	J. CANADER

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	73	J. CANADER
	0600	72	B. GUEVARA
	0900	72	B. GUEVARA
	1200	73	B. GUEVARA
	1500	73	P. Huynh
	1800	73	P. Huynh
	2100	72	P. Huynh
	2400	72	B. GUEVARA

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	72	B. GUEVARA
	0600	72	B. GUEVARA
	0900	72	B. GUEVARA
	1200	73	B. GUEVARA
	1500	73	P. Huynh
	1800	73	P. Huynh
	2100	72	P. Huynh
	2400	73	B. GUEVARA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	72	J. CANACEZ
	0600	71	F. RAMIREZ
	0900	71	A. GARCIA
	1200	72	A. GARCIA
	1500	72	L. LULUZA
	1800	71	L. LULUZA
	2100	71	L. LULUZA
	2400	71	B. GUEVARA

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	J. CANACEZ
	0600	69	B. GUEVARA
	0900	70	B. GUEVARA
	1200	70	S. RAMOS
	1500	70	M. HUYNH
	1800	70	M. HUYNH
	2100	70	M. HUYNH
	2400	70	J. CANACEZ

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	B. GUEVARA
	0600	70	B. GUEVARA
	0900	70	B. GUEVARA
	1200	71	B. GUEVARA
	1500	70	P. HUYNH
	1800	70	P. HUYNH
	2100	70	P. HUYNH
	2400	70	S. HOLMSTROM

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	69	S. HOLMSTROM
	0600	69	B. GUEVARA
	0900	69	B. GUEVARA
	1200	69	E. GUEVARA
	1500	70	P. HUYNH
	1800	70	P. HUYNH
	2100	70	P. HUYNH
	2400	69	J. CANACEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	71	B. GUEVARA
	0600	71	G. OLIVEIRA
	0900	70	S. RAMOS
	1200	71	S. RAMOS
	1500	71	L. LULUZA
	1800	71	L. LULUZA
	2100	70	L. LULUZA
	2400	70	J. CANACEZ

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	J. CANACEZ
	0600	70	B. GUEVARA
	0900	70	S. RAMOS
	1200	71	S. RAMOS
	1500	71	A. CLARK
	1800	70	A. CLARK
	2100	70	A. CLARK
	2400	70	B. GUEVARA

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	69	S. HOLMSTROM
	0600	69	B. GUEVARA
	0900	69	S. RAMOS
	1200	70	S. RAMOS
	1500	70	P. HUYNH
	1800	70	P. HUYNH
	2100	70	P. HUYNH
	2400	69	S. HOLMSTROM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	69	J. CARACERZ
	0600	69	C. SILVA
	0900	70	C. SILVA
	1200	70	C. SILVA
	1500	70	J. MARCO
	1800	70	J. MARCO
	2100	70	J. MARCO
	2400	69	J. CARACERZ

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70	J. GUEVARA
	0600	70	J. GUEVARA
	0900	70	J. GUEVARA
	1200	71	S. RAMOS
	1500	71	P. HUYNH
	1800	71	P. HUYNH
	2100	70	P. HUYNH
	2400	69	J. CARACERZ

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	71	J. GUEVARA
	0600	70	J. GUEVARA
	0900	70	S. RAMOS
	1200	71	S. RAMOS
	1500	71	A. QUIJANO
	1800	71	A. QUIJANO
	2100	70	A. QUIJANO
	2400	70	J. CARACERZ

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	S. BALDWIN
	0600	70	C. SILVA
	0900	70	P. GUEVARA
	1200	70	E. GUEVARA
	1500	70	RAMIREZ, C.
	1800	70	RAMIREZ, C.
	2100	70	J. AHN
	2400	69	J. CARACERZ

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	69	J. CARACERZ
	0600	69	G. OLIVAS
	0900	69	S. RAMOS
	1200	70	S. RAMOS
	1500	70	J. MARCO
	1800	70	J. MARCO
	2100	70	J. MARCO
	2400	70	J. MARCO

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	69	J. CARACERZ
	0600	70	J. GUEVARA
	0900	70	J. GUEVARA
	1200	71	J. GUEVARA
	1500	71	P. HUYNH
	1800	71	P. HUYNH
	2100	70	P. HUYNH
	2400	70	J. GUEVARA

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70	J. GUEVARA
	0600	70	J. GUEVARA
	0900	70	S. RAMOS
	1200	70	S. RAMOS
	1500	71	P. GUEVARA
	1800	70	J. SARRASA
	2100	70	L. CARTER
	2400	70	S. BALDWIN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND RE-HABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	69	J. CAMPBELL
	0600	69	A. BOOTH
	0900	61	J. DANCE
	1200	70	J. DONOR
	1500	71	J. MARCO
	1800	71	J. MARCO
	2100	71	J. MARCO
	2400	69	J. CAMPBELL

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

OCT 02 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A1 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
Wkly	0300	78	Mardigal
	0600	78.3	Mardigal
	0900	78.5	Mardigal
	1200	79.6	Mardigal
	1500	80	Mardigal
	1800	80	Mardigal
	2100	79.5	Mardigal
	2400	79.9	Mardigal

Notes

[Handwritten signature]

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(NOTE: Air conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CPL

Housing Unit: A1

Temp. Reading Location: Control Board
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

DATE	TIME	TEMP.	NAME (PRINT)
	0300	77.5	E.Ramos
	0600	77.2	V.Carpio
	0900	77.5	V.Carpio
	1200	77.5	V.Carpio
	1500	78.8	V.Carpio
	1800	79.2	A.SALAZAR
	2100	79.2	A.SALAZAR
	2400	78.7	E.Ramos

Wednesday

DATE	TIME	TEMP.	NAME (PRINT)
	0300	77.7	E.Ramos
	0600	77.2	V.Carpio
	0900	77.8	V.Carpio
	1200	78.4	V.Carpio
	1500	79.1	A.SALAZAR
	1800	79.1	A.SALAZAR
	2100	79.2	A.SALAZAR
	2400	78.1	E.Ramos

Friday

DATE	TIME	TEMP.	NAME (PRINT)
	0300	77.6	E.Ramos
	0600	78	mishuda
	0900	78.5	mishuda
	1200	79.7	mishuda
	1500	79.8	J.Melendarez
	1800	80.0	J.Melendarez
	2100	80.9	J.Melendarez
	2400		

Sunday

DATE	TIME	TEMP.	NAME (PRINT)
	0300	78	Morales
	0600	78.3	V.Carpio
	0900	78.5	V.Carpio
	1200	78.5	V.Carpio
	1500	79.4	V.Carpio
	1800	80.0	Scalera
	2100	79.6	Scalera
	2400	79.7	E.Ramos

Tuesday

DATE	TIME	TEMP.	NAME (PRINT)
	0300	78.1	E.Ramos
	0600	77.8	V.Carpio
	0900	77.5	V.Carpio
	1200	78.2	V.Carpio
	1500	78.7	V.Carpio
	1800	79.3	A.SALAZAR
	2100	79.1	A.SALAZAR
	2400	78.7	E.Ramos

Thursday

DATE	TIME	TEMP.	NAME (PRINT)
	0300	77.9	Gloria
	0600	77.3	V.Carpio
	0900	75.5	V.Carpio
	1200	79.5	V.Carpio
	1500	79.7	A.SALAZAR
	1800	79.8	A.SALAZAR
	2100	78.7	A.SALAZAR
	2400	78.3	E.Ramos

Saturday

DATE	TIME	TEMP.	NAME (PRINT)
	0300	78.2	J.Gloria
	0600	78	M.Ares
	0900	78.3	E.Ramos
	1200	78.3	E.Ramos
	1500	79.8	J.Melendarez
	1800	80	J.Melendarez
	2100	79.7	J.Melendarez
	2400	79.9	SEGUIN

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A1

Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.) 90 degrees and again at 95 degrees. when the inside air temperature reaches _____

Monday

Date	Time	Temp.	Name (Print)
9/19/24	0300	79.1	E. LAMOS
	0600	78.0	P. SUNDURUT
	0900	78.0	P. SUNDURUT
	1200	78.9	P. SUNDURUT
	1500	79.4	J. CARO
	1800	79.8	J. CARO
	2100	78.3	J. CARO
	2400	77.9	E. LAMOS

Wednesday

Date	Time	Temp.	Name (Print)
9-11-24	0300	78.2	E. RAMOS
	0600	77.4	V. GARCIA
	0900	77.6	V. GARCIA
	1200	78.0	V. GARCIA
	1500	78.1	J. ALONSO
	1800	78.5	J. ALONSO
	2100	78.3	J. ALONSO
	2400	77.4	E. RAMOS

Friday

Date	Time	Temp.	Name (Print)
9/13/14	0300	75.9	Ergamos
	0600	75.1	Montoya
	0900	75.8	Morales
	1200	75.9	Montoya
	1500	76.5	J. Melendrez
	1800	76.4	J. Melendrez
	2100	76.5	J. Melendrez
	2400	75.7	Shure

Sunday

Date	Time	Temp.	Name (Print)
	0300	75.2	Sesure
	0600	75.2	MURKLANDER
	0900	75.2	MURKLANDER
	1200	75.2	MURKLANDER
	1500	76.1	A. TRUCCIO
	1800	76.1	E. TRUCCIO
	2100	76.1	E. TRUCCIO
	2400	75.1	E. RAMOS

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	77.4	G. Romo
	0600	77.0	V. Carpio
	0900	77.6	V. Carpio
	1200	78.7	V. Carpio
	1500	79.7	D. Ladrigan
	1800	79.7	D. Ladrigan
	2100	79.7	D. Ladrigan
	2400	78.8	Eraujo

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	76.5	E. Rose
	0600	75.7	D. PARTIDA
	0900	76.6	D. PARTIDA
	1200	77.0	D. PARTIDA
	1500	77.3	A. Rose
	1800	77.2	R. Rose
	2100	75.3	A. Felix
	2400	75.3	E. Rose

Saturday

Date	Time	Temp.	Name (Print)
9/14/29	0300	75.9	<u>Eck</u>
	0600	75.1	J. Montoya
	0900	75.8	J. Montoya
	1200	76.7	J. Montoya
	1500	76.8	J. Melendrez
	1800	76.0	J. S. Galt
	2100	76.7	J. S. Galt
	2400	75.7	Segura

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR.2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: A-1 Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	74.5	E. RAMOS
	0600	74.0	V. CALIBAN
	0900	73.9	V. GIL
	1200	74.2	V. GIL
	1500	74.5	A. SALAZAR
	1800	74.4	A. SALAZAR
	2100	73.9	A. SALAZAR
	2400	73.5	E. RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70.7	E. RAMOS
	0600	70.2	V. CALVO
	0900	70.7	V. CALVO
	1200	71.5	V. CALVO
	1500	72.5	A. SALAZAR
	1800	72.4	A. SALAZAR
	2100	72.0	A. SALAZAR
	2400	71.8	E. RAMOS

Friday

Date	Time	Temp.	Name (Print)
	0300	70.1	O. T. Way.
	0600	70.5	J. Montoya
	0900	70.6	J. Montoya
	1200	71.5	J. Montoya
	1500	72.6	J. melendrez
	1800	72.4	J. melendrez
	2100	72.5	J. melendrez
	2400	72.	M. Segura

Sunday

Date	Time	Temp.	Name (Print)
	0300	71.6	M. SAVAR
	0600	70.9	V. CARP. (C)
	0900	70.7	V. CARP. (O)
	1200	71.7	V. CARP. (C)
	1500	73.0	A. SAUZAR
	1800	73.4	A. SAUZAR
	2100	72.9	A. SAUZAR
	2400	71.9	C. RUMA (C)

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	72.1	T. LEONCIO
	0600	71.7	V. CALPI
	0900	72.0	V. CALPI
	1200	72.5	V. CALPI
	1500	72.9	A. SACAZAR
	1800	73.4	A. SACAZAR
	2100	72.5	A. SACAZAR
	2400	71.3	ERSONC

Thursday

Date	Time	Temp.	Name (Print)
	0300	71.3	E. RAMOS
	0600	72.0	V. CAY-J
	0900	71.2	V. CAY-J
	1200	71.7	V. CAY-J
	1500	70.3	A. SALAZAR
	1800	71.9	A. SALAZAR
	2100	72.8	A. SACAR
	2400	71.9	O. INAY

Saturday

Date	Time	Temp.	Name (Print)
	0300	71.3	M. Geron J. Monton
	0600	70.4	J. Monton
	0900	70.6	J. Monton
	1200	71.4	J. Monton
	1500	72.5	J. Melendrez
	1800	72.5	J. Melendrez
	2100	72.0	J. Melendrez
	2400	71.7	J. V.C.-P-

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR.2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment C

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: A-1 Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ (e.g., 1 tier, 2 tier, 3 tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	71.5	E. R. Jones
	0600	71.7	V. Gandy
	0900	71.9	V. Gandy
	1200	73.0	V. Gandy
	1500	73.4	A. SALAZAR
	1800	76.7	A. SALAZAR
	2100	76.8	A. SALAZAR
	2400	74.1	E. Jones

9.23.24

Wednesday

Date	Time	Temp.	Name (Print)
	0300	74.3	E. RAMO
	0600	73.5	V. CARY
	0900	73.7	V. CARY
	1200	74.3	V. CARY
	1500	75.1	A. SACAZAR
	1800	75.2	A. SACAZAR
	2100	75.2	A. SACAZAR
	2400	74.5	E. RAMO

Q N X S

Friday

Date	Time	Temp.	Name (Print)
	0300	74.3	E. Gomes
	0600	73.5	D. M. M.
	0900	74.0	S. M. M.
	1200	74.8	S. M. M.
	1500	75.4	J. Melendrez
	1800	75.4	J. Melendrez
	2100	75.0	J. Melendrez
	2400	74.2	M. S. Gomes

9-29-24

Sunday

Date	Time	Temp.	Name (Print)
	0300	73.7	M. Segura
	0600	72.7	M. Segura
	0900	73.0	V. Clegg
	1200	74	V. Clegg
	1500	74	S. Chinn
	1800	75.6	S. Newman
	2100	75.5	S. Newman
	2400	74.5	S. Chinn

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	73.3	C. RAMOS
	0600	73.0	V. CARP. V.
	0900	70.2	V. CARP. C.
	1200	73.00	V. CARP. D.
	1500	75.1	A. SALAZAR
	1800	75.3	D. SALAZAR
	2100	75.2	A. SALAZAR
	2400	74.7	C. RAMOS

2-26.24

Thursday

Date	Time	Temp.	Name (Print)
	0300	73.3	E. Rameis
	0600	78.2	V. Rodriguez
	0900	73	V. Rodriguez
	1200	74	V. Rodriguez
	1500	75.3	A. SALAZAR
	1800	75.6	A. SALAZAR
	2100	75.5	A. SALAZAR
	2400	75.1	E. Rameis

9/28/28

Saturday

Date	Time	Temp.	Name (Print)
	0300	23.3	M. Segura
	0600	22.9	M. Segura
	0900	23.3	J. Monroe
	1200	24.4	J. Monroe
	1500	25.1	I. Rosales
	1800	25.4	I. Rosales
	2100	25.2	I. Rosales
	2400	24.6	M. Segura

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A-1

Temp. Reading Location: TOP TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/2/18	0300	74.1	E. Ramon
	0600	73.6	V. Corp. 3
	0900	74.5	V. Corp. 3
	1200	74.6	V. Corp. 3
	1500	75.3	A. SALAZAR
	1800	75.6	A. SALAZAR
	2100	75.2	A. SALAZAR
	2400	74.9	E. Ramon

Tuesday

Date	Time	Temp.	Name (Print)
	0300	74	J. Perez
	0600	73.5	V. Corp. 3
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

RECEIVED

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OCT 02 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL

Housing Unit: A5

Temp. Reading Location:

Back door

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	73.4	JM
7/21	0600	73.1	CORTZ, S.
7/21	0900	76.1	CORTZ, S.
7/21	1200	78	DM
7/21	1500	80.1	DM
7/21	1800	80.5	DM
7/21	2100	80.0	DM
7/21	2400	78	DM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL

Housing Unit: A1

Temp. Reading Location: 2nd floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/18/18	0300	79.1	J. Rodriguez
	0600	75	D. Acosta
	0900	78	D. Acosta
	1200	78	D. Acosta
	1500	80.2	L. Rodriguez
	1800	79.7	L. Rodriguez
	2100	80.4	L. Rodriguez
	2400	80.4	J. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9/18/18	0300	79.4	J. Rodriguez
	0600	75	D. Acosta
	0900	75	D. Acosta
	1200	78	D. Acosta
	1500	80.1	L. Rodriguez
	1800	79.8	L. Rodriguez
	2100	78.6	L. Rodriguez
	2400	76.4	J. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
9/18/18	0300	79	A. Rodriguez
	0600	76	D. Acosta
	0900	79	D. Acosta
	1200	79	D. Acosta
	1500	79	L. Rodriguez
	1800	79	L. Rodriguez
	2100	78	L. Rodriguez
	2400	78	A. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
9/18/18	0300	77.6	N. Martinez
	0600	77.0	N. Martinez
	0900	78.1	N. Martinez
	1200	79.3	E. Vazquez
	1500	80.2	E. Vazquez
	1800	79.7	E. Vazquez
	2100	79.2	N. Martinez
	2400	78	N. Martinez

Tuesday

Date	Time	Temp.	Name (Print)
9/18/18	0300	75	D. Acosta
	0600	75	D. Acosta
	0900	76	D. Acosta
	1200	78	D. Acosta
	1500	80.2	L. Rodriguez
	1800	79.6	L. Rodriguez
	2100	76.7	L. Rodriguez
	2400	76.1	J. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
9/18/18	0300	73	J. Rodriguez
	0600	79	D. Acosta
	0900	79	D. Acosta
	1200	78	D. Acosta
	1500	79.9	L. Rodriguez
	1800	78.7	L. Rodriguez
	2100	78.1	L. Rodriguez
	2400	78	A. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
9/18/18	0300	75	A. Rodriguez
	0600	75.9	E. Vazquez
	0900	78.8	E. Vazquez
	1200	79.9	E. Vazquez
	1500	79	D. Acosta
	1800	79	D. Acosta
	2100	79	D. Acosta
	2400	77.5	M. Martinez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A5

Temp. Reading Location: 2 floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	75.3	J.Perez
	0600	75	D. Acosta
	0900	78	D. Acosta
	1200	82	D. Acosta
	1500	83.4	D. Acosta
	1800	82.0	V.M.
	2100	79.9	V.M.
	2400	78.4	V.M.

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	75.6	J.Perez
	0600	75	D. Acosta
	0900	78	D. Acosta
	1200	79	D. Acosta
	1500	81.8	V.M.
	1800	80.4	V.M.
	2100	79.9	V.M.
	2400	77.1	J.Perez

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	73.1	J.Perez
	0600	75	D. Acosta
	0900	77	D. Acosta
	1200	77	D. Acosta
	1500	79.5	V.M.
	1800	77.6	V.M.
	2100	77.2	V.M.
	2400	76.6	A.Gill

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	73	A.Rodriguez
	0600	70	D. Acosta
	0900	74	D. Acosta
	1200	76	D. Acosta
	1500	76.2	De La Torre
	1800	76.2	De La Torre
	2100	74.6	De La Torre
	2400	74.4	A.Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	72	Hidalgo
	0600	71.6	E.V.
	0900	70.0	E.V.
	1200	70.2	E.V.
	1500	70.8	E.V.
	1800	79.	V.M.
	2100	79.5	V.M.
	2400	74.0	V.M.

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	73	A.Gill
	0600	71	D. Acosta
	0900	75	D. Acosta
	1200	76	D. Acosta
	1500	76	V.M.
	1800	77.2	V.M.
	2100	77.1	A.Perez
	2400	77	A.Perez

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	73	A.Rodriguez
	0600	72.7	E.V.
	0900	77.2	E.V.
	1200	78.6	E.V.
	1500	77	De La Torre
	1800	77	De La Torre
	2100	75.	De La Torre
	2400	73	Hidalgo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR,2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAI Housing Unit: A5 Temp. Reading Location: 2 tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/14	0300	76.2	an
	0600	70	D. Acosta
	0900	71	D. Acosta
	1200	73	D. Acosta
	1500	70.2	V. M.
	1800	75.9	V. M.
	2100	72.7	V. M.
	2400	70.0	an

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	67.1	an
	0600	67	D. Acosta
	0900	68	D. Acosta
	1200	71	D. Acosta
	1500	74.2	V. M.
	1800	72.4	V. M.
	2100	72.4	V. M.
	2400	71.1	an

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	68.9	A. Reddy
	0600	67	D. Acosta
	0900	70	D. Acosta
	1200	72	D. Acosta
	1500	72	C. Davila
	1800	71	C. Davila
	2100	70	C. Davila
	2400	69.6	A. Reddy

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	70.0	R. Martinez
	0600	69.0	R. Martinez
	0900	69.0	z
	1200	78.0	E. N.
	1500	70.9	V. M.
	1800	70.7	V. M.
	2100	72.0	V. M.
	2400	70	an

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	65	an
	0600	67	D. Acosta
	0900	68	D. Acosta
	1200	72	D. Acosta
	1500	70.6	V. M.
	1800	72.5	V. M.
	2100	72.1	V. M.
	2400	71	D. Acosta

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	68.2	D. Acosta
	0600	67	D. Acosta
	0900	70	D. Acosta
	1200	72	D. Acosta
	1500	73.5	V. M.
	1800	72.9	V. M.
	2100	73.7	V. M.
	2400	71.8	V. M.

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	67.3	A. Reddy
	0600	67	C. V.
	0900	72.8	E. N.
	1200	73.3	E. N.
	1500	72	C. Davila
	1800	71	C. Davila
	2100	70	C. Davila
	2400	69.7	F. Matamoros

Notes

[Handwritten notes and signatures]

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: AS Housing Unit: AS Temp. Reading Location: 3 fm
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	67.0	
9/23	0600	68.7	D. Acosta
	0900	69.9	D. Acosta
	1200	72.9	D. Acosta
	1500	74.4	V. Espinoza
	1800	74.5	V. Espinoza
	2100	72.3	V. Espinoza
	2400	76	Don

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	69.1	Don
	0600	69	Don
	0900	71	Don
	1200	79.1	D. Acosta
	1500	79.5	V. Espinoza
	1800	79.5	V. Espinoza
	2100	76.2	V. Espinoza
	2400	77	Don

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	70	A. Rodriguez
	0600	69	D. Acosta
	0900	73	D. Acosta
	1200	75	D. Acosta
	1500	75	C. Davila
	1800	75	C. Davila
	2100	73	C. Davila
	2400	71	A. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	69	D. Acosta
	0600	69	C. Davila
	0900	73.0	S. Vazquez
	1200	70.0	S. Vazquez
	1500	78	S. Rosales
	1800	76	J. Ponce
	2100	73.8	J. Ponce
	2400	73.5	J. Vittim

Tuesday

Date	Time	Temp.	Name (Print)
9/29	0300	69.1	D. Acosta
	0600	69	D. Acosta
	0900	70	D. Acosta
	1200	75	D. Acosta
	1500	75.5	M. Vazquez
	1800	76.1	M. Vazquez
	2100	72.3	M. Vazquez
	2400	74.3	Don

Thursday

Date	Time	Temp.	Name (Print)
9/29	0300	70	Don
	0600	70	D. Acosta
	0900	74	D. Acosta
	1200	76	D. Acosta
	1500	76.5	M. Vazquez
	1800	76.5	M. Vazquez
	2100	76.3	M. Vazquez
	2400	72.8	A. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
9/29	0300	70	A. Rodriguez
	0600	71	S. Vazquez
	0900	74	S. Vazquez
	1200	75	S. Vazquez
	1500	75	S. Vazquez
	1800	74	S. Vazquez
	2100	73	S. Vazquez
	2400	72	D. Acosta

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CA Housing Unit: A5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
	0300	69	J. Villa
	0600	68	J. Villa
	0900	73	D. Acosta
	1200	74	D. Acosta
	1500	73.1	M. M.
	1800	75.8	
	2100	75.2	
	2400	73	

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

RECEIVED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

OCT 03 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

LITIGATION'S OFFICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8-26-24	0300	74	C.CORDERO	8-27-24	0300	73°	J.F.ARAZAS	8-28-24	0300	73°	J.F.ARAZAS	8-29-24	0300	73°	J.F.ARAZAS	8-30-24	0300	75°	R.Magdaleno	8-31-24	0300	76	V.Garrett	9-1-24	0300	76	I.Martinez
	0600	73	R.Magdaleno		0600	74°	J.GONZALEZ		0600	74	R.Magdaleno		0600	74	R.Magdaleno		0600	75	V.Garrett		0600	75	R.Madurena		0600	75.9	R.Madurena
	0900	74	R.Magdaleno		0900	74°	J.GONZALEZ		0900	74	R.Magdaleno		0900	74	R.Magdaleno		0900	75	V.Garrett		0900	76	R.Madurena		0900	76.6	R.Madurena
	1200	74	R.Magdaleno		1200	75°	J.GONZALEZ		1200	75°	J.GONZALEZ		1200	75°	J.GONZALEZ		1200	76	V.Garrett		1200	77.1	R.Madurena		1200	77.7	I.Martinez
	1500	75	J.Spellis		1500	76	J.Spellis		1500	76	J.Spellis		1500	76	J.Spellis		1500	77	V.Garrett		1500	78.00	I.Martinez		1500	78.1	I.Martinez
	1800	76	J.Spellis		1800	77	V.Garrett		1800	78	I.Martinez		1800	79.1	I.Martinez												
	2100	76	J.Spellis		2100	75	J.Spellis		2100	75	J.Spellis		2100	75	J.Spellis		2100	76	V.Garrett		2100	77	I.Martinez		2100	78.1	I.Martinez
	2400	75°	J.F.ARAZAS		2400	74°	J.F.ARAZAS		2400	74°	J.F.ARAZAS		2400	74°	J.F.ARAZAS		2400	75	V.Garrett		2400	76	I.Martinez		2400	77.1	I.Martinez

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	73°	J.F.ARAZAS
	0600	74°	J.GONZALEZ
	0900	74°	J.GONZALEZ
	1200	75°	J.GONZALEZ
	1500	76	J.Spellis
	1800	76	J.Spellis
	2100	75	J.Spellis
	2400	74°	J.F.ARAZAS

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	74	C.CORDERO
	0600	73	R.Magdaleno
	0900	74	R.Magdaleno
	1200	74	R.Magdaleno
	1500	75	J.Spellis
	1800	76	J.Spellis
	2100	76	J.Spellis
	2400	75°	J.F.ARAZAS

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	73°	J.F.ARAZAS
	0600	73	R.Magdaleno
	0900	75	R.Magdaleno
	1200	75	R.Magdaleno
	1500	76	J.Tanner
	1800	76	J.Tanner
	2100	76.8	J.Tanner
	2400	75°	J.F.ARAZAS

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	75°	R.Tirado
	0600	75	V.Garrett
	0900	75	V.Garrett
	1200	75	V.Garrett
	1500	76	S.Chavez
	1800	76	S.Chavez
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	76	B.Garrett
	0600	75.9	R.Madurena
	0900	76.6	R.Madurena
	1200	77.1	R.Madurena
	1500	77.7	I.Martinez
	1800	78.00	I.Martinez
	2100	78.1	I.Martinez
	2400	79.1	I.Martinez

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	73°	J.F.ARAZAS
	0600	74	R.Magdaleno
	0900	74	R.Magdaleno
	1200	75	R.Magdaleno
	1500	78	A.Alba
	1800	75	A.Alba
	2100	75	A.Alba
	2400	76	R.Tirado

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300		
	0600	76	V.Garrett
	0900	76	V.Garrett
	1200	76	V.Garrett
	1500	77	L.Silva
	1800	78	L.Silva
	2100	77	L.Silva
	2400	76	B.Garrett

Notes

CZ.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	76-7	R. Arellano
	0600	76.3	A. Grubbs
	0900	77.2	A. Grubbs
	1200	77.9	A. Grubbs
	1500	78.2	S. Gonzalez
	1800	78.7	S. Gonzalez
	2100	78.3	S. Gonzalez
	2400	77	A. Gull

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	77	A. Gull
	0600	76	Magnolia R.
	0900	76	R. Magnolia
	1200	77	R. Magnolia
	1500	77	J. James
	1800	78.5	J. James
	2100	78.2	J. James
	2400	77	M. Munoz

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	77	M. Munoz
	0600	76	R. Magaña
	0900	76	R. Magaña
	1200	77	R. Magaña
	1500	78.8	R. Ramirez
	1800	76.1	R. Ramirez
	2100	77.1	R. Ramirez
	2400	77	V. Vazquez

Thursday

Date	Time	Temp.	Name (Print)
9-5-24	0300	76	V. Vazquez
	0600	76	R. Ramirez
	0900	77	R. Ramirez
	1200	77	R. Ramirez
	1500	77	J. Romero
	1800	78.7	P. Riley
	2100	78	P. Riley
	2400	78	M. Manning

Friday

Date	Time	Temp.	Name (Print)
9-6-24	0300	77	M. Manning
	0600	77	V. Vazquez
	0900	78	V. Vazquez
	1200	78	V. Vazquez
	1500	78	N. N.
	1800	78	R. Riley
	2100	78	M. Munoz
	2400	78	M. Munoz

Saturday

Date	Time	Temp.	Name (Print)
9-7-24	0300	77	M. Munoz
	0600	77	M. Munoz
	0900	77.6	M. Munoz
	1200	77.9	M. Munoz
	1500	78.8	L. Ledesma
	1800	78.9	L. Ledesma
	2100	78.8	L. Ledesma
	2400	78.2	R. Arellano

Notes

12

Date	Time	Temp.	Name (Print)
9/8/24	0300	77.7	R. Arellano
	0600	77	L. Ledesma
	0900	77	R. Arellano
	1200	77	R. Arellano
	1500	78.3	D. Lopez
	1800	78.3	B. Lopez
	2100	77	O. Arellano
	2400	77.6	R. Arellano

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9-24	0300	77.6	R. Arellano
	0600	76	R. Magdaleno
	0900	77	R. Magdaleno
	1200	77	R. Magdaleno
	1500	77	R. Magdaleno
	1800	78	J. Spells
	2100	78	J. Spells
	2400	77	A. Gull

Wednesday

Date	Time	Temp.	Name (Print)
9-11-24	0300	75	R. Magdaleno
	0600	75	R. Magdaleno
	0900	75	R. Magdaleno
	1200	76	R. Magdaleno
	1500	77	J. Spells
	1800	77	J. Spells
	2100	76	J. Spells
	2400	75.7	A. MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	74.8	D. Perez
	0600	71.5	A. Rodriguez
	0900	74.2	G. Tidaku
	1200	75.0	G. Tidaku
	1500	76	SAN ROMAN
	1800	75	SAN ROMAN
	2100	75	SAN ROMAN
	2400	75	A. Perez

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	75.0	D. Gonzalez
	0600	75.4	D. Gonzalez
	0900	75.2	R. Arellano
	1200	75.2	R. Arellano
	1500	75.8	J. Spells
	1800	75	J. Spells
	2100	74	J. Spells
	2400	74.2	R. Arellano

Tuesday *TUESDAY, Sept 10, 2024*

Date	Time	Temp.	Name (Print)
9/12/24	0300	76	A. Gull
	0600	76	R. Magdaleno
	0900	77	R. Magdaleno
	1200	77	R. Magdaleno
	1500	77	J. Spells
	1800	78	J. Spells
	2100	78	J. Spells
	2400	77	R. Magdaleno

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	75	A. MARTINEZ
	0600	75	A. MARTINEZ
	0900	74.5	R. Magdaleno
	1200	75	R. Magdaleno
	1500	76	J. Spells
	1800	76	J. Spells
	2100	75.3	F. Marquez
	2400	75.4	D. Perez

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	74	Rodriguez
	0600	73	Rodriguez
	0900	74	Rodriguez
	1200	75	RODRIGUEZ
	1500	75.9	SAN ROMAN
	1800	76	RODRIGUEZ
	2100	76	Romero
	2400	75.1	D. Gonzalez

Notes

L2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1

Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-24	0300	72.5	R. Arellano
	0600	72	R. Arellano
	0900	72	R. Arellano
	1200	72	R. Arellano
	1500	73	J. Spells
	1800	73	J. Spells
	2100	72	J. Spells
	2400	71	A. Gull

Tuesday

Date	Time	Temp.	Name (Print)
9-17-24	0300	70	A. Gull
	0600	70	R. Arellano
	0900	70	R. Arellano
	1200	71	R. Arellano
	1500	71.7	J. CARO
	1800	72	J. CARO
	2100	71	J. CARO
	2400	71	D. Bastida

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	70	D. Bastida
	0600	71.2	K. Monge
	0900	71.7	K. Monge
	1200	70.7	K. Monge
	1500	71.2	E. Sanchez
	1800	72.2	E. Sanchez
	2100	72.4	E. Sanchez
	2400	71.5	CONRAD COHN R

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	70.8	CONRAD COHN R
	0600	70.6	CONRAD COHN R
	0900	70.8	M. Rodriguez
	1200	71.6	M. Rodriguez
	1500	72.6	J. Spells
	1800	72	J. Spells
	2100	72	J. Spells
	2400	71	G. Stevenson

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	70	D. Bastida
	0600	70	V. Gull
	0900	70	A. Gull
	1200	71	V. Gull
	1500	71	S. ROMAN
	1800	72.6	S. ROMAN
	2100	72.6	S. ROMAN
	2400	71.0	20 degrees

Saturday

Date	Time	Temp.	Name (Print)
9-21-24	0300	70.1	D. Bastida
	0600	70	V. Gull
	0900	70	V. Gull
	1200	71	V. Gull
	1500	72	S. ROMAN
	1800	72.6	S. ROMAN
	2100	72.6	S. ROMAN
	2400	71.4	R. Arellano

Notes

CC

Date	Time	Temp.	Name (Print)
9-22-24	0300	70.1	R. Arellano
	0600	70.3	M. Rodriguez
	0900	70.6	M. Rodriguez
	1200	72.1	M. Rodriguez
	1500	72.9	J. Tamez
	1800	73.3	J. Tamez
	2100	73.3	J. Tamez
	2400	72.9	R. Arellano

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/24/24	0300	71.2	R. Arellano
9/24/24	0600	72.0	J. Aguilar
9/24/24	0900	72.0	J. Aguilar
9/24/24	1200	72	J. Aguilar
9/24/24	1500	73	J. Spells
9/24/24	1800	74	J. Spells
9/24/24	2100	73	J. Spells
9/24/24	2400	73	A. G. u

Tuesday			
Date	Time	Temp.	Name (Print)
9-24-24	0300	72	A. G. u
9-24-24	0600	71	R. Magaña
9-24-24	0900	72	R. Magaña
9-24-24	1200	73	R. Magaña
9-24-24	1500	74	J. Spells
9-24-24	1800	74	J. Spells
9-24-24	2100	73	J. Spells
9-24-24	2400	73	J. Bastida

Wednesday			
Date	Time	Temp.	Name (Print)
9-25-24	0300	72	J. Bastida
9-25-24	0600	71	R. Magaña
9-25-24	0900	73	R. Magaña
9-25-24	1200	73	R. Magaña
9-25-24	1500	74	J. Spells
9-25-24	1800	75	J. Spells
9-25-24	2100	74	R. Magaña
9-25-24	2400	70	J. T. A.

Thursday			
Date	Time	Temp.	Name (Print)
9-26-24	0300	72	J. T. A.
9-26-24	0600	71	J. T. A.
9-26-24	0900	72.6	R. Magaña
9-26-24	1200	73	R. Magaña
9-26-24	1500	74	J. Spells
9-26-24	1800	75	J. Spells
9-26-24	2100	74	J. Spells
9-26-24	2400	74	J. Spells

Friday			
Date	Time	Temp.	Name (Print)
9-27-24	0300	73.1	D. Gonzalez
9-27-24	0600	72.6	D. Gonzalez
9-27-24	0900	72.4	A. Vega
9-27-24	1200	74.0	A. Vega
9-27-24	1500	74.7	S. Ramon
9-27-24	1800	74	S. Ramon
9-27-24	2100	74.2	S. Ramon
9-27-24	2400	74.3	P. Rubio

Saturday			
Date	Time	Temp.	Name (Print)
9/28/24	0300	72	G. Gonzalez
9/28/24	0600	72.5	V. E. G.
9/28/24	0900	72.7	V. E. G.
9/28/24	1200	73.1	V. E. G.
9/28/24	1500	74.2	Rosales
9/28/24	1800	75	Rosales
9/28/24	2100	74	Rosales
9/28/24	2400	74.3	Simental J

Notes

CC

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/14	0300	73-3	R. Arellano
	0600	73	D. Maysler
	0900	73	R. Maysler
	1200	73	R. Maysler
	1500	74.1	R. Maysler
	1800	73	L. Salazar
	2100	74.0	S. F. Arellano
	2400	73°	S. F. Arellano

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

CC

RECEIVED

OCT 03 2024

LITIGATION'S OFFICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	76	60per
	0600	77	E. RAMIREZ
	0900	77	E. RAMIREZ
	1200	76	E. RAMIREZ
	1500	78	E. RAMIREZ
	1800	80	E. RAMIREZ
	2100	81	E. RAMIREZ
	2400	79	uphouse

Notes

c2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	76.1	J. W. Edmond
	0600	76.1	J. W. Edmond
	0900	77	A. GILL
	1200	77	A. GILL
	1500	78.6	A. P. Martinez
	1800	79.9	A. P. Martinez
	2100	78.5	A. G. Gill
	2400	79.5	W. Edmond

Tuesday

Date	Time	Temp.	Name (Print)
9-3-24	0300	76.7	J. W. Edmond
	0600	76.7	J. W. Edmond
	0900	77	A. GILL
	1200	77	A. GILL
	1500	78.5	A. P. Martinez
	1800	79.4	A. P. Martinez
	2100	78.8	A. P. Martinez
	2400	77.5	D. J. Madrigal

Wednesday

Date	Time	Temp.	Name (Print)
9-4-24	0300	76.1	D. M. Madrigal
	0600	76	A. GILL
	0900	77	A. GILL
	1200	78	A. GILL
	1500	77.9	A. P. Martinez
	1800	79.7	A. P. Martinez
	2100	78.8	A. P. Martinez
	2400	78	A. GILL

Thursday

Date	Time	Temp.	Name (Print)
9-5-24	0300	77	A. GILL
	0600	76	A. GILL
	0900	78	A. GILL
	1200	79	A. GILL
	1500	79.5	A. Espinoza
	1800	80.4	A. Espinoza
	2100	78	A. Espinoza
	2400	78	D. J. Madrigal

Friday

Date	Time	Temp.	Name (Print)
9-6-24	0300	77	J. Basile
	0600	76	A. GILL
	0900	77	A. GILL
	1200	77	A. GILL
	1500	78.0	A. Espinoza
	1800	79.0	A. Espinoza
	2100	79.2	A. Espinoza
	2400	79.5	R. P. Martinez

Saturday

Date	Time	Temp.	Name (Print)
7-7-24	0300	77.5	R. Ramirez
	0600	77.5	R. Ramirez
	0900	78.7	R. Ramirez
	1200	80.8	R. Ramirez
	1500	80.3	A. Martinez
	1800	82.4	A. Martinez
	2100	79.4	A. Martinez
	2400	78	R. Ramirez

Sunday

Date	Time	Temp.	Name (Print)
7-8-24	0300	78	R. Ramirez
	0600	78	R. Ramirez
	0900	78	R. Ramirez
	1200	79	L. Silva
	1500	82	C. Garcia
	1800	83	C. Garcia
	2100	82	C. Garcia
	2400	79.5	W. Edmond

Notes

C2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/18	0300	77	J. W. Edwards
5/1/18	0600	77	J. W. Edwards
5/1/18	0900	78.7	A. Gill
5/1/18	1200	80	A. Gill
5/1/18	1500	81.8	A. Gill
5/1/18	1800	80.1	A. Gill
5/1/18	2100	79.1	A. Gill
5/1/18	2400	78.9	J. W. Edwards

Tuesday

Date	Time	Temp.	Name (Print)
5/1/18	0300	77	J. W. Edwards
5/1/18	0600	76	A. Gill
5/1/18	0900	77	A. Gill
5/1/18	1200	78	A. Gill
5/1/18	1500	80.9	A. Gill
5/1/18	1800	79.1	A. Gill
5/1/18	2100	79.2	A. Gill
5/1/18	2400	78.4	J. W. Edwards

Wednesday

Date	Time	Temp.	Name (Print)
5/1/18	0300	77	J. W. Edwards
5/1/18	0600	76	A. Gill
5/1/18	0900	77	A. Gill
5/1/18	1200	79	A. Gill
5/1/18	1500	79.4	A. Gill
5/1/18	1800	79.5	A. Gill
5/1/18	2100	79.0	A. Gill
5/1/18	2400	77.9	J. W. Edwards

Thursday

Date	Time	Temp.	Name (Print)
5/1/18	0300	74.6	J. W. Edwards
5/1/18	0600	74	A. Gill
5/1/18	0900	75.6	A. Gill
5/1/18	1200	76	A. Gill
5/1/18	1500	77.3	A. Gill
5/1/18	1800	76.2	A. Gill
5/1/18	2100	76.6	A. Gill
5/1/18	2400	75.8	J. W. Edwards

Friday

Date	Time	Temp.	Name (Print)
5/1/18	0300	76.1	J. W. Edwards
5/1/18	0600	73	A. Gill
5/1/18	0900	74	A. Gill
5/1/18	1200	74	A. Gill
5/1/18	1500	75.9	A. Gill
5/1/18	1800	75.6	A. Gill
5/1/18	2100	75.2	A. Gill
5/1/18	2400	75.5	P. C. Jones

Saturday

Date	Time	Temp.	Name (Print)
5/1/18	0300	74	C. R.
5/1/18	0600	74	C. R.
5/1/18	0900	74	C. R.
5/1/18	1200	75	C. R.
5/1/18	1500	75.5	A. Gill
5/1/18	1800	75.5	A. Gill
5/1/18	2100	76.1	A. Gill
5/1/18	2400	75.8	R. Lopez

Notes

CC

Date	Time	Temp.	Name (Print)
5/16/18	0300	74.2	R. Lopez
5/16/18	0600	73	R. Lopez
5/16/18	0900	77	R. Lopez
5/16/18	1200	79	R. Lopez
5/16/18	1500	76.3	A. Gill
5/16/18	1800	76.1	A. Gill
5/16/18	2100	75.3	A. Gill
5/16/18	2400	75	J. W. Edwards

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-24	0300	73.4	Saylors
	0600	73	A Gill
	0900	73	A Gill
	1200	73	A Gill
	1500	74.9	A Gill
	1800	74.0	A Gill
	2100	73.3	A Gill
	2400	72.7	Widmark

Tuesday

Date	Time	Temp.	Name (Print)
9-17-24	0300	71	J. Gildart
	0600	70	A Gill
	0900	70	A Gill
	1200	70	A Gill
	1500	70.6	A Gill
	1800	70.5	A Gill
	2100	71.7	A Gill
	2400	71.7	Widmark

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	70.5	Widmark
	0600	70	A Gill
	0900	70	A Gill
	1200	71	A Gill
	1500	72.6	A Gill
	1800	73.2	A Gill
	2100	72.1	A Gill
	2400	71.8	Widmark

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	71	Widmark
	0600	70	A Gill
	0900	71	A Gill
	1200	71	A Gill
	1500	72.1	A. Espinoza
	1800	72.6	A. Espinoza
	2100	71.8	A. Espinoza
	2400	71.5	Ramirez

Sunday

Date	Time	Temp.	Name (Print)
9-22-24	0300	70.1	Widmark
	0600	70.7	R Ramirez
	0900	73.2	R Ramirez
	1200	72.2	R Ramirez
	1500	73.9	A. Espinoza
	1800	73.4	A. Espinoza
	2100	73.2	A. Espinoza
	2400	72.8	Widmark

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	71.0	Widmark
	0600	70	A Gill
	0900	70	A Gill
	1200	70	A Gill
	1500	72.5	A. Espinoza
	1800	73.1	A. Espinoza
	2100	72.4	A. Espinoza
	2400	72.1	Widmark

Saturday

Date	Time	Temp.	Name (Print)
9-21-24	0300	71.3	Ramirez
	0600	71.3	Ramirez
	0900	70.9	R Ramirez
	1200	72.2	R Ramirez
	1500	73.7	A. Espinoza
	1800	72.3	A. Espinoza
	2100	72.1	A. Espinoza
	2400	72.5	A. Espinoza

Notes

CZ

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21/18	0300	71.4	Widmark
5/21/18	0600	71	A. GILL
5/21/18	0900	71	A. GILL
5/21/18	1200	73	A. GILL
5/21/18	1500	73.9	Alvord
5/21/18	1800	74.2	Alvord
5/21/18	2100	73.6	Alvord
5/21/18	2400	73.2	Widmark

Tuesday

Date	Time	Temp.	Name (Print)
5/22/18	0300	71.3	Widmark
5/22/18	0600	71	A. GILL
5/22/18	0900	71	A. GILL
5/22/18	1200	73	A. GILL
5/22/18	1500	73.9	Alvord
5/22/18	1800	74.3	Alvord
5/22/18	2100	73.7	Alvord
5/22/18	2400	73.8	Widmark

Wednesday

Date	Time	Temp.	Name (Print)
5/23/18	0300	72.0	Widmark
5/23/18	0600	72	A. GILL
5/23/18	0900	72	A. GILL
5/23/18	1200	74	A. GILL
5/23/18	1500	75.2	Alvord
5/23/18	1800	77.0	Alvord
5/23/18	2100	76.0	Alvord
5/23/18	2400	74.5	Widmark

Thursday

Date	Time	Temp.	Name (Print)
5/24/18	0300	73	J.W. Widmark
5/24/18	0600	73	A. GILL
5/24/18	0900	73	A. GILL
5/24/18	1200	74	A. GILL
5/24/18	1500	74	Tresure
5/24/18	1800	75	Tresure
5/24/18	2100	75	Tresure
5/24/18	2400	74.3	J.W. Widmark

Friday

Date	Time	Temp.	Name (Print)
5/25/18	0300	72	J.W. Widmark
5/25/18	0600	71	A. GILL
5/25/18	0900	72	A. GILL
5/25/18	1200	75	A. GILL
5/25/18	1500	74.6	J. Martinez
5/25/18	1800	74.0	J. Martinez
5/25/18	2100	74.2	J. Martinez
5/25/18	2400	73.4	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
5/26/18	0300	73.4	Rodriguez
5/26/18	0600	73.4	Rodriguez
5/26/18	0900	72.9	Rodriguez
5/26/18	1200	73.8	Rodriguez
5/26/18	1500	75.2	Alvord
5/26/18	1800	75.3	Alvord
5/26/18	2100	74.3	Alvord
5/26/18	2400	73.7	D. Gonzalez

Notes

CZ

Date	Time	Temp.	Name (Print)
5/27/18	0300	73.2	D. Gonzalez
5/27/18	0600	72.9	D. Gonzalez
5/27/18	0900	74.6	D. Gonzalez
5/27/18	1200	74.6	D. Gonzalez
5/27/18	1500	75.1	Alvord
5/27/18	1800	76.5	Alvord
5/27/18	2100	74.5	Alvord
5/27/18	2400	73.3	

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	72.8	Ludinger
	0600	72.9	J. Martinez
	0900	73.1	J. Martinez
	1200	75.3	J. Martinez
	1500	74.6	A. Montez
	1800	75.1	A. Montez
	2100	74.9	A. Montez
	2400	73.4	D. Perez

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	72	D. Perez
	0600	72.5	F. Gomez
	0900	72.9	F. Gomez
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C2

RECEIVED

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

OCT 04 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C-5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	-	
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/14	0300	75.5	D. Gavres
	0600	74.4	J. Perez
	0900	75.0	J. Perez
	1200	74.1	J. Perez
	1500	77.7	J. Soto
	1800	78	J. Soto
	2100	77	J. Soto
	2400	76	D. Gonzalez

Notes

X MR

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C5

Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
Sep 2 Mon	0300	76	D. Gonzalez
	0600	76.4	D. Gonzalez
	0900	77.3	D Perez
	1200	78.9	D Perez
	1500	77.8	J Soto
	1800	77	J Soto
	2100	77	J Soto
	2400	75.5	J. SOTO

Wednesday

Date	Time	Temp.	Name (Print)
9/ 4/ 24	0300	75	VILLA
	0600	76.1	Perez D
	0900	76.4	Perez D
	1200	78.0	Perez D
	1500	82.4	J SOTO
	1800	81.7	J SOTO
	2100	77.1	J SOTO
	2400	75	VILLA

Friday

Date	Time	Temp.	Name (Print)
9/6/ 24	0300	76.1	R. Raynor
	0600	77.1	D Perez
	0900	79.1	D Perez
	1200	79.4	D Perez
	1500	79.1	D Perez
	1800	80	D Perez
	2100	79.1	D Perez
	2400	78.1	D Myles

Sunday

Date	Time	Temp.	Name (Print)
9/ 8/ 24	0300	77.5	D Myles
	0600	77.5	Padgulon
	0900	80.1	Padgulon
	1200	81.2	Padgulon
	1500	81.1	CASTELLANDS
	1800	80.6	CASTELLANDS
	2100	79.3	CASTELLANDS
	2400	77.6	HAWKINS

Tuesday

Date	Time	Temp.	Name (Print)
9/ 3/ 24	0300	75.4	J Soto
	0600	75.8	D Perez
	0900	76.4	D Perez
	1200	78.8	D Perez
	1500	79	J Soto
	1800	80	J SOTO
	2100	80	J SOTO
	2400	75	VILLA

Thursday

Date	Time	Temp.	Name (Print)
9/ 5/ 24	0300	75	VILLA
	0600	75.2	D Perez
	0900	77.8	D Perez
	1200	79.1	D Perez
	1500	80.1	O. Morgulia
	1800	79.6	O. Morgulia
	2100	78.2	O. Morgulia
	2400	77.1	M. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
9/ 7/ 24	0300	78.2	D Myles
	0600	76.6	Padgulon
	0900	78.5	Padgulon
	1200	79.2	Padgulon
	1500	80.6	S. GONALICE
	1800	80.3	Avalencas
	2100	80	V. LIMA CARLOS
	2400	78.6	D Myles

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C5 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
SEPT 9 2024	0300	76.9	HAWKINS
	0600	76.1	Perez D
	0900	77.9	Perez D
	1200	79.5	Perez D
	1500	80.5	Avila E
	1800	80.8	ARENALO, J.
	2100	78.5	ARENALO, D.
	2400	78.4	Gibrian

Wednesday

Date	Time	Temp.	Name (Print)
Sept. 12/2024	0300	76.6	M.SANNOVAL
	0600	75.6	M.SANNOVAL
	0900	77.7	D.Perez
	1200	78.8	D.Perez
	1500	78.8	J.Soto
	1800	78.5	J.Soto
	2100	78	J.Soto
	2400	75.2	M.SANNOVAL

Friday

Date	Time	Temp.	Name (Print)
SEPT 13 2024	0300	72.9	HAWKINS
	0600	72.5	Perez D
	0900	73.4	Perez D
	1200	74.1	Perez
	1500	75	K.Morales
	1800	74.6	K.Morales
	2100	74.3	K.Morales
	2400	73.9	D.Mapes

Sunday

Date	Time	Temp.	Name (Print)
9 15 24	0300	74.0	D.Mapes
	0600	73.2	R.Brown
	0900	74.8	R.Brown
	1200	76.6	R.Brown
	1500	76.6	J.Soto
	1800	76	J.Soto
	2100	76	J.Soto
	2400	76	E.Gill

Tuesday

Date	Time	Temp.	Name (Print)
Sept. 13/2024	0300	70.1	Gibrian
	0600	75.4	Perez D
	0900	77.4	Perez D
	1200	78.4	Perez D
	1500	78.9	J.Soto
	1800	79.7	J.Soto
	2100	80	J.Soto
	2400	77.9	M.SANNOVAL

Thursday

Date	Time	Temp.	Name (Print)
Sept. 14/2024	0300	74.9	M.SANNOVAL
	0600	73.5	M.SANNOVAL
	0900	72.9	D.Perez
	1200	75.8	D.Perez
	1500	76.5	J.Soto
	1800	76.2	J.Soto
	2100	77	J.Soto
	2400	74.0	HAWKINS

Saturday

Date	Time	Temp.	Name (Print)
9 14 24	0300	73.5	D.Mapes
	0600	73.2	R.Brown
	0900	74.6	R.Brown
	1200	76.5	R.Brown
	1500	77.4	H.Morales
	1800	79.1	H.Morales
	2100	76.1	H.Morales
	2400	75.1	D.Mapes

Notes

7 18

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: C5 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	73	E-cast 1/w
	0600	72.9	D Perez
	0900	73.4	D Perez
	1200	74.2	D PEREZ
	1500	75.2	J SOTO
	1800	75.8	J SOTO
	2100	75	J SOTO
	2400	74	MAR

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	74	MAR
	0600	74	J. Perez
	0900	74	J. Perez
	1200	74	J. Perez
	1500	74	J SOTO
	1800	73	J SOTO
	2100	73	J SOTO
	2400	72	MAR

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	72	MAR
	0600	68	D Perez
	0900	69.1	D PEREZ
	1200	72.4	D Perez
	1500	73	J SOTO
	1800	72	J SOTO
	2100	71	J SOTO
	2400	74	VILLA

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	74	VILLA
	0600	68.3	Perez D
	0900	71.3	Perez D
	1200	71.4	D Perez
	1500	71.6	J SOTO
	1800	71.5	J SOTO
	2100	71	J SOTO
	2400	70	n

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	74	
	0600	68	
	0900	69	Perez D
	1200	70.4	Perez D
	1500	71.4	H. MUSCARELLO
	1800	71	H. MUSCARELLO
	2100	70.70	H. MUSCARELLO
	2400	69.2	D MOPES

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	68.8	D MOPES
	0600	68	D MOPES
	0900	68.9	D MOPES
	1200	71	R. MOPES
	1500	70	J. CONTRERAS
	1800	71	M. LYNN
	2100	70	M. LYNN
	2400	70.1	D MOPES

Notes

Date	Time	Temp.	Name (Print)
9/22/24	0300	69.00	D MOPES
	0600	69.00	
	0900	69.8	
	1200	74.3	
	1500	73.3	H. MUSCARELLO
	1800	73.1	H. MUSCARELLO
	2100	72.1	M. CONTRERAS
	2400	70°	S. F. ARIAS

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C-5 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/23/2024	0300	70 °	S.F. ARIAS
	0600	70 °	S.F. ARIAS
	0900	71.9	D PEREZ
	1200	73.9	D PEREZ
	1500	78	J SOTO
	1800	75	J SOTO
	2100	73.4	J SOTO
	2400	72	J ESPINOZA

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	72	M. HAWKINS
	0600	70	D PEREZ
	0900	71.9	D PEREZ
	1200	74.0	D PEREZ
	1500	77	J SOTO
	1800	74.5	J SOTO
	2100	73	J SOTO
	2400	72.3	HAWKINS

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	71	M. Lapez
	0600	70	D PEREZ
	0900	71	D PEREZ
	1200	75.9	D PEREZ
	1500	75	A. MAREERA
	1800	77	Lapez
	2100	75	Lapez
	2400	73.0	M. Lapez

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	71.5	D MAREERA
	0600	71.3	R. DUGELAN
	0900	72.4	R. DUGELAN
	1200	73.5	R. DUGELAN
	1500	74.1	S. GONZALEZ
	1800	77.0	S. GONZALEZ
	2100	73.9	S. GONZALEZ
	2400	73.7	V. GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	71	J. ESPINOZA
	0600	71	spaceday
	0900	71	David
	1200	71	Yaneles
	1500	78	J SOTO
	1800	75	J SOTO
	2100	74	J SOTO
	2400	72	MARVIE

Thursday

Date	Time	Temp.	Name (Print)
SEPT 26	0300	70.6	HAWKINS
	0600	70.7	Perez D
	0900	71.5	Perez D
	1200	75.5	Perez D
	1500	74	J SOTO
	1800	73.6	J SOTO
	2100	73	J SOTO
2024	2400	72	MARVIE

Saturday

Date	Time	Temp.	Name (Print)
9/29/24	0300	71.8	A. MAREERA
	0600	70.6	R. DUGELAN
	0900	72	R. DUGELAN
	1200	73.8	R. DUGELAN
	1500	74.8	A. MAREERA
	1800	74.3	A. MAREERA
	2100	74.4	A. MAREERA
	2400	72.5	M. Lapez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CPL Housing Unit: C5 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	70.7	VEGAS
	0600	71.1	VEGAROEN
	0900	73.3	Perez D
	1200	74.3	Perez D
	1500	76	MARCEL
	1800	75	MARCEL
	2100	75	MARCEL
	2400	73.4	M. SANCHEZ

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
Oct. 1/2024	0300		M. SANCHEZ
	0600		M. SANCHEZ
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

(Handwritten notes: A large 'X' is drawn across the top of the notes section. Below it, the letters 'BR' are written in red ink.)

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECOF
COCR 2031 (04/18)

RECEIVED

OCT 04 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C1 Temp. Reading Location: 2nd tier B sec.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	75	CRodiles
	0600	74	DIAZ
	0900	75	DIAZ
	1200	77	DIAZ
	1500	76.6	Simental
	1800	77.5	Simental
	2100	77.9	Simental
	2400	76.9	CRodiles

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

RECEIVED

OCT 04 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECOF
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

LITIGATION'S OFFICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C1 Temp. Reading Location: 2nd tier B Sec.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	75	C Hodiles
	0600	75	Schomann
	0900	76	Schomann
	1200	76	Schomann
	1500	77	Galligos
	1800	78	Galligos
	2100	78	Galligos
	2400	77.9	C Hodiles

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	75	Espinosa
	0600	76	Espinosa
	0900	76	Schomann
	1200	76	Schomann
	1500	77	Schomann
	1800	78	Schomann
	2100	78	Schomann
	2400	77	C Hodiles

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	77.5	J. Hansen
	0600	77	Oswaldo S.
	0900	77.5	Oswaldo S.
	1200	77.9	Oswaldo S.
	1500	78.4	Simenthal
	1800	78.8	Simenthal
	2100	78.6	Simenthal
	2400	77.1	R. Arellano

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	77.9	C Hodiles
	0600	77.7	Carter
	0900	77.7	Carter
	1200	77.9	Carter
	1500	78.2	Simenthal
	1800	78.4	Simenthal
	2100	78.4	Simenthal
	2400	78	C Hodiles

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	76	C Hodiles
	0600	76	Schomann
	0900	76	Schomann
	1200	76	Schomann
	1500	77	Morales
	1800	78	Morales
	2100	77	Morales
	2400	77	Espinosa

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	76	C Hodiles
	0600	76	Simenta
	0900	76.4	Simenta
	1200	77.3	Simental
	1500	77.9	Simental
	1800	78.6	Simental
	2100	78.6	Simental
	2400	79.9	J. Amancillas

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	77.2	R. Arellano
	0600	77	Oswaldo S.
	0900	77	Oswaldo S.
	1200	77.5	Oswaldo S.
	1500	78.4	Simenthal
	1800	78.9	Simenthal
	2100	78.9	Simenthal
	2400	77.9	C Hodiles

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C1 control Temp. Reading Location: B Sec. 2 Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	76	G.Rodiles
	0600	76	A.Diaz
	0900	76	A.Diaz
	1200	77	A.Diaz
	1500	77	R.morales
	1800	77	R.morales
	2100	77	R.morales
	2400	77	G.Rodiles

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	75	C.Rodiles
	0600	75	Schonauer
	0900	75	Schonauer
	1200	76	Schonauer
	1500	76.4	Schonauer
	1800	77.2	Simental
	2100	77.3	Simental
	2400	77	C.Rodiles

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	73.9	Simental
	0600	73.5	Osumi Jr
	0900	73.4	Osumi Jr
	1200	73.9	Osumi Jr
	1500	74.8	Simental
	1800	75.2	Simental
	2100	74.8	Simental
	2400	74	P.C. ARELLANO

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	73	G.Rodiles
	0600	73	Schonauer
	0900	73	Schonauer
	1200	74	Schonauer
	1500	74.4	R.Arellano
	1800	75.2	R.Arellano
	2100	75	R.Arellano
	2400	73	G.Rodiles

Tuesday

Date	Time	Temp.	Name (Print)
9/12/24	0300	76	C.Rodiles
	0600	76	B.Garrett
	0900	76	B.Garrett
	1200	77	B.Garrett
	1500	78	R.morales
	1800	78	R.morales
	2100	78	R.morales
	2400	75.9	C.Rodiles

Thursday

Date	Time	Temp.	Name (Print)
9/14/24	0300	74	C.Rodiles
	0600	74	Schonauer
	0900	74	Schonauer
	1200	74	Schonauer
	1500	75.2	Simental
	1800	75.9	Simental
	2100	75.7	Simental
	2400	75.2	Simental

Saturday

Date	Time	Temp.	Name (Print)
9/16/24	0300	74.8	P.C. ARELLANO
	0600	74.3	Osumi Jr
	0900	74.3	Osumi Jr
	1200	75.2	Osumi Jr
	1500	75.3	Simental
	1800	75.9	Simental
	2100	75.7	Simental
	2400	75	C.Rodiles

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECOF
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C1 control Temp. Reading Location: 1 Sec. 2 tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/22	0300	73	C.Rodiles
	0600	73	Schommer
	0900	73	Schommer
	1200	73	Schommer
	1500	73	Martinez
	1800	73	McDaniel
	2100	73	McDaniel
	2400	73	C.Rodiles

Wednesday

Date	Time	Temp.	Name (Print)
9/18/22	0300	70	C.Rodiles
	0600	70	Schommer
	0900	69	Schommer
	1200	70	Schommer
	1500	71	Martinez
	1800	71	Martinez
	2100	71	Martinez
	2400	71	C.Rodiles

Friday

Date	Time	Temp.	Name (Print)
9/20/22	0300	71	R.Arellano
	0600	70.1	Oswaldo
	0900	70.9	Oswaldo
	1200	70.7	Oswaldo
	1500	70.1	Martinez
	1800	71.2	Martinez
	2100	71	Martinez
	2400	69.8	R.Arellano

Sunday

Date	Time	Temp.	Name (Print)
9/22/22	0300	70	C.Rodiles
	0600	70	S.Beltran
	0900	71	S.Beltran
	1200	71	S.Beltran
	1500	72	I.martinez
	1800	72	I.martinez
	2100	72	I.martinez
	2400	71	C.Rodiles

Tuesday

Date	Time	Temp.	Name (Print)
9/19/22	0300	71	C.Rodiles
	0600	71	Schommer
	0900	71	Schommer
	1200	71	Schommer
	1500	71	Schommer
	1800	72	Martinez
	2100	72	Martinez
	2400	72	C.Rodiles

Thursday

Date	Time	Temp.	Name (Print)
9/19/22	0300	78	C.Rodiles
	0600	78	Schommer
	0900	79	Schommer
	1200	79	Schommer
	1500	79	Martinez
	1800	77	Martinez
	2100	77	E.Martinez
	2400	77	J.Henry

Saturday

Date	Time	Temp.	Name (Print)
9/21/22	0300	61	R.Arellano
	0600	69.6	Oswaldo
	0900	70.1	Oswaldo
	1200	70.7	Oswaldo
	1500	71	E.martinez
	1800	71	E.martinez
	2100	71	E.martinez
	2400	70	C.Rodiles

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECOF
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C1 Control Temp. Reading Location: E sec. 2 tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70	C Hodges
	0600	70.7	A Mancera
	0900	71.6	A Mancera
	1200	71.6	A Mancera
	1500	72.1	J. Am
	1800	73	R. Lopez
	2100	73	R. Lopez
	2400	72	C Hodges

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	71	C Hodges
	0600	71	Schommer
	0900	71	Schommer
	1200	72	Schommer
	1500	73	Simental
	1800	73.1	Simental
	2100	73.1	Simental
	2400	75	C Hodges

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	72	J. Hennan
	0600	71.7	Oswarski
	0900	71.7	Oswarski
	1200	72.5	Oswarski
	1500	73.4	Simental
	1800	73.5	Simental
	2100	73.4	Simental
	2400	72	Simental

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	72	C Hodges
	0600	71	J. Garrett
	0900	71.7	J. Garrett
	1200	72.3	J. Garrett
	1500	72.6	R. Archino
	1800	73.4	R. Archino
	2100	73.7	R. Archino
	2400	72	C Hodges

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	71	C Hodges
	0600	71.2	A. Mancera
	0900	71.4	A. Mancera
	1200	72.1	A. Mancera
	1500	72.8	R. Mota
	1800	73	R. Mota
	2100	73	R. Mota
	2400	72	C Hodges

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	72	C Hodges
	0600	72	Schommer
	0900	71	Schommer
	1200	72	Schommer
	1500	73	Simental
	1800	73.7	Simental
	2100	73.4	Simental
	2400	72	C Hodges

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	72	Sam F.
	0600	71.6	Osman Jr.
	0900	71.9	Osman Jr.
	1200	72.3	Osman Jr.
	1500	73	Simental
	1800	73.8	Simental
	2100	73.5	Simental
	2400	72	C Hodges

Notes

X NK

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECOF
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: Cleator Temp. Reading Location: B Sec. Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/18	0300	71	Chadles
	0600	72	Schommer
	0900	71	Schommer
	1200	73	Schommer
	1500	73	McDaniel
	1800	73	McDaniel
	2100	73	McDaniel
	2400	72	Chadles

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

NB

RECEIVED

COT 04 2024

LITIGATION'S OFFICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COL Housing Unit: RHU

Temp. Reading Location: ISI TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	76	C Cordero
	0600	75	D Santana
	0900	75	D Santana
	1200	76	D Santana
	1500	78	C Davila
	1800	79	C Davila
	2100	79	C Davila
	2400	72	A Rodriguez

Notes

V R

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: RTHU

Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-94	0300	72	A. Rodriguez
	0600	76	J. Sánchez
	0900	76	J. Sánchez
	1200	78	K. Jones
	1500	79	G. Davila
	1800	80	G. Davila
	2100	80	G. Davila
	2400	78	J. Bustamante

Wednesday

Date	Time	Temp.	Name (Print)
9-4-94	0300	76	J. Gutierrez
	0600	76	J. Sánchez
	0900	76	J. Sánchez
	1200	78	J. Sánchez
	1500	78	R. Delgado
	1800	78	R. Delgado
	2100	78	R. Delgado
	2400	78	M. Hernandez

Friday

Date	Time	Temp.	Name (Print)
9-6-94	0300	78	M. Hernandez
	0600	78	J. Sánchez
	0900	78	J. Sánchez
	1200	79	K. Jones
	1500	79	R. Delgado
	1800	79	R. Delgado
	2100	79	R. Delgado
	2400	78	M. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
9-8-94	0300	78	A. Rodriguez
	0600	78	J. Sanchez
	0900	78	J. Sanchez
	1200	79	J. Sanchez
	1500	79	J. Hernandez
	1800	80	J. Hernandez
	2100	80	J. Hernandez
	2400	79	A. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9-3-94	0300	76	J. Bustamante
	0600	76	J. Sánchez
	0900	76	J. Sánchez
	1200	78	K. Jones
	1500	79	R. Delgado
	1800	78	R. Delgado
	2100	78	R. Delgado
	2400	78	J. Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
9-5-94	0300	78	M. Hernandez
	0600	78	J. Sánchez
	0900	78	J. Sánchez
	1200	78	K. Jones
	1500	79	R. Delgado
	1800	80	R. Delgado
	2100	80	R. Delgado
	2400	78	M. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
9-7-94	0300	78	M. Hernandez
	0600	78	J. Sanchez
	0900	78	J. Sanchez
	1200	80	J. Sanchez
	1500	88	R. Delgado
	1800	89	R. Delgado
	2100	89	R. Delgado
	2400	79	A. Rodriguez

Notes

X 10/10

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: RTHU

Temp. Reading Location: ISI TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9-24	0300	77	A. Rodriguez
	0600	74	J. Santos
	0900	76	J. Santos
	1200	78	J. Santos
	1500	78	De La Torre
	1800	78	De La Torre
	2100	78	De La Torre
	2400	77	J. Rangel

Tuesday

Date	Time	Temp.	Name (Print)
9-10-24	0300	77	J. Rangel
	0600	76	J. Santos
	0900	76	J. Santos
	1200	78	J. Santos
	1500	79	R. DELGADO
	1800	79	R. DELGADO
	2100	79	R. DELGADO
	2400	78	M. Hartado

Wednesday

Date	Time	Temp.	Name (Print)
9-11-24	0300	78	M. Hartado
	0600	76	J. Santos
	0900	78	J. Santos
	1200	78	J. Santos
	1500	78	R. DELGADO
	1800	78	R. DELGADO
	2100	78	R. DELGADO
	2400	78	M. Hartado

Thursday

Date	Time	Temp.	Name (Print)
9-12-24	0300	78	M. Hartado
	0600	76	J. Santos
	0900	76	J. Santos
	1200	78	R. DELGADO
	1500	78	R. DELGADO
	1800	75	R. DELGADO
	2100	75	R. DELGADO
	2400	75	M. Hartado

Friday

Date	Time	Temp.	Name (Print)
9-13-24	0300	75	M. Hartado
	0600	74	J. Santos
	0900	76	J. Santos
	1200	74	J. Santos
	1500	79	R. DELGADO
	1800	73	R. DELGADO
	2100	73	R. DELGADO
	2400	74	M. Hartado

Saturday

Date	Time	Temp.	Name (Print)
9-14-24	0300	79	M. Hartado
	0600	74	J. Sanchez
	0900	75	J. Sanchez
	1200	75	J. Sanchez
	1500	75	S. Hernandez
	1800	78	S. Hernandez
	2100	78	S. Hernandez
	2400	78	A. Rodriguez

Notes

Date	Time	Temp.	Name (Print)
9-15-24	0300	75	A. Rodriguez
	0600	75	J. Sanchez
	0900	75	J. Sanchez
	1200	75	J. Sanchez
	1500	78	De La Torre
	1800	78	De La Torre
	2100	78	De La Torre
	2400	76	A. Rodriguez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: RHM

Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-04	0300	74	A Rodriguez
	0600	72	J. Vasquez
	0900	72	J. Vasquez
	1200	74	K. Diaz
	1500	74	C. Davilka
	1800	74	C. Davilka
	2100	74	C. Davilka
	2400	73	J. Rangel

Wednesday

Date	Time	Temp.	Name (Print)
9-18-04	0300	70	M. Hernandez
	0600	70	J. Vasquez
	0900	70	J. Vasquez
	1200	70	K. Diaz
	1500	71	L. Delgado
	1800	70	L. Delgado
	2100	70	L. Delgado
	2400	70	M. Hernandez

Friday

Date	Time	Temp.	Name (Print)
9-20-04	0300	70	M. Hernandez
	0600	70	J. Sanchez
	0900	70	J. Sanchez
	1200	70	J. Vasquez
	1500	70	L. Delgado
	1800	70	L. Delgado
	2100	70	L. Delgado
	2400	70	M. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
9-22-04	0300	70	A. Rodriguez
	0600	70	J. Sanchez
	0900	70	J. Sanchez
	1200	70	J. Sanchez
	1500	72	C. Davilka
	1800	72	C. Davilka
	2100	72	C. Davilka
	2400	70	A. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9-17-04	0300	73	J. Rangel
	0600	72	J. Vasquez
	0900	72	J. Vasquez
	1200	72	K. Diaz
	1500	71	L. Delgado
	1800	70	L. Delgado
	2100	70	L. Delgado
	2400	70	M. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
9-19-04	0300	70	M. Hernandez
	0600	70	J. Vasquez
	0900	70	K. Diaz
	1200	70	J. Vasquez
	1500	70	L. Delgado
	1800	70	L. Delgado
	2100	70	L. Delgado
	2400	70	M. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
9-21-04	0300	70	M. Hernandez
	0600	70	J. Sanchez
	0900	70	J. Sanchez
	1200	70	J. Sanchez
	1500	70	J. Sanchez
	1800	70	J. Sanchez
	2100	70	J. Sanchez
	2400	70	A. Rodriguez

Notes

X *[Handwritten notes]*

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: RTHU

Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-23-04	0300	70	A. Rodriguez
	0600	70	J. Saaberry
	0900	70	J. Saaberry
	1200	70	K. Davis
	1500	73	C. Daviha
	1800	73	C. Daviha
	2100	72	C. Daviha
	2400	71	J. Rangel

Wednesday

Date	Time	Temp.	Name (Print)
9-25-04	0300	70	M. Hurtado
	0600	70	J. Daviha
	0900	70	S. Hernandez
	1200	72	S. Hernandez
	1500	72	R. Delgado
	1800	72	R. Delgado
	2100	72	R. Delgado
	2400	70	M. Hurtado

Friday

Date	Time	Temp.	Name (Print)
9-27-04	0300	70	M. Hurtado
	0600	70	J. Saaberry
	0900	70	J. Saaberry
	1200	72	K. Davis
	1500	73	R. Delgado
	1800	73	R. Delgado
	2100	73	R. Delgado
	2400	71	R. Delgado

Sunday

Date	Time	Temp.	Name (Print)
9-29-04	0300	70.1	A. Rodriguez
	0600	70.8	J. Saaberry
	0900	72.0	J. Saaberry
	1200	72.	R. Delgado
	1500	74	C. Daviha
	1800	75	C. Daviha
	2100	75	C. Daviha
	2400	70.	Duduria

Tuesday

Date	Time	Temp.	Name (Print)
9-24-04	0300	70	J. Angel
	0600	70	J. Angel
	0900	70	V. J. Angel
	1200	70	R. Rose
	1500	72	R. DELGADO
	1800	72	R. DELGADO
	2100	72	R. DELGADO
	2400	70	M. Hurtado

Thursday

Date	Time	Temp.	Name (Print)
9-26-04	0300	70	M. Hurtado
	0600	70	J. Saaberry
	0900	70	R. Rose
	1200	72	R. Rose
	1500	74	R. DELGADO
	1800	74	R. DELGADO
	2100	72	R. DELGADO
	2400	70	M. Hurtado

Saturday

Date	Time	Temp.	Name (Print)
9-28-04	0300	70	R. DELGADO
	0600	70	R. DELGADO
	0900	70	J. Saaberry
	1200	71	J. Saaberry
	1500	71	E. ESCOBEDO
	1800	71	E. ESCOBEDO
	2100	71	E. ESCOBEDO
	2400	70.5	A. Robinson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: RHU

Temp. Reading Location: ISI TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-04	0300	71	A Rodriguez
	0600	70	E. Hayes
	0900	70	J. Jones
	1200	72	K. James
	1500	75	E. Daugherty
	1800	75	E. Daugherty
	2100	75	C. Daugherty
	2400	74	J. Bengel

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

RECEIVED

DocuSign Envelope ID: 2D811470-9AEE-439B-982B-B0DFD9D61B5D

OCT 02 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment

LITIGATION'S OFFICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D1 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/26/24	0300	70	GONZALEZ
	0600	72	M SARABIA
	0900	74	M SARABIA
	1200	75	M SARABIA
	1500	79	JESPINOZA
	1800	78	JESPINOZA
	2100	77	JESPINOZA
	2400	75	RCASTELLANO

Tuesday

Date	Time	Temp.	Name (Print)
08/27/24	0300	75	RCASTELLANO
	0600	73	M SARABIA
	0900	73	M SARABIA
	1200	78	M SARABIA
	1500	79	JESPINOZA
	1800	77	JESPINOZA
	2100	77	JESPINOZA
	2400	74	RCASTELLANO

Wednesday

Date	Time	Temp.	Name (Print)
08/28/24	0300	74	RCASTELLANO
	0600	73	M SARABIA
	0900	74	M SARABIA
	1200	76	M SARABIA
	1500	77	JESPINOZA
	1800	80	JESPINOZA
	2100	79	JESPINOZA
	2400	74.7	DR. JONES

Thursday

Date	Time	Temp.	Name (Print)
08/29/24	0300	73.6	DR. JONES
	0600	73	M SARABIA
	0900	75	M SARABIA
	1200	71	M SARABIA
	1500	79	JESPINOZA
	1800	79	JESPINOZA
	2100	79	JESPINOZA
	2400	75.8	DR. JONES

Friday

Date	Time	Temp.	Name (Print)
08/30/24	0300	74.9	DR. JONES
	0600	77	DR. JONES
	0900	75	DR. JONES
	1200	78	DR. JONES
	1500	79	DR. JONES
	1800	78	DR. JONES
	2100	78	DR. JONES
	2400	75.5	DR. JONES

Saturday

Date	Time	Temp.	Name (Print)
09/01/24	0300	75	DR. JONES
	0600	74	DR. JONES
	0900	75	DR. JONES
	1200	70	DR. JONES
	1500	78	DR. JONES
	1800	78	DR. JONES
	2100	77	DR. JONES
	2400	75	DR. JONES

Notes

Captain reviewed 8/30

Sunday

Date	Time	Temp.	Name (Print)
09/01/24	0300	75	RCASTELLANO
	0600	75	J. RANGEL
	0900	75	J. RANGEL
	1200	76	J. RANGEL
	1500	79	JESPINOZA
	1800	81	JESPINOZA
	2100	79	JESPINOZA
	2400	79	JESPINOZA

DISTRIBUTION: Original: Institution Heat Plan Coordinator

RECEIVED

OCT 02 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D1 Temp. Reading Location: 2nd
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/2/24				Tuesday				Wednesday				Thursday				Friday				Saturday							
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)				
9/2/24	0300	74	Vargas	9/3/24	0300	77	A.Castellanos	9/3/24	0300	77	E.Sandoval	9/3/24	0300	76.5	L.Morales	9/3/24	0300	76.3	M.Sandoval	9/3/24	0600	75	M.Sarabia	9/3/24	0600	75.9	M.Sandoval
	0600	75	M.Sarabia		0600	78	M.Sarabia		0900	78	M.Sarabia		0900	77	M.Sarabia		0900	76.2	L.Perez		0900	76.2	L.Perez				
	0900	77	M.Sarabia		1200	77	M.Sarabia		1200	77	M.Sarabia		1200	77	M.Sarabia		1200	77.9	L.Perez		1200	77.9	L.Perez				
	1200	78	M.Sarabia		1500	78	J.Espinoza		1500	81	J.Espinoza		1500	79.4	G.Carrillo		1500	79.4	G.Carrillo		1500	79.5	G.Carrillo				
	1500	78	J.Espinoza		1800	82	J.Espinoza		1800	81	J.Espinoza		1800	78	E.Villareal		1800	78	E.Villareal		1800	77.4	E.Villareal				
	1800	82	J.Espinoza		2100	78	J.Espinoza		2100	81	J.Espinoza		2100	78	E.Villareal		2100	78	E.Villareal		2100	77.4	E.Villareal				
	2100	78	J.Espinoza		2400	77	R.Castellanos		2400	78	R.Castellanos		2400	76.5	L.Morales		2400	76	R.Castellanos		2400	76	R.Castellanos				
	2400	77	R.Castellanos																								
Wednesday																											
Thursday																											
Saturday																											
Sunday																											

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Notes
 Captain Reviewed. lsp

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D 1

Temp. Reading Location: 2nd

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

530Z when the inside air temperature reaches

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	75	R. Castellanos
	0600	75	M SARABIA
	0900	75	M SARABIA
	1200	70	M SARABIA
	1500	82	E. Sanchez
	1800	80	E. Sanchez
	2100	78	E. Sanchez
	2400	76	R. Castellanos

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	75	R. Castellanos
	0600	75	R. CASTELLANOS
	0900	75	R. CASTELLANOS
	1200	70	R. CASTELLANOS
	1500	81	76 Pinoza
	1800	79	76 Pinoza
	2100	77	Sanchez
	2400	76	Wilkerson

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	74	MM
	0600	74	M SARABIA
	0900	74	M SARABIA
	1200	80	M SARABIA
	1500	79	M SARABIA
	1800	81	76 Pinoza
	2100	79	76 Pinoza
	2400	75.7	O. Myles

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	73	O. Myles
	0600	78	O. Myles
	0900	73	O. Myles
	1200	77	O. Myles
	1500	78	76 Pinoza
	1800	75	76 Pinoza
	2100	75	76 Pinoza
	2400	77	O. Myles

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	74	R. Castellanos
	0600	72.9	M. Morales
	0900	73.7	M. Morales
	1200	74.2	M. Morales J. Condron
	1500	77	76 Pinoza
	1800	80	76 Pinoza
	2100	77	76 Pinoza
	2400	73	Castillo

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	73.3	O. Terry
	0600	73	R. Perez
	0900	77	R. Perez
	1200	78	R. Perez
	1500	76.1	J. Silvas
	1800	76.2	J. Silvas
	2100	75.4	J. Silvas
	2400	74	R. Castellanos

Notes

Captain reviewed DR

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D1

Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-16-24	0300	73	Guzalez
	0600	73	J. PONCE
	0900	73.6	J. PONCE
	1200	74	J. PONCE
	1500	75	DESPINOZA
	1800	74	DESPINOZA
	2100	72	DESPINOZA
	2400	70	R. Caskey

Tuesday

Date	Time	Temp.	Name (Print)
09-17-24	0300	70	R. Caskey
	0600	70	M. SARABINA
	0900	70	M. SARABINA
	1200	71	M. SARABINA
	1500	74	DESPINOZA
	1800	73	J. SANDOVAL
	2100	71.1	J. SANDOVAL
	2400	70	R. Caskey

Wednesday

Date	Time	Temp.	Name (Print)
09-18-24	0300	70	R. Caskey
	0600	69	M. SARABINA
	0900	69	M. SARABINA
	1200	71	M. SARABINA
	1500	74	74
	1800	74	DESPINOZA
	2100	72	DESPINOZA
	2400	71.0	D. Mays

Thursday

Date	Time	Temp.	Name (Print)
09-19-24	0300	70.0	D. Mays
	0600	70	M. SARABINA
	0900	72	M. SARABINA
	1200	72	M. SARABINA
	1500	74.2	F. CARDILLO
	1800	73	DESPINOZA
	2100	73	DESPINOZA
	2400	71.6	D. Mays

Saturday

Date	Time	Temp.	Name (Print)
09-21-24	0300	69.5	O. TAYLOR
	0600	69.8	R. Price
	0900	70.4	R. Price
	1200	70	R. Price
	1500	72	DESPINOZA
	1800	72	DESPINOZA
	2100	71	DESPINOZA
	2400	71	R. Price

Notes

Captain reviewed DR

Sunday

Date	Time	Temp.	Name (Print)
09-22-24	0300	71	R. Caskey
	0600	69	M. SARABINA
	0900	71	M. SARABINA
	1200	73	M. SARABINA
	1500	76	DESPINOZA
	1800	76	DESPINOZA
	2100	73	DESPINOZA
	2400	71	DESPINOZA

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: D1 Temp. Reading Location: Z
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.23.2024	0300	71	Luis
	0600	70	M SARABIA
	0900	71	M SARABIA
	1200	75	M SARABIA
	1500	77	J ESPINOZA
	1800	76	J ESPINOZA
	2100	74	J ESPINOZA
	2400	73	M Marquez

Tuesday

Date	Time	Temp.	Name (Print)
9.24.2024	0300	71	D. Mares
	0600	70	M SARABIA
	0900	71	M SARABIA
	1200	74	M SARABIA
	1500	77	J ESPINOZA
	1800	75	J ESPINOZA
	2100	74	J ESPINOZA
	2400	73	Roberto Gatica

Wednesday

Date	Time	Temp.	Name (Print)
9/25/2024	0300	70	M Marquez
	0600	70	M Sarabia
	0900	72	M SARABIA
	1200	76	M SARABIA
	1500	77	J ESPINOZA
	1800	76	J ESPINOZA
	2100	74	J ESPINOZA
	2400	73.0	D Mares

Thursday

Date	Time	Temp.	Name (Print)
9/26/2024	0300	71.0	D. Mares
	0600	71	M SARABIA
	0900	72	M SARABIA
	1200	74	M SARABIA
	1500	78	J ESPINOZA
	1800	75	J ESPINOZA
	2100	74	J ESPINOZA
	2400	72.7	D Mares

Friday

Date	Time	Temp.	Name (Print)
9/27/2024	0300	71.8	D Mares
	0600	72	Quincy
	0900	74	Quincy
	1200	75	Quincy
	1500	78	J Nuñez
	1800	76	J Nuñez
	2100	74	J Nuñez
	2400	71	J Hall

Saturday

Date	Time	Temp.	Name (Print)
9/28/2024	0300	71.1	J Flores
N	0600	70.4	J Flores
	0900	71.2	R. Poer
	1200	75.2	R. Poer
	1500	79.5	D. Rubio
	1800	74.8	D. Rubio
	2100	76	J. Lopez
	2400	71	R. Casella

Sunday

Date	Time	Temp.	Name (Print)
9/29/2024	0300	71	R Casella
	0600	71	J Gonzalez
	0900	71	J. Gonzalez
	1200	73	J Gonzalez
	1500	75	J Espinoza
	1800	75	J Espinoza
	2100	73	J Espinoza
	2400	73	Quincy

Notes

Captain reviewed DR

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAI Housing Unit: D 1 Temp. Reading Location: 2nd

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.30.2024	0300	71	G. Geller
	0600	71	M. SARABIA
	0900	71	M. SARABIA
	1200	72	M. SARABIA
	1500	76.2	E. Sanchez
	1800	76.3	E. Sanchez
	2100	75	M. Sambran
	2400	75	M. Sambran

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Captain reviewed 48

DISTRIBUTION: Original Institution Heat Plan Coordinator

RECEIVED

OCT 02 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

LITIGATION'S OFFICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: CONTROL 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
09.01.24	0300	74	J MARCO
	0600	75	J MARCO
	0900	75.4	H LATOR
	1200	76	HOPPE
	1500	77.4	L SANTIAGO
	1800	78.1	L SANTIAGO
	2100	77.4	L SANTIAGO
	2400	77.7	M CASTRO

Notes

captain reviewed off

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: CONTROL 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-02-24	0300	76.4	M. CASTRO
	0600	75.6	M. CASTRO
	0900	75.6	J. ANECONDO
	1200	77.0	J. ANECONDO
	1500	77.2	B. Garrett
	1800	77.9	B. Garrett
	2100	77.6	B. Garrett
	2400	76.8	J. Acosta

Tuesday

Date	Time	Temp.	Name (Print)
09-03-24	0300	76.1	J. Acosta
	0600	75.7	A. Acosta
	0900	75.7	A. Acosta
	1200	76.6	A. Acosta
	1500	77	T. Romero
	1800	77	T. Romero
	2100	77	T. Romero
	2400	76	J. Acosta

Wednesday

Date	Time	Temp.	Name (Print)
09-04-24	0300	76	J. Acosta
	0600	75.7	J. ANECONDO
	0900	76.0	J. ANECONDO
	1200	77.0	J. ANECONDO
	1500	77.4	A. Espinoza
	1800	78.7	A. Espinoza
	2100	77.6	A. Espinoza
	2400	76.9	M. D'Gives

Thursday

Date	Time	Temp.	Name (Print)
09-05-24	0300	76.1	M. D'Gives
	0600	75.2	J. ANECONDO
	0900	77.4	J. ANECONDO
	1200	78.5	J. ANECONDO
	1500	79.6	J. MOLINA
	1800	79.1	J. MOLINA
	2100	78.1	J. MOLINA
	2400	77.3	M. CASTRO

Friday

Date	Time	Temp.	Name (Print)
09-06-24	0300	76.1	M. CASTRO
	0600	75.7	M. CASTRO
	0900	76.7	J. ANECONDO
	1200	77.0	J. ANECONDO
	1500	77.9	L. SANTIAGO
	1800	78.1	L. SANTIAGO
	2100	77.8	L. SANTIAGO
	2400	77.5	CORONADO CORTEZ R

Saturday

Date	Time	Temp.	Name (Print)
09-07-24	0300	77.0	CORONADO CORTEZ R
	0600	76.9	CORONADO CORTEZ R
	0900	77.5	L. DPCZ H
	1200	77.7	L. DPCZ H
	1500	78.3	L. SANTIAGO
	1800	78.3	L. SANTIAGO
	2100	78.3	L. SANTIAGO
	2400	77.9	J. Acosta

Sunday

Date	Time	Temp.	Name (Print)
09-08-24	0300	77.0	J. Acosta
	0600	76.8	H. Lopez
	0900	77.2	H. Lopez
	1200	78.3	H. Lopez
	1500	78.8	D. Rubio
	1800	79.9	D. Rubio
	2100	79.0	D. Rubio
	2400	77.8	M. CASTRO

Notes

Captain reviewed J. Acosta

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: CONTROL 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-09-24	0300	77.0	M. CASTRO
	0600	76.1	M. CASTRO
	0900	76.1	J. ANNEOUNO
	1200	77.2	J. ANNEOUNO
	1500	77.3	J. PARTIDA
	1800	77.8	J. PARTIDA
	2100	77.2	J. PARTIDA
	2400	77.0	M. CASTRO

Wednesday

Date	Time	Temp.	Name (Print)
09-11-24	0300	76.2	M. CASTRO
	0600	75.2	M. CASTRO
	0900	75.3	J. ANNEOUNO
	1200	76.1	J. ANNEOUNO
	1500	77.0	J. ESPINOZA
	1800	78.0	J. ESPINOZA
	2100	76.5	J. ESPINOZA
	2400	75.4	M. CASTRO

Friday

Date	Time	Temp.	Name (Print)
09-13-24	0300	73.0	M. CASTRO
	0600	72.3	M. CASTRO
	0900	72.1	J. ANNEOUNO
	1200	73.2	J. ANNEOUNO
	1500	73.6	J. MONTAÑEZ
	1800	74.0	J. MONTAÑEZ
	2100	74.6	J. MONTAÑEZ
	2400	74.8	M. ELIAS

Sunday

Date	Time	Temp.	Name (Print)
09-15-24	0300	76	D. NAVARRO
	0600	73	D. NAVARRO
	0900	73	S. BULSTON
	1200	74.8	S. BULSTON
	1500	74	G. OLIVAS
	1800	75	G. OLIVAS
	2100	75	G. OLIVAS
	2400	74.6	M. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
09-10-24	0300	76.6	M. CASTRO
	0600	75.9	M. CASTRO
	0900	75.8	J. ANNEOUNO
	1200	76.7	J. ANNEOUNO
	1500	77.1	D. PEREZ
	1800	78.1	D. PEREZ
	2100	77.5	D. PEREZ
	2400	76.8	M. CASTRO

Thursday

Date	Time	Temp.	Name (Print)
09-12-24	0300	74.5	M. CASTRO
	0600	73.3	M. CASTRO
	0900	72.9	J. ANNEOUNO
	1200	74.0	J. ANNEOUNO
	1500	75	DELA PARRA
	1800	75	DELA PARRA
	2100	75	DELA PARRA
	2400	75.1	M. CASTRO

Saturday

Date	Time	Temp.	Name (Print)
09-14-24	0300	79.5	M. ELIAS
	0600	73.3	M. ELIAS
	0900	72.9	H. COORD
	1200	74.1	H. COORD
	1500	75	R. LOPEZ
	1800	76	R. LOPEZ
	2100	75	R. LOPEZ
	2400	75	R. LOPEZ

Notes

Captain reviewed ASR

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: CONTROL 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-16-24	0300	73.5	M. CASTRO
	0600	72.0	M. CASTRO
	0900	72.0	J. ANECONDO
	1200	72.6	J. ANECONDO
	1500	73.1	B. Garrett
	1800	73.3	B. Garrett
	2100	71.9	B. Garrett
	2400	71.3	M. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
09-17-24	0300	70.5	M. CASTRO
	0600	69.9	M. CASTRO
	0900	69.2	J. ANECONDO
	1200	70.4	J. ANECONDO
	1500	70	T. Roman
	1800	70	T. Roman
	2100	70	T. Roman
	2400	70.4	M. CASTRO

Wednesday

Date	Time	Temp.	Name (Print)
09-18-24	0300	70.1	M. CASTRO
	0600	69.9	M. CASTRO
	0900	69.2	J. ANECONDO
	1200	69.1	J. ANECONDO
	1500	70.8	A. Espinoza
	1800	71.7	A. Espinoza
	2100	71.3	A. Espinoza
	2400	70.8	M. CASTRO

Thursday

Date	Time	Temp.	Name (Print)
09-19-24	0300	69.5	M. CASTRO
	0600	68.8	M. CASTRO
	0900	69.3	J. ANECONDO
	1200	70.0	J. ANECONDO
	1500	71.2	A. Espinoza
	1800	71.3	V. MORALES
	2100	71.2	V. MORALES
	2400	70.5	M. CASTRO

Friday

Date	Time	Temp.	Name (Print)
09-20-24	0300	69.9	M. CASTRO
	0600	69.3	M. CASTRO
	0900	70.2	L. SANTIAGO
	1200	70.8	L. SANTIAGO
	1500	71.0	L. SANTIAGO
	1800	71.8	L. SANTIAGO
	2100	70.7	L. SANTIAGO
	2400	70.8	M. CASTRO

Saturday

Date	Time	Temp.	Name (Print)
09-21-24	0300	69.5	M. CASTRO
	0600	68.8	M. CASTRO
	0900	69.4	M. CASTRO
	1200	70.5	M. CASTRO
	1500	71.3	L. SANTIAGO
	1800	71.7	L. SANTIAGO
	2100	71.2	L. SANTIAGO
	2400	70.4	J. Langel

Notes

Captain reviewed

Date	Time	Temp.	Name (Print)
09-22-24	0300	70	J. Langel
	0600	68.9	M. Lopez
	0900	69.4	M. Lopez
	1200	70.0	M. Lopez
	1500	72.0	L. SANTIAGO
	1800	73.8	L. SANTIAGO
	2100	71.9	L. SANTIAGO
	2400	71.2	M. CASTRO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: CONTROL 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-23-24	0300	70.5	M. CASTRO
	0600	69.8	M. CASTRO
	0900	70.0	J. Ameguano
	1200	71.5	J. Amelando
	1500	72.2	B. Garrett
	1800	73.6	B. Garrett
	2100	72.5	B. Garrett
	2400	71.6	M. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
09-24-24	0300	70.8	M. CASTRO
	0600	70.3	M. CASTRO
	0900	71.2	J. Ameguano
	1200	71.0	J. Amelando
	1500	72	T. Romeo
	1800	72	T. Romeo
	2100	72	T. Romeo
	2400	71.9	M. CASTRO

Wednesday

Date	Time	Temp.	Name (Print)
09-25-24	0300	71.5	M. CASTRO
	0600	71.1	M. CASTRO
	0900	71.0	J. Amelando
	1200	72.3	J. Ameguano
	1500	73.3	G. CARLUCCIO
	1800	74.7	G. CARLUCCIO
	2100	73.1	G. CARLUCCIO
	2400	72	J. Bastien

Thursday

Date	Time	Temp.	Name (Print)
09-26-24	0300	71	J. Bastien
	0600	71.1	J. Amelando
	0900	71.1	J. Ameguano
	1200	72.4	J. Ameguano
	1500	72.9	L. MORALES
	1800	73.4	L. MORALES
	2100	73	L. MORALES
	2400	72.8	M. CASTRO

Friday

Date	Time	Temp.	Name (Print)
09-27-24	0300	71.5	M. CASTRO
	0600	70.4	M. CASTRO
	0900	71.0	J. Amelando
	1200	72.5	J. Amelando
	1500	73.4	L. SANTIAGO
	1800	74.8	L. SANTIAGO
	2100	73.1	L. SANTIAGO
	2400	71.9	M. Elias

Saturday

Date	Time	Temp.	Name (Print)
09-28-24	0300	71	M. Elias
	0600	70.3	M. Elias
	0900	70.9	H. Lopez
	1200	73.9	H. Lopez
	1500	74.7	L. SANTIAGO
	1800	75.0	L. SANTIAGO
	2100	73.6	L. SANTIAGO
	2400	72.4	C. Dauphin

Notes

Captain reviewed 150

Date	Time	Temp.	Name (Print)
09-29-24	0300	71.7	C. Dauphin
	0600	71.4	C. Dauphin
	0900	71.2	H. Lopez
	1200	72.8	H. Lopez
	1500	74.0	L. SANTIAGO
	1800	74.3	L. SANTIAGO
	2100	73.6	L. SANTIAGO
	2400	72.9	M. CASTRO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5

Temp. Reading Location: COUNTY TOWER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-30-21	0300	71.0	M. CASTRO
	0600	71.1	M. CASTRO
	0900	71.5	J. Amador
	1200	72.5	J. Amador
	1500	73.0	B. GARCIA
	1800	74.1	B. GARCIA
	2100	74.2	B. GARCIA
	2400	73.8	M. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Captain Reviewed JG

RECEIVED

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

OCT 01 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIPATRIA STATE PRISON OFFICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S E P 0 1 2 0 2 4	0100	89	J. Hernandez
	0200	87	J. Hernandez
	0300	85	J. Hernandez
	0400	82	J. Hernandez
	0500	81	J. Hernandez
	0600	81	R. Silvers
	0700	84	R. Silvers
	0800	87	R. Silvers
	0900	92	R. Silvers
	1000	99	R. Silvers
	1100	103	R. Silvers
	1200	105	R. Silvers
	1300	108	R. Silvers
	1400	110	B. Brackard
	1500	111	B. Brackard
	1600	112	B. Brackard
	1700	111	B. Brackard
	1800	108	B. Brackard
	1900	103	B. Brackard
	2000	99	B. Brackard
	2100	96	B. Brackard
	2200	96	N. Bradford
	2300	94	N. Bradford
	2400	98	N. Bradford

Date	Time	Temp.	Printed Name
S E P 0 1 2 0 2 4	0100	88	N. Bradford
	0200	86	N. Bradford
	0300	84	N. Bradford
	0400	86	N. Bradford
	0500	85	N. Bradford
	0600	83	R. Silvers
	0700	87	R. Silvers
	0800	89	R. Silvers
	0900	96	R. Silvers
	1000	99	R. Silvers
	1100	103	R. Silvers
	1200	105	R. Silvers
	1300	108	R. Silvers
	1400	109	R. Vizcarra
	1500	109	R. Vizcarra
	1600	109	R. Vizcarra
	1700	109	R. Vizcarra
	1800	107	R. Vizcarra
	1900	103	R. Vizcarra
	2000	97	R. Vizcarra
	2100	95	R. Vizcarra
	2200	94	N. Bradford
	2300	91	N. Bradford
	2400	91	N. Bradford

89° @ 2345

93° out @ 0045

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

89 @ 0045

90° due
0145

90°C
0757

Date	Time	Temp.	Printed Name
S E P O 3 2 0 2 4	0100	89	N.BRADFORD
	0200	84	N.BRADFORD
	0300	84	N.BRADFORD
	0400	83	N.BRADFORD
	0500	82	N.BRADFORD
	0600	82	R.SILVAS
	0700	84	R.SILVAS
	0800	91	R.SILVAS
	0900	94	M.BECERRA
	1000	98	M.BECERRA
	1100	104	M.BECERRA
	1200	106	M.BECERRA
	1300	108	M.BECERRA
	1400	110	R.VIZCARRA
	1500	110	R.VIZCARRA
	1600	110	R.VIZCARRA
	1700	110	R.VIZCARRA
	1800	108	R.VIZCAR
	1900	101	R.VIZCARRA
	2000	98	R.VIZCARRA
	2100	96	R.VIZCARRA
	2200	94	Shields
	2300	93	Shields
	2400	91	Shields

Date	Time	Temp.	Printed Name
S E P O 3 2 0 2 4	0100	90	Shields
	0200	89	Shields
	0300	86	Shields
	0400	85	Shields
	0500	84	Shields
	0600	81	R.SILVAS
	0700	82	R.SILVAS
	0800	89	R.SILVAS
	0900	92	R.SILVAS
	1000	95	R.SILVAS
	1100	98	R.SILVAS
	1200	104	R.SILVAS
	1300	110	R.SILVAS
	1400	111	J.Castro
	1500	112	J.Castro
	1600	113	J.Castro
	1700	111	J.Castro
	1800	109	J.Castro
	1900	105	J.Castro
	2000	99	J.Castro
	2100	97	J.Castro
	2200	96	M.Beltran
	2300	94	M.Beltran
	2400	93	M.Beltran

90°
90°
0135

90°
0819

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S E P 0 5 2 0 2 4	0100	89	M. Beltran
	0200	86	M. Beltran
	0300	85	M. Beltran
	0400	84	M. Beltran
	0500	84	M. Beltran
	0600	84	R.S. Lee
	0700	88	R.S. Lee
	0800	87	R.S. Lee
	0900	91	R.S. Lee
	1000	92	R.S. Lee
	1100	98	R.S. Lee
	1200	101	R.S. Lee
	1300	103	R.S. Lee
	1400	105	J. Castro
	1500	106	J. Castro
	1600	106	J. Castro
	1700	104	J. Castro
	1800	107	J. Castro
	1900	101	J. Castro
	2000	97	J. Castro
	2100	96	J. Castro
	2200	94	F.L.Martinez
	2300	92	F.L.Martinez
	2400	94	F.L.Martinez

Date	Time	Temp.	Printed Name
S E P 0 6 2 0 2 4	0100	93	F.L.Martinez
	0200	92	F.L.Martinez
	0300	89	F.L.Martinez
	0400	86	F.L.Martinez
	0500	84	F.L.Martinez
	0600	91	S. Garcia
	0700	85	S. Garcia
	0800	92	S. Garcia
	0900	95	S. Garcia
	1000	100	S. Garcia
	1100	103	S. Garcia
	1200	105	S. Garcia
	1300	106	S. Garcia
	1400	109	S. Garcia
	1500	110	J. Hause
	1600	111	J. Hause
	1700	109	J. Hause
	1800	107	J. Hause
	1900	104	J. Hause
	2000	98	J. Hause
	2100	93	J. Hause
	2200	95	F.L.Martinez
	2300	95	F.L.Martinez
	2400	94	F.L.Martinez

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

90° HTA
Deactivated
@ 0500 hrs.

90°C
0755

Date	Time	Temp.	Printed Name
SEP 07 2024	0100	92	F.L.MARTINEZ
	0200	91	F.L.MARTINEZ
	0300	92	F.L.MARTINEZ
	0400	89	F.L.MARTINEZ
	0500	88	F.L.MARTINEZ
	0600	86	F.L.MARTINEZ
	0700	86	S.Espinoza
	0800	91	S.Espinoza
	0900	98	S.McCain
	1000	102	S.McCain
	1100	106	S.McCain
	1200	106	S.McCain
	1300	111	S.McCain
	1400	112	S.McCain
	1500	112	S.McCain
	1600	113	V.Cataluna
	1700	113	V.Cataluna
	1800	109	V.Cataluna
	1900	103	V.Cataluna
	2000	100	V.Cataluna
	2100	98	V.Cataluna
	2200	98	S.Dominguez
	2300	100	S.Dominguez
	2400	95	S.Dominguez

Date	Time	Temp.	Printed Name
SEP 08 2024	0100	93	S.Dominguez
	0200	92	S.Dominguez
	0300	91	S.Dominguez
	0400	90	S.Dominguez
	0500	87	S.Dominguez
	0600	87	R.Silva
	0700	89	R.Silva
	0800	95	R.Silva
	0900	98	R.Silva
	1000	101	R.Silva
	1100	104	R.Silva
	1200	107	R.Silva
	1300	109	R.Silva
	1400	109	B.BRACKARD
	1500	109	B.BRACKARD
	1600	108	B.BRACKARD
	1700	107	B.BRACKARD
	1800	104	B.BRACKARD
	1900	102	B.BRACKARD
	2000	99	B.BRACKARD
	2100	97	B.BRACKARD
	2200	94	N.BRADFORD
	2300	93	N.BRADFORD
	2400	89	N.BRADFORD

89 @ 2350

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEP 0 9 2 0 2 4	0100	89	N. BRADFORD
	0200	87	N. BRADFORD
	0300	84	N. BRADFORD
	0400	82	N. BRADFORD
	0500	81	N. BRADFORD
	0600	81	R. SILVAS
	0700	82	R. SILVAS
	0800	88	R. SILVAS
	0900	92	R. SILVAS
	1000	99	R. SILVAS
	1100	103	R. SILVAS
	1200	106	R. SILVAS
	1300	109	R. SILVAS
	1400	109°	T. DESIDERIO
	1500	109°	T. DESIDERIO
	1600	108°	T. DESIDERIO
	1700	107°	T. DESIDERIO
	1800	106°	T. DESIDERIO
	1900	105°	T. DESIDERIO
	2000	99°	T. DESIDERIO
	2100	96	T. DESIDERIO
	2200	93	N. BRADFORD
	2300	89	N. BRADFORD
	2400	86	N. BRADFORD

89° @ 2305

90° dead @ 0005

Date	Time	Temp.	Printed Name
SEP 1 0 2 0 2 4	0100	86	N. BRADFORD
	0200	84	N. BRADFORD
	0300	84	N. BRADFORD
	0400	84	N. BRADFORD
	0500	82	N. BRADFORD
	0600	82	R. SILVAS
	0700	81	R. SILVAS
	0800	85	R. SILVAS
	0900	91	R. SILVAS
	1000	98	R. SILVAS
	1100	103	R. SILVAS
	1200	105	R. SILVAS
	1300	108	R. SILVAS
	1400	110	R. VIZCARRA
	1500	110	R. VIZCARRA
	1600	111	R. VIZCARRA
	1700	109	R. VIZCARRA
	1800	104	R. VIZCARRA
	1900	100	R. VIZCARRA
	2000	98	R. VIZCARRA
	2100	94	R. VIZCARRA
	2200	93	E. Valencia
	2300	93	E. Valencia
	2400	88	E. Valencia

89° @ 2340

Recd @ 0040

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S E P 1 1 2 0 2 4	0100	84	E.Valencia
	0200	87	E.Valencia
	0300	84	E.Valencia
	0400	83	E.Valencia
	0500	81	E.Valencia
	0600	81	R.Silva
	0700	82	R.Silva
	0800	88	R.Silva
	0900	94	R.Silva
	1000	97	R.Silva
	1100	99	R.Silva
	1200	103	R.Silva
	1300	105	R.Silva
	1400	107	J.Castro
	1500	107	J.Castro
	1600	108	J.Castro
	1700	104	J.Castro
	1800	100	J.Castro
	1900	91	J.Castro
	2000	91	J.Castro
	2100	89	J.Castro
	2200	87	E.Valencia
	2300	84	E.Valencia
	2400	80	E.Valencia

Date	Time	Temp.	Printed Name
S E P 1 2 0 2 4	0100	76	E.Valencia
	0200	76	E.Valencia
	0300	77	E.Valencia
	0400	74	E.Valencia
	0500	70	E.Valencia
	0600	69	R.Silva
	0700	72	R.Silva
	0800	78	R.Silva
	0900	85	R.Silva
	1000	89	R.Silva
	1100	89	R.Silva
	1200	93	R.Silva
	1300	96	R.Silva
	1400	100	J.Castro
	1500	100	J.Castro
	1600	101	J.Castro
	1700	101	J.Castro
	1800	99	J.Castro
	1900	91	J.Castro
	2000	89	J.Castro
	2100	87	J.Castro
	2200	85	E.Valencia
	2300	78	E.Valencia
	2400	78	E.Valencia

90° deactivated
© 2030

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S E P 1 3 2 0 2 4	0100	77	E.Valencia
	0200	75	E.Valencia
	0300	73	E.Valencia
	0400	72	E.Valencia
	0500	72	E.Valencia
	0600	71	E.Valencia
	0700	71	J.Flores
	0800	75	J.Flores
	0900	84	J.Flores
	1000	89	J.Flores
	1100	92	J.Flores
	1200	95	J.Flores
	1300	97	J.Flores
	1400	99	J.Flores
	1500	100	J.Flores
	1600	100	J.Flores
	1700	99	J.Flores
	1800	98	J.Flores
	1900	95	J.Flores
	2000	89	J.Flores
	2100	88	J.Flores
	2200	88	E.Valencia
	2300	86	E.Valencia
	2400	83	E.Valencia

Date	Time	Temp.	Printed Name
S E P 1 3 2 0 2 4	0100	83	E.Valencia
	0200	82	E.Valencia
	0300	82	E.Valencia
	0400	81	E.Valencia
	0500	80	E.Valencia
	0600	77	S.McCain
	0700	76	S.McCain
	0800	83	S.McCain
	0900	89	S.McCain
	1000	92	S.McCain
	1100	94	S.McCain
	1200	96	S.McCain
	1300	100	S.McCain
	1400	101	S.McCain
	1500	102	J.Perez
	1600	102	J.Perez
	1700	102	J.Perez
	1800	99	J.Perez
	1900	92	J.Perez
	2000	89	J.Perez
	2100	86	J.Perez
	2200	85	J.Perez
	2300	81	J.Perez
	2400	79	J.Perez

90°
@ 1004

89° C 1150
Denehardt
@ 2050

90° @
034

89° C 1150

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S E P 1 5 2 0 2 4	0100	78	J. PEREZ
	0200	76	J. PEREZ
	0300	74	J. PEREZ
	0400	74	J. PEREZ
	0500	73	J. PEREZ
	0600	73	RSILVAS
	0700	77	RSILVAS
	0800	81	RSILVAS
	0900	85	RSILVAS
	1000	88	RSILVAS
	1100	92	RSILVAS
	1200	94	RSILVAS
	1300	96	RSILVAS
	1400	98	<i>J. PEREZ</i>
	1500	100	<i>J. PEREZ</i>
	1600	101	<i>J. PEREZ</i>
	1700	100	<i>J. PEREZ</i>
	1800	97	<i>J. PEREZ</i>
	1900	89	<i>J. PEREZ</i>
	2000	86	<i>J. PEREZ</i>
	2100	84	<i>J. PEREZ</i>
	2200	82	N. BRADFORD
	2300	80	N. BRADFORD
	2400	79	N. BRADFORD

Date	Time	Temp.	Printed Name
S E P 1 6 2 0 2 4	0100	79	N. BRADFORD
	0200	77	N. BRADFORD
	0300	76	N. BRADFORD
	0400	74	N. BRADFORD
	0500	76	N. BRADFORD
	0600	76	RSILVAS
	0700	76	RSILVAS
	0800	78	RSILVAS
	0900	81	RSILVAS
	1000	83	RSILVAS
	1100	85	RSILVAS
	1200	87	RSILVAS
	1300	91	R.VIZCARRA
	1400	91	R.VIZCARRA
	1500	90	R.VIZCARRA
	1600	88	R.VIZCARRA
	1700	86	R.VIZCARRA
	1800	82	R.VIZCARRA
	1900	77	R.VIZCARRA
	2000	75	R.VIZCARRA
	2100	73	R.VIZCARRA
	2200	72	N. BRADFORD
	2300	72	N. BRADFORD
	2400	72	N. BRADFORD

40°
10:26

89 & 1900
90° Benchmark
e 2000

89°
1619

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S E P 1 7 2 0 2 4	0100	70	N. BRADFORD
	0200	69	N. BRADFORD
	0300	68	N. BRADFORD
	0400	68	N. BRADFORD
	0500	68	N. BRADFORD
	0600	68	RSILVA
	0700	66	RSILVA
	0800	69	RSILVA
	0900	75	RSILVA
	1000	79	RSILVA
	1100	79	RSILVA
	1200	81	RSILVA
	1300	85	RSILVA
	1400	86	R.VIZCARRA
	1500	87	R.VIZCARRA
	1600	87	R.VIZCARRA
	1700	88	R.VIZCARRA
	1800	85	R.VIZCARRA
	1900	81	R.VIZCARRA
	2000	78	R.VIZCARRA
	2100	77	R.VIZCARRA
	2200	74	G.BAILLIE
	2300	74	G.BAILLIE
	2400	70	G.BAILLIE

Date	Time	Temp.	Printed Name
S E P 1 8 2 0 2 4	0100	71	G.BAILLIE
	0200	70	G.BAILLIE
	0300	78	G.BAILLIE
	0400	65	G.BAILLIE
	0500	63	G.BAILLIE
	0600	62	RSILVA
	0700	62	RSILVA
	0800	70	RSILVA
	0900	77	RSILVA
	1000	82	RSILVA
	1100	85	RSILVA
	1200	88	RSILVA
	1300	90	RSILVA
	1400	91	J.Castro
	1500	92	J.Castro
	1600	92	J.Castro
	1700	85	J.Castro
	1800	84	J.Castro
	1900	82	J.Castro
	2000	79	J.Castro
	2100	76	J.Castro
	2200	77	G.BAILLIE
	2300	76	G.BAILLIE
	2400	76	G.BAILLIE

90° deactivated
1750

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S	0100	74	G.BAILLIE
E	0200	72	G.BAILLIE
P	0300	72	G.BAILLIE
1	0400	71	G.BAILLIE
9	0500	70	G.BAILLIE
	0600	68	R.S.IVAS
	0700	68	R.S.IVAS
	0800	76	R.S.IVAS
	0900	79	R.S.IVAS
	1000	83	R.S.IVAS
	1100	85	R.S.IVAS
	1200	89	R.S.IVAS
	1300	91	R.S.IVAS
2	1400	92	J.Aguilar
0	1500	93	J.Aguilar
2	1600	94	J.Aguilar
2	1700	93	J.Aguilar
4	1800	89	J.Aguilar
	1900	87	J.Aguilar
	2000	83	J.Aguilar
	2100	80	J.Aguilar
	2200	77	G.BAILLIE
	2300	70	G.BAILLIE
	2400	76	G.BAILLIE

Date	Time	Temp.	Printed Name
S	0100	76	G.BAILLIE
E	0200	75	G.BAILLIE
P	0300	72	G.BAILLIE
2	0400	70	G.BAILLIE
0	0500	70	G.BAILLIE
	0600	69	F.RIVERA
	0700	70	F.RIVERA
	0800	73	F.RIVERA
	0900	79	F.RIVERA
	1000	81	F.RIVERA
	1100	84	F.RIVERA
	1200	86	F.RIVERA
	1300	81	F.RIVERA
2	1400	89	J.Castro
0	1500	90	J.Castro
2	1600	90	J.Castro
2	1700	89	J.Castro
4	1800	87	J.Castro
	1900	82	J.Castro
	2000	79	J.Castro
	2100	76	J.Castro
	2200	78	G.BAILLIE
	2300	78	G.BAILLIE
	2400	76	G.BAILLIE

90° deactivated
@ 1750

INSTITUTION: **CALIPATRIA STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension **5302** when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S E P 2 1 2 0 2 4	0100	72	G.BADILW
	0200	72	G.BADILW
	0300	69	G.BADILW
	0400	67	G.BADILW
	0500	67	G.BADILW
	0600	67	S.Melvin
	0700	67	S.Melvin
	0800	74	S.Melvin
	0900	80	S.Melvin
	1000	84	S.Melvin
	1100	88	S.Melvin
	1200	89	S.Melvin
	1300	91	S.Melvin
	1400	92	J.Castro
	1500	93	J.Castro
	1600	93	J.Castro
	1700	94	J.Castro
	1800	92	J.Castro
	1900	87	J.Castro
	2000	84	J.Castro
	2100	82	J.Castro
	2200	80	G.BADILW
	2300	78	G.BADILW
	2400	78	G.BADILW

90° @
12:25

Date	Time	Temp.	Printed Name
S E P 2 2 2 0 2 4	0100	76	G.BADILW
	0200	74	G.BADILW
	0300	74	G.BADILW
	0400	72	G.BADILW
	0500	71	G.BADILW
	0600	71	R.Silms
	0700	71	R.Silms
	0800	74	R.Silms
	0900	82	R.Silms
	1000	86	R.Silms
	1100	88	R.Silms
	1200	89	R.Silms
	1300	92	R.Silms
	1400	99	B.Bradford
	1500	99	B.Bradford
	1600	100	B.Bradford
	1700	100	B.Bradford
	1800	97	B.Bradford
	1900	91	B.Bradford
	2000	88	B.Bradford
	2100	86	B.Bradford
	2200	81	N.Bradford
	2300	79	N.Bradford
	2400	76	N.Bradford

90° P
12:19

90° deactivated
@ 1954

90° Deactivated
@ 2042 hrs.

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S	0100	74	N.BRADFO
E	0200	74	N.BRADFO
P	0300	74	N.BRADFO
2	0400	74	N.BRADFO
3	0500	70	N.BRADFO
	0600	70	R.SILVA
	0700	72	R.SILVA
	0800	78	R.SILVA
2	0900	83	R.SILVA
0	1000	87	R.SILVA
0	1100	93	R.SILVA
2	1200	99	R.SILVA
2	1300	102	R.SILVA
4	1400	104	R.VIZCARRA
	1500	104	R.VIZCARRA
	1600	105	R.VIZCARRA
	1700	103	R.VIZCARRA
	1800	101	R.VIZCARRA
	1900	98	R.VIZCARRA
	2000	90	R.VIZCARRA
	2100	87	R.VIZCARRA
	2200	82	N.BRADFO
	2300	82	N.BRADFO
	2400	79	N.BRADFO

Date	Time	Temp.	Printed Name
S	0100	78	N.BRADFO
E	0200	79	N.BRADFO
P	0300	76	N.BRADFO
2	0400	74	N.BRADFO
3	0500	74	N.BRADFO
	0600	73	R.SILVA
	0700	73	R.SILVA
	0800	79	R.SILVA
2	0900	85	R.SILVA
0	1000	89	R.SILVA
0	1100	96	R.SILVA
2	1200	102	R.BILVA
2	1300	105	R.SILVA
4	1400	106	R.VIZCARRA
	1500	106	R.VIZCARRA
	1600	106	R.VIZCARRA
	1700	104	R.VIZCARRA
	1800	101	R.VIZCARRA
	1900	96	R.VIZCARRA
	2000	91	R.VIZCARRA
	2100	85	R.VIZCARRA
	2200	85	R.HUESO
	2300	82	R.HUESO
	2400	79.5	R.HUESO

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S E P 2 5	0100	76	R HUESO
	0200	76	R HUESO
	0300	75	R HUESO
	0400	75	R HUESO
	0500	74	R HUESO
	0600	74	R SILVAS
	0700	77	R SILVAS
	0800	79	R SILVAS
	0900	85	R SILVAS
	1000	88	R SILVAS
	1100	96	R SILVAS
	1200	103	R SILVAS
	1300	104	R SILVAS
	1400	106	R HUESO
	1500	107	R HUESO
	1600	107	R HUESO
	1700	105	R HUESO
	1800	102	R HUESO
	1900	94	R HUESO
	2000	92	R HUESO
	2100	87	R HUESO
	2200	85	R HUESO
	2300	85	R HUESO
	2400	78	R HUESO

Date	Time	Temp.	Printed Name
S E P 2 6	0100	77	R HUESO
	0200	75	R HUESO
	0300	74	R HUESO
	0400	74	R HUESO
	0500	73	R HUESO
	0600	71	R SILVAS
	0700	71	R SILVAS
	0800	79	R SILVAS
	0900	84	R SILVAS
	1000	88	R SILVAS
	1100	95	R SILVAS
	1200	99	R SILVAS
	1300	101	R SILVAS
	1400	104	R HUESO
	1500	106	R HUESO
	1600	106	R HUESO
	1700	105	R HUESO
	1800	98	R HUESO
	1900	95	R HUESO
	2000	89	R HUESO
	2100	85	R HUESO
	2200	83	M. AGU
	2300	79	M. AGU
	2400	78	M. AGU

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S E P 2 7 2 0 2 4	0100	77°	M-Aguirre
	0200	74°	M-Aguirre
	0300	72°	M-Aguirre
	0400	71°	M-Aguirre
	0500	71°	M-Aguirre
	0600	71°	M-Aguirre
	0700	71°	M-Mangie
	0800	74°	M-Mangie
	0900	84°	M-Mangie
	1000	96°	M-Mangie
	1100	97°	M-Mangie
	1200	101	M-Mangie
	1300	104	M-Mangie
	1400	105	J-Castro
	1500	106	J-Castro
	1600	107	J-Castro
	1700	105	J-Castro
	1800	99	J-Castro
	1900	94	J-Castro
	2000	91	J-Castro
	2100	89	J-Castro
	2200	84°	R-Shields
	2300	79°	R-Shields
	2400	78°	R-Shields

Date	Time	Temp.	Printed Name
S E P 2 8 2 0 2 4	0100	74°	Shields
	0200	74°	D-Shields
	0300	74°	D-Shields
	0400	73°	D-Shields
	0500	70°	D-Shields
	0600	70°	S-McCain
	0700	71°	S-McCain
	0800	79	S-McCain
	0900	86	S-McCain
	1000	93	S-McCain
	1100	99	S-McCain
	1200	101	S-McCain
	1300	105	S-McCain
	1400	107	J-Castro
	1500	108	J-Castro
	1600	109	J-Castro
	1700	107	J-Castro
	1800	102	J-Castro
	1900	95	J-Castro
	2000	92	J-Castro
	2100	87	J-Castro
	2200	86	E-Velencia
	2300	84	E-Velencia
	2400	80	E-Velencia

90°
Deactivated
@ 2120

INSTITUTION: **CALIPATRIA STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension **5302** when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
S E P 2 9 2 0 2 4	0100	76	E. Valencia
	0200	76	E. Valencia
	0300	77	E. Valencia
	0400	75	E. Valencia
	0500	74	E. Valencia
	0600	75	R.Silva
	0700	78	R.Silva
	0800	82	R.Silva
	0900	87	R.Silva
	1000	89	R.Silva
	1100	94	R.Silva
	1200	94	R.Silva
	1300	103	R.Silva
	1400	104	J.Castro
	1500	105	J.Castro
	1600	105	J.Castro
	1700	104	J.Castro
	1800	101	J.Castro
	1900	94	J.Castro
	2000	90	J.Castro
	2100	89	J.Castro
	2200	81	N.Bradford
	2300	79	N.BRADFORD
	2400	79	N.BRADFORD

90° deactivated @
2010

Date	Time	Temp.	Printed Name
S E P 3 0 2 0 2 4	0100	79	N.BRADFORD
	0200	76	N.BRADFORD
	0300	74	N.BRADFORD
	0400	74	N.BRADFORD
	0500	75	N.BRADFORD
	0600	76	R.Silva
	0700	79	R.Silva
	0800	83	R.Silva
	0900	87	R.Silva
	1000	89	R.Silva
	1100	92	R.Silva
	1200	94	R.Silva
	1300	99	R.Silva
	1400	100	R.Vizcarra
	1500	101	R.VIZCARRA
	1600	102	R.VIZCARRA
	1700	101	R.VIZCARRA
	1800	99	R.VIZCARRA
	1900	92	R.VIZCARRA
	2000	89	R.VIZCARRA
	2100	88	R.Vizcarra
	2200	87	N.BRADFORD
	2300	81	N.BRADFORD
	2400	80	N.BRADFORD

90° @
10:00

89°
10:00