

## Monthly Summary Report

Institution: ISP

### Memorandum

Date: September 3, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - August 2024

The following is a summary of the heat related activity for the month of August ,  
at ISP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 31

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No \_\_\_\_\_

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No \_\_\_\_\_

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? Yes \_\_\_\_\_

5. Number of patients with heat related illness.0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

DAVID HOLBROOK (A)

Warden Name

DocuSigned by:

David Holbrook

2AC5EEFB54E474E6

Warden Signature

ERIC ANDERSSON

Chief Executive Officer Name

DocuSigned by:

Eric Andersson

1C9CBFFD905E4D3

Chief Executive Officer Signature

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
August 1	0100	92	J.Breeze
	0200	91	J.Breeze
	0300	90	J.Breeze
	0400	90	J.Breeze
	0500	89	J.Breeze
	0600	91	S.Perez
	0700	89	S.Perez
	0800	91	S.Perez
	0900	96	S.Perez
	1000	98	S.Perez
	1100	101	S.Perez
	1200	106	S.Perez
	1300	100	S.Perez
	1400	98	Gaskill
	1500	100	Gaskill
	1600	101	Gaskill
	1700	101	Gaskill
	1800	100	Gaskill
	1900	99	Gaskill
	2000	97	Gaskill
	2100	96	Gaskill
	2200	96	J.Breeze
	2300	94	J.Breeze
	2400	93	J.Breeze

Date	Time	Temp.	Printed Name
Aug. 2024	0100	93	J.Breeze
	0200	93	J.Breeze
	0300	92	J.Breeze
	0400	92	J.Breeze
	0500	91	J.Breeze
	0600	89	S.Perez
	0700	92	S.Perez
	0800	95	S.Perez
	0900	101	S.Perez
	1000	105	S.Perez
	1100	108	S.Perez
	1200	110	S.Perez
	1300	110	S.Perez
	1400	112	S.Perez
	1500	106	F.Rodriguez
	1600	107	F.Rodriguez
	1700	107	F.Rodriguez
	1800	107	F.Rodriguez
	1900	105	F.Rodriguez
	2000	102	F.Rodriguez
	2100	100	F.Rodriguez
	2200	97	J.Breeze
	2300	97	J.Breeze
	2400	95	J.Breeze

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER SEVEN (7)

Immediately notify the Watch Commander at extension 5516/4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
August 21, 2024	0100	94	J. Breeze
	0200	94	J. Breeze
	0300	93	J. Breeze
	0400	92	J. Breeze
	0500	91	J. Breeze
	0600	93°	J. D. BARTNIK JR.
	0700	95°	J. D. BARTNIK JR.
	0800	97°	J. D. BARTNIK JR.
	0900	103°	J. D. BARTNIK JR.
	1000	107°	J. D. BARTNIK JR.
	1100	112°	J. D. BARTNIK JR.
	1200	110°	J. D. BARTNIK JR.
	1300	114°	J. D. BARTNIK JR.
	1400	114	J. Breeze
	1500	114	J. Breeze
	1600	114	J. Breeze
	1700	111	J. Breeze
	1800	111	J. Breeze
	1900	108	J. Breeze
	2000	104	J. Breeze
	2100	102	J. Breeze
	2200	99	J. Breeze
	2300	98	J. Breeze
	2400	95	J. Breeze

Date	Time	Temp.	Printed Name
August 24, 2024	0100	94	J. Breeze
	0200	95	J. Breeze
	0300	92	J. Breeze
	0400	91	J. Breeze
	0500	89	J. Breeze
	0600	94°	J. D. BARTNIK JR.
	0700	95°	J. D. BARTNIK JR.
	0800	99°	J. D. BARTNIK JR.
	0900	104°	J. D. BARTNIK JR.
	1000	108°	J. D. BARTNIK JR.
	1100	113°	J. D. BARTNIK JR.
	1200	115°	J. D. BARTNIK JR.
	1300	115°	J. D. BARTNIK JR.
	1400	115	Cadenas
	1500	119	Cadenas
	1600	118	Cadenas
	1700	115	Cadenas
	1800	114	Cadenas
	1900	110	Cadenas
	2000	108	Cadenas
	2100	108	Cadenas
	2200	105	Cadenas
	2300	100	Cadenas
	2400	100	Cadenas

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
0 5 A U G U S T 2 0 2 4	0100	99	Cadenas
	0200	99	Cadenas
	0300	97	Cadenas
	0400	93	Cadenas
	0500	93	Cadenas
	0600	94	S. Perez
	0700	95	S. Perez
	0800	99	S. Perez
	0900	102	S. Perez
	1000	105	S. Perez
	1100	106	S. Perez
	1200	109	S. Perez
	1300	109	S. Perez
	1400	108	A. Cadenas
	1500	108	A. Cadenas
	1600	113	A. Cadenas
	1700	115	A. Cadenas
	1800	114	A. Cadenas
	1900	109	A. Cadenas
	2000	105	A. Cadenas
	2100	105	A. Cadenas
	2200	103	A. Cadenas
	2300	103	A. Cadenas
	2400	100	A. Cadenas

Date	Time	Temp.	Printed name
0 6 A U G U S T 2 0 2 4	0100	99	A. Cadenas
	0200	95	R. Cadenas
	0300	95	R. Cadenas
	0400	95	A. Cadenas
	0500	94	A. Cadenas
	0600	92	R. Mendoza
	0700	94	R. Mendoza
	0800	95	R. Mendoza
	0900	93	R. Mendoza
	1000	98.8	R. Mendoza
	1100	105	R. Mendoza
	1200	108	R. Mendoza
	1300	110	R. Mendoza
	1400	111	Lonskill
	1500	111	Lonskill
	1600	110	Lonskill
	1700	108	Lonskill
	1800	104	Lonskill
	1900	100	Lonskill
	2000	98	Lonskill
	2100	95	Lonskill
	2200	94	Lonskill
	2300	92	Lonskill
	2400	91	Lonskill

DISTRIBUTION: Original; Institution Heat Plan Coordinator

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
0 7 A U G U S T	0100	90	Cashkill
	0200	89	Cashkill
	0300	89	Cashkill
	0400	88	Cashkill
	0500	87	Cashkill
	0600	88	Cadernas
	0700	89	Cadernas
	0800	91	Cadernas
	0900	93	Cadernas
	1000	97	Cadernas
	1100	98	Cadernas
	1200	104	Cadernas
	1300	104	Cadernas
	1400	101	Cashkill
	1500	101	Cashkill
	1600	101	Cashkill
	1700	101	Cashkill
	1800	98	Cashkill
	1900	95	Cashkill
	2000	95	Cashkill
	2100	95	Cashkill
	2200	95	J.Breeze
	2300	93	J.Breeze
	2400	92	J.Breeze

Date	Time	Temp.	Printed name
0 8 A U G U S T	0100	92	J.Breeze
	0200	91	J.Breeze
	0300	90	J.Breeze
	0400	89	J.Breeze
	0500	88	J.Breeze
	0600	87	Sperler
	0700	88	Sperler
	0800	90	Sperler
	0900	93	Sperler
	1000	99	Sperler
	1100	101	Sperler
	1200	104	Sperler
	1300	104	Sperler
	1400	106	Cashkill
	1500	106	Cashkill
	1600	109	Cashkill
	1700	103	Cashkill
	1800	101	Cashkill
	1900	99	Cashkill
	2000	97	Cashkill
	2100	95	Cashkill
	2200	95	J.Breeze
	2300	96	J.Breeze
	2400	94	J.Breeze

DISTRIBUTION: Original; Institution Heat Plan Coordinator

**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)
INSTITUTION: **IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
0 9  A U G U S  T  2 0 2 4	0100	93	J. Breeze
	0200	93	J. Breeze
	0300	93	J. Breeze
	0400	92	J. Breeze
	0500	91	J. Breeze
	0600	90	S. Reiser
	0700	88	S. Reiser
	0800	81	S. Reiser
	0900	84	S. Reiser
	1000	89	S. Reiser
	1100	96	S. Reiser
	1200	100	S. Reiser
	1300	104	S. Reiser
	1400	102	C. Caskill
	1500	104	C. Caskill
	1600	107	C. Caskill
	1700	106	C. Caskill
	1800	104	C. Caskill
	1900	101	C. Caskill
	2000	98	C. Caskill
	2100	96	C. Caskill
	2200	96	J. Breeze
	2300	97	J. Breeze
	2400	94	J. Breeze

Date	Time	Temp.	Printed name
1 0  A U G U S  T  2 0 2 4	0100	91	J. Breeze
	0200	90	J. Breeze
	0300	89	J. Breeze
	0400	90	J. Breeze
	0500	88	J. Breeze
	0600	89	S. Rubio
	0700	101	S. Rubio
	0800	105	S. Rubio
	0900	107	S. Rubio
	1000	109	S. Rubio
	1100	110	S. Rubio
	1200	110	S. Rubio
	1300	111	S. Rubio
	1400	112	J. Breeze
	1500	109	J. Breeze
	1600	112	J. Breeze
	1700	110	J. Breeze
	1800	88	J. Breeze
	1900	91	J. Breeze
	2000	94	J. Breeze
	2100	94	J. Breeze
	2200	92	J. Breeze
	2300	91	J. Breeze
	2400	92	J. Breeze

DISTRIBUTION: Original; Institution Heat Plan Coordinator

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
1 A U G U S T	0100	92	J. Breeze
	0200	89	J. Breeze
	0300	88	J. Breeze
	0400	88	J. Breeze
	0500	88	J. Breeze
	0600	88	D. Vandebryl
	0700	91	D. Vandebryl
	0800	94	D. Vandebryl
	0900	96	D. Vandebryl
	1000	97	D. Vandebryl
	1100	100	D. Vandebryl
	1200	101	D. Vandebryl
	1300	102	D. Vandebryl
	1400	105	CADENAS
2 0 2 2 4	1500	111	CADENAS
	1600	111	CADENAS
	1700	102	CADENAS
	1800	102	CADENAS
	1900	95	CADENAS
	2000	95	CADENAS
	2100	91	CADENAS
	2200	89	MAZON
	2300	89	MAZON
	2400	88	MAZON

Date	Time	Temp.	Printed name
1 A U G U S T	0100	88	CADENAS
	0200	88	CADENAS
	0300	88	Morales
	0400	88	Morales
	0500	88	Morales
	0600	88	<del>Shelby</del> Cadena (87)
	0700	88	<del>Shelby</del> Sherier (87)
	0800	89	Sherier
	0900	93	Sherier
	1000	98	Sherier
	1100	101	Sherier
	1200	104	Sherier
	1300	105	Sherier
	1400	104	CADENAS
2 0 2 2 4	1500	104	CADENAS
	1600	104	CADENAS
	1700	106	CADENAS
	1800	110	Cadernas
	1900	102	Cadernas
	2000	97	Cadernas
	2100	97	Cadernas
	2200	97	CADENAS
	2300	95	CADENAS
	2400	96	CADENAS

DISTRIBUTION: Original; Institution Heat Plan Coordinator

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
1 A U G U S T	0100	88	CADENAS
	0200	91	CADENAS
	0300	89	CADENAS
	0400	89	CADENAS
	0500	87	Soler
	0600	87	Soler
	0700	87	Soler
	0800	89	Soler
	0900	95	Soler
	1000	99	Soler
	1100	104	Soler
	1200	102	Soler
	1300	106	Soler
	1400	107	Coaskill
	1500	107	Coaskill
	1600	105	Coaskill
	1700	105	Coaskill
	1800	103	Coaskill
	1900	101	Coaskill
	2000	99	Coaskill
	2100	95	Coaskill
	2200	93	Coaskill
	2300	91	Coaskill
	2400	90	Coaskill

Date	Time	Temp.	Printed name
1 A U G U S T	0100	89	Coaskill
	0200	87	Coaskill
	0300	84	Coaskill
	0400	85	Coaskill
	0500	84	Coaskill
	0600	82	Soler
	0700	85	Soler
	0800	90	Soler
	0900	94	Soler
	1000	100	Soler
	1100	105	Soler
	1200	107	Soler
	1300	108	Soler
	1400	106	Coaskill
	1500	106	Coaskill
	1600	104	Coaskill
	1700	104	Coaskill
	1800	101	Coaskill
	1900	98	Coaskill
	2000	96	Coaskill
	2100	94	Coaskill
	2200	93	Rojas
	2300	91	Rojas
	2400	90	Rojas

DISTRIBUTION: Original; Institution Heat Plan Coordinator

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**Immediately notify the watch commander at extension  
90 degrees.5516 / 4321

When the air temperature reaches

Date	Time	Temp.	Printed name
1 AUGUST 2022	0100	88	Rojas
	0200	85	Rojas
	0300	84	Rojas
	0400	84	Rojas
	0500	84	Rojas
	0600	82	Morales
	0700	84	Morales
	0800	87	Morales
	0900	92	Morales
	1000	98	Morales
	1100	96	Morales
	1200	100	Morales
	1300	100	Morales
	1400	106	Conskill
	1500	107	Conskill
	1600	105	Conskill
	1700	105	Conskill
	1800	101	Conskill
	1900	99	Conskill
	2000	97	Conskill
	2100	96	Conskill
	2200	94	Sanchez
	2300	90	Sanchez
	2400	90	Sanchez

Date	Time	Temp.	Printed name
1 AUGUST 2022	0100	90	Sanchez
	0200	89	Sanchez
	0300	87	Sanchez
	0400	87	Sanchez
	0500	88	Sanchez
	0600	86	Sanchez
	0700	88	Sanchez
	0800	93	Sanchez
	0900	97	Sanchez
	1000	100	Sanchez
	1100	104	Sanchez
	1200	109	Sanchez
	1300	109	Sanchez
	1400	107	Gaskill
	1500	107	Gaskill
	1600	107	Gaskill
	1700	106	Gaskill
	1800	104	Gaskill
	1900	102	Gaskill
	2000	100	Gaskill
	2100	100	Gaskill
	2200	96	J. Bruce
	2300	94	J. Bruce
	2400	94	J. Bruce

DISTRIBUTION: Original; Institution Heat Plan Coordinator

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
1 7 <b>AUGUST</b>	0100	92	J. Breese
	0200	92	J. Breese
	0300	90	J. Breese
	0400	90	J. Breese
	0500	89	J. Breese
	0600	90	SALCIDO
	0700	91	SALCIDO
	0800	94	SALCIDO
	0900	98	SALCIDO
	1000	101	SALCIDO
	1100	102	SALCIDO
	1200	105	SALCIDO
	1300	108	SALCIDO
	1400	106	J. Breese
	1500	105	J. Breese
	1600	107	J. Breese
	1700	106	J. Breese
	1800	105	J. Breese
	1900	101	J. Breese
	2000	100	J. Breese
	2100	99	J. Breese
	2200	96	J. Breese
	2300	94	J. Breese
	2400	93	J. Breese

Date	Time	Temp.	Printed name
1 8 <b>AUGUST</b>	0100	91	J. Breese
	0200	90	J. Breese
	0300	90	J. Breese
	0400	87	J. Breese
	0500	87	J. Breese
	0600	86	J. Luna
	0700	88	J. Luna
	0800	91	J. Luna
	0900	95	J. Luna
	1000	99	J. Luna
	1100	103	J. Luna
	1200	104	J. Luna
	1300	104	J. Luna
	1400	107	A. Cadenas
	1500	111	A. Cadenas
	1600	112	A. Cadenas
	1700	111	A. Cadenas
	1800	110	A. Cadenas
	1900	105	A. Cadenas
	2000	102	A. Cadenas
	2100	106	A. Cadenas
	2200	99	A. Cadenas
	2300	98	A. Cadenas
	2400	95	A. Cadenas

DISTRIBUTION: Original; Institution Heat Plan Coordinator

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**Immediately notify the watch commander at extension  
90 degrees.5516 / 4321

When the air temperature reaches

Date	Time	Temp.	Printed name
1 AUGUST	0100	93	CADENAS
	0200	92	CADENAS
	0300	95	CADENAS
	0400	88	CADENAS
	0500	87	CADENAS
	0600	89	E.Lopez
	0700	92	E.Lopez
	0800	102	E.Lopez
	0900	103	E.Lopez
	1000	103	E.Lopez
	1100	105	E.Lopez
	1200	107	E.Lopez
	1300	109	E.Lopez
	1400	110	CADENAS
	1500	114	CADENAS
	1600	113	CADENAS
	1700	111	CADENAS
	1800	108	CADENAS
	1900	108	CADENAS
	2000	106	CADENAS
	2100	104	CADENAS
	2200	100	CADENAS
	2300	98	CADENAS
	2400	93	CADENAS

Date	Time	Temp.	Printed name
2 AUGUST	0100	93	CADENAS
	0200	93	CADENAS
	0300	93	CADENAS
	0400	93	CADENAS
	0500	90	CADENAS
	0600	90	Beier
	0700	93	Beier
	0800	96	Beier
	0900	100	Beier
	1000	103	Beier
	1100	106	Beier
	1200	110	Beier
	1300	110	Beier
	1400	110	Gaskill
	1500	110	Gaskill
	1600	110	Gaskill
	1700	102	Gaskill
	1800	100	Gaskill
	1900	98	Gaskill
	2000	96	Gaskill
	2100	95	Gaskill
	2200	94	Gaskill
	2300	94	Gaskill
	2400	93	Gaskill

DISTRIBUTION: Original; Institution Heat Plan Coordinator

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
2 1 A U G U S T	0100	91	Cawskill
	0200	90	Cawskill
	0300	90	Cawskill
	0400	88	Cawskill
	0500	88	Cawskill
	0600	87	Sperer
	0700	89	Sperer
	0800	92	Sperer
	0900	95	Sperer
	1000	100	Sperer
	1100	104	Sperer
	1200	105	Sperer
	1300	108	Sperer
	1400	106	Cawskill
	1500	106	Cawskill
	1600	105	Cawskill
	1700	105	Cawskill
	1800	102	Cawskill
	1900	100	Cawskill
	2000	98	Cawskill
	2100	95	Cawskill
	2200	96	Baylor
	2300	96	Baylor
	2400	92	Baylor

Date	Time	Temp.	Printed name
2 2 0 2 4	0100	90	Ryan
	0200	88	Ryan
	0300	86	Ryan
	0400	86	Ryan
	0500	86	Ryan
	0600	86	<del>S.Perez</del> S.Perez
	0700	88	Sperer
	0800	92	Sperer
	0900	95	Sperer
	1000	99	Sperer
	1100	100	Sperer
	1200	103	Sperer
	1300	105	Sperer
	1400	103	Cawskill
	1500	104	Cawskill
	1600	104	Cawskill
	1700	104	Cawskill
	1800	102	Cawskill
	1900	100	Cawskill
	2000	95	Cawskill
	2100	93	Cawskill
	2200	92	Cawskill
	2300	90	Cawskill
	2400	90	Cawskill

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
AUGUST 2024	0100	90	Conskill
	0200	88	Conskill
	0300	85	Conskill
	0400	85	Conskill
	0500	84	Conskill
	0600	86	S. Peier
	0700	84	S. Peier
	0800	87	S. Peier
	0900	94	S. Peier
	1000	97	S. Peier
	1100	100	S. Peier
	1200	99	S. Peier
	1300	102	S. Peier
	1400	103	Conskill
	1500	103	Conskill
	1600	102	Conskill
	1700	102	Conskill
	1800	100	Conskill
	1900	97	Conskill
	2000	95	Conskill
	2100	92	Conskill
	2200	90	J. Bruce
	2300	87	J. Bruce
	2400	86	J. Bruce

Date	Time	Temp.	Printed name
AUGUST 2024	0100	84	J. Bruce
	0200	82	J. Bruce
	0300	81	J. Bruce
	0400	79	J. Bruce
	0500	78	J. Bruce
	0600	78	T. Brown
	0700	82	T. Brown
	0800	86	T. Brown
	0900	90	T. Brown
	1000	92	T. Brown
	1100	96	T. Brown
	1200	97	T. Brown
	1300	100	T. Brown
	1400	100	J. Bruce
	1500	102	J. Bruce
	1600	102	J. Bruce
	1700	102	J. Bruce
	1800	99	J. Bruce
	1900	95	J. Bruce
	2000	93	J. Bruce
	2100	90	J. Bruce
	2200	89	J. Bruce
	2300	87	J. Bruce
	2400	86	J. Bruce

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**Immediately notify the watch commander at extension  
90 degrees.5516 / 4321 When the air temperature reaches

Date	Time	Temp.	Printed name
AUGUST	0100	83	J. Breeze
	0200	83	J. Breeze
	0300	80	J. Breeze
	0400	78	J. Breeze
	0500	76	J. Breeze
	0600	75	T. Brown
	0700	76	T. Brown
	0800	79	T. Brown
	0900	83	T. Brown
	1000	89	T. Brown
	1100	91	T. Brown
	1200	94	T. Brown
	1300	96	T. Brown
	1400	100	CARDENAS
	1500	101	CARDENAS
	1600	105	CARDENAS
	1700	100	CARDENAS
	1800	100	CARDENAS
	1900	93	CARDENAS
	2000	93	CARDENAS
	2100	93	CARDENAS
	2200	88	CARDENAS
	2300	85	CARDENAS
	2400	82	CARDENAS

Date	Time	Temp.	Printed name
AUGUST	0100	80	CARDENAS
	0200	78	CARDENAS
	0300	78	CARDENAS
	0400	76	CARDENAS
	0500	76	CARDENAS
	0600	78	Dever
	0700	79	Dever
	0800	84	Dever
	0900	88	Dever
	1000	93	Dever
	1100	98	Dever
	1200	100	Dever
	1300	104	Dever
	1400	108	CARDENAS
	1500	112	CARDENAS
	1600	114	CARDENAS
	1700	114	CARDENAS
	1800	113	CARDENAS
	1900	110	CARDENAS
	2000	105	CARDENAS
	2100	95	CARDENAS
	2200	95	CARDENAS
	2300	69	CARDENAS
	2400	88	CARDENAS

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
2 A U G U S T	0100	85	CADENAS
	0200	84	CADENAS
	0300	82	CADENAS
	0400	80	CADENAS
	0500	79	CADENAS
	0600	78	Zeyer
	0700	79	Zeyer
	0800	86	Zeyer
	0900	90	Zeyer
	1000	95	Zeyer
	1100	103	Zeyer
	1200	106	Zeyer
	1300	109	Zeyer
	1400	107	Gaskill
	1500	107	Gaskill
	1600	107	Gaskill
	1700	105	Gaskill
	1800	102	Gaskill
	1900	98	Gaskill
	2000	94	Gaskill
	2100	93	Gaskill
	2200	92	Gaskill
	2300	90	Gaskill
	2400	88	Gaskill

Date	Time	Temp.	Printed name
2 A U G U S T	0100	85	Gaskill
	0200	84	Gaskill
	0300	84	Gaskill
	0400	83	Gaskill
	0500	82	Gaskill
	0600	81	Zeyer
	0700	82	Zeyer
	0800	87	Zeyer
	0900	90	Zeyer
	1000	99	Zeyer
	1100	106	Zeyer
	1200	108	Zeyer
	1300	109	Zeyer
	1400	108	Gaskill
	1500	108	Gaskill
	1600	108	Gaskill
	1700	108	Gaskill
	1800	106	Gaskill
	1900	97	Gaskill
	2000	96	Gaskill
	2100	95	Gaskill
	2200	96	J. Breeze
	2300	94	J. Breeze
	2400	92	J. Breeze

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
2 9  A U G U S  T  2 0 2 4	0100	92	J. Breeze
	0200	87	J. Breeze
	0300	88	J. Breeze
	0400	88	J. Breeze
	0500	87	J. Breeze
	0600	87	Alexis
	0700	87	Splena
	0800	91	Splena
	0900	95	Alexis
	1000	99	Alexis
	1100	103	Alexis
	1200	105	Alexis
	1300	107	Alexis
	1400	106	M. porras
	1500	106	M. porras
	1600	106	M. porras
	1700	106	M. porras
	1800	105	M. porras
	1900	103	M. porras
	2000	99	M. porras
	2100	97	M. porras
	2200	93	J. Breeze
	2300	93	J. Breeze
	2400	90	J. Breeze

Date	Time	Temp.	Printed name
3 0  A U G U S  T  2 0 2 4	0100	91	J. Breeze
	0200	88	J. Breeze
	0300	86	J. Breeze
	0400	85	J. Breeze
	0500	83	J. Breeze
	0600	84	J. Breeze
	0700	87	J. Breeze
	0800	90	J. Breeze
	0900	96	J. Breeze
	1000	100	J. Breeze
	1100	106	J. Breeze
	1200	108	J. Breeze
	1300	110	J. Breeze
	1400	111	WARRIOR
	1500	109	WARRIOR
	1600	107	WARRIOR
	1700	107	WARRIOR
	1800	106	WARRIOR
	1900	103	WARRIOR
	2000	99	WARRIOR
	2100	99	WARRIOR
	2200	93	J. Breeze
	2300	93	J. Breeze
	2400	90	J. Breeze

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
A U G U S T	0100	90	J. Breeze
	0200	86	J. Breeze
	0300	85	J. Breeze
	0400	87	J. Breeze
	0500	84	J. Breeze
	0600	82	T Brown
	0700	94	T Brown
	0800	89	T Brown
	0900	96	T Brown
	1000	100	T Brown
	1100	109	T Brown
	1200	110	T Brown
	1300	111	T Brown
	1400	108	J. Breeze
2 0 2 4	1500	108	J. Breeze
	1600	108	J. Breeze
	1700	107	J. Breeze
	1800	103	J. Breeze
	1900	99	J. Breeze
	2000	99	J. Breeze
	2100	98	J. Breeze
	2200	97	J. Breeze
	2300	95	J. Breeze
	2400	94	J. Breeze

DISTRIBUTION: Original; Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

<b>Monday</b>			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

  

<b>Tuesday</b>			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

  

<b>Wednesday</b>			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

  

<b>Thursday</b>			
Date	Time	Temp.	Name (Print)
8/1/24	0300	76	R. Cheland
	0600	76	H. Pelays
	0900	76	H. Pelays
	1200	76	H. Pelays
	1500	75	
	1800	75	T. Peckas
	2100	75	T. Peckas
	2400	76	R. Cheland

  

<b>Saturday</b>			
Date	Time	Temp.	Name (Print)
8/3/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	76	R. Henderson
	1200	76	R. Henderson
	1500	76	Spears
	1800	76	Spears
	2100	76	Spears
	2400	76	N. Smith

  

<b>Sunday</b>			
Date	Time	Temp.	Name (Print)
8/4/24	0300	76	N. Smith
	0600	76	N. Smith
	0900	76	T. Conklin
	1200	76	T. Conklin
	1500	76	Spears
	1800	76	Spears
	2100	76	Spears
	2400	76	N. Smith

**Notes**

---

---

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5/24	0300	76	N. Smith
	0600	76	N. Smith
	0900	76	T. Miller
	1200	77	T. Miller
	1500	77	W. Keller
	1800	77	W. Keller
	2100	77	W. Keller
	2400	76	B. Bonals

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/24	0300	77	B. Bonals
	0600	76	H. Relays
	0900	76	H. Relays
	1200	77	H. Relays
	1500	77	J. Mayfield
	1800	78	J. Mayfield
	2100	76	J. Mayfield
	2400	75	B. Bonals

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/24	0300	75	P. Davis
	0600	75	H. Relays
	0900	74	H. Relays
	1200	74	H. Relays
	1500	77	A. Monge
	1800	77	A. Monge
	2100	76	A. Monge
	2400	75	R. Cherland

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/24	0300	75	R. Cherland
	0600	75	H. Relays
	0900	75	H. Relays
	1200	75	H. Relays
	1500	76	T. Penkals
	1800	76	T. Penkals
	2100	76	T. Penkals
	2400	75	R. Cherland

**Friday**

Date	Time	Temp.	Name (Print)
8/9/24	0300	75	R. Cherland
	0600	75	R. Cherland
	0900	75	R. Henderson
	1200	76	R. Henderson
	1500	76	T. Penkals
	1800	76	T. Penkals
	2100	76	T. Penkals
	2400	75	F. Tornetta

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	76	C. Casarez
	1200	76	C. Casarez
	1500	77	Spears
	1800	77	Spears
	2100	78	Spears
	2400	79	N. Smith

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	76	N. Smith
	0600	76	N. Smith
	0900	76	T. Conklin
	1200	76	T. Conklin
	1500	76	Spears
	1800	76	Spears
	2100	76	Spears
	2400	76	N. Smith

**Notes**

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday			
Date	Time	Temp.	Name (Print)
8/12/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	76	R. Miller
	1200	76	R. Miller
	1500	76	R. Miller
	1800	76	R. Miller
	2100	76	R. Miller
	2400	76	R. Barb

Wednesday

Date	Time	Temp.	Name (Print)
1/24	0300	75	B. Ward
1/24	0600	75	H. Relays
1/24	0900	75	H. Relays
1/24	1200	76	H. Relays
1/24	1500	71	Nicolas
1/24	1800	74	Nicolas
1/24	2100	76	Nicolas
1/24	2400	75	LAMEROS

**Friday**

Friday		Date	Time	Temp.	Name (Print)
12/11/03			0300	75	F. Landers
			0600	75	F. Landers
			0900	76	H. S. Davis
			1200	76	H. S. Davis
			1500	76	H. S. Davis
			1800	76	T. Peckars
			2100	76	T. Peckars
			2400	76	T. Peckars
					Concluding

Sunday

Sunday		Date	Time	Temp.	Name (Print)
8/10/24			0300	76	N. Smith
			0600	76	N. Smith
			0900	76	G. (Audience)
			1200	76	G. (Audience)
			1500	76	Spears
			1800	76	Spears
			2100	76	Spears
			2400	76	N. Smith

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	75	B. B. & B.
	0600	75	H. Relay
	0900	76	H. Relay
	1200	76	H. Relay
	1500	76	J MAYFIELD
	1800	76	J MAYFIELD
	2100	76	J MAYFIELD
	2400	75	B. B. & B.

Thursday

Date	Time	Temp.	Name (Print)
1/21/81	0300	75	LANDEROS
	0600	75	Zuñiga
	0900	75	Zuniga
	1200	76	F. L. L. E. R. O. S.
	1500	76	T. PEAKERS
	1800	76	T. PEAKERS
	2100	76	F. PEAKERS
	2400	75	F. LANDEROS

## Saturday

Date	Time	Temp.	Name (Print)
8/17/21	0300	76	Conrad
	0600	76	R. Henderson
	0900	76	R. Henderson
	1200	76	R. Henderson
	1500	76	Spears
	1800	77	Spears
	2100	76	Spears
	2400	76	N. Smith

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

(P11)  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP      Housing Unit: A3      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/24	0300	76	N. Smith
	0600	75	N. Smith
	0900	76	R. Miller
	1200	76	R. Miller
	1500	77	R. Miller
	1800	77	R. Miller
	2100	76	R. Miller
	2400	77	B. Banks

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/24	0300	77	B. Banks
	0600	75	H. Relays
	0900	76	H. Relays
	1200	76	H. Relays
	1500	76	J. Mayfield
	1800	77	J. Mayfield
	2100	77	J. Mayfield
	2400	78	B. Banks

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/24	0300	76	B. Banks
	0600	78	H. Relays
	0900	78	H. Relays
	1200	78	H. Relays
	1500	76	M. and M.
	1800	77	M. and M.
	2100	76	M. and M.
	2400	76	R. Cherland

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/24	0300	76	R. Cherland
	0600	76	R. Cherland
	0900	76	H. Relays
	1200	76	H. Relays
	1500	76	T. Perkins
	1800	75	T. Perkins
	2100	76	T. Perkins
	2400	75	R. Cherland

**Friday**

Date	Time	Temp.	Name (Print)
8/23/24	0300	75	R. Cherland
	0600	75	H. Relays
	0900	78	H. Relays
	1200	78	C. H. Tuna
	1500	76	T. Perkins
	1800	77	T. Perkins
	2100	76	T. Perkins
	2400	75	N. Smith

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	75	R. Henderson
	1200	76	R. Henderson
	1500	76	Spears
	1800	76	Spears
	2100	75	Spears
	2400	75	N. Smith

**Sunday**

Date	Time	Temp.	Name (Print)
8/25/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	75	T. Conklin
	1200	75	T. Conklin
	1500	75	Spears
	1800	75	Spears
	2100	75	Spears
	2400	75	N. Smith

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	75	R. Miller
	1200	76	R. Miller
	1500	76	R. Miller
	1800	76	R. Miller
	2100	75	R. Miller
	2400	75	B. Bond

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/24	0300	75	B. Bond
	0600	75	H. Relays
	0900	75	H. Relays
	1200	76	H. Relays
	1500	77	J. Mayfield
	1800	76	J. Mayfield
	2100	75	J. Mayfield
	2400	75	B. Bond

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/24	0300	75	B. Bond
	0600	75	H. Relays
	0900	75	H. Relays
	1200	76	H. Relays
	1500	76	Nicola
	1800	74	Nicola
	2100	75	Nicola
	2400	75	R. Cherland

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/24	0300	75	B. Cherland
	0600	75	C. Lucas
	0900	76	H. Relays
	1200	76	H. Relays
	1500	76	T. Peake
	1800	77	T. Peake
	2100	76	T. Peake
	2400	75	R. Cherland

**Friday**

Date	Time	Temp.	Name (Print)
8/30/24	0300	75	R. Cherland
	0600	75	H. Relays
	0900	76	H. Relays
	1200	76	H. Relays
	1500	76	M. Pe
	1800	76	Pe
	2100	76	Pe
	2400	75	N. Smith

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/24	0300	75	N. Smith
	0600	76	N. Smith
	0900	75	Comeaux
	1200	76	Comeaux
	1500	76	Spears
	1800	76	Spears
	2100	76	Spears
	2400	75	N. Smith

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REVENGE 2018

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution ISP Housing Unit: A-5 Temp. Reading Location: DAY Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5510 when the inside air temperature reaches 90 degrees and again at 85 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	72	C. REHMONS
	0600	72	T. Penton
	0900	72	T. Penton
	1200	72	T. Penton
	1500	72	Templer
	1800	72	Templer
	2100	71	Templer
	2400	71	Vargas

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	71	Tellez
	0600	71	P. mola
	0900	72	P. mola
	1200	72	P. mola
	1500	72	Onaghinor
	1800	72	Onaghinor
	2100	71	Onaghinor
	2400	71	ESCALBAR

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	73	GACZA
	0600	71	T. Penton
	0900	72	T. Penton
	1200	72	T. Penton
	1500	71	Templer
	1800	71	Templer
	2100	71	Templer
	2400	71	C. REHMONS

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	71	Vargas
	0600	73	D. Roldan
	0900	71	D. mola
	1200	71	D. mola
	1500	72	Onaghinor
	1800	72	Onaghinor
	2100	71	Onaghinor
	2400	70	Tellez

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (64-18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution ISP Housing Unit A5 Temp. Reading Location Day Room  
*(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)*

Immediately notify the Watch Commander at extension 4321/5514 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1	0300	71	ESCOBAR
5/5	0600	73	Beasley
5/5	0800	71	Beasley
5/24	1200	71	Beasley
5/24	1500	73	Templer
5/24	1800	73	Templer
5/24	2100	73	Templer
5/24	2400	72	ESCOBAR

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	71	ESCOBAR
8/6	0600	72	Rincon, S
8/6	0900	72	Rincon, S
8/24	1200	72	Rincon, S
8/24	1500	74	Templer
8/24	1800	73	Templer
8/24	2100	73	Templer
8/24	2400	73	ESCOBAR

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	71	ESCOBAR
8/7	0600	74	Beasley
8/7	0900	74	Beasley
8/7	1200	73	Beasley
8/7	1500	73	Zarreta
8/7	1800	73	Zarreta
8/7	2100	72	R. Zarreta
8/7	2400	72	ESCOBAR

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	72	ESCOBAR
8/8	0600	72	T. Pencaas
8/8	0900	72	T. Pencaas
8/8	1200	72	T. Pencaas
8/8	1500	73	Templer
8/8	1800	72	Templer
8/8	2100	74	Templer
8/8	2400	72	C. RICHARDSON

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	72	C. RICHARDSON
8/9	0600	73	T. Pencaas
8/9	0900	73	T. Pencaas
8/9	1200	73	T. Pencaas
8/9	1500	72	Templer
8/9	1800	71	Templer
8/9	2100	71	Templer
8/9	2400	71	Vargas

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	72	Vargas
8/10/24	0600	72	P. molar
8/10/24	0900	73	P. molar
8/10/24	1200	73	P. molar
8/10/24	1500	73	Onaghmian
8/10/24	1800	79	Onaghmian
8/10/24	2100	81	Onaghmian
8/10/24	2400	73	T. ESCOBAR

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	75	D. Camillo
8/11	0600	73	D. molar
8/11	0900	79	D. molar
8/11	1200	71	D. molar
8/11	1500	72	Onaghmian
8/11	1800	73	Onaghmian
8/11	2100	73	Onaghmian
8/11	2400	72	Onaghmian

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution SP Housing Unit A5 Temp. Reading Location Day Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1	0300	74	B. COBAR
12/1	0600	74	D. molar
12/1	0900	74	D. molar
12/1	1200	75	D. molar
12/1	1500	72	S. Sanchez
12/1	1800	72	S. Sanchez
24/1	2100	72	S. Sanchez
24/1	2400	72	I. ESCOBAR

Wednesday

Date	Time	Temp.	Name (Print)
8/1	0300	73	I. ESCOBAR
14/1	0600	74	Beasley
14/1	0900	71	Beasley
14/1	1200	71	Beasley
14/1	1500	72	Templer
14/1	1800	72	Templer
24/1	2100	72	Templer
24/1	2400	72	I. ESCOBAR

Friday

Date	Time	Temp.	Name (Print)
8/1	0300	72	J. Garcia
12/1	0600	72	T. Perkins
12/1	0900	72	T. Perkins
12/1	1200	72	T. Perkins
12/1	1500	72	Templer
12/1	1800	72	Templer
24/1	2100	72	Templer
24/1	2400	71	J. Garcia

Sunday

Date	Time	Temp.	Name (Print)
8/1	0300	72	J. Garcia
18/1	0600	73	J. Garcia
18/1	0900	73	D. molar
18/1	1200	79	D. molar
18/1	1500	73	Onaghmian
18/1	1800	73	Onaghmian
24/1	2100	72	D. corillo
24/1	2400	71	D. corillo

Tuesday

Date	Time	Temp.	Name (Print)
8/1	0300	73	I. ESCOBAR
13/1	0600	73	Beasley
13/1	0900	72	Beasley
13/1	1200	72	Beasley
13/1	1500	72	A. MARROQUIN
13/1	1800	72	A. MARROQUIN
24/1	2100	71	A. MARROQUIN
24/1	2400	72	I. ESCOBAR

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	73	I. ESCOBAR
15/1	0600	74	T. Perkins
15/1	0900	71	T. Perkins
15/1	1200	71	T. Perkins
15/1	1500	72	K. Hicks
15/1	1800	71	K. Hicks
24/1	2100	71	K. Hicks
24/1	2400	71	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
8/1	0300	71	J. Garcia
17/1	0600	71	D. molar
17/1	0900	72	D. molar
17/1	1200	73	P. molar
17/1	1500	73	Onaghmian
17/1	1800	72	Onaghmian
24/1	2100	71	Onaghmian
24/1	2400	72	Onaghmian

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL FACILITIES

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A-5 Corrct Temp. Reading Location: Day Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 1321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	71	Acciello
1/19	0600	72	D. molan
1/19	0900	72	D. molan
1/19	1200	73	D. molan
1/19	1500	73	A. Temple
1/19	1800	72	A. Temple
1/19	2100	72	A. Temple
1/19	2400	72	STAVISKY

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	73	ESCORBAK
1/21	0600	73	Basley
1/21	0900	74	Basley
1/21	1200	74	Basley
1/21	1500	74	Templer
1/21	1800	74	Templer
1/21	2100	74	Templer
1/21	2400	71	ESCRBAK

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	73	C. BACHMAN
1/24	0600	74	J. Penkas
1/24	0900	71	J. Penkas
1/24	1200	71	J. Penkas
1/24	1500	71	Templer
1/24	1800	71	Templer
1/24	2100	72	Templer
1/24	2400	72	Templer

Sunday

Date	Time	Temp.	Name (Print)
8/26	0300	73	D. Camillo
1/26	0600	79	D. molan
1/26	0900	78	D. molan
1/26	1200	76	D. molan
1/26	1500	71	Onggihno
1/26	1800	71	Onggihno
1/26	2100	73	Onggihno
1/26	2400	73	ESCRBAK

Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300	73	STAVISKY
1/24	0600	73	Basley
1/24	0900	71	Basley
1/24	1200	73	Basley
1/24	1500	73	Templer
1/24	1800	72	Templer
1/24	2100	72	Templer
1/24	2400	72	ESCRBAK

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	71	J. Escobar
1/22	0600	73	J. Peckars
1/22	0900	73	J. Peckars
1/22	1200	73	J. Peckars
1/22	1500	73	Templer
1/22	1800	71	Templer
1/22	2100	71	Templer
1/22	2400	72	C. BACHMAN

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	74	J. Escobar
1/24	0600	74	J. Escobar
1/24	0900	75	D. molan
1/24	1200	75	D. molan
1/24	1500	71	Onggihno
1/24	1800	71	Onggihno
1/24	2100	73	Onggihno
1/24	2400	73	Onggihno

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND RECLAMATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer in the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution ISP Housing Unit A-5 corridor Temp. Reading Location: Day room

10 g, 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, A-5

Immediately notify the Watch Commander at extension 4321/5510 when the inside air temperature reaches 99 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	74	ESCORBAR
8/1	0600	74	D. molina
	0900	74	D. molina
	1200	74	Dinola
26/	1500	77	Templer
	1800	77	Templer
	2100	73	Templer
24/	2400	73	ESCORBAR

Tuesday

Date	Time	Temp.	Name (Print)
	0300	73	ESCORBAR
8/1	0600	74	Beasley
	0900	73	Beasley
	1200	71	Beasley
27/	1500	73	Templer
	1800	73	Templer
	2100	73	Templer
24/	2400	73	ESCORBAR

Wednesday

Date	Time	Temp.	Name (Print)
8/1	0300	74	ESCORBAR
	0600	72	Beasley
	0900	72	Beasley
	1200	71	Beasley
28/	1500	71	Templer
	1800	71	Templer
	2100	71	Templer
24/	2400	71	Templer

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	73	Cecil
	0600	73	Cecil
	0900	73	J. Palkas
	1200	71	J. Palkas
29/	1500	73	Templer
	1800	73	Templer
	2100	73	Templer
24/	2400	74	Robin

Friday

Date	Time	Temp.	Name (Print)
8/1	0300	73	Rubio
	0600	74	Rubio
	0900	74	J. Palkas
	1200	72	J. Palkas
30/	1500	71	Templer
	1800	71	Templer
	2100	71	Templer
24/	2400	72	J. Vargas

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	73	J. Vargas
	0600	73	D. molina
	0900	74	D. molina
	1200	74	D. molina
	1500	71	Onaghinor
	1800	71	Onaghinor
	2100	71	Onaghinor
	2400	71	Herrera

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	73	Herrera
	0600	74	Herrera
	0900	73	D. molina
	1200	74	D. molina
	1500	71	Onaghinor
	1800	71	Onaghinor
	2100	71	Onaghinor
	2400	71	Onaghinor

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	73	N. Miller
8/1/24	0600	73	L. Trujillo
	0900	74	L. Trujillo
	1200	74	L. Trujillo
	1500	75	L. Trujillo
	1800	75	L. Trujillo
	2100	73	L. Trujillo
	2400	73	N. Miller

**Friday**

Date	Time	Temp.	Name (Print)
8/24	0300	73	N. Miller
	0600	72	L. Trujillo
	0900	74	L. Trujillo
	1200	74	L. Trujillo
	1500	79	grey
	1800	79	grey
	2100	74	grey
	2400	73	N. Miller

**Saturday**

Date	Time	Temp.	Name (Print)
8/3/24	0300	73	N. Miller
	0600	79	grey
	0900	77	grey
	1200	74	grey
	1500	75	grey
	1800	79	grey
	2100	75	grey
	2400	72	chang

**Sunday**

Date	Time	Temp.	Name (Print)
8/4/24	0300	72	chang
	0600	73	grey
	0900	74	grey
	1200	74	grey
	1500	74	grey
	1800	75	grey
	2100	74	grey
	2400	73	chang

**Notes**

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/15	0300	73	chang
	0600	73	chang
	0900	74	L.Taylor
	1200	75	L.Taylor
	1500	74	L.Taylor
	1800	74	L.Taylor
8/16	2100	73	L.Taylor
	2400	73	M.Garcia

**Tuesday**

Date	Time	Temp.	Name (Print)
8/16	0300	73	MEJA
	0600	73	MEJA
	0900	74	RELOS
	1200	74	RELOS
	1500	74	PARAJARE
	1800	74	PARAJARE
8/17	2100	73	PARAJARE
	2400	73	MICHAEL

**Wednesday**

Date	Time	Temp.	Name (Print)
8/17	0300	73	MICHAEL
	0600	72	A.MARROQUIN
	0900	74	A.MARROQUIN
	1200	73	A.MARROQUIN
	1500	75	J.Acosta
	1800	74	J.Acosta
8/18	2100	72	J.Acosta
	2400	74	N.HILLER

**Thursday**

Date	Time	Temp.	Name (Print)
8/18	0300	74	N.HILLER
	0600	73	L.Taylor
	0900	73	L.Taylor
	1200	74	L.Taylor
	1500	75	L.Taylor
	1800	73	L.Taylor
8/19	2100	74	L.Taylor
	2400	74	MICHAEL

**Friday**

Date	Time	Temp.	Name (Print)
8/19	0300	74	M.Miles
	0600	74	L.Taylor
	0900	73	L.Taylor
	1200	73	L.Taylor
	1500	74	Grey
	1800	77	Grey
8/20	2100	74	Grey
	2400	73	D.Ramos

**Saturday**

Date	Time	Temp.	Name (Print)
8/20	0300	72	D.Ramos
	0600	73	Grey
	0900	74	Grey
	1200	75	Grey
	1500	75	Grey
	1800	81	Grey
8/21	2100	78	Grey
	2400	78	chang

**Sunday**

Date	Time	Temp.	Name (Print)
8/21	0300	74	chang
	0600	74	Grey
	0900	74	Grey
	1200	78	Grey
	1500	78	Grey
	1800	77	Grey
	2100	76	Grey
	2400	75	chang

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	74	Chang
	0600	75	Chang
	0900	75	L. Trujillo
	1200	76	L. Trujillo
	1500	75	L. Trujillo
	1800	74	L. Trujillo
8/24	2100	72	L. Trujillo
	2400	72	E. Brisco

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	74	E. Brisco
	0600	74	RIOS
	0900	74	RIOS
	1200	74	RIOS
	1500	74	PARAMORE
	1800	75	PARAMORE
8/24	2100	72	PARAMORE
	2400	74	E. Brisco

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	74	E. Brisco
	0600	74	A. MARROQUIN
	0900	74	A. MARROQUIN
	1200	75	A. MARROQUIN
	1500	74	J. Acosta
	1800	74	J. Acosta
8/24	2100	74	J. Acosta
	2400	74	E. Brisco

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	74	E. Brisco
	0600	72	E. Brisco
	0900	74	E. Brisco
	1200	74	E. Brisco
	1500	74	LANDEROS
	1800	75	LANDEROS
8/24	2100	74	LANDEROS
	2400	74	E. Brisco

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	74	E. Brisco
	0600	72	M. Gray
	0900	73	M. Gray
	1200	73	M. Gray
	1500	74	Gray
	1800	74	Gray
8/24	2100	73	Gray
	2400	74	D. Ramos

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	74	D. Ramos
	0600	74	Gray
	0900	74	Gray
	1200	74	Gray
	1500	74	Gray
	1800	74	Gray
	2100	73	Gray
	2400	74	Chang

Notes

Date	Time	Temp.	Name (Print)
8/18	0300	74	D. Ramos
	0600	73	Gray
	0900	74	Gray
	1200	74	Gray
	1500	74	Gray
	1800	74	Gray
8/24	2100	73	Gray
	2400	72	Chang

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3

Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5514 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	72	Chang
	0600	72	Chang
	0900	73	L.Tinajero
	1200	73	L.Tinajero
	1500	75	L.Tinajero
	1800	74	L.Tinajero
	2100	74	L.Tinajero
	2400	75	Mexico

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	74	NEKA
	0600	72	PIOS
	0900	74	PIOS
	1200	73	PIOS
	1500	74	PARAMORE
	1800	74	PARAMORE
	2100	74	PARAMORE
	2400	74	MEXICO

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	74	MEXICO
	0600	73	A.MARROQUIN
	0900	74	A.MARROQUIN
	1200	74	A.MARROQUIN
	1500	75	JACOSTA
	1800	73	JACOSTA
	2100	73	JACOSTA
	2400	73	MILLER

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	72	N.MILLER
	0600	72	L.Tinajero
	0900	74	L.Tinajero
	1200	74	L.Tinajero
	1500	74	L.Tinajero
	1800	74	L.Tinajero
	2100	74	L.Tinajero
	2400	74	MILLER

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	73	N.MILLER
	0600	73	L.Tinajero
	0900	73	L.Tinajero
	1200	74	L.Tinajero
	1500	76	Grey
	1800	75	Grey
	2100	78	Grey
	2400	73	N.MILLER

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	73	N.MILLER
	0600	73	Grey
	0900	74	Grey
	1200	74	Grey
	1500	74	Grey
	1800	73	Grey
	2100	72	Grey
	2400	74	Chang

**Notes**

Date	Time	Temp.	Name (Print)
8/25	0300	73	Chang
	0600	73	Grey
	0900	74	Grey
	1200	74	Grey
	1500	73	Grey
	1800	74	Grey
	2100	78	Grey
	2400	73	Chang

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	73	Cheng
	0600	72	Cheng
	0900	73	L. Taylor
	1200	73	L. Taylor
	1500	73	L. Taylor
	1800	74	L. Taylor
	2100	74	L. Taylor
	2400	74	M. Miller

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	73	M. Miller
	0600	72	9103
	0900	73	9103
	1200	74	9103
	1500	74	Paramore
	1800	75	Paramore
	2100	73	Paramore
	2400	74	M. Miller

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	73	M. Miller
	0600	72	A. Marroquin
	0900	73	A. Marroquin
	1200	73	A. Marroquin
	1500	76	J. Acosta
	1800	72	J. Acosta
	2100	74	J. Acosta
	2400	74	N. Miller

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	74	N. Miller
	0600	72	L. Taylor
	0900	73	L. Taylor
	1200	74	L. Taylor
	1500	73	L. Taylor
	1800	72	L. Taylor
	2100	74	L. Taylor
	2400	74	N. Miller

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	73	N. Miller
	0600	73	Grey
	0900	74	Grey
	1200	74	Grey
	1500	74	Grey
	1800	73	Grey
	2100	73	Grey
	2400	73	N. Miller

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	74	N. Miller
	0600	73	Grey
	0900	73	Grey
	1200	74	Grey
	1500	74	Grey
	1800	74	Grey
	2100	74	Grey
	2400	74	Cheng

Notes

Date	Time	Temp.	Name (Print)
9/1	0300	74	Cheng
	0600	73	Cheng
	0900	74	Grey
	1200	74	Grey
	1500	75	Grey
	1800	75	Grey
	2100	74	Grey
	2400	74	Cheng

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/15	0300	73	J. HARO
	0600	73	J. HARO
21	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/21	0300	72	M. WILSON
	0600	71	M. WILSON
24	0900	71	M. WILSON
	1200	72	M. WILSON
	1500	73	E. JENKINS JR
	1800	73	E. JENKINS JR
	2100	73	E. JENKINS JR
	2400	71	J. RAYAGAN

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	72	J. RAYAGAN
	0600	71	J. RAYAGAN
	0900	75	A. ANAMA
	1200	75	A. ANAMA
	1500	73	E. JENKINS JR
	1800	73	E. JENKINS JR
	2100	74	E. JENKINS JR
	2400	74	A. VALDIVIA

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	76	J. HARRIS
24	0600	70	D. DORAM
	0900	71	D. DORAM
	1200	71	D. DORAM
	1500	71	D. DORAM
	1800	71	D. DORAM
	2100	71	D. DORAM
	2400	70	W. WATSON

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	70	J. FARRAGAN
	0600	71	J. FARRAGAN
	0900	73	O. WILSON
	1200	73	O. WILSON
	1500	74	E. JENKINS JR
	1800	73	E. JENKINS JR
24	2100	73	E. JENKINS JR
	2400	73	J. FARRAGAN

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JSP Housing Unit: D3 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	73	A. VASQUEZ
	0600	73	D. Doreme
	0900	73	D. Doreme
	1200	74	P. Scotti
	1500	74	G. Martinez
	1800	74	G. Martinez
	2100	73	G. Martinez
	2400	73	Taylor

Wednesday

Date	Time	Temp.	Name (Print)
8/7 24	0300	74	JOSLN
	0600	77	D. Doreme
	0900	74	D. Doreme
	1200	74	D. Doreme
	1500	75	J. Infante
	1800	75	J. Infante
	2100	74	J. Infante
	2400	73	Joslin

Friday

Date	Time	Temp.	Name (Print)
8/9 24	0300	73	JOSLN
	0600	73	M. Hinojosa
	0900	73	M. Hinojosa
	1200	73	M. Hinojosa
	1500	74	SILVA
	1800	74	SILVA
	2100	74	SILVA
	2400	74	SILVA

Sunday

Date	Time	Temp.	Name (Print)
8/11 24	0300	73	I. KARRAGAN
	0600	73	I. KARRAGAN
	0900	74	A. ANAYA
	1200	75	A. ANAYA
	1500	75	E. JENKINS JR
	1800	75	E. JENKINS JR
	2100	75	E. JENKINS JR
	2400	75	T. Joslin

Tuesday

Date	Time	Temp.	Name (Print)
8/8 24	0300	73	Temple
	0600	73	D. Doreme
	0900	74	D. Doreme
	1200	74	D. Doreme
	1500	74	J. Infante
	1800	74	J. Infante
	2100	73	S. Mendoza
	2400	73	Joslin

Thursday

Date	Time	Temp.	Name (Print)
8/8 24	0300	73	Joslin
	0600	74	D. Doreme
	0900	73	D. Doreme
	1200	73	D. Sosa
	1500	73	D. Sosa
	1800	73	D. Torrey
	2100	73	D. Torrey
	2400	73	Joslin

Saturday

Date	Time	Temp.	Name (Print)
8/10 24	0300	73	B. GREGORY
	0600	73	B. GREGORY
	0900	74	D. DUROR
	1200	74	D. DUROR
	1500	75	A. ANAYA
	1800	78	C. CARDENAS
	2100	79	C. CARDENAS
	2400	78	J. LAFRAZAN

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DSI

Housing Unit: 03

Temp. Reading Location: 2nd Lvl

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/12	0300	74	T. Joslin
12	0600	74	D. Murray
	0900	74	D. Murray
24	1200	74	D. Murray
	1500	73	E. Jenkins Jr.
	1800	73	E. Jenkins Jr.
	2100	74	E. Jenkins Jr.
	2400	74	E. Jenkins Jr.

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	73	J. Joslin
24	0600	72	D. Daram
	0900	71	D. Daram
	1200	72	D. Daram
	1500	72	J. Hernandez
	1800	73	J. Hernandez
	2100	73	J. Hernandez
	2400	74	J. Hernandez

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	72	T. Joslin
24	0600	72	J. Rivera
	0900	73	J. Rivera
	1200	73	J. Rivera
	1500	74	E. Jenkins Jr.
	1800	75	E. Jenkins Jr.
	2100	74	E. Jenkins Jr.
	2400	74	T. Joslin

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	74	J. Daram
24	0600	74	J. Daram
	0900	75	A. Anaya
	1200	76	A. Anaya
	1500	76	E. Jenkins Jr.
	1800	77	E. Jenkins Jr.
	2100	77	E. Jenkins Jr.
	2400	76	T. Joslin

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	73	T. Joslin
	0600	73	D. Daram
	0900	73	D. Daram
	1200	73	D. Daram
	1500	74	E. Jenkins Jr.
	1800	73	E. Jenkins Jr.
	2100	73	E. Jenkins Jr.
	2400	73	E. Jenkins Jr.

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	71	T. Joslin
2024	0600	72	D. Daram
	0900	72	D. Daram
	1200	73	D. Daram
	1500	73	D. Daram
	1800	73	D. Daram
	2100	73	D. Daram
	2400	72	T. Joslin

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	73	J. Garcia
24	0600	73	J. Garcia
	0900	74	J. Rivera
	1200	76	J. Rivera
	1500	76	E. Jenkins Jr.
	1800	76	E. Jenkins Jr.
	2100	76	E. Jenkins Jr.
	2400	75	J. Garcia

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D3 Temp. Reading Location: 2<sup>ND</sup> TIER.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19 2024	0300	75	T. Joslin
	0600	74	T. Joslin
	0900	76	A. Martinez
	1200	76	A. Martinez
	1500	77	E. Jenkins Jr.
	1800	77	E. Jenkins Jr.
	2100	77	E. Jenkins Jr.
	2400	74	T. Joslin

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20 2024	0300	74	T. Joslin
	0600	74	T. Joslin
	0900	76	D. Doreme
	1200	77	D. Doreme
	1500	77	J. Infante E. Jenkins Jr.
	1800	78	E. Jenkins Jr.
	2100	78	E. Jenkins Jr.
	2400	74	T. Joslin

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21 2024	0300	76	T. Joslin
	0600	76	T. Joslin
	0900	77	D. Doreme
	1200	77	D. Doreme
	1500	74	J. Infante
	1800	74	J. Infante
	2100	73	J. Infante
	2400	73	J. Infante

**Thursday**

Date	Time	Temp.	Name (Print)
8/22 2024	0300	72	T. Joslin
	0600	71	T. Joslin
	0900	72	D. Doreme
	1200	72	D. Doreme
	1500	72	D. Tease
	1800	72	D. Tease
	2100	72	D. Tease
	2400	73	T. Joslin

**Friday**

Date	Time	Temp.	Name (Print)
8/23 2024	0300	70	T. Joslin
	0600	70	J. Dubon
	0900	70	J. Dubon
	1200	70	J. Dubon
	1500	70	E. Jenkins Jr.
	1800	70	E. Jenkins Jr.
	2100	70	E. Jenkins Jr.
	2400	73	T. Joslin

**Saturday**

Date	Time	Temp.	Name (Print)
8/24 2024	0300	72	J. Barragan
	0600	71	J. Barragan
	0900	69	O. Nunez
	1200	71	O. Nunez
	1500	70	E. Jenkins Jr.
	1800	69	E. Jenkins Jr.
	2100	69	E. Jenkins Jr.
	2400	73	J. Barragan

**Notes**

Date	Time	Temp.	Name (Print)
Aug 25 0 2 4	0300	72	J. Barragan
	0600	72	J. Barragan
	0900	71	A. Anaya
	1200	69	A. Anaya
	1500	69	E. Jenkins Jr.
	1800	69	E. Jenkins Jr.
	2100	69	E. Jenkins Jr.
	2400	69	T. Joslin

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D7 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24/2024	0300	69	T. Joslin
	0600	71	D. Darami
	0900	68	D. Darami
	1200	69	D. Darami
	1500	69	E. Jenkins Jr.
	1800	69	E. Jenkins Jr.
	2100	69	E. Jenkins Jr.
	2400	69	Tengler

Wednesday

Date	Time	Temp.	Name (Print)
8/26/2024	0300	69	T. Joslin
	0600	69	D. Darami
	0900	69	D. Darami
	1200	69	D. Darami
	1500	69	J. Infante
	1800	69	J. Infante
	2100	69	J. Infante
	2400	69	T. Joslin

Friday

Date	Time	Temp.	Name (Print)
8/30/2024	0300	70	M. Quezon
	0600	70	D. Borden
	0900	69	D. Borden
	1200	70	D. Borden
	1500	70	E. Jenkins Jr.
	1800	70	E. Jenkins Jr.
	2100	70	E. Jenkins Jr.
	2400	70	J. Barragan

Sunday

Date	Time	Temp.	Name (Print)
9/1/2024	0300	70	J. Jackson
	0600	70	J. Jackson
	0900	71	A. Anama
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/27/2024	0300	69	T. Joslin
	0600	69	D. Darami
	0900	68	Gomez
	1200	69	Gomez
	1500	70	E. Jenkins Jr.
	1800	69	E. Jenkins Jr.
	2100	69	E. Jenkins Jr.
	2400	69	T. Joslin

Thursday

Date	Time	Temp.	Name (Print)
8/29/2024	0300	68	T. Joslin
	0600	69	D. Darami
	0900	69	D. Darami
	1200	69	D. Darami
	1500	70	D. Toeks
	1800	70	D. Toeks
	2100	70	M. Quezon
	2400	69	M. Quezon

Saturday

Date	Time	Temp.	Name (Print)
Aug 31/2024	0300	70	J. Barragan
	0600	71	J. Barragan
	0900	70	R. Garcia
	1200	70	R. Garcia
	1500	71	E. Jenkins Jr.
	1800	71	E. Jenkins Jr.
	2100	71	E. Jenkins Jr.
	2400	71	J. Barragan

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1st Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	70	RENNIE
7/29/2024	0600	70	RENNIE
7/29/2024	0900	67	CORDONA
7/29/2024	1200	64	CORDONA
7/29/2024	1500	66	CORDONA
7/29/2024	1800	64	CORDONA
7/29/2024	2100	67	CORDONA
7/29/2024	2400	66	Gaspard

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	0300	66	Gaspard
7/30/2024	0600	68	O.Sepeda
7/30/2024	0900	68	J.Hardin
7/30/2024	1200	66	J.Hardin
7/30/2024	1500	67	L.Gaspard
7/30/2024	1800	67	L.Gaspard
7/30/2024	2100	67	L.Gaspard
7/30/2024	2400	67	L.Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	67	L.Gaspard
7/31/2024	0600	68	O.Sepeda
7/31/2024	0900	69	O.Sepeda
7/31/2024	1200	67	J.Hardin
7/31/2024	1500	67	C.Wilson
7/31/2024	1800	67	C.Wilson
7/31/2024	2100	68	C.Wilson
7/31/2024	2400	67	O.Sepeda

Thursday

Date	Time	Temp.	Name (Print)
8/01/2024	0300	67	YONALIZ
8/01/2024	0600	67	YONALIZ
8/01/2024	0900	69	O.Sepeda
8/01/2024	1200	67	O.Sepeda
8/01/2024	1500	67	YONALIZ
8/01/2024	1800	67	YONALIZ
8/01/2024	2100	67	YONALIZ
8/01/2024	2400	67	YONALIZ

Friday

Date	Time	Temp.	Name (Print)
8/02/2024	0300	67	YONALIZ
8/02/2024	0600	67	YONALIZ
8/02/2024	0900	68	O.Sepeda
8/02/2024	1200	68	C.Wilson
8/02/2024	1500	68	C.Wilson
8/02/2024	1800	68	C.Wilson
8/02/2024	2100	67	C.Wilson
8/02/2024	2400	67	YONALIZ

Saturday

Date	Time	Temp.	Name (Print)
8/03/2024	0300	66	YONALIZ
8/03/2024	0600	66	YONALIZ
8/03/2024	0900	69	YONALIZ
8/03/2024	1200	69	YONALIZ
8/03/2024	1500	69	L.WARD
8/03/2024	1800	68	L.WARD
8/03/2024	2100	67	L.WARD
8/03/2024	2400	67	C.BEHMUND

Sunday

Date	Time	Temp.	Name (Print)
8/04/2024	0300	67	C.BEHMUND
8/04/2024	0600	68	L.Gaspard
8/04/2024	0900	68	L.Gaspard
8/04/2024	1200	69	L.Gaspard
8/04/2024	1500	68	L.Gaspard
8/04/2024	1800	68	L.Gaspard
8/04/2024	2100	67	L.Gaspard
8/04/2024	2400	67	M.WAY

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1<sup>ST</sup> Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08 — 05 —	0300	68	V. QUINONES
	0600	68	J. Hardin
	0900	68	J. Hardin
	1200	68	J. Hardin
05 — 2024	1500	68	L. Gaspard
	1800	67	L. Gaspard
	2100	67	L. Gaspard
	2400	67	L. Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
08 — 07 —	0300	68	L. Gaspard
	0600	68	J. Hardin
	0900	69	J. Hardin
	1200	68	J. Hardin
07 — 2024	1500	68	Gonzalez
	1800	67	Gonzalez
	2100	67	C. Wilson
	2400	68	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
08 — 09 —	0300	67	Gonzalez
	0600	67	Gonzalez
	0900	68	L. Gaspard
	1200	69	L. Gaspard
09 — 2024	1500	66	J. Jameson
	1800	69	J. Jameson
	2100	67	J. Jameson
	2400	68	Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
08 — 11 —	0300	67	C. B. Hyman
	0600	67	J. Hardin
	0900	69	A. Lopez
	1200	69	A. Lopez
11 — 2024	1500	69	D. Savage
	1800	68	D. Savage
	2100	67	V. Quinones
	2400	67	V. Quinones

Tuesday

Date	Time	Temp.	Name (Print)
08 — 06 —	0300	67	L. Gaspard
	0600	67	O. Sepeda
	0900	69	O. Sepeda
	1200	68	O. Sepeda
06 — 2024	1500	68	C. Wilson
	1800	68	L. Gaspard
	2100	67	L. Gaspard
	2400	67	L. Gaspard

Thursday

Date	Time	Temp.	Name (Print)
08 — 08 —	0300	68	Gonzalez
	0600	68	Gonzalez
	0900	69	O. Sepeda
	1200	67	O. Sepeda
08 — 2024	1500	67	Gonzalez
	1800	67	Gonzalez
	2100	67	C. Wilson
	2400	67	Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
08 — 10 —	0300	68	Gonzalez
	0600	68	Gonzalez
	0900	68	Gonzalez
	1200	70	O. Sepeda
10 — 2024	1500	69	R. Balcells
	1800	70	R. Balcells
	2100	71	M. Tavera
	2400	73	C. Lopez-Hammond

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1st Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08	0300	68	V. QUINONEZ
12	0600	70	V. QUINONEZ
12	0900	67	J. CORDOVA
2024	1200	68	J. CORDOVA
2024	1500	67	L. Gaspard
2024	1800	67	L. Gaspard
2024	2100	67	L. Gaspard
2024	2400	67	L. Gaspard

**Wednesday**

Date	Time	Temp.	Name (Print)
08	0300	68	L. Gaspard
14	0600	67	J. Hark
14	0900	68	J. Sepeda
2024	1200	69	J. Sepeda
2024	1500	69	GONZALEZ
2024	1800	67	GONZALEZ
2024	2100	68	GONZALEZ
2024	2400	68	GONZALEZ

**Friday**

Date	Time	Temp.	Name (Print)
08	0300	67	B. Flores
16	0600	67	O. Sepeda
16	0900	68	O. Sepeda
2024	1200	69	C. Williams
2024	1500	69	S. James
2024	1800	68	S. James
2024	2100	67	S. James
2024	2400	67	S. James

**Sunday**

Date	Time	Temp.	Name (Print)
08	0300	68	P. RODRIGUEZ
18	0600	68	L. Gaspard
18	0900	69	L. Gaspard
2024	1200	69	L. Gaspard
2024	1500	68	L. Gaspard
2024	1800	69	L. Gaspard
2024	2100	67	L. Gaspard
2024	2400	67	V. QUINONEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
08	0300	67	L. Gaspard
13	0600	67	J. M. Rodriguez
13	0900	67	J. M. Rodriguez
2024	1200	67	J. M. Rodriguez
2024	1500	68	L. Gaspard
2024	1800	67	L. Gaspard
2024	2100	67	L. Gaspard
2024	2400	67	L. Gaspard

**Thursday**

Date	Time	Temp.	Name (Print)
08	0300	69	GONZALEZ
15	0600	69	GONZALEZ
15	0900	67	J. Sepeda
2024	1200	69	J. Hark
2024	1500	70	GONZALEZ
2024	1800	68	GONZALEZ
2024	2100	67	GONZALEZ
2024	2400	69	B. Flores

**Saturday**

Date	Time	Temp.	Name (Print)
08	0300	67	GONZALEZ
17	0600	69	C. Williams
17	0900	69	C. Williams
2024	1200	68	S. James
2024	1500	69	P. Johnson
2024	1800	68	P. Johnson
2024	2100	67	P. Johnson
2024	2400	67	P. RODRIGUEZ

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1<sup>ST</sup> Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08	0300	67	J. Arevalo
19	0600	68	J. Cordova
	0900	69	J. Cordova
	1200	68	J. Cordova
	1500	69	L. Gaspard
	1800	68	L. Gaspard
2024	2100	67	L. Gaspard
	2400	67	L. Gaspard

**Wednesday**

Date	Time	Temp.	Name (Print)
08	0300	68	L. Gaspard
21	0600	68	O. Sepeda
	0900	70	O. Sepeda
	1200	68	O. Sepeda
	1500	68	O. Sepeda
	1800	67	O. Sepeda
2024	2100	67	O. Sepeda
	2400	67	O. Sepeda

**Friday**

Date	Time	Temp.	Name (Print)
08	0300	66	E. Chee
23	0600	67	C. Wilson
	0900	68	C. Wilson
	1200	68	C. Wilson
	1500	68	C. Wilson
	1800	67	C. Wilson
2024	2100	66	C. Wilson
	2400	64	C. Wilson

**Sunday**

Date	Time	Temp.	Name (Print)
08	0300	67	J. Arevalo
25	0600	67	J. Cordova
	0900	67	J. Cordova
	1200	67	J. Cordova
	1500	66	L. Ward
	1800	67	L. Ward
2024	2100	67	L. Ward
	2400	69	M. Wall

**Tuesday**

Date	Time	Temp.	Name (Print)
08	0300	67	L. Gaspard
	0600	68	O. Sepeda
20	0900	68	O. Sepeda
	1200	68	O. Sepeda
	1500	69	L. Gaspard
2024	1800	68	L. Gaspard
	2100	68	L. Gaspard
	2400	68	L. Gaspard

**Thursday**

Date	Time	Temp.	Name (Print)
08	0300	67	G. Montiel
22	0600	68	G. Montiel
	0900	68	L. Gaspard
	1200	68	L. Gaspard
	1500	68	G. Montiel
2024	1800	67	G. Montiel
	2100	68	G. Montiel
	2400	66	E. Chee

**Saturday**

Date	Time	Temp.	Name (Print)
08	0300	66	G. Montiel
24	0600	69	G. Montiel
	0900	68	O. Sepeda
	1200	68	O. Sepeda
	1500	68	L. Ward
2024	1800	67	L. Ward
	2100	66	L. Ward
	2400	67	C. Williams

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: 04U-Infirmary Temp. Reading Location: 1st Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2024	0300	67	M. Wall
8/26/2024	0600	68	Cordova
8/26/2024	0900	68	Cordova
8/26/2024	1200	67	Cordova
8/26/2024	1500	68	L. Gaspard
8/26/2024	1800	67	L. Gaspard
8/26/2024	2100	68	L. Gaspard
8/26/2024	2400	67	L. Gaspard

Tuesday

Date	Time	Temp.	Name (Print)
8/27/2024	0300	68	L. Gaspard
8/27/2024	0600	70	O. Sepeda
8/27/2024	0900	70	O. Sepeda
8/27/2024	1200	68	O. Sepeda
8/27/2024	1500	69	L. Gaspard
8/27/2024	1800	68	L. Gaspard
8/27/2024	2100	67	L. Gaspard
8/27/2024	2400	67	L. Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
8/28/2024	0300	67	L. Gaspard
8/28/2024	0600	67	J. Hardin
8/28/2024	0900	68	J. Hardin
8/28/2024	1200	68	J. Hardin
8/28/2024	1500	68	Gonzales
8/28/2024	1800	68	Gonzales
8/28/2024	2100	68	Gonzales
8/28/2024	2400	68	Gonzales

Thursday

Date	Time	Temp.	Name (Print)
8/29/2024	0300	69	Gonzales
8/29/2024	0600	69	J. Hardin
8/29/2024	0900	69	J. Hardin
8/29/2024	1200	69	J. Hardin
8/29/2024	1500	69	Gonzales
8/29/2024	1800	68	Gonzales
8/29/2024	2100	68	Gonzales
8/29/2024	2400	68	B. Flores

Friday

Date	Time	Temp.	Name (Print)
8/30/2024	0300	68	B. Flores
8/30/2024	0600	69	O. Sepeda
8/30/2024	0900	67	C. Wilson
8/30/2024	1200	68	O. Sepeda
8/30/2024	1500	68	S. James
8/30/2024	1800	67	S. James
8/30/2024	2100	67	S. James
8/30/2024	2400	67	S. James

Saturday

Date	Time	Temp.	Name (Print)
8/31/2024	0300	69	C. Wilson
8/31/2024	0600	69	C. Wilson
8/31/2024	0900	69	C. Wilson
8/31/2024	1200	69	C. Wilson
8/31/2024	1500	70	L. Ward
8/31/2024	1800	69	L. Ward
8/31/2024	2100	68	L. Ward
8/31/2024	2400	69	P. Flores

Sunday

Date	Time	Temp.	Name (Print)
8/20/2024	0300	70	P. Flores
8/20/2024	0600	70	Cordova
8/20/2024	0900	70	Cordova
8/20/2024	1200	69	Cordova
8/20/2024	1500	69	L. Gaspard
8/20/2024	1800	68	L. Gaspard
8/20/2024	2100	68	L. Gaspard
8/20/2024	2400	68	L. Gaspard

Notes