

Monthly Summary Report

Institution: LAC

Memorandum

Date: November 4, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - October 2024

The following is a summary of the heat related activity for the month of October 2024,
at LAC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? No

Number of days Stage I Alert initiated: 11

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

L. Lundy, Warden

Warden Name

L. Lundy

Warden Signature

DR. CHRISTINA GALSTIAN

Chief Executive Officer Name



Chief Executive Officer Signature

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CSP/LAC Housing Unit: INF

Temp. Reading Location: 1st

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70	Oliver
9/30	0600	70	FERNANDEZ
9/30	0900	70	FERNANDEZ
9/30	1200	70	FERNANDEZ
9/30	1500	70°	W. TILLMAN
9/30	1800	70°	W. TILLMAN
9/30	2100	70°	W. TILLMAN
9/30	2400	73°	MALDONADO

Tuesday

Date	Time	Temp.	Name (Print)
10/01	0300	73°	MALDONADO
10/01	0600	73	Christiansen
10/01	0900	73	Christiansen
10/01	1200	74	Christiansen
10/01	1500	75	Avelar
10/01	1800	75	Avelar
10/01	2100	75	Avelar
10/01	2400	75	Dogg

Wednesday

Date	Time	Temp.	Name (Print)
10/02	0300	74	Dogg
10/02	0600	74	Christiansen
10/02	0900	74	Christiansen
10/02	1200	74	Christiansen
10/02	1500	75	Avelar
10/02	1800	75	Avelar
10/02	2100	75	Avelar
10/02	2400	75°	MALDONADO

Thursday

Date	Time	Temp.	Name (Print)
10/03	0300	75°	MALDONADO
10/03	0600	75	Christiansen
10/03	0900	75	Christiansen
10/03	1200	75	Christiansen
10/03	1500	75	Richardson
10/03	1800	75	Richardson
10/03	2100	75	Richardson
10/03	2400	75	MALDONADO

Friday

Date	Time	Temp.	Name (Print)
10/14	0300	75°	MALDONADO
10/14	0600	75	Christiansen
10/14	0900	75	Christiansen
10/14	1200	75	Johnson
10/14	1500	76	Johnson
10/14	1800	76	Johnson
10/14	2100	76	Johnson
10/14	2400	75	Lopez

Saturday

Date	Time	Temp.	Name (Print)
10/15	0300	75	Lopez
10/15	0600	70	Contreras
10/15	0900	70	Contreras
10/15	1200	70	Contreras
10/15	1500	70	Olive
10/15	1800	76	Olive
10/15	2100	75	Olive
10/15	2400	75	Lopez

Sunday

Date	Time	Temp.	Name (Print)
10/16	0300	75	Olive
10/16	0600	74°	UCHAR
10/16	0900	74°	UGARTE
10/16	1200	75°	UGARTE
10/16	1500	75	Olive
10/16	1800	75	Olive
10/16	2100	75	Olive
10/16	2400	75	Galgan

Notes

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/1 2024	0100	73°	J. GAVO
	0200	72°	J. GAVO
	0300	71°	J. GAVO
	0400	69°	J. GAVO
	0500	69°	J. GAVO
	0600	68	NUNEZ
	0700	69	NUNEZ
	0800	71	NUNEZ
	0900	75	NUNEZ
	1000	79	NUNEZ
	1100	85	NUNEZ
	1200	93	NUNEZ
	1300	91	NUNEZ
	1400	100	Ruentes
	1500	100	Ruentes
	1600	101	Ruentes
	1700	100	Ruentes
	1800	96	Ruentes
	1900	89	Ruentes
	2000	85	Ruentes
	2100	83	Ruentes
	2200	80	UNCFIELD
	2300	78	UNCFIELD
	2400	75	UNCFIELD

Date	Time	Temp.	Printed Name
10/2 2024	0100	71	UNCFIELD
	0200	70	UNCFIELD
	0300	69	UNCFIELD
	0400	69	UNCFIELD
	0500	69	UNCFIELD
	0600	68	white
	0700	71	white
	0800	75	white
	0900	79	white
	1000	86	white
	1100	90	white
	1200	95	white
	1300	99	white
	1400	101	Ruentes
	1500	102	Ruentes
	1600	102	Ruentes
	1700	100	Ruentes
	1800	95	Ruentes
	1900	92	Ruentes
	2000	88	Ruentes
	2100	86	Ruentes
	2200	84°	UNCFIELD
	2300	83°	UNCFIELD
	2400	82°	UNCFIELD

STAGE 1 HEAT ALERT

START 1135

END 2000

STAGE 1 HEAT ALERT

START 1101 1101

END 2030

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 3, 2024	0100	74	LINGFIELD
	0200	74	LINGFIELD
	0300	74	LINGFIELD
	0400	74	LINGFIELD
	0500	79	LINGFIELD
	0600	76	LINGFIELD
	0700	76	LINGFIELD
	0800	80	LINGFIELD
	0900	88	LINGFIELD
	1000	91	LINGFIELD
	1100	91	LINGFIELD
	1200	90	LINGFIELD
	1300	100	LINGFIELD
	1400	101	Puentes
	1500	100	Puentes
	1600	95	Puentes
	1700	95	Puentes
	1800	95	Puentes
	1900	95	Puentes
	2000	86	Puentes
	2100	84	Puentes
	2200	81	LINGFIELD
	2300	81	LINGFIELD
	2400	81	LINGFIELD

Stage 1 0935 ACTIVATED
2030 DEACTIVATED

Date	Time	Temp.	Printed Name
OCTOBER 4, 2024	0100	77	LINGFIELD
	0200	75	LINGFIELD
	0300	74	LINGFIELD
	0400	71	LINGFIELD
	0500	64	LINGFIELD
	0600	76	C.Gewirtz
	0700	73	C.Gewirtz
	0800	75	C.Gewirtz
	0900	80	C.Gewirtz
	1000	85	C.Gewirtz
	1100	92	C.Gewirtz
	1200	95	C.Gewirtz
	1300	99	C.Gewirtz
	1400	100	C.Gewirtz
	1500	100	C.Gewirtz
	1600	99	C.Gewirtz
	1700	98	C.Gewirtz
	1800	95	C.Gewirtz
	1900	90	C.Gewirtz
	2000	87	C.Gewirtz
	2100	86	C.Gewirtz
	2200	82	LINGFIELD
	2300	83	LINGFIELD
	2400	80	LINGFIELD

Stage 1 1045 ACTIVATED
2010 DEACTIVATED

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 5, 2024	0100	74	LINGFIELD
	0200	77	LINGFIELD
	0300	75	LINGFIELD
	0400	73	LINGFIELD
	0500	72	LINGFIELD
	0600	72	C. Gewirtz
	0700	73	C. Gewirtz
	0800	73	C. Gewirtz
	0900	76	C. Gewirtz
	1000	82	C. Gewirtz
	1100	89	C. Gewirtz
	1200	93	C. Gewirtz
	1300	97	C. Gewirtz
	1400	98	C. Gewirtz
	1500	99	C. Gewirtz
	1600	99	C. Gewirtz
	1700	99	C. Gewirtz
	1800	97	C. Gewirtz
	1900	92	C. Gewirtz
	2000	86	C. Gewirtz
	2100	84	C. Gewirtz
	2200	82	LINGFIELD
	2300	80	LINGFIELD
	2400	78	LINGFIELD

Stage 1 1115 ACTIVATED
2015 DEACTIVATED

Date	Time	Temp.	Printed Name
OCTOBER 6, 2024	0100	76	LINGFIELD
	0200	75	LINGFIELD
	0300	73	LINGFIELD
	0400	71	LINGFIELD
	0500	71	LINGFIELD
	0600	70	Chavez
	0700	69	Chavez
	0800	72	Chavez
	0900	78	Chavez
	1000	83	Chavez
	1100	90	Chavez
	1200	95	Chavez
	1300	96	Chavez
	1400	97	Chavez
	1500	97	Smith
	1600	97	Smith
	1700	96	Smith
	1800	92	Smith
	1900	88	Smith
	2000	85	Smith
	2100	83	Smith
	2200	80	Smith
	2300	79°	BLAND
	2400	77°	BLAND

Stage 1 1100 ACTIVATED
1900 DEACTIVATED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSPLAC Housing Unit: DOLM 1 Temp. Reading Location: _____

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	78	VALDEZ
2	0600	78	VALDEZ
3	0900	78	VALDEZ
1200	78	VALDEZ	VALDEZ
1500	81°	VALDEZ	VALDEZ
1800	80°	VALDEZ	VALDEZ
2100	80°	VALDEZ	VALDEZ
2400	78	VALDEZ	VALDEZ

Friday

Date	Time	Temp.	Name (Print)
10/1/24	0300	77	VALDEZ
5	0600	77	VALDEZ
6	0900	78	VALDEZ
1200	80	VALDEZ	VALDEZ
1500	81°	VALDEZ	SOLORZANO
1800	81°	VALDEZ	SOLORZANO
2100	81°	VALDEZ	SOLORZANO
2400	77	VALDEZ	VALDEZ

Sunday

Date	Time	Temp.	Name (Print)
10/1/24	0300	77	SILVA
6	0600	76	SILVA
24	0900	78°	CRIDDLE
1200	80°	CRIDDLE	CRIDDLE
1500	81°	CRIDDLE	CRIDDLE
1800	81°	CRIDDLE	CRIDDLE
2100	81°	CRIDDLE	CRIDDLE
2400	80	CRIDDLE	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	76	VALDEZ
2	0600	70	VALDEZ
3	0900	72	VALDEZ
1200	76	VALDEZ	VALDEZ
1500	81°	VALDEZ	M. CONTRERAS
1800	80°	VALDEZ	M. CONTRERAS
2100	80°	VALDEZ	M. CONTRERAS
2400	76	VALDEZ	VALDEZ

Thursday

Date	Time	Temp.	Name (Print)
10/1/24	0300	78	VALDEZ
2	0600	76	VALDEZ
3	0900	78	VALDEZ
1200	80	VALDEZ	VALDEZ
1500	80	VALDEZ	VALDEZ
1800	80	VALDEZ	VALDEZ
2100	80	VALDEZ	VALDEZ
2400	77	VALDEZ	VALDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/1/24	0300	76	CASTRO
2	0600	76°	CRIDDLE
3	0900	76°	CRIDDLE
1200	80°	CRIDDLE	CRIDDLE
1500	82°	CRIDDLE	CRIDDLE
1800	80	CRIDDLE	CRIDDLE
2100	80	CRIDDLE	CRIDDLE
2400	76	CRIDDLE	CRIDDLE

Notes

10/1/24 STAGE 1 # 1135

10/5/24 @ 1115 HRS. 1ST. STAGE HEAT ALERT
10/6/24 @ 1100 HRS. 1ST. STAGE HEAT ALERT

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10-1-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	72	70	66	70	70	64	64	70	STEPHENSON	Steph
03:00	72	72	64	66	70	66	62	70	STEPHENSON	Steph
06:00	72	72°	68°	68°	70°	68°	62°	70°	M. QUINTERO	Quintero
09:00	70°	74°	64°	60°	70°	68°	60°	70°	M. QUINTERO	Quintero
12:00	72	78°	62°	64°	70°	68°	60°	70°	M. QUINTERO	Quintero
15:00	72	78	64	64	72	70	62	70	SINKO	Sinko
18:00	72	78	64	69	72	70	62	70	SINKO	Sinko
21:00	76	76	64	66	70	66	62	70	SINKO	Sinko

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List

Correctional Officer

UNIT: RHU

DATE: Oct. 1, 2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

- _____ 1. Heat Plan activated, notified by CENTRAL CONTROL at 1139 hours.
- _____ 2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
- _____ 3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
- _____ 4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
- _____ 3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Continued cooling measures and observation of heat risk Inmate-Patients.
- _____ 3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.


BELOW 90 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Cease cooling measures when temperature remains below for one (1) hour.


BELOW 90 DEGREES OUTSIDE:

- _____ 1. Notified Program Lt./Sgt. Central Control at 2020 hours.
- _____ 2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.


1ST W OFFICER'S SIGNATURE


2ND W OFFICERS SIGNATURE


3RD W OFFICERS SIGNATURE





CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10-2-24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	72	70	66	70	70	64	64	70	Sirko	
03:00	72	70	66	70	70	64	64	70	Sirko	
06:00	72	72	68	68	70	68	64	70	M. QUINTERO	
09:00	74°	74°	68°	68°	70°	69°	60°	70°	M. QUINTERO	
12:00	76	78°	64°	68°	70	68°	60°	70°	M. QUINTERO	
15:00	79°	78°	63°	68°	70°	64°	60°	70°	J. AMAYA	
18:00	79°	78°	64°	68°	70°	64°	60°	70°	J. AMAYA	
21:00	76°	78°	62°	63°	70°	64°	60°	70°	J. AMAYA	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List Correctional Officer	
---	--

UNIT: RHU

DATE: 10/02/2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

- _____ 1. Heat Plan activated, notified by CENTRAL Control at 1101 hours.
- _____ 2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
- _____ 3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
- _____ 4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of Water in cell for cooling.

90 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting.
- _____ 3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Continued cooling measures and observation of heat risk Inmate-Patients
- _____ 3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

Lulu
1ST/W OFFICER'S SIGNATURE

LL
2ND/W OFFICERS SIGNATURE

3RD/W OFFICERS SIGNATURE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year-round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10/3/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	76	78	62	64	70	64	62	70	Funes	<u>C</u>
03:00	78	78	62	64	70	68	62	70	Funes	<u>C</u>
06:00	76°	76°	64°	68°	70°	69°	60°	70°	M. QUINTERO	<u>M. QUINTERO</u>
09:00	76	78°	64°	68°	70°	68°	60°	70°	M. QUINTERO	<u>M. QUINTERO</u>
12:00	76°	79°	64°	68°	70°	68°	60°	70°	M. QUINTERO	<u>M. QUINTERO</u>
15:00	76	78	64	66	70	68	60	70	Funes	<u>C</u>
18:00	76	78	64	66	70	68	60	70	Funes	<u>C</u>
21:00	76	78	64	66	70	68	60	70	Funes	<u>C</u>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 10/13/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by CENTRAL CONTROL at 0935 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units,
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting.
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.


BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Central Control at 0830 hours.
2. Heat-Risk inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR BELOW.


1ST/W OFFICER'S SIGNATURE


2ND/W OFFICERS SIGNATURE


3RD/W OFFICERS SIGNATURE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10-4-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	75°	75°	65°	66°	70°	66°	60°	70°	J. Acuña	<u>J. Acuña</u>
03:00	75°	74°	66°	67°	70°	66°	62°	70°	J. Acuña	<u>J. Acuña</u>
06:00	75°	75°	64°	67°	70°	66°	62°	70°	A. Donalds	<u>A. Donalds</u>
09:00	78°	78°	68°	68°	70°	68°	62°	70°	Funes	<u>Funes</u>
12:00	78°	78°	68°	68°	70°	68°	62°	70°	Funes	<u>Funes</u>
15:00	78°	78°	66°	68°	70°	69°	62°	70°	C. Moreno	<u>C. Moreno</u>
18:00	78°	78°	66°	68°	70°	69°	62°	70°	C. Moreno	<u>C. Moreno</u>
21:00	75°	76°	62°	65°	70°	68°	60°	70°	C. Moreno	<u>C. Moreno</u>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List
Correctional Officer

UNIT: RHC

DATE: 10-4-2021

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by Central Control at 1045 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

Jean L. Jones
1ST/W OFFICER'S SIGNATURE

L
2ND/W OFFICERS SIGNATURE

3RD/W OFFICERS SIGNATURE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10-5-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	74°	74°	64°	66°	70°	66°	60°	70°	J. Acosta	J. Acosta
03:00	75°	74°	65°	66°	70°	67°	60°	70°	J. Acosta	J. Acosta
06:00	75°	75°	65°	65°	70°	70°	60°	70°	E. Granados	E. Granados
09:00	75°	78°	65°	68°	70°	68°	60°	70°	E. Granados	E. Granados
12:00	75°	75°	60°	65°	70°	68°	60°	70°	E. Granados	E. Granados
15:00	75	74	63	66	70	69	60	70	DWNR	O. N
18:00	75	74	63	66	70	69	60	70	DWNR	O. N
21:00	75	73	63	66	70	68	60	70	DWNR	O. N

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 10-5-2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

Jm G. Lamm
1ST OFFICER'S SIGNATURE

 2ND OFFICERS SIGNATURE

a 3RD OFFICERS SIGNATURE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10/06/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	75	74	65	67	70	65	60	70	F. GUTIERREZ	J. Sut
03:00	75	75	68	67	70	66	64	70	F. GUTIERREZ	J. Sut
06:00	75	74	65	66	70	64	60	70	S. AGYAPONG	John
09:00	75	75	65	65	70	68	60	70	S. AGYAPONG	John
12:00	75	75	65	65	70	68	61	70	S. AGYAPONG	John
15:00	75	75	66	66	70	68	61	70	S. BONE	S. Bone
18:00	75	74	66	66	70	68	60	70	S. BONE	S. Bone
21:00	75	74	65	65	70	67	60	70	S. BONE	S. Bone

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 10/06/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by Central Control at 1100 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

3rd W Officer's Signature

2nd W Officers Signature

1st W Officers Signature

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/29	0300	70	Fas
	0600	70	Rodriguez JC
	0900	70	Rodriguez JC
	1200	70	Newiger JC
	1500	70	Murphy
	1800	70	Murphy
	2100	70	Murphy
	2400	70	Fas

Friday

Date	Time	Temp.	Name (Print)
10/4/29	0300	70	Giondard
	0600	70	Alani's
	0900	70	Alani's
	1200	70	Alani's
	1500	70	Muchado
	1800	70	Muchado
	2100	70	Muchado
	2400	70	Giondard

Sunday

Date	Time	Temp.	Name (Print)
10/6/29	0300	70	Fas
	0600	70	Alani's
	0900	70	Alani's
	1200	70	Alani's
	1500	70	SICRA
	1800	70	Silva
	2100	70	Silva
	2400	70	D. Woodard

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	Fas
	0600	70	Rodriguez JC
	0900	70	Rodriguez JC
	1200	70	Newiger JC
	1500	70	Murphy
	1800	70	Murphy
	2100	70	Murphy
	2400	70	Fas

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70	J. Solis
	0600	70	Rodriguez JC
	0900	70	Rodriguez JC
	1200	70	Newiger JC
	1500	70	E. Alani's
	1800	71	DAVIS
	2100	71	DAVIS
	2400	71	Coronado

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	70	Fas
	0600	70	NEWTON
	0900	70	NEWTON
	1200	70	NEWTON
	1500	70	X. Li
	1800	70	X. Li
	2100	69	X. Li
	2400	70	Fas

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: AZ Convict Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/24	0300	70	B. PRESNELL ✓
10/24	0600	70	F. Gonzales
10/24	0900	70	F. Gonzales
10/24	1200	70	F. Gonzales
10/24	1500	70	OLLA
10/24	1800	70	OLLA
10/24	2100	70	OLLA
10/24	2400	70	B. PRESNELL

Friday

Date	Time	Temp.	Name (Print)
10/24	0300	70	B. PRESNELL
10/24	0600	70	G. Pearl
10/24	0900	70	G. Pearl
10/24	1200	70	G. Pearl
10/24	1500	70°	OLLA ✓
10/24	1800	70°	OLLA
10/24	2100	70	OLLA
10/24	2400	70°	K. Esteban

Sunday

Date	Time	Temp.	Name (Print)
10/24	0300	70	C. KENNER
10/24	0600	70	CASTILLO
10/24	0900	70	CASTILLO
10/24	1200	70°	Castillo
10/24	1500	72	SANQUIST
10/24	1800	74	SANQUIST
10/24	2100	72	SANQUIST
10/24	2400	70	C. KENNER

Tuesday

Date	Time	Temp.	Name (Print)
10/24	0300	70	B. PRESNELL ✓
10/24	0600	70	E. Meisenhelder
10/24	0900	70	E. Meisenhelder
10/24	1200	70	E. Meisenhelder
10/24	1500	70°	OLLA
10/24	1800	70°	OLLA
10/24	2100	70°	OLLA
10/24	2400	70	B. PRESNELL

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70	B. PRESNELL ✓
10/24	0600	70	Smith
10/24	0900	70	Smith
10/24	1200	70	Smith
10/24	1500	70°	OLLA (9)
10/24	1800	70°	OLLA
10/24	2100	70	OLLA
10/24	2400	70	B. PRESNELL

Saturday

Date	Time	Temp.	Name (Print)
10/24	0300	70°	K. HARRIS
10/24	0600	70°	OLIVEZ
10/24	0900	70°	OLIVEZ
10/24	1200	70°	OLIVEZ
10/24	1500	70	Davina
10/24	1800	70°	OLLA
10/24	2100	70	OLLA
10/24	2400	70	K. HARRIS

Notes

10/24 - U.H.T DEACTIVATED @ 2030 hrs
10/24 - U.H.T DEACTIVATED @ 2015 hrs

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A-3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/24	0300	70°	STOREY
10/24	0600	70°	MONTU
10/24	0900	71°	KOURM
10/24	1200	70	Ler
10/24	1500	70	Fuentes
10/24	1800	70	Fuentes
10/24	2100	70	Fuentes
10/24	2400	70	STOREY

Friday

Date	Time	Temp.	Name (Print)
10/24	0300	70	Rugahn
10/24	0600	68	E. Granado
10/24	0900	68	E. Granado
10/24	1200	70	E. Granados
10/24	1500	70	D. Chandy
10/24	1800	70	D. Chandy
10/24	2100	70	D. Chandy
10/24	2400	70	Rugahn

Sunday

Date	Time	Temp.	Name (Print)
10/24	0300	70	MARTIN
10/24	0600	70°	FLETES, J
10/24	0900	70°	FLETES, J
10/24	1200	71°	FLETES, J
10/24	1500	71°	CHRISTENSEN, K
10/24	1800	71	FWRG
10/24	2100	71	Flores
10/24	2400	71	M. Rosley

Tuesday 10-1-24

Date	Time	Temp.	Name (Print)
	0300	70°	M. CARLISLE
	0600	70°	E. PARKER
	0900	70°	E. PARKER
	1200	70°	E. PARKER
	1500	70	A. Latone
	1800	70	A. Latone
	2100	70	A. Latone
	2400	70°	M. CARLISLE

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70°	M. SHEPHERD
10/24	0600	68	E. Granado
10/24	0900	68	E. Granados
10/24	1200	70	E. Granado
10/24	1500	70	D. Chandy
10/24	1800	70	D. Chandy
10/24	2100	70	D. Chandy
10/24	2400	70°	M. SHEPHERD

Saturday

Date	Time	Temp.	Name (Print)
10/24	0300	70	MONTU
10/24	0600	68	E. Granado
10/24	0900	68	E. Granado
10/24	1200	68	E. Granados
10/24	1500	70°	A. ALAGBADA
10/24	1800	70°	G. MILLER
10/24	2100	70°	G. MILLER
10/24	2400	70	MANTYN

Notes

2015 HRS 10/5 STAGE 1 DEACTIVATED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70°	MILSON
	0600	71°	L. THOMAS
	0900	71°	L. Thomas
	1200	71°	L. Thomas
	1500	71°	FLORES
	1800	71°	FLORES
	2100	71°	FLORES
	2400	70°	MILSON

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	70°	MILSON
	0600	70°	L. Thomas
	0900	71°	L. Thomas
	1200	71°	L. Thomas
	1500	73°	FLORES
	1800	72°	FLORES
	2100	72°	FLORES
	2400	72°	FORD

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70°	FORD
	0600	70°	AMAYA
	0900	70°	AMAYA
	1200	71°	AMAYA
	1500	73°	FLORES
	1800	73°	FLORES
	2100	71°	FLORES
	2400	70°	FORD

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	70°	Quinoz
	0600	74°	Clavel
	0900	74°	Clavel
	1200	74°	Clavel
	1500	73°	FLORES
	1800	73°	FLORES
	2100	73°	FLORES
	2400	70°	D. LEWIS

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	70°	D. LEWIS
	0600	70°	K. TANDEI
	0900	70°	K. TANDEI
	1200	70°	K. TANDEI
	1500	72°	FLORES
	1800	72°	FLORES
	2100	72°	FLORES
	2400	70°	A. FEARS

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	70°	D. WOODARD
	0600	71°	C. ALEX
	0900	71°	C. ALEX
	1200	71°	C. ALEX
	1500	70°	X. LIU
	1800	70°	X. LIU
	2100	69°	X. LIU
	2400	70°	D. WOODARD

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	71°	Rosales, O.
	0600	72°	Ramirez
	0900	72°	Ramirez
	1200	73°	Ramirez
	1500	73°	B. Frazier
	1800	74°	B. Frazier
	2100	74°	B. Frazier
	2400	71°	Rosales, O.

Wednesday

Date	Time	Temp.	Name (Print)
	0300	72°	Rosales, O.
	0600	72°	Ramirez
	0900	72°	Ramirez
	1200	72°	Ramirez
	1500	73°	B. Frazier
	1800	74°	B. Frazier
	2100	74°	B. Frazier
	2400	72°	Rosales, O.

Thursday

Date	Time	Temp.	Name (Print)
	0300	71°	Rosales, O.
	0600	72°	Ramirez
	0900	72°	Ramirez
	1200	74°	Ramirez
	1500	75°	B. Frazier
	1800	76°	B. Frazier
	2100	76°	B. Frazier
	2400	72°	Rosales, O.

Friday

Date	Time	Temp.	Name (Print)
	0300	73°	C. Baker
	0600	72°	Ramirez
	0900	73°	Ramirez
	1200	75°	Ramirez
	1500	76°	B. Frazier
	1800	77°	B. Frazier
	2100	79°	B. Frazier
	2400	76	G. Baker

Saturday

Date	Time	Temp.	Name (Print)
	0300	73	J. Devore
	0600	72	J. Devore
	0900	72	J. Devore
	1200	74	J. Devore
	1500	77	J. Devore
	1800	77	L. Martin
	2100	78	L. Martin
	2400	75	J. Devore

Notes

Date	Time	Temp.	Name (Print)
	0300	73°	Rosales, O.
	0600	74	J. Devore
	0900	74	J. Devore
	1200	75	J. Devore
	1500	77	A. Martin
	1800	76	A. Martin
	2100	76	A. Martin
	2400	75°	Rosales, O.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FBB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	D. REEGE
	0600	70	Gonzales
	0900	70	Gonzales
	1200	70	Gonzales
	1500	71°	G. Hernandez
	1800	70°	G. Hernandez
	2100	70°	G. Hernandez
	2400	70°	D. REEGE

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	70°	D. REEGE
	0600	70	Rangelito
	0900	70	Rangelito
	1200	70	Rangelito
	1500	71°	G. Hernandez
	1800	71°	G. Hernandez
	2100	70°	G. Hernandez
	2400	70	UMANA

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70	UMANA
	0600	70	Rangelito
	0900	70	Rangelito
	1200	70	Rangelito
	1500	71	G. Hernandez
	1800	71	G. Hernandez
	2100	71	G. Hernandez
	2400	70	UMANA

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	70	UMANA
	0600	69	O'Neill
	0900	70	O'Neill
	1200	71	O'Neill
	1500	70°	J. Aguirre
	1800	76	J. Aguirre
	2100	70	J. Aguirre
	2400	70	UMANA

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	70	ESPARZA
	0600	70	Bacon
	0900	70	Bacon
	1200	70	Bacon
	1500	70	J. Aguirre
	1800	70	J. Aguirre
	2100	70	J. Aguirre
	2400	70	ESPARZA

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	70°	D. REEGE
	0600	70°	Xili
	0900	70°	Xili
	1200	70°	Xili
	1500	70°	G. Hernandez
	1800	70°	HANCOCK
	2100	70	HANCOCK
	2400	70	D. REEGE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	73	Scott
	0600	73	Cook
	0900	80	Cook
	1200	80	Cook
	1500	80	J. ALVARADO
	1800	82	J. ALVARADO
	2100	80	J. ALVARADO
	2400	70	J. ALVARADO

Wednesday

Date	Time	Temp.	Name (Print)
	0300	71	Scott
16/24	0600	71	CORREA
	0900	80	Cook
	1200	82	Cook
	1500	83	Ibana
	1800	82	Ibana
	2100	80	Ibana
	2400	72	Scott

Thursday

Date	Time	Temp.	Name (Print)
	0300	72	Scott
	0600	72	PAGE
	0900	79	PAGE
	1200	81	PAGE
	1500	84	Ibana
	1800	80	Ibana
	2100	78	Ibana
	2400	72	Scott

Friday

Date	Time	Temp.	Name (Print)
	0300	72	Scott
10/24	0600	74	PAGE
	0900	76	PAGE
	1200	82	PAGE
	1500	85	Ibana
	1800	82	Ibana
	2100	80	Ibana
	2400	70	UMANA

Saturday

Date	Time	Temp.	Name (Print)
	0300	70	UMANA
	0600	73	PAGE
	0900	79	PAGE
	1200	83	PAGE
	1500	82	Ibana
	1800	82	Ibana
	2100	72	Ibana
	2400	70	UMANA

Sunday

Date	Time	Temp.	Name (Print)
	0300	680	Qualls
10/24	0600	700	Qualls
	0900	70	Qualls
	1200	70	Qualls
	1500	71	Qualls
	1800	710	UMANA
	2100	710	UMANA
	2400	700	Qualls

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70°	Quadrity
9/30	0600	70°	A. Corcoran
9/30	0900	70	A. Corcoran
9/30	1200	70	A. Corcoran
9/30	1500	70	B. Acosta
9/30	1800	70	B. Acosta
9/30	2100	70	B. Acosta
9/30	2400	70°	Quadrity

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	70	Quadrity
10/1	0600	70	J. Ortiz
10/1	0900	70	J. Ortiz
10/1	1200	70	J. Ortiz
10/1	1500	71	J. Aguirre
10/1	1800	70°	J. Aguirre
10/1	2100	70°	J. Aguirre
10/1	2400	67	P. Salas

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	68°	Reyes
10/2	0600	68	Reyes
10/2	0900	67	Reyes
10/2	1200	70	Reyes
10/2	1500	70	E. Tavares
10/2	1800	70	E. Tavares
10/2	2100	70	E. Tavares
10/2	2400	67	Reyes

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	68	R. Acosta
10/3	0600	69	A. Corcoran
10/3	0900	70	A. Corcoran
10/3	1200	70	A. Corcoran
10/3	1500	70°	F. Acosta
10/3	1800	70°	F. Acosta
10/3	2100	70°	F. Acosta
10/3	2400	68	R. Acosta

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	68	J. Devore
10/4	0600	67	A. Corcoran
10/4	0900	70	A. Corcoran
10/4	1200	70	A. Corcoran
10/4	1500	70	F. Acosta
10/4	1800	70°	F. Acosta
10/4	2100	70°	F. Acosta
10/4	2400	68	J. Devore

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	67°	R. Acosta
10/5	0600	63	A. Corcoran
10/5	0900	70	A. Corcoran
10/5	1200	70	A. Corcoran
10/5	1500	70°	B. Acosta
10/5	1800	70°	B. Acosta
10/5	2100	70°	B. Acosta
10/5	2400	67°	R. Acosta

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	70°	T. Jackson
10/6	0600	70°	Coleman
10/6	0900	70°	Coleman
10/6	1200	70°	Coleman
10/6	1500	70°	B. Acosta
10/6	1800	70°	B. Acosta
10/6	2100	70°	B. Acosta
10/6	2400	70	T. Jackson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B 4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	69°	GARCIA
	0600	70°	GARCIA
	0900	70°	GONZALEZ
	1200	70°	GONZALEZ
	1500	70°	NEZHEN
	1800	70°	NEZHEN
	2100	70°	NEZHEN
	2400	69°	GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	70°	McDonald /
	0600	70°	GONZALEZ
	0900	70°	GONZALEZ
	1200	70°	GONZALEZ
	1500	70°	RODRIGUEZ
	1800	70°	RODRIGUEZ
	2100	70°	RODRIGUEZ
	2400	70°	McDonald /

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	70°	McDonald /
	0600	69°	ACEVEDO
	0900	70°	ACEVEDO
	1200	70°	ACEVEDO
	1500	70°	ALANIS
	1800	70°	ALANIS
	2100	70°	ALANIS
	2400	70°	McDonald /

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	70°	McDonald /
	0600	70°	RECINAS
	0900	70°	RECINAS
	1200	70°	RECINAS
	1500	70°	E. TAW
	1800	70°	E. TAW
	2100	70°	E. TAW
	2400	70°	McDonald /

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	70°	McDonald /
	0600	70°	RECINAS
	0900	70°	RECINAS
	1200	70°	RECINAS
	1500	70°	E. TAW
	1800	70°	E. TAW
	2100	70°	E. TAW
	2400	70°	McDonald /

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	70°	McDonald /
	0600	70°	COLEMAN
	0900	70°	COLEMAN
	1200	70°	COLEMAN
	1500	70°	NEZHEN
	1800	70°	NEZHEN
	2100	70°	NEZHEN
	2400	70°	McDonald /

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	69°	GARCIA
	0600	70°	FARNISH
	0900	70°	FARNISH
	1200	70°	FARNISH
	1500	70°	WENNER
	1800	70°	WENNER
	2100	70°	WENNER
	2400	70°	GARCIA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	E. Rodriguez
	0600	70	Alfonso
	0900	70	Alfonso
	1200	70	Alfonso
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	E. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	70	E. Rodriguez
	0600	70	Alfonso
	0900	70	Alfonso
	1200	70	Alfonso
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	E. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70	E. Rodriguez
	0600	70	Alfonso
	0900	70	Alfonso
	1200	70	Alfonso
	1500	72	REESE
	1800	72	REESE
	2100	70	REESE
	2400	70	E. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	69	GARCIA
	0600	70	Ronquillo
	0900	70	Ronquillo
	1200	70	Ronquillo
	1500	71	REESE
	1800	71	REESE
	2100	70	REESE
	2400	69	GARCIA

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	70	GARCIA
	0600	70	Receval
	0900	70	Rechar
	1200	70	Rechar
	1500	70	Hernandez
	1800	70	Hernandez
	2100	71	Hernandez
	2400	70	GARCIA

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	70	Johnson
	0600	70	BRANDO
	0900	70	BRANDO
	1200	70	BRANDO
	1500	70	G. MILLER
	1800	70	G. MILLER
	2100	70	G. MILLER
	2400	70	Johnson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	68	EVANGELIS
	0600	68	GROUNDS
	0900	68	GODINEZ
	1200	70	GODINEZ
	1500	70	HILL
	1800	70	HILL
	2100	70	HILL
	2400	68	EVANGELIS

Friday 10-4-24

Date	Time	Temp.	Name (Print)
10	0300	70°	LEPE
	0600	70	SABEDO
	0900	70	SABEDO
4	1200	70	SABEDO
	1500	70	SABEDO
	1800	70	SABEDO
	2100	70	SABEDO
24	2400	70°	LEPE

Sunday

Date	Time	Temp.	Name (Print)
10	0300	67°	CRIDDLE
	0600	67°	CRIDDLE
	0900	69°	HILL
6	1200	70°	HILL
	1500	70	HILL
	1800	70°	HILL
	2100	69	HILL
24	2400	67°	CRIDDLE

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	68	EVANGELIS
	0600	68	EVANGELIS
	0900	70	GODINEZ
	1200	70	GODINEZ
	1500	70	GODINEZ
	1800	70°	HILL
	2100	70°	HILL
	2400	68	EVANGELIS

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	68	MAGAN
	0600	70	MAGAN
	0900	70	CHAMER
	1200	70	CHAMER
	1500	70°	HILL
	1800	70	HILL
	2100	70°	HILL
	2400	68°	MAGAN

Saturday

Date	Time	Temp.	Name (Print)
10	0300	68°	CRIDDLE
	0600	70	SABEDO
	0900	70	SABEDO
5	1200	70	SABEDO
	1500	70	SABEDO
	1800	70	LEPE
	2100	70	LEPE
24	2400	67°	CRIDDLE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	71°	S. DIXON
	0600	72°	HART
	0900	72°	HART
	1200	75°	HART
	1500	75°	AYALA
	1800	75°	AYALA
	2100	75°	AYALA
	2400	77°	DIXON

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	71°	DIXON
	0600	71°	DIXON
	0900	71°	Dixon
	1200	71°	Perkins
	1500	72°	Perkins
	1800	72°	Perkins
	2100	71°	Perkins
	2400	71°	DIXON

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70°	DIXON
	0600	72°	T. HART
	0900	73°	T. HART
	1200	73°	T. HART
	1500	73°	OLIVAS
	1800	73°	OLIVAS
	2100	73°	OLIVAS
	2400	76°	DIXON

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	71°	J. NEWMAN
	0600	71°	Smith
	0900	72°	Smith
	1200	72°	Smith
	1500	72°	CHRISTENSEN
	1800	72°	CHRISTENSEN
	2100	71°	CHRISTENSEN
	2400	71°	J. NEWMAN

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	71°	Flores
	0600	71°	Flores
	0900	71°	Flores
	1200	71°	Flores
	1500	71°	OLIVAS
	1800	71°	OLIVAS
	2100	71°	OLIVAS
	2400	71°	Lepe

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	71°	Lepe
	0600	71°	Lepe
	0900	72°	D. NARAWI
	1200	72°	D. NARAWI
	1500	71°	D. NARAWI
	1800	71°	M. CAPLINGER
	2100	71°	M. CAPLINGER
	2400	71°	Lepe

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C3

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday 10/2/24

Date	Time	Temp.	Name (Print)
10	0300	70	S. Agyapong
2	0600	77	V. Agyapong
24	0900	77	
	1200	77	
	1500	74	
	1800	73	
	2100	70	
	2400	70	S. Agyapong

Friday

Date	Time	Temp.	Name (Print)
10	0300	70	S. Agyapong
4	0600	70	SANQUIST
24	0900	70	SANQUIST
	1200	72	SANQUIST
	1500	72	SANQUIST
	1800	72	SANQUIST
	2100	72	SANQUIST
	2400	70	S. Agyapong

Sunday

Date	Time	Temp.	Name (Print)
10	0300	70	S. Agyapong
6	0600	70	SANQUIST
24	0900	70	SANQUIST
	1200	72	SANQUIST
	1500	72	SANQUIST
	1800	70	M. SANQUIST
	2100	70	M. SANQUIST
	2400	75	S. Agyapong

Tuesday 10/1/24

Date	Time	Temp.	Name (Print)
	0300	70	
	0600	70	SABINO
	0900	70	SABINO
	1200	70	SABINO
	1500	70	
	1800	71	POLK
	2100	71	POLK
	2400	71	

Thursday 10/4/24

Date	Time	Temp.	Name (Print)
10	0300	70	S. Agyapong
2	0600	70	SANQUIST
3	0900	72	SANQUIST
24	1200	72	SANQUIST
	1500	72	SANQUIST
	1800	70	
	2100	70	
	2400	70	S. Agyapong

Saturday

Date	Time	Temp.	Name (Print)
10	0300	70	S. Agyapong
5	0600	70	C. CHATHORN
24	0900	70	Chathorn
	1200	70	Chathorn
	1500	72	A. BONZEL
	1800	72	A. Bonzel
	2100	72	A. Bonzel
	2400	70	S. Agyapong

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/10	0300	70	Gutierrez
10/12	0600	70	Clavel
10/12	0900	70	Clavel
10/12	1200	70	Clavel
10/12	1500	70	Clavel
10/12	1800	70	Clavel
10/24	2100	70	Clavel
10/24	2400	70	Clavel

Friday

Date	Time	Temp.	Name (Print)
10/14	0300	70	Hernandez
10/14	0600	70	G. HERNANDEZ
10/14	0900	70	G. HERNANDEZ
10/14	1200	70	G. HERNANDEZ
10/14	1500	70	E. Grandes
10/14	1800	70	E. Grandes
10/14	2100	70	E. Grandes
10/14	2400	70	Harral

Sunday

Date	Time	Temp.	Name (Print)
10/14	0300	71	Brown
10/14	0600	71	J. Brown
10/14	0900	71	J. Brown
10/14	1200	71	J. Brown
10/14	1500	71	A. Rubio
10/14	1800	71	A. Rubio
10/14	2100	71	A. Rubio
10/14	2400	71	Brown

Tuesday

Date	Time	Temp.	Name (Print)
10/14	0300	70	M. Gonzalez
10/14	0600	70	L. Rodriguez
10/14	0900	70	L. Rodriguez
10/14	1200	70	J. Bernal
10/14	1500	70	J. Bernal
10/14	1800	71	J. Bernal
10/14	2100	70	J. Bernal
10/14	2400	70	M. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
10/13	0300	70	D. Ad
10/13	0600	70	D. Ad
10/13	0900	70	Davison
10/13	1200	70	Rouquille
10/13	1500	70	Rouquille
10/13	1800	70	Rouquille
10/13	2100	70	Rouquille
10/13	2400	70	G. Clark

Saturday

Date	Time	Temp.	Name (Print)
10/15	0300	70	R. Phillips
10/15	0600	70	C. Ramirez
10/15	0900	70	C. Ramirez
10/15	1200	70	C. Ramirez
10/15	1500	71	Romero
10/15	1800	71	Romero
10/15	2100	71	Romero
10/15	2400	70	K. Phillips

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C5

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/24	0300	70	OTTOOLE
10/24	0600	70	LAMBERT
10/24	0900	75	LAMBERT
10/24	1200	75	LAMBERT
10/24	1500	78	R.HERNANDEZ
10/24	1800	75	R.HERNANDEZ
10/24	2100	75	R.HERNANDEZ
10/24	2400	70	OTTOOLE

Friday

Date	Time	Temp.	Name (Print)
10/24	0300	70	M. Tamm
10/24	0600	70	S. Tamm
10/24	0900	70	S. Tamm
10/24	1200	70	S. Tamm
10/24	1500	75	R.HERNANDEZ
10/24	1800	75	R.HERNANDEZ
10/24	2100	72	R.HERNANDEZ
10/24	2400	70	M. Tamm

Sunday

Date	Time	Temp.	Name (Print)
10/24	0300	70	S. OTTOOLE
10/24	0600	70	Davidson
10/24	0900	70	Davidson
10/24	1200	75	Davidson
10/24	1500	75	DAVIS
10/24	1800	75	DAVIS
10/24	2100	70	DAVIS
10/24	2400	72	S. OTTOOLE

Tuesday

Date	Time	Temp.	Name (Print)
10/24	0300	70	OTTOOLE
10/24	0600	70	LAMBERT
10/24	0900	70	LAMBERT
10/24	1200	70	LAMBERT
10/24	1500	72	R.HERNANDEZ
10/24	1800	72	R.HERNANDEZ
10/24	2100	70	R.HERNANDEZ
10/24	2400	70	OTTOOLE

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	72	OTTOOLE
10/24	0600	72	LAMBERT
10/24	0900	75	P. LEMAYNE
10/24	1200	75	LAMBERT
10/24	1500	78	LAMBERT
10/24	1800	78	R.HERNANDEZ
10/24	2100	75	R.HERNANDEZ
10/24	2400	75	OTTOOLE

Saturday

Date	Time	Temp.	Name (Print)
10/24	0300	70	M. Tamm
10/24	0600	70	Davidson
10/24	0900	70	Davidson
10/24	1200	70	Davidson
10/24	1500	75	A. MARTINEZ
10/24	1800	75	A. MARTINEZ
10/24	2100	72	A. MARTINEZ
10/24	2400	70	M. Tamm

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	74	Muniz
	0600	73	A-Jimenez
	0900	73	A-Jimenez
	1200	73	A-Jimenez
	1500	74	A-Jimenez
	1800	74	A-Jimenez
	2100	74	A-Jimenez
	2400	75	Muniz

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	73	Muniz
	0600	73	P-Jimenez
	0900	73	P-Jimenez
	1200	74	A-Jimenez
	1500	76	Flores
	1800	76	Flores
	2100	76	Flores
	2400	74	Muniz

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	74	Muniz
	0600	73	D-Lopez
	0900	73	D-Lopez
	1200	75	D-Lopez
	1500	76	D-Lopez
	1800	76	D-Lopez
	2100	76	D-Lopez
	2400	75	Muniz

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	75	Reyna
	0600	74	D-Lopez
	0900	75	D-Lopez
	1200	76	D-Lopez
	1500	77	D-Lopez
	1800	77	D-Lopez
	2100	77	D-Lopez
	2400	76	Reyna

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	76	Hidalgo
	0600	75	Hidalgo
	0900	75	Hernandez
	1200	75	Hernandez
	1500	76	W-Sanchez
	1800	77	W-Sanchez
	2100	76	W-Sanchez
	2400	76	Hidalgo

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	75	Muniz
	0600	75	Muniz
	0900	74	J-Garcia
	1200	74	J-Garcia
	1500	76	W-Sanchez
	1800	76	W-Sanchez
	2100	76	W-Sanchez
	2400	76	Muniz

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	74	Muniz
	0600	74	A-Jimenez
	0900	74	A-Jimenez
	1200	75	A-Jimenez
	1500	75	A-Jimenez
	1800	76	A-Jimenez
	2100	76	A-Jimenez
	2400	75	Muniz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D - 2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	73	C. Holmes
10/01	0600	71	A. Garcia
10/01	0900	71	A. Garcia
10/01	1200	71	A. Garcia
10/01	1500	73	IN-Sanchez
10/01	1800	74	W. Sanders
10/01	2100	73	W. Sanders
10/01	2400	73	C. Holmes

Tuesday

Date	Time	Temp.	Name (Print)
10/02	0300	71	Smith
10/02	0600	71	Smith
10/02	0900	73	Jones
10/02	1200	73	Jones
10/02	1500	76	Barnes
10/02	1800	78	Barnes
10/02	2100	75	Barnes
10/02	2400	71	Smith

Wednesday

Date	Time	Temp.	Name (Print)
10/02	0300	73	C. Holmes
10/02	0600	71	Barnes
10/02	0900	73	Barnes
10/02	1200	73	Barnes
10/02	1500	74	Barnes
10/02	1800	75	Barnes
10/02	2100	75	Barnes
10/02	2400	73	C. Holmes

Thursday

Date	Time	Temp.	Name (Print)
10/03	0300	75	C. Holmes
10/03	0600	74	Barnes
10/03	0900	74	Barnes
10/03	1200	73	Barnes
10/03	1500	75	HERNANDEZ
10/03	1800	75	HERNANDEZ
10/03	2100	75	HERNANDEZ
10/03	2400	75	C. Holmes

Friday

Date	Time	Temp.	Name (Print)
10/04	0300	74	Williams
10/04	0600	71	Williams
10/04	0900	75	HERNANDEZ
10/04	1200	76	HERNANDEZ
10/04	1500	76	HERNANDEZ
10/04	1800	78	HERNANDEZ
10/04	2100	78	HERNANDEZ
10/04	2400	77	Williams

Saturday

Date	Time	Temp.	Name (Print)
10/15/24	0300	75	J. Reyna
10/15/24	0600	75	J. Reyna
10/15/24	0900	74	HERNANDEZ
10/15/24	1200	76	HERNANDEZ
10/15/24	1500	76	Flores
10/15/24	1800	76	Flores
10/15/24	2100	75	Flores
10/15/24	2400	75	J. Reyna

Notes

Date	Time	Temp.	Name (Print)
10/16/24	0300	72	MOORE
10/16/24	0600	71	Stewart
10/16/24	0900	71	Stewart
10/16/24	1200	77	Garcia
10/16/24	1500	72	Maldonado
10/16/24	1800	72	Cadena
10/16/24	2100	71	Cadena
10/16/24	2400	72	MOORE

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LFK Housing Unit: D-3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	71°	C. Brito
	0600	73°	C. Brito
	0900	74°	J. Oceguera
10/12	1200	74°	J. Oceguera
	1500	74°	M. Garcia
	1800	73°	M. Garcia
	2100	72°	M. Garcia
	2400	73°	C. Brito

Wednesday

Date	Time	Temp.	Name (Print)
10/12	0300	71	VEGA
	0600	74	Machado
	0900	74	Machado
	1200	74	Machado
	1500	72	Avila
	1800	72	Avila
	2100	70	Avila
	2400	71	VEGA

Thursday

Date	Time	Temp.	Name (Print)
10/13	0300	71	VEGA
	0600	71	Avila
	0900	71	Avila
	1200	72	Avila
	1500	72	Rovin
	1800	72	Rovin
	2100	72	Rovin
	2400	71	VEGA

Friday

Date	Time	Temp.	Name (Print)
10/14	0300	71	VEGA
	0600	71	Avila
	0900	71	Avila
	1200	72	Avila
	1500	72	Rovin
	1800	73	Rovin
	2100	73	Rovin
	2400	71	VEGA

Saturday

Date	Time	Temp.	Name (Print)
10/15	0300	71	VEGA
	0600	70	Oceguera
	0900	71	Oceguera
	1200	71	Oceguera
	1500	70	Rovin
	1800	70	Rovin
	2100	70	Rovin
	2400	71	VEGA

Sunday

Date	Time	Temp.	Name (Print)
10/16	0300	71	VEGA
	0600	71	Oceguera
	0900	71	Oceguera
	1200	71	Oceguera
	1500	71	Rovin
	1800	70	Rovin
	2100	70	Rovin
	2400	71	VEGA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D4 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600	72	A. GONZALEZ
	0900	75	A. GONZALEZ
	1200	75	A. GONZALEZ
	1500	78	A. GONZALEZ
	1800	75	A. GONZALEZ
	2100	72	A. GONZALEZ
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70	M. GONZALEZ
	0600	70	A. GONZALEZ
	0900	72	A. GONZALEZ
	1200	75	A. GONZALEZ
	1500	80	A. GONZALEZ
	1800	80	A. GONZALEZ
	2100	75	A. GONZALEZ
	2400	70	M. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
	0300	72	CORONA
	0600	72	Machado
	0900	72	Machado
	1200	72	Machado
	1500	72	Anil
	1800	72	Anil
	2100	72	Anil
	2400	72	CORONA

Friday

Date	Time	Temp.	Name (Print)
	0300	79°	NKwocca
	0600	72	Machado
	0900	72	Machado
	1200	72	Machado
	1500	72	Anil
	1800	72	Anil
	2100	72	Anil
	2400	72°	NKwocca

Saturday

Date	Time	Temp.	Name (Print)
	0300	74	CORONA
	0600	74	ARIZAS
	0900	76	ARIZAS
	1200	80	ARIZAS
	1500	80	ARIZAS
	1800	80	ARIZAS
	2100	79	ARIZAS
	2400	74	CORONA

Sunday

Date	Time	Temp.	Name (Print)
	0300	76°	J. MILLER
	0600	70	J. ARIZAS
	0900	73	J. ACERS
	1200	70	J. MILLER
	1500	70	S. ARIZAS
	1800	70	S. ARIZAS
	2100	70	J. BROAS
	2400	76°	J. MILLER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday 10-02-24

Date	Time	Temp.	Name (Print)
	0300	70°	Richardson
	0600	70°	CORTES
	0900	70°	CORTES
	1200	70°	CORTES
	1500	70°	Deras
	1800	70°	Deras
	2100	70°	Deras
	2400	70°	Richardson

Friday 10-04-24

Date	Time	Temp.	Name (Print)
	0300	70°	Reyes
	0600	70°	CORTES
	0900	70°	CORTES
	1200	70°	CORTES
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	Reyes

Sunday 10-06-24

Date	Time	Temp.	Name (Print)
	0300	70°	M. DIXON
	0600	70°	Machado
	0900	70°	Machado
	1200	70°	Machado
	1500	70°	Gregory
	1800	70°	Gregory
	2100	70°	Gregory
	2400	70°	M. DIXON

Tuesday 10-01-24

Date	Time	Temp.	Name (Print)
	0300	70°	Richardson
	0600	70°	CORTES
	0900	70°	CORTES
	1200	70°	CORTES
	1500	70°	Garcia
	1800	70°	Garcia
	2100	70°	Garcia
	2400	70°	Richardson

Thursday

Date	Time	Temp.	Name (Print)
	0300	70°	Richardson
	0600	70°	CORTES
	0900	70°	CORTES
	1200	70°	CORTES
	1500	70°	MARES
	1800	70°	MARES
	2100	70°	MARES
	2400	70°	Richardson

Saturday 10-05-24

Date	Time	Temp.	Name (Print)
	0300	70°	HERNANDEZ
	0600	70°	Machado
	0900	70°	Machado
	1200	70°	Machado
	1500	70°	Jaquez
	1800	70°	Jaquez
	2100	70°	Jaquez
	2400	70°	HERNANDEZ

Notes

10/01 - 1135 STAGE 1 HEAT ALERT 90°
10/02 - 1101 STAGE 1 HEAT ALERT 90°
10/03 - 0935 STAGE ONE HEAT ALERT 90°
10/04 - 1045 STAGE 1 HEAT ALERT 90°

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: INF

Temp. Reading Location: 1st

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72	Oliver
	0600	72	D. Ortega
	0900	72	D. Ortega
	1200	72	D. Ortega
	1500	74	Oliver
	1800	74	Oliver
	2100	77	Avelar
	2400	77	Poggi

Tuesday

Date	Time	Temp.	Name (Print)
10/18/24	0300	77	Poggi
	0600	76	Christensen
	0900	76	Christensen
	1200	78	Christensen
	1500	75	Avelar
	1800	74	Avelar
	2100	73	Poggi
	2400	73	Poggi

Wednesday

Date	Time	Temp.	Name (Print)
10/19/24	0300	72	Poggi
	0600	73	Christensen
	0900	73	Christensen
	1200	73	Christensen
	1500	74	Avelar
	1800	74	Avelar
	2100	75	Poggi
	2400	75	Poggi

Thursday

Date	Time	Temp.	Name (Print)
10/20/24	0300	73	Poggi
	0600	73	Christensen
	0900	73	Christensen
	1200	73	Christensen
	1500	73	Richardson
	1800	73	Richardson
	2100	73	Richardson
	2400	73	Maldonado

Friday

Date	Time	Temp.	Name (Print)
10/21/24	0300	72	Maldonado
	0600	71	Morgan
	0900	72	Fernandez
	1200	72	Fernandez
	1500	72	Chatmon
	1800	72	Chatmon
	2100	72	Chatmon
	2400	72	Galapon

Saturday

Date	Time	Temp.	Name (Print)
10/22/24	0300	72	Galapon
	0600	72	Deale
	0900	72	Deale
	1200	72	Deale
	1500	72	Johnson
	1800	72	Johnson
	2100	72	Johnson
	2400	72	Galapon

Sunday

Date	Time	Temp.	Name (Print)
10/23/24	0300	73	Oliver
	0600	72	Ugarte
	0900	72	Ugarte
	1200	72	Ugarte
	1500	72	Oliver
	1800	73	Oliver
	2100	73	Oliver
	2400	72	Oliver

Notes

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 4, 2024	0100	75°	BRAND
	0200	73°	BRAND
	0300	72°	BRAND
	0400	71°	BRAND
	0500	71°	BRAND
	0600	69°	MNEZ
	0700	71	MNEZ
	0800	73	MNEZ
	0900	78	MNEZ
	1000	84	MNEZ
	1100	88	MNEZ
	1200	90	MNEZ
	1300	92	MNEZ
	1400	93	Puentes
	1500	93	Puentes
	1600	95	Puentes
	1700	93	Puentes
	1800	91	Puentes
	1900	89	Puentes
	2000	84	Puentes
	2100	80	Puentes
	2200	82°	J. BRAND
	2300	79°	J. BRAND
	2400	79°	J. BRAND

Date	Time	Temp.	Printed Name
OCTOBER 8, 2024	0100	79°	J. BRAND
	0200	77°	J. BRAND
	0300	76°	J. BRAND
	0400	75°	J. BRAND
	0500	73°	J. BRAND
	0600	70	MNEZ
	0700	72	MNEZ
	0800	75	MNEZ
	0900	79	MNEZ
	1000	82	MNEZ
	1100	85	MNEZ
	1200	87	MNEZ
	1300	90	MNEZ
	1400	94	Puentes
	1500	93	Puentes
	1600	92	Puentes
	1700	96	Puentes
	1800	88	Puentes
	1900	86	Puentes
	2000	84	Puentes
	2100	81	Puentes
	2200	80	WILFIEDO
	2300	74	WILFIEDO
	2400	74	WILFIEDO

HEAT ALERT

START 1140

END 1930

HEAT ALERT

START 1245

END 1830

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/09 2024	0100	77	LINGFIELD
	0200	75	LINGFIELD
	0300	70	LINGFIELD
	0400	68	LINGFIELD
	0500	66	LINGFIELD
	0600	69	MNEZ
	0700	70	MNEZ
	0800	72	MNEZ
	0900	76	MNEZ
	1000	80	MNEZ
	1100	84	MNEZ
	1200	87	MNEZ
	1300	89	MNEZ
	1400	90	Puentes
	1500	93	Puentes
	1600	93	Puentes
	1700	90	Puentes
	1800	86	Puentes
	1900	82	Puentes
	2000	81	Puentes
	2100	80	Puentes
	2200	78	LINGFIELD
	2300	76	LINGFIELD
	2400	76	LINGFIELD

Date	Time	Temp.	Printed Name
10/10 2024	0100	75	LINGFIELD
	0200	74	LINGFIELD
	0300	72	LINGFIELD
	0400	71	LINGFIELD
	0500	71	LINGFIELD
	0600	70	MNEZ
	0700	69	MNEZ
	0800	72	MNEZ
	0900	75	MNEZ
	1000	78	MNEZ
	1100	81	MNEZ
	1200	85	MNEZ
	1300	88	MNEZ
	1400	90	Villalobos
	1500	91	Villalobos
	1600	90	Villalobos
	1700	89	Villalobos
	1800	84	Villalobos
	1900	81	Villalobos
	2000	79	Villalobos
	2100	79	Villalobos
	2200	78	Villalobos
	2300	80	LINGFIELD
	2400	80	LINGFIELD

STAGE 1 HEAT ALERT

START 1400

END 1830

STAGE 1 HEAT ALERT

START 1350

END 1830

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
OCTOBER 11, 2024	0100	79	A ENCALADE	OCTOBER 12, 2024	0100	74	IM
	0200	78	A ENCALADE		0200	70	IM
	0300	78	A ENCALADE		0300	68	IM
	0400	76	A ENCALADE		0400	68	IM
	0500	72	A ENCALADE		0500	69	IM
	0600	68	C.Gewirtz		0600	66	IM
	0700	70	C.Gewirtz		0700	66	C.Gewirtz
	0800	71	C.Gewirtz		0800	68	C.Gewirtz
	0900	72	C.Gewirtz		0900	70	C.Gewirtz
	1000	80	C.Gewirtz		1000	74	C.Gewirtz
	1100	86	C.Gewirtz		1100	83	C.Gewirtz
	1200	88	C.Gewirtz		1200	88	C.Gewirtz
	1300	90	C.Gewirtz		1300	88	C.Gewirtz
	1400	90	C.Gewirtz		1400	88	C.Gewirtz
	1500	90	C.Gewirtz		1500	87	C.Gewirtz
	1600	88	C.Gewirtz		1600	86	C.Gewirtz
	1700	87	C.Gewirtz		1700	83	C.Gewirtz
	1800	84	C.Gewirtz		1800	80	C.Gewirtz
	1900	80	C.Gewirtz		1900	78	C.Gewirtz
	2000	78	C.Gewirtz		2000	75	C.Gewirtz
	2100	76	C.Gewirtz		2100	75	C.Gewirtz
	2200	77	C.Gewirtz		2200	73	C.Gewirtz
	2300	70	IM		2300	73	W.P.Alterson
	2400	76	IM		2400	72	W.P.Alterson

Stage 1 1300 ACTIVATED
1620 DEACTIVATED

Stage 1 _____ ACTIVATED
_____ DEACTIVATED

DISTRIBUTION: Original: Institution ADA Coordinator

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 13, 2024	0100	72	W.Patterson
	0200	71	W.Patterson
	0300	71	T.Godwin
	0400	70	T.Galvan
	0500	69	T.Galvan
	0600	66	Puentes
	0700	65	Puentes
	0800	64	Puentes
	0900	71	Puentes
	1000	76	Puentes
	1100	60	Puentes
	1200	84	Puentes
	1300	65	Puentes
	1400	84	Puentes
	1500	84	Puentes
	1600	62	Puentes
	1700	80	Puentes
	1800	79	Puentes
	1900	75	Puentes
	2000	74	Puentes
	2100	74	Puentes
	2200	75	GARCIA
	2300	75	GARCIA
	2400	72	GARCIA

Date	Time	Temp.	Printed Name
OCTOBER 14, 2024	0100	70	GARCIA
	0200	68	GARCIA
	0300	65	GARCIA
	0400	63	GARCIA
	0500	63	Garcia
	0600	64	Puentes
	0700	65	Puentes
	0800	65	Puentes
	0900	66	Puentes
	1000	70	Puentes
	1100	77	Puentes
	1200	60	Puentes
	1300	62	Puentes
	1400	84	Puentes
	1500	62	Puentes
	1600	60	Puentes
	1700	77	Puentes
	1800	78	Puentes
	1900	75	Puentes
	2000	71	Puentes
	2100	69	Puentes
	2200	68	J.BLAVO
	2300	67	J.BLAVO
	2400	65	J.BLAVO

HEAT ALERT

START _____

END _____

HEAT ALERT

START _____

END _____

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-1AC Housing Unit: DORM 1 Temp. Reading Location: DAY ROOM

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1	0300	87	SILVA
	0600	84° 76	SILVA EVANGELISTA
	0900	77	EVANGELISTA
	1200	79	EVANGELISTA
	1500	81°	M. Contreras
	1800	81°	M. Contreras
	2100	80°	M. Contreras
	2400	89	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
10/5/24	0300	79°	DA WELLS
	0600	76	EVANGELISTA
	0900	76	EVANGELISTA
	1200	76	EVANGELISTA
	1500	81°	M. Contreras
	1800	81°	M. Contreras
	2100	80°	M. Contreras
	2400	79°	DA WELLS

Wednesday

Date	Time	Temp.	Name (Print)
10.9.24	0300	80	LOPEZ
	0600	74	Akawade
	0900	78	Akawade
	1200	78	Akawade
	1500	81	M. Contreras
	1800	81	M. Contreras
	2100	80	M. Contreras
	2400	80	LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	76	VACON
	0600	76	CHRISTENSEN
	0900	76	CHRISTENSEN
	1200	78	CHRISTENSEN
	1500	78	Briggs
	1800	76	Briggs
	2100	76	Briggs
	2400	77	VACON

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	77	VACON
	0600	75	MICAN
	0900	75	MICAN
	1200	75	MICAN
	1500	75	Mendoza
	1800	75	Mendoza
	2100	75	Mendoza
	2400	77	VACON

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	77	VACON
	0600	72°	CRIDDE
	0900	74°	CRIDDE
	1200	75°	CRIDDE
	1500	80°	M. Contreras
	1800	79°	M. Contreras
	2100	78°	M. Contreras
	2400	77	VACON

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	78	MEDEO
	0600	77	MEDEO
	0900	75°	CRIDDE
	1200	75°	CRIDDE
	1500	75°	Hartfield
	1800	75°	Hartfield
	2100	73	Hartfield
	2400	78	MEDEO

Notes

10/7/24 STAGE
10/8/24 STAGE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round;

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10/07/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	75	75	64	64	70	65	60	70	F. GUTTERREZ	<u>D. G.</u>
03:00	75	75	64	64	70	65	62	70	F. GUTTERREZ	<u>D. G.</u>
06:00	75	74	68	68	70	68	60	70	M. QUISTERO	<u>M. Q.</u>
09:00	76°	78°	68°	68°	70°	66°	60°	70°	M. QUISTERO	<u>M. Q.</u>
12:00	76°	78°	68°	68°	70°	66°	60°	70°	M. QUISTERO	<u>M. Q.</u>
15:00	73°	73°	67°	68°	70°	68°	65°	70°	A. MARTIN	<u>A. M.</u>
18:00	74	74	66	66	70	68	64	70	Ernesto	<u>E.</u>
21:00	74	74	66	66	70	66	62	70	Price	<u>P.</u>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 10/07/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by CENTRAL CONTROL at 1140 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and/or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting.
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

J. M.
1ST/W OFFICER'S SIGNATURE

J. M.
2ND/W OFFICERS SIGNATURE

J. M.
3RD/W OFFICERS SIGNATURE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 90 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10-8-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	74	76	66°	66°	70°	64°	60°	70°	STEPHENSON	CSopl
03:00	78°	76	66	64	70	66	64	70°	STEPHENSON	CSopl
06:00	74°	72°	60°	60°	70°	60°	60°	70°	M. QUINTERO	J. Q. S.
09:00	74°	74°	62°	62°	70°	64°	60°	70°	M. QUINTERO	J. Q. S.
12:00	70°	78°	60°	60°	70°	68°	60°	70°	M. QUINTERO	J. Q. S.
15:00	76°	75°	61°	64°	70°	68°	60°	70°	Acuilara	J. Acuilara
18:00	75°	75°	63°	66°	70°	66°	60°	70°	Acuilara	J. Acuilara
21:00	74°	75°	64°	67°	70°	64°	60°	70°	Acuilara	J. Acuilara

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: Oct. 8, 2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by CENTRAL CONTROL at 1245 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Central Control at 1830 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

JW Caylor
1ST/W OFFICER'S SIGNATURE

JW Caylor
2ND/W OFFICER'S SIGNATURE

JW Caylor
3RD/W OFFICER'S SIGNATURE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10/09/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	74	76	66	66	70	64	62	70	Sirko	<i>Sirko</i>
03:00	74	76	66	66	70	64	62	70	Sirko	<i>Sirko</i>
06:00	74°	72°	68°	68°	70°	64°	64°	70°	M. QUINTERO	<i>M. Quintero</i>
09:00	74°	74°	68°	68°	70°	68°	60°	70°	M. QUINTERO	<i>M. Quintero</i>
12:00	74°	76°	64°	66°	70°	68°	60°	70°	M. QUINTERO	<i>M. Quintero</i>
15:00	74	76	66	66	70	64	62	70	Sirko	<i>Sirko</i>
18:00	74	76	66	66	70	64	62	70	Sirko	<i>Sirko</i>
21:00	74	76	66	66	70	66	62	70	Sirko	<i>Sirko</i>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 10/07/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

(Signature)

1. Heat Plan activated, notified by Central Control at 1400 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting.
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Central Control at 1830 hours.
2. Heat-Risk Inmate-Patients returned to regular program.

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

(Signature)
1ST/W OFFICER'S SIGNATURE

(Signature)
2ND/W OFFICERS SIGNATURE

(Signature)
3RD/W OFFICERS SIGNATURE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10/10/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	74	76	66	66	70	66	62	70	Franck	
03:00	74	74	66	66	70	64	62	70	Franck	
06:00	72°	72°	64°	66°	70°	68°	62°	70°	M. QUINTERO	
09:00	72°	72°	68°	68°	70°	66°	60°	70°	M. QUINTERO	
12:00	72°	72°	68°	68°	70°	66°	60°	70°	M. QUINTERO	
15:00	72	72	68	68	70	66	62	70	Sinko	
18:00	72	72	68	68	70	66	62	70	Sinko	
21:00	72	72	68	68	70	66	62	70	Sinko	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date:

Heat Alert Check List
Correctional Officer

UNIT: R4U

DATE: 10/10/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by CENTRAL CONTROL 1350 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Central Control at 1830 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

[Signature]
1ST/W OFFICER'S SIGNATURE

[Signature]
2ND/W OFFICERS SIGNATURE

[Signature]
3RD/W OFFICERS SIGNATURE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 16-11-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	74°	74°	66°	67°	70°	64°	61°	69°	J. Acuña	<i>J. Acuña</i>
03:00	74°	74°	65°	66°	70°	68°	61°	69°	J. Acuña	<i>J. Acuña</i>
06:00	76	74	68	68	70	68	60	70	Furman	<i>Furman</i>
09:00	76	76	68	68	70	68	60	70	Furman	<i>Furman</i>
12:00	76	76	66	68	70	66	62	70	Furman	<i>Furman</i>
15:00	75	75	67	68	70	66	62	70	Sirkos	<i>Sirkos</i>
18:00	75	75	67	68	70	66	62	70	Sirkos	<i>Sirkos</i>
21:00	75	75	67	68	70	66	62	70	Sirkos	<i>Sirkos</i>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date:

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 10-17-2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

[Signature]
1ST OFFICER'S SIGNATURE

[Signature]
2ND OFFICERS SIGNATURE

[Signature]
3RD OFFICERS SIGNATURE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10-12-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	74	76	66	66	70	64	62	70	Sirko	
03:00	74	76	66	66	70	64	62	70	Sirko	
06:00	74	75	67	67	70	64	64	70	Bone	
09:00	74	74	67	68	70	66	61	70	Bone	
12:00	74	76	68	68	70	66	61	70	Bone	
15:00	74	76	67	68	70	65	63	70	Doran	
18:00	74	76	67	67	70	65	63	70	Doran	
21:00	74	76	66	67	70	65	63	70	Doran	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List
Correctional Officer

UNIT: R Hu

DATE: 10-12-2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting;
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours..
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

1ST/W OFFICER'S SIGNATURE

2ND/W OFFICERS SIGNATURE

3RD/W OFFICERS SIGNATURE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10-13-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	72	70	66	70	70	64	64	70	Ocegueda	
03:00	72	70	66	70	70	64	64	70	Ocegueda	
06:00	76	77	63	69	70	64	62	70	Agyapona	80hrw
09:00	78	78	68	68	70	68	62	70	Agyapona	80hrw
12:00	75	75	67	66	70	67	61	70	Agyapona	80hrw
15:00	75	75	66	66	70	68	61	70	Bone	
18:00	74	74	66	66	70	68	62	70	Bone	
21:00	74	75	64	67	70	64	60	70	Bone	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: 10-13-2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

- _____ 1. Heat Plan activated, notified by _____ at _____ hours.
- _____ 2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
- _____ 3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
- _____ 4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
- _____ 3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Continued cooling measures and observation of heat risk Inmate-Patients.
- _____ 3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:


- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Cease cooling measures when temperature remains below for one (1) hour.


BELOW 90 DEGREES OUTSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.


1ST/W OFFICER'S SIGNATURE


2ND/W OFFICERS SIGNATURE


3RD/W OFFICERS SIGNATURE

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	70	S. Agyapong
10	0600	70	Rodriguez Jr
10	0900	70	Navarro Jr
10	1200	70	Navarro Jr
10	1500	70	S. Agyapong
10	1800	72	G. Baker
24	2100	71	G. Baker
24	2400	70	S. Agyapong

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	70	S. Agyapong
10	0600	70	Rodriguez Jr
10	0900	70	Navarro Jr
10	1200	70	Rodriguez Jr
10	1500	70	Navarro Jr
10	1800	70	Rodriguez Jr
24	2100	70	Navarro Jr
24	2400	70	S. Agyapong

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	70	S. Agyapong
10	0600	70	Rodriguez Jr
10	0900	70	Navarro Jr
10	1200	70	Rodriguez Jr
10	1500	72	G. Baker
10	1800	72	G. Baker
24	2100	72	G. Baker
24	2400	70	S. Agyapong

Thursday

Date	Time	Temp.	Name (Print)
10	0300	76	G. Baker
10	0600	70	Navarro Jr
10	0900	70	Rodriguez Jr
10	1200	70	Rodriguez Jr
10	1500	72	G. Baker
10	1800	72	G. Baker
24	2100	70	G. Baker
24	2400	70	G. Baker

Friday

Date	Time	Temp.	Name (Print)
10	0300	70	J. Solis
10	0600	70	G. Giordano
10	0900	70	G. Giordano
10	1200	70	G. Giordano
10	1500	70	P. Lewis
10	1800	70	P. Lewis
24	2100	70	P. Lewis
24	2400	70	J. Solis

Saturday

Date	Time	Temp.	Name (Print)
10	0300	70	S. Agyapong
10	0600	70	T. Nomura
10	0900	70	T. Nomura
12	1200	70	T. Nomura
12	1500	70	A. Hess
12	1800	70	E. Smith
24	2100	70	J. Hall
24	2400	70	S. Agyapong

Notes

Date	Time	Temp.	Name (Print)
10	0300	70	S. Agyapong
10	0600	70	S. Agyapong
10	0900	70	S. Agyapong
10	1200	70	S. Agyapong
10	1500	70	S. Agyapong
10	1800	70	S. Agyapong
24	2100	70	S. Agyapong
24	2400	70	S. Agyapong

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	70°	D. Wells
	0600	70°	M. Caplinger
	0900	70°	M. Caplinger
	1200	71°	M. Caplinger
	1500	70°	Alatre
	1800	70°	Antine
	2100	70°	Antine
	2400	70°	D. Wells

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	70	Chapman
	0600	70	Chase
	0900	70	Chase
	1200	70	Chase
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70	Chapman

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	70	Chapman
	0600	67	Chase
	0900	69	Chase
	1200	70	Chase
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70	Chapman

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	Chapman
	0600	68	Chase
	0900	70	Chase
	1200	70	Chase
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70	OLLA
	2400	70	Chapman

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	Chapman
	0600	68	Chase
	0900	70	Chase
	1200	70	Chase
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70	Chapman

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	J. S. J.
	0600	67	Chase
	0900	69	Chase
	1200	70°	Chase
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70	J. S. J.

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70°	J. S. J.
	0600	67°	Tom
	0900	70°	Tom
	1200	70°	Tom
	1500	70°	X. Li
	1800	70°	X. Li
	2100	70°	X. Li
	2400	70°	J. S. J. M. Resal

Notes

10/8/24 - STAGE 2 HEAT ALERT DEACTIVATED @ 1830
10/9/24 - U-H-T DEACTIVATED @ 1830 hrs.
10/11/24 - U-H-T DEACTIVATED @ 1620 hours

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/ 21 24	0300	71	Miropies
	0600	71	M. Miropies
	0900	70	E. Grana
	1200	70	E. Grana
	1500	70	E. Grana
	1800	70	E. Grana
	2100	70	E. Grana
	2400	71	Miropies

Tuesday

Date	Time	Temp.	Name (Print)
10/ 21 24	0300	70	D. Woodard
	0600	69	G. Baker
	0900	69	G. Baker
	1200	70	G. Baker
	1500	71	G. Baker
	1800	72	G. Baker
	2100	72	G. Baker
	2400	73	D. Woodard

Wednesday

Date	Time	Temp.	Name (Print)
10/ 21 24	0300	70	STOKEY
	0600	71	STOKEY
	0900	70	STOKEY
	1200	70	STOKEY
	1500	70	STOKEY
	1800	70	STOKEY
	2100	70	STOKEY
	2400	70	STOKEY

Thursday

Date	Time	Temp.	Name (Print)
10/ 21 24	0300	70	MARTIN
	0600	68	E. Granach
	0900	68	E. Granach
	1200	70	E. Granach
	1500	70	NUNEZ
	1800	70	NUNEZ
	2100	70	NUNEZ
	2400	70	MARTIN

Friday

Date	Time	Temp.	Name (Print)
10/ 21 24	0300	70	MARTIN
	0600	70	P. Kelly
	0900	70	P. Kelly
	1200	70	P. Kelly
	1500	70	NUNEZ
	1800	70	NUNEZ
	2100	70	NUNEZ
	2400	70	MARTIN

Saturday

Date	Time	Temp.	Name (Print)
10/ 21 24	0300	70	SENATOR
	0600	70	P. GAY
	0900	70	P. GAY
	1200	70	P. GAY
	1500	70	D. Cherry
	1800	70	D. Cherry
	2100	70	D. Cherry
	2400	70	SENATOR

Sunday

Date	Time	Temp.	Name (Print)
10/ 21 24	0300	70°	J. Astier
	0600	70°	J. Astier
	0900	70°	J. Astier
	1200	71°	J. Astier
	1500	70	D. Cherry
	1800	70	D. Cherry
	2100	70	D. Cherry
	2400	70°	J. Astier

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	69	D Woodard
	0600	71	L Thomas
	0900	71	L Thomas
	1200	71	L Thomas
	1500	72	GUERRAL
	1800	72	GUERRAL
	2100	71	GUERRAL
	2400	69	D Woodard

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	71	Akande
	0600	71	L Thomas
	0900	71	L Thomas
	1200	71	L Thomas
	1500	72	R Flores
	1800	71	R Flores
	2100	71	R Peoples
	2400	71	Akande

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	71	Akande
	0600	72	L Thomas
	0900	72	L Thomas
	1200	72	L Thomas
	1500	72	R Flores
	1800	72	R Flores
	2100	71	R Flores
	2400	71	Akande

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	Akande
	0600	73	VEGA
	0900	72	VEGA
	1200	71	VEGA
	1500	72	Fuentes
	1800	71	Fuentes
	2100	71	Fuentes
	2400	71	Akande

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	Serrato
	0600	72	Serrato
	0900	72	Serrato
	1200	72	Serrato
	1500	72	Fuentes
	1800	72	Fuentes
	2100	72	Fuentes
	2400	70	Serrato

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	
	0600	73	GARCIA
	0900	76	GARCIA
	1200	70	GARCIA
	1500	74	X Li
	1800	70	X Li
	2100	68	X Li
	2400	70	

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	69	D Woodard
	0600	70	D Woodard
	0900	71	X Li
	1200	71	X Li
	1500	72	Fuentes
	1800	72	Fuentes
	2100	72	Fuentes
	2400	69	D Woodard

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/27/24	0300	74°	Rosales O.
	0600	73°	RAMIREZ
	0900	74°	RAMIREZ
	1200	75°	RAMIREZ
	1500	75°	Robles M
	1800	75°	FRAZIER B
	2100	75°	VASQUEZ
	2400	76°	Rosales O.

Tuesday

Date	Time	Temp.	Name (Print)
10/28/24	0300	73°	Robles O
	0600	72°	RAMIREZ
	0900	73°	RAMIREZ
	1200	73°	RAMIREZ
	1500	73°	B. Frazier
	1800	73°	B. Frazier
	2100	74°	B. Frazier
	2400	74°	Rosales O.

Wednesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	71°	Rosales O.
	0600	72°	RAMIREZ
	0900	73°	RAMIREZ
	1200	73°	RAMIREZ
	1500	74°	Frazier B
	1800	74°	Frazier B
	2100	74°	Frazier B
	2400	73°	Robles O.

Thursday

Date	Time	Temp.	Name (Print)
10/30/24	0300	72°	Rosales O.
	0600	72°	RAMIREZ
	0900	73°	RAMIREZ
	1200	73°	RAMIREZ
	1500	73°	Frazier B
	1800	73°	Frazier B
	2100	73°	Ward
	2400	73°	Robles O.

Friday

Date	Time	Temp.	Name (Print)
10/31/24	0300	68°	D-Woodard
	0600	72°	R. RAMIREZ
	0900	72°	R. RAMIREZ
	1200	72°	R. RAMIREZ
	1500	72°	B. Frazier
	1800	72°	B. Frazier
	2100	72°	B. Frazier
	2400	68°	D. Woodard

Saturday

Date	Time	Temp.	Name (Print)
10/31/24	0300	71°	D. Frazier
	0600	72°	Cardenas
	0900	72°	Cardenes
	1200	72°	Cardenes
	1500	72°	A. CUNNINGHAM
	1800	72°	A. CUNNINGHAM
	2100	72°	A. CUNNINGHAM
	2400	71°	David

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	71°	Solorzano
	0600	71°	Solorzano
	0900	72°	Solorzano
	1200	72°	Solorzano
	1500	72°	A. CUNNINGHAM
	1800	73°	A. CUNNINGHAM
	2100	73°	A. CUNNINGHAM
	2400	71°	Solorzano

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FBBI Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70°	D. REYES
	0600	69°	J. GARCIA
	0900	70°	J. GARCIA
	1200	71°	J. GARCIA
	1500	71°	G. HERNANDEZ
	1800	71°	G. HERNANDEZ
	2100	71°	G. HERNANDEZ
	2400	70°	D. REYES

Tuesday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70°	D. REYES
	0600	70°	S. MADRIGAL
	0900	70°	S. MADRIGAL
	1200	70°	S. MADRIGAL
	1500	70°	C. HERNANDEZ
	1800	71°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70°	D. REYES

Wednesday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70°	D. REYES
	0600	70°	S. RENGEL
	0900	70°	S. RENGEL
	1200	70°	S. RENGEL
	1500	71°	G. HERNANDEZ
	1800	71°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70°	G. AGUILERA

Thursday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70°	G. AGUILERA
	0600	70°	G. AGUILERA
	0900	70°	R. GOMEZ
	1200	70°	R. GOMEZ
	1500	70°	G. HERNANDEZ
	1800	70°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70°	K. REYES

Friday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70°	K. HERRERA
	0600	69°	O'NEILL
	0900	69°	O'NEILL
	1200	69°	O'NEILL
	1500	70°	GOMEZ
	1800	70°	GOMEZ
	2100	70°	GOMEZ
	2400	70°	K. HERRERA

Saturday

Date	Time	Temp.	Name (Print)
10/22/24	0300	70°	D. REYES
	0600	70°	O'NEILL
	0900	70°	O'NEILL
	1200	69°	O'NEILL
	1500	70°	J. AGUILAR
	1800	70°	J. AGUILAR
	2100	70°	J. AGUILAR
	2400	70°	I. DARRA

Notes

Date	Time	Temp.	Name (Print)
10/23/24	0300	69°	I. DARRA
	0600	70°	B. HADLOCK
	0900	70°	B. HADLOCK
	1200	70°	B. HADLOCK
	1500	70°	G. HERNANDEZ
	1800	69°	G. HERNANDEZ
	2100	69°	G. HERNANDEZ
	2400	70°	I. DARRA

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-7-24

Date	Time	Temp.	Name (Print)
10/7/24	0300	70°	M. castaneda
	0600	70°	C. Bucua
	0900	70	O'Neill
	1200	70	O'Neill
	1500	70	Galindo
	1800	72	Galindo
	2100	75	Galindo
	2400	70	M. castaneda

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	70°	M. castaneda
	0600	76	M. castaneda
	0900	74	M. castaneda
	1200	77	M. castaneda
	1500	78	M. castaneda
	1800	75	M. castaneda
	2100	78	M. castaneda
	2400	70°	M. castaneda

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	73	Scott
	0600	70	Clavel
	0900	70	Clavel
	1200	70	Clavel
	1500	78	Ibarra
	1800	77	Ibarra
	2100	75	Ibarra
	2400	73	Scott

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	Scott
	0600	70	Ibarra
	0900	75	Ibarra
	1200	76	Ibarra
	1500	75	Ibarra
	1800	75	Ibarra
	2100	72	Ibarra
	2400	72	Scott

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72	Scott
	0600	78	OCEGUEDA
	0900	72	OCEGUEDA
	1200	73	OCEGUEDA
	1500	75	Ibarra
	1800	75	Ibarra
	2100	70	Ibarra
	2400	70	UMANA

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	UMANA
	0600	70	PAJUNDO
	0900	71	PAJUNDO
	1200	71	PAJUNDO
	1500	70	Ibarra
	1800	70	Ibarra
	2100	70	Ibarra
	2400	70	UMANA

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70°	Quarles
	0600	72°	Quarles
	0900	69	O'Neill
	1200	71	O'Neill
	1500	70°	OBALC
	1800	70°	OBALC
	2100	70°	OBALC
	2400	70°	Quarles

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	70°	Chavez
0600	68	Garcia	
0900	70	A. Garcia	
1200	70	A. Garcia	
1500	70	D. Rodriguez	
1800	70	D. Rodriguez	
2100	70	D. Rodriguez	
2400	70	D. Rodriguez	

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	70	Garcia
0600	70	OPTIZ	
0900	70	OPTIZ	
1200	70	OPTIZ	
1500	70	Aguilar	
1800	70	Aguilar	
2100	70	Aguilar	
2400	70	GARCIA	

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	70	Packard
0600	70	Recinos	
0900	70	Recinos	
1200	70	Recinos	
1500	70	Morlum	
1800	70	M. Garcia	
2100	70	M. Garcia	
2400	68	PACHTON	

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	68	Packard
0600	68	Pawman	
0900	70	Pawman	
1200	70	Pawman	
1500	70	BRACAMONTE	
1800	70	BRACAMONTE	
2100	70	BRACAMONTE	
2400	68	PACHTON	

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	68	PACHTON
0600	68	ONELL	
0900	68	ONELL	
1200	68	ONELL	
1500	68	X-LI	
1800	68	X-LI	
2100	68	X-LI	
2400	68	PACHTON	

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	65°	Bell
0600	70	COLEMAN	
0900	70	COLEMAN	
1200	70	HESS	
1500	70	BRACAMONTE	
1800	70	BRACAMONTE	
2100	70	BRACAMONTE	
2400	68	Bell	

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	68	PACHTON
0600	68	ESTRADA	
0900	68	ESTRADA	
1200	70	ESTRADA	
1500	70	ESTRADA	
1800	70	BRACAMONTE	
2100	70	BRACAMONTE	
2400	68	PACHTON	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B 4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	70	GARCIA
	0600	70	FELIPE
	0900	70	FELIPE
	1200	70	FELIPE
	1500	70	FELIPE
	1800	70	NUNEZ
	2100	70	NUNEZ
	2400	69	GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	70	FORD
	0600	70	FELIPE
	0900	70	FELIPE
	1200	70	FELIPE
	1500	70	FELIPE
	1800	70	FELIPE
	2100	70	FELIPE
	2400	70	FORD

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	70	OSCAR
	0600	70	FELIPE
	0900	70	FELIPE
	1200	70	FELIPE
	1500	70	Alvaro
	1800	70	Alvaro
	2100	70	Alvaro
	2400	70	OSCAR

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	FORD
	0600	70	Recinos
	0900	70	Recinos
	1200	70	Recinos
	1500	70	E. Tava
	1800	70	E. Tava
	2100	70	E. Tava
	2400	70	FORD

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	FORD
	0600	70	Recinos
	0900	70	NUNEZ
	1200	70	Recinos
	1500	70	E. Tava
	1800	70	E. Tava
	2100	70	E. Tava
	2400	70	FORD

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	FORD
	0600	70	C. Gonzalez
	0900	70	C. Gonzalez
	1200	70	C. Gonzalez
	1500	70	T. Nunez
	1800	70	T. Nunez
	2100	70	T. Nunez
	2400	70	GARCIA

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	GARCIA
	0600	70	WILSON
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	70	NUNEZ
	1800	70	NUNEZ
	2100	70	NUNEZ
	2400	70	GARCIA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	Johnson
	0600	70	Alderson
	0900	70	Alderson
	1200	70	Alderson
	1500	70	M. Cook
	1800	70	M. Cook
	2100	70	M. Cook
	2400	70	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	E. Rodriguez
	0600	70	Alderson
	0900	70	Alderson
	1200	70	Alderson
	1500	70	Alderson
	1800	70	Alderson
	2100	70	Alderson
	2400	70	E. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	E. Rodriguez
	0600	70	Alderson
	0900	70	Alderson
	1200	70	Alderson
	1500	70	Olivas
	1800	70	Olivas
	2100	70	Olivas
	2400	70	E. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	E. Rodriguez
	0600	70	Alderson
	0900	70	Alderson
	1200	70	Alderson
	1500	70	Olivas
	1800	70	Olivas
	2100	70	Olivas
	2400	70	E. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	Garcia
	0600	70	Alderson
	0900	70	Alderson
	1200	70	Alderson
	1500	70	REESE
	1800	70	REESE
	2100	70	REESE
	2400	70	Garcia

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	Garcia
	0600	70	Reynor
	0900	70	Reynor
	1200	70	Reynor
	1500	70	CASTILLO
	1800	70	CASTILLO
	2100	70	CASTILLO
	2400	70	Garcia

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	Johnson
	0600	70	X. Li
	0900	70	X. Li
	1200	70	X. Li
	1500	70	G. Muir
	1800	70	G. Muir
	2100	70	G. Muir
	2400	70	Johnson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 CONTROL Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10	0300	67°	CRIDDLE
	0600	68	GUERRA
7	0900	69	GUERRA
	1200	69	GUERRA
24	1500	70°	Hill
	1800	68	Hill
	2100	69°	Hill
	2400	67°	CRIDDLE

Tuesday			
Date	Time	Temp.	Name (Print)
10	0300	68	Evangelista
	0600	69	GUERRA
8	0900	70	GUERRA
	1200	70	GUERRA
24	1500	70°	Hill
	1800	70°	Hill
	2100	69°	Hill
	2400	68	Evangelista

Wednesday			
Date	Time	Temp.	Name (Print)
10	0300	68	Evangelista
	0600	68	GUERRA
9	0900	69	GUERRA
	1200	70	GUERRA
24	1500	70°	Hill
	1800	70°	Hill
	2100	70°	Hill
	2400	68	Evangelista

Thursday			
Date	Time	Temp.	Name (Print)
10	0300	68	Evangelista
	0600	69	GUERRA
10	0900	69	GUERRA
	1200	70	GUERRA
24	1500	70°	Hill
	1800	70°	Hill
	2100	69°	Hill
	2400	68	Evangelista

Friday			
Date	Time	Temp.	Name (Print)
10	0300	68	Evangelista
	0600	70	SABUDO
11	0900	70	SABUDO
	1200	70	SABUDO
24	1500	70°	Gutierrez
	1800	69	Martin
	2100	69°	Martin
	2400	68	Evangelista

Saturday			
Date	Time	Temp.	Name (Print)
10	0300	69°	Xili
	0600	69°	Xili
12	0900	69	Flores
	1200	70	Flores
24	1500	69	SANQUIST
	1800	69	SANQUIST
	2100	69	SANQUIST
	2400	67°	Xili

Sunday			
Date	Time	Temp.	Name (Print)
10	0300	67°	CRIDDLE
	0600	67°	CRIDDLE
13	0900	70	Watson
	1200	70°	Watson
24	1500	70°	Hill
	1800	69°	Hill
	2100	69°	Hill
	2400	67°	CRIDDLE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	71°	S. DIXON
	0600	71	SABLOO
2	0900	71	SABLOO
	1200	71	SABLOO
24	1500	71	SABLOO
	1800	72	SABLOO
	2100	72	SABLOO
	2400	71°	DIXON

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	71°	DIXON
	0600	71°	T. HART
8	0900	72°	T. HART
	1200	74°	HART
24	1500	72°	WALKER
	1800	72	GALINDO
	2100	71	GALINDO
	2400	71°	DIXON

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	71°	DIXON
	0600	71°	T. HART
9	0900	73°	T. HART
	1200	74°	T. HART
24	1500	73	MARTINEZ
	1800	70	MARTINEZ
	2100	70	MARTINEZ
	2400	71°	DIXON

Thursday

Date	Time	Temp.	Name (Print)
10	0300	71°	J. NEWMAN
	0600	72°	T. HART
10	0900	71°	T. HART
	1200	71°	T. HART
24	1500	70	Alintero
	1800	70	Alintero
	2100	70	Alatino
	2400	71°	DIXON

Friday

Date	Time	Temp.	Name (Print)
10	0300	71°	DIXON
	0600	71°	T. HART
11	0900	71°	T. HART
	1200	71	T. HART
24	1500	72	H. MOAUA
	1800	72	H. MOAUA
	2100	72	H. MOAUA
	2400	71	DIXON

Saturday

Date	Time	Temp.	Name (Print)
10	0300	71°	T. Acosta
	0600	71°	T. HART
12	0900	71°	T. HART
	1200	71°	T. HART
24	1500	71	Puore
	1800	71	Puore
	2100	71	Puore
	2400	71°	T. Acosta

Notes

Date	Time	Temp.	Name (Print)
10	0300	71	WILLIAMS
	0600	71	CARDETA
13	0900	71	Caldwell
	1200	71	Caldwell
24	1500	71	SANQUIST
	1800	71	SANQUIST
	2100	71	SANQUIST
	2400	71	DIXON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 3

Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/18	0300	71	M. CONTRERA
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	71	POLKIN
	1800	70	POLKIN
	2100	70	POLKIN
	2400	71	M. CONTRERA

Tuesday

Date	Time	Temp.	Name (Print)
10/1/18	0300	70	MIRANDA
	0600	70	SALIBOO
	0900	70	SALIBOO
	1200	70	SALIBOO
	1500	71	GUERRA
	1800	71	GUERRA
	2100	70	GUERRA
	2400	70	MIRANDA

Wednesday

Date	Time	Temp.	Name (Print)
10/2/18	0300	80	FORTES, J
	0600	80	FORTES, J
	0900	80	DAVIDSON
	1200	80	DAVIDSON
	1500	80	DAVIDSON
	1800	80	DAVIDSON
	2100	80	DAVIDSON
	2400	80	FORTES, J

Thursday

Date	Time	Temp.	Name (Print)
10/2/18	0300	80	FORTES, J
	0600	70	SANQUIST
	0900	72	SANQUIST
	1200	72	SANQUIST
	1500	70	SANQUIST
	1800	70	SANQUIST
	2100	70	SANQUIST
	2400	80	FORTES, J

Friday

Date	Time	Temp.	Name (Print)
10/2/18	0300	80	FORTES, J
	0600	70	SANQUIST
	0900	72	SANQUIST
	1200	72	SANQUIST
	1500	70	POLKIN
	1800	70	POLKIN
	2100	70	POLKIN
	2400	80	FORTES, J

Saturday

Date	Time	Temp.	Name (Print)
10/2/18	0300	80	FORTES, J
	0600	70	SANQUIST
	0900	72	SANQUIST
	1200	72	SANQUIST
	1500	72	SANQUIST
	1800	80	SALAZAR
	2100	80	SALAZAR
	2400	80	FORTES, J

Notes

Date	Time	Temp.	Name (Print)
10/3/18	0300	80	POLKIN
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	72	SANQUIST
	1500	71	POLKIN
	1800	70	POLKIN
	2100	70	POLKIN
	2400	80	FORTES, J

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-1-24	0300	70	Milson
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	70	J. MILLER
	1800	70	J. MILLER
10-2-24	2100	70	J. MILLER
	2400	70	Miranda

Tuesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	70	MILSON
	0600	70	A. Anderson
	0900	70	A. Anderson
	1200	70	Anderson
	1500	70	ACEVEDO
	1800	70	GALINDO
10-3-24	2100	70	GALINDO
	2400	70	MILSON

Wednesday

Date	Time	Temp.	Name (Print)
10-3-24	0300	70	MILSON
	0600	70	VERDUGO
	0900	70	VERDUGO
	1200	70	VERDUGO
	1500	70	CLARK
	1800	70	CLARK
	2100	70	CLARK
	2400	70	MILSON

Thursday

Date	Time	Temp.	Name (Print)
10-4-24	0300	70	M. GONZALEZ
	0600	70	Davidson
	0900	70	DAVIDSON
	1200	70	DAVIDSON
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
10-5-24	2100	70	E. GONZALEZ
	2400	70	M. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
10-5-24	0300	70	M. GONZALEZ
	0600	70	G. HERNANDEZ
	0900	70	G. HERNANDEZ
	1200	70	G. HERNANDEZ
	1500	70	G. HERNANDEZ
	1800	70	ALAMIS
	2100	70	ALAMIS
	2400	70	M. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
10-6-24	0300	70	M. GONZALEZ
	0600	70	TERREQUIZ
	0900	70	TERREQUIZ
	1200	70	TERREQUIZ
	1500	70	TERREQUIZ
	1800	70	TERREQUIZ
10-7-24	2100	70	TERREQUIZ
	2400	70	M. GONZALEZ

Notes

Date	Time	Temp.	Name (Print)
10-7-24	0300	70	Miranda
	0600	70	TERREQUIZ
	0900	70	TERREQUIZ
	1200	70	TERREQUIZ
	1500	70	TERREQUIZ
	1800	70	TERREQUIZ
	2100	70	TERREQUIZ
	2400	70	Miranda

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	70	OTOLE
10	0600	70	Lambert
10	0900	70	Lambert
10	1200	70	Lambert
10	1500	80	R.HERNANDEZ
10	1800	80	R.HERNANDEZ
10	2100	78	R.HERNANDEZ
10	2400	72	OTOLE

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	70	OTOLE
10	0600	70	Lambert
10	0900	70	Lambert
10	1200	70	Lambert
10	1500	80	R.HERNANDEZ
10	1800	78	R.HERNANDEZ
10	2100	75	R.HERNANDEZ
10	2400	73	OTOLE

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	70	OTOLE
10	0600	70	Lambert
10	0900	78	Lambert
10	1200	80	Lambert
10	1500	80	R.HERNANDEZ
10	1800	78	R.HERNANDEZ
10	2100	73	R.HERNANDEZ
10	2400	72	OTOLE

Thursday

Date	Time	Temp.	Name (Print)
10	0300	70	OTOLE
10	0600	70	Lambert
10	0900	70	Lambert
10	1200	80	Lambert
10	1500	80	R.HERNANDEZ
10	1800	78	R.HERNANDEZ
10	2100	75	R.HERNANDEZ
10	2400	72	OTOLE

Friday

Date	Time	Temp.	Name (Print)
10	0300	70	R.Hernandez
10	0600	70	Lambert
10	0900	75	Lambert
10	1200	80	Lambert
10	1500	80	GALINDO
10	1800	75	GALINDO
10	2100	73	GALINDO
10	2400	70	MIRANDA

Saturday

Date	Time	Temp.	Name (Print)
10	0300	70	MIRANDA
10	0600	70	MIRANDA
10	0900	70	MIRANDA
10	1200	70	MIRANDA
10	1500	70	MIRANDA
10	1800	78	M. PERKINS
10	2100	76	M. PERKINS
10	2400	70	MIRANDA

Sunday

Date	Time	Temp.	Name (Print)
10	0300	69	OTOLE
10	0600	70	Davidson
10	0900	70	Davidson
10	1200	75	Davidson
10	1500	74	D. LARMAINE
10	1800	73	M. CAPLINGER
10	2100	73	M. CAPLINGER
10	2400	70	OTOLE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/24	0300	73	Murine
	0600	73	A. Jimenez
	0900	73	A. Jimenez
	1200	73	A. Jimenez
	1500	73	A. Jimenez
	1800	73	A. Jimenez
	2100	73	A. Jimenez
	2400	73	Murine

Tuesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	74	Murine
	0600	73	A. Jimenez
	0900	73	A. Jimenez
	1200	73	A. Jimenez
	1500	74	D. Lopez
	1800	73	D. Lopez
	2100	73	D. Lopez
	2400	75	Murine

Wednesday

Date	Time	Temp.	Name (Print)
10/3/24	0300	73	Murine
	0600	73	D. Lopez
	0900	73	D. Lopez
	1200	73	D. Lopez
	1500	73	D. Lopez
	1800	73	D. Lopez
	2100	73	D. Lopez
	2400	74	Murine

Thursday

Date	Time	Temp.	Name (Print)
10/4/24	0300	73	Murine
	0600	73	D. Lopez
	0900	73	D. Lopez
	1200	73	D. Lopez
	1500	73	D. Lopez
	1800	73	D. Lopez
	2100	73	D. Lopez
	2400	74	J. Astifer

Friday

Date	Time	Temp.	Name (Print)
10/5/24	0300	70	Stokey
	0600	72	Hernandez
	0900	73	Hernandez
	1200	73	Hernandez
	1500	73	Hernandez
	1800	73	Hernandez
	2100	73	Hernandez
	2400	70	Stokey

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	73	Murine
	0600	72	A. Jimenez
	0900	72	A. Jimenez
	1200	73	W. Sanchez
	1500	73	W. Sanchez
	1800	73	W. Sanchez
	2100	73	W. Sanchez
	2400	73	Murine

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	73	Murine
	0600	72	J. Garcia
	0900	73	J. Garcia
	1200	73	J. Garcia
	1500	74	Hernandez
	1800	74	Hernandez
	2100	74	Hernandez
	2400	73	Murine

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 12 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/10/24	0300	73	C. Holmes
10/10/24	0600	72	E. Hernandez
10/10/24	0900	73	E. Hernandez
10/10/24	1200	74	E. Hernandez
10/10/24	1500	72	Lopez
10/10/24	1800	77	Cole
10/10/24	2100	73	Cole
10/10/24	2400	73	C. Holmes

Tuesday

Date	Time	Temp.	Name (Print)
10/10/24	0300	73	C. Holmes
10/10/24	0600	72	Barnes
10/10/24	0900	72	Barnes
10/10/24	1200	72	Barnes
10/10/24	1500	72	Lopez
10/10/24	1800	72	Lopez
10/10/24	2100	72	Lopez
10/10/24	2400	73	C. Holmes

Wednesday

Date	Time	Temp.	Name (Print)
10/10/24	0300	73	C. Holmes
10/10/24	0600	73	B. Ranger
10/10/24	0900	72	Barnes
10/10/24	1200	73	Barnes
10/10/24	1500	72	Lopez
10/10/24	1800	72	Lopez
10/10/24	2100	72	Lopez
10/10/24	2400	73	C. Holmes

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	73°	M. Contreras
10/10/24	0600	72°	Barnes
10/10/24	0900	71	Barnes
10/10/24	1200	72°	Barnes
10/10/24	1500	77	Lopez
10/10/24	1800	77	Cole
10/10/24	2100	72	Lopez
10/10/24	2400	73°	M. Contreras

Friday

Date	Time	Temp.	Name (Print)
10/10/24	0300	73	Cole
10/10/24	0600	71	Barnes
10/10/24	0900	71	Barnes
10/10/24	1200	72°	Barnes
10/10/24	1500	77	Lopez
10/10/24	1800	72	Lopez
10/10/24	2100	72	Lopez
10/10/24	2400	73	C. Holmes

Saturday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70°	J. Astier
10/10/24	0600	71	Barnes
10/10/24	0900	72	Barnes
10/10/24	1200	71	Barnes
10/10/24	1500	72	Lopez
10/10/24	1800	72	Lopez
10/10/24	2100	70	Lopez
10/10/24	2400	70°	A - ALCACUST

Notes 2400 70° J. Astier

10-12-24 : 2400 hr Heat Log
check already signed.

Sunday 10-13-24 filled out
prematurely.

10-13-24 0600-71°, 0900-71° 1200-72°
J. GARCIA,
10-13-24 1500-73 1800-73 2100 72
J. HERNANDEZ

10-6-24
L

Date	Time	Temp.	Name (Print)
10/10/24	0300	70°	ALAGBABA-A
10/10/24	0600	72°	J. GARCIA
10/10/24	0900	73°	J. GARCIA
10/10/24	1200	74°	J. GARCIA
10/10/24	1500	74	W. Sanchez
10/10/24	1800	75	W. Sanchez
10/10/24	2100	75	W. Sanchez
10/10/24	2400	69°	ALAGBABA-A

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D-3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	71°	Kouzmitter
	0600	70°	Deasey
	0900	71°	Deasey
	1200	70°	Owens
	1500	70°	M. Casella
	1800	70°	M. Casella
	2100	70°	M. Casella
	2400	71°	Kouzmitter

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	70°	Sinko
	0600	70°	Hernandez
	0900	71°	Hernandez
	1200	71°	Hernandez
	1500	71°	Barnes
	1800	71°	Barnes
	2100	70°	Barnes
	2400	70°	Sinko

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	70°	Lopez
	0600	70°	Machado
	0900	70°	Machado
	1200	70°	Machado
	1500	70°	Eche
	1800	70°	Eche
	2100	70°	Eche
	2400	70°	Lopez

Thursday

Date	Time	Temp.	Name (Print)
10-10	0300	71°	VEGA
	0600	71°	Avila
	0900	71°	Avila
	1200	71°	Avila
	1500	73°	Poirier
	1800	73°	Poirier
	2100	73°	Poirier
	2400	71°	VEGA

Friday

Date	Time	Temp.	Name (Print)
10-11	0300	71°	VEGA
	0600	71°	Avila
	0900	71°	Avila
	1200	71°	Avila
	1500	72°	Poirier
	1800	72°	Poirier
	2100	71°	Poirier
	2400	72°	VEGA

Saturday

Date	Time	Temp.	Name (Print)
10-12	0300	71°	VEGA
	0600	71°	Gregory
	0900	71°	Gregory
	1200	71°	Gregory
	1500	73°	Poirier
	1800	72°	Poirier
	2100	72°	Poirier
	2400	71°	VEGA

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	71°	Nkwocha
	0600	70°	A. Hess
	0900	70°	A. Hess
	1200	70°	Deasey
	1500	73°	Poirier
	1800	73°	Poirier
	2100	72°	Poirier
	2400	71°	Nkwocha

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CS-P-LAC Housing Unit: D4 control Temp. Reading Location: Celling in building
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7 24	0300	70	J. Carter
	0600	70	W. Rios C.R.
	0900	75	S. Davis C.R.
	1200	75	S. Davis
	1500	75	A. Geronice
	1800	75	A. Geronice
	2100	74	A. Geronice
	2400	72	J. Carter

Tuesday

Date	Time	Temp.	Name (Print)
10/8 24	0300	70	R. Phipps
	0600	70	A. Gonzalez
	0900	75	A. Gonzalez
	1200	75	A. Gonzalez
	1500	75	A. Gonzalez
	1800	75	A. Gonzalez
	2100	75	A. Gonzalez
	2400	70	R. Phipps

Wednesday

Date	Time	Temp.	Name (Print)
10/9 24	0300	70	L. Phillips
	0600	70	A. Gonzalez
	0900	70	Gonzales
	1200	70	Carr
	1500	70	Boe
	1800	70	Boe
	2100	70	R. E.
	2400	70	L. Phillips

Thursday

Date	Time	Temp.	Name (Print)
10/10 24	0300	70	L. Phillips
	0600	70	Muchado
	0900	70	Muchado
	1200	70	Muchado
	1500	72	Arce
	1800	72	Arce
	2100	72	Arce
	2400	70	L. Phillips

Friday

Date	Time	Temp.	Name (Print)
10/11 24	0300	70	L. Phillips
	0600	72	Muchado
	0900	70	Muchado
	1200	70	Muchado
	1500	72	Arce
	1800	72	Arce
	2100	72	Arce
	2400	70	L. Phillips

Saturday

Date	Time	Temp.	Name (Print)
10/12 24	0300	70	Hernandez
	0600	70	Arias
	0900	70	Arias
	1200	70	Arias
	1500	70	Arias
	1800	70	Arias
	2100	70	Arias
	2400	70	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
10/13 24	0300	70	Carter
	0600	70	Arias
	0900	70	Arias
	1200	70	Arias
	1500	72	Arias
	1800	72	Arias
	2100	72	Arias
	2400	70	Carter

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D5 Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-7-24

Date	Time	Temp.	Name (Print)
0300	70°	M. DIXON	
0600	70°	CONTEZIS	
0900	70°	CONTEZIS	
1200	70°	CONTEZIS	
1500	70°	H. CRAIG	
1800	70°	H. CRAIG	
2100	70°	H. CRAIG	
2400	70°	M. DIXON	

Wednesday 10-9-24

Date	Time	Temp.	Name (Print)
0300	70°	Richardson	
0600	70°	CONTEZIS	
0900	70°	CONTEZIS	
1200	70°	CONTEZIS	
1500	70°	VARENCEA	
1800	70°	VARENCEA	
2100	70°	VARENCEA	
2400	70°	TAPIA	

Friday 10-11-24

Date	Time	Temp.	Name (Print)
0300	70°	L. Cammetto	
0600	70°	T. Escobar	
0900	70°	T. Escobar	
1200	70°	A. Solozano	
1500	70°	A. Solozano	
1800	60°	A. Solozano	
2100	70°	A. Solozano	
2400	70°	L. Cammetto	

Sunday 10-13-24

Date	Time	Temp.	Name (Print)
0300	70°	M. DIXON	
0600	70°	Muchado	
0900	70°	Muchado	
1200	70°	Muchado	
1500	70°	Oregan	
1800	70°	Oregan	
2100	70°	Oregan	
2400	70°	M. DIXON	

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday 10-8-24

Date	Time	Temp.	Name (Print)
0300	70°	Richardson	
0600	70°	CONTEZIS	
0900	70°	CONTEZIS	
1200	70°	CONTEZIS	
1500	70°	VARENCEA	
1800	70°	VARENCEA	
2100	70°	VARENCEA	
2400	70°	Richardson	

Thursday 10-10-24

Date	Time	Temp.	Name (Print)
0300	70°	Richardson	
0600	70°	CONTEZIS	
0900	70°	CONTEZIS	
1200	70°	CONTEZIS	
1500	70°	VARENCEA	
1800	70°	VARENCEA	
2100	70°	VARENCEA	
2400	70°	Richardson	

Saturday 10-12-24

Date	Time	Temp.	Name (Print)
0300	70°	L. Cammetto	
0600	70°	Muchado	
0900	70°	Muchado	
1200	70°	Muchado	
1500	70°	Oregan	
1800	70°	Oregan	
2100	70°	Oregan	
2400	70°	L. Cammetto	

Notes

10/7-1140 Stage 1 heat alert

10/8-1245 Stage 1 heat alert

10/9-1400 Stage 1 heat alert

10/10-1450 STAGE 1 HEAT ALERT

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: INF

Temp. Reading Location: 1st

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	75	Oliver
10/14	0600	72	Christensen
10/14	0900	72	Christensen
10/14	1200	73	Christensen
10/14	1500	72	Avelar
10/14	1800	72	Avelar
10/14	2100	72	Avelar
10/14	2400	72	MAGDONADO

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	72°	MAGDONADO
10/15	0600	72	Christensen
10/15	0900	72	Christensen
10/15	1200	72	Christensen
10/15	1500	72	Avelar
10/15	1800	72	Avelar
10/15	2100	72	Avelar
10/15	2400	72	Perez

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	72	Perez
10/16	0600	72	Christensen
10/16	0900	72	Christensen
10/16	1200	72	Christensen
10/16	1500	74	Avelar
10/16	1800	72	Perez
10/16	2100	72	Perez
10/16	2400	72	Perez

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	72	Perez
10/17	0600	72	Christensen
10/17	0900	72	Christensen
10/17	1200	72	Christensen
10/17	1500	72	Richardson
10/17	1800	72	Richardson
10/17	2100	72	Richardson
10/17	2400	72	M. Soto

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	71	M. Soto
10/18	0600	72	Christensen
10/18	0900	72	Christensen
10/18	1200	72	Christensen
10/18	1500	72	Johnson
10/18	1800	72	Johnson
10/18	2100	72	Johnson
10/18	2400	71°	Galapán

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	72	Galapán
10/19	0600	72°	S. Yanez
10/19	0900	72°	S. Yanez
10/19	1200	72°	S. Yanez
10/19	1500	72	Oliver
10/19	1800	72	Oliver
10/19	2100	71	Oliver
10/19	2400	72	Galapán

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	71	Ugarte
10/20	0600	71	Ugarte
10/20	0900	71°	Ugarte
10/20	1200	71°	Ugarte
10/20	1500	72	Avelar
10/20	1800	72	Avelar
10/20	2100	71	Avelar
10/20	2400	71°	MAGDONADO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	72	W.Patterson
	0200	71	W.Patterson
	0300	71	T.Galvan
	0400	70	T.Galvan
	0500	69	T.Galvan
	0600	66	Puentes
	0700	65	Puentes
	0800	64	Puentes
	0900	71	Puentes
	1000	76	Puentes
	1100	60	Puentes
	1200	84	Puentes
	1300	85	Puentes
	1400	84	Puentes
	1500	84	Puentes
	1600	82	Puentes
	1700	80	Puentes
	1800	79	Puentes
	1900	75	Puentes
	2000	74	Puentes
	2100	74	Puentes
	2200	75	Garcia
	2300	72	Garcia
	2400	72	Garcia

OCTOBER 13, 2024

HEAT ALERT

START _____

END _____

DISTRIBUTION: Original; Institution ADA Coordinator

Date	Time	Temp.	Printed Name
	0100	70	Garcia
	0200	68	Garcia
	0300	65	Garcia
	0400	63	Garcia
	0500	63	Garcia
	0600	64	Puentes
	0700	65	Puentes
	0800	65	Puentes
	0900	66	Puentes
	1000	70	Puentes
	1100	77	Puentes
	1200	80	Puentes
	1300	82	Puentes
	1400	84	Puentes
	1500	82	Puentes
	1600	80	Puentes
	1700	79	Puentes
	1800	78	Puentes
	1900	75	Puentes
	2000	71	Puentes
	2100	69	Puentes
	2200	68	J.BRAVO
	2300	65	J.ROSE
	2400	65	J. GOMEZ

OCTOBER 13, 2024

HEAT ALERT

START _____

END _____

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/15 2024	0100	63°	J. BRAND
	0200	63°	J. BRAND
	0300	61°	J. BRAND
	0400	61°	J. BRAND
	0500	60°	J. BRAND
	0600	59°	CAMPBELL
	0700	67°	CAMPBELL
	0800	69°	CAMPBELL
	0900	72°	CAMPBELL
	1000	79°	CAMPBELL
	1100	81°	CAMPBELL
	1200	85°	CAMPBELL
	1300	85°	CAMPBELL
	1400	88°	HUMPHREY
	1500	89°	HUMPHREY
	1600	89°	HUMPHREY
	1700	89°	HUMPHREY
	1800	86°	HUMPHREY
	1900	83°	HUMPHREY
	2000	79°	HUMPHREY
	2100	75°	HUMPHREY
	2200	74°	HUMPHREY
	2300	73°	C.Smith
	2400	70°	C.Smith

Date	Time	Temp.	Printed Name
10/16 2024	0100	70	C.Smith
	0200	69	C.Smith
	0300	68	C.Smith
	0400	64	C.Smith
	0500	64	C.Smith
	0600	63	C.Smith
	0700	65	MUEZ
	0800	67	MUEZ
	0900	72	MUEZ
	1000	70	MUEZ
	1100	79	MUEZ
	1200	83	MUEZ
	1300	86	MUEZ
	1400	86	Puentes
	1500	83	Puentes
	1600	80	Puentes
	1700	80	Puentes
	1800	76	Puentes
	1900	74	Puentes
	2000	71	Puentes
	2100	71	Puentes
	2200	71	C.Garcia
	2300	71	C.Garcia
	2400	70	C.Garcia

STAGE 1 HEAT ALERT

START _____

END _____

STAGE 1 HEAT ALERT

START _____

END _____

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/17/24	0100	69	C.Gewirtz
	0200	68	C.Gewirtz
	0300	67	C.Gewirtz
	0400	66	C.Gewirtz
	0500	65	C.Gewirtz
	0600	65	C.Gewirtz
	0700	64	MNEZ
	0800	66	MNEZ
	0900	69	MNEZ
	1000	71	MNEZ
	1100	74	MNEZ
	1200	75	MNEZ
	1300	75	MNEZ
	1400	73	Puentes
	1500	71	Puentes
	1600	70	Puentes
	1700	69	Puentes
	1800	67	Puentes
	1900	66	Puentes
	2000	65	Puentes
	2100	65	Puentes
	2200	63	WINGFIELD
	2300	63	WINGFIELD
	2400	63	WINGFIELD

Date	Time	Temp.	Printed Name
10/18/24	0100	62	WINGFIELD
	0200	60	WINGFIELD
	0300	59	WINGFIELD
	0400	57	WINGFIELD
	0500	55	WINGFIELD
	0600	59	C.Gewirtz
	0700	58	C.Gewirtz
	0800	57	C.Gewirtz
	0900	58	C.Gewirtz
	1000	62	C.Gewirtz
	1100	64	C.Gewirtz
	1200	67	C.Gewirtz
	1300	70	C.Gewirtz
	1400	70	C.Gewirtz
	1500	72	C.Gewirtz
	1600	72	C.Gewirtz
	1700	72	C.Gewirtz
	1800	69	C.Gewirtz
	1900	66	C.Gewirtz
	2000	64	C.Gewirtz
	2100	63	C.Gewirtz
	2200	60	WINGFIELD
	2300	59	WINGFIELD
	2400	56	WINGFIELD

Stage 1 Activated
 Deactivated

Stage 1 Activated
 Deactivated

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5561 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
OCTOBER 19, 2024	0100	57°	A. ENCALADE	OCTOBER 20, 2024	0100	60	WINGFIELD
	0200	56°	A. ENCALADE		0200	60	WINGFIELD
	0300	56°	A. ENCALADE		0300	59	WINGFIELD
	0400	53°	A. ENCALADE		0400	59	WINGFIELD
	0500	55°	A. ENCALADE		0500	59	WINGFIELD
	0600	52	C. Grawitz		0600	58	Grawitz
	0700	54	C. Grawitz		0700	58	Grawitz
	0800	56	C. Grawitz		0800	60	Grawitz
	0900	58	C. Grawitz		0900	62	Grawitz
	1000	62	C. Grawitz		1000	65	GARON
	1100	66	C. Grawitz		1100	71	GARON
	1200	70	C. Grawitz		1200	76	GARON
	1300	73	C. Grawitz		1300	77	GARON
	1400	74	C. Grawitz		1400	77	GARON
	1500	75	C. Grawitz		1500	79	Ray
	1600	76	C. Grawitz		1600	80	Ray
	1700	76	C. Grawitz		1700	79	Ray
	1800	72	C. Grawitz		1800	75	Ray
	1900	69	C. Grawitz		1900	73	Ray
	2000	68	C. Grawitz		2000	70	Ray
	2100	67	C. Grawitz		2100	70	Ray
	2200	62	C. Grawitz		2200	70°	J. BRAVO
	2300	61	C. Grawitz		2300	69°	J. BRAVO
	2400	60	C. Grawitz		2400	69°	J. BRAVO

Stage 1 ACTIVATED
 ─────────── DEACTIVATED

Stage 1 ACTIVATED
 ─────────── DEACTIVATED

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: MSF-DORM 1 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	74	SILVA
	0600	72	SILVA
	0900	73	EVANGELIST
	1200	75	EVANGELIST
	1500	79°	Contreras
	1800	79°	Contreras
	2100	79°	M. Contreras
	2400	78	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	74	VALAR
	0600	72	EVANGELIST
	0900	72	EVANGELIST
	1200	75	EVANGELIST
	1500	79°	M. CONTRERAS
	1800	79°	M. CONTRERAS
	2100	79°	M. CONTRERAS
	2400	74	VALAR

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	74	VALAR
	0600	72	EVANGELIST
	0900	72	EVANGELIST
	1200	74	EVANGELIST
	1500	74	Carolina
	1800	74	Carolina
	2100	74	Carolina
	2400	74	VALAR

Thursday

Date	Time	Temp.	Name (Print)
10/17/18	0300	74	VALAR
	0600	72	CHRISTENSEN
	0900	72	CHRISTENSEN
	1200	74	CHRISTENSEN
	1500	75	Biggs
	1800	73	Biggs
	2100	70	Biggs
	2400	74	VALAR

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	78	VALAR
	0600	71	McConn
	0900	71	McConn
	1200	71	McConn
	1500	70	Biggs
	1800	70	Biggs
	2100	69	Biggs
	2400	78	VALAR

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	78	VALAR
	0600	70°	CRIDDLE
	0900	72°	CRIDDLE
	1200	72°	CRIDDLE
	1500	75°	M. CONTRERAS
	1800	75°	M. CONTRERAS
	2100	74°	M. CONTRERAS
	2400	78	VALAR

Notes

Date	Time	Temp.	Name (Print)
10/20	0300	70	SILVA
	0600	70	SILVA
	0900	72°	CRIDDLE
	1200	74°	CRIDDLE
	1500	74°	CRIDDLE
	1800	74°	Aymar
	2100	74°	Aymar
	2400	70	SILVA

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10/14/15

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	72	73	64	64	70	66	60	70	F. GUTTEREZ	<u>J. Smith</u>
03:00	72	72	65	65	70	67	64	70	F. GUTTEREZ	<u>J. Smith</u>
06:00	72	72	68	68	70°	68°	65°	70°	M. QUINTERO	<u>J. Q. Smith</u>
09:00	72	72	68	68	70°	68°	64°	70°	M. QUINTERO	<u>J. Q. Smith</u>
12:00	72	72	68	68	70°	68°	64°	70°	M. QUINTERO	<u>J. Q. Smith</u>
15:00	73	73	65	65	70°	69°	61°	70°	Acuilaro	<u>J. Acuilaro</u>
18:00	73	74	66	66	70°	67°	60°	70°	Acuilaro	<u>J. Acuilaro</u>
21:00	72	73	66	67	70°	67°	60°	70°	Acuilaro	<u>J. Acuilaro</u>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date:

Heat Alert Check List
Correctional Officer

UNIT: RTHA

DATE: 10/14/14

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

D. Smith
1ST/W OFFICER'S SIGNATURE

D. Smith
1ST/W OFFICERS SIGNATURE

J. Johnson
3RD/W OFFICERS SIGNATURE

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 10-15-24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	71	70	68	66	70	66	64	70	S. Agrapong	John
03:00	71	70	68	66	70	66	64	70	S. Agrapong	John
06:00	72	70	68°	66°	70°	66°	64°	70°	M. Quintero	John
09:00	72	71	68°	68°	70°	68°	62°	70°	M. Quintero	John
12:00	72	72	68°	68°	70°	68°	62°	70°	M. Quintero	John
15:00	72	72	68	68	70	68	62	70	Sirko	John
18:00	72	72	68	68	70	68	62	70	Sirko	John
21:00	72	72	68	68	70	68	62	70	Sirko	John

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



11/01/2024
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify to Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify to Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 10/16/21

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	71	70	68	66	70	66	64	70	Sirkko	<i>Julieho</i>
03:00	71	70	68	66	70	66	64	70	Sirkko	<i>Julieho</i>
06:00	72°	71°	68°	68°	70°	65°	62°	70°	M. QUINTERO	<i>M. Quintero</i>
09:00	72°	71°	68°	68°	70°	65°	62°	70°	M. QUINTERO	<i>M. Quintero</i>
12:00	72°	71°	68°	68°	70°	65°	62°	70°	M. QUINTERO	<i>M. Quintero</i>
15:00	72	71	68	68	70	65	62	70	Sirkko	<i>Julieho</i>
18:00	72	71	68	68	70	65	62	70	Sirkko	<i>Julieho</i>
21:00	72	70	68	68	70	66	64	70	Sirkko	<i>Julieho</i>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

WJ
11/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAO Housing Unit: RHU Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	72	647 DENGUE
	0600	72	649 TINTO
	0900	72	650 TINTO
	1200	72	651 TINTO
	1500	72	652 TINTO
	1800	72	653 TINTO
	2100	72	654 TINTO
	2400	71	AGUARDONE

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	71	SIRKO
	0600	72	QUINTERO
	0900	72	QUINTERO
	1200	72	QUINTERO
	1500	74	SIRKO
	1800	72	SIRKO
	2100	72	SIRKO
	2400	72	Flants

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	72	GARNER
	0600	70	GARNER
	0900	72	Flants
	1200	72	FLANTS
	1500	72	SIRKO
	1800	72	SIRKO
	2100	72	SIRKO
	2400	72	GARNER

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	70	J. Carter
	0600	75	DOVIS
	0900	72	DOVIS
	1200	70	DOVIS
	1500	71	S. BONE
	1800	71	S. BONE
	2100	71	S. BONE
	2400	70	J. Carter

DISTRIBUTION: Original Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	71	AGUARDONE
	0600	72	QUINTERO
	0900	72	QUINTERO
	1200	72	QUINTERO
	1500	77	SIRKO
	1800	72	SIRKO
	2100	72	SIRKO
	2400	71	SIRKO

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	72	Flants
	0600	72	M. QUINTERO
	0900	72	M. QUINTERO
	1200	74	Flants
	1500	72	Flants
	1800	72	Flants
	2100	72	Flants
	2400	72	Flants

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	70	SIRKO
	0600	70	S. BONE
	0900	72	S. BONE
	1200	72	S. BONE
	1500	70	Flants
	1800	70	Flants
	2100	70	Flants
	2400	70	SIRKO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70	FAS
10/14/24	0600	70	ORNLZ
10/14/24	0900	70	Romine JC
10/14/24	1200	70	Romine JC
10/14/24	1500	72	G. Baker
10/14/24	1800	71	G. Baker
10/14/24	2100	70	G. Baker
10/14/24	2400	70	FAS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	FAS
10/16/24	0600	70	Romine JC
10/16/24	0900	70	Romine JC
10/16/24	1200	70	Romine JC
10/16/24	1500	70	Baker
10/16/24	1800	70	Baker
10/16/24	2100	70	Baker
10/16/24	2400	70	FAS

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	J. SII
10/18/24	0600	70	Tom RC
10/18/24	0900	70	Tom RC
10/18/24	1200	70	Tom RC
10/18/24	1500	70	DR
10/18/24	1800	70	DR
10/18/24	2100	70	DR
10/18/24	2400	70	J. SII

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	FAS
10/20/24	0600	70	Romine JC
10/20/24	0900	70	Romine JC
10/20/24	1200	70	Romine JC
10/20/24	1500	70	DR
10/20/24	1800	70	DR
10/20/24	2100	70	DR
10/20/24	2400	70	FAS

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	FAS
10/15/24	0600	70	Romine JC
10/15/24	0900	70	Romine JC
10/15/24	1200	70	Romine JC
10/15/24	1500	70	G. Baker
10/15/24	1800	70	G. Baker
10/15/24	2100	70	G. Baker
10/15/24	2400	70	FAS

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	J. SII
10/17/24	0600	70	Romine JC
10/17/24	0900	70	Romine JC
10/17/24	1200	70	Romine JC
10/17/24	1500	70	G. Baker
10/17/24	1800	70	G. Baker
10/17/24	2100	70	G. Baker
10/17/24	2400	70	J. SII

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	FAS
10/19/24	0600	70	Machado
10/19/24	0900	70	Machado
10/19/24	1200	70	Machado
10/19/24	1500	70	Machado
10/19/24	1800	70	Machado
10/19/24	2100	70	Machado
10/19/24	2400	70	FAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Control Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/	0300	70	B PRESNELL
10/14/	0600	70	TOM L
10/14/	0900	70	TOM L
10/14/	1200	70	TOM L
10/14/	1500	70	MURPHY
10/14/	1800	70	MURPHY
10/14/	2100	70	MURPHY
10/14/	2400	70	B PRESNELL

Tuesday

Date	Time	Temp.	Name (Print)
10/15/	0300	70	B PRESNELL
10/15/	0600	67	Chavez
10/15/	0900	70	Chavez
10/15/	1200	70	Chavez
10/15/	1500	70	SILVA
10/15/	1800	70	SILVA
10/15/	2100	70	SILVA
10/15/	2400	70	B PRESNELL

Wednesday

Date	Time	Temp.	Name (Print)
10/16/	0300	70	B PRESNELL
10/16/	0600	68	Chavez
10/16/	0900	70	Chavez
10/16/	1200	70	Chavez
10/16/	1500	70	Chavez
10/16/	1800	70	Chavez
10/16/	2100	70	Chavez
10/16/	2400	70	B PRESNELL

Thursday

Date	Time	Temp.	Name (Print)
10/17/	0300	70	B PRESNELL
10/17/	0600	69	Chavez
10/17/	0900	70	Chavez
10/17/	1200	70	Chavez
10/17/	1500	70	OLLA
10/17/	1800	70	OLLA
10/17/	2100	70	OLLA
10/17/	2400	70	B PRESNELL

Friday

Date	Time	Temp.	Name (Print)
10/18/	0300	70°	B PRESNELL
10/18/	0600	65	Chavez
10/18/	0900	70	Chavez
10/18/	1200	70	Chavez
10/18/	1500	70°	OLLA
10/18/	1800	70°	OLLA
10/18/	2100	70°	OLLA
10/18/	2400	70	J. SANCHEZ

Saturday

Date	Time	Temp.	Name (Print)
10/19/	0300	70	J. SANCHEZ
10/19/	0600	69	Chavez
10/19/	0900	70	Chavez
10/19/	1200	70	Chavez
10/19/	1500	70°	OLLA
10/19/	1800	70°	OLLA
10/19/	2100	70°	OLLA
10/19/	2400	70	J. SANCHEZ

Sunday

Date	Time	Temp.	Name (Print)
10/20/	0300	70	J. SANCHEZ
10/20/	0600	68	TOM L
10/20/	0900	68	TOM L
10/20/	1200	70	TOM L
10/20/	1500	69°	L. GONZALEZ
10/20/	1800	69°	L. GONZALEZ
10/20/	2100	67°	L. GONZALEZ
10/20/	2400	70	J. SANCHEZ B PRESNELL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A-3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/11/18	0300	70	J. Slat
10/11/18	0600	68	E. Granados
10/11/18	0900	68	E. Granados
10/11/18	1200	68	E. Granados
10/11/18	1500	70	D. Chavis
10/11/18	1800	70	D. Chavis
10/11/18	2100	70	D. Chavis
10/11/18	2400	70	J. Slat

Wednesday

Date	Time	Temp.	Name (Print)
10/16/18	0300	70	Stoney
10/16/18	0600	70	Buckford
10/16/18	0900	70	Stoney
10/16/18	1200	70	Ward
10/16/18	1500	70	Stenlos
10/16/18	1800	70	Stenlos
10/16/18	2100	70	Stenlos
10/16/18	2400	70	Stoney

Friday

Date	Time	Temp.	Name (Print)
10/18/18	0300	70	MATIN
10/18/18	0600	68	E. Granados
10/18/18	0900	68	E. Granados
10/18/18	1200	68	E. Granados
10/18/18	1500	70	NUNEZ
10/18/18	1800	70	NUNEZ
10/18/18	2100	70	NUNEZ
10/18/18	2400	70	MATIN

Saturday

Date	Time	Temp.	Name (Print)
10/20/18	0300	70	MATIN
10/20/18	0600	68	E. Granados
10/20/18	0900	68	E. Granados
10/20/18	1200	68	E. Granados
10/20/18	1500	68	A ALAGBAM
10/20/18	1800	68	A ALAGBAM
10/20/18	2100	67	A ALAGBAM
10/20/18	2400	70	MATIN

Tuesday

Date	Time	Temp.	Name (Print)
10/24/18	0300	71	D. Woodward
10/24/18	0600	70	Baker
10/24/18	0900	70	Park
10/24/18	1200	70	Baker
10/24/18	1500	70	Commander
10/24/18	1800	71	CG
10/24/18	2100	71	CG
10/24/18	2400	71	D. Woodward

Thursday

Date	Time	Temp.	Name (Print)
10/24/18	0300	70	MATIN
10/24/18	0600	68	E. Granados
10/24/18	0900	68	E. Granados
10/24/18	1200	70	E. Granados
10/24/18	1500	70	NUNEZ
10/24/18	1800	70	NUNEZ
10/24/18	2100	70	NUNEZ
10/24/18	2400	70	MATIN

Saturday

Date	Time	Temp.	Name (Print)
10/24/18	0300	71	MATIN
10/24/18	0600	68	E. Granados
10/24/18	0900	68	E. Granados
10/24/18	1200	68	E. Granados
10/24/18	1500	68	E. Granados
10/24/18	1800	70	D. Chavis
10/24/18	2100	70	D. Chavis
10/24/18	2400	70	MATIN

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: CSP-LAC Housing Unit: A4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>10/14/24</u>	0300	69	D.Woodard
	0600	70	L.Thomas
	0900	70	L.Thomas
	1200	70	L.Thomas
	1500	70	Tom
	1800	75	S.Toms
	2100	72	S.Toms
	2400	69	D.Woodard

Tuesday			
Date	Time	Temp.	Name (Print)
<u>10/15/24</u>	0300	73	A.Kaunde
	0600	73	G.Woodard
	0900	73	G.Woodard
	1200	73	G.Woodard
	1500	70	Z.Morrell
	1800	71	Toms
	2100	70	Toms
	2400	73	A.Kaunde

Wednesday			
Date	Time	Temp.	Name (Print)
<u>10/16/24</u>	0300	73	A.Kaunde
	0600	73	W.Martel
	0900	73	W.Martel
	1200	73	W.Martel
	1500	72	E.Sanchez
	1800	72	E.Sanchez
	2100	72	E.Sanchez
	2400	73	A.Kaunde

Thursday			
Date	Time	Temp.	Name (Print)
<u>10/17/24</u>	0300	70	A.Kaunde
	0600	71	Avala
	0900	72	Avala
	1200	72	Avala
	1500	72	Z.Woodard
	1800	72	Z.Woodard
	2100	72	Z.Woodard
	2400	70	A.Kaunde

Friday			
Date	Time	Temp.	Name (Print)
<u>10/18/24</u>	0300	72	A.Kaunde
	0600	72	A.Hines
	0900	72	A.Hines
	1200	72	A.Hines
	1500	74	X.TOMES
	1800	72	X.TOMES
	2100	70	X.TOMES
	2400	72	A.Kaunde

Saturday			
Date	Time	Temp.	Name (Print)
<u>10/19/24</u>	0300	74	A.Kaunde
	0600	73	L.Thomas
	0900	72	L.Thomas
	1200	72	L.Thomas
	1500	72	X.Li
	1800	740	X.Li
	2100	740	X.Li
	2400	73	A.Kaunde

Sunday			
Date	Time	Temp.	Name (Print)
<u>10/20/24</u>	0300	69	D.Woodard
	0600	73	L.Thomas
	0900	71	L.Thomas
	1200	73	L.Thomas
	1500	740	X.Li
	1800	740	X.Li
	2100	740	X.Li
	2400	69	D.Woodard

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	71°	ROBBIE O.
	0600	72°	ROBBIE O.
	0900	72°	B. Frazier
	1200	72°	B. Frazier
	1500	72°	B. Frazier
	1800	73°	B. Frazier
	2100	73°	B. Frazier
	2400	71°	ROBBIE O.

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	71°	ROBBIE O.
	0600	71	SUMS
	0900	73	SUMS
	1200	73	SUMS
	1500	72	Frazier, D
	1800	73	Frazier - D
	2100	73°	Frazier - B
	2400	71°	ROBBIE O.

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	71	Briggs S
	0600	72°	RAMONE
	0900	72°	RAMONE
	1200	73°	RAMONE
	1500	73°	RAMONE
	1800	72°	Frazier - B
	2100	72°	Frazier - B
	2400	70	Briggs S

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	73°	ROBBIE O.
	0600	73	ROBBIE O.
	0900	71	ROBBIE O.
	1200	71	ROBBIE O.
	1500	71	A. MINTON
	1800	72	A. MINTON
	2100	72	A. MINTON
	2400	72°	ROBBIE O.

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	71°	ROBBIE O.
	0600	72°	RAMONE
	0900	72°	RAMONE
	1200	72°	RAMONE
	1500	72°	RAMONE
	1800	72°	B. Frazier
	2100	72°	B. Frazier
	2400	71°	ROBBIE O.

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72°	ROBBIE O.
	0600	71	RAMONE
	0900	71	RAMONE
	1200	72°	RAMONE
	1500	72°	RAMONE
	1800	71°	Frazier, B (A)
	2100	71°	B. Frazier
	2400	72°	ROBBIE O.

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	68	D. WOODARD
	0600	72	LAWRENCE
	0900	70	LAWRENCE
	1200	70	LAWRENCE
	1500	70	A. MINTON
	1800	70	A. MINTON
	2100	70°	A. MINTON
	2400	68	D. WOODARD

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FBBI Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70°	D. REGES
	0600	70°	C. Palomares
	0900	70°	G. Hernandez
	1200	70°	G. Hernandez
	1500	70°	G. Hernandez
	1800	70°	G. Hernandez
	2100	69°	G. Hernandez
	2400	69°	D. REGES

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	69°	D. REGES
	0600	69°	D. Ayon
	0900	70°	D. Ayon
	1200	70°	D. Ayon
	1500	71°	G. Hernandez
	1800	70°	G. Hernandez
	2100	68°	G. Hernandez
	2400	69°	D. REGES

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	69°	D. REGES
	0600	69°	F. AMAYA
	0900	70°	F. AMAYA
	1200	70°	F. AMAYA
	1500	70°	G. HERNANDEZ
	1800	69°	G. HERNANDEZ
	2100	68°	G. Hernandez
	2400	70	UMANA

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	UMANA
	0600	70	H. Anderson
	0900	70°	H. Anderson
	1200	70	H. Anderson
	1500	70°	Figueroa
	1800	70°	Figueroa
	2100	70°	Figueroa
	2400	70	UMANA

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	UMANA
	0600	70	Bauer
	0900	70	Bauer
	1200	70	Coomer
	1500	70°	Xiu
	1800	70°	Xiu
	2100	70°	Xiu
	2400	70	UMANA

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	D. REGES
	0600	69	O. Lopez
	0900	69	O. Lopez
	1200	70	O. Lopez
	1500	70	J. Aguilar
	1800	70	J. Aguilar
	2100	70	J. Aguilar
	2400	69	D. REGES

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	69	D. REGES
	0600	70	B. Flores
	0900	70	Flores
	1200	70	Flores
	1500	69°	G. Hernandez
	1800	69°	G. Hernandez
	2100	68°	G. Hernandez
	2400	68	D. REGES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B-2 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-14-24			
Date	Time	Temp.	Name (Print)
10/14/24	0300	70°	M. CRUTHERS
10/14/24	0600	69	O'Neill
10/14/24	0900	70°	Davis
10/14/24	1200	70°	Lagat
10/14/24	1500	70°	Galindo
10/14/24	1800	70°	Galindo
10/14/24	2100	70°	Galindo
10/14/24	2400	70°	M. CRUTHERS

Tuesday			
Date	Time	Temp.	Name (Print)
10/15/24	0300	70°	M. CRUTHERS
10/15/24	0600	72°	C. ROMERO
10/15/24	0900	72°	C. ROMERO
10/15/24	1200	72°	C. ROMERO
10/15/24	1500	72°	C. ROMERO
10/15/24	1800	71	Ibana
10/15/24	2100	71	Ibana
10/15/24	2400	70°	M. CRUTHERS

Wednesday			
Date	Time	Temp.	Name (Print)
10/16/24	0300	70	DIAZ
10/16/24	0600	69	Clavel
10/16/24	0900	70	Clavel
10/16/24	1200	70	Clavel
10/16/24	1500	70	Machado
10/16/24	1800	70	Machado
10/16/24	2100	70	Machado
10/16/24	2400	70	DIAZ

Thursday			
Date	Time	Temp.	Name (Print)
10/17/24	0300	70°	SIERRA
10/17/24	0600	75	Ibana
10/17/24	0900	78	Ibana
10/17/24	1200	78	Ibana
10/17/24	1500	75	Ibana
10/17/24	1800	75	Ibana
10/17/24	2100	72	Ibana
10/17/24	2400	70°	SIERRA

Friday			
Date	Time	Temp.	Name (Print)
10/18/24	0300	70°	H. CORTEZ
10/18/24	0600	70	H. CORTEZ
10/18/24	0900	70	PALOMINO
10/18/24	1200	70	PALOMINO
10/18/24	1500	70	IBANA
10/18/24	1800	70	IBANA
10/18/24	2100	70	IBANA
10/18/24	2400	70°	DIAZ BELL

Saturday			
Date	Time	Temp.	Name (Print)
10/19/24	0300	78	UMANA
10/19/24	0600	78	H. CORTEZ
10/19/24	0900	70	H. CORTEZ
10/19/24	1200	70	H. CORTEZ
10/19/24	1500	70°	PARISH
10/19/24	1800	70°	PARISH
10/19/24	2100	70°	PARISH
10/19/24	2400	70	UMANA

Sunday			
Date	Time	Temp.	Name (Print)
10/20/24	0300	69	O'NEILL
10/20/24	0600	69	O'NEILL
10/20/24	0900	68	O'NEILL
10/20/24	1200	72	O'NEILL
10/20/24	1500	73	O'NEILL
10/20/24	1800	71	UGART
10/20/24	2100	71	UGART
10/20/24	2400	70	UMANA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70°	Quadrin
	0600	72°	Quadrin
	0900	72	A. Covarrubias
	1200	72	A. Covarrubias
	1500	70	GUEVARA
	1800	70	GUERRERO
	2100	71	
	2400	70°	Quadrin

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70°	S. YANEZ
	0600	70	J. OBTIZ
	0900	70	J. OBTIZ
	1200	70	J. OBTIZ
	1500	70	J. Aguilav
	1800	70	J. Aguilav
	2100	70	J. Aguilav
	2400	70°	S. YANEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70°	PACKARD
	0600	70	Reinoso
	0900	70	Reinoso
	1200	70	Reinoso
	1500	70	Reinoso
	1800	70	H. LOMBARDO
	2100	74°	
	2400	70°	Reinoso

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	68°	PACKARD
	0600	69	A. Covarrubias
	0900	70	A. Covarrubias
	1200	70	A. Covarrubias
	1500	70	J. TORRES
	1800	70	J. ROLFO
	2100	70	J. ROLFO
	2400	69°	PACKARD

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	68°	PACKARD
	0600	70	A. Covarrubias
	0900	70	A. Covarrubias
	1200	70	A. Covarrubias
	1500	65°	Perea
	1800	67°	Perea
	2100	64°	Perea
	2400	68°	PACKARD

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	62°	Bell
	0600	63°	A. Covarrubias
	0900	67	A. Covarrubias
	1200	70	A. Covarrubias
	1500	65°	Perea
	1800	64°	Perea
	2100	62°	Perea
	2400	62°	Bell

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	65	Navarrete
	0600	65	Navarrete
	0900	610	Nguyen
	1200	68	Nguyen
	1500	70	Nguyen
	1800	70	Blacanatez
	2100	70	Blacanatez
	2400	65	Navarrete

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70°	SYANEZ
	0600	70	BPFLIPE
	0900	70	BPFLIPE
	1200	70	BPFLIPE
	1500	70	NGUNSA
	1800	70	NGUNSA
	2100	70	NGUNSA
	2400	70°	SYANEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70°	McDowell
	0600	70	BPFLIPE
	0900	70	BPFLIPE
	1200	70	BPFLIPE
	1500	70°	C. GONZALEZ
	1800	70°	C. GONZALEZ
	2100	70°	C. GONZALEZ
	2400	70°	McSearle

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70°	McDowell
	0600	70	BPFLIPE
	0900	70	BPFLIPE
	1200	70	BPFLIPE
	1500	70	UMANA
	1800	70	UMANA
	2100	70	UMANA
	2400	70°	McSearle

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70°	McDowell
	0600	70	Recinas
	0900	70	Recinas
	1200	70	Recinas
	1500	70	E. TAN
	1800	70	E. TAN
	2100	70	E. TAN
	2400	70°	McSearle

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70°	McDowell
	0600	70	Recinas
	0900	70	Recinas
	1200	70	Recinas
	1500	70	E. TAN
	1800	70	E. TAN
	2100	70	E. TAN
	2400	70°	McSearle

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70°	McDowell
	0600	70°	C. GONZALEZ
	0900	70°	C. GONZALEZ
	1200	70°	C. GONZALEZ
	1500	70	UMANA
	1800	70	UMANA
	2100	70	UMANA
	2400	70°	McSearle

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70°	GARCIA
	0600	70°	C. MARELLO
	0900	70	C. MARELLO
	1200	70	MARELLO
	1500	70	MARELLO UMANA
	1800	70	MARELLO UMANA
	2100	70	UMANA
	2400	70°	GARCIA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	70	Johnson
14	0600	70	D. REYES
14	0900	70	D. REYES
14	1200	70	D. REYES
14	1500	70	D. Rodriguez
14	1800	70	D. Rodriguez
14	2100	70	D. Rodriguez
14	2400	70	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
10/18	0300	70	E. Rodriguez
18	0600	70°	D. Orfenzio
18	0900	70°	D. Orfenzio
18	1200	70°	D. Orfenzio
18	1500	70°	D. Mendoza
18	1800	70°	D. Mendoza
18	2100	79°	D. Mendoza
18	2400	70	E. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	70	E. Rodriguez
16	0600	70	D. Rodriguez
16	0900	70°	C. Allen
16	1200	70°	C. Allen
16	1500	70	C. Clavel
16	1800	70	C. Clavel
16	2100	70	C. Clavel
16	2400	70	E. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	70	E. ACEVEDO
17	0600	70	T. PHAN
17	0900	70	T. PHAN
17	1200	70	T. PHAN
17	1500	70	R. Anderson
17	1800	70°	R. Anderson
17	2100	70°	R. Anderson
17	2400	70	E. ACEVEDO

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	69°	GARCIA
18	0600	68	GUERRA
18	0900	69	GUERRA
18	1200	70	GUERRA
18	1500	70	D. Rodriguez
18	1800	70	D. Rodriguez
18	2100	70	D. Rodriguez
18	2400	69°	GARCIA

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	70	GARCIA
19	0600	70	Recinos
19	0900	70	Recinos
19	1200	70	Recinos
19	1500	70°	E. Tamm
19	1800	70°	E. Tamm
19	2100	70	E. Tamm
19	2400	70°	GARCIA

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	70	Johnson
20	0600	70	Recinos
20	0900	70	Recinos
20	1200	70	RECINOS
20	1500	70	G. MILLER
20	1800	70	G. MILLER
20	2100	70	G. MILLER
20	2400	70	Johnson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 CONTROL Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	67°	CRIDDLE
	0600	68	GUERRA
	0900	68	GUERRA
14	1200	69	GUERRA
	1500	69	HILL
	1800	69	HILL
24	2100	69	HILL
	2400	67°	CRIDDLE

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	68	Evangelist
	0600	68	GUERRA
	0900	69	GUERRA
16	1200	70	GUERRA
	1500	70°	HILL
	1800	70	HILL
24	2100	69°	HILL
	2400	68	Evangelist

Friday

Date	Time	Temp.	Name (Print)
10	0300	69°	PICHARDON
	0600	69	MIZA
	0900	69	MIZA
18	1200	69	MIZA
	1500	69	SANQUIST
	1800	69	SANQUIST
24	2100	69	SANQUIST
	2400	69°	RICHARDSON

Sunday

Date	Time	Temp.	Name (Print)
10	0300	67°	CRIDDLE
	0600	67°	CRIDDLE
	0900	68	ESTRADA Tr
20	1200	68	ESTRADA Tr
	1500	69	ESTRADA Tr
	1800	69	ESTRADA Tr
24	2100	69	ESTRADA Tr
	2400	67°	CRIDDLE

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	68	EVANGELIST
	0600	68	GUERRA
	0900	69	GUERRA
15	1200	70	GUERRA
	1500	70	HILL
	1800	70	HILL
24	2100	69	HILL
	2400	68	EVANGELIST

Thursday

Date	Time	Temp.	Name (Print)
10	0300	69°	LEPE
	0600	69	GUERRA
	0900	69	GUERRA
17	1200	69	GUERRA
	1500	69	LOPEZ
	1800	69	LOPEZ
24	2100	69	LOPEZ
	2400	69°	LEPE

Saturday

Date	Time	Temp.	Name (Print)
10	0300	67°	CRIDDLE
	0600	67°	CRIDDLE
	0900	67°	LUNAY
19	1200	67°	LUNAY
	1500	69	AVILA
	1800	69	AVILA
24	2100	69	AVILA
	2400	67°	CRIDDLE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	71°	S. DIXON
14	0600	71	T. HART
14	0900	71	SABRIDO
24	1200	71	SABRIDO
	1500	71	m. Caceres
	1800	71	m. Caceres
	2100	71	m. Caceres
	2400	72°	DIXON

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	72°	DIXON
14	0600	71°	T. HART
16	0900	72°	T. HART
24	1200	72°	T. HART
	1500	72	SABRIDO
	1800	72	SABRIDO
	2100	72	SABRIDO
	2400	72°	DIXON

Friday

Date	Time	Temp.	Name (Print)
10	0300	71°	DIXON
14	0600	71°	DIXON
18	0900	71°	SARA
24	1200	71°	CALA
	1500	72	SABRIDO
	1800	72	SABRIDO
	2100	72	SABRIDO
	2400	71	DIXON

Sunday

Date	Time	Temp.	Name (Print)
10	0300	69° 70	LOPEZ
14	0600	69	J. RESENDIZ
20	0900	69	J. RESENDIZ
24	1200	69	J. RESENDIZ
	1500	69	LOPEZ
	1800	69	LOPEZ
	2100	69	LOPEZ
	2400	70°	LOPEZ

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	71°	DIXON
14	0600	71°	T. HART
15	0900	72°	T. HART
24	1200	72°	K. HART
	1500	72	SABRIDO
	1800	72	SABRIDO
	2100	72	SABRIDO
	2400	72°	DIXON

Thursday

Date	Time	Temp.	Name (Print)
10	0300	72°	DIXON
14	0600	71°	T. HART
17	0900	73°	T. HART
24	1200	74°	T. HART
	1500	71°	E. Granados
	1800	71°	E. Granados
	2100	71°	E. Granados
	2400	71°	DIXON

Saturday

Date	Time	Temp.	Name (Print)
10	0300	71°	Lepe
14	0600	71°	T. HART
19	0900	74°	T. HART
24	1200	75°	T. HART
	1500	72	SABRIDO
	1800	72	SABRIDO
	2100	72	SABRIDO
	2400	71°	Lepe

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
GDCR-2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C 3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70	CALDPLE
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	71	P. LIMA
	1800	71	WILSON
	2100	70	WILSON
	2400	70	WILSON

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	MIRANDA
	0600	70	AVALO
	0900	71	AVALO
	1200	71	AVALO
	1500	71	GUERRA
	1800	71	GUERRA
	2100	70	GUERRA
	2400	70	MIRANDA

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	RODRIGUEZ
	0600	70	LOPEZ
	0900	70	LOPEZ
	1200	70	LOPEZ
	1500	70	LOPEZ
	1800	70	LOPEZ
	2100	70	LOPEZ
	2400	70	LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	FLORES, J
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	70	LOPEZ
	1800	70	LOPEZ
	2100	70	LOPEZ
	2400	70	FLORES, J

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	SANQUIST
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	70	PIERCE
	1800	70	PIERCE
	2100	70	PIERCE
	2400	70	SANQUIST

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	ESPARRA
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	70	PIERCE
	1800	70	PIERCE
	2100	70	PIERCE
	2400	70	ESPARRA

Notes

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	FLORES
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	70	PIERCE
	1800	70	PIERCE
	2100	70	PIERCE
	2400	70	SANQUIST

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/18	0300	70	M. WOOD
	0600	70	TERRIQUEZ
	0900	70	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	70	Allen
	1800	70°	Allen
	2100	70°	Allen
	2400	70	M. WOOD

Tuesday

Date	Time	Temp.	Name (Print)
10/15/18	0300	70	MILSON
	0600	70	TERRIQUEZ
	0900	70	TERRIQUEZ
	1200	76	TERRIQUEZ
	1500	70	TERRIQUEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	MILSON

Wednesday

Date	Time	Temp.	Name (Print)
10/16/18	0300	70	M. GONZALEZ
	0600	70	TERRIQUEZ
	0900	70	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	71	MONTIEL
	1800	70	MONTIEL
	2100	70	MONTIEL
	2400	70	M. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/18	0300	70°	M. GONZALEZ
	0600	70°	BANUELOS
	0900	70	BANUELOS
	1200	70	BANUELOS
	1500	70	AMAYA
	1800	70	AMAYA
	2100	70	AMAYA
	2400	70°	M. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
10/18/18	0300	70°	L. CARRASCO
	0600	70°	J. TOLEDO
	0900	70	J. TOLEDO
	1200	70	J. TOLEDO
	1500	70°	C. FERNANDEZ
	1800	70	C. FERNANDEZ
	2100	70	C. FERNANDEZ
	2400	70°	L. CARRASCO

Saturday

Date	Time	Temp.	Name (Print)
10/19/18	0300	70°	L. CARRASCO
	0600	70	G. HERNANDEZ
	0900	70	G. HERNANDEZ
	1200	70	G. HERNANDEZ
	1500	70	BRISTE
	1800	70°	CHAVEZ
	2100	70°	CHAVEZ
	2400	70	L. CARRASCO

Sunday

Date	Time	Temp.	Name (Print)
10/20/18	0300	70	M. WOOD
	0600	76	TERRIQUEZ
	0900	70	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	70	TERRIQUEZ
	1800	70	TERRIQUEZ
	2100	70	TERRIQUEZ
	2400	70	M. WOOD

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10	0300	70	O'TOOLE
	0600	70	SILVA
14	0900	70	SILVA
	1200	70	SILVA
24	1500	70	CONTEZIS
	1800	70	CONTEZIS
	2100	70	CONTEZIS
	2400	71	O'TOOLE

Tuesday			
Date	Time	Temp.	Name (Print)
10	0300	70	O'TOOLE
	0600	70	Lambert
14	0900	75	Lambert
	1200	80	Lambert
24	1500	70	CONTEZIS
	1800	70	CONTEZIS
	2100	70	CONTEZIS
	2400	72	O'TOOLE

Wednesday			
Date	Time	Temp.	Name (Print)
10	0300	69	O'TOOLE
	0600	70	E. Tavares
14	0900	70	E. Tavares
	1200	70	E. Tavares
24	1500	70	RANGEL
	1800	70	RANGEL
	2100	70	RANGEL
	2400	70	O'TOOLE

Thursday			
Date	Time	Temp.	Name (Print)
10	0300	70	O'TOOLE
	0600	70	Lambert
14	0900	70	Lambert
	1200	75	Lambert
24	1500	75	WHITTAKER
	1800	73	WHITTAKER
	2100	71	WHITTAKER
	2400	70	O'TOOLE

Friday			
Date	Time	Temp.	Name (Print)
10	0300	70	Miranda
	0600	70	Lambert
14	0900	75	Lambert
	1200	75	Lambert
24	1500	70	E. Granados
	1800	70	E. Granados
	2100	70	E. Granados
	2400	70	Miranda

Saturday			
Date	Time	Temp.	Name (Print)
10	0300	70	Miranda
	0600	70	Davidson
14	0900	70	Davidson
	1200	77	Davidson
24	1500	72	SANQUIST
	1800	72	SANQUIST
	2100	70	SANQUIST
	2400	70	Miranda

Sunday			
Date	Time	Temp.	Name (Print)
10	0300	70	O'TOOLE
	0600	70	D. Ortega
14	0900	70	D. Ortega
	1200	70	D. Ortega
24	1500	70	Davis
	1800	70	Davis
	2100	70	Davis
	2400	71	O'TOOLE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 01 Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	73	Murphy	
0600	73	A-Jimenez	
0900	72	A-Jimenez	
1200	73	A-Jimenez	
1500	73	A-Jimenez	
1800	73	A-Jimenez	
2100	73	A-Jimenez	
2400	73	Murphy	

10/14/24

Tuesday

Date	Time	Temp.	Name (Print)
0300	73	Murphy	
0600	72	S.Jordan	
0900	72	S.Jordan	
1200	72	S.Jordan	
1500	73	Rios	
1800	72	Davis	
2100	73	Davis	
2400	73	Murphy	

10/15/24

Wednesday

Date	Time	Temp.	Name (Print)
0300	73	Murphy	
0600	72	D.Lopez	
0900	72	D.Lopez	
1200	73	D.Lopez	
1500	73	D.Lopez	
1800	73	D.Lopez	
2100	73	D.Lopez	
2400	73	Murphy	

10/16/24

Thursday

Date	Time	Temp.	Name (Print)
0300	72	X. (Unknown)	
0600	72	D.Lopez	
0900	72	D.Lopez	
1200	73	D.Lopez	
1500	73	D.Lopez	
1800	73	D.Lopez	
2100	73	D.Lopez	
2400	72	P. Hernandez	

10/17/24

Friday

Date	Time	Temp.	Name (Print)
0300	72	J.Reyna	
0600	72	V.Haro	
0900	71	Murphy	
1200	71	Murphy	
1500	71	Murphy	
1800	71	Murphy	
2100	70	Murphy	
2400	72	J.Reyna	

10/18/24

Saturday

Date	Time	Temp.	Name (Print)
0300	72	Murphy	
0600	71	Hernandez	
0900	72	Hernandez	
1200	71	Hernandez	
1500	72	Hernandez	
1800	72	Hernandez	
2100	72	Hernandez	
2400	72	Murphy	

10/19/24

Sunday

Date	Time	Temp.	Name (Print)
0300	72	Murphy	
0600	72	A-Jimenez	
0900	72	A-Jimenez	
1200	71	A-Jimenez	
1500	71	A-Jimenez	
1800	73	A-Jimenez	
2100	73	A-Jimenez	
2400	72	Murphy	

10/20/24

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FAC D BLDNG 2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/14	0300	73	C. Holmes
	0600	70	J. SIEVERS
	0900	70	J. SIEVERS
24	1200	76	J. SIEVERS
	1500	72	J. HERNANDEZ
	1800	73	J. HERNANDEZ
	2100	73	J. HERNANDEZ
	2400	73	C. (H) Holmes

Tuesday			
Date	Time	Temp.	Name (Print)
10/15	0300	73	C. Holmes
	0600	71°	Barnes
	0900	71°	Barnes
24	1200	72°	Barnes
	1500	72	LUPEZ
	1800	72	LUPEZ
	2100	72	LUPEZ
	2400	73	C. Holmes

Wednesday			
Date	Time	Temp.	Name (Print)
10/16	0300	71	C. Holmes
	0600	71°	Barnes
	0900	70°	Barnes
24	1200	71°	Barnes
	1500	71°	Barnes
	1800	72	LUPEZ
	2100	71	LUPEZ
	2400	71	C. John

Thursday			
Date	Time	Temp.	Name (Print)
10/17	0300	71	C. Holmes
	0600	71°	Barnes
	0900	71°	Barnes
24	1200	71°	Barnes
	1500	71	LUPEZ
	1800	72	LUPEZ
	2100	71	LUPEZ
	2400	72	C. Holmes

Friday			
Date	Time	Temp.	Name (Print)
10/18	0300	70	Hernandez
	0600	70°	Barnes
	0900	70°	Barnes
24	1200	70°	Barnes
	1500	70	LUPEZ
	1800	70	LUPEZ
	2100	70	LUPEZ
	2400	70	Hernandez

Saturday			
Date	Time	Temp.	Name (Print)
10/19	0300	70°	J. Reyna
	0600	70	HERNANDEZ
	0900	72	HERNANDEZ
	1200	72	HERNANDEZ
	1500	70	LUPEZ
	1800	70	LUPEZ
	2100	70	LUPEZ
	2400	70°	J. Reyna

Sunday			
Date	Time	Temp.	Name (Print)
10/20	0300	70	ESPARZA
	0600	70	Hernandez, E
	0900	69	Hernandez, E
	1200	69	Hernandez, E
	1500	72	J. HERNANDEZ
	1800	72	J. HERNANDEZ
	2100	70	J. HERNANDEZ
	2400	70	ESPARZA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FDB3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	70	Funes
	0600	70	Aurka
	0900	71	Auria
	1200	72	Auria
	1500	72	Ron
	1800	71	Ron
	2100	71	Ron
	2400	72	Funes

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	70	J Devore
	0600	70	E Hernandez
	0900	70	E Hernandez
	1200	71	E Hernandez
	1500	70	Darnes
	1800	70	Darnes
	2100	72	Darnes
	2400	70	J Devore

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	71	Verga
	0600	71	Machado
	0900	71	Machado
	1200	71	Machado
	1500	72	Avila
	1800	72	Avila
	2100	71	Avila
	2400	71	Verga

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	71	Verga
	0600	71	Avila
	0900	71	Avila
	1200	71	Avila
	1500	72	Avila
	1800	72	Avila
	2100	70	Avila
	2400	71	Verga

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	70	Verga
	0600	71	Avila
	0900	71	Avila
	1200	71	Avila
	1500	71	Ronin
	1800	71	Ronin
	2100	71	Ronin
	2400	71	Verga

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	71	Verga
	0600	70	Oquendo
	0900	71	Oquendo
	1200	71	Oquendo
	1500	71	Ronin
	1800	71	Ronin
	2100	71	Ronin
	2400	71	Verga

Notes

Date	Time	Temp.	Name (Print)
10/20	0300	70	J Devore
	0600	70	Oquendo
	0900	70	Oquendo
	1200	70	Oquendo
	1500	71	Ronin
	1800	71	Ronin
	2100	71	Ronin
	2400	70	J Devore

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D-4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	70°	M. Guzman
	0600	70°	M. Guzman (cont)
	0900	70°	Machado
	1200	70°	Machado
	1500	70°	W. Solorzano
	1800	70	M. Quiroz
	2100	70	M. Quiroz
	2400	70°	M. Guzman

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	70	R. Phillips
	0600	70	R. Gonzalez
	0900	75	A. Lawrence
	1200	75	A. Lawrence
	1500	75	A. Lawrence
	1800	75	A. Lawrence
	2100	75	A. Lawrence
	2400	70	R. Phillips

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	70°	A. Tapia
	0600	70	Ramirez
	0900	70	Ramirez
	1200	70	Ramirez
	1500	70	A. Lasker
	1800	70	A. Lawrence
	2100	70	A. Gonzalez
	2400	70°	A. Tapia

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	70	R. Phillips
	0600	70	Machado
	0900	70	Machado
	1200	70	Machado
	1500	70	Rosa
	1800	70	Rosa
	2100	70	Rosa
	2400	70	R. Phillips

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	69	M. Rosas
	0600	70	Machado
	0900	70	Machado
	1200	70	Machado
	1500	72	Arce
	1800	72	Arce
	2100	70	Arce
	2400	70	M. Rosas

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	70	A. Miller
	0600	76	A. Miller
	0900	70	A. Miller
	1200	70	A. Miller
	1500	70	A. Miller
	1800	70	A. Miller
	2100	70	A. Miller
	2400	70°	A. Miller

Notes

Date	Time	Temp.	Name (Print)
10/20	0300	70°	A. Solorzano
	0600	70	A. Solorzano
	0900	70	AREAS
	1200	70	AREAS
	1500	70	AREAS
	1800	70	AREAS
	2100	70	AREAS
	2400	70°	A. Solorzano

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-14-24

Date	Time	Temp.	Name (Print)
	0300	70°	M. DIXON
	0600	70°	CONTEZIS
	0900	70°	CONTEZIS
	1200	70°	CONTEZIS
	1500	70°	C. MORALES
	1800	70°	C. MORALES
	2100	70°	C. MORALES
	2400	70°	M. DIXON

Wednesday 10-16-24

Date	Time	Temp.	Name (Print)
	0300	70°	Richardson
	0600	70°	CONTEZIS
	0900	70°	CONTEZIS
	1200	70°	CONTEZIS
	1500	70°	VARENCEA
	1800	70°	VARENCEA
	2100	70°	VARENCEA
	2400	70°	Richardson

Friday 10-18-24

Date	Time	Temp.	Name (Print)
	0300	70°	Moyobaleno
	0600	70°	CONTEZIS
	0900	70°	CONTEZIS
	1200	70°	CONTEZIS
	1500	70°	Rungillo
	1800	60°	Rungillo
	2100	60°	Rungillo
	2400	70°	Moyobaleno

Sunday 10-20-24

Date	Time	Temp.	Name (Print)
	0300	68°	M. DIXON
	0600	70°	Machado
	0900	70°	Machado
	1200	70°	Machado
	1500	70°	Deppola
	1800	70°	Deppola
	2100	70°	Deppola
	2400	70°	M. DIXON

Tuesday 10-10-24

Date	Time	Temp.	Name (Print)
	0300	70°	Richardson
	0600	70°	CONTEZIS
	0900	70°	CONTEZIS
	1200	70°	CONTEZIS
	1500	70°	VARENCEA
	1800	70°	VARENCEA
	2100	70°	VARENCEA
	2400	70°	Richardson

Thursday 10-17-24

Date	Time	Temp.	Name (Print)
	0300	70°	Richardson
	0600	70°	Clawel
	0900	70°	Clawel
	1200	70°	Clawel
	1500	70°	VARENCEA
	1800	70°	VARENCEA
	2100	70°	VARENCEA
	2400	70°	Richardson

Saturday 10-19-24

Date	Time	Temp.	Name (Print)
	0300	67°	Briggs
	0600	70°	Machado
	0900	70°	Machado
	1200	70°	Machado
	1500	70°	Deppola
	1800	70°	Deppola
	2100	70°	Deppola
	2400	68°	Briggs

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP/LAC Housing Unit: INFIRMARY Temp. Reading Location: 51
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	71°	MAGDONADO
	0600	71	Christiansen
	0900	72	Christiansen
	1200	72	Christiansen
	1500	71	Avelar
	1800	71	Avelar
	2100	71	Avelar
	2400	71°	MAGDONADO

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	71°	MAGDONADO
	0600	71	Christiansen
	0900	72	Christiansen
	1200	72	Christiansen
	1500	71	Avelar
	1800	71	Avelar
	2100	71	Avelar
	2400	71°	MAGDONADO

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	71°	MAGDONADO
	0600	72	Christiansen
	0900	72	Christiansen
	1200	72	Christiansen
	1500	71	Avelar
	1800	72	Avelar
	2100	71	Perry
	2400	71°	Perry

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	71°	Perry
	0600	72	Christiansen
	0900	72	Christiansen
	1200	72	Christiansen
	1500	72°	Perry
	1800	72°	Perry
	2100	72°	Perry
	2400	72°	MAGDONADO

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	71°	MAGDONADO
	0600	72	Christiansen
	0900	72	Christiansen
	1200	72	Christiansen
	1500	72	Johnson
	1800	72	Johnson
	2100	72	Johnson
	2400	72	Galapon

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	72	Galapon
	0600	72°	S. DIXON
	0900	72°	S. DIXON
	1200	72°	S. DIXON
	1500	71°	J. Bonilla
	1800	71°	J. Bonilla
	2100	71°	J. Bonilla
	2400	71	Oliver

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	72	Oliver
	0600	71	Ugarte
	0900	71	Ugarte
	1200	71	Oliver
	1500	72	Oliver
	1800	71	Oliver
	2100	71	Oliver
	2400	70	Oliver

Notes

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
Oct 21, 2021	0100	58°	J. BLAND
	0200	63°	J. BLAND
	0300	62°	J. BLAND
	0400	62°	J. BLAND
	0500	60°	J. BLAND
	0600	59	NUNEZ
	0700	58	NUNEZ
	0800	59	NUNEZ
	0900	60	NUNEZ
	1000	60	NUNEZ
	1100	69	NUNEZ
	1200	73	NUNEZ
	1300	77	NUNEZ
	1400	77	Puentes
	1500	82	Puentes
	1600	81	Puentes
	1700	80	Puentes
	1800	77	Puentes
	1900	74	Puentes
	2000	72	Puentes
	2100	69	Puentes
	2200	67	J. BLAND
	2300	65	J. BLAND
	2400	64	J. BLAND

HEAT ALERT

START _____

END _____

DISTRIBUTION: Original: Institution ADA Coordinator

Date	Time	Temp.	Printed Name
Oct 22, 2021	0100	65°	J. BLAND
	0200	63°	J. BLAND
	0300	63°	J. BLAND
	0400	59°	J. BLAND
	0500	56°	J. BLAND
	0600	58	NUNEZ
	0700	57	NUNEZ
	0800	60	NUNEZ
	0900	63	NUNEZ
	1000	66	NUNEZ
	1100	70	NUNEZ
	1200	73	NUNEZ
	1300	75	Puentes
	1400	76	Puentes
	1500	75	Puentes
	1600	81	Puentes
	1700	81	Puentes
	1800	79	Puentes
	1900	74	Puentes
	2000	71	Puentes
	2100	69	Puentes
	2200	65	Wingfield
	2300	62	Wingfield
	2400	60	Wingfield

HEAT ALERT

START _____

END _____

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
GDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/23 2024	0100	60	WINGFIELD
	0200	58	WINGFIELD
	0300	55	WINGFIELD
	0400	54	WINGFIELD
	0500	54	WINGFIELD
	0600	54	MNEZ
	0700	53	MNEZ
	0800	55	MNEZ
	0900	59	MNEZ
	1000	65	MNEZ
	1100	69	MNEZ
	1200	73	MNEZ
	1300	77	MNEZ
	1400	81	Puentes
	1500	84	Puentes
	1600	82	Puentes
	1700	81	Puentes
	1800	80	Puentes
	1900	76	Puentes
	2000	74	Puentes
	2100	72	Puentes
	2200	70	WINGFIELD
	2300	69	WINGFIELD
	2400	68	WINGFIELD

STAGE 1 HEAT ALERT

START _____

END _____

STAGE 1 HEAT ALERT

START _____

END _____

DISTRIBUTION: Original Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
OCTOBER 25, 2024	0100	64	LINGFIELD	OCTOBER 26, 2024	0100	67	LINGFIELD
	0200	64	LINGFIELD		0200	63	LINGFIELD
	0300	63	LINGFIELD		0300	60	LINGFIELD
	0400	60	LINGFIELD		0400	58	LINGFIELD
	0500	60	LINGFIELD		0500	56	LINGFIELD
	0600	60	Gewirtz C		0600	52	Gewirtz
	0700	60	Gewirtz C		0700	53	Gewirtz
	0800	60	Gewirtz C		0800	54	Gewirtz
	0900	59	Gewirtz C		0900	66	Gewirtz
	1000	67	Gewirtz C		1000	70	Gewirtz
	1100	71	Gewirtz C		1100	74	Gewirtz
	1200	76	Gewirtz C		1200	76	Gewirtz
	1300	78	Gewirtz C		1300	80	Gewirtz
	1400	82	Gewirtz C		1400	83	Gewirtz
	1500	83	Gewirtz C		1500	83	Gewirtz
	1600	83	Gewirtz C		1600	84	Gewirtz
	1700	82	Gewirtz C		1700	83	Gewirtz
	1800	78	Gewirtz C		1800	79	Gewirtz
	1900	77	Gewirtz C		1900	74	Gewirtz
	2000	74	Gewirtz C		2000	70	Gewirtz
	2100	73	Gewirtz C		2100	70	Gewirtz
	2200	72	Gewirtz C		2200	65	LINGFIELD
	2300	72	LINGFIELD		2300	63	LINGFIELD
	2400	67	LINGFIELD		2400	63	LINGFIELD

Stage 1 ACTIVATED
 DEACTIVATED

Stage 1 ACTIVATED
 DEACTIVATED

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR-2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 27, 2024	0100	61	WINGFIELD
	0200	60	WINGFIELD
	0300	60	WINGFIELD
	0400	60	WINGFIELD
	0500	60	WINGFIELD
	0600	61	Puentes
	0700	60	Puentes
	0800	66	Puentes
	0900	70	Puentes
	1000	76	Puentes
	1100	60	Puentes
	1200	62	Puentes
	1300	81	Puentes
	1400	81	Puentes
	1500	79	Puentes
	1600	77	Puentes
	1700	75	Puentes
	1800	75	Puentes
	1900	74	Puentes
	2000	73	Puentes
	2100	72	Puentes
	2200	71°	J. BRAVO
	2300	71°	J. BRAVO
	2400	70°	J. BRAVO

Date	Time	Temp.	Printed Name
OCTOBER 28, 2024	0100	69°	J. BRAVO
	0200	68°	J. BRAVO
	0300	66°	J. BRAVO
	0400	65°	J. BRAVO
	0500	63°	J. BRAVO
	0600	62	NUNEZ
	0700	61	NUNEZ
	0800	60	NUNEZ
	0900	62	NUNEZ
	1000	63	NUNEZ
	1100	64	NUNEZ
	1200	64	NUNEZ
	1300	64	NUNEZ
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

HEAT ALERT

START _____

END _____

HEAT ALERT

START _____

END _____

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: M5F

Temp. Reading Location: DAY ROOM

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5 55 7 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	70	SILVA
	0600	70	SILVA
	0900	70	Excuse me
	1200	72	Evangelista
	1500	75°	M. Contreras
	1800	75°	M. Contreras
	2100	75°	M. Contreras
	2400	70	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	70°	A. Macias
	0600	70	A. Macias
	0900	72	A. Macias
	1200	72	A. Macias
	1500	76°	M. Contreras
	1800	76°	M. Contreras
	2100	75°	M. Contreras
	2400	70°	A. Macias

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	75	MALIN
	0600	75	MENDOZA
	0900	75	MENDOZA
	1200	75	MENDOZA
	1500	76°	M. Contreras
	1800	75°	M. Contreras
	2100	75°	M. Contreras
	2400	73	MALIN

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	73	VAN
	0600	70	CHRISTOPHER
	0900	72	CHRISTOPHER
	1200	74	CHRISTOPHER
	1500	77	Briggs
	1800	75	Briggs
	2100	71	Briggs
	2400	75	VAN

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	72	VALDERRAMA
	0600	72	MCCANN
	0900	72	MCCANN
	1200	72	MCCANN
	1500	77	Jordan
	1800	73	Jordan
	2100	73	Jordan
	2400	73	VALDERRAMA

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	70	VALDERRAMA
	0600	70°	CRIDDLE
	0900	70°	CRIDDLE
	1200	72°	CRIDDLE
	1500	72	GALVAN
	1800	72	GALVAN
	2100	70	GALVAN
	2400	70	VALDERRAMA

Notes

Date	Time	Temp.	Name (Print)
10/27	0300	70	VALDERRAMA
	0600	70°	CRIDDLE
	0900	70°	CRIDDLE
	1200	72°	CRIDDLE
	1500	75°	M. Contreras
	1800	75°	M. Contreras
	2100	75°	M. Contreras
	2400	70	VALDERRAMA

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: RH1

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	68	J. MILLER
0600	69	M. QUINTERO	
0900	68	M. QUINTERO	
1200	69	M. QUINTERO	
1500	69	M. QUINTERO	
1800	69	M. QUINTERO	
2100	68	M. QUINTERO	
2400	68	J. MILLER	

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	68	SINKO
0600	69	ALLEN	
0900	69	ALLEN	
1200	69	ALLEN	
1500	70	SINKO	
1800	70	SINKO	
2100	70	SINKO	
2400	70	SINKO	

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	68	J. MILLER
0600	68	BROWN	
0900	68	BROWN	
1200	70	J. MILLER	
1500	70	SINKO	
1800	70	SINKO	
2100	70	SINKO	
2400	68	J. MILLER	

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	68	J. MILLER
0600	68	E. MARTINEZ	
0900	68	E. MARTINEZ	
1200	68	E. MARTINEZ	
1500	69	E. MARTINEZ	
1800	70	E. MARTINEZ	
2100	69	E. MARTINEZ	
2400	68	J. MILLER	

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	68	J. MILLER
0600	69	S. AYAPONG	
0900	68	S. AYAPONG	
1200	68	M. QUINTERO	
1500	70	J. MILLER	
1800	70	J. MILLER	
2100	70	SINKO	
2400	68	J. MILLER	

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	68	J. MILLER
0600	68	S. AYAPONG	
0900	68	S. AYAPONG	
1200	70	M. QUINTERO	
1500	70	J. MILLER	
1800	70	J. MILLER	
2100	70	SINKO	
2400	68	J. MILLER	

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	68	J. MILLER
0600	68	S. AYAPONG	
0900	68	S. AYAPONG	
1200	68	S. AYAPONG	
1500	68	ALLEN	
1800	68	C. ALLEN	
2100	68	C. ALLEN	
2400	68	J. MILLER	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: RHU Temp. Reading Location: 2nd Tier

Immediately notify the Watch Commander at extension 5551 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	72	BO DEUGZ
	0600	72	KUNTERO
	0900	72	KUNTERO
	1200	72	KUNTERO
	1500	72	DOMINGO
	1800	72	ANUARO
	2100	72	AQUINO
	2400	71	AGUARONE

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	71	SIRKO
	0600	72	QUINTERO
	0900	72	QUINTERO
	1200	72	QUINTERO
	1500	72	STACIO
	1800	72	SIRKO
	2100	72	SIRKO
	2400	71	FLAMES

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	72	GERALDO
	0600	70	GERALDO
	0900	72	FLAMES
	1200	72	FLAMES
	1500	72	SIRKO
	1800	72	CARLOS
	2100	72	CARLOS
	2400	72	GERALDO

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	70	J. CALLES
	0600	65	ERVIS
	0900	72	DEVIS
	1200	72	ERVIS
	1500	71	SIRKO
	1800	71	SIRKO
	2100	71	SIRKO
	2400	70	J. CALLES

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	71	AGUARONE
	0600	72	QUINTERO
	0900	72	QUINTERO
	1200	72	QUINTERO
	1500	72	SIRKO
	1800	72	SIRKO
	2100	72	SIRKO
	2400	71	SIRKO

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	72	FLAMES
	0600	72	M. QUINTERO
	0900	72	M. QUINTERO
	1200	74	FLAMES
	1500	72	FLAMES
	1800	72	FLAMES
	2100	72	FLAMES
	2400	72	FLAMES

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	70	SIRKO
	0600	70	SIRKO
	0900	72	SIRKO
	1200	72	SIRKO
	1500	70	SIRKO
	1800	70	DILLEN
	2100	70	DILLEN
	2400	70	SIRKO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1 Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	Fas
0600	70	Rodriguez Jr	
0900	70	Rodriguez Jr	
1200	70	Rodriguez Jr	
1500	70	Baker	
1800	70	Baker	
2100	70	Baker	
2400	70	Fas	

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	70	Fas
0600	70	Rodriguez Jr	
0900	70	Rodriguez Jr	
1200	70	Rodriguez Jr	
1500	70	Baker	
1800	70	Baker	
2100	70	Baker	
2400	70	Fas	

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	Fas
0600	70	Rodriguez Jr	
0900	70	Rodriguez Jr	
1200	70	Rodriguez Jr	
1500	70	Baker	
1800	71	Baker	
2100	70	Baker	
2400	70	Fas	

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	J-SI
0600	70	Rodriguez Jr	
0900	70	Rodriguez Jr	
1200	70	Rodriguez Jr	
1500	70	Baker	
1800	70	RSCB	
2100	70	RSCB	
2400	70	J-SI	

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	J-SI
0600	70	Tom C	
0900	70	Tom C	
1200	70	Tom C	
1500	70	Aguilar	
1800	71	Aguilar	
2100	70	Aguilar	
2400	70	J-SI	

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	Fas
0600	70	Tom C	
0900	70	Tom C	
1200	70	Tom C	
1500	70	Machado	
1800	70	Machado	
2100	70	Machado	
2400	70	Fas	

Notes

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	Fas
0600	70	Rodriguez Jr	
0900	70	Rodriguez Jr	
1200	70	Rodriguez Jr	
1500	70	Tom C	
1800	70	Tom C	
2100	70	Tom C	
2400	70	Fas	

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Cont. Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/11	0300	70°	B PRESNELL
	0600	70°	TOMIC
	0900	70°	TOMIC
	1200	70°	TOMIC
	1500	70°	COLINDO
	1800	70°	COLINDO
	2100	70°	COLINDO
	2400	70°	B PRESNELL

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	69°	B PRESNELL
	0600	69°	Chase J
	0900	67°	Chase
	1200	65°	Chase
	1500	69°	OLLA
	1800	69°	OLLA
	2100	68°	OLLA
	2400	65°	B PRESNELL

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	69°	B PRESNELL
	0600	69°	Chase
	0900	67°	Chase
	1200	69°	Chase
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	69°	B PRESNELL

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	68°	B PRESNELL
	0600	69°	Chase
	0900	69°	Chase
	1200	69°	Chase
	1500	70°	OLLA
	1800	70°	OLLA
	2100	69°	OLLA
	2400	68°	B PRESNELL

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	69°	B PRESNELL
	0600	68°	Chase
	0900	69°	Chase
	1200	69°	Chase
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	69°	B PRESNELL

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	70°	J.S. (S)
	0600	68°	Chase J
	0900	69°	Chase J
	1200	69°	Chase J
	1500	70°	OLLA
	1800	70°	OLLA
	2100	69°	OLLA
	2400	76°	J.S. (S)

Notes

Date	Time	Temp.	Name (Print)
10/27	0300	70°	J.S. (S)
	0600	70°	TOMIC
	0900	70°	TOMIC
	1200	70°	TOMIC
	1500	70°	TOMIC
	1800	71°	?
	2100	71°	?
	2400	70°	J.S. (S) B PRESNELL

DISTRIBUTION: Original; Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A-3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	68	D. Woodard
10/21	0600	65	E. Granados
10/21	0900	68	E. Granados
10/21	1200	70	E. Granados
10/21	1500	70	D. Chavis
10/21	1800	70	D. Chavis
10/21	2100	70	D. Chavis
10/21	2400	68	D. Woodard

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	70°	STOREY
10/23	0600	70°	FLETES
10/23	0900	70°	FLETES
10/23	1200	70°	STOREY
10/23	1500	70°	STOREY
10/23	1800	70°	STOREY
10/23	2100	70°	STOREY
10/23	2400	70°	STOREY

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	70	M. Johnson
10/25	0600	71	P. Garcia
10/25	0900	71	P. Garcia
10/25	1200	71	P. Garcia
10/25	1500	70	L. Lopez
10/25	1800	68	L. Lopez
10/25	2100	68	L. Lopez
10/25	2400	70	M. Johnson

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	70	E. Granados
10/27	0600	68	E. Granados
10/27	0900	68	E. Granados
10/27	1200	68	E. Granados
10/27	1500	70	D. Chavis
10/27	1800	70	D. Chavis
10/27	2100	70	D. Chavis
10/27	2400	70	E. Granados

Tuesday

Date	Time	Temp.	Name (Print)
10/24	0300	69	D. Woodard
10/24	0600	71	J. Meza
10/24	0900	70	J. Meza
10/24	1200	72	C. P. Berrios
10/24	1500	69	J. Aguilar
10/24	1800	70	J. Aguilar
10/24	2100	70	J. Aguilar
10/24	2400	69	D. Woodard

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70	M. Munoz
10/24	0600	71	FLETES
10/24	0900	71°	FLETES
10/24	1200	71°	FLETES
10/24	1500	70	M. Munoz
10/24	1800	70	M. Munoz
10/24	2100	70	M. Munoz
10/24	2400	70	M. Munoz

Saturday

Date	Time	Temp.	Name (Print)
10/24	0300	70	M. Munoz
10/24	0600	68	E. Granados
10/24	0900	68	E. Granados
10/24	1200	68	E. Granados
10/24	1500	70	D. Chavis
10/24	1800	70	D. Chavis
10/24	2100	70	D. Chavis
10/24	2400	70	E. Granados

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 114 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	73	Akande
	0600	73	L. Thomas
	0900	73	L. Thomas
	1200	72	L. Thomas
	1500	72	FONES
	1800	72	FONES
	2100	72	FONES
	2400	72	Akande

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	73	Akande
	0600	73	L. Thomas
	0900	72	L. Thomas
	1200	72	L. Thomas
	1500	73	FONES
	1800	72	FONES
	2100	71	FONES
	2400	73	Akande

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	71	Akande
	0600	71	L. Thomas
	0900	71	L. Thomas
	1200	70	L. Thomas
	1500	72	FONES
	1800	71	FONES
	2100	71	FONES
	2400	71	Akande

Thursday

Date	Time	Temp.	Name (Print)
10/24/25	0300	71	Akande
	0600	71	L. Thomas
	0900	71	L. Thomas
	1200	71	L. Thomas
	1500	72	FONES
	1800	72	XUNILOX
	2100	72	TRANTAS
	2400	71	Akande

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	73	Akande
	0600	72	MARTIN
	0900	72	MARTIN
	1200	71	MARTIN
	1500	71	A. CINTIN
	1800	71	A. CINTIN
	2100	71	A. CINTIN
	2400	72	Akande

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	71	Akande
	0600	71	T. MUNIZ
	0900	72	T. MUNIZ
	1200	72	T. MUNIZ
	1500	72	T. MUNIZ
	1800	72	G. AGUIRRE
	2100	71	G. Aguirre
	2400	71	Akande

Notes

Date	Time	Temp.	Name (Print)
10/27/24	0300	68	D. WOODARD
	0600	70	
	0900	68	
	1200	70	
	1500	71	FONES
	1800	71	FONES
	2100	70	FONES
	2400	68	D. WOODARD

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	72°	ROBLES, O.
	0600	72°	RAMIREZ
	0900	72°	RAMIREZ
	1200	73°	RAMIREZ
	1500	72°	RAMIREZ
	1800	72°	B. Frazier
	2100	72°	B. Frazier
	2400	72°	ROBLES, O.

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	72°	ROBLES, O.
	0600	72°	RAMIREZ
	0900	72°	RAMIREZ
	1200	72°	RAMIREZ
	1500	72°	B. Frazier
	1800	72°	B. Frazier
	2100	72°	B. Frazier
	2400	72°	ROBLES, O.

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	72°	ROBLES, O.
	0600	72°	RAMIREZ
	0900	72°	RAMIREZ
	1200	72°	RAMIREZ
	1500	71°	B. Frazier
	1800	71°	B. Frazier
	2100	71°	B. Frazier
	2400	71°	ROBLES, O.

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	69°	D. Woodard
	0600	71°	RAMIREZ
	0900	72°	RAMIREZ
	1200	72°	RAMIREZ
	1500	71°	Frazier, B.
	1800	69°	Frazier, B.
	2100	69°	Frazier, B.
	2400	69°	D. Woodard

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70°	ROBLES, O.
	0600	69°	ROBLES, O.
	0900	69°	ROBLES, O.
	1200	69°	ROBLES, O.
	1500	69°	XUAN
	1800	69°	XUAN
	2100	68°	XUAN
	2400	70°	ROBLES, O.

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70°	ROBLES, O.
	0600	70°	RAMIREZ
	0900	71°	RAMIREZ
	1200	72°	RAMIREZ
	1500	72°	Frazier
	1800	72°	B. Frazier
	2100	72°	B. Frazier
	2400	71°	ROBLES, O.

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70°	Castro-Nova
	0600	70°	M. Iran
	0900	73°	M. Iran
	1200	73°	M. Iran
	1500	70°	Perea
	1800	72°	Perea
	2100	70°	Perea
	2400	70°	Castro-Nova

Notes

DISTRIBUTION: Original; Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70°	D. REAGAN
	0600	70°	J. GUERRERO
	0900	70°	J. GUERRERO
	1200	70°	J. GUERRERO
	1500	69°	G. HERNANDEZ
	1800	68°	G. HERNANDEZ
	2100	69°	G. HERNANDEZ
	2400	69°	D. REAGAN

Tuesday

Date	Time	Temp.	Name (Print)
10/24/24	0300	69	D. REAGAN
	0600	69°	J. GUERRERO
	0900	70°	J. GUERRERO
	1200	70°	J. GUERRERO
	1500	70°	G. HERNANDEZ
	1800	70°	G. HERNANDEZ
	2100	68°	G. HERNANDEZ
	2400	69°	D. REAGAN

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	69°	D. REAGAN
	0600	69°	J. ESPARZA
	0900	70°	J. ESPARZA
	1200	70	J. ESPARZA
	1500	70°	G. HERNANDEZ
	1800	70°	G. HERNANDEZ
	2100	68°	G. HERNANDEZ
	2400	70	C. FUENLLOS

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70°	C. FUENLLOS
	0600	70	G. MUR
	0900	70	G. MUR
	1200	70	G. MUR
	1500	70	H. CARRERA
	1800	70	H. CARRERA
	2100	68	G. HERNANDEZ
	2400	70°	C. FUENLLOS

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	UMANA
	0600	70	A. DAVILA
	0900	70	A. DAVILA
	1200	70	A. DAVILA
	1500	70	Galvan
	1800	70	Galvan
	2100	70	Galvan
	2400	70	UMANA

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	Johnson
	0600	69	Amaya
	0900	69	Amaya
	1200	69	Amaya
	1500	70	Fraijo
	1800	70	Fraijo
	2100	70	Fraijo
	2400	70	Johnson

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	69°	D. REAGAN
	0600	69	A. DAVILA
	0900	70	Chavez
	1200	70	Chavez
	1500	69°	G. HERNANDEZ
	1800	68°	G. HERNANDEZ
	2100	68°	G. HERNANDEZ
	2400	69°	D. REAGAN

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	69	J Devore
	0600	69	Fraijo
	0900	69	Fraijo
	1200	70	Fraijo
	1500	70	Gordon
	1800	70	A Luttrell
	2100	70	Alanna
	2400	70	J Devore

Tuesday		10-22-24	
Date	Time	Temp.	Name (Print)
10 22. /24	0300	70°	M. C. H. Wall
	0600	70	M. Col
	0900	70	M. Col
	1200	70	M. Col
	1500	70	A. Lopez
	1800	70	A. Lopez
	2100	70	A. Lopez
	2400	70°	M. C. H. Wall

Date	Time	Temp.	Name (Print)
10/23/24	0300	70°	Scot
	0600	70	M. C. H.
	0900	70	M. C. H.
	1200	70	H. CORTEZ
	1500	71	H. CORTEZ
	1800	76	L. BROWN
	2100	70	C. JOHN
	2400	70	Scot H

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	Scott
	0600	70	ROBIE
	0900	70	ROBIE
	1200	70	ROBIE
	1500	72	Ibina
	1800	70	Ibina
	2100	68	Ibina
	2400	60	Geo

Date	Time	Temp.	Name (Print)
10/25/2019	0300	70	Sco
	0600	70	MDE
	0900	70	MDE
	1200	71	MDE
	1500	72	Ibana
	1800	73	Ibana
	2100	70	Ibana
	2400	70	UMANIT

Saturday			
Date	Time	Temp.	Name (Print)
10/26/24	0300	70	UMANA
	0600	70	RENE
	0900	70	ROSE
	1200	71	ROSE
	1500	74	Ivana
	1800	75	Ivana
	2100	75	Ivana
	2400	70	UMANA

Sunday			
Date	Time	Temp.	Name (Print)
10/21/14	0300	70	UMANIA
	0600	70	MILLER
	0900	70	MILLER
	1200	70	MILLER
	1500	70	Parrish
	1800	70	Parrish
	2100	70	Parrish
	2400	70	UMANIA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	70	Ayon
	0600	70	Ayon
	0900	70	A. Corambahas
	1200	70°	COLMAN
	1500	70°	Chavez
	1800	68°	Chavez
	2100	65°	Chavez
	2400	70	S. Agrapong

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	70	S. Agrapong
	0600	70	S. Rangville
	0900	70	Hartfield
	1200	70	Hartfield
	1500	70°	HOFFMAN
	1800	68	HOFFMAN
	2100	68	HOFFMAN
	2400	70	S. Agrapong

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	67°	Rodriguez
	0600	68°	Rodriguez
	0900	68°	Rodriguez
	1200	70	Rellino
	1500	70	S. Torn
	1800	70	S. Torn
	2100	70	S. Torn
	2400	67°	Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	67	Acosta
	0600	68	A. Corambahas
	0900	70	A. Corambahas
	1200	70	A. Corambahas
	1500	65	ACEVEDO
	1800	65	ACEVEDO
	2100	65	ACEVEDO
	2400	67	Acosta

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	70	Corambahas
	0600	70	A. Corambahas
	0900	70	A. Corambahas
	1200	70	A. Corambahas
	1500	70	RIVAS
	1800	70	RIVAS
	2100	69	RIVAS
	2400	70	Corambahas

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	69	Bell
	0600	69	A. Corambahas
	0900	70	A. Corambahas
	1200	70	A. Corambahas
	1500	70°	BLACAMONTE
	1800	70°	BLACAMONTE
	2100	70	BLACAMONTE
	2400	69	Bell

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	69°	Bell
	0600	70°	S. Walters
	0900	70°	S. Walters
	1200	70°	S. Walters
	1500	70°	F. Blacamonte
	1800	70°	F. Blacamonte
	2100	70°	F. Blacamonte
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/10	0300	70	S. Agyapong
10/21	0600	68	J. Villamara
10/24	0900	70	J. Villamara
	1200	70	J. Villamara
	1500	70	N. Noron
	1800	70	N. Noron
	2100	70	N. Noron
	2400	70	S. Agyapong

Wednesday

Date	Time	Temp.	Name (Print)
10/10	0300	70	G. Garcia
10/23	0600	70	P. Felipe
10/24	0900	70	P. Felipe
	1200	70	P. Felipe
	1500	70	E. Tavares
	1800	70	E. Tavares
	2100	71	E. Tavares
	2400	71	G. Garcia

Friday

Date	Time	Temp.	Name (Print)
10/10	0300	70	M. Daniel
10/25	0600	70	R. Recinos
10/24	0900	70	R. Recinos
	1200	70	R. Recinos
	1500	70	E. Tavares
	1800	70	E. Tavares
	2100	70	E. Tavares
	2400	70	M. Daniel

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	70	S. Agyapong
10/24	0600	70	T. Noron
	0900	70	T. Noron
	1200	70	T. Noron
	1500	70	T. Noron
	1800	70	T. Noron
	2100	70	T. Noron
	2400	70	S. Agyapong

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	70°	M. Daniel
10/24	0600	70	B. Felipe
	0900	70	B. Felipe
	1200	70	B. Felipe
	1500	70°	Gonzalez
	1800	70°	Gonzalez
	2100	70°	Gonzalez
	2400	70°	M. Daniel

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70°	M. Daniel
10/24	0600	70	R. Recinos
	0900	70	R. Recinos
	1200	70	R. Recinos
	1500	70°	E. Tavares
	1800	70	E. Tavares
	2100	70	E. Tavares
	2400	70°	M. Daniel

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	70°	M. Daniel
10/24	0600	70	G. Gonzalez
	0900	70	E. Tavares
	1200	70	E. Tavares
	1500	70°	G. Gonzalez
	1800	70	N. Noron
	2100	70°	N. Noron
	2400	70°	M. Daniel

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	Johnson
	0600	70	Hernandez
	0900	70	Hernandez
	1200	70	Hernandez
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	70	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	70	E. Rodriguez
	0600	70	D. Mendez
	0900	70	D. Mendez
	1200	70	D. Mendez
	1500	70	M. Clark
	1800	70	M. Clark
	2100	70	M. Clark
	2400	70	E. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	70	E. Rodriguez
2024	0600	70	A. Martinez
	0900	70	A. Martinez
	1200	70	A. Martinez
	1500	70	A. Martinez
	1800	70	D. Romanez
	2100	70	D. Romanez
	2400	70	E. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70	E. Rodriguez
	0600	70	A. Martinez
	0900	70	A. Martinez
	1200	70	A. Martinez
	1500	70	P. Rose
	1800	70	P. Rose
	2100	70	P. Rose
	2400	70	E. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	70	S. Agyapong
2024	0600	70	A. Martinez
	0900	70	A. Martinez
	1200	70	A. Martinez
	1500	70	P. Rose
	1800	70	P. Rose
	2100	70	P. Rose
	2400	70	S. Agyapong

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	70	S. Agyapong
	0600	70	Chavez
	0900	70	Chavez
	1200	70	Chavez
	1500	70	L.
	1800	70	L.
	2100	70	L.
	2400	70	S. Agyapong

Notes

Date	Time	Temp.	Name (Print)
10/27	0300	70	Johnson
2024	0600	70	Gonzales
	0900	70	Gonzales
	1200	70	Gonzales
	1500	70	Miller
	1800	70	Miller
	2100	70	Miller
	2400	70	Johnson

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 CONTROL Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	67°	CRIDDLE
	0600	67°	CRIDDLE
	0900	67°	ALMEND
21	1200	70	Hughes
	1500	70	DR. BROUCHARD
	1800	70	SA ALMEND
24	2100	70	SA ALMEND
	2400	67	BRIONES

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	67	Briones, L
	0600	68	GUERRA
	0900	68	GUERRA
23	1200	69	GUERRA
	1500	68	GUERRA
	1800	68	GUERRA
24	2100	68	GUERRA
	2400	67	GUERRA

Friday

Date	Time	Temp.	Name (Print)
10	0300	70	Lope
	0600	70	SABEDO
	0900	70	SABEDO
25	1200	70	SABEDO
	1500	68	Jillian
	1800	68	Jillian
24	2100	69	Jillian
	2400	70	Lope

Sunday

Date	Time	Temp.	Name (Print)
10	0300	67°	CRIDDLE
	0600	68	GUERRA
	0900	68	GUERRA
27	1200	69	GUERRA
	1500	69	Navarrete
	1800	69	Navarrete
24	2100	68	Navarrete
	2400	67°	CRIDDLE

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	67	Guerrero, L
	0600	67	GUERRA
	0900	68	GUERRA
22	1200	70	GUERRA
	1500	70	GUERRA
	1800	69	GUERRA
24	2100	68	GUERRA
	2400	67	Guerrero, L

Thursday

Date	Time	Temp.	Name (Print)
10	0300	69°	Lope
	0600	68	GUERRA
	0900	69	GUERRA
24	1200	69	GUERRA
	1500	70	GUERRA
	1800	70	OLIVAS
24	2100	70	OLIVAS
	2400	69°	Lope

Saturday

Date	Time	Temp.	Name (Print)
10	0300	67°	CRIDDLE
	0600	68°	CRIDDLE
	0900	69°	Smith
26	1200	69	JMIRK
	1500	68°	TOLEDO
	1800	68°	TOLEDO
24	2100	68	TOLEDO
	2400	67°	CRIDDLE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension: 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	71°	DIXON
	0600	71°	DIXON
	0900	71	Audia
	1200	72	Audia
21	1500	70	Hartfield
	1800	70	Wes
	2100	70	Hartfield
	2400	71°	DIXON

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	70°	M. Contreras
	0600	70°	V. WALLER
	0900	70°	V. WALLER
	1200	69°	V. WALLER
21	1500	72	SABEDO
	1800	72	SABEDO
	2100	72	SABEDO
	2400	70°	M. Contreras

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	71°	DIXON
	0600	71°	MEISENHEIMER
	0900	71°	MEISENHEIMER
	1200	72°	MEISENHEIMER
21	1500	71	SABEDO
	1800	72	SABEDO
	2100	72	SABEDO
	2400	71°	DIXON

Thursday

Date	Time	Temp.	Name (Print)
10	0300	71°	DIXON
	0600	71°	Lara
	0900	71°	Lara
	1200	72°	Lara
21	1500	72	Theresa
	1800	72	Theresa
	2100	71	Theresa
	2400	71°	DIXON

Friday

Date	Time	Temp.	Name (Print)
10	0300	71°	DIXON
	0600	71°	T. HART
	0900	71	RESENDIZ
	1200	71	HART
21	1500	71	SABEDO
	1800	71	SABEDO
	2100	71	SABEDO
	2400	71°	DIXON

Saturday

Date	Time	Temp.	Name (Print)
10	0300	70°	Lara
	0600	71°	T. HART
	0900	71°	RESENDIZ
	1200	71°	HART
21	1500	71	SABEDO
	1800	71	SABEDO
	2100	71	SABEDO
	2400	70°	Lara

Notes:

Date	Time	Temp.	Name (Print)
10	0300	69°	Lepe
	0600	69°	RESENDIZ
	0900	69°	RESENDIZ
	1200	69°	RESENDIZ
21	1500	70°	ARBOLEDA
	1800	71	ARBOLEDA
	2100	71	ARBOLEDA
	2400	69°	Lepe

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension: 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/21	0300	70	D. MARES
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	70	PETECHU
	1800	70	PETECHU
	2100	70	PETECHU
	2400	70	PETECHU

Tuesday			
Date	Time	Temp.	Name (Print)
10/22	0300	70	LOPEZ
	0600	70	RODRIQUEZ
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	70	Rodriguez
	1800	70	Rodriguez
	2100	70	Rodriguez
	2400	70	LOPEZ

Wednesday			
Date	Time	Temp.	Name (Print)
10/23	0300	70	FLORES
	0600	70	Davison
	0900	70	Davison
	1200	70	Davison
	1500	70	Olivas
	1800	70	Olivas
	2100	70	Olivas
	2400	70	FLORES

Thursday			
Date	Time	Temp.	Name (Print)
10/24	0300	70	FLORES
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	70	SANQUIST
	1800	70	SANQUIST
	2100	70	SANQUIST
	2400	70	FLORES

Friday			
Date	Time	Temp.	Name (Print)
10/25	0300	70	FLORES
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	70	PETECHU
	1800	70	PETECHU
	2100	70	PETECHU
	2400	70	FLORES

Saturday			
Date	Time	Temp.	Name (Print)
10/26	0300	70	FLORES
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	72	SANQUIST
	1500	71	FLORES
	1800	70	FLORES
	2100	70	FLORES
	2400	70	FLORES

Notes:

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/18	0300	70	Miranda
	0600	76	TERRIQUEZ
	0900	76	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	70°	GOMEZ
	1800	70°	GOMEZ
	2100	70°	GOMEZ
	2400	70	Miranda

Tuesday

Date	Time	Temp.	Name (Print)
10/22/18	0300	70°	D. Martinez
	0600	76°	D. Martinez
	0900	70	G. A.
	1200	70°	G. A.
	1500	70°	D. Memory
	1800	70°	D. Memory
	2100	70°	D. Memory
	2400	70°	D. Martinez

Wednesday

Date	Time	Temp.	Name (Print)
10/23/18	0300	70°	Aguilar
	0600	70	TERRIQUEZ
	0900	70	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	70°	G. Aguilera
	1800	70°	G. Aguilera
	2100	70°	G. Aguilera
	2400	71	Aguilar

Thursday

Date	Time	Temp.	Name (Print)
10/24/18	0300	70	C. REHRES
	0600	70	MELA
	0900	70	MELA
	1200	70	MELA
	1500	70	Rodriguez
	1800	70	Rodriguez
	2100	70	Rodriguez
	2400	70	C. REHRES

Friday

Date	Time	Temp.	Name (Print)
10/25/18	0300	70°	NKWOCHA
	0600	70°	TOLEDO
	0900	70	TOLEDO
	1200	70	TOLEDO
	1500	70	TOLEDO
	1800	70	TOLEDO
	2100	70	TOLEDO
	2400	70°	NKWOCHA

Saturday

Date	Time	Temp.	Name (Print)
10/26/18	0300	70	Ibama
	0600	70	TERRIQUEZ
	0900	70	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	70	TERRIQUEZ
	1800	70	TERRIQUEZ
	2100	70	TERRIQUEZ
	2400	70	Ibama

Notes

Date	Time	Temp.	Name (Print)
10/27/18	0300	70	Miranda
	0600	76	TERRIQUEZ
	0900	76	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	70	TERRIQUEZ
	1800	70	TERRIQUEZ
	2100	70	TERRIQUEZ
	2400	70	Miranda

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	70	OTOOLE
	0600	70	Bernal
	0900	71	Bernal
21	1200	71	Bernal
	1500	73	A. Lopez
	1800	74	A. Lopez
24	2100	72	A. Lopez
	2400	70	OTOOLE

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	69	OTOOLE
	0600	70	Lambert
	0900	70	Lambert
23	1200	70	Lambert
	1500	70	R. HERNANDEZ
	1800	70	R. HERNANDEZ
24	2100	70	Chavez
	2400	70	OTOOLE

Friday

Date	Time	Temp.	Name (Print)
10	0300	70	Miracle
	0600	70	MENDOZA
	0900	70	MENDOZA
25	1200	70	MENDOZA
	1500	74	SANQUIST
	1800	74	SANQUIST
24	2100	72	SANQUIST
	2400	70	Miracle

Sunday

Date	Time	Temp.	Name (Print)
10	0300	70	Davidson
	0600	70	Davidson
	0900	70	Davidson
21	1200	72	Davidson
	1500	72	Silvers
	1800	72	Silvers
24	2100	72	Silvers
	2400	70	Unter

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	70	OTOOLE
	0600	70	Gormer
	0900	70	Gormer
22	1200	70	Gormer
	1500	70	Schaefer
	1800	70	Gunn
24	2100	70	Gunn
	2400	71	OTOOLE

Thursday

Date	Time	Temp.	Name (Print)
10	0300	70	OTOOLE
	0600	70	Ayala
	0900	71	Ayala
24	1200	71	Ayala
	1500	70	Lopez
	1800	71	Lopez
24	2100	71	Lopez
	2400	70	OTOOLE

Saturday

Date	Time	Temp.	Name (Print)
10	0300	70	Miracle
	0600	70	Davidson
	0900	70	Davidson
26	1200	71	Davidson
	1500	72	Davidson
	1800	72	Davidson
24	2100	71	Davidson
	2400	70	Miracle

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	73	Murphy
10/21	0600	72	A. Jimenez
10/21	0900	72	A. Jimenez
10/21	1200	72	A. Jimenez
10/21	1500	73	A. Jimenez
10/21	1800	73	A. Jimenez
10/21	2100	73	A. Jimenez
10/21	2400	73	Murphy

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	71	S. Wells
10/22/24	0600	72°	A. Jimenez
10/22/24	0900	72°	A. Jimenez
10/22/24	1200	72°	A. Jimenez
10/22/24	1500	72	P. Long
10/22/24	1800	72	P. Long
10/22/24	2100	72	P. Long
10/22/24	2400	71	S. Wells

Wednesday

Date	Time	Temp.	Name (Print)
10/13	0300	72	Lopez
10/13	0600	72	Lopez, D
10/13	0900	72	Lopez, D
10/13	1200	73	D. Lopez
10/13	1500	73	D. Lopez
10/13	1800	73	D. Lopez
10/13	2100	73	D. Lopez
10/13	2400	72	Lopez

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	71	Garcia
10/24	0600	72	D. Lopez
10/24	0900	72	D. Lopez
10/24	1200	73	D. Lopez
10/24	1500	73	D. Lopez
10/24	1800	73	D. Lopez
10/24	2100	73	D. Lopez
10/24	2400	71	Garcia

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	71	Garcia
10/25	0600	72	Hernandez
10/25	0900	72	Hernandez
10/25	1200	72	Hernandez
10/25	1500	72	M. Garcia
10/25	1800	72	M. Garcia
10/25	2100	72	M. Garcia
10/25	2400	72	Garcia

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	72°	J. Garcia
10/26/24	0600	72°	J. Garcia
10/26/24	0900	72°	J. Garcia
10/26/24	1200	72°	J. Garcia
10/26/24	1500	73°	J. Garcia
10/26/24	1800	73°	J. Garcia
10/26/24	2100	73°	J. Garcia
10/26/24	2400	73°	J. Garcia

Notes

Date	Time	Temp.	Name (Print)
10/27	0300	72	Rom
10/27	0600	72	Rom
10/27	0900	72	A. Jimenez
10/27	1200	73	A. Jimenez
10/27	1500	73	A. Jimenez
10/27	1800	73	A. Jimenez
10/27	2100	73	A. Jimenez
10/27	2400	73°	Rom

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	71	C. Holmes
	0600	69	P. Hernandez
	0900	69	Hernandez
	1200	69	Hernandez
	1500	70	HERNANDEZ J
	1800	70	HERNANDEZ J
	2100	71	Hernandez
	2400	71	C. Holmes

Tuesday 10-22-2024

Date	Time	Temp.	Name (Print)
10/22	0300	71	C. Holmes
22	0600	69°	Barnes
24	0900	70	Burnes
	1200	70	Burnes
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	71	C. Holmes

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	71	C. Holmes
23	0600	69°	Barnes
24	0900	69°	Barnes
	1200	70°	Barnes
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	71	C. Holmes

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70	C. Holmes
24	0600	70°	Barnes
	0900	70	Barnes
	1200	70	Barnes
	1500	71	Lopez
	1800	71	Lopez
	2100	71	Lopez
	2400	70	C. Holmes

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	71	C. Holmes
25	0600	70°	Barnes
26	0900	70°	Barnes
26	1200	70°	Barnes
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	71	C. Holmes

Saturday

Date	Time	Temp.	Name (Print)
10/27	0300	70°	J. Reyna
27	0600	70	J. HERNANDEZ
	0900	70	J. HERNANDEZ
	1200	70	J. HERNANDEZ
	1500	70	J. HERNANDEZ
	1800	70	J. HERNANDEZ
	2100	70	J. HERNANDEZ
	2400	70°	J. Reyna

Notes

Date	Time	Temp.	Name (Print)
10/27	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	J. Garcia
	1200	71	J. Garcia
	1500	70	J. Garcia
	1800	70	J. Garcia
	2100	70	J. Garcia
	2400	70	J. Garcia

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	70°	Critchfield
	0600	71°	Feliones
	0900	71°	Leranda
	1200	71°	Lester
	1500	71°	Rodrigo
	1800	71°	Roma
	2100	70°	Roma
	2400	70°	Critchfield

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	70°	Selaino
	0600	70°	Rios
	0900	71	Hernandez
	1200	71	Hernandez
	1500	70°	Barnes
	1800	68°	Barnes
	2100	70°	Barnes
	2400	70	Selaino

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70°	Gulmero
	0600	76	Machado
	0900	71	Machado
	1200	70	Machado
	1500	72	Avila
	1800	72	Avila
	2100	70	Avila
	2400	70°	Gulmero

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	71	Vega
	0600	71	Avila
	0900	71	Avila
	1200	71	Avila
	1500	71°	Perez
	1800	71°	Willa
	2100	71°	Willa
	2400	71°	Vega

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	69°	Vega
	0600	70	Avila
	0900	71°	Chavez
	1200	71°	Avila
	1500	69°	Povine
	1800	69°	Povine
	2100	71°	Povine
	2400	69°	Vega

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	71	Vega
	0600	71°	Perez
	0900	71°	Perez
	1200	71°	Perez
	1500	71°	Povine
	1800	71°	Povine
	2100	71°	Povine
	2400	71°	Vega

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70°	Vega
	0600	71°	Avila
	0900	71°	Avila
	1200	71°	Avila
	1500	71°	Povine
	1800	71°	Povine
	2100	71°	Povine
	2400	70°	Vega

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D-4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	70	C. ROMERO
	0600	70	A. GONZALEZ
	0900	70	A. GONZALEZ
	1200	70	A. GONZALEZ
	1500	70	A. GONZALEZ
	1800	70	A. GONZALEZ
	2100	70	A. GONZALEZ
	2400	70	L. PHIPPS

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	70	R. PHILLIPS
	0600	70	A. GONZALEZ
	0900	75	A. GONZALEZ
	1200	75	A. GONZALEZ
	1500	75	A. GONZALEZ
	1800	75	A. GONZALEZ
	2100	75	A. GONZALEZ
	2400	70	R. PHILLIPS

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	70	HIDALGO
	0600	70	HIDALGO
	0900	70	MUCHADO
	1200	70	MUCHADO
	1500	70	RUBIO
	1800	70	RUBIO
	2100	70	RUBIO
	2400	70	HIDALGO

Sunday

Date	Time	Temp.	Name (Print)
10/21	0300	70	D. HAYA
	0600	70	D. HAYA
	0900	70	A. RIAS
	1200	70	A. RIAS
	1500	70	A. RIAS
	1800	70	A. RIAS
	2100	70	B. RIAS
	2400	70	D. HAYA

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	70	R. PHILLIPS
	0600	70	A. GONZALEZ
	0900	70	A. GONZALEZ
	1200	75	A. GONZALEZ
	1500	75	A. GONZALEZ
	1800	75	A. GONZALEZ
	2100	70	A. GONZALEZ
	2400	70	R. PHILLIPS

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70	R. PHILLIPS
	0600	70	MUCHADO
	0900	70	MUCHADO
	1200	70	MUCHADO
	1500	72	R. PHILLIPS
	1800	72	Andy
	2100	72	Andy
	2400	70	R. PHILLIPS

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	70	Bluford
	0600	70	ARJIN
	0900	70	BLUFORD
	1200	70	ARJIN
	1500	70	BLUFORD
	1800	70	ARJIN
	2100	70	ARJIN
	2400	70	BLUFORD

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE
housed

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D5

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-21-24

Date	Time	Temp.	Name (Print)
	0300	70	
	0600	70	CONTEZIS
	0900	70	CONTEZIS
	1200	70	CONTEZIS
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	

Wednesday 10-23-24

Date	Time	Temp.	Name (Print)
	0300	70	Richardson
	0600	70	CONTEZIS
	0900	70	CONTEZIS
	1200	70	CONTEZIS
	1500	70	CONTEZIS
	1800	70	CONTEZIS
	2100	70	MARES
	2400	70	MARES

Friday 10-25-24

Date	Time	Temp.	Name (Print)
	0300	70	MARRON
	0600	70	CONTEZIS
	0900	70	CONTEZIS
	1200	70	CONTEZIS
	1500	70	AS
	1800	70	AS
	2100	70	AS
	2400	70	MARRON

Sunday 10-27-24

Date	Time	Temp.	Name (Print)
	0300	70	M. DIXON
	0600	70	Machado
	0900	70	Machado
	1200	70	Machado
	1500	70	YAGUARO
	1800	70	Deasef
	2100	70	Deasef
	2400	70	M. DIXON

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday 10-22-24

Date	Time	Temp.	Name (Print)
	0300	70	Richardson
	0600	70	CONTEZIS
	0900	70	CONTEZIS
	1200	70	CONTEZIS
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	Richardson

Thursday 10-24-24

Date	Time	Temp.	Name (Print)
	0300	70	Richardson
	0600	70	Dolores
	0900	70	Palacios
	1200	70	Palacio
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	Richardson

Saturday 10-26-24

Date	Time	Temp.	Name (Print)
	0300	70	Richardson
	0600	70	Machado
	0900	70	Machado
	1200	70	Machado
	1500	70	Deasef
	1800	70	Deasef
	2100	70	Deasef
	2400	70	Richardson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CSP-LAC Housing Unit: INF

Temp. Reading Location:

1st

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/10/2018	0300	72	Oliver
10/10/2018	0600	71	Christensen
10/10/2018	0900	71	Christensen
10/10/2018	1200	75	Christensen
10/10/2018	1500	72	Oliver
10/10/2018	1800	71	Oliver
10/10/2018	2100	71	Oliver
10/10/2018	2400	72	MACDONALDO

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2018	0300	72°	MACDONALDO
10/29/2018	0600	72	Christensen
10/29/2018	0900	72	Christensen
10/29/2018	1200	72	Christensen
10/29/2018	1500	72	Ayler
10/29/2018	1800	72	Poole
10/29/2018	2100	72	Ayler
10/29/2018	2400	71	Poole

Wednesday

Date	Time	Temp.	Name (Print)
10/31/2018	0300	71	Poole
10/31/2018	0600	71	Christensen
10/31/2018	0900	71	Christensen
10/31/2018	1200	72	Christensen
10/31/2018	1500	71	Poole
10/31/2018	1800	71	Poole
10/31/2018	2100	71	Poole
10/31/2018	2400	71	Poole

Thursday

Date	Time	Temp.	Name (Print)
10/31/2018	0300	71	781
10/31/2018	0600	71	Christensen
10/31/2018	0900	71	Christensen
10/31/2018	1200	71	Christensen
10/31/2018	1500	72	Richardson
10/31/2018	1800	72	Richardson
10/31/2018	2100	72	Richardson
10/31/2018	2400	71	MACDONALDO

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: MSF-DORM1

Temp. Reading Location: DAY ROOM

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/ 28	0300	70	SILVA
	0600	70	SILVA
	0900	70	Evangelista
	1200	70	EVangelista
	1500	73°	M. Contreras
	1800	73°	M. Contreras
	2100	73°	M. Contreras
	2400	70	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
10/ 29	0300	71	VACAN
	0600	70	Evangelista
	0900	70	Evangelista
	1200	71	Evangelista
	1500	75°	M. Contreras
	1800	73°	M. Contreras
	2100	73°	M. Contreras
	2400	71	VACAN

Wednesday

Date	Time	Temp.	Name (Print)
10/ 30	0300	71	VACAN
	0600	70	Evangelista
	0900	70	Evangelista
	1200	71	EVangelista
	1500	73°	M. Contreras
	1800	73°	M. Contreras
	2100	73°	M. Contreras
	2400	71	VACAN

Thursday

Date	Time	Temp.	Name (Print)
10/ 31	0300	70	VACAN
	0600	70	CHRISTENSEN
	0900	73	CHRISTENSEN
	1200	74	CHRISTENSEN
	1500	73	Briggs
	1800	70	Briggs
	2100	70	Briggs
	2400	70	VACAN

Friday

Date	Time	Temp.	Name (Print)
11/ 1	0300	71	VACAN
	0600	71	VACAN
	0900	71	VACAN
	1200	71	VACAN
	1500	72	Briggs
	1800	71	Briggs
	2100	70	Briggs
	2400	71	VACAN

Saturday

Date	Time	Temp.	Name (Print)
11/ 2	0300	71	VACAN
	0600	71	VACAN
	0900	72°	CRIDDLE
	1200	72°	CRIDDLE
	1500	73°	M. Contreras
	1800	73°	M. Contreras
	2100	72°	M. Contreras
	2400	71	VACAN

Sunday

Date	Time	Temp.	Name (Print)
11/ 4	0300	71	HEALDO
	0600	71	HEALDO
	0900	71	CRIDDLE
	1200	71°	CRIDDLE
	1500	72°	M. Contreras
	1800	72°	M. Contreras
	2100	72°	M. Contreras
	2400	71	HEALDO

Notes

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
OCTOBER 27, 2024	0100	61	WINGFIELD	OCTOBER 28, 2024	0100	69°	J. BRAVO
	0200	60	WINGFIELD		0200	68°	J. BRAVO
	0300	60	WINGFIELD		0300	66°	J. BRAVO
	0400	60	WINGFIELD		0400	65°	J. BRAVO
	0500	60	WINGFIELD		0500	63°	J. BRAVO
	0600	61	Puentes		0600	62	NUNEZ
	0700	60	Puentes		0700	61	NUNEZ
	0800	66	Puentes		0800	60	NUNEZ
	0900	70	Puentes		0900	61	NUNEZ
	1000	76	Puentes		1000	63	NUNEZ
	1100	60	Puentes		1100	64	NUNEZ
	1200	62	Puentes		1200	64	NUNEZ
	1300	81	Puentes		1300	64	NUNEZ
	1400	81	Puentes		1400	62	Puentes
	1500	79	Puentes		1500	60	Puentes
	1600	77	Puentes		1600	59	Puentes
	1700	75	Puentes		1700	59	Puentes
	1800	75	Puentes		1800	59	Puentes
	1900	74	Bents		1900	58	Puentes
	2000	73	Puentes		2000	57	Puentes
	2100	72	Puentes		2100	57	Puentes
	2200	71°	J. BRAVO		2200	57°	J. BRAVO
	2300	71°	J. BRAVO		2300	56°	J. BRAVO
	2400	70°	J. BRAVO		2400	56°	J. BRAVO

HEAT ALERT

START _____

END _____

HEAT ALERT

START _____

END _____

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat-neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 29, 2024	0100	55°	J. BRAVO
	0200	56°	J. BRAVO
	0300	55°	J. BRAVO
	0400	53°	J. BRAVO
	0500	53°	J. BRAVO
	0600	53	M. NEZ
	0700	50	M. NEZ
	0800	52	M. NEZ
	0900	54	M. NEZ
	1000	57	M. NEZ
	1100	60	M. NEZ
	1200	60	M. NEZ
	1300	60	M. NEZ
	1400	60	Puentes
	1500	60	Puentes
	1600	59	Puentes
	1700	57	Puentes
	1800	56	Puentes
	1900	55	Puentes
	2000	54	Puentes
	2100	53	Puentes
	2200	50	Puentes
	2300	49	Puentes
	2400	47	Puentes

STAGE 1 HEAT ALERT:

START _____

END _____

DISTRIBUTION: Original: Institution ADA Coordinator

Date	Time	Temp.	Printed Name
OCTOBER 30, 2024	0100	45	Puentes
	0200	44	Puentes
	0300	43	Puentes
	0400	45	Puentes
	0500	47	Puentes
	0600	47	M. NEZ
	0700	44	M. NEZ
	0800	46	M. NEZ
	0900	50	M. NEZ
	1000	52	M. NEZ
	1100	55	M. NEZ
	1200	57	M. NEZ
	1300	60	M. NEZ
	1400	65	HOPPER
	1500	65	HOPPER
	1600	64	HOPPER
	1700	63	HOPPER
	1800	62	HOPPER
	1900	61	HOPPER
	2000	60	HOPPER
	2100	58	HOPPER
	2200	57°	A. ENCAADE
	2300	56°	A. ENCAADE
	2400	55°	A. ENCAADE

STAGE 1 HEAT ALERT:

START _____

END _____

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 31, 2024	0100	53°	A ENCALADE
	0200	52°	A ENCALADE
	0300	53°	A ENCALADE
	0400	56°	A ENCALADE
	0500	53°	A ENCALADE
	0600	51	NUNEZ
	0700	52	NUNEZ
	0800	56	NUNEZ
	0900	59	NUNEZ
	1000	63	NUNEZ
	1100	65	NUNEZ
	1200	68	NUNEZ
	1300	70	NUNEZ
	1400	70	Astier
	1500	70	Astier
	1600	69	Astier
	1700	65	Astier
	1800	60	Astier
	1900	59	Astier
	2000	59	Hoppe
	2100	58	Hoppe
	2200	57	Astier
	2300	56	Astier
	2400	55	Astier

Date	Time	Temp.	Printed Name
NOVEMBER 1, 2024	0100	54	Astier
	0200	52	Astier
	0300	51	Astier
	0400	50	Astier
	0500	49	Astier
	0600	50	C.Gewirtz
	0700	50	C.Gewirtz
	0800	47	C.Gewirtz
	0900	52	C.Gewirtz
	1000	55	C.Gewirtz
	1100	59	C.Gewirtz
	1200	64	C.Gewirtz
	1300	66	C.Gewirtz
	1400	67	C.Gewirtz
	1500	68	C.Gewirtz
	1600	68	C.Gewirtz
	1700	66	C.Gewirtz
	1800	63	C.Gewirtz
	1900	60	C.Gewirtz
	2000	59	C.Gewirtz
	2100	58	C.Gewirtz
	2200	55	LINCHEDO
	2300	55	LINCHEDO
	2400	55	LINCHEDO

Stage 1 ACTIVATED
 —————— DEACTIVATED

Stage 1 ACTIVATED
 —————— DEACTIVATED

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: RHU Temp. Reading Location: 2nd Tier

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees. (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	69	GUTTEREZ
	0600	68	M. GUTTEREZ
	0900	69	M. GUTTEREZ
	1200	70	M. GUTTEREZ
	1500	70	M. GUTTEREZ
	1800		D. Acuña
11/24	2100	69	Acuña, Land
	2400	69	Acuña, Land
		69	GUTTEREZ

Wednesday.

Date	Time	Temp.	Name (Print)
10/13/01	0300	68	SIRKO
	0600	68°	M. QUIINTERO
	0900	68°	M. QUIINTERO
	1200	68°	M. QUIINTERO
	1500	70	
	1800	68	PRINS
	2100	68	PRINS
	2400	68	SIRKO

Friday

Date	Time	Temp.	Name (Print)
11/24	0300	68	SINKO
	0600	68	Sinko
	0900	68	Sinko
	1200	68	Time
	1500	68	WMS
	1800	68	SINKO
	2100	68	SINKO
	2400	68	SINKO

Sunday

Date	Time	Temp.	Name (cont)
11/3	0300	68°	A. Williams
	0600	68°	OVERTON
	0900	68°	OVERTON
	1200	68°	OVERTON
	1500	68°	OVERTON
	1800	68°	SPENCE
	2100	68°	SPENCE
	2400	68°	SPENCE

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10 / 29	0300	70°	Stephenson
	0600	48°	M. QUINTERO
	0900	48°	M. QUINTERO
	1200	48°	M. QUINTERO
	1500	68°	SINKO
24	1800	108°	SINKO
	2100	68°	SINKO
	2400	70°	Stephenson

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	65	MURRAY
	0600	68°	M. QUINTARIO
	0900	68	NUNIZZ
	1200	68	NUNIZZ
	1500	68	SINKO
	1800	68	SINKO
	2100	68	SINKO
	2400	65	MURRAY

Saturday

Date	Time	Temp.	Name (Print)
1/2/29	0300	68	SIRKO
	0600	68	BONK
	0900	62	
	1200	68	SPONE
	1500	68	SSONF
	1800	68	DURAN
	2100	68	DURAN
	2400	68	SIRKO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/26/21	0300	76	Fes
0600	76	Rwinski JC	
0900	70	Rodriguez JR	
1200	70	Rodriguez JC	
1500	70	SANCHEZ A.	
1800	70	Taylor	
2100	68	Taylor	
2400	76	Fes	

Wednesday

Date	Time	Temp.	Name (Print)
10/28/21	0300	70	Fes
0600	70	Rodriguez JC	
0900	70	Rodriguez JR	
1200	70	Rodriguez JR	
1500	70	Baker	
1800	71	Baker	
2100	69	Baker	
2400	70	Hernandez	

Friday

Date	Time	Temp.	Name (Print)
	0300	70	HIDALGO
	0600	70	Chapman
	0900	70	Chapman
	1200	70	Chapman
	1500		
	1800		
	2100		
	2400	70	HIDALGO

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/21	0300	70	Fes
0600	70	Rodriguez JC	
0900	70	Rodriguez JR	
1200	70	Rodriguez JR	
1500	70	Baker	
1800	70	Baker	
2100	70	Baker	
2400	70	Fes	

Thursday

Date	Time	Temp.	Name (Print)
10/31/21	0300	70	Hernandez
0600	70	Rodriguez JR	
0900	70	Rodriguez JR	
1200	70	Ford	
1500	70	Baker	
1800	70	Baker	
2100	64	Baker	
2400			

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Control Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/23/	0300	68	P PRESNEEL
10/23/	0600	72	TOMI S
10/23/	0900	70	TOMI C
10/23/	1200	70	TOMI L
10/23/	1500	70	GALINDO
10/23/	1800	68	GALINDO
10/23/	2100	68	GALINDO
10/23/	2400	68	P PRESNEEL

Wednesday

Date	Time	Temp.	Name (Print)
10/30/	0300	68	P PRESNEEL
10/30/	0600	68	Chavez
10/30/	0900	69	Chavez
10/30/	1200	69	Chavez
10/30/	1500	69°	OLLA
10/30/	1800	69°	OLLA
10/30/	2100	69°	OLLA
10/30/	2400	68	P PRESNEEL

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/	0300	68	P PRESNEEL
10/29/	0600	68	Chavez
10/29/	0900	69	Chavez
10/29/	1200	69	Chavez
10/29/	1500	69°	OLLA
10/29/	1800	68	OLLA
10/29/	2100	69	OLLA
10/29/	2400	68	P PRESNEEL

Thursday

Date	Time	Temp.	Name (Print)
10/31/	0300	68	P PRESNEEL
10/31/	0600	68	Chavez J
10/31/	0900	69	Chavez J
10/31/	1200	69	Chavez J
10/31/	1500	69°	OLLA
10/31/	1800	69°	OLLA
10/31/	2100	69°	OLLA
10/31/	2400	68	P PRESNEEL

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A-3

Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/10	0300	70	J. Solis
10/10	0600	68	E. Granados
10/10	0900	68	E. Granados
10/10	1200	68	E. Granados
10/10	1500	69	E. Granados
10/11	1800	70	L. Toman
10/11	2100	70	L. Toman
10/11	2400	70	J. Solis

Wednesday

Date	Time	Temp.	Name (Print)
10/10	0300	70	MARTIN
10/10	0600	71	Clavel
10/10	0900	71	Clavel
10/10	1200	71	Clavel
10/10	1500	71	Newer
10/10	1800	70	Dunle
10/10	2100	70	Newer
10/10	2400	70	MARTIN

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	60	D. Woodward
10/29	0600	69	G. Rodriguez
10/29	0900	64	G. Rodriguez
10/29	1200	69	C. Lopez
10/29	1500	70	J. Aguirre
10/29	1800	70	J. Aguirre
10/29	2100	70	P. Miller
10/29	2400	60	D. Woodward

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	70	MARTIN
10/31	0600	70°	FLETCH
10/31	0900	70°	FLETCH
10/31	1200	70°	FLETCH
10/31	1500	70	NUNER
10/31	1800	70	WHITEAKER
10/31	2100	70	WHITEAKER
10/31	2400	70	MARTIN

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
ODCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A4

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/81	0300	78°	Woodward
	0600	70°	Pur
	0900	71°	Lyle
	1200	71°	Lyle
	1500	71	R. F. COLES
	1800	72	R. F. COLES
	2100	n	R. F. COLES
	2400	70	Woodward

Tuesday

Date	Time	Temp.	Name (Print)
10 29 -24	0300	73	Amande
	0600	72	CRISTIN
	0900	73	OLIVIER
	1200	73	OLIVIER
	1500	73	OLIVIER
	1800	71	FRANCES
	2100	71	RONES
	2400	72	Amande

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	A. Alau's
	0600	70	R. Alau's
	0900	70	R. Alau's
	1200	70	R. Alau's
	1500	71	R. Flores
	1800	71	R. Flores
	2100	76	R. Flores
	2400	70	A. Alau's

Thursday

Date	Time	Temp.	Name (Print)
10 31 24	0300	74	Akauale
	0600	73	MARIN
	0900	72	MARIN
	1200	77	MARIN
	1500	73	SUMMERS
	1800	73	HUNTER
	2100	73	SWENSON
	2400	73	Akauale

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.		Name (Print)
	0300			
	0600			
	0900			
	1200			
	1500			
	1800			
	2100			
	2400			

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 175

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches

90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70°	Rosales, O.
	0600	70°	Ramirez, O.
	0900	70°	Ramirez, O.
	1200	71°	Rosales, O.
	1500	70°	O'Donnell
	1800	70°	O'Donnell
	2100	70°	O'Donnell
	2400	71°	Rosales, O.

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	71°	Rosales, O.
	0600	71°	Ramirez
	0900	70°	Ramirez
	1200	70°	Ramirez
	1500	72°	B. Farrier
	1800	72°	B. Farrier
	2100	72°	B. Farrier
	2400	71°	Rosales, O.

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/31/24	0300	71°	Rosales, O.
	0600	71°	Ramirez
	0900	71°	Ramirez
	1200	71°	Ramirez
	1500	71°	m. Garcia
	1800	71°	m. Garcia
	2100	72°	m. Garcia
	2400	71°	Rosales, O.

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	73°	Rosales, O.
	0600	72°	Ramirez
	0900	71°	Ramirez
	1200	71°	Ramirez
	1500	72°	B. Farrier
	1800	73°	B. Farrier
	2100	73°	B. Farrier
	2400	72°	Rosales, O.

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FBB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	69°	D. REYES
	0600	69°	J. SANCHEZ
	0900	69°	J. SANCHEZ
	1200	70°	J. SANCHEZ
	1500	69°	G. HERNANDEZ
	1800	69°	G. HERNANDEZ
	2100	69°	G. HERNANDEZ
	2400	69°	D. REYES

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	69°	D. REYES
	0600	70°	Hartfield
	0900	69°	Hartfield
	1200	70°	Hartfield
	1500	70°	G. HERNANDEZ
	1800	69°	G. HERNANDEZ
	2100	69°	G. HERNANDEZ
	2400	69°	D. REYES

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	69°	D. REYES
	0600	70°	B. FIGUEROA
	0900	70°	B. FIGUEROA
	1200	70°	B. FIGUEROA
	1500	70°	G. HERNANDEZ
	1800	71°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70°	A. CENFUEGOS
	0600	69°	B. FIGUEROA
	0900	69°	B. FIGUEROA
	1200	69°	B. FIGUEROA
	1500	70°	G. HERNANDEZ
	1800	71°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70°	A. CENFUEGOS

Friday

Date	Time	Temp.	Name (Print)
11/01/24	0300	70°	UMINA
	0600	69°	B. FIGUEROA
	0900	69°	B. FIGUEROA
	1200	70°	B. FIGUEROA
	1500	70°	C. MARELLO
	1800	70°	C. MARELLO
	2100	70°	C. MARELLO
	2400	70°	UMINA

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300	70°	E. ESPARZA
	0600	70°	Davila
	0900	70°	Davila
	1200	70°	Davila
	1500	70°	Cervantes
	1800	70°	Cervantes
	2100	70°	Cervantes
	2400	70°	E. ESPARZA

Sunday

Date	Time	Temp.	Name (Print)
11/03/24	0300	70°	E. ESPARZA
	0600	70°	Garcia
	0900	70°	Garcia
	1200	70°	Garcia
	1500	70°	AMATA
	1800	72°	AMATA
	2100	72°	AMATA
	2400	70°	E. ESPARZA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	Sean
	0600	70	SALVAN
	0900	70	SALVAN
	1200	71	Aaron
	1500	71	Aaron
	1800	71	Aaron
	2100	70	Aaron
	2400	70	Sean

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	69	Sean
	0600	69	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	Town
	1800	70	Town
	2100	69	Town
	2400	69	Sean

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	69	Scott
	0600	70	Cook
	0900	70	Cook
	1200	70	Cook
	1500	70	T-BALEA
	1800	70	T-BALEA
	2100	70	T-BALEA
	2400	69	Scott

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	69	Scott
	0600	70	PEESE
	0900	70	PEESE
	1200	70	PEESE
	1500	70	T-BALEA
	1800	69	T-BALEA
	2100	69	T-BALEA
	2400	70	Scott

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	UMANA
10/20/24	0600	70	A. Corrales
10/20/24	0900	70	A. Corrales
10/20/24	1200	70	A. Corrales
10/20/24	1500	61	K. Lopez
10/20/24	1800	61	S. Smith
10/20/24	2100	61	S. Smith
10/20/24	2400	70	UMANA

Tuesday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	GARCIA
10/21/24	0600	70	COLEMAN
10/21/24	0900	70	COLEMAN
10/21/24	1200	70	COLEMAN
10/21/24	1500	70	D. MENDOZA
10/21/24	1800	70	D. MENDOZA
10/21/24	2100	70	D. MENDOZA
10/21/24	2400	68	GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	66°	(REMOVED)
10/22/24	0600	64	Recinas
10/22/24	0900	69	Recinas
10/22/24	1200	70	Recinas
10/22/24	1500	70	S. Tavares
10/22/24	1800	70	S. Tavares
10/22/24	2100	70	S. Tavares
10/22/24	2400	66	(REMOVED)

Thursday

Date	Time	Temp.	Name (Print)
10/23/24	0300	68	(REMOVED)
10/23/24	0600	69	A. Corrales
10/23/24	0900	69	A. Corrales
10/23/24	1200	70	A. Corrales
10/23/24	1500	70	BACONATE
10/23/24	1800	70	BACONATE
10/23/24	2100	70	BACONATE
10/23/24	2400	69	(REMOVED)

Friday

Date	Time	Temp.	Name (Print)
10/24/24	0300	69°	(REMOVED)
10/24/24	0600	69	A. Corrales
10/24/24	0900	70	A. Corrales
10/24/24	1200	70	A. Corrales
10/24/24	1500	70	F. BACONATE
10/24/24	1800	70	F. BACONATE
10/24/24	2100	70	F. BACONATE
10/24/24	2400	69°	(REMOVED)

Saturday

Date	Time	Temp.	Name (Print)
10/25/24	0300	61	BELL
10/25/24	0600	68	A. Corrales
10/25/24	0900	70	A. Corrales
10/25/24	1200	70	A. Corrales
10/25/24	1500	70	F. BACONATE
10/25/24	1800	70	F. BACONATE
10/25/24	2100	70	F. BACONATE
10/25/24	2400	61	BELL

Notes

Date	Time	Temp.	Name (Print)
10/26/24	0300	61	(REMOVED)
10/26/24	0600	71	V. VAUGHN
10/26/24	0900	70	V. VAUGHN
10/26/24	1200	70	V. VAUGHN
10/26/24	1500	70	F. BACONATE
10/26/24	1800	70	F. BACONATE
10/26/24	2100	70	F. BACONATE
10/26/24	2400	61	BELL

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	68	GARCIA
	0600	69	Villamartin
	0900	69	Villamartin
	1200	70	Villamartin
	1500	70	PEREZ
	1800	70	PEREZ
	2100	70	NGUYEN
	2400	68	GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70°	McDaniel
	0600	70°	Gonzalez
	0900	70°	Gonzalez
	1200	70°	Gonzalez
	1500	70°	Gonzalez
	1800	70°	Gonzalez
	2100	70°	Gonzalez
	2400	70°	McDaniel

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70°	McDaniel
	0600	70°	Gonzalez
	0900	70°	Gonzalez
	1200	70°	Gonzalez
	1500	70°	Arias
	1800	70°	Ethan
	2100	70°	Ethan
	2400	70°	McDaniel

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70°	McDaniel
	0600	69	Recinos
	0900	70	Recinos
	1200	70	Recinos
	1500	70	Ethan
	1800	70	Ethan
	2100	70	Ethan
	2400	70°	McDaniel

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 85 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	Johnson
	0600	70	D. Rodriguez
	0900	70	D. Rodriguez
	1200	70	D. Rodriguez
	1500	70	D. Rodriguez
	1800	70	D. Rodriguez
	2100	70	D. Rodriguez
	2400	70	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70	E. Rodriguez
	0600	70	D. Rodriguez
	0900	70	E. MELSENHEIDER
	1200	70	E. MELSENHEIDER
	1500	70	D. RESPIRATORY
	1800	70	B. RODRIGUEZ
	2100	70	D. RODRIGUEZ
	2400	70	E. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	E. Rodriguez
	0600	70°	E. ACEVEDA
	0900	71°	E. ACEVEDA
	1200	71°	E. ACEVEDA
	1500	72	ACEVEDO
	1800	72	ACEVEDO
	2100	72	ACEVEDO
	2400	72	E. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	E. Roberson
	0600	70	D. Rodriguez
	0900	70	D. Rodriguez
	1200	70	D. Rodriguez
	1500	70	M. C.
	1800	70	M. C.
	2100	70	M. C.
	2400	70	E. Roberson

• Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 CONTROL Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	67°	CRIDDLE
	0600	67°	CRIDDLE
28	0900	68	GUERRA
	1200	68	GUERRA
	1500	70	GUERRA
	1800	70	GUERRA
24	2100	70	GUERRA
	2400	67°	CRIDDLE

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	67	EVANGELIST
	0600	70	GUERRA
30	0900	70	GUERRA
	1200	70	GUERRA
	1500	70	AMAYA
	1800	70	AMAYA
24	2100	70	AMAYA
	2400	67	EVANGELIST

Friday

Date	Time	Temp.	Name (Print)
11	0300	68°	LUTTICAN
	0600	69	SMITH
01	0900	70	SMITH
	1200	70	SMITH
	1500	70	MARINOS
	1800	70	MARINOS
24	2100	69	MARINOS
	2400	68°	LUTTICAN

Sunday

Date	Time	Temp.	Name (Print)
11	0300		
	0600		
3	0900		
	1200		
	1500		
	1800		
24	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	67	PUNGO, J.P.
	0600	68	GUERRA
29	0900	69	GUERRA
	1200	70	GUERRA
	1500	68	GUERRA
	1800	68	GUERRA
34	2100	69	GUERRA
	2400	67	PUNGO, J.P.

Thursday

Date	Time	Temp.	Name (Print)
10	0300	70°	LEPC
	0600	68	GUERRA
31	0900	68	GUERRA
	1200	69	GUERRA
	1500	69	X-LI
	1800	69	X-LI
34	2100	69	X-LI
	2400	70°	LEPC

Saturday

Date	Time	Temp.	Name (Print)
11	0300	67°	CRIDDLE
2	0600	67°	CRIDDLE
	0900		
	1200		
	1500		
	1800		
34	2100		
	2400	67°	CRIDDLE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: L-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70°	S. DIXON
	0600	70°	RESENDIZ
	0900	69°	RESENDIZ
	1200	69°	RESENDIZ
	1500	69°	RESENDIZ
	1800	70°	Garcia
	2100	70°	Garcia
	2400	70°	DIXON

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70°	DIXON
	0600	71°	T. HART
	0900	71°	T. HART
	1200	72°	T. HART
	1500	70	SABINO
	1800	70	SABINO
	2100	70	SABINO
	2400	70°	DIXON

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70°	DIXON
	0600	71°	HART
	0900	71°	HART
	1200	71°	HART
	1500	71°	HART
	1800	70°	Garcia
	2100	70°	Garcia
	2400	70	DIXON

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	DIAZ
	0600	71°	HART
	0900	71°	HART
	1200	71°	HART
	1500	72	SABINO
	1800	72	SABINO
	2100	72	SABINO
	2400	70°	DIAZ

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C 3

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	72°	D. Astier
	0600	70°	D. Astier
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	70	P. Harkins
	1800	70	T. C. Hall
10/15	2100	71	P. Harkins
	2400	70°	D. Astier

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	70	M. Hall
10/16	0600	70°	J. Warren
	0900	70°	J. Warren
	1200	70	V. Parker
	1500	70°	C. Hall
10/17	1800	70°	C. Hall
	2100	70	C. Hall
	2400	70	J. Warren

Wednesday

Date	Time	Temp.	Name (Print)
10/18	0300	70	J. Warren
	0600	71	J. Warren
	0900	71	
	1200	71	
	1500	70	P. Harkins
10/19	1800	70	P. Harkins
	2100	71	P. Harkins
	2400	70	J. Warren

Thursday

Date	Time	Temp.	Name (Print)
10/19	0300	70	F. Parker
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	70	H. Rodriguez
10/20	1800	70	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	A. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
10/21	0300	70	F. Parker
	0600	70	A. Rodriguez
	0900	70	A. Rodriguez
	1200	71	A. Rodriguez
	1500	71	A. Rodriguez
	1800	70	A. Rodriguez
10/22	2100	70	A. Rodriguez
	2400	70	F. Parker

Saturday

Date	Time	Temp.	Name (Print)
10/22	0300	70	J. Astier
	0600	70	D. Harkins
	0900		
	1200		
	1500		
	1800		
10/23	2100		
	2400	70	J. Astier

Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C 4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	J Devore
10/28/24	0600	70	Terriguez
10/28/24	0900	70	Terriguez
10/28/24	1200	70	Terriguez
10/28/24	1500	70	Terriguez
10/28/24	1800	70	Allen
10/28/24	2100	70	Allen
10/28/24	2400	70	J Devore

Wednesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70	M. GONZALEZ
10/29/24	0600	70	Terriguez
10/29/24	0900	70	Terriguez
10/29/24	1200	70	Terriguez
10/29/24	1500	70	Aquino
10/29/24	1800	70	Aguirre
10/29/24	2100	70	Aguirre
10/29/24	2400	70	M. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	Patton
10/26/24	0600	70	G. Hernandez
10/26/24	0900		
10/26/24	1200		
10/26/24	1500	70	A. West
10/26/24	1800	70	A. West
10/26/24	2100	70	A. West
10/26/24	2400	70	Patton

Sunday

Date	Time	Temp.	Name (Print)
10/28/24	0300		
10/28/24	0600		
10/28/24	0900		
10/28/24	1200		
10/28/24	1500		
10/28/24	1800		
10/28/24	2100		
10/28/24	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70	M. GONZALEZ
10/29/24	0600	70	Terriguez
10/29/24	0900	70	Terriguez
10/29/24	1200	70	Terriguez
10/29/24	1500	70	Terriguez
10/29/24	1800	70	Terriguez
10/29/24	2100	70	Terriguez
10/29/24	2400	70	M. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
October 31/2024	0300	70	M. GONZALEZ
October 31/2024	0600	70	G. Hernandez
October 31/2024	0900	70	G. Hernandez
October 31/2024	1200	70	G. Hernandez
October 31/2024	1500	70	Rodriguez
October 31/2024	1800	70	Rodriguez
October 31/2024	2100	70	Rodriguez
October 31/2024	2400	70	M. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	J Devore
10/27/24	0600	70	Terriguez
10/27/24	0900	70	Terriguez
10/27/24	1200		
10/27/24	1500		
10/27/24	1800		
10/27/24	2100		
10/27/24	2400	70	J Devore

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-5 (Control) Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	70	OTSOLE
28	0600	70	Lambert
24	0900	70	Lambert
	1200	70	Lambert
	1500	70°	Ayala
	1800	70°	Ayala
	2100	69°	Ayala
	2400	70	OTSOLE

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	69	OTSOLE
29	0600	70	Lambert
24	0900	70	Lambert
	1200	70	Lambert
	1500	70	Deleo
	1800	70	Deleo
	2100	69	Deleo
	2400	69	OTSOLE

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	69	OTSOLE
30	0600	70	Lambert
24	0900	70	Lambert
	1200	70	Lambert
	1500	72	GARNIER
	1800	70	GARNIER
	2100	70	GARNIER
	2400	69	OTSOLE

Thursday

Date	Time	Temp.	Name (Print)
10	0300	69	OTSOLE
31	0600	70	Lambert
24	0900	70	Lambert
	1200	70	Lambert
	1500	78	G. FERNANDEZ
	1800	70	G. FERNANDEZ
	2100	70	G. FERNANDEZ
	2400	69	OTSOLE

Friday

Date	Time	Temp.	Name (Print)
11	0300	70	M. Tran
11	0600	70	M. Tran
11	0900		
11	1200		
11	1500		
11	1800		
11	2100		
11	2400	70	M. Tran

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/19	0300	70	FORD
10/20	0600	72	J. Jimenez
10/21	0900	72	A. Jimenez
10/22	1200	72	A. Jimenez
10/23	1500	72	A. Jimenez
10/24	1800	71	Marcas
10/25	2100	71	Marcas
10/26	2400	70	FORD

Tuesday

Date	Time	Temp.	Name (Print)
10/21	0300	70	FORD
10/22	0600	70	Ramiro
10/23	0900	71	Ramiro
10/24	1200	71	Ramiro
10/25	1500	72	D.Lopez
10/26	1800	72	D.Lopez
10/27	2100	72	D.Lopez
10/28	2400	70	FORD

Wednesday

Date	Time	Temp.	Name (Print)
10/21	0300	70	FORD
10/22	0600	71	D.Lopez
10/23	0900	72	D.Lopez
10/24	1200	72	D.Lopez
10/25	1500	72	D.Lopez
10/26	1800	72	D.Lopez
10/27	2100	71	D.Lopez
10/28	2400	70	FORD

Thursday

Date	Time	Temp.	Name (Print)
10/21	0300	71	Guzman
10/22	0600	73	D.Lopez
10/23	0900	73	D.Lopez
10/24	1200	73	D.Lopez
10/25	1500	73	D.Lopez
10/26	1800	72	D.Lopez
10/27	2100	72	Ford
10/28	2400	70	Guzman

Friday

Date	Time	Temp.	Name (Print)
10/21	0300	70	Alvarez
10/22	0600	70	Alvarez
10/23	0900	70	Alvarez
10/24	1200	70	Alvarez
10/25	1500	70	Alvarez
10/26	1800	70	Alvarez
10/27	2100	70	Alvarez
10/28	2400	70	Alvarez

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 7-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	71	C. Holmes
	0600	70	Fernandez CRZ
	0900	70	Fernandez
	1200	70	Fernandez
	1500	70	Fernandez
	1800	70	Rovira
	2100	70	Roxas
	2400	71	C. Holmes

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	72	C. Holmes
	0600	70	Barnes
	0900	69	Barnes
	1200	69	Barnes
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	73	C. Holmes

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	71	C. Holmes
	0600	70	Barnes CRZ
	0900	70	Barnes
	1200	71	Barnes
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	71	C. Holmes

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	71	C. Holmes
	0600	72	Barnes CRZ
	0900	71	Barnes
	1200	71	Barnes
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	71	C. Holmes

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 0-3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/18	0300	69°	CARTER
	0600	69°	AVILA
	0900	70°	AVILA
	1200	70°	AVILA
	1500	70	VASQUEZ 1922
	1800	70	VASQUEZ 1922
	2100	70	VINSON 1922
	2400	70	CARTER

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	69	Ago-pony
	0600	70	Hernandez
	0900	70	Hernandez
	1200	70	Hernandez
	1500	70°	Barnes
	1800	71°	Barnes
	2100	71°	Barnes
	2400	69	Ago-pony

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	71°	VEGAS
	0600	70°	RIOS
	0900	71°	RIOS
	1200	71°	RIOS
	1500	70	Avila
	1800	70	Avila
	2100	70	Avila
	2400	71°	VEGAS

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	71	VEGAS
	0600	70	Avila
	0900	70	Avila
	1200	70	Avila
	1500	70	RONIN
	1800	70	RONIN
	2100	70	RONIN
	2400	71	VEGAS

Friday

Date	Time	Temp.	Name (Print)
	0300	71	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	S. Agzapong
	0600	70	Cl. Ch. V. C.
	0900	70	Mr. Ch. C.
	1200	70	Cl. Ch. L.
24	1500	70	AREAS
	1800	70	AREAS
	2100	70	M. T. A.
	2400	70	S. Agzapong

Tuesday

Date	Time	Temp.	Name (Print)
10 /	0300	70	R. Phillips
	0600	70	A. Gonzalez
	0900	70	A. Gonzalez
29 /	1200	70	A. Gonzalez
	1500	70	A. Gonzalez
24	1800	70	A. Gonzalez
	2100	70	A. Gonzalez
	2400	70	R. Phillips

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	P. J. P. D. S.
	0600	70	A. L. G. A. D. E. R.
	0900	70	A. G. G. O. N. O. U. S.
	1200	70	A. G. G. O. N. O. U. S.
	1500	70	D. O. S. T.
	1800	70	D. O. S. T.
	2100	70	D. O. S. T.
	2400	70	P. J. P. D. S.

Thursday

Date	Time	Temp.	Name (Print)
10 —	0300	70	R. Phillips
	0600	70	Rose
	0900	70	Rose
31 —	1200	70	Rose
	1500	72	Beth
2/1 —	1800	72	Beth
	2100	72	Arbogast
	2400	70	L. O'Brien
			P.D.S.

Friday

Date	Time	Temp.	Name (Print)
10/1	0300	[REDACTED]	[REDACTED]
	0600	[REDACTED]	[REDACTED]
	0900	[REDACTED]	[REDACTED]
	1200	[REDACTED]	[REDACTED]
	1500	[REDACTED]	[REDACTED]
	2100	[REDACTED]	[REDACTED]
	2400	[REDACTED]	[REDACTED]

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday		Date	Time	Temp.	Name (Print)
10/20/2013	0300				
	0600				
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-28-24

Date	Time	Temp.	Name (Print)
	0300	70°	M. DIXON
	0600	70°	CORTEZIS
	0900	70°	CORTEZIS
	1200	70°	CORTEZIS
	1500	70°	CORTEZIS
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	M. DIXON

Wednesday 10-30-24

Date	Time	Temp.	Name (Print)
	0300	70°	Richardson
	0600	70°	CORTEZIS
	0900	70°	CORTEZIS
	1200	70°	CORTEZIS
	1500	70°	VALENCIA
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	Richardson

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday 10-29-24

Date	Time	Temp.	Name (Print)
	0300	70°	Richardson
	0600	70°	CORTEZIS
	0900	70°	CORTEZIS
	1200	70°	CORTEZIS
	1500	65°	Rangel
	1800	68°	Rangel
	2100	68°	Rangel
	2400	70°	Richardson

Thursday 10-31-24

Date	Time	Temp.	Name (Print)
	0300	70°	Richardson
	0600	70°	CORTEZIS
	0900	70°	CORTEZIS
	1200	70°	CORTEZIS
	1500	70°	CORTEZIS
	1800	70°	VALENCIA
	2100	70°	VALENCIA
	2400	70°	Richardson

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes
