STATE OF CALIFORNIA 7/1/2024 to 7/7/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From July 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list July be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday July 1, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday July 2, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Wednesday July 3, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Thursday July 4, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Friday July 5, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday July 6, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70°	J. FARAD
	0900	72°	J. FARAD
	1200	74°	J. FARAD
	1500		
	1800		N/A
	2100		
	2400		

Sunday July 7, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70°	J. FARAD
	0900	73°	J. FARAD
	1200	75	J. FARAD
	1500	76	J. FARA
	1800		
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/1

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	J. Ebrev
	1200	73	M. Goron
	1500	75	M. Goron
	1800		
	2100		N/A
	2400		

Tuesday 7/2

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	A. Cossin
	1200	72	A. Cossin
	1500	76	A. Cossin
	1800		
	2100		N/A
	2400		

Wednesday 7/3

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	A. Cassin
	1200	78	A. Cassin
	1500	78	A. Cassin
	1800		
	2100		N/A
	2400		

Thursday 7/4

Date	Time	Temp.	Name (Print)
	0300		July 4th
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday 7/5

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	A. Camp
	1200	74	A. Camp
	1500	78	A. Cassin
	1800		
	2100		N/A
	2400		

Saturday 7/6

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday 7/7

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Arthur Camp MH5501
A

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: N/A Temp. Reading Location: East Library (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		N/A
	0600		
	0900	73	A. Garcia
	1200	78	A. Garcia
	1500	75	A. Garcia
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300		N/A
	0600		
	0900	71	A. Garcia
	1200	78	A. Garcia
	1500	75	A. Garcia
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		N/A
	0600		
	0900	77	A. Garcia
	1200	80	A. Garcia
	1500	81	T. Parker
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600		Closed
	0900		Holiday
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		N/A
	0600		
	0900	80	
	1200	81	
	1500		
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: GYM Corridor HG
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-1-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	D. JACOBEN
	1200	75°	D. JACOBEN
	1500	77°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Tuesday 7-2-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71°	D. JACOBEN
	1200	75°	D. JACOBEN
	1500	78°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Wednesday 7-3-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74°	D. JACOBEN
	1200	77°	D. JACOBEN
	1500	80°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Thursday 7-4-24

Date	Time	Temp.	Name (Print)
	0300		Holiday / No School
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday 7-5-24

Date	Time	Temp.	Name (Print)
	0300	No Students	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EDU office D135 Temp. Reading Location: 1st tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		N/A
	0600		
	0900	67	Thompson
	1200	70	Thompson
	1500	72	Thompson
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300		N/A
	0600		
	0900	68	
	1200	72	
	1500	74	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		
	0600		N/A
	0900	72	
	1200	76	
	1500	78	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600		
	0900		HOLIDAY
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECOR
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING ONE, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	69	TUTTLE
	0600	69	RAMOS
	0900	71	RAMOS
	1200	73	RAMOS
	1500	73	CAMPOS
	1800	73	CAMPOS
	2100	71	CAMPOS
	2400	70	Dial

Tuesday

Date	Time	Temp.	Name (Print)
7/2/2024	0300	68	Dial
	0600	68	ALMANZA
	0900	68	ALMANZA
	1200	70	ALMANZA
	1500	74	R+~
	1800	75	R+~
	2100	75	R Tabares
	2400	74	Roberts

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	68	Roberts
	0600	68	Sedgwick
	0900	75	Sedgwick
	1200	75	Sedgwick
	1500	75	Chavez
	1800	75	Chavez
	2100	75	Chavez
	2400	72	ROBLES

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	72	ROBLES
	0600	71	RAMOS
	0900	74	RAMOS
	1200	78	RAMOS
	1500	78	Roth
	1800	78	Roth
	2100	76	Roth
	2400	74	ROBLES

Friday

Date	Time	Temp.	Name (Print)
7/5/2024	0300	72	ROBLES
	0600	70	RAMOS
	0900	74	RAMOS
	1200	76	RAMOS
	1500	79	SIMMONS
	1800	79	SIMMONS
	2100	79	SIMMONS
	2400	72	ROBLES

Saturday

Date	Time	Temp.	Name (Print)
7/6/2024	0300	70	ROBLES
	0600	72	RAMOS
	0900	74	RAMOS
	1200	76	RAMOS
	1500	78	SIMMONS
	1800	78	SIMMONS
	2100	76	SIMMONS
	2400	74	B. Sing

Sunday

Date	Time	Temp.	Name (Print)
7/7/2024	0300	72	B. Sing
	0600	70	RAMOS
	0900	72	RAMOS
	1200	74	RAMOS
	1500	76	JACOBS
	1800	76	JACOBS
	2100	74	JACOBS
	2400	70	TUTTLE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING TWO, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	72	A. LOPEZ
	0600	72	ALMAGUER
	0900	74	ALMAGUER
	1200	76	ALMAGUER
	1500	75	LANDWEHR
	1800	75	LANDWEHR
	2100	75	LANDWEHR, Martin
	2400	72	LOPEZ

Tuesday

Date	Time	Temp.	Name (Print)
7/2/2024	0300	72	LOPEZ
	0600	72	J. ESQUIVEL
	0900	74	J. ESQUIVEL
	1200	74	J. ESQUIVEL
	1500	75	LANDWEHR
	1800	75	LANDWEHR
	2100	75	LANDWEHR
	2400	73	A. LOPEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	70	A. LOPEZ
	0600	70	Castillo
	0900	70	Castillo
	1200	77	Castillo
	1500	80	LANDWEHR
	1800	80	LANDWEHR
	2100	80	LANDWEHR
	2400	77	Roberts

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	74	Roberts
	0600	74	CUVALLE
	0900	76	Roberts
	1200	79	Roberts
	1500	80	LANDWEHR
	1800	80	LANDWEHR
	2100	80	LANDWEHR
	2400	75	Roberts

Friday

Date	Time	Temp.	Name (Print)
7/5/2024	0300	75	Roberts
	0600	75	VILLEGAS
	0900	75	VILLEGAS
	1200	79	VILLEGAS
	1500	80	LANDWEHR
	1800	77	LANDWEHR
	2100	77	LANDWEHR
	2400	77	PENNISI

Saturday

Date	Time	Temp.	Name (Print)
7/6/2024	0300	71	PENNISI
	0600	69	BYRNE
	0900	75	BYRNE
	1200	78	BYRNE
	1500	79	KREBS
	1800	78	KREBS
	2100	76	KREBS
	2400	74	Lopez

Sunday

Date	Time	Temp.	Name (Print)
7/7/2024	0300	72	Lopez
	0600	70	ALMAGUER
	0900	70	ALMAGUER
	1200	76	ALMAGUER
	1500	76	KREBS
	1800	76	KREBS
	2100	76	KREBS
	2400	74	LOPEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	N/A	
	0600	70	Jacobs
	0900	72	Jacobs
	1200	N/A	
	1500	73	Ramolete
	1800	72	Ramolete
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/2/2024	0300	N/A	
	0600	69	Jacobs
	0900	71	Jacobs
	1200	N/A	
	1500	77	J. Noel
	1800	79	J. Noel
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	N/A	
	0600	71	Jacobs
	0900	74	Jacobs
	1200	N/A	
	1500	83	J. Noel
	1800	83	J. Noel
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	N/A	
	0600	73	Jacobs
	0900	75	Jacobs
	1200	N/A	
	1500	78	J. Noel
	1800	76	J. Noel
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/5/2024	0300	N/A	
	0600	72°	S. NOEL
	0900	75°	S. NOEL
	1200	N/A	
	1500	78°	E. Gonzalez
	1800		
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/6/2024	0300	N/A	
	0600	72	S. NOEL
	0900	74°	S. NOEL
	1200	N/A	
	1500	82	Pacas
	1800	84	Pacas
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/7/2024	0300	N/A	
	0600	72	Jacobs
	0900	74	Jacobs
	1200	N/A	
	1500	79°	Pacas
	1800	81°	Pacas
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original; Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	80	Hodges
	1500	80	Hodges
	1800	78	Hodges
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/2/2024	0300	N/A	
	0600	N/A	
	0900	—	Hodges
	1200	80	Hodges
	1500	83	Hodges
	1800	77	Hodges
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	81	Hodges
	1500	84	Hodges
	1800	82	Hodges
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500	83	Hodges
	1800	—	Hodges
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/5/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	80	Hodges
	1500	83	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/6/2024	0300	N/A	
	0600	N/A	
	0900	78	Hodges
	1200	81	Hodges
	1500	81	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/7/2024	0300	N/A	
	0600	N/A	
	0900	78	Hodges
	1200	80	Hodges
	1500	82	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	N/A	
	0600	N/A	
	0900	70	LARIA
	1200	70	LARIA
	1500	70	Montgomery
	1800	70	Montgomery
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/2/2024	0300	N/A	
	0600	N/A	
	0900	76	[illegible]
	1200	70	[illegible]
	1500	72	Montgomery
	1800	72	Montgomery
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	N/A	
	0600	70	
	0900	70	[illegible]
	1200	70	
	1500	70	Lassiola
	1800	69	Lassiola
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	N/A	
	0600	N/A	
	0900	70	LARIA
	1200	74	LARIA
	1500	73	LARIA
	1800	70	LARIA
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/5/2024	0300	N/A	
	0600	67	FOUTS
	0900	68	FOUTS
	1200	70	FOUTS
	1500	73	Montgomery
	1800	73	Montgomery
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/6/2024	0300	N/A	
	0600	71	
	0900	71	[illegible]
	1200	71	
	1500	73	Montgomery
	1800	73	Montgomery
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/7/2024	0300	N/A	N/A
	0600	71	
	0900	70	[illegible]
	1200	71	
	1500	73	Montgomery
	1800	73	Montgomery
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: FAC-B Bldg. 3 Temp. Reading Location: Tier 3
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-1-24	0300	68	P. HENRY
	0600	68	R Vega
	0900	70	R Vega
	1200	72	R Vega
	1500	72	P. Del Toro
	1800	70	P. Del Toro
	2100	70	P. Del Toro
	2400	68	P. HENRY

Tuesday

Date	Time	Temp.	Name (Print)
7-2-24	0300	68	P. HENRY
	0600	70	B. MENDOZA
	0900	72	B. MENDOZA
	1200	72	B. MENDOZA
	1500	72	P Del Toro
	1800	72	P. Del Toro
	2100	70	P. Del Toro
	2400	68	P. HENRY

Wednesday

Date	Time	Temp.	Name (Print)
7-3-24	0300	68	P. HENRY
	0600	70	Ulias
	0900	72	Ulias
	1200	72	Ulias
	1500	72	Del Toro
	1800	72	Del Toro
	2100	70	Del Toro
	2400	68	P. HENRY

Thursday

Date	Time	Temp.	Name (Print)
7-4-24	0300	68	P. HENRY
	0600	[illegible]	Ulias
	0900	[illegible]	Ulias
	1200	71	Ulias
	1500	71	P. Del Toro
	1800	71	P. Del Toro
	2100	70	P. Del Toro
	2400	66	P. HENRY

Friday

Date	Time	Temp.	Name (Print)
7-5-24	0300	66	P. HENRY
	0600	64	Ulias
	0900	66	Ulias
	1200	68	Ulias
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	70	Ulias

Saturday

Date	Time	Temp.	Name (Print)
7-6-24	0300	70	Carlson
	0600	68°F	DE LA GARZA
	0900	70°F	DE LA GARZA
	1200	74°F	DE LA GARZA
	1500	74	Carlson
	1800	73	MGarza
	2100	69	MGarza
	2400	70	Ulias

Sunday

Date	Time	Temp.	Name (Print)
7-7-24	0300	70	Carlson
	0600	68	R Vega
	0900	70	R Vega
	1200	72	R Vega
	1500	72	C. Lopez
	1800	72	C. Lopez
	2100	70	C. Lopez
	2400	68	P. HENRY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B4 - 3 RHU Temp. Reading Location: B4 3rd FLR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	70	Rivera
	0600	71	Johnson
	0900	70	Rivera
	1200	71	Johnson
	1500	72	Johnson
	1800	72	Johnson
	2100	72	Johnson
	2400	72	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300		
	0600	70	Rivera
	0900	69	Graves
	1200	72	Lopez
	1500	72	Johnson
	1800	72	Johnson
	2100	71	Johnson
	2400	70	Jensen

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	70	Jensen
	0600	70	ALEMAN
	0900	72	ALEMAN
	1200	73	ALEMAN
	1500	74	TOSTE
	1800	75	TOSTE
	2100	74	TOSTE
	2400	74	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	74	[illegible]
	0600	74	ALEMAN
	0900	74	ALEMAN
	1200	75	ALEMAN
	1500	75	TOSTE
	1800	75	TOSTE
	2100	75	TOSTE
	2400	76	Zepeda

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	74	Zepeda
	0600	74	Rivera
	0900	73	Gonzalez
	1200	74	Gonzalez
	1500	75	TOSTE
	1800	75	TOSTE
	2100	76	Ryan
	2400	76	Ryan

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	74	Ryan
	0600	74	Gonzalez
	0900	74	Gonzalez
	1200	76	Gonzalez
	1500	76	Lopez
	1800	76	Lopez
	2100	72	Lopez
	2400	68	D. OROZCO

Sunday

Date	Time	Temp.	Name (Print)
	0300	68	D. OROZCO
	0600	74	Gonzalez
	0900	74	Gonzalez
	1200	76	Gonzalez
	1500	76	TOSTE
	1800	76	TOSTE
	2100	72	TOSTE
	2400	70	D. OROZCO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-Facility Dinner Temp. Reading Location: Near Coffee Machine (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

7-2

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300		N/A
	0600	68°	S. NOEL
	0900	70°	S. NOEL
	1200		N/A
	1500	80°	Pacas
	1800	83°	Pacas
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300		
	0600	69	Neilson
	0900	69	Neilson
	1200	69	Neilson
	1500	80	J Platt
	1800	83	J Platt
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		
	0600	69	Neilson
	0900	69	Neilson
	1200	69	Neilson
	1500	81	J Platt
	1800	86	J Platt
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600	69	Neilson
	0900	69	Neilson
	1200	69	Neilson
	1500	82	Unk
	1800	82	Unk
	2100	87	Unk
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		
	0600	69	Neilson
	0900	69	Neilson
	1200	69	Neilson
	1500	81	Platt
	1800	85	Platt
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		
	0600	69	Neilson
	0900	69	Neilson
	1200	69	Neilson
	1500	87	Cles
	1800	87	Cles
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		N/A
	0600	69°	S. NOEL
	0900	69°	S. NOEL
	1200		N/A
	1500	80	Rose
	1800	82	Rose
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Bld 5 Fac. C Temp. Reading Location: 3rd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-1-24	0300	71	Kingsley
	0600	72	Kingsley
	0900	73	Kingsley
	1200	74	Kingsley
	1500	74°	S.Miguel
	1800	74°	S.Miguel
	2100	72°	S.Miguel
	2400	70°	Castillo

Tuesday

Date	Time	Temp.	Name (Print)
7-2-24	0300	70°	Castillo
	0600	72	Kingsley
	0900	75	Kingsley
	1200	75	Kingsley
	1500	76°	S.Miguel
	1800	76°	S.Miguel
	2100	74°	S.Miguel
	2400	72°	Castillo

Wednesday

Date	Time	Temp.	Name (Print)
7-3-24	0300	72°	Castillo
	0600	72°	J.Maretti
	0900	74°	J.Maretti
	1200	76°	J.Maretti
	1500	80°	S.Miguel
	1800	80°	S.Miguel
	2100	76°	S.Miguel
	2400	74	C.Lopez

Thursday

Date	Time	Temp.	Name (Print)
7-4-24	0300	74	C.Lopez
	0600	72°	J.Maretti
	0900	73°	J.Maretti
	1200	75	J.Maretti
	1500	76°	S.Miguel
	1800	76°	S.Miguel
	2100	74	P. Del Toro
	2400	73	P. Del Toro

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	72	P. Del Toro
	0600	70	C.Mey
	0900	75	C.Mey
	1200	75	C.Mey
	1500	76°	S.Miguel
	1800	76°	S.Miguel
	2100	72°	S.Miguel
	2400	70	C.Lopez

Saturday

Date	Time	Temp.	Name (Print)
7-06-24	0300	70	C.Lopez
	0600	75	Kingsley
	0900	76	Kingsley
	1200	78	Kingsley
	1500	74	Silva
	1800	74	Silva
	2100	72	Silva
	2400	72	C.Lopez

Sunday

Date	Time	Temp.	Name (Print)
7-7-24	0300	72	C.Lopez
	0600	72°	Kingsley
	0900	72	Kingsley
	1200	72	Kingsley
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	72	C.Lopez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Building 6 Temp. Reading Location: 3rd tier
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

FAC. C

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	72°	S. Banuelos
	0600	72	Rowlett
	0900	72	Rowlett
	1200	73	Rowlett
	1500	76	Zepeda
	1800	75	Zepeda
	2100	74	Zepeda
	2400	72°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	72°	S. Banuelos
	0600	71	Rowlett
	0900	71	Rowlett
	1200	72	Rowlett
	1500	75	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	72	E. Ayon Flores
	2400	72°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	75	J. Rowlett
	1500	76	E. Ayon Flores
	1800	78	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	74	Batista

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	71	Batista
	0600	71	Rowlett
	0900	72	Rowlett
	1200	74	Rowlett
	1500	78	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	76	E. Ayon Flores
	2400	74	Childers

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	74	Childers
	0600	72	Gonzalez
	0900	74	Gonzalez
	1200	76	Gonzalez
	1500	78	E. Ayon Flores
	1800	78	E. Ayon Flores
	2100	75	E. Ayon Flores
	2400	75	M. Cintron

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	75	M. Cintron
	0600	75	A. Alfaro
	0900	76	A. Alfaro
	1200	78	A. Alfaro
	1500	80	Flores
	1800	80	Flores
	2100	76	Flores
	2400	74°	S. Banuelos

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	74°	S. Banuelos
	0600	74	Rowlett
	0900	74	Rowlett
	1200	76	Rowlett
	1500	78	Zepeda
	1800	76	Zepeda
	2100	75	Zepeda
	2400	74°	S. Banuelos

Notes

1800 Hrs Showers are going Hot water - steam from

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility C Temp. Reading Location: Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7404 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-1-24	0300		
	0600	68	Montano
	0900	72	Montano
	1200		
	1500	75	GARCIA
	1800	78	GARCIA
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7-2-24	0300		N/A
	0600	68°	S. NOEL
	0900	78°	S. NOEL
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-3-24	0300		
	0600	70	Cobb
	0900	75	Cobb
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-4-24	0300		
	0600	74	Montano
	0900	80	Montano
	1200		
	1500	77	GONZALEZ
	1800	77	Gonzalez
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-5-24	0300		
	0600	74	Montano
	0900	77	Montano
	1200		
	1500	80	GARCIA
	1800	82	GARCIA
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7-6-24	0300		
	0600	70	Montano
	0900	77	Montano
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7-7-24	0300		
	0600	70	Montano
	0900	74	Montano
	1200		
	1500	79	GARCIA
	1800	81	GARCIA
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 FAC. D Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/1

Date	Time	Temp.	Name (Print)
7/1/24	0300	68	F Tum
	0600	68	Witt
	0900	70	Witt
	1200	72	Witt
	1500	74	Witt
	1800	74	Witt
	2100	72	Witt
	2400	70	J. Tum

Tuesday 7/2

Dat	Time	Temp.	Name (Print)
7/2/24	0300	69	J Tum
	0600	72	Witt
	0900	74	Witt
	1200	77	Witt
	1500	78	Witt
	1800	77	Witt
	2100	75	Witt
	2400	72	J. Tum

Wednesday 7/3

Date	Time	Temp.	Name (Print)
7-3-24	0300	70	J Tum
	0600	70	C Delgado
	0900	72	C Delgado
	1200	74	C Delgado
	1500	77	T Faila
	1800	78	T Faila
	2100	75	T. Faila
	2400	72	J Tum

Thursday 7/4

Date	Time	Temp.	Name (Print)
7/4/24	0300	69	J Tum
	0600	70	L. Delgado
	0900	70	L. Delgado
	1200	72	C. Delgado
	1500	75	T. Faila
	1800	77	T. Faila
	2100	75	T Cuth
	2400	72	T Cuth

Friday 7/5

Date	Time	Temp.	Name (Print)
7/5/24	0300	69	T. Cuth
	0600	72	J. Chavez
	0900	72	J Chavez
	1200	75	J. Chavez
	1500	77	T. Faila
	1800	75	T. Faila
	2100	77	T. Cuth
	2400	75	T. Cuth

Saturday 7/6

Date	Time	Temp.	Name (Print)
7/6/24	0300	72	T. Cuth
	0600	72	J Chavez
	0900	73	J. Chavez
	1200	74	J. Chavez
	1500	75	T. Faila
	1800	73	T. Faila
	2100	72	T. Cuth
	2400	70	T. Cuth

Sunday 7/7

Date	Time	Temp.	Name (Print)
7/7/24	0300	68	T. Cuth
	0600	69	J. Chavez
	0900	69	J. Chavez
	1200	70	J Chavez
	1500	72	T Faila
	1800	74	T. Faila
	2100	72	E Nuom
	2400	70	E Nuom

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 8 Temp. Reading Location: 3rd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Fac. D

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	74	Thomas
	0600	72	E. Gonzalez
	0900	73	E. Gonzalez
	1200	74	E. Gonzalez
	1500	75	Bender
	1800	74°	Bender
	2100	73°	Bender
	2400	73	Oberley

Tuesday

Dat	Time	Temp.	Name (Print)
7-2-24	0300	72	Oberley
	0600	70	E. Gonzalez
	0900	70	E. Gonzalez
	1200	74	E. Gonzalez
	1500	76°	Bender
	1800	75°	Bender
	2100	74°	Bender
	2400	73	Oberley

Wednesday

Date	Time	Temp.	Name (Print)
7-3-24	0300	72	Oberley
	0600	72	Pelayo
	0900	72	Pelayo
	1200	76	Pelayo
	1500	77°	Bender
	1800	76°	Bender
	2100	75	Bender
	2400	75	Oberley

Thursday

Date	Time	Temp.	Name (Print)
7-4-24	0300	75	Oberley
	0600	75	Pelayo
	0900	78	Pelayo
	1200	78	Pelayo
	1500	78	Bender
	1800	77	Bender
	2100	76	Bender
	2400	76	Oberley

Friday

Date	Time	Temp.	Name (Print)
7-5-24	0300	75	Oberley
	0600	74	Pelayo
	0900	76	Pelayo
	1200	76	Pelayo
	1500	77°	Bender
	1800	76°	Bender
	2100	75°	Bender
	2400	75	Oberley

Saturday

Date	Time	Temp.	Name (Print)
7-6-24	0300	75	Oberley
	0600	74	Pelayo
	0900	76	Pelayo
	1200	78	Pelayo
	1500	78	Pelayo
	1800	78	Pelayo
	2100	76	Pelayo
	2400	74	Torres

Sunday

Date	Time	Temp.	Name (Print)
7-7-24	0300	74	Torres
	0600	73	Ramolete
	0900	75	Ramolete
	1200	76	Ramolete
	1500	76	Mullins
	1800	76	Mullins
	2100	75	Mullins
	2400	74	Torres

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-Dorm Temp. Reading Location: Dorm Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300		
	0600	66	Martyn
	0900	67	Martyn
	1200	66	Martyn
	1500	71	[illegible]
	1800	72	[illegible]
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300		
	0600	66	Martyn
	0900	67	Martyn
	1200	67	Martyn
	1500	79°	Z. Mendes
	1800	82°	Z. Mendes
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300		
	0600	74	Jensen
	0900	77	Jensen
	1200	77	Jensen
	1500	80	Aleman
	1800	84	Aleman
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300		
	0600	76	[illegible]
	0900	80	[illegible]
	1200	82	[illegible]
	1500	83	Stokes
	1800	83	Stokes
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300		
	0600	74	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	79	[illegible]
	1800	79	[illegible]
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300		
	0600	79	Boing
	0900	79	Boing
	1200	80	Boing
	1500	82	Gonzalez
	1800	83	Gonzalez
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7-7	0300		
	0600	74	Moreno
	0900	76	Moreno
	1200	78	Moreno
	1500	82	Theyes
	1800	83	[illegible]
	2100		
	2400		

Notes

Week of 7/1/24

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	70	Solis
	0600	70	Solis
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Tuesday

Dat	Time	Temp.	Name (Print)
07/02/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Ramos

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	70	Vasquez
	0600	70	Gomez
	0900	70	Gomez
	1200	70	Gomez
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Solis

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 31 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	70	Solis
	0600	70	Solis
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Tuesday

Dat	Time	Temp.	Name (Print)
07/02/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	70	Vasquez
	0600	70	Gomez
	0900	70	Gomez
	1200	70	Gomez
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Solis

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 32 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	70	Solis
	0600	70	Solis
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Tuesday

Dat	Time	Temp.	Name (Print)
07/02/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	70	Vasquez
	0600	70	Gomez
	0900	70	Gomez
	1200	70	Gomez
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Solis

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 33 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	70	Solis
	0600	70	Solis
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Tuesday

Dat	Time	Temp.	Name (Print)
07/02/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	70	Vasquez
	0600	70	Gomez
	0900	70	Gomez
	1200	70	Gomez
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Solis

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 34 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	70	Solis
	0600	70	Solis
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Tuesday

Dat	Time	Temp.	Name (Print)
07/02/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	70	Vasquez
	0600	70	Gomez
	0900	70	Gomez
	1200	70	Gomez
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Solis

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Gomez
	1800	70	Gomez
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
07/02/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Howell
	1800	70	Howell
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	COLLINS
	1200	70	COLLINS
	1500	70	Howell
	1800	70	Howell
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	COLLINS
	1200	70	COLLINS
	1500	70	Howell
	1800	70	Howell
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Gomez
	1200	70	Gomez
	1500	70	Gomez
	1800	70	Gomez
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Moreno
	1200	72	Moreno
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		
	0600	70	Hampton
	0900	72	Hampton
	1200	72	Jones
	1500		Jones
	1800		Jones
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/2	0300		
	0600	68	J. Feist
	0900	70	J. Feist
	1200	71	Jones
	1500	72	Jones
	1800	74	Jones
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		
	0600	70	J. Feist
	0900	70	J. Feist
	1200	74	Jones
	1500	76	Jones
	1800	76	Jones
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600	72	J. Feist
	0900	72	J. Feist
	1200	72	Jones
	1500	76	Jones
	1800	75	Jones
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		
	0600	72°	J. Feist
	0900	72°	J. Feist
	1200	74°	Hampton
	1500	76°	Hampton
	1800	74°	Hampton
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		
	0600	68°	J. Feist
	0900	70°	J. Feist
	1200	76°	Hampton
	1500	78	Hampton
	1800	76°	Hampton
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		
	0600	72	Purify
	0900	72	Purify
	1200	72	Jones
	1500	74	Jones
	1800	74	Jones
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC PROGRAM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	70	Solis
	0600	70	Solis
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Tuesday

Dat	Time	Temp.	Name (Print)
07/02/24	0300	70	D. Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	70	Vasquez
	0600	70	Gomez
	0900	70	Gomez
	1200	70	Gomez
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Solis

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: KITCHEN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	70	DJeh
	0600	70	Solis
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Tuesday

Dat	Time	Temp.	Name (Print)
07/02/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	70	Vasquez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Vasquez

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	70	Vasquez
	0600	70	Gomez
	0900	70	Gomez
	1200	70	Gomez
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Solis

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	70	Solis
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Solis

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300		N/A
	0600		
	0900	72	Gottesfeld
	1200	74	"
	1500	75	"
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300		N/A
	0600		
	0900	74	Gottesfeld
	1200	74	"
	1500	78	"
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300		N/A
	0600		
	0900	73	Gottesfeld
	1200	76	"
	1500	75	"
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300		
	0600		
	0900	HOLIDAY	
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: E. CANTEEN (MAIN) Temp. Reading Location: MAIN OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/01	0300		N/A
	0600		
	0900	72	B Bueller
	1200	72	TA III
	1500	72	[illegible]
	1800	72	[illegible]
	2100		
	2400		N/A

Tuesday

Date	Time	Temp.	Name (Print)
7/02	0300		N/A
	0600		
	0900	70	[illegible]
	1200	74	B Bueller
	1500	74°	TA III
	1800	74°	TA III
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
7/03	0300		N/A
	0600		
	0900	70°	TA III
	1200	72°	TA III
	1500	74°	TA III
	1800	74°	TA III
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
7/04	0300		
	0600		
	0900		HOLIDAY
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/05	0300		N/A
	0600		
	0900	70	[illegible]
	1200	74°	TA III
	1500	74	[illegible]
	1800	74°	TA III
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	—	—
	0600	68	J. MILLS
	0900	69	J. MILLS
	1200	69	Boling
	1500	70	Boling
	1800	70	Boling
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/2024	0300	—	—
	0600	68	J. MILLS
	0900	69	MILLS
	1200	70	MILLS
	1500	70	MILLS
	1800	70	MILLS
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	—	—
	0600	68	SCOTT
	0900	68	SCOTT
	1200	72	SCOTT
	1500	74	SCOTT
	1800	74	SCOTT
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	—	—
	0600	68	Mederos
	0900	72	Mederos
	1200	73	SCOTT
	1500	74	SCOTT
	1800	73	SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
7/5/2024	0300	—	—
	0600	68	Mederos
	0900	70	Mederos
	1200	75	[illegible]
	1500	75	[illegible]
	1800	75	[illegible]
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
7/6/2024	0300	—	—
	0600	68	Mederos
	0900	72	Mederos
	1200	73	[illegible]
	1500	73	[illegible]
	1800	73	[illegible]
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
7/7/2024	0300	—	—
	0600	68	Mederos
	0900	70	Mederos
	1200	72	[illegible]
	1500	72	[illegible]
	1800		
	2100	—	—
	2400	—	—

Notes

7/1/2024 to 7/7/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plans. Ops Temp. Reading Location: Z-150A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/1/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	G Gang
	1200	73	G Gang
	1500	73	G Gang
	1800		
	2100		N/A
	2400		

Tuesday 7/2/2024

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	G Gang
	1200	73	G Gang
	1500	73	G Gang
	1800		
	2100		N/A
	2400		

Wednesday 7/3/2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		Vacation
	0900	Vacation	
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday 7/4/2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		Vacation
	0900		
	1200	Vacation	
	1500		
	1800		
	2100		
	2400		

Friday 7/5/2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		Vacation
	0900		
	1200	Vacation	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Temp. Reading Location: Wet Process
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		
	0600		
	0900	73°	SWaymeirt
	1200		
	1500		
	1800		
	2100	Closed	
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300		
	0600		
	0900		
	1200	Closed	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		
	0600		
	0900		
	1200	Closed	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600		
	0900		
	1200	Holiday	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		
	0600		
	0900		
	1200		
	1500	RDO	
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: CALP A Temp. Reading Location: mgr
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300		N/A
	0600	75°	C. Sanchez
	0900	75°	C. Sanchez
	1200	79	C. Sanchez
	1500	80°	C. Sanchez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		N/A
	0600	75°	C. Sanchez
	0900	78°	C. Sanchez
	1200	80°	C. Sanchez
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting Mill Temp. Reading Location: Compressor Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		N/A
	0600		
	0900	73°	Richardson M
	1200	80°	Richardson M.
	1500	82°	Richardson M
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/2	0300		N/A
	0600		
	0900	75°	R. Luna
	1200	83°	R. Luna
	1500	85°	R. Luna
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		N/A
	0600		
	0900	80°	Richardson M.
	1200	86°	Richardson M.
	1500	88°	Richardson M.
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600		
	0900		Holiday
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PRINT PLANT Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension _____ when the Inside air temperature reaches 90 degrees and again at 95 degrees.

MONTH / YEAR: JULY, 2024

Monday

Date	Time	Temp.	Name (Print)
7/1 1	0300		N/A
	0600		
	0900	65	
	1200	70	
	1500	73	
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/2 2	0300		
	0600		
	0900		Lockdown
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3 3	0300		N/A
	0600		
	0900	70	
	1200	75	
	1500	80	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4 4	0300		
	0600		
	0900		Holiday
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

	Time	Temp.	Name (Print)
5	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 TO 7/7/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Shoe Factory Temp. Reading Location: Clerks office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		N/A
	0600	74	Rickd
	0900	76	R. S
	1200	80	R. S
	1500	84	R. Fant
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300		N/A
	0600	74	R. Fant
	0900	75	R. Fant
	1200	78	R. Fant
	1500	82	R. Fant
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		N/A
	0600	76	R. Fant
	0900	79	R. Fant
	1200	82	R. Fant
	1500	85	R. Fant
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600		
	0900		HOLIDAY
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		
	0600		
	0900		
	1200		

Notes

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		N/A
	0600	73°	
	0900	73°	AH
	1200	75°	
	1500	75°	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/2	0300		N/A
	0600	75°	
	0900	75°	AH
	1200	75°	
	1500	75°	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		N/A
	0600	75°	
	0900	75°	AH
	1200	75°	
	1500	75°	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		N/A
	0600	73°	
	0900	73°	AH
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		N/A
	0600	73°	
	0900	73°	AH
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: Inmate Office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		N/A
	0600		
	0900	75	Wm
	1200	76°	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/2	0300		CLOSED
	0600		
	0900		
	1200		
	1500		
	1800		Training
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		N/A
	0600		
	0900	76°	Rodriguez
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600	4th	of July
	0900		
	1200		
	1500	Holiday	
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Jacket Factory Temp. Reading Location: 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		
	0600		
	0900	68	J. Diaz
	1200	75	J. Diaz
	1500	76	SILLER
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300		
	0600		
	0900	73	J. Diaz
	1200	80	J. Diaz
	1500	84	J. Diaz
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		
	0600		
	0900	73	J. Diaz
	1200	80	J. Diaz
	1500	85	J. Diaz
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		Holiday
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Jacket Temp. Reading Location: T-shirt 2nd Floor.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		N/A
	0600		
	0900	65	CHG
	1200	70	J. Diaz
	1500	73	J. Diaz
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300		N/A
	0600		
	0900	73	J. Diaz
	1200	78	J. Diaz
	1500	80	J. Diaz
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		N/A.
	0600		
	0900	73	J. Diaz
	1200	78	J. Diaz
	1500	83	J. Diaz
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		HOLIDAY
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 to 7/7/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATIO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Temp. Reading Location: Safety T. Shirt
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/1/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	80	J. Johnson
	0900	86	J. Johnson
	1200	88	J. Johnson
	1500	86	J. Johnson
	1800		N/A
	2100		
	2400		

Tuesday 7/2/24

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600	81	J. Johnson
	0900	85	J. Johnson
	1200	80	J. Johnson
	1500		
	1800		N/A
	2100		
	2400		

Wednesday 7/3/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70	J. Johnson
	0900	78	J. Johnson
	1200	80	J. Johnson
	1500		
	1800		N/A
	2100		
	2400		

Thursday 7/4/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	Holiday	
	1800		
	2100		
	2400		

Friday 7/5/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday 7/6/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday 7/7/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 7/1/2024 to 7/7/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:**CMC** Housing Unit:**EAST Protestant Chapel** Temp.Reading Location:**Protestant Chapel EAST**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 7/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900		
	1200	70	[illegible]
	1500	72	[illegible]
	1800	72	[illegible]
	2100		
	2400		N/A

Tuesday 7/2

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900		
	1200		
	1500	74	[illegible]
	1800	74	[illegible]
	2100	72	[illegible]
	2400		N/A

Wednesday 7/3

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	70	[illegible]
	1200	74	[illegible]
	1500	76	[illegible]
	1800		
	2100		N/A
	2400		

Thursday 7/4

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Friday 7/5

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday 7/6

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday 7/7

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	70	[illegible]
	1200	72	[illegible]
	1500		
	1800		
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/1/2024 TO 7/7/2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Watch Office

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/1/2024	0100	48	ZEPEDA, J
	0200	50	ZEPEDA, J
	0300	50	ZEPEDA, J
	0400	48	ZEPEDA, J
	0500	48	ZEPEDA, J
	0600	48	DeLaTorre
	0700	50	DeLaTorre
	0800	50	DeLaTorre
	0900	59	DeLaTorre
	1000	69	DeLaTorre
	1100	72	DeLaTorre
	1200	76	DeLaTorre
	1300	73	DeLaTorre
	1400	72	Rupp
	1500	70	Rupp
	1600	67	Rupp
	1700	63	Rupp
	1800	58	Rupp
	1900	54	Rupp
	2000	52	Rupp
	2100	52	Rupp
	2200	50	ZEPEDA
	2300	50	ZEPEDA
	2400	49	ZEPEDA

Date	Time	Temp.	Printed Name
7/2/24	0100	48	ZEPEDA
	0200	49	ZEPEDA
	0300	49	ZEPEDA
	0400	49	ZEPEDA
	0500	49	ZEPEDA
	0600	49	DeLaTorre
	0700	49	DeLaTorre
	0800	51	DeLaTorre
	0900	58	DeLaTorre
	1000	66	DeLaTorre
	1100	70	DeLaTorre
	1200	75	DeLaTorre
	1300	79	DeLaTorre
	1400	77	Rupp
	1500	77	Martin
	1600	74	Martin
	1700	74	Martin
	1800	70	Martin
	1900	66	Martin
	2000	63	Martin
	2100	63	Martin
	2200	57	ZEPEDA
	2300	57	ZEPEDA
	2400	56	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/03/24	0100	55	Zebea
	0200	55	Zebea
	0300	55	Zebea
	0400	53	Zebea
	0500	53	Zebea
	0600	57	Delutorre
	0700	60	Delutorre
	0800	65	Delutorre
	0900	69	Delutorre
	1000	70	Delutorre
	1100	70	Delutorre
	1200	72	Delutorre
	1300	78	Delutorre
	1400	74	Rupp
	1500	72	Rupp
	1600	70	Rupp
	1700	70	Rupp
	1800	70	Rupp
	1900	69	Rupp
	2000	69	Rupp
	2100	65	Rupp
	2200	62	Zebea
	2300	62	Zebea
	2400	60	Zebea

Date	Time	Temp.	Printed Name
7/04/24	0100	58	Zebea
	0200	56	Zebea
	0300	53	Zebea
	0400	53	Zebea
	0500	52	Zebea
	0600	52	Zebea
	0700	56	Fouts
	0800	63	Fouts
	0900	71	Delutorre
	1000	75	Fouts
	1100	78	Fouts
	1200	78	Fouts
	1300	80	SINCLAIR
	1400	77	Martin
	1500	77	Martin
	1600	72	Martin
	1700	70	Martin
	1800	70	Martin
	1900	68	Martin
	2000	65	Martin
	2100	60	Martin
	2200	52	Zebea
	2300	52	Zebea
	2400	51	Zebea

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/5/24	0100	51	ZEPEDA
	0200	51	ZEPEDA
	0300	51	ZEPEDA
	0400	50	ZEPEDA
	0500	50	ZEPEDA
	0600	50	ZEPEDA
	0700	52	Delu Time
	0800	55	Delu Time
	0900	63	Delu Time
	1000	69	Delu Time
	1100	72	C. PRICE
	1200	74	C. PRICE
	1300	74	C. PRICE
	1400	74	C. PRICE
	1500	72	RUPP
	1600	71	RUPP
	1700	70	RUPP
	1800	70	RUPP
	1900	68	RUPP
	2000	65	RUPP
	2100	64	RUPP
	2200	62	ZEPEDA, J
	2300	60	ZEPEDA, J
	2400	57	ZEPEDA, J

Date	Time	Temp.	Printed Name
7/6/24	0100	51	ZEPEDA
	0200	51	ZEPEDA
	0300	50	ZEPEDA
	0400	50	ZEPEDA
	0500	52	ZEPEDA
	0600	56	C. PRICE
	0700	59	C. PRICE
	0800	63	C. PRICE
	0900	63	C. PRICE
	1000	74	C. PRICE
	1100	80	C. PRICE
	1200	80	C. PRICE
	1300	77	C. PRICE
	1400	77	C. PRICE
	1500	75	Martin
	1600	70	Martin
	1700	70	Martin
	1800	69	Martin
	1900	67	Martin
	2000	62	Martin
	2100	60	Martin
	2200	57	ZEPEDA
	2300	50	ZEPEDA
	2400	49	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/7/24	0100	48	ZEPEDA, J
	0200	48	ZEPEDA, J
	0300	48	ZEPEDA, J
	0400	48	ZEPEDA, J
	0500	49	ZEPEDA, J
	0600	51	LANDWEHR
	0700	53	LANDWEHR
	0800	60	LANDWEHR
	0900	63	LANDWEHR
	1000	70	LANDWEHR
	1100	77	LANDWEHR
	1200	78	LANDWEHR
	1300	76	LANDWEHR
	1400	74	Ruff
	1500	72	Ruff
	1600	70	Ruff
	1700	70	Ruff
	1800	68	Ruff
	1900	65	Ruff
	2000	63	Ruff
	2100	61	Ruff
	2200	60	ZEPEDA, J
	2300	60	ZEPEDA, J
	2400	60	ZEPEDA, J

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 7/8/2024 to 7/14/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From July 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list July be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday July 8, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday July 9, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Wednesday July 10, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	68	J. FARAO
	1200	70	"
	1500	73	"
	1800		
	2100		N/A
	2400		

Thursday July 11, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	70	J. FARAO
	1200	73	"
	1500	75	"
	1800		
	2100		
	2400		N/A

Friday July 12, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	68	J. FARAO
	1200	70	"
	1500	71	"
	1800		
	2100		N/A
	2400		

Saturday July 13, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	68	J. FARAO
	0900	70	"
	1200	71	"
	1500	73	"
	1800		
	2100		N/A
	2400		

Sunday July 14, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	67	
	0900	69	J. FARAO
	1200	70	"
	1500		"
	1800		
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	ART CASSIDY
	1200	78	ART CASSIDY
	1500	78	ART CASSIDY
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76	ARTHUR CASSIDY
	1200	77	ARTHUR CASSIDY
	1500	78	ARTHUR CASSIDY
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	ARTHUR CASSIDY
	1200	76	ARTHUR CASSIDY
	1500	78	ARTHUR CASSIDY
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	M. GORON
	1200	76	M. GORON
	1500	78	M. GORON
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	A. CASSIDY
	1200	76	A. CASSIDY
	1500	76	A. CASSIDY
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Arthur Cassidy
7/12/2024

7/8/2024 to 7/14/2024

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: N/A Temp. Reading Location: CLASSROOM H-G
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300		N/A
	0600		
	0900	71 degrees	Voerman
	1200	76 degrees	Voerman
	1500	78 degrees	Voerman
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300		N/A
	0600		
	0900	71 degrees	Voerman
	1200	79 degrees	Voerman
	1500	79 degrees	Voerman
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300		N/A
	0600		
	0900	71 degrees	Voerman
	1200	76 degrees	Voerman
	1500	80 degrees	Voerman
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300		N/A
	0600		
	0900	71 degrees	Voerman
	1200	79 degrees	Voerman
	1500	80 degrees	Voerman
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300		
	0600		
	0900	76 degrees	Voerman
	1200	79 degrees	Voerman
	1500	79 degrees	Voerman
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

Docusigned by:
F1E2AE89BBE342A

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024.

Docusign Envelope ID: 7EC97357-1EA5-4552-BFFD-258A38870273

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _CMC____ Housing Unit: __Q113A_____ Temp. Reading Location: __D yard_____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/08	0300		N/A
	0600		
	0900	74	SCIOCCHETTI/ROCHA
	1200	76	SCIOCCHETTI/ROCHA
	1500	78	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/09	0300		N/A
	0600		
	0900	74	SCIOCCHETTI/ROCHA
	1200	75	SCIOCCHETTI/ROCHA
	1500	75	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/ROCHA
	1200	No class	SCIOCCHETTI/ROCHA
	1500	No class	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		N/A
	0600		
	0900	75	SCIOCCHETTI/ROCHA
	1200	75	SCIOCCHETTI/ROCHA
	1500	75	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		N/A
	0600		
	0900	74	SCIOCCHETTI/ROCHA
	1200	74	SCIOCCHETTI/ROCHA
	1500	74	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Bldg. Z-109
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7-9-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-10-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-11-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-12-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

Z-109 East Education Voc. Masonry
Ron Shoffeitt
No Inmate Contact

DocuSigned by:
Ron Shoffeitt

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

Docusign Envelope ID: 9EE76312-13A0-4FCD-A8BE-2D112256FB75

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: N/A Temp. Reading Location: Z-221 Voc. Build. Maint.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4617 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300		No Student Contact
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300		No Student Contact
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300		No Student Contact
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300		No Student Contact
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300		No Student Contact
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300		
	0600		
	0900		N/A -- RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300		
	0600		
	0900		
	1200		N/A -- RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SHC Housing Unit: D-106 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		
	0600	STAFF	
	0900		
	1200	NOT	
	1500		
	1800	PRESENT.	
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300		
	0600	STAFF	
	0900		
	1200	NOT	
	1500		
	1800	PRESENT	
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		
	0600	STAFF	
	0900		
	1200	NOT	
	1500		
	1800	PRESENT	
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		
	0600	STAFF	
	0900		
	1200	NOT	
	1500		
	1800	PRESENT	
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		
	0600	STAFF	
	0900		
	1200	NOT	
	1500		
	1800	PRESENT	
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200	RDC	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900	RDC	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____ Housing Unit: B135 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		N/A
	0600		
	0900	70.1	E. Boaz
	1200	72.4	E. Boaz
	1500	73.1	E Boaz
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300		N/A
	0600		
	0900	69	Thompson
	1200	74.2	E. Boaz
	1500	73.8	Thompson
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		N/A
	0600		
	0900	68	Thompson
	1200	73	Thompson
	1500	75	Thompson
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		N/A
	0600		
	0900	69.7	E. Boaz
	1200	75.7	E. Boaz
	1500	75.0	E. Boaz
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		N/A
	0600		
	0900	72	E. Boaz
	1200	72.6	E. Boaz
	1500	74	Thompson
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO CONTACT	
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO CONTACT	
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	RDO	
	1200		
	1500		
	1800		
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO CONTACT	
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO CONTACT	
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4711

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Medical Corridor Temp. Reading Location: Classroom B-125
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-8-24

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

NO KM

Tuesday 7-9-24

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	70°	Mark Kirstein
	1200	73°	Mark Kirstein
	1500	75°	Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

NO KM

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

NO KM

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	70°	Mark Kirstein
	1200	71°	Mark Kirstein
	1500	73°	Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70.6	Mensing
	1200	78.6	Mensing
	1500	80.2	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71.2	Mensing
	1200	79.2	Mensing
	1500	82.4	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No Students	Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	XXX	XX X
	0600	XXX	XX X
	0900	74.3	Mensing
	1200	84.7	Mensing
	1500	86.5	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/12/2024 IST	0300	XXX	XXX
	0600	XXX	XXX
	0900	No Students	Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

D. Mensing, GED Instructor Ext. 4625

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom HE Temp. Reading Location: Room HE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

No Students

Tuesday

Dat	Time	Temp.	Name (Print)
7-9-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

No Students

Wednesday

Date	Time	Temp.	Name (Print)
7-10-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

No Students

Thursday

Date	Time	Temp.	Name (Print)
7-11-24	0300		
	0600		
	0900	74°	W. Bacila
	1200	80°	W. Bacila
	1500	84°	W. Bacila
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-12-24	0300		
	0600		
	0900	74°	W. Bacila
	1200	78°	W. Bacila
	1500	82°	W. Bacila
	1800		
	2100		
	2400		

Saturday RDO

Date	Time	Temp.	Name (Print)
7-13-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday RDO

Date	Time	Temp.	Name (Print)
7-14-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: ~~—~~ D120 Temp. Reading Location: Library (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		N/A
	0600		
	0900	78	A. Garcia
	1200	79	A. Garcia
	1500	79	A. Garcia
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300		N/A
	0600		
	0900	75	A. Garcia
	1200	78	A. Garcia
	1500	80	A. Garcia
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		N/A
	0600		
	0900	73	A. Garcia
	1200	78	A. Garcia
	1500	79	A. Garcia
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		N/A
	0600		
	0900	75	A. Garcia
	1200	78	A. Garcia
	1500	80	A. Garcia
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		N/A
	0600		
	0900	78	A. Garcia
	1200	78	A. Garcia
	1500	79	A. Garcia
	1800		
	2100		N/A
	2400		

Saturday RDO

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday RDO

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B102 Temp. Reading Location: N/A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8 24	0300		N/A
	0600		
	0900	73°	N. Contreras
	1200	75°	N. Contreras
	1500	77°	N. Contreras
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300		
	0600		
	0900	No students	N. Contreras
	1200		N. Contreras
	1500		N. Contreras
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		N/A
	0600		
	0900	72	N. Contreras
	1200	74	N. Contreras
	1500	—	N. Contreras
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		
	0600		
	0900	no student	N. Contreras
	1200		N. Contreras
	1500		N. Contreras
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		
	0600		
	0900	74	N. Contreras
	1200	—	N. Contreras no contact
	1500	76	N. Contreras
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300		N/A
	0600		
	0900	67	S. MOORE/C. BERRY
	1200	77	S. MOORE/C. BERRY
	1500	76	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7-9-24	0300		N/A
	0600		
	0900	73	S. MOORE/C. BERRY
	1200	75	S. MOORE/C. BERRY
	1500	77	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-10-24	0300		
	0600		
	0900	No Staff Contact	S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-11-24	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	77	S. MOORE/C. BERRY
	1500	79	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-12-24	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	77	S. MOORE/C. BERRY
	1500	79	S. MOORE/C. BERRY
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7-13-24	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7-14-24	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Berry

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	84.0	Zelenski/Diederich/Puett
	1200	79.7	Zelenski/Diederich/Puett
	1500	79.8	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	81.1	Zelenski/Diederich/Puett
	1200	80.3	Zelenski/Diederich/Puett
	1500	81.4	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	XXX	XXX
	0600	XXX	XXX
NO STUDENT CONTACT	0900	79.6	Zelenski/Diederich/Puett
	1200	79.9	Zelenski/Diederich/Puett
	1500	80.2	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
07/11/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	81.6	Zelenski/Diederich/Puett
	1200	84.0	Zelenski/Diederich/Puett
	1500	82.6	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	77.6	Zelenski/Diederich/Puett
	1200	81.5	Zelenski/Diederich/Puett
	1500		Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski./Diederich/Puett, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom D-104 Temp. Reading Location: Teacher's Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300		N/A
	0600		
	0900	78	Todd
	1200	78	Todd
	1500	83	Todd
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300		N/A
	0600		
	0900	72	Todd
	1200	76	Todd
	1500	80	Todd
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		N/A
	0600		
	0900	74	Todd
	1200	78	Todd
	1500	84	Todd
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		N/A
	0600		
	0900	74	Todd
	1200	79	Todd
	1500	80	Todd
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		N/A
	0600		
	0900	73.	Todd
	1200	77	Todd
	1500	82	Todd
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/13	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Classroom Temp. Reading Location: Z-234
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4792 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300		N/A
	0600		
	0900	80	Ramirez
	1200	83	Ramirez
	1500	85	Ramirez
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300		N/A
	0600		
	0900	77	Ramirez
	1200	75	Ramirez
	1500	78	Ramirez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300		
	0600	NO	
	0900		
	1200		
	1500	CLASS	
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300		N/A
	0600		
	0900	80	Ramirez
	1200	77	Ramirez
	1500	80	Ramirez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300		N/A
	0600		
	0900	78	Ramirez
	1200	80	Ramirez
	1500	82	Ramirez
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A-158 Temp. Reading Location: A158 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	N/A	
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	N/A	
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	N/A	
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300		
	0600		
	0900	76°	R. Lopez
	1200	76°	R. Lopez
	1500	77°	R. Lopez
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300		
	0600		
	0900	75°	R. Lopez
	1200	72°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Gym G102H Temp. Reading Location: East Education Coaches' Office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300		
	0600		
	0900	66°	B. Ferrall
	1200	68°	B. Ferrall
	1500	71°	B. Ferrall
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300		
	0600		
	0900	66°	B. Ferrall
	1200	69°	B. Ferrall
	1500	71°	B. Ferrall
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300		
	0600		
	0900	67°	B. Ferrall
	1200	69°	B. Ferrall
	1500	71°	B. Ferrall
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300		
	0600		
	0900	67°	B. Ferrall
	1200	69°	B. Ferrall
	1500	71°	B. Ferrall
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300		
	0600		
	0900	68°	B. Ferrall
	1200	69°	B. Ferrall
	1500	71	B. Ferrall
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

ATTACHMENT B
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-101 Temp. Reading Location: 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.8.24	0300		
	0600		
	0900		NO IM Contact
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7.9.24	0300		
	0600		
	0900	74.4	Deleted
	1200	77.1	Deleted
	1500	78.1	Deleted
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7.10.24	0300		
	0600		
	0900		NO IM Contact
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7.11.24	0300		
	0600		
	0900		NO IM Contact
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7.12.24	0300		
	0600		
	0900	76.1	Deleted
	1200	76.4	Deleted
	1500	78.7	Deleted
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

S. DeRito

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

Docusign Envelope ID: DAE9E4D9-3B8D-42BB-8447-F23321A00055

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor Temp. Reading Location: East Education – HSD/GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	COLE
	1200	74	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	74	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	73	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	73	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	RDO	COLE
	1200	RDO	COLE
	1500	RDO	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:
Caleb Cole
46B5D3B70CC24BC

7/8/2024 to 7/14/2024

Docusign Envelope ID: A6367469-E8AE-4142-9862-B0D9CE8ECB15

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/8

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	NO	J. Fogo 7/8/2024
	1200	INMATE	J. Fogo
	1500	CONTACT	J. Fogo
	1800		
	2100		
	2400		

Tuesday 7/9

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	NO	J. Fogo 7/9/2024
	1200	INMATE	J. Fogo
	1500	CONTACT	J. Fogo
	1800		
	2100		
	2400		

Wednesday 7/10

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	NO	J. Fogo 7/10/2024
	1200	INMATE	J. Fogo
	1500	CONTACT	J. Fogo
	1800		
	2100		
	2400		

Thursday 7/11

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	65	J. Fogo 7/11/2024
	1200	79	J. Fogo
	1500	80	J. Fogo
	1800		
	2100		
	2400		

Friday 7/12

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	NO	J. Fogo 7/12/2024
	1200	INMATE	J. Fogo
	1500	CONTACT	J. Fogo
	1800		
	2100		
	2400		

Saturday 7/13

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 7/14

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DocuSigned by:
Jeff Fogo
8FD437133A54B4...

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

Docusign Envelope ID: 6E903955-482E-4360-A2BD-E3EA58DEC63F

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/08 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
07/09 2024	0300		N/A
	0600		
	0900	74deg	V.Vera
	1200	75deg	V.Vera
	1500	76 deg	V.VERA
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
07/10 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
07/11 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
07/12 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		N/A
	2100		
	2400		

Saturday 7/13

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday 7/14

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING ONE, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	69	TUTTLE
	0600	66	RAMOS
	0900	70	RAMOS
	1200	74	RAMOS
	1500	73	CAMPOS
	1800	72	CAMPOS
	2100	70	CAMPOS
	2400	68	Dial

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	67	Dial
	0600	67	[illegible]
	0900	70	[illegible]
	1200	72	[illegible]
	1500	74	CEBALLOS
	1800	73	CEBALLOS
	2100	73	CEBALLOS
	2400	71	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300		
	0600	70	JUAREZ
	0900	74	JUAREZ
	1200	74	JUAREZ
	1500	74	CABALLOS
	1800	72	CABALLOS
	2100	72	CABALLOS
	2400	72	CAMPOS

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	70	CAMPOS
	0600	70	RAMOS
	0900	72	RAMOS
	1200	74	RAMOS
	1500	74	CEBALLOS
	1800	74	CEBALLOS
	2100	74	CEBALLOS
	2400	72	ROBLES

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	70	ROBLES
	0600	69	RAMOS
	0900	70	RAMOS
	1200	72	RAMOS
	1500	72	CEBALLOS
	1800	72	CEBALLOS
	2100	72	CEBALLOS
	2400	71	ROBLES

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	71	ROBLES
	0600	71	RAMOS
	0900	72	RAMOS
	1200	72	RAMOS
	1500	74	Hernandez
	1800	74	Hernandez
	2100	74	Hernandez
	2400	72	ROBLES

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	70	ROBLES
	0600	69	RAMOS
	0900	70	RAMOS
	1200	72	RAMOS
	1500	72	CAMPOS
	1800	72	CAMPOS
	2100	72	CAMPOS
	2400	70	CAMPOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING TWO, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	70	LOPEZ
	0600	70	ALMARAZ
	0900	72	ALMARAZ
	1200	74	ALMARAZ
	1500	74	LANDWEHR
	1800	74	LANDWEHR
	2100	72	LANDWEHR
	2400	70	LOPEZ

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	68	LOPEZ
	0600	70	HAKIM
	0900	74	HAKIM
	1200	75	HAKIM
	1500	72	LANDWEHR
	1800	72	LANDWEHR
	2100	72	LANDWEHR
	2400	72	CGARCIA

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	72	C.GARCIA
	0600	72	C.LEON DIAZ
	0900	74	C.LEON DIAZ
	1200	74	C.LEON DIAZ
	1500	75	LANDWEHR
	1800	75	LANDWEHR
	2100	75	LANDWEHR
	2400	74	Roberts

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	73	Roberts
	0600	73	aguilar
	0900	73	aguilar
	1200	74	aguilar
	1500	76	KREBS
	1800	76	LANDWEHR
	2100	76	LANDWEHR
	2400	75	Roberts

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	74	Roberts
	0600	74	JACOBS
	0900	74	JACOBS
	1200	76	JACOBS
	1500	76	KREBS
	1800	76	KREBS
	2100		
	2400	72	LOPEZ

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	72	LOPEZ
	0600	74	C.CHACLE
	0900	74	C.CHACLE
	1200	75	C.CHACLE
	1500	76	Carlson
	1800	76	Carlson
	2100	76	Carlson
	2400	74	Lopez

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	72	LOPEZ
	0600	72	ALMARAZ
	0900	74	ALMARAZ
	1200	74	ALMARAZ
	1500	75	L.FLORES
	1800	75	L.K
	2100	75	L.K
	2400	76	LOPEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

4755

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	N/A	
	0600	N/A	
	0900	70	CARIBA
	1200	70	CARIBA
	1500	70	Montgomery
	1800	70	Montgomery
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	N/A	
	0600	N/A	
	0900	N/A	
	1200	N/A	
	1500	70	Montgomery
	1800	72	Montgomery
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	N/A	
	0600	N/A	
	0900	68	CARIBA
	1200	70	CARIBA
	1500	70	WASDUSH
	1800	69	WASDUSH
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	N/A	
	0600	N/A	
	0900	74	CARIBA
	1200	74	CARIBA
	1500	N/A	
	1800	N/A	
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	N/A	
	0600	—	—
	0900	70	FOUTS
	1200	72	FOUTS
	1500	74	Montgomery
	1800	74	Montgomery
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	N/A	
	0600	—	—
	0900	70	FOUTS
	1200	72	FOUTS
	1500	72	Montgomery
	1800	72	Montgomery
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	N/A	
	0600	N/A	
	0900	68	CARIBA
	1200	68	CARIBA
	1500	68	Montgomery
	1800	68	Montgomery
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	N/A	
	0600	N/A	
	0900	78	Hodges
	1200	80	Hodges
	1500	83	Hodges
	1800	81	Hodges
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	N/A	
	0600	N/A	
	0900	81	Hodges
	1200	84	Hodges
	1500	84	Hodges
	1800	82	Hodges
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	83	Hodges
	1500	83	Hodges
	1800	81	Hodges
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	82	Hodges
	1500	84	Hodges
	1800	81	Hodges
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	81	Hodges
	1500	84	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	83	Hodges
	1500	86	Hodges
	1800	82	Hodges
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	80	Hodges
	1500	81	Hodges
	1800	78	Hodges
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	N/A	
	0600	68	Jacobs
	0900	70	Jacobs
	1200	N/A	
	1500	66	J. Noel
	1800	66	J. Noel
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	N/A	
	0600	69	Jacobs
	0900	71	Jacobs
	1200	N/A	
	1500	70	Jac
	1800	70	Jac
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	N/A	
	0600	70	Jacobs
	0900	72	Jacobs
	1200	N/A	
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	N/A	
	0600	70	Jacobs
	0900	72	Jacobs
	1200	N/A	
	1500	79	J. Noel
	1800	79	J. Noel
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	N/A	
	0600	70	S. NOEL
	0900	72	S. NOEL
	1200	N/A	
	1500	61	S. NOEL
	1800	61	S. NOEL
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	N/A	
	0600	72	ROZO
	0900	72	ROZO
	1200	N/A	
	1500	79	Rozo
	1800	78	Rozo
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	N/A	
	0600	70	Jacobs
	0900	70	Jacobs
	1200	N/A	
	1500	73	M. Ro
	1800	70	[illegible]
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: FAC-B Bldg. 3 Temp. Reading Location: Tier 3
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300	68	P. HENRY
	0600	66	R Vega
	0900	68	R Vega
	1200	70	R Vega
	1500	72	P. DRITONO
	1800	70	P. DRITONO
	2100	68	P. DRITONO
	2400	68	P HENRY

Tuesday

Date	Time	Temp.	Name (Print)
7-9-24	0300	68	P. HENRY
	0600	69	Chris
	0900	69	Chris
	1200	70	Chris
	1500	70	P. DRI TONO
	1800	70	P. DRI TONO
	2100	69	P. DRI TONO
	2400	69	J. Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	69	J. Hernandez
	0600	69	Chris
	0900	70	Chris
	1200	70	Chris
	1500	70	P. DRITONO
	1800	70	P. DRITONO
	2100	69	P. DRI TONO
	2400	68	Castillo

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	68	Castillo
	0600	68	Chris
	0900	69	Chris
	1200	69	Chris
	1500	70	P. DRITONO
	1800	69	P. DRITONO
	2100	69	P. DRI TONO
	2400	68	B. Sing

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	68	B. Sing
	0600	68	SHING
	0900	70	SHING
	1200	70	SHING
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	70	Martinez

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	70	Martinez
	0600	68°F	DE LA GARZA
	0900	70°F	DE LA GARZA
	1200	70°F	DE LA GARZA
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	70	Martinez

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	70	Martinez
	0600	68	R Vega
	0900	70	R Vega
	1200	72	R Vega
	1500	72	P. DRITONO
	1800	70	P. DRITONO
	2100	70	P. DRITONO
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B4-3 RHV Temp. Reading Location: B4 3rd Flr
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	70	D OROZCO
	0600	75	Rivera
	0900	72	Rivera
	1200	72	Rivera
	1500	72	Johnson
	1800	72	Johnson
	2100	72	Johnson
	2400	70	D. OROZCO,

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300	68	DOROZCO
	0600	67	Graves
	0900	72	Lopez
	1200	74	Lopez
	1500	72	Johnson
	1800	74	Johnson
	2100	74	P DALTON
	2400	74	P DALTON

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	70	P. DALTON
	0600	72	ALEMAN
	0900	72	ALEMAN
	1200	72	ALEMAN
	1500	72	TOSTE
	1800	71	TOSTE
	2100	72	Johnson
	2400	73	Johnson

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	71	Johnson
	0600	71	ALEMAN
	0900	72	ALEMAN
	1200	74	ALEMAN
	1500	73	Johnson
	1800	71	Johnson
	2100	71	Johnson
	2400	70	Rivera

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	70	Rivera
	0600	69	Franklin
	0900	70	Gonzalez
	1200	73	Gonzalez
	1500	74	Lugo
	1800	75	Lugo
	2100	72	Lugo
	2400	70	Rivera

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	70	Rivera
	0600	68	Gonzalez
	0900	69	Gonzalez
	1200	71	Gonzalez
	1500	72	Hernandez
	1800	73	Hernandez
	2100	71	Hernandez
	2400	70	Rivera

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	70	Rivera
	0600	68	Hernandez.
	0900	69	Hernandez
	1200	69	Hernandez
	1500	69	[illegible]
	1800	69	[illegible]
	2100	69	[illegible]
	2400	70	Rivera

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility B Diner Temp. Reading Location: Near Coffee Machine
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	N/A	N/A
	0600	69°	S. NOEL
	0900	69°	S. NOEL
	1200	70	S. NOEL
	1500	70	RAZO
	1800	70	RAZO
	2100	N/A	N/A
	2400	N/A	N/A

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	N/A	N/A
	0600	67	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	80	J. PIATTI
	1800	85	J. PIATTI
	2100	N/A	N/A
	2400	N/A	N/A

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	N/A	N/A
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	81	J. PIATTI
	1800	87	J. PIATTI
	2100	N/A	N/A
	2400	N/A	N/A

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	N/A	N/A
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	80	J. PIATTI
	1800	84	J. PIATTI
	2100	N/A	N/A
	2400	N/A	N/A

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	N/A	N/A
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	78	J. PIATTI
	1800	81	J. PIATTI
	2100	N/A	N/A
	2400	N/A	N/A

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	N/A	N/A
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	76	J. PIATTI
	1800	70	J. PIATTI
	2100	N/A	N/A
	2400	N/A	N/A

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	N/A	N/A
	0600	69°	S. NOEL
	0900	69°	S. NOEL
	1200		[illegible]
	1500	78	[illegible]
	1800	77	[illegible]
	2100	N/A	N/A
	2400	N/A	N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC-C-5 Temp. Reading Location: RVDE 5 3FLR (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300		Cashiho
	0600	73	Kingsley
	0900	75	Kingsley
	1200	76	Kingsley
	1500	76	Miguel
	1800	75	Miguel
	2100	75	Miguel
	2400		Cashiho

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	73	Lopez
	0600	74	Kingsley
	0900	76	Kingsley
	1200	76	Kingsley
	1500	75	Tabarez
	1800	75	Tabarez
	2100	75	Tabarez
	2400	73	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	70	Lopez
	0600	73	Davis
	0900	73	Davis
	1200	75	Davis
	1500	75	Ayala
	1800	75	Ayala
	2100	74	Ayala
	2400	71	Lopez

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	70	Lopez
	0600	68	S. Mason
	0900	72	S. Mason
	1200	75	S. Mason
	1500	76	[illegible]
	1800	78	[illegible]
	2100	73	[illegible]
	2400	70	C. Lopez

Friday

Date	Time	Temp.	Name (Print)
7-12-24	0300	70	C. Lopez
	0600	72	Kingsley
	0900	72	Kingsley
	1200	74	Kingsley
	1500	75	R. Tabarez
	1800	77	R. Tabarez
	2100	75	R. Tabarez
	2400	70	C. Lopez

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	70	C. Lopez
	0600	70	Kingsley
	0900	72	Kingsley
	1200	72	Kingsley
	1500	72	Silva
	1800	70	Silva
	2100	70	Silva
	2400	70	Rivera

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	70	Rivera
	0600	70	Kingsley
	0900	70	Kingsley
	1200	70	Kingsley
	1500	72	Silva
	1800	70	Silva
	2100	108	Silva
	2400	68	R. Silva

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Building 6 Temp. Reading Location: 3rd tier (e.g. 1st tier, 2nd tier, 3rd tier, etc)

FAC. C

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	74°	S. Banuelos
	0600	74	Rowlett
	0900	75	Rowlett
	1200	76	Rowlett
	1500	75	Zepeda
	1800	74	Zepeda
	2100	72	Zepeda
	2400	72°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	72°	S. Banuelos
	0600	72	Rowlett
	0900	72	Rowlett
	1200	74	Rowlett
	1500	75	E. Ayon Flores
	1800	76	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	73°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	73°	S. Banuelos
	0600	72	Rowlett
	0900	73	Rowlett
	1200	74	Rowlett
	1500	75	E. Ayon Flores
	1800	76	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	73	R Sayles

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	72	R Sayles
	0600	73	Rowlett
	0900	73	Rowlett
	1200	74	Rowlett
	1500	75	Ayon Flores
	1800	74	Ayon Flores
	2100	74	Ayon Flores
	2400	71	CATRON

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	71	CATRON
	0600	70	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	74	Zepeda
	1800	72	Zepeda
	2100	72	Zepeda
	2400	72°	S. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	72°	S. Banuelos
	0600	72	A. Alfaro
	0900	72	A. Alfaro
	1200	72	A. Alfaro
	1500	74	C. Gonzalez
	1800	74	C. Gonzalez
	2100	74	C. Gonzalez
	2400	72°	C. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	72°	S. Banuelos
	0600	72	Rowlett
	0900	72	Rowlett
	1200	74	Rowlett
	1500	75	Zepeda
	1800	74	Zepeda
	2100	73	Zepeda
	2400	73°	S. Banuelos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C.M.C Housing Unit: Facility - C Temp. Reading Location: Diner (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300		N/A
	0600	70°	Montano
	0900	75	Montano
	1200		N/A
	1500	78	GARCIA.
	1800		GARCIA
	2100		
	2400		N/A

Tuesday

Dat	Time	Temp.	Name (Print)
7-9-24	0300		N/A
	0600	70°	S. NOEL
	0900	74°	S. NOEL
	1200		N/A
	1500		
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-10-24	0300		N/A
	0600	70	Montano
	0900	74	Montano
	1200		
	1500		N/
	1800		/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-11-24	0300		N/A
	0600	70	Montano
	0900	74	Montano
	1200		N/A
	1500	79	GARCIA
	1800	79	GARCIA
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-12-24	0300		N/A
	0600	70°	Montano
	0900	75	Montano
	1200		N/A
	1500	78	GARCIA
	1800	81	GARCIA
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7-13-24	0300		N/A
	0600	70	Montano
	0900	76	Montano
	1200		N/A
	1500	77	GARCIA
	1800	80	GARCIA
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7-14-24	0300		N/A
	0600	70	Montano
	0900	74	Montano
	1200		N/A
	1500	79	GARCIA
	1800	79	GARCIA
	2100		
	2400		N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 FAC. D Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	68	Rodgers
	0600	68	Witt
	0900	69	Witt
	1200	70	Witt
	1500	74	Witt
	1800	73	Witt
	2100	72	Witt
	2400	72	TORRES

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300	70	TORRES
	0600	70	Witt
	0900	70	Witt
	1200	72	Witt
	1500	73	Witt
	1800	72	Witt
	2100	72	Witt
	2400	71	T. Gort

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	69	T. Gort
	0600	69	Dennerlein
	0900	69	Dennerlein
	1200	70	Dennerlein
	1500	74°	T. Faiola
	1800	74°	T. Faiola
	2100	70°	T. Faiola
	2400	70	Jensen

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	68	Jensen
	0600	67	Dennerlein
	0900	67	Dennerlein
	1200	76	Dennerlein
	1500	76°	T. Faiola
	1800	76°	T. Faiola
	2100	74°	T. Faiola
	2400	73	T. Gort

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	69	T. Gort
	0600	70	Witt
	0900	70	Witt
	1200	70	Witt
	1500	72°	T. Faiola
	1800	72°	T. Faiola
	2100	70	T. Faiola
	2400	70	T. Gort

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	69	T. Gort
	0600	70	Witt
	0900	70	Witt
	1200	70	Witt
	1500	72°	T. Faiola
	1800	72°	T. Faiola
	2100	71	T. Faiola
	2400	70°	T. Gort

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	69°	Benavides
	0600	69°	Flores
	0900	69	Flores
	1200	69	Flores
	1500	72	Wheeler
	1800	72	Wheeler
	2100	71	Wheeler
	2400	70°	Benavides

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 8 Temp. Reading Location: 3rd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Fac. D

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	74	TORRES
	0600	72	E. Gonzalez
	0900	73	E. Gonzalez
	1200	76	E. Gonzalez
	1500	76	Bender
	1800	75°	Bender
	2100	74°	Bender
	2400	73	Cleveley

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300	72	Cleveley
	0600	72	E. Gonzalez
	0900	74	E. Gonzalez
	1200	74	E. Gonzalez
	1500	74	Cook
	1800	74	Cook
	2100	74	Fisher
	2400	73	Cleveley

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	73	Cleveley
	0600	72	Pelayo
	0900	74°	Pelayo
	1200	75°	Pelayo
	1500	76	Bender
	1800	75°	Bender
	2100	74°	Bender
	2400	74	Cleveley

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	73	Cleveley
	0600	72	Pelayo
	0900	72	Pelayo
	1200	75°	Pelayo
	1500	77°	Bender
	1800	76	Bender
	2100	74°	Bender
	2400	74	Cleveley

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	73	Cleveley
	0600	72	Pelayo
	0900	72	Pelayo
	1200	74°	Pelayo
	1500	76	Bender
	1800	75°	Bender
	2100	74°	Bender
	2400	74	Cleveley

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	74	Castillo
	0600	72	Pelayo
	0900	73	Pelayo
	1200	74	Pelayo
	1500	74	Mullins
	1800	74	Mullins
	2100	73	Mullins
	2400	72	Torres

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	72	TORRES
	0600	72	Pelayo
	0900	72	Pelayo
	1200	74	Pelayo
	1500	74	Mullins
	1800	74	Mullins
	2100	73	Mullins
	2400	74	TORRES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D. Diner Temp. Reading Location: Diner Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	70	—
	0600	70	Adamt
	0900	76	Adamt
	1200	76	Adamt
	1500	77	[illegible]
	1800	78	[illegible]
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	—	—
	0600	70	Bankston
	0900	73	Bankston
	1200	75	Bankston
	1500	81°	D. Simpson
	1800	82°	D. Simpson
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	—	—
	0600	70	FLORES
	0900	74	FLORES
	1200	—	—
	1500	82°	Z. Marks
	1800	82°	Z. Marks
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300		
	0600	[illegible]	70 - COBB
	0900	[illegible]	72 - COBB
	1200	[illegible]	72 - COBB
	1500	74	GILBERT
	1800	72	GILBERT
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	—	—
	0600	74	[illegible]
	0900	76	[illegible]
	1200	76	[illegible]
	1500	82	J. Hernandez
	1800	82	J. Hernandez
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	—	—
	0600	67	Martyn
	0900	67	Martyn
	1200	68	Martyn
	1500	78	Lizarraga
	1800	76	LIZARRAGA
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	—	—
	0600	66	Martyn
	0900	66	Martyn
	1200	67	Martyn
	1500	75	LANDWEHR
	1800	75	LANDWEHR
	2100	75	LANDWEHR
	2400	—	—

Notes

week of 7-8-24

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70	VASQUEZ
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	GOMEZ
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	70	VASQUEZ
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	Arguijo

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	70	Arguijo
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	70	Arguijo
	0600	70	JIMENEZ
	0900	70	JIMENEZ
	1200	70	JIMENEZ
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	70	Arguijo
	0600	70	Arguijo
	0900	71	Arguijo
	1200	72	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 31 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70	VASQUEZ
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	GOMEZ
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	70	VASQUEZ
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	74	Moreno
	1800	74	Moreno
	2100	74	Moreno
	2400	70	Arguijo

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	70	Arguijo
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	70	Arguijo
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	70	Arguijo
	0600	70	Arguijo
	0900	71	Arguijo
	1200	72	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 32
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70	VASQUEZ
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	GOMEZ
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	70	VASQUEZ
	0600	70	RAMOS
	0900	70	RAMOS
	1200	72	RAMOS
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	74	Moreno
	1800	74	Moreno
	2100	74	Moreno
	2400	70	Arguijo

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	70	Arguijo
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	70	Arguijo
	0600	70	Dimas
	0900	70	Dimas
	1200	70	Dimas
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	70	Arguijo
	0600	70	Arguijo
	0900	71	Arguijo
	1200	72	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 33
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70	VASQUEZ
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	GOMEZ
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	70	VASQUEZ
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	74	Moreno
	1800	74	Moreno
	2100	74	Moreno
	2400	70	Arguijo

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	70	Arguijo
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	70	Arguijo
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	70	Arguijo
	0600	70	Arguijo
	0900	71	Arguijo
	1200	72	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 34 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70	VASQUEZ
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	Gomez
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	70	VASQUEZ
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	74	Moreno
	1800	74	Moreno
	2100	74	Moreno
	2400	70	Arguijo

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	70	Arguijo
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	70	Arguijo
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	70	Arguijo
	0600	70	Arguijo
	0900	71	Arguijo
	1200	72	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	70	VASQUEZ
	1200	70	GOMEZ
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	NO ACCESS	
	2400	NO ACCESS	

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	Moreno
	1800	72	Moreno
	2100	NO ACCESS	
	2400	NO ACCESS	

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	70	Argujo
	1200	70	Argujo
	1500	74	Moreno
	1800	74	Moreno
	2100	NO ACCESS	
	2400	NO ACCESS	

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	70	Argujo
	1200	70	Argujo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	
	2400	NO ACCESS	

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	70	SIMPSON
	1200	70	SIMPSON
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	
	2400	NO ACCESS	

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	70	Argujo
	1200	70	Argujo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	
	2400	NO ACCESS	

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	71	Argujo
	1200	72	Argujo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	
	2400	NO ACCESS	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC PROGRAM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70	VASQUEZ
	0600	70	VASQUEZ
	0900	72	VASQUEZ
	1200	70	Gomez
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	70	VASQUEZ
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	Arguijo

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	70	Arguijo
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	70	Arguijo
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	70	Arguijo
	0600	70	Arguijo
	0900	71	Arguijo
	1200	72	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		N/A
	0600	72	Hampton
	0900	74	Hampton
	1200	72	Jones
	1500	74	Jones
	1800	74	Jones
	2100		
	2400		N/A

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300		N/A
	0600	68	J. Feist
	0900	70	J. Feist
	1200	71	Jones
	1500	72	Jones
	1800	74	Jones
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		N/A
	0600	72	J. Feist
	0900	72	J. Feist
	1200	72	Jones
	1500	74	Jones
	1800	74	Jones
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		N/A
	0600	70°	J. Feist
	0900	70°	J. Feist
	1200	74	Jones
	1500	75	Jones
	1800	76	Jones
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		N/A
	0600	70	J. Feist
	0900	70	J. Feist
	1200	72	Hampton
	1500	74	Hampton
	1800	72	Hampton
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		N/A
	0600	68°	J. Feist
	0900	70°	J. Feist
	1200	70	Hampton
	1500	72	Hampton
	1800	70	Hampton
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		N/A
	0600	68	Hampton
	0900	70	Hampton
	1200	68	Jones
	1500	72	Jones
	1800	72	Jones
	2100		
	2400		N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: KITCHEN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70	VASQUEZ
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	GOMEZ
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	70	VASQUEZ
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	MORENO
	1800	72	MORENO
	2100	72	MORENO
	2400	70	VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	70	VASQUEZ
	0600	70	ARGUIJO
	0900	70	ARGUIJO
	1200	70	ARGUIJO
	1500	72	MORENO
	1800	72	MORENO
	2100	72	MORENO
	2400	70	ARGUIJO

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	70	ARGUIJO
	0600	70	ARGUIJO
	0900	70	ARGUIJO
	1200	70	ARGUIJO
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	ARGUIJO

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	70	ARGUIJO
	0600	70	JIMENEZ
	0900	70	JIMENEZ
	1200	70	JIMENEZ
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	70	VASQUEZ
	0600	70	ARGUIJO
	0900	70	ARGUIJO
	1200	70	ARGUIJO
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	ARGUIJO

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	70	ARGUIJO
	0600	70	ARGUIJO
	0900	71	ARGUIJO
	1200	72	ARGUIJO
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300		N/A
	0600		
	0900	72	Gottesfeld
	1200	75	"
	1500	77	
	1800	80	"
	2100		
	2400		N/A

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300		N/A
	0600		
	0900	73	Gottesfeld
	1200	75	"
	1500	75	"
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300		N/A
	0600		
	0900	73	Gottesfeld
	1200	76	"
	1500	75	"
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300		N/A
	0600		
	0900	73	Gottesfeld
	1200	76	"
	1500	76	"
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300		N/A
	0600		
	0900	76	Gottesfeld
	1200	78	— " —
	1500		
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/13	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/14	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 TO 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: E. MAIN CANTEEN Temp. Reading Location: MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/08	0300		N/A
	0600		
	0900	70	[illegible]
	1200	72°	TA [illegible]
	1500	74	[illegible]
	1800	72°	TA [illegible]
	2100		
	2400		N/A

Tuesday

Date	Time	Temp.	Name (Print)
7/09	0300		N/A
	0600		
	0900	70	[illegible]
	1200	72	[illegible]
	1500	72	[illegible]
	1800	72	TA [illegible]
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		N/A
	0600		
	0900	70	[illegible]
	1200	72	[illegible]
	1500	74	[illegible]
	1800	75	TA [illegible]
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		N/A
	0600		
	0900	72	[illegible]
	1200	73	[illegible]
	1500	74	TA [illegible]
	1800	74	TA [illegible]
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		N/A
	0600		
	0900	72	[illegible]
	1200	73	[illegible]
	1500	74	[illegible]
	1800	74	TA [illegible]
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	—	—
	0600	67	J. MILLS
	0900	68	MILLS
	1200	69	WEBB
	1500	69	WEBB
	1800	69	WEBB
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/2024	0300	—	—
	0600	67	J. MILLS
	0900	68	MILLS
	1200	69	WEBB
	1500	72	WEBB
	1800	70	WEBB
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	—	—
	0600	68	Medros
	0900	70	Medros
	1200	70	SCOTT
	1500	72	SCOTT
	1800	72	SCOTT
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	—	—
	0600	68	Medros
	0900	70	Medros
	1200	73	SCOTT
	1500	74	SCOTT
	1800	74	SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	—	—
	0600	68°	Andre
	0900	70°	Andre
	1200	70°	Boling
	1500	71°	Boling
	1800	71°	Boling
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	—	—
	0600	67	Castro
	0900	69	Castro
	1200	68	WEBB
	1500	69	WEBB
	1800	69	WEBB
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	—	—
	0600	66	SCOTT
	0900	67	SCOTT
	1200	67	WEBB
	1500	67	WEBB
	1800	67	WEBB
	2100	—	—
	2400	—	—

Notes

7/8/2024 to 7/14/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant Ops Temp. Reading Location: Z-15JA
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/8/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	G Gary
	1200	70	G Gary
	1500	70	G Gary
	1800		
	2100		N/A
	2400		

Tuesday 7/9/2024

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	72	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Wednesday 7/10/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	G Gary
	1200	70	G Gary
	1500	70	G Gary
	1800		
	2100		N/A
	2400		

Thursday 7/11/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	72	G Gary
	1500	72	G Gary
	1800		
	2100		N/A
	2400		

Friday 7/12/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	G Gary
	1200	73	G Gary
	1500	74	G Gary
	1800		
	2100		N/A
	2400		

Saturday 7/13

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 7/14

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECOR.
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: GMC Housing Unit: P.I.A. Temp. Reading Location: Safety T-Shirt (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/8/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J. Johnson
	1200	80	J. Johnson
	1500	80	J. Johnson
	1800		
	2100		N/A
	2400		

Tuesday 7/9/24

Dat	Time	Temp	Name (Print)
	0300		N/A
	0600		
	0900	70	J. Johnson
	1200	72	J. Johnson
	1500	75	J. Johnson
	1800		
	2100		N/A
	2400		

Wednesday 7/10/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J. Johnson
	1200	65	J. Johnson
	1500	80	J. Johnson
	1800		
	2100		N/A
	2400		

Thursday 7/11/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday 7/12/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 7/13/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 7/14/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 TO 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting Mill Temp. Reading Location: Compressor Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/8

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76°	Richardson M
	1200	84°	Richardson M.
	1500	84°	Richardson M.
	1800		
	2100		N/A
	2400		

Tuesday 7/9

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	Richardson M.
	1200	80°	Richardson M.
	1500	86°	Richardson M.
	1800		
	2100		N/A
	2400		

Wednesday 7/10

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	N/A	
	1200	N/A	
	1500	N/A	
	1800		
	2100		
	2400		

Thursday 7/11

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	80°	Richardson M.
	1200	85°	Richardson M.
	1500	88°	Richardson M.
	1800		
	2100		N/A
	2400		

Friday 7/12

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday 7/13

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday 7/14

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes 7/8/24 — 7/11/24

NOTE: 7-10-24 FACTORY WAS closed to incarcerated workers

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C M C Housing Unit: P R I N T P L A N T Temp. Reading L o c a t i o n : C e n t r a l P o s t , 1 s t T i e r

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONTH / YEAR: JULY, 2024

Monday

Date	Time	Temp.	Name (Print)
8	0300		N/A
	0600		
	0900	68	
	1200	70	
	1500	73	
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9	0300		N/A
	0600		
	0900	68	
	1200	70	
	1500	77	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10	0300		N/A
	0600		
	0900	68	
	1200	70	
	1500	78	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
11	0300		N/A
	0600		
	0900	69	
	1200	77	
	1500	79	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
12	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
14	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: [illegible] Temp. Reading Location: CMC (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8	0300		N/A
	0600	75°	C. Sanchez
	0900	76°	C. Sanchez
	1200	77°	C. Sanchez
	1500	80°	C. Sanchez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7-9	0300		N/A
	0600	70°	C. Sanchez
	0900	75°	C. Sanchez
	1200	78°	C. Sanchez
	1500	80°	C. Sanchez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-10	0300		N/A
	0600	70°	C. Sanchez
	0900	74°	C. Sanchez
	1200	79	C. Sanchez
	1500	82	C. Sanchez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-11	0300		N/A
	0600	77°	C. Sanchez
	0900	77°	R. Estes
	1200	78°	C. Sanchez
	1500	81°	C. Sanchez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		N/A
	0600	75°	
	0900	75°	AH
	1200	75°	
	1500	75°	
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300		N/A
	0600	75°	
	0900	75°	AH
	1200	75°	
	1500	75°	
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		N/A
	0600	75°	
	0900	75°	AH
	1200	75°	
	1500	75°	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		N/A
	0600	75°	
	0900	75°	FS
	1200	75°	
	1500	75°	
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		N/A
	0600	75°	
	0900	75°	FS
	1200	75°	
	1500	75°	
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		CL
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		CL
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Jacket Factory Temp. Reading Location: 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		
	0600		
	0900	69	J. Diaz
	1200	71	J. Diaz
	1500	72	J. Diaz
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300		
	0600		
	0900	68	CHOI
	1200	71	CHOI
	1500	72	CHOI
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: P1A Temp. Reading Location: 1st Floor Fabric. + Wet Process
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		
	0600		
	0900	68	CHOI
	1200	71	CHOI
	1500	72	CHOI
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300		
	0600		
	0900	68	CHOI
	1200	70	CHOI
	1500	73	CHOI
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		
	0600		
	0900	67	CHOI
	1200	70	CHOI
	1500	72	CHOI
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		
	0600		
	0900	68	CHOI
	1200	76	CHOI
	1500	80	CHOI
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Jacket Factory Temp. Reading Location: Jacket 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		
	0600		
	0900	66	D Cooper
	1200	75	D Cooper
	1500	76	D Cooper
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300		
	0600		
	0900	67	D Cooper
	1200	74	D Cooper
	1500	81	D Cooper
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		
	0600		
	0900	72	D Cooper
	1200	80	D Cooper
	1500	82	D Cooper
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		
	0600		
	0900	73	D Cooper
	1200	83	D Cooper
	1500	82	D Cooper
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

ATTACHMENT B

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: Inmate Office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		N/A
	0600		
	0900	76	Wong
	1200	77	Wong
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300		N/A
	0600		
	0900	77	Wong
	1200	77	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		
	0600		
	0900	OFF	
	1200		
	1500		
	1800	NO	Work
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		N/A
	0600		
	0900	76	Wong
	1200	79	Wong
	1500		
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 TO 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Boot (Shop Factory) Temp. Reading Location: 1/1A Beds (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		N/A
	0600	75°	Rick H
	0900	77°	Rick H
	1200	80°	Rick H
	1500	83°	Rick H
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300		N/A
	0600	74	R. Fant
	0900	76	R. Fant
	1200	80	R. Fant
	1500	85	Rick Howe
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		N/A
	0600	75°	Rick H
	0900	77	R. Fant
	1200	81°	Rick H
	1500	82°	Rick H
	1800		
	2100		N/A.
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		N/A
	0600	75°	Rick H
	0900	79	R. Fant
	1200	84	R. Fant
	1500	86	R. Fant
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 7/8/2024 to 7/14/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp.Reading Location: **Protestant Chapel EAST**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		N/A
	0600		
	0900	68	[illegible]
	1200	70	[illegible]
	1500	72	[illegible]
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300		
	0600		N/A
	0900		
	1200		
	1500	70	[illegible]
	1800	70	[illegible]
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		N/A
	0600		
	0900	64	[illegible]
	1200	68	[illegible]
	1500	70	[illegible]
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		N/A
	0600		
	0900	68	[illegible]
	1200	70	[illegible]
	1500	72	[illegible]
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		N/A
	0600		
	0900	74	[illegible]
	1200	76	[illegible]
	1500		
	1800		
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/8/2024 to 7/14/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Watch Office

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7.8.24	0100	51	ZEPEDA
	0200	51	ZEPEDA
	0300	50	ZEPEDA
	0400	50	ZEPEDA
	0500	53	ZEPEDA
	0600	57	DeluTorre
	0700	57	DeluTorre
	0800	57	DeluTorre
	0900	62	DeluTorre
	1000	67	DeluTorre
	1100	70	DeluTorre
	1200	74	DeluTorre
	1300	79	DeluTorre
	1400	72	Rupp
	1500	70	Rupp
	1600	70	Rupp
	1700	67	Rupp
	1800	55	Rupp
	1900	62	Rupp
	2000	57	Rupp
	2100	54	Rupp
	2200	53	ZEPEDA
	2300	53	ZEPEDA
	2400	52	ZEPEDA

Date	Time	Temp.	Printed Name
7/9/24	0100	51	ZEPEDA
	0200	51	ZEPEDA
	0300	50	ZEPEDA
	0400	50	ZEPEDA
	0500	50	ZEPEDA
	0600	50	ZEPEDA
	0700	52	DeluTorre
	0800	56	DeluTorre
	0900	58	DeluTorre
	1000	58	DeluTorre
	1100	69	DeluTorre
	1200	79	DeluTorre
	1300	79	DeluTorre
	1400	75	Rupp
	1500	70	Rupp
	1600	67	Rupp
	1700	65	Rupp
	1800	62	Rupp
	1900	59	Rupp
	2000	55	Rupp
	2100	55	Rupp
	2200	53	ZEPEDA
	2300	53	ZEPEDA
	2400	52	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-10-21	0100	51	ZEREDA
	0200	51	ZEREDA
	0300	51	ZEREDA
	0400	50	ZEREDA
	0500	50	ZEREDA
	0600	50	ZEREDA
	0700	51	DeLaTorre
	0800	57	DeLaTorre
	0900	63	DeLaTorre
	1000	68	DeLaTorre
	1100	70	DeLaTorre
	1200	75	DeLaTorre
	1300	75	DeLaTorre
	1400	75	J. COTA
	1500	75	J. COTA
	1600	75	J. COTA
	1700	74	J. COTA
	1800	70	J. COTA
	1900	65	J. COTA
	2000	60	J. COTA
	2100	55	J. COTA
	2200	52	ZEREDA
	2300	52	ZEREDA
	2400	51	ZEREDA

Date	Time	Temp.	Printed Name
9-11-21	0100	51	ZEREDA
	0200	50	ZEREDA
	0300	50	ZEREDA
	0400	49	ZEREDA
	0500	49	ZEREDA
	0600	49	ZEREDA
	0700	51	FOUTS
	0800	55	FOUTS
	0900	66	FOUTS
	1000	70	FOUTS
	1100	77	FOUTS
	1200	86	FOUTS
	1300	89	RUPP
	1400	85	RUPP
	1500	80	RUPP
	1600	78	RUPP
	1700	75	RUPP
	1800	70	RUPP
	1900	69	RUPP
	2000	65	RUPP
	2100	61	RUPP
	2200	56	ZEREDA, J
	2300	56	ZEREDA, J
	2400	55	ZEREDA, J

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-12-24	0100	51	ZEPEDA, J
	0200	51	ZEPEDA, J
	0300	50	ZEPEDA, J
	0400	50	ZEPEDA, J
	0500	49	ZEPEDA, J
	0600	49	ZEPEDA, J
	0700	53	DelaTorre
	0800	53	DelaTorre
	0900	61	DelaTorre
	1000	68	C. PRICE
	1100	70	DelaTorre
	1200	70	DelaTorre
	1300	72	DelaTorre
	1400	75	RUPP
	1500	79	RUPP
	1600	79	RUPP
	1700	75	RUPP
	1800	70	RUPP
	1900	69	RUPP
	2000	65	RUPP
	2100	60	RUPP
	2200	53	ZEPEDA
	2300	53	ZEPEDA
	2400	52	ZEPEDA

Date	Time	Temp.	Printed Name
7-13-24	0100	52	ZEPEDA
	0200	52	ZEPEDA
	0300	53	ZEPEDA
	0400	53	ZEPEDA
	0500	53	ZEPEDA
	0600	53	ZEPEDA
	0700	55	DelaTorre
	0800	57	DelaTorre
	0900	60	DelaTorre
	1000	65	DelaTorre
	1100	68	DelaTorre
	1200	68	DelaTorre
	1300	70	DelaTorre
	1400	76	DelaTorre
	1500	79	RUPP
	1600	75	RUPP
	1700	72	RUPP
	1800	71	RUPP
	1900	70	RUPP
	2000	70	RUPP
	2100	65	RUPP
	2200	51	ZEPEDA
	2300	50	ZEPEDA
	2400	50	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-14-2024	0100	52	ZEPEDA
	0200	52	ZEPEDA
	0300	52	ZEPEDA
	0400	52	ZEPEDA
	0500	52	ZEPEDA
	0600	53	ZEPEDA
	0700	55	DelaTorre
	0800	60	DelaTorre
	0900	62	DelaTorre
	1000	65	DelaTorre
	1100	65	DelaTorre
	1200	68	DelaTorre
	1300	70	DelaTorre
	1400	72	DelaTorre
	1500	75	Rupp
	1600	72	Rupp
	1700	70	Rupp
	1800	67	Rupp
	1900	63	Rupp
	2000	57	Rupp
	2100	53	Rupp
	2200	50	ZEPEDA
	2300	50	ZEPEDA
	2400	50	ZEPEDA

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From July 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list July be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday July 15, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday July 16, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Wednesday July 17, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	55	J FARAD
	1200	68	"
	1500	70	"
	1800		
	2100		N/A.
	2400		

Thursday July 18, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. FARAD
	1200	68	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Friday July 19, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday July 20 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday July 21, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600		
	0900	74	ARTHUR CASSIDY
	1200	76	ARTHUR CASSIDY
	1500	76	ARTHUR CASSIDY
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600		
	0900	74	ARTHUR CASSIDY
	1200	76	ARTHUR CASSIDY
	1500	78	ARTHUR CASSIDY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		N/A
	0600		
	0900	73	M. GORON
	1200	75	M. GORON
	1500	77	M. GORON
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600		
	0900	72	ARTHUR CASSIDY
	1200	76	ARTHUR CASSIDY
	1500	78	ARTHUR CASSIDY
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		N/A
	0600		
	0900	72	A CASSIDY
	1200	74	A CASSIDY
	1500	78	A. CASSIDY
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Ed Office Temp. Reading Location: B135
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600		
	0900	67	Thompson
	1200	65	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600		
	0900	67	Thompson
	1200	69.5	E. Boaz
	1500	70	Thompson
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		N/A
	0600		
	0900	65	Thompson
	1200	68	Thompson
	1500	70	Thompson
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600		
	0900	66	Thompson
	1200	71	Thompson
	1500	73	Thompson
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		N/A
	0600		
	0900	66	Thompson
	1200	71	Thompson
	1500	73	Thompson
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-229, Testing Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		
	0600		
	0900		
	1200		
	1500		NO
	1800		I/M
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600		
	0900	74	
	1200	75	Mathis
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		
	0600		
	0900		
	1200		NO
	1500		I/M
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600		
	0900	74	Mathis
	1200	75	Mathis
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		N/A
	0600		
	0900	74	Mathis
	1200	75	Mathis
	1500		
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	S. MOORE/C. BERRY
	1200	75	S. MOORE/C. BERRY
7/15	1500	76	S. MOORE/C. BERRY
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75	S. MOORE/C. BERRY
	1200	76	S. MOORE/C. BERRY
	1500	79	S. MOORE/C. BERRY
7/16	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	75	S. MOORE/C. BERRY
7/17	1500	76	S. MOORE/C. BERRY
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	75	S. MOORE/C. BERRY
7/18	1500	76	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75	S. MOORE/C. BERRY
	1200	76	S. MOORE/C. BERRY
7/19	1500	79	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
7/20	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
7/21	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

Docusign Envelope ID: 4B6FF804-C351-46FB-B8D6-A8519348EA2A

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: N/A Temp. Reading Location: Z-221 Voc. Build Maint.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4617 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		N/A - RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		N/A -- RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Z-211 / Maintenance Corridor Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO CONTACT	
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	XXX	XXX
	0600	XXX	XXX
	0900	76	
	1200	78	
	1500	no contact	
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	XXX	XXX
	0600	XXX	XXX RDO
	0900	NO CONTACT	
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO Contact	
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO Contact	
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4621

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 0120 Temp. Reading Location: East Library (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600		
	0900	72	A. Garcia
	1200	75	A. Garcia
	1500	76	A. Garcia
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600		
	0900	72	A. Garcia
	1200	72	A. Garcia
	1500	75	A. Garcia
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		N/A
	0600		
	0900	72	A. Garcia
	1200	75	A. Garcia
	1500	75	A. Garcia
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600		
	0900	73	A. Garcia
	1200	75	A. Garcia
	1500	78	A. Garcia
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		N/A
	0600		
	0900	72	A. Garcia
	1200	78	A. Garcia
	1500	78	A. Garcia
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		
	1500	RDO	
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.0	Friend
	1200	74.8	Friend
	1500	74.9	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71.8	Friend
	1200	76.5	Friend
	1500	75.7	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.3	Friend
	1200	76.4	Friend
	1500	75.5	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.2	Friend
	1200	76.4	Friend
	1500	76.6	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71.2	Friend
	1200	77.1	Friend
	1500	no contact	
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4711

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Medical Corridor Temp. Reading Location: Classroom B-125
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-15-24

Date	Time	Temp.	Name (Print)
	0300	XXXXXX	XXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXX
	0900	68°	Mark Kirstein
	1200	68°	Mark Kirstein
	1500	72°	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXX

Tuesday 7-16-24

Date	Time	Temp.	Name (Print)
	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900	70°	Mark Kirstein
	1200	71°	Mark Kirstein
	1500	72°	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900	69°	Mark Kirstein
	1200	70°	Mark Kirstein
	1500	72°	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	XXXX	XXXXXXXXXXXXXX
	0600	XXXX	XXXXXXXXXXXXXX
	0900	68°	Mark Kirstein
	1200	70°	Mark Kirstein
	1500	72°	Mark Kirstein
	1800	XXXX	XXXXXXXXXXXXXX
	2100	XXXX	XXXXXXXXXXXXXX
	2400	XXXX	XXXXXXXXXXXXXX

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	XXXX	XXXXXXXXXXXXXX
	0600	XXXX	XXXXXXXXXXXXXX
	0900	68°	Mark Kirstein
	1200	70°	Mark Kirstein
	1500	72°	Mark Kirstein
	1800	XXXX	XXXXXXXXXXXXXX
	2100	XXXX	XXXXXXXXXXXXXX
	2400	XXXX	XXXXXXXXXXXXXX

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A-158 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65°	R. Lopez
7/15	1200	70°	R. Lopez
	1500	75°	R. Lopez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66°	R. Lopez
7/16	1200	66°	R. Lopez
	1500	64°	R. Lopez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	60°	R. Lopez
7/17	1200	62°	R. Lopez
	1500	64°	R. Lopez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	60°	R. Lopez
7/18	1200	62°	R. Lopez
	1500	70°	R. Lopez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76/75	R. Lopez
7/19	1200	76°	R. Lopez
	1500	80°	R. Lopez
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RPO	
7/20	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
7/21	0600	RPO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/15/2024 to 7/21/2024

ATTACHMENT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-101 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300		
	0600		
	0900	73	Deputy
	1200	74.1	Deputy
	1500	75	Deputy
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300		
	0600		
	0900	74.5	Deputy
	1200	75.6	Deputy
	1500	75.9	Deputy
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300		
	0600		
	0900	75	Deputy
	1200	77	Deputy
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		
	0600		
	0900		
	1200		
	1500		NO
	1800		I/M
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		
	0600		
	0900		
	1200		NO
	1500		I/M
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

J. Deputy

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom D-104 Temp. Reading Location: Teacher's Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600		
	0900	72	Todd
	1200	75	Todd
	1500	79	Todd
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600		
	0900	73	Todd
	1200	78	Todd
	1500	82	Todd
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		N/A
	0600		
	0900	74	Todd
	1200	76	Todd
	1500	80	Todd
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600		
	0900	74	Todd
	1200	74	Todd
	1500	75	Todd out
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		
	0600		
	0900		Todd Sick
	1200		Todd
	1500		Todd
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DELGADILLO, K ABE-3

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: ~~[illegible]~~ D-106 Temp. Reading Location: East Education (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	/	METROGEN
	0600		
	0900		NO CONTACT
	1200		
	1500		
	1800	/	
	2100		
	2400	/	

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	/	METROGEN
	0600		
	0900	74	
	1200	76	
	1500	76	
	1800		
	2100	/	
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	/	METROGEN
	0600		
	0900	74	
	1200	76	
	1500	78	NO CONTACT
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	/	METROGEN
	0600		
	0900	74	
	1200	74	
	1500	76	
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	/	METROGEN
	0600		
	0900	74	
	1200	76	
	1500	78	
	1800		
	2100		
	2400	/	

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

~~K. Delgadillo, ABE-3 Instructor~~

R. Martinez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom L-125 Temp. Reading Location: NA
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300		No Student Contact
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300		No Student Contact
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300		No Student Contact.
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300		N/A
	0600		
	0900	70°	W. Bacila
	1200	74°	W. Bacila
	1500	76°	W. Bacila
	1800		
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300		N/A
	0600		
	0900	No Student Contact	
	1200	75°	W. Bacila
	1500	78°	W. Bacila
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
RDO	0300		No Student Contact
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
RDO	0300		No Student Contact
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Classes run M-F from 0800 - 1515

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.9	Zelenski/Diederich/Puett
	1200	76.6	Zelenski/Diederich/Puett
	1500	76.4	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	80.9	Zelenski/Diederich/Puett
	1200	77.9	Zelenski/Diederich/Puett
	1500	76.0	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68.7	Zelenski/Diederich/Puett
	1200	77.5	Zelenski/Diederich/Puett
	1500	79.2	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
07/17/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.7	Zelenski/Diederich/Puett
	1200	78.9	Zelenski/Diederich/Puett
	1500	80.9	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	82.6	Zelenski/Diederich/Puett
	1200	80.9	Zelenski/Diederich/Puett
	1500	79.5	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski./Diederich/Puett, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: Gym Corridor #6
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-15-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	D. JACOBEN
	1200	73°	D. JACOBEN
	1500	73°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Tuesday 7-16-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	D. JACOBEN
	1200	76°	D. JACOBEN
	1500	77°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Wednesday 7-17-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71°	D. JACOBEN
	1200	75°	D. JACOBEN
	1500	77°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Thursday 7-18-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	D. JACOBEN
	1200	76°	D. JACOBEN
	1500	80°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Friday 7-19-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	D. JACOBEN
	1200	76°	D. JACOBEN
	1500	79°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Saturday 7/20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 7/21

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

D. Jacoben

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom AF Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300		N/A
	0600		
	0900	72°	W. Bacila
	1200	76°	W. Bacila
	1500	78°	W. Bacila
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300		N/A
	0600	70°	
	0900	72°	
	1200	73°	
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300		N/A
	0600		
	0900	70°	
	1200	72°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300		N/A
	0600		
	0900	72°	
	1200	75°	
	1500	80°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300		N/A
	0600		
	0900	75°	
	1200	80°	
	1500	80°	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

Docusign Envelope ID: 738BF977-A4CB-477A-A41C-5FF82D78F30E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600		
	0900	64	J. Fogo 7/15/2024
	1200	71	J. Fogo
	1500	72	J. Fogo
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600		
	0900	64	J. Fogo 7/16/2024
	1200	70	J. Fogo
	1500	71	J. Fogo
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		N/A
	0600		
	0900	65	J. Fogo 7/17/2024
	1200	71	J. Fogo
	1500	72	J. Fogo
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600		
	0900	65	J. Fogo 7/18/2024
	1200	79	J. Fogo
	1500	80	J. Fogo
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		N/A
	0600		
	0900	65	J. Fogo 7/19/2024
	1200	78	J. Fogo
	1500	79	J. Fogo
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DocuSigned by:
Jeff Fogo
8FD4B1206A5494

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71.2	Mensing
	1200	76.5	Mensing
	1500	78.4	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.0	Mensing
	1200	77.3	Mensing
	1500	80.2	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70.4	Mensing
	1200	77.4	Mensing
	1500	No Stud.	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	XXX	XX X
	0600	XXX	XX X
	0900	72.8	Mensing
	1200	78.0	Mensing
	1500	Absent	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	Absent	Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

D. Mensing, GED Instructor Ext. 4625

7/15/2024 to 7/21/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature,is to be taken every three (3) hours, seven (7) days a week.

Institution: _CMC____ Housing Unit: __Q113A_____ Temp. Reading Location: __D yard_____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600		
	0900	71	SCIOCCHETTI/ROCHA
	1200	75	SCIOCCHETTI/ROCHA
	1500	75	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600		
	0900	73	SCIOCCHETTI/ROCHA
	1200	75	SCIOCCHETTI/ROCHA
	1500	75	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.		Name (Print)
7/17	0300			N/A
	0600			
	0900	No class		SCIOCCHETTI/ROCHA
	1200	73		SCIOCCHETTI/ROCHA
	1500	73		SCIOCCHETTI/ROCHA
	1800			
	2100			N/A
	2400			

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600		
	0900	75	SCIOCCHETTI/ROCHA
	1200	75	SCIOCCHETTI/ROCHA
	1500	75	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		N/A
	0600		
	0900	73	SCIOCCHETTI/ROCHA
	1200	75	SCIOCCHETTI/ROCHA
	1500	75	SCIOCCHETTI/ROCHA
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-229, Testing Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600		
	0900	74	
	1200	75	Mathis
	1500		
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600		
	0900	74	Mathis
	1200	75	Mathis
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		N/A
	0600		
	0900	74	Mathis.
	1200	75	Mathis
	1500		
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

Docusign Envelope ID: F00BE8D3-D758-46DB-9CB0-873956B010A8

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/15 2024	0300		N/A
	0600		
	0900	73deg	V.VERA
	1200	74deg	V.VERA
	1500	76deg	V.VERA
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
07/16 2024	0300		N/A
	0600		
	0900	73deg	V.Vera
	1200	74deg	V.Vera
	1500	76 deg	V.VERA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
07/17 2024	0300		N/A
	0600		
	0900	73deg	V.VERA
	1200	74deg	V.VERA
	1500	76deg	V.VERA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
07/18 2024	0300		N/A
	0600		
	0900	73deg	V.VERA
	1200	74deg	V.VERA
	1500	76deg	V.VERA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
07/19 2024	0300		N/A
	0600		
	0900	73deg	V.VERA
	1200	74deg	V.VERA
	1500	76deg	V.VERA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Gym Temp. Reading Location: East Education Coaches' Office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

G102H

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300		
	0600		
	0900	—	B. Ferrall
	1200	68°	B. Ferrall
	1500	70°	B. Ferrall
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300		
	0600		
	0900	—	B. Ferrall
	1200	68°	B. Ferrall
	1500	70°	B. Ferrall
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300		
	0600		
	0900	—	B. Ferrall
	1200	68°	B. Ferrall
	1500	70°	B. Ferrall
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300		
	0600		
	0900	—	B. Ferrall
	1200	68°	B. Ferrall
	1500	70°	B. Ferrall
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300		
	0600		
	0900	—	B. Ferrall
	1200	69°	B. Ferrall
	1500	70°	B. Ferrall
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

RTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING ONE, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	70	CAMPOS
	0600	68	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	CAMPOS
	1800	72	CAMPOS
	2100	72	CAMPOS
	2400	71	Dial

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	70	Dial
	0600	70	MACIEL
	0900	70	MACIEL
	1200	71	MACIEL
	1500	73	CUEBURBAG
	1800	73	CUEBURBAG
	2100	73	CUEBURBAG
	2400	72	CAMPOS

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	70	CAMPOS
	0600	70	BEN
	0900	72	BEN
	1200	72	BEN
	1500	72	CUEBURBAG
	1800	72	CUEBURBAG
	2100	72	CUEBURBAG
	2400	69	CAMPOS

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	69	CAMPOS
	0600	68	RAMOS
	0900	69	RAMOS
	1200	70	RAMOS
	1500	70	CUEBURBAG
	1800	70	CUEBURBAG
	2100	70	CUEBURBAG
	2400	70	CAMPOS

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	70	CAMPOS
	0600	68	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	CUEBURBAG
	1800	~~72~~	~~CUEBURBAG~~ CUEBURBAG
	2100	~~72~~	CUEBURBAG
	2400	70	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	70	Rodriguez
	0600	71	TUTTLE
	0900	70	TUTTLE
	1200	73	TUTTLE
	1500	74°	S. Scorse
	1800	74°	S. Scorse
	2100	72°	S. Scorse
	2400	70	CAMPOS

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	70	CAMPOS
	0600	70	P. DELTORO
	0900	70	P. DEL TORO
	1200	72	P. DEL TORO
	1500	71	CAMPOS
	1800	71	CAMPOS
	2100	71	CAMPOS
	2400	72	TUTTLE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING TWO, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	70	A. LOPEZ
	0600	70	ALMALVER
	0900	72	ALMALVER
	1200	74	ALMALVER
	1500	74	Madrena
	1800	74	Madrena
	2100	74	Madrena
	2400	72	LOPEZ

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	72	LOPEZ
	0600	72	BARBOSA
	0900	72	BARBOSA
	1200	74	BARBOSA
	1500	74	Madrena
	1800	74	Madrena
	2100	74	Madrena
	2400	70	C. UVALLE

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	70	C. UVALLE
	0600	70	Helcrim
	0900	71	Helcrim
	1200	72	Helcrim
	1500	74	Madrena
	1800	73	Madrena
	2100	73	Madrena
	2400	72	Jensen

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	70	Jensen
	0600	70	Helcrim
	0900	71	Helcrim
	1200	73	Helcrim
	1500	73	Madrena
	1800	73	Madrena
	2100	73	Madrena
	2400	72	AguayO

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	70	AguayO
	0600	70	Helcrim
	0900	72	Helcrim
	1200	74	Helcrim
	1500	75	Madrena
	1800	76	Madrena
	2100	75	Madrena
	2400	72	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	70	MARTINEZ
	0600	70	C. UVALLE
	0900	72	C. UVALLE
	1200	74	C. UVALLE
	1500	74	BRENNEMAN
	1800	74	BRENNEMAN
	2100	74	BRENNEMAN
	2400	70	C. SHIO

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	70	C. SHIO
	0600	70	C. McCoy
	0900	70	C. McCoy
	1200	72	C. McCoy
	1500	74	S. Carlson
	1800	74	S. Carlson
	2100	74	S. Carlson
	2400	73	C. McCoy

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	N/A	
	0600	[illegible]	Moreno
	0900	69	Moreno
	1200	N/A	
	1500	75	J. Noel
	1800	73	J. Noel
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	N/A	
	0600	70	Bankston
	0900	70	Bankston
	1200	N/A	
	1500	73	J. Noel
	1800		J. Noel
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	N/A	
	0600	69	Bankston
	0900	72	Bankston
	1200	N/A	
	1500	74	J. Noel
	1800	74	J. Noel
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	N/A	
	0600	70	Bankston
	0900	72	Bankston
	1200	N/A	
	1500	77	J. Noel
	1800	77	J. Noel
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	N/A	
	0600	70°	S. NOEL
	0900	72°	S. NOEL
	1200	N/A	
	1500	77	Bankston
	1800	77	Bankston
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	N/A	
	0600	74°	Bell
	0900	75°	Bell
	1200	N/A	
	1500	76°	Pacas
	1800	72°	Pacas
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	N/A	
	0600	70	Bankston
	0900	72	Bankston
	1200	N/A	
	1500	76°	Pacas
	1800	75°	Pacas
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	80	Hodges
	1500	82	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500	81	Hodges
	1800	81	Hodges
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	N/A	
	0600	N/A	
	0900	78	Hodges
	1200	80	Hodges
	1500	82	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	80	Hodges
	1500	81	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	81	Hodges
	1500	83	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500	84	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	82	Hodges
	1500	83	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	N/A	
	0600	N/A	
	0900	65	CARIBA
	1200	66	CARIBA
	1500	67	Montgomery
	1800	67	Montgomery
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	N/A	
	0600	N/A	
	0900	69	CARIBA
	1200	70	CARIBA
	1500	68	Montgomery
	1800	68	Montgomery
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	N/A	
	0600	[illegible]	
	0900	66	CARIBA
	1200	68	CARIBA
	1500	68	WASDOWSKI
	1800	67	WASDOWSKI
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	N/A	
	0600	N/A	
	0900	68	CARIBA
	1200	69	CARIBA
	1500	70	CARIBA
	1800	65	CARIBA
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	N/A	
	0600	—	—
	0900	68	DFOLTS
	1200	70	DFOLTS
	1500	76	Montgomery
	1800	76	Montgomery
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	N/A	
	0600	—	DFOLTS
	0900	68	DFOLTS
	1200	69	FOLTS
	1500	69	Montgomery
	1800	69	Montgomery
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	N/A	
	0600	[illegible]	[illegible]
	0900	66	[illegible]
	1200	69	[illegible]
	1500	69	Montgomery
	1800	72	Montgomery
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 3 FAC. B Temp. Reading Location: 3rd Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	70	[illegible]
	0600	66	RVega
	0900	68	RVega
	1200	70	RVega
	1500	70	P Dritono
	1800	70	P. Dritono
	2100	69	P. Dritono
	2400	68	Esquivias

Tuesday

Dat	Time	Temp.	Name (Print)
7-16-24	0300	68	Esquivias
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	69	Dritono
	1800	69	Dritono
	2100	68	Dritono
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	67	[illegible]
	0600	68	Ulis
	0900	69	Ulis
	1200	69	Ulis
	1500	69	Dritono
	1800	69	Dritono
	2100	69	Dritono
	2400	69	Johnson

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	68	[illegible]
	0600	68	Ulis
	0900	68	Ulis
	1200	69	Ulis
	1500	69	Dritono
	1800	69	Dritono
	2100	68	Dritono
	2400	67	Hutchins

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	67	Hutchins
	0600	68	Ulis
	0900	69	Ulis
	1200	69	Ulis
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	70	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	70	[illegible]
	0600	68°F	De La Garza
	0900	68°F	De La Garza
	1200	70°F	De La Garza
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	70	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	70	[illegible]
	0600	68	RVega
	0900	66	RVega
	1200	70	RVega
	1500	70	P. Dritono
	1800	70	P. Dritono
	2100	68	P. Dritono
	2400	68	P. Henry

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B4-3 RHU Temp. Reading Location: B4 3rd FLR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	70	Rivera
	0600	70	Johnson
	0900	70	Johnson
	1200	70	Johnson
	1500	70	Johnson
	1800	69	Johnson
	2100	69	Johnson
	2400	70	D. OROZCO

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300	70	D. OROZCO
	0600	70	Rivera
	0900	70	Rivera
	1200	71	Rivera
	1500	71	Johnson
	1800	71	Johnson
	2100	71	Johnson
	2400	70	D. OROZCO

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	68	D. OROZCO
	0600	70	ALEMAN
	0900	70	ALEMAN
	1200	72	ALEMAN
	1500	70	Johnson
	1800	70	Johnson
	2100	70	Johnson
	2400	70	AGUT

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	70	AGUT
	0600	70	ALEMAN
	0900	71	ALEMAN
	1200	71	ALEMAN
	1500	75	Johnson
	1800	75	Benitez
	2100	75	Benitez
	2400	70	B. Singh

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	70	B Singh
	0600	70	Graves
	0900	70	Gonzalez
	1200	73	Gonzalez
	1500	72	Gonzalez
	1800	70	Gonzalez
	2100	70	Gonzalez
	2400	68	Singh

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	68	Singh
	0600	67	Graves
	0900	68	Graves
	1200	70	Graves
	1500	69	Kurz
	1800	69	Kurz
	2100	68	Kurz
	2400	67	D. OROZCO

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	67	D OROZCO
	0600	67	E. Gonzalez
	0900	67	E Gonzalez
	1200	67	E Gonzalez
	1500	67	Foste
	1800	67	Foste
	2100	67	Foste
	2400	67	D. OROZCO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility B Diner Temp. Reading Location: Near Coffee Machine
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	N/A	N/A
	0600	69	S. NOEL
	0900	69	S. NOEL
	1200	NA	NA
	1500	79°	Pacas
	1800	79°	Pacas
	2100	N/A	N/A
	2400	N/A	N/A

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	N/A	N/A
	0600	64	YOUNG
	0900	69	YOUNG
	1200	82	YOUNG
	1500	78	J Pinn
	1800	79	J Pinn
	2100	N/A	N/A
	2400	N/A	N/A

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	N/A	N/A
	0600	69	Newton
	0900	69	Newton
	1200	69	N
	1500	75	J Pinn
	1800	77	J Pinn
	2100	N/A	N/A
	2400	N/A	N/A

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	N/A	N/A
	0600	69	Newton
	0900	69	Newton
	1200	69	N
	1500	93	J Pinn
	1800	74	J Pinn
	2100	N/A	N/A
	2400	N/A	N/A

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	N/A	N/A
	0600	69	Newton
	0900	69	N
	1200	69	N
	1500	80	Costa
	1800	80	Costa
	2100	N/A	N/A
	2400	N/A	N/A

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	N/A	N/A
	0600	69	Newton
	0900	69	Newton
	1200	69	
	1500	69	Lozano
	1800	69	Lozano
	2100	N/A	N/A
	2400	N/A	N/A

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	N/A	N/A
	0600	69	S. NOEL
	0900	69	S. NOEL
	1200	72	S. NOEL
	1500	78	Arteaga
	1800	76	Arteaga
	2100	N/A	N/A
	2400	N/A	N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC-C-5 Temp. Reading Location: BLDG 5 3 FLR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	68	B. Singh
	0600	70	Kingsley
	0900	70	Kingsley
	1200	73	Kingsley
	1500	74°	S.Miguel
	1800	74°	S.Miguel
	2100	72°	S.Miguel
	2400	70	CASTILLO

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	70°	CASTILLO
	0600	70	Kingsley
	0900	75	Kingsley
	1200	75	Kingsley
	1500	72°	S.Miguel
	1800	72°	S.Miguel
	2100	68°	S.Miguel
	2400	68°	AGUAYO

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	68°	AGUAYO
	0600	68°	J. Maretti
	0900	68°	J. Maretti
	1200	68°	J. Maretti
	1500	72°	S.Miguel
	1800	72°	S.Miguel
	2100	70°	S.Miguel
	2400	70	ESQUIVIAS

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	68	ESQUIVIAS
	0600	68°	J. Maretti
	0900	70°	J. Maretti
	1200	72°	J. Maretti
	1500	72°	S.Miguel
	1800	72°	S.Miguel
	2100	68°	S.Miguel
	2400	68	C. LOPEZ

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	68	C. LOPEZ
	0600	70	Kingsley
	0900	73	Kingsley
	1200	74	Kingsley
	1500	74°	S.Miguel
	1800	74°	S.Miguel
	2100	70°	S.Miguel
	2400	70	C. LOPEZ

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	70	C. LOPEZ
	0600	70	Kingsley
	0900	72	Kingsley
	1200	72	Kingsley
	1500	72	S.Lui
	1800	72	S.Lui
	2100	68	S.Lui
	2400	70	C. LOPEZ

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	70	C. LOPEZ
	0600	70	Kingsley
	0900	70	Kingsley
	1200	70	Kingsley
	1500	70	S.Lui
	1800	70	S.Lui
	2100	68	S.Lui
	2400	70	Rivera

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC-E** Housing Unit: **Building 6** Temp. Reading Location: **3rd tier**
Fac. C
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	73	J. Rowlett
	1200	74	J. Rowlett
	1500	74	A. Zepeda
	1800	74	A. Zepeda
	2100	72	A. Zepeda
	2400	72°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	73	J. Rowlett
	1500	73	E. Ayon Flores
	1800	74	E. Ayon Flores
	2100	72	E. Ayon Flores
	2400	72°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	73	J. Rowlett
	1500	74	E. Ayon Flores
	1800	74	E. Ayon Flores
	2100	73	E. Ayon Flores
	2400	72	Santos

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	70	Santos
	0600	71	J. Rowlett
	0900	72	J. Rowlett
	1200	74	J. Rowlett
	1500	74	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	74	M. Catm

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	74	M. Catm
	0600	70	Gonzales
	0900	72	Gonzales
	1200	74	Gonzales
	1500	75	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	73°	S. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	73°	S. Banuelos
	0600	73	A. Alfaro
	0900	73	A. Alfaro
	1200	73	A. Alfaro
	1500	73	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	73	E. Ayon Flores
	2400	72°	S. Banuelos

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	73	J. Rowlett
	1500	74	A. Zepeda
	1800	75	A. Zepeda
	2100	72	A. Zepeda
	2400	72	S. Banuelos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility-C Temp. Reading Location: Dirt
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300		N/A
	0600	68	Montano
	0900	70	Montano
	1200		N/A
	1500	73	GARCIA
	1800	78	GARCIA
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7-16-24	0300		N/A
	0600	68°	S. NOEL
	0900	68°	S. NOEL
	1200		N/A
	1500		N/A
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-17-24	0300		N/A
	0600	70	CAM
	0900	70	CAM
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300		N/A
	0600	68	Montano
	0900	74	Montano
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-19-24	0300		N/A
	0600	68	Montano
	0900		N/A
	1200		
	1500	76	GARCIA
	1800	83	GARCIA
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7-20-24	0300		N/A
	0600	68°	J. NUNEZ
	0900	74°	J. NUNEZ
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7-21-24	0300		
	0600		N/A
	0900		
	1200		
	1500	78	GARCIA
	1800	80	GARCIA
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 FAC. D Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	68	CHOOPS KP
	0600	68	Witt
	0900	70	Witt
	1200	70	Witt
	1500	70	Witt
	1800	70	Witt
	2100	70	Witt
	2400	68	TORRES

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300	66	TORRES KP
	0600	68	Witt
	0900	68	Witt TB
	1200	70	Witt TB
	1500	70	Witt
	1800	70	Witt
	2100	70	Witt
	2400	70	T. Goto

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	69	T. Goto
	0600	67	Dennerlein
	0900	67	Dennerlein TB
	1200	69	Dennerlein TB
	1500	70°	T. Faiola
	1800	72°	T. Faiola
	2100	72°	T. Faiola
	2400	71	T. Goto

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	69	T. Goto
	0600	70°	T. Faiola TB
	0900	70°	T. Faiola TB
	1200	72°	T. Faiola TB
	1500	72°	T. Faiola
	1800	72°	T. Faiola
	2100	72°	T. Faiola
	2400	70	T. Goto

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	69	T. Goto
	0600	69°	Chavez
	0900	69°	Chavez
	1200	70°	Chavez
	1500	74°	T. Faiola
	1800	74°	T. Faiola
	2100	71	T. Faiola
	2400	70	T. Goto

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	69	T. Goto
	0600	69°	Chavez
	0900	69°	Chavez
	1200	71°	Chavez
	1500	72°	T. Faiola
	1800	72°	T. Faiola
	2100	72°	T. Faiola
	2400	69°	T. Goto

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	69°	Benavides
	0600	69°	B. Sing
	0900	69°	B. Sing
	1200	70°	B. Sing
	1500	70	CABILLA
	1800	70	CABILLA
	2100	70	CABILLA
	2400	69°	Benavides

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 8 Fac. D Temp. Reading Location: 3rd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	74	TORRES
	0600	72	E. GONZALEZ
	0900	72	E. GONZALEZ
	1200	72	E. GONZALEZ
	1500	74°	Bender
	1800	73°	Bender
	2100	72°	Bender
	2400	72	Cherdy

Tuesday

Dat	Time	Temp.	Name (Print)
7-16-24	0300	70	Cherdy
	0600	70	E. Gonzalez
	0900	70	E. Gonzalez
	1200	72	E. Gonzalez
	1500	72	J. NUNEZ
	1800	72	J. NUNEZ
	2100	72	J. NUNEZ
	2400	70	Cherdy

Wednesday

Date	Time	Temp.	Name (Print)
7-17-24	0300	70	Cherdy
	0600	70	Pelayo
	0900	72	Pelayo
	1200	72	Pelayo
	1500	74°	Bender
	1800	73°	Bender
	2100	72°	Bender
	2400	72	Cherdy

Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300	72	Cherdy
	0600	70	Pelayo
	0900	72	Pelayo
	1200	73°	Pelayo
	1500	74°	Bender
	1800	73°	Bender
	2100	72°	Bender
	2400	72	Cherdy

Friday

Date	Time	Temp.	Name (Print)
7-19-24	0300	72	Cherdy
	0600	72	Pelayo
	0900	73°	Pelayo
	1200	74°	Pelayo
	1500	75	Bender
	1800	74°	Bender
	2100	73°	Bender
	2400	72	Cherdy

Saturday

Date	Time	Temp.	Name (Print)
7-20-24	0300	72	Cherdy
	0600	72	Pelayo
	0900	74	Pelayo
	1200	74	Pelayo
	1500	74	Mullins
	1800	74	Mullins
	2100	72	Mullins
	2400	72	McCloud

Sunday

Date	Time	Temp.	Name (Print)
7-21-24	0300	72	McCloud
	0600	72	Pelayo
	0900	72	Pelayo
	1200	72	Pelayo
	1500	73	Mullins
	1800	73	Mullins
	2100	72	Mullins
	2400	72	MACLOAD

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-Dorm Temp. Reading Location: Dorm Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300		
	0600	66	Martyn
	0900	66	Martyn
	1200	66	Martyn
	1500	76	TM
	1800	76	TM
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300		
	0600	66	Martyn
	0900	66	Martyn
	1200	67	Martyn
	1500	74	WOAS
	1800	74	WOAS
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300		
	0600	66	Martyn
	0900	67	Martyn
	1200	67	Martyn
	1500	73	WOAS
	1800	73	WOAS
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300		
	0600	66	COBB
	0900	67	COBB
	1200	72	COBB
	1500	81	WOAS
	1800	80	WOAS
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300		
	0600	66	COBB
	0900	66	COBB
	1200	70	COBB
	1500	80	Rodriguez
	1800	80	Rodriguez
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300		
	0600	68	Martyn
	0900	68	Martyn
	1200	66	Martyn
	1500	69	Dejohnette
	1800	69	Dejohnette
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300		
	0600	65	Martyn
	0900	66	Martyn
	1200	67	Martyn
	1500	74	REYES
	1800	74	REYES
	2100		
	2400		

Notes

Week of 7/15/24

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: Dorm 30 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	70	Solis
	0600	70	Solis
	0900	72	Moreno
	1200	72	Moreno
	1500	72	Moreno
	1800	72	Moreno
	2100	70	Moreno
	2400	70	Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	70	Vasquez
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Moreno
	1800	70	Moreno
	2100	70	Moreno
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	70	Vasquez
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70	Arguijo
	0600	70	Jimenez
	0900	70	Jimenez
	1200	72	Jimenez
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	70	Arguijo
	0600	70	Vasquez
	0900	70	Vasquez
	1200	70	Vasquez
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Gomez

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	70	Gomez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: Dorm 31
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	70	Solis
	0600	70	Solis
	0900	72	Moreno
	1200	72	Moreno
	1500	72	Moreno
	1800	72	Moreno
	2100	70	Moreno
	2400	70	Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	70	Vasquez
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Moreno
	1800	70	Moreno
	2100	70	Moreno
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	70	Vasquez
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70	Arguijo
	0600	70	Simison
	0900	71	Simison
	1200	73	Simison
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	70	Arguijo
	0600	70	Vasquez
	0900	70	Vasquez
	1200	70	Vasquez
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Gomez

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	70	Gomez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: Dorm 32 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	70	Solis
	0600	70	Solis
	0900	72	Moreno
	1200	72	Moreno
	1500	72	Moreno
	1800	72	Moreno
	2100	70	Moreno
	2400	70	Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	70	Vasquez
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Moreno
	1800	70	Moreno
	2100	70	Moreno
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	70	Vasquez
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70	Arguijo
	0600	70	Jimenez
	0900	70	Jimenez
	1200	72	Jimenez
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	70	Arguijo
	0600	70	Vasquez
	0900	70	Vasquez
	1200	70	Vasquez
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Gomez

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	70	Gomez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: Dorm 33 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	70	SOLIS
	0600	70	SOLIS
	0900	72	Moreno
	1200	72	Moreno
	1500	72	Moreno
	1800	72	Moreno
	2100	70	Moreno
	2400	70	JASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	70	JASQUEZ
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	JASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	70	JASQUEZ
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Moreno
	1800	70	Moreno
	2100	70	Moreno
	2400	70	JASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	70	JASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70	Arguijo
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	70	Arguijo
	0600	70	JASQUEZ
	0900	70	JASQUEZ
	1200	70	JASQUEZ
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Gomez

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	70	Gomez
	0600	70	COLLINS
	0900	70	COLLINS
	1200	70	COLLINS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	JASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: Dorm 34 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	70	Solis
	0600	70	Solis
	0900	72	Moreno
	1200	72	Moreno
	1500	72	Moreno
	1800	72	Moreno
	2100	70	Moreno
	2400	70	Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	70	Vasquez
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Moreno
	1800	70	Moreno
	2100	70	Moreno
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	70	Vasquez
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70	Arguijo
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	70	Arguijo
	0600	70	Vasquez
	0900	70	Vasquez
	1200	70	Vasquez
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Gomez

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	70	Gomez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: Main Canteen (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	72	Moreno
	1200	72	Moreno
	1500	72	Moreno
	1800	72	Moreno
	2100	NO ACCESS	
	2400	NO ACCESS	

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	Moreno
	1800	72	Moreno
	2100	NO ACCESS	
	2400	NO ACCESS	

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	70	Moreno
	1200	72	Moreno
	1500	72	Moreno
	1800	72	Moreno
	2100	NO ACCESS	
	2400	NO ACCESS	

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	
	2400	NO ACCESS	

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	70	SIMSON
	1200	72	SIMSON
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	
	2400	NO ACCESS	

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	NO ACCESS	
	0600	NO ACCESS	
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	
	2400	NO ACCESS	

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	COLLINS
	1200	70	COLLINS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO	ACCESS
	2400	NO	ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600	68°	Hampton
	0900	70°	Hampton
	1200	69	Jones
	1500	72	Jones
	1800	72	Jones
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600	68°	J. Feist
	0900	70°	J. Feist
	1200	70	Jones
	1500	72	Jones
	1800	72	Jones
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600	68°	J. Feist
	0900	70°	J. Feist
	1200	70	Jones
	1500	72	Jones
	1800	72	Jones
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/19	0300		N/A
	0600	66°	J. Feist
	0900	68°	J. Feist
	1200	70	Jones
	1500	72	Jones
	1800	72	Jones
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/20	0300		N/A
	0600	70°	J. Feist
	0900	70°	J. Feist
	1200	72	Hampton
	1500	74	Hampton
	1800	72	Hampton
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/21	0300		N/A
	0600	68	Hampton
	0900	70	Hampton
	1200	67	Jones
	1500	70	Jones
	1800	72	Jones
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600	68	Hampton
	0900	70	Hampton
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility Temp. Reading Location: Kitchen Office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	70	Solis
	0600	70	Solis
	0900	72	Moreno
	1200	72	Moreno
	1500	72	Moreno
	1800	72	Moreno
	2100	70	Moreno
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	70	VASQUEZ
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	70	VASQUEZ
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Moreno
	1800	72	Moreno
	2100	70	Moreno
	2400	70	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	70	VASQUEZ
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70	Arguijo
	0600	70	JIMENEZ
	0900	70	JIMENEZ
	1200	71	JIMENEZ
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	70	Arguijo
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	GOMEZ

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	70	GOMEZ
	0600	70	COLLINS
	0900	70	COLLINS
	1200	70	COLLINS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Program
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	70	Solis
	0600	70	Solis
	0900	72	Moreno
	1200	72	Moreno
	1500	72	Moreno
	1800	72	Moreno
	2100	70	Moreno
	2400	70	Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	70	Vasquez
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	70	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	70	Vasquez
	0600	70	Moreno
	0900	70	Moreno
	1200	72	Moreno
	1500	70	Moreno
	1800	70	Moreno
	2100	70	Moreno
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	70	Vasquez
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Arguijo

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70	Arguijo
	0600	68	Simeon
	0900	68	Simeon
	1200	68	Simeon
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	70	Arguijo
	0600	70	Vasquez
	0900	70	Vasquez
	1200	70	Vasquez
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Gomez

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	70	Gomez
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300		N/A
	0600		
	0900	70	Gottesfeld
	1200	72	"
	1500	74	"
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300		N/A
	0600		
	0900	72	Gottesfeld
	1200	72	"
	1500	71	"
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300		N/A
	0600		
	0900	72	Gottesfeld
	1200	72	"
	1500	73	"
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300		N/A
	0600		
	0900	72	Gottesfeld
	1200	72	"
	1500	72	"
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300		N/A
	0600		
	0900	72	Gottesfeld
	1200	72	"
	1500	72	"
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: MAIN CANTEEN Temp. Reading Location: MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600		
	0900	71	[illegible]
	1200	74	FA III
	1500	74	[illegible]
	1800	74	FA III
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600		
	0900	70	[illegible]
	1200	73	[illegible]
	1500	74	[illegible]
	1800	72	FA III
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		N/A
	0600		
	0900		
	1200	72°	FA III
	1500	72°	FA III
	1800	72°	FA III
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600		
	0900	70	RC
	1200	72	FA III
	1500	71	RC
	1800	70	[illegible]
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		N/A
	0600		
	0900		
	1200	72°	FA III
	1500	72°	FA III
	1800	72	FA III
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	—	—
	0600	68	J. MILLS
	0900	66	J. MILLS
	1200	67	WEBB
	1500	67	WEBB
	1800	67	WEBB
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/2024	0300	—	—
	0600	67	J. MILLS
	0900	67	J. MILLS
	1200	68	C. GARZA
	1500	69	C. GARZA
	1800	69	C. GARZA
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	—	—
	0600	66	Mederos
	0900	68	Mederos
	1200	68	Mederos
	1500	70	Mederos
	1800	70	Mederos
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	—	—
	0600	68	Mederos
	0900	70	Mederos
	1200	69	SCOTT
	1500	70	SCOTT
	1800	70	SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	—	—
	0600	66	Mederos
	0900	68	Mederos
	1200	70	WEBB
	1500	71	WEBB
	1800	71	WEBB
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	—	—
	0600	70°	A. SIMMONS
	0900	70°	A. SIMMONS
	1200	73°	A. SIMMONS
	1500	71	A. WEBB
	1800	71	A. WEBB
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	—	—
	0600	68	SCOTT
	0900	68	SCOTT
	1200	70	WEBB
	1500	71	WEBB
	1800	71	WEBB
	2100	—	—
	2400	—	—

Notes

7/15/2024 to 7/21/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant Ops Temp. Reading Location: 2-150a
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/15/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	73	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Tuesday 7/16/2024

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	73	G Gary
	1500	73	G Gary
	1800		N/A
	2100		
	2400		

Wednesday 7/17/2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		1ST
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday 7/18/2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		1ST
	1200		
	1500		
	1800		
	2100		
	2400		

Friday 7/19/2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		1ST
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 7/20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday 7/21

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 2/W P/A Temp. Reading Location: Wet Processing
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	~~0300~~		
	~~0600~~		
	0900	68.	SWayment
	1200	78.	SWayment
	1500	74.	SWayment
	~~1800~~		
	~~2100~~		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	~~0300~~		
	~~0600~~		
	0900	67.	SWayment
	1200	78.	SWayment
	1500	76.	SWayment
	~~1800~~		
	~~2100~~		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	~~0300~~		
	~~0600~~		
	0900	73.	SWayment
	1200	75.	SWayment
	1500	80.	SWayment
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	~~0300~~		
	~~0600~~		
	0900	70.	SWayment
	1200	79	SWayment
	1500	83.	SWayment
	1800		
	~~2100~~		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		
	0600		
	0900		
	1200		RDO.
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-1A Shoe Temp. Reading Location: Clerk's Office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600	71	Fant
	0900	74	Fant
	1200	78	Fant
	1500	80	Rickett
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600	74	Rickett
	0900	76	Rickett
	1200	79	Rickett
	1500	80°	Rickett
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		N/A
	0600	73°	Rickett
	0900	75	Fant
	1200	78	Fant
	1500	80	LM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600	75°	Rickett
	0900	76	Fant
	1200	80	Fant
	1500	82	Fant
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600	50°	
	0900	50°	AH
	1200	50°	
	1500	50°	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600	72°	
	0900	72°	
	1200	72°	AH
	1500	72°	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		N/A
	0600	73°	
	0900	73°	AH
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600	72°	
	0900	72°	AH
	1200	72°	
	1500	72°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		N/A
	0600	73°	
	0900	73°	FS
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FABRIC PRODUCT Temp. Reading Location: JACKET FACTORY 2ND FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		
	0600		
	0900	68	D Cooper
	1200	74	D Cooper
	1500	78	D Cooper
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300		
	0600		
	0900	73	Diaz
	1200	74	Diaz
	1500	76	Diaz
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		
	0600		
	0900	65	D Cooper
	1200	71	D Cooper
	1500	76	D Cooper
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		
	0600		
	0900	66	D Cooper
	1200	78	D Cooper
	1500	79	D Cooper
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Jacket/T-Shirt Temp. Reading Location: 2nd Floor T-Shirt
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		
	0600		
	0900	62	CH01
	1200	68	CH01
	1500	69	CH01
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300		
	0600		
	0900	67	CH01
	1200	70	CH01
	1500	72	CH01
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		
	0600		
	0900	64	CH01
	1200	69	CH01
	1500	71	CH01
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		
	0600		
	0900	62	CH01
	1200	71	CH01
	1500	71	CH01
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: Inmate Office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600		
	0900	75	Wong
	1200	75	Wong
	1500		
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300		N/A
	0600		
	0900	76	Wong
	1200	75	Wong
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		N/A
	0600		
	0900	76	Wong
	1200	75	Wong
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		N/A
	0600		
	0900	75	Wong
	1200	76	Wong
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting Mill Temp. Reading Location: Compressor Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/15

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	Richardson M.
	1200	80°	Richardson M.
	1500	84°	Richardson M.
	1800		
	2100		N/A
	2400		

Tuesday 7/16

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74°	Richardson M.
	1200	80°	Richardson M.
	1500	82°	Richardson M.
	1800		
	2100		N/A
	2400		

Wednesday 7/17

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	Richardson
	1200	80°	Richardson M.
	1500	85°	Richardson M
	1800		
	2100		N/A
	2400		

Thursday 7/18

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73°	Richardson M.
	1200	80°	Richardson M.
	1500	86°	Richardson M.
	1800		
	2100		N/A
	2400		

Friday 7/19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday 7/20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 7/21

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes
7-15-24 — 7-18-24

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATIC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: P1a Temp. Reading Location: Safety TSh
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4631 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday July 15

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	67	J. Johnson
	0900	69	J. Johnson
	1200	74	J. Johnson
	1500	74	J. Johnson
	1800		
	2100		N/A
	2400		

Tuesday July 16

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600	68	J. Johnson
	0900	68	J. Johnson
	1200	70	J. Johnson
	1500	72	J. Johnson
	1800		
	2100		N/A
	2400		

Wednesday July 17 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	60	J. Johnson
	0900	70	J. Johnson
	1200	74	J. Johnson
	1500	78	J. Johnson
	1800		
	2100		N/A
	2400		

Thursday 7/18

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	60	J. Johnson
	0900	70	J. Johnson
	1200	72	J. Johnson
	1500	75	J. Johnson
	1800		
	2100		N/A
	2400		

Friday 7/19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	RDO	
	1800		
	2100		
	2400		

Saturday 7/20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	RDO	
	1800		
	2100		
	2400		

Sunday 7/21

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	RDO	
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
fDCR 2031 (04118)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C M C Housing Unit: PRINT PLANT Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday **MONTH / YEAR:** JULY, 2024

Date	Time	Temp.	Name (Print)
15	0300		N/A
	0600		
	0900	65	PM
	1200	69	PM
	1500	75	PM
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
16	0300		N/A
	0600		
	0900	68	PM
	1200	70	PM
	1500	71	PM
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
17	0300		N/A
	0600		
	0900	65	PM
	1200	69	PM
	1500	72	PM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
18	0300		N/A
	0600		
	0900	65	PM
	1200	71	PM
	1500	74	PM
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
21	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA ~~PM~~ M&R Temp. Reading Location: PIA M&R (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-15-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	78°	R. Estrada
	0900	76°	R. Estrada
7-15	1200	78°	C. Sanchez
	1500	78°	C. Sanchez
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70°	C. Sanchez
	0900	75°	R. Estrada
7-16	1200	76°	C. Sanchez
	1500	77°	C. Sanchez
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70°	C. Sanchez
	0900	75°	C. Sanchez
7-17	1200	77	C. Sanchez
	1500	70°	C. Sanchez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70°	C. Sanchez
	0900	75°	C. Sanchez
7-18	1200	78°	C. Sanchez
	1500	79°	C. Sanchez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
7/19	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
7/20	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
7/21	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 2/W PIA Temp. Reading Location: 1st floor Fabric
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	~~0300~~		
	~~0600~~		
	0900	64.	SWaymont
	1200	74.	SWaymont
	1500	75.	SWaymont
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	~~0300~~		
	0600		
	0900	68.	SWayment
	1200	73.	SWayment
	1500	75.	SWayment
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	~~0300~~		
	~~0600~~		
	0900	69.	SWayment
	1200	72	SWayment
	1500	78	SWayment
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	~~0300~~		
	~~0600~~		
	0900	68.	SWayment
	1200	75.	SWayment
	1500	78.	SWayment
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA 7/15/2024 to 7/21/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp.Reading Location: **Protestant Chapel EAST**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		N/A
	0600		
	0900	64	[illegible]
	1200	66	[illegible]
	1500	68	[illegible]
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300		
	0600		N/A
	0900	64	[illegible]
	1200	66	[illegible]
	1500	68	[illegible]
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		
	0600		N/A
	0900	66	[illegible]
	1200	66	[illegible]
	1500		
	1800		
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/15/2024 to 7/21/2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-15-2024	0100	60	ZEPEDA
	0200	60	ZEPEDA
	0300	60	ZEPEDA
	0400	60	ZEPEDA
	0500	53	DeLaTorre
	0600	53	DeLaTorre
	0700	53	DeLaTorre
	0800	53	DeLaTorre
	0900	60	DeLaTorre
	1000	63	DeLaTorre
	1100	67	DeLaTorre
	1200	70	DeLaTorre
	1300	70	Flowers
	1400	73	DUMPHENOUR
	1500	75	D. UMPHENOUR
	1600	77	D. UMPHENOUR
	1700	75	D. UMPHENOUR
	1800	73	D. UMPHENOUR
	1900	70	D. UMPHENOUR
	2000	66	D. UMPHENOUR
	2100	64	D. UMPHENOUR
	2200	55	ZEPEDA
	2300	55	ZEPEDA
	2400	54	ZEPEDA

Date	Time	Temp.	Printed Name
7-16-24	0100	53	ZEPEDA
	0200	53	ZEPEDA
	0300	53	ZEPEDA
	0400	52	ZEPEDA
	0500	52	ZEPEDA
	0600	53	ZEPEDA
	0700	52	DeLaTorre
	0800	59	DeLaTorre
	0900	62	DeLaTorre
	1000	65	DeLaTorre
	1100	68	DeLaTorre
	1200	69	DeLaTorre
	1300	68	DeLaTorre
	1400	73	D. UMPHENOUR
	1500	77	D. UMPHENOUR
	1600	76	D. UMPHENOUR
	1700	75	D. UMPHENOUR
	1800	75	D. UMPHENOUR
	1900	69	D. UMPHENOUR
	2000	66	D. UMPHENOUR
	2100	63	D. UMPHENOUR
	2200	51	ZEPEDA
	2300	51	ZEPEDA
	2400	50	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-19-21	0100	51	ZEPEDA
	0200	51	ZEPEDA
	0300	51	ZEPEDA
	0400	51	ZEPEDA
	0500	51	ZEPEDA
	0600	51	ZEPEDA
	0700	52	DeLaTorre
	0800	52	DeLaTorre
	0900	60	DeLaTorre
	1000	72	C. PRICE
	1100	76	C. PRICE
	1200	76	C. PRICE
	1300	78	C. PRICE
	1400	77	STOKES
	1500	77	STOKES
	1600	75	STOKES
	1700	75	STOKES
	1800	73	STOKES
	1900	70	STOKES
	2000	64	STOKES
	2100	61	STOKES
	2200	56	ZEPEDA
	2300	56	ZEPEDA
	2400	55	ZEPEDA

Date	Time	Temp.	Printed Name
7-20-21	0100	54	ZEPEDA
	0200	54	ZEPEDA
	0300	53	ZEPEDA
	0400	53	ZEPEDA
	0500	53	ZEPEDA
	0600	53	ZEPEDA
	0700	58	PRICE
	0800	59	PRICE
	0900	65	PRICE
	1000	68	PRICE
	1100	74	PRICE
	1200	77	PRICE
	1300	80	PRICE
	1400	81	STOKES
	1500	81	STOKES
	1600	80	STOKES
	1700	76	STOKES
	1800	73	STOKES
	1900	67	STOKES
	2000	62	STOKES
	2100	60	STOKES
	2200	60	WALLACE
	2300	60	WALLACE
	2400	61	WALLACE

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: East Watch

Immediately notify the Watch Commander at extension 7905 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-17-21	0100	51	Zepeda, J
	0200	51	Zepeda, J
	0300	50	Zepeda, J
	0400	49	Zepeda, J
	0500	48	Zepeda, J
	0600	48	Zepeda, J
	0700	50	DeLaTorre
	0800	52	DeLaTorre
	0900	59	DeLaTorre
	1000	60	DeLaTorre
	1100	63	DeLaTorre
	1200	70	DeLaTorre
	1300	70	DeLaTorre
	1400	76	D. Umphenour
	1500	79	D. Umphenour
	1600	81	D. Umphenour
	1700	78	D. Umphenour
	1800	73	D. Umphenour
	1900	69	D. Umphenour
	2000	65	D. Umphenour
	2100	61	D. Umphenour
	2200	54	Zepeda
	2300	55	Zepeda
	2400	53	Zepeda

Date	Time	Temp.	Printed Name
7-18-21	0100	53	Zepeda
	0200	52	Zepeda
	0300	52	Zepeda
	0400	52	Zepeda
	0500	52	Zepeda
	0600	52	Zepeda
	0700	52	DeLaTorre
	0800	52	DeLaTorre
	0900	56	DeLaTorre
	1000	65	DeLaTorre
	1100	73	DeLaTorre
	1200	75	DeLaTorre
	1300	78	DeLaTorre
	1400	81	D. Umphenour
	1500	82	D. Umphenour
	1600	81	D. Umphenour
	1700	78	D. Umphenour
	1800	74	D. Umphenour
	1900	68	D. Umphenour
	2000	63	D. Umphenour
	2100	60	D. Umphenour
	2200	50	Zepeda
	2300	50	Zepeda
	2400	51	Zepeda

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Watch Office

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7.21.24	0100	54	Wallace
	0200	54	Wallace
	0300	53	Wallace
	0400	53	Wallace
	0500	59	Wallace
	0600	59	Flowers
	0700	59	Flowers
	0800	64	Flowers
	0900	64	Flowers
	1000	69	Flowers
	1100	72	Flowers
	1200	75	Flowers
	1300	77	Flowers
	1400	80	Avila
	1500	78	Avila
	1600	79	Avila
	1700	77	Avila
	1800	73	Avila
	1900	68	Avila
	2000	62	Avila
	2100	60	Avila
	2200	53	Wallace
	2300	52	Wallace
	2400	51	Wallace

Date	Time	Temp.	Printed Name
7.22.24	0100	51	Wallace
	0200	52	Wallace
	0300	52	Wallace
	0400	52	Wallace
	0500	52	Garcia
	0600	52	Garcia
	0700	54	Garcia
	0800	58	Garcia
	0900	62	Garcia
	1000	66	Garcia
	1100	68	Garcia
	1200	69	Garcia
	1300	75	Garcia
	1400	77	Garcia
	1500	75	Isherm
	1600	75	Isherm
	1700	73	Isherm
	1800	71	Isherm
	1900	68	Isherm
	2000	62	Isherm
	2100	50	Zepeda, J
	2200	56	Zepeda, J
	2300	56	Zepeda, J
	2400	56	Zepeda, J

DISTRIBUTION: Original: Institution ADA Coordinator

Monthly Summary Report

Institution: CMC

Memorandum

Date: August 1, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - July 2024

The following is a summary of the heat related activity for the month of July 2024 at CMC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: No
   Number of days Stage I Alert initiated: 0

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No
   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No
   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

D. Samuel
Warden Name

Warden Signature

M. Comperini
Chief Executive Officer Name

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600		
	0900	70	S. MOORE/C. BERRY
	1200	75	S. MOORE/C. BERRY
	1500	78	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7-23	0300		N/A
	0600		
	0900	77	S. MOORE/C. BERRY
	1200	78	S. MOORE/C. BERRY
	1500	78	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-24	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	80	S. MOORE/C. BERRY
	1500	81	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-25	0300		N/A
	0600		
	0900	73	S. MOORE/C. BERRY
	1200	80	S. MOORE/C. BERRY
	1500	82	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-26	0300		
	0600	No Short Contact	
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7-27	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7-28	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: /D120 Temp. Reading Location: East Library
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600		
	0900	73	A. Garcia
	1200	75	A. Garcia
	1500	79	A. Garcia
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300		N/A
	0600		
	0900	78	A. Garcia
	1200	79	A. Garcia
	1500	80	A. Garcia
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		N/A
	0600		
	0900	74	A. Garcia
	1200	80	A. Garcia
	1500	81	A. Garcia
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		N/A
	0600		
	0900	78	A. Garcia
	1200	80	A. Garcia
	1500	81	A. Garcia
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		N/A
	0600		
	0900	78	A. Garcia
	1200	80	A. Garcia
	1500	79	A. Garcia
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Ed Office Temp. Reading Location: B135
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600		
	0900	70°	E.Boaz
	1200	72.7°	E.Boaz
	1500	74.8	E.Boaz
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300		N/A
	0600		
	0900	71.3	E.Boaz
	1200	76.6	E.Boaz
	1500	76.5	E.Boaz
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		N/A
	0600		
	0900	72°	E.Boaz
	1200	76.6°	E.Boaz
	1500	78.7	E.Boaz
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		N/A
	0600		
	0900	70	Thompson
	1200	74	↓
	1500	76	
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		N/A
	0600		
	0900	70	Thompson
	1200	71	↓
	1500	73	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

Docusign Envelope ID: 44A9B246-D4F6-4816-A77A-8CE8C6047542

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/22

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	NO	J. Fogo 7/22/2024
	1200	I/P	J. Fogo
	1500	CONTACT	J. Fogo
	1800		
	2100		N/A
	2400		

Tuesday 7/23

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	64	J. Fogo 7/23/2024
	1200	75	J. Fogo
	1500	81	J. Fogo
	1800		N/A
	2100		
	2400		

Wednesday 7/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 7/24/2024
	1200	74	J. Fogo
	1500	82	J. Fogo
	1800		
	2100		N/A
	2400		

Thursday 7/25

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	NO	J. Fogo 7/25/2024
	1200	I/P	J. Fogo
	1500	CONTACT	J. Fogo
	1800		N/A
	2100		
	2400		

Friday 7/26

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	NO	J. Fogo 7/26/2024
	1200	I/P	J. Fogo
	1500	CONTACT	J. Fogo
	1800		
	2100		N/A
	2400		

Saturday 7/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 7/28

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DocuSigned by: 7/29/2024
Jeff Fogo
6FD451130EA54B4...

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/22 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
07/23 2024	0300		N/A
	0600		
	0900	74deg	V.Vera
	1200	75deg	V.Vera
	1500	76 deg	V.VERA
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
07/24 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
07/25 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
07/26 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Bldg. Z-109
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-22-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7-23-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-24-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

Z-109 East Education Voc. Masonry
Ron Shoffeitt

No Inmate Contact

DocuSigned by: Ron Shoffeitt
ABB41175556F468...

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 2-224 Temp. Reading Location: Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4792 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300		N/A
	0600		
	0900	75	Ramirez
	1200	76	Ramirez
	1500	78	Ramirez
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300		N/A
	0600		
	0900	76	Ramirez
	1200	77	Ramirez
	1500	78	Ramirez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300		N/A
	0600		
	0900	76	Ramirez
	1200	77	Ramirez
	1500	79	Ramirez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300		N/A
	0600		
	0900	77	Ramirez
	1200	78	Ramirez
	1500	79	Ramirez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/26/24	0300		N/A
	0600		
	0900	77	[illegible]
	1200	76	[illegible]
	1500	78	[illegible]
	1800		
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

Docusign Envelope ID: 4B6FF804-C351-48FB-B8D6-A8519348EA2A

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: N/A Temp. Reading Location: Z-221 Voc. Build. Maint.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4617 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300		
	0600		
	0900		N/A -- RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300		
	0600		
	0900		
	1200		N/A -- RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

Docusign Envelope ID: 31D924E6-E2C0-47A9-8603-486E670F3E58

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _CMC____ Housing Unit: __Q113A_____ Temp. Reading Location: __D yard_____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600		
	0900	72	SCIOCCHETTI/ROCHA
	1200	75	SCIOCCHETTI/ROCHA
	1500	75	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300		N/A
	0600		
	0900	76	SCIOCCHETTI/ROCHA
	1200	76	SCIOCCHETTI/ROCHA
	1500	77	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.		Name (Print)
7/24	0300			N/A
	0600			
	0900	No class		SCIOCCHETTI/ROCHA
	1200	73		SCIOCCHETTI/ROCHA
	1500	73		SCIOCCHETTI/ROCHA
	1800			
	2100			N/A
	2400			

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		N/A
	0600		
	0900	77	SCIOCCHETTI/ROCHA
	1200	77	SCIOCCHETTI/ROCHA
	1500	78	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		N/A
	0600		
	0900	77	SCIOCCHETTI/ROCHA
	1200	78	SCIOCCHETTI/ROCHA
	1500	79	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Gym G102H Temp. Reading Location: East Education Coaches' Office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300		
	0600		
	0900		B. Ferrall
	1200	68°	B. Ferrall
	1500	70°	B. Ferrall
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300		
	0600		
	0900	—	B. Ferrall
	1200	68°	B. Ferrall
	1500	70°	B. Ferrall
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300		
	0600		
	0900	—	B. Ferrall
	1200	68°	B. Ferrall
	1500	70°	B. Ferrall
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300		
	0600		
	0900	—	B. Ferrall
	1200	68°	B. Ferrall
	1500	70°	B. Ferrall
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300		
	0600		
	0900	—	B. Ferrall
	1200	68°	B. Ferrall
	1500	70°	B. Ferrall
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: __CMC_____ Housing Unit: ___ Temp. Reading Location: H-E / Gym Coorridor East Education – GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 7904 **90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600		
	0900	74°	G.LOAYZA/W.BACILA
	1200	78°	G.LOAYZA/W.BACILA
	1500	82	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300		N/A
	0600		
	0900	78°	G.LOAYZA/W.BACILA
	1200	80°	G.LOAYZA/W.BACILA
	1500	81	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		N/A
	0600		
	0900	78°	G.LOAYZA/W.BACILA
	1200	82°	G.LOAYZA/W.BACILA
	1500	86°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		N/A
	0600		
	0900	79°	G.LOAYZA/W.BACILA
	1200	82°	G.LOAYZA/W.BACILA
	1500	85°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		N/A
	0600		
	0900	76°	G.LOAYZA/W.BACILA
	1200	78°	G.LOAYZA/W.BACILA
	1500	77°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

7/28 RDO

Notes

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.6	Mensing
	1200	81.3	Mensing
	1500	86.8	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.4	Mensing
	1200	83.5	Mensing
	1500	85.6	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	78.9	Mensing
	1200	84.3	Mensing
	1500	No Class	Mensing 87.4
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	76.2	Mensing
	1200	84.3	Mensing
	1500	86.9	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.9°	Mensing (Bacila)
	1200	80.6°	Mensing (Bacila)
	1500	81.3°	Mensing (Bacila)
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

D. Mensing, GED Instructor Ext. 4625

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: Gym Corridor - H6.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-22-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71°	D. JACOBEN
	1200	75	D. JACOBEN
	1500	79°	D. JACOBEN
	1800		N/A
	2100		
	2400		

Tuesday 7-23-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73°	D. JACOBEN
	1200	79°	D. JACOBEN
	1500	80°	D. JACOBEN
	1800		N/A
	2100		
	2400		

Wednesday 7-24-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76°	D. JACOBEN
	1200	81°	D. JACOBEN
	1500	82	D. JACOBEN
	1800		
	2100		N/A
	2400		

Thursday 7-25-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73°	D. JACOBEN
	1200	79°	D. JACOBEN
	1500	81°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Friday 7-26-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73°	D. JACOBEN
	1200	77°	D. JACOBEN
	1500	79°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Saturday 7/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday 7/28

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

D. Jacoben

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	78.0	Zelenski/Diederich/Puett
	1200	80.8	Zelenski/Diederich/Puett
	1500	81.0	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	79.8	Zelenski/Diederich/Puett
	1200	83.5	Zelenski/Diederich/Puett
	1500	83.0	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	84.1	Zelenski/Diederich/Puett
	1200	84.0	Zelenski/Diederich/Puett
	1500	84.4	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
07/25/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	81.1	Zelenski/Diederich/Puett
	1200	81.7	Zelenski/Diederich/Puett
	1500	82.4	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		Zelenski/Diederich/Puett
	1200		Zelenski/Diederich/Puett
	1500		Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski,/Diederich/Puett, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A-158 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600		
	0900	64°	R. Lopez
	1200	70°	R. Lopez
	1500	72°	R. Lopez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300		N/A
	0600		
	0900	64°	R. Lopez
	1200	76°	R. Lopez
	1500	80°	R. Lopez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		N/A
	0600		
	0900	64°	R. Lopez
	1200	72°	R. Lopez
	1500	80°	R. Lopez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		N/A
	0600		
	0900	64°	R. Lopez
	1200	74°	R. Lopez
	1500	84°	R. Lopez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		N/A
	0600		
	0900	77°	R. Lopez
	1200	77°	R. Lopez
	1500	80°	R. Lopez
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/22/2024 to 7/28/2024

ATTACHMENT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-101 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.22.24	0300		
	0600		
	0900	74.2	DePetro
	1200	77.9	DePetro
	1500	80.3	DePetro
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7.23.24	0300		
	0600		
	0900	76.2	DePetro
	1200	80.3	DePetro
	1500	81.0	DePetro
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300		
	0600		
	0900	No Students Present	
	1200	78°	W. Bacila
	1500	82°	W. Bacila
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300		
	0600		
	0900	74°	W. Bacila
	1200	79.3°	W. Bacila
	1500	81°	W. Bacila
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

J. DePetro

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom D-104 Temp. Reading Location: Teacher's Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300		N/A
	0600		
	0900	75	Todd
	1200	78	Todd
	1500	84	Todd
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300		N/A
	0600		
	0900	78	Todd
	1200	80	Todd
	1500	84	Todd
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		N/A
	0600		
	0900	78	Todd
	1200	82	Todd
	1500	84	Todd
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		N/A
	0600		
	0900	78	Todd
	1200	83	Todd
	1500	84	Todd
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		N/A
	0600		
	0900	74	Todd
	1200	82	Todd
	1500	cut	Todd
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DELGADILLO, K ABE-3

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: ~~[illegible]~~ D-106 Temp. Reading Location: East Education (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	/	METROGEN
	0600		
	0900	74	
	1200	78	
	1500	80	
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	/	METROGEN
	0600		
	0900	76	
	1200	80	
	1500	82	
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	/	METROGEN
	0600		
	0900	76	
	1200	80	
	1500	82	
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	/	METROGEN
	0600		
	0900		
	1200	NO CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		METROGEN
	0600		
	0900	74	
	1200	76	
	1500	78	
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

~~K. Delgadillo, ABE-3 Instructor~~
A. Metrogen

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor (B102) Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	no contact	Friend
	1200	no contact	Friend
	1500	no contact	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO Contact	Friend
	1200		Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO Contact	Friend
	1200		Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO Contact	Friend
	1200		Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO Contact	Friend
	1200		Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4711

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-229, Testing Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		
	0600		
	0900		No contact
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300		
	0600		
	0900		No contact
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		
	0600		
	0900		No contact
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		
	0600		
	0900		
	1200	75	~~No contact~~ Mathis
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		
	0600		
	0900		No contact
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Medical Corridor Temp. Reading Location: Classroom B-125 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-22-24

Date	Time	Temp.	Name (Print)
	0300	XXXXXX	XXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXX
	0900	70°	Mark Kirstein
	1200	72°	Mark Kirstein
	1500	73°	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXX

Tuesday 7-23-24

Date	Time	Temp.	Name (Print)
	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900	72	Mark Kirstein
	1200	78	Mark Kirstein
	1500	82°	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900	72°	Mark Kirstein
	1200	75°	Mark Kirstein
	1500	78°	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	XXXX	XXXXXXXXXXXXXX
	0600	XXXX	XXXXXXXXXXXXXX
	0900	72°	Mark Kirstein
	1200	75°	Mark Kirstein
	1500	78°	Mark Kirstein
	1800	XXXX	XXXXXXXXXXXXXX
	2100	XXXX	XXXXXXXXXXXXXX
	2400	XXXX	XXXXXXXXXXXXXX

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900	72°	Mark Kirstein
	1200	75°	Mark Kirstein
	1500	77°	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

Docusign Envelope ID: 5C333957-DD3F-4203-9EA1-721C15717B57

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor Temp. Reading Location: East Education – HSD/GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72	COLE
	1200	74	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73	COLE
	1200	75	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74	COLE
	1200	79	COLE
	1500	81	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	75	COLE
	1200	79	COLE
	1500	81	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72	COLE
	1200	75	COLE
	1500	78	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:
Caleb Cole
46B0D3E70CC24EC...

7/22/2024 to 7/28/2024

Docusign Envelope ID: 4B6FF804-C351-48FB-B8D6-A8519348EA2A

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: N/A Temp. Reading Location: Z-221 Voc. Build. Maint.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4617 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300		No Student
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300		
	0600		
	0900		N/A -- RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300		
	0600		
	0900		
	1200		N/A -- RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A FACILITY Temp. Reading Location: BUILDING 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	70	TUTTLE ICP
	0600	68	RAMOS
	0900	70	RAMOS
	1200	82	RAMOS
	1500	72	CAMPOS
	1800	72	CAMPOS
	2100	72	CAMPOS
	2400	70	DIAL

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	70	Dial
	0600	70	ALMADER
	0900	72	ALMADER ML
	1200	72	ALMADER
	1500	74°	S. SCORSE
	1800	76°	S. SCORSE
	2100	74°	S. SCORSE
	2400	72	CAMPOS

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	72	CAMPOS
	0600	72	LINES
	0900	72	LINES
	1200	80	LINES
	1500	79	CUBALBAG
	1800	79	CUBALBAG
	2100	76	CUBALBAG
	2400	70	CAMPOS

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	68	CAMPOS
	0600	76	RAMOS
	0900	76	RAMOS
	1200	75	RAMOS
	1500	78	CUBALBAG
	1800	78	CUBALBAG
	2100	76	CUBALBAG
	2400	74	ROBLES

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	72	ROBLES
	0600	68	RAMOS
	0900	72	RAMOS
	1200	74	RAMOS
	1500	75	CUBALBAG
	1800	75	CUBALBAG
	2100	73	CUBALBAG
	2400	72	ROBLES

Saturday

Date	Time	Temp.	Name (Print)
	0300	70	ROBLES
	0600	69	RAMOS
	0900	70	RAMOS
	1200	71	RAMOS
	1500	72	RAMOS
	1800	71	RAMOS
	2100	71	RAMOS
	2400	69	ROBLES

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	68	ROBLES
	0600	68	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	71	CAMPOS
	1800	70	CAMPOS
	2100	70	CAMPOS
	2400	70	TUTTLE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A FACILITY Temp. Reading Location: BUILDING 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	73	[illegible] ICP
	0600	73	Cook
	0900	73	Cook
	1200	74	Cook
	1500	75	LANDWEHR
	1800	75	LANDWEHR
	2100	75	LANDWEHR
	2400	70	Lopez

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300	70	Lopez
	0600	71	Rodriguez
	0900	73	Rodriguez
	1200	75	Rodriguez
	1500	75	LANDWEHR
	1800	75	LANDWEHR
	2100	75	LANDWEHR
	2400	72	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	71	Lopez
	0600	74	Helcrim
	0900	76	Helcrim
	1200	76	Helcrim
	1500	77	LANDWEHR
	1800	75	LANDWEHR
	2100	75	LANDWEHR
	2400	71	Rlopez

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	70	Rlopez
	0600	70	Gabrem
	0900	70	Camera
	1200	72	Camera
	1500	72	LANDWEHR
	1800	75	LANDWEHR
	2100	77	LANDWEHR
	2400	77	Cacillo

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	76	Cacillo
	0600	74	Helcrim
	0900	74	Helcrim
	1200	76	Helcrim
	1500	75	LANDWEHR
	1800	75	LANDWEHR
	2100	75	LANDWEHR
	2400	73	Lopez

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	67	Lopez
	0600	68	VILLEGAS
	0900	74	VILLEGAS
	1200	76	VILLEGAS
	1500	73	KREBS
	1800	73	KREBS
	2100	72	KREBS
	2400	72	Lopez

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	68	Lopez
	0600	68	ALMABUER
	0900	68	ALMABUER
	1200	70	ALMABUER
	1500	71	KREBS
	1800	72	KREBS
	2100	71	KREBS
	2400		Lopez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

EPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORL

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	N/A	
	0600	70	Rivera
	0900	74	Rivera
	1200	N/A	
	1500	79	J. Noel
	1800	78	J. Noel
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	N/A	
	0600	72	Jacobs
	0900	73	Jacobs
	1200	N/A	
	1500	79	L. Buffalo
	1800	79	L. Buffalo
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	N/A	
	0600	73	Jacobs
	0900	75	Jacobs
	1200	N/A	
	1500	85	AGUILAR
	1800	84	AGUILAR
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	N/A	
	0600	76	Jacobs
	0900	78	Jacobs
	1200	N/A	
	1500	77	J. Noel
	1800	76	J. Noel
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	N/A	
	0600	72	[illegible]
	0900	74	[illegible]
	1200	N/A	
	1500	76	MENDEZ
	1800	76	MENDEZ
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	N/A	
	0600	70	Noel
	0900	71	Noel
	1200	N/A	
	1500	72	Pacas
	1800	71	Pacas
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	N/A	
	0600	69	Jacobs
	0900	72	Jacobs
	1200	N/A	
	1500	70°	Pacas
	1800	70°	Pacas
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	82	Hodges
	1500	83	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500	84	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	N/A	
	0600	N/A	
	0900	77	Hodges
	1200	79	Hodges
	1500	82	Hodges
	1800	78	Hodges
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	82	Hodges
	1500	83	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	82	Hodges
	1500	84	Hodges
	1800	78	Hodges
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	N/A	
	0600	N/A	
	0900	76	Hodges
	1200	77	Hodges
	1500	80	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	82	Hodges
	1500	84	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	N/A	
	0600	NA	Lunda
	0900	72	Lunda
	1200	74	Lunda
	1500	75	Whitlow
	1800	75	Whitlow
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	N/A	
	0600	73	[illegible]
	0900	74	[illegible]
	1200	75	[illegible]
	1500	75	Montgomery
	1800	75	Montgomery
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	N/A	
	0600	70	E. VALENCIA
	0900	74	E. VALENCIA
	1200	75	E. VALENCIA
	1500	75	Lasquish
	1800	75	Lasquish
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	N/A	
	0600	N/A	
	0900	70	Cabrera
	1200	72	Cabrera
	1500	71	
	1800	70	
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	N/A	
	0600	68	Fouts
	0900	69	Fouts
	1200	71	Fouts
	1500	72	Montgomery
	1800	72	Montgomery
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	N/A	
	0600	67	Fouts
	0900	67	Fouts
	1200	67	Fouts
	1500	67	Montgomery
	1800	67	Montgomery
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	N/A	
	0600	N/A	
	0900	68	Cabrera
	1200	68	Cabrera
	1500	66	Montgomery
	1800	65	Montgomery
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 3 Fac. B Temp. Reading Location: 3rd Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-22-24	0300	70	P. HENRY
	0600	70	R Vega
	0900	72	R Vega
	1200	72	R Vega
	1500	72	P. DRI TONO
	1800	72	P. DRI TONO
	2100	70	P. DRI TONO
	2400	70	P. HENRY

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300	70	P. HENRY
	0600	69	Urias
	0900	69	Urias
	1200	70	Urias
	1500	72	P. DRI TONO
	1800	72	P. DRI TONO
	2100	69	P. DRI TONO
	2400	68	P. HENRY

Wednesday

Date	Time	Temp.	Name (Print)
7-24-24	0300	71	P. HENRY
	0600	72	URIAS
	0900	72	URIAS
	1200	74	URIAS
	1500	74	P. DRI TONO
	1800	71	P. DRI TONO
	2100	71	P. DRI TONO
	2400	71	P. HENRY

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300	70	P. HENRY
	0600	70	Urias
	0900	71	Urias
	1200	73	Urias
	1500	74	[illegible]
	1800	73	[illegible]
	2100	70	[illegible]
	2400	68	P. HENRY

Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300	70	P. HENRY
	0600	69	Urias
	0900	69	Urias
	1200	70	Urias
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	70	Garcia

Saturday

Date	Time	Temp.	Name (Print)
7-27-24	0300	70	Garcia
	0600	105	Moreno
	0900	105	Moreno
	1200	70	Moreno
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	70	Garcia

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	70	Garcia
	0600	108	R Vega
	0900	106	R Vega
	1200	70	R Vega
	1500	70	P. DRI TONO
	1800	68	P. DRI TONO
	2100	68	P. DRI TONO
	2400	68	P. HENRY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B4 RHU FAC. B Temp. Reading Location: 3RD TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	66	D. OROZCO
	0600	66	T. JOHNSON
	0900	68	T. JOHNSON
	1200	70	GRAVES
	1500	71	JOHNSON
	1800	71	JOHNSON
	2100	71	JOHNSON
	2400	67	D. OROZCO

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300	67	D. OROZCO
	0600	69	M. LOPEZ
	0900	68	GRAVES
	1200	71	RIVERA
	1500	71	JOHNSON
	1800	76	JOHNSON
	2100	71	JOHNSON
	2400	68	D. OROZCO

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	68	D. OROZCO
	0600	70	ALEMAN
	0900	71	ALEMAN
	1200	73	ALEMAN
	1500	74	[illegible]
	1800	74	[illegible]
	2100	72	[illegible]
	2400	71	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	72	[illegible]
	0600	74	ALEMAN
	0900	73	ALEMAN
	1200	73	ALEMAN
	1500	74	GARZA
	1800	74	GARZA
	2100	73	GARZA
	2400	69	MORTON

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	68	MORTON
	0600	69	GRAVES
	0900	70	GRAVES
	1200	71	GRAVES
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	OROZCO

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	68	OROZCO
	0600	68	GRAVES
	0900	68	GRAVES
	1200	68	GRAVES
	1500	69	[illegible]
	1800	70	[illegible]
	2100	69	[illegible]
	2400	68	D OROZCO

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	68	D. OROZCO
	0600	68	GRAVES
	0900	69	GRAVES
	1200	69	GRAVES
	1500	70	[illegible]
	1800	70	[illegible]
	2100	69	[illegible]
	2400	68	D. OROZCO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility B Diner Temp. Reading Location: Near Coffee Machine
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	N/A	N/A
	0600	69°	S. NOEL
	0900	69°	S. NOEL
	1200	74°	S. NOEL
	1500	80°	Pacas
	1800	83°	Pacas
	2100	N/A	N/A
	2400	N/A	N/A

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	N/A	N/A
	0600	75	W Young
	0900	77	W Young
	1200	78	W Young
	1500	81	J Pinn
	1800	85	J Pinn
	2100	N/A	N/A
	2400	N/A	N/A

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	N/A	N/A
	0600	69	Nettum
	0900	69	Nettum
	1200	69	Nettum
	1500	82	J Pinn
	1800	85	J Pinn
	2100	N/A	N/A
	2400	N/A	N/A

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	N/A	N/A
	0600	69	Nettum
	0900	69	Nettum
	1200	69	Nettum
	1500	82	J Pinn
	1800	86	J Pinn
	2100	N/A	N/A
	2400	N/A	N/A

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	N/A	N/A
	0600	69	Nettum
	0900	69	Nettum
	1200	69	Nettum
	1500	80	J Pinn
	1800	84	J Pinn
	2100	N/A	N/A
	2400	N/A	N/A

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	N/A	N/A
	0600	69	Nettum
	0900	69	Nettum
	1200	69	Nettum
	1500	68	Martinez
	1800	69	Martinez
	2100	N/A	N/A
	2400	N/A	N/A

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	N/A	N/A
	0600	69°	S. NOEL
	0900	69°	S. NOEL
	1200	72°	S. NOEL
	1500	78°	Barbosa
	1800	78°	Barbosa
	2100	N/A	N/A
	2400	N/A	N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAL-C-5 Temp. Reading Location: BLDG 5/3 FLR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	70	Rivera
	0600	70	Kingsley
	0900	70	Kingsley
	1200	70	Kingsley
	1500	75	M. Raza
	1800	77	M. Raza
	2100	76	M. Raza
	2400	74	AGUAYO

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	70	AGUAYO
	0600	70	Kingsley
	0900	70	Kingsley
	1200	75	Kingsley
	1500	75	[illegible]
	1800	78	[illegible]
	2100	76	[illegible]
	2400	74	AGUAYO

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	72	AGUAYO
	0600	72	J. Maretti
	0900	75	J. Maretti
	1200	79	J. Maretti
	1500	77	[illegible]
7/24/24	1800	78	[illegible]
	2100	78	[illegible]
	2400	74	ESQUIVIAS

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300	72	ESQUIVIAS
	0600	72	J. Maretti
	0900	74	J. Maretti
	1200	74	J. Maretti
	1500	78	[illegible]
	1800	79	[illegible]
	2100	75	C. Lopez
	2400	72	C. LOPEZ

Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300	72	C. LOPEZ
	0600	72	Kingsley
	0900	72	Kingsley
	1200	77	Kingsley
	1500	74	Kingsley
	1800	73	Kingsley
	2100	71	[illegible]
	2400	70	C. LOPEZ

Saturday

Date	Time	Temp.	Name (Print)
7-27-24	0300	70	C. LOPEZ
	0600	70	C. LOPEZ
	0900	78	C. LOPEZ
	1200	7[illegible]	C. LOPEZ
	1500	67	S. Lee
	1800	68	S. Lee
	2100	66	S. Lee
	2400	68	C. LOPEZ

Sunday

Date	Time	Temp.	Name (Print)
7-28-24	0300	68	C. LOPEZ
	0600	69	C. Lee
	0900	70	C. Lee
	1200	70	C. Lee
	1500	70	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	69	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC-E** Housing Unit: **Building 6** Temp. Reading Location: **3rd tier**
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

FAC. C

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	74	J. Rowlett
	1500	75	A. Zepeda
	1800	76	A. Zepeda
	2100	74	A. Zepeda
	2400	73°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	78°	S. Banuelos
	0600	73	J. Rowlett
	0900	74	J. Rowlett
	1200	75	J. Rowlett
	1500	77	E. Ayon Flores
	1800	78	E. Ayon Flores
	2100	77	E. Ayon Flores
	2400	74°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	74°	S. Banuelos
	0600	74	J. Rowlett
	0900	74	J. Rowlett
	1200	75	J. Rowlett
	1500	80	E. Ayon Flores
	1800	79	E. Ayon Flores
	2100	75	E. Ayon Flores
	2400	74	R. Santos

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	73	R. Santos
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	74	J. Rowlett
	1500	78	E. Ayon Flores
	1800	78	E. Ayon Flores
	2100	75	E. Ayon Flores
	2400	70	M. Cather

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	65	M. Cather
	0600	70°	J. Nunez
	0900	72	E. Gonzalez
	1200	72°	E. Gonzalez
	1500	70	Miller
	1800	78	Miller
	2100	75	Miller
	2400	73°	S. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	73°	S. Banuelos
	0600	72	M. Wykoff
	0900	72	M. Wykoff
	1200	72	M. Wykoff
	1500	74	Mattingly
	1800	73	Mattingly
	2100	72	Mattingly
	2400	72°	S. Banue

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	72	J. Rowlett
	1500	73	A. Zepeda
	1800	72	A. Zepeda
	2100	71	A. Zepeda
	2400	71°	S. Banuelos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Fac "C" Temp. Reading Location: Dinner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600	70	Montano
	0900	72	Montano
	1200		
	1500	75	Garcia
	1800	78	Garcia
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7-23-24	0300		
	0600	70	Bonkston
	0900	73	Bonkston
	1200		
	1500	82°	ORCA
	1800	82°	ORCA
	2100	82°	ORCA
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		
	0600	74	~~76~~ B Lb
	0900	~~76~~ 76	~~Ob~~ mk
	1200	76	
	1500		
	1800		
	2100		
24	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300		
	0600	72	Montano
	0900	78	Montano
	1200		
	1500	83	GARCIA
	1800	81	GARCIA
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300		
	0600	70	Montano
	0900	75°	Montano
	1200		
	1500	78	GARCIA
	1800	80	GARCIA
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7-27-24	0300		
	0600	68	Montano
	0900	70	Montano
	1200		
	1500	77	Gonzales
	1800	77	Gonzales
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7-28-24	0300		
	0600	69	MORIN
	0900	70	MORIN
	1200		
	1500	71	GARCIA
	1800	73	GARCIA
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

FAC. D

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	68	Chilcoats, UP
	0600	69	Witt
	0900	70	Witt
	1200	70	Witt
	1500	75	Witt
	1800	74	Witt
	2100	73	Witt
	2400	73	Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300	71	Vasquez
	0600	70	Witt
	0900	70	Witt
	1200	73	Witt
	1500	75	Witt
	1800	75	Witt
	2100	71	P. Drilton
	2400	70	P. Drilton

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	70	P. Drilton
	0600	71	D. Leeper
	0900	74	D. Leeper
	1200	75	D. Leeper
	1500	78°	T. Faiola
	1800	78°	T. Faiola
	2100	76°	T. Faiola
	2400	76	P. Drilton

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300	76	P. Drilton
	0600	71	P. Drilton
	0900	72	O. Gurgel
	1200	72	O. Gurgel
	1500	78	Wheeler
	1800	78	D. Leeper
	2100	72	Wheeler
	2400	70	T. Gore

Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300	69	T. Gore
	0600	68°	Chavez
	0900	68°	Chavez
	1200	74°	Chavez
	1500	76°	T. Faiola
	1800	74°	T. Faiola
	2100	72°	T. Faiola
	2400	71	T. Gore

Saturday

Date	Time	Temp.	Name (Print)
7-27-24	0300	69	T. Gore
	0600	69°	Chavez
	0900	69°	Chavez
	1200	69°	Chavez
	1500	70°	T. Faiola
	1800	70°	T. Faiola
	2100	70°	T. Faiola
	2400	69	T. Gore

Sunday

Date	Time	Temp.	Name (Print)
7-28-24	0300	69°	Benavidez
	0600	70	R. Lopez
	0900	70	R. Lopez
	1200	70	R. Lopez
	1500	70	Gabilent
	1800	70	Gabilent
	2100	70	Gabilent
	2400	69°	Benavidez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 8 Fac. D Temp. Reading Location: 3rd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-22-24	0300	70	MAC LORD
	0600	70	E. Gonzalez
	0900	72	E. Gonzalez
	1200	72	E. Gonzalez
	1500	75	Bender
	1800	74°	Bender
	2100	77°	Bender
	2400	75	Clarke

Tuesday

Dat	Time	Temp.	Name (Print)
7-23-24	0300	75	Clarke
	0600	70	E. Gonzalez
	0900	72	E. Gonzalez
	1200	72	E. Gonzalez
	1500	77°	Bender
	1800	76°	Bender
	2100	74°	Bender
	2400	74	Perales

Wednesday

Date	Time	Temp.	Name (Print)
7-24-24	0300	76	Perales
	0600	76	Pelayo
	0900	77	Pelayo
	1200	78°	Pelayo
	1500	79	Bender
	1800	78°	Bender
	2100	77°	Bender
	2400	77	Clarke

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300	75	Clarke
	0600	74	Pelayo
	0900	76	Pelayo
	1200	77°	Pelayo
	1500	78°	Bender
	1800	77°	Bender
	2100	76°	Bender
	2400	76	Clarke

Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300	76	Clarke
	0600	76	Pelayo
	0900	76°	Pelayo
	1200	77°	Pelayo
	1500	78°	Bender
	1800	77°	Bender
	2100	76°	Bender
	2400	76	Clarke

Saturday

Date	Time	Temp.	Name (Print)
7-27-24	0300	75	Clarke
	0600	74	Pelayo
	0900	74	Pelayo
	1200	74	Pelayo
	1500	74	Pelayo
	1800	74	Pelayo
	2100	72	Pelayo
	2400	72	TORRES

Sunday

Date	Time	Temp.	Name (Print)
7-28-24	0300	70	TORRES
	0600	70	Pelayo
	0900	72	Pelayo
	1200		Pelayo
	1500	72	Mullins
	1800	72	Mullins
	2100	71	Mullins
	2400	72	TORRES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-D.mv Temp. Reading Location: Diner floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300		
	0600	68	Martyn
	0900	68	Martyn
	1200	68	Martyn
	1500	78	REYES
	1800	80	REYES
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300		
	0600	68	Martyn
	0900	69	Martyn
	1200	69	Martyn
	1500	84°	Z. Marks
	1800	87°	Z. Marks
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300		
	0600	72	Martyn
	0900	74	Martyn
	1200	76	Martyn
	1500	86	LINES
	1800	86	LINES
	2100	85	LINES
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300		
	0600	70	GONZALEZ
	0900	74	GONZALEZ
	1200	76	GONZALEZ
	1500	86	LINES
	1800	83	LINES
	2100	83	LINES
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300		
	0600	74	[illegible]
	0900	76	[illegible]
	1200	76	COBB
	1500	80	Jones
	1800	74	Jones
	2100	74	Jones
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300		
	0600	68	Martyn
	0900	68	Martyn
	1200	69	Martyn
	1500	74	Jones
	1800	74	Jones
	2100	74	Jones
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300		
	0600	68	Martyn
	0900	68	Martyn
	1200	68	Martyn
	1500	74	REYES
	1800	74	REYES
	2100		
	2400		

Notes

Week of 7/22/24

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 30 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/22/24	0300	70	VASQUEZ
	0600	69	JIMESON
	0900	69	JIMESON
	1200	72	JIMESON
	1500	76	Howell
	1800	76	Howell
	2100	74	Howell
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
07/23/24	0300	73	VASQUEZ
	0600	70	Howell
	0900	72	Howell
	1200	74	Howell
	1500	79	Howell
	1800	82	Howell
	2100	78	Howell
	2400	70	Moreno

Wednesday

Date	Time	Temp.	Name (Print)
07/24/24	0300	70	Moreno
	0600	75	Gomez
	0900	76	Gomez
	1200	82	Gomez
	1500	82	Gomez
	1800	82	Gomez
	2100	78	Gomez
	2400	78	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
07/25/24	0300	76	VASQUEZ
	0600	74	COLLINS
	0900	75	COLLINS
	1200	77	COLLINS
	1500	82	Howell
	1800	82	Howell
	2100	76	Howell
	2400	72	VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
07/26/24	0300	73	VASQUEZ
	0600	70	COLLINS
	0900	70	JIMESON
	1200	72	JIMESON
	1500	74	Howell
	1800	74	Howell
	2100	72	Howell
	2400	72	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
07/27/24	0300	72	Arguijo
	0600	68	COLLINS
	0900	68	COLLINS
	1200	69	JIMESON
	1500	72	Arguijo
	1800	74	Arguijo
	2100	70	Moreno
	2400	72	Arguijo

Sunday

Date	Time	Temp.	Name (Print)
07/28/24	0300	72	Arguijo
	0600	68	JIMESON
	0900	68	JIMESON
	1200	68	Cook
	1500	72	Gomez
	1800	72	Gomez
	2100	70	Gomez
	2400	70	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 31
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/22/24	0300	70	VASQUEZ
	0600	67	JIMESON
	0900	68	JIMESON
	1200	72	JIMESON
	1500	76	Howell
	1800	76	Howell
	2100	74	Howell
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
07/23/24	0300	70	VASQUEZ
	0600	70	Howell
	0900	72	Howell
	1200	74	Howell
	1500	80	Howell
	1800	81	Howell
	2100	78	Howell
	2400	70	Moreno

Wednesday

Date	Time	Temp.	Name (Print)
07/24/24	0300	70	Moreno
	0600	78	Gomez
	0900	76	Gomez
	1200	80	Gomez
	1500	80	Gomez
	1800	82	Gomez
	2100	78	Gomez
	2400	76	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
07/25/24	0300	76	VASQUEZ
	0600	74	COLLINS
	0900	75	COLLINS
	1200	79	COLLINS
	1500	80	Howell
	1800	80	Howell
	2100	76	Howell
	2400	73	VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
07/26/24	0300	73	VASQUEZ
	0600	70	COLLINS
	0900	70	JIMESON
	1200	72	JIMESON
	1500	74	Howell
	1800	74	Howell
	2100	72	Howell
	2400	73	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
07/27/24	0300	73	Arguijo
	0600	66	COLLINS
	0900	66	COLLINS
	1200	68	JIMESON
	1500	72	Arguijo
	1800	74	Arguijo
	2100	70	Moreno
	2400	72	Arguijo

Sunday

Date	Time	Temp.	Name (Print)
07/28/24	0300	72	Arguijo
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	74	Gomez
	1800	72	Gomez
	2100	72	Gomez
	2400	72	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 32 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/22/24	0300	70	VASQUEZ
	0600	68	JIMESON
	0900	68	JIMESON
	1200	72	JIMESON
	1500	76	HOWELL
	1800	76	HOWELL
	2100	74	HOWELL
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
07/23/24	0300	70	VASQUEZ
	0600	70	HOWELL
	0900	72	HOWELL
	1200	78	HOWELL
	1500	82	HOWELL
	1800	84	HOWELL
	2100	80	HOWELL
	2400	70	Moreno

Wednesday

Date	Time	Temp.	Name (Print)
07/24/24	0300	70	Moreno
	0600	76	GOMEZ
	0900	76	GOMEZ
	1200	82	GOMEZ
	1500	83	GOMEZ
	1800	84	GOMEZ
	2100	80	GOMEZ
	2400	76	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
07/25/24	0300	76	VASQUEZ
	0600	74	COLLINS
	0900	75	COLLINS
	1200	76	COLLINS
	1500	82	HOWELL
	1800	82	HOWELL
	2100	77	HOWELL
	2400	72	VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
07/26/24	0300	70	VASQUEZ
	0600	68	COLLINS
	0900	72	JIMESON
	1200	75	JIMESON
	1500	76	HOWELL
	1800	76	HOWELL
	2100	74	HOWELL
	2400	72	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
07/27/24	0300	70	Arguijo
	0600	74	COLLINS
	0900	74	COLLINS
	1200	74	JIMESON
	1500	72	Arguijo
	1800	72	Arguijo
	2100	70	Moreno
	2400	72	Arguijo

Sunday

Date	Time	Temp.	Name (Print)
07/28/24	0300	70	Arguijo
	0600	66	JIMESON
	0900	66	JIMESON
	1200	68	JIMESON
	1500	72	GOMEZ
	1800	72	GOMEZ
	2100	70	GOMEZ
	2400	70	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 33 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/22/24	0300	70	VASQUEZ
	0600	68	JIMESON
	0900	68	JIMESON
	1200	70	JIMESON
	1500	76	HOWELL
	1800	76	HOWELL
	2100	74	HOWELL
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
07/23/24	0300	70	VASQUEZ
	0600	70	HOWELL
	0900	70	HOWELL
	1200	74	HOWELL
	1500	78	HOWELL
	1800	81	HOWELL
	2100	79	HOWELL
	2400	70	MORENO

Wednesday

Date	Time	Temp.	Name (Print)
07/24/24	0300	70	MORENO
	0600	76	GOMEZ
	0900	76	GOMEZ
	1200	78	GOMEZ
	1500	80	GOMEZ
	1800	84	GOMEZ
	2100	80	GOMEZ
	2400	76	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
07/25/24	0300	76	VASQUEZ
	0600	74	COLLINS
	0900	75	COLLINS
	1200	76	COLLINS
	1500	80	HOWELL
	1800	80	HOWELL
	2100	76	HOWELL
	2400	74	VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
07/26/24	0300	73	VASQUEZ
	0600	71	COLLINS
	0900	72	JIMESON
	1200	70	JIMESON
	1500	74	HOWELL
	1800	74	HOWELL
	2100	72	HOWELL
	2400	74	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
07/27/24	0300	73	Arguijo
	0600	66	COLLINS
	0900	66	COLLINS
	1200	70	JIMESON
	1500	70	Arguijo
	1800	70	Arguijo
	2100	70	MORENO
	2400	74	Arguijo

Sunday

Date	Time	Temp.	Name (Print)
07/28/24	0300	72	Arguijo
	0600	68	JIMESON
	0900	68	JIMESON
	1200	68	JIMESON
	1500	72	GOMEZ
	1800	72	GOMEZ
	2100	70	GOMEZ
	2400	70	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 34
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/22/24	0300	70	VASQUEZ
	0600	66	JIMESON
	0900	68	JIMESON
	1200	70	JIMESON
	1500	76	HOWELL
	1800	76	HOWELL
	2100	74	HOWELL
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
07/23/24	0300	70	VASQUEZ
	0600	70	HOWELL
	0900	70	HOWELL
	1200	74	HOWELL
	1500	78	HOWELL
	1800	78	HOWELL
	2100	76	HOWELL
	2400	70	Moreno

Wednesday

Date	Time	Temp.	Name (Print)
07/24/24	0300	70	Moreno
	0600	76	GOMEZ
	0900	76	GOMEZ
	1200	78	GOMEZ
	1500	80	GOMEZ
	1800	82	GOMEZ
	2100	78	GOMEZ
	2400	76	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
07/25/24	0300	74	VASQUEZ
	0600	72	COLLINS
	0900	74	COLLINS
	1200	76	COLLINS
	1500	78	HOWELL
	1800	78	HOWELL
	2100	75	HOWELL
	2400	72	VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
07/26/24	0300	72	VASQUEZ
	0600	69	COLLINS
	0900	70	JIMESON
	1200	75	JIMESON
	1500	75	HOWELL
	1800	75	HOWELL
	2100	73	HOWELL
	2400	72	Arguijo

Saturday

Date	Time	Temp.	Name (Print)
07/27/24	0300	72	Arguijo
	0600	66	COLLINS
	0900	66	COLLINS
	1200	69	JIMESON
	1500	72	Arguijo
	1800	74	Arguijo
	2100	70	Moreno
	2400	72	Arguijo

Sunday

Date	Time	Temp.	Name (Print)
07/28/24	0300	72	Arguijo
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	76	GOMEZ
	1800	74	GOMEZ
	2100	72	GOMEZ
	2400	70	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC PROGRAM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/22/24	0300	70	VASQUEZ
	0600	65	JIMESON
	0900	66	JIMESON
	1200	66	JIMESON
	1500	76	HOWELL
	1800	76	HOWELL
	2100	74	HOWELL
	2400	70	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
07/23/24	0300	70	VASQUEZ
	0600	70	HOWELL
	0900	72	HOWELL
	1200	74	HOWELL
	1500	77	HOWELL
	1800	77	HOWELL
	2100	72	HOWELL
	2400	70	MORENO

Wednesday

Date	Time	Temp.	Name (Print)
07/24/24	0300	70	MORENO
	0600	65	GOMEZ
	0900	76	GOMEZ
	1200	72	GOMEZ
	1500	75	GOMEZ
	1800	74	GOMEZ
	2100	72	GOMEZ
	2400	72	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
07/25/24	0300	70	VASQUEZ
	0600	74	COLLINS
	0900	75	COLLINS
	1200	77	COLLINS
	1500	78	HOWELL
	1800	77	HOWELL
	2100	72	HOWELL
	2400	72	VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
07/26/24	0300	70	VASQUEZ
	0600	65	COLLINS
	0900	65	JIMESON
	1200	67	JIMESON
	1500	70	MORENO
	1800	70	HOWELL
	2100	70	HOWELL
	2400	70	ARGUIJO

Saturday

Date	Time	Temp.	Name (Print)
07/27/24	0300	70	ARGUIJO
	0600	65	COLLINS
	0900	65	COLLINS
	1200	67	JIMESON
	1500	68	ARGUIJO
	1800	68	ARGUIJO
	2100	70	ARGUIJO
	2400	72	ARGUIJO

Sunday

Date	Time	Temp.	Name (Print)
07/28/24	0300	72	ARGUIJO
	0600	70	JIMESON
	0900	68	JIMESON
	1200	68	JIMESON
	1500	70	GOMEZ
	1800	68	GOMEZ
	2100	68	GOMEZ
	2400	68	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/22/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	SIMESON
	1200	70	SIMESON
	1500	76	HOWELL
	1800	78	HOWELL
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
07/23/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	72	HOWELL
	1200	74	HOWELL
	1500	78	HOWELL
	1800	78	HOWELL
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
07/24/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	78	GOMEZ
	1200	74	GOMEZ
	1500	76	GOMEZ
	1800	78	GOMEZ
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Thursday

Date	Time	Temp.	Name (Print)
07/25/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	75	COLLINS
	1200	76	COLLINS
	1500	78	HOWELL
	1800	80	HOWELL
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Friday

Date	Time	Temp.	Name (Print)
07/26/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	SIMESON
	1200	70	SIMESON
	1500	75	MORENO
	1800	75	HOWELL
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Saturday

Date	Time	Temp.	Name (Print)
07/27/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	65	COLLINS
	1200	67	SIMESON
	1500	67	MORENO
	1800	65	MORENO
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Sunday

Date	Time	Temp.	Name (Print)
07/28/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	SIMESON
	1200	70	SIMESON
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600	68	Hampton.
	0900	70	Hampton
	1200	70	Jones
	1500	72	Jones
	1800	76	Jones
	2100		
	2400		N/A.

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300		N/A
	0600	70°	J. Feist
	0900	70°	J. Feist
	1200	73	Jones
	1500	76	Jones
	1800	78	Jones
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		N/A
	0600	74°	J. Feist
	0900	74°	J. Feist
	1200	75	Jones
	1500	76	Jones
	1800	78	Jones
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		N/A
	0600	74°	J. Feist
	0900	74°	J. Feist
	1200	74	Jones
	1500	76	Jones
	1800	77°	Jones
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		N/A
	0600	72°	J. Feist
	0900	72°	J. Feist
	1200	70	JONES
	1500	72	JONES
	1800	75	JONES.
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		N/A
	0600	68°	J. Feist
	0900	68°	J. Feist
	1200	69	Jones
	1500	70	Jones
	1800		
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		N/A
	0600	65	Morales
	0900	69	Morales
	1200	68	Jones
	1500	70	Jones
	1800	72	Jones
	2100		
	2400		N/A.

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: MAIN CANTEEN Temp. Reading Location: MAIN office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600		
	0900	75°	B. Reed
	1200	74	F. Abila
	1500	75	
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300		N/A
	0600		
	0900	75°	F. Abila
	1200	75°	F. Abila
	1500	75°	F. Abila
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		N/A
	0600		
	0900	75°	F. Abila
	1200	75	
	1500	76	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		N/A
	0600		
	0900	75°	F. Abila
	1200	77	
	1500	75°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		N/A
	0600		
	0900	74	
	1200	75	
	1500		
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	—	—
	0600	68	J. MILLS
	0900	68	J. MILLS
	1200	72	R. WEBB
	1500	72	R. Webb
	1800	72	R. WEBB
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/2024	0300	—	—
	0600	70	Bell
	0900	70	Bell
	1200	73	WEBB
	1500	74	WEBB
	1800	74	WEBB
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	—	—
	0600	70	Bell
	0900	70	Bell
	1200	71	WEBB
	1500	73	WEBB
	1800	75	WEBB
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	—	—
	0600	72	Moderos
	0900	74	Moderos
	1200	74	SCOTT
	1500	75	SCOTT
	1800	75	SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	—	—
	0600	70	Moderos
	0900	72	Moderos
	1200	72	WEBB
	1500	72	WEBB
	1800	72	WEBB
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	—	—
	0600	68	Moderos
	0900	70	Moderos
	1200	68	Moderos
	1500	70	Almaguer
	1800	70	Almaguer
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	—	—
	0600	68	Moderos
	0900	68	Moderos
	1200	70	Aguilar
	1500	71	Aguilar
	1800	71	Aguilar
	2100	—	—
	2400	—	—

Notes

7/22/2024 to 7/28/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant Ops Temp. Reading Location: 2-150A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/22/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	Absent	
	1500		
	1800		
	2100		
	2400		

Tuesday 7/23/24

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	G Gary
	1200	72	G Gary
	1500	72	G Gary
	1800		
	2100		N/A
	2400		

Wednesday 7/24/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75	G Gary
	1200	80	G Gary
	1500	80	G Gary
	1800		
	2100		N/A
	2400		

Thursday 7/25/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76	G Gary
	1200	77	G Gary
	1500	77	G Gary
	1800		
	2100		N/A
	2400		

Friday 7/26/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	Scheduled	
	1200	off	
	1500		
	1800		
	2100		
	2400		

Saturday 7/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 7/28

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC E- Housing Unit: Knitting Mill Temp. Reading Location: Row 3 Isle
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/22

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Tuesday 7/23

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	80°	Richardson M.
	1200	86°	Richardson M.
	1500	91°	Richardson M.
	1800		
	2100		N/A
	2400		

Wednesday 7/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	84°	Richardson M.
	1200	88°	Richardson M.
	1500	90°	Richardson M.
	1800		
	2100		N/A
	2400		

Thursday 7/25

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	82°	Richardson M.
	1200	88°	Richardson M.
	1500	91°	Richardson M.
	1800		
	2100		N/A
	2400		

Friday 7/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Saturday 7/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Sunday 7/28

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Notes

7-22-24 — 7-25-24

Note: 7/22/24 - OFF work

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Shoe Temp. Reading Location: Clerks office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600	75°	Rick H
	0900	78	Rick H
	1200	81	Rick H
	1500	85	Rick H.
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300		N/A
	0600	77	Fant, R
	0900	83	Fant, R
	1200	86	Fant, R
	1500	87	Fant, R
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		N/A
	0600	78	Fant, R
	0900	80	Fant, R
	1200	89	Fant, R
	1500	90	Fant, R
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		N/A
	0600	75°	Rick H
	0900	79°	Rick H
	1200	82	Rick H
	1500	88	Rick H
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
fDCR 2031 (04118)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C M C Housing Unit: PRINT PLANT Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday **MONTH / YEAR:** JULY, 2024

Date	Time	Temp.	Name (Print)
22	0300		N/A
	0600		
	0900	68	
	1200	72	
	1500	79	
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
23	0300		N/A
	0600		
	0900	69	
	1200	79	
	1500	80	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
24	0300		N/A
	0600		
	0900	70	
	1200	79	
	1500	80	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
25	0300		N/A
	0600		
	0900	70	
	1200	79	
	1500	80	
	1800		
	2100		N/A
	2400		

Friday

	Time	Temp.	Name (Print)
26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
28	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

ATTACHMENT B

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: Inmate Office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600		
	0900	76	Wong
	1200	78	Wong
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300		N/A
	0600		
	0900	78	Wong
	1200	76°	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		N/A
	0600		
	0900	78°	Rodriguez
	1200	78°	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		N/A
	0600		
	0900	76°	Rodriguez
	1200	75	Wong
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600	73°	
	0900	73°	AH
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300		N/A
	0600	77°	
	0900	77°	
	1200	77°	AH
	1500	77°	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		N/A
	0600	72°	
	0900	72°	AH
	1200	72°	
	1500	72°	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		N/A
	0600	77°	
	0900	77°	
	1200	77°	FS
	1500	77°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		N/A
	0600	74°	
	0900	74°	AH
	1200	74°	
	1500	74°	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA JACKET PACKING Temp. Reading Location: 2ND FLOOR / T-SHIRT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		
	0600	64	SILLER
	0900	66	SILLER
	1200	72	SILLER
	1500	79	SILLER
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300		
	0600		
	0900	69	CHOI
	1200	80	[illegible]
	1500	80	[illegible]
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		
	0600		
	0900	70	J. Diaz
	1200	80	J. Diaz
	1500	81	J. Diaz
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		
	0600		
	0900	71	J. Diaz
	1200	75	J. Diaz
	1500	78	J. Diaz
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		
	0600		
	0900		
	1200	CLOSED	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	CLOSED	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	CLOSED	
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Temp. Reading Location: Jacket Factory (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		
	0600		
	0900	71	D Cooper
	1200	80	D Cooper
	1500	82	D Cooper
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300		
	0600		
	0900	70	D Cooper
	1200	84	S Clark
	1500	85	D Cooper
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		
	0600		
	0900	82	D Cooper
	1200	85	D Cooper
	1500	85	CHOI.
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		
	0600		
	0900	71	CHOI
	1200	85	CHOI
	1500	86	CHOI
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Temp. Reading Location: 1 St Floor Fabrics
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		
	0600		
	0900	75.	SWayment
	1200	83.	SWayment
	1500	84.	SWayment
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300		
	0600		
	0900	74.	SWayment
	1200	78	CHOI
	1500	81	CHOI
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		
	0600		
	0900	76.	SWayment
	1200	78.	SWayment
	1500	82	CHOI
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		
	0600		
	0900	74	CHOI
	1200	78	
	1500	80	CHOI
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		
	0600		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATI

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: P.I.A. Temp. Reading Location: Safety T. Shirt
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/22

Date	Time	Temp.	Name (Print)
	0300		
	0600	85	J. Johnson
	0900	88	J. Johnson
	1200	88	J. Johnson
	1500	89	J. Johnson
	1800		
	2100		
	2400		

Tuesday 7/23

Dat	Time	Temp.	Name (Print)
	0300		
	0600	85	J. Johnson
	0900	88	J. Johnson
	1200	85	J. Johnson
	1500	75	J. Johnson
	1800		
	2100		
	2400		

Wednesday 7/24

Date	Time	Temp.	Name (Print)
	0300		
	0600	80	J. Johnson
	0900	82	J. Johnson
	1200	75	J. Johnson
	1500	76	J. Johnson
	1800		
	2100		
	2400		

Thursday 7/25

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	82	CHOI
	1200	80	CHOI
	1500	82	CHOI
	1800		
	2100		
	2400		

Friday 7/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 7/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 7/28

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: CALIFA Temp. Reading Location: W&R
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/22

Date	Time	Temp.	Name (Print)
7-22	0300		N/A.
	0600	70°	C.Sanchez
	0900	75°	C.Sanchez
	1200	76°	C.Sanchez
	1500	79°	C.Sanchez
	1800		N/A
	2100		
	2400		

Tuesday 7/23

Date	Time	Temp.	Name (Print)
7-23	0300		N/A
	0600	71°	C.Sanchez
	0900	78°	C.Sanchez
	1200	81°	C.Sanchez
	1500	88°	C.Sanchez
	1800		N/A
	2100		
	2400		

Wednesday 7/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	80°	R. Esteban
	0900	81°	R. Esteban
	1200	82°	R. Esteban
	1500	84°	R. Esteban
	1800		N/A
	2100		
	2400		

Thursday 7/25

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	80°	R. Esteban
	0900	81°	R. Esteban
	1200	80°	R. Esteban
	1500	80°	R. Esteban
	1800		N/A
	2100		
	2400		

Friday 7/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Saturday 7/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Sunday 7/28

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

REHABILITATION

DEPARTMENT OF CORRECTIONS AND

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp.Reading Location: **Protestant Chapel EAST**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/22	0300		N/A
	0600		
	0900	64	G
	1200	~~70~~ 68	G
	1500	70	G
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300		N/A
	0600		
	0900	68	G
	1200	70	G
	1500	74	G
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		
	0600		
	0900		
	1200		RDO.
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		N/A
	0600		
	0900	66	G
	1200	66	G
	1500		
	1800		
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/22/2024 to 7/28/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH EAST

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/23/24	0100	55	ZEPEDA, J
	0200	54	ZEPEDA, J
	0300	53	ZEPEDA, J
	0400	53	ZEPEDA, J
	0500	53	ZEPEDA, J
	0600	54	Gray
	0700	56	Gray
	0800	59	Gray
	0900	63	Gray
	1000	66	Gray
	1100	68	Gray
	1200	72	Gray
	1300	74	Gray
	1400	76	Gray
	1500	81	BLAGG
	1600	81	BLAGG
	1700	80	BLAGG
	1800	78	BLAGG
	1900	75	BLAGG
	2000	72	BLAGG
	2100	69	BLAGG
	2200	62	ZEPEDA, J
	2300	62	ZEPEDA, J
	2400	61	ZEPEDA, J

Date	Time	Temp.	Printed Name
7-24-24	0100	60	ZEPEDA
	0200	59	ZEPEDA
	0300	58	ZEPEDA
	0400	58	ZEPEDA
	0500	59	ZEPEDA
	0600	59	[illegible]
	0700	63	[illegible]
	0800	69	[illegible]
	0900	76	Flowers
	1000	80	Flowers
	1100	82	Flowers
	1200	82	Flowers
	1300	83	Flowers
	1400	80	SPALE
	1500	84	SPALE
	1600	82	SPALE
	1700	81	SPALE
	1800	76	SPALE
	1900	70	SPALE
	2000	68	SPALE
	2100	65	SPALE
	2200	59	ZEPEDA
	2300	59	ZEPEDA
	2400	59	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-25-24	0100	57	ZEBEN
	0200	57	ZEBEN
	0300	56	ZEBEN
	0400	53	ZEBEN
	0500	53	ZEBEN
	0600	53	ZEBEN
	0700	55	FOUTS
	0800	59	FOUTS
	0900	63	FOUTS
	1000	70	FOUTS
	1100	72	FOUTS
	1200	74	FOUTS
	1300	77	FOUTS
	1400	78	POLIANDRO
	1500	81	POLIANDRO
	1600	80	POLIANDRO
	1700	79	POLIANDRO
	1800	78	POLIANDRO
	1900	76	POLIANDRO
	2000	70	POLIANDRO
	2100	58	POLIANDRO
	2200	56	Jensen
	2300	56	Jensen
	2400	53	Jensen

Date	Time	Temp.	Printed Name
9/26/24	0100	53	Jensen
	0200	53	Jensen
	0300	53	Jensen
	0400	51	Jensen
	0500	51	Jensen
	0600	54	C. PRICE
	0700	56	C. PRICE
	0800	64	C. PRICE
	0900	66	C. PRICE
	1000	66	C. PRICE
	1100	73	C. PRICE
	1200	74	C. PRICE
	1300	74	HUERTA
	1400	74	HUERTA
	1500	73	HUERTA
	1600	72	HUERTA
	1700	71	HUERTA
	1800	71	HUERTA
	1900	70	HUERTA
	2000	70	HUERTA
	2100	69	HUERTA
	2200	68	W. AMAYA
	2300	68	W. AMAYA
	2400	68	W. AMAYA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/27/24	0100	58	ZEPEDA
	0200	58	ZEPEDA
	0300	59	ZEPEDA
	0400	54	ZEPEDA
	0500	54	ZEPEDA
	0600	59	BYRNE
	0700	63	BYRNE
	0800	68	BYRNE
	0900	70	BYRNE
	1000	72	BYRNE
	1100	74	BYRNE
	1200	77	BYRNE
	1300	79	BYRNE
	1400	81	RUPP
	1500	82	RUPP
	1600	84	RUPP
	1700	74	RUPP
	1800	69	RUPP
	1900	68	RUPP
	2000	60	RUPP
	2100	59	RUPP
	2200	59	W. AMAYA
	2300	58	W. AMAYA
	2400	53	W AMAYA

Date	Time	Temp.	Printed Name
9/28/24	0100	58	W. AMAYA
	0200	59	W. AMAYA
	0300	59	W. AMAYA
	0400	56	W. AMAYA
	0500	54	W. AMAYA
	0600	56	L Torres
	0700	60	L Torres
	0800	63	L-Torres
	0900	65	L-Torres
	1000	66	L-Torres
	1100	69	L-Torres
	1200	74	L-Torres
	1300	74	L-Torres
	1400	74	L-Torres
	1500	73	RUPP
	1600	71	RUPP
	1700	71	RUPP
	1800	70	RUPP
	1900	69	RUPP
	2000	69	RUPP
	2100	60	AMAYA
	2200	60	AMAYA
	2300	55	AMAYA
	2400	55	AMAYA

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From July 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list July be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday July 29, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday July 30, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Wednesday July 31, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	68	J. FARAO
	1200	68	" "
	1500	69	" "
	1800		
	2100		N/A
	2400		

Thursday ~~July~~ Aug 1, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Friday ~~July~~ August 2, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday ~~July~~ August 3, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	68	J. FARAO
	0900		"
	1200		"
	1500		
	1800		
	2100		N/A
	2400		

Sunday ~~July~~ August 4, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	65	J. FARAO
	0900	66	"
	1200	67	"
	1500		
	1800		N/A
	2100		
	2400		

Notes

Kelly.Warnes@cdcr.gov

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		N/A
	0600	72	ARTHUR CASSIDY
	0900	74	ARTHUR CASSIDY
	1200	76	ARTHUR CASSIDY
	1500	78	ARTHUR CASSIDY
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	0300		N/A
	0600	72	ARTHUR CASSIDY
	0900	74	ARTHUR CASSIDY
	1200	76	ARTHUR CASSIDY
	1500	78	ARTHUR CASSIDY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		N/A
	0600	72	ARTHUR CASSIDY
	0900	74	ARTHUR CASSIDY
	1200	76	ARTHUR CASSIDY
	1500	78	ARTHUR CASSIDY
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		N/A
	0600		
	0900	73	[illegible]
	1200	77	[illegible]
	1500	78	M. GORON
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		N/A
	0600		
	0900	73	M. GORON
	1200	75	M. GORON
	1500	77	M. GORON
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600	CLOSED	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	CLOSED	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Arthur Cassidy MB551

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom D-104 Temp. Reading Location: Teacher's Desk (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300		N/A
	0600		
	0900	72.5°	Todd (W. Bacila)
	1200	75°	Todd (W. Bacila)
	1500	80°	Todd (W. Bacila)
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300		N/A
	0600		
	0900	74°	Todd (W. Bacila)
	1200	76.5°	Todd (W. Bacila)
	1500	80.9°	Todd (W. Bacila)
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300		Family Day No Students Present
	0600		
	0900		Todd
	1200		Todd
	1500		Todd
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300		N/A
	0600		
	0900	—	~~Todd~~ No Students
	1200	75°	Todd (W. Bacila)
	1500	78.7°	Todd (W. Bacila)
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300		Staff Absent
	0600		
	0900		Todd
	1200		Todd
	1500		Todd
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		RDO
	0600		RDO
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		RDO
	0600		RDO
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Class meets M-F 0800-1515

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 2237 Temp. Reading Location: CLASSROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4792 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300		N/A
	0600		
	0900	76	Ramirez
	1200	78	Ramirez
	1500	79	Ramirez
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300		N/A
	0600		
	0900	75	Ramirez
	1200	76	Ramirez
	1500	78	Ramirez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300		
	0600		
	0900	NO	
	1200		
	1500	CLASS	
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300		N/A
	0600		
	0900	76	Ramirez
	1200	77	Ramirez
	1500	80	Ramirez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300		N/A
	0600		
	0900	80	Ramirez
	1200	82	Ramirez
	1500	84	Ramirez
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator,

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.1	Mensing
	1200	78.1	Mensing
	1500	81.0	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.5	Mensing
	1200	80.9	Mensing
	1500	84.0	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	Family	Mensing
	1200	Day	Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71.5	Mensing
	1200	79.0	Mensing
	1500	82.9	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.4	Mensing
	1200	80.0	Mensing
	1500	82.4	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

D. Mensing, GED Instructor Ext. 4625

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: __CMC_____ Housing Unit: ___ Temp. Reading Location: H-E / Gym Coorridor East Education – GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 7904 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
7/29	0900	72°	G.LOAYZA/W.BACILA
	1200	74°	G.LOAYZA/W.BACILA
	1500	76°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	G.LOAYZA/W.BACILA
7/30	1200	74°	G.LOAYZA/W.BACILA
	1500	75°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
7/31	0900	72°	G.LOAYZA/W.BACILA
	1200	74°	G.LOAYZA/W.BACILA
	1500	75°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
8/1	0900	72°	G.LOAYZA/W.BACILA
	1200	74°	G.LOAYZA/W.BACILA
	1500	74°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
8/2	0900	74°	G.LOAYZA/W.BACILA
	1200	76°	G.LOAYZA/W.BACILA
	1500	76°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

RDO

Notes

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.2	Friend
	1200	75.8	Friend
	1500	75.1	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70.2	Friend
	1200	75.3	Friend
	1500	75.8	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.2	Friend
	1200	No contact	Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.8	Friend
	1200	77.2	Friend
	1500	no contact	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.0	Friend
	1200	76.1	Friend
	1500	76.6	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4711

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68.5	Zelenski/Diederich/Puett
	1200	74.2	Zelenski/Diederich/Puett
	1500	76.6	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69.9	Zelenski/Diederich/Puett
	1200	77.4	Zelenski/Diederich/Puett
	1500	80.5	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	XXX	XXX
	0600	XXX	XXX
No students	0900		Zelenski/Diederich/Puett
	1200		Zelenski/Diederich/Puett
	1500		Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
08/01/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.7	Zelenski/Diederich/Puett
	1200	78.6	Zelenski/Diederich/Puett
	1500	78.9	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	78.4	Zelenski/Diederich/Puett
	1200	80.3	Zelenski/Diederich/Puett
	1500	80.3	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski./Diederich/Puett, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Educator Temp. Reading Location: Gym Corridor H6
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-29-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71°	D. JACOBEN
	1200	73°	D. JACOBEN
	1500	74°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Tuesday 7-30-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71°	D. JACOBEN
	1200	74°	D. JACOBEN
	1500	78°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Wednesday 7-31-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	D. JACOBEN
	1200	75°	D. JACOBEN
	1500	78°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Thursday 8-1-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71°	D. JACOBEN
	1200	75°	D. JACOBEN
	1500	77°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Friday 8-2-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	D. JACOBEN
	1200	75°	D. JACOBEN
	1500	76°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Saturday 8/3

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 8/4

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

D. Jacoben

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-101 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.29.24	0300		
	0600		
	0900	75.4	DePetro
	1200	75.9	DePetro
	1500	75.5	DePetro
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7.30.24	0300		
	0600		
	0900	72.8	DePetro
	1200	76.0	DePetro
	1500	78.9	DePetro
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8.2.24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/2.24	0300		
	0600		
	0900	76.3	DePetro
	1200	77.6	DePetro
	1500	79.00	DePetro
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8.3.24	0300		
	0600		
	0900	75.2	DePetro
	1200	78.9	DePetro
	1500	77.4	DePetro
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

J. DePetro

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D120 Temp. Reading Location: East Library (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		N/A
	0600		
	0900	71	A. Garcia
	1200	72	A. Garcia
	1500	72	A. Garcia
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300		N/A
	0600		
	0900	70	A. Garcia
	1200	72	T. Barker
	1500	72	T. Barker
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		N/A
	0600		
	0900	68	A. Garcia
	1200	74	A. Garcia
	1500	78	A. Garcia
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		N/A
	0600		
	0900	70	A. Garcia
	1200	72	A. Garcia
	1500	78	A. Garcia
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		N/A
	0600		
	0900	72	A. Garcia
	1200	74	A. Garcia
	1500	78	A. Garcia
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DELGADILLO, K ABE-3

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-G Gym Corridor Temp. Reading Location: East Education (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	/	METROGEN
	0600		
	0900	74	
	1200	76	
	1500	78	
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	/	METROGEN
	0600		
	0900	76	
	1200	74	
	1500	78	
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	/	METROGEN
	0600		
	0900		
	1200	NO	
	1500	CONTACT.	
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	/	METROGEN
	0600		
	0900	74	
	1200	78	
	1500	80	
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		METROGEN
	0600		
	0900	74	
	1200	76	
	1500	80	
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

~~K. Delgadillo, ABE-3 Instructor~~

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-158 Temp. Reading Location _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/29	0300		N/A
	0600		
	0900	72°	R. Lopez
	1200	73°	R. Lopez
	1500	77°	R. Lopez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
1/30	0300		N/A
	0600		
	0900	72°	R. Lopez
	1200	75°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
1/31	0300		
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		N/A
	0600		
	0900	72°	R. Lopez
	1200	73°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		N/A
	0600		
	0900	74°	R. Lopez
	1200	75°	R. Lopez
	1500	80°	R. Lopez
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-229, Testing Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		
	0600		
	0900		No Contact
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	0300		
	0600		
	0900		No Contact
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		
	0600		
	0900		No Contact
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600		
	0900		No Contact
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		No Contact
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Medical Corridor Temp. Reading Location: Classroom B-125 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-29-24

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	70	Mark Kirstein
	1200	74	Mark Kirstein
	1500	76	Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Tuesday 7-30-24

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	72	Mark Kirstein
	1200	78	Mark Kirstein
	1500	84	Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	NO	Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	NO	Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	NO	Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300		N/A
	0600		
	0900	71.3°	S. MOORE/C. BERRY
	1200	71.4	S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7-30-24	0300	No Students Contact	
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	No Students	
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	No Students	
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	Teachers Absent	
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Berry 7-31-24

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Gym G102H Temp. Reading Location: East Education Coaches' Office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300		
	0600		
	0900	~~68~~	B. Ferrall
	1200	68'	B. Ferrall
	1500	70'	B. Ferrall
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300		
	0600		
	0900	HR	B. Ferrall
	1200		B. Ferrall
	1500	DERBY	B. Ferrall
	1800		
	2100	All Day	
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300		
	0600		
	0900	—	B. Ferrall
	1200	68'	B. Ferrall
	1500	70'	B. Ferrall
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	0300		
	0600		
	0900	—	B. Ferrall
	1200	68'	B. Ferrall
	1500	70'	B. Ferrall
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	0300		
	0600		
	0900	—	B. Ferrall
	1200	68'	B. Ferrall
	1500	70'	B. Ferrall
	1800		
	2100		
	2400		

Saturday 8/3

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 8/4

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

Docusign Envelope ID: 311AEB52-FD26-43E9-9D0C-7B0D272E78EF

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor Temp. Reading Location: East Education – HSD/GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72	COLE
	1200	74	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73	COLE
	1200	75	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74	COLE
	1200	79	COLE
	1500	81	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73	COLE
	1200	75	COLE
	1500	76	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72	COLE
	1200	74	COLE
	1500	75	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4/2024	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:
Caleb Cole
4EB0D3E70CC24EC...

7/29/2024 to 8/4/2024

Docusign Envelope ID: 1F022186-5CAD-4365-AD8F-B3155FED2D65

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/29

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 7/29/2024
	1200	73	J. Fogo
	1500	77	J. Fogo
	1800		
	2100		N/A
	2400		

Tuesday 7/30

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	64	J. Fogo 7/30/2024
	1200	68	J. Fogo
	1500	73	J. Fogo
	1800		
	2100		N/A
	2400		

Wednesday 7/31

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 7/31/2024
	1200	71	J. Fogo
	1500	74	J. Fogo
	1800		
	2100		N/A
	2400		

Thursday 8/1

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J. Fogo 8/1/2024
	1200	71	J. Fogo
	1500	75	J. Fogo
	1800		
	2100		N/A
	2400		

Friday 8/2

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	J. Fogo 8/2/2024
	1200	73	J. Fogo
	1500	77	J. Fogo
	1800		
	2100		N/A
	2400		

Saturday 8/3

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 8/4

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DocuSigned by:
Jeff Fogo
8FD4511308A54B4...

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Bldg. Z-109
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7-30-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300		
	0600		
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

Z-109 East Education Voc. Masonry
Ron Shoffeitt
No Inmate Contact

DocuSigned by: Ron Shoffeitt
ABB41175556F488

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

Docusign Envelope ID: 9AF76FB3-FA27-4C5C-8EF6-F090EB8A5AB4

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: N/A Temp. Reading Location: Z-221 Voc. Build. Maint.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4617 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300		no inmate
	0600		contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300		no inmate
	0600		contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300		no inmate
	0600		contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300		no inmate
	0600		contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300		no inmate
	0600		contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300		
	0600		
	0900		N/A -- RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300		
	0600		
	0900		
	1200		N/A -- RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

Docusign Envelope ID: 5C0F1601-1C33-4286-9941-C0BBC476B869

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
07/30 2024	0300		N/A
	0600		
	0900	74deg	V.Vera
	1200	75deg	V.Vera
	1500	76 deg	V.VERA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
07/31 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
08/01 2024	0300		N/A
	0600		
	0900	73deg	V.VERA
	1200	74deg	V.VERA
	1500	75deg	V.VERA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
08/02 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		
	2100		N/A
	2400		

Saturday 8/3

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday 8/4

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

Docusign Envelope ID: 987B3EE5-7E44-4717-9DA8-FC3931B40742

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _CMC____ Housing Unit: __Q113A_____ Temp. Reading Location: __D yard_____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		N/A
	0600		
	0900	72	SCIOCCHETTI/ROCHA
	1200	75	SCIOCCHETTI/ROCHA
	1500	75	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300		N/A
	0600		
	0900	71	SCIOCCHETTI/ROCHA
	1200	74	SCIOCCHETTI/ROCHA
	1500	75	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/ROCHA
	1200	No class	SCIOCCHETTI/ROCHA
	1500	No class	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/ROCHA
	1200	No class	SCIOCCHETTI/ROCHA
	1500	No class	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		N/A
	0600		
	0900	73	SCIOCCHETTI/ROCHA
	1200	73	SCIOCCHETTI/ROCHA
	1500	75	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Ed Office Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		N/A
	0600		
	0900	66.6	E. Boaz
	1200	68	E. Boaz
	1500	70.5	E. Boaz
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300		N/A
	0600		
	0900	68°	E. Boaz
	1200	71°	E. Boaz
	1500	73.6°	E. Boaz
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		N/A
	0600		
	0900	67	Thompson
	1200	70	Thompson
	1500	72	Thompson
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		N/A
	0600		
	0900	67	Thompson
	1200	70	Thompson
	1500	73	Thompson
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		N/A
	0600		
	0900	68	Thompson
	1200	71.4°	E. Boaz
	1500	73	Thompson
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 3 Fac. B Temp. Reading Location: 3rd Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	66	P. HENR
	0600	66	R Vega
	0900	66	R Vega
	1200	78	R Vega
	1500	78	P. DRI TONO
	1800	75	P. DRI TONO
	2100	66	P. DRI TONO
	2400	68	P. HENRY

Tuesday

Dat	Time	Temp.	Name (Print)
7-30-24	0300	68	P. HENRY
	0600	68	Uries
	0900	69	Uries
	1200	69	Uries
	1500	70	DRI TONO
	1800	68	DRI TONO
	2100	68	DRI TONO
	2400	68	P. HENRY

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	68	P. HENRY
	0600	69	Uries
	0900	69	Uries
	1200	69	Uries
	1500	70	P. DRI TONO
	1800	70	P. DRI TONO
	2100	68	P. DRI TONO
	2400	68	P. HENRY

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	66	P. HENRY
	0600	67	Uries
	0900	68	Uries
	1200	69	Uries
	1500	69	P. DRI TONO
	1800	99	P. DRI TONO
	2100	66	P. DRI TONO
	2400	68	P. HENRY

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	68	P. HENRY
	0600	68	Uries
	0900	69	Uries
	1200	70	Uries
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	70	GARCIA

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	70	GARCIA
	0600	70°F	DE LA GARZA
	0900	72°F	DE LA GARZA
	1200	72°F	DE LA GARZA
	1500	72	Martinez
	1800	72	Martinez
	2100	70	Martinez
	2400	70	GARCIA

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	70	GARCIA
	0600	68	R Vega
	0900	70	R Vega
	1200	72	R Vega
	1500	72	C. LOPEZ
	1800	72	C. LOPEZ
	2100	70	C. LOPEZ
	2400	68	P. HENRY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 134 Fac. B. Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	68	D. OROZCO
	0600	69	JOHNSON
	0900	69	JOHNSON ZB
	1200	71	JOHNSON
	1500	72	JOHNSON
	1800	74	JOHNSON
	2100	75	JOHNSON VR
	2400	68	D. OROZCO

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	0300	68	D. OROZCO
	0600	69	GRAVES
	0900	70	LOPEZ
	1200	70	LOPEZ
	1500	70	JOHNSON
	1800	69	JOHNSON
	2100	69	JOHNSON
	2400	68	D. OROZCO

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	68	D. OROZCO
	0600	68	ALEMAN ZB
	0900	69	LOPEZ
	1200	69	ALEMAN
	1500	68	JOHNSON
	1800	68	JOHNSON
	2100	68	JOHNSON
	2400	68	JOHNSON

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	69	JOHNSON
	0600	69	ALEMAN ZB
	0900	70	ALEMAN
	1200	71	ALEMAN
	1500	71	JOHNSON
	1800	71	JOHNSON
	2100	70	JOHNSON
	2400	69	MORIN

Friday

Date	Time	Temp.	Name (Print)
	0300	68	MORIN
	0600	71	Graves
	0900	70	Gonzalez
	1200	72	Graves
	1500	71	REYNA
	1800	70	REYNA
	2100	65	Figueroa
	2400	63	Figueroa

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	69	Figueroa
	0600	69	Gonzalez
	0900	70	Gonzalez
	1200	72	Gonzalez CBW
	1500	71	REYNA
	1800	70	REYNA
	2100	69	REYNA
	2400	66	R. Lopez

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	68	R. Lopez
	0600	68	GRAVES
	0900	68	GRAVES
	1200	69	GRAVES
	1500	69	REYNA VR
	1800	69	REYNA
	2100	69	REYNA
	2400	68	R. Lopez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility B Diner Temp. Reading Location: Near Coffee Machine
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	N/A	N/A
	0600	68	S. NOEL
	0900	70	S. NOEL
	1200	71	S. NOEL
	1500	77°	Pacas
	1800		Pacas
	2100	N/A	N/A
	2400	N/A	N/A

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	N/A	N/A
	0600	70	YOUNG
	0900	72	YOUNG
	1200	74	YOUNG
	1500	78	J Pimm
	1800	82	J Pimm
	2100	N/A	N/A
	2400	N/A	N/A

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	N/A	N/A
	0600	61	Newton
	0900	64	Newton
	1200	69	Newton
	1500	77	J Pimm
	1800	80	J Pimm
	2100	N/A	N/A
	2400	N/A	N/A

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	N/A	N/A
	0600	69	Newton
	0900	69	Newton
	1200	69	Newton
	1500	76	J Pimm
	1800	80	J Pimm
	2100	N/A	N/A
	2400	N/A	N/A

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	N/A	N/A
	0600	61	Newton
	0900	69	Newton
	1200	69	Newton
	1500	78	J Pimm
	1800	80	J Pimm
	2100	N/A	N/A
	2400	N/A	N/A

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	N/A	N/A
	0600	68	ALVARADO
	0900	68	ALVARADO
	1200	68	ALVARADO
	1500	69	Lees
	1800	70	Lees
	2100	N/A	N/A
	2400	N/A	N/A

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	N/A	N/A
	0600	69°	S. NOEL
	0900	72°	S. NOEL
	1200	72°	S. NOEL
	1500	80	Arteaga
	1800	82	Arteaga
	2100	N/A	N/A
	2400	N/A	N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Bld. 5 FLR 3 Fac. C Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	70	Kingsley
	0600	70	Kingsley
	0900	70	Kingsley
	1200	70	Kingsley
	1500	70°	S.Miguel
	1800	70°	S.Miguel
	2100	68°	S.Miguel
	2400	68°	S.Miguel

Tuesday

Date	Time	Temp.	Name (Print)
7-30-24	0300	66	AGUAYO
	0600	75	Kingsley
	0900	75	Kingsley
	1200	75	Kingsley
	1500	76°	S.Miguel
	1800	72°	S.Miguel
	2100	70°	S.Miguel
	2400	70	J. AGUAYO

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	68	J. AGUAYO
	0600	75	J.Marent.
	0900	75	J.Marent
	1200	75	J.Marent
	1500	72°	S.Miguel
	1800	70°	S.Miguel
	2100	66°	S.Miguel
	2400	66	ESQUIVIAS

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	66	ESQUIVIAS
	0600	69	GONZALEZ
	0900	70	GONZALEZ
	1200	72	GONZALEZ
	1500	76°	S.Miguel
	1800	74°	S.Miguel
	2100	68°	S.Miguel
	2400	66	P. DALTORO

Friday

Date	Time	Temp.	Name (Print)
08/02/2024	0300	66	P. DALTORO
	0600	70	Kingsley
	0900	70	Kingsley
	1200	75	Kingsley
	1500	72°	S.Miguel
	1800	72°	S.Miguel
	2100	70°	S.Miguel
	2400	70	C.LOPEZ

Saturday

Date	Time	Temp.	Name (Print)
8/03/2024	0300	70	C.LOPEZ
	0600	72	Kingsley
	0900	76	Kingsley
	1200	76	Kingsley
	1500	76	Slue
	1800	74	Slue
	2100	70	Slue
	2400	70	C.LOPEZ

Sunday

Date	Time	Temp.	Name (Print)
8/04/24	0300	70	C.LOPEZ
	0600	69	FLORES
	0900	67	FLORES
	1200	71	FLORES
	1500	72	Slue
	1800	72	Slue
	2100	69	Slue
	2400	70	C.LOPEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

FAC. C

Institution: CMC-E Housing Unit: Building 6 Temp. Reading Location: 3rd tier (e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	71°	S. Banuelos
	0600	71	J. Rowlett
	0900	71	J. Rowlett
	1200	72	J. Rowlett
	1500	73	A. Zepeda
	1800	72	A. Zepeda
	2100	72	A. Zepeda
	2400	71°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	71°	S. Banuelos
	0600	71	J. Rowlett
	0900	71	J. Rowlett
	1200	72	J. Rowlett
	1500	75	E. Ayon Flores
	1800	74	E. Ayon Flores ICP
	2100	72	E. Ayon Flores
	2400	72°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	72°	S. Banuelos
	0600	72	Rowlett
	0900	72	Rowlett
	1200	73	Rowlett
	1500	75	E. Ayon Flores
	1800	74	E. Ayon Flores
	2100	72	E. Ayon Flores
	2400	70	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	68	[illegible]
	0600	68	Rowlett
	0900	69	Rowlett
	1200	71	Rowlett
	1500	74	Garza
	1800	74	Garza
	2100	74	Garza
	2400	70	Catron

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	68	Catron
	0600	68	E. Gamble
	0900	70	E. Gamble
	1200	72	E. Mu[illegible]
	1500	78	Figueroa
	1800	77	Figueroa
	2100	75	Figueroa
	2400	73°	S. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	72°	S. Banuelos
	0600	72°	T. Wampler
	0900	72°	T. Wampler
	1200	73°	T. Wampler
	1500	74°	B. Ramos
	1800	74°	B. Ramos
	2100	73°	B. Ramos
	2400	73°	S. Banuelos

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	73°	S. Banuelos
	0600	~~72~~ 72	J. Rowlett
	0900	72	J. Rowlett
	1200	73	J. Rowlett
	1500	76	A. Zepeda
	1800	76	A. Zepeda
	2100	72	A. Zepeda
	2400	72°	S. Banuelos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility - C Temp. Reading Location: Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300		
	0600	68	Montano
	0900	70	Montano
	1200		
	1500	76	GARCIA
	1800	70	GARCIA
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300		N/A
	0600	68°	S. NOEL
	0900	70°	S. NOEL
	1200	72°	S NOEL
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300		
	0600	68	Montano
	0900	70	Montano
	1200		
	1500	76	Gonzalez
	1800	76	GONZALEZ
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300		
	0600	68	Montano
	0900	70	Montano
	1200		
	1500	72	GONZALEZ
	1800	70	GONZALEZ
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300		
	0600	68	Montano
	0900	70	Montano
	1200		
	1500	72	GARCIA
	1800	70	GARCIA
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300		
	0600	68	Montano
	0900	70	Montano
	1200		
	1500	80	GARCIA
	1800	80	GARCIA
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300		
	0600	68	Montano
	0900	70	Montano
	1200		
	1500	78	GARCIA
	1800	78	GARCIA
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC. D Temp. Reading Location: BLDG 3RD FLOOR

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	68	Childers
	0600	68	Adame
	0900	70	Adame
	1200	72	Adame
	1500	73	Tabarez
	1800	73	Tabarez
	2100	72	Tabarez
	2400	70	Torres

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	68	Torres
	0600	68	Stokes
	0900	69	Stokes
	1200	70	Stokes
	1500	72	Ayala
	1800	73	Ayala
	2100	71	Ayala
	2400	69	Cota

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	69	Cota
	0600	69	Dennis
	0900	70	Dennis
	1200	72	Dennis
	1500	73	Fabio
	1800	74	Fabio
	2100	71	Fabio
	2400	70	Cota

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	68	Cota
	0600	68	Jones
	0900	69	Jones
	1200	70	Jones
	1500	72	Fabio
	1800	73	Fabio
	2100	72	Fabio
	2400	70	Cota

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	68	Cota
	0600	69	Chavez
	0900	70	Chavez
	1200	72	Chavez
	1500	72	Fabio
	1800	73	Fabio
	2100	72	Fabio
	2400	70	Cota

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	69	Cota
	0600	69	Chavez
	0900	71	Chavez
	1200	72	Chavez
	1500	74	Fabio
	1800	75	Fabio
	2100	73	Fabio
	2400	72	Benavidez

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	70	Benavidez
	0600	70	Witt
	0900	72	Witt
	1200	73	Witt
	1500	74	Cabral
	1800	74	Chavez
	2100	73	Chavez
	2400	72	Childers

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 8 Fac. D Temp. Reading Location: 3rd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	72	TORRES
	0600	72	E. GONZALEZ
	0900	72	E. GONZALEZ
	1200	72	E. GONZALEZ
	1500	70	Bender
	1800	70	Bender
	2100	71	Bender
	2400	71	Rivera

Tuesday

Dat	Time	Temp.	Name (Print)
7-30-24	0300	70	Rivera
	0600	70	E. GONZALEZ
	0900	70	E. GONZALEZ
	1200	72	E. GONZALEZ
	1500	74	Bender
	1800	73	Bender
	2100	72	Bender
	2400	72	Cherdy

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	72	Cherdy
	0600	73	E. Rios
	0900	74	E. Rios
	1200	75	E. Rios
	1500	75	Bender
	1800	74	Bender
	2100	73	Bender
	2400	72	Cherdy

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	71	Cherdy
	0600	72	Pelayo
	0900	73	Pelayo
	1200	74	Pelayo
	1500	74	Bender
	1800	73	Bender
	2100	72	Bender
	2400	72	Cherdy

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	71	Cherdy
	0600	70	Pelayo
	0900	72	Pelayo
	1200	72	Pelayo
	1500	74	Bender
	1800	74	Bender
	2100	73	Bender
	2400	73	Cherdy

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	72	Cherdy
	0600	72	Pelayo
	0900	72	Pelayo
	1200	74	Pelayo
	1500	75	Mullins
	1800	75	Mullins
	2100	75	Mullins
	2400	72	TORRES

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	72	TORRES
	0600	72	Pelayo
	0900	72	Pelayo
	1200	72	Pelayo
	1500	74	Mullins
	1800	74	Mullins
	2100	74	Mullins
	2400	72	TORRES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-D-Wing Temp. Reading Location: D, Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	/	
	0600	72	Montoya
	0900	74	Montoya
	1200	/	
	1500	76	Fraser
	1800	77	Freyer.
	2100	\	
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	/	
	0600	72	Montoya
	0900	73	Montoya
	1200	/	
	1500	77	D. Simpson
	1800	75	D Simpson
	2100	/	
	2400	/	

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	/	
	0600	74	Montoya.
	0900	75	Montoya
	1200	/	
	1500	79	Lines
	1800	80	Lines
	2100	/	
	2400	/	

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	/	
	0600	74	B. Cobb
	0900	76	B. Cobb
	1200	/	
	1500	79	Lines
	1800	80	Lines
	2100		
	2400	/	

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	/	
	0600	74	C Martinez
	0900	75	C Martinez
	1200	/	
	1500	78	Upham
	1800	80	Upham
	2100	/	
	2400	/	

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	/	
	0600	75	Montoya
	0900	77	Montoya
	1200	/	
	1500	79	Upham
	1800	81	Upham
	2100	/	
	2400	/	

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	/	
	0600	77	Montoya
	0900	78	Montoya
	1200	/	
	1500	79	Freyer
	1800	80	Freyer
	2100	/	
	2400	/	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 30
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)	
07/29/24	0300	70	VASQUEZ	
	0600	68	COOK	
	0900	68	SIMESON	
	1200	70	SIMESON	
	1500	72	HOWELL	
	1800	70	HOWELL	
	2100	70	HOWELL	
	2400	70	HOWELL	

Tuesday

Dat	Time	Temp.	Name (Print)	
07/30/24	0300	70	HOWELL	
	0600	68	COOK	
	0900	70	COLLINS	
	1200	70	COOK	
	1500	76	HOWELL	
	1800	76	HOWELL	
	2100	76	HOWELL	
	2400	74	MORENO	

Wednesday

Date	Time	Temp.	Name (Print)	
07/31/24	0300	74	MORENO	
	0600	69	COLLINS	
	0900	70	COLLINS	
	1200	73	ALVAREZ	
	1500	74	ALVAREZ	
	1800	72	ALVAREZ	
	2100	70	ALVAREZ	
	2400	70	COOK	

Thursday

Date	Time	Temp.	Name (Print)	
08/01/24	0300	70	COOK	
	0600	69	COLLINS	
	0900	69	COLLINS	
	1200	70	COLLINS	
	1500	70	RAMOS	
	1800	70	RAMOS	
	2100	70	RAMOS	
	2400	70	MORENO	

Friday

Date	Time	Temp.	Name (Print)	
08/02/24	0300	70	MORENO	
	0600	68	COLLINS	
	0900	69	COLLINS	
	1200	72	SIMESON	
	1500	74	HOWELL	
	1800	72	HOWELL	
	2100	72	HOWELL	
	2400	70	MORENO	

Saturday

Date	Time	Temp.	Name (Print)	
08/03/24	0300	70	MORENO	
	0600	70	COLLINS	
	0900	71	COLLINS	
	1200	76	SIMESON	
	1500	80	RAMOS	
	1800	80	RAMOS	
	2100	78	RAMOS	
	2400	72	RAMOS	

Sunday

Date	Time	Temp.	Name (Print)	
08/04/24	0300	72	RAMOS	
	0600	72	COOK	
	0900	73	COOK	
	1200	75	COOK	
	1500	76	RAMOS	
	1800	74	RAMOS	
	2100	72	RAMOS	
	2400	72	HOWELL	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 31
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29/24	0300	72	[illegible]
	0600	71	Cook
	0900	71	SIMPSON
	1200	75	SIMPSON
	1500	76	HOWELL
	1800	75	HOWELL
	2100	71	HOWELL
	2400	71	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
07/30/24	0300	70	HOWELL
	0600	70	Cook
	0900	70	COLLINS
	1200	71	COOK
	1500	78	HOWELL
	1800	79	HOWELL
	2100	73	HOWELL
	2400	73	Moreno

Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	70	Moreno
	0600	70	COLLINS
	0900	71	COLLINS
	1200	73	ALVAREZ
	1500	74	ALVAREZ
	1800	72	ALVAREZ
	2100	70	ALVAREZ
	2400	70	COOK

Thursday

Date	Time	Temp.	Name (Print)
08/01/24	0300	70	COOK
	0600	70	COLLINS
	0900	70	COLLINS
	1200	71	COLLINS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Moreno

Friday

Date	Time	Temp.	Name (Print)
08/02/24	0300	70	Moreno
	0600	68	COLLINS
	0900	69	COLLINS
	1200	70	COLLINS
	1500	74	HOWELL
	1800	72	HOWELL
	2100	72	HOWELL
	2400	70	Moreno

Saturday

Date	Time	Temp.	Name (Print)
08/03/24	0300	70	Moreno
	0600	70	COLLINS
	0900	71	COLLINS
	1200	78	SIMPSON
	1500	80	RAMOS
	1800	80	RAMOS
	2100	78	RAMOS
	2400	72	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
08/04/24	0300	72	RAMOS
	0600	72	Cook
	0900	75	Cook
	1200	81	Cook
	1500	76	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	72	HOWELL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 32
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29/24	0300	70	UTRUWA
	0600	71	Cook
	0900	71	Jimenez
	1200	70	Jimenez
	1500	74	Howell
	1800	73	Howell
	2100	70	Howell
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
07/30/24	0300	69	Howell
	0600	69	Cook
	0900	70	Collins
	1200	71	Cook
	1500	78	Howell
	1800	79	Howell
	2100	73	Howell
	2400	73	Moreno

Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	69	Moreno
	0600	69	COLLINS
	0900	72	COLLINS
	1200	73	ALVAREZ
	1500	75	ALVAREZ
	1800	72	ALVAREZ
	2100	70	ALVAREZ
	2400	70	COOK

Thursday

Date	Time	Temp.	Name (Print)
08/01/24	0300	70	COOK
	0600	71	COLLINS
	0900	71	COLLINS
	1200	71	COLLINS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Moreno

Friday

Date	Time	Temp.	Name (Print)
08/02/24	0300	70	Moreno
	0600	68	COLLINS
	0900	69	COLLINS
	1200	70	COLLINS
	1500	74	Howell
	1800	72	Howell
	2100	72	Howell
	2400	70	Moreno

Saturday

Date	Time	Temp.	Name (Print)
08/03/24	0300	70	Moreno
	0600	70	COLLINS
	0900	71	COLLINS
	1200	78	Jimenez
	1500	80	RAMOS
	1800	80	RAMOS
	2100	78	RAMOS
	2400	72	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
08/04/24	0300	72	RAMOS
	0600	72	Cook
	0900	73	Cook
	1200	75	Cook
	1500	74	RAMOS
	1800	72	RAMOS
	2100	72	RAMOS
	2400	72	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 33
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29/24	0300	70	[illegible]
	0600	68	Cook
	0900	68	JIMESON
	1200	70	JIMESON
	1500	72	HOWELL
	1800	70	HOWELL
	2100	68	HOWELL
	2400	68	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
07/30/24	0300	70	HOWELL
	0600	69	Cook
	0900	70	COLLINS
	1200	71	Cook
	1500	76	HOWELL
	1800	77	HOWELL
	2100	75	HOWELL
	2400	75	Moreno

Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	68	Moreno
	0600	69	COLLINS
	0900	70	COLLINS
	1200	73	ALVAREZ
	1500	73	ALVAREZ
	1800	72	ALVAREZ
	2100	70	ALVAREZ
	2400	70	COOK

Thursday

Date	Time	Temp.	Name (Print)
08/01/24	0300	70	COOK
	0600	69	COLLINS
	0900	69	COLLINS
	1200	70	COLLINS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Moreno

Friday

Date	Time	Temp.	Name (Print)
08/02/24	0300	70	Moreno
	0600	68	COLLINS
	0900	69	COLLINS
	1200	70	COLLINS
	1500	74	HOWELL
	1800	72	HOWELL
	2100	72	HOWELL
	2400	70	Moreno

Saturday

Date	Time	Temp.	Name (Print)
08/03/24	0300	70	Moreno
	0600	70	COLLINS
	0900	71	COLLINS
	1200	75	JIMESON
	1500	80	RAMOS
	1800	80	RAMOS
	2100	78	RAMOS
	2400	72	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
08/04/24	0300	72	RAMOS
	0600	72	Cook
	0900	72	COOK
	1200	72	Cook
	1500	72	RAMOS
	1800	72	RAMOS
	2100	72	RAMOS
	2400	72	HOWELL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC DORM 34 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29/24	0300	70	VASQUEZ
	0600	68	Cook
	0900	68	JIMESON
	1200	70	JIMESON
	1500	70	Howell
	1800	68	Howell
	2100	68	Howell
	2400	68	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
07/30/24	0300	70	Howell
	0600	70	Cook
	0900	70	COLLINS
	1200	70	Cook
	1500	76	Howell
	1800	78	Howell
	2100	80	Howell
	2400	80	Moreno

Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	68	Moreno
	0600	67	COLLINS
	0900	67	COLLINS
	1200	73	ALVAREZ
	1500	73	ALVAREZ
	1800	72	ALVAREZ
	2100	70	ALVAREZ
	2400	70	COOK

Thursday

Date	Time	Temp.	Name (Print)
08/01/24	0300	70	COOK
	0600	71	COLLINS
	0900	71	COLLINS
	1200	71	COLLINS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Moreno

Friday

Date	Time	Temp.	Name (Print)
08/02/24	0300	70	Moreno
	0600	68	COLLINS
	0900	69	COLLINS
	1200	70	Howell
	1500	74	Howell
	1800	72	Howell
	2100	72	Howell
	2400	70	Moreno

Saturday

Date	Time	Temp.	Name (Print)
08/03/24	0300	70	Moreno
	0600	70	COLLINS
	0900	71	COLLINS
	1200	76	JIMESON
	1500	80	RAMOS
	1800	80	RAMOS
	2100	78	RAMOS
	2400	72	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
08/04/24	0300	72	RAMOS
	0600	72	Cook
	0900	71	Cook
	1200	71	Cook
	1500	72	RAMOS
	1800	72	RAMOS
	2100	72	RAMOS
	2400	72	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC PROGRAM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29/24	0300	69	[illegible]
	0600	70	Cook
	0900	70	Jimeson
	1200	70	Jimeson
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
07/30/24	0300	70	Howell
	0600	70	Cook
	0900	71	Collins
	1200	72	Cook
	1500	74	Howell
	1800	72	Howell
	2100	72	Howell
	2400	72	Moreno

Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	72	Moreno
	0600	62	Collins
	0900	63	Collins
	1200	66	Alvarez
	1500	69	Alvarez
	1800	72	Alvarez
	2100	70	Alvarez
	2400	70	Cook

Thursday

Date	Time	Temp.	Name (Print)
08/01/24	0300	70	Cook
	0600	69	Collins
	0900	68	Collins
	1200	69	Collins
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Moreno

Friday

Date	Time	Temp.	Name (Print)
08/02/24	0300	70	Moreno
	0600	68	Collins
	0900	69	Collins
	1200	70	Collins
	1500	72	Howell
	1800	72	Howell
	2100	72	Howell
	2400	70	Moreno

Saturday

Date	Time	Temp.	Name (Print)
08/03/24	0300	70	Moreno
	0600	70	Collins
	0900	71	Collins
	1200	72	Jimeson
	1500	80	Ramos
	1800	80	Ramos
	2100	78	Ramos
	2400	72	Ramos

Sunday

Date	Time	Temp.	Name (Print)
08/04/24	0300	72	Ramos
	0600	72	Cook
	0900	72	Cook
	1200	72	Cook
	1500	72	Ramos
	1800	72	Ramos
	2100	72	Ramos
	2400	72	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	68	JIMESON
	1200	68	JIMESON
	1500	70	HOWELL
	1800	70	HOWELL
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
07/30/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	68	COOK
	1200	69	COOK
	1500	74	HOWELL
	1800	74	HOWELL
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	COLLINS
	1200	72	HOWELL
	1500	74	HOWELL
	1800	72	ALVAREZ
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Thursday

Date	Time	Temp.	Name (Print)
08/01/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	COLLINS
	1200	71	COLLINS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Friday

Date	Time	Temp.	Name (Print)
08/02/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	69	COLLINS
	1200	70	COLLINS
	1500	74	HOWELL
	1800	72	HOWELL
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Saturday

Date	Time	Temp.	Name (Print)
08/03/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	COLLINS
	1200	70	JIMESON
	1500	73	RAMOS
	1800	73	RAMOS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Sunday

Date	Time	Temp.	Name (Print)
08/04/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	72	COOK
	1200	72	COOK
	1500	74	RAMOS
	1800	74	RAMOS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		N/A
	0600	66	Hampton
	0900	68	Hampton
	1200	68	Jones
	1500	70	Jones
	1800	71	Jones
	2100		
	2400		N/A

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	0300		N/A
	0600	68	J. Feist
	0900	68	J. Feist
	1200	68	Jones
	1500	70	Jones
	1800	72	Jones
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		N/A
	0600	70	J. Feist
	0900	72	J. Feist
	1200	70	Jones
	1500	72	Jones
	1800	72	Jones
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		N/A
	0600	68	J. Feist
	0900	69	J. Feist
	1200	69	Jones
	1500	72	Jones
	1800	72	Jones
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		N/A
	0600	70	J. Feist
	0900	70	J. Feist
	1200	70	Jones
	1500	71	Jones
	1800	71	Jones
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		N/A
	0600	70	J. Feist
	0900	70	J. Feist
	1200	80	Hampton
	1500	70	Hampton
	1800		
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		N/A
	0600	68	Hampton
	0900	76	Hampton
	1200	68	Jones
	1500	70	Jones
	1800	72	Jones
	2100		
	2400		N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300		N/A
	0600		
	0900	72	Gottesfeld
	1200	73	"
	1500	74	"
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300		N/A
	0600		
	0900	70	Gottesfeld
	1200	72	"
	1500	73	"
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300		N/A
	0600		
	0900	71	Gottesfield
	1200	72	"
	1500	72	"
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300		N/A
	0600		
	0900	70	Gottesfeld
	1200	71	"
	1500	74	"
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300		N/A
	0600		
	0900	71	Gottesfeld
	1200	73	"
	1500	73	"
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: E. Canteen Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/29/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	72	FA
	1200	72	
	1500	72	FA
	1800		
	2100		
	2400		

Tuesday 7/30/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	71	
	1200	71	
	1500	72	
	1800		
	2100		
	2400		

Wednesday 7/31/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	72	
	1200	73	
	1500	74	
	1800		
	2100		
	2400		

Thursday 8/1/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	
	1200	72	
	1500	73	
	1800		
	2100		
	2400		

Friday 8/2/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	71	
	1200	72	
	1500	73	
	1800		
	2100		
	2400		

Saturday 8/3

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 8/4

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	—	—
	0600	68	J. MILLS
	0900	68	MILLS
	1200	68	R.W EBB
	1500	68	R.WEBB
	1800	68	R.WEBB
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/2024	0300	—	—
	0600	68	J. MILLS
	0900	68	MILLS
	1200	69	WEBB
	1500	70	WEBB
	1800	71	WEBB
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	—	—
	0600	67	B. SCOTT
	0900	68	B. SCOTT
	1200	72	B. SCOTT
	1500	73	B. SCOTT
	1800	71	B. SCOTT
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	0300	—	—
	0600	66	Mederos
	0900	68	Mederos
	1200	70	B.SCOTT
	1500	71	B. SCOTT
	1800	71	B. SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	0300	—	—
	0600	66	Mederos
	0900	68	Mederos
	1200	70	R.WEBB
	1500	71	WEBB
	1800	72	WEBB
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	0300	—	—
	0600	68	Mederos
	0900	70	Mederos
	1200	72	S. ALVARADO
	1500	74	S. ALVARADO
	1800	74	S. ALVARADO
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
8/4/2024	0300	—	—
	0600	70	B. SCOTT
	0900	72	B. SCOTT
	1200	73	Mathingden
	1500	74	Mathingden
	1800	74	Mathingden
	2100	—	—
	2400	—	—

Notes

7/24/2024 to 8/4/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant Ops Temp. Reading Location: 2-180a
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/29/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		OFF
	1500		
	1800		
	2100		
	2400		

Tuesday 7/30/24

Dat	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	75	G Gary
	1200	77	G Gary
	1500	77	G Gary
	1800		
	2100		N/A
	2400		

Wednesday 7/31/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		No Inmates
	1500		
	1800		
	2100		
	2400		

Thursday 8/1/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	72	G Gary
	1200	73	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Friday 8/2/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	72	G Gary
	1200	72	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Saturday 8/3

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 8/4

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

ATTACHMENT B

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: Inmate Office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		N/A
	0600		
	0900	75	Wam
	1200	76	Wam
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	0300		N/A
	0600		
	0900	75	Rodriguez
	1200	76	Wang
	1500		
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		N/A
	0600		
	0900	75	Wang
	1200	74	Wong
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		N/A
	0600		
	0900	75	Wong
	1200	76	Wong
	1500		
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting Mill Temp. Reading Location: Row 3 Isle
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/29

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	80°	Richardson M.
	1200	86°	Richardson M.
	1500	88	Richardson M.
	1800		N/A
	2100		
	2400		

Tuesday 7/30

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	81°	Richardson M.
	1200	88°	Richardson M.
	1500	89°	Richardson M.
	1800		N/A
	2100		
	2400		

Wednesday 7/31

Date	Time	Temp.	Name (Print)
	0300		N/A.
	0600		
	0900	77°	Regalado
	1200	84	Regalado
	1500	88°	Regalado
	1800	78°	Regalado
	2100		N/A
	2400		

Thursday 8/1

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75°	Regalado
	1200	82°	Regalado
	1500	86°	Richardson M
	1800		N/A
	2100		
	2400		

Friday 8/2

Date	Time	Temp.	Name (Print)
	0300		CL
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 8/3

Date	Time	Temp.	Name (Print)
	0300		CL
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 8/4

Date	Time	Temp.	Name (Print)
	0300		CL
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes 7/29/24 — 8/1/24

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Boots (Shop Factory) Temp. Reading Location: P/A Boots Clerks office

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		N/A
	0600	75°	Rick N
	0900	77	Rick N
	1200	80	Fant, R
	1500	80	Rick N
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300		N/A
	0600	75	Rick N
	0900	77	Fant, R
	1200	82	Fant, R
	1500	82	Rick N
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		N/A
	0600	76	Rick N
	0900	78	Fant, R
	1200	80	Fant, R
	1500	82	Fant, R
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		N/A
	0600	75	Rick N
	0900	78	Fant, R
	1200	80	Fant, R
	1500	82	Fant, R
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Pia Temp. Reading Location: Safety TShirt
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4631 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Thursday 8/1/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	65	CHO
	1200	80	CHO
	1500	81	CHO
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/24/2024 to 8/4/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Jacket Factory Temp. Reading Location: 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4669 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		
	0600		
	0900	60	J. Diaz
	1200	68	J. Diaz
	1500	70	J. Diaz
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	0300		
	0600		
	0900	59	J. Diaz
	1200	59	J. Diaz
	1500	78	J. Diaz
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		
	0600		
	0900	61	CHOI
	1200	70	CHOI
	1500	69	CHOI
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		
	1200	closed	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200	closed.	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Jacket Factory Temp. Reading Location: 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4669 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		
	0600		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	0300		
	0600		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600		
	0900	60	J. Diaz
	1200	64	J. Diaz
	1500		J. Diaz
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 7IA FABRICS Temp. Reading Location: JKT FACTORY 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		
	0600		
	0900	66	D Cooper
	1200	73	D Cooper
	1500	76	D Cooper
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300		
	0600		
	0900	68	D Cooper
	1200	75	D Cooper
	1500	78	D Cooper
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		
	0600		
	0900	68	D Cooper
	1200	74	D Cooper
	1500	77	CALT
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
fDCR 2031 (04118)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C M C Housing Unit: P R I N T P L A N T Temp. Reading L o c a t i o n : C e n t r a l P o s t , 1 s t T i e r

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday **MONTH / YEAR:** JULY, 2024

Date	Time	Temp.	Name (Print)
29	0300		N/A
	0600		
	0900	68	PM
	1200	70	PM
	1500	72	PM
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
30	0300		N/A
	0600		
	0900	68	PM
	1200	70	PM
	1500	78	PM
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
31	0300		N/A
	0600		
	0900	68	PM
	1200	70	PM
	1500	73	PM
	1800		
	2100		N/A
	2400		

Thursday Aug. 1

Date	Time	Temp.	Name (Print)
Aug 1	0300		N/A
	0600		
	0900	68	PM
	1200	71	PM
	1500	75	PM
	1800		
	2100		N/A
	2400		

Friday

	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: P/A Temp. Reading Location: 1st Floor Fabric
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4686 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 7/29

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Tuesday 7/30

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Wednesday 7/31

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Thursday 8/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
8/1	0900	67.	SW
	1200	74.	SWayd
	1500		
	1800		
	2100		
	2400		

Friday 8/2

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Saturday 8/3

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Sunday 8/4

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA 2/W Temp. Reading Location: 1st Floor Fabric.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4686 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	~~0300~~		
	~~0600~~		
	0900	68	CHO1
	1200	71	CHO1
	1500	70	CHO1
	~~1800~~		
	~~2100~~		
	~~2400~~		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	~~0300~~		
	~~0600~~		
	0900	69	CHO1
	1200	70	CHO1
	1500	72	CHO1
	~~1800~~		
	~~2100~~		
	~~2400~~		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	~~0300~~		
	~~0600~~		
	0900	73.	SWayment
	1200	78.	SWayment
	1500	82.	SWayment
	1800		
	~~2100~~		
	~~2400~~		

Thursday

Date	Time	Temp.	Name (Print)
8/1	~~0300~~		
	~~0600~~		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		
	1500		CL
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4256 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		N/A
	0600	72°	
	0900	72°	AH
	1200	72°	
	1500	72°	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	0300		N/A
	0600	72°	
	0900	72°	FS
	1200	72°	
	1500	72°	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		N/A
	0600	73°	
	0900	73°	FS
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		N/A
	0600	73°	
	0900	73°	AH
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		N/A
	0600	73°	
	0900	73°	FS
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: LALDIA Manor & Repair Temp. Reading Location: m & R (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29	0300		N/A
	0600	70°	C. Sanchez
	0900	74°	C. Sanchez
	1200	75°	C. Sanchez
	1500	77°	C. Sanchez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7-30	0300		N/A
	0600	73°	C. Sanchez
	0900	76°	R. Esteban
	1200	77°	R. Esteban
	1500	79°	C. Sanchez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-31	0300		N/A.
	0600	73°	C. Sanchez
	0900	75°	C. Sanchez
	1200	77°	C. Sanchez
	1500	78°	C. Sanchez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1	0300		N/A
	0600	77°	R. Esteban
	0900	74°	R. Esteban
	1200	78°	R. Esteban
	1500	78°	R. Esteban
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp.Reading Location: **Protestant Chapel EAST**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		N/A
	0600		
	0900	62	[illegible]
	1200	64	[illegible]
	1500	66	[illegible]
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300		
	0600		
	0900		N/A
	1200		
	1500		
	1800	68	[illegible]
	2100	66	[illegible]
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		N/A
	0600		
	0900	64	[illegible]
	1200	66	[illegible]
	1500		
	1800		
	2100		N/A.
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

7/29/2024 to 8/4/2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7.29.24	0100	58	AMAYA
	0200	58	AMAYA
	0300	59	AMAYA
	0400	58	AMAYA
	0500	57	AMAYA
	0600	59	Garcia
	0700	52	Garcia
	0800	53	DelaTorre
	0900	54	DelaTorre
	1000	65	Garcia
	1100	67	Garcia
	1200	68	Garcia
	1300	70	DelaTorre
	1400	71	Dominguez
	1500	68	Avila
	1600	68	Avila
	1700	60	Avila
	1800	55	Avila
	1900	55	Avila
	2000	53	Avila
	2100	53	Avila
	2200	53	Dominguez
	2300	52	Dominguez
	2400	52	Dominguez

Date	Time	Temp.	Printed Name
7.30.24	0100	51	Dominguez
	0200	51	Dominguez
	0300	50	Dominguez
	0400	50	Dominguez
	0500	50	Dominguez
	0600	52	DelaTorre
	0700	52	DelaTorre
	0800	52	DelaTorre
	0900	61	DelaTorre
	1000	61	DelaTorre
	1100	68	DelaTorre
	1200	70	DelaTorre
	1300	75	DelaTorre
	1400	77	J. COTA
	1500	79	L. Dominguez
	1600	76	J. COTA
	1700	74	Rupp
	1800	68	Rupp
	1900	62	Rupp
	2000	58	Rupp
	2100	57	Rupp
	2200	56	Dominguez
	2300	55	Dominguez
	2400	54	Dominguez

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: East Watch

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7.31.2024	0100	54	Domingue
	0200	54	Domingue
	0300	54	Domingue
	0400	53	Domingue
	0500	52	Razo
	0600	52	DelaTorre
	0700	55	DelaTorre
	0800	55	DelaTorre
	0900	57	DelaTorre
	1000	63	DelaTorre
	1100	69	DelaTorre
	1200	72	DelaTorre
	1300	72	DelaTorre
	1400	72	Hernandez
	1500	71	Hernandez
	1600	64	Hernandez
	1700	64	Hernandez
	1800	64	Hernandez
	1900	61	Hernandez
	2000	59	Hernandez
	2100	53	Hernandez
	2200	52	Hernandez
	2300	52	Jensen
	2400	51	Hernandez

Date	Time	Temp.	Printed Name
8.1.2024	0100	51	Hernandez
	0200	51	Hernandez
	0300	51	Hernandez
	0400	51	Hernandez
	0500	51	Hernandez
	0600	53	DelaTorre
	0700	53	DelaTorre
	0800	53	DelaTorre
	0900	55	DelaTorre
	1000	70	Stone
	1100	71	Stone
	1200	72	Stone
	1300	73	Stone
	1400	75	Hernandez
	1500	75	Hernandez
	1600	72	Hernandez
	1700	72	Hernandez
	1800	70	Hernandez
	1900	60	Hernandez
	2000	58	Hernandez
	2100	55	Hernandez
	2200	53	Jensen
	2300	51	Jensen
	2400	51	Jensen

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: East Watch

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-2-24	0100	51	Hernandez
	0200	51	Hernandez
	0300	50	Hernandez
	0400	50	Hernandez
	0500	50	Hernandez
	0600	50	C Stubon
	0700	53	C Stubon
	0800	55	C Stubon
	0900	60	Delytorre
	1000	65	Delytorre
	1100	69	Delytorre
	1200	73	C Stubon
	1300	71	Dutton
	1400	71	Hernandez
	1500	71	Hernandez
	1600	71	Hernandez
	1700	69	Hernandez
	1800	65	Hernandez
	1900	63	Hernandez
	2000	63	Hernandez
	2100	63	Hernandez
	2200	63	Jensen
	2300	63	Jensen
	2400	62	Jensen

Date	Time	Temp.	Printed Name
8-3-24	0100	61	Jensen
	0200	600	Jensen
	0300	60	Jensen
	0400	60	Jensen
	0500	60	Jensen
	0600	60	C.PRICE
	0700	65	C.PRICE
	0800	70	C.PRICE
	0900	72	C.PRICE
	1000	74	C.PRICE
	1100	76	C.PRICE
	1200	79	C.PRICE
	1300	79	C.PRICE
	1400	80	B.Avila
	1500	77	Rupp
	1600	75	Rupp
	1700	75	Rupp
	1800	70	Rupp
	1900	68	Rupp
	2000	66	Rupp
	2100	63	Rupp
	2200	62	Rupp
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-4-24	0100	60	RAZO
	0200	60	RAZO
	0300	60	RAZO
	0400	60	RAZO
	0500	59	RAZO
	0600	60	BYRNE
	0700	64	BYRNE
	0800	65	BYRNE
	0900	68	BYRNE
	1000	70	BYRNE
	1100	71	BYRNE
	1200	72	BYRNE
	1300	74	BYRNE
	1400	75	RUPP
	1500	72	RUPP
	1600	69	RUPP
	1700	69	RUPP
	1800	65	RUPP
	1900	63	RUPP
	2000	60	RUPP
	2100	55	RUPP
	2200	53	RUPP
	2300	53	Dominguez
	2400	51	Dominguez

Date	Time	Temp.	Printed Name
8-5-24	0100	51	Dominguez
	0200	51	Dominguez
	0300	51	Dominguez
	0400	51	Dominguez
	0500	51	Dominguez
	0600	60	Garcia
	0700	60	Garcia
	0800	63	Garcia
	0900	64	Garcia
	1000	66	Garcia
	1100	66	Garcia
	1200	70	RUPP
	1300	75	RUPP
	1400	78	Dominguez
	1500	77	RUPP
	1600	75	RUPP
	1700	72	RUPP
	1800	69	RUPP
	1900	65	RUPP
	2000	62	RUPP
	2100	59	RUPP
	2200	57	Dominguez
	2300	57	Lepea 1
	2400	57	Lepea 1

DISTRIBUTION: Original: Institution ADA Coordinator