

**STATE OF CALIFORNIA  
HEAT PLAN • MONTHLY SUMMARY REPORT  
CDCR MH-7711-1 (02/17)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Page 1 of 1

**Monthly Summary Report**

Institution: CCWF

**Memorandum**

Date: 07/02/2024  
 To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CCWF

The following is a summary of the heat related activity for the month of June 2024  
 at CCWF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alert)?: Yes  
 Number of days Stage I Alert initiated: 20

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)?: Yes  
 Number of days Stage II Alert initiated: 3

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)?: No  
 Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? Yes


5. Number of patients with heat related illness: 0 List these patients on the Heat Incident Log and include the patient's name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation; description of the symptoms/diagnosis at the time of the heat-related illness; a brief summary of the medical treatment rendered, where the incident occurred; and the ultimate disposition of the patient. The Heat Incident Log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

A. De La Cruz:

Warden Name




Warden Signature

R. De La Cerdá

Chief Executive Officer Name

DocuSigned by:



Chief Executive Officer Signature

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/31/24	0100	73	Dump.t
	0200	64	Dump.t
	0300	60	Dump.t
	0400	64	Dump.t
	0500	63	Dump.t
	0600	62	LZB
	0700	70	LZB
	0800	74	LZB
	0900	77	LZB
	1000	81	LZB
	1100	81	LZB
	1200	87	LZB
	1300	89	LZB
	1400	89	Dump.t
	1500	91	Dump.t
	1600	92	Dump.t
	1700	91	Dump.t
	1800	90	Dump.t
	1900	88	Dump.t
	2000	86	Dump.t
	2100	82	Dump.t
	2200	79	Dump.t
	2300	75	Dump.t
	2400	72	Dump.t

Date	Time	Temp.	Printed Name
6/1/24	0100	71	Dump.t
	0200	76	Dump.t
	0300	68	Dump.t
	0400	68	Dump.t
	0500	66	Dump.t
	0600	69	J Alonso
	0700	72	J Alonso
	0800	74	J Alonso
	0900	76	J Alonso
	1000	78	J Alonso
	1100	83	J Alonso
	1200	84	J Alonso
	1300	86	J Alonso
	1400	91	J Alonso
	1500	94	Dump.t
	1600	93	Dump.t
	1700	88	Dump.t
	1800	87	Dump.t
	1900	78	Dump.t
	2000	77	Dump.t
	2100	73	Dump.t
	2200	70	Osevera C
	2300	68	Osevera C
	2400	67	Osevera C

Stage 1 Activated: 1501  
Deactivated: 2000

Stage 1 Activated: 1400  
Deactivated: 1800

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

ccwf

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Control Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

6/3/21

Date	Time	Temp.	Printed Name
	0100	65	Osever C
	0200	63	Osever C
	0300	63	Osever C
	0400	62	Osever C
	0500	61	Osever C
	0600	62	Osever C
	0700	64	B.Cowins
	0800	67	B.Cowins
	0900	70	B.Cowins
	1000	73	B.Cowins B
	1100	76	B.Cowins
	1200	77	B.Cowins
	1300	79	B.Cowins
	1400	82	Valero
	1500	82	M.Valero
	1600	82	M.Valero
	1700	84	M.Valero
	1800	83	M.Valero
	1900	82	M.Valero
	2000	79	M.Valero
	2100	77	M.Valero
	2200	73	XAI
	2300	72	XAI
	2400	70	XAI

6/3/21

Date	Time	Temp.	Printed Name
	0100	68	XAI
	0200	68	XAI
	0300	66	XAI
	0400	66	XAI
	0500	66	XAI
	0600	66	M.Valero
	0700	68	M.Valero
	0800	70	M.Valero
	0900	73	M.Valero
	1000	70	M.Valero
	1100	75	M.Valero
	1200	81	M.Valero
	1300	79	M.Valero
	1400	82	M.Valero
	1500	83	M.Valero
	1600	84	M.Valero
	1700	83	M.Valero
	1800	80	Burchett
	1900	78	Burchett
	2000	74	Burchett
	2100	71	Burchett
	2200	73	Stanley
	2300	72	Stanley
	2400	70	Stanley

Stage 1 Activated: \_\_\_\_\_  
Deactivated: \_\_\_\_\_

Stage 1 Activated: \_\_\_\_\_  
Deactivated: \_\_\_\_\_

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/4/24	0100	64	STANLEY
	0200	62	STANLEY
	0300	69	STANLEY
	0400	64	STANLEY
	0500	61	STANLEY
	0600	63°	Bazan
	0700	64°	Bazan
	0800	68°	Bazan
	0900	73°	Bazan
	1000	75°	Bazan
	1100	71°	Bazan
	1200	86	Bazan
	1300	84°	Bazan
	1400	85	STANLEY
	1500	87	STANLEY
	1600	87	STANLEY
	1700	87	STANLEY
	1800	88	STANLEY
	1900	89	STANLEY
	2000	87	STANLEY
	2100	85	STANLEY
	2200	83	STANLEY
	2300	80	STANLEY
	2400	73	STANLEY

Date	Time	Temp.	Printed Name
6/5/24	0100	75	STANLEY
	0200	74	STANLEY
	0300	72	STANLEY
	0400	70	STANLEY
	0500	70	STANLEY
	0600	74°	Bazan
	0700	78°	Bazan
	0800	80°	Bazan
	0900	81°	Bazan
	1000	84°	Bazan
	1100	87°	Bazan
	1200	90°	Bazan
	1300	92°	Bazan
	1400	94	STANLEY
	1500	95	STANLEY
	1600	94	STANLEY
	1700	96	STANLEY
	1800	97	STANLEY
	1900	95	STANLEY
	2000	87	STANLEY
	2100	87	STANLEY
	2200	85	STANLEY
	2300	84	STANLEY
	2400	80	STANLEY

Stage 1 Activated: \_\_\_\_\_  
Deactivated: \_\_\_\_\_

Stage 1 Activated: 1200  
Deactivated: 2045

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-24	0100	80	STANLEY
	0200	80	STANLEY
	0300	78	STANLEY
	0400	74	STANLEY
	0500	73	STANLEY
	0600	74°	Bazan
	0700	76°	Bazan
	0800	80°	Bazan
	0900	84°	Bazan
	1000	89°	Bazan
	1100	91°	Bazan
	1200	94°	Bazan
	1300	98°	Bazan
	1400	99	DUMPT
	1500	100	DUMPT
	1600	98	DUMPT
	1700	98	DUMPT
	1800	98	DUMPT
	1900	94	DUMPT
	2000	91	DUMPT
	2100	86	DUMPT
	2200	82	DUMPT
	2300	79	DUMPT
	2400	78	DUMPT

Date	Time	Temp.	Printed Name
5-25	0100	77	DUMPT
	0200	74	DUMPT
	0300	75	DUMPT
	0400	73	DUMPT
	0500	72	DUMPT
	0600	72	Walter
	0700	74	Walter
	0800	79	Walter
	0900	84	Walter
	1000	88	Walter
	1100	89	Walter
	1200	92	Walter
	1300	94	Walter
	1400	99	DUMPT
	1500	99	DUMPT
	1600	98	DUMPT
	1700	95	DUMPT
	1800	99	DUMPT
	1900	88	DUMPT
	2000	82	DUMPT
	2100	78	DUMPT
	2200	74	DUMPT
	2300	72	DUMPT
	2400	72	DUMPT

Stage 1 Activated: 1020 - 90°  
Deactivated: 2200

Stage 1 Activated: 1117  
Deactivated: 2000

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-8-24	0100	71	Dump.t
	0200	69	Dump.t
	0300	67	Dump.t
	0400	66	Dump.t
	0500	65	Dump.t
	0600	64	J. Alonso
	0700	68	J. Alonso
	0800	71	J. Alonso
	0900	72	J. Alonso
	1000	78	J. Alonso
	1100	80	J. Alonso
	1200	86	J. Alonso
	1300	87	J. Alonso
	1400	87	Dump.t
	1500	88	Dump.t
	1600	88	Dump.t
	1700	89	Dump.t
	1800	90	Dump.t
	1900	85	Dump.t
	2000	80	Dump.t
	2100	76	Dump.t
	2200	73	O Segura C
	2300	72	O Segura C
	2400	71	O Segura C

Date	Time	Temp.	Printed Name
6-9-24	0100	69	O Segura C
	0200	68	O Segura C
	0300	68	O Segura C
	0400	67	O Segura C
	0500	65	O Segura C
	0600	66	B Cowings
	0700	66	B Cowings
	0800	72	B Cowings
	0900	75	B Cowings
	1000	77	B. Cowings
	1100	80°	B. Cowings
	1200	83	B. Cowings
	1300	86	B Cowings
	1400	86	M. Valero
	1500	89	M. Valero
	1600	89	M. Valero
	1700	89	M. Valero
	1800	87	M. Valero
	1900	84	M. Valero
	2000	80	M. Valero
	2100	78	M. Valero
	2200	75	WAV
	2300	73.	WAV
	2400	71	WAV

Stage 1 Activated: 1800  
Deactivated: 2000

Stage 1 Activated: \_\_\_\_\_  
Deactivated: \_\_\_\_\_

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

6/10/24

Date	Time	Temp.	Printed Name
	0100	69	WATI
	0200	69	WATI
	0300	69	WATI
	0400	64	WATI
	0500	64	WATI
	0600	67	M.valero
	0700	70	M.valero
	0800	73	M.valero
	0900	76	M.valero
	1000	79	M.valero
	1100	80	M.valero
	1200	84	M.valero
	1300	81	M.valero
	1400	89	M.valero
	1500	89	M.valero
	1600	89	M.valero
	1700	90	M.valero
	1800	92	M.valero
	1900	95	M.valero
	2000	89	M.valero
	2100	84	M.valero
	2200	81	R.Dump.t
	2300	80	R.Dump.t
	2400	78	R.Dump.t

6/11/24

Date	Time	Temp.	Printed Name
	0100	74	R.Dump.t
	0200	75	R.Dump.t
	0300	74	R.Dump.t
	0400	71	R.Dump.t
	0500	73	R.Dump.t
	0600	71°	Bazan
	0700	75°	Bazan
	0800	77°	Bazan
	0900	81°	Bazan
	1000	85°	Bazan
	1100	88°	Bazan
	1200	89°	Bazan
	1300	91	Bazan
	1400	95	R.Dump.t
	1500	97	R.Dump.t
	1600	97	R.Dump.t
	1700	93	R.Dump.t
	1800	93	R.Dump.t
	1900	94	R.Dump.t
	2000	90	R.Dump.t
	2100	87	R.Dump.t
	2200	85	R.Dump.t
	2300	83	R.Dump.t
	2400	81	R.Dump.t

Stage 1 Activated: 1700  
Deactivated: 2100

Stage 1 Activated: 1703 90°  
Deactivated: 2200

INSTITUTION:

CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/12/24	0100	80	R.Dump.t
	0200	76	R.Dump.t
	0300	76	R.Dump.t
	0400	75	R.Dump.t
	0500	73	R.Dump.t
	0600	75°	Bazan
	0700	77°	Bazan
	0800	80°	Bazan
	0900	83°	Bazan
	1000	86°	Bazan
	1100	90°	Bazan
	1200	92°	Bazan
	1300	95°	Bazan
	1400	95	R.Dump.t
	1500	95	R.Dump.t
	1600	91	R.Dump.t
	1700	91	R.Dump.t
	1800	93	R.Dump.t
	1900	88	R.Dump.t
	2000	83	R.Dump.t
	2100	78	R.Dump.t
	2200	75	Stay
	2300	74	Stay
	2400	74	Stay

Stage 1 Activated: 1112 90°  
Deactivated: 2000

Date	Time	Temp.	Printed Name
6/13/24	0100	77	Stay
	0200	69	Stay
	0300	69	Stay
	0400	68	Stay
	0500	68	Stay
	0600	66°	Stay
	0700	68°	Bazan
	0800	72°	Bazan
	0900	76°	Bazan
	1000	80°	Bazan
	1100	84°	Bazan
	1200	86°	Bazan
	1300	90	Bazan
	1400	91	Stay
	1500	92	Stay
	1600	93	Stay
	1700	92	Stay
	1800	91	Stay
	1900	87	Stay
	2000	81	Stay
	2100	77	Stay
	2200	75	Stay
	2300	72	Stay
	2400	70	Stay

Stage 1 Activated: 1200  
Deactivated: 900

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/14/24	0100	68	Stanley
	0200	66	Stanley
	0300	66	Stanley
	0400	64	Stanley
	0500	64	Stanley
	0600	65	J. Alonso
	0700	69°	J. Alonso
	0800	70°	J. Alonso
	0900	73°	J. Alonso
	1000	78°	J. Alonso
	1100	82°	J. Alonso
	1200	84°	J. Alonso
	1300	87°	J. Alonso
	1400	88°	J. Alonso
	1500	91	Stanley
	1600	91	Stanley
	1700	91	Stanley
	1800	91	Stanley
	1900	87	Stanley
	2000	84	Stanley
	2100	81	Stanley
	2200	79°	Bazan
	2300	76°	Bazan
	2400	73°	Bazan

Date	Time	Temp.	Printed Name
6/15/24	0100	70°	Bazan
	0200	69°	Bazan
	0300	68°	Bazan
	0400	66°	Bazan
	0500	63°	Bazan
	0600	64°	J. Alonso
	0700	68°	J. Alonso
	0800	71°	J. Alonso
	0900	73°	J. Alonso
	1000	76°	J. Alonso
	1100	78°	J. Alonso
	1200	80°	J. Alonso
	1300	80	J. Alonso
	1400	87	R. Dumpy+
	1500	88	R. Dumpy+
	1600	88	R. Dumpy+
	1700	88	R. Dumpy+
	1800	85	R. Dumpy+
	1900	85	R. Dumpy+
	2000	82	R. Dumpy+
	2100	78	R. Dumpy+
	2200	76°	C. Segura
	2300	71°	C. Segura
	2400	69	C. Segura

Stage 1 Activated: 1500  
Deactivated: 1900

Stage 1 Activated: \_\_\_\_\_  
Deactivated: \_\_\_\_\_

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/16/24	0100	67	Cosegura
	0200	68	Cosegura
	0300	66	Cosegura
	0400	65	Cosegura
	0500	64	Cosegura
	0600	66	Cowings
	0700	69	Cowings
	0800	72	Cowings
	0900	73	Cowings
	1000	76	Cowings
	1100	76	Cowings
	1200	85	Cowings
	1300	84	Cowings
	1400	88	M. Valerio
	1500	88	M. Valerio
	1600	86	M. Valerio
	1700	87	M. Valerio
	1800	88	M. Valerio
	1900	86	M. Valerio
	2000	84	M. Valerio
	2100	80	M. Valerio
	2200	79	M. Valerio
	2300	70	WALL
	2400	73	WALL

Date	Time	Temp.	Printed Name
6/17/24	0100	72	WALL
	0200	71	WALL
	0300	70	WALL
	0400	67	WALL
	0500	66	WALL
	0600	66	M. Valerio
	0700	67	M. Valerio
	0800	69	M. Valerio
	0900	71	M. Valerio
	1000	75	M. Valerio
	1100	78	M. Valerio
	1200	81	M. Valerio
	1300	83	M. Valerio
	1400	83	M. Valerio
	1500	84	I. Alamo
	1600	85	I. Alamo
	1700	84	PEREZ
	1800	84	PEREZ
	1900	80	RANDLE
	2000	79	RANDLE
	2100	77	RANDLE
	2200	75	Stanley
	2300	71	Stanley
	2400	70	Stanley

Stage 1 Activated: \_\_\_\_\_  
Deactivated: \_\_\_\_\_

Stage 1 Activated: \_\_\_\_\_  
Deactivated: \_\_\_\_\_

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/18/24	0100	68	Stan
	0200	67	Stan
	0300	66	Stan
	0400	63	Stan
	0500	59	Stan
	0600	61°	Bazan
	0700	63°	Bazan
	0800	69°	Bazan
	0900	75°	Bazan
	1000	770	Bazan
	1100	79°	Bazan
	1200	81°	Bazan
	1300	840	Bazan
	1400	86	Stan
	1500	87	Stan
	1600	89	Stan
	1700	98	Stan
	1800	95	Stan
	1900	94	Stan
	2000	81	Stan
	2100	78	Stan
	2200	75	Stan
	2300	72	Stan
	2400	70	Stan

Date	Time	Temp.	Printed Name
6/19/24	0100	69	Stan
	0200	67	Stan
	0300	64	Stan
	0400	64	Stan
	0500	60	Stan
	0600	64°	Bazan
	0700	66°	Bazan
	0800	71°	Bazan
	0900	75°	Bazan
	1000	78°	Bazan
	1100	80°	Bazan
	1200	83°	Bazan
	1300	85°	Bazan
	1400	88	Stan
	1500	89	Stan
	1600	89	Stan
	1700	89	Stan
	1800	99	Stan
	1900	87	Stan
	2000	83	Stan
	2100	81	Stan
	2200	75	Stan
	2300	79	Stan
	2400	70	Stan

Stage 1 Activated: \_\_\_\_\_  
Deactivated: \_\_\_\_\_

Stage 1 Activated: \_\_\_\_\_  
Deactivated: \_\_\_\_\_

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/20/24	0100	70	Stuy
	0200	68	Stuy
	0300	67	Stuy
	0400	65	Stuy
	0500	63	Stuy
	0600	64°	Bazan
	0700	64°	Bazan
	0800	71°	Bazan
	0900	73°	Bazan
	1000	75°	Bazan
	1100	78°	Bazan
	1200	81	Bazan
	1300	85°	Bazan
	1400	88	R. Dump.t
	1500	89	J. Lee
	1600	89	R. Dump.t
	1700	89	R. Dump.t
	1800	89	R. Dump.t
	1900	86	R. Dump.t
	2000	83	R. Dump.t
	2100	80	R. Dump.t
	2200	80	R. Dump.t
	2300	75	R. Dump.t
	2400	72	R. Dump.t

Date	Time	Temp.	Printed Name
6/21/24	0100	72	R. Dump.t
	0200	70	R. Dump.t
	0300	68	R. Dump.t
	0400	65	R. Dump.t
	0500	65	R. Dump.t
	0600	65°	J. Alonso
	0700	70°	J. Alonso
	0800	72°	J. Alonso
	0900	74°	J. Alonso
	1000	79°	J. Alonso
	1100	82°	J. Alonso
	1200	84°	J. Alonso
	1300	90°	J. Alonso
	1400	90	R. Dump.t
	1500	91	R. Dump.t
	1600	91	R. Dump.t
	1700	94	R. Dump.t
	1800	93	R. Dump.t
	1900	92	R. Dump.t
	2000	87	R. Dump.t
	2100	84	R. Dump.t
	2200	82	R. Dump.t
	2300	78	R. Dump.t
	2400	78	R. Dump.t

Stage 1 Activated: \_\_\_\_\_  
Deactivated: \_\_\_\_\_

Stage 1 Activated: 1300  
Deactivated: 2100

INSTITUTION: C.C.WF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/23/24	0100	74	R.Dumpit
	0200	74	R.Dumpit
	0300	73	R.Dumpit
	0400	72	R.Dumpit
	0500	70	R.Dumpit
	0600	69°	J.Alonso
	0700	74°	J.Alonso
	0800	78	J.Alonso
	0900	82	J.Alonso
	1000	84°	J.Alonso
	1100	89°	J.Alonso
	1200	90°	J.Alonso
	1300	95°	J.Alonso
	1400	97	R.Dumpit
	1500	101	R.Dumpit
	1600	100	R.Dumpit
	1700	100	R.Dumpit
	1800	98	R.Dumpit
	1900	98	R.Dumpit
	2000	94	R.Dumpit
	2100	88	R.Dumpit
	2200	86	CoSeguera
	2300	84	CoSeguera
	2400	80	CoSeguera

Stage 1 Activated: 1140  
Deactivated: 2200

Date	Time	Temp.	Printed Name
6/23/24	0100	70	CoSeguera
	0200	75	CoSeguera
	0300	75	CoSeguera
	0400	72	CoSeguera
	0500	71	CoSeguera
	0600	73	Cowings
	0700	76	Cowings
	0800	80	Cowings
	0900	85	Cowings
	1000	87	Cowings
	1100	91	Cowings
	1200	95	Cowings
	1300	98	Cowings
	1400	99	M.Valerio
	1500	102	M.Valerio
	1600	103	M.Valerio
	1700	103	M.Valerio
	1800	102	M.Valerio
	1900	99	M.Valerio
	2000	91	M.Valerio
	2100	89	M.Valerio
	2200	85	WAI
	2300	83	WAI
	2400	82	WAI

Stage 1 Activated: 1058  
Deactivated: 2200

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/1/20	0100	79	WALL
5/1/20	0200	78	WALL
5/1/20	0300	77	WALL
5/1/20	0400	76	WALL
5/1/20	0500	75	WALL
5/1/20	0600	72	M. Valerio
5/1/20	0700	77	M. Valerio
5/1/20	0800	84	M. Valerio
5/1/20	0900	87	M. Valerio
5/1/20	1000	89	M. Valerio
5/1/20	1100	92	M. Valerio
5/1/20	1200	93	M. Valerio
5/1/20	1300	93	M. Valerio
5/1/20	1400	95	M. Valerio
5/1/20	1500	95	M. Valerio
5/1/20	1600	97	M. Valerio
5/1/20	1700	99	M. Valerio
5/1/20	1800	96	M. Valerio
5/1/20	1900	92	M. Valerio
5/1/20	2000	88	M. Valerio
5/1/20	2100	87	M. Valerio
5/1/20	2200	84	R. Dump.t
5/1/20	2300	83	R. Dump.t
5/1/20	2400	81	R. Dump.t

Date	Time	Temp.	Printed Name
5/1/20	0100	80	R. Dump.t
5/1/20	0200	78	R. Dump.t
5/1/20	0300	78	R. Dump.t
5/1/20	0400	75	R. Dump.t
5/1/20	0500	75	R. Dump.t
5/1/20	0600	75°	Baran
5/1/20	0700	77°	Baran
5/1/20	0800	80°	Baran
5/1/20	0900	85°	Baran
5/1/20	1000	89°	Baran
5/1/20	1100	91°	Baran
5/1/20	1200	94°	Baran
5/1/20	1300	91°	Baran
5/1/20	1400	100	R. Dump.t
5/1/20	1500	100	R. Dump.t
5/1/20	1600	102	R. Dump.t
5/1/20	1700	97	R. Dump.t
5/1/20	1800	96	R. Dump.t
5/1/20	1900	96	R. Dump.t
5/1/20	2000	92	R. Dump.t
5/1/20	2100	88	R. Dump.t
5/1/20	2200	86	R. Dump.t
5/1/20	2300	81	R. Dump.t
5/1/20	2400	80	R. Dump.t

Stage 1 Activated: 100  
Deactivated: 2100

Stage 1 Activated: 1030 90°  
Deactivated: 2200

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/26/84	0100	79	R.Dump.t
	0200	71	R.Dump.t
	0300	75	R.Dump.t
	0400	75	R.Dump.t
	0500	73	R.Dump.t
	0600	74°	Bazan
	0700	76°	Bazan
	0800	78°	Bazan
	0900	80°	Bazan
	1000	85°	Bazan
	1100	88°	Bazan
	1200	90°	Bazan
	1300	91°	Bazan
	1400	96	R.Dump.t
	1500	96	R.Dump.t
	1600	93	R.Dump.t
	1700	97	R.Dump.t
	1800	92	R.Dump.t
	1900	93	R.Dump.t
	2000	89	R.Dump.t
	2100	85	R.Dump.t
	2200	80	M.Valentino
	2300	78	M.Valentino
	2400	77	M.Valentino

Date	Time	Temp.	Printed Name
6/27/84	0100	74	M.Valentino
	0200	73	M.Valentino
	0300	72	M.Valentino
	0400	71	M.Valentino
	0500	70	M.Valentino
	0600	71°	Bazan
	0700	73°	Bazan
	0800	75°	Bazan
	0900	78°	Bazan
	1000	82°	Bazan
	1100	84	Bazan
	1200	88°	Bazan
	1300	90°	Bazan
	1400	91	STANLEY
	1500	89	STAN
	1600	92	STAN
	1700	90	STAN
	1800	91	STAN
	1900	89	STAN
	2000	85	STAN
	2100	82	STAN
	2200	80	STAN
	2300	77	STAN
	2400	73	STAN

Stage 1 Activated: 1128 90°  
Deactivated: 2100

Stage 1 Activated: 1300 90°  
Deactivated: 1930 87°

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	71	Stanly
	0200	70	Stanly
	0300	72	Stanly
	0400	76	Stanly
	0500	78	Stanly
	0600	67°	J. Alonso
	0700	70°	J. Alonso
	0800	74°	J. Alonso
	0900	79°	J. Alonso
	1000	82°	J. Alonso
	1100	83°	J. Alonso
	1200	85°	J. Alonso
	1300	88°	J. Alonso
	1400	91	Stanley
	1500	91	Stanly
	1600	93	Stanly
	1700	93	Stanly
	1800	91	Stanly
	1900	92	Stanly
	2000	92	Stanly
	2100	85	Stanly
	2200	81	Stanly
	2300	79	Stanly
	2400	76	Stanly

Date	Time	Temp.	Printed Name
	0100	72	Stanly
	0200	71	Stanly
	0300	71	Stanly
	0400	71	Stanly
	0500	71	Stanly
	0600	70°	J. Alonso
	0700	73°	J. Alonso
	0800	75°	J. Alonso
	0900	81°	J. Alonso
	1000	84°	J. Alonso
	1100	87°	J. Alonso
	1200	89°	J. Alonso
	1300	93°	J. Alonso
	1400	94°	Bazan
	1500	97°	Bazan
	1600	98°	Bazan
	1700	96°	Bazan
	1800	94°	Bazan
	1900	92°	Bazan
	2000	88°	Bazan
	2100	85°	Bazan
	2200	81°	Bazan
	2300	79°	Bazan
	2400	78°	Bazan

Stage 1 Activated: 1325  
Deactivated: 2025

Stage 1 Activated: 1215 90°  
Deactivated: 1955 88°

INSTITUTION: CCWF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	71°	Bazan
	0200	75°	Bazan
	0300	72°	Bazan
	0400	70°	Bazan
	0500	71°	Bazan
✓	0600	71	B. Cowings
N	0700	76	B. Cowings
1	0800	78	B. Cowings
D	0900	81	B. Cowings
M	1000	82	B. Cowings
I	1100	87	B. Cowings
B	1200	88	B. Cowings
	1300	92	B. Cowings
	1400	92°	J. Alonso
	1500	94°	J. Alonso
	1600	96°	J. Alonso
	1700	94°	J. Alonso
	1800	91°	J. Alonso
	1900	88°	J. Alonso
	2000	86	J. Alonso
	2100	86	J. Alonso
	2200		
	2300		
	2400		

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

Stage 1 Activated: 1300  
 Deactivated: 1944

Stage 1 Activated: \_\_\_\_\_  
 Deactivated: \_\_\_\_\_

## Memorandum

Date: July 1, 2024

To: D. Myers  
Heat Plan Coordinator  
Litigation

Subject: JUNE 2024 FACILITY A MONTHLY HEAT ALERT LOGS

The purpose of this memorandum is to inform you that the ambient temperature in Buildings 501, 502, 503, and 504 did not rise above the temperature standards for Stage II or Stage III Heat Alert procedure.

<u>DATE</u>	<u>BUILDING</u>	<u>TIME</u>
N/A	N/A	N/A

Attached are the Heat Logs for Buildings 501, 502, 503, and 504 for JUNE 2024. If you have any questions, you can contact me at extension [REDACTED]



F. MANZO  
Correctional Captain  
Facility A  
Central California Women's Facility

Attachments:

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 501 Temp. Reading Location: A, B, C, D Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 6/02/24

Date	Time	Temp.	Name (Print)
	0300	78	Chavez
	0600	79	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	77	Quintana
	1800	77	Quintana
	2100	77	Quintana
	2400	76	Ortiz

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 6/01/24

Date	Time	Temp.	Name (Print)
	0300	77	Ramirez
	0600	77	Chavez
	0900	78	Chavez
	1200	78	Chavez
	1500	78	A. Dolores
	1800	77	A. Dolores
	2100	77	A. Dolores
	2400	78	Chavez

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 501 Temp. Reading Location: A, B, C, D Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/03/24

Date	Time	Temp.	Name (Print)
	0300	75	Crispin
	0600	75	Crispin
	0900	75	Vickey
	1200	75	Vickey
	1500	73	J. Alonso
	1800	71	J. Alonso
	2100	70	J. Alonso
	2400	76	M. Crispen

Wednesday 6/05/24

Date	Time	Temp.	Name (Print)
	0300	78	Ramirez
	0600	77	J. Gaethe
	0900	78	J. Gaethe
	1200	79	M. Garcia
	1500	82	A. Diaz
	1800	81	A. Diaz
	2100	81	M. Dominguez
	2400	79	Ramirez

Friday 6/07/24

Date	Time	Temp.	Name (Print)
	0300	76	L. Chavez
	0600	77	L. Chavez
	0900	77	L. Chavez
	1200	78	L. Chavez
	1500	80	Dolores
	1800	81	Dolores
	2100	80	Dolores
	2400	79	Ramirez

Sunday 6/09/24

Date	Time	Temp.	Name (Print)
	0300	72	I. Chavez
	0600	74	E. Covarrubias
	0900	75	E. Covarrubias
	1200	70	E. Covarrubias
	1500	74	Dolores
	1800	73	Dolores
	2100	73	Dolores
	2400	72	A. Lee

Tuesday 6/04/24

Date	Time	Temp.	Name (Print)
	0300	75	Ortiz
	0600	74	Crispin
	0900	75	J. Gaethe
	1200	76	J. Gaethe
	1500	76	J. Alonso
	1800	72	J. Alonso
	2100	71	J. Alonso
	2400	78	Ramirez

Thursday 6/06/24

Date	Time	Temp.	Name (Print)
	0300	78	Ramirez
	0600	80	J. Gaethe
	0900	80	J. Gaethe
	1200	82	J. Gaethe
	1500	80	M. Richardson
	1800	81	M. Richardson
	2100	83	M. Richardson
	2400	83	Ramirez

Saturday 6/08/24

Date	Time	Temp.	Name (Print)
	0300	79	L. Chavez
	0600	77	I. Chavez
	0900	77	I. Chavez
	1200	77	I. Chavez
	1500	80	Dolores
	1800	80	Dolores
	2100	80	Dolores
	2400	79	L. Chavez

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 501 Temp. Reading Location: A, B, C, D Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/10/24

Date	Time	Temp.	Name (Print)
0300	72	A. VEE	
0600	69°	M. Gaffney	
0900	70°	M. Gaffney	
1200	71	M. Gaffney	
1500	71°	J. Alonso	
1800	71	J. Alonso	
2100	71	J. Alonso	
2400	79	M. Crispin	

Wednesday 6/12/24

Date	Time	Temp.	Name (Print)
0300	71	Ramirez	
0600	80	J. Goethe	
0900	83	J. Goethe	
1200	83	J. Goethe	
1500	86	Dolores	
1800	87	Dolores	
2100	85	Dolores	
2400	78	Dolores	

Friday 6/14/24

Date	Time	Temp.	Name (Print)
0300	78	Ramirez	
0600	77	Ramirez	
0900	80	J. Goethe	
1200	80	J. Goethe	
1500	80	Dolores	
1800	80	Dolores	
2100	79	Dolores	
2400	77°	Ramirez	

Sunday 6/16/24

Date	Time	Temp.	Name (Print)
0300	75	Dolores	
0600	74	J. Goethe	
0900	74	J. Goethe	
1200	77	J. Goethe	
1500	78	A. Dolores	
1800	76	A. Dolores	
2100	76	A. Dolores	
2400	77	M. Crispin	

Tuesday 6/11/24

Date	Time	Temp.	Name (Print)
0300	78	Crispin	
0600	78	Crispin	
0900	78	V. Goethe	
1200	80	J. Goethe	
1500	73	J. Alonso	
1800	75	A. Alonso	
2100	75	A. Alonso	
2400	79	Ramirez	

Thursday 6/13/24

Date	Time	Temp.	Name (Print)
0300	78	Ramirez	
0600	77	J. Goethe	
0900	78	J. Goethe	
1200	81	J. Goethe	
1500	83	Dolores	
1800	84	Dolores	
2100	83	Dolores	
2400	78	Ramirez	

Saturday 6/15/24

Date	Time	Temp.	Name (Print)
0300	77°	Ramirez	
0600	75	Seagraves	
0900	76	Seagraves	
1200	77	Seagraves	
1500	80	MANJAREZ	
1800	80	MANJAREZ	
2100	81	Dolores	
2400	80	Dolores	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 501 Temp. Reading Location: A, B, C, D Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/17/24

Date	Time	Temp.	Name (Print)
	0300	75	Crispin
	0600	75	Crispin
	0900	75	J. Goethe
	1200	79	J. Goethe
	1500	72	J. Alvaro
	1800	72	J. Alvaro
	2100	72	J. Alvaro
	2400	72	M. Garcia

Wednesday 6/19/24

Date	Time	Temp.	Name (Print)
	0300	72°	Ramirez
	0600	71	J. Goethe
	0900	72	J. Goethe
	1200	72	J. Goethe
	1500	71	M. Becerra
	1800	71	M. Becerra
	2100	71	J. Quintana
	2400	71°	Ramirez

Friday 6/21/24

Date	Time	Temp.	Name (Print)
	0300	71	Ramirez
	0600	72	J. Goethe
	0900	74	J. Goethe
	1200	74	J. Goethe
	1500	74	Quintana
	1800	74	Quintana
	2100	72	Quintana
	2400	72°	Ramirez

Sunday 6/23/24

Date	Time	Temp.	Name (Print)
	0300	82	I. Chavez
	0600	80	I. Chavez
	0900	78	J. Goethe
	1200	82	J. Goethe
	1500	83	Quintana
	1800	83	Quintana
	2100	80	Quintana
	2400	80	Crispin

Tuesday 6/18/24

Date	Time	Temp.	Name (Print)
	0300	72	Crispin
	0600	71	Crispin
	0900	72	J. Goethe
	1200	74	J. Goethe
	1500	70	J. Alvaro
	1800	72	Quintana
	2100	71	Quintana
	2400	71°	Ramirez

Thursday 6/20/24

Date	Time	Temp.	Name (Print)
	0300	71	Ramirez
	0600	72	I. Chavez
	0900	72	I. Chavez
	1200	72	I. Chavez
	1500	72	Quintana
	1800	72	Quintana
	2100	71	Quintana
	2400	71	Ramirez

Saturday 6/22/24

Date	Time	Temp.	Name (Print)
	0300	72°	Ramirez
	0600	77	I. Chavez
	0900	77	I. Chavez
	1200	78	I. Chavez
	1500	78	V. Valdez
	1800	78	V. Valdez
	2100	82	V. Valdez
	2400	82	I. Chavez

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 501 Temp. Reading Location: A, B, C, D Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/24/24

Date	Time	Temp.	Name (Print)
	0300	80	CRISPIN
	0600	78	CRISPIN
	0900	79	J. Goethe
	1200	81	J. Goethe
	1500	79	J. Alonso
	1800	71	J. Alonso
	2100	71	J. Alonso
	2400	81	CRISPIN

Wednesday 6/26/24

Date	Time	Temp.	Name (Print)
	0300	77	RAMIREZ
	0600	78	M. Garcia
	0900	78	J. Goethe
	1200	78	J. Goethe
	1500	80	A. DOLORES
	1800	80	A. DOLORES
	2100	80	A. DOLORES
	2400	77	RAMIREZ

Friday 6/28/24

Date	Time	Temp.	Name (Print)
	0300	76	RAMIREZ
	0600	75	J. Goethe
	0900	76	J. Goethe
	1200	78	J. Goethe
	1500	80	DOLORES
	1800	79	DOLORES
	2100	79	DOLORES
	2400	77	MILLER

Sunday 6/30/24

Date	Time	Temp.	Name (Print)
	0300	73	L. CHAVEZ
	0600	75	L. CHAVEZ
	0900	76	L. CHAVEZ
	1200	77	L. CHAVEZ
	1500	77	SHABBAR
	1800	77	SHABBAR
	2100	76	SHABBAR
	2400	78	CRISPIN

Tuesday 6/25/24

Date	Time	Temp.	Name (Print)
	0300	80	CRISPIN
	0600	78	CRISPIN
	0900	78	J. Goethe
	1200	80	J. Goethe
	1500	71	J. ALONSO
	1800	76	J. ALONSO
	2100	72	J. ALONSO
	2400	77	RAMIREZ

Thursday 6/27/24

Date	Time	Temp.	Name (Print)
	0300	77	RAMIREZ
	0600	74	J. GOETHE
	0900	74	J. GOETHE
	1200	74	J. GOETHE
	1500	75	SHABBAR
	1800	75	SHABBAR
	2100	75	SHABBAR
	2400	75	RAMIREZ

Saturday 6/29/24

Date	Time	Temp.	Name (Print)
	0300	76	MILLER
	0600	73	PARRAHS
	0900	75	L. CHAVEZ
	1200	75	L. CHAVEZ
	1500	72	SHABBAR
	1800	72	SHABBAR
	2100	71	SHABBAR
	2400	73	L. CHAVEZ

Notes

**Attachment E**

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be reasonable to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will be monitored when the air conditioner is malfunctioning).

using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is housed. The inside air temperature id to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF

Housing Unit: 502

Temp. Reading Location : A/b/c/d  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (print)
	300		
	600		
	900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (print)
	300		
	600		
	900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (print)
	300		
	600		
	900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (print)
	300		
	600		
	900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

5/31/24

Date	Time	Temp.	Name (print)
	300		
	600		
	900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

6/1/24

Date	Time	Temp.	Name (print)
	300	75	MENDES
	600	75	MENDES
	900	70	MENDES
	1200	70	MENDES
	1500	77	M. Cleve
	1800	77	M. Cleve
	2100	76	M. Cleve
	2400	75	B. GARBOTT

**Sunday**

6/2/24

Date	Time	Temp.	Name (print)
	300	74	B. GARBOTT
	600	74	I. Charles
	900	74	I. Charles
	1200	75	I. Charles
	1500	76	M. Cleve
	1800	76	M. Cleve
	2100	76	M. Cleve
	2400	75	B. GARBOTT

**Notes**

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 502 Temp. Reading Location: A, B, C, D Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/03/24

Date	Time	Temp.	Name (Print)
	0300	74	Garbett
	0600	74	I. Chavez
	0900	74	I. Chavez
	1200	74	I. Chavez
	1500	74	R. Rodriguez
	1800	75	R. Rodriguez
	2100	74	R. Rodriguez
	2400	75	B. Garbett

Wednesday 6/05/24

Date	Time	Temp.	Name (Print)
	0300	77	B. Garbett
	0600	77	MENDES
	0900	78	MENDES
	1200	78	MENDES
	1500	80	R. Rodriguez
	1800	81	R. Rodriguez
	2100	80	R. Rodriguez
	2400	80	B. Garbett

Friday 6/07/24

Date	Time	Temp.	Name (Print)
	0300	72	Chavez
	0600	77	MENDES
	0900	78	MENDES
	1200	78	MENDES
	1500	79	D. Thao
	1800	79	D. Thao
	2100	79	D. Thao
	2400	72	A. Green

Sunday 6/09/24

Date	Time	Temp.	Name (Print)
	0300	75	B. Garbett
	0600	62	SAENZ
	0900	75	I. Chavez
	1200	74	I. Chavez
	1500	76	Muller
	1800	77	Muller
	2100	77	Muller
	2400	76	B. Garbett

Tuesday 6/04/24

Date	Time	Temp.	Name (Print)
	0300	74	B. Garbett
	0600	74	MENDES
	0900	75	MENDES
	1200	75	MENDES
	1500	77	R. Rodriguez
	1800	78	R. Rodriguez
	2100	78	R. Rodriguez
	2400	78	B. Garbett

Thursday 6/06/24

Date	Time	Temp.	Name (Print)
	0300	79	B. Garbett
	0600	78	MENDES
	0900	78	MENDES
	1200	78	MENDES
	1500	79	MENDES
	1800	80	R. Rodriguez
	2100	81	R. Rodriguez
	2400	79	Gluck

Saturday 6/08/24

Date	Time	Temp.	Name (Print)
	0300	72	Abreno
	0600	62	SAENZ
	0900	76	C. Barron
	1200	77	C. Barron
	1500	77	C. Barron
	1800	78	C. Barron
	2100	78	C. Barron
	2400	76	B. Garbett

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 502 Temp. Reading Location: A, B, C, D Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/10/24

Date	Time	Temp.	Name (Print)
	0300	74	B. GARBETT
	0600	74	I. Chavez
	0900	74	I. Chavez
	1200	75	I. Chavez
	1500	76	Milner
	1800	77	Milner
	2100	77	Milner
	2400	77	B. GARBETT

Wednesday 6/12/24

Date	Time	Temp.	Name (Print)
	0300	79	B. GARBETT
	0600	79	MENDES
	0900	80	MENDES
	1200	81	MENDES
	1500	81	R. Rodriguez
	1800	82	R. Rodriguez
	2100	78	R. Rodriguez
	2400	78	B. GARBETT

Friday 6/14/24

Date	Time	Temp.	Name (Print)
	0300	76	B. GARBETT
	0600	76	I. Chavez
	0900	76	M. Gutierrez
	1200	77	M. Gutierrez
	1500	77	D. Thao
	1800	77	D. Thao
	2100	76	D. Thao
	2400	79	B. GARBETT

Sunday 6/16/24

Date	Time	Temp.	Name (Print)
	0300	73	C. Barron
	0600	73	I. Chavez
	0900	73	I. Chavez
	1200	74	I. Chavez
	1500	75	Milner
	1800	75	Milner
	2100	79	Milner
	2400	72	Villalobos

Tuesday 6/11/24

Date	Time	Temp.	Name (Print)
	0300	76	B. GARBETT
	0600	76	MENDES
	0900	77	MENDES
	1200	77	MENDES
	1500	78	R. Rodriguez
	1800	80	R. Rodriguez
	2100	81	R. Rodriguez
	2400	80	B. GARBETT

Thursday 6/13/24

Date	Time	Temp.	Name (Print)
	0300	76	B. GARBETT
	0600	76	MENDES
	0900	77	MENDES
	1200	77	MENDES
	1500	78	R. Rodriguez
	1800	78	R. Rodriguez
	2100	77	R. Rodriguez
	2400	77	B. GARBETT

Saturday 6/15/24

Date	Time	Temp.	Name (Print)
	0300	77	B. GARBETT
	0600	62°	J. Niven
	0900	63°	M. Gutierrez
	1200	70	M. Gutierrez
	1500	75	Milner
	1800	76	Milner
	2100	75	Milner
	2400	75	L. Ballon

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 502 Temp. Reading Location: A, B, C, D Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/17/24

Date	Time	Temp.	Name (Print)
	0300	72	Dolores
	0600	72	I. Chavez
	0900	73	I. Chavez
	1200	73	I. Chavez
	1500	74	Miller
	1800	74	Miller
	2100	73	Miller
	2400	72	Dolores

Wednesday 6/19/24

Date	Time	Temp.	Name (Print)
	0300	72	Molera
	0600	73	MENDES
	0900	73	MENDES
	1200	73	MENDES
	1500	74	R. Rodriguez
	1800	74	R. Rodriguez
	2100	72	R. Rodriguez
	2400	72	Dolores

Friday 6/21/24

Date	Time	Temp.	Name (Print)
	0300	72	Thao
	0600	73	MENDES
	0900	73	MENDES
	1200	75	MENDES
	1500	76	D. Thao
	1800	76	D. Thao
	2100	75	D. Thao
	2400	74	B. GARRETT

Sunday 6/23/24

Date	Time	Temp.	Name (Print)
	0300	78	B. GARRETT
	0600	77	I. Chavez
	0900	77	I. Chavez
	1200	78	I. Chavez
	1500	80	Miller
	1800	81	Miller
	2100	79	Miller
	2400	79	B. GARRETT

Tuesday 6/18/24

Date	Time	Temp.	Name (Print)
	0300	72	Dolores
	0600	72	MENDES
	0900	73	MENDES
	1200	73	MENDES
	1500	73	R. Rodriguez
	1800	74	R. Rodriguez
	2100	73	R. Rodriguez
	2400	72	Molera

Thursday 6/20/24

Date	Time	Temp.	Name (Print)
	0300	72	Dolores
	0600	73	MENDES
	0900	74	MENDES
	1200	74	MENDES
	1500	74	R. Rodriguez
	1800	74	R. Rodriguez
	2100	74	R. Rodriguez
	2400	73	Chavez

Saturday 6/22/24

Date	Time	Temp.	Name (Print)
	0300	73	B. GARRETT
	0600	74	MENDES
	0900	74	MENDES
	1200	75	MENDES
	1500	79	MARJORIE
	1800	77	C. Barron
	2100	80	C. Barron
	2400	79	B. GARRETT

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 502 Temp. Reading Location: A, B, C, D Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/24/24

Date	Time	Temp.	Name (Print)
	0300	78	B. GARRETT
	0600	77	P. Chaver
	0900	77	I. Chaver
	1200	77	I. Chaver
	1500	76	B. Rodriguez
	1800	81	R. Rodriguez
	2100	80	R. Rodriguez
	2400	80	B. GARRETT

Wednesday 6/26/24

Date	Time	Temp.	Name (Print)
	0300	77	B. GARRETT
	0600	78	MENDES
	0900	78	MENDES
	1200	78	MENDES
	1500	79	R. Rodriguez
	1800	79	R. Rodriguez
	2100	79	R. Rodriguez
	2400	77	B. GARRETT

Friday 6/28/24

Date	Time	Temp.	Name (Print)
	0300	75	Chavez
	0600	75	MENDES
	0900	75	MENDES
	1200	75	MENDES
	1500	77	D. Thao
	1800	77	D. Thao
	2100	77	J. REEDS
	2400	68	Lomarola

Sunday 6/30/24

Date	Time	Temp.	Name (Print)
	0300	76	B. GARRETT
	0600	75	I. Chaver
	0900	75	R. VASQUEZ
	1200	75	I. Chaver
	1500	75	Barron
	1800	79	Barron
	2100	78	Barron
	2400	78	GARRETT

Tuesday 6/25/24

Date	Time	Temp.	Name (Print)
	0300	78	B. GARRETT
	0600	77	MENDES
	0900	77	MENDES
	1200	78	MENDES
	1500	79	R. Rodriguez
	1800	80	R. Rodriguez
	2100	79	R. Rodriguez
	2400	78	B. GARRETT

Thursday 6/27/24

Date	Time	Temp.	Name (Print)
	0300	76	B. GARRETT
	0600	76	M. RIOS
	0900	78	D. JAMES
	1200	77	D. JAMES
	1500	78	R. Rodriguez
	1800	77	R. Rodriguez
	2100	77	R. Rodriguez
	2400	70	chavez

Saturday 6/29/24

Date	Time	Temp.	Name (Print)
	0300	70	M. LAMENDA
	0600	75	MENDES
	0900	75	MENDES
	1200	77	MENDES
	1500	77	Miller
	1800	78	Miller
	2100	77	Miller
	2400	77	B. GARRETT

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: 503 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 06/02/2024

Date	Time	Temp.	Name (Print)
	0300	72	J. ZAMORA
	0600	72	J. Zamora
	0900	72	J. Zamora
	1200	72	J. Zamora
	1500	73	V. VALDEZ
	1800	75.3	M. PEREZ
	2100	75.3	M. PEREZ
	2400	71	J. ZAMORA

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 6/1/2024

Date	Time	Temp.	Name (Print)
	0300	74	J. ZAMORA
	0600	73	J. ZAMORA
	0900	73	A. FERNANDEZ
	1200	74	A. FERNANDEZ
	1500	74	D. WEBSTER
	1800	74	D. WEBSTER
	2100	73	D. WEBSTER
	2400	73	J. ZAMORA

Notes

---



---



---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 503

Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/03/24

Date	Time	Temp.	Name (Print)
	0300	69	M. FERNANDEZ
	0600	70	A. Lopez
	0900	73	A. Lopez
	1200	74	A. Lopez
	1500	74	D. GARNES
	1800	73	D. GARNES
	2100	73	D. GARNES
	2400	70	M. FERNANDEZ

Wednesday 6/05/24

Date	Time	Temp.	Name (Print)
	0300	70	FERNANDEZ
	0600	71	I. Maitan
	0900	72	C. Matthe
	1200	72	C. Matthe
	1500	76	D. GARNES
	1800	79	D. GARNES
	2100	79	D. GARNES
	2400	77	FERNANDEZ, M.

Friday 6/07/24

Date	Time	Temp.	Name (Print)
	0300	70	Yang
	0600	70	Yang
	0900	72	P. Martinez
	1200	75	C. Matthe
	1500	76	J. Zamora
	1800	77	J. Zamora
	2100	78	J. Zamora
	2400	76	E. Yang

Sunday 6/09/24

Date	Time	Temp.	Name (Print)
	0300	69	FERNANDEZ, M.
	0600	70	J. ZAMORA
	0900	71	J. ZAMORA
	1200	72	J. ZAMORA
	1500	76	J. ZAMORA
	1800	74	V. VALDEZ
	2100	73	V. VALDEZ
	2400	73	FERNANDEZ

Tuesday 6/04/24

Date	Time	Temp.	Name (Print)
	0300	60	...
	0600	70	...
	0900	73	...
	1200	74	...
	1500	76	D. GARNES
	1800	77	D. GARNES
	2100	76	D. GARNES
	2400	77	FERNANDEZ

Thursday 6/06/24

Date	Time	Temp.	Name (Print)
	0300	70	m. FERNANDEZ
	0600	72	C. Matthe
	0900	73	C. Matthe
	1200	74	C. Matthe
	1500	78	C. Matthe
	1800	79	C. Matthe
	2100	78	C. Matthe
	2400	77	Yang

Saturday 6/08/24

Date	Time	Temp.	Name (Print)
	0300	74	Yang
	0600	72	Yang
	0900	76	M. FERNANDEZ
	1200	77	J. Zamora
	1500	77	D. WEBSTER
	1800	76	D. WEBSTER
	2100	74	D. WEBSTER
	2400	73	FERNANDEZ

#### Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 503

Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday 6/10/24

Date	Time	Temp.	Name (Print)
	0300	66	FERNANDEZ
	0600	68	Garcia
	0900	70	Garcia
	1200	71	Garcia
	1500	74	Garcia
	1800	73	Garcia
	2100	79	Garcia
	2400	75	M.FERNANDEZ

Wednesday 6/12/24

Date	Time	Temp.	Name (Print)
	0300	80	MENDES
	0600	79	MENDES
	0900	80	Garcia
	1200	80.4	Garcia
	1500	80	C. Martinez
	1800	80	C. Martinez
	2100	80	C. Martinez
	2400	83	FERNANDEZ

Friday 6/14/24

Date	Time	Temp.	Name (Print)
	0300	76	Jay
	0600	77	Carmona
	0900	78	Carmona
	1200	78	C.Martinez
	1500	78	M. Lopez
	1800	77	V.Ramirez
	2100	77	Jany
	2400	76	Jany

Sunday 6/16/24

Date	Time	Temp.	Name (Print)
	0300	74	J. Alvarado
	0600	74	J. Zamora
	0900	75	J. Zamora
	1200	75	J. Zamora
	1500	74	A. Lopez
	1800	74	A. Lopez
	2100	74	A. Lopez
	2400	74	J. Alvarado

Tuesday 6/11/24

Date	Time	Temp.	Name (Print)
	0300	71	M.FERNANDEZ
	0600	68	Garcia
	0900	70	Garcia
	1200	71	Garcia
	1500	74	Vitor
	1800	78	Vitor
	2100	78	Vitor
	2400	80	MENDES

Thursday 6/13/24

Date	Time	Temp.	Name (Print)
	0300	80	M.FERNANDEZ
	0600	68	Garcia
	0900	71	C.Martinez
	1200	74	C.Martinez
	1500	76	C.Martinez
	1800	77	P.Martinez
	2100	77	C.Martinez
	2400	76	Jany

Saturday 6/15/24

Date	Time	Temp.	Name (Print)
	0300	75	Jany
	0600	75	Jany
	0900	76	J. Zamora
	1200	75	J. Zamora
	1500	74	A. Lopez
	1800	74	A. Lopez
	2100	74	A. Lopez
	2400	73	J. Alvarado

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 503 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/17/24

Date	Time	Temp.	Name (Print)
	0300	73	J. Aliso
	0600	73	Garcia
	0900	73.4	Garcia
	1200	78	Or
	1500	78	A. Lugo
	1800	78	A. Lugo
	2100	77	A. Lugo
	2400	73	J. Aliso

Wednesday 6/19/24

Date	Time	Temp.	Name (Print)
	0300	69	M. FERNANDEZ
	0600	70	an
	0900	73	an
	1200	74	an
	1500	75	Loaiza
	1800	75	Loaiza
	2100	74	Loaiza
	2400	71	Fernandez

Friday 6/21/24

Date	Time	Temp.	Name (Print)
	0300	73	Yang
	0600	73	Yang
	0900	73	an
	1200	73	an
	1500	75	Webster
	1800	77	Webster
	2100	77	J. Zamora
	2400	72	Fernandez

Sunday 6/23/24

Date	Time	Temp.	Name (Print)
	0300	72	Fernandez
	0600	73	J. Zamora
	0900	74	A. Ferreira
	1200	75	A. Ferreira
	1500	82	D. Valdes
	1800	82	D. Valdes
	2100	83	D. Valdes
	2400	79	M. FERNANDEZ

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Tuesday 6/18/24

Date	Time	Temp.	Name (Print)
	0300	73	J. Plaza
	0600	73	J. Zamora
	0900	73	J. Zamora
	1200	74	J. Zamora
	1500	74	Cortez
	1800	74	Cortez
	2100	73	Cortez
	2400	70	M. FERNANDEZ

Thursday 6/20/24

Date	Time	Temp.	Name (Print)
	0300	69	Fernandez
	0600	70	C. Maffee
	0900	72	C. Maffee
	1200	74	C. Maffee
	1500	75	C. Maffee
	1800	76	C. Maffee
	2100	75	C. Maffee
	2400	75	Yang

Saturday 6/22/24

Date	Time	Temp.	Name (Print)
	0300	72	Fernandez
	0600	72	J. Zamora
	0900	72	J. Zamora
	1200	75	J. Zamora
	1500	77	D. Webster
	1800	79	D. Webster
	2100	78	D. Webster
	2400	76	Fernandez

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 503 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/24/24

Date	Time	Temp.	Name (Print)
	0300	67	FERNANDEZ
	0600	69	Garcia
	0900	72	Gan
	1200	78	Gan
	1500	82	D.Gaines
	1800	82	Gaines
	2100	81	D.Gaines
	2400	80	M.FERNANDEZ

Wednesday 6/26/24

Date	Time	Temp.	Name (Print)
	0300	67	Fernandez
	0600	70	Garcia
	0900	79	Gan
	1200	81-1	Gan
	1500	82	Gaines
	1800	82	Gaines
	2100	81	Gaines
	2400	79	Yang

Friday 6/28/24

Date	Time	Temp.	Name (Print)
	0300	78	Yang
	0600	78	Yang
	0900	80	~
	1200	80	~
	1500	80-1	WEBSTER
	1800	81	WEBSTER
	2100	77	WEBSTER
	2400	78	~

Sunday 6/30/24

Date	Time	Temp.	Name (Print)
	0300	79	FERNANDEZ
	0600	74	Manzo
	0900	75	Manzo
	1200	77	Manzo
	1500	81	Gaines
	1800	81	Gaines
	2100	80	Gaines
	2400	78	FERNANDEZ

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches

Tuesday 6/25/24

Date	Time	Temp.	Name (Print)
	0300	71	FERNANDEZ
	0600	72	Garcia
	0900	79	Gan
	1200	80	Gan
	1500	84	Veloz
	1800	84	Veloz
	2100	80	Veloz
	2400	82	Fernandez

Thursday 6/27/24

Date	Time	Temp.	Name (Print)
	0300	78	Yang
	0600	70	Garcia
	0900	79	Gan
	1200	79.8	Gan
	1500	79	Veloz
	1800	80	Veloz
	2100	80	Veloz
	2400	80	Yang

Saturday 6/29/24

Date	Time	Temp.	Name (Print)
	0300	77	Yang
	0600	76	Yang
	0900	75	Manzo
	1200	77	Manzo
	1500	81	WEBSTER
	1800	80	WEBSTER
	2100	81.5	WEBSTER
	2400	80	FERNANDEZ

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 504 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 6/01/24

Date	Time	Temp.	Name (Print)
	0300	70	VANG
	0600	70	Mender
	0900	72	Mender
	1200	73	Mender
	1500	72	SGA
	1800	73	SGA
	2100	73	SGA
	2400	73	Mays

Notes

---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
	0300	71	Plask
	0600	71	Mender
	0900	71	Mender
	1200	71	Mender
	1500	74	M. Richard
	1800	75	M. Richard
	2100	75	M. Richard
	2400	72	Mays

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 504 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/03/24

Date	Time	Temp.	Name (Print)
	0300	71	J. ACO SIm
	0600	72.5	D. CUNAS
	0900	72.3	B. COLIND
	1200	72.3	B. COLIND
	1500	73.3	AUMERZ
	1800	73.0	AUMERZ
	2100	71.0	AUMERZ
	2400	70.3	T. Yang

Wednesday 6/05/24

Date	Time	Temp.	Name (Print)
	0300	75	Muller
	0600	75	G. COLIND
	0900	75	G. COLIND
	1200	75	G. COLIND
	1500	75	EIN
	1800	75	EIN
	2100	75	EIN
	2400	75	Villalobos

Friday 6/07/24

Date	Time	Temp.	Name (Print)
	0300	76	S. ACO SIm
	0600	77	E. COLIND
	0900	77.5	E. COLIND
	1200	77.4	E. COLIND
	1500	77	EIN
	1800	77	EIN
	2100	77	EIN
	2400	77	S. ACO SIm

Sunday 6/09/24

Date	Time	Temp.	Name (Print)
	0300	75.5	J. ZAMORA
	0600	75	R. TUNE
	0900	75.3	R. TUNE
	1200	74.1	R. TUNE
	1500	74	M. RICHARDO
	1800	74	M. RICHARDO
	2100	74	M. RICHARDO
	2400	73	M. RICHARDO

Tuesday 6/04/24

Date	Time	Temp.	Name (Print)
	0300	70.2	T. Yang
	0600	70.1	P. Villalobos
	0900	72	E. COLIND
	1200	73	E. COLIND
	1500	75	MULLER
	1800	77	MULLER
	2100	75	MULLER
	2400	75	MULLER

Thursday 6/06/24

Date	Time	Temp.	Name (Print)
	0300	77	Villalobos
	0600	78	Villalobos
	0900	77	E. COLIND
	1200	77.1	E. COLIND
	1500	78	EIN
	1800	78	EIN
	2100	77	EIN
	2400	77	EIN

Saturday 6/08/24

Date	Time	Temp.	Name (Print)
	0300	77	J. ACO SIm
	0600	76	S. ACO SIm
	0900	76.5	E. NAVARRO
	1200	77	E. NAVARRO
	1500	77	J. ZAMORA
	1800	77	J. ZAMORA
	2100	76	J. ZAMORA
	2400	75.5	J. ZAMORA

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 504 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/10/24

Date	Time	Temp.	Name (Print)
0300	70.1	0.54 G. HOD	
0600	70.10	E. WILLIAMS	
0900	71.	E. COLLMER	
1200	73	E. COLLMER	
1500	74.10	D. CULWELL	
1800	74.	A. ANDAVERDE	
2100	74	A. ANDAVERDE	
2400	74	J. ALONSO	

Wednesday 6/12/24

Date	Time	Temp.	Name (Print)
0300	74	J. ALONSO	
0600	73	J. ALONSO	
0900	73	E. COLLMER	
1200	73	E. COLLMER	
1500	73	A. ANDAVERDE	
1800	73.3	A. ANDAVERDE	
2100	73	A. ANDAVERDE	
2400	73	C. HOD	

Friday 6/14/24

Date	Time	Temp.	Name (Print)
0300	74	J. ALONSO	
0600	73	J. ALONSO	
0900	74	E. COLLMER	
1200	75.	E. COLLMER	
1500	75.7	J. ANDAVERDE	
1800	74	J. ANDAVERDE	
2100	75	J. ANDAVERDE	
2400	74	J. ALONSO	

Sunday 6/16/24

Date	Time	Temp.	Name (Print)
0300	72	J. ZAMORA	
0600	73	J. ANDAVERDE	
0900	74.5	J. ANDAVERDE	
1200	74	J. ANDAVERDE	
1500	75	J. CULWELL	
1800	75	D. CULWELL	
2100	74.2	D. CULWELL	
2400	73	J. ZAMORA	

Tuesday 6/11/24

Date	Time	Temp.	Name (Print)
0300	73	J. ALONSO	
0600	73	J. ALONSO	
0900	74	E. COLLMER	
1200	74	E. COLLMER	
1500	74.3	A. ANDAVERDE	
1800	74	A. ANDAVERDE	
2100	75	A. ANDAVERDE	
2400	75	J. ALONSO	

Thursday 6/13/24

Date	Time	Temp.	Name (Print)
0300	76	J. ALONSO	
0600	76	J. ALONSO	
0900	76	E. COLLMER	
1200	75.5	E. COLLMER	
1500	75.3	J. ANDAVERDE	
1800	75.3	J. ANDAVERDE	
2100	75	J. ANDAVERDE	
2400	76	J. ALONSO	

Saturday 6/15/24

Date	Time	Temp.	Name (Print)
0300	75	J. ALONSO	
0600	74	J. ALONSO	
0900	75	J. ALONSO	
1200	73	J. ALONSO	
1500	73.3	J. ZAMORA	
1800	74	J. ZAMORA	
2100	73	J. ZAMORA	
2400	72	J. ZAMORA	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 504 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/17/24

Date	Time	Temp.	Name (Print)
	0300	71	J. ZAMORA
	0600	70	E. COLLINS
	0900	71	E. COLLINS
	1200	71.6	E. COLLINS
	1500	72	M. ALVAREZ
	1800	72.4	M. ALVAREZ
	2100	72	M. ALVAREZ
	2400	71	J. ALVAREZ

Wednesday 6/19/24

Date	Time	Temp.	Name (Print)
	0300	70	J. ALVAREZ
	0600	70	J. ALVAREZ
	0900	70.1	E. COLLINS
	1200	70.3	E. COLLINS
	1500	72	PIND
	1800	72	PIND
	2100	72	PIND
	2400	71	J. ALVAREZ

Friday 6/21/24

Date	Time	Temp.	Name (Print)
	0300	71	C. LEWIS
	0600	71	C. LEWIS
	0900	71.4	S. Sosa
	1200	72	C. SOSA
	1500	73	M. DAVILA
	1800	73	M. DAVILA
	2100	73	M. DAVILA
	2400	73	J. ALVAREZ

Sunday 6/23/24

Date	Time	Temp.	Name (Print)
	0300	74.5	C. LEWIS
	0600	74.6	C. LEWIS
	0900	75.3	S. Andrade
	1200	76	S. Andrade
	1500	78	M. Pichardo
	1800	80	M. Pichardo
	2100	82	M. Pichardo
	2400	80	J. ALVAREZ

Tuesday 6/18/24

Date	Time	Temp.	Name (Print)
	0300	71	J. ALVAREZ
	0600	71	J. ALVAREZ
	0900	71.1	E. COLLINS
	1200	71.9	E. COLLINS
	1500	70	A. Stanton
	1800	71	A. Stanton
	2100	71	A. Stanton
	2400	71	J. ALVAREZ

Thursday 6/20/24

Date	Time	Temp.	Name (Print)
	0300	71	J. ALVAREZ
	0600	71	J. ALVAREZ
	0900	71.9	E. COLLINS
	1200	71.1	E. COLLINS
	1500	72	M. PICHARDO
	1800	73	M. PICHARDO
	2100	74	M. PICHARDO
	2400	74	J. ALVAREZ

Saturday 6/22/24

Date	Time	Temp.	Name (Print)
	0300	72	J. ALVAREZ
	0600	72	J. ALVAREZ
	0900	72.3	B. LIMA
	1200	72.3	B. LIMA
	1500	74.3	J. ZAMORA
	1800	74.3	J. ZAMORA
	2100	74	J. ZAMORA
	2400	74	C. LEWIS

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 504 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/24/24

Date	Time	Temp.	Name (Print)
0300	77	J. Acosta	
0600	78	J. Collazo	
0900	78	J. Collazo	
1200	78.0	J. Collazo	
1500	79	A. Alvarez	
1800	82	A. Alvarez	
2100	82.	A. Alvarez	
2400	79	J. Acosta	

Wednesday 6/26/24

Date	Time	Temp.	Name (Print)
0300	76	J. Acosta	
0600	76	J. Acosta	
0900	74	J. Collazo	
1200	77.9	J. Collazo	
1500	78	J. Collazo	
1800	78.3	J. Collazo	
2100	78.	J. Collazo	
2400	76	J. Acosta	

Friday 6/28/24

Date	Time	Temp.	Name (Print)
0300	73	J. Acosta	
0600	73	J. Acosta	
0900	74.0	J. Collazo	
1200	76.1	J. Collazo	
1500	76.3	T. Fino	
1800	76.5	T. Fino	
2100	76.3	T. Fino	
2400	71	A. Salgado	

Sunday 6/30/24

Date	Time	Temp.	Name (Print)
0300	77	J. Acosta	
0600	77.4	J. Acosta	
0900	77	J. Andrade	
1200	77	J. Andrade	
1500	77	M. Richardson	
1800	77	M. Richardson	
2100	78	M. Richardson	
2400	78	A. Thompson	

Tuesday 6/25/24  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Date	Time	Temp.	Name (Print)
0300	78	J. Acosta	
0600	78	J. Acosta	
0900	77.1	J. Collazo	
1200	78.1	J. Collazo	
1500	78.3	A. Nitshke	
1800	78.3	A. Nitshke	
2100	78	A. Nitshke	
2400	77	J. Acosta	

Thursday 6/27/24

Date	Time	Temp.	Name (Print)
0300	75	J. Acosta	
0600	74	J. Acosta	
0900	74.0	J. Collazo	
1200	76.1	J. Collazo	
1500	76.3	M. Davila	
1800	76.3	M. Davila	
2100	76	M. Davila	
2400	76	J. Acosta	

Saturday 6/29/24

Date	Time	Temp.	Name (Print)
0300	72	J. Acosta	
0600	71	J. Acosta	
0900	72.3	D. Cruz	
1200	73.4	D. Cruz	
1500	76.1	D. Cruz	
1800	76.5	D. Cruz	
2100	76	D. Cruz	
2400	76	J. Acosta	

Notes



## Memorandum

**Date:** July 1, 2024  
**To:** D. MYERS, CCII, Heat Plan Coordinator  
**Subject:** **FACILITY B HEAT LOGS – June 2024**

In compliance with the Coleman v. Wilson Stipulation Court Order, this memorandum is to inform you that during the month of June 2024 the ambient temperatures in Building 505, 506, 507, and 508 did not reach the temperature standards for Stage II or Stage III Heat Alert Procedure. Heat Log Sheets were completed and are enclosed for Facility B for the month of June 2024.

Should you have any questions or concern regarding this information, please contact me at extension [REDACTED]

---

  
**C. CORDA**  
Facility B Captain (A)  
Central California Women's Facility

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 505      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday JUNE 1, 2024

Date	Time	Temp.	Name (Print)
	0300	70	Guzman
	0600	70	Patton
	0900	71	Patton
	1200	72	Patton
	1500	74	D. Pineda
	1800	75	D. Pineda
	2100	74	D. Pineda
	2400	73	D. Pineda

Notes

Date	Time	Temp.	Name (Print)
	0300	71	D. Pineda
	0600	73°	M. Gomez
	0900	72°	M. Gomez
	1200	75°	M. Gomez
	1500	72	D. Pineda
	1800	74	D. Pineda
	2100	74	D. Pineda
	2400	73	Guzman

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 505

Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
0300	72	A.SAIA	
0600	72	C. ALLEN	
0900	72	C. ALLEN	
1200	73	C. ALLEN	
1500	73	A. FERRERA	
1800	74	A. FERRERA	
2100	73	A. FERRERA	
2400	72	A.SAIA	

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
0300	72	SALAZAR	
0600	73	MURILLO	
0900	73	MURILLO	
1200	72	MURILLO	
1500	73	J.Padgett	
1800	74	J.Padgett	
2100	73	J.Padgett	
2400	72	SALAZAR	

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
0300	71	J.SALAZAR	
0600	72	A.MURILLO	
0900	77	A.MURILLO	
1200	83	A.MURILLO	
1500	84	J.Padgett	
1800	83	J.Padgett	
2100	82	J.Padgett	
2400	72	J.SALAZAR	

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
0300	70	J.BUZMAN	
0600	68	Felix	
0900	70	Felix	
1200	72	J.Vilgen	
1500	75	A.CHAMDEZ	
1800	75	A.CHAMDEZ	
2100	76	A.CHAMDEZ	
2400	74	D.BALAZAR	

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
0300	72	R.SALAZAR	
0600	72	C.ALLEN	
0900	72	C.ALLEN	
1200	72	C.ALLEN	
1500	73	J.Padgett	
1800	75	J.Padgett	
2100	70	J.Padgett	
2400	72	R.SALAZAR	

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
0300	72	N.SALAZAR	
0600	78	A.MURILLO	
0900	81	A.MURILLO	
1200	83	A.MURILLO	
1500	84	J.Padgett	
1800	85	J.Padgett	
2100	84	J.Padgett	
2400	72	N.SALAZAR	

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
0300	72	J.Ramirez	
0600	73	J.Ramirez	
0900	76	A.MURILLO	
1200	76	A.MURILLO	
1500	76	A.SANTAN	
1800	78	A.SANTAN	
2100	72	A.SANTAN	
2400	70	J.GUZMAN	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 505      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 10, 2024

Date	Time	Temp.	Name (Print)
0300	71	N. SALAZAR	
0600	72	C. ALLEN	
0900	72	C. ALLEN	
1200	73	C. ALLEN	
1500	74	A. Ferrera	
1800	75	A. Ferrera	
2100	74	A. Ferrera	
2400	71	N. SALAZAR	

Wednesday JUNE 12, 2024

Date	Time	Temp.	Name (Print)
0300	72	P. SALAZAR	
0600	72	DIAZ	
0900	73	DIAZ	
1200	74	DIAZ	
1500	74	DIAZ	
1800	75	DIAZ	
2100	74	DIAZ	
2400	72	P. SALAZAR	

Friday JUNE 14, 2024

Date	Time	Temp.	Name (Print)
0300	75	P. DEMARCO	
0600	74	DIAZ	
0900	74	DIAZ	
1200	74	DIAZ	
1500	76	DIAZ	
1800	76	DIAZ	
2100	75	DIAZ	
2400	74	P. DEMARCO	

Sunday JUNE 16, 2024

Date	Time	Temp.	Name (Print)
0300	65	SALAZAR	
0600	68	Lamenda	
0900	72	Lamenda	
1200	72	Lamenda	
1500	74	DIAZ	
1800	74	DIAZ	
2100	71	DIAZ	
2400	69	SALAZAR	

Tuesday JUNE 11, 2024

Date	Time	Temp.	Name (Print)
0300	72	P. SALAZAR	
0600	72	C. ALLEN	
0900	74	A. MURILLO	
1200	76	C. ALLEN	
1500	78	C. ALLEN	
1800	78	C. ALLEN	
2100	79	C. ALLEN	
2400	72	P. SALAZAR	

Thursday JUNE 13, 2024

Date	Time	Temp.	Name (Print)
0300	72	T. Tung	
0600	72	T. Tung	
0900	74	A. MURILLO	
1200	76	C. ALLEN	
1500	76	DIAZ	
1800	77	DIAZ	
2100	78	DIAZ	
2400	75	P. DEMARCO	

Saturday JUNE 15, 2024

Date	Time	Temp.	Name (Print)
0300	74	P. DEMARCO	
0600	74	A. MURILLO	
0900	75	A. MURILLO	
1200	75	A. MURILLO	
1500	78	DIAZ	
1800	77	DIAZ	
2100	76	DIAZ	
2400	73	SALAZAR	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 505      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 17, 2024

Date	Time	Temp.	Name (Print)
0300	72	A. Ferreira	
0600	72	C. Allen	
0900	73	C. Allen	
1200	73	C. Allen	
1500	73	A. Ferreira	
1800	73	A. Ferreira	
2100	72	A. Ferreira	
2400			

Wednesday JUNE 19, 2024

Date	Time	Temp.	Name (Print)
0300	73	N. SALAZAR	
0600	72	DIAZ	
0900	73	DIAZ	
1200	74	DIAZ	
1500	75	DIAZ	
1800	75	DIAZ	
2100	74	DIAZ	
2400	72	N. SALAZAR	

Friday JUNE 21, 2024

Date	Time	Temp.	Name (Print)
0300	73	N. SALAZAR	
0600	73	DIAZ	
0900	74	DIAZ	
1200	75	DIAZ	
1500	75	DIAZ	
1800	76	DIAZ	
2100	75	DIAZ	
2400	73	N. SALAZAR	

Sunday JUNE 23, 2024

Date	Time	Temp.	Name (Print)
0300	76	Muller	
0600	72	Lamendola	
0900	74	Felix	
1200	76	Felix	
1500	78	DIAZ	
1800	78	DIAZ	
2100	75	DIAZ	
2400	75	N. SALAZAR	

Tuesday JUNE 18, 2024

Date	Time	Temp.	Name (Print)
0300	72	N. SALAZAR	
0600	72	ALLEN	
0900	72	ALLEN	
1200	72	ALLEN	
1500	74	ALLEN	
1800	74	ALLEN	
2100	74	ALLEN	
2400	72	O. SALAZAR	

Thursday JUNE 20, 2024

Date	Time	Temp.	Name (Print)
0300	72	N. SALAZAR	
0600	72	C. ALLEN	
0900	72	C. ALLEN	
1200	74	C. ALLEN	
1500	75	DIAZ	
1800	75	DIAZ	
2100	74	DIAZ	
2400	72	N. SALAZAR	

Saturday JUNE 22, 2024

Date	Time	Temp.	Name (Print)
0300	73	D. SALAZAR	
0600	75	A. MULLER	
0900	85	A. MULLER	
1200	89	A. MULLER	
1500	89	J. DIAZ	
1800	85	J. DIAZ	
2100	83	J. DIAZ	
2400	78	MILLER	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 505

Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 24, 2024

Date	Time	Temp.	Name (Print)
0300	75	J. SALAZAR	
0600	75	C. ALLEN	
0900	77	C. ALLEN	
1200	78	C. ALLEN	
1500	76	A. Ferrara	
1800	77	A. Ferrara	
2100	78	R. TREVET	
2400	74	J. SALAZAR	

Wednesday JUNE 26, 2024

Date	Time	Temp.	Name (Print)
0300	73	A. RODRIGUEZ	
0600	75	DIAZ	
0900	75	DIAZ	
1200	75	DIAZ	
1500	76	DIAZ	
1800	77	DIAZ	
2100	76	DIAZ	
2400	72	A. RODRIGUEZ	

Friday JUNE 28, 2024

Date	Time	Temp.	Name (Print)
0300	74	J. SALAZAR	
0600	75	A. MURILLO	
0900	75	A. MURILLO	
1200	74	A. MURILLO	
1500	77°	C. PADILLA	
1800	76°	C. PADILLA	
2100	76°	C. PADILLA	
2400	74	J. SALAZAR	

Sunday JUNE 30, 2024

Date	Time	Temp.	Name (Print)
0300	71°	J. GUERRA	
0600	70	Lamendola	
0900	72	Felix	
1200	75	Lamendola	
1500	75	C. MURILLO	
1800	74	C. MURILLO	
2100	74	C. MURILLO	
2400	72	Salazar	

Tuesday JUNE 25, 2024

Date	Time	Temp.	Name (Print)
0300	75	J. SALAZAR	
0600	75	C. ALLEN	
0900	77	C. ALLEN	
1200	79	C. ALLEN	
1500	79	C. ALLEN	
1800	81	C. ALLEN	
2100	81	C. ALLEN	
2400	75	J. SALAZAR	

Thursday JUNE 27, 2024

Date	Time	Temp.	Name (Print)
0300	72	A. RODRIGUEZ	
0600	72	A. RODRIGUEZ	
0900	75	C. ALLEN	
1200	76	C. ALLEN	
1500	76	DIAZ	
1800	77	DIAZ	
2100	76	DIAZ	
2400	73	A. RODRIGUEZ	

Saturday JUNE 29, 2024

Date	Time	Temp.	Name (Print)
0300	70°	J. GUERRA	
0600	70°	L. MARTINEZ	
0900	72	L. MARTINEZ	
1200	73	L. MARTINEZ	
1500	75	V. GONZALEZ	
1800	76	V. GONZALEZ	
2100	77	V. GONZALEZ	
2400	71°	J. GUERRA	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 506      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday JUNE 1, 2024

Date	Time	Temp.	Name (Print)
	0300	71	E Smith
	0600	71	Bur
	0900	73	W. SELF
	1200	73	W. SELF
	1500	77	M. GOMEZ
	1800	80	M. GOMEZ
	2100	78	M. GOMEZ
	2400	77	M. GOMEZ

Sunday JUNE 2, 2024

Date	Time	Temp.	Name (Print)
	0300	76	Perez
	0600	74	Crispin
	0900	74	Crispin
	1200	75	Crispin
	1500	75	Gomez
	1800	77	Gomez
	2100	75	Gomez
	2400	74	Perez

Notes

6-12024 - STAGE 1 Activated @ 1400

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 506

Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
0300	72	K. Perez	
0600	72	Felix	
0900	73	Felix	
1200	73	Felix	
1500	76	E Gomez	
1800	76	Gomez	
2100	75	Gomez	
2400	73	Perez	

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
0300	74	Perez	
0600	78	Seagraves	
0900	80	Seagraves	
1200	82	Seagraves	
1500	79	White	
1800	80	Morales	
2100	78	MORALES	
2400	75	Perez	

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
0300	77	J. Guzman	
0600	74	L. Thao	
0900	78	L. Thao	
1200	77	G. Cosme	
1500	78	Fernandez	
1800	78	Fernandez	
2100	78	Fernandez	
2400	72	E. Smith	

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
0300	74	A. Rodriguez	
0600	73	M. Crispin	
0900	73	M. CRISPIN	
1200	74	M. CRISPIN	
1500	72	C. manzanares	
1800	73	C. manzanares	
2100	73	A. SANCHEZ	
2400	72	Villalobos	

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
0300	70	Perez	
0600	71	Felix	
0900	72	Felix	
1200	74	Felix	
1500	77	GOMEZ	
1800	74	E Gomez	
2100	77	GOMEZ	
2400	75	Perez	

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
0300	74	Perez	
0600	77	Cisneros	
0900	78	Cisneros	
1200	82	CISNEROS	
1500	84	CALICIOS	
1800	86	CALICIOS	
2100	85	CALICIOS	
2400	79	J. Guzman	

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
0300	72	E. Smith	
0600	71	M. Davila	
0900	72	M. Davila	
1200	75	M. Davila	
1500	72	CUSTAMBRE	
1800	76	Felix	
2100	74	Felix	
2400	74	A. Rodriguez	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 506      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 10, 2024

Date	Time	Temp.	Name (Print)
0300	70	Villalobos	
0600	71	FERNANDEZ, M.	
0900	73	Felix	
1200	74	Felix	
1500	74	C. CORTEZ	
1800	77	C. CORTEZ	
2100	78	C. CORTEZ	
2400	77	Avila	

Wednesday JUNE 12, 2024

Date	Time	Temp.	Name (Print)
0300	80	Thao, Le.	
0600	70	S. Arias	
0900	73	S. Arias	
1200	80	S. Arias	
1500	80	C. CORTEZ	
1800	80	C. CORTEZ	
2100	78	C. CORTEZ	
2400	74	W. SEIF	

Friday JUNE 14, 2024

Date	Time	Temp.	Name (Print)
0300	73	S. Guzman	
0600	70	S. Arias	
0900	71	S. Arias	
1200	72	S. Arias	
1500	74	Felix	
1800	75	Felix	
2100	73	Felix	
2400	71	E. Smith	

Sunday JUNE 16, 2024

Date	Time	Temp.	Name (Print)
0300	71	VRODRIGUEZ	
0600	72	VRODRIGUEZ	
0900	72	C. Rios	
1200	73	C. Rios	
1500	73	A. STANTON	
1800	73	A. STANTON	
2100	72	A. STANTON	
2400	71	E. PERAL	

Tuesday JUNE 11, 2024

Date	Time	Temp.	Name (Print)
0300	70	Avila	
0600	71	Avila	
0900	73	Arias	
1200	77	C. CORTEZ	
1500	78	M. GOMEZ	
1800	80	M. GOMEZ	
2100	81	M. GOMEZ	
2400	79	Thao, Le.	

Thursday JUNE 13, 2024

Date	Time	Temp.	Name (Print)
0300	70	W. SEIF	
0600	71	S. Arias	
0900	75	S. Arias	
1200	78	S. Arias	
1500	79	M. RIOS	
1800	76	M. RIOS	
2100	75	M. RIOS	
2400	73	J. GOMEZ	

Saturday JUNE 15, 2024

Date	Time	Temp.	Name (Print)
0300	70	E. Smith	
0600	70	S. Arias	
0900	71	S. Arias	
1200	71	S. Arias	
1500	72	M. GOMEZ	
1800	72	M. GOMEZ	
2100	71	M. GOMEZ	
2400	71	V. RODRIGUEZ	

Notes

6-10-24 - UTT Deactivated 2100

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF

Housing Unit: 506

Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 17, 2024

Date	Time	Temp.	Name (Print)
0300	72	Perez	
0600	72	R. Camarena	
0900	71	R. Camarena	
1200	70	R. Camarena	
1500	71	C. Cortez	
1800	71	C. Cortez	
2100	70	C. Cortez	
2400	69	Perez	

Wednesday JUNE 19, 2024

Date	Time	Temp.	Name (Print)
0300	70	Perez	
0600	72	Fernandez	
0900	73	Fernandez	
1200	73	Fernandez	
1500	74	C. Cortez	
1800	74	C. Cortez	
2100	73	C. Cortez	
2400	72	Perez	

Friday JUNE 21, 2024

Date	Time	Temp.	Name (Print)
0300	70	J. Guzman	
0600	72	Fernandez	
0900	72	Fernandez	
1200	74	Fernandez	
1500	73	A. Perez	
1800	73	C. Cortez	
2100	73	C. Cortez	
2400	73	E. Smith	

Sunday JUNE 23, 2024

Date	Time	Temp.	Name (Print)
0300	78	Perez	
0600	77	Crispin	
0900	77	Crispin	
1200	78	Crispin	
1500	79	Crispin	
1800	80	Crispin	
2100	78	Crispin	
2400	77	Perez	

Tuesday JUNE 18, 2024

Date	Time	Temp.	Name (Print)
0300	69	Perez	
0600	70	M. Guzman	
0900	72	M. Guzman	
1200	73	M. Guzman	
1500	74	M. Guzman	
1800	74	M. Guzman	
2100	73	M. Guzman	
2400	72	Perez	

Thursday JUNE 20, 2024

Date	Time	Temp.	Name (Print)
0300	71	Perez	
0600	72	Fernandez	
0900	72	Fernandez	
1200	73	Fernandez	
1500	73	A. Perez	
1800	74	A. Perez	
2100	73	A. Perez	
2400	71	J. Guzman	

Saturday JUNE 22, 2024

Date	Time	Temp.	Name (Print)
0300	72	E. Smith	
0600	72	Fernandez	
0900	75	Fernandez	
1200	76	Fernandez	
1500	78	Felix	
1800	80	Felix	
2100	79	Perez	
2400	78	Perez	

Notes

VHT 6-23-24 activated 1058

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 506      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 24, 2024

Date	Time	Temp.	Name (Print)
0300	71	Perez	
0600	74	C. CURTEZ	
0900	77	R. Camarena	
1200	77	R. Camarena	
1500	80	M. Gomez	
1800	71	M. Gomez	
2100	71	M. Gomez	
2400	78	Perez	

Wednesday JUNE 26, 2024

Date	Time	Temp.	Name (Print)
0300	75	Perez	
0600	76	C. CURTEZ	
0900	77	C. CURTEZ	
1200	77	Fernandez	
1500	77	Fernandez	
1800	77	Fernandez	
2100	77	Fernandez	
2400	76	Perez	

Friday JUNE 28, 2024

Date	Time	Temp.	Name (Print)
0300	70°	J. Guzman	
0600	73	Fernandez	
0900	75	Fernandez	
1200	75	Fernandez	
1500	76	Felix	
1800	77	Felix	
2100	77	Felix	
2400	73	E. Smith	

Sunday JUNE 30, 2024

Date	Time	Temp.	Name (Print)
0300	76	Hernandez	
0600	75	CRISPIN	
0900	75	CRISPIN	
1200	77	CRISPIN	
1500	76	CRISPIN	
1800	76	CRISPIN	
2100	77	CRISPIN	
2400	77	CRISPIN	

Tuesday JUNE 25, 2024

Date	Time	Temp.	Name (Print)
0300	73	Perez	
0600	74	M. Gomez	
0900	77	Fernandez	
1200	78	Fernandez	
1500	79	M. Gomez	
1800	80	M. Gomez	
2100	79	M. Gomez	
2400	78	Perez	

Thursday JUNE 27, 2024

Date	Time	Temp.	Name (Print)
0300	76	Perez	
0600	75	Fernandez	
0900	76	Fernandez	
1200	75	Fernandez	
1500	76	Cisneros	
1800	76	Cisneros	
2100	75	Cisneros	
2400	70°	J. Guzman	

Saturday JUNE 29, 2024

Date	Time	Temp.	Name (Print)
0300	72	E. Smith	
0600	72	A. Diaz	
0900	72	A. Diaz	
1200	76	A. Diaz	
1500	77	Felix	
1800	78	Felix	
2100	78	Yang	
2400	77	K. Hernandez	

Notes

02424 - UTT Deactivated 024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 507      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday JUNE 1, 2024**

Date	Time	Temp.	Name (Print)
	0300	74	A. MURILLO
	0600	74	J. D.
	0900	73	J. D.
	1200	75	J. D.
	1500	76	J. Guzman
	1800	76	J. Guzman
	2100	74	J. Guzman
	2400	69	E Smith

**Notes**

Date	Time	Temp.	Name (Print)
	0300	69	E Smith
	0600	71	J. D.
	0900	71	J. D.
	1200	73	J. D.
	1500	74	J. Guzman
	1800	74	J. D.
	2100	73	J. D.
	2400	73	E Smith

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 507      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
	0300	72	E Smith
	0600	71	M. Vilayphone
	0900	71	M. Vilayphone
	1200	74	M. Vilayphone
	1500	75	D. Vasquez
	1800	75	D. Vasquez
	2100	74	E Smith
	2400	70	E Smith

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
	0300	74	ACOSTA
	0600	73	M. Vilayphone
	0900	75	M. Vilayphone
	1200	77	M. Vilayphone
	1500	82	J. Rios
	1800	84	J. Rios
	2100	80	J. Rios
	2400	80	G. Martinez

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
	0300	74	ACOSTA
	0600	72	Felix
	0900	75	Felix
	1200	77	Felix
	1500	80	J. Rios
	1800	82	J. Rios
	2100	76	J. Rios
	2400	75	E Smith

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
	0300	68	E Smith
	0600	68	A. HUERTA
	0900	71	A. HUERTA
	1200	71	A. HUERTA
	1500	73	J. Guzman
	1800	73	J. Guzman
	2100	74	J. Guzman
	2400	74	E Smith

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
	0300	68	E Smith
	0600	67	M. Vilayphone
	0900	70	M. Vilayphone
	1200	73	M. Vilayphone
	1500	75	J. Rios
	1800	77	J. Rios
	2100	74	J. Rios
	2400	76	ACOSTA

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
	0300	80	G. Martinez
	0600	75	M. Vilayphone
	0900	77	M. Vilayphone
	1200	80	M. Vilayphone
	1500	82	J. Rios
	1800	83	J. Rios
	2100	81	J. Rios
	2400	76	ACOSTA

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
	0300	70	A. Rios
	0600	69	Felix
	0900	69	J. Guzman
	1200	72	J. Guzman
	1500	75	J. Guzman
	1800	77	J. Guzman
	2100	75	J. Guzman
	2400	71	E Smith

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 507      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 10, 2024

Date	Time	Temp.	Name (Print)
	0300	68	E. Smith
	0600	70	M. Vilayphone
	0900	70	M. Vilayphone
	1200	72	M. Vilayphone
	1500	76	D. Vasquez
	1800	77	D. Vasquez
	2100	77	D. Vasquez
	2400	75	A. Acosta

Wednesday JUNE 12, 2024

Date	Time	Temp.	Name (Print)
	0300	76	A. Acosta
	0600	75	M. Vilayphone
	0900	78	M. Vilayphone
	1200	82	M. Vilayphone
	1500	83	J. Rios
	1800	82	J. Rios
	2100	75	J. Rios
	2400	74	A. Acosta

Friday JUNE 14, 2024

Date	Time	Temp.	Name (Print)
	0300	76	A. Acosta
	0600	67	J. Rios
	0900	70	J. Rios
	1200	73	J. Rios
	1500	74	J. Rios
	1800	76	J. Rios
	2100	75	J. Rios
	2400	73	A. Acosta

Sunday JUNE 16, 2024

Date	Time	Temp.	Name (Print)
	0300	68	E. Smith
	0600	70	J. Brigaldo
	0900	70	J. Brigaldo
	1200	70	J. Brigaldo
	1500	73	D. Vasquez
	1800	72	D. Vasquez
	2100	70	D. Vasquez
	2400	70	E. Smith

Tuesday JUNE 11, 2024

Date	Time	Temp.	Name (Print)
	0300	73	None
	0600	70	J. Rios
	0900	70	J. Rios
	1200	71	M. Vilayphone
	1500	71	J. Rios
	1800	79	J. Rios
	2100	78	J. Rios
	2400	77	L. Acosta

Thursday JUNE 13, 2024

Date	Time	Temp.	Name (Print)
	0300	72	None
	0600	70	M. Vilayphone
	0900	74	M. Vilayphone
	1200	80	M. Vilayphone
	1500	84	J. Rios
	1800	82	J. Rios
	2100	77	J. Rios
	2400	73	A. Acosta

Saturday JUNE 15, 2024

Date	Time	Temp.	Name (Print)
	0300	68	L. Acosta
	0600	67	J. Rios
	0900	69	J. Rios
	1200	72	J. Rios
	1500	72	J. Rios
	1800	75	J. Rios
	2100	73	J. Rios
	2400	70	E. Smith

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 507      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 17, 2024

Date	Time	Temp.	Name (Print)
	0300	69	E Smith
	0600	70	M. Vilayphone
	0900	70	M. Vilayphone
	1200	71	M. Vilayphone
	1500	71	M. Vilayphone
	1800	72	M. Vilayphone
	2100	71	M. Vilayphone
	2400	70	Acega

Wednesday JUNE 19, 2024

Date	Time	Temp.	Name (Print)
	0300	67	ACOSTA
	0600	68	M. Vilayphone
	0900	69	M. Vilayphone
	1200	70	J. H.
	1500	75	J. H.
	1800	73	J. H.
	2100	70	J. H.
	2400	70	ACOSTA

Friday JUNE 21, 2024

Date	Time	Temp.	Name (Print)
	0300	67	L. Carter
	0600	68	Felix
	0900	70	Felix
	1200	73	Felix
	1500	75.9	Kinbad
	1800	74	IS wood
	2100	74	IS wood
	2400	72	J. MORENO

Sunday JUNE 23, 2024

Date	Time	Temp.	Name (Print)
	0300	78	E Smith
	0600	78	Guzman
	0900	78	Guzman
	1200	78	Rodriguez
	1500	81	A. Stanton
	1800	81	A. Stanton
	2100	81	J. Guzman
	2400	79	E Smith

Tuesday JUNE 18, 2024

Date	Time	Temp.	Name (Print)
	0300	67	Acosta
	0600	67	M. Vilayphone
	0900	68	M. Vilayphone
	1200	70	M. Vilayphone
	1500	71	J. A.
	1800	75	J. A.
	2100	71	J. A.
	2400	70	Acosta

Thursday JUNE 20, 2024

Date	Time	Temp.	Name (Print)
	0300	66	Acosta
	0600	68	M. Vilayphone
	0900	71	M. Vilayphone
	1200	73	E. Rocha
	1500	75	J. Rios
	1800	75	J. Rios
	2100	71	A. Mata
	2400		

Saturday JUNE 22, 2024

Date	Time	Temp.	Name (Print)
	0300	70	J. MORENO
	0600	71	J. MORENO
	0900	73	J. Rios
	1200	78	Felix
	1500	80	J. Rios
	1800	88	J. Rios
	2100	88	J. Rios
	2400	79	E Smith

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 507      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 24, 2024

Date	Time	Temp.	Name (Print)
0300	74	E Smith	
0600	73	M. Vilayphone	
0900	77	M. Vilayphone	
1200	79	M. Vilayphone	
1500	75	Vasquez	
1800	79	Vasquez	
2100	78	Vasquez	
2400	77	ACWTD	

Wednesday JUNE 26, 2024

Date	Time	Temp.	Name (Print)
0300	72	Ramon	
0600	71	M. Vilayphone	
0900	73	M. Vilayphone	
1200	75	M. Vilayphone	
1500	77	J. Rios	
1800	77	J. Rios	
2100	74	J. Rios	
2400	76	Ramirez	

Friday JUNE 28, 2024

Date	Time	Temp.	Name (Print)
0300	70	Arias	
0600	67	Felix	
0900	72	HERNANDEZ	
1200	74	Felix	
1500	77	J. Loran	
1800	77	J. Loran	
2100	77	J. Loran	
2400	74	Acosta	

Sunday JUNE 30, 2024

Date	Time	Temp.	Name (Print)
0300	72	Guzman	
0600	72	M. Vilayphone	
0900	75	M. Vilayphone	
1200	77	M. Vilayphone	
1500	77	Gutierrez	
1800	77	Gutierrez	
2100	77	Gutierrez	
2400	77	E Smith	

Tuesday JUNE 25, 2024

Date	Time	Temp.	Name (Print)
0300	75	A. COYTA	
0600	74	M. Vilayphone	
0900	74	J. M.	
1200	75	J. M.	
1500	78	J. M.	
1800	79	J. M.	
2100	72	J. M.	
2400	73	Brown	

Thursday JUNE 27, 2024

Date	Time	Temp.	Name (Print)
0300	75	Darck	
0600	70	M. Vilayphone	
0900	72	M. Vilayphone	
1200	74	M. Vilayphone	
1500	74	J. M.	
1800	74	J. M.	
2100	73	J. M.	
2400	73	Acosta	

Saturday JUNE 29, 2024

Date	Time	Temp.	Name (Print)
0300	71	Acosta	
0600	70	Felix	
0900	73	Felix	
1200	74	J. Rios	
1500	78	J. Rios	
1800	75	J. Rios	
2100	73	J. Rios	
2400	72	Guzman	

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 508

Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday JUNE 1, 2024**

Date	Time	Temp.	Name (Print)
	0300	74.6	Sandoval
	0600	74.7	M. Guzman
	0900	74.8	M. Guzman
	1200	74.8	M. Guzman
	1500	74.9	M. Guzman
	1800	74.9	M. Guzman
	2100	74.8	M. Guzman
	2400	74.7	Sandoval

**Notes**

Date	Time	Temp.	Name (Print)
	0300	74.8	Sandoval
	0600	74.8	M. Guzman
	0900	75.1	D. Webster
	1200	75.8	D. Webster
	1500	81	S. Bartista
	1800	81	S. Bartista
	2100	91	S. Bartista
	2400	71	Gard

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 508      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 3, 2024

Date	Time	Temp.	Name (Print)
0300	71	Escar	
0600	71	CRISPIN	
0900	72	Ozilou	
1200	73	Cesar	
1500	73	Xavier	
1800	73	Ron	
2100	71	Xavier	
2400	70°	C.Padilla	

Wednesday JUNE 5, 2024

Date	Time	Temp.	Name (Print)
0300	71°	C.Padilla	
0600	71°	C.Padilla	
0900	72°	A.BAENA	
1200	72°	A.BAENA	
1500	72°	A.Carr	
1800	72°	A.Carr	
2100	71°	A.Carr	
2400	71°	Sorrells	

Friday JUNE 7, 2024

Date	Time	Temp.	Name (Print)
0300	70	Escar	
0600	70.1	M.Gutierrez	
0900	73.4	M.Gutierrez	
1200	75.9	M.Gutierrez	
1500	75°	Jher	
1800	74	Jher	
2100	71	Jher	
2400	70	Escar	

Sunday JUNE 9, 2024

Date	Time	Temp.	Name (Print)
0300	71	Escar	
0600	72	Zach	
0900	71	Zach	
1200	72	Zach	
1500	72	Z.Vanly	
1800	73	Z.Vanly	
2100	71	Z.Vanly	
2400	70	Escar	

Tuesday JUNE 4, 2024

Date	Time	Temp.	Name (Print)
0300	71°	C.Padilla	
0600	70°	C.Padilla	
0900	70°	C.Padilla	
1200	71°	C.Padilla	
1500	73	Xior	
1800	73	Xior	
2100	71	Xior	
2400	70°	C.Padilla	

Thursday JUNE 6, 2024

Date	Time	Temp.	Name (Print)
0300	70°	S.Torres	
0600	70°	S.Torres	
0900	71°	A.Baena	
1200	74°	A.Baena	
1500	82°	M.Gutierrez	
1800	80°	M.Gutierrez	
2100	80°	M.Gutierrez	
2400	71	Escar	

Saturday JUNE 8, 2024

Date	Time	Temp.	Name (Print)
0300	69	Escar	
0600	69	Escar	
0900	70	Jher	
1200	71	Jher	
1500	72	Jher	
1800	72	Jher	
2100	71	Jher	
2400	70	Escar	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 508      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 10, 2024

Date	Time	Temp.	Name (Print)
0300	68	Escar	
0600	70	M. CRISOL	
0900	72	escan	
1200	73	CRISOL	
1500	72	J. BRIGID	
1800	72	J. BRIGID	
2100	71	J. BRIGID	
2400	70°	C. Padilla	

Wednesday JUNE 12, 2024

Date	Time	Temp.	Name (Print)
0300	71°	C. Padilla	
0600	71	Zsma	
0900	71	Zsma	
1200	70	Zsma	
1500	70	HOr	
1800	70	HOr	
2100	70	HOr	
2400	70	6sm	

Friday JUNE 14, 2024

Date	Time	Temp.	Name (Print)
0300	75-	Escar	
0600	76	m.gutman	
0900	76.2	m.gutman	
1200	76.4	m.gutman	
1500	76	HOr	
1800	70	HOr	
2100	70	HOr	
2400	70	HOr	

Sunday JUNE 16, 2024

Date	Time	Temp.	Name (Print)
0300	71	C. escan	
0600	72	J. corona	
0900	72.2	m.gutman	
1200	72.4	m.gutman	
1500	72	HOr	
1800	72	HOr	
2100	72	HOr	
2400	70	pa	

Tuesday JUNE 11, 2024

Date	Time	Temp.	Name (Print)
0300	69°	C. Padilla	
0600	70	Zsma	
0900	71	Zsma	
1200	73	Zsma	
1500	74	M. Becerra	
1800	77	D. PINEDA	
2100	73	D. PINEDA	
2400	70°	C. Padilla	

Thursday JUNE 13, 2024

Date	Time	Temp.	Name (Print)
0300	69	es	
0600	75.4	m.gutman	
0900	76	m.gutman	
1200	76.3	m.gutman	
1500	76.3	HOr	
1800	76.3	HOr	
2100	76.3	HOr	
2400	76.3	Escar	

Saturday JUNE 15, 2024

Date	Time	Temp.	Name (Print)
0300	72.4	HOr	
0600	72.9	m.gutman	
0900	72.9	m.gutman	
1200	74.2	m.gutman	
1500	74.2	HOr	
1800	74.2	HOr	
2100	74.2	HOr	
2400	74.2	HOr	

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF      Housing Unit: 508      Temp. Reading Location: A, B, C, D, Wings & Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 17, 2024

Date	Time	Temp.	Name (Print)
	0300	67	
	0600	68	escm
	0900	70	escm
	1200	70	escm
	1500	71	A. MURICA
	1800	70	A. MURICA
	2100	70	A. MURICA
	2400	690	C. Padilla

Wednesday JUNE 19, 2024

Date	Time	Temp.	Name (Print)
	0300	690	C. Padilla
	0600	70	escm
	0900	70	escm
	1200	72	DARA
	1500	73	Bark
	1800	71	escm
	2100	70	escm
	2400	70	escm

Friday JUNE 21, 2024

Date	Time	Temp.	Name (Print)
	0300	68	escm
	0600	68.1	m.guzman
	0900	70	m.guzman
	1200	70.2	m.guzman
	1500	71	Beeper
	1800	72	escm
	2100	70	escm
	2400	68	escm

Sunday JUNE 23, 2024

Date	Time	Temp.	Name (Print)
	0300	68	escm
	0600	68.9	m.guzman
	0900	70	m.guzman
	1200	73	m.guzman
	1500	74	escm
	1800	73	escm
	2100	72	escm
	2400	69	Milner

Tuesday JUNE 18, 2024

Date	Time	Temp.	Name (Print)
	0300	70°	C. Padilla
	0600	70°	Beeper
	0900	72	Beeper
	1200	84	Beeper
	1500	80	Beeper
	1800	80	escm
	2100	70	escm
	2400	690	C. Padilla

Thursday JUNE 20, 2024

Date	Time	Temp.	Name (Print)
	0300	69	escm
	0600	70	m.guzman
	0900	70.2	m.guzman
	1200	70.4	m.guzman
	1500	70.3	escm
	1800	70.3	escm
	2100	70.1	escm
	2400	70	escm

Saturday JUNE 22, 2024

Date	Time	Temp.	Name (Print)
	0300	70	escm
	0600	69.8	m.guzman
	0900	69.8	m.guzman
	1200	70	m.guzman
	1500	70	escm
	1800	68	escm
	2100	68	Beeper
	2400	70	Escobar

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF

Housing Unit: 508

Temp. Reading Location: A, B, C, D, Wings &amp; Dayroom

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JUNE 24, 2024

Date	Time	Temp.	Name (Print)
0300	64	Graham	
0600	70	Casper	
0900	75	Casper	
1200	76	Casper	
1500	79	Davila	
1800	78	Davila	
2100	76	Davila	
2400	75	E. Smith	

Wednesday JUNE 26, 2024

Date	Time	Temp.	Name (Print)
0300	71	J. Guzman	
0600	72	Zavala	
0900	72	Zavala	
1200	72	Zavala	
1500	72.8	M. Gutierrez	
1800	74	M. Gutierrez	
2100	72	M. Gutierrez	
2400	69	On	

Friday JUNE 28, 2024

Date	Time	Temp.	Name (Print)
0300	68	On	
0600	72.9	M. Gutierrez	
0900	73	M. Gutierrez	
1200	75	M. Gutierrez	
1500	74	Ly	
1800	72	Ly	
2100	71	Ly	
2400	69	Escobar	

Sunday JUNE 30, 2024

Date	Time	Temp.	Name (Print)
0300	69	Bon	
0600	71	Zavala	
0900	72	Zavala	
1200	73	Zavala	
1500	73	M. Gutierrez	
1800	76	M. Gutierrez	
2100	73	M. Gutierrez	
2400	69	Ly	

Tuesday JUNE 25, 2024

Date	Time	Temp.	Name (Print)
0300	70	E. Smith	
0600	72.4	Baez	
0900	72.5	Baez	
1200	73	Baez	
1500	72	Becerra	
1800	72	Becerra	
2100	72	Becerra	
2400	71	J. Guzman	

Thursday JUNE 27, 2024

Date	Time	Temp.	Name (Print)
0300	69	On	
0600	70	M. Gutierrez	
0900	73.1	M. Gutierrez	
1200	74	M. Gutierrez	
1500	74	Gutierrez	
1800	73	Gutierrez	
2100	72	Gutierrez	
2400	70	On	

Saturday JUNE 29, 2024

Date	Time	Temp.	Name (Print)
0300	68	On	
0600	70	M. Gutierrez	
0900	73.1	M. Gutierrez	
1200	74	M. Gutierrez	
1500	74	Ly	
1800	72	Ly	
2100	71	Ly	
2400	68	Escobar	

Notes



## Memorandum

**Date:** July 1, 2024  
**To:** D. MYERS, CCII, Heat Plan Coordinator  
**Subject:** FACILITY C HEAT LOGS –JUNE 2024

In compliance with the Coleman v. Wilson Stipulation Court Order, this memorandum is to inform you that during the month of JUNE 2024 the ambient temperatures in Building 509, 510, 511, 512 did not reach the temperature standards for Stage II or Stage III Heat Alert Procedure. Heat Log Sheets were completed and are enclosed for Facility C for the month of JUNE 2024.

Should you have any questions or concern regarding this information, please contact me at extension [REDACTED]

A handwritten signature in black ink, appearing to read "S. Rodriguez".

---

**S. RODRIGUEZ**  
Facility C Captain  
Central California Women's Facility

## **HEAT STAGE ACTIVATION AND DEACTIVATION FACILITY C MONTHLY SYNOPSIS**

In compliance with the *Coleman v. Wilson* Stipulated Court Order, please list the following information in the monitoring of temperature recordings for the month of June 2024 at the Central California Women's Facility (CCWF):

**Stage I Alert:** 30 days noted.

**Stage II Alert: 0 days noted.**

### **Stage III Alert: 0 days noted.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 509 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### SATURDAY

Date	Time	Temp.	Name (Print)
June 1, 2024	0300	73	E. Lopez
	0600	75	T. Peterson
	0900	75	L. Cortez
	1200	73	L. cortez
	1500	74	Dominguez
	1800	73	Padilla
	2100	72	Padilla
	2400	72	E. Lopez

#### MONDAY

Date	Time	Temp.	Name (Print)
June 3, 2024	0300	64	Lopez
	0600	70	cortez
	0900	73	M. Richardo
	1200	73	M. Richardo
	1500	74	Padilla
	1800	74	Padilla
	2100	72	Padilla
	2400	72	E. Lopez

#### WEDNESDAY

Date	Time	Temp.	Name (Print)
June 5, 2024	0300	76	I. Memora
	0600	75	I. Memora
	0900	77	Z. Memora
	1200	77	Z. Memora
	1500	73	T. Yang
	1800	71	T. Yang
	2100	73	T. Yang
	2400	79	Z. Memora

#### FRIDAY

Date	Time	Temp.	Name (Print)
June 7, 2024	0300	74	E. Lopez
	0600	74	E. Lopez
	0900	74	E. Lopez
	1200	76	E. Lopez
	1500	76	T. Yang
	1800	74	T. Yang
	2100	74	T. Yang
	2400	72	C. Lopez

#### SUNDAY

Date	Time	Temp.	Name (Print)
June 2, 2024	0300	73	E. Lopez
	0600	75	Cortez
	0900	74	Cortez
	1200	74	Cortez
	1500	75.0	L. Yang
	1800	75.5	L. Yang
	2100	74	Padilla
	2400	70	Lopez

#### TUESDAY

Date	Time	Temp.	Name (Print)
June 4, 2024	0300	71	E. Lopez
	0600	73	Z. Memora
	0900	73	Z. Memora
	1200	75	Z. Memora
	1500	75	T. Yang
	1800	72	T. Yang
	2100	72	T. Yang
	2400	77	Z. Memora

#### THURSDAY

Date	Time	Temp.	Name (Print)
June 6, 2024	0300	77	Z. Memora
	0600	77	Z. Memora
	0900	76	Navarro
	1200	77	Navarro
	1500	78	Navarro
	1800	77	Navarro
	2100	76	Navarro
	2400	75	Navarro

#### Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 509 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

SATURDAY

Date	Time	Temp.	Name (Print)
June 8, 2024	0300	68	E-Lopez
	0600	70	L-Cortez
	0900	72	L-Cortez
	1200	72	L-Cortez
	1500	81	C-Cortez
	1800	80	C-Cortez
	2100	78	C-Cortez
	2400	75	E-Lopez

MONDAY

Date	Time	Temp.	Name (Print)
June 10, 2024	0300	70	L-Cortez
	0600	73.5	L-Cortez
	0900	73.9	L-Cortez
	1200	74.2	L-Cortez
	1500	75.5	Padilla
	1800	74	Padilla
	2100	72	Padilla
	2400	70	E-Lopez

WEDNESDAY

Date	Time	Temp.	Name (Print)
June 12, 2024	0300	70	E-Lopez
	0600	70	L-Manzo
	0900	72	L-Manzo
	1200	74	L-Manzo
	1500	78	T-Yang
	1800	76	T-Yang
	2100	76	T-Yang
	2400	74	E-Lopez

FRIDAY

Date	Time	Temp.	Name (Print)
June 14, 2024	0300	68	E-Lopez
	0600	68	L-Manzo
	0900	70	C-Manzo
	1200	74	L-Manzo
	1500	72	T-Yang
	1800	73	T-Yang
	2100	73	T-Yang
	2400	73	E-Lopez

SUNDAY

Date	Time	Temp.	Name (Print)
June 9, 2024	0300	69	E-Lopez
	0600	70	Almanza
	0900	70	Almanza
	1200	74	Cortez
	1500	76.4	L-Vargas
	1800	76.3	L-Vargas
	2100	76	A-Garcia
	2400	76	A-Garcia

TUESDAY

Date	Time	Temp.	Name (Print)
June 11, 2024	0300	69	E-Lopez
	0600	70	L-Manzo
	0900	71	L-Manzo
	1200	74	L-Manzo
	1500	75	T-Yang
	1800	75	T-Yang
	2100	75	T-Yang
	2400	72	E-Lopez

THURSDAY

Date	Time	Temp.	Name (Print)
June 13, 2024	0300	70	E-Lopez
	0600	70	L-Manzo
	0900	71	L-Manzo
	1200	73	L-Manzo
	1500	74	T-Yang
	1800	73	T-Yang
	2100	72	T-Yang
	2400	70	E-Lopez

Notes

---



---



---



---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 509 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**SATURDAY**

Date	Time	Temp.	Name (Print)
June 15, 2024	0300	68	Lopez
	0600	68	Lopez
	0900	69	cortez
	1200	69	cortez
	1500	70	Villalobos
	1800	70	Villalobos
	2100	70	Villalobos
	2400	68	E Lopez

**SUNDAY**

Date	Time	Temp.	Name (Print)
June 16, 2024	0300	68	E. Lopez
	0600	68	E Lopez
	0900	70	A Zamora
	1200	73	A Zamora
	1500	75	Morales
	1800	75.1	L Vang
	2100	73.4	L Vang
	2400	75	A. Lopez

**MONDAY**

Date	Time	Temp.	Name (Print)
June 17, 2024	0300	70	A. Lopez
	0600	73	M. Pichardo
	0900	73	M. Pichardo
	1200	74	M. Pichardo
	1500	74.3	L Vang
	1800	75.1	L Vang
	2100	73.2	L Vang
	2400	70	A. Lopez

**TUESDAY**

Date	Time	Temp.	Name (Print)
June 18, 2024	0300	70	A. Lopez
	0600	69	I. Manzo
	0900	71	I. Manzo
	1200	72	I. Manzo
	1500	68	T. Yang
	1800	70	T. Yang
	2100	70	T. Yang
	2400	70	A. Lopez

**WEDNESDAY**

Date	Time	Temp.	Name (Print)
June 19, 2024	0300	63	A. Lopez
	0600	64	I. Manzo
	0900	67	I. Manzo
	1200	70	I. Manzo
	1500	70	T. Yang
	1800	69	T. Yang
	2100	69	T. Yang
	2400	67	E Lopez

**THURSDAY**

Date	Time	Temp.	Name (Print)
June 20, 2024	0300	67	E Lopez
	0600	66	I. Manzo
	0900	67	I. Manzo
	1200	74	I. Manzo
	1500	72	T. Yang
	1800	74	T. Yang
	2100	69	T. Yang
	2400	68	E Lopez

**Notes**

Date	Time	Temp.	Name (Print)
June 21, 2024	0300	66	E Lopez
	0600	67	I. Manzo
	0900	69	I. Manzo
	1200	71	I. Manzo
	1500	72	R Garcia
	1800	71	R Garcia
	2100	67	R Garcia
	2400	69	E Lopez

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 509 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

SATURDAY

Date	Time	Temp.	Name (Print)
June 22, 2024	0300	68	E Lopez
	0600	68	L. Manzo
	0900	69	Padilla
	1200	78	Padilla
	1500	80	Padilla
	1800	80	Padilla
	2100	80	Padilla
	2400	76	E Lopez

MONDAY

Date	Time	Temp.	Name (Print)
June 24, 2024	0300	70	A. Lopez
	0600	72	L. Cortez
	0900	76	M. Richardson
	1200	77	L. Cortez
	1500	79.8	L. Yang
	1800	79	R. Padilla
	2100	78.9	R. Padilla
	2400	80	D. Lopez

WEDNESDAY

Date	Time	Temp.	Name (Print)
June 26, 2024	0300	78	Z. Mendoza
	0600	78	Z. Mendoza
	0900	77	Z. Mendoza
	1200	77	Z. Mendoza
	1500	75	T. Yang
	1800	75	T. Yang
	2100	75	T. Yang
	2400	77	Z. Mendoza

FRIDAY

Date	Time	Temp.	Name (Print)
June 28, 2024	0300	72	E. Lopez
	0600	72	E. Lopez
	0900	75	F. Lopez
	1200	78	E. Lopez
	1500	75	P. Ramirez
	1800	76	P. Ramirez
	2100	76	P. Ramirez
	2400	76	E. Lopez

SUNDAY

Date	Time	Temp.	Name (Print)
June 23, 2024	0300	74	E. Lopez
	0600	74	L. Cortez
	0900	77	L. Cortez
	1200	78	M. Rodriguez
	1500	79	Padilla
	1800	80	Padilla
	2100	80	Padilla
	2400	80	L. Lopez

TUESDAY

Date	Time	Temp.	Name (Print)
June 25, 2024	0300	76	A. Lopez
	0600	73	L. Cortez
	0900	77	Z. Mendoza
	1200	77	Z. Mendoza
	1500	78	T. Yang
	1800	79	T. Yang
	2100	76	T. Yang
	2400	78	Z. Mendoza

THURSDAY

Date	Time	Temp.	Name (Print)
June 27, 2024	0300	77	Z. Mendoza
	0600	77	Z. Mendoza
	0900	76	Z. Mendoza
	1200	76	Z. Mendoza
	1500	76	T. Yang
	1800	75	T. Yang
	2100	70	T. Yang
	2400	72	E. Lopez

Notes

---



---



---



---



---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 509 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**SATURDAY**

Date	Time	Temp.	Name (Print)
June 29, 2024	0300	70	E. Lopez
	0600	72	L. Carter
	0900	74	L. Carter
	1200	74	L. Carter
	1500	77	Villalobos
	1800	76	Villalobos
	2100	75	Villalobos
	2400	72	Villalobos

0

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**SUNDAY**

Date	Time	Temp.	Name (Print)
June 30, 2024	0300	74	Lopez
	0600	74	Padilla
	0900	77	Padilla
	1200	78	Padilla
	1500	77.6	LVIANG
	1800	81	LVIANG
	2100	78	Padilla
	2400	74	Lopez

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 510 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

SATURDAY

Date	Time	Temp.	Name (Print)
June 1, 2024	0300	71	<i>Amber</i>
	0600	72	Martinez
	0900	72	Martinez
	1200	75	Martinez
	1500	75	REYES
	1800	75	COYLE
	2100	74	REYES
	2400	72	Seagraves

SUNDAY

Date	Time	Temp.	Name (Print)
June 2, 2024	0300	71	Seagraves
	0600	71	RIBAL
	0900	71	RIBAL
	1200	72	RIBAL
	1500	73	RIBAL
	1800	74	RIBAL
	2100	73	RIBAL
	2400	72	Seagraves

MONDAY

Date	Time	Temp.	Name (Print)
June 3, 2024	0300	71	Seagraves
	0600	72	MARAVILLA
	0900	73	MARAVILLA
	1200	74	MARAVILLA
	1500	74	I.Bal
	1800	74	I.Bal
	2100	73	I.Bal
	2400	72	Seagraves

TUESDAY

Date	Time	Temp.	Name (Print)
June 4, 2024	0300	71	Seagraves
	0600	70	MARAVILLA
	0900	72	MARAVILLA
	1200	74	MARAVILLA
	1500	76	DIAZ
	1800	75	I.Bal
	2100	74	I.Bal
	2400	76	Seagraves

WEDNESDAY

Date	Time	Temp.	Name (Print)
June 5, 2024	0300	75	Seagraves
	0600	74	SAUCEDA
	0900	77	L.SANCHEZ
	1200	78	L.SANCHEZ
	1500	76	
	1800	76	
	2100	76	
	2400	79	Seagraves

THURSDAY

Date	Time	Temp.	Name (Print)
June 6, 2024	0300	78	Seagraves
	0600	79	L.SANCHEZ
	0900	76	M.PICHARDO
	1200	80	M.PICHARDO
	1500	81	L.Sanchez
	1800	80	L.Sanchez
	2100	80	L.SANCHEZ
	2400	79	Lopez

Notes

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
June 7, 2024	0300	77	L.SANCHEZ
	0600	78	L.SANCHEZ
	0900	79	L.SANCHEZ
	1200	81	L.SANCHEZ
	1500	82	A.PERRY
	1800	81	A.murit
	2100	81	A.murit
	2400	79	M.Richards

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 510 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

SATURDAY

Date	Time	Temp.	Name (Print)
June 8, 2024	0300	70	Seagraves
	0600	70	L-SANCHEZ
	0900	71	L-SANCHEZ
	1200	72	L-SANCHEZ
	1500	72	Rebel
	1800	71	Rebel
	2100	71	Rebel
	2400	76	Rebel

MONDAY

Date	Time	Temp.	Name (Print)
June 10, 2024	0300	73	M. Lee
	0600	72	Maravilla
	0900	73	Maravilla
	1200	71	Maravilla
	1500	75	E. HAYES
	1800	77	E. Hayes
	2100	76	E. HAYES
	2400	76	Seagraves

WEDNESDAY

Date	Time	Temp.	Name (Print)
June 12, 2024	0300	81	Seagraves
	0600	79	L-SANCHEZ
	0900	79	L-SANCHEZ
	1200	80	L-SANCHEZ
	1500	80	Ribal
	1800	80	Ribal
	2100	80	Ribal
	2400	79	Seagraves

FRIDAY

Date	Time	Temp.	Name (Print)
June 14, 2024	0300	72	C. Lopez
	0600	70	L-SANCHEZ
	0900	72	L-SANCHEZ
	1200	75	L-SANCHEZ
	1500	72	Rebel
	1800	70	Rebel
	2100	71	Rebel
	2400	70	Rebel

SUNDAY

Date	Time	Temp.	Name (Print)
June 9, 2024	0300	72	Ortiz
	0600	71	L-SANCHEZ
	0900	72	L-SANCHEZ
	1200	73	L-SANCHEZ
	1500	75	L-SANCHEZ
	1800	78	L-SANCHEZ
	2100	78	L-SANCHEZ
	2400	74	Mall

TUESDAY

Date	Time	Temp.	Name (Print)
June 11, 2024	0300	74	Seagraves
	0600	77	A. Afegwa
	0900	74	A. Afegwa
	1200	80	A. Afegwa
	1500	82	Rebel
	1800	80	Rebel
	2100	81	Rebel
	2400	82	Seagraves

THURSDAY

Date	Time	Temp.	Name (Print)
June 13, 2024	0300	74	Seagraves
	0600	72	L-SANCHEZ
	0900	73	L-SANCHEZ
	1200	75	L-SANCHEZ
	1500	77	L-SANCHEZ
	1800	79	L-SANCHEZ
	2100	78	L-SANCHEZ
	2400	74	ELopez

Notes

---



---



---



---



---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 510 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**SATURDAY**

Date	Time	Temp.	Name (Print)
June 15, 2024	0300	69	M. Richards
	0600	70	L. Sanchez
	0900	71	L. Sanchez
	1200	73	L. Sanchez
	1500	75	Yowell
	1800	74	Yowell
	2100	73	Yowell
	2400	73	Seagraves

**MONDAY**

Date	Time	Temp.	Name (Print)
June 17, 2024	0300	72	Seagraves
	0600	71	Maravilla
	0900	71	Maravilla
	1200	73	Maravilla
	1500	74	Hayes
	1800	74	Hayes
	2100	76	Hayes
	2400	72	Seagraves

**WEDNESDAY**

Date	Time	Temp.	Name (Print)
June 19, 2024	0300	69	Seagraves
	0600	70	L. Sanchez
	0900	70	L. Sanchez
	1200	71	L. Sanchez
	1500	71	A. Lugo
	1800	72	R. Lopez
	2100	71	R. Lopez
	2400	71	A. Seagraves

**FRIDAY**

Date	Time	Temp.	Name (Print)
June 21, 2024	0300	70	A. Lugo
	0600	71	R. Lopez
	0900	72	R. Lopez
	1200	75	R. Lopez
	1500	70	A. Marrett
	1800	70	A. Marrett
	2100	71	R. Lopez
	2400	71	Seagraves

**SUNDAY**

Date	Time	Temp.	Name (Print)
June 16, 2024	0300	72	Seagraves
	0600	73	Ribas
	0900	74	Ribas
	1200	75	Ribas
	1500	76	Ribas
	1800	75	Ribas
	2100	74	Ribas
	2400	73	Seagraves

**TUESDAY**

Date	Time	Temp.	Name (Print)
June 18, 2024	0300	71	Seagraves
	0600	70	Maravilla
	0900	71	R. Camarena
	1200	71	R. Camarena
	1500	72	Ribas
	1800	74	Ribas
	2100	74	Ribas
	2400	72	Seagraves

**THURSDAY**

Date	Time	Temp.	Name (Print)
June 20, 2024	0300	70	A. Seagraves
	0600	70	M. Richards
	0900	71	M. Richards
	1200	71	M. Richards
	1500	71	R. Lopez
	1800	70	R. Lopez
	2100	71	R. Lopez
	2400	71	A. Lugo

**Notes**


---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 510 Temp. Reading Location: **Dayroom, A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

SATURDAY

Date	Time	Temp.	Name (Print)
June 22, 2024	0300	72	Seagraves
	0600	72.8	M. LOPEZ GARCIA
	0900	75	M. LOPEZ GARCIA
	1200	76	M. LOPEZ GARCIA
	1500	82	A. Murrat
	1800	82	A. Murrat
	2100	87	A. Murray
	2400	78	Seagraves

MONDAY

Date	Time	Temp.	Name (Print)
June 24, 2024	0300	77	Seagraves
	0600	77	Maravilla
	0900	79	Maravilla
	1200	79	Maravilla
	1500	75	Padilla
	1800	77	Naranjo
	2100	77	Wuranga
	2400	79	Seagraves

WEDNESDAY

Date	Time	Temp.	Name (Print)
June 26, 2024	0300	77	Seagraves
	0600	72	L.SANCHEZ
	0900	73	L.SANCHEZ
	1200	74	L.SANCHEZ
	1500	74	Ribal
	1800	76	Ribal
	2100	76	Ribal
	2400	76	Seagraves

FRIDAY

Date	Time	Temp.	Name (Print)
June 28, 2024	0300	72	Seagraves
	0600	72	Yaneff
	0900	74	Taylor
	1200	77	Reagan
	1500	80	McNamee
	1800	80	M. Murret
	2100	80	Seagraves
	2400	80	Seagraves

SUNDAY

Date	Time	Temp.	Name (Print)
June 23, 2024	0300	77	Seagraves
	0600	77	Ribal
	0900	78	Ribal
	1200	80	Ribal
	1500	80	Ribal
	1800	80	Ribal
	2100	80	Ribal
	2400	78	Seagraves

TUESDAY

Date	Time	Temp.	Name (Print)
June 25, 2024	0300	78	Seagraves
	0600	78	McNamee
	0900	78	Maravilla
	1200	79	Maravilla
	1500	79	C. Padilla
	1800	77°	C. Padilla
	2100	80°	C. Padilla
	2400	77	Seagraves

THURSDAY

Date	Time	Temp.	Name (Print)
June 27, 2024	0300	75	Seagraves
	0600	72	M. Richardson
	0900	75	SANCHEZ
	1200	77	L.SANCHEZ
	1500	78	L.SANCHEZ
	1800	78	L.SANCHEZ
	2100	76	L.SANCHEZ
	2400	74	Seagraves

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 510 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

SATURDAY

Date	Time	Temp.	Name (Print)
June 29, 2024	0300	72	Richards
	0600	80°	A. Aregrin
	0900	73°	A. Aregrin
	1200	75°	A. Aregrin
	1500	80°	L. Perales 022
	1800	80	Fernandez
	2100	77	Fernandez
	2400	77	Carter

0

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
June 30, 2024	0300	70	Carter
	0600	70	Ribal
	0900	75	Ribal
	1200	78	Ribal
	1500	80	Ribal
	1800	80	Ribal
	2100	77	Ribal
	2400	77	Seagraves

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA:

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 511 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**SATURDAY**

Date	Time	Temp.	Name (Print)
June 1, 2024	0300	76	Olivares
	0600	73	Olivares
	0900	73	Andrade
	1200	73	Andrade
	1500	73	Gonzales
	1800	75	Wood
	2100	75	Wood
	2400	75	Richard

**SUNDAY**

Date	Time	Temp.	Name (Print)
June 2, 2024	0300	68	Olivares
	0600	68	Morales
	0900	69	Hayes
	1200	70	Haney
	1500	70	Martell
	1800	72	Martell
	2100	70	B. VANG
	2400	69	B. VANG

**MONDAY**

Date	Time	Temp.	Name (Print)
June 3, 2024	0300	68	B VANG
	0600	68	B VANG
	0900	71	Morano
	1200	72	Morano
	1500	72	MORENO
	1800	74	MORENO
	2100	74	MORENO
	2400	74	Olivares

**TUESDAY**

Date	Time	Temp.	Name (Print)
June 4, 2024	0300	73	Olivares
	0600	73	Olivares
	0900	70	Austin
	1200	71	Morano
	1500	72	MORENO
	1800	73	Morano
	2100	74	Morano
	2400	77	Olivares

**WEDNESDAY**

Date	Time	Temp.	Name (Print)
June 5, 2024	0300	76	Olivares
	0600	76	Olivares
	0900	77.1	Coyle
	1200	79.0	Coyle
	1500	79.8	Coyle
	1800	79	Laster
	2100	80	Laster
	2400	81	Olivares

**THURSDAY**

Date	Time	Temp.	Name (Print)
June 6, 2024	0300	79	Olivares
	0600	79	Olivares
	0900	79	Coyle
	1200	79	Coyle
	1500	80	Coyle
	1800	80	Martell
	2100	81	Martell
	2400	81	Olivares

**Notes**


---



---



---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
June 7, 2024	0300	77	Olivares
	0600	77	Olivares
	0900	78	Coyle
	1200	79	Coyle
	1500	80	A. STANTON
	1800	80	Gutierrez
	2100	79	Gutierrez
	2400	78	Olivares

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 511 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**SATURDAY**

Date	Time	Temp.	Name (Print)
June 8, 2024	0300	76	Olivares
	0600	72	Olivares
	0900	72.5	Coyle
	1200	73	Coyle
	1500	75	MORENO
	1800	76	MORENO
	2100	74	MORENO
	2400	74	Olivares

**SUNDAY**

Date	Time	Temp.	Name (Print)
June 9, 2024	0300	70	Vance
	0600	70	A. STANTON
	0900	70	A. STANTON
	1200	71.5	Coyle
	1500	75	MORENO
	1800	76	MORENO
	2100	75	MORENO
	2400	73	Vance

**MONDAY**

Date	Time	Temp.	Name (Print)
June 10, 2024	0300	72	Vance
	0600	70.2	A. HALEY
	0900	72	A. HALEY
	1200	74	A. HALEY
	1500	73	MORENO
	1800	79	MORENO
	2100	77	x-m
	2400	77	x-m

**TUESDAY**

Date	Time	Temp.	Name (Print)
June 11, 2024	0300	72	x-m
	0600	73.1	J. SOLIS
	0900	75.	J. SOLIS
	1200	77.3	J. SOLIS
	1500	80	Moro
	1800	80	Laster
	2100	80	Laster
	2400	79	Olivares

**WEDNESDAY**

Date	Time	Temp.	Name (Print)
June 12, 2024	0300	78	Olivares
	0600	78	Olivares
	0900	77.7	J. SOLIS
	1200	78.1	Coyle
	1500	79	Laster
	1800	79	Laster
	2100	79	Laster
	2400	79	Olivares

**THURSDAY**

Date	Time	Temp.	Name (Print)
June 13, 2024	0300	78	Olivares
	0600	78	Olivares
	0900	74.5	Coyle
	1200	75.1	Coyle
	1500	76	Coyle
	1800	78	Coyle
	2100	78	Coyle
	2400	78	Olivares

**FRIDAY**

Date	Time	Temp.	Name (Print)
June 14, 2024	0300	75	Olivares
	0600	73	Olivares
	0900	73.2	Coyle
	1200	75	Gonzales
	1500	73	Gonzales
	1800	72	Gonzales
	2100	72	V. M. lobos
	2400	70	V. M. lobos

**Notes**


---



---



---



---



---



---



---



---

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 511 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**SATURDAY**

Date	Time	Temp.	Name (Print)
June 15, 2024	0300	70	Richard
	0600	70	J-caronot
	0900	71	J-caronot
	1200	71	J-caronot
	1500	70	Garcia
	1800	72	Garcia
	2100	71	LASTER
	2400	71	Richards

**MONDAY**

Date	Time	Temp.	Name (Print)
June 17, 2024	0300	71	Richard
	0600	71	Ricard
	0900	72	Morales
	1200	74	Morales
	1500	74	LASTER
	1800	73	VALDIEZ
	2100	72	VANG
	2400	72	Olivares

**WEDNESDAY**

Date	Time	Temp.	Name (Print)
June 19, 2024	0300	71	Olivares
	0600	70	Olivares
	0900	74	Gonzales
	1200	80	Gonzales
	1500	75	VANG
	1800	74	VALDEZ
	2100	73	LASTER
	2400	73	Olivares

**FRIDAY**

Date	Time	Temp.	Name (Print)
June 21, 2024	0300	72	Olivares
	0600	72	Olivares
	0900	74	Gonzales
	1200	71	Gonzales
	1500	75	MORENO
	1800	72	MORNO
	2100	73	Hernandez
	2400	74	Olivares

**SUNDAY**

Date	Time	Temp.	Name (Print)
June 16, 2024	0300	70	Richard
	0600	69	MORENO
	0900	69	MORALES
	1200	70	MORIZMO
	1500	70	MORIZMO
	1800	76	MORENO
	2100	71	LASTER
	2400	71	Richards

**TUESDAY**

Date	Time	Temp.	Name (Print)
June 18, 2024	0300	71	Olivares
	0600	70	Olivares
	0900	70.5	J.SOLS
	1200	71.4	J.SOLS
	1500	73	MORENO
	1800	73	LASTER
	2100	78	VANG
	2400	74	Olivares

**THURSDAY**

Date	Time	Temp.	Name (Print)
June 20, 2024	0300	71	Olivares
	0600	71	Olivares
	0900	70	Zavala
	1200	72	Zavala
	1500	73.5	Coyl
	1800	74.0	Coyl
	2100	73	Coyl
	2400	73	Olivares

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 511 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**SATURDAY**

Date	Time	Temp.	Name (Print)
June 22, 2024	0300	72	Richard
	0600	73	Haley
	0900	75	Haley
	1200	79	Haley
	1500	79	Valdez
	1800	78	Valdez
	2100	79	Richards
	2400	76	Richards

**MONDAY**

Date	Time	Temp.	Name (Print)
June 24, 2024	0300	74	Carter
	0600	74.5	Gonzales
	0900	76	Gonzales
	1200	79	Gonzales
	1500	77	Carter
	1800	78	Lester
	2100	77	Lester
	2400	76	Carter

**WEDNESDAY**

Date	Time	Temp.	Name (Print)
June 26, 2024	0300	71	Vang
	0600	72	Gonzales
	0900	73	Gonzales
	1200	73	Gonzales
	1500	75	Vang
	1800	77	Vang
	2100	76	Vang
	2400	74	Vang

**FRIDAY**

Date	Time	Temp.	Name (Print)
June 28, 2024	0300	74	Vang
	0600	74.3	Coye
	0900	75.1	Coye
	1200	75.2	Coye
	1500	78.6	Valdez
	1800	78.8	Valdez
	2100	78	Haley
	2400	78	Haley

**SUNDAY**

Date	Time	Temp.	Name (Print)
June 23, 2024	0300	71	Richard
	0600	74	Haley
	0900	76	Haley
	1200	79	Haley
	1500	79	Vang
	1800	78	Vang
	2100	77	Vang
	2400	76	Carter

**TUESDAY**

Date	Time	Temp.	Name (Print)
June 25, 2024	0300	76	Carter
	0600	75	Gonzales
	0900	75	Gonzales
	1200	77	Morales
	1500	78	Morales
	1800	78	Morales
	2100	77	Morales
	2400	77	Richards

**THURSDAY**

Date	Time	Temp.	Name (Print)
June 27, 2024	0300	78.9	M.Valdez
	0600	78	Haley
	0900	79	Haley
	1200	79	Haley
	1500	79	Carter
	1800	78	Lester
	2100	78	Lester
	2400	78	Richards

**Notes**


---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 511 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**SATURDAY**

Date	Time	Temp.	Name (Print)
June 29, 2024	0300	68	Lopez
	0600	68	Gonzales
	0900	70	Gonzales
	1200	75	Gonzales
	1500	79	Valdez
	1800	83	Valdez
	2100	82	Valdez
	2400	80	Richards

0

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**SUNDAY**

Date	Time	Temp.	Name (Print)
June 30, 2024	0300	66	Richards
	0600	70	Richards
	0900	72	Peterson
	1200	76	PETTERSON
	1500	79	MARLETTE
	1800	85	MARLETTE
	2100	87	MARLETTE
	2400	79	Richards

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Notes			

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 512 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

SATURDAY

Date	Time	Temp.	Name (Print)
June 1, 2024	0300	73	Villalobos
	0600	71	Villalobos
	0900	75	SACNZ
	1200	74	SACNZ
	1500	75	E Smith
	1800	73	E Smith
	2100	74	E Smith
	2400		

MONDAY

Date	Time	Temp.	Name (Print)
June 3, 2024	0300	77	A. Garcia
	0600	77	P. DeMarco
	0900	73.5	DeMarco
	1200	76	DeMarco
	1500	76.2	A. Martinez
	1800	76.1	A. Martinez
	2100	75.5	A. Martinez
	2400	70	Klee

WEDNESDAY

Date	Time	Temp.	Name (Print)
June 5, 2024	0300	73	Klee
	0600	73	Klee
	0900	71	P. DeMarco
	1200	78.8	DeMarco
	1500	82	D. Saucedo
	1800	83	D. Saucedo
	2100	82	D. Saucedo
	2400	72	Bryano

FRIDAY

Date	Time	Temp.	Name (Print)
June 7, 2024	0300	74	BRYANO
	0600	75	E. REYES
	0900	76	E. REYES
	1200	78	E. REYES
	1500	80	D. SAUCEDA
	1800	82	D. SAUCEDA
	2100	82	D. SAUCEDA
	2400	80	A. MARELLA

SUNDAY

Date	Time	Temp.	Name (Print)
June 2, 2024	0300	78	Villalobos
	0600	73	Philippe
	0900	73	Philippe
	1200	74	Philippe
	1500	75	E. Smith
	1800	76	E. Smith
	2100	74	E. Smith
	2400	73	A. Garcia

TUESDAY

Date	Time	Temp.	Name (Print)
June 4, 2024	0300	70	Klee
	0600	70	Klee
	0900	72.8	P. DeMarco
	1200	75.7	P. DeMarco
	1500	75°	C. Padilla
	1800	77	C. Padilla
	2100	75	C. Padilla
	2400	73	Klee

THURSDAY

Date	Time	Temp.	Name (Print)
June 6, 2024	0300	73	BRYANO
	0600	74	A. MARELLA
	0900	78	A. MARELLA
	1200	80	A. MARELLA
	1500	83	CARMELOSCIO
	1800	83	CARMELOSCIO
	2100	81	CARMELOSCIO
	2400	73	BRYANO

Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 512 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

SATURDAY

Date	Time	Temp.	Name (Print)
June 8, 2024	0300	74	M. Garcia
	0600	75	E. Reyes
	0900	75	E. Reyes
	1200	76	E. Reyes
	1500	78	E. Smith
	1800	77	E. Smith
	2100	77	E. Smith
	2400	75	A. Bronco

MONDAY

Date	Time	Temp.	Name (Print)
June 10, 2024	0300	74	Quintana
	0600	72	Quintana
	0900	74°F	P. Demarco
	1200	78°F	P. Demarco
	1500	78°	C. Padilla
	1800	78.5	A. Argon
	2100	79	K. Lee
	2400	79	K. Lee

WEDNESDAY

Date	Time	Temp.	Name (Print)
June 12, 2024	0300	74	K. Lee
	0600	78	K. Lee
	0900	80	R. Rodriguez
	1200	80	R. Rodriguez
	1500	81	J. Campos Garcia
	1800	81	J. Campos Garcia
	2100	78	J. Campos Garcia
	2400	75	A. Barnes

FRIDAY

Date	Time	Temp.	Name (Print)
June 14, 2024	0300	71	P. Bronco
	0600	72	M. Maravilla
	0900	72	M. Maravilla
	1200	78	M. Maravilla
	1500	78	M. Maravilla
	1800	78	M. Maravilla
	2100	78	M. Maravilla
	2400	75	M. Maravilla

SUNDAY

Date	Time	Temp.	Name (Print)
June 9, 2024	0300	74	Bronco
	0600	72	E. Reyes
	0900	73	E. Reyes
	1200	75	E. Reyes
	1500	76	E. Smith
	1800	76	E. Smith
	2100	77	E. Smith
	2400	74	Quintana

TUESDAY

Date	Time	Temp.	Name (Print)
June 11, 2024	0300	70	K. Lee
	0600	70	K. Lee
	0900	70	P. Demarco
	1200	78	P. Demarco
	1500	80	O. Sauceda
	1800	80	C. Padilla
	2100	81	C. Padilla
	2400	74	K. Lee

THURSDAY

Date	Time	Temp.	Name (Print)
June 13, 2024	0300	74	A. Grasso
	0600	76	P. Demarco
	0900	77	P. Demarco
	1200	79	P. Demarco
	1500	80	C. Campos Garcia
	1800	79	C. Campos Garcia
	2100	78	C. Campos Garcia
	2400	75	A. Grasso

Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 512 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

SATURDAY

Date	Time	Temp.	Name (Print)
June 15, 2024	0300	79	A. Brown
	0600	74	Deyer
	0900	76	Miller
	1200	75	Murphy
	1500	76	E. Smith
	1800	76	E. Smith
	2100	75	E. Smith
	2400	70	B. Vang

MONDAY

Date	Time	Temp.	Name (Print)
June 17, 2024	0300	70	Quintana
	0600	71	P. DEMARCO
	0900	79	P. DEMARCO
	1200	79	P. DEMARCO
	1500	74°	C. Padilla
	1800	75°	C. Padilla
	2100	76°	C. Padilla
	2400	69	Klee

WEDNESDAY

Date	Time	Temp.	Name (Print)
June 19, 2024	0300	70	Klee
	0600	70	Klee
	0900	71	P. DEMARCO
	1200	74	P. DEMARCO
	1500	75	SAUCEDA
	1800	75	SAUCEDA
	2100	75	SAUCEDA
	2400	74	Klee

FRIDAY

Date	Time	Temp.	Name (Print)
June 21, 2024	0300	70	Klee
	0600	70	Klee
	0900	75	Morawitz
	1200	75	Morawitz
	1500	78	SAUCEDA
	1800	80	SAUCEDA
	2100	80	SAUCEDA
	2400	80	Brown

SUNDAY

Date	Time	Temp.	Name (Print)
June 16, 2024	0300	69	B. Vang
	0600	69	B. Vang
	0900	73	P. DEMARCO
	1200	75	P. DEMARCO
	1500	75	E. Smith
	1800	75	E. Smith
	2100	74	E. Smith
	2400	70	Quintana

TUESDAY

Date	Time	Temp.	Name (Print)
June 18, 2024	0300	69	Klee
	0600	69	Klee
	0900	72	P. DEMARCO
	1200	74	P. DEMARCO
	1500	75°	C. Padilla
	1800	76°	C. Padilla
	2100	75°	C. Padilla
	2400	70	Klee

THURSDAY

Date	Time	Temp.	Name (Print)
June 20, 2024	0300	74	Lee
	0600	74	REMES
	0900	74	REMES
	1200	75	REYES
	1500	76	SAUCEDA
	1800	76	SAUCEDA
	2100	74	SAUCEDA
	2400	70	Klee

Notes

---



---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 512 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

SATURDAY

Date	Time	Temp.	Name (Print)
June 22, 2024	0300	66 71	LEE
	0600	76	LEYBOS
	0900	71	REYES
	1200	80	REYES
	1500	81	E Smith
	1800	82	E Smith
	2100	82	E Smith
	2400	80	REYES

MONDAY

Date	Time	Temp.	Name (Print)
June 24, 2024	0300	75	A.BROWN
	0600	75	S.SCHAIR
	0900	76	P.DEMARCO
	1200	80	P.DEMARCO
	1500	80	N.ATIGAN
	1800	82	A.A.ATIGAN
	2100	80	ATIGAN
	2400	73	K.C.

WEDNESDAY

Date	Time	Temp.	Name (Print)
June 26, 2024	0300	74	K.C.
	0600	74	K.C.
	0900	76	P.DEMARCO
	1200	78.4	P.DEMARCO
	1500	79	CHESTERSON
	1800	82	SAUCER
	2100	80	CHESTERSON
	2400	77	LEE

FRIDAY

Date	Time	Temp.	Name (Print)
June 28, 2024	0300	73	Bronce
	0600	72	Marevilla
	0900	77	Marevilla
	1200	77	Marevilla
	1500	80	SAUCER
	1800	80	SAUCER
	2100	80	SAUCER
	2400	79	Bronce

SUNDAY

Date	Time	Temp.	Name (Print)
June 23, 2024	0300	75	NEANE
	0600	73	PHILLIPS
	0900	78	DEMARCO
	1200	81	DEMARCO
	1500	82	E Smith
	1800	83	E Smith
	2100	81	E Smith
	2400	76	NEANE

TUESDAY

Date	Time	Temp.	Name (Print)
June 25, 2024	0300	73	K.C.
	0600	75	K.C.
	0900	78	P.DEMARCO
	1200	80	P.DEMARCO
	1500	82	D.SAUER
	1800	83	SAUCER
	2100	78	SAUCER
	2400	73	K.C.

THURSDAY

Date	Time	Temp.	Name (Print)
June 27, 2024	0300	73	
	0600	79	A.CUNN
	0900	80	A.CUNN
	1200	81	A.CUNN
	1500	81	D.SAUER
	1800	80	D.SAUER
	2100	78	D.SAUER
	2400	74	A.BROWNE

Notes

---



---



---



---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 512 Temp. Reading Location: Dayroom,A,B,C,D WINGS  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

SATURDAY

Date	Time	Temp.	Name (Print)
June 29, 2024	0300	78	A. DANIEL
	0600	77	M. DANIEL
	0900	80	M. DANIEL
	1200	81	M. DANIEL
	1500	81	L. CORTES
	1800	81	L. CORTES
	2100	80	L. CORTES
	2400	79	A. BANISTER

0

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
June 30, 2024	0300	78	A. BANISTER
	0600	75	J. VIGEN
	0900	77	J. VIGEN
	1200	80	J. VIGEN
	1500	81	A. AREZUALA
	1800	81	A. AREZUALA
	2100	80	A. AREZUALA
	2400	79	E. HAGLANDER

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---



---