

## Monthly Summary Report

Institution: VSP

### Memorandum

Date: September 4, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - August 2024

The following is a summary of the heat related activity for the month of August 2024,  
at VSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 25

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

OBrian Bailey

Warden Name

DocuSigned by:



C38F99DD0FB04D2...

Warden Signature

Raul Recarey

Chief Executive Officer Name

DocuSigned by:



8D98140428E6442...

Chief Executive Officer Signature

INSTITUTION: VALLEY STAT PRISON (VSP)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08-01-2024	0100	72	J. magdaleno
	0200	72	J. magdaleno
	0300	69	J. magdaleno
	0400	69	J. magdaleno
	0500	69	J. magdaleno
	0600	69	VASSUEZ
	0700	70	VASSUEZ
	0800	71	VASSUEZ
	0900	74	Gutierrez
	1000	80	Gutierrez
	1100	84	Gutierrez
	1200	88	Gutierrez
	1300	92	Gutierrez
	1400	95	Gutierrez
	1500	93	Gutierrez
	1600	97	Gutierrez
	1700	99	BALDWIN
	1800	98	M. BASLER
	1900	94	M. BASLER
	2000	88	M. BASLER
	2100	87	M. BASLER
	2200	84	K. Sacteurn
	2300	81	K. Sacteurn
	2400	80	K. Sacteurn

80° 1000

90° Stage 1 Activated 1230

Date	Time	Temp.	Printed Name
08-02-2024	0100	79	K. Sacteurn
	0200	76	K. Sacteurn
	0300	75	K. Sacteurn
	0400	77	K. Sacteurn
	0500	75	K. Sacteurn
	0600	75	Gutierrez
	0700	74	Gutierrez
	0800	74	Gutierrez
	0900	75	Gutierrez
	1000	77	Gutierrez
	1100	78	Gutierrez
	1200	83	Gutierrez
	1300	85	Gutierrez
	1400	85	VASSUEZ
	1500	84	VASSUEZ
	1600	84	VASSUEZ
	1700	83	VASSUEZ
	1800	83	VASSUEZ
	1900	81	VASSUEZ
	2000	80	VASSUEZ
	2100	78	Saldinvar
	2200	77	MORAR
	2300	76	MORAR
	2400	76	MORAR

80° 1115

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION: VALLEY STAT PRISON (VSP)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
J N M O	0100	72	MURAR
	0200	72	Molnar
	0300	72	MURAR
	0400	72	MURAR
	0500	71	MURAR
	0600	70	Gutierrez
	0700	73	Gutierrez
	0800	77	Gutierrez
	0900	79	RAMOS
	1000	83	Gutierrez
	1100	85	Gutierrez
	1200	90	Gutierrez
	1300	92	Gutierrez
	1400	96	m Medina
	1500	96	m Medina
	1600	99	m Medina
	1700	100	m Medina
	1800	99	m Medina
	1900	98	m Medina
	2000	93	m Medina
	2100	89	m Medina
	2200	85	S-NORON
	2300	92	T-Simon
	2400	80	T-Simon

Date	Time	Temp.	Printed Name
J N M O	0100	79	T-Simon
	0200	78	T-Simon
	0300	76	T-Simon
	0400	76	T-Simon
	0500	75	T-Simon
	0600	70	Gutierrez
	0700	72	Gutierrez
	0800	76	Gutierrez
	0900	78	Gutierrez
	1000	83	A.Rodriguez
	1100	87	A.Rodriguez
	1200	91	Gutierrez
	1300	93	Gutierrez
	1400	97	m Medina
	1500	98	m Medina
	1600	98	m Medina
	1700	100	m Medina
	1800	99	A.Rodriguez
	1900	97	m Medina
	2000	92	m Medina
	2100	86	m Medina
	2200	83	S-NORON
	2300	82	S-NORON
	2400	71	S-NORON

80° 0920

90° Stage 1 Activated 1200

89° Stage 1 deactivated at 2100

DISTRIBUTION: Original: Institution Heat Plan Coordinator

80° 0925

(110) 90° Stage 1 Heat Alert Siren

Stage 1 deactivated at 2030 89°

INSTITUTION: VALLEY STAT PRISON (VSP)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-24-08	0100	71	S. NOVOT
	0200	72	S. NOVOT
	0300	72	S. NOVOT
	0400	70	S. NOVOT
	0500	70	S. NOVOT
	0600	70	K. CHARFAURUS
	0700	70	K. CHARFAURUS
	0800	73	K. CHARFAURUS
	0900	78	K. CHARFAURUS
	1000	86	K. CHARFAURUS
	1100	87	K. CHARFAURUS
	1200	88	K. CHARFAURUS
	1300	93	K. CHARFAURUS
	1400	98	K. CHARFAURUS
	1500	98	A. Valle
	1600	98	A. Valle
	1700	98	A. Valle
	1800	99	A. Valle
	1900	92	A. Valle
	2000	90	A. Valle
	2100	84	A. Valle
	2200	83	L. RAMOS
	2300	81	L. RAMOS
	2400	79	L. RAMOS

Date	Time	Temp.	Printed Name
5-24-08	0100	77	L. RAMOS
	0200	74	L. RAMOS
	0300	72	L. RAMOS
	0400	70	L. RAMOS
	0500	69	L. RAMOS
	0600	78	m medina
	0700	72	m medina
	0800	75	m medina
	0900	77	m medina
	1000	80	medina
	1100	87	medina
	1200	90	medina
	1300	93	medina
	1400	99	J. Herring
	1500	100	J. Herring
	1600	101	J. Herring
	1700	99	J. Herring
	1800	97	J. Herring
	1900	96	J. Herring
	2000	87	J. Herring
	2100	84	J. Herring
	2200	81	RVASQUEZ
	2300	81	RVASQUEZ
	2400	80	RVASQUEZ

Stage ONE Heat Alert Activated @ 0245

1140 Stage 1 heat Alert 90°

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: VALLEY STAT PRISON (VSP)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-7-24	0100	76	RVASQUEZ
	0200	75	RVASQUEZ
	0300	72	RVASQUEZ
	0400	70	RVASQUEZ
	0500	72	RVASQUEZ
	0600	71	Gutierrez
	0700	71	VASQUEZ
	0800	74	Gutierrez
	0900	81	Gutierrez
	1000	86	Gutierrez
	1100	90	Gutierrez
	1200	95	Gutierrez
	1300	100	VASQUEZ
	1400	103	VASQUEZ
	1500	105	Z. MEZA
	1600	106	Z. MEZA
	1700	103	Z. MEZA
	1800	96	Z. MEZA
	1900	94	Z. MEZA
	2000	92	Z. MEZA
	2100	88	Z. MEZA
	2200	85	Z. MEZA
	2300	88	L. Sacturno
	2400	80	L. Sacturno

80° 0845

90° Stage 1 Activated 1100  
DEACTIVATED @ 2040

Date	Time	Temp.	Printed Name
8-7-24	0100	77	L. Sacturno
	0200	75	L. Sacturno
	0300	74	L. Sacturno
	0400	73	L. Sacturno
	0500	76	X. VARGAS
	0600	70	X. VARGAS
	0700	69	VASQUEZ
	0800	74	VASQUEZ
	0900	78	Gutierrez
	1000	81	Gutierrez
	1100	87	Gutierrez
	1200	92	Gutierrez
	1300	94	VASQUEZ
	1400	98	VASQUEZ
	1500	100	Z. MEZA
	1600	100	Z. MEZA
	1700	101	Z. MEZA
	1800	99	Z. MEZA
	1900	91	Z. MEZA
	2000	90	Z. MEZA
	2100	84	Z. MEZA
	2200	84	B. OLVERA
	2300	82	B. OLVERA
	2400	82	B. OLVERA

80° 0945

90° 1145 hrs Stage 1 Activated

84° DEACTIVATED @ 2100

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: VALLEY STAT PRISON (VSP)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/9/24	0100	79	B. OLVERA
	0200	76	B. OLVERA
	0300	73	B. OLVERA
	0400	71	B. OLVERA
	0500	70	B. OLVERA
	0600	70	VASQUEZ
	0700	72	VASQUEZ
	0800	73	Gutierrez
	0900	73	Gutierrez
	1000	84	Gutierrez
	1100	88	VASQUEZ
	1200	91	R. MEZA
	1300	94	R. MEZA
	1400	98	R. MEZA
	1500	98	R. MEZA
	1600	99	R. MEZA
	1700	100	R. MEZA
	1800	98	R. MEZA
	1900	91	R. MEZA
	2000	90	R. MEZA
	2100	84	R. MEZA
	2200	80	R. MEZA
	2300	79	V. GONZALES
	2400	75	V. GONZALES

80° 0925

90° 1145 hrs

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**RECEIVED**

AUG 12 2024

CENTRAL SERVICES  
VALLEY STATE PRISON

Date	Time	Temp.	Printed Name
8/10/24	0100	75	R. HERNANDEZ
	0200	73	R. HERNANDEZ
	0300	71	R. HERNANDEZ
	0400	70	R. HERNANDEZ
	0500	69	V. GONZALES
	0600	66	VASQUEZ
	0700	67	Gutierrez
	0800	73	Gutierrez
	0900	80	Gutierrez
	1000	84	Gutierrez
	1100	85	VASQUEZ
	1200	90	Gutierrez
	1300	93	Gutierrez
	1400	95	SAMERI
	1500	94	SHANES
	1600	93	Anacan
	1700	93	Anacan
	1800	93	Anacan
	1900	91	Anacan
	2000	91	Anacan
	2100	86	Anacan
	2200	82	ANACAN
	2300	81	ANACAN
	2400	80	ANACAN

80° 0900

90° Stage 1 Activated 1200

86° 2100 Stage 1 deactivated

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: VALLEY STAT PRISON (VSP)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

8/11/24

Date	Time	Temp.	Printed Name
	0100	76	A. NAVARRO
	0200	74	A. NAVARRO
	0300	72	A. NAVARRO
	0400	72	A. NAVARRO
	0500	71	A. NAVARRO
	0600	71	A. NAVARRO
	0700	72	Gutierrez
	0800	76	Gutierrez
	0900	78	Gutierrez
	1000	82	Gutierrez
	1100	88	Gutierrez
	1200	90	Gutierrez
	1300	91	Gutierrez
	1400	96	S. Soria
	1500	99	S. Soria
	1600	96	S. Soria
	1700	100	S. Soria
	1800	94	S. Soria
	1900	94	S. Soria
	2000	92	S. Soria
	2100	84	S. Soria
	2200	80	S. Soria
	2300	79	S. Soria
	2400	78	S. Soria

Stage 1 Heat Alert 11:00

Stage 1 Heat Alert deactivated 2010

8/11/24

Date	Time	Temp.	Printed Name
	0100	77	Soria
	0200	75	Soria
	0300	74	Soria
	0400	72	Soria
	0500	70	Soria
	0600	71	K. CHARFAURROS
	0700	70	K. CHARFAURROS
	0800	70	K. CHARFAURROS
	0900	74	K. CHARFAURROS
	1000	79	K. CHARFAURROS
	1100	84	K. CHARFAURROS
	1200	87	K. CHARFAURROS
	1300	90	K. CHARFAURROS
	1400	92	Z. MEZA
	1500	92	Z. MEZA
	1600	92	Z. MEZA
	1700	93	Z. MEZA
	1800	88	R. MEZA
	1900	87	VASSQUEZ
	2000	85	R. MEZA
	2100	82	Z. MEZA
	2200	72	S. Soria
	2300	76	S. Soria
	2400	72	S. Soria

Stage 1 Heat Alert @ 1300

DEACTIVATED @ 1900

OUTSIDE TEMPERATURE RECORD  
COCR 203D (04/18)

AN INDEX OF SCAFFOLDING AND ROOFING - 14 -

INSTITUTION: VALLEY STAT PRISON (VSP)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp:	Printed Name
	0100	67	Sorrell
	0200	68	Sorrell
	0300	69	Sorrell
	0400	68	Sorrell
	0500	63	Sorrell
	0600	62	VASQUEZ
	0700	68	m. medina
	0800	70	medina
	0900	74	VASQUEZ
	1000	72	VASQUEZ
	1100	80	VASQUEZ
	1200	82	VASQUEZ
	1300	88	m. medina
	1400	90	R. MEZA
	1500	91	R. MEZA
	1600	91	R. MEZA
	1700	94	B. NAVARRO
	1800	86	KIME, LA
	1900	85	R. MEZA
	2000	88	R. Section
	2100	76	R. Section
	2200	73	R. Section
	2300	72	R. Section
	2400	71	R. Section

Date	Time	Temp:	Printed Name
	0100	76	L. Section
	0200	71	L. Section
	0300	69	L. Section
	0400	67	L. Section
	0500	67	L. Section
	0600	64	VASQUEZ
	0700	67	VASQUEZ
	0800	71	Continues
	0900	74	VASQUEZ
	1000	78	Gitterman
	1100	79	VASQUEZ
	1200	82	L. Section
	1300	85	Gitterman
	1400	84	R. MEZA
	1500	91	R. MEZA
	1600	91	R. MEZA
	1700	95	R. MEZA
	1800	88	R. MEZA
	1900	87	R. MEZA
	2000	83	R. MEZA
	2100	82	R. MEZA
	2200	78	SMITHS
	2300	78	S. Maru
	2400	74	S. Maru

1325 hrs Stage 1 Heat Alert 90°

1900 DEACTIVATED

DISTRIBUTION: Original; Institution Heat Plan Coordinator

80° 1120

90° 1420 Stage 1 Activated

87 1905 Stage 1 deactivated

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
COCR 2030 (04/18)

RECORDED ON CONFORMAL AND RECORDED DATE

INSTITUTION: VALLEY STAT PRISON (VSP)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-15-2024	0100	67	S. M.
	0200	68	S. M.
	0300	69	S. M.
	0400	68	S. M.
	0500	63	S. M.
	0600	66	Gutierrez
	0700	68	Gutierrez
	0800	70	Gutierrez
	0900	74	Gutierrez
	1000	78	Gutierrez
	1100	81	Gutierrez
	1200	83	Gutierrez
	1300	85	B. MONTANA
	1400	88	VASSUEZ
	1500	90	R. MOTA
	1600	94	R. MOTA
	1700	95	R. MOTA
	1800	98	R. MOTA
	1900	81	R. MOTA
	2000	83	R. MOTA
	2100	81	R. MOTA
	2200	78	K. Sastrean
	2300	75	K. Sastrean
	2400	73	K. Sastrean

Date	Time	Temp.	Printed Name
8-16-2024	0100	71	K. Sastrean
	0200	69	K. Sastrean
	0300	69	K. Sastrean
	0400	68	K. Sastrean
	0500	67	K. Sastrean
	0600	62	VASSUEZ
	0700	65	Gutierrez
	0800	70	VASSUEZ
	0900	73	VASSUEZ
	1000	79	VASSUEZ
	1100	82	VASSUEZ
	1200	84	VASSUEZ
	1300	85	Gutierrez
	1400	90	Gutierrez
	1500	90	Gutierrez
	1600	92	MONTANA
	1700	93	MONTANA
	1800	94	MONTANA
	1900	94	MONTANA
	2000	94	MONTANA
	2100	95	MONTANA
	2200	76	D. Rodriguez
	2300	76	D. Rodriguez
	2400	74	D. Rodriguez

1505 Stage 1 heat alert activated 80° 1015  
 2015 Stage 1 heat alert deactivated 90° Stage 3 Activated 1400

DISTRIBUTION: Original Institution Heat Plan Coordinator

INSTITUTION: Valley State Prison (VSP)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/17/24	0100	70	D. RODRIGUEZ
	0200	67	D. RODRIGUEZ
	0300	67	D. RODRIGUEZ
	0400	68	D. RODRIGUEZ
	0500	66	D. RODRIGUEZ
	0600	65	Gutierrez
	0700	67	Gutierrez
	0800	70	VASQUEZ
	0900	73	VASQUEZ
	1000	77	Gutierrez
	1100	80	Gutierrez
	1200	86	Gutierrez
	1300	85	Gutierrez
	1400	89	Anenquin
	1500	90	Anenquin
	1600	90	Anenquin
	1700	80	Anenquin
	1800	88	Anenquin
	1900	85	Anenquin
	2000	71	Anenquin
	2100	78	Anenquin
	2200	76	K. Sactenam
	2300	74	K. Sactenam
	2400	72	K. Sactenam

Date	Time	Temp.	Printed Name
08/18/24	0100	71	K. Sactenam
	0200	70	K. Sactenam
	0300	69	K. Sactenam
	0400	67	K. Sactenam
	0500	65	K. Sactenam
	0600	68	A. Rodriguez
	0700	70	A. Rodriguez
	0800	74	A. Rodriguez
	0900	75	A. Rodriguez
	1000	76	A. Rodriguez
	1100	77	A. Rodriguez
	1200	78	A. Rodriguez
	1300	79	A. Rodriguez
	1400	80	A. Rodriguez
	1500	83	Anenquin
	1600	83	Anenquin
	1700	83	Anenquin
	1800	83	Anenquin
	1900	83	Anenquin
	2000	83	Anenquin
	2100	77	Anenquin
	2200	76	S. Song
	2300	74	S. Song
	2400	72	S. Song

INSTITUTION: V.S. P

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	71	Soria
	0200	70	Soria
	0300	69	Soria
	0400	66	Soria
	0500	65	Soria
	0600	63	K. CHARFAURUS
	0700	66	K. CHARFAURUS
	0800	70	K. CHARFAURUS
	0900	72	K. CHARFAURUS
	1000	75	K. CHARFAURUS
	1100	81	K. CHARFAURUS
	1200	83	K. CHARFAURUS
	1300	86	K. CHARFAURUS
	1400	88	K. CHARFAURUS
	1500	90	R. MEZA
	1600	94	R. MEZA
	1700	92	R. MEZA
	1800	91	R. MEZA
	1900	88	R. MEZA
	2000	87	R. MEZA
	2100	79	R. MEZA
	2200	76	S. Soria
	2300	74	S. Soria
	2400	73	S. Soria

1500 Stage 1 heat activated

Date	Time	Temp.	Printed Name
	0100	72	S. Soria
	0200	73	S. Soria
	0300	71	S. Soria
	0400	70	S. Soria
	0500	68	S. Soria
	0600	65	VASSUEZ
	0700	65	VASSUEZ
	0800	67	VASSUEZ
	0900	69	VASSUEZ
	1000	72	VASSUEZ
	1100	86	VASSUEZ
	1200	87	VASSUEZ
	1300	90	VASSUEZ
	1400	93	J. Henry
	1500	95	J. Henry
	1600	94	J. Henry
	1700	91	J. Henry
	1800	90	J. Henry
	1900	85	Hernandez
	2000	83	I. Sotelo
	2100	82	I. Sotelo
	2200	79	I. Sotelo
	2300	76	I. Sotelo
	2400	74	I. Sotelo

- 1310 HRS STAGE 1 ACTIVATED  
STAGE ONE HEAT DISCONTINUED @ 1900

INSTITUTION: VSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/21/24	0100	71	K Sacturn
	0200	70	K Sacturn
	0300	69	K Sacturn
	0400	68	K Sacturn
	0500	66	K Sacturn
	0600	65	VASQUEZ
	0700	65	VASQUEZ
	0800	68	Gutierrez
	0900	71	Gutierrez
	1000	79	VASQUEZ
	1100	82	Gutierrez
	1200	83	VASQUEZ
	1300	84	JANUSA
	1400	86	R. MEZA
	1500	90	R. MEZA
	1600	88	R. MEZA
	1700	87	R. MEZA
	1800	86	R. MEZA
	1900	84	R. MEZA
	2000	81	R. MEZA
	2100	79	R. MEZA
	2200	78	K Sacturn
	2300	74	K Sacturn
	2400	72	K Sacturn

Date	Time	Temp.	Printed Name
8/22/24	0100	70	K Sacturn
	0200	68	K Sacturn
	0300	68	K Sacturn
	0400	67	K Sacturn
	0500	65	K Sacturn
	0600	64	VASQUEZ
	0700	64	VASQUEZ
	0800	67	VASQUEZ
	0900	70	VASQUEZ
	1000	73	VASQUEZ
	1100	76	VASQUEZ
	1200	78	B. JAMORA
	1300	81	VASQUEZ
	1400	82	VASQUEZ
	1500	87	R. MEZA
	1600	84	R. MEZA
	1700	85	R. MEZA
	1800	84	R. MEZA
	1900	80	R. MEZA
	2000	76	R. MEZA
	2100	74	R. MEZA
	2200	72	K Sacturn
	2300	69	K Sacturn
	2400	68	K Sacturn

80° 1015

90° @ 1505 Stage 1 ACTIVATED

86° @ 1800 DEACTIVATE

OUTSIDE TEMPERATURE RECORD  
COCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: VSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Corridor

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/23/20	0100	66	K. Sactenow
	0200	65	K. Sactenow
	0300	64	K. Sactenow
	0400	63	K. Sactenow
	0500	62	K. Sactenow
	0600	61	Gutierrez
	0700	63	VASQUEZ
	0800	64	VASQUEZ
	0900	67	Gutierrez
	1000	70	Gutierrez
	1100	74	Gutierrez
	1200	73	VASQUEZ
	1300	75	Gutierrez
	1400	77	R. MCGOWAN
	1500	75	Gutierrez
	1600	74	R. MCGOWAN
	1700	73	R. MCGOWAN
	1800	73	R. MCGOWAN
	1900	73	R. MCGOWAN
	2000	73	R. MCGOWAN
	2100	71	R. MCGOWAN
	2200	69	K. Sactenow
	2300	68	K. Sactenow
	2400	67	K. Sactenow
Date	Time	Temp.	Printed Name
5/24/20	0100	67	K. Sactenow
	0200	67	K. Sactenow
	0300	66	K. Sactenow
	0400	66	K. Sactenow
	0500	65	K. Sactenow
	0600	65	VASQUEZ
	0700	67	Gutierrez
	0800	68	Gutierrez
	0900	70	Gutierrez
	1000	73	VASQUEZ
	1100	74	Gutierrez
	1200	75	VASQUEZ
	1300	76	VASQUEZ
	1400	76	VASQUEZ
	1500	79	VASQUEZ
	1600	82	Gutierrez
	1700	79	Gutierrez
	1800	77	Gutierrez
	1900	76	VASQUEZ
	2000	74	Gutierrez
	2100	71	Gutierrez
	2200	71	Gutierrez
	2300	71	Gutierrez
	2400	71	Gutierrez

INSTITUTION:

VSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Centro (Control)

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	67	Aer
	0200	66	Aer
	0300	65	Aer
	0400	64	Aer
	0500	63	Aer
	0600	63	Aer
8/25/24	0700	62	A.Figueroa
	0800	63	A.Figueroa
	0900	65	A.Figueroa
	1000	68	A.Figueroa
	1100	71	A.Figueroa
	1200	75	A.Figueroa
	1300	80	A.Figueroa
	1400	87	Anenguin
	1500	84	Anenguin
	1600	85	Anenguin
	1700	84	Anenguin
	1800	84	Anenguin
	1900	83	Anenguin
	2000	78	Anenguin
	2100	76	Anenguin
	2200	71	S.Song
	2300	68	S.Soria
	2400	67	S.Soria

Date	Time	Temp.	Printed Name
8/26/24	0100	67	S.Soria
	0200	67	S.Soria
	0300	67	S.Soria
	0400	65	S.Soria
	0500	63	S.Soria
	0600	59	S.Soria
	0700	60	K.CHARFAUROS
	0800	67	K.CHARFAUROS
	0900	70	K.CHARFAUROS
	1000	74	K.CHARFAUROS
	1100	77	K.CHARFAUROS
	1200	82	K.CHARFAUROS
	1300	87	K.CHARFAUROS
	1400	88	K.CHARFAUROS
	1500	89	R.MEZIA
	1600	90	R.MEZIA
	1700	90	R.MEZIA
	1800	89	R.MEZIA
	1900	89	R.MEZIA
	2000	84	R.MEZIA
	2100	80	R.MEZIA
	2200	74	S.Song
	2300	73	S.Soria
	2400	69	S.Song

Stage 1 activated @ 1605  
deactivated @ 1800

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

VSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/27/2011	0100	69	Soria
8/27/2011	0200	68	Soria
8/27/2011	0300	67	Soria
8/27/2011	0400	67	Soria
8/27/2011	0500	62	Soria
8/27/2011	0600	63	VASSUEZ
8/27/2011	0700	65	VASSUEZ
8/27/2011	0800	68	VASSUEZ
8/27/2011	0900	71	VASSUEZ
8/27/2011	1000	75	VASSUEZ
8/27/2011	1100	80	VASSUEZ
8/27/2011	1200	83	Mills
8/27/2011	1300	85	VASSUEZ
8/27/2011	1400	91	R. MEZA
8/27/2011	1500	96	R. MEZA
8/27/2011	1600	96	R. MEZA
8/27/2011	1700	96	R. MEZA
8/27/2011	1800	96	R. MEZA
8/27/2011	1900	90	R. MEZA
8/27/2011	2000	86	R. MEZA
8/27/2011	2100	79	R. MEZA
8/27/2011	2200	77	m. farr
8/27/2011	2300	76	m. farr
8/27/2011	2400	76	m. farr

Date	Time	Temp.	Printed Name
8/28/2011	0100	75	m. farr
8/28/2011	0200	74	m. farr
8/28/2011	0300	72	m. farr
8/28/2011	0400	70	m. farr
8/28/2011	0500	67	m. farr
8/28/2011	0600	64	VASSUEZ
8/28/2011	0700	68	VASSUEZ
8/28/2011	0800	69	VASSUEZ
8/28/2011	0900	74	VASSUEZ
8/28/2011	1000	80	Gutierrez
8/28/2011	1100	83	VASSUEZ
8/28/2011	1200	87	Gutierrez
8/28/2011	1300	89	VASSUEZ
8/28/2011	1400	94	Gutierrez
8/28/2011	1500	94	R. MEZA
8/28/2011	1600	97	R. MEZA
8/28/2011	1700	98	R. MEZA
8/28/2011	1800	96	R. MEZA
8/28/2011	1900	92	R. MEZA
8/28/2011	2000	87	R. MEZA
8/28/2011	2100	83	R. MEZA
8/28/2011	2200	78	IC Sactenow
8/28/2011	2300	76	IC Sactenow
8/28/2011	2400	74	IC Sactenow

Stage 1 heat alert activated

@ 1311

DEACTIVATED @ 2000

DISTRIBUTION: Original: Institution Heat Plan Coordinator

80° 1000

90° Stage 1 Activated 1310  
deactivated @ 2030

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: VSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: (Central) Control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/24	0100	74	K Saetrum
5/24	0200	72	K Saetrum
5/24	0300	69	K Saetrum
5/24	0400	68	K Saetrum
5/24	0500	66	K Saetrum
5/24	0600	65	Gutierrez
5/24	0700	65	Gutierrez
5/24	0800	68	Gutierrez
5/24	0900	71	Gutierrez
5/24	1000	76	R. MEZA
5/24	1100	80	R. MEZA
5/24	1200	85	R. MEZA
5/24	1300	86	R. MEZA
5/24	1400	90	R. MEZA
5/24	1500	93	R. MEZA
5/24	1600	96	R. MEZA
5/24	1700	96	R. MEZA
5/24	1800	90	R. MEZA
5/24	1900	90	R. MEZA
5/24	2000	83	R. MEZA
5/24	2100	81	R. MEZA
5/24	2200	78	K Saetrum
5/24	2300	76	K Saetrum
5/24	2400	73	K Saetrum

80° 1100

90° @ 1400 Stage 1

83° @ 2020 DE ACTIVATION

Date	Time	Temp.	Printed Name
5/25	0100	71	K Saetrum
5/25	0200	68	K Saetrum
5/25	0300	67	K Saetrum
5/25	0400	67	K Saetrum
5/25	0500	66	K Saetrum
5/25	0600	64	Gutierrez
5/25	0700	64	Gutierrez
5/25	0800	68	VASQUEZ
5/25	0900	72	Gutierrez
5/25	1000	75	VASQUEZ
5/25	1100	80	Gutierrez
5/25	1200	83	Gutierrez
5/25	1300	86	Gutierrez
5/25	1400	90	A. MEZA
5/25	1500	91	VASQUEZ
5/25	1600	91	Hernandez
5/25	1700	90	Hernandez
5/25	1800	84	Hernandez
5/25	1900	89	Hernandez
5/25	2000	88	Hernandez
5/25	2100	81	Hernandez
5/25	2200	80	B. OLVERA
5/25	2300	80	B. OLVERA
5/25	2400	78	B. OLVERA

80° 1100

1400 Heat Alert Activated

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

VSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: central control

Immediately notify the Watch Commander at extension 5323 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/31/2024	0100	76	B. Olivera
	0200	73	B. Olivera
	0300	70	B. Olivera
	0400	68	B. Olivera
	0500	67	B. Olivera
	0600	68	VASQUEZ
	0700	66	Gutierrez
	0800	68	Gutierrez
	0900	73	VASQUEZ
	1000	77	Gutierrez
	1100	79	VASQUEZ
	1200	83	Gutierrez
	1300	87	Gutierrez
	1400	91	Anenguin
	1500	93	J. Rodriguez
	1600	93	Anenguin
	1700	96	Anenguin
	1800	91	Anenguin
	1900	93	Anenguin
	2000	85	Anenguin
	2100	83	Anenguin
	2200	78	F. COLDENOW
	2300	77	F. COLDENOW
	2400	75	F. COLDENOW

Date	Time	Temp.	Printed Name
9-1-2024	0100	74	F. COLDENOW
	0200	73	F. COLDENOW
	0300	71	F. COLDENOW
	0400	70	F. COLDENOW
	0500	68	N. Martinez
	0600	67	Gutierrez
	0700	67	Gutierrez
	0800	69	Gutierrez
	0900	72	Gutierrez
	1000	77	Gutierrez
	1100	80	Gutierrez
	1200	85	Gutierrez
	1300	88	Gutierrez
	1400	91	Anenguin
	1500	93	Anenguin
	1600	98	Anenguin
	1700	95	Anenguin
	1800	95	Anenguin
	1900	84	Anenguin
	2000	84	Anenguin
	2100	82	Anenguin
	2200	78	S. Song
	2300	77	S. Song
	2400	76	S. Song

420 Heat Alert Activated  
2024 heat alert deactivated

1410 Heat Alert Activated  
deactivated 02/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A1 - 313 Temp. Reading Location: officers station  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
5-1-24	0300	71	
	0600	72	M. Renteria
	0900	73	T. Greta
	1200	76	M. Renteria
	1500	78	K. Hall
	1800	79	K. Hall
	2100	78	K. Hall
	2400	70	Thao

**Friday**

Date	Time	Temp.	Name (Print)
5-2-24	0300	73	Thao
	0600	73	K. CHAUHAN
	0900	73	K. CHAUHAN
	1200	74	K. CHAUHAN
	1500	76	J. Guzman
	1800	77	J. Guzman
	2100	77	K. Hall
	2400	75	Thao

**Saturday**

Date	Time	Temp.	Name (Print)
5-3-24	0300	75	J. Saldana
	0600	72	M. Renteria
	0900	76	M. Renteria
	1200	78	M. Renteria
	1500	79	K. CHAUHAN
	1800	80	J. Cerdas
	2100	79	K. CHAUHAN
	2400	77	J. Saldana

**Sunday**

Date	Time	Temp.	Name (Print)
5-4-24	0300	74	J. Saldana
	0600	72	T. Greta
	0900	74	T. Greta
	1200	77	T. Greta
	1500	79	J. Guzman
	1800	81	J. Guzman
	2100	79	J. Guzman
	2400	76	J. Saldana

**Notes**

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A2 Temp. Reading Location: COP Shop  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
7-1-24	0300	73	D. PASCUAL
	0600	72	D. PASCUAL
	0900	73	A. Delafuente
	1200	76	D. PASCUAL
	1500	78	Thao
	1800	78	Thao
	2100	78	Thao
	2400	74	D. PASCUAL

**Friday**

Date	Time	Temp.	Name (Print)
7-2-24	0300	74	D. PASCUAL
	0600	73	O. Castille
	0900	74	O. Castille
	1200	75	O. Castille
	1500	76	K. Chauhan
	1800	77	K. Chauhan
	2100	76	K. Chauhan
	2400	76	D. PASCUAL

**Saturday**

Date	Time	Temp.	Name (Print)
7-3-24	0300	75	D. PASCUAL
	0600	75	D. PASCUAL
	0900	75	Wheathy
	1200	78	Wheathy
	1500	78	J. Magdaleno
	1800	79	J. Magdaleno
	2100	78	J. Magdaleno
	2400	76	D. PASCUAL

**Sunday**

Date	Time	Temp.	Name (Print)
7-4-24	0300	74	D. PASCUAL
	0600	73	A. Chavez
	0900	75	Wheathy
	1200	77	A. Chavez
	1500	78	A. Chavez
	1800	79	I. Jiwu
	2100	78	I. Jiwu
	2400	76	D. PASCUAL

**Notes**

8-3-24 Stage 1 Heat @ 1200  
 8-4-24 Stage 1 Heat Alert @ 1140

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top-tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 501 Housing Unit: A3

Temp. Reading Location: C A B  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	75	<u>R. Olivarez</u>	
0600	75	<u>Rodriguez</u>	
0900	77	<u>Bergman</u>	
1200	74	<u>Bergman</u>	
1500	77	<u>Hinchliffe</u>	
1800	78	<u>Mashick</u>	
2100	78	<u>Mashick</u>	
2400	79	<u>R. Olivarez</u>	

Wednesday

Date	Time	Temp.	Name (Print)
0300	74	<u>R. Olivarez</u>	
0600	75	<u>Rodriguez</u>	
0900	76	<u>Rodriguez</u>	
1200	76	<u>Rodriguez</u>	
1500	78	<u>Smith</u>	
1800	78	<u>Smith</u>	
2100	78	<u>Smith</u>	
2400	77	<u>R. Olivarez</u>	

Friday

Date	Time	Temp.	Name (Print)
0300	75	<u>R. Olivarez</u>	
0600	75	<u>Rodriguez</u>	
0900	76	<u>Rodriguez</u>	
1200	77	<u>Rodriguez</u>	
1500	78	<u>Smith</u>	
1800	78	<u>Smith</u>	
2100	77	<u>Smith</u>	
2400	79	<u>R. Olivarez</u>	

Sunday

Date	Time	Temp.	Name (Print)
0300	74	<u>S. Rodriguez</u>	
0600	75	<u>Castellano</u>	
0900	74	<u>Castellano</u>	
1200	77	<u>Castellano</u>	
1500	82	<u>B. Voreck</u>	
1800	80	<u>B. Voreck</u>	
2100	78	<u>B. Voreck</u>	
2400	77	<u>S. Rodriguez</u>	

Tuesday

Date	Time	Temp.	Name (Print)
0300	78	<u>R. Olivarez</u>	
0600	76	<u>Smith</u>	
0900	76	<u>Smith</u>	
1200	77	<u>Smith</u>	
1500	79	<u>Smith</u>	
1800	79	<u>Smith</u>	
2100	78	<u>Smith</u>	
2400	78	<u>R. Olivarez</u>	

Thursday

Date	Time	Temp.	Name (Print)
0300	76	<u>R. Olivarez</u>	
0600	75	<u>Smith</u>	
0900	76	<u>Smith</u>	
1200	78	<u>Smith</u>	
1500	79	<u>Smith</u>	
1800	80	<u>Smith</u>	
2100	77	<u>Smith</u>	
2400	78	<u>Smith</u>	

Saturday

Date	Time	Temp.	Name (Print)
0300	74	<u>Smith</u>	
0600	75	<u>Castellano</u>	
0900	76	<u>Castellano</u>	
1200	77	<u>Castellano</u>	
1500	81	<u>Hudson</u>	
1800	81	<u>Hudson</u>	
2100	80	<u>Hudson</u>	
2400	76	<u>Smith</u>	

Notes

8/3/24 Stage 1 heat alert @ 70°  
8/3/24 Stage 1 heat advisory @ 71°  
8/4/24 Stage 1 heat activated @ 71°

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A4 Temp. Reading Location: Control booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/1/14	0300	72	Dentzman
	0600	71	Chilla
	0900	71	Chilla
	1200	74	Lustu
	1500	75	SC Lanna
	1800	76	SC Lanna
	2100	75	SC Lanna
	2400	73	Dentzman

**Friday**

Date	Time	Temp.	Name (Print)
8-2-14	0300	72	Dentzman
	0600	73	Mayerich
	0900	73	Mayerich
	1200	71	B. Viretta
	1500	74	B. Viretta
	1800	74	B. Viretta
	2100	74	B. Viretta
	2400	73	Dentzman

**Saturday**

Date	Time	Temp.	Name (Print)
8-3-14	0300	73	Dentzman
	0600	73	B. Owen
	0900	72	B. Owen
	1200	74	B. Viretta
	1500	76	B. Viretta
	1800	75	B. Viretta
	2100	73	B. Viretta
	2400	73	Dentzman

**Sunday**

Date	Time	Temp.	Name (Print)
8-4-14	0300	73	Dentzman
	0600	72	Groper
	0900	73	Groper
	1200	73	Groper
	1500	75	J. Chase
	1800	74	J. Chase
	2100	73	J. Chase
	2400	73	Dentzman

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A1 - 313 Temp. Reading Location: officers station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-5-24	0300	73	J. Saldivar
	0600	73	T. Gaeta
	0900	74	T. Gaeta
	1200	74	T. Gaeta
	1500	79	K. Hall
	1800	80	K. Hall
	2100	78	K. Hall
	2400	75	J. Saldivar

Tuesday

Date	Time	Temp.	Name (Print)
8-6-24	0300	71	J. Saldivar
	0600	72	T. Gaeta
	0900	73	T. Gaeta
	1200	74	T. Gaeta
	1500	79	K. Hall
	1800	79	K. Hall
	2100	77	K. Hall
	2400	75	J. Saldivar

Wednesday

Date	Time	Temp.	Name (Print)
8-7-24	0300	75	J. Saldivar
	0600	74	T. Gaeta
	0900	76	T. Gaeta
	1200	78	M. Rankin
	1500	79	K. Hall
	1800	80	K. Hall
	2100	78	A. Chavez
	2400	77	J. Saldivar

Thursday

Date	Time	Temp.	Name (Print)
8-8-24	0300	73	Thru
	0600	72	T. Gaeta
	0900	73	T. Gaeta
	1200	75	T. Gaeta
	1500	76	J. Guzman
	1800	77	J. Guzman
	2100	76	J. Guzman
	2400	75	Thru

Friday

Date	Time	Temp.	Name (Print)
8-9-24	0300	72	S. Ruffert
	0600	71	K. Chauhan
	0900	72	M. Renteria
	1200	74	F. Capuzan
	1500	77	J. Galvano
	1800	77	J. Guzman
	2100	77	J. Guzman
	2400	74	S. Ruffert

Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	71	D. Cate
	0600	70	J. Freitas
	0900	72	M. Renteria
	1200	74	M. Renteria
	1500	75	J. Guzman
	1800	77	J. Guzman
	2100	76	J. Guzman
	2400	74	D. Cate

Sunday

Date	Time	Temp.	Name (Print)
8-11-24	0300	73 <sup>15</sup>	ColdSnow
	0600	71	E. Lopez
	0900	75	J. Freitas
	1200	75	J. Freitas
	1500	77	J. Guzman
	1800	77	J. Guzman
	2100	76	J. Guzman
	2400	75	ColdSnow

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A2 Temp. Reading Location: Cop shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-5-24	0300	74	STRUFFERT
	0600	70	P.O'Dell
	0900	71	P.O'Dell
	1200	71	P.O'Dell
	1500	78	P.MANZO
	1800	79	P.MANZO
	2100	77	P.MANZO
	2400	76	STRUFFERT

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	73	P.MANZO
	0600	72	D.ACRE
	0900	73	J.Ambrose
	1200	76	Acre, D
	1500	78	78
	1800	79	79
	2100	79	79
	2400	76	P.MANZO

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	75	D.PASCUAL
	0600	74	Wheatley
	0900	75	Wheatley
	1200	78	Wheatley
	1500	78	P.MANZO
	1800	77	P.MANZO
	2100	77	P.MANZO
	2400	77	D.PASCUAL

Thursday

Date	Time	Temp.	Name (Print)
8-8-24	0300	74	D.PASCUAL
	0600	74	
	0900	75	
	1200	76	
	1500	76	
	1800	76	M.BASIER
	2100	75	M.BASIER
	2400	75	D.PASCUAL

Friday

Date	Time	Temp.	Name (Print)
8-9-24	0300	72	D.PASCUAL
	0600	70	J.Ambrose
	0900	72	J.Ambrose
	1200	74	J.Ambrose
	1500	76	K.CHAUVIN
	1800	77	D.PASCUAL
	2100	76	D.PASCUAL
	2400	74	D.PASCUAL

Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	72	D.PASCUAL
	0600	70	Wheatley
	0900	72	Wheatley
	1200	75	Wheatley
	1500	75	Wheatley
	1800	75	Wheatley
	2100	75	Wheatley
	2400	74	D.PASCUAL

Sunday

Date	Time	Temp.	Name (Print)
8-11-24	0300	72	D.PASCUAL
	0600	72	Wheatley
	0900	73	Wheatley
	1200	76	Wheatley
	1500	76	STRUFFERT
	1800	76	STRUFFERT
	2100	74	STRUFFERT
	2400	74	D.PASCUAL

Notes

8/6/24 1140 am Stage 1

8/9/24 1145 stage 1

8-10-24 stage 1 heat @ approx 120°

2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A3 Temp. Reading Location: CFB  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-5	0300	76	J. Cordon
	0600	77	Balgrove
	0900	78	L. Brown
	1200	79	Balgrove
	1500	83	W. Mansfield
	1800	82	W. Mansfield
	2100	80	W. Mansfield
	2400	78	J. Cordon

**Tuesday**

Date	Time	Temp.	Name (Print)
8-6	0300	74	S. Rodriguez
	0600	74	Balgrove
	0900	80	Balgrove
	1200	94	Balgrove
	1500	80	S. Rodriguez
	1800	81	S. Rodriguez
	2100	80	S. Rodriguez
	2400	78	S. Rodriguez

**Wednesday**

Date	Time	Temp.	Name (Print)
8-7	0300	76	FOLIVANES
	0600	77	Balgrove
	0900	79	Balgrove
	1200	80	Balgrove
	1500	80	Smart
	1800	82	Smart
	2100	80	Smart
	2400	79	FOLIVANES

**Thursday**

Date	Time	Temp.	Name (Print)
8-8	0300	74	FOLIVANES
	0600	74	K. Hall
	0900	75	K. Hall
	1200	78	K. Hall
	1500	79	Smart
	1800	78	Smart
	2100	77	Smart
	2400	78	FOLIVANES

**Friday**

Date	Time	Temp.	Name (Print)
8-9	0300	79	FOLIVANES
	0600	69	D. Hadley
	0900	71	D. Hadley
	1200	75	D. Hadley
	1500	81	Smart
	1800	79	Smart
	2100	78	Smart
	2400	78	FOLIVANES

**Saturday**

Date	Time	Temp.	Name (Print)
8-10	0300	74	G. Canache
	0600	74	Castellano
	0900	74	Castellano
	1200	76	Castellano
	1500	77	G. Canache
	1800	78	G. Canache
	2100	79	G. Canache
	2400	78	G. Canache

**Sunday**

Date	Time	Temp.	Name (Print)
8-11	0300	74	S. Rodriguez
	0600	74	C. Williams
	0900	76	C. Williams
	1200	78	C. Williams
	1500	80	B. Vercher
	1800	78	B. Vercher
	2100	77	B. Vercher
	2400	74	J. Koch

**Notes**

8-5-24 1215 STAGE 1 HEAT ALERT  
8-6-24 1140 STAGE 1 HEAT ALERT  
8-7-24 1100 STAGE 1 HEAT ALERT  
8-9-24 1145 STAGE 1 HEAT ALERT

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A4 Temp. Reading Location: All Cnt  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-6-14	0300	75	J.V.HILL
	0600	74	J.V.HILL
	0900	73, 69, 69, 71	D. HADLEY
	1200	74, 71, 71, 73	D. HADLEY
	1500	75	S. SCHAW
	1800	75	S. SCHAW
	2100	75	S. SCHAW
	2400	74	A. SAMACO

Tuesday

Date	Time	Temp.	Name (Print)
8-6-14	0300	72	A. SAMACO
	0600	72	A. SAMACO
	0900	74	C. Serrano
	1200	74	C. Serrano
	1500	75	S. SCHAW
	1800	75	S. SCHAW
	2100	76	S. SCHAW
	2400	75	D. BURTON

Wednesday

Date	Time	Temp.	Name (Print)
8-7-14	0300	73	D. BURTON
	0600	72	S. SCHAW
	0900	73	S. SCHAW
	1200	74	S. SCHAW
	1500	76	S. SCHAW
	1800	76	S. SCHAW
	2100	77	S. SCHAW
	2400	74	D. BURTON

Thursday

Date	Time	Temp.	Name (Print)
8-8-14	0300	72	D. BURTON
	0600	72	S. SCHAW
	0900	72	S. SCHAW
	1200	73	S. SCHAW
	1500	74	S. SCHAW
	1800	75	S. SCHAW
	2100	74	S. SCHAW
	2400	74	S. SCHAW

Friday

Date	Time	Temp.	Name (Print)
8-9-14	0300	72	S. SCHAW
	0600	73	S. SCHAW
	0900	73	G. Camacho
	1200	75	G. Camacho
	1500	73	B. Velez
	1800	74	B. Velez
	2100	74	B. Velez
	2400	73	S. SCHAW

Saturday

Date	Time	Temp.	Name (Print)
8-10-14	0300	72	S. SCHAW
	0600	72	L. Ramer
	0900	73	L. Ramer
	1200	74	L. Ramer
	1500	73	B. Velez
	1800	73	B. Velez
	2100	73	B. Velez
	2400	73	S. SCHAW

Notes

8-5-14 1215 - STAGE 1 ACTIVATED  
8-7-14 = Stage 1 Heat Alert @ 11:00 hrs

Date	Time	Temp.	Name (Print)
8-11-14	0300	72	S. SCHAW
	0600	74	S. SCHAW
	0900	72	S. SCHAW
	1200	73	S. SCHAW
	1500	73	G. Camacho
	1800	71	G. Camacho
	2100	71	G. Camacho
	2400	70	S. SCHAW

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A1 - 313 Temp. Reading Location: officers Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<i>5/10/24</i>	0300	72	J. Saldívar
	0600	72	T. Gaeta
	0900	72	J. Freitas
	1200	74	J. Freitas
	1500	75	K. Hall
	1800	75	K. Hall
	2100	76	K. Hall
	2400	75	J. Saldívar

#### Tuesday

Date	Time	Temp.	Name (Print)
<i>5/11/24</i>	0300	69	J. Saldívar
	0600	68	T. Gaeta
	0900	69	T. Gaeta
	1200	71	T. Gaeta
	1500	73	K. Hall
	1800	73	K. Hall
	2100	73	K. Hall
	2400	72	J. Saldívar

#### Wednesday

Date	Time	Temp.	Name (Print)
<i>5/12/24</i>	0600	70	G. Sok
	0900	72	G. Sok
	1200	73	G. Sok
	1500	73	K. Hall
	1800	75	K. Hall
	2100	73	K. Hall
	2400	73	J. Saldívar

#### Thursday

Date	Time	Temp.	Name (Print)
<i>5/13/24</i>	0600	69	T. Gaeta
	0900	69	T. Gaeta
	1200	71	G. Sok
	1500	73	K. Hall
	1800	75	O. Cordero
	2100	73	K. Hall
	2400	71	Thru

#### Friday

Date	Time	Temp.	Name (Print)
<i>5/14/24</i>	0600	68	G. Sok
	0900	70	K. Chauhan
	1200	72	K. Chauhan
	1500	73	J. Guerena
	1800	75	J. Guerena
	2100	74	J. Guerena
	2400	71	S. Struffert

#### Saturday

Date	Time	Temp.	Name (Print)
<i>5/15/24</i>	0600	68	J. Freitas
	0900	70	J. Freitas
	1200	72	J. Freitas
	1500	73	J. Guerena
	1800	74	J. Guerena
	2100	74	J. Guerena
	2400	71	J. Saldívar

#### Sunday

Date	Time	Temp.	Name (Print)
<i>5/16/24</i>	0600	69	J. Freitas
	0900	71	J. Freitas
	1200	72	J. Freitas
	1500	74	B. Salazar
	1800	75	B. Salazar
	2100	74	A. Alvarez
	2400	73	J. Saldívar

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A-2 Temp. Reading Location: Cop Shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	72	STRUFFERT
	0600	72	Acreep
	0900	72	J. Anderson
	1200	74	D. ACREE
	1500	75	K. IVY
	1800	76	P. MANZO
	2100	75	P. MANZO
	2400	74	STRUFFERT

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	69	P. MANZO
	0600	69	P. Acree
	0900	68	J. Anderson
	1200	71	J. Anderson
	1500	73	P. MANZO
	1800	75	P. MANZO
	2100	73	P. MANZO
	2400	72	P. MANZO

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	69	D. PASCUAL
	0600	70	J. Anderson
	0900	71	J. Anderson
	1200	72	J. Anderson
	1500	73	P. MANZO
	1800	74	P. MANZO
	2100	74	P. MANZO
	2400	71	D. PASCUAL

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	70	D. PASCUAL
	0600	70	S. Anderson
	0900	74	J. Anderson
	1200	78	J. Anderson
	1500	82	P. MANZO
	1800	76	P. MANZO
	2100	73	P. MANZO
	2400	72	D. PASCUAL

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	70	Thru
	0600	70	Acreep
	0900	71	Anderson
	1200	73	Anderson
	1500	74	K. CHAUVIN
	1800	76	K. CHAUVIN
	2100	75	K. CHAUVIN
	2400	71	Thru

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	70	D. COTTO
	0600	70	Acreep
	0900	69	Escarate, JR
	1200	70	Escarate, JR
	1500	75	J. MAGGIOLEN
	1800	75	J. MAGGIOLEN
	2100	75	J. MAGGIOLEN
	2400	72	D. COTTO

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	70	F. COLDSNOW
	0600	71	Acreep
	0900	71	Acreep
	1200	73	Acreep
	1500	74	STRUFFERT
	1800	75	STRUFFERT
	2100	71	STRUFFERT
	2400	72	F. COLDSNOW

Notes

STAGE 1 Heat 1250 pm 8/12/24

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

2021

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A3 Temp. Reading Location: CAB  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5232 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 17	0300	75	FOLIVANES
	0600	73	J. SANDOVAL
	0900	74	J. SANDOVAL
	1200	74	J. SANDOVAL
	1500	71	W. MANSFIELD
	1800	73	W. MANSFIELD
	2100	77	W. MANSFIELD
	2400	77	FOLIVANES

Tuesday

Date	Time	Temp.	Name (Print)
May 18	0300	71	FOLIVANES
	0600	73, 76, 77	J. SANDOVAL
	0900	68, 71, 72	J. SANDOVAL
	1200	76, 75, 76	J. SANDOVAL
	1500	75	SMITH
	1800	77	SMITH
	2100	75	SMITH
	2400	75	FOLIVANES

Wednesday

Date	Time	Temp.	Name (Print)
May 19	0300	71	FOLIVANES
	0600	70	J. SANDOVAL
	0900	69	J. SANDOVAL
	1200	75	J. SANDOVAL
	1500	76	SMITH
	1800	77	SMITH
	2100	75	SMITH
	2400	76	FOLIVANES

Thursday

Date	Time	Temp.	Name (Print)
May 20	0300	68	FOLIVANES
	0600	70	J. SANDOVAL
	0900	72	J. SANDOVAL
	1200	73	J. SANDOVAL
	1500	75	SMITH
	1800	77	SMITH
	2100	76	SMITH
	2400	75	FOLIVANES

Friday

Date	Time	Temp.	Name (Print)
May 21	0300	61	FOLIVANES
	0600	69	J. SANDOVAL
	0900	71	J. SANDOVAL
	1200	73	J. SANDOVAL
	1500	76	SMITH
	1800	77	SMITH
	2100	75	SMITH
	2400	73	FOLIVANES

Saturday

Date	Time	Temp.	Name (Print)
May 22	0300	68	SMITH
	0600	70	CARRETERO
	0900	72	CARRETERO
	1200	76	CARRETERO
	1500	78	SMITH
	1800	76	SMITH
	2100	75	SMITH
	2400	73	SMITH

Sunday

Date	Time	Temp.	Name (Print)
May 23	0300	71	SMITH
	0600	71	CARRETERO
	0900	72	CARRETERO
	1200	76	CARRETERO
	1500	75	HERNANDEZ
	1800	73	HERNANDEZ
	2100	72	HERNANDEZ
	2400	71	SMITH

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A4 Temp. Reading Location: At Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 52 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	71	J. MUNIZ
	0600	73	J. MUNIZ
	0900	72	S. LIA
	1200	74	C. HOLT
	1500	78	R. TREVINO
	1800	79	R. TREVINO
	2100	75	R. TREVINO
	2400	72	A. SAMACO

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	72	A. SAMACO
	0600	72	A. SAMACO
	0900	70	C. HOLT
	1200	72	C. HOLT
	1500	72	S. LIA
	1800	74	S. LIA
	2100	72	S. LIA
	2400	71	S. LIA

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	70	S. SMITH
	0600	72	S. SMITH
	0900	72	S. SMITH
	1200	72	S. SMITH
	1500	74	S. SMITH
	1800	74	S. SMITH
	2100	74	S. SMITH
	2400	71	S. SMITH

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	72	S. SMITH
	0600	70	S. SMITH
	0900	71	S. SMITH
	1200	72	S. SMITH
	1500	72	V. VANG
	1800	74	V. VANG
	2100	74	V. VANG
	2400	73	S. SMITH

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	67	L. MUNIZ
	0600	67	L. MUNIZ
	0900	70	R. HERNANDEZ
	1200	71	R. HERNANDEZ
	1500	72	B. VERCOTTE
	1800	73	B. VERCOTTE
	2100	73	B. VERCOTTE
	2400	68	L. MUNIZ

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	69	J. CERRON
	0600	69	R. HERNANDEZ
	0900	70	R. HERNANDEZ
	1200	72	R. HERNANDEZ
	1500	73	B. VERCOTTE
	1800	73	B. VERCOTTE
	2100	73	B. VERCOTTE
	2400	70	J. CERRON

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	J. CERRON
	0600	70	J. CERRON
	0900	70	C. HOLT
	1200	72	C. HOLT
	1500	71	S. LIA
	1800	73	S. LIA
	2100	72	S. LIA
	2400	72	C. HOLT

Notes

STAGE 1 HEAT ALERT 1325 - 8/13/24

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A1-313 Temp. Reading Location: officers station  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-19-24	0300	69	J. Saldivar
	0600	68	T. Greta
	0900	68	T. Greta
	1200	80	T. Greta
	1500	80	K. Hall
	1800	81	K. Hall
	2100	77	K. Hall
	2400	73	J. Saldivar

Tuesday

Date	Time	Temp.	Name (Print)
5-20-24	0300	69	J. Saldivar
	0600	68	T. Greta
	0900	74	T. Greta
	1200	76	T. Greta
	1500	80	K. Hall
	1800	79	K. Hall
	2100	77	K. Hall
	2400	73	J. Saldivar

Wednesday

Date	Time	Temp.	Name (Print)
5-21-24	0300	72	J. Saldivar
	0600	69	T. Greta
	0900	69	T. Greta
	1200	76	G. Sae
	1500	80	J. Magdaleno
	1800	82	J. Magdaleno
	2100	78	J. Magdaleno
	2400	73	J. Saldivar

Thursday

Date	Time	Temp.	Name (Print)
5-22-24	0300	69	Thao
	0600	68	G. Sae
	0900	69	G. Sae
	1200	70	K. Saldivar
	1500	78	J. Guzman
	1800	79	J. Guzman
	2100	75	J. Guzman
	2400	73	Thao

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	69	D. Canto
	0600	67	K. Chauhan
	0900	68	K. Chauhan
	1200	69	K. Chauhan
	1500	73	J. Guzman
	1800	72	J. Guzman
	2100	71	J. Guzman
	2400	70	D. Canto

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	68	J. Saldivar
	0600	68	G. Sae
	0900	69	G. Sae
	1200	72	G. Sae
	1500	74	J. Guzman
	1800	75	J. Guzman
	2100	73	J. Guzman
	2400	71	J. Saldivar

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	67	J. Saldivar
	0600	67	T. Greta
	0900	68	T. Greta
	1200	69	J. Frantz
	1500	76	B. Salazar
	1800	76	B. Salazar
	2100	76	B. Salazar
	2400	70	J. Saldivar

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A-2 Temp. Reading Location: Cop Shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-19-24	0300	69	STRUFFERT
	0600	68	O. ORONA
	0900	68	O. ORONA
	1200	69	V. LECOM
	1500	74	P. MANZO
	1800	75	P. MANZO
	2100	73	P. MANZO
	2400	72	STRUFFERT

**Tuesday**

Date	Time	Temp.	Name (Print)
8-20-24	0300	68	P. MANZO
	0600	68	A. RODRIGUEZ
	0900	70	A. RODRIGUEZ
	1200	71	A. RODRIGUEZ
	1500	74	EL
	1800	72	LIMA
	2100	72	LIMA
	2400	71	P. MANZO

**Wednesday**

Date	Time	Temp.	Name (Print)
8-21-24	0300	69	D. PASCUAL
	0600	68	A. RODRIGUEZ
	0900	69	Wheathy
	1200	71	Wheathy
	1500	71	P. MANZO
	1800	74	P. MANZO
	2100	73	P. MANZO
	2400	72	D. PASCUAL

**Thursday**

Date	Time	Temp.	Name (Print)
8-22-24	0300	69	D. PASCUAL
	0600	69	R. HERNANDEZ
	0900	69	R. HERNANDEZ
	1200	71	R. HERNANDEZ
	1500	72	Thos
	1800	73	Thos
	2100	72	Thos
	2400	70	D. PASCUAL

**Friday**

Date	Time	Temp.	Name (Print)
8-23-24	0300	69	D. PASCUAL
	0600	68	F. GONZALEZ
	0900	70	L. SANTILLAN
	1200	69	L. SANTILLAN
	1500	69	Thos
	1800	68	Thos
	2100	68	Thos
	2400	70	D. PASCUAL

**Saturday**

Date	Time	Temp.	Name (Print)
8-24-24	0300	69	D. PASCUAL
	0600	68	Wheathy
	0900	68	Wheathy
	1200	69	Wheathy
	1500	70	Thos
	1800	71	Thos
	2100	70	Thos
	2400	68	D. PASCUAL

**Sunday**

Date	Time	Temp.	Name (Print)
8-25-24	0300	69	D. PASCUAL
	0600	68	Wheathy
	0900	69	Wheathy
	1200	70	Wheathy
	1500	70	K. CHAVARRIA
	1800	71	K. CHAVARRIA
	2100	70	K. CHAVARRIA
	2400	69	D. PASCUAL

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A3 Temp. Reading Location: CAB  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08.20.24	0300	65	FOLIARSES <del>HT</del>
	0600	68	Rodriguez
	0900	71	Rodriguez
	1200	74	Rodriguez
	1500	76	MANGELLO
	1800	75	MANGELLO
	2100	75	MANGELLO
	2400	73	FOLIARSES <del>HT</del>

Tuesday

Date	Time	Temp.	Name (Print)
08.21.24	0300	65	FOLIARSES <del>HT</del>
	0600	67	Rodriguez
	0900	70	Rodriguez
	1200	73	Rodriguez
	1500	75	Santos
	1800	77	Santos
	2100	75	Santos
	2400	73	FOLIARSES <del>HT</del>

Wednesday

Date	Time	Temp.	Name (Print)
08.22.24	0300	66	FOLIARSES <del>HT</del>
	0600	73	Rodriguez
	0900	75	Rodriguez
	1200	76	Rodriguez
	1500	77	Santos
	1800	76	Santos
	2100	75	Santos
	2400	70	FOLIARSES <del>HT</del>

Thursday

Date	Time	Temp.	Name (Print)
08.23.24	0300	66	FOLIARSES <del>HT</del>
	0600	69	Rodriguez
	0900	70	Rodriguez
	1200	72	Rodriguez
	1500	75	Santos
	1800	74	Santos
	2100	73	Santos
	2400	71	FOLIARSES <del>HT</del>

Friday

Date	Time	Temp.	Name (Print)
08.24.24	0300	67	FOLIARSES <del>HT</del>
	0600	68	Rodriguez
	0900	70	Rodriguez
	1200	72	Rodriguez
	1500	71	Santos
	1800	70	Santos
	2100	69	Santos
	2400	68	FOLIARSES <del>HT</del>

Saturday

Date	Time	Temp.	Name (Print)
08.25.24	0300	68	Lopez
	0600	67	Lopez
	0900	68	Castillo
	1200	70	Castillo
	1500	70	G. Contreras
	1800	69	G. Contreras
	2100	67	G. Contreras
	2400	66	Lopez

Sunday

Date	Time	Temp.	Name (Print)
08.26.24	0300	68	S. Rodriguez
	0600	64	Castillo
	0900	70	Castillo
	1200	70	Castillo
	1500	72	B. Vazquez
	1800	71	B. Vazquez
	2100	70	B. Vazquez
	2400	69	S. Rodriguez

Notes

8-20-24 STAGE 1 @ 1300 HHS  
8-21-24 STAGE 1 @ 1505 HHS

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A4 Temp. Reading Location: A, B, C, D  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-19-24	0300	69	A. Delafuente
	0600	69	C. Lutef
	0900	70	C. Lutef
	1200	71	C. Lutef
	1500	73	Schow
	1800	73	Schow
	2100	72	Schow
	2400	71	A. Delafuente

Tuesday			
Date	Time	Temp.	Name (Print)
8-20-24	0300	69	A. Samaco
	0600	69	A. Samaco
	0900	69	C. Lutef
	1200	70	C. Lutef
	1500	71	S. Chau
	1800	72	S. Chau
	2100	71	S. Chau
	2400	71	A. Samaco

Wednesday			
Date	Time	Temp.	Name (Print)
8-21-24	0300	69	D. Gutierrez
	0600	69	C. Lutef
	0900	69	C. Lutef
	1200	70	C. Lutef
	1500	71	S. Chau
	1800	72	S. Chau
	2100	71	S. Chau
	2400	72	D. Gutierrez

Thursday			
Date	Time	Temp.	Name (Print)
8-22-24	0300	68	D. Gutierrez
	0600	68	C. Lutef
	0900	69	C. Lutef
	1200	70	C. Lutef
	1500	70	S. Chau
	1800	71	S. Chau
	2100	70	S. Chau
	2400	68	D. Gutierrez

Friday			
Date	Time	Temp.	Name (Print)
8-23-24	0300	69	D. Gutierrez
	0600	69	C. Lutef
	0900	69	C. Lutef
	1200	69	C. Lutef
	1500	69	B. Vescio
	1800	69	B. Vescio
	2100	68	B. Vescio
	2400	68	D. Gutierrez

Saturday			
Date	Time	Temp.	Name (Print)
8-24-24	0300	69	D. Gutierrez
	0600	68	C. Lutef
	0900	68	C. Lutef
	1200	69	C. Lutef
	1500	71	J. Nunez
	1800	70	J. Nunez
	2100	70	J. Nunez
	2400	68	D. Gutierrez

Sunday			
Date	Time	Temp.	Name (Print)
8-25-24	0300	69	D. Gutierrez
	0600	67	C. Lutef
	0900	69	C. Lutef
	1200	69	C. Lutef
	1500	69	S. Chau
	1800	67	S. Chau
	2100	67	S. Chau
	2400	68	D. Gutierrez

Notes

---



---



---



---



---



---



---



---

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A1 Temp. Reading Location: A, B, C, D, DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5327 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5-22-18	0300	67	J. Saldívar
	0600	68	T. Greta
	0900	70	T. Greta
	1200	75	T. Greta
	1500	79	J. Freitas
	1800	79	J. Freitas
	2100	79	J. Freitas
	2400	72	J. Saldívar

**Tuesday**

Date	Time	Temp.	Name (Print)
5-23-18	0300	72	J. Saldívar
	0600	68	O. Sae
	0900	72	T. Greta
	1200	75	T. Greta
	1500	75	A. Chaver
	1800	75	A. Chaver
	2100	74	A. Chaver
	2400	74	J. Saldívar

**Wednesday**

Date	Time	Temp.	Name (Print)
5-24-18	0300	71	J. Saldívar
	0600	69	O. Sae
	0900	70	T. Greta
	1200	74	O. Sae
	1500	74	A. Chaver
	1800	75	A. Chaver
	2100	74	A. Chaver
	2400	72	J. Saldívar

**Thursday**

Date	Time	Temp.	Name (Print)
5-25-18	0300	70	J. Sae
	0600	68	C. Sae
	0900	69	T. Greta
	1200	73	T. Greta
	1500	75	J. Guerara
	1800	75	J. Guerara
	2100	73	J. Guerara
	2400	70	J. Guerara

**Friday**

Date	Time	Temp.	Name (Print)
5-30-18	0300	68	B. Cox
	0600	68	O. Sae
	0900	69	K. Chauhan
	1200	73	K. Chauhan
	1500	75	J. Guerara
	1800	76	J. Guerara
	2100	75	J. Guerara
	2400	69	B. Cox

**Saturday**

Date	Time	Temp.	Name (Print)
6-1-18	0300	70	J. Saldívar
	0600	69	O. Sae
	0900	70	K. Chauhan
	1200	72	K. Chauhan
	1500	75	J. Guerara
	1800	75	J. Guerara
	2100	72	J. Guerara
	2400	72	J. Saldívar

**Sunday**

Date	Time	Temp.	Name (Print)
6-2-18	0300	77	J. Saldívar
	0600	69	J. Freitas
	0900	70	J. Freitas
	1200	75	J. Freitas
	1500	76	J. Guerara
	1800	78	J. Guerara
	2100	77	J. Guerara
	2400	74	J. Saldívar

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A-2 Temp. Reading Location: A, B, C, D, Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
5/24	0300	68	STRUFFERT
	0600	68	Anderson
	0900	68	Anderson
	1200	72	
	1500	72	J. Freitas
	1800	74	P. Manzo
	2100	73	P. Manzo
	2400	69	STRUFFERT

#### Tuesday

Date	Time	Temp.	Name (Print)
5/25	0300	70	P. manzo
	0600	70	J. Anderson
	0900	69	Wheatley
	1200	73	Wheatley
	1500	74	P. Manzo
	1800	75	P. Manzo
	2100	74	P. Manzo
	2400	71	P. Manzo

#### Wednesday

Date	Time	Temp.	Name (Print)
5/26	0300	71	D. PASCUAL
	0600	71	Wheatley
	0900	71	Wheatley
	1200	73	Anderson
	1500	75	P. Manzo
	1800	76	P. Manzo
	2100	77	P. Manzo
	2400	72	D. PASCUAL

#### Thursday

Date	Time	Temp.	Name (Print)
5/27	0300	70	D. PASCUAL
	0600	70	M. WELLS
	0900	70	M. WELLS
	1200	74	M. WELLS
	1500	75	P. Manzo
	1800	75	P. Manzo
	2100	74	P. Manzo
	2400	72	D. PASCUAL

#### Friday

Date	Time	Temp.	Name (Print)
5/28	0300	71	D. PASCUAL
	0600	70	B. Thao
	0900	73	B. Thao
	1200	73	J. Anderson
	1500	75	Thao
	1800	76	Thao
	2100	75	Thao
	2400	72	D. PASCUAL

#### Saturday

Date	Time	Temp.	Name (Print)
5/29	0300	70	D. PASCUAL
	0600	67	R. ESCOBEDO
	0900	70	R. ESCOBEDO
	1200	70	R. ESCOBEDO
	1500	76	F. COLDSNOW
	1800	76	F. COLDSNOW
	2100	76	F. COLDSNOW
	2400	72	D. PASCUAL

#### Sunday

Date	Time	Temp.	Name (Print)
5/30	0300	72	D. PASCUAL
	0600	67	R. ESCOBEDO
	0900	69	R. ESCOBEDO
	1200	71	R. ESCOBEDO
	1500	76	STRUFFERT
	1800	76	STRUFFERT
	2100	77	STRUFFERT
	2400	73	D. PASCUAL

#### Notes

9-1-24 STAGE 1 @ 1410

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 115P Housing Unit: A-3 Temp. Reading Location: CPB  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/20/24	0300	65	F. OUNAHE
	0600	67	Rodriguez
	0900	68	Rodriguez
	1200	71	L. Serrano
	1500	74	MANSFIELD
	1800	73	MANSFIELD
	2100	72	MANSFIELD
	2400	67	F. OUNAHE

Tuesday

Date	Time	Temp.	Name (Print)
08/21/24	0300	67	F. OUNAHE
	0600	66	Rodriguez
	0900	69	Rodriguez
	1200	72	Rodriguez
	1500	75	Smit
	1800	76	Smit
	2100	75	Smit
	2400	69	F. OUNAHE

Wednesday

Date	Time	Temp.	Name (Print)
08/22/24	0300	68	F. OUNAHE
	0600	70	Smit
	0900	72	Smit
	1200	72	Smit
	1500	76	Smit
	1800	77	Smit
	2100	75	Smit
	2400	71	F. OUNAHE

Thursday

Date	Time	Temp.	Name (Print)
08/23/24	0300	69	Smit
	0600	70	N. Flores
	0900	72	N. Flores
	1200	72	N. Flores
	1500	79	Smit
	1800	78	Smit
	2100	77	Smit
	2400	72	Smit

Friday

Date	Time	Temp.	Name (Print)
08/30/24	0300	69	F. OUNAHE
	0600	71	Rodriguez
	0900	73	Rodriguez
	1200	76	Rodriguez
	1500	81	Smit
	1800	77	Smit
	2100	76	Smit
	2400	75	F. OUNAHE

Saturday

Date	Time	Temp.	Name (Print)
09/01/24	0300	69	F. OUNAHE
	0600	70	C. Hernandez
	0900	71	C. Hernandez
	1200	73	C. Hernandez
	1500	77	G. Gonzalez
	1800	75	G. Gonzalez
	2100	73	G. Gonzalez
	2400	75	G. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

130 STAGE 1 HEAT ALERT 8/27/24  
140 STAGE 1 HEAT ALERT 8/30/24

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: A4 Temp. Reading Location: Control booth  
10180 2323  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 10180 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8-24-24	0300	68	J. HILL
	0600	67	J. HILL
	0900	68	J. HILL
	1200	70	J. HILL
	1500	71	J. HILL
	1800	71	J. HILL
	2100	71	J. HILL
	2400	71	A. Samaco

#### Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	68	A. Samaco
	0600	67	A. Samaco
	0900	68	A. Samaco
	1200	71	A. Samaco
	1500	72	Selain
	1800	72	Selain
	2100	70	Selain
	2400	70	D. Guzman

#### Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	68	D. Guzman
	0600	68	D. Guzman
	0900	69	D. Guzman
	1200	72	D. Guzman
	1500	72	S. Selain
	1800	72	S. Selain
	2100	72	S. Selain
	2400	70	D. Guzman

#### Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	68	D. Guzman
	0600	68	D. Guzman
	0900	69	D. Guzman
	1200	71	D. Guzman
	1500	72	S. Selain
	1800	72	S. Selain
	2100	72	S. Selain
	2400	70	D. Guzman

#### Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	68	D. Guzman
	0600	68	Lynn
	0900	67	Lynn
	1200	68	Lynn
	1500	68	B. Vazquez
	1800	70	B. Vazquez
	2100	71	B. Vazquez
	2400	70	D. Guzman

#### Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	70	D. Guzman
	0600	69	D. Guzman
	0900	70	D. Guzman
	1200	71	D. Guzman
	1500	72	B. Vazquez
	1800	73	B. Vazquez
	2100	73	B. Vazquez
	2400	72	D. Guzman

#### Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B1 (HD) Temp. Reading Location: A, B, C, D + DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	74	E. DURAZO
	0600	73	M. RIOS
	0900	74	M. RIOS
	1200	76	M. RIOS
	1500	79	J. SANCHEZ
	1800	80	J. SANCHEZ
	2100	79	J. SANCHEZ
	2400	75	DURAZO

Friday

Date	Time	Temp.	Name (Print)
8/1/24	0300	73	E. DURAZO
	0600	72	E. DURAZO
	0900	77	P. ODELL
	1200	74	P. ODELL
	1500	77	J. SANCHEZ
	1800	77	J. SANCHEZ
	2100	78	J. SANCHEZ
	2400	74	E. DURAZO

Saturday

Date	Time	Temp.	Name (Print)
8/1/24	0300	74	J. ORAMO
	0600	76	N. RAMIREZ
	0900	77	G. MENDIA
	1200	79	G. MENDIA
	1500	80	J. SANCHEZ
	1800	80	J. SANCHEZ
	2100	80	J. SANCHEZ
	2400	76	J. ORAMO

Sunday

Date	Time	Temp.	Name (Print)
8/1/24	0300	75	W. BENSON
	0600	74	M. RIOS
	0900	74	M. RIOS
	1200	77	M. RIOS
	1500	80	J. SANCHEZ
	1800	82	J. SANCHEZ
	2100	80	J. SANCHEZ
	2400	77	W. BENSON

Notes

8/1/24 STAGE 1 HEAT 1230
8/1/24 STAGE 1 HEAT 1200
8/1/24 H.A. activated @ 1190 hrs

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
C.C.R. 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B2 Temp. Reading Location: COP Shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	70	Rodriguez
	0600	72	Marcus
	0900	73	L-chavez
	1200	77	L-chavez
	1500	78	JLEE
	1800	79	JLEE
	2100	79	JLEE
	2400	72	Rodriguez

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	72	C. Lemos
	0600	73	L-chavez
	0900	73	L-chavez
	1200	74	L-chavez
	1500	77	Rodriguez
	1800	77	P. Gutierrez
	2100	77	Rodriguez
	2400	74	C. Lemos

Saturday 8/4/24

Date	Time	Temp.	Name (Print)
8-3-24	0300	73	F.Yang
	0600	73	Gutierrez
	0900	74	P. Gallego
	1200	77	P. Gallego
	1500	80	Rodriguez
	1800	81	N. ERVIN
	2100	75	F.Yang
	2400	77	F.Yang

Notes

Heat Alert 8/1/24 Activated.  
Heat alert 8/3/24 C/1200  
Heat Alert 8/4/24 C/1140

Date	Time	Temp.	Name (Print)
8-4-24	0300	78	I. Yang
	0600	75	R. Gallego
	0900	76	I. Gallego
	1200	78	Rodriguez
	1500	79	R. Gutierrez
	1800	79	P. Gutierrez
	2100	79	Rodriguez
	2400	77	I. Yang

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B3 Temp. Reading Location: Cop Shop  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
8/1	0600	71	J. TORRES
	0900	73	A. RIVERA
2024	1200	76	A. RIVERA
	1500		Rodriguez
	1800		Rodriguez
	2100		Rodriguez
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	70	J. LEE
	0600	71	J. TORRES
	0900	73	J. TORRES
	1200	76	J. TORRES
	1500	77	Rodriguez
	1800	78	Rodriguez
	2100	79	Rodriguez
	2400	78	J. LEE

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	79	MAYTORRES
	0600	73	Torres
	0900	74	TORRES
	1200	75	TORRES
	1500	77	E. Lopez
	1800	77	C. SANCHEZ
	2100	77	E. Lopez
	2400	76	MAYTORRES

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	75	MAYTORRES
	0600	75	N. LEE
	0900	77	N. LEE
	1200	78	N. LEE
	1500	79	Green
	1800	79	E. LEE
	2100	79	E. LEE
	2400	77	MAYTORRES

**Sunday 08-04-2024**

Date	Time	Temp.	Name (Print)
8/4	0300	75	N. ERVIN
	0600	73	J. SANCHEZ
	0900	75	J. SANCHEZ
	1200	77	J. SANCHEZ
	1500	79	C. Green
	1800	81	C. Green
	2100	80	C. Green
	2400	77	N. ERVIN

**Notes**

8/3/24 STAGE 1 HEAT 12/12

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B4 Temp. Reading Location: COP Shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	73	Boswell
	0600	73	P. Garcia
	0900	75	P. Garcia
	1200	75	P. Garcia
	1500	76	L. Chaver
	1800	77	L. Chaver
	2100	77	L. Chaver
	2400	72	Boswell

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	74	Boswell
	0600	73	MARTINEZ
	0900	73	MARTINEZ
	1200	77	MARTINEZ
	1500	81	O. Corona
	1800	81	O. Corona
	2100	80	O. Corona
	2400	77	Boswell

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	73	A. Lucy
	0600	72	A. Lucy
	0900	79	P. Garcia
	1200	76	P. Garcia
	1500	78	L. Chaver
	1800	79	L. Chaver
	2100	79	L. Chaver
	2400	71	A. Lucy

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	75	Boswell
	0600	75	P. Garcia
	0900	75	P. Garcia
	1200	78	L. Chaver
	1500	79	L. Chaver
	1800	79	L. Chaver
	2100	79	L. Chaver
	2400	76	Boswell

Notes

---

---

---

---

---

---

---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B-1 Temp. Reading Location: A, B, C, D, DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	74	E. DURAZO
	0600	74	G. Andrade
	0900	74	G. Andrade
	1200	77	G. Andrade
	1500	77	W. MAYER
	1800	79	W. MAYER
	2100	78	W. MAYER
	2400	75	E. DURAZO

Wednesday

Date	Time	Temp.	Name (Print)
8/1	0300	76	E. DURAZO
	0600	75	G. Andrade
	0900	76	G. Andrade
	1200	79	G. Andrade
	1500	79	J. LERMA
	1800	79	J. LERMA
	2100	79	J. LERMA
	2400	76	E. DURAZO

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	74	E. DURAZO
	0600	72	G. Andrade
	0900	73	G. Andrade
	1200	74	J. SANCHEZ
	1500	75	J. SANCHEZ
	1800	78	J. SANCHEZ
	2100	77	J. SANCHEZ
	2400	74	E. DURAZO

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	74	W. BENSON
	0600	73	N. RAMIREZ
	0900	74	L. IVY
	1200	77	K. IVY
	1500	77	A. POCH
	1800	78	A. POCH
	2100	77	A. POCH
	2400	75	W. BENSON

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	75	E. DURAZO
	0600	73	G. Andrade
	0900	74	G. Andrade
	1200	75	A. VITERRAS
	1500	78	A. VITERRAS
	1800	79	W. MAYER
	2100	78	W. MAYER
	2400	74	E. DURAZO

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	74	E. DURAZO
	0600	73	G. Andrade
	0900	74	G. Andrade
	1200	76	G. Andrade
	1500	76	J. SANCHEZ
	1800	77	J. SANCHEZ
	2100	77	J. SANCHEZ
	2400	76	E. DURAZO

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	72	W. BENSON
	0600	71	N. RAMIREZ
	0900	72	N. RAMIREZ
	1200	74	N. RAMIREZ
	1500	76	J. SANCHEZ
	1800	77	J. SANCHEZ
	2100	77	J. SANCHEZ
	2400	74	W. BENSON

Notes

- 8/5-24 1215 STG 1 Heat alert
- 8/6-24 1445 Stage 1 Heat alert
- 8/7-24 1100 STAGE 1 HEAT ALERT
- 8/9-24 1145 STAGE 1 Heat Alert
- 8/10-24 1200 Stage 1 HA
- 8/11-24 1300 Stage 1 HA activated

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B2 Temp. Reading Location: COP Shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	75	W.BENSON
	0600	73	Males
	0900	73	Gallina
	1200	75	Males
	1500	79	N.ERWIN
	1800	79	N.ERWIN
	2100	78	N.ERWIN
	2400	77	W.BENSON

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	75	J.Olano
	0600	72	Mary
	0900	73	Gallina
	1200	76	Gallina
	1500	77	J.LEE
	1800	79	J.LEE
	2100	79	J.LEE
	2400	77	J.Olano

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	75	V.Lo
	0600	74	Mary
	0900	75	Gallina
	1200	78	Gallina
	1500	79	J.LEE
	1800	80	J.LEE
	2100	79	J.LEE
	2400	77	V.Lo

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	75	V.Lo
	0600	75	L.chavez
	0900	73	L.chavez
	1200	75	L.chavez
	1500	76	J.LEE
	1800	77	J.LEE
	2100	76	J.LEE
	2400	76	V.Lo

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	73	V.Lo
	0600	71	L.chavez
	0900	72	L.chavez
	1200	77	G.LEE
	1500	77	R.GUTIERREZ
	1800	77	R.GUTIERREZ
	2100	77	R.GUTIERREZ
	2400	74	V.Lo

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	73	V.Lo
	0600	70	R.VASQUEZ
	0900	72	R.VASQUEZ
	1200	73	R.VASQUEZ
	1500	75	R.GUTIERREZ
	1800	77	R.GUTIERREZ
	2100	76	R.GUTIERREZ
	2400	74	V.Lo

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	73	R.GUTIERREZ
	0600	73	R.GUTIERREZ
	0900	74	R.Gutierrez
	1200	75	R.Gutierrez
	1500	77	Gallina
	1800	77	Gallina
	2100	77	Gallina
	2400	75	R.GUTIERREZ

Notes

8-6-24 - Stage 1 @ 1200  
8-9-24 Stage 2 @ 1145  
8-10-24 Stage 1 @ 1200  
8-11-24 Stage I @ 1200  
8-11-24 Deactivated @ 2011

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B3 Temp. Reading Location: COP Shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 08-05-2024

Date	Time	Temp.	Name (Print)
	0300	75	N. ERVIN
	0600	73	J. TORRES
	0900	72	J. TORRES
	1200	74	J. TORRES
	1500	80	A. ULTRERAS
	1800	80	A. ULTRERAS
	2100	79	A. ULTRERAS
	2400	77	NERVIN

Tuesday 08-06-2024

Date	Time	Temp.	Name (Print)
	0300	73	N. ERVIN
	0600	71	D. Wobbel
	0900	74	D. Wobbel
	1200	77	D. Wobbel
	1500	76	Rodriguez
	1800	76	Rodriguez
	2100	78	Rodriguez
	2400	76	N. ERVIN

Wednesday 08-07-2024

Date	Time	Temp.	Name (Print)
	0300	76	JLEE
	0600	74	J. TORRES
	0900	76	J. TORRES
	1200	78	J. TORRES
	1500	77	Lodriguez
	1800	77	Rodriguez
	2100	77	Rodriguez
	2400	77	JLEE

Thursday 08-08-2024

Date	Time	Temp.	Name (Print)
	0300	75	JLEE
	0600	72	A. ROCHA
	0900	73	A. ROCHA
	1200	75	A. ROCHA
	1500	76	Green
	1800	77	Green
	2100	76	Green
	2400	76	JLEE

Friday 08-09-2024

Date	Time	Temp.	Name (Print)
	0300	71	MAGDALENO
	0600	72	J. TORRES
	0900	73	J. TORRES
	1200	75	J. TORRES
	1500	77	J. MAGDALENO
	1800	77	J. MAGDALENO
	2100	77	J. MAGDALENO
	2400	76	MAGDALENO

Saturday 08-10-2024

Date	Time	Temp.	Name (Print)
	0300	69	MAGDALENO
	0600	70	D. Wobbel
	0900	74	D. Wobbel
	1200	74	D. Wobbel
	1500	75	K. CHAUHAN
	1800	76	K. CHAUHAN
	2100	77	K. CHAUHAN
	2400	75	MAGDALENO

Sunday 08-11-2024

Date	Time	Temp.	Name (Print)
	0300	74	NERVIN
	0600	73	A. ROCHA
	0900	75	A. ROCHA
	1200	76	A. ROCHA
	1500	76	F. CHAVEZ
	1800	77	F. CHAVEZ
	2100	77	F. CHAVEZ
	2400	75	NERVIN

Notes

8/11/24 - STATE 4 HUT 1315 HRS

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: V.S.R Housing Unit: B4 Temp. Reading Location: A,B,C,D,DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/15/24	0300	74	Boswell
	0600	72	J. Prado
	0900	74	J. Prado
	1200	76	S. Prado
	1500	78	S. Prado
	1800	78	S. Prado
	2100	78	S. Prado
	2400	76	Boswell

Tuesday

Date	Time	Temp.	Name (Print)
8/16/24	0300	74	A. Prado
	0600	72	J. Prado
	0900	73	P. Garcia
	1200	75	J. Prado
	1500	77	J. Prado
	1800	76	S. Prado
	2100	76	J. Prado
	2400	77	A. Prado

Wednesday

Date	Time	Temp.	Name (Print)
8/17/24	0300	74	J. Ocampo
	0600	73	J. Prado
	0900	75	P. Garcia
	1200	76	P. Garcia
	1500	80	Mars
	1800	80	Mars
	2100	78	Mars
	2400	76	J. Ocampo

Thursday

Date	Time	Temp.	Name (Print)
8/18/24	0300	73	Boswell
	0600	72	P. Garcia
	0900	74	P. Garcia
	1200	74	R. Gallego
	1500	76	L. Chavez
	1800	77	L. Chavez
	2100	76	L. Chavez
	2400	75	Boswell

Friday

Date	Time	Temp.	Name (Print)
8/19/24	0300	72	Boswell
	0600	73	P. Garcia
	0900	72	R. Gallego
	1200	73	M. Martinez
	1500	76	L. Chavez
	1800	77	L. Chavez
	2100	77	L. Chavez
	2400	75	Boswell

Saturday

Date	Time	Temp.	Name (Print)
8/20/24	0300	71	Boswell
	0600	69	B. Thao
	0900	72	B. Thao
	1200	75	C. Hernandez
	1500	76	I. Vang
	1800	76	I. Vang
	2100	76	I. Vang
	2400	75	Boswell

Sunday

Date	Time	Temp.	Name (Print)
8/21/24	0300	71	Boswell
	0600	72	Martinez
	0900	73	P. Garcia
	1200	76	Martinez
	1500	75	Boswell
	1800	75	Boswell
	2100	75	Boswell
	2400	75	Boswell

Notes

8/18/24 Stage I heat Alert @ 1145

**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SP Housing Unit: B-1 Temp. Reading Location: H, B, C, D, DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300	73	E-DURAZO
	0600	72	G. Andrade
	0900	72	E. Vargas
8/12	1200	71	
	1500	71	
	1800	71	M. Madero
	2100	75	M. Madero
	2400	74	E-DURAZO

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300	70	E-DURAZO
	0600	68	B. Vargas
	0900	70	B. Vargas
8/13	1200	71	
	1500	71	
	1800	71	M. Madero
	2100	71	M. Madero
	2400	71	E-DURAZO

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300	70	E-DURAZO
	0600	70	G. Andrade
	0900	71	G. Andrade
8/14	1200	73	G. Andrade
	1500	75	J. SANCHEZ III
	1800	76	J. SANCHEZ III
	2100	75	J. SANCHEZ III
	2400	71	E-DURAZO

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	72	E-DURAZO
	0600	71	M. Rios
	0900	71	M. Rios
8/15	1200	73	M. Rios
	1500	75	J. SANCHEZ III
	1800	76	J. SANCHEZ III
	2100	75	J. SANCHEZ III
	2400	73	E-DURAZO

**Friday**

Date	Time	Temp.	Name (Print)
	0300	71	E-DURAZO
	0600	70	M. Rios
	0900	71	M. Rios
8/16	1200	73	M. Rios
	1500	75	J. SANCHEZ III
	1800	76	J. SANCHEZ III
	2100	76	J. SANCHEZ III
	2400	72	E-DURAZO

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	72	J. SANCHEZ III
	0600	71	J. SANCHEZ III
	0900	72	M. Rios
8/17	1200	73	M. Rios
	1500	75	J. SANCHEZ III
	1800	76	J. SANCHEZ III
	2100	76	J. SANCHEZ III
	2400	74	J. SANCHEZ III

**Notes**

Date	Time	Temp.	Name (Print)
	0300	72	A. Vazquez
	0600	72	N. Ramirez
	0900	72	A. Rios
8/18	1200	73	M. Rios
	1500	75	C. Lee
	1800	76	C. Lee
	2100	75	J. SANCHEZ III
	2400	74	A. Vazquez

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B2 Temp. Reading Location: Cop Shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/20	0300	73	J. Ocampo
	0600	72	S. Calingo
	0900	72	S. Calingo
	1200	75	S. Calingo
	1500	76	B. Diaz
	1800	77	NERVIN
	2100	76	NERVIN
	2400	74	J. Ocampo

Wednesday

Date	Time	Temp.	Name (Print)
8/14/20	0300	69	V. Lo
	0600	68	Mars
	0900	70	Galingo
	1200	72	Galingo
	1500	74	JLEE
	1800	75	JLEE
	2100	75	JLEE
	2400	72	V. Lo

Friday

Date	Time	Temp.	Name (Print)
8/16/20	0300	71	V. Lo
	0600	68	L. Chavez
	0900	72	L. Chavez
	1200	73	L. Chavez
	1500	75	A. Komisaruk
	1800	76	R. Gallego
	2100	75	R. Gallego
	2400	72	V. Lo

Sunday

Date	Time	Temp.	Name (Print)
8/18/20	0300	75	R. Gallego
	0600	72	R. Gallego
	0900	73	Galingo
	1200	73	Galingo
	1500	75	ERVIN
	1800	76	Romero
	2100	76	ERVIN
	2400	75	Romero

Tuesday

Date	Time	Temp.	Name (Print)
8/15/20	0300	69	J. Ocampo
	0600	68	Mars
	0900	70	Mars
	1200	71	Mars
	1500	73	JLEE
	1800	74	JLEE
	2100	74	JLEE
	2400	73	J. Ocampo

Thursday

Date	Time	Temp.	Name (Print)
8/17/20	0300	71	V. Lo
	0600	70	Mars
	0900	71	L. Chavez
	1200	73	L. Chavez
	1500	74	V. Lo
	1800	75	Romero
	2100	75	Romero
	2400	72	V. Lo

Saturday

Date	Time	Temp.	Name (Print)
8/19/20	0300	72	A. Delafuente
	0600	71	G. Lee
	0900	73	Lee
	1200	75	Lee
	1500	75	Romero
	1800	76	Romero
	2100	77	Romero
	2400	74	A. Delafuente

Notes

Stage 1 Heat Alert @ 1250 HRS  
Stage 1 Heat Alert @ 1320 HRS  
Stage 1 Heat Alert @ 1420 HRS

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B3 Temp. Reading Location: Cop Shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 08-12-2024

Date	Time	Temp.	Name (Print)
	0300	74	N. ERVIN
	0600	72	D. Waddel
	0900	73	D. Waddel
	1200	74	D. Waddel
	1500	75	O. CORONA
	1800	76	O. CORONA
	2100	76	O. CORONA
	2400	75	N. ERVIN

Tuesday 08-13-2024

Date	Time	Temp.	Name (Print)
	0300	70	N. ERVIN
	0600	68	D. Waddel
	0900	70	D. Waddel
	1200	73	D. Waddel
	1500	75	J. MAGDALENO
	1800	74	P. SWIZZ
	2100	75	J. MAGDALENO
	2400	73	N. ERVIN

Wednesday 08-14-2024

Date	Time	Temp.	Name (Print)
	0300	70	J. LEE
	0600	72	Torres
	0900	73	Torres
	1200	74	Torres
	1500	75	J. MAGDALENO
	1800	74	Z. RODRIGUEZ
	2100	75	Z. RODRIGUEZ
	2400	75	J. LEE

Thursday 08-15-2024

Date	Time	Temp.	Name (Print)
	0300	72	J. LEE
	0600	70	A. ROCHA
	0900	71	A. ROCHA
	1200	73	A. ROCHA
	1500	74	R. GALLEGO
	1800	75	R. GALLEGO
	2100	72	J. LEE
	2400	73	J. LEE

Friday 08-16-2024

Date	Time	Temp.	Name (Print)
	0300	69	M. TORRES
	0600	69	A. ROCHA
	0900	70	A. ROCHA
	1200	73	A. ROCHA
	1500	74	I. YAY
	1800	72	I. YAY
	2100	75	I. YAY
	2400	72	M. TORRES

Saturday 08-17-2024

Date	Time	Temp.	Name (Print)
	0300	71	M. TORRES
	0600	70	V. FORCH
	0900	72	D. WADDLE
	1200	73	V. FORCH
	1500	75	K. CHAPMAN
	1800	76	C. ESCALANTE
	2100	76	K. CHAPMAN
	2400	73	M. TORRES

Sunday 08-18-2024

Date	Time	Temp.	Name (Print)
	0300	73	A. DELAFUENTE
	0600	71	J. SANCHEZ
	0900	73	J. SANCHEZ
	1200	73	J. SANCHEZ
	1500	72	K. CHAPMAN
	1800	72	K. CHAPMAN
	2100	75	D. AITAL
	2400	73	A. DELAFUENTE

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: V.S.R Housing Unit: B4 Temp. Reading Location: A, B, C, D, DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8/12/24</u>	0300	73	Boswell A
	0600	71	J. Prado M
	0900	72	J. Prado M
	1200	75	J. Lur M
	1500	75	G. Arredondo P
	1800	75	G. Arredondo P
	2100	75	G. Arredondo P
	2400	75	Boswell P

Tuesday			
Date	Time	Temp.	Name (Print)
<u>8/13/24</u>	0300	69	Morfford M
	0600	67	J. Prado M
	0900	65	P. Lopez M
	1200	70	P. Lopez M
	1500	71	P. Lopez M
	1800	76	J. Prado M
	2100	73	J. Prado M
	2400	70	Morfford M

Wednesday			
Date	Time	Temp.	Name (Print)
<u>8/14/24</u>	0300	69	G. Ocegvera M
	0600	71	G. Ocegvera M
	0900	72	G. Ocegvera M
	1200	72	G. Ocegvera M
	1500	75	G. Ocegvera M
	1800	75	G. Ocegvera M
	2100	72	G. Ocegvera M
	2400	72	G. Ocegvera M

Thursday			
Date	Time	Temp.	Name (Print)
<u>8/15/24</u>	0300	70	J. Duran M
	0600	69	J. Duran M
	0900	70	J. Duran M
	1200	72	J. Duran M
	1500	74	L. Chavez M
	1800	75	N. Lee M
	2100	73	N. Lee M
	2400	72	J. Duran M

Friday			
Date	Time	Temp.	Name (Print)
<u>8/16/24</u>	0300	69	Boswell M
	0600	69	P. Garcia M
	0900	70	P. Garcia M
	1200	72	P. Garcia M
	1500	74	J. Chavez M
	1800	75	L. Chavez M
	2100	72	L. Chavez M
	2400	72	Boswell M

Saturday			
Date	Time	Temp.	Name (Print)
<u>8/17/24</u>	0300	69	Boswell M
	0600	69	P. Garcia M
	0900	70	P. Garcia M
	1200	72	P. Garcia M
	1500	74	E. Martinez M
	1800	75	E. Martinez M
	2100	75	E. Martinez M
	2400	72	Boswell M

Sunday			
Date	Time	Temp.	Name (Print)
<u>8/18/24</u>	0300	71	Boswell M
	0600	70	Martinez M
	0900	70	Martinez M
	1200	74	Boswell M
	1500	75	E. Martinez M
	1800	75	E. Martinez M
	2100	73	E. Martinez M
	2400	73	Boswell M

Notes			
8/14/24 - Stage 1 @ 1420			

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B-1 (HD) Temp. Reading Location: A, B, C, D & D  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	71	A. Lopez
	0600	70	E. Andrade
	0900	72	E. Andrade
	1200	73	E. Andrade
	1500	75	T. Vang
	1800	75	M. Mihal
	2100	71	M. Mihal
	2400	71	A. Lopez

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	69	E. Durazo
	0600	69	E. Vang
	0900	70	E. Vang
	1200	72	B. Vang
	1500	72	VANG
	1800	74	VANG
	2100	74	W. Mihal
	2400	71	E. Durazo

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	69	E. Durazo
	0600	70	B. Vang
	0900	70	B. Vang
	1200	72	B. Vang
	1500	74	J. Sanchez III
	1800	75	J. Sanchez III
	2100	74	J. Sanchez III
	2400	70	E. Durazo

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	70	E. Durazo
	0600	69	M. Rios
	0900	70	M. Rios
	1200	71	M. Rios
	1500	73	J. Sanchez III
	1800	75	J. Sanchez III
	2100	73	J. Sanchez III
	2400	71	E. Durazo

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	70	E. Durazo
	0600	68	M. Rios
	0900	67	J. Leema
	1200	69	M. Rios
	1500	70	J. Sanchez III
	1800	69	J. Sanchez III
	2100	69	J. Sanchez III
	2400	69	E. Durazo

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	68	D. Carter
	0600	67	M. Rios
	0900	68	M. Rios
	1200	69	M. Rios
	1500	71	M. Rios
	1800	72	M. Rios
	2100	70	M. Rios
	2400	69	D. Carter

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	68	W. Benson
	0600	68	M. Rios
	0900	68	M. Rios
	1200	70	M. Rios
	1500	71	A. Rocha
	1800	70	A. Rocha
	2100	69	A. Rocha
	2400	69	W. Benson

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B2 Temp. Reading Location: Cop Shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-19-24	0300	72	D.COURT
0600	71	Mares	
0900	72	M.Wes	
1200	73	G.M.JJ	
1500	75	N.ERVIN	
1800	76	N.ERVIN	
2100	74	J.Vang	
2400	74	N.Corte	

Wednesday

Date	Time	Temp.	Name (Print)
05-21-24	0300	70	V.LO
0600	68	Mares	
0900	69	Mares	
1200	72	M.AHO	
1500	73	J.LEE	
1800	74	J.LEE	
2100	74	J.LEE	
2400	72	V.LO	

Friday

Date	Time	Temp.	Name (Print)
05-23-24	0300	67	A.Varela
0600	67	R.NEZA	
0900	68	J.LEE	
1200	69	J.LEE	
1500	70	F.GUERRERO	
1800	69	R.GALLEGOS	
2100	72	F.GUERRERO	
2400	72	A.Varela	

Sunday

Date	Time	Temp.	Name (Print)
05-25-24	0300	67	R.GALLEGOS
0600	67	R.GALLEGOS	
0900	67	R.GALLEGOS	
1200	70	R.GALLEGOS	
1500	72	N.ERVIN	
1800	72	R.GALLEGOS	
2100	71	R.GALLEGOS	
2400	69	R.GALLEGOS	

Tuesday

Date	Time	Temp.	Name (Print)
05-20-24	0300	67	J.Lee
0600	67	I.Garza	
0900	68	I.Garza	
1200	74	I.Garza	
1500	73	J.LEE	
1800	73	J.LEE	
2100	74	J.LEE	
2400	72	A.Varela	

Thursday

Date	Time	Temp.	Name (Print)
05-22-24	0300	70	J.LEE
0600	64	G.alvarez	
0900	69	G.alvarez	
1200	70	G.alvarez	
1500	72	J.LEE	
1800	74	J.LEE	
2100	73	J.LEE	
2400	71	J.LEE	

Saturday

Date	Time	Temp.	Name (Print)
05-24-24	0300	68	A.Varela
0600	68	R.Gallegos	
0900	68	R.Gallegos	
1200	69	R.Gallegos	
1500	72	R.Gallegos	
1800	72	R.Gallegos	
2100	70	R.Gallegos	
2400	68	A.Varela	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B3 Temp. Reading Location: COP shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 08 - 19 - 2024

Date	Time	Temp.	Name (Print)
0300	71	N. ERVIN	
0600	69	D. Weddel	
0900	70	D. Weddel	
1200	73	D. Weddel	
1500	75	R. TAPIA	
1800	75	R. TAPIA	
2100	74	R. TAPIA	
2400	72	N. ERVIN	

Tuesday 08 - 20 - 2024

Date	Time	Temp.	Name (Print)
0300	69	N. ERVIN	
0600	68	D. Weddel	
0900	71	D. Weddel	
1200	72	D. Weddel	
1500	72	A. Ulterras	
1800	75	A. Ulterras	
2100	74	A. Ulterras	
2400	71	N. ERVIN	

Wednesday 08 - 21 - 2024

Date	Time	Temp.	Name (Print)
0300	70	J. LEE	
0600	67	D. Weddel	
0900	70	D. Weddel	
1200	73	D. Weddel	
1500	75	A. Ulterras	
1800	74	A. Ulterras	
2100	74	A. Ulterras	
2400	72	J. LEE	

Thursday 08 - 22 - 2024

Date	Time	Temp.	Name (Print)
0300	70	J. LEE	
0600	68	A. Rocha	
0900	69	A. Rocha	
1200	72	A. Rocha	
1500	73	G. Lee	
1800	74	M. Lee	
2100	73	J. LEE	
2400	71	J. LEE	

Friday 08 - 23 - 2024

Date	Time	Temp.	Name (Print)
0300	69	M. MAGDALENO	
0600	67	A. Rocha	
0900	68	A. Rocha	
1200	70	A. Rocha	
1500	70	K. CHAVINIAN	
1800	69	K. CHAVINIAN	
2100	69	K. CHAVINIAN	
2400	71	M. MAGDALENO	

Saturday 08 - 24 - 2024

Date	Time	Temp.	Name (Print)
0300	68	M. MAGDALENO	
0600	67	A. Rocha	
0900	68	A. Rocha	
1200	71	A. Rocha	
1500	71	J. MAGDALENO	
1800	72	J. MAGDALENO	
2100	71	J. MAGDALENO	
2400	69	M. MAGDALENO	

Sunday 08 - 25 - 2024

Date	Time	Temp.	Name (Print)
0300	67	N. ERVIN	
0600	67	D. Weddel	
0900	68	D. Weddel	
1200	70	D. Weddel	
1500	71	G. Lee	
1800	71	E. GARCIA	
2100	69	E. GARCIA	
2400	69	N. ERVIN	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: V.S.P Housing Unit: B4 Temp. Reading Location: A, B, C, D, E, R  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	69	Boswell
	0600	68	M-Rios
	0900	68	M-Rios
	1200	71	M-Rios
	1500	72	S-Prado
	1800	71	S-Prado
	2100	71	S-Prado
	2400	71	Boswell

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	69	Mayorowski
	0600	67	S-Prado
	0900	68	S-Prado
	1200	70	S-Prado
	1500	72	S-Prado
	1800	72	S-Prado
	2100	72	S-Prado
	2400	72	MAYOROWSKI

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	67	Alvarez
	0600	67	S-Prado
	0900	69	P-Garcia
	1200	70	P-Garcia
	1500	72	P-Garcia
	1800	74	P-Garcia
	2100	73	P-Garcia
	2400	72	Alvarez

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	68	Boswell
	0600	67	Boswell
	0900	69	Boswell
	1200	71	P-Garcia
	1500	73	N. Lee
	1800	75	N. Lee
	2100	74	N. Lee
	2400	70	Boswell

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	68	Boswell
	0600	67	P-Garcia
	0900	68	P-Garcia
	1200	70	P-Garcia
	1500	68	R-Escobedo
	1800	68	R-Escobedo
	2100	68	R-Escobedo
	2400	70	Boswell

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	68	Boswell
	0600	68	SAMANO
	0900	69	ESCARANTE
	1200	69	ESCARANTE
	1500	70	Sanchez
	1800	72	Sanchez
	2100	70	Sanchez
	2400	68	Boswell

Notes

Date	Time	Temp.	Name (Print)
8/25/24	0300	66	Boswell
	0600	65	MARTINEZ
	0900	69	MARTINEZ
	1200	70	MARTINEZ
	1500	75	C. MANNING
	1800	75	C. MANNING
	2100	78	C. MANNING
	2400	67	Boswell

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B-1 (HD) Temp. Reading Location: A, B, C, D & DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	68	J. LOPEZ
	0600	68	B. Vang
	0900	70	B. Vang
	1200	72	B. Vang
	1500	75	T. YANG
	1800	75	M. Musch
	2100	74	M. Musch
	2400	72	J. LOPEZ

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	70	J. ALVAREZ
	0600	71	B. Vang
	0900	70	B. Vang
	1200	73	B. Vang
	1500	74	J. LOMMA
	1800	74	J. LOMMA
	2100	73	J. LOMMA
	2400	71	J. ALVAREZ

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	72	E. Garcia
	0600	70	B. Vang
	0900	71	B. Vang
	1200	74	B. Vang
	1500	76	J. SANCHEZ II
	1800	77	J. SANCHEZ II
	2100	76	J. SANCHEZ II
	2400	71	E. Garcia

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	70	A. Delafuente
	0600	70	M. RIOS
	0900	70	M. RIOS
	1200	73	M. RIOS
	1500	75	J. SANCHEZ II
	1800	76	J. SANCHEZ II
	2100	75	J. SANCHEZ II
	2400	74	A. Delafuente

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	72	A. Delafuente
	0600	70	M. RIOS
	0900	71	M. RIOS
	1200	73	M. RIOS
	1500	76	J. SANCHEZ II
	1800	76	J. SANCHEZ II
	2100	76	J. SANCHEZ II
	2400	73	A. Delafuente

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	72	J. OCPM
	0600	71	M. RIOS
	0900	71	M. RIOS
	1200	74	M. RIOS
	1500	75	J. LOMMA
	1800	76	J. LOMMA
	2100	78	J. LOMMA
	2400	73	J. OCPM

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B2 Temp. Reading Location: COP Shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-26-24	0300	67	J. Ocampo
	0600	68	Mares
	0900	69	Gaines
	1200	72	Mares
	1500	74	N. ERVIN
	1800	75	B. Vang
	2100	73	B. Vang
	2400	68	J. Ocampo

Tuesday

Date	Time	Temp.	Name (Print)
5-27-24	0300	67	J. Ocampo
	0600	68	Mares
	0900	70	Mares
	1200	72	Gaines
	1500	74	J. LEE
	1800	76	J. LEE
	2100	75	J. LEE
	2400	70	J. Ocampo

Wednesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	71	V. LO
	0600	70	Mares
	0900	71	Mares
	1200	74	Mares
	1500	76	J. LEE
	1800	76	J. LEE
	2100	76	J. LEE
	2400	72	V. LO

Thursday

Date	Time	Temp.	Name (Print)
5-29-24	0300	71	V. LO
	0600	69	Mares
	0900	70	Mares
	1200	73	Mares
	1500	70	J. LEE
	1800	70	J. LEE
	2100	75	J. LEE
	2400	72	V. LO

Friday

Date	Time	Temp.	Name (Print)
5-30-24	0300	71	V. LO
	0600	69	L. Chavez
	0900	69	L. Chavez
	1200	72	L. Chavez
	1500	70	P. G. Lopez
	1800	76	P. G. Lopez
	2100	76	P. G. Lopez
	2400	73	V. LO

Saturday

Date	Time	Temp.	Name (Print)
5-31-24	0300	72	J. LEE
	0600	70	R. Gallegos
	0900	72	R. Gallegos
	1200	74	R. Gallegos
	1500	71	R. Gallegos
	1800	78	R. Gallegos
	2100	70	R. Gallegos
	2400	74	J. LEE

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: B3 Temp. Reading Location: Cop Shop  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 08-26-2024

Date	Time	Temp.	Name (Print)
0300	68	N. ERVIN	
0600	69	J. TORRES	
0900	70	J. TORRES	
1200	72	J. TORRES	
1500	74	R. TAPIA	
1800	75	R. TAPIA	
2100	73	R. TAPIA	
2400	69	N. ERVIN	

Tuesday 08-27-2024

Date	Time	Temp.	Name (Print)
0300	70	N. ERVIN	
0600	71	A. ALVAREZ	
0900	72	A. ALVAREZ	
1200	72	A. ALVAREZ	
1500	75	R. TAPIA	
1800	75	R. TAPIA	
2100	75	R. TAPIA	
2400	72	N. ERVIN	

Wednesday 08-28-2024

Date	Time	Temp.	Name (Print)
0300	72	J. LEE	
0600	69	J. TORRES	
0900	71	J. TORRES	
1200	73	J. TORRES	
1500	75	R. TAPIA	
1800	74	R. TAPIA	
2100	74	R. TAPIA	
2400	73	J. LEE	

Thursday 08-29-2024

Date	Time	Temp.	Name (Print)
0300	70	J. LEE	
0600	70	J. SANCHEZ	
0900	71	J. SANCHEZ	
1200	73	J. SANCHEZ	
1500	75	R. TAPIA	
1800	76	R. TAPIA	
2100	75	R. TAPIA	
2400	72	J. LEE	

Friday 08-30-2024

Date	Time	Temp.	Name (Print)
0300	70	MAYTORSLIA	
0600	69	A. ROCHA	
0900	70	A. ROCHA	
1200	74	A. ROCHA	
1500	76	R. TAPIA	
1800	77	R. TAPIA	
2100	74	R. TAPIA	
2400	72	MAYTORSLIA	

Saturday 08-31-2024

Date	Time	Temp.	Name (Print)
0300	72	MAYTORSLIA	
0600	71	A. ROCHA	
0900	73	A. ROCHA	
1200	73	A. ROCHA	
1500	75	O. CASAL	
1800	77	O. CASAL	
2100	76	O. Castillo	
2400	75	MAYTORSLIA	

Sunday 09-01-2024

Date	Time	Temp.	Name (Print)
0300	73	N. ERVIN	
0600	72	A. ROCHA	
0900		A. ROCHA	
1200		A. ROCHA	
1500			
1800			
2100			
2400	75	N. ERVIN	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: V.S.P Housing Unit: B4 Temp. Reading Location: A, B, C, D, DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	68	Boswell
	0600	69	M. Rios
	0900	69	M. Rios
	1200	71	J. Prado
	1500	78	E. Ramirez
	1800	78	E. Ramirez
	2100	77	E. Ramirez
	2400	67	Boswell

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	71	M. Rios
	0600	68	S. Pinedo
	0900	73	P. Garcia
	1200	75	P. Garcia
	1500	74	S. Martinez
	1800	75	E. Lopez
	2100	75	G. Lopez
	2400	74	M. Rios

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	69	J. Garcia
	0600	69	P. Garcia
	0900	71	P. Garcia
	1200	73	P. Garcia
	1500	75	J. Andino
	1800	77	J. Andino
	2100	75	J. Andino
	2400	72	J. Andino

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	70	Boswell
	0600	69	P. Garcia
	0900	69	P. Garcia
	1200	72	R. Gallego
	1500	75	P. Garcia
	1800	75	L. Chavez
	2100	75	L. Chavez
	2400	68	Boswell

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	70	Boswell
	0600	69	P. Garcia
	0900	70	P. Garcia
	1200	72	P. Garcia
	1500	75	K. Chapman
	1800	76	L. Chavez
	2100	76	L. Chavez
	2400	71	Boswell

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	70	Boswell
	0600	69	L. Chavez
	0900	79	L. Chavez
	1200	80	L. Chavez
	1500	80	L. Chavez
	1800	78	L. Chavez
	2100	77	L. Chavez
	2400	73	Boswell

Sunday

Date	Time	Temp.	Name (Print)
	0300	72	C. Xlong
	0600	71	XXXXXXXXXX
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

2020 STG / HA  
1430 STG / HEAT 8/31/24

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C1 Temp. Reading Location: A, B, C, D, Day Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	74	T.VISS
	0600	73	T.VISS
	0900	74	R.TREVINO
	1200	77	R.TREVINO
	1500	79	ELOZANO
	1800	80	ELOZANO
	2100	79	ELOZANO
	2400	75	T.VISS

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	75	T.VISS
	0600	74	T.VISS
	0900	74	R.TREVINO
	1200	75	O.Schott
	1500	72	J.CARR
	1800	76	R.Gallego
	2100	77	R.Gallego
	2400	75	T.VISS

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	76	A.Corona
	0600	75	A.YAGOB
	0900	74	A.YAGOB
	1200	78	A.YAGOB
	1500	79	J.CARR
	1800	80	D.Anguiano
	2100	79	D.Anguiano
	2400	76	A.Corona

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	74	J.UZBET
	0600	75	J.UZBET
	0900	74	M.LANG
	1200	78	M.LANG
	1500	80	K.CHATHMAN
	1800	82	K.CHATHMAN
	2100	80	K.CHATHMAN
	2400	77	J.UZBET

Notes

Stage 1 Heat Alert 8/3/24 @ 1205 hrs  
014/24 Stage 1 1130

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C-2 Temp. Reading Location: A, B, C, D, DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	75	G.ocegvera
	0600	71	F.Martinez
	0900	75	C.Green
	1200	75	C.Green
	1500	75	S.Gamble
	1800	76	B.Gamble
	2100	76	B.Gamble
	2400	75	G.ocegvera

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	70	VELASCO
	0600	75	G.ocegvera
	0900	74	G.ocegvera
	1200	77	D.Gamble
	1500	74	Maggdalena
	1800	74	Maggdalena
	2100	74	Maggdalena
	2400	77	VELASCO

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	75	A.Delafuente
	0600	75	O.Schett
	0900	77	A.Delafuente
	1200	79	A.Delafuente
	1500	81	S.Gamble
	1800	61	S.Gamble
	2100	60	S.Gamble
	2400	77	A.Delafuente

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	71	J.DURAN
	0600	76	J.DURAN
	0900	75	O.Schett
	1200	78	O.Schett
	1500	78	P.Odell
	1800	79	P.Odell
	2100	77	P.Odell
	2400	78	J.DURAN

Notes:

8-3-24 1205 Stage 1 Heat Alert Activated  
8-4-24 1140 Stage 1 Heat Alert Retired

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VEP Housing Unit: 63 Temp. Reading Location: A, B, C, D + D/E  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	75	M. Petruos
	0600	75	A. Lirang
	0900	75	A. Unary
	1200	76	A. Lirang
	1500	78	C. Carrasco
	1800	78	C. Carrasco
	2100	78	P. Schell
	2400	77	M. Petruos

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	76	M. Petruos
	0600	75	A. Lirang
	0900	77	F. Francisco
	1200	79	A. Lirang
	1500	81	J. Lirang
	1800	81	J. Lirang
	2100	79	J. Lirang
	2400	78	M. Petruos

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/3/24	0300	72	S. Aguilera
	0600	74	reschedule
	0900	75	reschedule
	1200	79	reschedule
	1500	79	M. M. E.
	1800	79	M. M. E.
	2100	79	M. M. E.
	2400	77	M. M. E.

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	77	M. Petruos
	0600	76	A. Lirang
	0900	77	A. Lirang
	1200	79	A. Lirang
	1500	80	C. Carrasco
	1800	80	C. Carrasco
	2100	78	C. Carrasco
	2400	78	M. Petruos

Notes

8/4/24 Stage I Heat alert 1140

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND RE

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C4 Temp. Reading Location: A, B, C, D + DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	74	A. Delafuente
	0600	72	A. Loomy
	0900	73	A. Loomy
	1200	78	A. Loomy
	1500	78	J. Jimenez
	1800	79	Benstein
	2100	79	Benstein
	2400	75	A. Delafuente

Friday

Date	Time	Temp.	Name (Print)
	0300	74	T. Earle
	0600	72	T. Earle
	0900	73	B. Thao
	1200	74	B. Thao
	1500	76	J. Jimenez
	1800	79	Jimenez
	2100	79	Jimenez
	2400	76	T. Earle

Saturday

Date	Time	Temp.	Name (Print)
	0300	75	R. Vandalles
	0600	77	R. Vandalles
	0900	79	R. Vandalles
	1200	79	J. Jimenez
	1500	79	J. Jimenez
	1800	78	J. Jimenez
	2100	78	J. Jimenez
	2400	77	J. Jimenez

Sunday

Date	Time	Temp.	Name (Print)
	0300	75	Talavera
	0600	74	Talavera
	0900	76	Vandalles
	1200	78	Vandalles
	1500	80	C. Leyva
	1800	79	J. Jimenez
	2100	79	C. Leyva
	2400	70	Talavera

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C1 Temp. Reading Location: A, B, C, D, DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/21	0300	73	T. Viss
0600	73	J. Liles	
0900	74	M. Laing	
1200	77	M. Laing	
1500	79	A. Avila	
1800	80	A. Avila	
2100	79	E. Lozano	
2400	73	J. Viss	

Tuesday

Date	Time	Temp.	Name (Print)
8/22	0300	74	T. Viss
0600	73	T. Viss	
0900	73	M. Laing	
1200	76	M. Laing	
1500	79	E. Lozano	
1800	79	E. Lozano	
2100	80	A. Avila	
2400	75	T. Viss	

Wednesday

Date	Time	Temp.	Name (Print)
8/23	0300	76	T. Viss
0600	75	T. Viss	
0900	76	M. Laing	
1200	76	M. Laing	
1500	80	E. Lozano	
1800	80	E. Lozano	
2100	79	E. Lozano	
2400	77	T. Viss	

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	74	T. Viss
0600	71	T. Viss	
0900	73	R. Trevino	
1200	75	R. Trevino	
1500	76	E. Lozano	
1800	73	E. Lozano	
2100	76	E. Lozano	
2400	76	T. Viss	

Friday

Date	Time	Temp.	Name (Print)
8/25	0300	74	T. Viss
0600	72	T. Viss	
0900	73	O. Schott	
1200	75	R. Trevino	
1500	72	O. Schott	
1800	78	O. Schott	
2100	77	O. Schott	
2400	75	T. Viss	

Saturday

Date	Time	Temp.	Name (Print)
8/26	0300	76	C. Cammeras
0600	71	A. Yarouzb	
0900	78	C. Cammeras	
1200	74	A. Yarouzb	
1500	73	A. Villegas	
1800	75	A. Villegas	
2100	73	A. Villegas	
2400	74	C. Cammeras	

Sunday

Date	Time	Temp.	Name (Print)
8/27	0300	74	J. Arezola
0600	73	J. Arezola	
0900	75	M. Laing	
1200	77	M. Laing	
1500	77	O. Schott	
1800	78	O. Schott	
2100	77	O. Schott	
2400	75	J. Arezola	

Notes

8/9/24 1145 St.  
8/10/24 1200  
8-11-24 2011

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C-2 Temp. Reading Location: A, B, C, D, E  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 80 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-5-24	0300	70	J. ARENTE
	0600	74	J. ARENTE
	0900	73	M. VILLE
	1200	73	M. VILLE
	1500	77	P. ODELL
	1800	77	P. ODELL
	2100	75	P. ODELL
	2400	77	J. ARENTE

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	73	D. GARCIA-S
	0600	75	A. RODRIGUEZ
	0900	77	A. RODRIGUEZ
	1200	79	A. RODRIGUEZ
	1500	82	A. RODRIGUEZ
	1800	83	A. RODRIGUEZ
	2100	81	A. RODRIGUEZ
	2400	74	D. GARCIA-S

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	72	D. GARCIA-S
	0600	73	D. GARCIA-S
	0900	73	D. GARCIA-S
	1200	76	A. AVILA
	1500	75	B. BOYETT
	1800	76	B. BOYETT
	2100	75	B. BOYETT
	2400	74	D. GARCIA-S

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	71	D. GARCIA-S
	0600	74	O. SCHOTT
	0900	74	O. SCHOTT
	1200	77	O. SCHOTT
	1500	75	P. ODELL
	1800	75	P. ODELL
	2100	78	P. ODELL
	2400	73	D. GARCIA-S

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	70	J. ARENTE
	0600	74	J. ARENTE
	0900	74	A. AVILA
	1200	73	A. AVILA
	1500	80	A. RODRIGUEZ
	1800	80	A. RODRIGUEZ
	2100	81	A. RODRIGUEZ
	2400	77	J. ARENTE

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	71	J. ARENTE
	0600	70	P. ODELL
	0900	72	P. ODELL
	1200	74	P. ODELL
	1500	77	J. MAGDALENO
	1800	78	J. MAGDALENO
	2100	77	J. MAGDALENO
	2400	73	J. ARENTE

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	69	D. GARCIA-S
	0600	71	O. SCHOTT
	0900	73	O. SCHOTT
	1200	75	O. SCHOTT
	1500	83	M. RODRIGUEZ
	1800	80	M. RODRIGUEZ
	2100	83	M. RODRIGUEZ
	2400	72	D. GARCIA-S

Notes

8/10/24 1200 Star 1  
8-11-24 1200 -

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JKP Housing Unit: C3 Temp. Reading Location: A, B, C, D + D2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/2018	0300	73	E. Olano
	0600	73	E. Olano
	0900	75	A. Lizarraga
	1200	72	Resc/cbs
	1500	80	A. Prasad
	1800	80	A. Prasad
	2100	79	A. Prasad
	2400	77	E. Olano

Tuesday

Date	Time	Temp.	Name (Print)
8/6/2018	0300	75	P. Anguiano
	0600	74	P. Anguiano
	0900	76	Resc/cbs
	1200	78	B. Leggett
	1500	79	A. Basad
	1800	84	A. Basad
	2100	80	A. Basad
	2400	75	P. Anguiano

Wednesday

Date	Time	Temp.	Name (Print)
8/7/2018	0300	76	A. Correa
	0600	76	P. Anguiano
	0900	77	P. Anguiano
	1200	77	Resc/cbs
	1500	80	A. Ulterius
	1800	82	A. Ulterius
	2100	80	A. Ulterius
	2400	76	A. Correa

Thursday

Date	Time	Temp.	Name (Print)
8/8/2018	0300	74	M. Detrus
	0600	74	P. Anguiano
	0900	77	P. Anguiano
	1200	76	D. Anguiano
	1500	77	B. Leggett
	1800	77	B. Leggett
	2100	76	P. Anguiano
	2400	76	M. Detrus

Friday

Date	Time	Temp.	Name (Print)
8/9/2018	0300	74	M. Detrus
	0600	73	A. Liriano
	0900	75	A. Liriano
	1200	76	A. Liriano
	1500	78	I. Ybarra
	1800	78	I. Ybarra
	2100	78	I. Ybarra
	2400	76	M. Detrus

Saturday

Date	Time	Temp.	Name (Print)
8/10/2018	0300	72	M. Detrus
	0600	72	A. Liriano
	0900	73	A. Liriano
	1200	76	A. Liriano
	1500	77	A. Liriano
	1800	77	A. Liriano
	2100	77	A. Liriano
	2400	75	M. Detrus

Notes

Date	Time	Temp.	Name (Print)
8/11/2018	0300	75	M. Detrus
	0600	74	A. Liriano
	0900	75	A. Liriano
	1200	77	A. Liriano
	1500	78	I. Ybarra
	1800	77	I. Ybarra
	2100	79	I. Ybarra
	2400	76	M. Detrus

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND RE-HABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution VSP Housing Unit: C-4 Temp. Reading Location: A, B, C, D, E  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	71	J. Talavera
	0600	73	J. Talavera
	0900	74	J. Chambers
	1200	77	J. Chambers
	1500	78	J. Leyte
	1800	79	Cleova
	2100	78	S. Lopez
	2400	71	J. Talavera

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	71	J. Talavera
	0600	73	J. Talavera
	0900	79	J. Chambers
	1200	77	J. Chambers
	1500	78	J. Jimenez
	1800	81	J. Jimenez
	2100	80	J. Jimenez
	2400	71	J. Talavera

Wednesday

Date	Time	Temp.	Name (Print)
8-7-24	0300	75	J. Talavera
	0600	75	J. Talavera
	0900	75	J. Chambers
	1200	77	C. Leyte
	1500	79	C. Leyte
	1800	81	C. Leyte
	2100	79	C. Leyte
	2400	70	J. Talavera

Thursday

Date	Time	Temp.	Name (Print)
8-8-24	0300	74	A. Long
	0600	72	A. Long
	0900	72	A. Long
	1200	75	A. Long
	1500	76	Bernstein
	1800	76	Bernstein
	2100	76	Bernstein
	2400	74	A. Long

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	71	EARL
	0600	70	Hernandez
	0900	73	A. Rodriguez
	1200	75	A. Rodriguez
	1500	76	J. Jimenez
	1800	78	J. Jimenez
	2100	74	EARL
	2400	73	EARL

Saturday

Date	Time	Temp.	Name (Print)
8/11/24	0300	72	P. Anguiano
	0600	70	P. Anguiano
	0900	69	P. Anguiano
	1200	71	P. Anguiano
	1500	76	C. Leyte
	1800	76	C. Leyte
	2100	76	C. Leyte
	2400	75	P. Anguiano

Sunday

Date	Time	Temp.	Name (Print)
8-11-24	0300	74	D. Gove
	0600	73	Valladolid
	0900	74	Valladolid
	1200	74	Valladolid
	1500	75	C. Leyte
	1800	76	C. Leyte
	2100	77	C. Leyte
	2400	75	D. Gove

Notes

\*Stage 1 Heat Alert @ 1100

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C1 Temp. Reading Location: A, B, C, D, DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-18-18	0300	74	T. VISS
	0600	73	T. VISS
	0900	72	M. LAING
	1200	74	M. LAING
	1500	77	ELOZANO
	1800	77	ELOZANO
	2100	76	A. Ayala
	2400	75	T. VISS

Wednesday

Date	Time	Temp.	Name (Print)
5-14-18	0300	70	T. VISS
	0600	69	T. VISS
	0900	71	M. LAING
	1200	74	M. LAING
	1500	75	ELOZANO
	1800	76	R. Gallegos
	2100	75	ELOZANO
	2400	72	T. VISS

Friday

Date	Time	Temp.	Name (Print)
5-18-18	0300	71	T. VISS
	0600	69	T. VISS
	0900	71	T. VISS
	1200	74	T. VISS
	1500	75	T. VISS
	1800	76	A. Martinez
	2100	73	A. Martinez
	2400	72	A. Corrao

Sunday

Date	Time	Temp.	Name (Print)
5-19-18	0300	72	J. CARRENO
	0600	71	J. CARRENO
	0900	71	A. YAGUB
	1200	74	A. YAGUB
	1500	75	ELOZANO
	1800	75	ELOZANO
	2100	75	ELOZANO
	2400	74	J. CARRENO

Tuesday

Date	Time	Temp.	Name (Print)
5-15-18	0300	71	T. VISS
	0600	69	T. VISS
	0900	71	M. LAING
	1200	73	M. LAING
	1500	74	ELOZANO
	1800	76	V. PUSCH
	2100	74	T. VISS
	2400	73	T. VISS

Thursday

Date	Time	Temp.	Name (Print)
5-15-18	0300	72	T. VISS
	0600	70	T. VISS
	0900	71	A. YAGUB
	1200	73	A. YAGUB
	1500	75	J. McAndrews
	1800	76	S. McAndrews
	2100	75	LOZANO
	2400	73	T. VISS

Saturday

Date	Time	Temp.	Name (Print)
5-19-18	0300	70	A. Corrao
	0600	68	A. YAGUB
	0900	72	A. YAGUB
	1200	73	A. Rodriguez
	1500	75	A. Dominguez
	1800	75	J. CARRENO
	2100	75	J. CARRENO
	2400	70	A. Corrao

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C-2 Temp. Reading Location: A, B, C, D, E  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	74	J. Garza
	0600	73	J. Garza
	0900	73	J. Garza
	1200	74	J. Garza
	1500	75	P. Orell
	1800	75	P. Orell
	2100	75	P. Orell
	2400	74	J. Garza

#### Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	72	J. Garza
	0600	72	J. Garza
	0900	69	F. Rodriguez
	1200	71	F. Rodriguez
	1500	75	A. Rodriguez
	1800	77	A. Rodriguez
	2100	75	A. Rodriguez
	2400	72	J. Garza

#### Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	68	J. Garza
	0600	67	C. Leyva
	0900	69	C. Leyva
	1200	71	C. Leyva
	1500	73	D. Atwal
	1800	76	A. Rodriguez
	2100	76	A. Rodriguez
	2400	68	J. Garza

#### Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	69	J. Garza
	0600	71	C. Leyva
	0900	72	C. Leyva
	1200	72	C. Leyva
	1500	76	A. Rodriguez
	1800	77	A. Rodriguez
	2100	75	A. Rodriguez
	2400	70	D. Gamble

#### Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	69	D. Gamble
	0600	68	C. Leyva
	0900	69	C. Leyva
	1200	71	C. Leyva
	1500	73	D. Gamble
	1800	74	D. Gamble
	2100	76	D. Gamble
	2400	70	D. Gamble

#### Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	68	D. Gamble
	0600	68	C. Leyva
	0900	70	P. Orell
	1200	73	P. Orell
	1500	77	D. Gamble
	1800	74	D. Gamble
	2100	78	D. Gamble
	2400	71	D. Gamble

#### Notes

Date	Time	Temp.	Name (Print)
8/18/24	0300	69	D. Gamble
	0600	69	C. Leyva
	0900	71	C. Leyva
	1200	73	C. Leyva
	1500	74	P. Orell
	1800	74	P. Orell
	2100	75	P. Orell
	2400	72	D. Gamble

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP      Housing Unit: C103      Temp. Reading Location: A,B,C,D,E  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/21	0300	75	M. Andrews
	0600	74	A. Laramie
	0900	73	A. Laramie
	1200	75	A. Laramie
	1500	72	A. Laramie
	1800	71	A. Laramie
	2100	70	A. Laramie
	2400	70	M. Andrews

Tuesday

Date	Time	Temp.	Name (Print)
8/13/21	0300	71	P. Anbuiano
	0600	70	P. Anbuiano
	0900	71	P. Anbuiano
	1200	74	P. Anbuiano
	1500	71	MINES
	1800	73	MINES
	2100	73	MINES
	2400	73	P. Anbuiano

Wednesday

Date	Time	Temp.	Name (Print)
8/14/21	0300	72	J. Carrasco
	0600	70	J. Carrasco
	0900	71	J. Carrasco
	1200	74	J. Carrasco
	1500	75	MINES
	1800	75	MINES
	2100	76	MINES
	2400	73	J. Carrasco

Thursday

Date	Time	Temp.	Name (Print)
8/15/21	0300	72	M. Andrews
	0600	68	MINES
	0900	71	MINES
	1200	72	MINES
	1500	73	MINES
	1800	73	MINES
	2100	73	MINES
	2400	74	M. Andrews

Friday

Date	Time	Temp.	Name (Print)
8/16/21	0300	70	M. Andrews
	0600	71	A. Laramie
	0900	72	A. Laramie
	1200	73	MINES
	1500	70	MINES
	1800	78	MINES
	2100	79	MINES
	2400	74	M. Andrews

Saturday

Date	Time	Temp.	Name (Print)
8/17/21	0300	72	M. Andrews
	0600	73	M. Andrews
	0900	73	M. Andrews
	1200	75	A. Laramie
	1500	76	E. Garcia
	1800	72	E. Garcia
	2100	75	E. Garcia
	2400	75	M. Andrews

Sunday

Date	Time	Temp.	Name (Print)
8/18/21	0300	79	M. Andrews
	0600	76	A. Laramie
	0900	79	A. Laramie
	1200	75	A. Laramie
	1500	74	B. Shirey
	1800	73	B. Shirey
	2100	73	B. Shirey
	2400	70	M. Andrews

Notes

8/15/21 - Stage 1 Heat

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JSP Housing Unit: C-4 Temp. Reading Location: A, B, C, D, E  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8-12-24</u>	0300	74	J. Talavera
	0600	72	J. Talavera
	0900	72	J. Current
	1200	74	J. Current
	1500	74	J. Prado
	1800	75	J. Prado
	2100	76	J. Prado
	2400	71	J. Talavera

Tuesday

Date	Time	Temp.	Name (Print)
<u>8-13-24</u>	0300	70	Talavera
	0600	73	Talavera
	0900	71	J. Current
	1200	72	J. Current
	1500	74	D. Atwell
	1800	76	D. Atwell
	2100	74	D. Atwell
	2400	71	Talavera

Wednesday

Date	Time	Temp.	Name (Print)
<u>8-14-24</u>	0300	68	Talavera
	0600	69	Talavera
	0900	68	Talavera
	1200	68	Talavera
	1500	74	J. Jimenez
	1800	75	J. Jimenez
	2100	76	Jimenez
	2400	70	Talavera

Thursday

Date	Time	Temp.	Name (Print)
<u>8-15-24</u>	0300	68	Talavera
	0600	79	Talavera
	0900	79	J. Castro
	1200	80	D. Castro
	1500	84	C. Green
	1800	73	C. Green
	2100	75	C. Green
	2400	68	Talavera

Friday

Date	Time	Temp.	Name (Print)
<u>8-16-24</u>	0300	70	P. Anguiano
	0600	70	P. Anguiano
	0900	74	P. Castro
	1200	74	P. Castro
	1500	75	J. Jimenez
	1800	76	Jimenez
	2100	75	Jimenez
	2400	73	P. Anguiano

Saturday

Date	Time	Temp.	Name (Print)
<u>8-17-24</u>	0300	70	P. Anguiano
	0600	68	C. Range
	0900	70	C. Range
	1200	73	C. Range
	1500	75	D. Atwell
	1800	74	E. Lopez
	2100	74	E. Lopez
	2400	72	P. Anguiano

Sunday

Date	Time	Temp.	Name (Print)
<u>8-18-24</u>	0300	70	J. Talavera
	0600	72	J. Talavera
	0900	72	U. Flores
	1200	73	U. Flores
	1500	75	C. Razo
	1800	75	C. Razo
	2100	74	C. Razo
	2400	70	J. Talavera

Notes

8-12-24 9:00 AM 70, 12:50

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution VSP Housing Unit: C-1 Temp. Reading Location: A, E, C, 1<sup>st</sup> floor & D-area  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-19-24	0300	71	T. VISS
	0600	69	T. VISS
	0900	69	R. NEZA
	1200	72	R. TREVINO
	1500	75	ELOZANO
	1800	76	ELOZANO
	2100	74	ELOZANO
	2400	72	T. VISS

Tuesday

Date	Time	Temp.	Name (Print)
08-20-24	0300	69	T. VISS
	0600	68	T. VISS
	0900	69	R. TREVINO
	1200	71	R. TREVINO
	1500	73	A. AVILA
	1800	75	ELOZANO
	2100	74	A. AVILA
	2400	71	T. VISS

Wednesday

Date	Time	Temp.	Name (Print)
08-21-24	0300	70	E Garcia
	0600	70	R. TREVINO
	0900	70	R. TREVINO
	1200	72	R. TREVINO
	1500	74	ELOZANO
	1800	75	ELOZANO
	2100	73	ELOZANO
	2400	69	E Garcia

Thursday

Date	Time	Temp.	Name (Print)
08-22-24	0300	69	T. VISS
	0600	68	T. VISS
	0900	69	J. Cerd
	1200	71	R. TREVINO
	1500	72	J. magdaleno
	1800	74	ELOZANO
	2100	72	J. magdaleno
	2400	71	T. VISS

Friday

Date	Time	Temp.	Name (Print)
08-23-24	0300	68	T. VISS
	0600	68	T. VISS
	0900	65	VANG
	1200	68	VANG
	1500	68	VANG
	1800	67	VANG
	2100	67	VANG
	2400	71	T. VISS

Saturday

Date	Time	Temp.	Name (Print)
08-24-24	0300	67	A. Coloma
	0600	68	A. Coloma
	0900	68	A. Coloma
	1200	69	J. TATE
	1500	71	R. Gallego
	1800	72	R. Gallego
	2100	70	R. Gallego
	2400	67	A. Coloma

Notes

8/19/24 1000 Stage 1 Heat Alert

Date	Time	Temp.	Name (Print)
08-25-24	0300	67	T. CIRENA
	0600	67	T. CIRENA
	0900	68	B. LOR
	1200	71	B. LOR
	1500	71	Espinoza
	1800	70	Hernandez
	2100	70	Hernandez
	2400	69	G. VINECENT

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JSP Housing Unit: C-2 Temp. Reading Location: A, B, C, D, D/E  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/24	0300	71	J. Cordera
	0600	71	J. Cordera
	0900	72	A. Montano
	1200	72	A. Montano
	1500	73	Rodett
	1800	75	Rodett
	2100	73	Rodett
	2400	72	J. Cordera

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/24	0300	71	J. Cordera
	0600	71	J. Cordera
	0900	73	J. Cordera
	1200	70	Melinda
	1500	75	A. Rodriguez
	1800	76	A. Rodriguez
	2100	75	A. Rodriguez
	2400	72	J. Cordera

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/24	0300	66	D. Comarshis
	0600	69	C. Leyva
	0900	72	C. Leyva
	1200	73	C. Leyva
	1500	75	A. Rodriguez
	1800	75	A. Rodriguez
	2100	75	A. Rodriguez
	2400	71	D. Comarshis

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/24	0300	67	J. Cordera
	0600	69	A. Montano
	0900	70	A. Montano
	1200	70	C. Leyva
	1500	74	D. Comarshis
	1800	73	D. Comarshis
	2100	73	D. Comarshis
	2400	69	D. Comarshis

**Friday**

Date	Time	Temp.	Name (Print)
8/23/24	0300	65	D. Comarshis
	0600	67	C. Leyva
	0900	67	C. Leyva
	1200	69	C. Leyva
	1500	72	D. Comarshis
	1800	74	D. Comarshis
	2100	74	D. Comarshis
	2400	67	D. Comarshis

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/24	0300	65	J. Cordera
	0600	69	J. Cordera
	0900	69	J. Cordera
	1200	71	C. Leyva
	1500	72	C. Leyva
	1800	72	C. Leyva
	2100	71	K. Sumption
	2400	66	J. Cordera

**Notes**

Date	Time	Temp.	Name (Print)
8/25/24	0300	65	D. Comarshis
	0600	66	C. Leyva
	0900	66	C. Leyva
	1200	69	C. Leyva
	1500	70	S. O'Dell
	1800	70	S. O'Dell
	2100	70	S. O'Dell
	2400	67	D. Comarshis

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: YSP Housing Unit: C103 Temp. Reading Location: A,B,C,D,E,F,R  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	73	M. Detruos
	0600	71	<del>Reshma</del>
	0900	71	<del>Reshma</del>
	1200	73	<del>Reshma</del>
	1500	76	Afrosad
	1800	77	Afrosad
	2100	76	Afrosad
	2400	74	M. Detruos

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	72	P. Anbuiano
	0600	70	P. Anbuiano
	0900	70	J. Reshma
	1200	73	Caleb
	1500	75	Afrosad
	1800	76	Afrosad
	2100	75	Afrosad
	2400	72	P. Anbuiano

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	72	J. Carrasco
	0600	71	J. Carrasco
	0900	71	J. Reschculo
	1200	75	J. Reschculo
	1500	75	Afrosad
	1800	76	Afrosad
	2100	75	Afrosad
	2400	73	J. Carrasco

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	76	M. Detruos
	0600	70	D. Anbuiano
	0900	71	D. Anbuiano
	1200	72	D. Anbuiano
	1500	75	J. Carrasco
	1800	72	M. Detruos
	2100	72	M. Detruos
	2400	73	M. Detruos

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	70	M. Detruos
	0600	69	J. Chambers
	0900	71	Anbuiano
	1200	71	Anbuiano
	1500	71	C. Carrasco
	1800	71	C. Carrasco
	2100	71	M. Detruos
	2400	72	M. Detruos

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	69	M. Detruos
	0600	68	J. Carrasco
	0900	69	J. Carrasco
	1200	71	J. Carrasco
	1500	72	C. Carrasco
	1800	73	C. Carrasco
	2100	72	M. Detruos
	2400	71	M. Detruos

Notes

Date	Time	Temp.	Name (Print)
8/25/24	0300	68	M. Detruos
	0600	68	J. Carrasco
	0900	71	J. Carrasco
	1200	73	J. Carrasco
	1500	74	J. Carrasco
	1800	73	J. Carrasco
	2100	72	M. Detruos
	2400	71	M. Detruos

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C - 4 Temp. Reading Location: A, B, C, D + DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	70	D. SWEDY
	0600	68	B. JONES
	0900	69	J. CHURCH
	1200	72	J. CHURCH
	1500	75	J. TELFAR
	1800	75	J. TELFAR
	2100	74	J. FREEMAN
	2400	74	J. FREEMAN

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	68	B. SWEDY
	0600	67	J. CHURCH
	0900	68	J. CHURCH
	1200	72	J. CHURCH
	1500	73	J. JIMENEZ
	1800		J. JIMENEZ
	2100		J. JIMENEZ
	2400	70	J. TELFAR

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	68	A. PRASAD
	0600	68	J. CASTRO
	0900	69	P. CASTRO
	1200	71	P. CASTRO
	1500	71	J. JIMENEZ
	1800	70	J. JIMENEZ
	2100	70	J. JIMENEZ
	2400	70	A. PRASAD

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	70	J. HARRIS
	0600	68	P. CASTRO
	0900	70	P. CASTRO
	1200	71	P. CASTRO
	1500	73	P. CASTRO
	1800	72	P. CASTRO
	2100	70	P. CASTRO
	2400	69	P. CASTRO

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	68	C. LARSON
	0600	69	P. CASTRO
	0900	70	P. CASTRO
	1200	70	P. CASTRO
	1500	71	J. JIMENEZ
	1800	71	J. JIMENEZ
	2100	71	J. JIMENEZ
	2400	68	C. LARSON

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	69	P. ANGUITA
	0600	68	P. CASTRO
	0900	70	P. CASTRO
	1200	71	P. CASTRO
	1500	73	J. JIMENEZ
	1800	73	J. JIMENEZ
	2100	72	J. JIMENEZ
	2400	69	P. ANGUITA

Notes

Date	Time	Temp.	Name (Print)
8/25/24	0300	66	C. LARSON
	0600	66	C. LARSON
	0900	69	C. LARSON
	1200	72	C. LARSON
	1500	73	C. LARSON
	1800	74	C. LARSON
	2100	72	C. LARSON
	2400	70	C. LARSON

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C1 Temp. Reading Location: A, B, C, D, + DR.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08-26-24	0300	67	T. VISS
	0600	69	T. VISS
	0900	67	M. LANG
	1200	70	M. LANG
	1500	73	E. LOZANO
	1800	75	A. AVILA
	2100	73	A. AVILA
	2400	68	T. VISS

**Wednesday**

Date	Time	Temp.	Name (Print)
08-28-24	0300	70	T. VISS
	0600	70	T. VISS
	0900	70	A. MONTAÑA
	1200	73	E. XIONEY
	1500	76	ELOZANO
	1800	76	ELOZANO
	2100	75	ELOZANO
	2400	70	T. VISS

**Friday**

Date	Time	Temp.	Name (Print)
08-30-24	0300	71	T. VISS
	0600	70	T. VISS
	0900	70	R. TREVINO
	1200	72	O. SCHOTT
	1500	75	S. M. ANDREWS
	1800	76	S. M. ANDREWS
	2100	75	S. M. ANDREWS
	2400	72	T. VISS

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
08-29-24	0300	70	T. VISS
	0600	69	T. VISS
	0900	69	M. LANG
	1200	72	M. LANG
	1500	74	A. AVILA
	1800	75	A. AVILA
	2100	74	E. LOZANO
	2400	71	T. VISS

**Thursday**

Date	Time	Temp.	Name (Print)
08-30-24	0300	71	T. VISS
	0600	69	T. VISS
	0900	70	ELOZANO
	1200	73	R. TREVINO
	1500	75	ELOZANO
	1800	76	K. HUARAHAN
	2100	75	ELOZANO
	2400	72	T. VISS

**Saturday**

Date	Time	Temp.	Name (Print)
08-31-24	0300	72	A. CARVA
	0600	70	A. YARABIS
	0900	71	A. YARABIS
	1200	74	A. YARABIS
	1500	76	J. CARO
	1800	78	J. CARO
	2100	77	O. SCHOTT
	2400	72	A. CARVA

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C-2 Temp. Reading Location: A, B, C, D, E  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/26/21	0300	69	J. Martinez
	0600	70	J. Martinez
	0900	70	F. Martinez
	1200	70	F. Martinez
	1500	72	P. Odell
	1800	73	P. Odell
	2100	73	P. Odell
	2400	69	J. Martinez

Tuesday

Date	Time	Temp.	Name (Print)
5/27/21	0300	71	J. Martinez
	0600	71	J. Martinez
	0900	71	F. Martinez
	1200	72	F. Martinez
	1500	76	J. Rodriguez
	1800	76	J. Rodriguez
	2100	76	A. Rodriguez
	2400	72	J. Martinez

Wednesday

Date	Time	Temp.	Name (Print)
5/28/21	0300	68	D. Hernandez
	0600	68	C. Lopez
	0900	69	C. Lopez
	1200	73	C. Lopez
	1500	77	A. Rodriguez
	1800	77	R. Flores
	2100	77	A. Rodriguez
	2400	70	D. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
5/29/21	0300	67	D. Hernandez
	0600	67	F. Martinez
	0900	68	C. Lopez
	1200	70	C. Lopez
	1500	77	A. Rodriguez
	1800	77	A. Rodriguez
	2100	77	A. Rodriguez
	2400	70	D. Hernandez

Friday

Date	Time	Temp.	Name (Print)
5/30/21	0300	63	D. Hernandez
	0600	67	C. Lopez
	0900	69	C. Lopez
	1200	71	C. Lopez
	1500	77	D. Garza
	1800	76	D. Garza
	2100	77	D. Garza
	2400	70	D. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
5/31/21	0300	69	D. Hernandez
	0600	72	C. Lopez
	0900	73	O. Schott
	1200	75	O. Schott
	1500	79	D. Garza
	1800	79	D. Garza
	2100	78	D. Garza
	2400	71	D. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
6/1/21	0300	69	D. Hernandez
	0600	73	O. Schott
	0900	73	C. Lopez
	1200	76	O. Schott
	1500	75	P. Orell
	1800	77	P. Orell
	2100	76	P. Orell
	2400	71	D. Hernandez

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C103 Temp. Reading Location: A, B, C, D, E, F  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	72	M. Andrews
	0600	72	R. Smith
	0900	73	N. Johnson
	1200	75	A. Lewis
	1500	72	A. Green
	1800	79	A. Green
	2100	72	M. Jones
	2400	74	M. Andrews

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	74	J. Williams
	0600	72	J. Williams
	0900	75	J. Williams
	1200	77	R. Johnson
	1500	77	A. Green
	1800	78	A. Green
	2100	77	A. Green
	2400	75	J. Williams

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	73	D. Carter
	0600	72	A. Henry
	0900	72	A. Henry
	1200	75	A. Henry
	1500	77	O. Scott
	1800	78	S. Macdonald
	2100	78	O. Scott
	2400	74	B. Cook

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	75	P. Anderson
	0600	76	P. Anderson
	0900	75	M. Murphy
	1200	75	M. Murphy
	1500	78	M. Murphy
	1800	78	M. Murphy
	2100	77	M. Murphy
	2400	76	P. Anderson

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	72	F. Colosnow
	0600	72	M. Miller
	0900	79	M. Miller
	1200	75	M. Miller
	1500	74	M. Miller
	1800	73	M. Miller
	2100	72	M. Miller
	2400	75	F. Colosnow

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	70	F. Colosnow
	0600	72	A. Lewis
	0900	73	A. Lewis
	1200	76	A. Lewis
	1500	77	C. Green
	1800	73	C. Green
	2100	72	C. Green
	2400	70	C. Green

Notes

8-30-24 1400 Stage 1 Heat Alert Activated  
8-30-24 2000 Stage 1 Heat Alert Deactivated

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: C-4 Temp. Reading Location: A,B,C,D, DR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	71	Talavera
	0600	70	Talavera
	0900	69	T. Chambers
	1200	71	T. Chambers
	1500	72	Cerro
	1800	73	Cerro
	2100	73	Cerro
	2400	70	Talavera

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	70	Talavera
	0600	70	Talavera
	0900	70	P. Castro
	1200	75	P. Castro
	1500	75	P. Castro
	1800	77	J. Jimenez
	2100	77	Jimenez
	2400	70	Talavera

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	EARL	EARL
	0600	EARL	EARL
	0900	72	Castro
	1200	74	Castro
	1500	75	J. Jimenez
	1800	77	Jimenez
	2100	75	EARL
	2400	75	EARL

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	70	Talavera
	0600	70	Talavera
	0900	71	Valladares
	1200	76	Valladares
	1500	77	Cerro
	1800	79	Cerro
	2100	77	Cerro
	2400	70	Talavera

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	68	Talavera
	0600	69	Talavera
	0900	70	T. Chambers
	1200	73	T. Chambers
	1500	74	J. Jimenez
	1800	75	Jimenez
	2100	73	Jimenez
	2400	68	Talavera

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	64	Talavera
	0600	64	Talavera
	0900	65	P. Castro
	1200	65	P. Castro
	1500	76	Jimenez
	1800	76	Brown
	2100	75	Brown
	2400	69	Talavera

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	72	P. Arciniano
	0600	71	Castro
	0900	72	Castro
	1200	74	Castro
	1500	76	J. Jimenez
	1800	77	Jimenez
	2100	77	Jimenez
	2400	72	P. Arciniano

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: S-1

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

5323

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	73	J. Melendez
	0600	73	E. XONG
	0900	73	E. XONG
	1200	75	E. XONG
	1500	78	Martinez
	1800	79	Martinez
	2100	79	Martinez
	2400	75	J. Melendez

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	75	J. Melendez
	0600	74	NAVARRO
	0900	74	NAVARRO
	1200	75	NAVARRO
	1500	75	Martinez
	1800	77	Martinez
	2100	77	Martinez
	2400	75	J. Melendez

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	75	A. Montes
	0600	71	M. OROZCO
	0900	77	NAVARRO
	1200	75	M. OROZCO
	1500	75	VELASCO
	1800	80	VELASCO
	2100	79	VELASCO
	2400	75	A. Montes

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	75	B. ORTEGA
	0600	70	ORTEGA
	0900	71	ORTEGA
	1200	75	ORTEGA
	1500	80	E. GARCIA
	1800	82	E. GARCIA
	2100	80	VELASCO
	2400	77	B. ORTEGA

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D2 Temp. Reading Location: A, B, C, D and Day Room  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5823 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
7-24	0300	72	M. Vazquez
	0600	73	G. Lopez
	0900	73	R. Mata
	1200	78	
	1500	78	A. Correa
	1800	79	A. Correa
	2100	79	A. Correa
	2400	75	A. Alvarez

**Friday**

Date	Time	Temp.	Name (Print)
7-24	0300	75	A. Delafuente
	0600	74	R. Vazquez
	0900	76	R. Mata
	1200	76	R. Mata
	1500	77	A. Correa
	1800	77	A. Correa
	2100	77	A. Correa
	2400	76	A. Delafuente

**Saturday**

Date	Time	Temp.	Name (Print)
7-24	0300	75	E. Lopez
	0600	74	E. Lopez
	0900	75	V. Velasco
	1200	78	V. Velasco
	1500	79	J. Arellano
	1800	80	J. Arellano
	2100	79	J. Arellano
	2400	76	E. Lopez

**Sunday**

Date	Time	Temp.	Name (Print)
7-24	0300	75	A. Delafuente
	0600	74	R. Vazquez
	0900	74	R. Vazquez
	1200	75	V. Velasco
	1500	79	B. Ortega
	1800	80	B. Ortega
	2100	80	B. Ortega
	2400	77	A. Delafuente

**Notes**

7-24-24 @ 1140 Stage 1 Heat Alert

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D3 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/2/24	0300	71	N. Fergus
	0600	72	Taylor
	0900	74	Taylor
	1200	77	Taylor
	1500	78	J. Duran
	1800	79	E. Xiong
	2100	79	E. Xiong
	2400	73	N. Fergus

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	72	N. Fergus
	0600	73	C. Sanchez
	0900	74	C. Sanchez
	1200	79	C. Sanchez
	1500	77	E. Xiong
	1800	77	E. Xiong
	2100	77	E. Xiong
	2400	74	N. Fergus

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	73	N. Fergus
	0600	75	Taylor
	0900	76	Taylor
	1200	78	Taylor
	1500	79	J. Duran
	1800	79	J. Duran
	2100	79	J. Duran
	2400	74	N. Fergus

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	73	N. Fergus
	0600	73	Taylor
	0900	74	Taylor
	1200	77	Taylor
	1500	79	E. Lopez
	1800	79	F. Rodriguez
	2100	80	F. Rodriguez
	2400	75	N. Fergus

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

D4

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D4 Temp. Reading Location: COP 9th D A, B, C, D +  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	73	L. GARCIA
	0600	75	C. GARCIA
	0900	76	E. GARCIA
	1200	78	E. GARCIA
	1500	77	F. GARCIA
	1800	78	F. GARCIA
	2100	77	F. GARCIA
	2400	76	A. MARTINEZ

**Friday**

Date	Time	Temp.	Name (Print)
	0300	73	A. MURDOCK
	0600	72	J. PACHECO
	0900	75	C. GARCIA
	1200	76	C. GARCIA
	1500	77	K. LOEWEN
	1800	78	K. LOEWEN
	2100	77	K. LOEWEN
	2400	76	A. MURDOCK

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	78	B. SALAZAR
	0600	78	D. CONTRERAS
	0900	78	S. AGUILERA
	1200	79	S. AGUILERA
	1500	78	A. ULTRERAS
	1800	80	A. ULTRERAS
	2100	79	A. ULTRERAS
	2400	77	B. SALAZAR

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	75	B. SALAZAR
	0600	75	D. CONTRERAS
	0900	74	S. DOMINGUEZ
	1200	77	S. DOMINGUEZ
	1500	78	K. LOEWEN
	1800	81	K. LOEWEN
	2100	78	K. LOEWEN
	2400	78	B. SALAZAR

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D1 Temp. Reading Location: A, B, C, D, Dog Run  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<u>8/5/24</u>	0300	75	J. Melendez
	0600	74	G. Lopez
	0900	75	G. Lopez
	1200	76	M. Garcia
	1500	79	C. Sanchez
	1800	80	C. Sanchez
	2100	79	J. VANG
	2400	76	J. Melendez

#### Tuesday

Date	Time	Temp.	Name (Print)
<u>8/6/24</u>	0300	74	J. Melendez
	0600	72	D. Huval
	0900	74	G. Vazquez
	1200	76	M. Garcia
	1500	79	Martinez
	1800	79	Martinez
	2100	78	Martinez
	2400	76	J. Melendez

#### Wednesday

Date	Time	Temp.	Name (Print)
<u>8/7/24</u>	0300	76	Melendez
	0600	75	NAVARRO
	0900	76	NAVARRO
	1200	78	NAVARRO
	1500	79	Martinez
	1800	81	Martinez
	2100	79	Martinez
	2400	76	Melendez

#### Thursday

Date	Time	Temp.	Name (Print)
<u>8/8/24</u>	0300	73	J. Melendez
	0600	71	D. Huval
	0900	72	D. Huval
	1200	75	NAVARRO
	1500	76	Martinez
	1800	77	Martinez
	2100	76	Martinez
	2400	76	J. Melendez

#### Friday

Date	Time	Temp.	Name (Print)
<u>8/9/24</u>	0300	72	J. Melendez
	0600	68	O. ORTIZ
	0900	69	O. ORTIZ
	1200	71	O. ORTIZ
	1500	76	E. TRAN
	1800	80	E. TRAN
	2100	77	E. TRAN
	2400	75	J. Melendez

#### Saturday

Date	Time	Temp.	Name (Print)
<u>8/10/24</u>	0300	73	B. ORTEGA
	0600	69	O. ORTIZ
	0900	68	O. ORTIZ
	1200	72	O. ORTIZ
	1500	75	O. ORTIZ
	1800	74	O. ORTIZ
	2100	73	O. ORTIZ
	2400	75	B. ORTEGA

#### Sunday

Date	Time	Temp.	Name (Print)
<u>8/11/24</u>	0300	74	B. ORTEGA
	0600	69	O. ORTIZ
	0900	70	O. ORTIZ
	1200	75	O. ORTIZ
	1500	77	K. CHAVCHAN
	1800	79	K. CHAVCHAN
	2100	77	K. CHAVCHAN
	2400	75	B. ORTEGA

#### Notes

8/5/24 Stage 1 Heat alert at 1215 hrs

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: S-2 Temp. Reading Location: A B C D S-R  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>8-5-24</u>	0300	75	B. ORTEGA	<u>8-6-24</u>	0300	71	E. OLONO
	0600	74	VELASCO		0600	69	ORDAZ
	0900	71	ORDAZ		0900	73	VELASCO
	1200	75	ORDAZ		1200	74	VELASCO
	1500	79	S. AGUILERA		1500	79	A. COCONA
	1800	80	S. AGUILERA		1800	79	A. COCONA
	2100	78	S. AGUILERA		2100	80	A. COCONA
	2400	76	B. ORTEGA		2400	73	E. OLONO
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>8-7-24</u>	0300	71	Rodriguez	<u>8-8-24</u>	0300	71	Rodriguez
	0600	74	TAYLOR		0600	73	A. LOPEZ
	0900	76	TAYLOR		0900	73	A. LOPEZ
	1200	79	TAYLOR		1200	74	A. LOPEZ
	1500	79	A. COCONA		1500	76	A. COCONA
	1800	81	A. COCONA		1800	76	A. COCONA
	2100	79	A. COCONA		2100	76	A. COCONA
	2400	75	Rodriguez		2400	75	Rodriguez
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>8-9-24</u>	0300	73	I. YANG	<u>8-10-24</u>	0300	72	A. DELAFUENTE
	0600	71	I. YANG		0600	76	E. LUB
	0900	73	VELASCO		0900	73	D. AHMED
	1200	75	VELASCO		1200	75	D. AHMED
	1500	75	C. LOPEZ		1500	75	J. CRISOSTOMO
	1800	77	E. LOPEZ		1800	76	J. GREEN
	2100	77	E. LOPEZ		2100	76	J. GREEN
	2400	74	I. YANG		2400	75	A. DELAFUENTE
Sunday				Notes			
Date	Time	Temp.	Name (Print)	8/7/24 @ 1105 Stage 1 Heat Alert 8/8/24 @ 1145 Stage 1 Heat Alert 8/9/24 @ 1145 Stage 1 Heat Alert 8/10/24 @ 1105 Stage 1 Heat Alert 8/11/24 @ 1105 Stage 1 Heat Alert 8/12/24 @ 1310 Stage 1 Heat Alert			
<u>8-11-24</u>	0300	73	A. DELAFUENTE				
	0600	73	D. AHMED				
	0900	74	R. RODA				
	1200	76	R. RODA				
	1500	77	B. ORTEGA				
	1800	77	B. ORTEGA				
	2100	78	B. ORTEGA				
	2400	75	A. DELAFUENTE				

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. *A,B,C,D+D.R.*

Institution: VSP Housing Unit: D3 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/15/24	0300	72	N. Fergus ✓
	0600	73	C. Sanchez ✓
	0900	74	C. Sanchez ✓
	1200	76	C. Sanchez ✓
	1500	77	S. Saeburn ✓
	1800	71	S. Saeburn ✓
	2100	74	S. Saeburn ✓
	2400	73	N. Fergus ✓

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/24	0300	73	S. Aguilera ✓
	0600	72	C. Sanchez ✓
	0900	73	C. Sanchez ✓
	1200	74	C. Sanchez ✓
	1500	79	E. Xiong ✓
	1800	71	E. Xiong ✓
	2100	74	E. Xiong ✓
	2400	76	S. Aguilera ✓

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/24	0300	76	S. Aguilera ✓
	0600	74	V. Lo ✓
	0900	75	C. Sanchez ✓
	1200	78	C. Sanchez ✓
	1500	79	J. Duran ✓
	1800	80	E. Xiong ✓
	2100	79	E. Xiong ✓
	2400	74	S. Aguilera ✓

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/24	0300	70	N. Fergus ✓
	0600	72	Taylor ✓
	0900	75	Marcie ✓
	1200	72	Hernandez ✓
	1500	75	J. Duran ✓
	1800	77	J. Duran ✓
	2100	76	J. Duran ✓
	2400	77	N. Fergus ✓

**Friday**

Date	Time	Temp.	Name (Print)
8/9/24	0300	70	N. Fergus ✓
	0600	71	Taylor ✓
	0900	72	Taylor ✓
	1200	74	E. Xiong ✓
	1500	77	E. Xiong ✓
	1800	77	E. Xiong ✓
	2100	77	J. Duran ✓
	2400	71	N. Fergus ✓

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	69	N. Fergus ✓
	0600	69	B. Bazaar ✓
	0900	71	Francess ✓
	1200	74	Nautilio ✓
	1500	74	D. Caramorsos ✓
	1800	75	D. Caramorsos ✓
	2100	76	D. Caramorsos ✓
	2400	71	N. Fergus ✓

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	71	N. Fergus ✓
	0600	73	N. Nando ✓
	0900	73	Ozell ✓
	1200	74	Ozell ✓
	1500	77	J. Rodriguez ✓
	1800	77	J. Rodriguez ✓
	2100	77	J. Rodriguez ✓
	2400	72	N. Fergus ✓

**Notes**

9/5/24 heat alert activated  
 9/6/24 heat alert activated

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D4 Temp. Reading Location: COP SHD  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24	0300	76	B. Salazar
	0600	76	J. Macias
	0900	76	J. Macias
	1200	76	J. Macias
	1500	77	R. TORRES
	1800	80	R. TORRES
	2100	79	R. TORRES
	2400	77	B. Salazar

Wednesday

Date	Time	Temp.	Name (Print)
8/2	0300	76	E. TRAHI
	0600	76	J. Macias
	0900	76	J. Macias
	1200	79	J. Macias
	1500	80	R. TORRES
	1800	82	R. TORRES
	2100	79	R. TORRES
	2400	77	E. TRAHI

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	75	B. Salazar
	0600	79	M. GARCIA
	0900	73	M. GARCIA
	1200	73	M. GARCIA
	1500	75	J. Geron
	1800	76	J. Geron
	2100	76	J. Geron
	2400	76	B. Salazar

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	75	J. Guevara
	0600	75	J. Macias
	0900	75	J. Macias
	1200	76	J. Macias
	1500	77	R. TORRES
	1800	77	R. TORRES
	2100	77	R. TORRES
	2400	75	J. Guevara

Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300	73	B. Salazar
	0600	74	J. Macias
	0900	73	J. Macias
	1200	76	J. Macias
	1500	78	R. TORRES
	1800	79	R. TORRES
	2100	79	R. TORRES
	2400	77	B. Salazar

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	72	C. Jimenez
	0600	75	A. Delafuente
	0900	73	A. Delafuente
	1200	75	L. Jimenez
	1500	75	A. Figueroa
	1800	75	A. Figueroa
	2100	77	A. Figueroa
	2400	74	C. Jimenez

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	75	B. Salazar
	0600	72	J. Macias
	0900	73	J. Macias
	1200	75	J. Macias
	1500	76	J. Macias
	1800	77	J. Macias
	2100	78	J. Macias
	2400	75	B. Salazar

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VR Housing Unit: D1 Temp. Reading Location: A, B, C, D  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	79	J. Melendrez
	0600	73	A. Lopez
	0900	72	A. Lopez
	1200	75	A. Lopez
	1500	75	J. Marcus
	1800	77	D. Cheekman
	2100	76	Doreen Mcl
	2400	76	J. Melendrez

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	66	J. Melendrez
	0600	68	M. V. P. P. O.
	0900	69	M. V. A. R. O.
	1200	72	M. V. A. R. O.
	1500	75	J. Freitas
	1800	76	C. Sanchez
	2100	74	J. Freitas
	2400	70	J. Melendrez

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	66	J. Melendrez
	0600	69	M. V. P. P. O.
	0900	70	M. V. A. R. O.
	1200	72	M. V. A. R. O.
	1500	74	Martinez
	1800	76	Martinez
	2100	75	Martinez
	2400	68	J. Melendrez

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	68	J. Melendrez
	0600	70	M. V. P. P. O.
	0900	72	M. V. A. R. O.
	1200	72	M. V. A. R. O.
	1500	73	E. Lopez
	1800	74	E. Lopez
	2100	74	E. Lopez
	2400	70	J. Melendrez

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	66	J. Melendrez
	0600	69	P. Arellano
	0900	71	P. Arellano
	1200	72	M. V. P. P. O.
	1500	75	C. Green
	1800	75	Martinez
	2100	75	C. Green
	2400	69	Milne

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	71	B. Ortega
	0600	70	P. Arellano
	0900	71	Martinez
	1200	74	Martinez
	1500	76	Martinez
	1800	72	Martinez
	2100	74	Martinez
	2400	73	B. Ortega

Notes

Stage 1 Heat alert at 1250 8/12/24  
Stage 1 heat alert at 1515 8/17/24

Date	Time	Temp.	Name (Print)
8/18	0300	73	B. Ortega
	0600	70	P. Arellano
	0900	71	P. Arellano
	1200	72	B. Ortega
	1500	74	G. Gomez
	1800	76	G. Gomez
	2100	76	G. Gomez
	2400	74	B. Ortega

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D-2 Temp. Reading Location: A B C & D.R.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	73	B. ORTEGA
	0600	69	O. ORTEGA
	0900	71	O. ORTEGA
	1200	73	O. ORTEGA
	1500	76	S. AGUILERA
	1800	76	S. AGUILERA
	2100	74	S. AGUILERA
	2400	75	B. ORTEGA

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	69	F. OLOMO
	0600	68	J. LINAY
	0900	69	J. LINAY
	1200	71	J. LINAY
	1500	75	A. CORONA
	1800	75	A. CORONA
	2100	74	A. CORONA
	2400	71	E. OLONDO

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	66	R. RODRIGUEZ
	0600	69	WILLIAMS
	0900	71	WILLIAMS
	1200	73	WILLIAMS
	1500	74	A. CORONA
	1800	76	A. CORONA
	2100	75	A. CORONA
	2400	70	R. RODRIGUEZ

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	71	A. DELAFUENTE
	0600	69	A. LOPEZ
	0900	71	A. LOPEZ
	1200	73	A. LOPEZ
	1500	74	A. CORONA
	1800	75	A. CORONA
	2100	75	A. CORONA
	2400	72	A. DELAFUENTE

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	70	A. DELAFUENTE
	0600	68	R. MATA
	0900	74	R. MATA
	1200	74	R. MATA
	1500	74	A. CORONA
	1800	75	A. CORONA
	2100	75	A. CORONA
	2400	72	A. DELAFUENTE

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	71	C. CARRERAS
	0600	69	D. ATUAL
	0900	74	D. ATUAL
	1200	74	D. ATUAL
	1500	75	B. ORTEGA
	1800	75	B. ORTEGA
	2100	75	B. ORTEGA
	2400	73	C. CARRERAS

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	72	D. CORTEZ
	0600	70	R. MATA
	0900	71	R. MATA
	1200	73	R. MATA
	1500	75	J. RODRIGUEZ
	1800	74	J. RODRIGUEZ
	2100	74	J. RODRIGUEZ
	2400	74	D. CORTEZ

Notes


STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D3 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	71	N. Fergus
	0600	72	F. NAVARRO
	0900	72	A. DOMINGUEZ
	1200	75	A. DOMINGUEZ
	1500	75	SATEBURN
	1800	75	SATEBURN
	2100	75	SATEBURN
	2400	77	N. Fergus

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	69	S. Aguilera
	0600	69	C. Sanchez
	0900	69	C. Sanchez
	1200	73	C. Sanchez
	1500	75	E. XIONG
	1800	75	E. XIONG
	2100	74	F. Navarro
	2400	71	S. Aguilera

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	68	S. Aguilera
	0600	69	F. Navarro
	0900	70	J. Sanchez
	1200	72	J. Sanchez
	1500	74	E. Xiong
	1800	75	E. Xiong
	2100	75	J. Duran
	2400	74	S. Aguilera

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	68	N. Fergus
	0600	69	TAYLOR
	0900	71	C. Sanchez
	1200	72	C. Sanchez
	1500	74	J. Duran
	1800	75	E. Xiong
	2100	75	J. Duran
	2400	69	N. Fergus

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	67	N. Fergus
	0600	66	TAYLOR
	0900	68	TAYLOR
	1200	71	P. Bell
	1500	74	J. Duran
	1800	75	J. Duran
	2100	75	J. Duran
	2400	69	N. Fergus

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	67	N. Fergus
	0600	69	TAYLOR
	0900	72	TAYLOR
	1200	73	TAYLOR
	1500	74	Agree
	1800	75	P. Connelly
	2100	74	P. Connelly
	2400	69	N. Fergus

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	N. Fergus
	0600	71	C. Green
	0900	71	TAYLOR
	1200	73	TAYLOR
	1500	74	C. Green
	1800	76	C. Green
	2100	75	F. Rodriguez
	2400	71	N. Fergus

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D4 Temp. Reading Location: COP SHOP  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5313 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	75	B. Salazar ✓
	0600	75	J. Macias ✓
	0900	75	J. Macias ✓
	1200	75	J. Macias ✓
	1500	75	G. SWICY ✓
	1800	75	J. Goran ✓
	2100	75	J. Goran ✓
	2400	76	B. Salazar ✓

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	69	C. Curnens ✓
	0600	72	J. Macias ✓
	0900	73	J. Macias ✓
	1200	73	J. Macias ✓
	1500	74	R. TORRES ✓
	1800	76	R. TORRES ✓
	2100	75	R. TORRES ✓
	2400	71	C. Curnens ✓

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	73	J. Guzman ✓
	0600	74	L. Jimenez ✓
	0900	71	L. Jimenez ✓
	1200	74	E. Lopez ✓
	1500	75	S. Dominguez ✓
	1800	76	S. Dominguez ✓
	2100	75	S. Dominguez ✓
	2400	75	T. Guevara ✓

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	74	B. Salazar ✓
	0600	74	S. Dominguez ✓
	0900	74	S. Dominguez ✓
	1200	74	R. Torres ✓
	1500	75	R. Torres ✓
	1800	76	R. Torres ✓
	2100	75	R. Torres ✓
	2400	75	B. Salazar ✓

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	73	B. Salazar ✓
	0600	73	J. Macias ✓
	0900	73	J. Macias ✓
	1200	71	J. Macias ✓
	1500	77	R. TORRES ✓
	1800	77	R. TORRES ✓
	2100	76	R. TORRES ✓
	2400	74	B. Salazar ✓

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	67	Figueroa ✓
	0600	69	Figueroa ✓
	0900	71	E. Lopez ✓
	1200	72	E. Lopez ✓
	1500	71	Figueroa ✓
	1800	74	Figueroa ✓
	2100	75	Figueroa ✓
	2400	75	T. Guzman ✓

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	74	B. Salazar ✓
	0600	72	J. Macias ✓
	0900	73	J. Macias ✓
	1200	75	J. Macias ✓
	1500	75	J. Macias ✓
	1800	76	J. Macias ✓
	2100	76	J. Macias ✓
	2400	75	B. Salazar ✓

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D1 Temp. Reading Location: A, B, C, D and Day Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	67	Melendez
	0600	70	A-Lopez
	0900	68	A-Lopez
	1200	71	A-Lopez
	1500	76	Lomeli
	1800	76	Lomeli
	2100	75	Lomeli
	2400	69	Melendez

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	65	J.Melendez
	0600	68	NAVARRO
	0900	69	NAVARRO
	1200	72	NAVARRO
	1500	74	Lomeli
	1800	75	Lomeli
	2100	74	Lomeli
	2400	67	J.Melendez

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	68	J.Melendez
	0600	68	NAVARRO
	0900	68	NAVARRO
	1200	73	NAVARRO
	1500	74	Martinez
	1800	74	Martinez
	2100	74	Martinez
	2400	67	J.Melendez

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	69	F.COLDSON
	0600	69	NAVARRO
	0900	69	NAVARRO
	1200	72	NAVARRO
	1500	73	Martinez
	1800	74	Martinez
	2100	69	Martinez
	2400	71	F.COLDSON

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	65	J.Melendez
	0600	68	NAVARRO
	0900	66	ORDAZ
	1200	69	XONG
	1500	70	Martinez
	1800	70	Martinez
	2100	69	Martinez
	2400	66	J.Melendez

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	67	Martinez
	0600	66	ORDAZ
	0900	69	GOMEZ
	1200	70	GOMEZ
	1500	71	Martinez
	1800	72	Martinez
	2100	72	Martinez
	2400	68	Martinez

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	67	E.Olano
	0600	64	ORDAZ
	0900	69	ORDAZ
	1200	69	ORDAZ
	1500	72	Lomeli
	1800	71	Lomeli
	2100	71	Lomeli
	2400	68	E.Olano

Notes

Stage 1 heat flat D10 08-2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: 02 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	68	E. Olano ✓
	0600	66	OPDAZ ✓
	0900	67	OPDAZ ✓
	1200	70	OPDAZ ✓
	1500	73	B. Ortega ✓
	1800	77	B. Ortega ✓
	2100	79	B. Ortega ✓
	2400	70	E. Olano ✓

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	68	R. Rodriguez ✓
	0600	67	D. Atwell ✓
	0900	67	D. Atwell ✓
	1200	70	D. Atwell ✓
	1500	74	N. Williams ✓
	1800	74	N. Williams ✓
	2100	73	N. Williams ✓
	2400	70	R. Rodriguez ✓

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	72	TAYLOR ✓
	0600	66	TAYLOR ✓
	0900	70	TAYLOR ✓
	1200	72	R. Lopez ✓
	1500	73	A. Cuenca ✓
	1800	75	A. Cuenca ✓
	2100	73	A. Cuenca ✓
	2400	69	A. Cuenca ✓

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	69	A. Delafuente ✓
	0600	68	A. Lopez ✓
	0900	68	A. Lopez ✓
	1200	70	A. Lopez ✓
	1500	72	A. Cuenca ✓
	1800	74	A. Cuenca ✓
	2100	72	A. Cuenca ✓
	2400	71	A. Delafuente ✓

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	67	A. Delafuente ✓
	0600	67	R. Lopez ✓
	0900	68	R. Lopez ✓
	1200	65	R. Lopez ✓
	1500	69	A. Cuenca ✓
	1800	69	A. Cuenca ✓
	2100	69	A. Cuenca ✓
	2400	69	A. Delafuente ✓

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	65	CARRERAS ✓
	0600	68	VELASCO ✓
	0900	68	VELASCO ✓
	1200	69	VELASCO ✓
	1500	71	J. GRIERSON ✓
	1800	71	J. GRIERSON ✓
	2100	71	S. Aguirre ✓
	2400	64	CARRERAS ✓

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	65	Lopez ✓
	0600	67	VELASCO ✓
	0900	68	VELASCO ✓
	1200	71	VELASCO ✓
	1500	71	B. ORTEGA ✓
	1800	72	B. ORTEGA ✓
	2100	71	B. ORTEGA ✓
	2400	64	Lopez ✓

Notes

---

---

---

---

---

---

---

---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. A,B,C,D+

Institution: VSP Housing Unit: D3 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	68	N. Ferguson
	0600	69	C. Sanchez
	0900	69	C. Sanchez
	1200	69	M. Hernandez
	1500	74	D. Atwal
	1800	74	D. Atwal
	2100	74	D. Atwal
	2400	69	N. Ferguson

## Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	67	S. Aguilera
	0600	67	C. Sanchez
	0900	67	C. Sanchez
	1200	71	C. Sanchez
	1500	73	E. Xiong
	1800	74	E. Xiong
	2100	74	E. Xiong
	2400	70	S. Aguilera

## Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	68	S. Aguilera
	0600	68	C. Sanchez
	0900	70	C. Sanchez
	1200	72	C. Sanchez
	1500	74	D. Atwal
	1800	75	E. Xiong
	2100	74	D. Atwal
	2400	69	S. Aguilera

## Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	68	N. Ferguson
	0600	68	Taylor
	0900	70	Taylor
	1200	72	Taylor
	1500	74	E. Xiong
	1800	74	E. Xiong
	2100	72	E. Xiong
	2400	68	N. Ferguson

## Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	64	N. Ferguson
	0600	67	F. Francis
	0900	68	Taylor
	1200	69	Taylor
	1500	70	Xiong
	1800	69	J. Duran
	2100	69	J. Duran
	2400	68	N. Ferguson

## Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	67	N. Ferguson
	0600	68	F. Martinez
	0900	69	F. Martinez
	1200	69	F. Martinez
	1500	71	Velasco
	1800	71	J. Duran
	2100	71	Velasco
	2400	66	N. Ferguson

## Notes

Date	Time	Temp.	Name (Print)
8/25/24	0300	65	N. Ferguson
	0600	65	P. Sam
	0900	68	P. Sam
	1200	69	P. Sam
	1500	69	A. Ulterras
	1800	69	A. Ulterras
	2100	69	A. Ulterras
	2400	66	N. Ferguson

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: USP Housing Unit: D4 Temp. Reading Location: COP SAdP  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	73	B. Salazar
	0600	69	J. Garza
	0900	68	J. Garza
	1200	73	L. Jimenez
	1500	73	J. Garza
	1800	76	R. TORRES
	2100	74	R. TORRES
	2400	75	B. Salazar

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	72	B. Salazar
	0600	71	E. Guzman
	0900	72	E. Guzman
	1200	73	E. Guzman
	1500	74	R. TORRES
	1800	75	R. TORRES
	2100	74	R. TORRES
	2400	74	B. Salazar

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	C. Guzman
	0600	70	G. Cobian
	0900	72	G. Cobian
	1200	73	G. Cobian
	1500	76	R. TORRES
	1800	75	R. TORRES
	2100	74	R. TORRES
	2400	72	C. Guzman

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	67	Figueroa
	0600	67	Figueroa
	0900	68	L. Jimenez
	1200	71	L. Jimenez
	1500	71	Figueroa
	1800	72	Figueroa
	2100	72	Figueroa
	2400	70	Figueroa

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	69	J. Guzman
	0600	66	L. Jimenez
	0900	68	L. Jimenez
	1200	70	C. Guzman
	1500	68	J. Guzman
	1800	68	J. Guzman
	2100	68	J. Guzman
	2400	68	J. Guzman

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	68	B. Salazar
	0600	70	B. Salazar
	0900	70	B. Salazar
	1200	71	E. Guzman
	1500	71	R. TORRES
	1800	72	R. TORRES
	2100	71	R. TORRES
	2400	68	B. Salazar

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	68	B. Salazar
	0600	68	B. Salazar
	0900	68	Ivy
	1200	70	B. Salazar
	1500	71	R. TORRES
	1800	72	R. TORRES
	2100	71	R. TORRES
	2400	69	B. Salazar

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D1(301) Temp. Reading Location: A, B, C, D and Dayroom  
-20.2 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	68	Johanna
	0600	68	A-Loper
	0900	69	Blaeza
	1200	71	A-Loper
	1500	71	mehmet
	1800	71	Timelie
	2100	71	Timelie
	2400	71	Timelie

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	67	J. Melendrez
	0600	70	Melendez
	0900	69	Melendez
	1200	74	Melendez
	1500	74	Martinez
	1800	74	Martinez
	2100	75	Martinez
	2400	68	J. Melendrez

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	61	J. Melendrez
	0600	69	NAUAPAC
	0900	71	NAUAPAC
	1200	75	NAUAPAC
	1500	75	Martinez
	1800	76	Martinez
	2100	75	Martinez
	2400	69	J. Melendrez

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	76	Melendrez
	0600	79	Garrett
	0900	71	Brown 26
	1200	74	NAUTRPO
	1500	75	Martinez
	1800	74	Martinez
	2100	76	Martinez
	2400	78	Melendrez

Friday

Date	Time	Temp.	Name (Print)
08-30-24	0300	67	J. Melendez
	0600	70	NAVARRE
	0900	70	NAVARRE
	1200	71	OROAZ
	1500	71	P. Arriarano
	1800	71	Martinez
	2100	76	Martinez
	2400	68	J. melendez

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	78	B. ORTEGA
	0600	71	NAVARRO
	0900	71	NAVARRO
	1200	75	NAVARRO
	1500	77	comet
	1800	78	comet
	2100	78	comet
	2400	74	B. ORTEGA

Sunday

Date	Time	Temp.	Name (Print)
6/1/04	0300	68	E-01010 ✓
	0600	71	Aug 20 ✓
	0900	73	Aug 20 ✓
	1200	75	Aug 20 ✓
	1500	77	Aug 20 ✓
	1800	79	Lameli ✓
	2100	79	Lameli ✓
	2400	68	E-01010 ✓

## Notes

8/18/24 Stg 1 H.A. deactivated @ 2030  
8/31/24 Stg 1 H.A. @ 1435 Deact @ 2030  
9/1/24 Stg 2 H.A. @ 1435-2035 Deactivated

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D-2 Temp. Reading Location: A B C D R.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	67	B. ORTEGA
	0600	67	VELASCO
	0900	69	VELASCO
	1200	73	S. Aguilera
	1500	74	S. Aguilera
	1800	74	S. Aguilera
	2100		S. Aguilera
	2400	69	B. ORTEGA

#### Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	71	B. ORTEGA
	0600	69	VELASCO
	0900	69	VELASCO
	1200	71	VELASCO
	1500	75	A. Lopez
	1800	76	A. Lopez
	2100	74	A. Lopez
	2400	71	B. ORTEGA

#### Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	67	S. Aguilera
	0600	69	S. Aguilera
	0900	72	S. Aguilera
	1200	75	L. Martinez
	1500	76	A. Lopez
	1800	76	A. Lopez
	2100	75	A. Lopez
	2400	67	C. Leon

#### Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	67°	B. Cox
	0600	69	A. Lopez
	0900	70	A. Lopez
	1200	73	A. Lopez
	1500	75	A. Cox
	1800	75	A. Cox
	2100	75	A. Cox
	2400	69°	B. Cox

#### Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	67	MARTINEZ
	0600	69	VELASCO
	0900	70	VELASCO
	1200	73	VELASCO
	1500	75	N. m
	1800	77	N. m
	2100	76	N. m
	2400	69	MARTINEZ

#### Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	68	B. Cox
	0600	70	VELASCO
	0900	70	VELASCO
	1200	73	VELASCO
	1500	75	E. Lopez
	1800	78	J. Martinez
	2100	77	J. Martinez
	2400	70	B. Cox

#### Notes

8/28/24 @ 1900 hrs stage 1 heat alert

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D 3 Temp. Reading Location: DAYroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	68	N. Fergus
	0600	69	C. Sanchez
	0900	69	C. Sanchez
	1200	72	C. Saway
	1500	72	N. Vise
	1800	73	S. SAETEUKU
	2100	71	S. SAETEUKU
	2400	70	N. Fergus

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	68	V. Valenzuela
	0600	69	C. Sanchez
	0900	70	C. Sanchez
	1200	71	C. Sanchez
	1500	73	E. Xiong
	1800	76	E. Xiong
	2100	75	E. Xiong
	2400	69	C. Grimes

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	69	B. Cox
	0600	69	C. Sanchez
	0900	70	C. Sanchez
	1200	74	C. Sanchez
	1500	75	E. Xiong
	1800	76	E. Xiong
	2100	76	E. Xiong
	2400	70	B. Cox

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	67	N. Fergus
	0600	69	C. Sanchez
	0900	71	J. Chambers
	1200	73	J. Chambers
	1500	76	J. Magdaleno
	1800	76	J. Magdaleno
	2100	75	J. Magdaleno
	2400	69	N. Fergus

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	68	N. Fergus
	0600	69	C. Sanchez
	0900	70	J. Chambers
	1200	73	C. Sanchez
	1500	76	E. Lopez
	1800	75	E. Lopez
	2100	74	E. Lopez
	2400	69	N. Fergus

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	69	N. Fergus
	0600	70	Taylor
	0900	71	Taylor
	1200	75	Taylor
	1500	76	E. Ramirez
	1800	78	E. Ramirez
	2100	77	E. Ramirez
	2400	77	N. Fergus

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	70	N. Fergus
	0600	71	Taylor
	0900	73	F. Navarro
	1200	75	Taylor
	1500	77	M. Wu
	1800	79	M. Wu
	2100	78	M. Wu
	2400	71	N. Fergus

Notes

8/28/24 - 1445 Status 1

D4  
 STATE OF CALIFORNIA  
 INSIDE TEMPERATURE RECORD  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: D4 Temp. Reading Location: COP SHOP  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

A,B,C,D+

Immediately notify the Watch Commander at extension 5383 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24/24	0300	70	B. Salazar M
	0600	69	J. Macias M
	0900	69	J. Macias M
	1200	70	J. Macias M
	1500	74	R. TORRES M
	1800	75	R. TORRES M
	2100	73	R. TORRES M
	2400	71	L. Tran

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	68	L. Ramee M
	0600	69	L. Ramee M
	0900	70	J. Macias M
	1200	72	J. Macias M
	1500	75	R. TORRES M
	1800	70	R. TORRES M
	2100	75	R. TORRES M
	2400	73	F. Tran

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	72	F. Tran
	0600	70	J. Macias M
	0900	72	J. Macias M
	1200	74	J. Macias M
	1500	76	R. TORRES M
	1800	76	R. TORRES M
	2100	75	R. TORRES M
	2400	73	F. Tran

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	69	F. Tran
	0600	70	F. Tran
	0900	70	L. Jimenez M
	1200	73	L. Jimenez M
	1500	76	F. Tran
	1800	76	F. Tran
	2100	74	F. Tran
	2400	73	C. Camino M

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	68	C. Camino M
	0600	69	L. Jimenez M
	0900	70	L. Jimenez M
	1200	75	L. Jimenez M
	1500	74	K. Loewen M
	1800	77	K. Loewen M
	2100	75	K. Loewen M
	2400	74	K. Loewen M

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	72	A. Delafuente M
	0600	71	J. Macias M
	0900	70	J. Macias M
	1200	74	J. Macias M
	1500	74	K. Loewen M
	1800	75	K. Loewen M
	2100	77	K. Loewen M
	2400	73	A. Delafuente M

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	72	J. Lopez M
	0600	72	A. Dominguez M
	0900	72	A. Dominguez M
	1200	75	A. Dominguez M
	1500	75	J. Trevino M
	1800	79	K. Loewen M
	2100	77	K. Loewen M
	2400	73	J. Lopez M

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: Infirmary OHU Temp. Reading Location: FLOOR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	71	S. NOVORA
	0600	71	J. MACIAS
	0900	71	P. GOMEZ
	1200	72	P. GOMEZ
	1500	72	P. GOMEZ
	1800	72	S. MACIAS
	2100	71	S. MACIAS
	2400	71	S. NOVORA

**Friday**

Date	Time	Temp.	Name (Print)
8-02-2024	0300	71	S. NOVORA
	0600	71	S. MACIAS
	0900	71	P. GOMEZ
	1200	71	P. GOMEZ
	1500	71	P. GOMEZ
	1800	71	S. MACIAS
	2100	71	S. MACIAS
	2400	71	S. NOVORA

**Saturday**

Date	Time	Temp.	Name (Print)
8-03-2024	0300	71	S. NOVORA
	0600	71	STRUFFERT
	0900	71	P. GOMEZ
	1200	71	STRUFFERT
	1500	71	EA. MACIEL
	1800	72	EA. MACIEL
	2100	72	EA. MACIEL
	2400	71	S. NOVORA

**Sunday**

Date	Time	Temp.	Name (Print)
8-04-2024	0300	71	S. NOVORA
	0600	71	GALINDO
	0900	71	GALINDO
	1200	71	GALINDO
	1500	72	EA. MACIEL
	1800	72	EA. MACIEL
	2100	72	EA. MACIEL
	2400	71	S. NOVORA

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: Infirmary OHU Temp. Reading Location: FLOOR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-05-2024	0300	71	E. TRAN
	0600	71	EA. MACIEL
	0900	71	EA. MACIEL
	1200	72	EA. MACIEL
	1500	72	J. OCEAN
	1800	71	J. OCEAN
	2100	71	J. OCEAN
	2400	71	E. TRAN

**Wednesday**

Date	Time	Temp.	Name (Print)
8-07-2024	0300	71	A. Martinez
	0600	71	J. Martinez
	0900	72	P. Gomez
	1200	72	P. Gomez
	1500	72	R. J. IVY
	1800	72	R. J. IVY
	2100	72	R. J. IVY
	2400	72	A. Martinez

**Friday**

Date	Time	Temp.	Name (Print)
8-09-2024	0300	71	S. Novoa
	0600	71	P. Gomez
	0900	71	P. Gomez
	1200	72	P. Gomez
	1500	72	P. Gomez
	1800	72	Z. Coronado
	2100	71	R. Coronado
	2400	71	S. Novoa

**Sunday**

Date	Time	Temp.	Name (Print)
8-11-2024	0300	71	S. Novoa
	0600	71	B. Anna S.
	0900	71	P. Gomez
	1200	71	P. Gomez
	1500	72	P. Gomez
	1800	71	F. GONZALEZ
	2100	71	F. GONZALEZ
	2400	71	S. Novoa

**Tuesday**

Date	Time	Temp.	Name (Print)
8-06-2024	0300	71	E. TRAN
	0600	71	A. Martinez
	0900	71	F. RAY
	1200	71	F. RAY
	1500	72	J. OCEAN
	1800	72	J. OCEAN
	2100	72	J. OCEAN
	2400	71	E. TRAN

**Thursday**

Date	Time	Temp.	Name (Print)
8-08-2024	0300	71	S. Novoa
	0600	71	J. Martinez
	0900	71	P. Gomez
	1200	71	P. Gomez
	1500	72	P. Gomez
	1800	72	Andrea
	2100	72	Andrea
	2400	71	S. Novoa

**Saturday**

Date	Time	Temp.	Name (Print)
8-10-2024	0300	71	Clarke
	0600	71	J. Mendoza
	0900	71	P. Gomez
	1200	71	P. Gomez
	1500	72	P. Gomez
	1800	72	E. Gonzalez
	2100	72	Gonzalez
	2400	71	S. Novoa

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: Infirmary OHU Temp. Reading Location: FLOOR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-12-2024	0300	71	F. COLDSNOW
	0600	71	F. COLDSNOW
	0900	72	F. REY
	1200	72	F. REY
	1500	72	F. REY
	1800	71	J. Ocampo
	2100	71	J. Ocampo
	2400	71	B. VERTOR F. COLDSNOW

**Wednesday**

Date	Time	Temp.	Name (Print)
8-14-2024	0300	71	S. Soria
	0600	71	J. MARTINEZ
	0900	71	J. MARTINEZ
	1200	72	J. MARTINEZ
	1500	72	S. MACIAS
	1800	72	S. MACIAS
	2100	71	S. MACIAS
	2400	71	S. SORIA

**Friday**

Date	Time	Temp.	Name (Print)
8-16-2024	0300	71	A. NAVARRO
	0600	71	S. MACIAS
	0900	71	S. MACIAS
	1200	72	P. GOMEZ
	1500	71	S. MACIAS
	1800	71	S. MACIAS
	2100	71	S. MACIAS
	2400	71	A. NAVARRO

**Sunday**

Date	Time	Temp.	Name (Print)
8-18-2024	0300	71	G. VELASCO
	0600	71	S. NAVARRO
	0900	71	E.A. MACIEL
	1200	71	E.A. MACIEL
	1500	71	E.A. MACIEL
	1800	71	E.A. MACIEL
	2100	71	E.A. MACIEL
	2400	71	M. NUOVO

**Tuesday**

Date	Time	Temp.	Name (Print)
8-13-2024	0300	71	B. VERTOR
	0600	71	J. VENY
	0900	72	F. REY
	1200	72	F. REY
	1500	72	F. REY
	1800	71	TREVINO
	2100	71	TREVINO
	2400	71	B. VERTOR

**Thursday**

Date	Time	Temp.	Name (Print)
8-15-2024	0300	71	C. CASA
	0600	71	J. MARTINEZ
	0900	71	P. GOMEZ
	1200	71	J. MARTINEZ
	1500	71	P. GOMEZ
	1800	71	S. MACIAS
	2100	71	S. MACIAS
	2400	71	A. NAVARRO

**Saturday**

Date	Time	Temp.	Name (Print)
8-17-2024	0300	71	G. OCENG VERA
	0600	71	M. MUNIZ
	0900	71	P. GOMEZ
	1200	72	E.A. MACIEL
	1500	71	E.A. MACIEL
	1800	71	E.A. MACIEL
	2100	71	E.A. MACIEL
	2400	71	G. OCENG VERA

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: Infirmary OHU Temp. Reading Location: FLOOR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-19-2024	0300	71	E-TRAN
	0600	71	E.A. MACIEL
	0900	71	E.A. MACIEL
	1200	71	E.A. MACIEL
	1500	71	C.Sanchez
	1800	71	C.Sanchez
	2100	71	C.Sanchez
	2400	71	E-TRAN

**Tuesday**

Date	Time	Temp.	Name (Print)
8-20-2024	0300	71	E-TRAN
	0600	71	S. Macias
	0900	71	S. macias
	1200	72	SMacias
	1500	72	SMacias
	1800	71	SMacias
	2100	71	SMacias
	2400	71	E-TRAN

**Wednesday**

Date	Time	Temp.	Name (Print)
8-21-2024	0300	71	S-Novoa
	0600	71	J. Figueran
	0900	72	P. Gomez
	1200	71	P. Gomez
	1500	71	P. Gomez
	1800	71	S. Macias
	2100	71	S. Macias
	2400	71	S-Novoa

**Thursday**

Date	Time	Temp.	Name (Print)
8-22-2024	0300	71	S-Novoa
	0600	71	J.Martinez
	0900	72	J.Martinez
	1200	71	P. Gomez
	1500	71	S. macias
	1800	71	S. macias
	2100	71	S. macias
	2400	71	S-Novoa

**Friday**

Date	Time	Temp.	Name (Print)
8-23-2024	0300	71	S-Novoa
	0600	71	S. macias
	0900	72	S. macias
	1200	72	P. Gomez
	1500	72	P. Gomez
	1800	71	S. Macias
	2100	71	S. Macias
	2400	71	S-Novoa

**Saturday**

Date	Time	Temp.	Name (Print)
8-24-2024	0300	72	S-Novoa
	0600	72	E.A. MACIEL
	0900	72	E.A. MACIEL
	1200	72	E.A. MACIEL
	1500	72	E.A. MACIEL
	1800	72	E.A. MACIEL
	2100	71	E.A. MACIEL
	2400	72	S-Novoa

**Sunday**

Date	Time	Temp.	Name (Print)
8-25-2024	0300	72	E-TRAN
	0600	72	E.A. MACIEL
	0900	72	E.A. MACIEL
	1200	72	E.A. MACIEL
	1500	72	E.A. MACIEL
	1800	71	E.A. MACIEL
	2100	71	E.A. MACIEL
	2400	71	E-TRAN

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: Infirmary OHU Temp. Reading Location: FLOOR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5323 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-2024	0300	71	E. TRAM
	0600	72	EA. MACIEL
	0900	72	EA. MACIEL
	1200	72	EA. MACIEL
	1500	72	J. Ocampo
	1800	72	J. Ocampo
	2100	71	J. Ocampo
	2400	71	E. TRAM

Wednesday

Date	Time	Temp.	Name (Print)
8-28-2024	0300	71	S. Novoa
	0600	71	Figueroa
	0900	72	Figueroa
	1200	72	Figueroa
	1500	72	S. Macias
	1800	72	S. Macias
	2100	71	S. Macias
	2400	71	S. Novoa

Friday

Date	Time	Temp.	Name (Print)
8-30-2024	0300	71	S. Novoa
	0600	71	S. Macias
	0900	72	S. Macias
	1200	72	P. Gomez
	1500	72	P. Gomez
	1800	72	S. Macias
	2100	71	S. Macias
	2400	71	S. Novoa

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8-27-2024	0300	71	E. TRAM
	0600	71	EA. MACIEL
	0900	72	EA. MACIEL
	1200	72	EA. MACIEL
	1500	72	J. Ocampo
	1800	72	J. Ocampo
	2100	71	J. Ocampo
	2400	71	E. TRAM

Thursday

Date	Time	Temp.	Name (Print)
8-29-2024	0300	71	S. Novoa
	0600	72	M. Muñoz
	0900	72	P. Gomez
	1200	72	P. Gomez
	1500	72	S. Macias
	1800	72	S. Macias
	2100	71	S. Macias
	2400	71	S. Novoa

Saturday

Date	Time	Temp.	Name (Print)
8-31-2024	0300	71	S. Novoa
	0600	71	EA. MACIEL
	0900	71	EA. MACIEL
	1200	72	EA. MACIEL
	1500	72	EA. MACIEL
	1800	72	EA. MACIEL
	2100	71	EA. MACIEL
	2400	71	S. Novoa

Notes