

Monthly Summary Report

Institution: RJD

Memorandum

Date: October 7, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - September 2024

The following is a summary of the heat related activity for the month of September 2024,
at RJD (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 5

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

J. S. HILL

Warden Name

DocuSigned by:

Matthew Palmer

56DDDD09E31E449E...

Warden Signature

C. W. PODRATZ

Chief Executive Officer Name

DocuSigned by:

C. W. Podratz

44D98394C000241C...

Chief Executive Officer Signature

California Department of Corrections and Rehabilitation

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy PlantImmediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/1/24	0100	64	TOVAL
	0200	64	TOVAL
	0300	63	TOVAL
	0400	63	TOVAL
	0500	63	TOVAL
	0600	63	TOVAL
	0700	63	Perales
	0800	64	Perales
	0900	67	Perales
	1000	72	Perales
	1100	75	Perales
	1200	76	Perales
	1300	78	Perales
	1400	80	Perales
	1500	78	LIBED
	1600	76	LIBED
	1700	75	LIBED
	1800	72	LIBED
	1900	68	LIBED
	2000	65	LIBED
	2100	64	LIBED
	2200	64	LIBED
	2300	63	TOVAL
	2400	63	TOVAL

Date	Time	Temp.	Printed Name
9/2/24	0100	63	TOVAL
	0200	63	TOVAL
	0300	63	TOVAL
	0400	62	TOVAL
	0500	62	TOVAL
	0600	62	TOVAL
	0700	63	Perales
	0800	64	Perales
	0900	69	Perales
	1000	75	Perales
	1100	79	Perales
	1200	79	Perales
	1300	80	Perales
	1400	82	Perales
	1500	81	LIBED
	1600	79	LIBED
	1700	78	LIBED
	1800	75	LIBED
	1900	69	LIBED
	2000	66	LIBED
	2100	65	LIBED
	2200	65	LIBED
	2300	65	SMITH
	2400	65	SMITH

California Department of Corrections and Rehabilitation

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy PlantImmediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/3/24	0100	64	SMITH
	0200	64	SMITH
	0300	64	SMITH
	0400	64	SMITH
	0500	63	SMITH
	0600	63	SMITH
	0700	65	Perales
	0800	68	Perales
	0900	73	Perales
	1000	82	Perales
	1100	85	Perales
	1200	86	Perales
	1300	85	Perales
	1400	83	Perales
	1500	82	LIBED
	1600	82	LIBED
	1700	80	LIBED
	1800	78	LIBED
	1900	72	LIBED
	2000	69	LIBED
	2100	68	LIBED
	2200	67	LIBED
	2300	67	SMITH
	2400	67	SMITH

Date	Time	Temp.	Printed Name
9/4/24	0100	66	SMITH
	0200	66	SMITH
	0300	65	SMITH
	0400	64	SMITH
	0500	63	SMITH
	0600	63	SMITH
	0700	65	Perales
	0800	70	Perales
	0900	75	Perales
	1000	80	Perales
	1100	81	Perales
	1200	86	Perales
	1300	85	Perales
	1400	87	Perales
	1500	86	LIBED
	1600	83	LIBED
	1700	81	LIBED
	1800	78	LIBED
	1900	74	LIBED
	2000	72	LIBED
	2100	71	LIBED
	2200	70	LIBED
	2300	70	TOVAL
	2400	69	TOVAL

California Department of Corrections and Rehabilitation

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy PlantImmediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/5/24	0100	70	TOVAR
	0200	69	TOVAR
	0300	69	TOVAR
	0400	68	TOVAR
	0500	68	TOVAR
	0600	68	TOVAR
	0700	70	Perales
	0800	75	Perales
	0900	81	Perales
	1000	87	Perales
	1100	90	Perales
	1200	91	Perales
	1300	91	Perales
	1400	90	Perales
	1500	92	SMITH
	1600	93	SMITH
	1700	94	SMITH
	1800	86	SMITH
	1900	81	SMITH
	2000	78	SMITH
	2100	77	SMITH
	2200	76	SMITH
	2300	77	TOVAR
	2400	76	TOVAR

Date	Time	Temp.	Printed Name
9/6/24	0100	75	TOVAR
	0200	72	TOVAR
	0300	70	TOVAR
	0400	69	TOVAR
	0500	69	TOVAR
	0600	70	TOVAR
	0700	71	TOVAR
	0800	78	TOVAR
	0900	85	TOVAR
	1000	9:35	TOVAR
	1100	93	TOVAR
	1200	98	TOVAR
	1300	92	TOVAR
	1400	89	TOVAR
	1500	84	TOVAR
	1600	87	SMITH
	1700	87	SMITH
	1800	84	SMITH
	1900	82	SMITH
	2000	80	SMITH
	2100	79	SMITH
	2200	79	SMITH
	2300	76	SMITH
	2400	75	TOVAR

Activate Stage 1 Heat Alert 91° ←

Deactivated ← 13:35

California Department of Corrections and Rehabilitation

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy PlantImmediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/7/24 STG 1 14T AUNW 11:21 1710 STAGE 1 HEAT ALERT DEACTIVATED	0100	75	TOVAR
	0200	75	TOVAR
	0300	75	TOVAR
	0400	74	TOVAR
	0500	74	TOVAR
	0600	74	TOVAR
	0700	78	SMITH+
	0800	83	SMITH+
	0900	86	SMITH+
	1000	88	SMITH
	1100	91	SMITH
	1200	93	SMITH
	1300	94	SMITH+
	1400	98	SMITH+
	1500	101	LIBED
	1600	92	LIBED
	1700	88	LIBED
	1800	87	LIBED
	1900	84	LIBED
	2000	82	LIBED
	2100	81	LIBED
	2200	81	LIBED
	2300	80	TOVAR
	2400	80	TOVAR

Date	Time	Temp.	Printed Name
9/8/24 stage 90 ← 1815 STAGE 1 HEAT ALERT DEACTIVATED	0100	80	TOVAR
	0200	81	TOVAR
	0300	81	TOVAR
	0400	82	TOVAR
	0500	82	TOVAR
	0600	83	TOVAR
	0700	82	Perales
	0800	87	Perales
	0900	824 95	Perales
	1000	98	Perales
	1100	100	Perales
	1200	101	Perales
	1300	101	Perales
	1400	102	Perales
	1500	104	LIBED
	1600	100	LIBED
	1700	92	LIBED
	1800	89	LIBED
	1900	84	LIBED
	2000	81	LIBED
	2100	81	LIBED
	2200	80	LIBED
	2300	81	TOVAR
	2400	80	TOVAR

California Department of Corrections and Rehabilitation
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/9/24	0100	80	TOVAR
	0200	79	TOVAR
	0300	79	TOVAR
	0400	77	TOVAR
	0500	77	TOVAR
	0600	77	TOVAR
	0700	77	Peralver
	0800	85	Peralves
Stage 1 90 ←	0900	89	Peralver
	1000	92	Peralves
	1100	93	Peralves
	1200	95	Peralves
	1300	95	Peralves
	1400	93	Peralves
	1500	93	LIBED
	1600	93	LIBED
	1700	90	LIBED
	1800	87	LIBED
1805 - STAGE 1 HEAT ALERT DEACTIVATED	1900	81	LIBED
	2000	78	LIBED
	2100	79	LIBED
	2200	76	LIBED
	2300	77	LIBED
	2400	76	SMITH

Date	Time	Temp.	Printed Name
9/10/24	0100	74	SMITH
	0200	71	SMITH
	0300	70	SMITH
	0400	69	SMITH
	0500	69	SMITH
	0600	69	SMITH
	0700	70	Peralves
	0800	75	Peralves
	0900	78	Peralves
	1000	84	Peralves
	1100	88	Peralves
	1200	86	Peralves
	1300	87	Peralves
	1400	85	Peralves
	1500	85	LIBED
	1600	84	LIBED
	1700	81	LIBED
	1800	77	LIBED
	1900	72	LIBED
	2000	68	LIBED
	2100	68	LIBED
	2200	67	LIBED
	2300	67	SMITH
	2400	67	SMITH

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy PlantImmediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/11/24	0100		SMITH
	0200	66	SMITH
	0300	66	SMITH
	0400	65	SMITH
	0500	65	SMITH
	0600	65	SMITH
	0700	65	Perales
	0800	66	Perales
	0900	70	Perales
	1000	73	Perales
	1100	74	Perales
	1200	75	Perales
	1300	75	Perales
	1400	75	Perales
	1500	74	LIBED
	1600	73	LIBED
	1700	71	LIBED
	1800	68	LIBED
	1900	63	LIBED
	2000	62	LIBED
	2100	61	LIBED
	2200	59	LIBED
	2300	61	TOVAR
	2400	66	TOVAR

Date	Time	Temp.	Printed Name
9/11/24	0100	60	TOVAR
	0200	60	TOVAR
	0300	61	TOVAR
	0400	62	TOVAR
	0500	62	TOVAR
	0600	61	TOVAR
	0700	61	Perales
	0800	62	Perales
	0900	64	Perales
	1000	70	Perales
	1100	72	Perales
	1200	77	Perales
	1300	76	Perales
	1400	76	Perales
	1500	76	SMITH
	1600	75	SMITH
	1700	72	SMITH
	1800	70	SMITH
	1900	69	SMITH
	2000	66	SMITH
	2100	64	SMITH
	2200		
	2300	64	TOVAR
	2400	64	TOVAR

California Department of Corrections and Rehabilitation

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy PlantImmediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/13/24	0100	64	TOVAL
	0200	63	TOVAL
	0300	63	TOVAL
	0400	62	TOVAL
	0500	62	TOVAL
	0600	62	TOVAL
	0700	62	Perales
	0800	65	Perales
	0900	68	Perales
	1000	71	Perales
	1100	72	Perales
	1200	75	Perales
	1300	75	Perales
	1400	75	Perales
	1500	74	SMITH
	1600	74	SMITH
	1700	71	SMITH
	1800	69	SMITH
	1900	67	SMITH
	2000	65	SMITH
	2100	63	SMITH
	2200	63	SMITH
	2300	64	TOVAL
	2400	64	TOVAL

Date	Time	Temp.	Printed Name
9/14/24	0100	64	TOVAL
	0200	63	TOVAL
	0300	62	TOVAL
	0400	62	TOVAL
	0500	63	TOVAL
	0600	63	TOVAL
	0700	64	SMITH
	0800	69	SMITH
	0900	72	SMITH
	1000	72	SMITH
	1100	73	SMITH
	1200	74	SMITH
	1300	75	SMITH
	1400	76	SMITH
	1500	76	LIBED
	1600	74	LIBED
	1700	71	LIBED
	1800	70	LIBED
	1900	66	LIBED
	2000	64	LIBED
	2100	63	LIBED
	2200	64	LIBED
	2300	64	TOVAL
	2400	64	TOVAL

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy PlantImmediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/15/24	0100	64	TOVAL
	0200	64	TOVAL
	0300	64	TOVAL
	0400	64	TOVAL
	0500	64	TOVAL
	0600	64	TOVAL
	0700	63	Perales
	0800	64	Perales
	0900	66	Perales
	1000	69	Perales
	1100	69	Perales
	1200	68	Perales
	1300	70	Perales
	1400	69	Perales
	1500	69	LIBED
	1600	68	LIBED
	1700	66	LIBED
	1800	65	LIBED
	1900	64	LIBED
	2000	63	LIBED
	2100	63	LIBED
	2200	63	LIBED
	2300	63	TOVAL
	2400	63	TOVAL

Date	Time	Temp.	Printed Name
9/16/24	0100	63	TOVAL
	0200	62	TOVAL
	0300	62	TOVAL
	0400	62	TOVAL
	0500	62	TOVAL
	0600	62	TOVAL
	0700	62	Perales
	0800	64	Perales
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

California Department of Corrections and Rehabilitation

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/15/24	0100	64	TOVAL
	0200	64	TOVAL
	0300	64	TOVAL
	0400	64	TOVAL
	0500	64	TOVAL
	0600	64	TOVAL
	0700	63	Perales
	0800	64	Perales
	0900	66	Perales
	1000	69	Perales
	1100	69	Perales
	1200	68	Perales
	1300	70	Perales
	1400	69	Perales
	1500	69	LIBED
	1600	68	LIBED
	1700	66	LIBED
	1800	65	LIBED
	1900	64	LIBED
	2000	63	LIBED
	2100	63	LIBED
	2200	63	LIBED
	2300	63	TOVAL
	2400	63	TOVAL

Date	Time	Temp.	Printed Name
9/16/24	0100	63	TOVAL
	0200	62	TOVAL
	0300	62	TOVAL
	0400	62	TOVAL
	0500	62	TOVAL
	0600	62	TOVAL
	0700	62	Perales
	0800	64	Perales
	0900	68	Perales
	1000	70	Perales
	1100	73	Perales
	1200	71	Perales
	1300	71	Perales
	1400	69	Perales
	1500	69	LIBED
	1600	68	LIBED
	1700	67	LIBED
	1800	66	LIBED
	1900	63	LIBED
	2000	62	LIBED
	2100	61	LIBED
	2200	60	LIBED
	2300	60	SMITH
	2400	60	SMITH

California Department of Corrections and Rehabilitation

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy PlantImmediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/17/14	0100	59	SMITH
	0200	58	SMITH
	0300	57	SMITH
	0400	56	SMITH
	0500	56	SMITH
	0600	55	SMITH
	0700	56	Perales
	0800	62	Perales
	0900	64	Perales
	1000	67	Perales
	1100	69	Perales
	1200	71	Perales
	1300	71	Perales
	1400	71	Perales
	1500	70	SMITH
	1600	68	SMITH
	1700	66	SMITH
	1800	66	SMITH
	1900	66	SMITH
	2000	69	SMITH
	2100	69	SMITH
	2200	64	SMITH
	2300	63	SMITH
	2400	63	SMITH

Date	Time	Temp.	Printed Name
9/18/14	0100	62	SMITH
	0200	62	SMITH
	0300	61	SMITH
	0400	61	SMITH
	0500	61	SMITH
	0600	61	SMITH
	0700	61	Perales
	0800	64	Perales
	0900	65	Perales
	1000	67	Perales
	1100	68	Perales
	1200	70	Perales
	1300	73	Perales
	1400	72	Perales
	1500	71	LIBED
	1600	69	LIBED
	1700	66	LIBED
	1800	65	LIBED
	1900	63	LIBED
	2000	63	LIBED
	2100	63	LIBED
	2200	63	LIBED
	2300	62	TOVAR
	2400	62	TOVAR

California Department of Corrections and Rehabilitation

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy PlantImmediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/19/24	0100	62	TOVAR
	0200	62	TOVAR
	0300	61	TOVAR
	0400	61	TOVAR
	0500	61	TOVAR
	0600	62	TOVAR
	0700	62	Perales
	0800	64	Perales
	0900	65	Perales
	1000	67	Perales
	1100	70	Perales
	1200	71	Perales
	1300	74	Perales
	1400	74	Perales
	1500	73	SMITH
	1600	71	SMITH+
	1700	69	SMITH
	1800	67	SMITH+
	1900	66	SMITH+
	2000	65	SMITH+
	2100	64	SMITH
	2200	64	SMITH
	2300	63	TOVAR
	2400	63	TOVAR

Date	Time	Temp.	Printed Name
9/20/24	0100	63	TOVAR
	0200	63	TOVAR
	0300	62	TOVAR
	0400	62	TOVAR
	0500	62	TOVAR
	0600	61	TOVAR
	0700	61	TOVAR
	0800	61	TOVAR
	0900	61	TOVAR
	1000	63	TOVAR
	1100	65	TOVAR
	1200	68	TOVAR
	1300	69	SMITH
	1400	67	SMITH
	1500	66	SMITH+
	1600	65	SMITH
	1700	65	SMITH
	1800	64	SMITH
	1900	64	SMITH+
	2000	64	SMITH-
	2100	63	SMITH
	2200	63	SMITH
	2300	63	TOVAR
	2400	63	TOVAR

California Department of Corrections and Rehabilitation

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/21/24	0100	62	TOVAR
	0200	62	TOVAR
	0300	60	TOVAR
	0400	59	TOVAR
	0500	57	TOVAR
	0600	57	TOVAR
	0700	60	SMITH
	0800	64	SMITH
	0900	66	SMITH
	1000	69	SMITH
	1100	71	SMITH
	1200	73	SMITH
	1300	74	SMITH
	1400	74	SMITH
	1500	73	LIBED
	1600	71	LIBED
	1700	69	LIBED
	1800	67	LIBED
	1900	63	LIBED
	2000	62	LIBED
	2100	62	LIBED
	2200	61	LIBED
	2300	61	TOVAR
	2400	61	TOVAR

Date	Time	Temp.	Printed Name
9/22/24	0100	61	TOVAR
	0200	61	TOVAR
	0300	60	TOVAR
	0400	60	TOVAR
	0500	60	TOVAR
	0600	60	TOVAR
	0700	59	Perales
	0800	61	Perales
	0900	63	Perales
	1000	70	Perales
	1100	74	Perales
	1200	76	Perales
	1300	75	Perales
	1400	75	Perales
	1500	75	LIBED
	1600	74	LIBED
	1700	72	LIBED
	1800	67	LIBED
	1900	64	LIBED
	2000	63	LIBED
	2100	63	LIBED
	2200	62	LIBED
	2300	61	TOVAR
	2400	61	TOVAR

California Department of Corrections and Rehabilitation
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/23/24	0100	61	TOVAR
	0200	61	TOVAR
	0300	60	TOVAR
	0400	60	TOVAR
	0500	60	TOVAR
	0600	60	TOVAR
	0700	60	Perales
	0800	61	Perales
	0900	62	Perales
	1000	68	Perales
	1100	72	Perales
	1200	78	Perales
	1300	78	Perales
	1400	77	Perales
	1500	76	LIBED
	1600	75	LIBED
	1700	73	LIBED
	1800	69	LIBED
	1900	63	LIBED
	2000	62	LIBED
	2100	62	LIBED
	2200	62	LIBED
	2300	62	SMITH
	2400	62	SMITH

Date	Time	Temp.	Printed Name
9/24/24	0100	62	SMITH
	0200	61	SMITH
	0300	61	SMITH
	0400	62	SMITH
	0500	62	SMITH
	0600	62	SMITH
	0700	61	Perales
	0800	62	Perales
	0900	64	Perales
	1000	69	Perales
	1100	72	Perales
	1200	74	Perales
	1300	77	Perales
	1400	77	Perales
	1500	76	LIBED
	1600	74	LIBED
	1700	73	LIBED
	1800	70	LIBED
	1900	64	LIBED
	2000	62	LIBED
	2100	62	LIBED
	2200	62	LIBED
	2300	62	SMITH
	2400	62	SMITH

California Department of Corrections and Rehabilitation
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/25/24	0100	62	SMITH
	0200	62	SMITH
	0300	62	SMITH
	0400	62	SMITH
	0500	62	SMITH
	0600	62	SMITH
	0700	62	Perales
	0800	62	Perales
	0900	65	Perales
	1000	68	Perales
	1100	72	Perales
	1200	72	Perales
	1300	72	Perales
	1400	71	Perales
	1500	72	LIBED
	1600	70	LIBED
	1700	69	LIBED
	1800	67	LIBED
	1900	62	LIBED
	2000	61	LIBED
	2100	60	LIBED
	2200	60	LIBED
	2300	61	TOVAL
	2400	61	TOVAL

Date	Time	Temp.	Printed Name
9/26/24	0100	60	TOVAL
	0200	60	TOVAL
	0300	59	TOVAL
	0400	59	TOVAL
	0500	59	TOVAL
	0600	59	TOVAL
	0700	58	Perales
	0800	59	Perales
	0900	60	Perales
	1000	63	Perales
	1100	67	Perales
	1200	70	Perales
	1300	75	Perales
	1400	74	Perales
	1500	74	SMITH
	1600	71	SMITH
	1700	69	SMITH
	1800	68	SMITH
	1900	66	SMITH
	2000	64	SMITH
	2100	62	SMITH
	2200	60	SMITH
	2300	60	TOVAL
	2400	60	TOVAL

California Department of Corrections and Rehabilitation
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/27/24	0100	59	TOVAR
	0200	59	TOVAR
	0300	58	TOVAR
	0400	58	TOVAR
	0500	57	TOVAR
	0600	57	TOVAR
	0700	58	SMITH
	0800	59	SMITH
	0900	60	SMITH
	1000	61	SMITH
	1100	64	SMITH
	1200	67	SMITH
	1300	64	SMITH
	1400	71	SMITH
	1500	73	SMITH
	1600	71	SMITH
	1700	70	SMITH
	1800	66	SMITH
	1900	49	SMITH
	2000	43	SMITH
	2100	40	SMITH
	2200	56	SMITH
	2300	58	TOVAR
	2400	57	TOVAR

Date	Time	Temp.	Printed Name
9/28/24	0100	58	TOVAR
	0200	57	TOVAR
	0300	56	TOVAR
	0400	55	TOVAR
	0500	55	TOVAR
	0600	55	TOVAR
	0700	58	SMITH
	0800	60	SMITH
	0900	63	SMITH
	1000	67	SMITH
	1100	70	SMITH
	1200	73	SMITH
	1300	74	SMITH
	1400	74	SMITH
	1500	74	LIBED
	1600	73	LIBED
	1700	72	LIBED
	1800	67	LIBED
	1900	62	LIBED
	2000	60	LIBED
	2100	60	LIBED
	2200	59	LIBED
	2300	59	TOVAR
	2400	59	TOVAR

California Department of Corrections and Rehabilitation

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy PlantImmediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/24/24	0100	59	TOVAR
	0200	58	TOVAR
	0300	56	TOVAR
	0400	56	TOVAR
	0500	55	TOVAR
	0600	55	TOVAR
	0700	54	Peralles
	0800	55	Peralles
	0900	60	Peralles
	1000	67	Peralles
	1100	74	Peralles
	1200	71	Peralles
	1300	74	Peralles
	1400	75	Peralles
	1500	79	LIBED
	1600	76	LIBED
	1700	71	LIBED
	1800	67	LIBED
	1900	63	LIBED
	2000	60	LIBED
	2100	60	LIBED
	2200	59	LIBED
	2300	58	TOVAR
	2400	58	TOVAR

Date	Time	Temp.	Printed Name
9/30/24	0100	58	TOVAR
	0200	56	TOVAR
	0300	55	TOVAR
	0400	55	TOVAR
	0500	55	TOVAR
	0600	54	TOVAR
	0700	52	Peralles
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

California Department of Corrections and Rehabilitation
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: Richard J. Donovan (RJD)

From May 1 through October the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/24/24	0100	59	TOVAR
	0200	58	TOVAR
	0300	56	TOVAR
	0400	56	TOVAR
	0500	55	TOVAR
	0600	55	TOVAR
	0700	54	Perales
	0800	55	Perales
	0900	60	Perales
	1000	67	Perales
	1100	74	Perales
	1200	71	Perales
	1300	74	Perales
	1400	75	Perales
	1500	79	LIBED
	1600	76	LIBED
	1700	71	LIBED
	1800	67	LIBED
	1900	63	LIBED
	2000	60	LIBED
	2100	60	LIBED
	2200	59	LIBED
	2300	58	TOVAR
	2400	54	TOVAR

Date	Time	Temp.	Printed Name
9/30/24	0100	50	TOVAR
	0200	56	TOVAR
	0300	55	TOVAR
	0400	55	TOVAR
	0500	55	TOVAR
	0600	54	TOVAR
	0700	52	Perales
	0800	53	Perales
	0900	60	Perales
	1000	65	Perales
	1100	73	Perales
	1200	78	Perales
	1300	77	Perales
	1400	77	Perales
	1500	76	LIBED
	1600	75	LIBED
	1700	73	LIBED
	1800	67	LIBED
	1900	63	LIBED
	2000	62	LIBED
	2100	61	LIBED
	2200	61	LIBED
	2300	61	SMITH
	2400	60	SMITH

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RDP Housing Unit: 1 Temp. Reading Location: 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 8087 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600		
	0900		
	1200		
	1500	ac appears to be working	
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	<i>AC appears</i>	
	1800	<i>Watering</i>	
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300		
	0600		
	0900		
	1200		
	1500		KC appears Worthy
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300		
	0600		
	0900		
	1200		
	1500		AC appears Working
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/13/05	0300		
	0600		
	0900		
	1200		
	1500		<i>AC Specs W-23</i>
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		
	1500		AC appears Working
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
1/21	0300		
	0600		
	0900		
	1200		
	1500	AC appears to	
	1800	De working	
2100			
2400			

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit A-2

Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	74	M. Salewsky
	0600	74	M. Salewsky
	0900	72	R. Garcia
	1200	71	R. Garcia
	1500	72	FIERRO
	1800	73	FIERRO
	2100	74	FIERRO
	2400	74	VILLARREAL

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	74	VILLARREAL
	0600	74	Jansen
	0900	73	Jansen
	1200	72	Jansen
	1500	71	Gutierrez
	1800	72	J. Gutierrez
	2100	71	J. Gutierrez
	2400	74	VILLARREAL

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	73	A. Lopez
	0600	73	A. Lopez
	0900	73	Jansen
	1200	72	Jansen
	1500	71	Welti
	1800	72	Welti
	2100	74	VILLARREAL

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	73	S. Long
	0600	72	S. Long
	0900	73	M. Robles
	1200	71	M. Robles
	1500	71	Fierro
	1800	72	Fierro
	2100	72	Fierro
	2400	74	J. Anchavez

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	74	VILLARREAL
	0600	74	Jansen
	0900	73	Jansen
	1200	72	Jansen
	1500	72	Fierro
	1800	72	Fierro
	2100	75	Fierro
	2400	75	VILLARREAL

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	74	VILLARREAL
	0600	74	Jansen
	0900	73	Jansen
	1200	72	Jansen
	1500	72	Jansen
	1800	72	Mendoza
	2100	73	Mendoza
	2400	73	Mendoza

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	74	VILLARREAL
	0600	74	Jansen
	0900	73	Jansen
	1200	72	Jansen
	1500	71	Long
	1800	71	Long
	2100	74	S. Long
	2400	74	S. Long

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	77	M. Cesar
	0600	76	MR Flores
	0900	77	MR Flores
	1200	79	MR Flores
	1500	81°	D. Gomez
	1800	80°	D. Gomez
	2100	79°	D. Gomez
	2400	78	M. Cesar

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	77	M. Cesar
	0600	77	S. Chavez
	0900	77	S. Chavez
	1200	79	S. Chavez
	1500	80°	D. Gomez
	1800	80°	D. Gomez
	2100	78°	D. Gomez
	2400	78	M. Cesar

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	77	M. Cesar
	0600	77	J. SOSA
	0900	77	J. SOSA
	1200	77	J. SOSA
	1500	80	ESQUIVIES
	1800	80	ESQUIVIES
	2100	78	ESQUIVIES
	2400	78	M. Cesar

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	78	M. Cesar
	0600	79	MR Flores
	0900	77	MR Flores
	1200	78	MR Flores
	1500	75	A. SOTO
	1800	82	A. SOTO
	2100	83	A. SOTO
	2400	78	M. Cesar

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	78	M. Cesar
	0600	76	MR Flores
	0900	76	MR Flores
	1200	77	MR Flores
	1500	79	E. Simenral
	1800	78	E. Simenral
	2100	77	E. Simenral
	2400	77	C. Greene

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	77	C. Greene
	0600	76	MR Flores
	0900	76	MR Flores
	1200	78	MR Flores
	1500	79	E. Simenral
	1800	78	E. Simenral
	2100	77	E. Simenral
	2400	77	J. Goff

Sunday

DATE	TIME	TEMP	NAME
9/1	0300	77	J. Goff
	0600	76	J. Goff
	0900	77	MR Flores
	1200	78	MR Flores
	1500	79	E. Simenral
	1800	78	E. Simenral
	2100	78	K. C.
	2400	78	M. Cesar

Notes:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #4 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	74	E. RAMOS
8/26/24	0600	74	J. ZAMORA
8/26/24	0900	74	J. ZAMORA
8/26/24	1200	78	J. ZAMORA
8/26/24	1500	78	ESQUIVIES
8/26/24	1800	78	ESQUIVIES
8/26/24	2100	77	ESQUIVIES
8/26/24	2400	76	B. EDEN

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	75	B. EDEN
8/27/24	0600	75	J. CABRERA
8/27/24	0900	76	J. CABRERA
8/27/24	1200	76	J. CABRERA
8/27/24	1500	77	J. CABRERA
8/27/24	1800	78	ESQUIVIES
8/27/24	2100	76	ESQUIVIES
8/27/24	2400	76	M. MAROJKI

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	75°	M. MAROJKI
8/28/24	0600	75°	S. MEZA
8/28/24	0900	75°	S. MEZA
8/28/24	1200	77°	S. MEZA
8/28/24	1500	77°	S. MEZA
8/28/24	1800	77°	S. MEZA
8/28/24	2100	75°	S. MEZA
8/28/24	2400	75°	M. MAROJKI

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	75°	M. MAROJKI
8/29/24	0600	74°	S. MEZA
8/29/24	0900	75°	S. MEZA
8/29/24	1200	76°	S. MEZA
8/29/24	1500	76°	S. MEZA
8/29/24	1800	76°	S. MEZA
8/29/24	2100	75°	S. MEZA
8/29/24	2400	75°	M. MAROJKI

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	74°	M. MAROJKI <i>YES</i>
8/30/24	0600	74°	M. MAROJKI
8/30/24	0900	76	C. BROWN
8/30/24	1200	77	C. BROWN
8/30/24	1500	76	S. MEZA
8/30/24	1800	78°	S. MEZA
8/30/24	2100	75°	S. MEZA
8/30/24	2400	74°	M. MAROJKI

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	74°	M. MAROJKI
8/31/24	0600	74	C. BROWN
8/31/24	0900	75	C. BROWN
8/31/24	1200	75	C. BROWN
8/31/24	1500	75	C. BROWN
8/31/24	1800	75	C. BROWN
8/31/24	2100	75	C. BROWN
8/31/24	2400	75°	M. MAROJKI

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	74°	M. MAROJKI
9/1/24	0600	74	C. BROWN
9/1/24	0900	74	C. BROWN
9/1/24	1200	75	C. BROWN
9/1/24	1500	76	C. BROWN
9/1/24	1800	75	C. BROWN
9/1/24	2100	75	C. BROWN
9/1/24	2400	71	esqjw

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	73	A. VARGAS
8/26	0600	73	E. JUAREZ
8/26	0900	74	E. JUAREZ
8/26	1200	76	E. JUAREZ
8/26	1500	69	CARDENAS
8/26	1800	70	CARDENAS
8/26	2100	70	CARDENAS
8/26	2400	75	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	73	A. VARGAS
8/27	0600	73	E. JUAREZ
8/27	0900	74	E. JUAREZ
8/27	1200	76	E. JUAREZ
8/27	1500	77	E. CARDENAS
8/27	1800	77	CARDENAS
8/27	2100	77	CARDENAS
8/27	2400	74	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	72	A. VARGAS
8/28	0600	73	E. JUAREZ
8/28	0900	73	E. JUAREZ
8/28	1200	73	E. JUAREZ
8/28	1500	77	CARDENAS
8/28	1800	75	CARDENAS
8/28	2100	74	CARDENAS
8/28	2400	73	S. AREVALO

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	74	S. AREVALO
8/29	0600	74	E. JUAREZ
8/29	0900	75	E. JUAREZ
8/29	1200	76	E. JUAREZ
8/29	1500	75	E. CARDENAS
8/29	1800	74	E. CARDENAS
8/29	2100	74	E. CARDENAS
8/29	2400	74	C. DIAZ

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	74	C. DIAZ
8/30	0600	72	COLAZO
8/30	0900	73	COLAZO
8/30	1200	74	COLAZO
8/30	1500	75	CARDENAS
8/30	1800	74	CARDENAS
8/30	2100	74	CARDENAS
8/30	2400	72	A. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	75	A. LIMON
8/31	0600	71	NIEVES
8/31	0900	73	NIEVES
8/31	1200	74	NIEVES
8/31	1500	76	TAPIA
8/31	1800	76	TAPIA
8/31	2100	74	TAPIA
8/31	2400	74	MARROQUI

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	73	NIEVES
8/24	0600	73	E. JUAREZ
8/24	0900	73	E. JUAREZ
8/24	1200	74	E. JUAREZ
8/24	1500	75	TAPIA
8/24	1800	76	TAPIA
8/24	2100	74	TAPIA
8/24	2400	74	A. VARGAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 8 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	73°	Gutierrez
	0600	72	AIVARDEZ
	0900	75	AIVARDEZ
	1200	77	AIVARDEZ
	1500	78	chavez
	1800	77	chavez
	2100	75°	chavez
	2400	75°	Gutierrez

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	75°	Gutierrez
	0600	73°	Gutierrez
	0900	75°	Gutierrez
	1200	76	Gutierrez
	1500	77	MORAN
	1800	75	Morano
	2100	74	Morano
	2400	74	DOMAN

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	74	DOMAN
	0600	74	DOMAN
	0900	73	Collazo
	1200	76	Collazo
	1500	77	Collazo
	1800	77	Collazo
	2100	74	Collazo
	2400	74	DOMAN

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	72	DOMAN
	0600	72	DOMAN
	0900	73°	C. LOPEZ
	1200	76	C. LOPEZ
	1500	76	Collazo
	1800	75	Collazo
	2100	74	Collazo
	2400	74	DOMAN

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	72	DOMAN
	0600	73	DOMAN
	0900	72	SOSA
	1200	74	SOSA
	1500	76	Collazo
	1800	75	Collazo
	2100	75	Collazo
	2400	73	DOMAN

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	72	DOMAN
	0600	72	DOMAN
	0900	72	J. SOSA
	1200	75	J. SOSA
	1500	75	SUNDISON
	1800	75	SUNDISON
	2100	74	Sunderson
	2400	73	Sunderson

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600	75	AIVARDEZ
	0900	76	AIVARDEZ
	1200	76	AIVARDEZ
	1500	77	MARQUEZ
	1800	75	MARQUEZ
	2100	74	MARQUEZ
	2400	74°	Gutierrez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #10 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/26/24	0300	77	J. MARTINEZ
	0600	74	N. Salvador
	0900	77	N. Salvador
	1200	78	N. Salvador
	1500	79	N. Salvador
	1800	79	N. Salvador
	2100	77	N. Salvador
	2400	77	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
9/26/24	0300	75°	RYBNIKAR
	0600	74°	RYBNIKAR
	0900	75°	E. CORTES
	1200	77°	E. CORTES
	1500	78	C. MORGAN
	1800	79	C. MORGAN
	2100	78	C. MORGAN
	2400	77	C. MORGAN

Friday

Date	Time	Temp.	Name (Print)
9/28/24	0300	74	RYBNIKAR
	0600	74	RYBNIKAR
	0900	74	VERA
	1200	76	VERA
	1500	77	VERA
	1800	77	VERA
	2100	78	VERA
	2400	76	RYBNIKAR

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	75	OSGURDAR
	0600	73	N. Salvador
	0900	75	N. Salvador
	1200	77	N. Salvador
	1500	78	N. Salvador
	1800	77	N. Salvador
	2100	76	N. Salvador
	2400	75	D. DENNIS

Tuesday

Date	Time	Temp.	Name (Print)
9/27/24	0300	75°	RYBNIKAR
	0600	74	RYBNIKAR
	0900	77	ZAMORA
	1200	78	ZAMORA
	1500	78	N. Salvador
	1800	77	N. Salvador
	2100	76	N. Salvador
	2400	76	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
9/29/24	0300	76°	RYBNIKAR
	0600	75°	RYBNIKAR
	0900	74°	VERA A.
	1200	77°	VERA A.
	1500	77	MICHAEL
	1800	77	CRIOLLO
	2100	75	CRIOLLO
	2400	75	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
9/31/24	0300	75°	RYBNIKAR
	0600	74°	RYBNIKAR
	0900	74°	VERA
	1200	77	VERA
	1500	72	VERA
	1800	76	VERA
	2100	76	VERA
	2400	75	ESSOWMAR

Notes

SC

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2 ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/26/24	0300	71	M. HUAN
	0600	70	E. LOPEZ
	0900	74	E. LOPEZ
	1200	74	E. LOPEZ
	1500	76	A. VENTURA
	1800	75	A. VENTURA
	2100	73	A. VENTURA
	2400	72	M. HUAN

Tuesday

Date	Time	Temp.	Name (Print)
4/27/24	0300	71	M. HUAN
	0600	71	E. LOPEZ
	0900	73	E. LOPEZ
	1200	75	E. LOPEZ
	1500	75	A. VENTURA
	1800	74	A. VENTURA
	2100	72	A. VENTURA
	2400	72	M. HUAN

Wednesday

Date	Time	Temp.	Name (Print)
4/28/24	0300	72	M. Salewsky
	0600	70	M. Balladaro
	0900	70	M. Balladaro
	1200	74	M. Balladaro
	1500	74	A. VENTURA
	1800	72	A. VENTURA
	2100	72	A. VENTURA
	2400		

Thursday

Date	Time	Temp.	Name (Print)
4/29/24	0300	71	J. Marquez
	0600	70	M. Balladaro
	0900	70	M. Balladaro
	1200	73	M. Balladaro
	1500	74	A. VENTURA
	1800	73	A. VENTURA
	2100	73	A. VENTURA
	2400	71	J. Marquez

Friday

Date	Time	Temp.	Name (Print)
4/30/24	0300	71	Z. MORNES
	0600	70	M. Balladaro
	0900	70	M. Balladaro
	1200	72	M. Balladaro
	1500	73	A. VENTURA
	1800	71	A. VENTURA
	2100	71	A. VENTURA
	2400	70	A. Gomez

Saturday

Date	Time	Temp.	Name (Print)
5/1/24	0300	69	A. Gomez
	0600	69	M. Balladaro
	0900	70	M. Balladaro
	1200	73	M. Balladaro
	1500	73	VILLEZAS
	1800	73	VILLEZAS
	2100	73	VILLEZAS
	2400	72	A. Gomez

Sunday

Date	Time	Temp.	Name (Print)
5/1/24	0300	71	A. Gomez
	0600	70	M. Balladaro
	0900	71	M. Balladaro
	1200	73	M. Balladaro
	1500	74	VILLEZAS
	1800	74	VILLEZAS
	2100	73	VILLEZAS
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BOP Housing Unit: 12 Temp. Reading Location: 2nd
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555-1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	76	Almodovar

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	76	A (almodovar)
	0600	76	F. SEPULVEDA
	0900	78	F. SEPULVEDA
	1200	78	F. SEPULVEDA
	1500	79	F. CHAUZ
	1800	79	F. CHAUZ
	2100	79	F. CHAUZ
	2400	78	Almodovar

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	75	Almodovar
	0600	75	E. COOPER
	0900	74	E. COOPER
	1200	79	ESCALERA
	1500	79	E. CHAUZ
	1800	78	E. CHAUZ
	2100	78	E. CHAUZ
	2400	76	Almodovar

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	76	Almodovar
	0600	75	G. LAGUNA
	0900	79	G. LAGUNA
	1200	79	J. LAGUNA
	1500	75	VILLEGRAS H
	1800	75	VILLEGRAS H
	2100	73	VILLEGRAS H
	2400	74	Almodovar

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	74	Almodovar
	0600	74	G. LAGUNA
	0900	75	G. LAGUNA
	1200	76	G. LAGUNA
	1500	76	VILLEGRAS
	1800	74	VILLEGRAS
	2100		
	2400	74	Almodovar

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	73	Almodovar
	0600	73	G. LAGUNA
	0900	73	G. LAGUNA
	1200	77	G. LAGUNA
	1500	72	F. MORENO
	1800	74	F. MORENO
	2100	74	F. MORENO
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	72	J. MARQUEZ
	0600	74	G. LAGUNA
	0900	76	G. LAGUNA
	1200	74	G. LAGUNA
	1500	73	E. CHAUZ
	1800		
	2100		
	2400	72	J. MARQUEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 13 Temp. Reading Location: 13 CTRLC
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5851 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	72	SARSGATE
	0600	72	FERNANDEZ
	0900	72	K. Pelayo
	1200	72	K. Pelayo
	1500	72	K. Pelayo
	1800	71	F. MARTINEZ
	2100	71	F. MARTINEZ
	2400	72	SARSGATE

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	72	SARSGATE
	0600	72	HERNANDEZ
	0900	73	HERNANDEZ
	1200	73	HERNANDEZ
	1500	70	Becerra
	1800	69°	Becerra
	2100	73	Becerra
	2400	73	SARSGATE

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	73	SARSGATE
	0600	73	VILLEGRAS
	0900	73	HERNANDEZ
	1200	73	HERNANDEZ
	1500	74	VILLEGRAS-H
	1800	72	VILLEGRAS-H
	2100	70	VILLEGRAS-H
	2400	72	SARSGATE

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	73	SARSGATE
	0600	73	HERNANDEZ
	0900	74	HERNANDEZ
	1200	75	HERNANDEZ
	1500	70	Bustos
	1800	70	BUSTOS
	2100	69°	BUSTOS
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	72	J. MARY JR
	0600	71	HERNANDEZ
	0900	73	HERNANDEZ
	1200	73	HERNANDEZ
	1500	70	HERNANDEZ
	1800	71	HERNANDEZ
	2100	69°	HERNANDEZ
	2400	72	J. MARY JR

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	71	J. MARY JR
	0600	72	VILLEGRAS
	0900	72	VILLEGRAS
	1200	74	VILLEGRAS
	1500	75	H. Rodriguez
	1800	73	H. Rodriguez
	2100	72	H. Rodriguez
	2400	71	J. MARY JR

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	72	SARSGATE
	0600	72	VILLEGRAS
	0900	74	VILLEGRAS
	1200	74	VILLEGRAS
	1500	72	Losgos
	1800	70	Losgos
	2100	70	Losgos
	2400	72	SARSGATE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 15 Temp. Reading Location: 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	74	HARTMAN
	0600		
	0900		
	1200		
	1500	72	I. Villarreal
	1800	73	I. Villarreal
	2100	73	I. Villarreal
	2400	74	HARTMAN

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	74	HARTMAN
	0600	73	GARCIA
	0900	72	GARCIA
	1200	71	GARCIA
	1500	72	JARIA
	1800	72	JARIA
	2100	73	JARIA
	2400	73	HARTMAN

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	73	HARTMAN
	0600	73	GARCIA
	0900	72	GARCIA
	1200	71	GARCIA
	1500	72	RANGEI
	1800	72	RANGEI
	2100	74	RANGEI
	2400	74	HARTMAN

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	74	HARTMAN
	0600	73	GARCIA
	0900	73	GARCIA
	1200	73	GARCIA
	1500	72	Diamond
	1800	73	Diamond
	2100	73	Diamond
	2400	73	C. FLORES

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	73	C. FLORES
	0600	73	GARCIA
	0900	73	GARCIA
	1200	72	GARCIA
	1500	72	VALLEJO
	1800	73	VALLEJO
	2100	73	VALLEJO
	2400	73	Z. Mendoza

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	73	Z. Mendoza
	0600	73	ECOPIC
	0900		
	1200		
	1500	72	L. Beeson
	1800	72	L. Beeson
	2100	73	L. Beeson
	2400	73	Z. Mendoza

Sunday**Notes**

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJO Housing Unit: 16 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-21	0300	70	K MILLER
	0600	70	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	70	A. EDWARDS
	2400	71	K MILLER

Tuesday

Date	Time	Temp.	Name (Print)
8-27-21	0300	71	K MILLER
	0600	71	A. HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	M HESSELBLOD

Wednesday

Date	Time	Temp.	Name (Print)
8-28-21	0300	70	HESSELBLOD
	0600	71	HESSELBLOD
	0900	71	Q. ALDERETE
	1200	71	Q. ALPERETE
	1500	71	J. Vega
	1800	70	J. Vega
	2100	70	J. Vega
	2400	70	J. Goff

Thursday

Date	Time	Temp.	Name (Print)
8-29-21	0300	70	J. Goff
	0600	70	J. Goff
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	HERNANDEZ
	1800	71	R. Owens
	2100	70	R. Owens
	2400	70	M. MANNION

Friday

Date	Time	Temp.	Name (Print)
8-30-21	0300	70	M. MANNION
	0600	70	M. MANNION
	0900	70	HERNANDEZ
	1200	70	B. BEDEHBI
	1500	70	N. BEDEHBI
	1800	70	N. BEDEHBI
	2100	70	N. BEDEHBI
	2400	70	S. Goff

Saturday

Date	Time	Temp.	Name (Print)
8-31-21	0300	70	S. Goff
	0600	70	S. Goff
	0900	70	N. BEDEHBI
	1200	70	N. BEDEHBI
	1500	70	S. IBANI
	1800	70	S. IBANI
	2100	70	S. LOMAS
	2400	70	B. EDEN

Sunday

Date	Time	Temp.	Name (Print)
9-1-21	0300	70	B. EDEN
	0600	70	N. BEDEHBI
	0900	70	N. BEDEHBI
	1200	70	N. BEDEHBI
	1500	71	A. SAMUEL
	1800	71	A. SAMUEL
	2100	71	A. SAMUEL
	2400	70	K MILLER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 17

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	75	G. BRENTS
	0600	74	N. Beduhi
	0900	76	N. Beduhi
	1200	78	N. Beduhi
	1500	79	E. SILVA
	1800	79	E. SILVA
	2100	78	E. SILVA
	2400	77	G. BRENTS

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	76	G. BRENTS
	0600	76	N. Beduhi
	0900	76	N. Beduhi
	1200	78	N. Beduhi
	1500	79	E. SILVA
	1800	78	E. SILVA
	2100	77	E. SILVA
	2400	77	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	76	G. BRENTS
	0600	75	B. EDEN
	0900	77	B. EDEN
	1200	78	B. EDEN
	1500	78	S. ARAB.
	1800	78	S. ARAB.
	2100	78	S. ARAB.
	2400	77	O. ARMENDA

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	76	O. ARMENDA
	0600	76	B. EDEN
	0900	76	B. EDEN
	1200	78	B. EDEN
	1500	79	S. LEWIS
	1800	79	S. LEWIS
	2100	78	S. LEWIS
	2400	75	K. MILLER

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	74	K. MILLER
	0600	74	B. EDEN
	0900	75	B. EDEN
	1200	77	B. EDEN
	1500	78	S. LEWIS
	1800	77	S. LEWIS
	2100	76	S. LEWIS
	2400	75	G. BRENTS

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	74	G. BRENTS
	0600	74	B. EDEN
	0900	75	B. EDEN
	1200	76	B. EDEN
	1500	78	E. SILVA
	1800	78	E. SILVA
	2100	76	J. BRENDAN
	2400	76	G. BRENTS

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	75	G. BRENTS
	0600	76	B. EDEN
	0900	77	B. EDEN
	1200	78	B. EDEN
	1500	79	E. SILVA
	1800	78	E. SILVA
	2100	77	E. SILVA
	2400	76	G. BRENTS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 18 Temp. Reading Location: 2nd floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2024	0300	74	D. Black
	0600	74	O. AGUILAR
	0900	76	O. AGUILAR
	1200	78	O. AGUILAR
	1500	79	CALALANG
	1800	78	CALALANG
	2100	77	CALALANG
	2400	76	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	75	D. Black
	0600	74	O. AGUILAR
	0900	74	O. AGUILAR
	1200	78	O. AGUILAR
	1500	78	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	76	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	75	MARTINEZ
	0600	74	MARTINEZ
	0900	74	N. Bedard
	1200	77	N. Bedard
	1500	78	S. Lewis
	1800	77	S. Lewis
	2100	77	S. Lewis
	2400	75	D. Black

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	73	D. Black
	0600	73	O. AGUILAR
	0900	73	O. AGUILAR
	1200	75	O. AGUILAR
	1500	78	CALALANG
	1800	76	CALALANG
	2100	75	CALALANG
	2400	74	K. MILLER

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	74	K. MILLER
	0600	73	O. AGUILAR
	0900	74	O. AGUILAR
	1200	76	O. AGUILAR
	1500	77	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	75	D. Black

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	74	D. Black
	0600	74	P. Ward
	0900	74	P. Ward
	1200	77	P. Ward
	1500	77	J. MARTINEZ
	1800	77	J. MARTINEZ
	2100	75	J. MARTINEZ
	2400	74	D. Black

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	74	K. MILLER
	0600	72	O. AGUILAR
	0900	73	O. AGUILAR
	1200	76	O. AGUILAR
	1500	77	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	75	K. MILLER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PJS Housing Unit: 19 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	V. Scurra
	0600	73.3	Z. AVALA
	0900	73.4	Z. AVALA
	1200	76.7	Z. AVALA
	1500	76.8	S. Valverde
	1800	76.9	S. Valverde
	2100	75.8	S. Valverde
	2400	73	Benz

Tuesday

Date	Time	Temp.	Name (Print)
	0300	70	Benz
	0600	73.8	Z. AVALA
	0900	74	Z. AVALA
	1200	76.3	Z. AVALA
	1500	76.8	S. Valverde
	1800	75.3	S. Valverde
	2100	74.1	S. Valverde
	2400	72	Benz

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70	Benz
	0600	73	Z. AVALA
	0900	74.2	Z. AVALA
	1200	76.1	Z. AVALA
	1500	76.6	S. Valverde
	1800	76.1	S. Valverde
	2100	74.9	S. Valverde
	2400	73	Benz

Thursday

Date	Time	Temp.	Name (Print)
	0300	70	Benz
	0600	73	Z. AVALA
	0900	74.7	Z. AVALA
	1200	76	Z. AVALA
	1500	75.5	S. Valverde
	1800	75.3	S. Valverde
	2100	74.6	S. Valverde
	2400	72	Benz

Friday

Date	Time	Temp.	Name (Print)
	0300	70	Benz
	0600	73	Bennard
	0900	73.2	Bennard
	1200	74	Bennard
	1500	75	N. Erickson
	1800	74	N. Erickson
	2100	73	N. Erickson
	2400	71	Benz

Saturday

Date	Time	Temp.	Name (Print)
	0300	70	Benz
	0600	72.5	Bennard
	0900	74	Bennard
	1200	75	Bennard
	1500	73	N. Erickson
	1800	74	N. Erickson
	2100	71	N. Erickson
	2400	71	J. Guevara

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	J. Garcia
	0600	73	E. Lovett
	0900	73	E. Lovett
	1200	74	E. Lovett
	1500	75	E. Lovett
	1800	76.2	S. Valverde
	2100	75.5	S. Valverde
	2400	73	J. Perez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

736 / 246
736 / 246

5-22-22 / Brown

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20

Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/16	0300	76	AD. FLORES, SR
	0600	75	Ballard
	0900	75	Ballard
	1200	77	Ballard
	1500	79	D. Huber
	1800	79	D. Huber
	2100	79	D. Huber
	2400	77	AD. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	76	AD. FLORES, SR
	0600	75	N. Marova
	0900	75	N. Marova
	1200	76	N. Marova
	1500	77	ARAUJO
	1800	78	ARAUJO
	2100	78	ARAUJO
	2400	76	AD. FLORES, SR

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	76	J. SOSIA
	0600	75	J. SOSIA
	0900	75	N. Marova
	1200	75	N. Marova
	1500	76	ARAUJO
	1800	77	ARAUJO
	2100	77	ARAUJO
	2400	77	J. Perez

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	75	AD. FLORES, SR
	0600	75	Ballard
	0900	75	Ballard
	1200	76	Ballard
	1500	77	R. Ramos
	1800	76	R. Ramos
	2100	78	R. Ramos
	2400	77	AD. FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	76	AD. FLORES, SR
	0600	75	N. Marova
	0900	75	N. Marova
	1200	76	N. Marova
	1500	78	ARAUJO
	1800	78	ARAUJO
	2100	78	ARAUJO
	2400	77	AD. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	75	AD. FLORES, SR
	0600	75	Sanchez, O.
	0900	75	Sanchez, O.
	1200	76	Sanchez, O.
	1500	77	ARAUJO
	1800	77	ARAUJO
	2100	77	ARAUJO
	2400	77	J. Perez

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	77	J. Perez
	0600	75	N. Marova
	0900	75	N. Marova
	1200	75	N. Marova
	1500	76	Barros
	1800	76	ARAUJO
	2100	76	ARAUJO
	2400	76	AD. FLORES, SR

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300		
	0600		
	0900		AC appears to be working
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300		
	0600		
	0900		
	1200		
	1500		AC appears Working.
	1800	75	J.RINCON
	2100	76	J.RINCON
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300		
	0600		
	0900		AC appears working
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300		
	0600		
	0900		
	1200		AC good
	1500		
	1800		
	2100		
	2400	75°	L.Jean-Cha

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	76°	L.Jean-Cha
	0600	75°	M.ROBLES
	0900	74°	M.ROBLES
	1200		
	1500		AC appears to be working
	1800		
	2100		
	2400	75°	L.Jean-Cha

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	75°	L.JENAE THOMAS
	0600	74°	M.ROBLES
	0900	75°	M.ROBLES
	1200	74°	M.ROBLES
	1500		AC works appears
	1800		
	2100		
	2400	75	K.Nance

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	75	K.Nance
	0600	75	K.Nance
	0900	77	
	1200	78	AC appears to be working
	1500	77	be working
	1800	77	
	2100	76	G.HOPKINS
	2400	78	G.HOPKINS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: B3D Housing Unit: 2 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

EOP Building Equipped with AC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KTP Housing Unit: 7 Temp. Reading Location: Top free
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/2</u>	0300	<u>78</u>	<u>M. Lemos</u>
	0600	<u>76</u>	<u>MR Flores</u>
	0900	<u>76</u>	<u>MR Flores</u>
	1200	<u>78</u>	<u>MR Flores</u>
	1500	<u>80°</u>	<u>D. Gomez</u>
	1800	<u>80</u>	<u>D. Gomez</u>
	2100	<u>79°</u>	<u>D. Gomez</u>
	2400	<u>78</u>	<u>M. Lemos</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/3</u>	0300	<u>78</u>	<u>M. Lemos</u>
	0600	<u>77</u>	<u>M. ROBLES</u>
	0900	<u>77</u>	<u>M. ROBLES</u>
	1200	<u>79</u>	<u>M. ROBLES</u>
	1500	<u>81°</u>	<u>D. Gomez</u>
	1800	<u>81°</u>	<u>D. Gomez</u>
	2100	<u>79°</u>	<u>D. Gomez</u>
	2400	<u>78</u>	<u>M. Lemos</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/4</u>	0300	<u>72</u>	<u>M. Lemos</u>
	0600	<u>73</u>	<u>M. Lemos</u>
	0900	<u>74</u>	<u>M. Lemos</u>
	1200	<u>80</u>	<u>M. Lemos</u>
	1500	<u>82</u>	<u>ESQUIVIES</u>
	1800	<u>82</u>	<u>ESQUIVIES</u>
	2100	<u>81</u>	<u>ESQUIVIES</u>
	2400	<u>79</u>	<u>M. Lemos</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>9/5</u>	0300	<u>78</u>	<u>M. Lemos</u>
	0600	<u>79</u>	<u>MR Flores</u>
	0900	<u>81</u>	<u>MR Flores</u>
	1200	<u>82</u>	<u>MR Flores</u>
	1500	<u>77</u>	<u>A. SOTO</u>
	1800	<u>84</u>	<u>A. SOTO</u>
	2100	<u>86</u>	<u>A. SOTO</u>
	2400	<u>83°</u>	<u>R. Armendariz</u>

Friday

Date	Time	Temp.	Name (Print)
<u>9/6</u>	0300	<u>81</u>	<u>R. Armendariz</u>
	0600	<u>81</u>	<u>MR Flores</u>
	0900	<u>83</u>	<u>MR Flores</u>
	1200	<u>84</u>	<u>MR Flores</u>
	1500	<u>85</u>	<u>E. Simental</u>
	1800	<u>85</u>	<u>E. Simental</u>
	2100	<u>84</u>	<u>E. Simental</u>
	2400	<u>84</u>	<u>N. Maroki</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>9/7</u>	0300	<u>84</u>	<u>N. Maroki</u>
	0600	<u>83</u>	<u>MR Flores</u>
	0900	<u>84</u>	<u>MR Flores</u>
	1200	<u>85</u>	<u>MR Flores</u>
	1500	<u>87</u>	<u>E. Simental</u>
	1800	<u>86</u>	<u>E. Simental</u>
	2100	<u>86</u>	<u>N. Maroki</u>
	2400	<u>86</u>	<u>N. Maroki</u>

Sunday

DATE	TIME	TEMP	NAME
<u>9/8/24</u>	0300	<u>86</u>	<u>N. Maroki</u>
	0600	<u>86</u>	<u>MR Flores</u>
	0900	<u>87</u>	<u>MR Flores</u>
	1200	<u>88</u>	<u>MR Flores</u>
	1500	<u>90</u>	<u>E. Simental</u> <u>C6</u>
	1800	<u>89</u>	<u>E. Simental</u>
	2100	<u>89</u>	<u>E. Simental</u>
	2400	<u>85</u>	<u>N. Maroki</u>

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJDCE Housing Unit: 4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-2-24

Date	Time	Temp.	Name (Print)
9/2	0300	73	<u>82</u>
	0600	74	<u>11C</u>
	0900	74	<u>11C</u>
	1200	76	<u>11C</u>
	1500	77	<u>ESQUIVIES</u>
	1800	77	<u>ESQUIVIES</u>
	2100	76	<u>ESQUIVIES</u>
	2400	75°	<u>M. MAROKI</u>

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	77	<u>N. Maroki</u>
	0600	77	<u>C. Basen</u>
	0900	77	<u>C. Basen</u>
	1200	79	<u>C. Basen</u>
	1500	79	<u>B. Basen</u>
	1800	79	<u>T. Basen</u>
	2100	76	<u>C. Basen</u>
	2400	78°	<u>M. MAROKI</u>

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	79°	<u>M. MAROKI</u>
	0600	79	<u>G. Basen</u>
	0900	81	<u>C. Basen</u>
	1200	82	<u>C. Basen</u>
	1500	82°	<u>S. MEZA</u>
	1800	82°	<u>S. MEZA</u>
	2100	81°	<u>S. MEZA</u>
	2400	81°	<u>M. MAROKI</u>

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	83°	<u>M. MAROKI</u>
	0600	83°	<u>S. MEZA</u>
	0900	83°	<u>S. MEZA</u>
	1200	86°	<u>S. MEZA</u>
	1500	87°	<u>S. MEZA</u>
	1800	86°	<u>S. MEZA</u>
	2100	86°	<u>S. MEZA</u>
	2400	85°	<u>N. Maroki</u>

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	75°	<u>MAROKI M.</u>
	0600	73	<u>L. S...</u>
	0900	77	<u>L. S...</u>
	1200	77	<u>L. S...</u>
	1500	79	<u>ESQUIVIES</u>
	1800	79	<u>ESQUIVIES</u>
	2100	77	<u>ESQUIVIES</u>
	2400	77	<u>M. Maroki</u>

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	79°	<u>M. MAROKI</u>
	0600	79°	<u>C. Basen</u>
	0900	79	<u>C. Basen</u>
	1200	79	<u>C. Basen</u>
	1500	76	<u>C. Basen</u>
	1800	79	<u>C. Basen</u>
	2100	74	<u>C. Basen</u>
	2400	79°	<u>M. MAROKI</u>

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	80°	<u>M. MAROKI</u>
	0600	80°	<u>S. MEZA</u>
	0900	82°	<u>S. MEZA</u>
	1200	82°	<u>S. MEZA</u>
	1500	83°	<u>S. MEZA</u>
	1800	83°	<u>S. MEZA</u>
	2100	83°	<u>S. MEZA</u>
	2400	83°	<u>M. MAROKI</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9 / 2 / 24	0300	72	A. VARGAS
	0600	72	E. VARGAS
	0900	73	E. JUANES
	1200	74	E. JUANES
	1500	77	CARDENAS
	1800	75	CARDENAS
	2100	75	CARDENAS
	2400	75	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
9 / 3 / 24	0300	73	A. VARGAS
	0600	73	BUNNER
	0900	74	E. JUANES
	1200	75	E. JUANES
	1500	78	CARDENAS
	1800	78	CARDENAS
	2100	77	CARDENAS
	2400	76	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
9 / 4 / 24	0300	74	A. VARGAS
	0600	74	E. JUANES
	0900	76	E. JUANES
	1200	78	E. JUANES
	1500	80	E. CARDENAS
	1800	80	E. CARDENAS
	2100	79	E. CARDENAS
	2400	77	L. JEANNE

Thursday

Date	Time	Temp.	Name (Print)
9 / 5 / 24	0300	76	L. JEANNE
	0600	76	E. JUANES
	0900	76	E. JUANES
	1200	77	E. JUANES
	1500	80	E. VELASCO
	1800	81	E. VELASCO
	2100	80	E. VELASCO
	2400	80	M. SAWICKI

Friday

Date	Time	Temp.	Name (Print)
9 / 6 / 24	0300	76	M. SAWICKI
	0600	76	E. JUANES
	0900	77	E. JUANES
	1200	81	CARDENAS
	1500	82	CARDENAS
	1800	81	CARDENAS
	2100	81	CARDENAS
	2400	81	A. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
9 / 7 / 24	0300	79	A. VARGAS
	0600		
	0900		
	1200		
	1500	85	ESQUIVIES
	1800	83	ESQUIVIES
	2100	82	ESQUIVIES
	2400	81	A. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
9 / 8 / 24	0300	79	A. VARGAS
	0600	83	E. JUANES
	0900	87	E. JUANES
	1200	88	E. JUANES
	1500	86	ESQUIVIES
	1800	85	ESQUIVIES
	2100	85	ESQUIVIES
	2400	85	A. VARGAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: R D Housing Unit: 8 Temp. Reading Location: 2 N O
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>9/2</u>	0300	72°	Gutierrez
	0600	72°	SANDERSON
	0900	73°	SANDERSON
	1200	76°	SANDERSON
	1500	78°	VALENUELA
	1800	77°	VALENUELA
	2100	75°	VALENUELA
	2400	74°	D. GOMEL

Tuesday			
Date	Time	Temp.	Name (Print)
<u>9/3</u>	0300	73°	D. GOMEL
	0600	75°	J. SOSA
	0900	76°	J. SOSA
	1200	79°	J. SOSA
	1500	79	Collazo
	1800	79	Collazo
	2100	77	Collazo
	2400	76	Collazo

Wednesday			
Date	Time	Temp.	Name (Print)
<u>9/4</u>	0300	74	Collazo
	0600	74	J. SOSA
	0900	70	J. SOSA
	1200	77	J. SOSA
	1500	81	Collazo
	1800	80	Collazo
	2100	78	Collazo
	2400	77	Collazo

Thursday			
Date	Time	Temp.	Name (Print)
<u>9/5</u>	0300	76	Collazo
	0600	74	C. LOPEZ
	0900	77	C. LOPEZ
	1200	83	C. LOPEZ
	1500	83	Domian
	1800	84	Domian
	2100	81	Domian
	2400	79	Domian

Friday			
Date	Time	Temp.	Name (Print)
<u>9/6</u>	0300	79	Domian
	0600	73	Domian
	0900	80	Duarce
	1200	84	Duarce
	1500	83	Domian
	1800	83	Domian
	2100	82	Domian
	2400	80	Domian

Saturday			
Date	Time	Temp.	Name (Print)
<u>9/7</u>	0300	79	Domian
	0600	79	Domian
	0900	81	Garcia
	1200	85	Garcia
	1500	87	Alvarez
	1800	86	Sander
	2100	85	Sander
	2400	81	Domian

Sunday			
Date	Time	Temp.	Name (Print)
<u>9/8</u>	0300	80	Domian
	0600	80	Domian
	0900	85	Alvarez
	1200	87	Alvarez
	1500	92	MARQUEZ
	1800	88	MARQUEZ
	2100	86	MARQUEZ
	2400	86	Domian

Notes			
1500	REPORTED	92°	TO
			PROGRAM (9/8)
1600 (9/8)	91°		
1700 (9/8)	89°		
1900 (9/8)	87°		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 10 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	74°	D. DENNIS
	0600	74	N. Salvador
	0900	75	N. Salvador
	1200	78	N. Salvador
	1500	78	N. Salvador
	1800	78	N. Salvador
	2100	77	N. Salvador
	2400	77	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	76	RYBNIKAR
	0600	75	RYBNIKAR
	0900	71°	E. Cortes
	1200	80°	E. Cortes
	1500	80	O. Amenta
	1800	79	O. Amenta
	2100	79	O. Amenta
	2400	78	C. ALDAR

Friday

Date	Time	Temp.	Name (Print)
9/16/24	0300	78°	RYBNIKAR
	0600	78°	RYBNIKAR
	0900	80°	VIEZ
	1200	83	VIEZ
	1500	84	VIEZ
	1800	82°	VIEZ
	2100	82°	VIEZ
	2400	80	RYBNIKAR

Sunday

Date	Time	Temp.	Name (Print)
9/18/24	0300	83	M. VIZCARRA
	0600	84	N. Salvador
	0900	85	N. Salvador
	1200	88	N. Salvador
	1500	81	N. Salvador
	1800	89	N. Salvador
	2100	87	N. Salvador
	2400	85	M. VIZCARRA

Tuesday

Date	Time	Temp.	Name (Print)
9/13/24	0300	75°	RYBNIKAR
	0600	74°	RYBNIKAR
	0900	76	J. Zamora
	1200	79	J. Zamora
	1500	80	N. Salvador
	1800	79	N. Salvador
	2100	78	N. Salvador
	2400	77	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
9/15/24	0300	77	ALDAR
	0600	77°	VEZ
	0900	77°	VEZ
	1200	82°	VEZ
	1500	83	MARQUEZ
	1800	83	MARQUEZ
	2100	82	MARQUEZ
	2400	80	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
9/17/24	0300	79°	RYBNIKAR
	0600	79°	RYBNIKAR
	0900	82°	VEZ
	1200	84	VEZ
	1500	87	VEZ
	1800	86	VEZ
	2100	84	VEZ
	2400	83	VIZCARRA

Notes

9/8/24 1500 stage II hourly check recorded in Logbook

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	71	M. Hurn
	0600	70	ELOPEZ
	0900	71	E. LOPEZ
	1200	75	A. VENTIA
	1500	74	A. VENTIA
	1800	72	A. VENTIA
	2100	72	A. VENTIA
	2400	72	M. Hurn

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	71	M. Hurn
	0600	71	ELOPEZ
	0900	72	E. LOPEZ
	1200	73	ELOPEZ
	1500	74	A. VENTIA
	1800	75	A. VENTIA
	2100	74	A. VENTIA
	2400	72	M. Hurn

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	79	A. GOMEZ
	0600	71	M. Balladur
	0900	75	M. Balladur
	1200	77	M. Balladur
	1500	75	A. VENTIA
	1800	76	A. VENTIA
	2100	76	A. VENTIA
	2400	74	A. GOMEZ

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	73	J. MANGUAN
	0600	74	M. Balladur
	0900	76	M. Balladur
	1200	80	M. Balladur
	1500	75	A. VENTIA
	1800	76	A. VENTIA
	2100	80	A. VENTIA
	2400	73	J. MANGUAN

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	73	Z. MANGUAN
	0600	74	M. Balladur
	0900	80	M. Balladur
	1200	81	M. Balladur
	1500	81	A. VENTIA
	1800	81	A. VENTIA
	2100	79	A. VENTIA
	2400	79	A. GOMEZ

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	78	A. GOMEZ
	0600	76	M. Balladur
	0900	80	M. Balladur
	1200	81	M. Balladur
	1500	81	VILLEMAS T.
	1800	80	VILLEMAS T.
	2100	80	VILLEMAS T.
	2400	81	A. GOMEZ

Notes

Date	Time	Temp.	Name (Print)
9/8/24	0300	82	A. GOMEZ
	0600	82	M. Balladur
	0900	85	M. Balladur
	1200	84	M. Balladur
	1500	86	VILLEMAS T.
	1800	86	VILLEMAS T.
	2100	89	VILLEMAS T.
	2400	80	A. GOMEZ

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KOD Housing Unit: 12 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	72	J. Marquez
	0600	75	G. LAGUNA
	0900	76	G. LAGUNA
	1200	75	G. LAGUNA
	1500	77	E. CHAVEZ
	1800	79	E. CHAVEZ
	2100	79	E. CHAVEZ
	2400	78	J. Marquez

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	77	Almodovar
	0600	77	T. Duran
	0900	79	T. Duran
	1200	81	T. Duran
	1500	81	T. Duran
	1800	80	E. CHAVEZ
	2100	80	E. CHAVEZ
	2400	78	Almodovar

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	76	Almodovar
	0600	74	V. Morales
	0900	72	V. Morales
	1200	72	V. Morales
	1500	72	A. Perea
	1800	83	E. CHAVEZ
	2100	82	E. CHAVEZ
	2400	80	Almodovar

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	79	Almodovar
	0600	79	G. LAGUNA
	0900	81	G. LAGUNA
	1200	85	G. LAGUNA
	1500	86	VILLEGRAS H.
	1800	85	VILLEGRAS H.
	2100	85	VILLEGRAS J.
	2400	84	Almodovar

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	83	Almodovar
	0600	83	G. LAGUNA
	0900	84	G. LAGUNA
	1200	84	G. LAGUNA
	1500	87	VILLEGRAS
	1800	85	VILLEGRAS
	2100	85	VILLEGRAS
	2400	84	Almodovar

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	83	Almodovar
	0600	84	G. LAGUNA
	0900	84	G. LAGUNA
	1200	85	G. LAGUNA
	1500	86	E. CHAVEZ
	1800	85	E. CHAVEZ
	2100	85	E. CHAVEZ
	2400	85	Almodovar

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	82	J. Marquez
	0600	86	G. LAGUNA
	0900	80	G. LAGUNA
	1200	80	G. LAGUNA
	1500	80	E. CHAVEZ
	1800	80	E. CHAVEZ
	2100	81	E. CHAVEZ
	2400	82	J. Marquez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 13

Temp. Reading Location: 13 CNTL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/1</u>	0300	72	SARSOAK
	0600	70°	L. Becerra
	0900	67°	L. Becerra
	1200	74°	L. Becerra
	1500	70	B. Morello
	1800	72	B. Morello
	2100	71	B. Morello
	2400	72	SARSOAK

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/2</u>	0300	71	SARSOAK
	0600	73	HERNANDEZ
	0900	73	HERNANDEZ
	1200	74	HERNANDEZ
	1500	71°	L. Becerra
	1800	71°	L. Becerra
	2100	75°	L. Becerra
	2400	72	SARSOAK

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/4</u>	0300	72	SARSOAK
	0600	72	HERNANDEZ
	0900	72	HERNANDEZ
	1200	73	HERNANDEZ
	1500	73	HERNANDEZ
	1800	72	HERNANDEZ
	2100	72	HERNANDEZ
	2400	73	SARSOAK

Thursday

Date	Time	Temp.	Name (Print)
<u>9/5</u>	0300	73	SARSOAK
	0600	72	HERNANDEZ
	0900	72	HERNANDEZ
	1200	73	HERNANDEZ
	1500	71	N. Moreno
	1800	73	N. Moreno
	2100	71	N. Moreno
	2400		

Friday

Date	Time	Temp.	Name (Print)
<u>9/6</u>	0300	73	J. maryuz
	0600	72	HEMBREEZ
	0900	73	HEMNADZE
	1200	73	HEMNADZE
	1500	73	F. SEPULVEDA
	1800	73	F. SEPULVEDA
	2100	73	F. SEPULVEDA
	2400	73	J. maryuz

Saturday

Date	Time	Temp.	Name (Print)
<u>9/7</u>	0300	71	J. maryuz
	0600	72	F. SEPULVEDA
	0900	73	F. SEPULVEDA
	1200	72	F. SEPULVEDA
	1500	71	M. Bustos
	1800	78	M. Bustos
	2100	76	M. Bustos
	2400	71	J. maryuz

Sunday

<u>9/8</u>	0300	73	SARSOAK
	0600	72	Lomboy
	0900	79	Lomboy
	1200	82	Lomboy
	1500	80	BUSTOS
	1800	79	BUSTOS
	2100	81	BUSTOS
	2400	77	SARSOAK

Notes:

Attachment: FZ

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 14 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	71	Z. Morales
	0600	70	Ledesma
	0900	71	Ledesma
	1200	71	Ledesma
	1500	72°	L. Bearea
	1800	72°	L. Bearea
	2100	71	L. Bearea
	2400	70	Z. Morales

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	72	O. Latoro
	0600	73	Ledesma
	0900	70	Ledesma
	1200	71	Ledesma
	1500	71	I. DURAN
	1800	71	I. DURAN
	2100	73	I. DURAN
	2400	73	O. Latoro

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	70	O. Latoro
	0600	72	A. VALLEJO
	0900	71	A. VALLEJO
	1200	71	A. VALLEJO
	1500	72	I. DURAN
	1800	71	I. DURAN
	2100	71	I. DURAN
	2400	70	O. Latoro

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	70	O. Latoro
	0600	76	Ledesma
	0900	71	Ledesma
	1200	71	Ledesma
	1500	73°	L. Bearea
	1800	73°	L. Bearea
	2100	72°	L. Bearea
	2400	73	Z. Morales

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	Z. Morales
	0600	73	J. Ledesma
	0900	71	Ledesma
	1200	70	Ledesma
	1500	71	I. DURAN
	1800	71	I. DURAN
	2100	73	I. DURAN
	2400	72	O. Latoro

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	72	O. Latoro
	0600	73	Ledesma
	0900	71	Ledesma
	1200	71	Ledesma
	1500	72	I. DURAN
	1800	72	I. DURAN
	2100	70	I. DURAN
	2400	70	O. Latoro

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	71	O. Latoro
	0600	71	J. Paerz
	0900	71	J. Paerz
	1200	71	J. Paerz
	1500	72	I. DURAN
	1800	72	I. DURAN
	2100	71	I. DURAN
	2400	70	O. Latoro

Notes

2780

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSD Housing Unit: 15 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/2/24

Date	Time	Temp.	Name (Print)
9/2	0300	73	Hutton
	0600	73	GARCIA
	0900	72	GARCIA
	1200	71	GARCIA
	1500	72	Drummond
	1800	74	Drummond
	2100	74	Drummond
	2400	74	Hutton

Wednesday 9/4/24

Date	Time	Temp.	Name (Print)
9/4	0300	73	Hutton
	0600	73	GARCIA
	0900	72	GARCIA
	1200	72	GARCIA
	1500	72	Drummond
	1800	73	Drummond
	2100	74	Drummond
	2400	74	Hutton

Friday 9/6/24

Date	Time	Temp.	Name (Print)
9/6	0300	73	Hutton
	0600	74	GARCIA
	0900	73	GARCIA
	1200	73	GARCIA
	1500	72	A. VALLEJO
	1800	72	A. VALLEJO
	2100	74	A. VALLEJO
	2400	75	Z. MORALES

Sunday

Tuesday

9/3/24

Date	Time	Temp.	Name (Print)
9/3	0300	73	Hutton
	0600	74	GARCIA
	0900	72	GARCIA
	1200	72	GARCIA
	1500	72	Drummond
	1800	72	Drummond
	2100	74	Drummond
	2400	74	Hutton

Thursday

9/5/24

Date	Time	Temp.	Name (Print)
9/5	0300	74	Hutton
	0600	74	GARCIA
	0900	72	GARCIA
	1200	73	GARCIA
	1500	71	Ramos
	1800	74	Ramos
	2100	74	Ramos
	2400	73	Hutton

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	71°	Z. MORALES
	0600	71°	Lopez
	0900	74°	Lopez
	1200	70°	Lopez
	1500	73	Ranger <i>66</i>
	1800	73	Ranger
	2100	74	Ranger
	2400	73	Z. MORALES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 16 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	K MILLER
	0600	70	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	K MILLER

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70	J. Goren
	0600	70	J. Goren
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	J. Goren

Friday

Date	Time	Temp.	Name (Print)
	0300	71	J. Goren
	0600	71	J. Goren
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	J. Goren

Sunday

Date	Time	Temp.	Name (Print)
	0300	71	J. Goren
	0600	71	J. Goren
	0900	72	N. Bedini
	1200	72	N. Bedini
	1500	72	A. SAMUEL
	1800	72	A. SAMUEL
	2100	72	A. SAMUEL
	2400	71	K MILLER

Tuesday

Date	Time	Temp.	Name (Print)
	0300	71	K MILLER
	0600	71	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	70	J. Goren

Thursday

Date	Time	Temp.	Name (Print)
	0300	71	J. Goren
	0600	71	J. Goren
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	J. Goren

Saturday

Date	Time	Temp.	Name (Print)
	0300	71	J. Goren
	0600	71	J. Goren
	0900	72	N. Bedini
	1200	72	N. Bedini
	1500	71	MILLER
	1800	71	MILLER
	2100	71	MILLER
	2400	71	J. Goren

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D17 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	75	G. BRENTS
1	0600	75	N. Bedwhi
2	0900	75	N. Bedwhi
3	1200	76	N. Bedwhi
4	1500	79	E. SILVA
5	1800	79	E. SILVA
6	2100	77	E. SILVA
7	2400	76	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	75	E.SILVA
1	0600	77	M. LUCHT
2	0900	78	M. LUCHT
3	1200	80	M. LUCHT
4	1500	80	S. ARCEO
5	1800	81	S. ARCEO
6	2100	80	S. ARCEO
7	2400	78	A. M/Edenado

Friday

Date	Time	Temp.	Name (Print)
9	0300	79	K. MILLER
1	0600	79	B. EDEN
2	0900	83	B. EDEN
3	1200	81	B. EDEN
4	1500	84	B. EDEN
5	1800	83	B. EDEN
6	2100	83	B. EDEN
7	2400	82	G. BRENTS

Sunday

Date	Time	Temp.	Name (Print)
9	0300	85	G. BRENTS
1	0600	85	B. EDEN
2	0900	87	B. EDEN
3	1200	89	B. EDEN
4	1500	90	E. SILVA
5	1800	89	E. SILVA
6	2100	87	E. SILVA
7	2400	87	G. BRENTS

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	75	G. BRENTS
1	0600	75	N. Bedwhi
2	0900	75	N. Bedwhi
3	1200	78	N. Bedwhi
4	1500	80	E. SILVA
5	1800	79	J. MURRAY
6	2100	72	J. ARMONTA
7	2400	78	E.GARRET

Thursday

Date	Time	Temp.	Name (Print)
9	0300	78	A. M/Edenado
1	0600	78	B. EDEN
2	0900	81	B. EDEN
3	1200	82	B. EDEN
4	1500	83	S. JONES
5	1800	83	S. JONES
6	2100	80	S. JONES
7	2400	80	K. MILLER

Saturday

Date	Time	Temp.	Name (Print)
9	0300	81	G. BRENTS
1	0600	82	B. EDEN
2	0900	83	B. EDEN
3	1200	85	B. EDEN
4	1500	85	E. SILVA
5	1800	85	E. SILVA
6	2100	85	E. SILVA
7	2400	85	G. BRENTS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 18 Temp. Reading Location: 2 NP TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/2024	0300	74	D. Black
	0600	73	O. AGUILAR
	0900	74	O. AGUILAR
	1200	77	O. AGUILAR
	1500	78	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	75	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
9/3/2024	0300	74	D. Black
	0600	74	O. AGUILAR
	0900	75	O. AGUILAR
	1200	79	O. AGUILAR
	1500	80	CALALANG
	1800	80	CALALANG
	2100	78	CALALANG
	2400	76	D. Black

Wednesday

Date	Time	Temp.	Name (Print)
9/4/2024	0300	75	D. Black
	0600	75	D. Black
	0900	76	N. Bechhi
	1200	80	N. Bechhi
	1500	81	SLOW'S
	1800	80	SLOW'S
	2100	77	S. Lowy
	2400	78	HULTZ

Thursday

Date	Time	Temp.	Name (Print)
9/5/2024	0300	78	HULTZ
	0600	77	Bechhi
	0900	79	Barnard
	1200	82	Barnard
	1500	83	J. MARTINEZ
	1800	84	J. MARTINEZ
	2100	82	J. MARTINEZ
	2400	81	D. Black

Friday

Date	Time	Temp.	Name (Print)
9/6/2024	0300	80	D. Black
	0600	79	O. AGUILAR
	0900	81	O. AGUILAR
	1200	84	O. AGUILAR
	1500	84	O. AGUILAR
	1800	83	O. AGUILAR
	2100	83	O. AGUILAR
	2400	82	K. MILLER

Saturday

Date	Time	Temp.	Name (Print)
9/7/2024	0300	82	K. MILLER
	0600	81	K. NEEVES
	0900	85	NEEVES
	1200	75	NEEVES
	1500	86°	M. MARSH
	1800	86°	M. MARSH
	2100	85°	M. MARSH
	2400	84	K. MILLER

Sunday

Date	Time	Temp.	Name (Print)
9/8/2024	0300	84	K. MILLER
	0600	84	O. AGUILAR
	0900	87	O. AGUILAR
	1200	89	O. AGUILAR
	1500	91	B. EDEN
	1800	95	B. EDEN
	2100	88	B. EDEN
	2400	86	D. Black

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #19 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	70	J. Dorez	
0600	70	F-SAN M.GOB1	
0900	71	F-SAN M.GOB1	
1200	76	F-SAN M.GOB1	
1500	76.5	J. Valverde	
1800	76.1	S. Valverde	
2100	75.3	J. Valverde	
2400	75	N. Maroka	

Wednesday

Date	Time	Temp.	Name (Print)
0300	75	D. DENNIS	
0600	73.9	Z-ZAVALA	
0900	74.1	Z-ZAVALA	
1200	74	Z-ZAVALA	
1500	74.3	Z-ZAVALA	
1800	74	Z-ZAVALA	
2100	74.6	Z-ZAVALA	
2400	75	D. DENNIS	

Friday

Date	Time	Temp.	Name (Print)
0300	73	EWL	
0600	76.3	D. Ballard	
0900	79.7	D. Ballard	
1200	82.1	D. Ballard	
1500	82	N. Erickson	
1800	81	N. Erickson	
2100	81	N. Erickson	
2400	80	G. Hopkins	

Sunday

Date	Time	Temp.	Name (Print)
0300	81	A. LRAZO	
0600	81	E. Lovett	
0900	82	E. Lovett	
1200	85	E. Lovett	
1500	86.1	S. Valverde	
1800	86	J. Armenta	
2100	85.9	J. Armenta	
2400	84	A. Maldonado	

Tuesday

Date	Time	Temp.	Name (Print)
0300	75	N. Maroka	
0600	73.8	Z-ZAVALA	
0900	74	Z-ZAVALA	
1200	76	Z-ZAVALA	
1500	78	S. Valverde	
1800	78.1	S. Valverde	
2100	76.2	S. Valverde	
2400	75	D. Dennis	

Thursday

Date	Time	Temp.	Name (Print)
0300	75	D. Dennis	
0600	76	Z-ZAVALA	
0900	78	Z-ZAVALA	
1200	79	Z-ZAVALA	
1500	80.5	Z-ZAVALA	
1800	81	Z-ZAVALA	
2100	81	Z-ZAVALA	
2400	75	Squalls	

Saturday

Date	Time	Temp.	Name (Print)
0300	80	G. Hopkins	
0600	80.3	D. Ballard	
0900	80.6	D. Ballard	
1200	83	D. Ballard	
1500	83	N. Erickson	
1800	83	N. Erickson	
2100	83	N. Erickson	
2400	82	D. Ballard	

Notes

9/6 0935 - Stage 1 Heat Alert Activated -
9/7 1121 - Stage 1 Heat Alert Activated (7/11 Deactivated)
9/8 - 0824 - Stage 1 heat Alert Activated
9/8 - 1335 - Stage 2 heat Alert Activated
9/8 1715 - Stage 1 & 2 Heat Alert DEACTIVATED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJP Housing Unit: #20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	76	AD. FLORES, SR
	0600	75	Ballard
	0900	75	Ballard
	1200	74	Ballard
	1500	79	D. Huber
	1800	78	D. Huber
	2100	78	D. Huber
	2400	76	AD. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	76	AD. FLORES, SR
	0600	76	N. Maroki
	0900	77	N. Maroki
	1200	78	N. Maroki
	1500	80	ARAUJO
	1800	80	ARAUJO
	2100	79	ARAUJO
	2400	78	AD. FLORES, SR

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	81	A. Maldonado
	0600	80	N. Maroki
	0900	82	N. Maroki
	1200	85	N. Maroki
	1500	84	ARAUJO
	1800	83	ARAUJO
	2100	82	ARAUJO
	2400	80	A. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	82	AD. FLORES, SR
	0600	82	M. GUTIERREZ
	0900	84	J. ARMENTA
	1200	88	J. ARMENTA
	1500	88	N. ENCIEN
	1800	86	N. ENCIEN
	2100	87	N. ENCIEN
	2400	86	AD. FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	75	AD. FLORES, SR
	0600	75	N. Maroki
	0900	75	N. Maroki
	1200	77	N. Maroki
	1500	79	ARAUJO
	1800	80	ARAUJO
	2100	79	ARAUJO
	2400	77	AD. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	77	AD. FLORES, SR
	0600	78	N. Maroki
	0900	78	N. Maroki
	1200	81	N. Maroki
	1500	85	ARAUJO
	1800	82	ARAUJO
	2100	83	ARAUJO
	2400	83	A. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	81	A. Maldonado
	0600	80	N. Maroki
	0900	80	N. Maroki
	1200	83	N. Maroki
	1500	84	ARAUJO
	1800	85	ARAUJO
	2100	84	ARAUJO
	2400	83	AD. FLORES, SR

Notes

9-5 Stage 1 Heat Alert @ 1053 hrs. Temp 81°
9-6 Stage 1 Heat Alert @ 0935 hrs. Temp 82°
9-7 Stage 1 Heat Alert @ 1121 hrs. Temp 83°
9-8 STAGE 1 HEAT ALERT @ 0824 HRS TEMP 84°
9-8 STAGE 2 Heat Alert @ 1334 hrs TEMP 90°

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJOLF Housing Unit: 1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/9/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	AC appears to be working	
	1200		
	1500	78° to E. Bland	
	1800	78° E. Bland	
	2100	77° E. Bland	
	2400	74 Egue	

Wednesday

Date	Time	Temp.	Name (Print)
	0300	77	B. EDEN
	0600		
	0900	AC Appears to be working	
	1200		
	1500		
	1800		
	2100		
	2400		B. EDEN

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	76°	L. JEANCHARLES
9/13	0600	75°	L. JEANCHARLES
9/13	0900	73°	M. ROBLES
9/13	1200	74°	M. ROBLES
9/13	1500		
9/13	1800		
9/13	2100		
9/13	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	75	M. GOMEZ
9/15/24	0600	75	M. GOMEZ
9/15/24	0900	75	A. SOTO
9/15/24	1200	75	A. SOTO
9/15/24	1500	75	A. SOTO
9/15/24	1800	73	A. SOTO
9/15/24	2100	74	A. SOTO
9/15/24	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	71	Egur
	0600		
	0900		
	1200		
	1500	72° to be working	
	1800	76°	J. Bland
	2100	77°	J. Bland
	2400	77	B. EDEN

Thursday

Date	Time	Temp.	Name (Print)
	0300		B. EDEN
	0600		
	0900		
	1200		
	1500	75 A. SANCHEZ	
	1800	75 A. SANCHEZ	
	2100	76 A. SANCHEZ	
	2400	76° C. J. GOMEZ	

Saturday

Date	Time	Temp.	Name (Print)
9/15	0300	76°	C. J. GOMEZ
9/15	0600	76	I. GALVAN
9/15	0900	75	I. GALVAN
9/15	1200	74	I. GALVAN
9/15	1500	74	I. GALVAN
9/15	1800	74	I. GALVAN
9/15	2100	75	I. GALVAN
9/15	2400	75	M. GOMEZ

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KSV Housing Unit: 3 Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	80	K. Lemos
	0600	87	MR Flores
	0900	87	MR Flores
	1200	89	MR Flores
	1500	89°	S. MEZA
	1800	89°	S. MEZA
	2100	88°	S. MEZA
	2400	88	K. Lemos

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	80	K. Lemos
	0600	83	A. S.
	0900	84	L. E.
	1200	85	L. E.
	1500	83	ESQUIVIES
	1800	83	ESQUIVIES
	2100	81	ESQUIVIES
	2400	80	K. Lemos

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	74	K. Lemos
	0600	77	MR Flores
	0900	78	MR Flores
	1200	79	MR Flores
	1500	78	C. ARELLANO
	1800	79	C. ARELLANO
	2100	79	C. ARELLANO
	2400	78	I. DURAN

Sunday

DATE	TIME	TEMP	NAME
	0300	78	A. ROMERO
	0600	77	MR Flores
	0900	77	MR Flores
	1200	78	MR Flores
	1500	78°	S. MEZA
	1800	77	S. MEZA
	2100	77°	S. MEZA
	2400	77°	R. Camacho
MM/11	77/1111	77/1111	77/1111

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	82	K. Lemos
	0600	85	M. ROBLES
	0900	86°	M. ROBLES
	1200	87°	M. ROBLES
	1500	88°	J. Hutchens
	1800	87°	J. Hutchens
	2100	85°	J. Hutchens
	2400	84	K. Lemos

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	79	K. Lemos
	0600	79	MR Flores
	0900	78	MR Flores
	1200	80	MR Flores
	1500	81	W. COOK
	1800	80	W. COOK
	2100	79	W. COOK
	2400	78	K. Lemos

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	77	I. DURAN
	0600	77	MR Flores
	0900	77	MR Flores
	1200	79	MR Flores
	1500	79	S. Hernandez
	1800	79	S. Hernandez
	2100	78	S. Hernandez
	2400		

Note:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJPCF Housing Unit: 4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

9-9-24

Date	Time	Temp.	Name (Print)
<u>9/9</u>	0300	70	<u>Fred</u>
	0600	74	<u>H. Leas</u>
	0900	75	<u>H. Leas</u>
	1200	76	<u>H. Leas</u>
	1500	87	<u>ESQUIVIES</u>
	1800	87	<u>ESQUIVIES</u>
	2100	86	<u>ESQUIVIES</u>
	2400	85°	<u>M. Maroki</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/10</u>	0300	85°	<u>N. Maroki</u>
	0600	82	<u>H. Sun</u>
	0900	83°	<u>H. Sun</u>
	1200	84°	<u>H. Sun</u>
	1500	84	<u>ESQUIVIES</u>
	1800	84	<u>ESQUIVIES</u>
	2100	82	<u>ESQUIVIES</u>
	2400	81°	<u>MAROKI, M</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/11</u>	0300	80°	<u>MAROKI, M.</u>
	0600	60	<u>C. Basan</u>
	0900	81	<u>C. Basan</u>
	1200	81	<u>C. Basan</u>
	1500	80	<u>Stein R.</u>
	1800	80	<u>Stein R.</u>
	2100	79°	<u>Stein R.</u>
	2400	78	<u>M. MAROKI</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>9/12</u>	0300	77°	<u>M. MAROKI</u>
	0600	77	<u>C. Basan</u>
	0900	77	<u>C. Basan</u>
	1200	77	<u>C. Basan</u>
	1500	78	<u>R. Stein</u>
	1800	78	<u>R. Stein</u>
	2100	77	<u>R. Stein</u>
	2400	77°	<u>M. MAROKI</u>

Friday

Date	Time	Temp.	Name (Print)
<u>9/13</u>	0300	77°	<u>M. MAROKI</u>
	0600	78	<u>C. Basan</u>
	0900	78	<u>C. Basan</u>
	1200	78	<u>C. Basan</u>
	1500	78	<u>R. Stein</u>
	1800	77	<u>R. Stein</u>
	2100	76	<u>R. Stein</u>
	2400	76°	<u>M. MAROKI</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>9/14</u>	0300	75°	<u>M. MAROKI</u>
	0600	76	<u>C. Basan</u>
	0900	77	<u>C. Basan</u>
	1200	77	<u>C. Basan</u>
	1500	77	<u>Stein R.</u>
	1800	77	<u>Stein R.</u>
	2100	77°	<u>A. SUMAYA</u>
	2400	76	<u>M. MAROKI</u>

Sunday

Date	Time	Temp.	Name (Print)
<u>9/15</u>	0300	75	<u>M. MAROKI</u>
	0600	77	<u>B. Flores</u>
	0900	77	<u>B. Flores</u>
	1200	77	<u>B. Flores</u>
	1500	79	<u>MR Flores</u>
	1800	77	<u>MR Flores</u>
	2100	75	<u>MR Flores</u>
	2400	75	<u>O. Lopez</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	83	A. VARGAS
	0600	81	
9	0900	81	E. JUANES
	1200	83	E. JUANES
14	1500	88	C. MORGAN
	1800	88	C. MORGAN
24	2100		
	2400	85	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	79	A. VARGAS
	0600	79	E. JUANES
11	0900	79	E. JUANES
	1200	75	E. JUANES
14	1500	80	E. CARDENAS
	1800	78	E. CARDENAS
24	2100	78	E. CARDENAS
	2400	76°	L. SANCHEZ

Friday

Date	Time	Temp.	Name (Print)
9	0300	73	A. GLEASON
	0600	71	C. CULLAZO
13	0900	75	CULLAZO
	1200	76	CULLAZO
14	1500	77	CARDENAS
	1800	77	CARDENAS
24	2100	77	CARDENAS
	2400	75	A. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
9	0300	72	A. VARGAS
	0600	73	R. Garcia
15	0900	79	R. Garcia
	1200	74	R. Garcia
24	1500	75	ESQUIVIES
	1800	73	ESQUIVIES
24	2100	73	ESQUIVIES
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	83	A. VARGAS
	0600	81	E. MOREZ
10	0900	87	E. GARCIA
	1200	83	E. GARCIA
14	1500	84°	J. MELGOZA
	1800	84°	F. GARCIA
24	2100	82°	R. GARCIA
	2400	81	A. VARGAS

Thursday

Date	Time	Temp.	Name (Print)
9	0300	76°	L. JEANNE
	0600	76	E. JUANES
12	0900	76	E. JUANES
	1200	77	E. JUANES
14	1500	78	E. CARDENAS
	1800	77	E. CARDENAS
24	2100	77	E. CARDENAS
	2400	73	Anderson

Saturday

Date	Time	Temp.	Name (Print)
9	0300	73	A. VARGAS
	0600	74	M. GOMEZ
14	0900	74	M. GOMEZ
	1200	74	M. GOMEZ
14	1500	77	ESQUIVIES
	1800	76	ESQUIVIES
24	2100	74	ESQUIVIES
	2400	74	A. VARGAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RIO Housing Unit: 7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

9/10/24 A.U. 7 UNMAPPED

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300		
	0600	81	J.Vega
	0900	82	J.Vega
	1200	84	J.Vega
	1500	85	Ledesma
	1800	86	Ledesma
	2100	81	J.Park
	2400	80	J.Park

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	79	J.Park
	0600	79	C.DUARTE
	0900	79	C.DUARTE
	1200	80	C.DUARTE
	1500	80	C.DUARTE
	1800	80	C.DUARTE
	2100	78	C.DUARTE
	2400	77	J.Park

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	75	J.Park
	0600	75	ACUINO
	0900	75	ACUINO
	1200	78	ACUINO
	1500	78	ACUINO
	1800	78	ACUINO
	2100	77	ACUINO
	2400	78	J.Park

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	75	J.Park
	0600	74	ACUINO
	0900	75	ACUINO
	1200	77	ACUINO
	1500	78	ACUINO
	1800	77	ACUINO
	2100	76	ACUINO
	2400	76	J.Park

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	75	J.Park
	0600	74	ACUINO
	0900	75	ACUINO
	1200	77	ACUINO
	1500	77	SAN MIGUEL
	1800	76	SAN MIGUEL
	2100	76	SAN MIGUEL
	2400	76	J.Park

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	75	J.Park
	0600	71	A.VELASQUEZ
	0900	74	A.VELASQUEZ
	1200	75	A.VELASQUEZ
	1500	75	C.MARQUEZ
	1800	75	C.MARQUEZ
	2100	74	C.MARQUEZ
	2400	73	D.Gomez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 8 Temp. Reading Location: 2nd

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/9	0300	83°	Q. Lopez
	0600	83	J. Zamora
	0900	85	J. Zamora
	1200	88	J. Zamora
	1500	88	D. Castillo
	1800	87	R. Marquez
	2100	85	R. Marquez
	2400	84°	M. Martinez

Tuesday			
Date	Time	Temp.	Name (Print)
9/10	0300	82°	M. Martinez
	0600	82	M. Castillo
	0900	84°	M. Castillo
	1200	85	M. Castillo
	1500	85	R. Collazo
	1800	86	R. Collazo
	2100	86	R. Collazo
	2400	86	R. Collazo

Wednesday			
Date	Time	Temp.	Name (Print)
9/11	0300	78	R. Collazo
	0600	78	M. Castillo
	0900	78	M. Castillo
	1200	79	M. Castillo
	1500	79	R. Collazo
	1800	79	R. Collazo
	2100	77	R. Collazo
	2400	76	R. Collazo

Thursday			
Date	Time	Temp.	Name (Print)
9/12	0300	75	R. Collazo
	0600	74	M. Castillo
	0900	74	M. Castillo
	1200	76	M. Castillo
	1500	78	Domian
	1800	78	Domian
	2100	77	Domian
	2400	77	Domian

Friday			
Date	Time	Temp.	Name (Print)
9/13	0300	76	Domian
	0600	75	Domian
	0900	74°	M. Castillo
	1200	76	M. Castillo
	1500	77	Domian
	1800	77	Domian
	2100	76	Domian
	2400	76	Domian

Saturday			
Date	Time	Temp.	Name (Print)
9/14	0300	75	Domian
	0600	74	Domian
	0900	74°	M. Castillo
	1200	76	M. Castillo
	1500	78	Sandoval
	1800	76	Sandoval
	2100	75	Sandoval
	2400	74	Domian

Sunday			
Date	Time	Temp.	Name (Print)
9/15	0300	73	Domian
	0600	73	Domian
	0900	73	A. Alvarez
	1200	74	A. Alvarez
	1500	74	R. Criollo
	1800	75	R. Criollo
	2100	73	R. Criollo
	2400	72°	M. Gutierrez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: B-10 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9-24	0300	85	M. Salawsky
	0600	84	N. Salvador
	0900	85	N. Salvador
	1200	87	N. Salvador
	1500	88	N. Salvador
	1800	88	N. Salvador
	2100	85	N. Salvador
	2400	82	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
9-11-24	0300	77	RYBNIKAR
	0600	79	RYBNIKAR
	0900	79	E. Corke
	1200	80	E. Corke
	1500	80	Anguiano
	1800	78	Anguiano
	2100	78	Anguiano
	2400	76	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
9-13-24	0300	79	RYBNIKAR
	0600	77	RYBNIKAR
	0900	78	Vera
	1200	76	Vera
	1500	77	Vera
	1800	76	C. Corke
	2100	76	C. Corke
	2400	75	RYBNIKAR

Sunday

Date	Time	Temp.	Name (Print)
9-15-24	0300	74	Rojas
	0600	74	Vera
	0900	74	Vera
	1200	74	Vera
	1500	73	Rosales
	1800	74	Rosales
	2100	72	Rosales
	2400	70	Rosales

Tuesday

Date	Time	Temp.	Name (Print)
9-10-24	0300	80	RYBNIKAR
	0600	81	RYBNIKAR
	0900	82	J. Zamora
	1200	85	J. Zamora
	1500	85	N. Salvador
	1800	84	N. Salvador
	2100	82	N. Salvador
	2400	80	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
9-12-24	0300	77	RYBNIKAR
	0600	75	RYBNIKAR
	0900	75	Vera
	1200	78	Vera
	1500	78	Morales
	1800	78	Morales
	2100	76	Morales
	2400	75	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
9-14-24	0300	74	RYBNIKAR
	0600	74	RYBNIKAR
	0900	74	Vera
	1200	76	Vera
	1500	77	Vera
	1800	77	Vera
	2100	75	Vera
	2400	74	Rojas

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1/24	0300	83	M Hurn
	0600	82	E. LOPEZ
	0900	84	ELOPEZ
	1200	86	ELOPEZ
	1500	87°	R.M. RAMOS
	1800	86°	R.M. RAMOS
	2100	83°	Rm. RAMOS
	2400	84	M Hurn

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	79	N. Manki
	0600	74	M. Manki
	0900	74	M Ball
	1200	77	M Ball
	1500	77	H. RODRIBURG
	1800	76	H. RODRIBURG
	2100	75	H. RODRIBURG
	2400		

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	72	Z. MORALES
	0600	72	M. Mora
	0900	73	M. Mora
	1200	74	M. Mora
	1500	75	M. Mora
	1800	76	Lopez
	2100	75	Lopez
	2400	73	A. Gomez

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	71	A. Gomez
	0600	71	M. Mora
	0900	71	M. Mora
	1200	72	M. Mora
	1500	72	VILLERAS II
	1800	72	VILLERAS II
	2100	71	VILLERAS II
	2400	70	VILLERAS II

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	80	M. Hurn
	0600	80	E. Lopez
	0900	82	ELOPEZ
	1200	83	ELOPEZ
	1500	83	W. RODRIBURG
	1800	80	W. RODRIBURG
	2100	79	W. RODRIBURG
	2400	82	M. Hurn

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	70	J. Marquez
	0600	71	M. Mora
	0900	72	M. Mora
	1200	75	M. Mora
	1500	76	N. CABOTAGE
	1800	74	AYALA
	2100	73	AYALA
	2400	70	J. Marquez

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	72	A. Gomez
	0600	71	M. Mora
	0900	71	M. Mora
	1200	72	M. Mora
	1500	74	M. Mora
	1800	73	M. Mora
	2100	72	M. Mora
	2400	72	A. Gomez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 12 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300		
	0600	80	CASTRO
	0900	89	CASTRO
	1200	89	CASTRO
	1500	89	LUCERO
	1800	85	LUCERO
	2100	83	LUCERO
	2400	85	Almodovar

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	85	Almodovar
	0600	85	F. MANSANER
	0900	86	F. MANSANER
	1200	89	F. MANDA
	1500	89	E. helasco
	1800	88	E. helasco
	2100	86	E. helasco
	2400	85	Almodovar

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	84	Almodovar
	0600	81	ELOPEZ
	0900	80	ELOPEZ
	1200	80	ELOPEZ
	1500	80	CHAVEZ
	1800	83	CHAVEZ
	2100	80	Almodovar
	2400	82	Almodovar

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	79	Almodovar
	0600	78	CASTRO
	0900	79	CASTRO
	1200	79	CASTRO
	1500	81	VILLEGRAS H
	1800	89	VILLEGRAS H
	2100	79	VILLEGRAS H
	2400	78	Almodovar

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	76	Almodovar
	0600	76	CASTRO
	0900	75	CASTRO
	1200	77	YANG
	1500	78	VILLEGRAS H
	1800	79	VILLEGRAS H
	2100	77	VILLEGRAS H
	2400	78	Almodovar

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	75	Almodovar
	0600	75	CASTRO
	0900	76	CASTRO
	1200	75	CASTRO
	1500	76	Lopez
	1800	75	Lopez
	2100	75	Lopez
	2400	74	Nunez

Sunday

Date	Time	Temp.	Name
9/15	0300	73	J. Marquez
	0600	75	CASTRO
	0900	75	CASTRO
	1200	75	CASTRO
	1500	75	FELIX
	1800	75	Felix
	2100	74	Felix
	2400	74	Felix

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 13 Temp. Reading Location: 13 CTRL
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	73	SARSGRAK
	0600	74°	LOMBRY
	0900	81°	LOMBRY
	1200	85°	LOMBRY
	1500	85°	MORAN
	1800	83°	MORAN
	2100	82°	MORAN
	2400	88	SARSGRAK

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	79	SARSGRAK
	0600	74	HERNANDEZ
	0900	75	HERNANDEZ
	1200	76	HERNANDEZ
	1500	75°	BECERRA
	1800	73°	BECERRA
	2100	75°	BECERRA
	2400	74	SARSGRAK

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	72	SARSGRAK
	0600	68	CHAVEZ
	0900	70	CHAVEZ
	1200	76	CHAVEZ ✓
	1500	74	VILLEGRAS H
	1800	74	VILLEGRAS H
	2100	74	VILLEGRAS H
	2400	74	SARSGRAK

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	72	SARSGRAK
	0600	73	J. SEDANO
	0900	73	J. SEDANO
	1200	71	J. SEDANO
	1500	70	R. MORAN
	1800	70	R. MORAN
	2100	70	R. MORAN
	2400	70	J. MUNOZ

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	71	J. MANGUA
	0600	71	J. SEDANO
	0900	72	J. SEDANO
	1200	72	J. SEDANO
	1500	69	R. MORAN
	1800	71	R. MORAN
	2100	71	R. MORAN
	2400	69	K. NANCE

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	72	J. MANGUA
	0600	72	L. MUÑOZ
	0900	69	L. MUÑOZ
	1200	71	L. MUÑOZ
	1500	70	R. MORAN
	1800	70	R. MORAN
	2100	70	R. MORAN
	2400	72	J. MANGUA

SUNDAY 9-15

0600	70	D. NOVOA
0900	70	D. NOVOA
1200	72	D. NOVOA
1500	70	R. MORAN
1800	70	R. MORAN
2100	70	R. MORAN
2400	68	K. NANCE

Notes:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 24	0300	71	Z. Martinez
	0600	71	Lesesma
	0900	71	Levensen
	1200	73	Lesesma
	1500	73°	Becerra
	1800	72°	Becerra
	2100	72°	Becerra
	2400	71	Hoppe

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	71	H. Lapey
	0600	73	O. Leesma
	0900	70) Leesma
	1200	71) Leesma
	1500	72	I. DURAN
	1800	72	I. DURAN
	2100	73	I. DURAN
	2400	73	O. Lapey

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	73	O. LATOR
	0600	73	O. Ledesma
	0900	72	J. Ledesma
	1200	70	J. Ledesma
	1500	71	I. DURAN
	1800	72	I. DURAN
	2100	73	I. Duran
	2400	72	O. LATOR

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	72	O. LATORO
	0600	73	J. Ledesma
	0900	72	J. Ledesma
	1200	70	J. Ledesma
	1500	70	I. DURAN
	1800	72	I. DURAN
	2100	73	I. DURAN
	2400	72	O. LATORO

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	72	O. LATOR
	0600	73	MONTENO
	0900	72	D. NOVAK
	1200	70	D. NOVAK
	1500	70	I. DURAN
	1800	72	I. DURAN
	2100	73	I. DURAN
	2400	73	O. LATOR

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	72	O. LARZO
	0600	73	D. NUVOA
	0900	73	D. NUVOA
	1200	70	D. NUVOA
	1500	70	I. DURAN
	1800	72	I. DURAN
	2100	73	I. DURAN
	2400	73	I. DURAN

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	73	I. DURAN
	0600	73	I. DURAN
	0900	72	J. Ledesma
	1200	72	J. Ledesma
	1500	73	J. Ledesma
	1800	72°	L. Receme
	2100	72°	L. Receme
	2400	73°	Z. MARNES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BSD Housing Unit: 15 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300	73	Z. MORALES
	0600	74	J. RINCON
	0900	74	J. RINCON
	1200	75	J. RINCON
	1500	75	Diamond
	1800	74	Diamond
	2100	75	Diamond
	2400		

Date	Time	Temp.	Name (Print)
	0300	75	VILLEZAS
	0600	74	GARCIA
	0900	73	GARCIA
	1200	74	GARCIA
	1500	75	Rangel
	1800	74	Rangel
	2100	74	Rangel
	2400	75	O. LATORO

Date	Time	Temp.	Name (Print)
	0300	75	O. LATORO
	0600	75	GARCIA
	0900	73	GARCIA
	1200	73	GARCIA
	1500	73	Diamond
	1800	73	Diamond
	2100	75	Diamond
	2400	75°	MORALEZ

DATE	TIME	TEMP	9/14/24
	0300		
	0600	73	610°F
	0900	73	610°F
	1200	71	610°F
	1600	72°	L. BREWER C
	1800		
	2100		

Date	Time	Temp.	Name (Print)
	0300	75	ANDERSON
	0600	75°	MATTHEWS
	0900	75	GARCIA
	1200	73	GARCIA
	1500	72	GARCIA
	1800	72	MORGAN
	2100	73	MORGAN
	2400	74	MORGAN

Date	Time	Temp.	Name (Print)
	0300	73	O. LATORO
	0600	73	GARCIA
	0900	73	GARCIA
	1200	72	GARCIA
	1500	73	DRUMMOND
	1800	74	DRUMMOND
	2100	73	DRUMMOND
	2400		J. MARQUEZ

Date	Time	Temp.	Name (Print)
	0300	73	J. MORALES
	0600	73	GARCIA
	0900	72	GARCIA
	1200	72	GARCIA
	1500	72	VALLES
	1800	73	VALLES
	2100	74	VALLES
	2400	73	Z. MORALES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 15 Temp. Reading Location: 2nd flr
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 9-14-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800	72	D. Novoa <i>60</i>
	2100	73	D. Novoa
	2400	73	F. Morales

Sunday 9-15-24
 Time Temp Name
 0300 73 Morales
 0600 73 E. Lopez
 0900 73 E. Lopez
 1200 71 E. Lopez
 1500 72 Drummond
 1800 72 Drummond
 2100 73 Drummond
 2400 72 Morales

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 16 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	71	K. MILLER
	0600	71	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	72	A. Hernandez
	1800	72	A. Edwards
	2100	72	A. Edwards
	2400	72	B. EDEN

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	73	B. EDEN
	0600	72	E. Velasco
	0900	72	E. Velasco
	1200	71	E. Velasco
	1500	72	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	J. Goren

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	71	J. Goren
	0600	71	J. Goren
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	70	J. Goren

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	70	J. Goren
	0600	70	J. Goren
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	NIEVES
	1800	71	NIEVES
	2100	70	NIEVES
	2400	70	J. Goren

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	70	J. Goren
	0600	70	J. Goren
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	J. Goren

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	70	J. Goren
	0600	70	J. Goren
	0900	70	N. Bedohi
	1200	71	N. Bedohi
	1500	71	S. LAMAR
	1800	71	S. LAMAR
	2100	70	S. LAMAR
	2400	70	J. Goren

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	70	J. Goren
	0600	70	J. Goren
	0900	70	N. Bedohi
	1200	71	N. Bedohi
	1500	71	A. SAMUEL
	1800	71	A. SAMUEL
	2100	70	A. SAMUEL
	2400	70	H. Lopez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: P 17 Temp. Reading Location: (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	<u>B6</u>	<u>G. BRENTS</u>
	0600	<u>86</u>	<u>N Bedehi</u>
	0900	<u>86</u>	<u>N Bedehi</u>
	1200	<u>86</u>	<u>N Bedehi</u>
	1500	<u>88</u>	<u>E. SILVA</u>
	1800	<u>87</u>	<u>E. SILVA</u>
	2100	<u>87</u>	<u>E. SILVA</u>
	2400	<u>86</u>	<u>G. BRENTS</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	<u>84</u>	<u>G. BRENTS</u>
	0600	<u>84</u>	<u>N Bedehi</u>
	0900	<u>84</u>	<u>N Bedehi</u>
	1200	<u>86</u>	<u>N Bedehi</u>
	1500	<u>88</u>	<u>E. SILVA</u>
	1800	<u>84</u>	<u>E. SILVA</u>
	2100	<u>84</u>	<u>E. SILVA</u>
	2400	<u>82</u>	<u>G. BRENTS</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	<u>80</u>	<u>G. BRENTS</u>
	0600	<u>81</u>	<u>B. EDEN</u>
	0900	<u>81</u>	<u>B. EDEN</u>
	1200	<u>82</u>	<u>B. EDEN</u>
	1500	<u>82</u>	<u>S. ARCEO</u>
	1800	<u>81</u>	<u>S. ARCEO</u>
	2100	<u>80</u>	<u>S. ARCEO</u>
	2400	<u>79</u>	<u>A. Maldonado</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	<u>77</u>	<u>J. Maldonado</u>
	0600	<u>77</u>	<u>B. EDEN</u>
	0900	<u>77</u>	<u>B. EDEN</u>
	1200	<u>79</u>	<u>B. EDEN</u>
	1500	<u>79</u>	<u>S. ARCEO</u>
	1800	<u>78</u>	<u>S. ARCEO</u>
	2100	<u>77</u>	<u>S. ARCEO</u>
	2400	<u>76</u>	<u>G. HOPKINS</u>

Friday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	<u>75</u>	<u>G. HOPKINS</u>
	0600	<u>76</u>	<u>B. EDEN</u>
	0900	<u>76</u>	<u>B. EDEN</u>
	1200	<u>78</u>	<u>B. EDEN</u>
	1500	<u>77</u>	<u>S. ARCEO</u>
	1800	<u>76</u>	<u>S. ARCEO</u>
	2100	<u>75</u>	<u>S. ARCEO</u>
	2400	<u>75</u>	<u>G. BRENTS</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	<u>75</u>	<u>G. BRENTS</u>
	0600	<u>76</u>	<u>B. EDEN</u>
	0900	<u>76</u>	<u>B. EDEN</u>
	1200	<u>78</u>	<u>B. EDEN</u>
	1500	<u>78</u>	<u>E. SILVA</u>
	1800	<u>77</u>	<u>E. SILVA</u>
	2100	<u>77</u>	<u>E. SILVA</u>
	2400	<u>76</u>	<u>G. BRENTS</u>

Sunday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	<u>75</u>	<u>G. BRENTS</u>
	0600	<u>76</u>	<u>B. EDEN</u>
	0900	<u>76</u>	<u>B. EDEN</u>
	1200	<u>76</u>	<u>B. EDEN</u>
	1500	<u>77</u>	<u>E. SILVA</u>
	1800	<u>77</u>	<u>E. SILVA</u>
	2100	<u>76</u>	<u>E. SILVA</u>
	2400	<u>75</u>	<u>G. BRENTS</u>

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSP Housing Unit: 18 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
Sept 9 2024	0300	85	D. Black
	0600	85	D. AGUILAR
	0900	86	D. AGUILAR
	1200	88	D. AGUILAR
	1500	89	A. ROSS
	1800	88	A. ROSS
	2100	87	A. ROSS
	2400	85	D. Black

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	81	D. Black
	0600	80	N. Bedolla
	0900	80	N. Bedolla
	1200	81	N. Bedolla
	1500	81	S. Lewis
	1800	80	S. Lewis
	2100	79	S. Lewis
	2400	77	D. Black

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	75	D. Black
	0600	75	G. AGUILAR
	0900	75	O. AGUILAR
	1200	77	O. AGUILAR
	1500	76	A. ROSS
	1800	77	A. ROSS
	2100	76	A. ROSS
	2400	75	S. Lewis

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	74	CASTRO
	0600	74	O. AGUILAR
	0900	75	O. AGUILAR
	1200	75	O. AGUILAR
	1500	75	A. ROSS
	1800	75	A. ROSS
	2100	74	A. ROSS
	2400	73	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	83	D. Black
	0600	83	O. AGUILAR
	0900	84	O. AGUILAR
	1200	86	O. AGUILAR
	1500	85	A. ROSS
	1800	85	A. ROSS
	2100	83	A. ROSS
	2400	82	D. Black

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	76	D. Black
	0600	76	Ballard
	0900	75	Ballard
	1200	76	Ballard
	1500	75	J. MARTINEZ
	1800	78	J. MARTINEZ
	2100	77	J. MARTINEZ
	2400	76	D. Black

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	77	S. Lewis
	0600	77	S. Lewis
	0900	75	NIEVES
	1200	77	NIEVES
	1500	77	A. ROSS
	1800	77	A. ROSS
	2100	76	A. ROSS
	2400	78	LARSEN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	84	A. Maldonado
	0600	75	E. Lovett
	0900	76	S. Mera Z
	1200	73.2	MARES
	1500	86.0	S. Valverde
	1800	85.1	S. Valverde
	2100	84.9	S. Valverde
	2400	84	E. Hopkins

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	83	E. Hopkins
	0600	81.5	ZZAVALA
	0900	82	ZZAVALA
	1200	82.5	ZZAVALA
	1500	84	ZZAVALA
	1800	85	ZZAVALA
	2100	82	ZZAVALA
	2400	72	ezjune

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	70	ezjune
	0600	78	ZZAVALA
	0900	78	ZZAVALA
	1200	77	ZZAVALA
	1500	77	R. Owens
	1800	77	R. Owens
	2100	75	R. Owens
	2400	73	Bent

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	76	Bent
	0600	78	ZZAVALA
	0900	77	ZZAVALA
	1200	76	ZZAVALA
	1500	76	ZZAVALA
	1800	75	ZZAVALA
	2100	75	ZZAVALA
	2400	77	Bent

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	71	Bent
	0600	72	Dallas
	0900	74.0	Dallas
	1200	75	Dallas
	1500	76.6	N. Ericson
	1800	76	N. Ericson
	2100	74	N. Ericson
	2400	72	Bent

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	70	Bent
	0600	73	SAN MIGUELI
	0900	75	SAN MIGUELI
	1200	75	N. Ericson
	1500	74	N. Ericson
	1800	74	N. Ericson
	2100	74	N. Ericson
	2400	73	A. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	73	A. Maldonado
	0600	73	E. Lovett
	0900	73	E. Lovett
	1200	74	E. Lovett
	1500	74	A. Lazaro
	1800	73.6	A. Lazaro
	2100	73.3	A. Lazaro
	2400	72	A. Maldonado

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	85	AD. FLORES, SR
	0600	84	S. Mard
	0900	84	M. Mard
	1200	87	M. Mard
	1500	88	D. H. D.
	1800	87	D. H. D.
	2100	87	D. H. D.
	2400	86	AD. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	81	AD. FLORES, SR
	0600	80°	N. Maroku
	0900	80°	N. Maroku
	1200	80°	N. Maroku
	1500	80	A. Rauso
	1800	80	A. Rauso
	2100	80	A. Rauso
	2400	79	AD. FLORES, SR

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	77	A. Maldonado
	0600	76	N. Maroku
	0900	76	N. Maroku
	1200	77	N. Maroku
	1500	77	A. Rauso
	1800	77	A. Rauso
	2100	77	A. Rauso
	2400	77	A. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	76	AD. FLORES, SR
	0600	75	S. Castro
	0900	75	S. Castro
	1200	75	A. Maldonado
	1500	75	Z. KHAN
	1800	75	Z. KHAN
	2100	75	Z. KHAN
	2400	74	AD. FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	84	AD. FLORES, SR
	0600	82	N. Maroku
	0900	82	N. Maroku
	1200	83	N. Maroku
	1500	84	A. Rauso
	1800	84	A. Rauso
	2100	83	A. Rauso
	2400	82	AD. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	78	AD. FLORES, SR
	0600	76	N. Maroku
	0900	77	N. Maroku
	1200	77	N. Maroku
	1500	78	A. Rauso
	1800	78	A. Rauso
	2100	78	A. Rauso
	2400	78	A. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	77	A. Maldonado
	0600	76	N. Maroku
	0900	76	N. Maroku
	1200	76	N. Maroku
	1500	77	A. Rauso
	1800	77	A. Rauso
	2100	77	A. Rauso
	2400	77	AD. FLORES, SR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJDCF Housing Unit: 1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	75	P. Fernandez
	0600	75	P. Fernandez
	0900	75	J. Alejo
	1200	74	J. Alejo
	1500	74	J. Alejo
	1800	75	J. Alejo
	2100	75	J. Alejo
	2400	74	VALCARCEL

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	74	A. SUMAYA
	0600	AC	appears to
	0900		
	1200		
	1500	73	A. SUMAYA
	1800	74	A. SUMAYA
	2100	75	A. SUMAYA
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300		
	0600		
	0900	AC appears	
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300		
	0600		
	0900	AC APPEARS	
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300		
	0600	74	YANG
	0900	74	YANG
	1200	74	W. YANG
	1500	74	W. SUMAYA
	1800	75	A. SUMAYA
	2100	75	A. SUMAYA
	2400	74	L. JEANCHARLES

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	74°	L. JEANCHARLES
	0600	74	N. Madrid
	0900	74	N. Madrid
	1200	73	N. Madrid
	1500	74	A. SUMAYA
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300		
	0600	AC appears	
	0900		
	1200		
	1500	73	Shimone
	1800		
	2100		
	2400	74	P. Fernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 2 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5550 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300		
	0600	71°	ALVAREZ
	0900	72°	ALVAREZ
	1200	72°	ALVAREZ
	1500	72	FIERRO
	1800	72	FIERRO
	2100	73	FIERRO
	2400	74	VILLARREAL

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	74	VILLARREAL
	0600	73	H. RODRIGUEZ
	0900	71	H. RODRIGUEZ
	1200	70	H. RODRIGUEZ
	1500	72	FIERRO
	1800	73	FIERRO
	2100	73	FIERRO
	2400	73	VILLARREAL

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	73	VILLARREAL
	0600	73	H. Rodriguez
	0900	71	H. Rodriguez
	1200	71	H. Rodriguez
	1500	72°	R. RAMOS
	1800	73°	R. RAMOS
	2100	73°	R. RAMOS
	2400	73	VILLARREAL

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	73	VILLARREAL
	0600	73	H. Rodriguez
	0900	73	H. Rodriguez
	1200	71	H. Rodriguez
	1500	71	R. RAMOS
	1800	73°	R. RAMOS
	2100	73	R. RAMOS
	2400	73	VILLARREAL

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	73	VILLARREAL
	0600	73	H. Rodriguez
	0900	73	H. Rodriguez
	1200	72	H. Rodriguez
	1500	73	J. Mendoza
	1800	74	J. Mendoza
	2100		
	2400	73	VILLARREAL

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	73	VILLARREAL
	0600	73	H. Rodriguez
	0900	71	H. Rodriguez
	1200	70	H. Rodriguez
	1500	71	H. Rodriguez
	1800	73	H. Rodriguez
	2100	73	H. Rodriguez
	2400	73°	L. JEANCHARLES

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	73°	L. JEANCHARLES
	0600	73	ALVAREZ
	0900	73°	ALVAREZ
	1200	70°	ALVAREZ
	1500	71	C. FIERRO
	1800	73	C. FIERRO
	2100	73	C. FIERRO
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
9/18/24	0600	75	MR Flores
	0900	75	MR Flores
	1200	76	MR Flores
	1500	77°	S MEZA
	1800	77°	S MEZA
	2100	76	S MEZA
	2400	76	K Lescan

Tuesday

Date	Time	Temp.	Name (Print)
	0300	76	M...
9/19	0600	74	YANG
	0900	74	YANG
	1200	75	YANG
	1500	76	YANG
	1800	75	CURIEL
	2100	75	CURIEL
	2400	75	K Lescan

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	75	K Lescan
	0600	73	K MARTINEZ
	0900	74	K. MARTINEZ
	1200	75	K. MARTINEZ
	1500	76	A. ESGUINIES
	1800	76	A. ESGUINIES
	2100	75	A. ESGUINIES
	2400	75	K Lescan

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	75	K Lescan
	0600	74	MR Flores
	0900	74	MR Flores
	1200	75	MR Flores
	1500	76	MR Flores
	1800	76	A. SOTO
	2100	82	A. SOTO
	2400	76	K Lescan

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	76	K Lescan
	0600	74	MR Flores
	0900	74	MR Flores
	1200	75	MR Flores
	1500	75	CABEZA
	1800	75	CABEZA
	2100	75	CABEZA
	2400	73	Q. JONES

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	70	Q. JONES
	0600	73	S. JONES
	0900	73	S. JONES
	1200	79	S. JONES
	1500	76°	S. MEZA
	1800	75°	S. MEZA
	2100	74°	S. MEZA
	2400	74	J. DAVIS

Sunday 09/22/24

Date	Time	Temp.	Name (Print)
	0300	73	J. DAVIS
	0600	73	MR Flores
	0900	73	MR Flores
	1200	70	MR Flores
	1500	76	J. HANIS
	1800	76	J. HANIS
	2100	75	J. HANIS
	2400	75	J. HANIS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 4 Temp. Reading Location: tier 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5581 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	69	22
.	0600	70	74 Sun
.	0900	71	74 Sun
16	1200	74	74 Sun
.	1500	74	ESQUIVIES
24	1800	73	ESQUIVIES
.	2100	73	ESQUIVIES
	2400	73	HULTE

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	69	22
.	0600	70	74 Sun
.	0900	72	74 Sun
17	1200	72	74 Sun
.	1500	74	ESQUIVIES
24	1800	74	ESQUIVIES
.	2100	73	ESQUIVIES
	2400	73	Cuadra

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	73	Cuadra
.	0600	73	C. Basn
.	0900	73	C. Basn
18	1200	74	C. Basn
.	1500	74	L.S. Stein
24	1800	74	L.S. Stein
.	2100	73	L.S. Stein
	2400	73	Cuadra

Thursday

Date	Time	Temp.	Name (Print)
9	0300	73	Cuadra
.	0600	73	C. Basn
.	0900	74	C. Basn
19	1200	74	C. Basn
.	1500	74	R. Stein
24	1800	74	R. Stein
.	2100	74	R. Stein
	2400	73	Cuadra

Friday

Date	Time	Temp.	Name (Print)
9	0300	73	Cuadra
.	0600	72	Marez J.
.	0900	71	Marez S.
20	1200	72	Marez S.
.	1500	71	Stein
24	1800	73	Stein
.	2100	73	Stein
	2400	73	Cuadra

Saturday

Date	Time	Temp.	Name (Print)
9	0300	72	Cuadra
.	0600	71	M. Duran
.	0900	72	M. Duran
21	1200	73	M. Duran
.	1500	74	R. Stein
24	1800	74	R. Stein
.	2100	73	R. Stein
	2400	73	Cuadra

Sunday

Date	Time	Temp.	Name (Print)
9	0300	72	Cuadra
.	0600	72	J. M. G.
.	0900	74	J. M. G.
22	1200	74	J. M. G.
.	1500	75	Stein R.
24	1800	74	Stein R.
.	2100	74	Stein R.
	2400	73	Stein R.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	71	A. VARGAS
16	0600	69	A. SOTO
24	0900	72	A. SOTO
	1200	79	A. SOTO
	1500	75	J. Cogges
	1800	73	N. PEREZ
	2100	73	N. PEREZ
	2400	72	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	70	A. VARGAS
18	0600	70	D. GOMEZ
24	0900	72	E. RAEZ
	1200	73	B. MUNOZ
	1500	73	R. LOMO
	1800	73	R. LOMO
	2100	73	R. LOMO
	2400	73°	L. Jaramillo

Friday

Date	Time	Temp.	Name (Print)
9	0300	72°	R. ALMENDARIZ
20	0600	73°	J. CHAPPEL
	0900	73°	J. CHAPPEL
	1200	73°	J. CHAPPEL
	1500	73	DIAZ
	1800	72	HERNANDEZ
	2100	72	HERNANDEZ
	2400	72	A. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
9	0300	70	A. VARGAS
22	0600	70	C. CASTILLO
24	0900	72	C. CASTILLO
	1200	74	C. CASTILLO
	1500	75	I. GALVAN
	1800	74	I. GALVAN
	2100	73	I. GALVAN
	2400	73	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	78	A. VARGAS
17	0600	78	T. RUM
	0900		
	1200		
	1500	73	L. NIYAN
	1800	73	L. NIYAN
	2100	73	L. NIYAN
	2400	72	A. VARGAS

Thursday

Date	Time	Temp.	Name (Print)
9	0300	72°	L. Jaramillo
17	0600	72	E. RAEZ
	0900	71	E. RAEZ
	1200		
	1500	74°	A. SALCIDO
	1800	73	A. SALCIDO
	2100	72	A. SALCIDO
	2400	72°	R. ALMENDARIZ

Saturday

Date	Time	Temp.	Name (Print)
9	0300	70	A. VARGAS
21	0600	70	M. GOMEZ
	0900	73	M. GOMEZ
	1200	73	M. GOMEZ
	1500	74	R. TOLEDO
	1800		
	2100		
	2400	72	A. VARGAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: B7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	72°	D. GOMFZ
	0600	72	J. Zamora
	0900	73	J. Zamora
	1200	74	J. Zamora
	1500	74	AQUINO
	1800	74	AQUINO
	2100	73	AQUINO
	2400	71	H. Nance

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	71	H. Nance
	0600	70	C. Duarre
	0900	73	C. Duarre
	1200	79	C. Duarre
	1500	74	C. Duarre
	1800	74	C. Duarre
	2100	73	C. Duarre
	2400	73	J. Sabora

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	72	J. Park
	0600	71	C. Duarre
	0900	72	C. Duarre
	1200	73	C. Duarre
	1500	75	R. Salazar
	1800	73	R. Salazar
	2100	73	R. Salazar
	2400	71	J. Park

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	72	J. Park
	0600	72	AQUINO
	0900	72	AQUINO
	1200	72	AQUINO
	1500	74	AQUINO
	1800	73	AQUINO
	2100	73	AQUINO
	2400	72	J. Park

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	72	J. Park
	0600	72	AQUINO
	0900	73	AQUINO
	1200	73	AQUINO
	1500	73	AQUINO
	1800	73	AQUINO
	2100	73	AQUINO
	2400	72	C. MARQUEZ

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	71	C. MARQUEZ
	0600	72	AQUINO
	0900	72	AQUINO
	1200	74	AQUINO
	1500	74	MARQUEZ
	1800	74	MARQUEZ
	2100	73	MARQUEZ
	2400	73	H. Nance

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	71	C. MARQUEZ
	0600	70°	VELASQUEZ
	0900	72	VELASQUEZ
	1200	74°	VELASQUEZ
	1500	74	H. Nance
	1800	74	H. Nance
	2100	73	H. Nance
	2400	73	J. Sabora

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 9 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	71	D. GUNNAR
	0600	70	Z. GUNNAR
	0900	71	Z. GUNNAR
	1200	73	Z. GUNNAR
	1500	75	Criollo
	1800	75	Criollo
	2100	72	Criollo
	2400	72	H. Loper

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	71	H. Loper
	0600	68	M. CASTILLO
	0900	70	M. CASTILLO
	1200	72	M. CASTILLO
	1500	73	Collazo
	1800	73	Collazo
	2100	72	Collazo
	2400	72	Collazo

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	71	Collazo
	0600	70	M. CASTILLO
	0900	71	M. CASTILLO
	1200	72	M. CASTILLO
	1500	73	R. Collazo
	1800	72	R. Collazo
	2100	72	R. Collazo
	2400	72	R. Collazo

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	71	R. Collazo
	0600	70	M. CASTILLO
	0900	71	M. CASTILLO
	1200	72	M. CASTILLO
	1500	73	Domar
	1800	73	Domar
	2100	72	Domar
	2400	72	Domar

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	72	Domar
	0600	72	Domar
	0900	70	M. CASTILLO
	1200	71	M. CASTILLO
	1500	72	Domar
	1800	73	Domar
	2100	72	Domar
	2400	72	Domar

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	70	Domar
	0600	70	Domar
	0900	71	M. CASTILLO
	1200	72	M. CASTILLO
	1500	70	V. DANIEL
	1800	74	V. DANIEL
	2100	71	Domar
	2400	70	Domar

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	69	Domar
	0600	68	Domar
	0900	72	A. VAREZ
	1200	74	A. VAREZ
	1500	74	MARQUEZ
	1800	73	MARQUEZ
	2100	72	MARQUEZ
	2400	72	M. SALAWSKY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJO Housing Unit: 10 Temp. Reading Location: Watchtower
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	70	Squish	
0600	72	Vera	88
0900	72	Vera	
1200	74	Vera	
1500	74	TDELE	
1800	74	TDELE	
2100	73	TDELE	
2400	71	RYBNIKAR	

Wednesday

Date	Time	Temp.	Name (Print)
0300	69°	RYBNIKAR	
0600	69°	RYBNIKAR	
0900	69°	A. VACAS	41
1200	71	J. VACAS	
1500	73	J. SOSA	
1800	72	J. SOSA	
2100	73	J. SOSA	
2400	71	RYBNIKAR	

Friday

Date	Time	Temp.	Name (Print)
0300	71°	RYBNIKAR	
0600	70°	RYBNIKAR	
0900	70°	Vera	
1200	72	Vera	
1500	72	CASTILLO	
1800	72	CASTILLO	
2100	72	CASTILLO	
2400	70	RYBNIKAR	

Sunday

Date	Time	Temp.	Name (Print)
0300	70	J. Goff	22
0600	70	J. Goff	
0900	71	Vera	W
1200	74	Vera	
1500	75	Arias	
1800	74	Arias	
2100	73	Arias	
2400	70	RYBNIKAR	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	RYBNIKAR	
0600	70	RYBNIKAR	
0900	61	Zamora	
1200	72	Zamora	
1500	73	h. RODRIGUEZ	
1800	72	h. RODRIGUEZ	
2100	71	h. RODRIGUEZ	
2400	70	RYBNIKAR	

Thursday

Date	Time	Temp.	Name (Print)
0300	71	RYBNIKAR	
0600	70	RYBNIKAR	
0900	71	A. Partida	
1200	73	A. Partida	
1500	71	R. CRIOLLO	
1800	73	R. CRIOLLO	
2100	73	R. CRIOLLO	
2400	72	RYBNIKAR	

Saturday

Date	Time	Temp.	Name (Print)
0300	69	RYBNIKAR	
0600	68	RYBNIKAR	
0900	72	Vera	
1200	73	Vera	
1500	72	J. SOSA	
1800	72	J. SOSA	
2100	72	J. SOSA	
2400	71	J. Goff	

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RID Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	M HURIN
	0600	69	E LOPEZ
	0900	70	E LOPEZ
	1200	71	E LOPEZ
	1500	71	I. Villarreal
	1800	70	I. Villarreal
	2100	70	I. Villarreal
	2400	72	M HURIN

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	67	S. Oviedo
	0600	67	M. Rangel
	0900	68	M. Rangel
	1200	69	M. Rangel
	1500	70	Rangel
	1800	69	Rangel
	2100	69	Rangel
	2400		

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	72	Z. MORALES
	0600	67	M. Rodriguez
	0900	68	M. Rodriguez
	1200	69	M. Rodriguez
	1500	68	B. Lopez
	1800	68	Rodriguez
	2100	68	Rodriguez
	2400	67	A. Gomez

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	67	A. Gomez
	0600	71	E. Ayon
	0900	71	G. Ayon
	1200	73	E. Ayon
	1500	73	VILLEGRAS
	1800	72	VILLEGRAS
	2100	71	VILLEGRAS
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	67	M HURIN
	0600	67	E LOPEZ
	0900	67	E LOPEZ
	1200	69	E LOPEZ
	1500	70	I. Villarreal
	1800	70	I. Villarreal
	2100	69	I. Villarreal
	2400	69	M HURIN

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	73	J. Marquez
	0600	67	M. Ballado
	0900	68	M. Ballado
	1200	70	M. Ballado
	1500	72	ESTRADA
	1800	71	RODRIGUEZ R.
	2100	59	RODRIGUEZ R.
	2400	73	J. Marquez

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	66	A. Gomez
	0600	66	M. Ballado
	0900	69	M. Ballado
	1200	69	M. Ballado
	1500	71	S. Hernandez
	1800	70	A. SACIDO
	2100	69	A. SALIDO
	2400	68	A. Cruz

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 12 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	73	J. Mary rez
	0600	73	CASTRO
	0900	73	CASTRO
	1200	73	CASTRO
	1500	73	CENDEJAS
	1800	73	CENDEJAS
	2100	73	CENDEJAS
	2400	73	J. marguerite

Wednesday TUESDAY

Date	Time	Temp.	Name (Print)
9/18	0300	71	TOELE
	0600	70	TOELE
	0900	70	COLIS
	1200	70	COLIS
	1500	73	CENDEJAS
	1800	73	CENDEJAS
	2100	73	CENDEJAS
	2400	71	Ergun

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	73	Almodovar
	0600	73	CASTRO
	0900	71	CASTRO
	1200	71	CASTRO
	1500	72	CASTRO
	1800	73	CASTRO
	2100	73	CASTRO
	2400	73	Almodovar

SUNDAY

DATE	TIME	TEMP.	NAME (PRINT)
9/22	0300	71	J. marguerite
	0600	70	N. Carter
	0900	71	N. Carter
	1200	74	N. Carter
	1500	74	L. CENDEJAS
	1800	74	L. CENDEJAS
	2100	74	L. CENDEJAS
	2400	71	J. marguerite

Tuesday WEDNESDAY

Date	Time	Temp.	Name (Print)
9/17	0300	70	Egual
	0600	71	CASTRO
	0900		
	1200		
	1500	73	CENDEJAS
	1800	73	CENDEJAS
	2100	73	CENDEJAS
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	73	Almodovar
	0600	72	CASTRO
	0900	71	CASTRO
	1200	73	CASTRO
	1500	74	VILLERAS -H
	1800	73	VILLERAS -H
	2100	73	VILLERAS -H
	2400	73	Almodovar

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	73	Almodovar
	0600	71	CASTRO
	0900	72	CASTRO
	1200	72	CASTRO
	1500	73	CENDEJAS
	1800	73	CENDEJAS
	2100	73	CENDEJAS
	2400		

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DJD Housing Unit: 13

Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16	0300		
	0600	69	D. NOVOA
	0900	68	D. NOVOA
	1200	68	D. NOVOA
	1500	70	R. MORAN
	1800	70	R. MORAN
	2100	70	R. MORAN
	2400	72	SARSGDAK

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	70	SARSGDAK
	0600	67°	L. MUNOZ
	0900	68°	L. MUNOZ
	1200	70°	L. MUNOZ
	1500	70°	L. BECERRA
	1800	68	L. BECERRA
	2100	70°	L. BECERRA
	2400	72	SARSGDAK

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	70	SARSGDAK
	0600	68	L. MUNOZ
	0900	70°	L. MUNOZ
	1200	71°	L. MUNOZ
	1500	71	VILLEZAS, H
	1800	71	VILLEZAS, H
	2100	70	VILLEZAS, H
	2400	71	SARSGDAK

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	72	SARSGDAK
	0600	69°	L. MUNOZ
	0900	70°	L. MUNOZ
	1200	71°	L. MUNOZ
	1500	70°	J. MENDOZA
	1800	71	M. BUSTOS
	2100	70	M. BUSTOS
	2400		

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	72	J. MARQUEZ
	0600	71	CHAVEZ, S.
	0900	70	CHAVEZ, S.
	1200	72	CHAVEZ, S.
	1500	67	M. BUSTOS
	1800	72	M. BUSTOS
	2100	72	M. BUSTOS
	2400	72	J. MARQUEZ

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	72	J. MARQUEZ
	0600	70	YANG
	0900	71	J. SEDANO
	1200	71	J. SEDANO
	1500	70	R. MORAN
	1800	70	R. MORAN
	2100	70	R. MORAN
	2400	72	J. MARQUEZ

Sunday

0300	70	J. MORANES
0600	69	D. NOVOA
0900	70	D. NOVOA
1200	71	D. NOVOA
1500	72	R. MORAN
1800	70	R. MORAN
2100	70	R. MORAN
2400	71	SARSGDAK

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution RJD Housing Unit: 14 Temp. Reading Location 2nd
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5851 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	72	Z. Morales	
0600	72	J. Ledesma	
0900	74	J. Ledesma	
1200	71	J. Ledesma	
1500	71°	Becem	
1800	72°	Bocena	
2100	73°	Becem	
2400	73	Z. Morales	

Wednesday

Date	Time	Temp.	Name (Print)
0300	72	O. Latoro	
0600	71	J. Ledesma	
0900	72	J. Ledesma	
1200	78	J. Ledesma	
1500	78	I. DURAN	
1800	71	I. DURAN	
2100	72	I. DURAN	
2400	72	O. Latoro	

Friday

Date	Time	Temp.	Name (Print)
0300	72	O. Latoro	
0600	72	F. Marzo	
0900	74	F. Marzo	
1200	73	F. Marzo	
1500	69	I. DURAN	
1800	71	I. DURAN	
2100	72	I. DURAN	
2400	72	O. Latoro	

Sunday

Date	Time	Temp.	Name (Print)
0300	71	O. Latoro	
0600	71	J. Ledesma	
0900	70	J. Ledesma	
1200	71	J. Ledesma	
1500	69°	L. Bocena	
1800	70°	L. Bocena	
2100	72°	L. Bocena	
2400	71	L. Murphy	

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	73	Z. Morales
	0600	72	J. Ledesma
	0900	71	J. Ledesma
	1200	70	S. Ledesma
	1500	70	I. DURAN
	1800	72	I. DURAN
	2100	71	I. DURAN
	2400	72	M. Lopez

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	72	O. Latoro
	0600	72	J. Ledesma
	0900	71	J. Ledesma
	1200	70	J. Ledesma
	1500	71	I. DURAN
	1800	71	I. DURAN
	2100	72	I. DURAN
	2400	72	O. Latoro

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	72	O. Latoro
	0600	71	D. Novoa
	0900	71	D. Novoa
	1200	69	D. Novoa
	1500	69	O. Latoro
	1800	71	O. Latoro
	2100	71	O. Latoro
	2400	71	O. Latoro

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 15 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/14</u>	0300		
	0600	72°	Becerra
	0900	71	Becerra
	1200	71°	Becerra
	1500	71	M. LUNERO
	1800	72	M. LUNERO
	2100	72	M. LUNERO
	2400	72	H. MARTIN

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/17</u>	0300	72	H. MARTIN
	0600	70	GARCIA
	0900	71	GARCIA
	1200	70	GARCIA
	1500	71	J. SEDANO
	1800	71	J. SEDANO
	2100	70	J. SEDANO
	2400	71	K. MARTIN

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/18</u>	0300	71	H. MARTIN
	0600	71	GARCIA
	0900	71	GARCIA
	1200	71	GARCIA
	1500	70	N. MORENO
	1800	71	N. MORENO
	2100	71	N. MORENO
	2400	71	K. MARTIN

Thursday

Date	Time	Temp.	Name (Print)
<u>9/19</u>	0300	71	H. MARTIN
	0600	71	GARCIA
	0900	71	GARCIA
	1200	70	GARCIA
	1500	70	RAMOS
	1800	70	RAMOS
	2100		
	2400	71	H. MARTIN

Friday

Date	Time	Temp.	Name (Print)
<u>9/20</u>	0300	71	H. MARTIN
	0600	71	GARCIA
	0900	72	GARCIA
	1200	70	GARCIA
	1500	70	A. VALLEJO
	1800	71	A. VALLEJO
	2100	71	A. VALLEJO
	2400	71	Z. MONTES

Saturday

Date	Time	Temp.	Name (Print)
<u>9/21</u>	0300	71	Z. MONTES
	0600	70	E. LOPEZ
	0900	69	E. LOPEZ
	1200	70	E. LOPEZ
	1500	69°	L. BECERRA
	1800	71°	L. BECERRA
	2100	71°	L. BECERRA
	2400	71	Z. MONTES

Notes:

DATE	TIME	TEMP	NAME (PRINT)
<u>9/22</u>	0300		
	0600	70	E. LOPEZ
	0900	70	E. LOPEZ

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 16 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/18	0300	70	H. Lopez
	0600	70	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	69	C. CITEN

Tuesday

Date	Time	Temp.	Name (Print)
9/19	0300	70	C. CITEN
	0600	69	HERNANDEZ
	0900	69	S. MUNOZ
	1200	70	S. MUNOZ
	1500	70	L. MUÑOZ
	1800	70	R. OWENS
	2100	70	R. OWENS
	2400	70	J. Gorm

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	70	J. Gorm
	0600	70	J. Gorm
	0900	70	HERNANDEZ
	1200	70	HERNANDEZ
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	J. Gorm

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	70	J. Gorm
	0600	70	J. Gorm
	0900	70	HERNANDEZ
	1200	70	HERNANDEZ
	1500	70	MUNOZ
	1800	70	M. MAROKI
	2100	70	M. MAROKI
	2400	70	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	HERNANDEZ
	1200	70	C. Lovett
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	N. Bedchi
	1200	70	N. Bedchi
	1500	70	S. Lovett
	1800	70	S. Lovett
	2100	70	S. Lovett
	2400	70	E. Ramirez

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	70	E. Ramirez
	0600	70	N. Bedchi
	0900	70	N. Bedchi
	1200	70	N. Bedchi
	1500	70	A. SAMUEL
	1800	70	A. SAMUEL
	2100	70	A. SAMUEL
	2400	70	K. MILLER

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 17 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	74	G. BRENTS
	0600	74	N. Bedehi
	0900	74	N. Bedehi
	1200	75	N. Bedehi
	1500	75	E. Silva
	1800	75	E. Silva
	2100	74	E. Silva
	2400	74	P. mehraban

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	71	P. mehraban
	0600	72	P. mehraban
	0900	72	N. Bedehi
	1200	74	N. Bedehi
	1500	74	E. Silva
	1800	74	E. Silva
	2100	74	E. Silva
	2400	73	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	72	G. BRENTS
	0600	72	B. EDEN
	0900	73	B. EDEN
	1200	74	B. EDEN
	1500	75	B. EDEN
	1800	74	B. EDEN
	2100	74	B. EDEN
	2400	73	A. maldonado

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	72	A. maldonado
	0600	72	B. EDEN
	0900	73	B. EDEN
	1200	74	B. EDEN
	1500	75	B. EDEN
	1800	75	B. EDEN
	2100	74	B. EDEN
	2400	74	K. MILLER

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	74	K. MILLER
	0600	73	B. EDEN
	0900	72	B. EDEN
	1200	71	B. EDEN
	1500	72	S. Lewis
	1800	71	S. Lewis
	2100	71	S. Lewis
	2400	71	G. BRENTS

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	71	G. BRENTS
	0600	71	B. EDEN
	0900	72	B. EDEN
	1200	74	B. EDEN
	1500	74	E. Silva
	1800	75	E. Silva
	2100	74	E. Silva
	2400	72	G. BRENTS

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	77	G. BRENTS
	0600	77	B. EDEN
	0900	72	B. EDEN
	1200	75	B. EDEN
	1500	75	E. Silva
	1800	75	E. Silva
	2100	75	E. Silva
	2400	74	G. BRENTS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 18 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16-24	0300	73	D. Black
	0600	73	O. AGUILAR
	0900	73	O. AGUILAR
	1200	75	O. AGUILAR
	1500	75	J. Reyes
	1800	74	V. Reyes
	2100	73	J. Reyes
	2400	72	D. Black

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	71	D. Black
	0600	71	N. Bedini
	0900	71	N. Bedini
	1200	73	N. Bedini
	1500	73	S. Lewis
	1800	72	S. Lewis
	2100	72	S. Lewis
	2400	71	D. Black

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	71	D. Black
	0600	71	O. AGUILAR
	0900	71	O. AGUILAR
	1200	72	O. AGUILAR
	1500	73	L. Lovell
	1800	73	L. Lovell
	2100	72	A. ROSS
	2400	72	K. MILLER

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	71	D. Black
	0600	70	O. AGUILAR
	0900	71	O. AGUILAR
	1200	75	O. AGUILAR
	1500	75	A. ROSS
	1800	74	A. ROSS
	2100	73	A. ROSS
	2400	72	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
9/17-24	0300	71	D. Black
	0600	71	O. AGUILAR
	0900	71	O. AGUILAR
	1200	73	O. AGUILAR
	1500	74	SAN MIGUEL
	1800	73	O. AGUILAR
	2100	72	O. AGUILAR
	2400	71	D. Black

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	71	D. Black
	0600	71	B. Peacock
	0900	72	B. Peacock
	1200	73	D. Ballard
	1500	74	J. MARTINEZ
	1800	73	J. MARTINEZ
	2100	73	J. MARTINEZ
	2400	72	D. Black

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	72	K. MILLER
	0600	70	O. AGUILAR
	0900	71	O. AGUILAR
	1200	73	O. AGUILAR
	1500	74	A. ROSS
	1800	73	A. ROSS
	2100	72	A. ROSS
	2400	72	D. Black

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	72	A. Maldonado
	0600	72.1	A. TIRAYAN
	0900	70.0	S. Meraz
	1200	73	S. Meraz
	1500	70	S. Meraz
	1800	72	S. Meraz
	2100	71	S. Meraz
	2400	70	Bench

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	68	Bench
	0600	70	22AV1A
	0900	70	22AV1A
	1200	72	22AV1A
	1500	73	22AV1A
	1800	72	22AV1A
	2100	72	22AV1A
	2400	70	Bench

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	68	Bench
	0600	68	2.2AV1A
	0900	70	2.2AV1A
	1200	70	2.2AV1A
	1500	73.4	S. Valverde
	1800	72.2	S. Valverde
	2100	72.0	S. Valverde
	2400	70	2.2AV1A

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	68	Bench
	0600	70	2.2AV1A
	0900	72	2.2AV1A
	1200	72	2.2AV1A
	1500	73	2.2AV1A
	1800	70	2.2AV1A
	2100	70	2.2AV1A
	2400	68	Bench

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	68	Bench
	0600	71.5	Ballard
	0900	71.1	Ballard
	1200	71.9	Ballard
	1500	72	NENSON
	1800	72	NENSON
	2100	71	NENSON
	2400	70	Bench

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	68	Bench
	0600	70	Ballard
	0900	71	Ballard
	1200	72.5	Ballard
	1500	73	NENSON
	1800	72	NENSON
	2100	70	NENSON
	2400	70	A. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	70	A. Maldonado
	0600	70	G. Lovett
	0900	70	G. Lovett
	1200	73	G. Lovett
	1500	73.8	S. Valverde
	1800	73.1	S. Valverde
	2100	72.5	S. Valverde
	2400	72	A. Maldonado

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: H/0 #20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	73	A.D. FLORES SR
	0600	73	V. Arguiano
	0900	73	V. Arguiano
	1200	74	V. Arguiano
	1500	75	D. Hickey
	1800	76	D. Hickey
	2100	76	D. Hickey
	2400	75	A.D. FLORES SR

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	74	A.D. FLORES SR
	0600	73	N. Maroki
	0900	73	N. Maroki
	1200	74	N. Maroki
	1500	74	B. Educhihi
	1800	75	A. Rios
	2100	75	A. Rios
	2400	74	A.D. FLORES SR

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	73	A.D. FLORES SR
	0600	73	N. Maroki
	0900	73	N. Maroki
	1200	73	N. Maroki
	1500	74	J. Cern
	1800	75	J. Cern
	2100	74	J. Cern
	2400	74	A.D. FLORES SR

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	73	A.D. FLORES SR
	0600	73	N. Maroki
	0900	73	N. Maroki
	1200	73	N. Maroki
	1500	73	D. Pamplin
	1800	75	B. Benaventura
	2100	75	B. Benaventura
	2400	74	A. Maldonado

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	74	A. Maldonado
	0600	74	N. Maroki
	0900	74	N. Maroki
	1200	74	N. Maroki
	1500	74	M. MARSHI
	1800	74	M. MARSHI
	2100	74	M. MARSHI
	2400	73	A. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	73	A. Maldonado
	0600	72	N. Maroki
	0900	72	N. Maroki
	1200	75	N. Maroki
	1500	74	SAN M. GUE
	1800	74	SAN M. GUE
	2100	74	SAN M. GUE
	2400	74	A.D. FLORES SR

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	73	A.D. FLORES SR
	0600	72	B. Benard
	0900	73	B. Benard
	1200	74	B. Benard
	1500	73	N. ENCSN
	1800	73	N. ENCSN
	2100	70	N. ENCSN
	2400	74	A.D. FLORES SR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300		
	0600	AC appears	
	0900	to be working	
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800	75	AC appears
	2100	75	to be working
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300		
	0600	AC appears	
	0900		
	1200		
	1500	75	AC working
	1800	75	I. Villarreal
	2100	75	I. Villarreal
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300		
	0600		
	0900		
	1200		
	1500	73	M. Luvina working
	1800	74	M. Luvina
	2100	74	M. Luvina
	2400	74	C. JEANCHARLES

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	73°	C. JEANCHARLES
	0600	72	V. MORACES
	0900	72	V. MORACES
	1200	70	V. MORACES
	1500	70	A. SOTO
	1800	72	A. SOTO
	2100	73	A. SOTO
	2400	73	C. JEANCHARLES

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	73°	C. JEANCHARLES
	0600	73°	C. JEANCHARLES
	0900	73°	A. PEREZ
	1200	73	A. PEREZ
	1500	73°	A. GONZALEZ
	1800	73°	A. GONZALEZ
	2100	74°	A. GONZALEZ
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300		
	0600	AC appears	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 2 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5550 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300		
	0600		
	0900		
	1200		
	1500	71	FIERRO
	1800	72	FIERRO
	2100	72	FIERRO
	2400	73	Villareal

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	73	Villareal
	0600	73	H. Rodriguez
	0900	71	H. Rodriguez
	1200	70	H. Rodriguez
	1500	72	FIERRO
	1800	73	FIERRO
	2100	72	FIERRO
	2400	73	Villareal

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	73	Villareal
	0600	73	J. SOSA
	0900	71	J. SOSA
	1200	71	J. SOSA
	1500	72	R. RAMOS
	1800	72	R. RAMOS
	2100	73	R. RAMOS
	2400	73	Villareal

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	73	Villareal
	0600	71	C. LOPEZ
	0900		
	1200		
	1500	73	R. RAMOS
	1800	73	R. RAMOS
	2100	73	R. RAMOS
	2400	73	Villareal

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	73	Villareal
	0600	73	A. SOTO
	0900	70	A. SOTO
	1200	72	A. SOTO
	1500		
	1800		
	2100		
	2400	73	CALALANG

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	72	CALALANG
	0600	72	Danger
	0900	72	Danger
	1200	70	Danger
	1500	70	No Aces
	1800	70	No Aces
	2100	70	No Aces
	2400	72	L. JEANCHARLES

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	73°	L. JEANCHARLES
	0600	72-	L. JEANCHARLES
	0900	70	C. CASTILLO
	1200	70	C. CASTILLO
	1500	70	FIERRO
	1800	72	FIERRO
	2100	72	FIERRO
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 3 Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/13</u>	0300	75	<u>M. Flores</u>
	0600	74	<u>MR Flores</u>
	0900	75	<u>MR Flores</u>
	1200	76	<u>MR Flores</u>
	1500	76	<u>A. GONZALEZ</u>
	1800	76	<u>A. GONZALEZ</u>
	2100	75	<u>A. GONZALEZ</u>
	2400	75	<u>A. GONZALEZ</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/15</u>	0300	75	<u>ESQUIVIES</u>
	0600	74	<u>ESQUIVIES</u>
	0900	75	<u>ESQUIVIES</u>
	1200	76	<u>ESQUIVIES</u>
	1500	76	<u>ESQUIVIES</u>
	1800	76	<u>ESQUIVIES</u>
	2100	76	<u>ESQUIVIES</u>
	2400	75	<u>ESQUIVIES</u>

Friday

Date	Time	Temp.	Name (Print)
<u>9/17</u>	0300		
	0600	72	<u>J. SOTO</u>
	0900	72	<u>J. SOTO</u>
	1200	73	<u>J. SOTO</u>
	1500	75	<u>S MEZA</u>
	1800	75	<u>S MEZA</u>
	2100	730	<u>S MEZA</u>
	2400		

Sunday

Date	Temp	Name (Print)
0300	73	<u>CALALANG</u>
0600	72	<u>CALALANG</u>
0900	72	<u>MR Flores</u>
1200	73	<u>MR Flores</u>
1500	75°	<u>S MEZA</u>
1800	74°	<u>S MEZA</u>
2100	74°	<u>S MEZA</u>
2400	74	<u>MR Flores</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/17</u>	0300	75	<u>M. ROBLES</u>
	0600	74°	<u>M. ROBLES</u>
	0900	75°	<u>M. ROBLES</u>
	1200	74°	<u>M. ROBLES</u>
	1500	77	<u>S MEZA</u>
	1800	76	<u>S MEZA</u>
	2100	74	<u>S MEZA</u>
	2400	74	<u>M. ROBLES</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>9/16</u>	0300	75	<u>MARSHI</u>
	0600	74°	<u>M. MARSHI</u>
	0900	74°	<u>M. MARSHI</u>
	1200	76°	<u>M. MARSHI</u>
	1500	74	<u>A. SOTO</u>
	1800	81	<u>A. SOTO</u>
	2100		<u>A. SOTO</u>
	2400		

Saturday

Date	Time	Temp.	Name (Print)
<u>9/17</u>	0300	72	<u>LOMEI</u>
	0600	72	<u>MR Flores</u>
	0900	72	<u>MR Flores</u>
	1200	74	<u>MR Flores</u>
	1500	75	<u>S MEZA</u>
	1800	74°	<u>S MEZA</u>
	2100	730	<u>S MEZA</u>
	2400	73	<u>CALALANG</u>

Notes:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 4 Temp. Reading Location: tier 2
(e.g., 1st tier 2nd tier 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	73	SKINK
	0600	72	A. ROSS
	0900	73	A. ROSS
	1200	74°	A. ROSS
23	1500	75	ESQUIVIES
	1800	74	ESQUIVIES
	2100	74	ESQUIVIES
24	2400	73	N. GRUMAN

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	73°	M. MAROKE
	0600	73	PIETER
	0900	73	PIETER
	1200	75	PIETER
25	1500	75	STEINK
	1800	75	STEINK
	2100	74°	STEINK
24	2400	73°	M. MAROKE

Friday

Date	Time	Temp.	Name (Print)
9	0300	71°	M. MAROKE
	0600	71	PIETSCH.N
	0900	71	PIETSCH.N
	1200	72	PIETSCH.N
27	1500	73	SKIN R.
	1800	73	SKIN R.
24	2100	72	SKIN R.
	2400	71°	M. MAROKE

Sunday

Date	Time	Temp.	Name (Print)
9	0300	70	VENTURA
	0600	69	PIETSCH
	0900		PIETSCH
	1200		PIETSCH
29	1500		
	1800		
	2100		
24	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	73	N. GRUMAN
	0600	73	D. H. R.
	0900	73	D. H. R.
24	1200	71	D. H. R.
	1500	70	ESQUIVIES
	1800	75	ESQUIVIES
24	2100	74	ESQUIVIES
	2400	74°	M. MAROKE

Thursday

Date	Time	Temp.	Name (Print)
9	0300	72°	M. MAROKE
	0600	72	PIETSCH
	0900	72	PIETSCH
26	1200	74	PIETSCH
	1500	74	STEINK
	1800	74	STEINK
24	2100	73	SKIN R.
	2400	72°	M. MAROKE

Saturday

Date	Time	Temp.	Name (Print)
9	0300	70°	M. MAROKE
	0600	70	PIETSCH.N
	0900	70	PIETSCH.N
28	1200	72	PIETSCH.N
	1500	73	STEINK
	1800	73	STEINK
24	2100	72	STEINK
	2400	71	VENTURA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	71	A. VARGAS
/	0600	72	E. former
23	0900	73	E. Garcia
/	1200	73	E. Garcia
24	1500	74	E. Cardenas
/	1800	73	E. Cardenas
24	2100	73	E. Cardenas
	2400	72	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	70	A. VARGAS
/	0600	70	E. Garcia
24	0900	71	E. Garcia
/	1200	71	E. Garcia
24	1500	74	E. Cardenas
/	1800	74	Cardenas
24	2100	74	cardenas
	2400	72	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	70	A. VARGAS
/	0600	71	E. Garcia
25	0900	71	E. Garcia
/	1200	71	V. Armand
24	1500	74	Cardenas
/	1800	73	Cardenas
24	2100	73	Cardenas
	2400	72°	L. Jean Charles

Thursday

Date	Time	Temp.	Name (Print)
9	0300	71°	L. Jean Charles
/	0600	70	E. Garcia
26	0900	70	E. Garcia
/	1200	72	E. Garcia
24	1500	73	E. Cardenas
/	1800	73	E. Cardenas
24	2100	73	E. Cardenas
	2400	70	

Friday

Date	Time	Temp.	Name (Print)
9	0300		
/	0600	69	J. Blanco
27	0900	70	J. Blanco
/	1200	72	J. Blanco
24	1500	72	Cardenas
/	1800	72	Cardenas
24	2100	72	Cardenas
	2400	70	A. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
9	0300	68	A. VARGAS
/	0600	68	M. Gomez
28	0900	68	M. Gomez
/	1200	71	M. Gomez
24	1500	72	J. Tapia
/	1800	72	J. Tapia
24	2100	70	J. Tapia
	2400	70	A. VARGAS

Notes

Date	Time	Temp.	Name (Print)
9	0300	68	A. VARGAS
/	0600	67	S. Sanderson
29	0900	68	S. Sanderson
/	1200	71	S. Sanderson
24	1500	73	J. Blanco
/	1800	73	J. Blanco
24	2100	71	J. Blanco
	2400	71	A. VARGAS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 7CUTL Temp. Reading Location: 7CUTL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension X 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23 24	0300	72	J. Parra
	0600	71	A. VELASQUEZ
	0900	71	A. VELASQUEZ
	1200	75	A. VELASQUEZ
	1500	76	C. DURANTE
	1800	76	C. DURANTE
	2100	71	C. DURANTE
	2400	70	J. Parra

Tuesday

Date	Time	Temp.	Name (Print)
9/24 25	0300	70	J. Parra
	0600	70	C. DURANTE
	0900	70	C. DURANTE
	1200	75	C. DURANTE
	1500	77	C. DURANTE
	1800	77	C. DURANTE
	2100	74	C. DURANTE
	2400	73	J. Parra

Wednesday

Date	Time	Temp.	Name (Print)
9/25 26	0300	72	J. Parra
	0600	72	C. DURANTE
	0900	73	C. DURANTE
	1200	74	C. DURANTE
	1500	74	C. DURANTE
	1800	73	C. DURANTE
	2100	72	C. DURANTE
	2400	71	J. Parra

Thursday

Date	Time	Temp.	Name (Print)
9/26 27	0300	71	J. Parra
	0600	71	ACUINO
	0900	71	ACUINO
	1200	74	ACUINO
	1500	74	ACUINO
	1800	73	ACUINO
	2100	73	ACUINO
	2400	72	J. Parra

Friday

Date	Time	Temp.	Name (Print)
9/27 28	0300	71	J. Parra
	0600	70	ACUINO
	0900	70	ACUINO
	1200	72	ACUINO
	1500	74	ACUINO
	1800	73	ACUINO
	2100	73	ACUINO
	2400	70	C. MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	69	C. MARTINEZ
	0600	68	ACUINO
	0900	69	ACUINO
	1200	71	ACUINO
	1500	74	JARAMILLO
	1800	74	MARQUEZ
	2100	72	MARQUEZ
	2400	70	M. Salewsky

Notes

Date	Time	Temp.	Name (Print)
9/29-30	0300	69	M. Salewsky
	0600	68°	A. VELASQUEZ
	0900	69°	A. VELASQUEZ
	1200	72°	A. VELASQUEZ
	1500	74°	M. Curiel
	1800	74°	M. Curiel
	2100	72°	M. Curiel
	2400	71	J. Parra

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 8 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	71	M. Salewsky
	0600	70	M. Salewsky
	0900	70	A. Alvarez
	1200	74	A. Alvarez
	1500	75	R. Criollo
	1800	74	R. Criollo
	2100	72	R. Criollo
	2400	71	H. Vance

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	71	H. Vance
	0600	71	H. Vance
	0900	71	M. CASTILLO
	1200	74	M. CASTILLO
	1500	74	M. CURIEL
	1800	74	M. CURIEL
	2100	72	M. CURIEL
	2400	73	P. Anis

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	70	R. Anis
	0600	70	R. Anis
	0900	71	M. CASTILLO
	1200	75	M. CASTILLO
	1500	74	M. CURIEL
	1800	73	M. CURIEL
	2100	72	M. CURIEL
	2400	71	DOMAN

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	69	DOMAN
	0600	69	DOMAN
	0900	70	M. CASTILLO
	1200	72	M. CASTILLO
	1500	73	R. RAMOS
	1800	72	R. RAMOS
	2100	72	R. RAMOS
	2400	70	DOMAN

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	69	DOMAN
	0600	69	DOMAN
	0900	68	M. CASTILLO
	1200	71	M. CASTILLO
	1500	73	S. WRIGHT
	1800	73	C. CEPEDA
	2100	72	DOMAN
	2400	70	DOMAN

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	70	DOMAN
	0600	70	DOMAN
	0900	67	M. CASTILLO
	1200	71	M. CASTILLO
	1500	73	D. M. C.
	1800	73	D. M. C.
	2100	72	D. M. C.
	2400	70	DOMAN

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	70	DOMAN
	0600	69	DOMAN
	0900	68	A. JUAREZ
	1200	71	A. JUAREZ
	1500	74	MARQUEZ
	1800	72	MARQUEZ
	2100	71	MARQUEZ
	2400	70	R. A. S.

Notes

48

91

48

91

48

91

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 10 Temp. Reading Location: CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/13	0300	70	A. PENTALA
	0600	70	VERA A
	0900	70	VERA
	1200	70	VERA
	1500	70	YANG
	1800	75	YANG
	2100	73	YANG
	2400	71	A. PENTALA RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	70	RYBNIKAR
	0600	71	RYBNIKAR
	0900	72	RYBNIKAR
	1200	71	RYBNIKAR
	1500	74	R. RAMOS
	1800	73	R. RAMOS
	2100	72	R. RAMOS
	2400	71	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
9/21	0300	68	RYBNIKAR
	0600	68	RYBNIKAR
	0900	69	VERA
	1200	72	VERA
	1500	73	VERA
	1800	72	VERA
	2100	71	VERA
	2400	69	M. Salewski

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	68	Carbone
	0600	66	N. Salvador
	0900	67	N. Salvador
	1200	72	N. Salvador
	1500	73	N. Salvador
	1800	73	N. Salvador
	2100	70	N. Salvador
	2400	70	E. Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	70	RYBNIKAR
	0600	71	RYBNIKAR
	0900	73	Zamora
	1200	74	Zamora
	1500	72	J. Gutierrez
	1800	74	J. Gutierrez
	2100	72	J. Gutierrez
	2400	71	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	70	RYBNIKAR
	0600	70	RYBNIKAR
	0900	69	J. JAMES
	1200	72	J. JAMES
	1500	74	R. CRIOLLO
	1800	73	R. CRIOLLO
	2100	72	R. CRIOLLO
	2400	70	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	68	M. Salewski
	0600	67	M. Salewski
	0900	67	VERA A
	1200	73	VERA
	1500	73	VERA
	1800	74	VERA
	2100	71	VERA
	2400	69	Carbone

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	66	M. Turner
	0600	67	ELOPEZ
	0900	66	ELOPEZ
	1200	71	ELOPEZ
	1500	70	C. MORGAN
	1800	70	C. MORGAN
	2100	69	C. MORGAN
	2400	68	M. Turner

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	69	M. Turner
	0600	68	ELOPEZ
	0900	68	ELOPEZ
	1200	71	ELOPEZ
	1500	73	J. Blanco
	1800	72	J. Blanco
	2100	70	J. Blanco
	2400	69	M. Turner

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	68	A. Gomez
	0600	66	M. Balladares
	0900	66	M. Balladares
	1200	70	M. Balladares
	1500	71	N. Moreno
	1800	70	N. Moreno
	2100	69	N. Moreno
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	68	J. Mayorga
	0600	67	M. Balladares
	0900	67	M. Balladares
	1200	68	M. Balladares
	1500	69	O. Rodriguez
	1800	70	O. Rodriguez
	2100	69	O. Rodriguez
	2400	68	J. Mayorga

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	68	Z. Montes
	0600	65	M. Balladares
	0900	64	M. Balladares
	1200	69	M. Balladares
	1500	70	L. Munoz
	1800	70	R. Rodriguez R
	2100	68	R. Rodriguez R
	2400	66	A. Cruz

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	64	A. Cruz
	0600	64	M. Balladares
	0900	64	M. Balladares
	1200	69	M. Balladares
	1500	70	R. Rodriguez
	1800	69	R. Rodriguez
	2100	68	R. Rodriguez
	2400	66	A. Cruz

Notes

Date	Time	Temp.	Name (Print)
9/29/24	0300	65	A. Cruz
	0600	64	M. Balladares
	0900	64	M. Balladares
	1200	68	M. Balladares
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 12 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	70	J. Marquez
	0600	72	CASTRO
	0900	71	CASTRO
	1200	73	CASTRO
	1500	75	L. CENDEJAS
	1800	74	L. CENDEJAS
	2100	74	L. CENDEJAS
	2400	70	J. Marquez

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	73	Almodovar
	0600	73	F. Moreno
	0900	73	F. Moreno
	1200	74	F. Moreno
	1500	76	L. CENDEJAS
	1800	76	L. CENDEJAS
	2100	76	L. CENDEJAS
	2400	74	Almodovar

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	73	Almodovar
	0600	73	ELOPEZ
	0900	73	ELOPEZ
	1200	74	ELOPEZ
	1500	74	CENDEJAS
	1800	74	CENDEJAS
	2100	74	CENDEJAS
	2400	73	Almodovar

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	73	Almodovar
	0600	73	CASTRO
	0900	71	CASTRO
	1200	73	CASTRO
	1500	73	VILLEGRAS - H
	1800	74	VILLEGRAS - H
	2100	73	VILLEGRAS - H
	2400	73	Almodovar

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	73	Almodovar
	0600	73	CASTRO
	0900	71	CASTRO
	1200	72	CASTRO
	1500	73	VILLEGRAS - H
	1800	73	VILLEGRAS - H
	2100	72	VILLEGRAS - H
	2400	73	Almodovar

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	72	Almodovar
	0600	72	CASTRO
	0900	71	CASTRO
	1200	72	CASTRO
	1500	73	Rangel
	1800	73	
	2100	71	CASTRO
	2400	72	J. Marquez

Sunday

DATE	TIME	TEMP	NAME
9/28	0300	71	J. Marquez
	0600	71	CASTRO
	0900	70	CASTRO
	1200	71	CASTRO
	1500	73	CENDEJAS
	1800	73	CENDEJAS
	2100	73	CENDEJAS
	2400	71	J. Marquez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 13
2024

Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/23</u>	0300	71	SARSOZAK
	0600	69	D. NOVOA
	0900	69	D. NOVOA
	1200	74	D. NOVOA
	1500	73	R. MORAN
	1800	70	R. MORAN
	2100	70	R. MORAN
	2400	70	SARSOZAK

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	71	SARSOZAK
	0600	68°	L. MUNOZ
	0900	69	L. MUNOZ
	1200	69°	L. MUNOZ
	1500	69°	L. BECERRA
	1800	70°	L. BECERRA
	2100	68°	L. BECERRA
	2400	71	SARSOZAK

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/25</u>	0300	71	SARSOZAK
	0600	68°	L. MUNOZ
	0900	71	L. MUNOZ
	1200	68°	L. MUNOZ
	1500	71°	L. MUNOZ
	1800	72	VILLEBAS-H
	2100		
	2400	72	SARSOZAK

Thursday

Date	Time	Temp.	Name (Print)
<u>9/26</u>	0300	71	SARSOZAK
	0600	68°	L. MUNOZ
	0900	69°	L. MUNOZ
	1200	71°	L. MUNOZ
	1500	70	R. MORAN
	1800	70	R. MORAN
	2100	70	R. MORAN
	2400		

Friday

Date	Time	Temp.	Name (Print)
<u>9/27</u>	0300	71	J. MARGUER
	0600	69°	L. MUNOZ
	0900	68°	L. MUNOZ
	1200	68°	L. MUNOZ
	1500	68°	M. BUSTOS
	1800	72	M. BUSTOS
	2100	68	M. BUSTOS
	2400	71	J. MARGUER

Saturday

Date	Time	Temp.	Name (Print)
<u>9/28</u>	0300	71	J. MARGUER
	0600	67°	L. MUNOZ
	0900	67°	L. MUNOZ
	1200	68°	L. MUNOZ
	1500	68°	L. MUNOZ
	1800	70°	L. MUNOZ
	2100	71°	L. MUNOZ
	2400	71	J. MARGUER

SUNDAY

DATE	TIME	TEMP	NAME
<u>9/28</u>	0300	71	SARSOZAK
	600	67	D. NOVOA
	0900	68	D. NOVOA
	1200	69	D. NOVOA
	1500	68	M. BUSTOS
	1800	72	M. BUSTOS
	2100	72	M. BUSTOS
	2400	72	SARSOZAK

Notes:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSP Housing Unit: 15 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/23</u>	0300	71	HARRAM
	0600	71	GARCIA
	0900	71	GARCIA
	1200	69	GARCIA
	1500	69	Drummond
	1800	71	Drummond
	2100	71	Drummond
	2400	71	HARRAM

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	71	HARRAM
	0600	71	GARCIA
	0900	71	GARCIA
	1200	71	GARCIA
	1500	71	QUINTANA
	1800	70	QUINTANA
	2100	71	QUINTANA
	2400	71°	MORRISON

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/25</u>	0300	71	MORRISON
	0600	71	MORRISON
	0900	71	GARCIA
	1200	70	GARCIA
	1500	70	Drummond
	1800	71	Drummond
	2100	72	Drummond
	2400	71	MORRISON

Thursday

Date	Time	Temp.	Name (Print)
<u>9/26</u>	0300	71	ANDERSON
	0600	71	ANDERSON / GARCIA
	0900	71	GARCIA
	1200	70	GARCIA
	1500	70	Drummond
	1800	71	Drummond
	2100	71	Drummond
	2400	71	HARRAM

Friday

Date	Time	Temp.	Name (Print)
<u>9/27</u>	0300	71	HARRAM
	0600	70	JAVAREZ
	0900	71	JAVAREZ
	1200	70	JAVAREZ
	1500	70	A. VALLESO
	1800	72	A. VALLESO
	2100	72	A. VALLESO
	2400	71	Z. MORALES

Saturday

Date	Time	Temp.	Name (Print)
<u>9/28</u>	0300	70	Z. MORALES
	0600	71	ELOPEZ
	0900	71	ELOPEZ
	1200	70°	E. BECERRA
	1500	70°	L. BECERRA
	1800	70°	L. BECERRA
	2100	71	L. BECERRA
	2400	70	Z. MORALES

Sunday

DATE	TIME	TEMP	NAME
<u>9/29</u>	0300	-	
	0600	69	ELOPEZ
	0900	69	ELOPEZ
	1200	69	ELOPEZ
	1500	69	Drummond
	1800	70	Drummond
	2100	71	Drummond

Notes

Time	Temp	Name
200	71	HARRAM
29		
24		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 16 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Warden Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-23-24	0300	70	K. MILLER
	0600	70	R. CERVANTES
	0900	70°	R. CERVANTES
	1200	70°	R. CERVANTES
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	K. MILLER

Tuesday

Date	Time	Temp.	Name (Print)
09-24-24	0300	70	K. MILLER
	0600	70	HERNANDEZ
	0900	70	HERNANDEZ
	1200	70	HERNANDEZ
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	E. RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
09-25-24	0300	70	E. RAMIREZ
	0600	70	HERNANDEZ
	0900	70	HERNANDEZ
	1200	70	HERNANDEZ
	1500		
	1800		
	2100		
	2400	70	J. GORE

Thursday

Date	Time	Temp.	Name (Print)
09-26-24	0300	70	J. GORE
	0600	70	HERNANDEZ
	0900	70	HERNANDEZ
	1200	70	HERNANDEZ
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	J. GORE

Friday

Date	Time	Temp.	Name (Print)
09-27-24	0300	70	J. GORE
	0600	70	J. GORE
	0900	70	HERNANDEZ
	1200	70	HERNANDEZ
	1500	70	Pamphill
	1800	70	J. FLORES (OMEZ)
	2100	70	J. FLORES (OMEZ)
	2400		

Saturday

Date	Time	Temp.	Name (Print)
09-28-24	0300	70	M. CASTILLO
	0600	70	M. CASTILLO
	0900	70	M. CASTILLO Bedohi
	1200	70	Bedohi
	1500	70	K. MILLER
	1800	70	K. MILLER
	2100	70	K. MILLER
	2400	70	J. GORE

Sunday

Date	Time	Temp.	Name (Print)
09-29-24	0300	70	J. GORE
	0600	70	J. GORE
	0900	70	D. CASTILLO
	1200	70	D. CASTILLO
	1500	70	A. SAMUEL
	1800	70	A. SAMUEL
	2100	70	A. SAMUEL
	2400	70	K. MILLER

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: D 17 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/23</u>	0300	72	G. BRENTS
	0600	72	N. Bedehi
	0900	72	N. Bedehi
	1200	74	N. Bedehi
	1500	77	E. SILVA
	1800	75	E. SILVA
	2100	75	E. SILVA
	2400	74	G. BRENTS

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	73	G. BRENTS
	0600	73	N. Bedehi
	0900	73	N. Bedehi
	1200	75	N. Bedehi
	1500	76	E. SILVA
	1800	75	E. SILVA
	2100	75	E. SILVA
	2400	74	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/25</u>	0300	73	G. BRENTS
	0600	73	B. EDEN
	0900	74	B. EDEN
	1200	75	B. EDEN
	1500	76	J. ARMENTA
	1800	75	J. ARMENTA
	2100	74	J. ARMENTA
	2400	72	A. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
<u>9/26</u>	0300	72	A. Maldonado
	0600	72	B. EDEN
	0900	72	B. EDEN
	1200	74	B. EDEN
	1500	75	B. EDEN
	1800	75	J. FLORES GOMEZ
	2100	74	J. FLORES GOMEZ
	2400	72	R. Armenta

Friday

Date	Time	Temp.	Name (Print)
<u>9/27</u>	0300	72°	R. Armenta
	0600	71	B. EDEN
	0900	71	B. EDEN
	1200	72	B. EDEN
	1500	73	S. Lewis
	1800	73	S. Lewis
	2100	72	S. Lewis
	2400	71	G. BRENTS

Saturday

Date	Time	Temp.	Name (Print)
<u>9/28</u>	0300	70	G. BRENTS
	0600	70	B. EDEN
	0900	70	B. EDEN
	1200	73	B. EDEN
	1500	74	B. EDEN
	1800	73	B. EDEN
	2100	72	B. EDEN
	2400	71	G. BRENTS

Notes

Date	Time	Temp.	Name (Print)
<u>9/29</u>	0300	70	G. BRENTS
	0600	69	B. EDEN
	0900	70	B. EDEN
	1200	73	B. EDEN
	1500	74	E. Silva
	1800	73	E. Silva
	2100	73	E. Silva
	2400	71	G. BRENTS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 18 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
Sept 23/201	0300	71	D. Black
	0600	71	K. MILLER
	0900	71	O. AGUILAR
	1200	74	O. AGUILAR
	1500	76	P. Fornander
	1800	74	P. Fornander
	2100	73	P. Fornander
	2400	72	D. Black

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	72	D. Black
	0600	72	N. Redmon
	0900	72	N. Redmon
	1200	74	N. Redmon
	1500	74	N. Redmon
	1800	74	R. Owens
	2100	73	R. Owens
	2400	72	G. Hopkins

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70	D. Black
	0600	69	O. AGUILAR
	0900	70	O. AGUILAR
	1200	72	O. AGUILAR
	1500	73	CALALANG
	1800	73	CALALANG
	2100	72	CALALANG
	2400	70	D. Black

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	K. MILLER
	0600	68	O. AGUILAR
	0900	69	O. AGUILAR
	1200	72	O. AGUILAR
	1500	73	CALALANG
	1800	73	CALALANG
	2100	72	CALALANG
	2400	71	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	72	D. Black
	0600	72	O. AGUILAR
	0900	71	O. AGUILAR
	1200	75	O. AGUILAR
	1500	74	E. RAMIREZ
	1800	74	E. RAMIREZ
	2100	73	E. RAMIREZ
	2400	72	D. Black

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	71	G. Hopkins
	0600	71	Dillard
	0900	71	Ballard
	1200	72	Bernard
	1500	74	J. MARTINEZ
	1800	73	J. MARTINEZ
	2100	72	J. MARTINEZ
	2400	71	D. Black

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	69	D. Black
	0600	68	O. AGUILAR
	0900	68	O. AGUILAR
	1200	72	O. AGUILAR
	1500	73	CALALANG
	1800	73	CALALANG
	2100	72	CALALANG
	2400	71	K. Miller

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/23	0300	71	A. Maldonado
	0600	71.1	S. Valverde
	0900	71.1	S. Valverde
	1200	73.2	S. Valverde
	1500	75.1	S. Valverde
	1800	74.1	S. Valverde
	2100	73.0	S. Valverde
	2400	71	Benol

Tuesday

Date	Time	Temp.	Name (Print)
6/24	0300	69	Benol
	0600	71	Z. ZAVALA
	0900	71	Z. ZAVALA
	1200	73	Z. ZAVALA
	1500	74.8	S. Valverde
	1800	74.1	S. Valverde
	2100	72.9	S. Valverde
	2400	70	Benol

Wednesday

Date	Time	Temp.	Name (Print)
6/25	0300	68	Benol
	0600	71.5	A. TIAHAN
	0900	71.5	O. ALDERETE
	1200	73.5	O. ALDERETE
	1500	79.1	S. Valverde
	1800	73.5	S. Valverde
	2100	72.2	S. Valverde
	2400	70	Benol

Thursday

Date	Time	Temp.	Name (Print)
6/26	0300	69	Benol
	0600	70	Z. ZAVALA
	0900	71	Z. ZAVALA
	1200	71	Z. ZAVALA
	1500	71	Z. ZAVALA
	1800	71	Z. ZAVALA
	2100	70	Z. ZAVALA
	2400	68	Benol

Friday

Date	Time	Temp.	Name (Print)
6/27	0300	67	Benol
	0600	69.4	Ballard
	0900	69.7	Ballard
	1200	71.4	Ballard
	1500	72	N. ENCOSON
	1800	71	N. ENCOSON
	2100	71	N. ENCOSON
	2400	70	Benol

Saturday

Date	Time	Temp.	Name (Print)
6/28	0300	79	Benol
	0600	68.6	Ballard
	0900	68.7	Ballard
	1200	72	Ballard
	1500	72	N. ENCOSON
	1800	72	N. ENCOSON
	2100	71	N. ENCOSON
	2400	68	A. Maldonado

Notes

Date	Time	Temp.	Name (Print)
6/29	0300	68	A. Maldonado
	0600	69	E. Lovett
	0900	70	E. Lovett
	1200	71	E. Lovett
	1500	73.3	S. Valverde
	1800	72.2	S. Valverde
	2100	70.9	S. Valverde
	2400	70	

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	73	AD.FLORES, SR
	0600	72	Burrard
	0900	72	Burrard
	1200	75	Burrard
	1500	74	D. Hubert
	1800	75	D. Hubert
	2100	75	D. Hubert
	2400	74	AD.FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	73	AD.FLORES, SR
	0600	74	N.Marokai
	0900	74	N.Marokai
	1200	75	N.Marokai
	1500	76	ARAUJO
	1800	76	ARAUJO
	2100	75	ARAUJO
	2400	74	AD.FLORES, SR

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	73	A.Maldonado
	0600	72	N.Marokai
	0900	72	N.Marokai
	1200	73	N.Marokai
	1500	73	ARAUJO
	1800	73	ARAUJO
	2100	73	ARAUJO
	2400	71	A.Maldonado

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	72	AD.FLORES, SR
	0600	71	Burrard
	0900	71	Burrard
	1200	73	Burrard
	1500	73	J.Flores Comet
	1800	74	J.Flores Comet
	2100	74	J.Flores Comet
	2400	73	AD.FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	73	AD.FLORES, SR
	0600	73	N.Marokai
	0900	73	N.Marokai
	1200	74	N.Marokai
	1500	77	ARAUJO
	1800	77	ARAUJO
	2100	76	ARAUJO
	2400	74	AD.FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	73	AD.FLORES, SR
	0600	73	N.Marokai
	0900	74	N.Marokai
	1200	74	N.Marokai
	1500	74	ARAUJO
	1800	74	ARAUJO
	2100	74	ARAUJO
	2400	73	A.Maldonado

Date	Time	Temp.	Name (Print)
9/28	0300	71	A.Maldonado
	0600	70	J.Hernandez
	0900	72	J.Hernandez
	1200	73	J.Hernandez
	1500	73	R. Mendoza
	1800	73	R. Mendoza
	2100	74	A.Robles
	2400	73	AD.FLORES, SR

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/30/24	0300		
	0600		
	0900	AC appears	
	1200		
	1500	73	P. Hernandez
	1800	73	P. Hernandez
	2100	74	P. Hernandez
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
10/1/24	0300		
	0600		
	0900	AC working	
	1200		
	1500	JJ	J. Javarr
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
10/2/24	0300		
	0600	AC appears	
	0900	to be working	
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
10/3/24	0300		
	0600	AC appears	
	0900	to be working	
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
10/4/24	0300		
	0600	72	M. Robles
	0900	73	M. Robles
	1200	73	M. Robles
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
10/5/24	0300		
	0600	72	M. Robles
	0900	73	M. Robles
	1200	73	M. Robles
	1500	74°	H. Rodriguez
	1800	75	G. Rodriguez
	2100	75	G. Rodriguez
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
10/6/24	0300		
	0600		
	0900	AC appears	
	1200		
	1500		
	1800	to be working	
	2100		
	2400		

Notes

AC WORKING

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 2 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

AC IS WORKING

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 3 Temp. Reading Location: Top tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	74	M. Flores
	0600	71	MR Flores
	0900	72	MR Flores
	1200	72	MR Flores
	1500	75	S. Meza
	1800	75°	S. Meza
	2100	74°	S. Meza
	2400	75	H. Leon

Wednesday

Date	Time	Temp.	Name (Print)
10/01	0300	75	H. Leon
	0600	78	Omar Mata
	0900	78	Carrasco
	1200	79°	Carrasco
	1500	77°	K. Martinez
	1800	77°	K. Martinez
	2100	74°	K. Martinez
	2400	76	H. Leon

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	75	H. Leon
	0600	74	MR Flores
	0900	74	MR Flores
	1200	76	MR Flores
	1500	77	J. Chappell
	1800	76	J. Chappell
	2100	78	J. Chappell
	2400	74	A. Saucedo

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	74	Song
	0600	74	MR Flores
	0900	74	MR Flores
	1200	76	MR Flores
	1500	79	Carrasco
	1800	74	CARRASCO
	2100	75	CARRASCO
	2400	74	/

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	75	/
	0600	72	M. Robles
	0900	72	M. Robles
	1200	75	M. Robles
	1500	76°	S. Meza
	1800	76°	S. Meza
	2100	75	S. Meza
	2400	75	H. Leon

Thursday

Date	Time	Temp.	Name (Print)
10/1	0300	76	H. Leon
	0600	74	MR Flores
	0900	75	MR Flores
	1200	76	MR Flores
	1500	77	Carrasco
	1800	77	Carrasco
	2100	76	H. Leon
	2400	75	H. Leon

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	74	D. Saucedo
	0600	74	A. Saucedo
	0900	74	MR Flores
	1200	76	MR Flores
	1500	75	CARRASCO
	1800	75	CARRASCO
	2100	74	CARRASCO
	2400	74	Song

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5550 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	70	M. Garcia
	0600	69	A. ESQUIVIES
	0900	70	A. ESQUIVIES
20	1200	73	A. ESQUIVIES
	1500	73	A. ESQUIVIES
	1800	73	A. ESQUIVIES
24	2100	72	A. ESQUIVIES
	2400	71°	B. Villalobez

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	72°	M. MAROKI
	0600	70	A.C. Basai
	0900	73	C.Bash
2	1200	73	C.Bash
	1500	76	R.Stein
	1800	75	R.Stein
24	2100	74	R.Stein
	2400	72°	M. MAROKI

Friday

Date	Time	Temp.	Name (Print)
10	0300	73°	M. MAROKI
	0600	74	C.Bash
	0900	74	C.Bash
4	1200	73	C.Bash
	1500	75	R.Stein
	1800	74	R.Stein
24	2100	74	R.Stein
	2400	73°	M. MAROKI

Sunday

Date	Time	Temp.	Name (Print)
10	0300	72°	M. MAROKI
	0600	73	C.Bash
	0900	73	C.Bash
6	1200	72	C.Bash
	1500	74	G.Bash
	1800	74	G.Bash
24	2100	73	C.Bash
	2400	73	I.VENTURA

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	71	B. Villalobez
	0600	71	B. Villalobez
	0900	71	A. Urbano
2	1200	74	A. Urbano
	1500	72	A. ESQUIVIES
	1800	74	A. ESQUIVIES
24	2100	73	A. ESQUIVIES
	2400	73°	M. MAROKI

Thursday

Date	Time	Temp.	Name (Print)
10	0300	72°	M. MAROKI
	0600	73	C.Bash
	0900	74	C.Bash
3	1200	75	C.Bash
	1500	76	Stein
	1800	75	Stein
24	2100	74	Stein
	2400	73°	M. MAROKI

Saturday

Date	Time	Temp.	Name (Print)
10	0300	72°	M. MAROKI
	0600	77	C.Bash
	0900	73	C.Bash
5	1200	73	C.Bash
	1500	75	R.Stein
	1800	74	R.Stein
24	2100	75	R.Stein
	2400	72°	M. MAROKI

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	69	A. VASLAS
	0600	70	E. JUAN
	0900	70	E. JUAN
	1200	71	E. JUAN
	1500	73	E. Cardenas
	1800	73	E. Cardenas
	2100	73	E. Cardenas
	2400	71	A. VASLAS

Tuesday

Date	Time	Temp.	Name (Print)
10/24	0300	69	A. VASLAS
	0600	70	E. JUAN
	0900	70	E. JUAN
	1200	74	E. JUAN
	1500	75	E. Cardenas
	1800	74	E. Cardenas
	2100	74	E. Cardenas
	2400	72	A. VASLAS

Wednesday

Date	Time	Temp.	Name (Print)
10/24	0300	70	A. VASLAS
	0600	70	E. JUAN
	0900	72	E. JUAN
	1200	74	E. JUAN
	1500	76	E. Cardenas
	1800	76	E. Cardenas
	2100	75	E. Cardenas
	2400	72	E. Cardenas

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	69	J. BANCHON
	0600	70	E. GUTIERREZ
	0900	71	E. GUTIERREZ
	1200	72	E. JUAN
	1500	75	E. Cardenas
	1800	75	E. Cardenas
	2100	75	E. Cardenas
	2400	74	M. HULTZ

Friday

Date	Time	Temp.	Name (Print)
10/24	0300	72	M. HULTZ
	0600	71	M. GUTIERREZ
	0900	71	M. GUTIERREZ
	1200	75	M. GUTIERREZ
	1500	75	Cardenas
	1800	75	Cardenas
	2100	75	Cardenas
	2400	71	A. VASLAS

Saturday

Date	Time	Temp.	Name (Print)
10/24	0300	69	A. VASLAS
	0600	70	M. GOMEZ
	0900	71	M. GOMEZ
	1200	74	M. GOMEZ
	1500	74°	D. GOMEZ
	1800	73°	D. GOMEZ
	2100	72°	D. GOMEZ
	2400	72	A. VASLAS

Sunday

Date	Time	Temp.	Name (Print)
10/24	0300	70	A. VASLAS
	0600	70	R. Garcia
	0900	72	R. Garcia
	1200	76	R. Garcia
	1500	75	I. LALAWAN
	1800	74	I. LALAWAN
	2100	74	I. LALAWAN
	2400	72	A. VASLAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 7 Temp. Reading Location: 7 CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/13/24	0300	69	J. Park
	0600	68	A. VELAQUEZ
	0900	69	A. VELAQUEZ
	1200	71	A. VELAQUEZ
	1500	74	J. GUTIERREZ
	1800	72	J. GUTIERREZ
	2100	72	J. GUTIERREZ
	2400	69	J. Park

Tuesday

Date	Time	Temp.	Name (Print)
10/10/24	0300	61	J. Park
	0600	73	C. DURANTE
	0900	73	C. DURANTE
	1200	74	C. DURANTE
	1500	76	C. DURANTE
	1800	75	C. DURANTE
	2100	74	C. DURANTE
	2400	69	J. Park

Wednesday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	J. Park
	0600	73	J. SOSA
	0900	73	J. SOSA
	1200	76	J. SOSA
	1500	77	C. DURANTE
	1800	76	C. DURANTE
	2100	74	C. DURANTE
	2400	73	J. Park

Thursday

Date	Time	Temp.	Name (Print)
10/13/24	0300	73	J. Park
	0600	71	AQUINO
	0900	71	AQUINO
	1200	74	AQUINO
	1500	76	AQUINO
	1800	75	AQUINO
	2100	74	AQUINO
	2400	73	J. Park

Friday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	J. Park
	0600	71	ACUINO
	0900	73	ACUINO
	1200	74	WRIGHT
	1500	74	C. DURANTE
	1800	74	C. DURANTE
	2100	73	C. DURANTE
	2400	72	I. Reyes

Saturday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	I. Reyes
	0600	71	I. Reyes
	0900	73	E. VELASCO
	1200	75	E. VELASCO
	1500	75	E. VELASCO
	1800	73	E. VELASCO
	2100	73	E. VELASCO
	2400	72	CALALANG

Notes

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	CALALANG
	0600	71	A. VELASQUEZ
	0900	73	A. VELASQUEZ
	1200	76	A. VELASQUEZ
	1500	76	R. RAMOS
	1800	75	R. RAMOS
	2100	73	R. RAMOS
	2400	73	J. Park

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: RHU S Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/13	0300	68	R. Alvarez
	0600	68	R. Alvarez
	0900	70	Alvarez
	1200	73	Alvarez
	1500	74	MARQUEZ
	1800	72	MARQUEZ
	2100	71	MARQUEZ
	2400	74	D. DENNIS

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	D. DENNIS
	0600	68	JARAMILLO
	0900	68	JARAMILLO
	1200	75	JARAMILLO
	1500	76	Collazo, R
	1800	73	Collazo, R
	2100	72	Collazo, R
	2400	72	Collazo, R

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	71	Collazo, R
	0600	70	S. Park
	0900	73	S. Park
	1200	77	S. Park
	1500	77	R. Collazo
	1800	75	R. Collazo
	2100	73	R. Collazo
	2400	72	R. Collazo

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70	R. Collazo
	0600	69	C. Duarte
	0900	69	C. Duarte
	1200	72	C. Duarte
	1500	75	DOMAN
	1800	74	DOMAN
	2100	73	DOMAN
	2400	72	DOMAN

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	71	DOMAN
	0600	69	DOMAN
	0900	72	J. SOSA
	1200	74	J. SOSA
	1500	75	DOMAN
	1800	74	DOMAN
	2100	73	DOMAN
	2400	72	DOMAN

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	72	DOMAN
	0600	70	DOMAN
	0900	70	MORALEZ
	1200	70	MORALEZ
	1500	74	Collazo
	1800	72	Collazo
	2100	72	Collazo
	2400	71	Reyes

Notes

Date	Time	Temp.	Name (Print)
10/6/24	0300	70	Reyes
	0600	70	Reyes
	0900	70	Alvarez
	1200	75	Alvarez
	1500	75	MARQUEZ
	1800	74	MARQUEZ
	2100	72	MARQUEZ
	2400	70	O. LOACH

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 10 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	70	E. Ramirez
	0600	68	E. Ramirez
	0900	68	N. Salvador
	1200	73	N. Salvador
	1500	74	N. Salvador
	1800	72	N. Salvador
	2100	71	N. Salvador
	2400	69	RYBNIKAR

88

95

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	69	RYBNIKAR
	0600	68	RYBNIKAR
	0900	71	Z. Amador
	1200	75	Z. Amador
	1500	76	N. Salvador
	1800	73	N. Salvador
	2100	73	N. Salvador
	2400	71	RYBNIKAR

88

9

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	71	RYBNIKAR
	0600	70	RYBNIKAR
	0900	72	E. Coates
	1200	75	E. Coates
	1500	73	Z. Cabral
	1800	72	Z. Cabral
	2100	73	Z. Cabral
	2400	71	RYBNIKAR

88

95

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70	RYBNIKAR
	0600	70	RYBNIKAR
	0900	70	F. Jones
	1200	73	F. Jones
	1500	77	Criollo
	1800	73	Criollo
	2100	73	Criollo
	2400	71	RYBNIKAR

88

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	70	RYBNIKAR
	0600	71	RYBNIKAR
	0900	71	G. Chavez
	1200	74	G. Chavez
	1500	74	N. Salvador
	1800	74	N. Salvador
	2100	73	N. Salvador
	2400	71	RYBNIKAR

88

95

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	70	RYBNIKAR
	0600	70	RYBNIKAR
	0900	70	M. Madrid
	1200	74	M. Madrid
	1500	74	N. Salvador
	1800	72	N. Salvador
	2100	72	N. Salvador
	2400	72	W. Woods

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	71	Woods
	0600	71	Woods
	0900	71	N. Salvador
	1200	74	N. Salvador
	1500	76	N. Salvador
	1800	75	N. Salvador
	2100	73	N. Salvador
	2400	70	D. Gomber

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	67	M. Turner
	0600	64	E. Lopez
	0900	71	E. Lopez
	1200	71	E. Lopez
	1500	71	S. Vargas
	1800	69	S. Vargas
	2100	68	S. Vargas
	2400	69	M. Turner

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	67	A. Gomez
	0600	67	M. Lopez
	0900	68	O. Lopez
	1200	74	M. Lopez
	1500	73	R. M. Ramos
	1800	71	R. M. Ramos
	2100	70	R. M. Ramos
	2400	69	R. M. Ramos

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	68	Z. Morales
	0600	69	M. Ballou
	0900	70	M. Ballou
	1200	71	M. Ballou
	1500	72	G. Gonzalez
	1800	71	G. Gonzalez
	2100	69	G. Gonzalez
	2400	68	A. Gomez

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	67	A. Gomez
	0600	67	M. Ballou
	0900	68	M. Ballou
	1200	72	M. Ballou
	1500	73	V. Villegas
	1800	74	V. Villegas
	2100	74	V. Villegas
	2400	72	A. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	65	M. Turner
	0600	65	E. Lopez
	0900	69	E. Lopez
	1200	71	M. Turner
	1500	73	R. Rodriguez
	1800	70	R. Rodriguez
	2100	70	R. Rodriguez
	2400	67	M. Turner

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	68	J. Marquez
	0600	67	M. Ballou
	0900	68	M. Ballou
	1200	72	M. Ballou
	1500	72	R. M. Ramos
	1800	70	R. M. Ramos
	2100	70	R. M. Ramos
	2400	68	J. Marquez

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	67	A. Gomez
	0600	64	M. Ballou
	0900	67	M. Ballou
	1200	72	M. Ballou
	1500	71	M. Ballou
	1800	71	V. Villegas
	2100	71	V. Villegas
	2400	68	A. Gomez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 12 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70	Marquez
	0600	71	CASTRO
	0900	72	CASTRO
	1200	72	CASTRO
	1500	73	L.CENDEJAS
	1800	73	L.CENDEJAS
	2100	73	L.CENDEJAS
	2400	72	Almodovar

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	72	Almodovar
	0600	72	F.moreno
	0900	72	F.moreno
	1200	74	F.moreno
	1500	74	L.CENDEJAS
	1800	73	L.CENDEJAS
	2100	73	L.CENDEJAS
	2400	73	Almodovar

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	73	Almodovar
	0600	73	ESTRADA
	0900	74	ESTRADA
	1200	74	ESTRADA
	1500	74	L.CENDEJAS
	1800	72	L.CENDEJAS
	2100	72	L.CENDEJAS
	2400	71	Almodovar

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	A 71	Almodovar
	0600	73	N.Carter
	0900	73	N.Carter
	1200	74	N.Carter
	1500	74	VILLEGAS
	1800	73	VILLEGAS
	2100	73	VILLEGAS
	2400	72	Almodovar

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	71	Almodovar
	0600	71	CASTRO
	0900	72	CASTRO
	1200	72	CASTRO
	1500	73	VILLEGAS
	1800	72	VILLEGAS
	2100	72	VILLEGAS
	2400	72	Song

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	72	SONG
	0600	73	CASTRO
	0900	73	CASTRO
	1200	73	CASTRO
	1500	72	L.CENDEJAS
	1800	73	L.CENDEJAS
	2100	72	L.CENDEJAS
	2400	72	Marquez

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	72	Marquez
	0600	72	VILLEGAS
	0900	74	VILLEGAS
	1200	74	VILLEGAS
	1500	73	Gonzalez
	1800	73	Gonzalez
	2100	72	Gonzalez
	2400	72	Marquez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJO Housing Unit: 13 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	71	SARCEK
	0600	71	D. NOVOA
	0900	71	D. NOVOA
	1200	71	D. NOVOA
	1500	70	RANGEL
	1800	70	RANGEL
	2100	71	RANGEL
	2400	72	SARCEK

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	70	SARCEK
	0600	68	MUNOZ
	0900	69	MUNOZ
	1200	70	MUNOZ
	1500	72	BECKER
	1800	71	BECKER
	2100	69	BECKER
	2400	71	SARCEK

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	71	SARCEK
	0600	67°	L. MUNOZ
	0900	69°	L. MUNOZ
	1200	70°	L. MUNOZ
	1500	71	PIETSCH
	1800	76	PIETSCH
	2100	70	PIETSCH
	2400	71	SARCEK

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	70	SARCEK
	0600	68°	L. MUNOZ
	0900	70°	L. MUNOZ
	1200	69°	L. MUNOZ
	1500	70	R. MORAN
	1800	70	R. MORAN
	2100	70	R. MORAN
	2400	70	SARCEK

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	70	J. MAYOR
	0600	67°	L. MUNOZ
	0900	68°	L. MUNOZ
	1200	68°	L. MUNOZ
	1500	68	L. BUSTOS
	1800	68	L. BUSTOS
	2100	70	L. BUSTOS
	2400	70	J. MAYOR

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	71	J. MAYOR
	0600	71	L. MUNOZ
	0900	72	L. MUNOZ
	1200	(8)	L. MUNOZ
	1500	70	R. MORAN
	1800	70	R. MORAN
	2100	70	R. MORAN
	2400	71	J. MAYOR

SUNDAY

10/6	0300	71	SARCEK
	0600	71	D. NOVOA
	0900	71	D. NOVOA
	1200	71	D. NOVOA
	1500	70	R. MORAN
	1800	70	R. MORAN
	2100	70	R. MORAN
	2400	70	SARCEK

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution RJD Housing Unit: 14 Temp. Reading Location: 2nd
(e.g. 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70	Z. Morales
	0600	70	J. Ledesma
	0900	70	J. Ledesma
	1200	68	J. Ledesma
	1500	66	Becerra
	1800	70	Perez
	2100	72	Becerra
	2400	71	Saucedo

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	71	D. Saucedo
	0600	71	J. Ledesma
	0900	70	J. Ledesma
	1200	67	J. Ledesma
	1500	68	I. DURAN
	1800	70	I. DURAN
	2100	71	I. DURAN
	2400	70	O. Latorero

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	70	O. Latorero
	0600	71	J. Ledesma
	0900	70	J. Ledesma
	1200	67	J. Ledesma
	1500	68	I. DURAN
	1800	70	I. DURAN
	2100	72	I. DURAN
	2400	71	O. Latorero

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	70	O. Latorero
	0600	71	J. Ledesma
	0900	70	J. Ledesma
	1200	67	J. Ledesma
	1500	69	I. DURAN
	1800	71	I. DURAN
	2100	72	I. DURAN
	2400	71	O. Latorero

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	72	O. Latorero
	0600	72	F. Moreno
	0900	71	F. Moreno
	1200	68	F. Moreno
	1500	69	I. DURAN
	1800	70	I. DURAN
	2100	72	I. DURAN
	2400	72	O. Latorero

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	71	O. Latorero
	0600	71	D. NOVIA
	0900	71	D. NOVIA
	1200	67	D. NOVIA
	1500	69	O. Latorero
	1800	70	O. Latorero
	2100	72	O. Latorero
	2400	72	O. Latorero

Notes

Date	Time	Temp.	Name (Print)
10/6	0300	70	O. Latorero
	0600	72	J. Ledesma
	0900	70	J. Ledesma
	1200	67	J. Ledesma
	1500	65	L. Becerra
	1800	68	L. Becerra
	2100	72	L. Becerra
	2400	71	Z. Morales

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 15 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555 1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/30/2024	0300	69	Hartman
	0600	69	YANG
	0900	69	YANG
	1200	69	YANG
	1500	70	G. DIAZ
	1800	70	G. DIAZ
	2100	69	G. DIAZ
	2400	69	Hartman

Tuesday

Date	Time	Temp.	Name (Print)
10/01/2024	0300	70	Hartman
	0600	70	GARCIA
	0900	69	GARCIA
	1200	71	GARCIA
	1500	69	Drummond
	1800	71	Drummond
	2100	71	Drummond
	2400	71	Hartman

Wednesday

Date	Time	Temp.	Name (Print)
10/02/2024	0300	70	Hartman
	0600	70	GARCIA
	0900	70	GARCIA
	1200	69	GARCIA
	1500	69	Drummond
	1800	70	Drummond
	2100	71	Drummond
	2400	71	Hartman

Thursday

Date	Time	Temp.	Name (Print)
10/03/2024	0300	71	Hartman
	0600	71	GARCIA
	0900	71	GARCIA
	1200	69	GARCIA
	1500	70	M. LUCERO
	1800	71	M. LUCERO
	2100	71	M. LUCERO
	2400	71	Hartman

Friday

Date	Time	Temp.	Name (Print)
10/04/2024	0300	71	Hartman
	0600	71	Javegri
	0900	71	Javegri
	1200	70	Javegri
	1500	71	VALLEJO
	1800	71	VALLEJO
	2100	72	VALLEJO
	2400	71	Z. MORALES

Saturday

Date	Time	Temp.	Name (Print)
10/05/2024	0300	70	Z. MORALES
	0600	71	E. LOPEZ
	0900	71	E. LOPEZ
	1200	71	E. LOPEZ
	1500	70	L. MUÑOZ
	1800	71	L. MUÑOZ
	2100	71	L. MUÑOZ
	2400	71	Z. MORALES

Sunday

DATE	TIME	TEMP.	NAME (PRINT)
10/06/2024	0300	70	Z. MORALES
	0600	71	E. LOPEZ
	0900	71	E. LOPEZ
	1200	71	E. LOPEZ
	1500	70	Drummond
	1800	71	Drummond
	2100	71	Drummond
	2400	71	Hartman

Note:

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 16 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/1	0300	70	K MILLER
	0600	70	HERNANDEZ
	0900	70	HERNANDEZ
	1200	70	HERNANDEZ
	1500	70	A-EDWARDS
	1800	70	A-EDWARDS
	2100	70	A-EDWARDS
	2400	70	K MILLER

Tuesday			
Date	Time	Temp.	Name (Print)
10/1	0300	70	K MILLER
	0600	70	A. HERNANDEZ
	0900	70	A. HERNANDEZ
	1200	70	A. Barrera
	1500	70	A-EDWARDS
	1800	70	A-EDWARDS
	2100	70	A-EDWARDS
	2400	70	J. Gomm

Wednesday			
Date	Time	Temp.	Name (Print)
10/2	0300	70	J. Gomm
	0600	70	J. Gomm
	0900	70	HERNANDEZ
	1200	70	HERNANDEZ
	1500	71	A-EDWARDS
	1800	70	A-EDWARDS
	2100	70	A-EDWARDS
	2400	70	J. Gomm

Thursday			
Date	Time	Temp.	Name (Print)
10/3	0300	70	J. Gomm
	0600	70	J. Gomm
	0900	70	HERNANDEZ
	1200	70	HERNANDEZ
	1500	70	B. EDEN
	1800	70	B. EDEN
	2100	70	B. EDEN
	2400	70	J. Gomm

Friday			
Date	Time	Temp.	Name (Print)
10/4	0300	70	J. Gomm
	0600	70	J. Gomm
	0900	70	HERNANDEZ
	1200	70	HERNANDEZ
	1500	70	Pamph
	1800	70	Pamph
	2100	70	Pamph
	2400	70	D. Black

Saturday			
Date	Time	Temp.	Name (Print)
10/5	0300	70	D. Black
	0600	70	N. Bedini
	0900	70	N. Bedini
	1200	70	N. Bedini
	1500	70	M. MAROTI
	1800	70	M. MAROTI
	2100	70	M. MAROTI
	2400	70	D. Black

Sunday			
Date	Time	Temp.	Name (Print)
10/6	0300	70	D. Black
	0600	70	D. Black
	0900	70	A. Andrade
	1200	70	A. Andrade
	1500	70	Pamph
	1800	70	Pamph
	2100	70	Pamph
	2400	70	K. MILLER

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Notes

Attachment F2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 17 Temp. Reading Location: (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9 30	0300	70	G. BRENTS
	0600	70	J. Zamora
	0900	79	J. Zamora
	1200	74	J. Zamora
	1500	74	E. Silva
	1800	71	J. ARMENTA
	2100	69	J. ARMENTA
	2400	70	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
10 1/2	0300	73	G. BRENTS
	0600	72	B. EDEN
	0900	73	B. EDEN
	1200	75	B. EDEN
	1500	72	P. Aguirre
	1800	72	P. Aguirre
	2100	71	P. Aguirre
	2400	71	A. Maldonado

Friday

Date	Time	Temp.	Name (Print)
10 4	0300	73	K. Miller
	0600	73	B. EDEN
	0900	74	B. EDEN
	1200	75	B. EDEN
	1500	76	S. Lewis
	1800	75	S. Lewis
	2100	74	S. Lewis
	2400	74	K. Miller G.B.

Sunday

Date	Time	Temp.	Name (Print)
10 6	0300	72	G. BRENTS
	0600	73	B. EDEN
	0900	75	B. EDEN
	1200	77	B. EDEN
	1500	77	E. SILVA
	1800	76	E. SILVA
	2100	75	E. SILVA
	2400	74	G. BRENTS

Tuesday

Date	Time	Temp.	Name (Print)
10 1	0300	70	G. BRENTS
	0600	71	TIBAYAN
	0900	72	TIBAYAN
	1200	70	TIBAYAN
	1500	75	E. SILVA
	1800	75	E. SILVA
	2100	74	E. SILVA
	2400	73	G. BRENTS

Thursday

Date	Time	Temp.	Name (Print)
10 3	0300	70	A. Maldonado
	0600	73	B. EDEN
	0900	74	B. EDEN
	1200	75	B. EDEN
	1500	77	S. LEWIS
	1800	76	S. LEWIS
	2100	75	S. LEWIS
	2400	74	K. MILLER

Saturday

Date	Time	Temp.	Name (Print)
10 5	0300	73	K. MILLER G. BRENTS
	0600	72	B. EDEN
	0900	72	B. EDEN
	1200	76	B. EDEN
	1500	76	E. SILVA
	1800	74	E. SILVA
	2100	74	E. SILVA
	2400	73	G. BRENTS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 18 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	69	D. Black
	0600	69	O. AGUILAR
	0900	69	O. AGUILAR
	1200	73	O. AGUILAR
	1500	73	CALALANG
	1800	73	CALALANG
	2100	72	CALALANG
	2400	73	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
10-01-24	0300	71	D. Black
	0600	70	O. AGUILAR
	0900	71	O. AGUILAR
	1200	76	O. AGUILAR
	1500	76	CALALANG
	1800	75	CALALANG
	2100	74	CALALANG
	2400	73	D. Black

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	72	D. Black
	0600	73	D. Black
	0900	73	M. D'Elizurro
	1200	77	M. D'Elizurro
	1500	77	S. Lewis
	1800	76	S. Lewis
	2100	74	S. Lewis
	2400	73	D. Black

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	72	D. Black
	0600	71	Reward
	0900	72	Reward
	1200	75	Reward
	1500	76	J. MARTINEZ
	1800	75	J. MARTINEZ
	2100	73	J. MARTINEZ
	2400	72	D. Black

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	72	D. Black
	0600	72	O. AGUILAR
	0900	72	O. AGUILAR
	1200	75	O. AGUILAR
	1500	75	CALALANG
	1800	75	CALALANG
	2100	74	CALALANG
	2400	73	K. MILLER

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	73	K. MILLER
	0600	71	O. AGUILAR
	0900	71	O. AGUILAR
	1200	75	O. AGUILAR
	1500	76	CALALANG
	1800	75	CALALANG
	2100	74	CALALANG
	2400	73	K. MILLER

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	73	K. MILLER
	0600	71	J. PUNZAL
	0900	73	J. PUNZAL
	1200	75	J. PUNZAL
	1500	76	CALALANG
	1800	75	CALALANG
	2100	74	CALALANG
	2400	73	D. Black

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70	A. O. Alvarado
	0600	72	E. Velasco
	0900	72	E. Velasco
	1200	73	E. Velasco
	1500	73	S. Valverde
	1800	72.1	S. Valverde
	2100	71.4	S. Valverde
	2400	70	Bench

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	68	Bench
	0600	69	Z. ZAVALA
	0900	70	Z. ZAVALA
	1200	71	Z. ZAVALA
	1500	71	R. Ramirez
	1800	73.0	S. Valverde
	2100	72.1	S. Valverde
	2400	70	Bench

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	69	Bench
	0600	70	Z. ZAVALA
	0900	71	Z. ZAVALA
	1200	71	Z. ZAVALA
	1500	71	Z. ZAVALA
	1800	71	Z. ZAVALA
	2100	71	Z. ZAVALA
	2400	71	Bench

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	70	Bench
	0600	70	Z. ZAVALA
	0900	71	Z. ZAVALA
	1200	71	Z. ZAVALA
	1500	72	Z. ZAVALA
	1800	71	Z. ZAVALA
	2100	71	Z. ZAVALA
	2400	70	Bench

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	69	Bench
	0600	71	Ballard
	0900	71	Ballard
	1200	71	Ballard
	1500	73	N. Nelson
	1800	72	N. Nelson
	2100	72	N. Nelson
	2400	71	Bench

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	70	Bench
	0600	70	P. Marold
	0900	70	P. Marold
	1200	73	P. Marold
	1500	73	P. Marold
	1800	72	N. Nelson
	2100	68	N. Nelson

Notes

Date	Time	Temp.	Name (Print)
10/6	0300	68	N. Marold
	0600	70	G. Lovett
	0900	73	E. Lovett
	1200	73	E. Lovett
	1500	74.5	S. Valverde
	1800	74.3	S. Valverde
	2100	75	J. AMENITA
	2400	72	A. O. Alvarado

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

113 Bruns
237 gone

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/ 30	0300	72	AD FLORES, SR
	0600	72	Barnard
	0900	72	Barnard
	1200	72	Barnard
	1500	72	D. Hubert
	1800	72	D. Hubert
	2100	72	D. Hubert
	2400	73	AD FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
10/ 1	0300	72	AD FLORES, SR
	0600	71	N. Maroki
	0900	71	N. Maroki
	1200	74	N. Maroki
	1500	75	ARAUJO
	1800	76	ARAUJO
	2100	75	ARAUJO
	2400	74	AD FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
10/ 2	0300	73	AD FLORES, SR
	0600	74	N. Maroki
	0900	75	N. Maroki
	1200	76	N. Maroki
	1500	76	N. Maroki
	1800	77	N. Maroki
	2100	77	N. Maroki
	2400	76	AD FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
10/ 3	0300	75	AD FLORES, SR
	0600	73	N. Maroki
	0900	73	N. Maroki
	1200	75	N. Maroki
	1500	75	ARAUJO
	1800	75	ARAUJO
	2100	78	ARAUJO
	2400	79	A. Maldonado

Friday

Date	Time	Temp.	Name (Print)
10/ 4	0300	74	A. Maldonado
	0600	73	N. Maroki
	0900	74	N. Maroki
	1200	74	N. Maroki
	1500	76	ARAUJO
	1800	76	ARAUJO
	2100	76	ARAUJO
	2400	79	A. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
10/ 5	0300	74	A. Maldonado
	0600	74	N. Maroki
	0900	74	N. Maroki
	1200	76	N. Maroki
	1500	75	ARAUJO
	1800	75	ARAUJO
	2100	74	ARAUJO
	2400	77	AD FLORES, SR

Sunday

Date	Time	Temp.	Name (Print)
10/ 6	0300	73	AD FLORES, SR
	0600	72	Barnard
	0900	73	Barnard
	1200	77	Barnard
	1500	76	V. ENCSN
	1800	75	V. ENCSN
	2100	75	V. ENCSN
	2400	74	AD FLORES, SR

Notes