

Monthly Summary Report

Institution: ISP

Memorandum

Date: July 1, 2024
To: Statewide Heat Plan Coordinator
Subject: Heat Plan Activity - June 2024

The following is a summary of the heat related activity for the month of June _____
at ISP _____ (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 30 _____

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____

Number of days Stage II Alert initiated: 0 _____

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: 0 _____

4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness. 0 _____ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

DAVID HOLBROOK (A)

Warden Name



Warden Signature

ERIC ANDERSSON

Chief Executive Officer Name



Chief Executive Officer Signature

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 1 2024	0100	87	J. Breeze
	0200	83	J. Breeze
	0300	79	J. Breeze
	0400	79	J. Breeze
	0500	78	J. Breeze
	0600	79	Cadanas
	0700	82	Cadanas
	0800	88	Cadanas
	0900	90	Cadanas
	1000	94	Cadanas
	1100	99	Cadanas
	1200	101	Cadanas
	1300	101	Cadanas
	1400	101	J. Breeze
	1500	99	J. Breeze
	1600	100	J. Breeze
	1700	101	J. Breeze
	1800	99	J. Breeze
	1900	95	J. Breeze
	2000	94	J. Breeze
	2100	93	J. Breeze
	2200	88	J. Breeze
	2300	84	J. Breeze
	2400	81	J. Breeze

Date	Time	Temp.	Printed Name
JUNE 2 2024	0100	81	J. Breeze
	0200	79	J. Breeze
	0300	77	J. Breeze
	0400	74	J. Breeze
	0500	74	J. Breeze
	0600	75	Cadanas
	0700	78	Cadanas
	0800	83	Cadanas
	0900	90	Cadanas
	1000	94	Cadanas
	1100	93	Cadanas
	1200	97	Cadanas
	1300	98	Cadanas
	1400	99	CADENAS
	1500	99	CADENAS
	1600	96	CADENAS
	1700	96	CADENAS
	1800	95	CADENAS
	1900	92	CADENAS
	2000	90	CADENAS
	2100	90	CADENAS
	2200	89	CADENAS
	2300	88	CADENAS
	2400	82	CADENAS

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 3, 2024	0100	81	CADENAS
	0200	80	CADENAS
	0300	86	CADENAS
	0400	79	CADENAS
	0500	77	CADENAS
	0600	79	A. Sanchez
	0700	82	A. Sanchez
	0800	94	A. Sunner
	0900	98	A. Sunner
	1000	100	A. Sanchez
	1100	103	A. Sunner
	1200	91	A. Sunner
	1300	99	A. Sunner
	1400	102	A. Cadenas
	1500	101	A. Cadenas
	1600	101	A. Cadenas
	1700	101	CADENAS
	1800	99	CADENAS
	1900	98	CADENAS
	2000	92	CADENAS
	2100	90	CADENAS
	2200	91	CADENAS
	2300	89	CADENAS
	2400	85	CADENAS

Date	Time	Temp.	Printed Name
June 4, 2024	0100	83	CADENAS
	0200	82	CADENAS
	0300	80	Cadenas
	0400	80	Cadeno
	0500	78	CADENAS
	0600	78	S. Perez
	0700	82	S. Perez
	0800	89	S. Perez
	0900	90	S. Perez
	1000	92	S. Perez
	1100	99	S. Perez
	1200	100	S. Perez
	1300	101	S. Perez
	1400	101	S. Perez (cont'd)
	1500	102	Lankill
	1600	101	Lankill
	1700	100	Lankill
	1800	98	Lankill
	1900	96	Lankill
	2000	94	Lankill
	2100	92	Lankill
	2200	91	Lankill
	2300	90	Lankill
	2400	88	Lankill

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 5 2024	0100	86	Gaskill
	0200	85	Gaskill
	0300	83	Gaskill
	0400	81	Gaskill
	0500	80	Gaskill
	0600	79	Steier
	0700	83	Steier
	0800	91	Steier
	0900	96	Steier
	1000	99	Steier
	1100	102	Steier
	1200	104	Steier
	1300	106	Steier
	1400	106	Gaskill
	1500	104	Gaskill
	1600	105	Gaskill
	1700	101	Gaskill
	1800	100	Gaskill
	1900	98	Gaskill
	2000	96	Gaskill
	2100	95	Gaskill
	2200	91	J. Bruce
	2300	92	J. Bruce
	2400	92	J. Bruce

Date	Time	Temp.	Printed Name
JUNE 6 2024	0100	90	J. Bruce
	0200	86	J. Bruce
	0300	83	J. Bruce
	0400	84	J. Bruce
	0500	85	J. Bruce
	0600	86	J. Bruce
	0700	87	J. Bruce
	0800	93	J. Bruce
	0900	100	J. Bruce
	1000	103	J. Bruce
	1100	105	J. Bruce
	1200	106	J. Bruce
	1300	107	J. Bruce
	1400	107	Gaskill
	1500	108	Gaskill
	1600	107	Gaskill
	1700	105	Gaskill
	1800	103	Gaskill
	1900	102	Gaskill
	2000	99	Gaskill
	2100	96	Gaskill
	2200	95	J. Bruce
	2300	93	J. Bruce
	2400	92	J. Bruce

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 1 2024	0100	90	J. Breen
	0200	89	J. Breen
	0300	86	J. Breen
	0400	86	J. Breen
	0500	84	J. Breen
	0600	84	Spicer
	0700	88	Spicer
	0800	90	Spicer
	0900	95	Spicer
	1000	99	Spicer
	1100	103	Spicer
	1200	107	Spicer
	1300	109	Spicer
	1400	107	Gaskill
	1500	107	Gaskill
	1600	106	Gaskill
	1700	103	Gaskill
	1800	102	Gaskill
	1900	101	Gaskill
	2000	97	Gaskill
	2100	95	Gaskill
	2200	91	J. Breen
	2300	90	J. Breen
	2400	87	J. Breen
JUN 8 2024	0100	85	J. Breen
	0200	84	J. Breen
	0300	82	J. Breen
	0400	70	J. Breen
	0500	80	J. Breen
	0600	83	T. Brown
	0700	84	T. Brown
	0800	91	T. Brown
	0900	96	T. Brown
	1000	99	T. Brown
	1100	103	T. Brown
	1200	103	T. Brown
	1300	104	T. Brown
	1400	105	J. Breen
	1500	103	J. Breen
	1600	104	J. Breen
	1700	103	J. Breen
	1800	103	J. Breen
	1900	101	J. Breen
	2000	95	J. Breen
	2100	94	J. Breen
	2200	91	J. Breen
	2300	88	J. Breen
	2400	84	J. Breen

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 9 - 2024	0100	84	J. Breeze
	0200	84	J. Breeze
	0300	83	J. Breeze
	0400	80	J. Breeze
	0500	79	J. Breeze
	0600	83	T. Brown
	0700	83	T. Brown
	0800	85	T. Brown
	0900	92	T. Brown
	1000	94	T. Brown
	1100	96	T. Brown
	1200	100	T. Brown
	1300	104	T. Brown
	1400	102	T. Brown
	1500	102	T. Brown
	1600	102	T. Brown
	1700	102	T. Brown
	1800	101.8	CADENAS
	1900	99	CADENAS
	2000	94	CADENAS
	2100	91	CADENAS
	2200	91	CADENAS
	2300	89	CADENAS
	2400	88	CADENAS

Date	Time	Temp.	Printed Name
JUNE 10 - 2024	0100	85	Cadenas
	0200	82	Cadenas
	0300	80	Cadenas
	0400	77	Cadenas
	0500	77	Cadenas
	0600	77	Silver
	0700	80	Silver
	0800	86	Silver
	0900	89	Silver
	1000	96	Silver
	1100	100	Silver
	1200	102	Silver
	1300	101	Silver
	1400	103	Cadenas
	1500	103	Cadenas
	1600	104	Cadenas
	1700	103	Cadenas
	1800	102	Cadenas
	1900	102	Cadenas
	2000	98	Cadenas
	2100	93	Cadenas
	2200	90	Cadenas
	2300	90	Cadenas
	2400	90	Cadenas

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 11, 2024	0100	88	Cadenas
	0200	83	Cadenas
	0300	80	Cadenas
	0400	79	Cadenas
	0500	79	Cadenas
	0600	82	Spicer
	0700	87	Spicer
	0800	89	Spicer
	0900	92	Spicer
	1000	98	Spicer
	1100	103	Spicer
	1200	106	Spicer
	1300	108	Spicer
	1400	107	Ganskill
	1500	107	Ganskill
	1600	106	Ganskill
	1700	105	Ganskill
	1800	103	Ganskill
	1900	102	Ganskill
	2000	99	Ganskill
	2100	95	Ganskill
	2200	92	Ganskill
	2300	90	Ganskill
	2400	88	Ganskill
JUN 12, 2024	0100	86	Ganskill
	0200	85	Ganskill
	0300	83	Ganskill
	0400	81	Ganskill
	0500	79	Ganskill
	0600	82	Cadenas
	0700	86	Cadenas
	0800	90	Cadenas
	0900	95	Cadenas
	1000	98	Cadenas
	1100	102	Cadenas
	1200	105	Cadenas
	1300	107	Cadenas
	1400	105	Ganskill
	1500	105	Ganskill
	1600	105	Ganskill
	1700	103	Ganskill
	1800	101	Ganskill
	1900	98	Ganskill
	2000	95	Ganskill
	2100	94	Ganskill
	2200	90	J. Bruce
	2300	89	J. Bruce
	2400	86	J. Bruce

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Ironwood STATE Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 12 2024	0100	83	J. Breeze
	0200	83	J. Breeze
	0300	82	J. Breeze
	0400	81	J. Breeze
	0500	80	J. Breeze
	0600	82	J. Breeze
	0700	86	J. Breeze
	0800	94	J. Breeze
	0900	97	J. Breeze
	1000	104	J. Breeze
	1100	105	J. Breeze
	1200	105	J. Breeze
	1300	106	J. Breeze
	1400	105	Gaskill
	1500	105	Gaskill
	1600	105	Gaskill
	1700	103	Gaskill
	1800	100	Gaskill
	1900	98	Gaskill
	2000	96	Gaskill
	2100	94	Gaskill
	2200	89	J. Breeze
	2300	89	J. Breeze
	2400	88	J. Breeze

Date	Time	Temp.	Printed Name
JUN 13 2024	0100	88	J. Breeze
	0200	88	J. Breeze
	0300	86	J. Breeze
	0400	86	J. Breeze
	0500	83	J. Breeze
	0600	86	S.Perez
	0700	88	S.Perez
	0800	94	S.Perez
	0900	96	S.Perez
	1000	102	S.Perez
	1100	104	S.Perez
	1200	104	S.Perez
	1300	109	S.Perez
	1400	107	Gaskill
	1500	107	Gaskill
	1600	105	Gaskill
	1700	105	Gaskill
	1800	103	Gaskill
	1900	102	Gaskill
	2000	100	Gaskill
	2100	97	Gaskill
	2200	97	J. Breeze
	2300	93	J. Breeze
	2400	93	J. Breeze

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

IRONWOOD STATE Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 16, 2024	0100	90	J. Breeze
	0200	90	J. Breeze
	0300	88	J. Breeze
	0400	87	J. Breeze
	0500	85	J. Breeze
	0600	88	T. Brown
	0700	92	T. Brown
	0800	97	T. Brown
	0900	100	T. Brown
	1000	101	T. Brown
	1100	106	T. Brown
	1200	109	T. Brown
	1300	110	T. Brown
	1400	111	J. Breeze
	1500	111	J. Breeze
	1600	110	J. Breeze
	1700	109	J. Breeze
	1800	108	J. Breeze
	1900	108	J. Breeze
	2000	103	J. Breeze
	2100	99	J. Breeze
	2200	95	J. Breeze
	2300	92	J. Breeze
	2400	92	J. Breeze

Date	Time	Temp.	Printed Name
JUNE 16, 2024	0100	89	J. Breeze
	0200	87	J. Breeze
	0300	86	J. Breeze
	0400	85	J. Breeze
	0500	86	J. Breeze
	0600	88	T. Brown
	0700	87	T. Brown
	0800	89	T. Brown
	0900	90	T. Brown
	1000	96	T. Brown
	1100	99	T. Brown
	1200	102	T. Brown
	1300	103	T. Brown
	1400	104	Cadenas
	1500	105	Cadenas
	1600	104	Cadenas
	1700	104	Cadenas
	1800	99	Cadenas
	1900	99	Cadenas
	2000	97	Cadenas
	2100	94	Cadenas
	2200	91	Cadenas
	2300	90	Cadenas
	2400	89	Cadenas

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
JUNE 17, 2024	0100	85	CADENAS	JUNE 18, 2024	0100	80	CADENAS
	0200	83	CADENAS		0200	78	CADENAS
	0300	80	CADENAS		0300	78	CADENAS
	0400	78	CADENAS		0400	77	CADENAS
	0500	76	CADENAS		0500	77	CADENAS
	0600	79	JUANIZ		0600	77	JUANIZ
	0700	83	JUANIZ		0700	83	JUANIZ
	0800	86	JUANIZ		0800	86	JUANIZ
	0900	90	JUANIZ		0900	88	JUANIZ
	1000	95	JUANIZ		1000	90	JUANIZ
	1100	99	JUANIZ		1100	93	JUANIZ
	1200	101	JUANIZ		1200	95	JUANIZ
	1300	101	JUANIZ		1300	97	JUANIZ
	1400	101	Cadenas		1400	100	Couskill
	1500	100	CADENAS		1500	100	Couskill
	1600	98	Zavala		1600	100	Couskill
	1700	97	CADENAS		1700	100	Couskill
	1800	96	CADENAS		1800	98	Couskill
	1900	92	CADENAS		1900	95	Couskill
	2000	90	CADENAS		2000	92	Couskill
	2100	89	CADENAS		2100	887	Couskill
	2200	86	CADENAS		2200	85	Couskill
	2300	85	CADENAS		2300	83	Couskill
	2400	82	CADENAS		2400	82	Couskill

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Ironwood State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 19, 2024	0100	91	Cashill
	0200	80	Cashill
	0300	77	Cashill
	0400	75	Cashill
	0500	74	Cashill
	0600	79	JUANIZ
	0700	82	JUANIZ
	0800	88	JUANIZ
	0900	92	JUANIZ
	1000	95	JUANIZ
	1100	98	JUANIZ
	1200	100	JUANIZ
	1300	102	JUANIZ
	1400	101	Cashill
	1500	100	Cashill
	1600	100	Cashill
	1700	99	Cashill
	1800	97	Cashill
	1900	94	Cashill
	2000	92	Cashill
	2100	91	Cashill
	2200	89	J. Breeze
	2300	88	J. Breeze
	2400	85	J. Breeze

Date	Time	Temp.	Printed Name
JUNE 20, 2024	0100	83	J. Breeze
	0200	81	J. Breeze
	0300	79	J. Breeze
	0400	79	J. Breeze
	0500	78	J. Breeze
	0600	82	JUANIZ
	0700	86	JUANIZ
	0800	89	JUANIZ
	0900	92	JUANIZ
	1000	97	JUANIZ
	1100	102	JUANIZ
	1200	104	JUANIZ
	1300	108	JUANIZ
	1400	105	Cashill
	1500	105	Cashill
	1600	104	Cashill
	1700	101	Cashill
	1800	99	Cashill
	1900	98	Cashill
	2000	96	Cashill
	2100	94	Cashill
	2200	93	J. Breeze
	2300	90	J. Breeze
	2400	87	J. Breeze

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 21, 2024	0100	89	J. Breeze
	0200	87	J. Breeze
	0300	85	J. Breeze
	0400	83	J. Breeze
	0500	79	J. Breeze
	0600	84	JUANZ
	0700	87	JUANZ
	0800	90	JUAN
	0900	94	JUANZ
	1000	98	JUANZ
	1100	104	JUANZ
	1200	108	JUANZ
	1300	109	JUANZ
	1400	108	(Gaskill)
	1500	108	(Gaskill)
	1600	107	(Gaskill)
	1700	106	(Gaskill)
	1800	104	(Gaskill)
	1900	102	(Gaskill)
	2000	100	(Gaskill)
	2100	98	(Gaskill)
	2200	95	J. Breeze
	2300	94	J. Breeze
	2400	93	J. Breeze

Date	Time	Temp.	Printed Name
JUNE 22 - 2024	0100	90	J. Breeze
	0200	89	J. Breeze
	0300	86	J. Breeze
	0400	87	J. Breeze
	0500	82	J. Breeze
	0600	86	T Brown
	0700	90	T Brown
	0800	93	T Brown
	0900	98	T Brown
	1000	101	T Brown
	1100	106	T Brown
	1200	109	T Brown
	1300	106	T Brown
	1400	107	J. Breeze
	1500	107	J. Breeze
	1600	107	J. Breeze
	1700	107	J. Breeze
	1800	106	J. Breeze
	1900	103	J. Breeze
	2000	99	J. Breeze
	2100	97	J. Breeze
	2200	96	J. Breeze
	2300	95	J. Breeze
	2400	93	J. Breeze

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 23 - 2024	0100	94	J. Breeze
	0200	92	J. Breeze
	0300	91	J. Breeze
	0400	89	J. Breeze
	0500	89	J. Breeze
	0600	89	T. Brown
	0700	94	T. Brown
	0800	98	T. Brown
	0900	100	T. Brown
	1000	102	T. Brown
	1100	108	T. Brown
	1200	109	T. Brown
	1300	109	T. Brown
	1400	112	A. Cadenas
	1500	110	A. Cadenas
	1600	110	A. Cadenas
	1700	108	A. Cadenas
	1800	105	A. Cadenas
	1900	104	A. Cadenas
	2000	103	A. Cadenas
	2100	106	A. Cadenas
	2200	96	A. Cadenas
	2300	95	A. Cadenas
	2400	92	S. Cadenas

Date	Time	Temp.	Printed Name
JUNE 24 - 2024	0100	92	A. Cadenas
	0200	91	A. Cadenas
	0300	91	A. Cadenas
	0400	91	A. Cadenas
	0500	89	A. Cadenas
	0600	89	S. Perer
	0700	92	S. Perer
	0800	97	S. Perer
	0900	99	S. Perer
	1000	103	S. Perer
	1100	107	S. Perer
	1200	108	S. Perer
	1300	110	S. Perer
	1400	110	A. Cadenas
	1500	108	A. Cadenas
	1600	109	A. Cadenas
	1700	108	A. Cadenas
	1800	105	A. Cadenas
	1900	103	A. Cadenas
	2000	100	A. Cadenas
	2100	100	A. Cadenas
	2200	101	A. Cadenas
	2300	100	A. Cadenas
	2400	98	A. Cadenas

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER M

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 25, 2024	0100	94	A CADENAS
	0200	93	A Cadenas
	0300	92	A. Cadenas
	0400	91	A. Cadenas
	0500	90	A Cademas
	0600	91	Soler
	0700	94	Soler
	0800	98	Soler
	0900	100	Soler
	1000	102	Soler
	1100	105	Soler
	1200	109	Soler
	1300	108	Soler
	1400	109	Canskill
	1500	109	Canskill
	1600	109	Canskill
	1700	107	Canskill
	1800	106	Canskill
	1900	103	Canskill
	2000	101	Canskill
	2100	100	Canskill
	2200	99	Canskill
	2300	99	Canskill
	2400	97	Canskill

Date	Time	Temp.	Printed Name
JUNE 26, 2024	0100	95	Canskill
	0200	93	Canskill
	0300	92	Canskill
	0400	91	Canskill
	0500	89	Canskill
	0600	90	Hu
	0700	97	Hu
	0800	100	Hu
	0900	103	Hu
	1000	103	Hu
	1100	104	Hu
	1200	104	Hu
	1300	106	Hu
	1400	108	TELLEZ
	1500	109	TELLEZ
	1600	109	TELLEZ
	1700	110	TELLEZ
	1800	107	TELLEZ
	1900	104	TELLEZ
	2000	102	TELLEZ
	2100	100	TELLEZ
	2200	99	M. URQUHAR
	2300	95	M. Urquhara
	2400	94	M. Urquhara

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

IRONWOOD STATE Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
JUN 21 2024	0100	93	M. McQuoides	JUN 24 2024	0100	92	J. Breeze
	0200	92	M. McQuoides		0200	91	J. Breeze
	0300	91	M. McQuoides		0300	90	J. Breeze
	0400	90	M. McQuoides		0400	89	J. Breeze
	0500	89	M. McQuoides		0500	86	J. Breeze
	0600	91	S. Breeze		0600	95	A. Cadenas
	0700	93	S. Breeze		0700	99	A. Cadenas
	0800	98	S. Breeze		0800	102	A. Cadenas
	0900	103	S. Breeze		0900	99	A. Cadenas
	1000	104	S. Breeze		1000	100	A. Cadenas
	1100	108	S. Breeze		1100	105	A. Cadenas
	1200	109	S. Breeze		1200	106	A. Cadenas
	1300	109	S. Breeze		1300	107	A. Cadenas
	1400	109	Ganskill		1400	108	A. Cadenas
	1500	109	Ganskill		1500	108	A. Cadenas
	1600	109	Ganskill		1600	108	CAVINESS
	1700	108	Ganskill		1700	108	CAVINESS
	1800	107	Ganskill		1800	107	CAVINESS
	1900	105	Ganskill		1900	104	CAVINESS
	2000	102	Ganskill		2000	100	CAVINESS
	2100	100	Ganskill		2100	98	CAVINESS
	2200	96	J. Breeze		2200	96	J. Breeze
	2300	94	J. Breeze		2300	94	J. Breeze
	2400	93	J. Breeze		2400	92	J. Breeze

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: IRONWOOD STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 29 - 2024	0100	90	J. Breeze
	0200	88	J. Breeze
	0300	87	J. Breeze
	0400	86	J. Breeze
	0500	86	J. Breeze
	0600	90	F. Rumm
	0700	90	F. Rumm
	0800	94	F. Rumm
	0900	97	F. Rumm
	1000	102	F. Rumm
	1100	105	F. Rumm
	1200	107	F. Rumm
	1300	107	F. Rumm
	1400	109	J. Breeze
	1500	110	J. Breeze
	1600	110	J. Breeze
	1700	108	J. Breeze
	1800	107	J. Breeze
	1900	106	J. Breeze
	2000	103	J. Breeze
	2100	98	J. Breeze
	2200	95	J. Breeze
	2300	94	J. Breeze
	2400	94	J. Breeze

Date	Time	Temp.	Printed Name
JUNE 30 - 2024	0100	93	J. Breeze
	0200	89	J. Breeze
	0300	85	J. Breeze
	0400	86	J. Breeze
	0500	84	J. Breeze
	0600	85	J. Benefield
	0700	92	J. Benefield
	0800	94	J. Benefield
	0900	98	J. Benefield
	1000	100	J. Benefield
	1100	104	J. Benefield
	1200	109	J. Benefield
	1300	111	J. Benefield
	1400	112	J. Benefield
	1500	112	CARDENAS
	1600	112	CARDENAS
	1700	110	CARDENAS
	1800	110	CARDENAS
	1900	108	CARDENAS
	2000	102	CARDENAS
	2100	98	CARDENAS
	2200	96	CARDENAS
	2300	95	CARDENAS
	2400	95	CARDENAS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	79	N. Smith
	0600	78	N. Smith
	0900	78	R. Henderson
	1200	79	R. Henderson
	1500	80	Spears
	1800	80	Spears
	2100	79	Spears
	2400	79	N. Smith

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	77	N. Smith
	0600	75	N. Smith
	0900	75	T. Cunklin
	1200	75	T. Cunklin
	1500	75	Spears
	1800	75	Spears
	2100	75	Spears
	2400	75	N. Smith

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	75	N. RINCON
	1200	75	N. RINCON
	1500	75	N. Barnes
	1800	75	W. PARRA
	2100	75	T. COOKLIN
	2400	75	B. BOND

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	75	B. BOND
	0600	74	E. GONZALEZ
	0900	75	E. GONZALEZ
	1200	74	E. GONZALEZ
	1500	76	J. BARAGAN
	1800	76	J. BARAGAN
	2100	75	J. BARAGAN
	2400	75	B. BOND

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	75	B. BOND
	0600	74	H. RETAY
	0900	75	H. RETAY
	1200	76	H. RETAY
	1500	76	NICOLAS
	1800	76	NICOLAS
	2100	76	NICOLAS
	2400	76	H. JONES

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	76	H. JONES
	0600	76	H. RETAY
	0900	76	H. RETAY
	1200	76	H. RETAY
	1500	76	T. PERKINS
	1800	76	T. PERKINS
	2100	74	T. PERKINS
	2400	75	L. LANDER

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	75	L. LANDER
	0600	76	B. DUNCAN
	0900	76	B. DUNCAN
	1200	76	B. DUNCAN
	1500	76	T. PERKINS
	1800	74	T. PERKINS
	2100	74	T. PERKINS
	2400	76	N. SMITH

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	75	N. SMITH
	0600	75	N. SMITH
	0900	76	R. HENDERSON
	1200	76	R. HENDERSON
	1500	76	SPEARS
	1800	77	SPEARS
	2100	75	SPEARS
	2400	75	N. SMITH

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	75	N. SMITH
	0600	75	N. SMITH
	0900	75	T. COOKLIN
	1200	75	T. COOKLIN
	1500	75	SPEARS
	1800	75	SPEARS
	2100	75	SPEARS
	2400	75	N. SMITH

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/10/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	76	N. Rincon
	1200	77	N. Rincon
	1500	75	Dubon
	1800	74	Dubon
	2100	75	Dubon
	2400	75	B. Borch

Tuesday

Date	Time	Temp.	Name (Print)
5/11/24	0300	74	B. Borch
	0600	75	A. CASTREJON
	0900	75	A. CASTREJON
	1200	76	A. CASTREJON
	1500	74	J. MAYFIELD
	1800	76	J. Mayfield
	2100	76	J. Mayfield
	2400	76	B. Borch

Wednesday

Date	Time	Temp.	Name (Print)
5/12/24	0300	75	B. Borch
	0600	75	M. andy
	0900	75	M. andy
	1200	75	M. andy
	1500	75	M. andy
	1800	75	M. andy
	2100	75	M. andy
	2400	75	F. LANDEROS

Thursday

Date	Time	Temp.	Name (Print)
5/13/24	0300	75	F. LANDEROS
	0600	75	A. CASTREJON
	0900	76	A. CASTREJON
	1200	75	A. CASTREJON
	1500	71	T. Penkay
	1800	76	T. Penkay
	2100	76	T. Penkay
	2400	75	F. LANDEROS

Friday

Date	Time	Temp.	Name (Print)
5/14/24	0300	75	F. LANDEROS
	0600	75	Figueroa
	0900	75	FIGUEROA
	1200	76	FIGUEROA
	1500	75	T. Peckay
	1800	75	T. Peckay
	2100	78	T. Peckay
	2400	76	N. Smith

Saturday

Date	Time	Temp.	Name (Print)
5/15/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	75	B. DUNCAN
	1200	76	B. DUNCAN
	1500	76	D. SPEARS
	1800	78	D. SPEARS
	2100	77	D. SPEARS
	2400	76	N. Smith

Sunday

Date	Time	Temp.	Name (Print)
5/16/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	75	
	1200	76	
	1500	77	Spears
	1800	76	Spears
	2100	76	Spears
	2400	75	N. Smith

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/17/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	75	N. Lincoln
	1200	76	N. Lincoln
	1500	76	N. Lincoln
	1800	75	N. Lincoln
	2100	74	N. Lincoln
	2400	74	B. Bond

Tuesday

Date	Time	Temp.	Name (Print)
5/18/24	0300	73	D. Bond
	0600	74	H. Relays
	0900	75	H. Relays
	1200	76	A. Relays
	1500	76	J. Mayfield
	1800	76	J. Mayfield
	2100	75	J. Mayfield
	2400	75	P. Bond

Wednesday

Date	Time	Temp.	Name (Print)
5/19/24	0300	76	B. Bond
	0600	74	H. Relays
	0900	75	H. Relays
	1200	75	H. Relays
	1500	76	N. Colas
	1800	75	Nicolas
	2100	75	Nicolas
	2400	75	R. Cherland

Thursday

Date	Time	Temp.	Name (Print)
5/20/24	0300	75	R. Cherland
	0600	75	H. Relays
	0900	75	H. Relays
	1200	76	H. Relays
	1500	74	T. Perkins
	1800	74	T. Perkins
	2100	76	T. Perkins
	2400	75	R. Cherland

Friday

Date	Time	Temp.	Name (Print)
5/21/24	0300	75	A. Cherland
	0600	75	H. Relays
	0900	75	H. Relays
	1200	76	H. Relays
	1500	76	T. Perkins
	1800	78	T. Perkins
	2100	78	T. Perkins
	2400	76	N. Smith

Saturday

Date	Time	Temp.	Name (Print)
5/22/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	75	R. Henderson
	1200	76	R. Henderson
	1500	76	Spears
	1800	76	Spears
	2100	76	Spears
	2400	76	N. Smith

Sunday

Date	Time	Temp.	Name (Print)
5/23/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	76	T. Conklin
	1200	76	T. Conklin
	1500	77	Spears
	1800	77	Spears
	2100	76	Spears
	2400	77	N. Smith

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	75	C. Sanchez
	1200	76	C. Sanchez
	1500	77	J. Rubio
	1800	78	J. Rubio
	2100	77	J. Rubio
	2400	76	B. Banks

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	75	B. Banks
	0600	76	H. Relago
	0900	76	H. Relago
	1200	77	H. Relago
	1500	77	J. Mayfield
	1800	77	J. Mayfield
	2100	76	J. Mayfield
	2400	76	B. Banks

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	75	B. Banks
	0600	77	H. Relago
	0900	77	H. Relago
	1200	77	H. Relago
	1500	77	N. Veezko
	1800	77	N. Veezko
	2100	77	N. Veezko
	2400	76	R. Cherkland

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	76	R. Cherkland
	0600	76	R. Cherkland
	0900	77	RIO
	1200	79	RIO
	1500	78	T. Perkins
	1800	78	T. Perkins
	2100	78	T. Perkins
	2400	76	M. Williams

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	76	M. Williams
	0600	76	M. Williams
	0900	76	F. Parko
	1200	77	R. Landra
	1500	77	T. Perkins
	1800	77	T. Perkins
	2100	77	T. Perkins
	2400	77	N. Smith

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	76	N. Smith
	0600	76	N. Smith
	0900	76	R. Henderson
	1200	76	R. Henderson
	1500	78	Spearis
	1800	79	Spearis
	2100	78	I. Spearis
	2400	78	N. Smith

Notes

Date	Time	Temp.	Name (Print)
6/30/24	0300	76	N. Smith
	0600	75	N. Smith
	0900	77	T. Conklin
	1200	77	T. Conklin
	1500	78	Spearis
	1800	79	Spearis
	2100	78	Spearis
	2400	78	N. Smith

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A-5 Central Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21	0300	74	J. FLOJERSON
22	0600	74	D. mcm
23	0900	75	D. mcm
24	1200	75	D. mcm
	1500	73	BENJAM
	1800	72	BENJAM
	2100	72	BENJAM
	2400	74	T. PERKES

Wednesday

Date	Time	Temp.	Name (Print)
5/24	0300	75	Gonzales
25	0600	75	Gonzales
	0900	75	Beasley
	1200	71	Beasley
	1500	71	BENJAM
	1800	71	BENJAM
	2100	71	BENJAM
	2400	73	WARRIOR

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	71	C. RICHARD
24	0600	71	T. PERKES
	0900	71	T. PERKES
	1200	71	T. PERKES
	1500	71	Berjan
	1800	71	Berjan
	2100	71	Berjan
	2400	73	Cory

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	75	Onaghm
23	0600	73	D. mcm
24	0900	73	D. mcm
	1200	73	D. mcm
	1500	71	Onaghm
	1800	71	Onaghm
	2100	73	Onaghm
	2400	73	Cortez

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	74	T. PERKES
	0600	71	T. PERKES
	0900	73	Beasley
	1200	73	Beasley
	1500	72	BENJAM
	1800	71	BENJAM
	2100	73	BENJAM
	2400	73	B. Gonzales

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	75	WARRIOR
	0600	72	Lopez
	0900	72	T. PERKES
	1200	72	T. PERKES
	1500	71	Benja
	1800	72	BENJAM
	2100	72	BENJAM
	2400	74	C. RICHARD

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	72	Vargas
	0600	72	D. mcm
	0900	73	D. mcm
	1200	73	Morales
	1500	72	Onaghm
	1800	71	Onaghm
	2100	71	Onaghm
	2400	73	Onaghm

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A-5 CENTRAL Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 85 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/3	0300	74	Carter
6/24/3	0600	75	Carter
6/24/3	0900	73	Carter
6/24/3	1200	72	Carter
6/24/3	1500	72	Benjamin
6/24/3	1800	73	Benjamin
6/24/3	2100	73	Benjamin
6/24/3	2400	71	RINCON J.

Tuesday

Date	Time	Temp.	Name (Print)
6/24/4	0300	72	Carter
6/24/4	0600	72	Carter
6/24/4	0900	71	CIOARTE
6/24/4	1200	72	UGARTE
6/24/4	1500	71	Benjamin
6/24/4	1800	71	Benjamin
6/24/4	2100	72	Benjamin
6/24/4	2400	71	Robles

Wednesday

Date	Time	Temp.	Name (Print)
6/24/5	0300	74	RINCON J.
6/24/5	0600	74	CORTAZAR
6/24/5	0900	73	CORTAZAR
6/24/5	1200	73	BENSON
6/24/5	1500	72	BENTAMAN
6/24/5	1800	71	BENTAMAN
6/24/5	2100	71	BENTAMAN
6/24/5	2400	72	CORTAZAR

Thursday

Date	Time	Temp.	Name (Print)
6/24/6	0300	73	ROBLES
6/24/6	0600	73	T.PENALIS
6/24/6	0900	73	T.PENALIS
6/24/6	1200	73	T.PENALIS
6/24/6	1500	72	BENSON
6/24/6	1800	72	BENSON
6/24/6	2100	72	BENSON
6/24/6	2400	72	C.RAT

Friday

Date	Time	Temp.	Name (Print)
6/24/7	0300	73	C.RICHARD
6/24/7	0600	75	T.PENALIS
6/24/7	0900	74	T.PENALIS
6/24/7	1200	74	T.PENALIS
6/24/7	1500	73	BRONSON
6/24/7	1800	73	BRONSON
6/24/7	2100	73	BRONSON
6/24/7	2400	73	VARGAS

Saturday

Date	Time	Temp.	Name (Print)
6/24/8	0300	71	VARGAS
6/24/8	0600	71	VARGAS
6/24/8	0900	74	VARGAS
6/24/8	1200	74	VARGAS
6/24/8	1500	74	VALAFARNEZ
6/24/8	1800	71	VALAFARNEZ
6/24/8	2100	74	VALAFARNEZ
6/24/8	2400	73	VALAFARNEZ

Sunday

Date	Time	Temp.	Name (Print)
6/24/9	0300	73	NICOLAO
6/24/9	0600	74	NICOLAO
6/24/9	0900	72	Santos
6/24/9	1200	73	SANTOS
6/24/9	1500	73	ONAGHIMAR
6/24/9	1800	72	ONAGHIMAR
6/24/9	2100	71	ONAGHIMAR
6/24/9	2400	71	RINCON

Notes

STATE OF NEW YORK
INSIDE TEMPERATURE RECORD
CDCR 2031 (04-18)

DEPARTMENT OF CORRECTIONS AND VICTIM SERVICES

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution ISP Housing Unit A-5 CENTRAL Temp Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	RIVON
	0600	73	MENDOZA
	0900	73	MENDOZA
	1200	73	MENDOZA
	1500	71	BENYER
	1800	72	BRUNER
	2100	71	BENTON
	2400	71	TRAPLER

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	TEMPALAR
	0600	74	BRASLEY
	0900	72	BRASLEY
	1200	73	BRASLEY
	1500	74	MORNINGSTAR
	1800	74	MORNINGSTAR
	2100	72	MORNINGSTAR
	2400	72	OZ

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	72	PER
	0600	74	DGASLEY
	0900	72	BRASLEY
	1200	73	BRASLEY
	1500	75	NICOLAW
	1800	73	NICOLAW
	2100	73	GRONICK
	2400	73	GRONICK

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	73	GREGORY
	0600	73	I. PERIN
	0900	73	I. PERIN
	1200	73	I. PERIN
	1500	75	A. MONOG
	1800	74	A. MONOG
	2100	73	A. MONOG
	2400	73	A. ROBERTS

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	73	ARCHAS
	0600	76	T. PERIN
	0900	76	T. PERIN
	1200	76	T. PERIN
	1500	76	KIEST
	1800	76	KIEST
	2100	76	KIEST
	2400	72	NICOLAW

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	73	Taylor
	0600	74	R. MEE
	0900	75	R. MEE
	1200	75	R. MEE
	1500	74	O. NAKHINOK
	1800	74	O. NAKHINOK
	2100	75	O. NAKHINOK
	2400	75	G. T. GONY

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	GREGORY
	0600	74	GREGORY
	0900	73	R. MEE
	1200	71	R. MEE
	1500	71	ONAGHINOK
	1800	71	ONAGHINOK
	2100	75	ONAGHINOK
	2400	74	NICOLAW

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04-18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Air-conditioned housing units will also be monitored when the air conditioner is not functioning.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JSP Housing Unit: AS Central Temp. Reading Location: DAY Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	74	NICARAW
6	0600	74	D. MAYER
17	0900	74	D. MAYER
24	1200	73	D. MAYER
	1500	72	S. RICHA
	1800	72	J. ROLLA
	2100	73	J. ROLLA
	2400	73	J. ROLLA

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	74	T. PENNIS RICHARD
6	0600	73	T. PENNIS
19	0900	73	T. PENNIS
24	1200	73	F. PENNIS
	1500	74	BRYANT
	1800	76	BRYANT
	2100	72	BRYANT
	2400	72	C. RICHARD

Friday

Date	Time	Temp.	Name (Print)
6	0300	74	C. RICHARD
6	0600	72	T. GARCIA'S
21	0900	72	T. GARCIA'S
24	1200	72	T. GARCIA'S
	1500	75	BRYANT
	1800	74	BRYANT
	2100	73	BRYANT
	2400	73	VARGAS

Sunday

Date	Time	Temp.	Name (Print)
6	0300	73	CARTRU
23	0600	74	MOLIN
24	0900	74	MOLIN
	1200	75	(NAME) MOLIN
	1500	75	ONAVENDA
	1800	74	ONAVENDA
	2100	75	ONAVENDA
	2400	74	ONAVENDA

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	74	J. RICAR
18	0600	74	BRASLEY
24	0900	73	BRASLEY
	1200	72	BRASLEY
	1500	71	BRASLEY
	1800	71	TRAVIS
	2100	74	ROKEY
	2400	71	RICHARD

Thursday

Date	Time	Temp.	Name (Print)
6	0300	74	TRAVIS
20	0600	75	BRASLEY
24	0900	73	BRASLEY
	1200	72	BRASLEY
	1500	72	TOMAS
	1800	72	TOMAS
	2100	72	TOMAS
	2400	72	C. RICHARD

Saturday

Date	Time	Temp.	Name (Print)
6	0300	74	VARGAS
22	0600	74	ROMAS
24	0900	74	ROMAS
	1200	75	ROMAS
	1500	75	ONAVENDA
	1800	74	ONAVENDA
	2100	74	ONAVENDA
	2400	73	H. CASTRO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (6418)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest section in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution ISP Housing Unit AS CEATRA Temp. Reading Location PAD ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension C1321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	73	F. CARAVANTZ
6/24	0600	73	F. CARAVANTZ
6/24	0900	74	D. MAR
6/24	1200	75	D. MAR
6/24	1500	75	TEMPAR
6/24	1800	75	TEMPAR
6/24	2100	73	TEMPAR
6/24	2400	73	RICOV

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	74	RICOV
6/25	0600	74	BRAESLY
6/25	0900	73	BRAESLY
6/25	1200	74	BRAESLY
6/25	1500	71	BRAESLY
6/25	1800	71	BRAESLY
6/25	2100	73	BRAESLY
6/25	2400	72	BRAESLY

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	74	
6/26	0600	74	BRAESLY
6/26	0900	74	BRAESLY
6/26	1200	73	BRAESLY
6/26	1500	74	BRAESLY
6/26	1800	74	BRAESLY
6/26	2100	73	BRAESLY
6/26	2400	73	BRAESLY

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	73	
6/27	0600	73	T. PERINAS
6/27	0900	73	T. PERINAS
6/27	1200	73	T. PERINAS
6/27	1500	75	T. PERINAS
6/27	1800	75	T. PERINAS
6/27	2100	74	T. PERINAS
6/27	2400	74	T. PERINAS

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	73	L. RICOV
6/28	0600	74	T. PERINAS
6/28	0900	74	T. PERINAS
6/28	1200	74	T. PERINAS
6/28	1500	76	T. PERINAS
6/28	1800	74	BRAESLY
6/28	2100	74	BRAESLY
6/28	2400	74	VARGAS

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	72	VARGAS
6/29	0600	73	D. MORA
6/29	0900	73	D. MORA
6/29	1200	74	D. MORA
6/29	1500	71	ONASHROK
6/29	1800	71	ONASHROK
6/29	2100	76	ONASHROK
6/29	2400	74	VARGAS

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	72	VARGAS
6/30	0600	73	R. MORA
6/30	0900	73	R. MORA
6/30	1200	77	ONASHROK
6/30	1500	77	ONASHROK
6/30	1800	76	ONASHROK
6/30	2100	76	ONASHROK
6/30	2400	74	VARGAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/14	0300	73	D.Hope
	0600	72	D.Hope
	0900	72	Grey
	1200	73	Grey
	1500	75	Grey
	1800	75	Grey
	2100	74	Grey
	2400	72	Chang

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	72	Chang
	0600	72	Grey
	0900	73	Grey
	1200	73	Grey
	1500	75	Grey
	1800	73	Grey
	2100	73	Grey
	2400	73	Chang

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/13/24	0300	73	Chris
6/13/24	0600	73	L. Tuyillo
6/13/24	0900	74	L. Tuyillo
6/13/24	1200	75	L. Tuyillo
6/13/24	1500	75	L. Tuyillo
6/13/24	1800	74	L. Tuyillo
6/13/24	2100	74	L. Tuyillo
6/13/24	2400	72	D HOPE

Wednesday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	D HOPE
6/15/24	0600	72	D HOPE
6/15/24	0900	74	MARROCHIN
6/15/24	1200	75	MARROCHIN
6/15/24	1500	75	Saucole
6/15/24	1800	75	Saucole
6/15/24	2100	74	Saucole
6/15/24	2400	73	N Miller

Friday

Date	Time	Temp.	Name (Print)
6/17/24	0300	73	N Miller
6/17/24	0600	74	L. Tuyillo
6/17/24	0900	74	L. Tuyillo
6/17/24	1200	74	L. Tuyillo
6/17/24	1500	77	L. Tuyillo
6/17/24	1800	80	L. Tuyillo
6/17/24	2100	73	N Miller
6/17/24	2400	73	N Miller

Sunday

Date	Time	Temp.	Name (Print)
6/19/24	0300	75	Chris
6/19/24	0600	75	Grey
6/19/24	0900	74	Grey
6/19/24	1200	75	Grey
6/19/24	1500	75	Grey
6/19/24	1800	76	Grey
6/19/24	2100	76	Grey
6/19/24	2400	76	Chris

Tuesday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	D HOPE
6/14/24	0600	72	D HOPE
6/14/24	0900	73	RIOS
6/14/24	1200	74	RIOS
6/14/24	1500	74	Azurin
6/14/24	1800	76	Mohamed H
6/14/24	2100	73	Mohamed H
6/14/24	2400	72	D HOPE

Thursday

Date	Time	Temp.	Name (Print)
6/16/24	0300	73	N Miller
6/16/24	0600	74	L. Tuyillo
6/16/24	0900	76	L. Tuyillo
6/16/24	1200	77	L. Tuyillo
6/16/24	1500	79	L. Tuyillo
6/16/24	1800	79	L. Tuyillo
6/16/24	2100	73	L. Tuyillo
6/16/24	2400	76	Wright

Saturday

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	N Miller
6/18/24	0600	73	Grey
6/18/24	0900	74	Grey
6/18/24	1200	74	Grey
6/18/24	1500	75	Grey
6/18/24	1800	78	Grey
6/18/24	2100	75	Grey
6/18/24	2400	75	Chris

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3

Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	75	Chang
	0600	75	ANCISO
	0900	76	ANCISO
	1200	74	ANCISO
	1500	74	DUNCAN
	1800	74	DUNCAN
	2100	73	DUNCAN
	2400	73	N.Miller

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	N.Miller
	0600	74	RIOS
	0900	73	RIOS
	1200	73	RIOS
	1500	74	Paramore
	1800	73	Paramore
	2100	74	Paramore
	2400	74	N.Miller

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	73	N.Miller
	0600	73	MARROQUIN
	0900	73	MARROQUIN
	1200	73	MARROQUIN
	1500	73	J.Acosta
	1800	73	J.Acosta
	2100	73	J.Acosta
	2400	73	N.Miller

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	73	N.Miller
	0600	73	A.Hernandez
	0900	74	A.Hernandez
	1200	73	A.Hernandez
	1500	73	LANDEROS
	1800	73	LANDEROS
	2100	73	LANDEROS
	2400	73	N.Miller

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	N.Miller
	0600	72	M.Hinojosa
	0900	74	M.Hinojosa
	1200	74	M.Hinojosa
	1500	74	Grey
	1800	74	Grey
	2100	74	Grey
	2400	74	N.Miller

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	73	W.Miller
	0600	74	Grey
	0900	75	Grey
	1200	75	Grey
	1500	75	Grey
	1800	75	Grey
	2100	74	Grey
	2400	74	Chang

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	73	Chang
	0600	73	Grey
	0900	73	Grey
	1200	73	Grey
	1500	74	Grey
	1800	73	Grey
	2100	73	Grey
	2400	73	Chang

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISB Housing Unit: B3 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/11/20	0300	73	Cheng
	0600	73	I. Trujillo
	0900	73	I. Trujillo
	1200	74	I. Trujillo
	1500	74	I. Trujillo
	1800	71	I. Trujillo
	2100	72	N. Miller
	2400	73	N. Miller

Tuesday

Date	Time	Temp.	Name (Print)
6/18/20	0300	73	N. Miller
	0600	73	R. Tros
	0900	73	R. Tros
	1200	73	R. Tros
	1500	73	Parahore
	1800	73	Parahore
	2100	73	Parahore
	2400	73	N. Miller

Wednesday

Date	Time	Temp.	Name (Print)
6/19/20	0300	73	N. Miller
	0600	72	A. MacLean
	0900	72	A. MacLean
	1200	72	A. MacLean
	1500	73	Jacobs
	1800	74	Jacobs
	2100	74	Jacobs
	2400	74	N. Miller

Thursday

Date	Time	Temp.	Name (Print)
6/20/20	0300	74	N. Miller
	0600	74	I. Trujillo
	0900	77	I. Trujillo
	1200	72	I. Trujillo
	1500	74	I. Trujillo
	1800	73	I. Trujillo
	2100	73	I. Trujillo
	2400	73	N. Miller

Friday

Date	Time	Temp.	Name (Print)
6/21/20	0300	73	N. Miller
	0600	75	I. Trujillo
	0900	74	I. Trujillo
	1200	74	I. Trujillo
	1500	74	Grey
	1800	74	Grey
	2100	73	Grey
	2400	73	N. Miller

Saturday

Date	Time	Temp.	Name (Print)
6/24/20	0300	73	N. Miller
	0600	73	Grey
	0900	74	Grey
	1200	74	Grey
	1500	74	Grey
	1800	74	Grey
	2100	73	Grey
	2400	72	Cheng

Sunday

Date	Time	Temp.	Name (Print)
6/25/20	0300	72	Cheng
	0600	73	Grey
	0900	74	Grey
	1200	74	Grey
	1500	74	Grey
	1800	74	Grey
	2100	73	Grey
	2400	72	Cheng

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISI Housing Unit: B3

Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	72	Chang
6/24	0600	73	Reyes
6/24	0900	73	Reyes
6/24	1200	73	Reyes
6/24	1500	75	B. DUNCAN
6/24	1800	74	B. DUNCAN
6/24	2100	73	B. DUNCAN
6/24	2400	73	D HOPE

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	73	D HOPE
6/25	0600	73	D HOPE
6/25	0900	73	RICO
6/25	1200	74	RICO
6/25	1500	74	J. Gamez
6/25	1800	74	J. Gamez
6/25	2100	74	J. Gamez
6/25	2400	73	D HOPE

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	73	D. HOPE
6/26	0600	73	D. HOPE
6/26	0900	74	A. MARRERO
6/26	1200	74	M. PROBROM
6/26	1500	76	J. ACOSTA
6/26	1800	77	J. ACOSTA
6/26	2100	73	J. ACOSTA
6/26	2400	74	N. MILLER

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	74	M. MILLER
6/27	0600	74	D. KOMATBU
6/27	0900	74	D. KOMATBU
6/27	1200	75	D. KOMATBU
6/27	1500	75	Gomez Fraga
6/27	1800	75	Gomez Fraga
6/27	2100	74	Gomez Fraga
6/27	2400	74	N. MILLER

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	74	M. Miller
6/28	0600	74	O'TOZERO
6/28	0900	74	O'TOZERO
6/28	1200	74	O'TOZERO
6/28	1500	74	E. Valladolid
6/28	1800	75	E. Valladolid
6/28	2100	74	E. Valladolid
6/28	2400	74	N. MILLER

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	74	Grey
6/29	0600	74	Grey
6/29	0900	74	Grey
6/29	1200	74	Grey
6/29	1500	74	Grey
6/29	1800	74	Grey
6/29	2100	74	Grey
6/29	2400	74	Grey

Notes

Date	Time	Temp.	Name (Print)
6/30	0300	74	Chang
6/30	0600	73	Grey
6/30	0900	74	Grey
6/30	1200	74	Grey
6/30	1500	74	Grey
6/30	1800	74	Grey
6/30	2100	74	Grey
6/30	2400	74	Chang

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	72	M. Seph
	0600	72	Berra
	0900	71	Bello
	1200	72	Bello
24	1500	73	Christian
	1800	73	Christian
	2100	72	Christian
	2400	70	REBSoek

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	71	REBSoek
	0600	71	D. Dacine
	0900	71	D. Dacine
	1200	72	D. Dacine
24	1500	72	D. Dacine
	1800	72	G. McMillan
	2100	74	G. McMillan
	2400	70	REBSoek

Wednesday

Date	Time	Temp.	Name (Print)
6/3	0300	72	REBSoek
	0600	71	D. Dacine
	0900	71	D. Dacine
	1200	71	D. Dacine
24	1500	74	J. Infante
	1800	73	J. Infante
	2100	74	J. Infante
	2400	73	REBSoek

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	72	REBSoek
	0600	71	D. Dacine
	0900	71	D. Dacine
	1200	71	D. Dacine
24	1500	73	Gomez
	1800	74	Gomez
	2100	74	Gomez
	2400	73	REBSoek

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	72	REBSoek
	0600	71	E. Hernandez
	0900	72	E. Hernandez
	1200	73	E. Hernandez
24	1500	75	D. Sewage
	1800	75	D. Sewage
	2100	75	D. Sewage
	2400	74	J. Barragan

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	73	J. Barragan
	0600	72	J. Barragan
	0900	70	E. Hernandez
	1200	72	E. Hernandez
24	1500	73	E. Jenkins Jr.
	1800	73	E. Jenkins Jr.
	2100	73	E. Jenkins Jr.
	2400	73	J. Barragan

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	73	J. Barragan
	0600	73	J. Barragan
	0900	71	A. Anaya
	1200	72	A. Anaya
24	1500	72	E. Jenkins Jr.
	1800	72	E. Jenkins Jr.
	2100	72	E. Jenkins Jr.
	2400	72	K. Selphy

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Saturday

Date	Time	Temp.	Name (Print)
	0300	73	J Boryan
6/8/24	0600	72	J Boryan
	0900	73	Kenard
	1200	73	Thornley
	1500	74	D Savage
	1800	74	D Savage
	2100	74	D Savage
	2400	73	Bryanna

Sunday
Tuesday

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	Bryanna
	0600	72	A. ANAYA
	0900	72	A. ANAYA
	1200	72	A. ANAYA
	1500	72	M. Corri
	1800	73	M. Corri
	2100	73	M.
	2400	72	T. LEBOCK

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/10/24</u>	0300	71	T LEBSOCK
	0600	71	D Dorraine
	0900	72	D Dorraine
	1200	72	D Dorraine
	1500	72	F Castro
	1800	73	F Castro
	2100	74	F Castro
	2400	72	T LEBSOCK

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	71	T LEBSOCK
	0600	71	D Dorraine
	0900	72	D Dorraine
	1200	72	D Dorraine
	1500	73	B. DUNCAN
	1800	74	B. DUNCAN
	2100	74	B. DUNCAN
	2400	72	T LEBSOCK

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12/24</u>	0300	71	T LEBSOCK
	0600	71	D Dorraine
	0900	71	D Dorraine
	1200	71	D Dorraine
	1500	72	I Gomez
	1800	72	I Gomez
	2100	72	I Gomez
	2400	72	T LEBSOCK

Thursday

Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	71	T LEBSOCK
	0600	71	D Dorraine
	0900	71	D Dorraine
	1200	72	D Dorraine
	1500	73	D Dorraine
	1800	73	D Dorraine
	2100	74	D Dorraine
	2400	73	T LEBSOCK

Friday

Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	71	T LEBSOCK
	0600	72	E Fernandez
	0900	73	E Fernandez
	1200	74	E Fernandez
	1500	75	J. Gonzalez
	1800	74	J. Gonzalez
	2100	75	J. Gonzalez
	2400	75	J. Barragan

Saturday

Date	Time	Temp.	Name (Print)
<u>6/15/24</u>	0300	74	J Barragan
	0600	74	J Barragan
	0900	74	E Hernandez
	1200	74	E Hernandez
	1500	75	B. DUNCAN
	1800	75	B. DUNCAN
	2100	75	B. DUNCAN
	2400	75	J. Barragan

Sunday

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	74	J. Barragan
	0600	74	J. Barragan
	0900	74	A. ANAYA
	1200	75	A. ANAYA
	1500	76	J. Christian
	1800	76	R. Garcia
	2100	76	R. Garcia
	2400	76	C. Conroy

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	73	Conley
	0600	73	D.Darame
	0900	74	D.Darame
	1200	74	D.Darame
	1500	74	J.Christian
	1800	74	J.Christian
	2100	74	J.Christian
	2400	73	ArCarron

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	TLEBSEK
	0600	72	D.Darame
	0900	73	D.Darame
	1200	73	D.Darame
	1500	74	P.Zarate
	1800	74	P.Zarate
	2100	74	P.Zarate
	2400	73	TLEBSEK

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	73	TLEBSEK
	0600	72	E.Hernandez
	0900	72	E.Hernandez
	1200	73	E.Hernandez
	1500	74	Maciel
	1800	75	Maciel
	2100	74	Maciel
	2400	74	J.BARRAGAN

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	75	J.BARRAGAN
	0600	74	J.BARRAGAN
	0900	74	S.Hanba
	1200	75	A.ANALAYA
	1500	75	J.Christian
	1800	75	J.Christian
	2100	74	J.Christian
	2400	74	TLEBSEK

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	R.Conway
	0600	72	D.Darame
	0900	73	D.Darame
	1200	73	D.Darame
	1500	74	F.EASCO
	1800	74	R.Zarate
	2100	74	R.Zarate
	2400	73	TLEBSEK

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	TLEBSEK
	0600	72	D.Darame
	0900	72	D.Darame
	1200	72	D.Darame
	1500	73	D.Darame
	1800	74	D.Darame
	2100	74	D.Darame
	2400	73	TLEBSEK

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	73	J.BARRAGAN
	0600	73	J.BARRAGAN
	0900	73	E.Hernandez
	1200	74	B.DUNCAN
	1500	75	B.DUNCAN
	1800	76	B.DUNCAN
	2100	74	B.DUNCAN
	2400	74	J.BARRAGAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	74	TLEBSEOK
6/24	0600	75	V.VILLACANA
6/24	0900	76	V.VILLACANA
6/24	1200	76	V.VILLACANA
6/24	1500	77	E.JENKINS JR.
6/24	1800	78	E.JENKINS JR.
6/24	2100	78	E.JENKINS JR.
6/24	2400	77	TLEBSEOK

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	77	TLEBSEOK
6/26	0600	76	D.Darame
6/26	0900	76	D.Darame
6/26	1200	76	D.Darame
6/26	1500	75	J.Infante
6/26	1800	75	J.Infante
6/26	2100	76	J.Infante
6/26	2400	75	TLEBSEOK

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	73	TLEBSEOK
6/28	0600	72	E.Hernandez
6/28	0900	73	E.Hernandez
6/28	1200	73	E.Hernandez
6/28	1500	72	E.JENKINS JR.
6/28	1800	72	E.JENKINS JR.
6/28	2100	74	E.JENKINS JR.
6/28	2400	72	J.BARRAGAN

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	74	J.BARRAGAN
6/30	0600	72	J.BARRAGAN
6/30	0900	73	A.ANAYA
6/30	1200	74	A.ANAYA
6/30	1500	74	E.JENKINS JR.
6/30	1800	74	E.JENKINS JR.
6/30	2100	76	E.JENKINS JR.
6/30	2400	74	W.GT,E

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	77	TLEBSEOK
6/25	0600	74	D.Darame
6/25	0900	76	D.Darame
6/25	1200	77	D.Darame
6/25	1500	77	E.JENKINS JR.
6/25	1800	78	E.JENKINS JR.
6/25	2100	78	E.JENKINS JR.
6/25	2400	77	TLEBSEOK

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	75	TLEBSEOK
6/27	0600	73	D.Darame
6/27	0900	73	D.Darame
6/27	1200	74	D.Darame
6/27	1500	74	D.Darame
6/27	1800	75	D.Darame
6/27	2100	75	D.Darame
6/27	2400	74	TLEBSEOK

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	71	J.BARRAGAN
6/29	0600	70	J.BARRAGAN
6/29	0900	71	C.Sanchez
6/29	1200	73	C.Sanchez
6/29	1500	74	E.JENKINS JR.
6/29	1800	74	E.JENKINS JR.
6/29	2100	74	E.JENKINS JR.
6/29	2400	74	J.BARRAGAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1st Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70	C. Pablo Mares
	0600	70	G. Palomares
	0900	70	J. Harrell
	1200	70	J. Harrell
	1500	70	L. Gaspard
	1800	70	L. Gaspard
	2100	69	L. Gaspard
	2400	68	L. Gaspard

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	68	L. Gaspard
	0600	68	L. Gaspard
	0900	70	O. Sepeda
	1200	69	O. Sepeda
	1500	71	L. Gaspard
	1800	70	L. Gaspard
	2100	69	L. Gaspard
	2400	70	L. Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	70	L. Gaspard
	0600	69	L. Gaspard
	0900	69	O. Sepeda
	1200	70	O. Sepeda
	1500	70	L. Gaspard
	1800	71	L. Gaspard
	2100	69	L. Gaspard
	2400	69	L. Gaspard

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	70	L. Gaspard
	0600	69	J. Harrell
	0900	69	O. Sepeda
	1200	69	O. Sepeda
	1500	70	L. Gaspard
	1800	70	L. Gaspard
	2100	69	L. Gaspard
	2400	69	B. Flores

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	69	L. Gaspard
	0600	69	L. Gaspard
	0900	69	C. Cordova
	1200	68	C. Cordova
	1500	69	C. Cordova
	1800	69	C. Cordova
	2100	69	C. Cordova
	2400	69	P. Morris

Saturday

Date	Time	Temp.	Name (Print)
6/01/2024	0300	69	G. Gregory R.
	0600	69	G. Gregory R.
	0900	70	O. Sepeda
	1200	69	O. Sepeda
	1500	70	L. Ward
	1800	69	L. Ward
	2100	69	L. Ward
	2400	69	L. Ward

Sunday

Date	Time	Temp.	Name (Print)
6/02/2024	0300	69	C. Cordova
	0600	70	C. Cordova
	0900	70	C. Cordova
	1200	69	C. Cordova
	1500	70	L. Gaspard
	1800	70	L. Gaspard
	2100	69	L. Gaspard
	2400	69	J. Amo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1st Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/03/2024	0300	69	J. Arez
	0600	69	J. Hora
	0900	70	Cordova
	1200	69	Cordova
	1500	70	Cordova
	1800	70	Cordova
	2100	69	Cordova
	2400	69	L. Gaspard

Tuesday

Date	Time	Temp.	Name (Print)
06/04/2024	0300	69	L. Gaspard
	0600	69	L. Gaspard
	0900	69	J. Hora
	1200	69	J. Hora
	1500	70	L. Gaspard
	1800	70	L. Gaspard
	2100	70	L. Gaspard
	2400	69	L. Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
06/05/2024	0300	69	L. Gaspard
	0600	69	L. Gaspard
	0900	70	O. Sepeda
	1200	69	O. Sepeda
	1500	70	G. Munoz
	1800	70	G. Munoz
	2100	70	G. Munoz
	2400	69	G. Munoz

Thursday

Date	Time	Temp.	Name (Print)
06/06/2024	0300	70	G. Munoz
	0600	70	G. Munoz
	0900	70	O. Sepeda
	1200	69	O. Sepeda
	1500	71	G. Munoz
	1800	70	G. Munoz
	2100	70	G. Munoz
	2400	69	G. Munoz

Friday

Date	Time	Temp.	Name (Print)
06/07/2024	0300	70	P. Flores
	0600	69	C. Wilson
	0900	69	C. Wilson
	1200	70	C. Wilson
	1500	70	C. Wilson
	1800	69	C. Wilson
	2100	70	C. Wilson
	2400	70	D. Ojeda

Saturday

Date	Time	Temp.	Name (Print)
06/08/2024	0300	69	A. JEDA
	0600	70	Cordova
	0900	70	Cordova
	1200	69	Cordova
	1500	69	L. WARD
	1800	70	L. WARD
	2100	70	L. WARD
	2400	69	C. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
06/09/2024	0300	70	C. Rodriguez
	0600	70	C. Rodriguez
	0900	70	Cordova
	1200	69	Cordova
	1500	69	L. Gaspard
	1800	70	L. Gaspard
	2100	69	L. Gaspard
	2400	70	V. Quiñonez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1st Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321/5576 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06	0300	70	V. QUIROZ
10	0600	70	J. QUIROZ
10	0900	70	Cordova
2024	1200	69	Cordova
	1500	70	Cordova
	1800	71	Cordova
	2100	69	Cordova
	2400	69	L. Gaspard

Tuesday

Date	Time	Temp.	Name (Print)
06	0300	69	L. Gaspard
11	0600	70	L. Gaspard
11	0900	69	O. Sepeda
2024	1200	69	O. Sepeda
	1500	69	L. Gaspard
	1800	71	L. Gaspard
	2100	70	L. Gaspard
	2400	70	L. Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
06	0300	70	L. Gaspard
12	0600	70	L. Gaspard
12	0900	70	O. Sepeda
2024	1200	69	O. Sepeda
	1500	70	Gonzalez
	1800	70	Gonzalez
	2100	70	Gonzalez
	2400	69	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
06	0300	69	Gonzalez
13	0600	70	Gonzalez
13	0900	70	O. Sepeda
2024	1200	69	O. Sepeda
	1500	70	Gonzalez
	1800	70	Gonzalez
	2100	71	Gonzalez
	2400	69	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
06	0300	69	Gonzalez
14	0600	69	Gonzalez
14	0900	70	O. Sepeda
2024	1200	70	O. Sepeda
	1500	70	C. Wilson
	1800	70	C. Wilson
	2100	71	C. Wilson
	2400	70	O. Sepeda, J.D.

Saturday

Date	Time	Temp.	Name (Print)
06	0300	69	D. SEDA, D.
15	0600	69	Landry Jr, H.
15	0900	70	Landry Jr, H.
2024	1200	69	Fatherer, A.
	1500	71	L. WARD
	1800	70	L. WARD
	2100	70	L. WARD
	2400	70	C. McHammond

Sunday

Date	Time	Temp.	Name (Print)
06	0300	70	C. McHammond
16	0600	69	J. Cordova
16	0900	69	Cordova
2024	1200	69	Cordova
	1500	69	V. Hardin
	1800	70	J. Hardin
	2100	70	J. Hardin
	2400	70	J. QUIROZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1ST Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06	0300	70	V. QUINONEZ
—	0600	70	J. CORDOVA
17	0900	69	CORDOVA
—	1200	68	CORDOVA
2024	1500	70	CORDOVA
—	1800	70	CORDOVA
2024	2100	69	CORDOVA
—	2400	69	A. MARCEL

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	70	GONZALEZ
—	0600	68	GONZALEZ
19	0900	68	O. SEPEDO
—	1200	68	O. SEPEDO
2024	1500	68	J. HORN
—	1800	68	J. HORN
2024	2100	68	J. HORN
—	2400	67	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
4	0300	70	GONZALEZ
—	0600	69	C. WILSON
21	0900	69	C. WILSON
—	1200	70	C. WILSON
2024	1500	69	C. WILSON
—	1800	69	WILSON
2024	2100	69	WILSON
—	2400	69	CORDOVA

Sunday

Date	Time	Temp.	Name (Print)
4	0300	70	C. RICHMOND
—	0600	70	CORDOVA
23	0900	71	CORDOVA
—	1200	69	CORDOVA
2024	1500	70	L. GASPARI
—	1800	69	L. GASPARI
2024	2100	69	L. GASPARI
—	2400	69	J. QUINONEZ

Tuesday

Date	Time	Temp.	Name (Print)
06	0300	69	A. MARCEL
—	0600	69	A. MARCEL
18	0900	69	O. SEPEDO
—	1200	68	O. SEPEDO
2024	1500	70	B. SWIFT
—	1800	68	B. SWIFT
2024	2100	68	B. SWIFT
—	2400	69	GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
6	0300	69	GONZALEZ
—	0600	69	GONZALEZ
20	0900	70	J. HORN
—	1200	70	J. HORN
2024	1500	69	GONZALEZ
—	1800	69	GONZALEZ
2024	2100	69	GONZALEZ
—	2400	68	GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
4	0300	69	CORDOVA
—	0600	69	CORDOVA
22	0900	69	CORDOVA
—	1200	69	CORDOVA
2024	1500	69	L. WARD
—	1800	70	L. WARD
2024	2100	70	L. WARD
—	2400	69	C. RICHMOND

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1ST Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4371/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/24/2024	0300	69	V. QUINONZ.
	0600	70	Cordova
	0900	69	Cordova
	1200	69	Cordova
	1500	69	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	69	GALVIZ

Tuesday

Date	Time	Temp.	Name (Print)
06/25/2024	0300	70	GALVIZ
	0600	70	GALVIZ
	0900	71	J. HGA Jr
	1200	70	J. HGA Jr
	1500	70	L. Gaspard
	1800	69	L. Gaspard
	2100	68	L. Gaspard
	2400	68	B. FLORES

Wednesday

Date	Time	Temp.	Name (Print)
06/26/2024	0300	67	B. FLORES
	0600	69	O. Sepeda
	0900	68	J. HGA Jr
	1200	69	J. HGA Jr
	1500	69	L. Gaspard
	1800	69	L. Gaspard
	2100	68	L. Gaspard
	2400	68	B. FLORES

Thursday

Date	Time	Temp.	Name (Print)
06/27/2024	0300	68	B. FLORES
	0600	68	O. Sepeda
	0900	69	O. Sepeda
	1200	69	O. Sepeda
	1500	68	L. Gaspard
	1800	68	L. Gaspard
	2100	69	L. Gaspard
	2400	69	Coaskill

Friday

Date	Time	Temp.	Name (Print)
06/28/2024	0300	68	B. FLORES Coaskill
	0600	68	O. Sepeda
	0900	68	O. Sepeda
	1200	67	O. Sepeda
	1500	69	C. Wilson
	1800	69	C. Wilson
	2100	69	C. Wilson
	2400	68	S. PORRAS

Saturday

Date	Time	Temp.	Name (Print)
06/29/2024	0300	67	J. PERRAS
	0600	68	Cordova
	0900	68	Cordova
	1200	68	Cordova
	1500	70	L. WARD
	1800	71	L. WARD
	2100	70	L. WARD
	2400	69	S. PORRAS

Sunday

Date	Time	Temp.	Name (Print)
06/30/2024	0300	68	S. PORRAS
	0600	67	Cordova
	0900	69	Cordova
	1200	69	Cordova
	1500	69	L. Gaspard
	1800	70	L. Gaspard
	2100	70	L. Gaspard
	2400	69	V. QUINONZ.

Notes