

## Monthly Summary Report

Institution: CHCF

### Memorandum

Date: 08/01/2024  
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CHCF July 2024

The following is a summary of the heat related activity for the month of JULY,  
at CHCF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 30

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: No

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

GENA JONES

Warden Name

DocuSigned by:

Gena Jones

27EF10BEF45A40E...

Warden Signature

8/1/2024

JOSEPH GARLAND

Chief Executive Officer Name

DocuSigned by:

joseph garland

CA151301B333471...

Chief Executive Officer Signature

8/2/2024

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

*CHOF*

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

*CENTRAL CONTROL*

Immediately notify the Watch Commander at extension (6407) when the air temperature reaches 90 degrees.

*4/24/21*

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
|      | 0100 | 71    | ANETA)       |
|      | 0200 | 69    | ANETA)       |
|      | 0300 | 68    | ANETA)       |
|      | 0400 | 66    | ANETA)       |
|      | 0500 | 64    | ANETA)       |
|      | 0600 | 66    | PORTER       |
|      | 0700 | 66    | PORTER       |
|      | 0800 | 72    | PORTER       |
|      | 0900 | 77    | PORTER       |
|      | 1000 | 82    | PORTER       |
|      | 1100 | 84    | PORTER       |
|      | 1200 | 92    | PORTER       |
|      | 1300 | 93    | PORTER       |
|      | 1400 | 96    | HER          |
|      | 1500 | 98    | HER          |
|      | 1600 | 97    | HER          |
|      | 1700 | 91    | HER          |
|      | 1800 | 95    | HER          |
|      | 1900 | 92    | HER          |
|      | 2000 | 86    | HER          |
|      | 2100 | 81    | HER          |
|      | 2200 | 78    | TEAM         |
|      | 2300 | 75    | TEAM         |
|      | 2400 | 73    | TEAM         |

*11/1 HEAT ALERT ACTIVATED*

*11/21*

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
|      | 0100 | 70    | TEAM         |
|      | 0200 | 68    | TEAM         |
|      | 0300 | 67    | TEAM         |
|      | 0400 | 65    | TEAM         |
|      | 0500 | 64    | TEAM         |
|      | 0600 | 64    | PORTER       |
|      | 0700 | 66    | PORTER       |
|      | 0800 | 69    | PORTER       |
|      | 0900 | 74    | PORTER       |
|      | 1000 | 81    | PORTER       |
|      | 1100 | 86    | PORTER       |
|      | 1200 | 91    | PORTER       |
|      | 1300 | 94    | PORTER       |
|      | 1400 | 99    | GARCIA       |
|      | 1500 | 100   | GARCIA       |
|      | 1600 | 101   | GARCIA       |
|      | 1700 | 101   | GARCIA       |
|      | 1800 | 99    | GARCIA       |
|      | 1900 | 97    | GARCIA       |
|      | 2000 | 93    | GARCIA       |
|      | 2100 | 86    | GARCIA       |
|      | 2200 | 80    | ANETA)       |
|      | 2300 | 80    | ANETA)       |
|      | 2400 | 77    | ANETA)       |

*11/21*

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

| Date   | Time | Temp. | Printed Name |
|--------|------|-------|--------------|
| 1/2/24 | 0100 | 75    | ALBERTAS     |
|        | 0200 | 74    | ALBERTAS     |
|        | 0300 | 72    | ALBERTAS     |
|        | 0400 | 71    | ALBERTAS     |
|        | 0500 | 70    | ALBERTAS     |
|        | 0600 | 71    | PONTER       |
|        | 0700 | 73    | PONTER       |
|        | 0800 | 77    | PONTER       |
|        | 0900 | 83    | PONTER       |
|        | 1000 | 88    | PONTER       |
|        | 1100 | 94    | PONTER       |
|        | 1200 | 98    | PONTER       |
|        | 1300 | 102   | PONTER       |
|        | 1400 | 104   | C. CASINO    |
|        | 1500 | 105   | C. CASINO    |
|        | 1600 | 105   | C. CASINO    |
|        | 1700 | 106   | C. CASINO    |
|        | 1800 | 107   | C. CASINO    |
|        | 1900 | 103   | C. CASINO    |
|        | 2000 | 97    | C. CASINO    |
|        | 2100 | 91    | C. CASINO    |
|        | 2200 | 87    | ALBERTAS     |
|        | 2300 | 85    | ALBERTAS     |
| 1/3/24 | 2400 | 81    | ALBERTAS     |

STAFF / HEAT PLAN ACTIVATED  
2/10/24

Heat Plan  
activated  
2/10/24

| Date   | Time | Temp. | Printed Name |
|--------|------|-------|--------------|
| 1/3/24 | 0100 | 80    | ALBERTAS     |
|        | 0200 | 78    | ALBERTAS     |
|        | 0300 | 76    | ALBERTAS     |
|        | 0400 | 75    | ALBERTAS     |
|        | 0500 | 73    | ALBERTAS     |
|        | 0600 | 70    | PONTER       |
|        | 0700 | 74    | PONTER       |
|        | 0800 | 79    | PONTER       |
|        | 0900 | 85    | PONTER       |
|        | 1000 | 90    | PONTER       |
|        | 1100 | 96    | PONTER       |
|        | 1200 | 100   | PONTER       |
|        | 1300 | 103   | PONTER       |
|        | 1400 | 103   | C. CASINO    |
|        | 1500 | 104   | C. CASINO    |
|        | 1600 | 104   | C. CASINO    |
|        | 1700 | 105   | C. CASINO    |
|        | 1800 | 105   | C. CASINO    |
|        | 1900 | 104   | C. CASINO    |
|        | 2000 | 99    | C. CASINO    |
|        | 2100 | 92    | C. CASINO    |
|        | 2200 | 89    | PINTER       |
|        | 2300 | 86    | PINTER       |
| 2/4/24 | 2400 | 83    | PINTER       |

2/2024  
1 HP DOWNTURN

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6867 when the air temperature reaches 90 degrees.

| Date   | Time | Temp. | Printed Name |
|--------|------|-------|--------------|
| 7/4/21 | 0100 | 80    | PINERA       |
|        | 0200 | 76    | PINERA       |
|        | 0300 | 73    | PINERA       |
|        | 0400 | 71    | PINERA       |
|        | 0500 | 70    | PINERA       |
|        | 0600 | 70    | PORTOL       |
|        | 0700 | 73    | PORTOL       |
|        | 0800 | 77    | PORTOL       |
|        | 0900 | 82    | PORTOL       |
|        | 1000 | 87    | PORTOL       |
|        | 1100 | 93    | PORTOL       |
|        | 1200 | 100   | PORTOL       |
|        | 1300 | 103   | PORTOL       |
|        | 1400 | 104   | C. CASINO    |
|        | 1500 | 105   | C. CASINO    |
|        | 1600 | 105   | C. CASINO    |
|        | 1700 | 105   | C. CASINO    |
|        | 1800 | 103   | C. CASINO    |
|        | 1900 | 102   | C. CASINO    |
|        | 2000 | 96    | C. CASINO    |
|        | 2100 | 90    | C. CASINO    |
|        | 2200 | 86    | C. CASINO    |
|        | 2300 | 82    | C. CASINO    |
|        | 2400 | 78    | C. CASINO    |

10:30 SHTG 6/1  
HEAT ALERT  
ACTIVATED

7/4/21

2020 HRS  
STAGE 2 DEPARTMENTED

| Date   | Time | Temp. | Printed Name |
|--------|------|-------|--------------|
| 7/5/21 | 0100 | 75    | C. CASINO    |
|        | 0200 | 72    | C. CASINO    |
|        | 0300 | 71    | C. CASINO    |
|        | 0400 | 69    | C. CASINO    |
|        | 0500 | 68    | C. CASINO    |
|        | 0600 | 66    | GARCIA       |
|        | 0700 | 68    | GARCIA       |
|        | 0800 | 73    | GARCIA       |
|        | 0900 | 79    | GARCIA       |
|        | 1000 | 85    | GARCIA       |
|        | 1100 | 90    | GARCIA       |
|        | 1200 | 97    | GARCIA       |
|        | 1300 | 102   | GARCIA       |
|        | 1400 | 103   | C. CASINO    |
|        | 1500 | 105   | C. CASINO    |
|        | 1600 | 105   | C. CASINO    |
|        | 1700 | 105   | C. CASINO    |
|        | 1800 | 106   | C. CASINO    |
|        | 1900 | 103   | C. CASINO    |
|        | 2000 | 97    | C. CASINO    |
|        | 2100 | 90    | C. CASINO    |
|        | 2200 | 89    | C. CASINO    |
|        | 2300 | 83    | C. CASINO    |
|        | 2400 | 80    | C. CASINO    |

10:55 Stage 1  
Activated

2020 HRS  
STAGE 2 DEPARTMENTED

INSTITUTION: California High Care Facility - Stockton

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension x6967 when the air temperature reaches 90 degrees.

| Date   | Time | Temp. | Printed Name |
|--------|------|-------|--------------|
| 7/6/24 | 0100 | 78    | C. CASINO    |
|        | 0200 | 75    | C. CASINO    |
|        | 0300 | 74    | C. CASINO    |
|        | 0400 | 72    | C. CASINO    |
|        | 0500 | 71    | C. CASINO    |
|        | 0600 | 71    | HER          |
|        | 0700 | 72    | HER          |
|        | 0800 | 75    | HER          |
|        | 0900 | 80    | HER          |
|        | 1000 | 84    | HER          |
|        | 1100 | 92    | HER          |
|        | 1200 | 97    | HER          |
|        | 1300 | 103   | HER          |
|        | 1400 | 110   | PIMENTA      |
|        | 1500 | 111   | PIMENTA      |
|        | 1600 | 113   | PIMENTA      |
|        | 1700 | 114   | PIMENTA      |
|        | 1800 | 112   | PIMENTA      |
|        | 1900 | 109   | PIMENTA      |
|        | 2000 | 106   | PIMENTA      |
|        | 2100 | 980   | PIMENTA      |
|        | 2200 | 89    | C. CASINO    |
|        | 2300 | 86    | C. CASINO    |
|        | 2400 | 84    | C. CASINO    |

1034 Heat Alert Activated



2200 Heat Alert Deactivated



| Date   | Time | Temp. | Printed Name |
|--------|------|-------|--------------|
| 7/7/24 | 0100 | 82    | C. CASINO    |
|        | 0200 | 79    | C. CASINO    |
|        | 0300 | 76    | C. CASINO    |
|        | 0400 | 75    | C. CASINO    |
|        | 0500 | 74    | C. CASINO    |
|        | 0600 | 70    | PORTER       |
|        | 0700 | 72    | PORTER       |
|        | 0800 | 75    | PORTER       |
|        | 0900 | 81    | PORTER       |
|        | 1000 | 88    | PORTER       |
|        | 1100 | 93    | PORTER       |
|        | 1200 | 99    | PORTER       |
|        | 1300 | 102   | PORTER       |
|        | 1400 | 106   | PORTER       |
|        | 1500 | 109   | PORTER       |
|        | 1600 | 110   | PORTER       |
|        | 1700 | 108   | PORTER       |
|        | 1800 | 105   | PORTER       |
|        | 1900 | 101   | PORTER       |
|        | 2000 | 95    | PORTER       |
|        | 2100 | 89    | PORTER       |
|        | 2200 | 82    | TEAM         |
|        | 2300 | 79    | TEAM         |
|        | 2400 | 77    | TEAM         |

2200  
Heat Alert  
Deactivated

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: \_\_\_\_\_

California Health Care Facility

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 10961 when the air temperature reaches 90 degrees.

| Date   | Time | Temp. | Printed Name |
|--------|------|-------|--------------|
| 7/8/24 | 0100 | 74    | TEAM         |
|        | 0200 | 71    | TEAM         |
|        | 0300 | 69    | TEAM         |
|        | 0400 | 67    | TEAM         |
|        | 0500 | 61    | TEAM         |
|        | 0600 | 64    | PORTER       |
|        | 0700 | 67    | PORTER       |
|        | 0800 | 70    | PORTER       |
|        | 0900 | 75    | PORTER       |
|        | 1000 | 80    | PORTER       |
|        | 1100 | 85    | PORTER       |
|        | 1200 | 91    | PORTER       |
|        | 1300 | 96    | PORTER       |
|        | 1400 | 100   | HER          |
|        | 1500 | 103   | HER          |
|        | 1600 | 105   | HER          |
|        | 1700 | 103   | HER          |
|        | 1800 | 101   | HER          |
|        | 1900 | 97    | HER          |
|        | 2000 | 91    | HER          |
|        | 2100 | 83    | HER          |
|        | 2200 | 79    | ARETAS       |
|        | 2300 | 76    | ARETAS       |
| 7/9/24 | 2300 | 75    | ARETAS       |

#2100 Heat deactivated

Stage 1 Heat Plan  
Activates @ 1145

| Date   | Time | Temp. | Printed Name |
|--------|------|-------|--------------|
| 7/9/24 | 0100 | 72    | ARETAS       |
|        | 0200 | 70    | ARETAS       |
|        | 0300 | 68    | ARETAS       |
|        | 0400 | 66    | ARETAS       |
|        | 0500 | 64    | ARETAS       |
|        | 0600 | 63    | PORTER       |
|        | 0700 | 65    | PORTER       |
|        | 0800 | 69    | PORTER       |
|        | 0900 | 73    | PORTER       |
|        | 1000 | 79    | PORTER       |
|        | 1100 | 85    | PORTER       |
|        | 1200 | 90    | PORTER       |
|        | 1300 | 94    | PORTER       |
|        | 1400 | 98    | Tarr         |
|        | 1500 | 100   | Tarr         |
|        | 1600 | 101   | Tarr         |
|        | 1700 | 100   | Tarr         |
|        | 1800 | 97    | Tarr         |
|        | 1900 | 94    | Tarr         |
|        | 2000 | 92    | Tarr         |
|        | 2100 | 89    | Tarr         |
|        | 2200 | 77    | PORTER       |
|        | 2300 | 73    | PORTER       |
|        | 2400 | 70    | PORTER       |

Stage 1 heat Alert  
Deactivated @ 1200

INSTITUTION:

CALIFORNIA HEALTH CARE Facility

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7/10/24 | 0100 | 68    | PORTER       |
|         | 0200 | 66    | PORTER       |
|         | 0300 | 65    | PORTER       |
|         | 0400 | 63    | PORTER       |
|         | 0500 | 61    | PORTER       |
|         | 0600 | 60    | PORTER       |
|         | 0700 | 63    | PORTER       |
|         | 0800 | 67    | PORTER       |
|         | 0900 | 71    | PORTER       |
|         | 1000 | 78    | PORTER       |
|         | 1100 | 85    | PORTER       |
|         | 1200 | 91    | PORTER       |
|         | 1300 | 97    | PORTER       |
|         | 1400 | 101   | Reed         |
|         | 1500 | 105   | Reed         |
|         | 1600 | 107   | Reed         |
|         | 1700 | 107   | Reed         |
|         | 1800 | 105   | Reed         |
|         | 1900 | 103   | Reed         |
|         | 2000 | 94    | Reed         |
|         | 2100 | 92    | Reed         |
|         | 2200 | 87    | PIMENT       |
|         | 2300 | 81    | PIMENTA      |
|         | 2400 | 78    | PIMENT       |

11:00 STAGE 1  
16:00 STAGE 2  
17:00 ACTIVATED  
18:00 STAGE 3  
19:00 ACTIVATED  
20:00 STAGE 4  
21:00 ACTIVATED  
22:00 STAGE 5  
23:00 ACTIVATED

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7/10/24 | 0100 | 76    | PIMENT       |
|         | 0200 | 74    | PIMENT       |
|         | 0300 | 72    | PIMENT       |
|         | 0400 | 70    | PIMENT       |
|         | 0500 | 69    | PIMENT       |
|         | 0600 | 68    | PORTER       |
|         | 0700 | 69    | PORTER       |
|         | 0800 | 76    | PORTER       |
|         | 0900 | 81    | PORTER       |
|         | 1000 | 88    | PORTER       |
|         | 1100 | 95    | PORTER       |
|         | 1200 | 100   | PORTER       |
|         | 1300 | 106   | PORTER       |
|         | 1400 | 110   | Tarr         |
|         | 1500 | 111   | Tarr         |
|         | 1600 | 112   | Tarr         |
|         | 1700 | 111   | Tarr         |
|         | 1800 | 109   | Tarr         |
|         | 1900 | 107   | Tarr         |
|         | 2000 | 101   | Tarr         |
|         | 2100 | 95    | Tarr         |
|         | 2200 | 90    | PIMENT       |
|         | 2300 | 87    | PIMENTA      |
|         | 2400 | 83    | PIMENT       |

10:20 STAGE 2  
11:00 ACTIVATED  
12:00 STAGE 3  
13:00 ACTIVATED  
14:00 STAGE 4  
15:00 ACTIVATED  
16:00 STAGE 5  
17:00 ACTIVATED  
18:00 STAGE 6  
19:00 ACTIVATED  
20:00 STAGE 7  
21:00 ACTIVATED  
22:00 STAGE 8  
23:00 ACTIVATED  
24:00 STAGE 9

I

INSTITUTION: CACF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL

CENTRAL

6967

when the air temperature reaches

90 degrees.

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7/13/24 | 0100 | 81    | PINERA       |
|         | 0200 | 78    | PINERA       |
|         | 0300 | 76    | PINERA       |
|         | 0400 | 74    | PINERA       |
|         | 0500 | 72    | PINERA       |
|         | 0600 | 70    | Reck         |
|         | 0700 | 72    | Reck         |
|         | 0800 | 78    | Reck         |
|         | 0900 | 84    | Reck         |
|         | 1000 | 89    | Reck         |
|         | 1100 | 95    | Reck         |
|         | 1200 | 101   | Reck         |
|         | 1300 | 108   | Reck         |
|         | 1400 | 108   | Tarr         |
|         | 1500 | 111   | Tarr         |
|         | 1600 | 110   | Tarr         |
|         | 1700 | 108   | Tarr         |
|         | 1800 | 103   | Tarr         |
|         | 1900 | 101   | Tarr         |
|         | 2000 | 95    | Tarr         |
|         | 2100 | 92    | Tarr         |
|         | 2200 | 87    | ARETAJ       |
|         | 2300 | 82    | ARETAJ       |
|         | 2400 | 81    | ARETAJ       |

Heat Alert  
activated  
at 100°

Heat  
alerted

7/13/24

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7/13/24 | 0100 | 79    | ARETAJ       |
|         | 0200 | 77    | ARETAJ       |
|         | 0300 | 76    | ARETAJ       |
|         | 0400 | 75    | ARETAJ       |
|         | 0500 | 71    | ARETAJ       |
|         | 0600 | 75°   | Womn         |
|         | 0700 | 78°   | Womn         |
|         | 0800 | 79°   | Womn         |
|         | 0900 | 86°   | Womn         |
|         | 1000 | 87°   | Womn         |
|         | 1100 | 89°   | Womn         |
|         | 1200 | 93    | Womn         |
|         | 1300 | 95    | Womn         |
|         | 1400 | 98    | 16661        |
|         | 1500 | 100   | Tarr         |
|         | 1600 | 99    | Tarr         |
|         | 1700 | 98    | Tarr         |
|         | 1800 | 95    | Tarr         |
|         | 1900 | 91    | Tarr         |
|         | 2000 | 87    | Tarr         |
|         | 2100 | 82    | Tarr         |
|         | 2200 | 71    | ARETAJ       |
|         | 2300 | 70    | ARETAJ       |
|         | 2400 | 69    | ARETAJ       |

Heat Alert Reactivated  
2:00 hrs  
L

7/14/24

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6067 when the air temperature reaches 90 degrees.

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7-14-24 | 0100 | 68    | AREAS        |
|         | 0200 | 66    | AREAS        |
|         | 0300 | 64    | AREAS        |
|         | 0400 | 63    | AREAS        |
|         | 0500 | 62    | AREAS        |
|         | 0600 | 65    | PORTER       |
|         | 0700 | 66    | PORTER       |
|         | 0800 | 68    | PORTER       |
|         | 0900 | 71    | PORTER       |
|         | 1000 | 75    | PORTER       |
|         | 1100 | 78    | PORTER       |
|         | 1200 | 85    | PORTER       |
|         | 1300 | 92    | PORTER       |
|         | 1400 | 93    | PORTER       |
|         | 1500 | 96    | PORTER       |
|         | 1600 | 97    | PORTER       |
|         | 1700 | 97    | PORTER       |
|         | 1800 | 95    | PORTER       |
|         | 1900 | 90    | PORTER       |
|         | 2000 | 84    | PORTER       |
|         | 2100 | 80    | PORTER       |
|         | 2200 | 74    | AREAS        |
|         | 2300 | 73    | AREAS        |
|         | 2400 | 71    | AREAS        |

12:45 SPTC 61  
Heat Plan  
Alert received!

Heat Plan  
Alert received!

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7-15-24 | 0100 | 69    | AREAS        |
|         | 0200 | 67    | AREAS        |
|         | 0300 | 66    | AREAS        |
|         | 0400 | 65    | AREAS        |
|         | 0500 | 63    | AREAS        |
|         | 0600 | 63    | AREAS        |
|         | 0700 | 63    | PORTER       |
|         | 0800 | 66    | PORTER       |
|         | 0900 | 68    | PORTER       |
|         | 1000 | 73    | PORTER       |
|         | 1100 | 78    | PORTER       |
|         | 1200 | 84    | PORTER       |
|         | 1300 | 89    | PORTER       |
|         | 1400 | 91    | Her          |
|         | 1500 | 92    | Her          |
|         | 1600 | 93    | Her          |
|         | 1700 | 91    | Her          |
|         | 1800 | 89    | Her          |
|         | 1900 | 84    | Her          |
|         | 2000 | 79    | Her          |
|         | 2100 | 74    | Her          |
|         | 2200 | 64    | AREAS        |
|         | 2300 | 68    | AREAS        |
|         | 2400 | 66    | AREAS        |

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CHCF

INSTITUTION: \_\_\_\_\_

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6007 when the air temperature reaches 90 degrees.

| Date                        | Time | Temp. | Printed Name |
|-----------------------------|------|-------|--------------|
| 7-17-24                     | 0100 | 65    | ALVARA       |
|                             | 0200 | 63    | ARETAS       |
|                             | 0300 | 62    | ARETAS       |
|                             | 0400 | 60    | ARETAS       |
|                             | 0500 | 59    | ARETAS       |
|                             | 0600 | 59    | PORTER       |
|                             | 0700 | 61    | PORTER       |
|                             | 0800 | 63    | PORTER       |
|                             | 0900 | 68    | PORTER       |
|                             | 1000 | 72    | PORTER       |
|                             | 1100 | 77    | PORTER       |
|                             | 1200 | 81    | PORTER       |
|                             | 1300 | 85    | PORTER       |
| 1455 hrs<br>STAFF ACTIVATED | 1400 | 89    | C. CASINO    |
| 1500 hrs<br>STAFF ACTIVATED | 1500 | 91    | C. CASINO    |
| 1830 hrs<br>STAFF ACTIVATED | 1600 | 90    | C. CASINO    |
|                             | 1700 | 89    | C. CASINO    |
|                             | 1800 | 87    | C. CASINO    |
|                             | 1900 | 83    | C. CASINO    |
|                             | 2000 | 78    | C. CASINO    |
|                             | 2100 | 73    | C. CASINO    |
|                             | 2200 | 66    | ARETAS       |
|                             | 2300 | 68    | ARETAS       |
| 0117-24                     | 2400 | 63    | ARETAS       |

| Date                        | Time | Temp. | Printed Name |
|-----------------------------|------|-------|--------------|
| 7-17-24                     | 0100 | 62    | ARETAS       |
|                             | 0200 | 60    | ARETAS       |
|                             | 0300 | 58    | ARETAS       |
|                             | 0400 | 57    | ARETAS       |
|                             | 0500 | 56    | ARETAS       |
|                             | 0600 | 54    | PORTER       |
|                             | 0700 | 51    | PORTER       |
|                             | 0800 | 61    | PORTER       |
|                             | 0900 | 65    | PORTER       |
|                             | 1000 | 71    | PORTER       |
|                             | 1100 | 71    | PORTER       |
|                             | 1200 | 83    | PORTER       |
|                             | 1300 | 87    | PORTER       |
| 1500 hrs<br>STAFF ACTIVATED | 1400 | 88    | C. CASINO    |
|                             | 1500 | 89    | C. CASINO    |
|                             | 1600 | 92    | C. CASINO    |
|                             | 1700 | 93    | C. CASINO    |
|                             | 1800 | 92    | C. CASINO    |
|                             | 1900 | 90    | C. CASINO    |
|                             | 2000 | 86    | C. CASINO    |
|                             | 2100 | 80    | C. CASINO    |
|                             | 2200 | 75    | C. CASINO    |
|                             | 2300 | 72    | C. CASINO    |
|                             | 2400 | 68    | C. CASINO    |

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

I

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension X6967 when the air temperature reaches 90 degrees.

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 1/18/24 | 0100 | 66    | C. CASINO    |
|         | 0200 | 64    | C. CASINO    |
|         | 0300 | 63    | C. CASINO    |
|         | 0400 | 62    | C. CASINO    |
|         | 0500 | 61    | C. CASINO    |
|         | 0600 | 60    | R. PORTER    |
|         | 0700 | 63    | R. PORTER    |
|         | 0800 | 67    | R. PORTER    |
|         | 0900 | 73    | R. PORTER    |
|         | 1000 | 79    | R. PORTER    |
|         | 1100 | 85    | R. PORTER    |
|         | 1200 | 91    | R. PORTER    |
|         | 1300 | 93    | R. PORTER    |
|         | 1400 | 95    | C. CASINO    |
|         | 1500 | 97    | C. CASINO    |
|         | 1600 | 99    | C. CASINO    |
|         | 1700 | 100   | C. CASINO    |
|         | 1800 | 99    | C. CASINO    |
|         | 1900 | 97    | C. CASINO    |
|         | 2000 | 92    | C. CASINO    |
|         | 2100 | 86    | C. CASINO    |
|         | 2200 | 81    | PIMENTA      |
|         | 2300 | 77    | PIMENTA      |
|         | 2400 | 74    | PIMENTA      |

11:50 STRIKE  
HEAT PLAN  
ACTIVATED

116.85 : Stage I  
REACHING

2/19/24

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 2/19/24 | 0100 | 72    | PIMENTA      |
|         | 0200 | 70    | PIMENTA      |
|         | 0300 | 68    | PIMENTA      |
|         | 0400 | 67    | PIMENTA      |
|         | 0500 | 65    | PIMENTA      |
|         | 0600 | 65    | ROCK         |
|         | 0700 | 67    | ROCK         |
|         | 0800 | 70    | ROCK         |
|         | 0900 | 70    | ROCK         |
|         | 1000 | 82    | ROCK         |
|         | 1100 | 88    | ROCK         |
|         | 1200 | 93    | ROCK         |
|         | 1300 | 96    | ROCK         |
|         | 1400 | 98    | ROCK         |
|         | 1500 | 99    | C. CASINO    |
|         | 1600 | 102   | C. CASINO    |
|         | 1700 | 103   | C. CASINO    |
|         | 1800 | 102   | C. CASINO    |
|         | 1900 | 106   | C. CASINO    |
|         | 2000 | 96    | C. CASINO    |
|         | 2100 | 88    | C. CASINO    |
|         | 2200 | 84    | ALTERA       |
|         | 2300 | 80    | ALTERA       |
|         | 2400 | 78    | ALTERA       |

Stage I  
REACHED  
1200

2/19/24 : Stage I  
REACHING

2/19/24

INSTITUTION:

*CHEC*

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

*CENTRAL CONTROL*

Immediately notify the Watch Commander at extension *(6967)* when the air temperature reaches 90 degrees.

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7-21-14 | 0100 | 70    | ALERTAS      |
|         | 0200 | 74    | ALERTAS      |
|         | 0300 | 72    | ALERTAS      |
|         | 0400 | 69    | ALERTAS      |
|         | 0500 | 66    | ALERTAS      |
|         | 0600 | 65    | D.English    |
|         | 0700 | 65    | D.English    |
|         | 0800 | 70    | D.English    |
|         | 0900 | 72    | D.English    |
|         | 1000 | 74    | D.English    |
|         | 1100 | 90    | D.English    |
|         | 1200 | 94°   | D.English    |
|         | 1300 | 100°  | D.English    |
|         | 1400 | 102   | PINTERA      |
|         | 1500 | 104   | PINTERA      |
|         | 1600 | 104   | PINTERA      |
|         | 1700 | 102   | PINTERA      |
|         | 1800 | 98    | PINTERA      |
|         | 1900 | 92    | PINTERA      |
|         | 2000 | 86    | PINTERA      |
|         | 2100 | 80    | PINTERA      |
|         | 2200 | 78    | W.Cut        |
|         | 2300 | 77    | No Gun       |
| 7-21-14 | 2400 | 75    | W.Cut        |

*2030 Heat Deactivation*

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7-21-14 | 0100 | 71    | ALERTAS      |
|         | 0200 | 69    | ALERTAS      |
|         | 0300 | 67    | ALERTAS      |
|         | 0400 | 65    | ALERTAS      |
|         | 0500 | 64    | ALERTAS      |
|         | 0600 | 63    | ALERTAS      |
|         | 0700 | 63    | ALERTAS      |
|         | 0800 | 61    | ALERTAS      |
|         | 0900 | 69    | ALERTAS      |
|         | 1000 | 74    | ALERTAS      |
|         | 1100 | 79    | ALERTAS      |
|         | 1200 | 83    | ALERTAS      |
|         | 1300 | 87    | ALERTAS      |
|         | 1400 | 90    | ALERTAS      |
|         | 1500 | 93    | OPTIZ        |
|         | 1600 | 95    | OPTIZ        |
|         | 1700 | 96    | OPTIZ        |
|         | 1800 | 94    | OPTIZ        |
|         | 1900 | 91    | OPTIZ        |
|         | 2000 | 84    | OPTIZ        |
|         | 2100 | 80    | OPTIZ        |
|         | 2200 | 75    | ALERTAS      |
|         | 2300 | 74    | ALERTAS      |
|         | 2400 | 72    | ALERTAS      |

*Stage 2 Heat Deactivation  
7-17-14*

*Stage 1 Heat Deactivation  
7-17-14*

INSTITUTION: \_\_\_\_\_

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: \_\_\_\_\_

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7-11-14 | 0100 | 70    | AREAS        |
|         | 0200 | 68    | AREAS        |
|         | 0300 | 66    | AREAS        |
|         | 0400 | 65    | AREAS        |
|         | 0500 | 63    | AREAS        |
|         | 0600 | 64    | Tarr         |
|         | 0700 | 68    | Tarr         |
|         | 0800 | 70    | Tarr         |
|         | 0900 | 74    | Tarr         |
|         | 1000 | 82    | Tarr         |
|         | 1100 | 85    | Tarr         |
|         | 1200 | 92    | Tarr         |
|         | 1300 | 96    | Tarr         |
|         | 1400 | 102   | Her          |
|         | 1500 | 103   | Her          |
|         | 1600 | 104   | Her          |
|         | 1700 | 105   | Her          |
|         | 1800 | 104   | Her          |
|         | 1900 | 101   | Her          |
|         | 2000 | 97    | Her          |
|         | 2100 | 92    | Her          |
|         | 2200 | 79    | AREAS        |
|         | 2300 | 79    | AREAS        |
|         | 2400 | 80    | AREAS        |

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7-12-14 | 0100 | 78    | AREAS        |
|         | 0200 | 75    | AREAS        |
|         | 0300 | 74    | AREAS        |
|         | 0400 | 72    | AREAS        |
|         | 0500 | 70    | AREAS        |
|         | 0600 | 70    | Tarr         |
|         | 0700 | 72    | Tarr         |
|         | 0800 | 80    | Tarr         |
|         | 0900 | 84    | Tarr         |
|         | 1000 | 90    | Tarr         |
|         | 1100 | 95    | Tarr         |
|         | 1200 | 101   | Tarr         |
|         | 1300 | 103   | Tarr         |
|         | 1400 | 108   | Tarr         |
|         | 1500 | 108   | Tarr         |
|         | 1600 | 108   | Tarr         |
|         | 1700 | 105   | Tarr         |
|         | 1800 | 103   | Tarr         |
|         | 1900 | 98    | Tarr         |
|         | 2000 | 95    | Tarr         |
|         | 2100 | 90    | Tarr         |
|         | 2200 | 88    | AREAS        |
|         | 2300 | 84    | AREAS        |
|         | 2400 | 82    | AREAS        |

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7/26/24 | 0100 | 80    | ARETAS       |
|         | 0200 | 79    | ARETAS       |
|         | 0300 | 76    | ARETAS       |
|         | 0400 | 75    | ARETAS       |
|         | 0500 | 73    | ARETAS       |
|         | 0600 | 74    | Tarr         |
|         | 0700 | 76    | Tarr         |
|         | 0800 | 80    | Tarr         |
|         | 0900 | 88    | Tarr         |
|         | 1000 | 90    | Tarr         |
|         | 1100 | 95    | Tarr         |
|         | 1200 | 102   | Tarr         |
|         | 1300 | 104   | C. CASINO    |
|         | 1400 | 103   | C. CASINO    |
|         | 1500 | 104   | C. CASINO    |
|         | 1600 | 105   | C. CASINO    |
|         | 1700 | 103   | C. CASINO    |
|         | 1800 | 101   | C. CASINO    |
|         | 1900 | 96    | C. CASINO    |
|         | 2000 | 92    | C. CASINO    |
|         | 2100 | 88    | C. CASINO    |
|         | 2200 | 84    | PIMEDA       |
|         | 2300 | 82    | PIMENTA      |
|         | 2400 | 80    | PIMENTA      |

Heat plan action

01030

2150 hrs : Stage 2  
Report to P.D.

105/24

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7/26/24 | 0100 | 78    | PIMEDA       |
|         | 0200 | 76    | PIMEDA       |
|         | 0300 | 75    | PIMENTA      |
|         | 0400 | 73    | PIMENTA      |
|         | 0500 | 71    | PIMENTA      |
|         | 0600 | 70    | Tarr         |
|         | 0700 | 72    | Tarr         |
|         | 0800 | 74    | Tarr         |
|         | 0900 | 82    | Tarr         |
|         | 1000 | 87    | Tarr         |
|         | 1100 | 90    | Tarr         |
|         | 1200 | 96    | Tarr         |
|         | 1300 | 98    | Tarr         |
|         | 1400 | 100   | C. CASINO    |
|         | 1500 | 101   | C. CASINO    |
|         | 1600 | 102   | C. CASINO    |
|         | 1700 | 102   | C. CASINO    |
|         | 1800 | 101   | C. CASINO    |
|         | 1900 | 98    | C. CASINO    |
|         | 2000 | 93    | C. CASINO    |
|         | 2100 | 90    | HUBER        |
|         | 2200 | 80    | PIMEDA       |
|         | 2300 | 76    | PIMENTA      |
|         | 2400 | 74    | PIMENTA      |

Stage 1 heat plan @ 100 hrs

2130 hrs  
action

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

| Date              | Time | Temp. | Printed Name |
|-------------------|------|-------|--------------|
| 7/26/24           | 0100 | 72    | PIMFOA       |
|                   | 0200 | 71    | PIMFOA       |
|                   | 0300 | 70    | PIMFOA       |
|                   | 0400 | 69    | PIMFOA       |
|                   | 0500 | 67    | PIMFOA       |
|                   | 0600 | 64    | 1h 66ard     |
|                   | 0700 | 69    | Huber        |
|                   | 0800 | 72    | 1h 66ard     |
|                   | 0900 | 78    | 1h 66ard     |
|                   | 1000 | 84    | 1h 66ard     |
| 10:55<br>achieved | 1100 | 91    | Huber        |
|                   | 1200 | 85    | 1h 66ard     |
|                   | 1300 | 99    | Huber        |
|                   | 1400 | 101   | 1h 66ard     |
|                   | 1500 | 99    | ANOFIZ       |
|                   | 1600 | 97    | ANOFIZ       |
|                   | 1700 | 95    | ANOFIZ       |
|                   | 1800 | 92    | ANOFIZ       |
|                   | 1900 | 86    | ANOFIZ       |
|                   | 2000 | 78    | ANOFIZ       |
|                   | 2100 | 73    | ANOFIZ       |
|                   | 2200 | 70    | ANOFIZ       |
|                   | 2300 | 68    | ANOFIZ       |
|                   | 2400 | 66    | ANOFIZ       |

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7/27/24 | 0100 | 64    | ANOFIZ       |
|         | 0200 | 62    | ANOFIZ       |
|         | 0300 | 61    | ANOFIZ       |
|         | 0400 | 59    | ANOFIZ       |
|         | 0500 | 59    | ANOFIZ       |
|         | 0600 | 57    | Her          |
|         | 0700 | 58    | Her          |
|         | 0800 | 62    | her          |
|         | 0900 | 65    | Her          |
|         | 1000 | 69    | Her          |
|         | 1100 | 74    | Her          |
|         | 1200 | 78    | Her          |
|         | 1300 | 80    | Her          |
|         | 1400 | 81    | Her          |
|         | 1500 | 82    | Her          |
|         | 1600 | 83    | Her          |
|         | 1700 | 81    | Her          |
|         | 1800 | 79    | Her          |
|         | 1900 | 75    | Her          |
|         | 2000 | 76    | Her          |
|         | 2100 | 69    | Her          |
|         | 2200 | 63    | Contreras    |
|         | 2300 | 60    | ANOFIZ       |
|         | 2400 | 59    | ANOFIZ       |

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7-24-14 | 0100 | 58    | AKETAS       |
|         | 0200 | 58    | AKETAS       |
|         | 0300 | 56    | AKETAS       |
|         | 0400 | 56    | AKETAS       |
|         | 0500 | 55    | AKETAS       |
|         | 0600 | 54    | Tarr         |
|         | 0700 | 56    | Tarr         |
|         | 0800 | 62    | Tarr         |
|         | 0900 | 65    | Tarr         |
|         | 1000 | 69    | Tarr         |
|         | 1100 | 73    | Tarr         |
|         | 1200 | 78    | Tarr         |
|         | 1300 | 82    | Tarr         |
|         | 1400 | 84    | AKETAS       |
|         | 1500 | 87    | AKETAS       |
|         | 1600 | 88    | AKETAS       |
|         | 1700 | 90    | AKETAS       |
|         | 1800 | 89    | AKETAS       |
|         | 1900 | 87    | AKETAS       |
|         | 2000 | 76    | AKETAS       |
|         | 2100 | 73    | AKETAS       |
|         | 2200 | 70    | AKETAS       |
|         | 2300 | 70    | AKETAS       |
|         | 2400 | 70    | AKETAS       |

Heat Plan  
activated  
1440  
1640  
1740  
1930

| Date    | Time | Temp. | Printed Name |
|---------|------|-------|--------------|
| 7-24-14 | 0100 | 69    | AKETAS       |
|         | 0200 | 66    | AKETAS       |
|         | 0300 | 64    | AKETAS       |
|         | 0400 | 62    | AKETAS       |
|         | 0500 | 61    | AKETAS       |
|         | 0600 | 60    | Delsale      |
|         | 0700 | 59    | Delsale      |
|         | 0800 | 63    | Delsale      |
|         | 0900 | 68    | Delsale      |
|         | 1000 | 71    | Delsale      |
|         | 1100 | 77    | Delsale      |
|         | 1200 | 81    | Delsale      |
|         | 1300 | 85    | Delsale      |
|         | 1400 | 89    | Hibbel       |
|         | 1500 | 90    | Hibbel       |
|         | 1600 | 91    | Hibbel       |
|         | 1700 | 92    | Hibbel       |
|         | 1800 | 87    | Hibbel       |
|         | 1900 | 82    | Hibbel       |
|         | 2000 | 78    | Hibbel       |
|         | 2100 | 72    | Hibbel       |
|         | 2200 | 69    | Hibbel       |
|         | 2300 | 67    | AKETAS       |
|         | 2400 | 65    | AKETAS       |

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: \_\_\_\_\_

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: \_\_\_\_\_

CENTRAL

CONTROL

Immediately notify the Watch Commander at extension 6907 when the air temperature reaches 90 degrees.

160-24

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
|      | 0100 | 64    | AREIAS       |
|      | 0200 | 62    | AREIAS       |
|      | 0300 | 61    | AREIAS       |
|      | 0400 | 60    | AREIAS       |
|      | 0500 | 59    | AUPA         |
|      | 0600 | 59    | PORTER       |
|      | 0700 | 60    | PORTER       |
|      | 0800 | 64    | PORTER       |
|      | 0900 | 69    | PORTER       |
|      | 1000 | 73    | PORTER       |
|      | 1100 | 79    | PORTER       |
|      | 1200 | 84    | PORTER       |
|      | 1300 | 87    | PORTER       |
|      | 1400 | 90    | PORTER       |
|      | 1500 | 92    | PORTER       |
|      | 1600 | 93    | PORTER       |
|      | 1700 | 92    | PORTER       |
|      | 1800 | 90    | PORTER       |
|      | 1900 | 86    | PORTER       |
|      | 2000 | 80    | PORTER       |
|      | 2100 | 76    | PORTER       |
|      | 2200 | 74    | HANES        |
|      | 2300 | 70    | HANES        |
|      | 2400 | 64    | AREIAS       |

STAGE 1 - Heat Alert  
ACTivated @ 1400  
ACTivated @ 1930

STAGE 1 Heat Alert ACTivated @ 1300

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
|      | 0100 | 61    | AREIAS       |
|      | 0200 | 64    | AREIAS       |
|      | 0300 | 62    | AREIAS       |
|      | 0400 | 61    | AREIAS       |
|      | 0500 | 60    | AREIAS       |
|      | 0600 | 60    | PORTER       |
|      | 0700 | 61    | PORTER       |
|      | 0800 | 65    | PORTER       |
|      | 0900 | 69    | PORTER       |
|      | 1000 | 75    | PORTER       |
|      | 1100 | 81    | PORTER       |
|      | 1200 | 85    | PORTER       |
|      | 1300 | 90    | PORTER       |
|      | 1400 | 94    | Tarr         |
|      | 1500 | 92    | Tarr         |
|      | 1600 | 95    | Tarr         |
|      | 1700 | 98    | Tarr         |
|      | 1800 | 92    | Tarr         |
|      | 1900 | 90    | Tarr         |
|      | 2000 | 85    | Tarr         |
|      | 2100 | 82    | Tarr         |
|      | 2200 | 78    | PINEA        |
|      | 2300 | 74    | PINEA        |
|      | 2400 | 71    | PINEA        |

Heat Plan Decades  
2nd Day 6-5  
8/10/24