

Institution: MCSP

**Memorandum**

Date: 9/4/2024  
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Mule Creek State Prison

The following is a summary of the heat related activity for the month of August 2024  
at MCSP  (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alert)?: Yes   
Number of days Stage I Alert Initiated: 27
2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No   
Number of days Stage II Alert Initiated: 0
3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No   
Number of days Stage III Alert Initiated: 0
4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness: 0  List these patients on the Heat Incident Log and include the patient's name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness; a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident Log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Patrick Covello

Warden Name

Warden Signature

W. David Smiley

Chief Executive Officer Name

Chief Executive Officer Signature

Date	Time	Temp.	Name (Print)	
Monday	0300	68.6	FRESENLIE	
0600	69.5	WOUNG		
0900	70.3	Sonja		
1200	70.4	Sonja		
1500	70.6	Sonja		
1800	70.6	Sonja		
2100	70.4	TOLLES		
2400	69.2	WOUNG		
Sunday	0300	69.5	WOUNG	
0600	68.6	FRESENLIE		
0900	70.3	Sonja		
1200	70.4	Sonja		
1500	70.6	Sonja		
1800	70.6	Sonja		
2100	70.4	TOLLES		
2400	69.2	WOUNG		
8/2/24	0300	68.8	FRESENLIE	
0600	69.5	WOUNG		
0900	70.1	Sonja		
1200	70.2	Sonja		
1500	70.6	Sonja		
1800	70.6	Sonja		
2100	70.4	CSTELLE		
2400	70.9	CSTELLE		
8/4/24	0300	69.5	WOUNG	
0600	68.6	FRESENLIE		
0900	70.3	Sonja		
1200	70.4	Sonja		
1500	70.6	Sonja		
1800	70.6	Sonja		
2100	70.4	CSTELLE		
2400	70.6	CSTELLE		

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note): Air-conditioned housing units will also be monitored when the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: MCIC Housing Unit: 16 Temp. Reading Location: 2ND TIER

Date: \_\_\_\_\_ Temp.: \_\_\_\_\_ Notes: \_\_\_\_\_

DEPARTMENT OF CORRECTIONS AND REHABILITATION STATE OF CALIFORNIA

Date	Time	Temp.	Name (Print)
Tuesday			
0300	0300	68.0	Fulmer
0600	0600	68.0	Fulmer
0900	0900	68.0	Fulmer
1200	1200	69.0	Chase
1500	1500	69.0	Chase
1800	1800	69.0	Chase
2100	2100	70.0	Chase
2400	2400	70.0	Chase
Wednesday			
0300	0300	68.0	Fulmer
0600	0600	68.0	Fulmer
0900	0900	68.0	Fulmer
1200	1200	69.0	Chase
1500	1500	69.0	Chase
1800	1800	69.0	Chase
2100	2100	70.0	Chase
2400	2400	70.0	Chase
Thursday			
0300	0300	69.0	Chase
0600	0600	69.0	Chase
0900	0900	69.0	Chase
1200	1200	69.0	Chase
1500	1500	69.0	Chase
1800	1800	69.0	Chase
2100	2100	70.0	Chase
2400	2400	70.0	Chase
Friday			
0300	0300	69.0	Chase
0600	0600	69.0	Chase
0900	0900	69.0	Chase
1200	1200	69.0	Chase
1500	1500	69.0	Chase
1800	1800	69.0	Chase
2100	2100	70.0	Chase
2400	2400	70.0	Chase
Saturday			
0300	0300	70.0	Warder
0600	0600	70.0	Warder
0900	0900	70.0	Warder
1200	1200	70.0	Warder
1500	1500	70.0	Warder
1800	1800	70.0	Warder
2100	2100	70.0	Warder
2400	2400	70.0	Warder
Sunday			
0300	0300	70.0	Warder
0600	0600	70.0	Warder
0900	0900	70.0	Warder
1200	1200	70.0	Warder
1500	1500	70.0	Warder
1800	1800	70.0	Warder
2100	2100	70.0	Warder
2400	2400	70.0	Warder

Date	Time	Temp.	Name (Print)
Monday			
0300	0300	69.0	Fulmer
0600	0600	68.0	Fulmer
0900	0900	68.0	Fulmer
1200	1200	69.0	Chase
1500	1500	69.0	Chase
1800	1800	69.0	Chase
2100	2100	70.0	Chase
2400	2400	70.0	Chase
Tuesday			
0300	0300	68.0	Fulmer
0600	0600	68.0	Fulmer
0900	0900	68.0	Fulmer
1200	1200	69.0	Chase
1500	1500	69.0	Chase
1800	1800	69.0	Chase
2100	2100	70.0	Chase
2400	2400	70.0	Chase
Wednesday			
0300	0300	68.0	Fulmer
0600	0600	68.0	Fulmer
0900	0900	68.0	Fulmer
1200	1200	69.0	Chase
1500	1500	69.0	Chase
1800	1800	69.0	Chase
2100	2100	70.0	Chase
2400	2400	70.0	Chase
Thursday			
0300	0300	68.0	Fulmer
0600	0600	68.0	Fulmer
0900	0900	68.0	Fulmer
1200	1200	69.0	Chase
1500	1500	69.0	Chase
1800	1800	69.0	Chase
2100	2100	70.0	Chase
2400	2400	70.0	Chase
Friday			
0300	0300	69.0	Fulmer
0600	0600	69.0	Fulmer
0900	0900	69.0	Fulmer
1200	1200	69.0	Chase
1500	1500	69.0	Chase
1800	1800	69.0	Chase
2100	2100	70.0	Chase
2400	2400	70.0	Chase
Saturday			
0300	0300	70.0	Warder
0600	0600	70.0	Warder
0900	0900	70.0	Warder
1200	1200	70.0	Warder
1500	1500	70.0	Warder
1800	1800	70.0	Warder
2100	2100	70.0	Warder
2400	2400	70.0	Warder
Sunday			
0300	0300	70.0	Warder
0600	0600	70.0	Warder
0900	0900	70.0	Warder
1200	1200	70.0	Warder
1500	1500	70.0	Warder
1800	1800	70.0	Warder
2100	2100	70.0	Warder
2400	2400	70.0	Warder

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored every three (3) hours, seven (7) days a week.) Using an accurate thermometer on the highest location in the housing unit when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: MCIC Housing Unit: 16 Temp. Reading Location: 2ND TIER

8/18/24

Date	Time	Temp.	Name (Print)
0600	70.4	70.4	K-Wallboard
0900	72.8	72.8	11. System
1200	72.8	72.8	11. System
1500	73.7	73.7	11. System
1800	73.7	73.7	11. System
2100	74.6	74.6	11. System
2400	74.6	74.6	11. System

8/16/24

Date	Time	Temp.	Name (Print)
0600	70.6	70.6	Soil
0900	71.8	71.8	Soil
1200	71.8	71.8	Soil
1500	71.2	71.2	Soil
1800	70.5	70.5	Soil
2100	70.5	70.5	Soil
2400	70.5	70.5	Soil

8/14/24

Date	Time	Temp.	Name (Print)
0600	70.6	70.6	Soil
0900	71.8	71.8	Soil
1200	71.8	71.8	Soil
1500	71.0	71.0	Soil
1800	70.6	70.6	Soil
2100	70.8	70.8	Soil
2400	69	69	Soil

8/12/24

Date	Time	Temp.	Name (Print)
0600	69	69	Soil
0900	71	71	Soil
1200	72	72	Soil
1500	72	72	Soil
1800	70.9	70.9	Soil
2100	70.8	70.8	Soil
2400	69.4	69.4	Soil

8/13/24

Date	Time	Temp.	Name (Print)
0600	69	69	Soil
0900	70	70	Soil
1200	70	70	Soil
1500	70	70	Soil
1800	70.8	70.8	Soil
2100	70.9	70.9	Soil
2400	69.4	69.4	Soil

Tuesday

Date	Time	Temp.	Name (Print)
0600	69	69	Soil
0900	70	70	Soil
1200	70	70	Soil
1500	70	70	Soil
1800	70.8	70.8	Soil
2100	70.9	70.9	Soil
2400	69.4	69.4	Soil

Wednesday

Date	Time	Temp.	Name (Print)
0600	70	70	CBLT
0900	70.9	70.9	CBLT
1200	71	71	CBLT
1500	71.8	71.8	CBLT
1800	72.4	72.4	CBLT
2100	72.8	72.8	CBLT
2400	69	69	CBLT

Thursday

Date	Time	Temp.	Name (Print)
0600	69	69	Soil
0900	70	70	Soil
1200	71	71	Soil
1500	72	72	Soil
1800	72.4	72.4	Soil
2100	72.8	72.8	Soil
2400	69	69	Soil

Friday

Date	Time	Temp.	Name (Print)
0600	70.6	70.6	Soil
0900	71.8	71.8	Soil
1200	71.8	71.8	Soil
1500	71.0	71.0	Soil
1800	70.6	70.6	Soil
2100	70.8	70.8	Soil
2400	69	69	Soil

Saturday

Date	Time	Temp.	Name (Print)
0600	70.6	70.6	Soil
0900	71.8	71.8	Soil
1200	71.8	71.8	Soil
1500	71.0	71.0	Soil
1800	70.6	70.6	Soil
2100	70.8	70.8	Soil
2400	69	69	Soil

Sunday

Date	Time	Temp.	Name (Print)
0600	70.5	70.5	K-Wallboard
0900	71.4	71.4	K-Wallboard
1200	72.3	72.3	K-Wallboard
1500	73.2	73.2	K-Wallboard
1800	74.1	74.1	K-Wallboard
2100	75	75	K-Wallboard
2400	76	76	K-Wallboard

immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st floor, 2nd floor, 3rd floor, etc.)

Institution: MCIC Housing Unit: 16 Temp. Reading Location: 2ND TIER

Using an accurate thermometer in all non-air-conditioned housing units where an inmate is monitored is mandatory.

(Note: Air-conditioned housing units will also be monitored every three (3) hours, seven (7) days a week.)

Using an accurate thermometer in all non-air-conditioned housing units where an inmate is monitored is mandatory.

(Note: Air-conditioned housing units will also be monitored every three (3) hours, seven (7) days a week.)

Date	Time	Temp.	Name (Print)	Notes
8/19/24	0300	70	Hallway	
8/19/24	0600	70	Hallway	
8/19/24	0900	69	Living Room	
8/19/24	1200	70	Living Room	
8/19/24	1500	70	Living Room	
8/19/24	1800	69	Living Room	
8/19/24	2100	69	Living Room	
8/19/24	2400	69	Living Room	
8/20/24	0300	69	Living Room	
8/20/24	0600	69	Living Room	
8/20/24	0900	69	Living Room	
8/20/24	1200	70	Living Room	
8/20/24	1500	70	Living Room	
8/20/24	1800	70	Living Room	
8/20/24	2100	70	Living Room	
8/20/24	2400	69	Living Room	
8/21/24	0300	69	Wardrobe	
8/21/24	0600	69	Wardrobe	
8/21/24	0900	70	Wardrobe	
8/21/24	1200	70	Wardrobe	
8/21/24	1500	70	Wardrobe	
8/21/24	1800	70	Wardrobe	
8/21/24	2100	70	Wardrobe	
8/21/24	2400	69	Wardrobe	
8/22/24	0300	69	Wardrobe	
8/22/24	0600	65	Sofia	
8/22/24	0900	65	Sofia	
8/22/24	1200	70	Sofia	
8/22/24	1500	70	Sofia	
8/22/24	1800	70	Sofia	
8/22/24	2100	69	Sofia	
8/22/24	2400	69	Sofia	
8/23/24	0300	69	Sofia	
8/23/24	0600	69	Sofia	
8/23/24	0900	70	Sofia	
8/23/24	1200	70	Sofia	
8/23/24	1500	70	Sofia	
8/23/24	1800	70	Sofia	
8/23/24	2100	69	Sofia	
8/23/24	2400	69	Sofia	
8/24/24	0300	69	L.A. Villaire	
8/24/24	0600	69	L.A. Villaire	
8/24/24	0900	70	L.A. Villaire	
8/24/24	1200	70	L.A. Villaire	
8/24/24	1500	70	L.A. Villaire	
8/24/24	1800	70	L.A. Villaire	
8/24/24	2100	69	L.A. Villaire	
8/24/24	2400	69	L.A. Villaire	
8/25/24	0300	69	K. Edwards	
8/25/24	0600	69	K. Edwards	
8/25/24	0900	70	K. Edwards	
8/25/24	1200	70	K. Edwards	
8/25/24	1500	70	K. Edwards	
8/25/24	1800	70	K. Edwards	
8/25/24	2100	69	K. Edwards	
8/25/24	2400	69	K. Edwards	

Inmediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st floor, 2nd floor, 3rd floor, etc.)

Institution: MCIC Housing Unit: 16 Temp. Reading Location: 2nd TIER

Using an accurate thermometer in the highest unit in the housing unit the heat risk list may be housed. Using an accurate thermometer in the highest unit where an inmate is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housed units will also be monitored when the heat risk list may be housed.

Ambient air temperature in all non-air-conditioned housed units where an inmate is housed. From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

Using an accurate thermometer in all non-air-conditioned housed units where an inmate is housed. (Note: Air-conditioned housed units will also be monitored when the heat risk list may be housed.)

Using an accurate thermometer in all non-air-conditioned housed units where an inmate is housed. (Note: Air-conditioned housed units will also be monitored when the heat risk list may be housed.)

Date	Time	Temp.	Name (Print)	
Monday	70	House	MICC	Tuesday
8/26/24	0300	70	Faulkner	Temp. Reading Location: 2ND TIER
8/26/24	0600	70	Cold Air Return	Institution: MCCR Housing Unit: 16
8/26/24	0900	70	Cold Air Return	Using an accurate thermometer on the highest unit in the housing unit (e.g., top tier) where an inmate is housed.
8/26/24	1200	70	Cold Air Return	Using a risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.
8/26/24	1500	70	Cold Air Return	(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.)
8/26/24	1800	70	Cold Air Return	Amidst heat, all four-air-conditioned housing units where an inmate is housed.
8/26/24	2100	70	Cold Air Return	Using an accurate thermometer on the highest unit in the housing unit (e.g., top tier) where an inmate is housed.
8/26/24	2400	70	Cold Air Return	Using a risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.
Wednesday	69	House		
8/28/24	0300	69	House	
8/28/24	0600	69	House	
8/28/24	0900	69	Sonia	
8/28/24	1200	70	Sonia	
8/28/24	1500	70	Sonia	
8/28/24	1800	70	Hector	
8/28/24	2100	70	Hector	
8/28/24	2400	70	Wong	
Friday	69	House		
8/30/24	0300	69	House	
8/30/24	0600	69	Sonia	
8/30/24	0900	69	Sonia	
8/30/24	1200	70	Sonia	
8/30/24	1500	70	Sonia	
8/30/24	1800	70	Leanne	
8/30/24	2100	70	Leanne	
8/30/24	2400	70	Cee	
Saturday	69	House		
8/31/24	0300	69	K-Hibbert	
8/31/24	0600	69	K-Hibbert	
8/31/24	0900	69	Travis	
8/31/24	1200	70	Travis	
8/31/24	1500	70	Travis	
8/31/24	1800	70	Travis	
8/31/24	2100	70	Travis	
8/31/24	2400	70	K-Hibbert	
Sunday	69	House		
8/31/24	0300	69	K-Hibbert	
8/31/24	0600	69	Sonia	
8/31/24	0900	69	Sonia	
8/31/24	1200	70	Sonia	
8/31/24	1500	70	Sonia	
8/31/24	1800	70	Sonia	
8/31/24	2100	70	Sonia	
8/31/24	2400	70	K-Hibbert	

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

90 degrees and again at 95 degrees.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

8/1/24

Sunday

2400	68.6	68.6
2100	68.6	68.6
1800	68.3	68.3
1500	68.7	68.7
1200	68.3	68.3
0900	68.3	68.3
0600	68.6	68.6
0300	68.6	68.6
Date	Time	Name (Print)

8/2/24

Friday

2400	68.6	68.6
2100	68.8	SWIMMING
1800	68.8	SWIMMING
1500	69.3	SWIMMING
1200	69.3	SACAY
0900	69.4	SACAY
0600	69.6	CAR
0300	69.6	CAR
Date	Time	Name (Print)

Notes

8/3/24

Saturday

2400	68.9	68.9
2100	68.6	68.6
1800	68.3	68.3
1500	68.4	68.4
1200	68.6	68.6
0900	68.8	CAR
0600	69.1	CAR
0300	69.6	HEAT
Date	Time	Name (Print)

2400	69.1	CAR
2100	68.5	CAR
1800	68.6	CAR
1500	69.3	CAR
1200	69.3	CAR
0900	69.2	HEAT
0600	70	HEAT
0300	70	HEAT
Date	Time	Name (Print)

8/1/24

Thursday

2400		
2100		
1800		
1500		
1200		
0900		
0600		
0300		
Date	Time	Name (Print)

Wednesday

2400		
2100		
1800		
1500		
1200		
0900		
0600		
0300		
Date	Time	Name (Print)

Tuesday

2400		
2100		
1800		
1500		
1200		
0900		
0600		
0300		
Date	Time	Name (Print)

Monday

Using an accurate thermometer on the highest location in the housing unit where an inmate is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate is housed.

Using an accurate thermometer in all non-air-conditioned housing units where an inmate is housed.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)	Notes
8/11/24	0300	68.3	CHELLE	of 3
8/11/24	0600	68.6	CHELLE	of 6
8/11/24	0900	68.4	CHELLE	LAST
8/11/24	1200	68.7	CHELLE	of 7
8/11/24	1500	68.4	CHELLE	of 4
8/11/24	1800	68.3	CHELLE	of 3
8/11/24	2100	68.3	CHELLE	of 3
8/11/24	2400	68.2	CHELLE	of 2
Sunday				
8/12/24	0300	68.3	Heu	
8/12/24	0600	68.3	AUNSER	
8/12/24	0900	68.3	DICLAWIS	
8/12/24	1200	68.3	DICLAWIS	
8/12/24	1500	68.0	SACAY	
8/12/24	1800	68.0	SACAY	
8/12/24	2100	68.7	SACAY	
8/12/24	2400	68.3	SACAY	
Friday				
8/13/24	0300	68.3	SACAY	
8/13/24	0600	68.3	SACAY	
8/13/24	0900	68.3	SACAY	
8/13/24	1200	68.3	SACAY	
8/13/24	1500	68.0	SACAY	
8/13/24	1800	68.0	SACAY	
8/13/24	2100	68.0	SACAY	
8/13/24	2400	68.3	SACAY	
Wednesday				
8/14/24	0300	68.0	CHEEUC	
8/14/24	0600	68.0	CHEEUC	
8/14/24	0900	68.0	CHEEUC	
8/14/24	1200	68.4	SACAY	
8/14/24	1500	68.3	SACAY	
8/14/24	1800	68.3	SACAY	
8/14/24	2100	68.0	SACAY	
8/14/24	2400	68.3	SACAY	
Tuesday				
8/15/24	0300	68.4	CAD	
8/15/24	0600	68.4	CAD	
8/15/24	0900	68.4	SACAY	
8/15/24	1200	68.8	SACAY	
8/15/24	1500	68.7	SACAY	
8/15/24	1800	68.3	SACAY	
8/15/24	2100	68.0	SACAY	
8/15/24	2400	68.0	CAD	
Monday				
8/16/24	0300	68	RO35E	
8/16/24	0600	68	CAD	
8/16/24	0900	68	THURS	
8/16/24	1200	68	THURS	
8/16/24	1500	68.3	AUNSER	
8/16/24	1800	68.0	DUREH	
8/16/24	2100	68.0	DUREH	
8/16/24	2400	68.3	CAD	
Thursday				
8/17/24	0300	68.0	CAD	
8/17/24	0600	68.0	CAD	
8/17/24	0900	68.2	SACAY	
8/17/24	1200	68.4	SACAY	
8/17/24	1500	68.3	SACAY	
8/17/24	1800	68.0	SACAY	
8/17/24	2100	68.0	SACAY	
8/17/24	2400	68.0	CAD	
Saturday				
8/18/24	0300	68.1	SACAY	
8/18/24	0600	68.1	SACAY	
8/18/24	0900	68.4	SACAY	
8/18/24	1200	68.7	SACAY	
8/18/24	1500	68.7	SACAY	
8/18/24	1800	68.9	SACAY	
8/18/24	2100	68.9	SACAY	
8/18/24	2400	68.7	SACAY	
Sunday				
8/19/24	0300	68.7	HEU	
8/19/24	0600	68.7	HEU	
8/19/24	0900	68.5	SACAY	
8/19/24	1200	69.0	SACAY	
8/19/24	1500	68.8	SACAY	
8/19/24	1800	67.9	SACAY	
8/19/24	2100	67.9	SACAY	
8/19/24	2400	68.3	HEU	

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate is housed.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Institution: MJC Housing Unit: 17 Temp. Reading Location: 2ND TIER

Date	Temp.	Time	Name (Print)
<b>Tuesday</b>			
8/12/24	68.3	0300	MCIC
0600	68.3	0600	Quarantine
0900	68.3	0900	Quarantine
1200	68.3	1200	Quarantine
1500	68.3	1500	Quarantine
1800	68.3	1800	Quarantine
2100	68.3	2100	Quarantine
2400	68.3	2400	Quarantine
<b>Wednesday</b>			
8/13/24	68.3	0300	MCIC
0600	68.3	0600	Quarantine
0900	68.3	0900	Quarantine
1200	68.3	1200	Quarantine
1500	68.3	1500	Quarantine
1800	68.3	1800	Quarantine
2100	68.3	2100	Quarantine
2400	68.3	2400	Quarantine
<b>Thursday</b>			
8/14/24	68.3	0300	MCIC
0600	68.3	0600	Quarantine
0900	68.3	0900	Quarantine
1200	68.3	1200	Quarantine
1500	68.3	1500	Quarantine
1800	68.3	1800	Quarantine
2100	68.3	2100	Quarantine
2400	68.3	2400	Quarantine
<b>Friday</b>			
8/15/24	68.3	0300	MCIC
0600	68.3	0600	Quarantine
0900	68.3	0900	Quarantine
1200	68.3	1200	Quarantine
1500	68.3	1500	Quarantine
1800	68.3	1800	Quarantine
2100	68.3	2100	Quarantine
2400	68.3	2400	Quarantine
<b>Saturday</b>			
8/16/24	68.3	0300	MCIC
0600	68.3	0600	Quarantine
0900	68.3	0900	Quarantine
1200	68.3	1200	Quarantine
1500	68.3	1500	Quarantine
1800	68.3	1800	Quarantine
2100	68.3	2100	Quarantine
2400	68.3	2400	Quarantine
<b>Sunday</b>			
8/17/24	68.3	0300	MCIC
0600	68.3	0600	Quarantine
0900	68.3	0900	Quarantine
1200	68.3	1200	Quarantine
1500	68.3	1500	Quarantine
1800	68.3	1800	Quarantine
2100	68.3	2100	Quarantine
2400	68.3	2400	Quarantine
<b>Notes</b>			
All units are at 95 degrees. Quarantine is in effect.			

Date	Temp.	Time	Name (Print)
<b>Monday</b>			
8/18/24	69.3	0300	MCIC
0600	69.3	0600	Quarantine
0900	69.3	0900	Quarantine
1200	69.3	1200	Quarantine
1500	69.3	1500	Quarantine
1800	69.3	1800	Quarantine
2100	69.3	2100	Quarantine
2400	69.3	2400	Quarantine
<b>Tuesday</b>			
8/19/24	69.3	0300	MCIC
0600	69.3	0600	Quarantine
0900	69.3	0900	Quarantine
1200	69.3	1200	Quarantine
1500	69.3	1500	Quarantine
1800	69.3	1800	Quarantine
2100	69.3	2100	Quarantine
2400	69.3	2400	Quarantine
<b>Wednesday</b>			
8/20/24	69.3	0300	MCIC
0600	69.3	0600	Quarantine
0900	69.3	0900	Quarantine
1200	69.3	1200	Quarantine
1500	69.3	1500	Quarantine
1800	69.3	1800	Quarantine
2100	69.3	2100	Quarantine
2400	69.3	2400	Quarantine
<b>Thursday</b>			
8/21/24	69.3	0300	MCIC
0600	69.3	0600	Quarantine
0900	69.3	0900	Quarantine
1200	69.3	1200	Quarantine
1500	69.3	1500	Quarantine
1800	69.3	1800	Quarantine
2100	69.3	2100	Quarantine
2400	69.3	2400	Quarantine
<b>Friday</b>			
8/22/24	69.3	0300	MCIC
0600	69.3	0600	Quarantine
0900	69.3	0900	Quarantine
1200	69.3	1200	Quarantine
1500	69.3	1500	Quarantine
1800	69.3	1800	Quarantine
2100	69.3	2100	Quarantine
2400	69.3	2400	Quarantine
<b>Saturday</b>			
8/23/24	69.3	0300	MCIC
0600	69.3	0600	Quarantine
0900	69.3	0900	Quarantine
1200	69.3	1200	Quarantine
1500	69.3	1500	Quarantine
1800	69.3	1800	Quarantine
2100	69.3	2100	Quarantine
2400	69.3	2400	Quarantine
<b>Sunday</b>			
8/24/24	69.3	0300	MCIC
0600	69.3	0600	Quarantine
0900	69.3	0900	Quarantine
1200	69.3	1200	Quarantine
1500	69.3	1500	Quarantine
1800	69.3	1800	Quarantine
2100	69.3	2100	Quarantine
2400	69.3	2400	Quarantine

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Using an accurate thermometer in the highest location in the housing unit (e.g., top tier, 3rd tier, etc.) immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: MCIC Housing Unit: 17 Temp. Reading Location: 2ND TIER

immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Date	Time	Temp.	Name (Print)	Notes
8/20/24	0300	68.7	MONDAY	
8/20/24	0600	68.7	TUESDAY	
8/20/24	0900	68.4	L. ALLEN	
8/20/24	0600	68.4	L. ALLEN	
8/20/24	0900	69.0	C. SMITH	
8/20/24	0600	69.5	C. SMITH	
8/20/24	0900	69.9	C. SMITH	
8/20/24	1200	70.4	C. SMITH	
8/20/24	1500	70.8	C. SMITH	
8/20/24	1800	70.3	D. CLARKS	
8/20/24	2100	70.3	D. CLARKS	
8/20/24	2400	70.4	D. CLARKS	
8/21/24	0300	69.5	C. SMITH	
8/21/24	0600	69.4	C. SMITH	
8/21/24	0900	70.4	C. SMITH	
8/21/24	1200	70.4	C. SMITH	
8/21/24	1500	70.8	C. SMITH	
8/21/24	1800	70.3	D. CLARKS	
8/21/24	2100	70.3	D. CLARKS	
8/21/24	2400	70.4	D. CLARKS	
8/22/24	0300	69.5	C. SMITH	
8/22/24	0600	69.4	C. SMITH	
8/22/24	0900	70.4	C. SMITH	
8/22/24	1200	70.4	C. SMITH	
8/22/24	1500	70.8	C. SMITH	
8/22/24	1800	70.3	D. CLARKS	
8/22/24	2100	70.3	D. CLARKS	
8/22/24	2400	70.4	D. CLARKS	
8/23/24	0300	69.5	MONDAY	
8/23/24	0600	69.4	TUESDAY	
8/23/24	0900	70.4	C. SMITH	
8/23/24	1200	70.4	C. SMITH	
8/23/24	1500	70.8	C. SMITH	
8/23/24	1800	70.3	D. CLARKS	
8/23/24	2100	70.3	D. CLARKS	
8/23/24	2400	70.4	D. CLARKS	
8/24/24	0300	69.5	MONDAY	
8/24/24	0600	69.4	TUESDAY	
8/24/24	0900	70.4	C. SMITH	
8/24/24	1200	70.4	C. SMITH	
8/24/24	1500	70.8	C. SMITH	
8/24/24	1800	70.3	D. CLARKS	
8/24/24	2100	70.3	D. CLARKS	
8/24/24	2400	70.4	D. CLARKS	
8/25/24	0300	69.5	MONDAY	
8/25/24	0600	69.4	TUESDAY	
8/25/24	0900	70.4	C. SMITH	
8/25/24	1200	70.4	C. SMITH	
8/25/24	1500	70.8	C. SMITH	
8/25/24	1800	70.3	D. CLARKS	
8/25/24	2100	70.3	D. CLARKS	
8/25/24	2400	70.4	D. CLARKS	

Date	Time	Temp.	Name (Print)	Notes
MONDAY	0600	68.7	MONDAY	
MONDAY	0900	69.1	TUESDAY	
MONDAY	1200	69.1	TUESDAY	
MONDAY	1500	69.2	THURSDAY	
MONDAY	1800	68.7	D. DIAZ	
MONDAY	2100	68.7	D. DIAZ	
MONDAY	2400	68.7	D. DIAZ	
TUESDAY	0600	68.7	C. SMITH	
TUESDAY	0900	68.4	C. SMITH	
TUESDAY	1200	68.4	C. SMITH	
TUESDAY	1500	68.2	L. ALLEN	
TUESDAY	1800	68.0	L. ALLEN	
TUESDAY	2100	68.0	L. ALLEN	
TUESDAY	2400	68.9	L. ALLEN	
WEDNESDAY	0600	68.7	C. SMITH	
WEDNESDAY	0900	69.0	C. SMITH	
WEDNESDAY	1200	69.1	THURSDAY	
WEDNESDAY	1500	69.2	THURSDAY	
WEDNESDAY	1800	68.7	D. DIAZ	
WEDNESDAY	2100	68.7	D. DIAZ	
WEDNESDAY	2400	68.7	D. DIAZ	
THURSDAY	0600	68.7	C. SMITH	
THURSDAY	0900	68.4	C. SMITH	
THURSDAY	1200	68.4	C. SMITH	
THURSDAY	1500	68.2	L. ALLEN	
THURSDAY	1800	68.0	L. ALLEN	
THURSDAY	2100	68.0	L. ALLEN	
THURSDAY	2400	68.9	L. ALLEN	
FRIDAY	0600	68.8	C. SMITH	
FRIDAY	0900	71.1	C. SMITH	
FRIDAY	1200	70.3	C. SMITH	
FRIDAY	1500	70.3	C. SMITH	
FRIDAY	1800	70.7	D. DIAZ	
FRIDAY	2100	70.7	D. DIAZ	
FRIDAY	2400	70.7	D. DIAZ	
SATURDAY	0600	70.3	HEU	
SATURDAY	0900	70.4	HEU	
SATURDAY	1200	70.5	HEU	
SATURDAY	1500	70.7	HEU	
SATURDAY	1800	70.7	HEU	
SATURDAY	2100	70.7	HEU	
SATURDAY	2400	70.7	HEU	
SUNDAY	0600	70.5	HEU	
SUNDAY	0900	70.6	HEU	
SUNDAY	1200	70.6	HEU	
SUNDAY	1500	70.7	HEU	
SUNDAY	1800	70.7	HEU	
SUNDAY	2100	70.7	HEU	
SUNDAY	2400	70.7	HEU	
8/25/24	0300	69.3	MONDAY	
8/25/24	0600	69.4	TUESDAY	
8/25/24	0900	70.5	C. SMITH	
8/25/24	1200	70.5	C. SMITH	
8/25/24	1500	70.7	C. SMITH	
8/25/24	1800	70.7	D. DIAZ	
8/25/24	2100	70.7	D. DIAZ	
8/25/24	2400	70.7	D. DIAZ	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature units in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Using an accurate thermometer on the highest unit in the housing unit where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

Date	Time	Temp.	Name (Print)	Notes
8/26/24	70.3	C. HEZAWIC		
0300	70.0	RULZ		
0600	70.5	THURMAN		
0900	70.2	SMITH, J.W.		
0600	70.5	GILLIS		
0300	70.5	SIMPSON, J.W.		
0600	70.5	GILLIS		
0900	70.7	SIMPSON, J.W.		
0600	70.5	GILLIS		
0300	70.5	C. HEZAWIC		
8/27/24	70.3			
0300	70.5	DURANT		
0600	70.2	THURMAN		
0900	70.5	SMITH, J.W.		
0600	70.5	DURANT		
0300	70.5	C. HEZAWIC		
8/28/24	70.4			
0300	70.2	DURANT		
0600	70.5	THURMAN		
0900	70.5	SMITH, J.W.		
0600	70.5	DURANT		
0300	70.5	C. HEZAWIC		
8/29/24	70.2			
0300	70.5	DURANT		
0600	70.2	THURMAN		
0900	70.5	SMITH, J.W.		
0600	70.5	DURANT		
0300	70.5	C. HEZAWIC		
8/30/24	70.0			
0300	70.0	DURANT		
0600	70.2	THURMAN		
0900	70.8	HUNTING		
0600	70.0	HEZAWIC		
0300	70.2	DURANT		
8/31/24	70.1			
0300	70.0	DURANT		
0600	70.2	THURMAN		
0900	70.5	SMITH, J.W.		
0600	70.5	DURANT		
0300	70.5	C. HEZAWIC		

Date	Time	Temp.	Name (Print)	Sunday
8/26/24	70.0	DURANT		2400 1400
0300	70.0	DURANT		2100 1800
0600	70.2	THURMAN		1500 1200
0900	70.8	HUNTING		0900 0600
0600	70.0	HEZAWIC		0300 0000
0300	70.2	DURANT		70.0 1400
8/27/24	70.1			2100 1800
0300	70.0	DURANT		1500 1200
0600	70.2	THURMAN		0900 0600
0900	70.5	SMITH, J.W.		0300 0000
0600	70.5	DURANT		70.0 1400
0300	70.5	C. HEZAWIC		2100 1800
8/28/24	70.2			1500 1200
0300	70.0	DURANT		0900 0600
0600	70.2	THURMAN		0300 0000
0900	70.5	SMITH, J.W.		70.0 1400
0600	70.5	DURANT		2100 1800
0300	70.5	C. HEZAWIC		1500 1200
8/29/24	70.2			0900 0600
0300	70.0	DURANT		0300 0000
0600	70.2	THURMAN		70.0 1400
0900	70.5	SMITH, J.W.		2100 1800
0600	70.5	DURANT		1500 1200
0300	70.5	C. HEZAWIC		0900 0600
8/30/24	70.0			0300 0000
0300	70.0	DURANT		70.0 1400
0600	70.2	THURMAN		2100 1800
0900	70.8	HUNTING		1500 1200
0600	70.0	HEZAWIC		0900 0600
0300	70.2	DURANT		0300 0000
8/31/24	70.1			70.0 1400

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner(s) malfunctioning.) Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: MCIC Housing Unit: 17 Temp. Reading Location: 2ND TIER

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY			
Date	time	Temp.	Name (Print)
0300	0300	71.2	Maria
0600	0600	72.5	Laura
0900	0900	73.5	John
1200	1200	74.5	Samuel
1500	1500	75.5	Sophia
1800	1800	76.5	Isabella
2100	2100	77.5	James
2400	2400	78.5	Olivia

TUESDAY			
Date	time	Temp.	Name (Print)
0300	0300	71.2	Maria
0600	0600	72.5	Laura
0900	0900	73.5	John
1200	1200	74.5	Samuel
1500	1500	75.5	Sophia
1800	1800	76.5	Isabella
2100	2100	77.5	James
2400	2400	78.5	Olivia

WEDNESDAY			
Date	time	Temp.	Name (Print)
0300	0300	71.2	Maria
0600	0600	72.5	Laura
0900	0900	73.5	John
1200	1200	74.5	Samuel
1500	1500	75.5	Sophia
1800	1800	76.5	Isabella
2100	2100	77.5	James
2400	2400	78.5	Olivia

THURSDAY			
Date	time	Temp.	Name (Print)
0300	0300	71.2	Maria
0600	0600	72.5	Laura
0900	0900	73.5	John
1200	1200	74.5	Samuel
1500	1500	75.5	Sophia
1800	1800	76.5	Isabella
2100	2100	77.5	James
2400	2400	78.5	Olivia

FRIDAY			
Date	time	Temp.	Name (Print)
0300	0300	71.2	Maria
0600	0600	72.5	Laura
0900	0900	73.5	John
1200	1200	74.5	Samuel
1500	1500	75.5	Sophia
1800	1800	76.5	Isabella
2100	2100	77.5	James
2400	2400	78.5	Olivia

SATURDAY			
Date	time	Temp.	Name (Print)
0300	0300	71.2	Maria
0600	0600	72.5	Laura
0900	0900	73.5	John
1200	1200	74.5	Samuel
1500	1500	75.5	Sophia
1800	1800	76.5	Isabella
2100	2100	77.5	James
2400	2400	78.5	Olivia

SUNDAY			
Date	time	Temp.	Name (Print)
0300	0300	71.2	Maria
0600	0600	72.5	Laura
0900	0900	73.5	John
1200	1200	74.5	Samuel
1500	1500	75.5	Sophia
1800	1800	76.5	Isabella
2100	2100	77.5	James
2400	2400	78.5	Olivia

immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C11 Temp. Readings Location: 2nd floor

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Using May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning.

MONDAY			
Date	time	Temp.	Name (Print)
8/5/24	0300	74.9	J. H. HUAN
0600	76.3	74.0	MARIA
0900	76.5	75.2	D. L. LUCILLE
0600	75.7	75.0	MARIA
0900	76.2	75.2	D. L. LUCILLE
1200	76.2	75.4	D. L. LUCILLE
1500	77.1	76.7	A. ALICE
1800	78.0	77.2	A. ALICE
2100	78.3	77.7	A. ALICE
2400	78.6	78.6	A. ALICE
TUESDAY			
Date	time	Temp.	Name (Print)
8/6/24	0300	74.0	MARIA
0600	75.6	74.0	MARIA
0900	76.2	75.2	D. L. LUCILLE
0600	75.8	75.0	MARIA
0900	76.4	75.4	D. L. LUCILLE
1200	76.6	75.6	H. SAVAGE
1500	77.2	76.2	H. SAVAGE
1800	78.4	77.4	T. TELMA
2100	79.2	78.2	T. TELMA
2400	79.8	78.8	T. TELMA
WEDNESDAY			
Date	time	Temp.	Name (Print)
8/7/24	0300	71.4	MARIA
0600	74.7	71.4	MARIA
0900	76.4	74.4	T. TELMA
0600	76.4	74.4	T. TELMA
0900	76.6	74.6	H. SAVAGE
1200	76.6	74.6	H. SAVAGE
1500	77.2	75.2	H. SAVAGE
1800	78.4	76.4	T. TELMA
2100	79.2	77.2	T. TELMA
2400	79.8	78.8	T. TELMA
THURSDAY			
Date	time	Temp.	Name (Print)
8/8/24	0300	71.8	MARIA
0600	74.2	71.8	MARIA
0900	76.2	74.2	H. SAVAGE
0600	75.8	71.4	MARIA
0900	76.4	71.4	H. SAVAGE
1200	76.4	71.4	H. SAVAGE
1500	77.2	71.2	H. SAVAGE
1800	78.4	71.2	T. TELMA
2100	79.2	71.2	T. TELMA
2400	79.8	71.2	T. TELMA
FRIDAY			
Date	time	Temp.	Name (Print)
8/9/24	0300	71.2	MARIA
0600	74.2	71.2	MARIA
0900	76.4	71.4	H. SAVAGE
0600	76.4	71.4	H. SAVAGE
0900	76.6	71.6	H. SAVAGE
1200	76.6	71.6	H. SAVAGE
1500	77.2	71.2	G. S. SINGH
1800	78.4	71.2	G. S. SINGH
2100	79.2	71.2	G. S. SINGH
2400	79.8	71.2	G. S. SINGH
SATURDAY			
Date	time	Temp.	Name (Print)
8/10/24	0300	71.2	MARIA
0600	74.2	71.2	MARIA
0900	76.4	71.4	H. SAVAGE
0600	76.4	71.4	H. SAVAGE
0900	76.6	71.6	H. SAVAGE
1200	76.6	71.6	H. SAVAGE
1500	77.2	71.2	G. S. SINGH
1800	78.4	71.2	G. S. SINGH
2100	79.2	71.2	G. S. SINGH
2400	79.8	71.2	G. S. SINGH
SUNDAY			
Date	time	Temp.	Name (Print)
8/11/24	0300	71.2	MARIA
0600	74.2	71.2	MARIA
0900	76.4	71.4	H. SAVAGE
0600	76.4	71.4	H. SAVAGE
0900	76.6	71.6	H. SAVAGE
1200	76.6	71.6	H. SAVAGE
1500	77.2	71.2	G. S. SINGH
1800	78.4	71.2	G. S. SINGH
2100	79.2	71.2	G. S. SINGH
2400	79.8	71.2	G. S. SINGH

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCPH      Housing Unit: C11      Temp. Reading Location: 2nd Tier

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list is maintained. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all air-conditioned housing units where an inmate on the heat risk list may be housed.

MONDAY					
Date	time	Temp.	Name (Print)	NOTES	
8/12/24	0300	75	Temp	2400	76.5 <i>ATLANTIC</i>
	0600	76.3	Temp	2100	77.8 <i>ATLANTIC</i>
	0900	77.3	Temp	1800	78.7 <i>ATLANTIC</i>
	1200	77.5	Temp	1500	79.5 <i>ATLANTIC</i>
	1500	77.9	Temp	1200	80.5 <i>ATLANTIC</i>
	1800	78.3	Temp	0900	81.5 <i>ATLANTIC</i>
	2100	78.7	Temp	0600	82.5 <i>ATLANTIC</i>
	2400	79.2	Temp	0300	83.2 <i>ATLANTIC</i>
TUESDAY					
Date	time	Temp.	Name (Print)	NOTES	
8/13/24	0300	75.8	Temp	2400	76.5 <i>ATLANTIC</i>
	0600	76.6	Temp	2100	77.3 <i>ATLANTIC</i>
	0900	77.4	Temp	1800	78.0 <i>ATLANTIC</i>
	1200	77.6	Temp	1500	78.2 <i>ATLANTIC</i>
	1500	77.8	Temp	1200	78.4 <i>ATLANTIC</i>
	1800	78.0	Temp	0900	78.6 <i>ATLANTIC</i>
	2100	78.2	Temp	0600	78.8 <i>ATLANTIC</i>
	2400	78.5	Temp	0300	79.0 <i>ATLANTIC</i>
WEDNESDAY					
Date	time	Temp.	Name (Print)	NOTES	
8/14/24	0300	75.0	Temp	2400	76.5 <i>ATLANTIC</i>
	0600	75.8	Temp	2100	77.3 <i>ATLANTIC</i>
	0900	76.6	Temp	1800	78.0 <i>ATLANTIC</i>
	1200	77.4	Temp	1500	78.2 <i>ATLANTIC</i>
	1500	77.6	Temp	1200	78.4 <i>ATLANTIC</i>
	1800	77.8	Temp	0900	78.6 <i>ATLANTIC</i>
	2100	78.0	Temp	0600	78.8 <i>ATLANTIC</i>
	2400	78.2	Temp	0300	79.0 <i>ATLANTIC</i>
THURSDAY					
Date	time	Temp.	Name (Print)	NOTES	
8/15/24	0300	75.0	Temp	2400	76.5 <i>ATLANTIC</i>
	0600	75.8	Temp	2100	77.3 <i>ATLANTIC</i>
	0900	76.6	Temp	1800	78.0 <i>ATLANTIC</i>
	1200	77.4	Temp	1500	78.2 <i>ATLANTIC</i>
	1500	77.6	Temp	1200	78.4 <i>ATLANTIC</i>
	1800	77.8	Temp	0900	78.6 <i>ATLANTIC</i>
	2100	78.0	Temp	0600	78.8 <i>ATLANTIC</i>
	2400	78.2	Temp	0300	79.0 <i>ATLANTIC</i>
FRIDAY					
Date	time	Temp.	Name (Print)	NOTES	
8/16/24	0300	75.8	Temp	2400	76.5 <i>ATLANTIC</i>
	0600	76.6	Temp	2100	77.3 <i>ATLANTIC</i>
	0900	77.4	Temp	1800	78.0 <i>ATLANTIC</i>
	1200	77.6	Temp	1500	78.2 <i>ATLANTIC</i>
	1500	77.8	Temp	1200	78.4 <i>ATLANTIC</i>
	1800	78.0	Temp	0900	78.6 <i>ATLANTIC</i>
	2100	78.2	Temp	0600	78.8 <i>ATLANTIC</i>
	2400	78.3	Temp	0300	79.0 <i>ATLANTIC</i>
SATURDAY					
Date	time	Temp.	Name (Print)	NOTES	
8/17/24	0300	76.1	Temp	2400	76.8 <i>ATLANTIC</i>
	0600	76.9	Temp	2100	77.6 <i>ATLANTIC</i>
	0900	77.7	Temp	1800	78.4 <i>ATLANTIC</i>
	1200	77.9	Temp	1500	78.7 <i>ATLANTIC</i>
	1500	78.1	Temp	1200	78.9 <i>ATLANTIC</i>
	1800	78.3	Temp	0900	79.0 <i>ATLANTIC</i>
	2100	78.5	Temp	0600	79.2 <i>ATLANTIC</i>
	2400	78.7	Temp	0300	79.4 <i>ATLANTIC</i>
SUNDAY					
Date	time	Temp.	Name (Print)	NOTES	
8/18/24	0300	75.9	Temp	2400	76.5 <i>ATLANTIC</i>
	0600	76.7	Temp	2100	77.3 <i>ATLANTIC</i>
	0900	77.5	Temp	1800	78.1 <i>ATLANTIC</i>
	1200	77.7	Temp	1500	78.3 <i>ATLANTIC</i>
	1500	77.9	Temp	1200	78.5 <i>ATLANTIC</i>
	1800	78.1	Temp	0900	78.7 <i>ATLANTIC</i>
	2100	78.3	Temp	0600	79.1 <i>ATLANTIC</i>
	2400	78.5	Temp	0300	79.3 <i>ATLANTIC</i>

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C11 Temp. Reading Location: 2nd Tier

Using an accurate thermometer on the highest location in the housing unit where an inmate is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where an inmate is housed is malfunctioning).

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

MONDAY			
Date	time	Temp.	Name (Print)
8/19/24	0300	74.6	GARDEN
0600	75.0	0. WARDEN	
0900	76.1	D. WARDEN	
0600	76.5	D. WARDEN	
0900	77.0	S. LARSEN	
1200	77.5	D. WARDEN	
1500	78.0	S. LARSEN	
1800	78.5	S. LARSEN	
2100	79.0	S. LARSEN	
2400	79.5	S. LARSEN	

TUESDAY			
Date	time	Temp.	Name (Print)
8/20/24	0300	76.4	MOM
0600	76.8	H. SHAW	
0900	77.4	MOM	
1200	77.9	H. SHAW	
1500	78.4	MOM	
1800	78.9	S. LARSEN	
2100	79.4	S. LARSEN	
2400	79.9	S. LARSEN	

WEDNESDAY			
Date	time	Temp.	Name (Print)
8/21/24	0300	71.6	MOM
0600	72.1	H. SHAW	
0900	72.6	MOM	
1200	73.1	H. SHAW	
1500	73.6	MOM	
1800	74.1	S. LARSEN	
2100	74.6	S. LARSEN	
2400	75.1	S. LARSEN	

THURSDAY			
Date	time	Temp.	Name (Print)
8/22/24	0300	71.6	MOM
0600	72.1	H. SHAW	
0900	72.6	MOM	
1200	73.1	H. SHAW	
1500	73.6	MOM	
1800	74.1	S. LARSEN	
2100	74.6	S. LARSEN	
2400	75.1	S. LARSEN	

FRIDAY			
Date	time	Temp.	Name (Print)
8/23/24	0300	74	DALYBURN
0600	74	DALYBURN	
0900	74.1	EASTSIDE	
1200	74.2	WALL	
1500	74.2	WALL	
1800	74.2	SIDEWALL	
2100	74.2	SIDEWALL	
2400	74	SIDEWALL	

SATURDAY			
Date	time	Temp.	Name (Print)
8/24/24	0300	74	DALYBURN
0600	74	DALYBURN	
0900	74.1	EASTSIDE	
1200	74.2	WALL	
1500	74.2	WALL	
1800	74.2	SIDEWALL	
2100	74	SIDEWALL	
2400	74	SIDEWALL	

SUNDAY			
Date	time	Temp.	Name (Print)
8/25/24	0300	69	69
0600	69	69	
0900	69	69	
1200	70	70	
1500	70	70	
1800	70	70	
2100	69	69	
2400	69	69	

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C11 Temp. Reading Location: 2nd floor

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list is malfunctioning. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

MONDAY			
Date	time	Temp.	Name (Print)
8/26/24	0300	69	Jean
	0600	70	
	0900	70	
	1200	70	
	1500	70	
	1800	70	
	2100	70	
	2400	70	
TUESDAY			
Date	time	Temp.	Name (Print)
8/27/24	0300	70	Jean
	0600	70	
	0900	70	
	1200	70	
	1500	70	
	1800	70	
	2100	70	
	2400	70	
WEDNESDAY			
Date	time	Temp.	Name (Print)
8/28/24	0300	70	Jean
	0600	70	
	0900	70	
	1200	70	
	1500	70	
	1800	70	
	2100	70	
	2400	70	
THURSDAY			
Date	time	Temp.	Name (Print)
8/29/24	0300	71	Jean
	0600	70	
	0900	70	
	1200	70	
	1500	70	
	1800	70	
	2100	70	
	2400	70	
FRIDAY			
Date	time	Temp.	Name (Print)
8/30/24	0300	72	Jean
	0600	72	
	0900	72	
	1200	72	
	1500	72	
	1800	72	
	2100	72	
	2400	72	
SATURDAY			
Date	time	Temp.	Name (Print)
8/31/24	0300	72	Jean
	0600	72	
	0900	72	
	1200	72	
	1500	72	
	1800	72	
	2100	72	
	2400	72	
SUNDAY			
Date	time	Temp.	Name (Print)
9/01/24	0300	72	Jean
	0600	72	
	0900	72	
	1200	72	
	1500	72	
	1800	72	
	2100	72	
	2400	72	

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF      Housing Unit: C11      Temp. Reading Location: 2<sup>nd</sup> TIER

Using an accurate thermometer on the highest location in the housing unit will also be monitored when an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: All-conditioned housing units will also be monitored when an inmate on the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Using an accurate thermometer on the highest location in the housing unit will also be monitored when an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

MONDAY			
Date	time	Temp.	Name (Print)
8/1/24	0300	72	CEIL-1
	0600	72	CEIL-1
	0900	72	CEIL-1
	1200	73	CEIL-1
	1500	73	CEIL-1
	1800	73	CEIL-1
	2100	73	CEIL-1
	2400	72	CEIL-1
TUESDAY			
Date	time	Temp.	Name (Print)
8/1/24	0300	72	CEIL-1
	0600	72	CEIL-1
	0900	71	CEIL-1
	1200	71	CEIL-1
	1500	71	CEIL-1
	1800	71	CEIL-1
	2100	71	CEIL-1
	2400	71	CEIL-1
WEDNESDAY			
Date	time	Temp.	Name (Print)
8/1/24	0300	72	CEIL-1
	0600	72	CEIL-1
	0900	71	CEIL-1
	1200	71	CEIL-1
	1500	71	CEIL-1
	1800	71	CEIL-1
	2100	71	CEIL-1
	2400	71	CEIL-1
THURSDAY			
Date	time	Temp.	Name (Print)
8/1/24	0300	72	CEIL-1
	0600	72	CEIL-1
	0900	71	CEIL-1
	1200	71	CEIL-1
	1500	71	CEIL-1
	1800	71	CEIL-1
	2100	71	CEIL-1
	2400	71	CEIL-1
FRIDAY			
Date	time	Temp.	Name (Print)
8/2/24	0300	71	CEIL-1
	0600	71	CEIL-1
	0900	71	CEIL-1
	1200	73	CEIL-1
	1500	73	CEIL-1
	1800	73	CEIL-1
	2100	73	CEIL-1
	2400	73	CEIL-1
SATURDAY			
Date	time	Temp.	Name (Print)
8/3/24	0300	72	CEIL-1
	0600	72	CEIL-1
	0900	72	CEIL-1
	1200	73	CEIL-1
	1500	73	CEIL-1
	1800	73	CEIL-1
	2100	73	CEIL-1
	2400	73	CEIL-1
NOTES			

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C12 Temp. Reading Location:  Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

MONDAY				
Date	time	Temp.	Name (Print)	
8/5/24	0300	71	CLIA	
	0600	70	THOMAS	
	0900	71	THOMAS	
	0600	71	THOMAS	
	0900	71	THOMAS	
	1200	71	THOMAS	
	1500	71	THOMAS	
	1800	71	THOMAS	
	2100	71	THOMAS	
	2400	71	THOMAS	
TUESDAY				
Date	time	Temp.	Name (Print)	
8/6/24	0300	71	CLIA	
	0600	71	THOMAS	
	0900	71	THOMAS	
	1200	71	THOMAS	
	1500	71	THOMAS	
	1800	71	THOMAS	
	2100	71	THOMAS	
	2400	71	THOMAS	
WEDNESDAY				
Date	time	Temp.	Name (Print)	
8/7/24	0300	71	CLIA	
	0600	71	THOMAS	
	0900	71	THOMAS	
	1200	71	THOMAS	
	1500	71	THOMAS	
	1800	71	THOMAS	
	2100	71	THOMAS	
	2400	71	THOMAS	
FRIDAY				
Date	time	Temp.	Name (Print)	
8/9/24	0300	71	CLIA	
	0600	71	THOMAS	
	0900	71	THOMAS	
	1200	71	THOMAS	
	1500	71	THOMAS	
	1800	71	THOMAS	
	2100	71	THOMAS	
	2400	71	THOMAS	
SATURDAY				
Date	time	Temp.	Name (Print)	
8/10/24	0300	71	CLIA	
	0600	71	THOMAS	
	0900	71	THOMAS	
	1200	71	THOMAS	
	1500	71	THOMAS	
	1800	71	THOMAS	
	2100	71	THOMAS	
	2400	71	THOMAS	
SUNDAY				
Date	time	Temp.	Name (Print)	
8/11/24	0300	71	CLIA	
	0600	71	THOMAS	
	0900	71	THOMAS	
	1200	71	THOMAS	
	1500	71	THOMAS	
	1800	71	THOMAS	
	2100	71	THOMAS	
	2400	71	THOMAS	

immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C12 Temp. Reading Location: 2nd

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. Ambien air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE

ambien air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

When the inside air temperature reaches 90 degrees and again at 95 degrees.

immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: STATE OF CALIFORNIA INSIDE TEMPERATURE RECORD DEPARTMENT OF CORRECTIONS AND REHABILITATION CDRC 2031 (04/19)

Date	time	Temp.	Name (Print)	Notes
2400	72.6			8/11
2200	72.4			
2000	72.3			
1800	72.2			
1600	70.2			
1400	69			
1200	67			
0900	67			
0600	67			
0300	67			
SUNDAY				
2400	72			
2200	71.8			
1800	71.4			
1500	71.2			
1200	69			
0900	67			
0600	67			
0300	67			
DATE	time	Temp.	Name (Print)	NOTES
2400	72.1			
2200	71.5			
1800	71.4			
1500	71.2			
1200	68.7			
0900	67.3			
0600	67			
0300	67			
SATURDAY				
2400	70			
2200	71			
1800	71.2			
1500	71.3			
1200	69			
0900	67			
0600	67			
0300	67			
FRIDAY				
2400	71.2		Lorraine	
2200	71.8			
1800	71.9		Darlene	
1500	72			
1200	69			
0900	67			
0600	67			
0300	67			
WEDNESDAY				
2400	71.2			
2200	71.3			
1800	72			
1500	72.2			
1200	69			
0900	67			
0600	67			
0300	67			
TUESDAY				
2400	71.1			
2200	71			
1800	71.2			
1500	71.3			
1200	69			
0900	67			
0600	67			
0300	67			

immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C12 Temp. Reading Location: 2nd

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE

Date	time	Temp.	Name (Print)	Notes
8/23/24	0300	70	Dayleian	
0600	70	Dayleian		
0900	70	Dayleian		
1200	69	Dayleian		
1500	65	Dayleian		
1800	64	Dayleian		
2100	63	Dayleian		
2400	62	Dayleian		
SUNDAY				
8/24/24	0300	69	Dayleian	
0600	69	Dayleian		
0900	69	Dayleian		
1200	65	Dayleian		
1500	63	Dayleian		
1800	62	Dayleian		
2100	61	Dayleian		
2400	60	Dayleian		
MONDAY				
8/21/24	0300	69	Dayleian	
0600	69	Dayleian		
0900	69	Dayleian		
1200	65	Dayleian		
1500	63	Dayleian		
1800	62	Dayleian		
2100	61	Dayleian		
2400	60	Dayleian		
TUESDAY				
8/20/24	0300	68	Dayleian	
0600	68	Dayleian		
0900	68	Dayleian		
1200	65	Dayleian		
1500	63	Dayleian		
1800	62	Dayleian		
2100	61	Dayleian		
2400	60	Dayleian		
WEDNESDAY				
8/19/24	0300	69	Dayleian	
0600	69	Dayleian		
0900	69	Dayleian		
1200	65	Dayleian		
1500	63	Dayleian		
1800	62	Dayleian		
2100	61	Dayleian		
2400	60	Dayleian		
THURSDAY				
8/18/24	0300	69	Dayleian	
0600	69	Dayleian		
0900	69	Dayleian		
1200	65	Dayleian		
1500	63	Dayleian		
1800	62	Dayleian		
2100	61	Dayleian		
2400	60	Dayleian		
FRIDAY				
8/23/24	0300	70	Dayleian	
0600	70	Dayleian		
0900	70	Dayleian		
1200	69	Dayleian		
1500	68	Dayleian		
1800	67	Dayleian		
2100	66	Dayleian		
2400	65	Dayleian		
SATURDAY				
8/24/24	0300	69	Dayleian	
0600	69	Dayleian		
0900	69	Dayleian		
1200	65	Dayleian		
1500	63	Dayleian		
1800	62	Dayleian		
2100	61	Dayleian		
2400	60	Dayleian		
SUNDAY				
8/25/24	0300	70	Dayleian	
0600	70	Dayleian		
0900	70	Dayleian		
1200	69	Dayleian		
1500	68	Dayleian		
1800	67	Dayleian		
2100	66	Dayleian		
2400	65	Dayleian		

immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCPH Housing Unit: C12 Temp. Reading Location: 2nd

Using an accurate thermometer on the highest location in the housing unit will also be monitored when the air-conditioning is malfunctioning. A risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored where an inmate on the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE

Date	time	Temp.	Name (Print)	Notes
8/30/24	0300	63	Audrey	
8/31/24	0300	63	Audrey	
8/31/24	0600	65	Audrey	
8/31/24	0900	68	Audrey	Levastat
8/31/24	1200	68	Audrey	Levastat
8/31/24	1500	68	Audrey	Levastat
8/31/24	1800	68	Audrey	Levastat
8/31/24	2100	68	Audrey	Levastat
8/31/24	2400	68	Audrey	Levastat
SUNDAY				
8/30/24	0300	63	Audrey	
8/30/24	0600	66	Audrey	
8/30/24	0900	69	Audrey	House
8/30/24	1200	66	Audrey	House
8/30/24	1500	69	Audrey	House
8/30/24	1800	69	Audrey	House
8/30/24	2100	67	Audrey	House
8/30/24	2400	64	Audrey	House
SATURDAY				
8/29/24	0300	60	Audrey	
8/29/24	0600	63	Audrey	
8/29/24	0900	63	Audrey	
8/29/24	1200	67	Audrey	Levastat
8/29/24	1500	68	Audrey	Levastat
8/29/24	1800	68	Audrey	Levastat
8/29/24	2100	68	Audrey	Levastat
8/29/24	2400	64	Audrey	Levastat
FRIDAY				
8/28/24	0300	60	Audrey	
8/28/24	0600	60	Audrey	
8/28/24	0900	61	Audrey	Levastat
8/28/24	1200	66	Audrey	Levastat
8/28/24	1500	68	Audrey	Levastat
8/28/24	1800	68	Audrey	Levastat
8/28/24	2100	65	Audrey	Levastat
8/28/24	2400	63	Audrey	Levastat
THURSDAY				
8/27/24	0300	61	Audrey	
8/27/24	0600	62	Audrey	
8/27/24	0900	62	Audrey	Levastat
8/27/24	1200	68	Audrey	Levastat
8/27/24	1500	65	Audrey	Levastat
8/27/24	1800	68	Audrey	Levastat
8/27/24	2100	65	Audrey	Levastat
8/27/24	2400	62	Audrey	Levastat
WEDNESDAY				
8/26/24	0300	60	Audrey	
8/26/24	0600	60	Audrey	
8/26/24	0900	60	Audrey	
8/26/24	1200	68	Audrey	Levastat
8/26/24	1500	68	Audrey	Levastat
8/26/24	1800	68	Audrey	Levastat
8/26/24	2100	65	Audrey	Levastat
8/26/24	2400	60	Audrey	Levastat
MONDAY				
8/25/24	0300	60	Audrey	
8/25/24	0600	60	Audrey	
8/25/24	0900	60	Audrey	
8/25/24	1200	68	Audrey	Levastat
8/25/24	1500	68	Audrey	Levastat
8/25/24	1800	68	Audrey	Levastat
8/25/24	2100	65	Audrey	Levastat
8/25/24	2400	60	Audrey	Levastat

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C12 Temp. Reading Location: 2nd

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when using unit (e.g., top tier) where an inmate on the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE

temperature of all non-air-conditioned housing units when using unit (e.g., top tier) where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

INSIDE TEMPERATURE RECORD  
STATE OF CALIFORNIA  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

MONDAY			
Date	time	Temp.	Name (Print)
0300	0300	73	R. BLAKE
0600	0600	73	K. HOUSE
0900	0900	73	K. HOUSE
1200	1200	73	K. HOUSE
1500	1500	73	K. HOUSE
1800	1800	73	K. HOUSE
2100	2100	73	K. HOUSE
2400	2400	73	K. HOUSE

TUESDAY			
Date	time	Temp.	Name (Print)
0300	0300	73	R. BLAKE
0600	0600	73	K. HOUSE
0900	0900	73	K. HOUSE
1200	1200	73	K. HOUSE
1500	1500	73	K. HOUSE
1800	1800	73	K. HOUSE
2100	2100	73	K. HOUSE
2400	2400	73	K. HOUSE

WEDNESDAY			
Date	time	Temp.	Name (Print)
0300	0300	73	R. BLAKE
0600	0600	73	K. HOUSE
0900	0900	73	K. HOUSE
1200	1200	73	K. HOUSE
1500	1500	73	K. HOUSE
1800	1800	73	K. HOUSE
2100	2100	73	K. HOUSE
2400	2400	73	K. HOUSE

THURSDAY			
Date	time	Temp.	Name (Print)
0300	0300	73	R. BLAKE
0600	0600	73	K. HOUSE
0900	0900	73	K. HOUSE
1200	1200	73	K. HOUSE
1500	1500	73	K. HOUSE
1800	1800	73	K. HOUSE
2100	2100	73	K. HOUSE
2400	2400	73	K. HOUSE

FRIDAY			
Date	time	Temp.	Name (Print)
0300	0300	73	R. BLAKE
0600	0600	73	K. HOUSE
0900	0900	73	K. HOUSE
1200	1200	73	K. HOUSE
1500	1500	73	K. HOUSE
1800	1800	73	K. HOUSE
2100	2100	73	K. HOUSE
2400	2400	73	K. HOUSE

SATURDAY			
Date	time	Temp.	Name (Print)
0300	0300	73	R. BLAKE
0600	0600	73	K. HOUSE
0900	0900	73	K. HOUSE
1200	1200	73	K. HOUSE
1500	1500	73	K. HOUSE
1800	1800	73	K. HOUSE
2100	2100	73	K. HOUSE
2400	2400	73	K. HOUSE

SUNDAY			
Date	time	Temp.	Name (Print)
0300	0300	73	R. BLAKE
0600	0600	73	K. HOUSE
0900	0900	73	K. HOUSE
1200	1200	73	K. HOUSE
1500	1500	73	K. HOUSE
1800	1800	73	K. HOUSE
2100	2100	73	K. HOUSE
2400	2400	73	K. HOUSE

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C13 Temp. Reading Location:

Using an accurate thermometer on the highest location in the housing unit will also be monitored when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored where an inmate on the heat risk list may be housed. ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the inside

MONDAY				
Date	time	Temp.	Name (Print)	
8/5/24	0300	D. NATH		
	0600	75	H. GOMEZ	
	0900	75	D. HARRIS	
	1200	75	D. HAROLD	
	1500	75	D. HAROLD	
	1800	76.0	D. HAROLD	
	2100	76.2	D. HAROLD	
	2400	76.2	D. HAROLD	
TUESDAY				
Date	time	Temp.	Name (Print)	
8/6/24	0300	D. NATH		
	0600	75	H. GOMEZ	
	0900	75	D. HARRIS	
	1200	75	D. HAROLD	
	1500	75	D. HAROLD	
	1800	75	D. HAROLD	
	2100	75	D. HAROLD	
	2400	75	D. HAROLD	
WEDNESDAY				
Date	time	Temp.	Name (Print)	
8/7/24	0300	D. NATH		
	0600	75	H. GOMEZ	
	0900	75	D. HARRIS	
	1200	75	D. HAROLD	
	1500	75	D. HAROLD	
	1800	75	D. HAROLD	
	2100	75	D. HAROLD	
	2400	75	D. HAROLD	
THURSDAY				
Date	time	Temp.	Name (Print)	
8/8/24	0300	D. NATH		
	0600	75	H. GOMEZ	
	0900	75	D. HARRIS	
	1200	75	D. HAROLD	
	1500	75	D. HAROLD	
	1800	75	D. HAROLD	
	2100	75	D. HAROLD	
	2400	75	D. HAROLD	
FRIDAY				
Date	time	Temp.	Name (Print)	
8/9/24	0300	D. NATH		
	0600	75	H. GOMEZ	
	0900	75	D. HARRIS	
	1200	75	D. HAROLD	
	1500	75	D. HAROLD	
	1800	75	D. HAROLD	
	2100	75	D. HAROLD	
	2400	75	D. HAROLD	
SATURDAY				
Date	time	Temp.	Name (Print)	
8/10/24	0300	D. NATH		
	0600	75	H. GOMEZ	
	0900	75	D. HARRIS	
	1200	75	D. HAROLD	
	1500	75	D. HAROLD	
	1800	75	D. HAROLD	
	2100	75	D. HAROLD	
	2400	75	D. HAROLD	
SUNDAY				
Date	time	Temp.	Name (Print)	
8/11/24	0300	D. NATH		
	0600	75	H. GOMEZ	
	0900	75	D. HARRIS	
	1200	75	D. HAROLD	
	1500	75	D. HAROLD	
	1800	75	D. HAROLD	
	2100	75	D. HAROLD	
	2400	75	D. HAROLD	

immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C13 Temp. Reading Location: 2nd T16A

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when using units where an inmate on the heat risk list may be housed. ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE

Date	time	Temp.	Name (Print)	NOTES
8/18/24	0300	70.4	JIMMIE	
0600	66			
0900	62			
1200	58			
1500	55			
1800	52			
2100	50			
2400	48			
8/19/24	0300	70.4	JIMMIE	D. AIR THER
0600	66			PRACTICALLY
0900	62			IDEAL
1200	58			Saoden
1500	55			Jimmie
1800	52			
2100	50			
2400	48			
8/20/24	0300	70.4	JIMMIE	D. AIR THER
0600	66			PRACTICALLY
0900	62			IDEAL
1200	58			Saoden
1500	55			Jimmie
1800	52			
2100	50			
2400	48			
8/21/24	0300	70.4	JIMMIE	D. AIR THER
0600	66			PRACTICALLY
0900	62			IDEAL
1200	58			Saoden
1500	55			Jimmie
1800	52			
2100	50			
2400	48			
8/22/24	0300	70.4	JIMMIE	D. AIR THER
0600	66			PRACTICALLY
0900	62			IDEAL
1200	58			Saoden
1500	55			Jimmie
1800	52			
2100	50			
2400	48			
8/23/24	0300	70.4	JIMMIE	D. AIR THER
0600	66			PRACTICALLY
0900	62			IDEAL
1200	58			Saoden
1500	55			Jimmie
1800	52			
2100	50			
2400	48			
8/24/24	0300	70.4	JIMMIE	D. AIR THER
0600	66			PRACTICALLY
0900	62			IDEAL
1200	58			Saoden
1500	55			Jimmie
1800	52			
2100	50			
2400	48			
8/14/24	0300	70.4	JIMMIE	SATURDAY
0600	66			
0900	62			
1200	58			
1500	55			
1800	52			
2100	50			
2400	48			
8/15/24	0300	70.4	JIMMIE	SUNDAY
0600	66			
0900	62			
1200	58			
1500	55			
1800	52			
2100	50			
2400	48			

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C13 Temp. Reading Location: 2nd TIER

Using an accurate thermometer on the highest location in the housing unit will also be monitored when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.

Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE

MONDAY					
Date	time	Temp.	Name (Print)		
8/21/24	0300	70	LADY		
	0600	70	I. MACK		
	0900	70	T. COO		
	1200	70	I. MACK		
	1500	70	T. COO		
	1800	70	C. LEE		
	2100	70	C. LEE		
	2400	70	SOURCEY		
TUESDAY					
Date	time	Temp.	Name (Print)		
8/20/24	0300	70	MATH		
	0600	70	J. MATH		
	0900	70	J. MATH		
	1200	70	J. MATH		
	1500	70	SOURCEY		
	1800	70	G. REED		
	2100	70	G. REED		
	2400	70	WAD		
WEDNESDAY					
Date	time	Temp.	Name (Print)		
8/19/24	0300	70	LADY		
	0600	70	I. MATH		
	0900	70	J. MATH		
	1200	70	J. MATH		
	1500	70	SOURCEY		
	1800	70	G. REED		
	2100	70	G. REED		
	2400	70	WAD		
THURSDAY					
Date	time	Temp.	Name (Print)		
8/22/24	0300	70	SOURCEY		
	0600	70	G. REED		
	0900	70	G. REED		
	1200	70	G. REED		
	1500	70	SOURCEY		
	1800	70	G. REED		
	2100	70	G. REED		
	2400	70	WAD		
FRIDAY					
Date	time	Temp.	Name (Print)		
8/23/24	0300	70	SOURCEY		
	0600	70	I. MACK		
	0900	70	I. MACK		
	1200	70	T. COO		
	1500	70	I. MACK		
	1800	70	T. COO		
	2100	70	C. LEE		
	2400	70	SOURCEY		
SATURDAY					
Date	time	Temp.	Name (Print)		
8/24/24	0300	69	SOURCEY		
	0600	69	LESLIE		
	0900	69	LESLIE		
	1200	70	LESLIE		
	1500	70	LESLIE		
	1800	70	LESLIE		
	2100	70	LESLIE		
	2400	70	SOURCEY		
SUNDAY					
Date	time	Temp.	Name (Print)		
8/25/24	0300	70	SOURCEY		
	0600	70	LESLIE		
	0900	70	LESLIE		
	1200	70	LESLIE		
	1500	70	LESLIE		
	1800	70	LESLIE		
	2100	70	LESLIE		
	2400	70	SOURCEY		

immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C13 Temp. Reading Location: END TIER

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Date	time	Temp.	Name (Print)	Notes
8/30/24	0300	70	Cee	
8/31/24	0300	68	JACCDO	
0600	70	RECHAU		RECHAU
0900	70	RECHAU		RECHAU
1200	70	RECHAU		RECHAU
1500	70	RECHAU		RECHAU
1800	70	RECHAU		RECHAU
2100	70	RECHAU		RECHAU
2400	70	RECHAU		RECHAU
SUNDAY				
0300	70	SACCIDO		
0600	70	SACCIDO		
0900	70	SACCIDO		
1200	70	SACCIDO		
1500	70	SACCIDO		
1800	70	SACCIDO		
2100	70	SACCIDO		
2400	70	SACCIDO		
MARSHAL				
0300	70	MARSHAL		
0600	70	MARSHAL		
0900	70	MARSHAL		
1200	70	MARSHAL		
1500	70	MARSHAL		
1800	70	MARSHAL		
2100	70	MARSHAL		
2400	70	MARSHAL		
MONDAY				
0300	68	MARSHAL		
0600	70	VILLASEOR		
0900	70	T. MARL		
1200	70	T. MARL		
1500	70	T. MARL		
1800	70	T. MARL		
2100	70	T. MARL		
2400	70	T. MARL		
TUESDAY				
0300	68	VILLASEOR		
0600	70	VILLASEOR		
0900	70	VILLASEOR		
1200	70	VILLASEOR		
1500	70	VILLASEOR		
1800	70	VILLASEOR		
2100	70	VILLASEOR		
2400	70	VILLASEOR		
WEDNESDAY				
0300	68	VILLASEOR		
0600	70	VILLASEOR		
0900	70	VILLASEOR		
1200	70	VILLASEOR		
1500	70	VILLASEOR		
1800	70	VILLASEOR		
2100	70	VILLASEOR		
2400	70	VILLASEOR		
THURSDAY				
0300	68	VILLASEOR		
0600	70	VILLASEOR		
0900	70	VILLASEOR		
1200	70	VILLASEOR		
1500	70	VILLASEOR		
1800	70	VILLASEOR		
2100	70	VILLASEOR		
2400	70	VILLASEOR		
FRIDAY				
0300	68	MARSHAL		
0600	70	MARSHAL		
0900	70	I-MACK		
1200	70	I-MACK		
1500	70	I-MACK		
1800	70	MARSHAL		
2100	70	MARSHAL		
2400	70	MARSHAL		
SATURDAY				
0300	68	Cee		
0600	70	JACCDO		
0900	70	RECHAU		
1200	70	RECHAU		
1500	70	RECHAU		
1800	70	RECHAU		
2100	70	RECHAU		
2400	70	RECHAU		
1/1		68 - 70 Kour		
		1600 - 170 SEASER		
		1700 - 180 Kour		
		1800 - 190 SEASER		
		1900 - 200 Kour		
		2000 - 210 SEASER		
		2100 - 220 Kour		
		2200 - 230 SEASER		
		2300 - 240 Kour		
		2400 - 250 SEASER		

immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C13 Temp. Reading Location: 2ND FLOOR

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

MONDAY			
Date	time	Temp.	Name (Print)
			<b>WILLIE</b>
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	

TUESDAY			
Date	time	Temp.	Name (Print)
			<b>WILLIE</b>
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	

WEDNESDAY			
Date	time	Temp.	Name (Print)
			<b>WILLIE</b>
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	

THURSDAY			
Date	time	Temp.	Name (Print)
			<b>WILLIE</b>
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	

FRIDAY			
Date	time	Temp.	Name (Print)
			<b>WILLIE</b>
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	

SATURDAY			
Date	time	Temp.	Name (Print)
			<b>WILLIE</b>
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	

SUNDAY			
Date	time	Temp.	Name (Print)
			<b>WILLIE</b>
0300	0600	0900	
0600	0900	1200	
0900	1200	1500	
1200	1500	1800	
1500	1800	2100	
1800	2100	2400	

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: **MSP** Housing Unit: **C14** Temp. Reading Location:

Using an accurate thermometer on the highest location in the housing unit where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when using unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored when using unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored when using unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored when using unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored when using unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored when using unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.)

MONDAY			
Date	time	Temp.	Name (Print)
8/5/24	0300	76	Moua
	0600	76	Moua
	0900	76	Moua
	1200	76	Moua
	1500	76	Moua
	1800	76	Moua
	2100	76	Moua
	2400	76	Moua
TUESDAY			
Date	time	Temp.	Name (Print)
8/6/24	0300	76	Moua
	0600	76	Moua
	0900	76	Moua
	1200	76	Moua
	1500	76	Moua
	1800	76	Moua
	2100	76	Moua
	2400	76	Moua
WEDNESDAY			
Date	time	Temp.	Name (Print)
8/7/24	0300	76	Moua
	0600	76	Moua
	0900	76	Moua
	1200	76	Moua
	1500	76	Moua
	1800	76	Moua
	2100	76	Moua
	2400	76	Moua
THURSDAY			
Date	time	Temp.	Name (Print)
8/8/24	0300	76	Moua
	0600	76	Moua
	0900	76	Moua
	1200	76	Moua
	1500	76	Moua
	1800	76	Moua
	2100	76	Moua
	2400	76	Moua
FRIDAY			
Date	time	Temp.	Name (Print)
8/9/24	0300	76	Moua
	0600	76	Moua
	0900	76	Moua
	1200	76	Moua
	1500	76	Moua
	1800	76	Moua
	2100	76	Moua
	2400	76	Moua
SATURDAY			
Date	time	Temp.	Name (Print)
8/10/24	0300	76	Moua
	0600	76	Moua
	0900	76	Moua
	1200	76	Moua
	1500	76	Moua
	1800	76	Moua
	2100	76	Moua
	2400	76	Moua
SUNDAY			
Date	time	Temp.	Name (Print)
8/11/24	0300	76	Moua
	0600	76	Moua
	0900	76	Moua
	1200	76	Moua
	1500	76	Moua
	1800	76	Moua
	2100	76	Moua
	2400	76	Moua

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF      Housing Unit: C14      Temp. Reading Location: C14

Using an accurate thermometer on the highest housing units will also be monitored when the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

MONDAY				
Date	time	Temp.	Name (Print)	Temp. Reading Location:
8/12/24	0300	74.6	MILK	74.6
0600	75.3	74	GONZALEZ	74
0900	75.9	74	MARTINEZ	74
1200	76.0	75	GONZALEZ	75
1500	76.4	75	SALVAN	75
1800	76.7	76	MARINA	76
2100	77.2	76	MARINA	76
2400	77.5	76	MARINA	76

TUESDAY				
Date	time	Temp.	Name (Print)	Temp. Reading Location:
8/13/24	0300	74	MILK	74
0600	75.3	74	GONZALEZ	74
0900	75.9	74	MARTINEZ	74
1200	76.0	75	GONZALEZ	75
1500	76.4	75	SALVAN	75
1800	76.7	76	MARINA	76
2100	77.2	76	MARINA	76
2400	77.5	76	MARINA	76

WEDNESDAY				
Date	time	Temp.	Name (Print)	Temp. Reading Location:
8/14/24	0300	74	MILK	74
0600	75.3	74	GONZALEZ	74
0900	75.9	74	MARTINEZ	74
1200	76.0	75	GONZALEZ	75
1500	76.4	75	SALVAN	75
1800	76.7	76	MARINA	76
2100	77.2	76	MARINA	76
2400	77.5	76	MARINA	76

THURSDAY				
Date	time	Temp.	Name (Print)	Temp. Reading Location:
8/15/24	0300	72	MILK	72
0600	73.9	72	GONZALEZ	72
0900	74.4	72	MILK	72
1200	75	73	GONZALEZ	73
1500	75	73	GONZALEZ	73
1800	75.5	73	MARINA	73
2100	76	73	MARINA	73
2400	76.5	73	MARINA	73

FRIDAY				
Date	time	Temp.	Name (Print)	Temp. Reading Location:
8/16/24	0300	74	MILK	74
0600	74.4	74	GONZALEZ	74
0900	74.9	74	MILK	74
1200	75	75	GONZALEZ	75
1500	75	75	GONZALEZ	75
1800	75.5	75	MARINA	75
2100	76	75	MARINA	75
2400	76.5	75	MARINA	75

SATURDAY				
Date	time	Temp.	Name (Print)	Temp. Reading Location:
8/17/24	0300	74	MILK	74
0600	74.4	74	GONZALEZ	74
0900	74.9	74	MILK	74
1200	75	75	GONZALEZ	75
1500	75	75	GONZALEZ	75
1800	75.5	75	MARINA	75
2100	76	75	MARINA	75
2400	76.5	75	MARINA	75

SUNDAY				
Date	time	Temp.	Name (Print)	Temp. Reading Location:
8/18/24	0300	74	MILK	74
0600	74.4	74	GONZALEZ	74
0900	74.9	74	MILK	74
1200	75	75	GONZALEZ	75
1500	75	75	GONZALEZ	75
1800	75.5	75	MARINA	75
2100	76	75	MARINA	75
2400	76.5	75	MARINA	75

immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C14 Temp. Reading Location:

Using an accurate thermometer on the highest housing units will also be monitored when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored where an inmate on the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE risk list is housed. The highest housing unit will also be monitored when the heat risk list may be housed.

Date	time	Temp.	Name (Print)	Notes
8/25/24	0300	70	MARIA	
	0600	36	GOMASCE	
	0900	36	GOMASCE	
	1200	36	GOMASCE	
	1500	36	GOMASCE	
	1800	70	ATLAVS	
	2100	70	PHILIPS	
	2400	70	PHILIPS	
SUNDAY				
8/23/24	0300	72	HUILUM	
	0600	36	GOMASCE	
	0900	36	GOMASCE	
	1200	36	GOMASCE	
	1500	72	GOMASCE	
	1800	72	GOMASCE	
	2100	72	GOMASCE	
	2400	72	GOMASCE	
FRIDAY				
8/21/24	0300	69	JOSUE	
	0600	36	JOSUE	
	0900	36	JOSUE	
	1200	36	JOSUE	
	1500	70	JOSUE	
	1800	70	JOSUE	
	2100	70	JOSUE	
	2400	70	JOSUE	
THURSDAY				
8/20/24	0300	75	ESEN	
	0600	75	ESEN	
	0900	75	ESEN	
	1200	75	ESEN	
	1500	70	ESEN	
	1800	70	ESEN	
	2100	70	ESEN	
	2400	70	ESEN	
WEDNESDAY				
8/19/24	0300	69	MUNIZ	
	0600	69	SOCIALAN	
	0900	75	SOCIALAN	
	1200	75	SOCIALAN	
	1500	75	SOCIALAN	
	1800	75	SOCIALAN	
	2100	75	SOCIALAN	
	2400	75	SOCIALAN	
TUESDAY				
8/18/24	0300	69	MUNIZ	
	0600	69	SOCIALAN	
	0900	75	SOCIALAN	
	1200	75	SOCIALAN	
	1500	75	SOCIALAN	
	1800	75	SOCIALAN	
	2100	75	SOCIALAN	
	2400	75	SOCIALAN	
MONDAY				
8/17/24	0300	69	MUNIZ	
	0600	69	SOCIALAN	
	0900	75	SOCIALAN	
	1200	75	SOCIALAN	
	1500	75	SOCIALAN	
	1800	75	SOCIALAN	
	2100	75	SOCIALAN	
	2400	75	SOCIALAN	

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C14 Temp. Reading Location:

Using an accurate thermometer on the highest location in the housing unit when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. Ambien air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

MONDAY			
Date	time	Temp.	Name (Print)
8/26/24	0300	68	Mou A
0600	70	GATTS	
0900	70	64	
0600	62	54 LN	
0300	62	54 LN	
0900	70	70	
1200	70	70	
1500	70	70	
1800	70	70	
2100	67	67	
2400	67	67	
TUESDAY			
Date	time	Temp.	Name (Print)
8/27/24	0300	68	Mou A
0600	70	GATTS	
0900	70	64	
0600	62	54 LN	
0300	62	54 LN	
0900	70	70	
1200	70	70	
1500	70	70	
1800	70	70	
2100	67	67	
2400	67	67	
WEDNESDAY			
Date	time	Temp.	Name (Print)
8/28/24	0300	68	Mou A
0600	70	GATTS	
0900	70	64	
0600	67	54 LN	
0300	67	54 LN	
0900	70	70	
1200	70	70	
1500	70	70	
1800	70	70	
2100	67	67	
2400	67	67	
THURSDAY			
Date	time	Temp.	Name (Print)
8/29/24	0300	68	Mou A
0600	69	GATTS	
0900	68	64	
0600	67	54 LN	
0300	67	54 LN	
0900	70	70	
1200	70	70	
1500	70	70	
1800	70	70	
2100	67	67	
2400	67	67	
FRIDAY			
Date	time	Temp.	Name (Print)
8/30/24	0300	69	Mou A
0600	70	GATTS	
0900	70	64	
0600	68	54 LN	
0300	68	54 LN	
0900	70	70	
1200	70	70	
1500	70	70	
1800	70	70	
2100	69	69	
2400	69	69	
SATURDAY			
Date	time	Temp.	Name (Print)
8/31/24	0300	70	Mou A
0600	68	GATTS	
0900	68	64	
0600	67	54 LN	
0300	67	54 LN	
0900	70	70	
1200	70	70	
1500	70	70	
1800	70	70	
2100	69	69	
2400	69	69	
SUNDAY			
Date	time	Temp.	Name (Print)
9/1/24	0300	70	Mou A
0600	69	GATTS	
0900	69	64	
0600	68	54 LN	
0300	68	54 LN	
0900	70	70	
1200	70	70	
1500	70	70	
1800	70	70	
2100	69	69	
2400	69	69	

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C14 Temp. Reading Location: 2nd

Using an accurate thermometer on the highest location in the housing unit will also be monitored when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. In all non-air-conditioned housing units where an inmate on the heat risk list is malfunctioning.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned staff to be responsible to monitor and log the INSIDE

MONDAY			
Date	time	Temp.	Name (Print)
0300	0300	74	V.D. A. Lawrence
0600	0600	74	A. Lawrence
0900	0900	75	A. Lawrence
1200	1200	75	A. Lawrence
1500	1500	75	A. Lawrence
1800	1800	75	A. Lawrence
2100	2100	75	A. Lawrence
2400	2400	75	A. Lawrence
TUESDAY			
Date	time	Temp.	Name (Print)
0300	0300	74	V.D. A. Lawrence
0600	0600	74	A. Lawrence
0900	0900	75	A. Lawrence
1200	1200	75	A. Lawrence
1500	1500	75	A. Lawrence
1800	1800	75	A. Lawrence
2100	2100	75	A. Lawrence
2400	2400	75	A. Lawrence
WEDNESDAY			
Date	time	Temp.	Name (Print)
0300	0300	74	V.D. A. Lawrence
0600	0600	74	A. Lawrence
0900	0900	75	A. Lawrence
1200	1200	75	A. Lawrence
1500	1500	75	A. Lawrence
1800	1800	75	A. Lawrence
2100	2100	75	A. Lawrence
2400	2400	75	A. Lawrence
THURSDAY			
Date	time	Temp.	Name (Print)
0300	0300	74	V.D. A. Lawrence
0600	0600	74	A. Lawrence
0900	0900	75	A. Lawrence
1200	1200	75	A. Lawrence
1500	1500	75	A. Lawrence
1800	1800	75	A. Lawrence
2100	2100	75	A. Lawrence
2400	2400	75	A. Lawrence
FRIDAY			
Date	time	Temp.	Name (Print)
0300	0300	75	V.D. A. Lawrence
0600	0600	75	A. Lawrence
0900	0900	75	A. Lawrence
1200	1200	75	A. Lawrence
1500	1500	75	A. Lawrence
1800	1800	75	A. Lawrence
2100	2100	75	A. Lawrence
2400	2400	75	A. Lawrence
SATURDAY			
Date	time	Temp.	Name (Print)
0300	0300	75	V.D. A. Lawrence
0600	0600	75	A. Lawrence
0900	0900	75	A. Lawrence
1200	1200	75	A. Lawrence
1500	1500	75	A. Lawrence
1800	1800	75	A. Lawrence
2100	2100	75	A. Lawrence
2400	2400	75	A. Lawrence
SUNDAY			
Date	time	Temp.	Name (Print)
0300	0300	75	V.D. A. Lawrence
0600	0600	75	A. Lawrence
0900	0900	75	A. Lawrence
1200	1200	75	A. Lawrence
1500	1500	75	A. Lawrence
1800	1800	75	A. Lawrence
2100	2100	75	A. Lawrence
2400	2400	75	A. Lawrence

immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF Housing Unit: C15 Temp. Reading Location:

Using an accurate thermometer on the highest location in the housing unit will also be monitored when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list is malfunctions. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Date	time	Temp.	Name (Print)	Notes
8/11/24	0300	76	J. D. BROWN	
	0600	76.2	J. D. BROWN	
	0900	75.5	J. D. BROWN	
	1200	76.6	J. D. BROWN	
	1500	77	J. D. BROWN	
	1800	77	J. D. BROWN	
	2100	77	J. D. BROWN	
	2400	75	J. D. BROWN	
SUNDAY				
8/12/24	0300	76	J. D. BROWN	
	0600	76.2	J. D. BROWN	
	0900	75.5	J. D. BROWN	
	1200	76.6	J. D. BROWN	
	1500	77	J. D. BROWN	
	1800	77	J. D. BROWN	
	2100	77	J. D. BROWN	
	2400	75	J. D. BROWN	
FRIDAY				
8/14/24	0300	76	J. D. BROWN	
	0600	76.2	J. D. BROWN	
	0900	75.5	J. D. BROWN	
	1200	76.6	J. D. BROWN	
	1500	77	J. D. BROWN	
	1800	77	J. D. BROWN	
	2100	78	J. D. BROWN	
	2400	78	J. D. BROWN	
SATURDAY				
8/15/24	0300	76	J. D. BROWN	
	0600	76.2	J. D. BROWN	
	0900	75.5	J. D. BROWN	
	1200	76.6	J. D. BROWN	
	1500	77	J. D. BROWN	
	1800	77	J. D. BROWN	
	2100	78	J. D. BROWN	
	2400	78	J. D. BROWN	
MONDAY				
8/5/24	0300	75.2	J. D. BROWN	
	0600	75.2	J. D. BROWN	
	0900	75.2	J. D. BROWN	
	1200	75.2	J. D. BROWN	
	1500	75.2	J. D. BROWN	
	1800	75.2	J. D. BROWN	
	2100	76	J. D. BROWN	
	2400	76	J. D. BROWN	
TUESDAY				
8/6/24	0300	74	J. D. BROWN	
	0600	74	J. D. BROWN	
	0900	75	J. D. BROWN	
	1200	75	J. D. BROWN	
	1500	75	J. D. BROWN	
	1800	75	J. D. BROWN	
	2100	76	J. D. BROWN	
	2400	77	J. D. BROWN	
WEDNESDAY				
8/7/24	0300	76	J. D. BROWN	
	0600	75.5	J. D. BROWN	
	0900	75.5	J. D. BROWN	
	1200	75.5	J. D. BROWN	
	1500	75.5	J. D. BROWN	
	1800	75.5	J. D. BROWN	
	2100	76	J. D. BROWN	
	2400	76	J. D. BROWN	
THURSDAY				
8/8/24	0300	76	J. D. BROWN	
	0600	75.5	J. D. BROWN	
	0900	75.5	J. D. BROWN	
	1200	75.5	J. D. BROWN	
	1500	75.5	J. D. BROWN	
	1800	75.5	J. D. BROWN	
	2100	76	J. D. BROWN	
	2400	76	J. D. BROWN	
FRIDAY				
8/9/24	0300	76	J. D. BROWN	
	0600	75.5	J. D. BROWN	
	0900	75.5	J. D. BROWN	
	1200	75.5	J. D. BROWN	
	1500	75.5	J. D. BROWN	
	1800	75.5	J. D. BROWN	
	2100	76	J. D. BROWN	
	2400	76	J. D. BROWN	
SATURDAY				
8/10/24	0300	76	J. D. BROWN	
	0600	75.5	J. D. BROWN	
	0900	75.5	J. D. BROWN	
	1200	75.5	J. D. BROWN	
	1500	75.5	J. D. BROWN	
	1800	75.5	J. D. BROWN	
	2100	76	J. D. BROWN	
	2400	76	J. D. BROWN	
SUNDAY				
8/11/24	0300	76	J. D. BROWN	
	0600	76.2	J. D. BROWN	
	0900	75.5	J. D. BROWN	
	1200	76.6	J. D. BROWN	
	1500	77	J. D. BROWN	
	1800	77	J. D. BROWN	
	2100	78	J. D. BROWN	
	2400	78	J. D. BROWN	

immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF      Housing Unit: C15      Temp. Reading Location: 

Using an accurate thermometer on the highest location in the housing unit where air-conditioning is malfunctioning.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list resides. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE

MONDAY					
Date	time	Temp.	Name (Print)	8/12/24	
0300	72	72	V. BURTON		
0600	72.5	72.5	V. BURTON		
0900	73	73	V. BURTON		
1200	74	74	V. BURTON		
1500	75	75	V. BURTON		
1800	75.5	75.5	V. BURTON		
2100	76	76	V. BURTON		
2400	76.5	76.5	V. BURTON		

TUESDAY					
Date	time	Temp.	Name (Print)	8/13/24	
0300	72	72	V. BURTON		
0600	72.5	72.5	V. BURTON		
0900	73	73	V. BURTON		
1200	74	74	V. BURTON		
1500	75	75	V. BURTON		
1800	75.5	75.5	V. BURTON		
2100	76	76	V. BURTON		
2400	76.5	76.5	V. BURTON		

WEDNESDAY					
Date	time	Temp.	Name (Print)	8/14/24	
0300	72.5	72.5	V. BURTON		
0600	73	73	V. BURTON		
0900	74	74	V. BURTON		
1200	75	75	V. BURTON		
1500	75.5	75.5	V. BURTON		
1800	76	76	V. BURTON		
2100	76.5	76.5	V. BURTON		
2400	77	77	V. BURTON		

THURSDAY					
Date	time	Temp.	Name (Print)	8/15/24	
0300	72	72	V. BURTON		
0600	72.5	72.5	V. BURTON		
0900	73	73	V. BURTON		
1200	74	74	V. BURTON		
1500	75	75	V. BURTON		
1800	75.5	75.5	V. BURTON		
2100	76	76	V. BURTON		
2400	76.5	76.5	V. BURTON		

FRIDAY					
Date	time	Temp.	Name (Print)	8/16/24	
0300	72.5	72.5	V. BURTON		
0600	73	73	V. BURTON		
0900	74	74	V. BURTON		
1200	75	75	V. BURTON		
1500	75.5	75.5	V. BURTON		
1800	76	76	V. BURTON		
2100	76.5	76.5	V. BURTON		
2400	77	77	V. BURTON		

SATURDAY					
Date	time	Temp.	Name (Print)	8/17/24	
0300	73	73	V. BURTON		
0600	73.5	73.5	V. BURTON		
0900	74	74	V. BURTON		
1200	75	75	V. BURTON		
1500	75.5	75.5	V. BURTON		
1800	76	76	V. BURTON		
2100	76.5	76.5	V. BURTON		
2400	77	77	V. BURTON		

SUNDAY					
Date	time	Temp.	Name (Print)	8/18/24	
0300	73.5	73.5	V. BURTON		
0600	74	74	V. BURTON		
0900	74.5	74.5	V. BURTON		
1200	75	75	V. BURTON		
1500	75.5	75.5	V. BURTON		
1800	76	76	V. BURTON		
2100	76.5	76.5	V. BURTON		
2400	77	77	V. BURTON		

90 degrees and again at 95 degrees. When the inside air temperature reaches 5523 when the water comminates at extension

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSF      Housing Unit: C15      Temp. Reading Location: Zone  
Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.  
Shows an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warthen shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning.

Date	time	Temp.	Name (Print)	Notes
8/25/24	0300	70	C. COOPER	
	0600	70	S. SILVA	
	0900	70	J. SOTO	
	1200	70	D. LIMA	
	1500	70	G. SILVA	
	1800	70	M. SOTO	
	2100	70	R. SOTO	
	2400	71	G. SOTO	
SUNDAY				
	0300	70	C. COOPER	
	0600	70	S. SILVA	
	0900	70	J. SOTO	
	1200	70	D. LIMA	
	1500	70	G. SILVA	
	1800	70	M. SOTO	
	2100	70	R. SOTO	
	2400	71	G. SOTO	
MONDAY				
	0300	70	V. ESTRADA	
	0600	70	A. LOPEZ	
	0900	70	A. LOPEZ	
	1200	70	A. LOPEZ	
	1500	70	A. LOPEZ	
	1800	70	A. LOPEZ	
	2100	70	A. LOPEZ	
	2400	70	A. LOPEZ	
TUESDAY				
	0300	70	V. ESTRADA	
	0600	70	A. LOPEZ	
	0900	70	A. LOPEZ	
	1200	70	A. LOPEZ	
	1500	70	A. LOPEZ	
	1800	70	A. LOPEZ	
	2100	70	A. LOPEZ	
	2400	70	A. LOPEZ	
WEDNESDAY				
	0300	70	V. ESTRADA	
	0600	70	A. LOPEZ	
	0900	70	A. LOPEZ	
	1200	70	A. LOPEZ	
	1500	70	A. LOPEZ	
	1800	70	A. LOPEZ	
	2100	70	A. LOPEZ	
	2400	70	A. LOPEZ	
THURSDAY				
	0300	70	V. ESTRADA	
	0600	70	A. LOPEZ	
	0900	70	A. LOPEZ	
	1200	70	A. LOPEZ	
	1500	70	A. LOPEZ	
	1800	70	A. LOPEZ	
	2100	70	A. LOPEZ	
	2400	70	A. LOPEZ	
FRIDAY				
	0300	70	V. ESTRADA	
	0600	70	A. LOPEZ	
	0900	70	A. LOPEZ	
	1200	70	A. LOPEZ	
	1500	70	A. LOPEZ	
	1800	70	A. LOPEZ	
	2100	70	A. LOPEZ	
	2400	70	A. LOPEZ	
SATURDAY				
	0300	70	V. ESTRADA	
	0600	70	A. LOPEZ	
	0900	70	A. LOPEZ	
	1200	70	A. LOPEZ	
	1500	70	A. LOPEZ	
	1800	70	A. LOPEZ	
	2100	70	A. LOPEZ	
	2400	70	A. LOPEZ	
SUNDAY				
	0300	70	V. ESTRADA	
	0600	70	A. LOPEZ	
	0900	70	A. LOPEZ	
	1200	70	A. LOPEZ	
	1500	70	A. LOPEZ	
	1800	70	A. LOPEZ	
	2100	70	A. LOPEZ	
	2400	70	A. LOPEZ	

90 degrees and again at 95 degrees.

5523

When the inside air temperature reaches

Immediately notify the Watch Commander at extension (e.g., 1st tier, 2nd tier, etc.)

Institution: MCSF      Housing Unit: C15      Temp. Reading Location: 2nd

Using an accurate thermometer on the highest location in the housing unit when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed in all non-air-conditioned housing units where an inmate on the heat risk list is malfunctioning).

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

MONDAY					
Date	time	Temp.	Name (Print)	Name (Print)	
8/26/24	0300	70	GRACELYN	GRACELYN	
0600	70	GRACELYN	GRACELYN		
0900	70	GRACELYN	GRACELYN		
1200	70	GRACELYN	GRACELYN		
1500	70	GRACELYN	GRACELYN		
1800	70	GRACELYN	GRACELYN		
2100	70	GRACELYN	GRACELYN		
2400	70	GRACELYN	GRACELYN		
TUESDAY					
Date	time	Temp.	Name (Print)	Name (Print)	
8/27/24	0300	70	GRACELYN	GRACELYN	
0600	70	GRACELYN	GRACELYN		
0900	70	GRACELYN	GRACELYN		
1200	70	GRACELYN	GRACELYN		
1500	70	GRACELYN	GRACELYN		
1800	70	GRACELYN	GRACELYN		
2100	70	GRACELYN	GRACELYN		
2400	70	GRACELYN	GRACELYN		
WEDNESDAY					
Date	time	Temp.	Name (Print)	Name (Print)	
8/28/24	0300	70	MILIA	MILIA	
0600	70	MILIA	MILIA		
0900	70	MILIA	MILIA		
1200	70	MILIA	MILIA		
1500	70	MILIA	MILIA		
1800	70	MILIA	MILIA		
2100	70	MILIA	MILIA		
2400	70	MILIA	MILIA		
THURSDAY					
Date	time	Temp.	Name (Print)	Name (Print)	
8/29/24	0300	70	MILIA	MILIA	
0600	70	MILIA	MILIA		
0900	70	MILIA	MILIA		
1200	70	MILIA	MILIA		
1500	70	MILIA	MILIA		
1800	70	MILIA	MILIA		
2100	70	MILIA	MILIA		
2400	70	MILIA	MILIA		
FRIDAY					
Date	time	Temp.	Name (Print)	Name (Print)	
8/30/24	0300	71	WAL	WAL	
0600	70	SILVA	SILVA		
0900	70	SILVA	SILVA		
1200	70	SILVA	SILVA		
1500	70	SILVA	SILVA		
1800	70	SILVA	SILVA		
2100	71	SILVA	SILVA		
2400	71	SILVA	SILVA		
SATURDAY					
Date	time	Temp.	Name (Print)	Name (Print)	
8/31/24	0300	71	WAL	WAL	
0600	70	SILVA	SILVA		
0900	70	SILVA	SILVA		
1200	70	SILVA	SILVA		
1500	70	SILVA	SILVA		
1800	70	SILVA	SILVA		
2100	71	SILVA	SILVA		
2400	71	SILVA	SILVA		
SUNDAY					
Date	time	Temp.	Name (Print)	Name (Print)	
8/31/24	0300	70	WAL	WAL	
0600	70	WAL	WAL		
0900	70	WAL	WAL		
1200	70	WAL	WAL		
1500	70	WAL	WAL		
1800	70	WAL	WAL		
2100	70	WAL	WAL		
2400	70	WAL	WAL		

90 degrees and again at 95 degrees.

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Institution: MCSB      Housing Unit: C15      Temp. Reading Location: 2nd  
risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

immensely noisy the Watch Command at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Immediatelly notify the Watch Commander at extension 5522 when the incident is cleared (e.g., 1st tier, 2nd tier, 3rd tier, etc.).

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.) Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

**INSIDE TEMPERATURE RECORD**  
STATE OF CALIFORNIA  
CDCR 2031 (04/18)

Date	Time	Temp.	Name (Print)
8/5/24	0300	70	CORRIDORS
8/6/24	0300	67.1	OUTSIDE
8/6/24	0600	67.7	AIR LAVES
8/6/24	0900	69	AIR LAVES
8/6/24	1200	69	AIR LAVES
8/6/24	1500	69	AIR LAVES
8/6/24	1800	69	AIR LAVES
8/6/24	2100	69	AIR LAVES
8/6/24	2400	69	AIR LAVES
8/7/24	0300	67.1	AIR LAVES
8/7/24	0600	67.1	AIR LAVES
8/7/24	0900	67.1	AIR LAVES
8/7/24	1200	67.1	AIR LAVES
8/7/24	1500	67.1	AIR LAVES
8/7/24	1800	67.1	AIR LAVES
8/7/24	2100	67.1	AIR LAVES
8/7/24	2400	67.1	AIR LAVES
8/8/24	0300	67.1	AIR LAVES
8/8/24	0600	68.2	AIR LAVES
8/8/24	0900	70.0	AIR LAVES
8/8/24	1200	70.0	AIR LAVES
8/8/24	1500	70.4	AIR LAVES
8/8/24	1800	70.7	AIR LAVES
8/8/24	2100	70.7	AIR LAVES
8/8/24	2400	70.3	AIR LAVES
8/9/24	0300	67.1	AIR LAVES
8/9/24	0600	67.1	AIR LAVES
8/9/24	0900	67.1	AIR LAVES
8/9/24	1200	67.1	AIR LAVES
8/9/24	1500	67.1	AIR LAVES
8/9/24	1800	67.1	AIR LAVES
8/9/24	2100	67.1	AIR LAVES
8/9/24	2400	67.1	AIR LAVES
8/10/24	0300	69	THERMOS
8/10/24	0600	70	THERMOS
8/10/24	0900	70.5	THERMOS
8/10/24	1200	71	THERMOS
8/10/24	1500	71	THERMOS
8/10/24	1800	71	THERMOS
8/10/24	2100	71	THERMOS
8/10/24	2400	71	THERMOS
8/11/24	0300	71	THERMOS
8/11/24	0600	71.1	THERMOS
8/11/24	0900	71.1	THERMOS
8/11/24	1200	71.2	THERMOS
8/11/24	1500	71.2	THERMOS
8/11/24	1800	71.2	THERMOS
8/11/24	2100	71.1	THERMOS
8/11/24	2400	71	THERMOS

Date	Time	Temp.	Name (Print)
8/7/24	0300	67.1	AIR LAVES
8/7/24	0600	67.1	AIR LAVES
8/7/24	0900	67.1	AIR LAVES
8/7/24	1200	67.1	AIR LAVES
8/7/24	1500	67.1	AIR LAVES
8/7/24	1800	67.1	AIR LAVES
8/7/24	2100	67.1	AIR LAVES
8/7/24	2400	67.1	AIR LAVES
8/8/24	0300	67.1	AIR LAVES
8/8/24	0600	68.2	AIR LAVES
8/8/24	0900	70.0	AIR LAVES
8/8/24	1200	70.0	AIR LAVES
8/8/24	1500	70.4	AIR LAVES
8/8/24	1800	70.7	AIR LAVES
8/8/24	2100	70.7	AIR LAVES
8/8/24	2400	70.3	AIR LAVES
8/9/24	0300	67.1	AIR LAVES
8/9/24	0600	67.1	AIR LAVES
8/9/24	0900	67.1	AIR LAVES
8/9/24	1200	67.1	AIR LAVES
8/9/24	1500	67.1	AIR LAVES
8/9/24	1800	67.1	AIR LAVES
8/9/24	2100	67.1	AIR LAVES
8/9/24	2400	67.1	AIR LAVES
8/10/24	0300	69	THERMOS
8/10/24	0600	70	THERMOS
8/10/24	0900	70.5	THERMOS
8/10/24	1200	71	THERMOS
8/10/24	1500	71	THERMOS
8/10/24	1800	71	THERMOS
8/10/24	2100	71	THERMOS
8/10/24	2400	71	THERMOS
8/11/24	0300	71	THERMOS
8/11/24	0600	71.1	THERMOS
8/11/24	0900	71.1	THERMOS
8/11/24	1200	71.2	THERMOS
8/11/24	1500	71.2	THERMOS
8/11/24	1800	71.2	THERMOS
8/11/24	2100	71.1	THERMOS
8/11/24	2400	71	THERMOS

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Using an accurate thermometer on the highest unit will also be monitored when the air conditioner is malfunctioning. Note: Air-conditioned housing units will also be monitored when the air conditioner is on the heat risk list.

Institution: MCIC Housing Unit: 18 Temp. Reading Location: 2ND TIER Immediatly notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees. (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Risk list is housed. The highest unit in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: A non-air-conditioned housing unit will also be monitored when the air conditioner is on the heat risk list. Using an accurate thermometer on the highest unit will also be monitored when the air conditioner is malfunctioning.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Using an accurate thermometer on the highest unit will also be monitored when the air conditioner is on the heat risk list.

CDCR 2031 (04/18) STATE OF CALIFORNIA INSIDE TEMPERATURE RECORD DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 18 Temp. Reading Location: 2ND TIER

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Tuesday			
Date	Time	Temp.	Name (Print)
8/12/24	0300	69.1	Curtis
	0600	70.0	Air Balao
	0900	70.3	Air Balao
	1200	70.3	Ward Sear
	1500	70.9	Air Balao
	1800	71.3	Air Balao
	2100	71.1	Air Balao
	2400	71.0	Curtis
Wednesday			
Date	Time	Temp.	Name (Print)
8/13/24	0300	69.5	Terry
	0600	70.3	Air Balao
	0900	70.5	Air Balao
	1200	70.3	Air Balao
	1500	71.1	Air Balao
	1800	71.3	Air Balao
	2100	71.0	Vern
	2400	71.0	Curtis
Thursday			
Date	Time	Temp.	Name (Print)
8/14/24	0300	69.5	Terry
	0600	70.5	Melissa
	0900	70.3	Ward Sear
	1200	70.3	Air Balao
	1500	71.1	Air Balao
	1800	71.3	Air Balao
	2100	71.0	Vern
	2400	71.0	Curtis
Friday			
Date	Time	Temp.	Name (Print)
8/15/24	0300	70.5	Terry
	0600	70.4	Melissa
	0900	70.5	Ward Sear
	1200	70.4	Air Balao
	1500	70.6	Air Balao
	1800	71.1	Air Balao
	2100	71.5	Air Balao
	2400	71.4	Terry
Saturday			
Date	Time	Temp.	Name (Print)
8/16/24	0300	70.0	Terry
	0600	71.0	Air Balao
	0900	71.1	Air Balao
	1200	71.2	Air Balao
	1500	71.5	Air Balao
	1800	71.6	Air Balao
	2100	71.0	Brian
	2400	71.0	Terry
Sunday			
Date	Time	Temp.	Name (Print)
8/17/24	0300	71.0	Air Balao
	0600	71.1	Air Balao
	0900	71.1	Air Balao
	1200	71.2	Air Balao
	1500	71.5	Air Balao
	1800	71.6	Air Balao
	2100	71.0	Brian
	2400	71.0	Terry

Monday			
Date	Time	Temp.	Name (Print)
8/18/24	0300	71.0	Air Balao
	0600	71.1	Air Balao
	0900	71.1	Air Balao
	1200	71.2	Air Balao
	1500	71.5	Air Balao
	1800	71.6	Air Balao
	2100	71.0	Brian
	2400	71.0	Terry
Tuesday			
Date	Time	Temp.	Name (Print)
8/19/24	0300	69.5	Air Balao
	0600	70.4	Melissa
	0900	70.5	Ward Sear
	1200	70.4	Air Balao
	1500	70.6	Air Balao
	1800	71.1	Air Balao
	2100	71.5	Air Balao
	2400	71.4	Terry
Wednesday			
Date	Time	Temp.	Name (Print)
8/20/24	0300	69.8	Air Balao
	0600	70.7	Melissa
	0900	70.6	Ward Sear
	1200	70.5	Air Balao
	1500	70.7	Air Balao
	1800	71.2	Air Balao
	2100	71.6	Air Balao
	2400	71.5	Terry
Thursday			
Date	Time	Temp.	Name (Print)
8/21/24	0300	71.0	Air Balao
	0600	71.1	Melissa
	0900	71.1	Ward Sear
	1200	71.2	Air Balao
	1500	71.5	Air Balao
	1800	71.6	Air Balao
	2100	71.0	Brian
	2400	71.0	Terry
Friday			
Date	Time	Temp.	Name (Print)
8/22/24	0300	71.0	Air Balao
	0600	71.1	Melissa
	0900	71.1	Ward Sear
	1200	71.2	Air Balao
	1500	71.5	Air Balao
	1800	71.6	Air Balao
	2100	71.0	Brian
	2400	71.0	Terry
Saturday			
Date	Time	Temp.	Name (Print)
8/23/24	0300	71.0	Air Balao
	0600	71.1	Melissa
	0900	71.1	Ward Sear
	1200	71.2	Air Balao
	1500	71.5	Air Balao
	1800	71.6	Air Balao
	2100	71.0	Brian
	2400	71.0	Terry
Sunday			
Date	Time	Temp.	Name (Print)
8/24/24	0300	71.0	Air Balao
	0600	71.1	Melissa
	0900	71.1	Ward Sear
	1200	71.2	Air Balao
	1500	71.5	Air Balao
	1800	71.6	Air Balao
	2100	71.0	Brian
	2400	71.0	Terry

8/25/24

8/23/24

8/21/24

8/19/24

Mondays  
90 degrees and again at 95 degrees.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Institution: MGIC Housing Unit: 18 Temp. Reading Location: \_\_\_\_\_  
 Using an accurate thermometer in all non-air-conditioned housing units will also be monitored when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.  
 (Note: Air-conditioned housing units will also be monitored where an inmate on the heat risk list may be housed.)  
 From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. Using an accurate thermometer on the highest unit in all non-air-conditioned housing units where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCI Housing Unit: 18 Temp. Reading Location: 2ND TIER Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

90 degrees and again at 95 degrees.

5522 when the inside air temperature reaches

Date	Time	Temp.	Name (Print)	
<b>Monday</b>				
0300	0300	73.0	WATKINS	
0600	0600	73.1	DESANTIA	
0900	0900	73.2	CARTWRIGHT	
1200	1200	74.4	DR. R.	
1500	1500	76.2	ORTIZ	
1800	1800	76.5	MORRIS	
2100	2100	76.6	ORTIZ	
2400	2400	76.7	CARTWRIGHT	
<b>Tuesday</b>				
0300	0300	73.1	WATKINS	
0600	0600	73.1	DESANTIA	
0900	0900	73.2	CARTWRIGHT	
1200	1200	74.2	DR. R.	
1500	1500	76.2	ORTIZ	
1800	1800	76.5	MORRIS	
2100	2100	76.6	ORTIZ	
2400	2400	76.7	CARTWRIGHT	
<b>Wednesday</b>				
0300	0300	73.0	WATKINS	
0600	0600	73.1	DESANTIA	
0900	0900	73.2	CARTWRIGHT	
1200	1200	74.2	DR. R.	
1500	1500	76.2	ORTIZ	
1800	1800	76.5	MORRIS	
2100	2100	76.6	ORTIZ	
2400	2400	76.7	CARTWRIGHT	
<b>Thursday</b>				
0300	0300	73.0	WATKINS	
0600	0600	73.1	DESANTIA	
0900	0900	73.2	CARTWRIGHT	
1200	1200	74.2	DR. R.	
1500	1500	76.2	ORTIZ	
1800	1800	76.5	MORRIS	
2100	2100	76.6	ORTIZ	
2400	2400	76.7	CARTWRIGHT	
<b>Friday</b>				
0300	0300	73.0	WATKINS	
0600	0600	73.1	DESANTIA	
0900	0900	73.2	CARTWRIGHT	
1200	1200	74.2	DR. R.	
1500	1500	76.2	ORTIZ	
1800	1800	76.5	MORRIS	
2100	2100	76.6	ORTIZ	
2400	2400	76.7	CARTWRIGHT	
<b>Saturday</b>				
0300	0300	73.0	WATKINS	
0600	0600	73.1	DESANTIA	
0900	0900	73.2	CARTWRIGHT	
1200	1200	74.2	DR. R.	
1500	1500	76.2	ORTIZ	
1800	1800	76.5	MORRIS	
2100	2100	76.6	ORTIZ	
2400	2400	76.7	CARTWRIGHT	
<b>Sunday</b>				
0300	0300	73.0	WATKINS	
0600	0600	73.1	DESANTIA	
0900	0900	73.2	CARTWRIGHT	
1200	1200	74.2	DR. R.	
1500	1500	76.2	ORTIZ	
1800	1800	76.5	MORRIS	
2100	2100	76.6	ORTIZ	
2400	2400	76.7	CARTWRIGHT	

degrees and again at 95 degrees.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees.

Temp. Reading Location: 2nd. Tier  
Temp. Reading Location: 2nd. Tier

Institution: MCSF Housing Unit: 19

The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be monitored when the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be monitored when the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be monitored when the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be monitored when the housing unit (e.g., top tier) where an inmate on the heat risk list is housed.

(Note: Air-conditioned housed units will also be monitored when the heat risk list may be housed.)

Ambient air temperature in all non-air-conditioned housed units where an inmate on the heat risk list may be housed.


From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be monitored when the housing unit (e.g., top tier) where an inmate on the heat risk list is housed.

(Note: Air-conditioned housed units will also be monitored when the heat risk list may be housed.)

Ambient air temperature in all non-air-conditioned housed units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE



Date	Time	Temp.	Name (Print)
7/31/24	0300	73.1	DESAULNIER
8/1/24	0600	71.7	DESAULNIER
8/2/24	0900	71.7	DESAULNIER
8/3/24	0300	71.7	DESAULNIER
8/4/24	0600	71.7	DESAULNIER
8/5/24	0900	71.7	DESAULNIER
8/6/24	0300	73.6	DESAULNIER
8/7/24	0600	73.4	DESAULNIER
8/8/24	0900	73.1	DESAULNIER
8/9/24	0300	72.4	DESAULNIER
8/10/24	0600	70.9	DESAULNIER
8/11/24	0900	70.9	DESAULNIER
Saturday	1200	72.0	DESAULNIER
Sunday	1500	73.6	DESAULNIER
Sunday	1800	74.4	DESAULNIER
Sunday	2100	75.0	DESAULNIER
Sunday	2400	75.6	DESAULNIER

Date	Time	Temp.	Name (Print)
8/11/24	0300	73.1	DESAULNIER
8/11/24	0600	71.7	DESAULNIER
8/11/24	0900	71.7	DESAULNIER
8/11/24	1200	72.4	DESAULNIER
8/11/24	1500	73.4	DESAULNIER
8/11/24	1800	74.4	DESAULNIER
8/11/24	2100	75.0	DESAULNIER
8/11/24	2400	75.6	DESAULNIER
Monday	0300	74.1	DESAULNIER
Monday	0600	75.2	DESAULNIER
Monday	0900	75.7	DESAULNIER
Monday	1200	76.2	DESAULNIER
Monday	1500	76.7	DESAULNIER
Monday	1800	77.2	DESAULNIER
Monday	2100	77.7	DESAULNIER
Monday	2400	78.2	DESAULNIER
Tuesday	0300	74.1	DESAULNIER
Tuesday	0600	73.6	DESAULNIER
Tuesday	0900	73.1	DESAULNIER
Tuesday	1200	72.6	DESAULNIER
Tuesday	1500	72.1	DESAULNIER
Tuesday	1800	71.6	DESAULNIER
Tuesday	2100	71.1	DESAULNIER
Tuesday	2400	70.6	DESAULNIER
Wednesday	0300	74.1	DESAULNIER
Wednesday	0600	75.4	DESAULNIER
Wednesday	0900	76.3	DESAULNIER
Wednesday	1200	77.2	DESAULNIER
Wednesday	1500	78.1	DESAULNIER
Wednesday	1800	79.0	DESAULNIER
Wednesday	2100	79.9	DESAULNIER
Wednesday	2400	80.8	DESAULNIER
Thursday	0300	74.1	DESAULNIER
Thursday	0600	73.6	DESAULNIER
Thursday	0900	73.1	DESAULNIER
Thursday	1200	72.6	DESAULNIER
Thursday	1500	72.1	DESAULNIER
Thursday	1800	71.6	DESAULNIER
Thursday	2100	71.1	DESAULNIER
Thursday	2400	70.6	DESAULNIER
Friday	0300	74.1	DESAULNIER
Friday	0600	75.4	DESAULNIER
Friday	0900	76.3	DESAULNIER
Friday	1200	77.2	DESAULNIER
Friday	1500	78.1	DESAULNIER
Friday	1800	79.0	DESAULNIER
Friday	2100	79.9	DESAULNIER
Friday	2400	80.8	DESAULNIER
Saturday	0300	74.1	DESAULNIER
Saturday	0600	73.6	DESAULNIER
Saturday	0900	73.1	DESAULNIER
Saturday	1200	72.6	DESAULNIER
Saturday	1500	72.1	DESAULNIER
Saturday	1800	71.6	DESAULNIER
Saturday	2100	71.1	DESAULNIER
Saturday	2400	70.6	DESAULNIER
Sunday	0300	74.1	DESAULNIER
Sunday	0600	75.4	DESAULNIER
Sunday	0900	76.3	DESAULNIER
Sunday	1200	77.2	DESAULNIER
Sunday	1500	78.1	DESAULNIER
Sunday	1800	79.0	DESAULNIER
Sunday	2100	79.9	DESAULNIER
Sunday	2400	80.8	DESAULNIER

Institution: **MCSF** Housing Unit: **19**  
 Immediate notify the Watch Commander at extension **5522** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Temp. Reading Location: **2nd. Tier**  
 (e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.  
 Note: Air-conditioned housing units will also be monitored when the risk list may be housed  
 ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.  
 From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

Date	Time	Temp.	Name (Print)	
8/12/24	0300	71.9	INSIDE TEMPERATURE RECORD	Tuesday
8/12/24	0600	70.4	DESAULNIER	
8/12/24	0900	71.6	CALIFORNIA	
8/12/24	1200	71.4	DESAULNIER	
8/12/24	1500	71.4	CALIFORNIA	
8/12/24	1800	71.4	DESAULNIER	
8/12/24	2100	71.4	CALIFORNIA	
8/12/24	2400	71.4	DESAULNIER	
8/13/24	0300	71.4	INSIDE TEMPERATURE RECORD	Wednesday
8/13/24	0600	70.4	DESAULNIER	
8/13/24	0900	71.4	CALIFORNIA	
8/13/24	1200	71.4	DESAULNIER	
8/13/24	1500	71.4	CALIFORNIA	
8/13/24	1800	71.4	DESAULNIER	
8/13/24	2100	71.4	CALIFORNIA	
8/13/24	2400	71.4	DESAULNIER	
8/14/24	0300	71.4	INSIDE TEMPERATURE RECORD	Thursday
8/14/24	0600	71.1	DESAULNIER	
8/14/24	0900	70.9	DESAULNIER	
8/14/24	1200	71.7	DESAULNIER	
8/14/24	1500	73.1	DARTI 2	
8/14/24	1800	73.7	DARTI 2	
8/14/24	2100	73.7	DARTI 2	
8/14/24	2400	72.5	DARTI 2	
8/15/24	0300	71.4	INSIDE TEMPERATURE RECORD	Saturday
8/15/24	0600	71.1	DESAULNIER	
8/15/24	0900	70.9	DESAULNIER	
8/15/24	1200	71.7	DESAULNIER	
8/15/24	1500	73.1	DARTI 2	
8/15/24	1800	73.7	DARTI 2	
8/15/24	2100	73.7	DARTI 2	
8/15/24	2400	72.5	DARTI 2	
8/16/24	0300	71.4	INSIDE TEMPERATURE RECORD	Sunday
8/16/24	0600	71.1	DESAULNIER	
8/16/24	0900	70.9	DESAULNIER	
8/16/24	1200	71.6	DESAULNIER	
8/16/24	1500	73.2	DARTI 2	
8/16/24	1800	74.4	DARTI 2	
8/16/24	2100	74.4	DARTI 2	
8/16/24	2400	72.1	DARTI 2	
8/17/24	0300	71.4	INSIDE TEMPERATURE RECORD	
8/17/24	0600	70.5	VITALE	
8/17/24	0900	71.8	VITALE	
8/17/24	1200	71.6	VITALE	
8/17/24	1500	73.6	DARTI 2	
8/17/24	1800	74.6	DARTI 2	
8/17/24	2100	74.6	DARTI 2	
8/17/24	2400	72.9	DARTI 2	
8/18/24	0300	71.7	INSIDE TEMPERATURE RECORD	
8/18/24	0600	70.5	VITALE	
8/18/24	0900	71.6	VITALE	
8/18/24	1200	71.4	VITALE	
8/18/24	1500	73.0	DARTI 2	
8/18/24	1800	74.0	DARTI 2	
8/18/24	2100	74.0	DARTI 2	
8/18/24	2400	71.1	DARTI 2	

degrees and again at 95 degrees.

5522 When the inside air temperature reaches 90 degrees immediately notify the Watch Commander at extension (e.g. 1st, 2nd, 3rd, Tel, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housed units will also be monitored when the heat risk list may be housed in all non-air-conditioned housed units where an inmate on the heat risk list may be housed in all ambient air temperature in all non-air-conditioned housed units which are responsible to monitor and log the INSIDE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

DEPARTMENT OF CORRECTIONS AND REHABILITATION  
DDCR 2131(1/18)  
STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD



Date	Time	Temp.	Name (Print)
		0300	
		0600	
		0900	
		1200	
		1500	
		1800	
		2100	
		2400	

Date	Name (Print)	Time	Temp.
8/31/24	Matthew	0300	70
	Matthew	0600	65
	Matthew	0900	65
	Matthew	1200	65
	Matthew	1500	64
	Matthew	1800	60
	Matthew	2100	70
	Matthew	2400	70

Date	Time	Temp.	Name (Print)	Comments
8/30/24	0300	68	MARIA SAWYER	
	0600	68	DATIIZ	
	0900	68	DATIIZ	
	1200	68	DATIIZ	
	1500	69	DATIIZ	
	1800	70	DATIIZ	
	2100	71	DATIIZ	
	2400	71	DATIIZ	

Date	Time	Temp.	Name (Print)
8/29/24	0300	64	Desaulniers
	0600	68	ALTIZ
	0900	69	ALTIZ
	1200	69	ALTIZ
	1500	70	ALTIZ
	1800	70	ALTIZ
	2100	69	ALTIZ
	2400	69	ALTIZ

Date	Time	Temp.	Name (Print)
8/27/24	0300	65	DUSTIN WIE
	0600	68	RUVIS
	0900	66	DUSTIN WIE
	1200	64	LAUREN
	1500	62	LAUREN
	1800	64	LAUREN
	2100	68	LAUREN
	2400	67	LAUREN
Thursday			

Date	Time	Temp.	Name (Print)
8/26/24	0300	65	BETHANIA
	0600	65	GRACIENNE
	0900	65	GRACIENNE
	1200	65	GRACIENNE
	1500	65	GRACIENNE
	1800	65	GRACIENNE
	2100	65	GRACIENNE
	2400	65	GRACIENNE
Wednesday			

immediately hotly the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g., 1st, 2nd, 3rd, etc.)

67

21

skipping up and down the thermometer on the highest test location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest setting in the bath will give an accurate reading when the air condition is maintained.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned buildings where the ambient air temperature may exceed 70° F.

From [Mechanic's Soul](http://www.mechanicsoul.com) (4/18) CC BY-SA

**INSIDE TEMPERATURE RECORD**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Date	Time	Temp.	Name (Print)	Notes
8/3/24	0300	74.5	Rosenthal	
	0600	74.1	Hagood	
	0900	74.8	Hagood	
	1200	75.5	Hagood	
	1500	75.8	Wentz	
	1800	76.5	Snow	
	2100	75.4	Snow	
	2400	73.9	Wentz	

Date	Time	Temp.	Name (Print)
8/4/24	0300	73.8	D. McCAE
	0600	73.1	H. PRO
	0900	74.1	H. PRO
	1200	75.2	H. PRO
	1500	75.2	H. PRO
	1800	75.5	H. PRO
	2100	75.2	H. PRO
	2400	75.6	H. PRO

Date	Time	Temp.	Name (Print)	
Luesday	0300	71.8	Boszeman	73.0
Wednesday	0600	73.0	RAMMIEZ	73.5
Thursday	0900	75.5	RAMMIEZ	75.5
Friday	1200	75.5	RAMMIEZ	75.5
Saturday	1500	75.5	RAMMIEZ	75.5
Saturday	1800	75.4	DeMELLO	75.5
Saturday	2100	75.5	DeMELLO	75.5
Saturday	2400	94.5	DeMELLO	94.5

Date	Temp.	Name (Print)	Frida
		0300	
		0600	
		0900	
		1200	
		1500	
		1800	
		2100	
		2400	

Date	Time	Temp.	Name (Print)	Wednesday
				2400
				2100
				1800
				1500
				1200
				0900
				0600
				0300

Institution:	MCSP	Housing Unit:	20	Temp. Readings Location:	2nd, Tier (e.g. 1st, Tier, 2nd, Tier, 3rd, Tier, etc.)	Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.
--------------	------	---------------	----	--------------------------	-----------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Temp. Readings Location: 2nd. Tier  
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

5522 When the inside air temperature at extension degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	73.0	100%	WILSON
0600	72.9	100%	WILSON
0900	72.8	100%	WILSON
1200	72.7	100%	WILSON
1500	72.6	100%	WILSON
1800	72.5	100%	WILSON
2100	72.4	100%	WILSON
2400	72.3	100%	WILSON

Friday

Date	Time	Temp.	Name (Print)
0300	72.7	100%	WILSON
0600	72.6	100%	WILSON
0900	72.5	100%	WILSON
1200	72.4	100%	WILSON
1500	72.3	100%	WILSON
1800	72.2	100%	WILSON
2100	72.1	100%	WILSON
2400	72.0	100%	WILSON

Saturday

Date	Time	Temp.	Name (Print)
0300	72.7	100%	WILSON
0600	72.6	100%	WILSON
0900	72.5	100%	WILSON
1200	72.4	100%	WILSON
1500	72.3	100%	WILSON
1800	72.2	100%	WILSON
2100	72.1	100%	WILSON
2400	72.0	100%	WILSON

Sunday

Date	Time	Temp.	Name (Print)
0300	72.7	100%	WILSON
0600	72.6	100%	WILSON
0900	72.5	100%	WILSON
1200	72.4	100%	WILSON
1500	72.3	100%	WILSON
1800	72.2	100%	WILSON
2100	72.1	100%	WILSON
2400	72.0	100%	WILSON

Notes

Date	Time	Temp.	Name (Print)
0300	72.7	100%	WILSON
0600	72.6	100%	WILSON
0900	72.5	100%	WILSON
1200	72.4	100%	WILSON
1500	72.3	100%	WILSON
1800	72.2	100%	WILSON
2100	72.1	100%	WILSON
2400	72.0	100%	WILSON

Saturday

Date	Time	Temp.	Name (Print)
0300	72.7	100%	WILSON
0600	72.6	100%	WILSON
0900	72.5	100%	WILSON
1200	72.4	100%	WILSON
1500	72.3	100%	WILSON
1800	72.2	100%	WILSON
2100	72.1	100%	WILSON
2400	72.0	100%	WILSON

Thursday

Date	Time	Temp.	Name (Print)
0300	72.7	100%	WILSON
0600	72.6	100%	WILSON
0900	72.5	100%	WILSON
1200	72.4	100%	WILSON
1500	72.3	100%	WILSON
1800	72.2	100%	WILSON
2100	72.1	100%	WILSON
2400	72.0	100%	WILSON

Tuesday

Date	Time	Temp.	Name (Print)
0300	72.7	100%	WILSON
0600	72.6	100%	WILSON
0900	72.5	100%	WILSON
1200	72.4	100%	WILSON
1500	72.3	100%	WILSON
1800	72.2	100%	WILSON
2100	72.1	100%	WILSON
2400	72.0	100%	WILSON

Inside institution: MCSF Housing Unit: 20

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Temp. Readings Location: 2nd. Tier  
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

5522 Immediately notify the Watch Commander at extension degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)	
8/12/24	0300	71.5	WENDY	Tuesday
8/12/24	0600	71.2	WENDY	
8/12/24	0900	64.4	Hector	
8/12/24	0600	71.8	ROBERT	
8/12/24	0900	71.3	ROBERT	
8/12/24	1200	72.0	ROBERT	
8/12/24	1500	73.5	ROBERT	
8/12/24	1800	73.3	ROBERT	
8/12/24	2100	72.9	ROBERT	
8/12/24	2400	71.5	ROBERT	
8/13/24	0300	71.5	WENDY	Wednesday
8/13/24	0600	71.2	WENDY	
8/13/24	0900	64.4	Hector	
8/13/24	0600	71.3	ROBERT	
8/13/24	0900	71.1	ROBERT	
8/13/24	1200	72.4	ROBERT	
8/13/24	1500	73.6	ROBERT	
8/13/24	1800	73.6	ROBERT	
8/13/24	2100	72.4	ROBERT	
8/13/24	2400	72.1	ROBERT	
8/14/24	0300	71.9	VIRGINIA	Thursday
8/14/24	0600	71.3	VIRGINIA	
8/14/24	0900	71.1	VIRGINIA	
8/14/24	1200	72.1	VIRGINIA	
8/14/24	1500	73.1	VIRGINIA	
8/14/24	1800	73.9	VIRGINIA	
8/14/24	2100	73.4	VIRGINIA	
8/14/24	2400	73.9	VIRGINIA	
8/15/24	0300	71.9	VIRGINIA	Friday
8/15/24	0600	71.3	VIRGINIA	
8/15/24	0900	71.1	VIRGINIA	
8/15/24	1200	72.1	VIRGINIA	
8/15/24	1500	73.1	VIRGINIA	
8/15/24	1800	73.9	VIRGINIA	
8/15/24	2100	73.4	VIRGINIA	
8/15/24	2400	73.9	VIRGINIA	
8/16/24	0300	71.9	ROBERT	Saturday
8/16/24	0600	71.3	ROBERT	
8/16/24	0900	64.4	ROBERT	
8/16/24	0600	71.8	ROBERT	
8/16/24	0900	71.3	ROBERT	
8/16/24	1200	72.6	ROBERT	
8/16/24	1500	73.0	ROBERT	
8/16/24	1800	73.9	ROBERT	
8/16/24	2100	74.1	ROBERT	
8/16/24	2400	74.1	ROBERT	
8/17/24	0300	71.8	ROBERT	
8/17/24	0600	71.2	ROBERT	
8/17/24	0900	64.4	ROBERT	
8/17/24	0600	71.8	ROBERT	
8/17/24	0900	71.3	ROBERT	
8/17/24	1200	72.0	ROBERT	
8/17/24	1500	73.0	ROBERT	
8/17/24	1800	73.9	ROBERT	
8/17/24	2100	74.0	ROBERT	
8/17/24	2400	74.0	ROBERT	
8/18/24	0300	71.8	ROBERT	
8/18/24	0600	71.2	ROBERT	
8/18/24	0900	64.4	ROBERT	
8/18/24	0600	71.8	ROBERT	
8/18/24	0900	71.3	ROBERT	
8/18/24	1200	72.0	ROBERT	
8/18/24	1500	73.0	ROBERT	
8/18/24	1800	73.9	ROBERT	
8/18/24	2100	74.0	ROBERT	
8/18/24	2400	74.0	ROBERT	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate is housed. Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housed units will also be monitored when the heat risk list may be housed. Inside ambient air temperature in all non-air-conditioned housing units where an inmate is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate is housed. Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate is housed. Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

8/25/24

Sunday

2400	68	ROBERT
2100	69	ROBERT HEN
1800	69	HEN
1500	65	A. GOMEZ
1200	65	A. GOMEZ
0900	65	A. GOMEZ
0600	65	J. ULRICH
0300	65.0	J. ULRICH

8/23/24

Friday

2400	69	ROBERT
2100	70.2	K. HUBBARD
1800	70.1	K. HUBBARD
1500	69.	K. HUBBARD
1200	70.0	LAWRENCE
0900	68.0	LAWRENCE
0600	69.	POLICARDO
0300	69.7	POLICARDO

Wednesday

2400	69	BROOKMAN
2100	70	BROOKMAN
1800	70	BROOKMAN
1500	70	BROOKMAN
1200	69	BROOKMAN
0900	69	BROOKMAN
0600	68	BROOKMAN
0300	69	BROOKMAN

Tuesday

2400	70	WILSON
2100	70.0	WILSON
1800	70.0	WILSON
1500	69.5	WILSON
1200	71.8	WILSON
0900	71.3	WILSON
0600	69.3	WILSON
0300	70.1	WILSON

Monday

2400	71.3	WILSON
2100	73.6	WILSON
1800	73.3	WILSON
1500	73.2	WILSON
1200	72.7	WILSON
0900	71.3	WILSON
0600	69.1	WILSON
0300	70.1	WILSON

Sunday

2400	69	ROBERT
2100	69	ROBERT
1800	69	ROBERT
1500	69	ROBERT
1200	69	ROBERT
0900	69	ROBERT
0600	69	ROBERT
0300	69	ROBERT

degrees and again at 95 degrees. 5522 When the inside air temperature reaches 90 immediately notify the Watch Commander at extension (e.g., 1st, 2nd, 3rd, etc.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.)

ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

DEPARTMENT OF CORRECTIONS AND REHABILITATION  
STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
PCDR 2131 (4/18)

Date	Time	Temp.	Name (Print)	
				Sunday
8/30/24	0300	69	ROBERT	68
	0600	69	ROBERT	69
	0900	68	ROBERT	68
	1200	68	ROBERT	68
	1500	69	ROBERT	69
	1800	68	ROBERT	68
	2100	70	ROBERT	70
	2400	70	ROBERT	70
				Saturday
8/29/24	0300	66	WILLIAM	68
	0600	66	WILLIAM	68
	0900	68	WILLIAM	68
	1200	68	WILLIAM	68
	1500	69	WILLIAM	69
	1800	69	WILLIAM	69
	2100	68	WILLIAM	68
	2400	69	WILLIAM	69
				Friday
8/28/24	0300	68	ALVIN	70
	0600	68	ALVIN	70
	0900	68	ALVIN	70
	1200	68	ALVIN	70
	1500	70	ALVIN	70
	1800	70	ALVIN	70
	2100	69	ALVIN	69
	2400	69	ALVIN	69
				Thursday
8/27/24	0300	68	WILLIAMS	70
	0600	68	WILLIAMS	70
	0900	69	WILLIAMS	70
	1200	69	WILLIAMS	70
	1500	70	WILLIAMS	70
	1800	70	WILLIAMS	70
	2100	69	WILLIAMS	69
	2400	69	WILLIAMS	69
				Mondays
8/26/24	0300	65	ROBERT	68
	0600	65	ROBERT	68
	0900	66	ROBERT	69
	1200	69	ROBERT	70
	1500	70	ROBERT	70
	1800	70	ROBERT	70
	2100	70	ROBERT	70
	2400	68	ROBERT	68
				Tuesday
8/27/24	0300	68	ROBERT	70
	0600	68	ROBERT	70
	0900	69	ROBERT	70
	1200	69	ROBERT	70
	1500	70	ROBERT	70
	1800	70	ROBERT	70
	2100	70	ROBERT	70
	2400	68	ROBERT	68
				Wednesday
8/28/24	0300	68	WILLIAMS	70
	0600	68	WILLIAMS	70
	0900	69	WILLIAMS	70
	1200	69	WILLIAMS	70
	1500	70	WILLIAMS	70
	1800	70	WILLIAMS	70
	2100	70	WILLIAMS	70
	2400	68	WILLIAMS	68
				Thursday
8/29/24	0300	66	WILLIAMS	68
	0600	66	WILLIAMS	68
	0900	68	WILLIAMS	68
	1200	68	WILLIAMS	68
	1500	69	WILLIAMS	69
	1800	69	WILLIAMS	69
	2100	68	WILLIAMS	68
	2400	68	WILLIAMS	68
				Friday
8/30/24	0300	69	ROBERT	68
	0600	69	ROBERT	68
	0900	68	ROBERT	68
	1200	68	ROBERT	68
	1500	69	ROBERT	69
	1800	69	ROBERT	69
	2100	70	ROBERT	70
	2400	68	ROBERT	68
				Saturday
8/31/24	0300	66	ROBERT	68
	0600	66	ROBERT	68
	0900	68	ROBERT	68
	1200	68	ROBERT	68
	1500	69	ROBERT	69
	1800	69	ROBERT	69
	2100	70	ROBERT	70
	2400	68	ROBERT	68
				Sunday

degrees and again at 95 degrees.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 (e.g., 1st Tier, 2nd, 3rd, etc.).

Institution: **MCSP** Housing Unit: **20** Temp. Reading Location: **2nd Tier**

The inside air temperature in the highest housing unit will also be monitored when the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest housing units will also be monitored when the air conditioner is malfunctioning).

(Note: Air-conditioned housing units will also be monitored when the housing unit (e.g., top tier) where an inmate on the heat risk list may be housed.)

Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

INSIDE TEMPERATURE RECORD			
DEPARTMENT OF CORRECTIONS AND REHABILITATION			
STATE OF CALIFORNIA			
CDCR 231 (4/98)			
Date	Time	Temp.	Name (Print)
Monday			
0300	0300	31.8	EVES
0600	0600	71.5	Gartsen
0900	0900	72.2	Gartsen
1200	1200	72.2	VILLAGER
1500	1500	72.2	VILLAGER
1800	1800	72.2	VILLAGER
2100	2100	72.2	VILLAGER
2400	2400	73.8	VILLAGER
Tuesday			
0300	0300	31.8	EVES
0600	0600	71.5	Gartsen
0900	0900	72.2	Gartsen
1200	1200	72.2	VILLAGER
1500	1500	72.2	VILLAGER
1800	1800	72.2	VILLAGER
2100	2100	72.2	VILLAGER
2400	2400	73.8	VILLAGER
Wednesday			
0300	0300	31.8	EVES
0600	0600	71.5	Gartsen
0900	0900	72.2	Gartsen
1200	1200	72.2	VILLAGER
1500	1500	72.2	VILLAGER
1800	1800	72.2	VILLAGER
2100	2100	72.2	VILLAGER
2400	2400	73.8	VILLAGER
Thursday			
0300	0300	31.8	EVES
0600	0600	71.5	Gartsen
0900	0900	72.2	Gartsen
1200	1200	72.2	VILLAGER
1500	1500	72.2	VILLAGER
1800	1800	72.2	VILLAGER
2100	2100	72.2	VILLAGER
2400	2400	73.8	VILLAGER
Friday			
0300	0300	31.8	EVES
0600	0600	71.5	Gartsen
0900	0900	72.2	Gartsen
1200	1200	72.2	VILLAGER
1500	1500	72.2	VILLAGER
1800	1800	72.2	VILLAGER
2100	2100	72.2	VILLAGER
2400	2400	73.8	VILLAGER
Saturday			
0300	0300	31.8	EVES
0600	0600	71.5	Gartsen
0900	0900	72.2	Gartsen
1200	1200	72.2	VILLAGER
1500	1500	72.2	VILLAGER
1800	1800	72.2	VILLAGER
2100	2100	72.2	VILLAGER
2400	2400	73.8	VILLAGER
Sunday			
0300	0300	72.3	Ward
0600	0600	72.2	Williams
0900	0900	72.2	Williams
1200	1200	72.2	Williams
1500	1500	73.4	Williams
1800	1800	74.3	Williams
2100	2100	74.3	Williams
2400	2400	74.3	Williams

Using an accurate thermometer on the highest location in the housing unit when the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. ambient air temperature in all non-air-conditioned housing units where an inmate is monitored when the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate is housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate is monitored when the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate is housed.

Using an accurate thermometer on the highest location in the housing unit when the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate is housed.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

5522 When the inside air temperature reaches 90 degrees and again at 95 degrees.

Temp. Reading Location: 2nd. Tier  
Temp. Reading Unit: 21

Institution: MCSF Housing Unit:

MCSF Housing Unit: 21

Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed. ambient air temperature in all non-air-conditioned housing units where an inmate is monitored when the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate is housed.

Using an accurate thermometer on the highest location in the housing unit when the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate is housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate is monitored when the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate is housed.

Using an accurate thermometer on the highest location in the housing unit when the heat risk list is housed. The highest location in the housing unit (e.g., top tier) where an inmate is housed.

Cre  
202

Date	Time	Temp.	Name (Print)
Tuesday			
0300	72.1	GABEZI	
0600	71.1c	GABEZI	
0900	71.1e	GABEZI	
1200	71.3	GABEZI	
1500	71.4	GABEZI	
1800	71.4	GABEZI	
2100	71.4	GABEZI	
2400	72.1	GABEZI	
Wednesday			
0300	72.1	GABEZI	
0600	71.3	GABEZI	
0900	71.3	GABEZI	
1200	71.4	GABEZI	
1500	71.4	GABEZI	
1800	71.4	GABEZI	
2100	71.4	GABEZI	
2400	72.1	GABEZI	
Thursday			
0300	72.1	GABEZI	
0600	71.3	GABEZI	
0900	71.3	GABEZI	
1200	71.4	GABEZI	
1500	71.4	GABEZI	
1800	71.4	GABEZI	
2100	71.4	GABEZI	
2400	72.1	GABEZI	
Friday			
0300	72.1	GABEZI	
0600	71.3	GABEZI	
0900	71.3	GABEZI	
1200	71.4	GABEZI	
1500	71.4	GABEZI	
1800	71.4	GABEZI	
2100	71.4	GABEZI	
2400	72.1	GABEZI	
Saturday			
0300	72.1	VILLANUEVA	
0600	71.7	VILLANUEVA	
0900	72.3	HARTA	
1200	72.6	HARTA	
1500	73.0	HARTA	
1800	73.3	VILLANUEVA	
2100	73.4	VILLANUEVA	
2400	73.5	VILLANUEVA	
Sunday			
0300	72.1	VILLANUEVA	
0600	71.7	VILLANUEVA	
0900	72.1	HARTA	
1200	72.6	HARTA	
1500	73.0	HARTA	
1800	73.3	VILLANUEVA	
2100	73.4	VILLANUEVA	
2400	73.5	VILLANUEVA	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate is housed. Note: Air-conditioned housing units will also be monitored when the risk list may be housed. Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)	
Tuesday				
0300	70.7	140/HHR		
0600	70.2	69.5	ENES	
0900	70.2	68.7	GURUIN	
0300	69.2	69.7	GURUIN	
0600	69.2	69.1	ENES	
0900	70.2	71.0	ENES	
1200	71.0	71.3	GURUIN	
1500	71.3	71.8	GURUIN	
1800	71.8	72.3	GURUIN	
2100	72.3	72.7	GURUIN	
2400	72.7	73.1	GURUIN	
Wednesday				
0300	70.7	140/HHR		
0600	70.2	69.5	ENES	
0900	70.2	68.7	GURUIN	
0300	69.2	69.7	GURUIN	
0600	69.2	69.1	ENES	
0900	70.2	71.0	ENES	
1200	71.0	71.3	GURUIN	
1500	71.3	71.8	GURUIN	
1800	71.8	72.3	GURUIN	
2100	72.3	72.7	GURUIN	
2400	72.7	73.1	GURUIN	
Thursday				
0300	70.7	140/HHR		
0600	70.2	69.5	ENES	
0900	70.2	68.7	GURUIN	
0300	69.2	69.7	GURUIN	
0600	69.2	69.1	ENES	
0900	70.2	71.0	ENES	
1200	71.0	71.3	GURUIN	
1500	71.3	71.8	GURUIN	
1800	71.8	72.3	GURUIN	
2100	72.3	72.7	GURUIN	
2400	72.7	73.1	GURUIN	
Friday				
0300	70.2	69.5	GURUIN	
0600	70.2	68.7	GURUIN	
0900	70.2	71.9	GURUIN	
1200	71.9	72.8	GURUIN	
1500	72.8	73.7	GURUIN	
1800	73.7	74.2	VILLAGER	
2100	74.2	74.9	VILLAGER	
2400	74.9	75.4	VILLAGER	
Saturday				
0300	70.2	69.5	VILLAGER	
0600	70.2	68.7	GURUIN	
0900	70.2	71.6	GURUIN	
1200	71.6	72.5	HATUA	
1500	72.5	73.5	HATUA	
1800	73.5	74.4	VILLAGER	
2100	74.4	75.3	VILLAGER	
2400	75.3	76.1	VILLAGER	
Sunday				
0300	70.1	69.9	VILLAGER	
0600	70.1	68.9	GURUIN	
0900	70.1	71.0	GURUIN	
1200	71.0	71.9	HATUA	
1500	71.9	72.9	HATUA	
1800	72.9	73.9	VILLAGER	
2100	73.9	74.9	VILLAGER	
2400	74.9	75.8	VILLAGER	

Using an accurate thermometer on the highest unit will also be monitored when the air conditioner is malfunctioning. Note: Air-conditioned housing units will also be monitored when the air conditioner is in use on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSF Housing Unit: 21 Temp. Reading Location: 2nd. Tier  
Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

AMBIDENT AIR TEMPERATURE IN INSIDE AIR-CONDITIONED HOUSING UNITS WHERE AN INMATE ON THE HEAT RISK LIST IS HOUSED. THE WARDEN SHALL DESIGNATE STAFF TO BE RESPONSIBLE TO MONITOR AND LOG THE INSIDE AIR-CONDITIONED HOUSING UNITS WILL ALSO BE MONITORED WHEN THE AIR CONDITIONER IS MALFUNCTIONING.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the inside air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is in use on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

AMBIDENT AIR TEMPERATURE IN INSIDE AIR-CONDITIONED HOUSING UNITS WHERE AN INMATE ON THE HEAT RISK LIST IS HOUSED. THE WARDEN SHALL DESIGNATE STAFF TO BE RESPONSIBLE TO MONITOR AND LOG THE INSIDE AIR-CONDITIONED HOUSING UNITS WILL ALSO BE MONITORED WHEN THE AIR CONDITIONER IS MALFUNCTIONING.

AMBIDENT AIR TEMPERATURE IN INSIDE AIR-CONDITIONED HOUSING UNITS WHERE AN INMATE ON THE HEAT RISK LIST IS HOUSED. THE WARDEN SHALL DESIGNATE STAFF TO BE RESPONSIBLE TO MONITOR AND LOG THE INSIDE AIR-CONDITIONED HOUSING UNITS WILL ALSO BE MONITORED WHEN THE AIR CONDITIONER IS MALFUNCTIONING.

INSIDE TEMPERATURE RECORD		
STATE OF CALIFORNIA		
DEPARTMENT OF CORRECTIONS AND REHABILITATION		
DCR 2131 (4/18)		
8/18/24	0900	70.1
8/18/24	1200	70.2
8/18/24	1500	70.4
8/18/24	1800	71.0
8/18/24	2100	71.4
8/18/24	2400	71.1

Date	Time	Temp.	Name (Print)	
<b>Tuesday</b>				
0300	68.6	Ward	MCSF	
0600	68.8	Garrison	INNS	
0900	69.3	Garrison	INNS	
1200	70.7	Garrison	INNS	
1500	70.2	Garrison	INNS	
1800	70.2	Garrison	INNS	
2100	70.2	Garrison	INNS	
2400	70	Garrison	INNS	
<b>Wednesday</b>				
0300	70	Ward	MCSF	
0600	70	Garrison	INNS	
0900	70	Garrison	INNS	
1200	70	Garrison	INNS	
1500	70	Garrison	INNS	
1800	70	Garrison	INNS	
2100	70	Garrison	INNS	
2400	70	Garrison	INNS	
<b>Thursday</b>				
0300	70	Ward	MCSF	
0600	70	Garrison	INNS	
0900	70	Garrison	INNS	
1200	70	Garrison	INNS	
1500	70	Garrison	INNS	
1800	70	Garrison	INNS	
2100	70	Garrison	INNS	
2400	70	Garrison	INNS	
<b>Friday</b>				
0300	70	Ward	MCSF	
0600	70	Garrison	INNS	
0900	70	Garrison	INNS	
1200	70	Garrison	INNS	
1500	70	Garrison	INNS	
1800	70	Garrison	INNS	
2100	70	Garrison	INNS	
2400	70	Garrison	INNS	
<b>Saturday</b>				
0300	70	Ward	MCSF	
0600	68	Garrison	INNS	
0900	68	Garrison	INNS	
1200	70	Garrison	INNS	
1500	70	Garrison	INNS	
1800	70	Garrison	INNS	
2100	70	Garrison	INNS	
2400	70	Garrison	INNS	
<b>Sunday</b>				
0300	70	Ward	MCSF	
0600	68	Garrison	INNS	
0900	68	Garrison	INNS	
1200	70	Garrison	INNS	
1500	70	Garrison	INNS	
1800	70	Garrison	INNS	
2100	70	Garrison	INNS	
2400	70	Garrison	INNS	

degrees and again at 95 degrees. 5522 - When the inside air temperature reaches 90

immediately notify the Watch Commander at extension (e.g., 1st, 2nd, 3rd, Tier, etc.).

Temp. Readings Location: 2nd, Tier

21

Institution: MCSF Housing Unit: Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the heat risk list may be housed.)

ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

DEPARTMENT OF CORRECTIONS AND REHABILITATION INSIDE TEMPERATURE RECORD DDOR 213(4)18 STATE OF CALIFORNIA

STATE OF CALIFORNIA  
DCCR 2131 (4/18)  
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Date	Time	Temp.	Name (Print)	Tuesday	
0300	70	HATCH		2400	70
0600	70	HATCH		2100	70
0900	68	HATCH		1800	70
0300	69	VILLANUEVA		1500	70
0600	69	VILLANUEVA		1200	70
0900	69	VILLANUEVA		0900	70
0300	69	VILLANUEVA		0600	70
0600	69	VILLANUEVA		0300	70
0900	69	VILLANUEVA		0600	70
0300	69	VILLANUEVA		0900	70
0600	69	VILLANUEVA		1200	70
0900	69	VILLANUEVA		1500	70
0300	69	VILLANUEVA		1800	70
0600	69	VILLANUEVA		2100	70
0900	69	VILLANUEVA		2400	70

Date	Time	Temp.	Name (Print)	Wednesday	
0300	70	HATCH		2400	70
0600	70	HATCH		2100	70
0900	68	HATCH		1800	70
0300	68	GARCIAS		1500	70
0600	68	GARCIAS		1200	70
0900	68	GARCIAS		0900	70
0300	68	GARCIAS		0600	70
0600	68	GARCIAS		0300	70
0900	68	GARCIAS		0600	70
0300	68	GARCIAS		0900	70
0600	68	GARCIAS		1200	70
0900	68	GARCIAS		1500	70
0300	68	GARCIAS		1800	70
0600	68	GARCIAS		2100	70
0900	68	GARCIAS		2400	70

Date	Time	Temp.	Name (Print)	Thursday	
0300	70	HATCH		2400	70
0600	70	HATCH		2100	70
0900	68	HATCH		1800	70
0300	68	GARCIAS		1500	70
0600	68	GARCIAS		1200	70
0900	68	GARCIAS		0900	70
0300	68	GARCIAS		0600	70
0600	68	GARCIAS		0300	70
0900	68	GARCIAS		0600	70
0300	68	GARCIAS		0900	70
0600	68	GARCIAS		1200	70
0900	68	GARCIAS		1500	70
0300	68	GARCIAS		1800	70
0600	68	GARCIAS		2100	70
0900	68	GARCIAS		2400	70

Date	Time	Temp.	Name (Print)	Friday	
0300	70	HATCH		2400	70
0600	70	HATCH		2100	70
0900	70	HATCH		1800	70
0300	69	VILLANUEVA		1500	70
0600	69	VILLANUEVA		1200	70
0900	69	VILLANUEVA		0900	70
0300	69	VILLANUEVA		0600	70
0600	69	VILLANUEVA		0300	70
0900	69	VILLANUEVA		0600	70
0300	69	VILLANUEVA		0900	70
0600	69	VILLANUEVA		1200	70
0900	69	VILLANUEVA		1500	70
0300	69	VILLANUEVA		1800	70
0600	69	VILLANUEVA		2100	70
0900	69	VILLANUEVA		2400	70

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning). Using an accurate thermometer on the highest location in the housing unit will also be taken every three (3) hours, seven (7) days a week. This list is housed. The inside air temperature is to be taken in the highest unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

(e.g. 1st, 2nd, 3rd, etc.)

Temp. Readings Location: 2nd Tier

Institution: MCSF Housing Unit: 21

degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit will also be taken every three (3) hours, seven (7) days a week. This list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit will also be taken every three (3) hours, seven (7) days a week. This list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

8/4/24

Date	Time	Temp.	Name (Print)
0300	79.8	79.8	
0600	80.1	80.1	Schwarz
0900	81.0	81.0	Schwarz
1200	81.2	81.2	Schwarz
1500	84.0	84.0	CETRA
1800	84.9	84.9	CETRA
2100	85.8	85.8	CETRA
2400	86.5	86.5	CETRA

8/2/24

Date	Time	Temp.	Name (Print)
0300	79.2	79.2	Schwarz
0600	80.0	80.0	Schwarz
0900	81.1	81.1	Schwarz
1200	81.7	81.7	Schwarz
1500	84.7	84.7	Schwarz
1800	84.9	84.9	Schwarz
2100	85.8	85.8	Schwarz
2400	86.5	86.5	Schwarz

8/3/24

Date	Time	Temp.	Name (Print)
0300	79.7	79.7	Tunis
0600	80.4	80.4	Schwarz
0900	80.7	80.7	Schwarz
1200	81.1	81.1	Schwarz
1500	83.0	83.0	Schwarz
1800	84.9	84.9	CETRA
2100	85.8	85.8	CETRA
2400	86.2	86.2	CETRA

8/1/24

Date	Time	Temp.	Name (Print)
0300	79.3	79.3	Dale
0600	80.5	80.5	Schwarz
0900	81.2	81.2	Schwarz
1200	82.4	82.4	Schwarz
1500	83.3	83.3	LATRELL
1800	83.8	83.8	LATRELL
2100	84.1	84.1	LATRELL
2400	84.8	84.8	LATRELL

8/2/24

Date	Time	Temp.	Name (Print)
0300	79.3	79.3	Dale
0600	80.5	80.5	Schwarz
0900	81.2	81.2	Schwarz
1200	82.4	82.4	Schwarz
1500	83.3	83.3	LATRELL
1800	83.8	83.8	LATRELL
2100	84.1	84.1	LATRELL
2400	84.8	84.8	LATRELL

8/3/24

Date	Time	Temp.	Name (Print)
0300	79.7	79.7	Tunis
0600	80.4	80.4	Schwarz
0900	80.7	80.7	Schwarz
1200	81.1	81.1	Schwarz
1500	83.0	83.0	Schwarz
1800	84.9	84.9	CETRA
2100	85.8	85.8	CETRA
2400	86.2	86.2	CETRA

8/4/24

Date	Time	Temp.	Name (Print)
0300	79.8	79.8	
0600	80.1	80.1	Schwarz
0900	81.0	81.0	Schwarz
1200	81.2	81.2	Schwarz
1500	84.7	84.7	Schwarz
1800	84.9	84.9	CETRA
2100	85.8	85.8	CETRA
2400	86.5	86.5	CETRA

8/5/24

Date	Time	Temp.	Name (Print)
0300	79.8	79.8	
0600	80.1	80.1	Schwarz
0900	81.0	81.0	Schwarz
1200	81.2	81.2	Schwarz
1500	84.7	84.7	Schwarz
1800	84.9	84.9	CETRA
2100	85.8	85.8	CETRA
2400	86.5	86.5	CETRA

8/6/24

Using an accurate thermometer in the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Notify the Watch Commander when the inside air temperature reaches 90 degrees and again at 95 degrees.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees.

(Note: Air-conditioned housing units will also be monitored when an inmate on the heat risk list may be housed.)

Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

STATE OF CALIFORNIA

CDCR 2131 (4/8)

Date	Time	Temp.	Name (Print)	
0300	78.4	78.4	PETERSEN	
0600	79.3	79.3	PETERSEN	
0900	79.3	79.3	PETERSEN	
1200	79.3	79.3	PETERSEN	
1500	80.0	80.0	PETERSEN	
1800	81.6	81.6	PETERSEN	
2100	82.4	82.4	PETERSEN	
2400	78.6	78.6	DJL000	
<b>Sunday</b>				
0300	74.1	74.1	Name (Print)	
0600	74.1	74.1	Name (Print)	
0900	74.1	74.1	Name (Print)	
1200	74.1	74.1	Name (Print)	
1500	74.1	74.1	Name (Print)	
1800	74.1	74.1	Name (Print)	
2100	74.1	74.1	Name (Print)	
2400	74.1	74.1	DJL000	
<b>Saturday</b>				
0300	79.7	79.7	Name (Print)	
0600	80.2	80.2	Name (Print)	
0900	80.0	80.0	PETERSEN	
1200	78.7	78.7	PETERSEN	
1500	78.9	78.9	PETERSEN	
1800	79.1	79.1	PETERSEN	
2100	79.1	79.1	PETERSEN	
2400	79.1	79.1	DJL000	
<b>Friday</b>				
0300	79.7	79.7	Name (Print)	
0600	80.2	80.2	PETERSEN	
0900	80.0	80.0	PETERSEN	
1200	81.1	81.1	PETERSEN	
1500	81.5	81.5	PETERSEN	
1800	82.1	82.1	CERIA	
2100	82.5	82.5	CERIA	
2400	82	82	DJL000	
<b>Thursday</b>				
0300	79.5	79.5	DJL000	
0600	80.0	80.0	DJL000	
0900	80.2	80.2	PETERSEN	
1200	81.1	81.1	PETERSEN	
1500	81.5	81.5	PETERSEN	
1800	82.1	82.1	WAF1528	
2100	82.5	82.5	WAF1528	
2400	81.3	81.3	WAF1528	
<b>Wednesday</b>				
0300	79.5	79.5	DJL000	
0600	80.0	80.0	DJL000	
0900	80.2	80.2	PETERSEN	
1200	81.1	81.1	PETERSEN	
1500	81.5	81.5	PETERSEN	
1800	82.1	82.1	WAF1528	
2100	82.5	82.5	WAF1528	
2400	81.3	81.3	WAF1528	
<b>Tuesday</b>				
0300	79.5	79.5	DJL000	
0600	80.0	80.0	DJL000	
0900	80.2	80.2	PETERSEN	
1200	81.1	81.1	PETERSEN	
1500	81.5	81.5	PETERSEN	
1800	82.1	82.1	WAF1528	
2100	82.5	82.5	WAF1528	
2400	80.4	80.4	DJL000	

Using an accurate thermometer on the highest location in the housing unit the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning. From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Using an accurate thermometer on the highest location in the housing unit the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. (e.g., 1st, Tier, 2nd, Tier, 3rd, Tier, etc.) Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

INSIDE TEMPERATURE RECORD					
DEPARTMENT OF CORRECTIONS AND REHABILITATION					
STATE OF CALIFORNIA					
INSTRUMENT:	Model:	Location:	Temp. Reading:	Date:	Time:
MCSF	Housing Unit:	DORM 2	Temp. Reading Location:	5/15/24	12:00 PM
Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.					
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)					
Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.					
From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.					
Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.					
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)					
Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.					
degrees and again at 95 degrees.					
Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90					
Monday					
Date	Time	Temp.	Name (Print)	Temp.	Name (Print)
0300	77.5	Dormant	0300	77.5	Dormant
0600	78.0	Dormant	0600	78.0	Dormant
0900	78.4	Dormant	0900	78.4	Dormant
1200	78.7	Dormant	1200	78.7	Dormant
1500	78.9	Dormant	1500	78.9	Dormant
1800	79.1	Dormant	1800	79.1	Dormant
2100	79.3	Dormant	2100	79.3	Dormant
2400	79.5	Dormant	2400	79.5	Dormant
Tuesday					
Date	Time	Temp.	Name (Print)	Temp.	Name (Print)
0300	77.5	Dormant	0300	77.5	Dormant
0600	78.0	Dormant	0600	78.0	Dormant
0900	78.4	Dormant	0900	78.4	Dormant
1200	78.7	Dormant	1200	78.7	Dormant
1500	78.9	Dormant	1500	78.9	Dormant
1800	79.1	Dormant	1800	79.1	Dormant
2100	79.3	Dormant	2100	79.3	Dormant
2400	79.5	Dormant	2400	79.5	Dormant
Wednesday					
Date	Time	Temp.	Name (Print)	Temp.	Name (Print)
0300	77.5	Dormant	0300	77.5	Dormant
0600	78.0	Dormant	0600	78.0	Dormant
0900	78.4	Dormant	0900	78.4	Dormant
1200	78.7	Dormant	1200	78.7	Dormant
1500	78.9	Dormant	1500	78.9	Dormant
1800	79.1	Dormant	1800	79.1	Dormant
2100	79.3	Dormant	2100	79.3	Dormant
2400	79.5	Dormant	2400	79.5	Dormant
Thursday					
Date	Time	Temp.	Name (Print)	Temp.	Name (Print)
0300	77.5	Dormant	0300	77.5	Dormant
0600	78.0	Dormant	0600	78.0	Dormant
0900	78.4	Dormant	0900	78.4	Dormant
1200	78.7	Dormant	1200	78.7	Dormant
1500	78.9	Dormant	1500	78.9	Dormant
1800	79.1	Dormant	1800	79.1	Dormant
2100	79.3	Dormant	2100	79.3	Dormant
2400	79.5	Dormant	2400	79.5	Dormant
Friday					
Date	Time	Temp.	Name (Print)	Temp.	Name (Print)
0300	77.5	Dormant	0300	77.5	Dormant
0600	78.0	Dormant	0600	78.0	Dormant
0900	78.4	Dormant	0900	78.4	Dormant
1200	78.7	Dormant	1200	78.7	Dormant
1500	78.9	Dormant	1500	78.9	Dormant
1800	79.1	Dormant	1800	79.1	Dormant
2100	79.3	Dormant	2100	79.3	Dormant
2400	79.5	Dormant	2400	79.5	Dormant
Saturday					
Date	Time	Temp.	Name (Print)	Temp.	Name (Print)
0300	76.8	Metres	0300	76.8	Metres
0600	77.1	Metres	0600	77.1	Metres
0900	77.5	Metres	0900	77.5	Metres
1200	77.7	Metres	1200	77.7	Metres
1500	78.0	Metres	1500	78.0	Metres
1800	78.4	Metres	1800	78.4	Metres
2100	78.7	Metres	2100	78.7	Metres
2400	79.1	Metres	2400	79.1	Metres
Sunday					
Date	Time	Temp.	Name (Print)	Temp.	Name (Print)
0300	76.8	Metres	0300	76.8	Metres
0600	77.1	Metres	0600	77.1	Metres
0900	77.5	Metres	0900	77.5	Metres
1200	77.7	Metres	1200	77.7	Metres
1500	78.0	Metres	1500	78.0	Metres
1800	78.4	Metres	1800	78.4	Metres
2100	78.7	Metres	2100	78.7	Metres
2400	79.1	Metres	2400	79.1	Metres

Date	Time	Temp.	Name (Print)	
Monday				
0300	74.6	D.J. Sauer		
0600	74.1	D.J. Sauer		
0900	74.3	Sandra		
1200	75.3	William		
1500	75.9	William		
1800	77.9	William		
2100	78.7	William		
2400	79.5	D.J. Sauer		
Tuesday				
0300	75.2	D.J. Sauer		
0600	74.1	D.J. Sauer		
0900	74.3	Sandra		
1200	75.3	William		
1500	75.9	William		
1800	77.9	William		
2100	78.7	William		
2400	79.5	D.J. Sauer		
Wednesday				
0300	75.3	D.J. Sauer		
0600	74.1	D.J. Sauer		
0900	74.3	Sandra		
1200	75.3	William		
1500	75.9	William		
1800	77.9	William		
2100	78.7	William		
2400	79.5	D.J. Sauer		
Thursday				
0300	75.3	D.J. Sauer		
0600	74.1	D.J. Sauer		
0900	74.3	Sandra		
1200	75.3	William		
1500	75.9	William		
1800	77.9	William		
2100	78.7	William		
2400	79.5	D.J. Sauer		
Friday				
0300	75.9	D.J. Sauer		
0600	74.9	LAP/122		
0900	74.7	PETERSEN		
1200	74.8	PETERSEN		
1500	74.7	LAP/122		
1800	74.6	PETERSEN		
2100	74.6	LAP/122		
2400	74.6	LAP/122		
Saturday				
0300	68	MARIAZ		
0600	66	MARIAZ		
0900	65	PETERSEN		
1200	68	PETERSEN		
1500	69	PETERSEN		
1800	70	PETERSEN		
2100	70	PETERSEN		
2400	70	CETRA		
Sunday				
0300	63	D.J. Sauer		
0600	63	D.J. Sauer		
0900	65	PETERSEN		
1200	65	PETERSEN		
1500	68	PETERSEN		
1800	71	PETERSEN		
2100	72	LAP/122		
2400	73	LAP/122		

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Note: Air-conditioned housing units will also be monitored when an inmate on the heat risk list may be housed. Ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

STATE OF CALIFORNIA	DEPARTMENT OF CORRECTIONS AND REHABILITATION	INSIDE TEMPERATURE RECORD
DCR 1213 (4/18)		

INSIDE TEMPERATURE RECORD				
STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION				
Date	Time	Temp.	Name (Print)	Notes
8/26/24	0300	69.	DJLarney 3	Wednesday
8/26/24	0600	71.5	Sullivan	
8/26/24	0900	70.1	WILLIAMS	
8/26/24	1200	74.6	Sullivan	
8/26/24	1500	74.6	WILLIAMS	
8/26/24	1800	75	Sullivan	
8/26/24	2100	75	WILLIAMS	
8/26/24	2400	72	DARLINS	
8/27/24	0300	69.5	DJLarney 3	Tuesday
8/27/24	0600	70.5	Sullivan	
8/27/24	0900	71.5	WILLIAMS	
8/27/24	1200	74.6	Sullivan	
8/27/24	1500	74.6	WILLIAMS	
8/27/24	1800	75	Sullivan	
8/27/24	2100	75	WILLIAMS	
8/27/24	2400	72	DARLINS	
8/28/24	0300	70	DJLarney 3	Friday
8/28/24	0600	70	PETERSEN	
8/28/24	0900	69	DJLarney 3	
8/28/24	1200	70	PETERSEN	
8/28/24	1500	72	PETERSEN	
8/28/24	1800	72	PETERSEN	
8/28/24	2100	73	PETERSEN	
8/28/24	2400	71	DARLINS	
8/29/24	0300	70	DJLarney 3	Saturday
8/29/24	0600	69	DJLarney 3	
8/29/24	0900	69	PETERSEN	
8/29/24	1200	70	PETERSEN	
8/29/24	1500	72	PETERSEN	
8/29/24	1800	72	PETERSEN	
8/29/24	2100	73	PETERSEN	
8/29/24	2400	70	DARLINS	
8/30/24	0300	70	DJLarney 3	Sunday
8/30/24	0600	70	PETERSEN	
8/30/24	0900	68	PETERSEN	
8/30/24	1200	68	PETERSEN	
8/30/24	1500	70	PETERSEN	
8/30/24	1800	70	PETERSEN	
8/30/24	2100	73	PETERSEN	
8/30/24	2400	71	DARLINS	
8/31/24	0300	70	DJLarney 3	
8/31/24	0600	69	DJLarney 3	
8/31/24	0900	68	PETERSEN	
8/31/24	1200	68	PETERSEN	
8/31/24	1500	70	PETERSEN	
8/31/24	1800	70	PETERSEN	
8/31/24	2100	73	PETERSEN	
8/31/24	2400	71	DARLINS	

Using an accurate thermometer on the highest housing unit in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Institution: **MCSF** Housing Unit: **DORM 2** Temp. Reading Location: **1st. Tier** (e.g., 1st, Tier, 2nd, Tier, 3rd, Tier, etc.)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

Ambient air temperature in all non-air-conditioned housing units will also be monitored when the heat risk list may be housed.

Using an accurate thermometer in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.

(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

INSTITUTION: Mule Creek State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/1	0100	70	D. Browne
	0200	70	D. Browne
	0300	70	D. Browne
	0400	68	D. Browne
	0500	65	D. Browne
	0600	67	Gonzo
	0700	69	Gonzo
	0800	86	Gonzo
	0900	88	Gonzo
	1000	86	Gonzo
	1100	91	Gonzo
	1200	93	Gonzo
	1300	96	Gonzo
	1400	99	N Hause
	1500	102	N Hause
	1600	103	N Hause
	1700	101	N Hause
	1800	98	N Hause
	1900	96	N Hause
	2000	91	N Hause
	2100	83	N Hause
	2200	83	E.Humphreys
	2300	78	EH
	2400	73	EH

4/20  
DEPT

Date	Time	Temp.	Printed Name
8/2	0100	72	EH
	0200	69	EH
	0300	69	EH
	0400	67	EH
	0500	66	EH
	0600	65	DB
	0700	68	DB
	0800	70	DB
	0900	78	DB
	1000	88	DB
	1100	88	DB
	1200	91	DB
	1300	90	DB
	1400	94	N Hause
	1500	97	N Hause
	1600	101	N Hause
	1700	94	N Hause
	1800	92	N Hause
	1900	91	N Hause
	2000	87	N Hause
	2100	84	N Hause
	2200	82	Arrage
	2300	82	Arrage
	2400	79	Arrage

4/21  
DEPT  
2015

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCS

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CTL

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/3	0100	77	Arrage
	0200	79	Arrage
	0300	74	Arrage
	0400	72	Arrage
	0500	71	Arrage
	0600	70	Braze
	0700	71	DB
	0800	89	DB
	0900	91	DB
	1000	90	DB
	1100	96	DB
	1200	101	DB
	1300	103	DB
	1400	103	Woods
	1500	106	Woods
	1600	104	Woods
	1700	103	Woods
	1800	102	Woods
	1900	100	Woods
	2000	92	Woods
	2100	88	Woods
	2200	81	D. Browne
	2300	78	D. Browne
	2400	75	D. Browne
8/4	0100	72	D. Browne
	0200	71	D. Browne
	0300	69	D. Browne
	0400	71	D. Browne
	0500	72	D. Browne
	0600	76	D. Browne
	0700	76	Gonzo
	0800	84	Gonzo
	0900	89	Gonzo
	1000	89	Gonzo
	1100	90	Gonzo
	1200	98	Gonzo
	1300	99	Gonzo
	1400	101	Gonzo
	1500	102	Gonzo
	1600	102	Gonzo
	1700	101	Gonzo
	1800	97	Gonzo
	1900	95	Gonzo
	2000	92	Gonzo
	2100	78	Gonzo
	2200	75	D. Browne
	2300	71	D. Browne
	2400	69	D. Browne

Date	Time	Temp.	Printed Name
8/5	0100	72	D. Browne
	0200	71	D. Browne
	0300	69	D. Browne
	0400	71	D. Browne
	0500	72	D. Browne
	0600	76	D. Browne
	0700	76	Gonzo
	0800	84	Gonzo
	0900	89	Gonzo
	1000	89	Gonzo
	1100	90	Gonzo
	1200	98	Gonzo
	1300	99	Gonzo
	1400	101	Gonzo
	1500	102	Gonzo
	1600	102	Gonzo
	1700	101	Gonzo
	1800	97	Gonzo
	1900	95	Gonzo
	2000	92	Gonzo
	2100	78	Gonzo
	2200	75	D. Browne
	2300	71	D. Browne
	2400	69	D. Browne

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

MCSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CTRL

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/6	0100	67	D. Browne
	0200	66	D. Browne
	0300	64	D. Browne
	0400	63	D. Browne
	0500	62	D. Browne
	0600	66	GONZO
	0700	70	GONZO
	0800	78	GONZO
	0900	80	GONZO
	1000	83	GONZO
	1100	88	GONZO
	1200	90	GONZO
	1300	95	GONZO
	1400	97	Bart
	1500	100	<del>Bart</del>
	1600	100	<del>Dan</del>
	1700	99	<del>Bart</del>
	1800	97	<del>Bart</del>
	1900	90	<del>Bart</del>
	2000	87	<del>Bart</del>
	2100	79	<del>Dan</del>
	2200	74	<del>Dan</del>
	2300	71	D. Browne
	2400	69	D. Browne

2045  
WHT  
ACTIVATED

Date	Time	Temp.	Printed Name
8/6	0100	70	D. Browne
	0200	66	D. Browne
	0300	61	D. Browne
	0400	65	D. Browne
	0500	64	D. Browne
	0600	67	GONZO
	0700	70	GONZO
	0800	76	GONZO
	0900	79	GONZO
	1000	82	GONZO
	1100	92	GONZO
	1200	94	GONZO
	1300	97	GONZO
	1400	98	N Haze
	1500	103	N Haze
	1600	105	N Haze
	1700	106	N Haze
	1800	104	N Haze
	1900	101	N Haze
	2000	97	N Haze
	2100	81	N Haze
	2200	78	D. Browne
	2300	75	D. Browne
	2400	72	D. Browne

ACTIVATE  
WHT  
90°  
10:45  
DEACT  
2133

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MC SP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CTRL

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/7	0100	71	D. Browne
	0200	71	D. Browne
	0300	69	D. Browne
	0400	67	D. Browne
	0500	69	D. Browne
	0600	70	D. Browne
	0700	78	J. WOODWARD
	0800	87	J. WOODWARD
	0900	92	J. WOODWARD
	1000	96	J. WOODWARD
	1100	98	J. WOODWARD
	1200	100	J. WOODWARD
	1300	102	J. WOODWARD
	1400	102	N. Hause
	1500	105	N. Hause
	1600	106	N. Hause
	1700	104	N. Hause
	1800	102	N. Hause
	1900	98	N. Hause
	2000	90	N. Hause
	2100	83	N. Hause
	2200	78	D. Browne
	2300	76	D. Browne
	2400	73	D. Browne

Date	Time	Temp.	Printed Name
8/8	0100	72	D. Browne
	0200	71	D. Browne
	0300	69	D. Browne
	0400	69	D. Browne
	0500	68	D. Browne
	0600	68	GONZO
	0700	74	GONZO
	0800	77	GONZO
	0900	80	GONZO
	1000	83	GONZO
	1100	89	GONZO
	1200	90	GONZO
	1300	97	GONZO
	1400	98	N. Hause
	1500	101	N. Hause
	1600	102	N. Hause
	1700	100	N. Hause
	1800	98	N. Hause
	1900	96	N. Hause
	2000	90	N. Hause
	2100	80	N. Hause
	2200	76	N. Hause
	2300	74	N. Hause
	2400	71	N. Hause

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCSF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/9 1230 UHT ACTIVE  2055 WHT DEAD	0100	70	N Hause
	0200	69	N Hause
	0300	68	N Hause
	0400	68	N Hause
	0500	66	N Hause
	0600	64	E. OCHET
	0700	71	E. OCHET
	0800	80	E. OCHET
	0900	81	E. OCHET
	1000	86	E. OCHET
	1100	87	OCHET
	1200	90	OCHET
	1300	95	OCHET
	1400	96	N Hause
	1500	100	N Hause
	1600	102	N Hause
	1700	101	N Hause
	1800	99	N Hause
	1900	92	N Hause
	2000	88	N Hause
	2100	80	N Hause
	2200	76	Bart
	2300	73	Bart
	2400	70	Bart

Date	Time	Temp.	Printed Name
8/10  8/11	0100	65	Bart
	0200	63	Bart
	0300	63	Bart
	0400	63	Bart
	0500	65	Bart
	0600	67	TSS
	0700	70	Bart
	0800	74	Bart
	0900	80	Bart
	1000	84	Bart
	1100	86	Bart
	1200	90	Bathum
	1300	96	Bart
	1400	95	Woods
	1500	97	Woods
	1600	98	Woods
	1700	101	Woods
	1800	98	Woods
	1900	92	Woods
	2000	88	Woods
	2100	80	Woods
	2200	79	D. Browne
	2300	75	D. Browne
	2400	70	P. Browne

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

MCSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/11/14	0100	68	D. Browne
	0200	67	D. Browne
	0300	65	D. Browne
	0400	63	D. Browne
	0500	62	D. Browne
	0600	62	<u>DAD</u>
	0700	71	<u>DAD</u>
	0800	78	<u>DAD</u>
	0900	80	<u>Bart</u>
	1000	80	<u>Bart</u>
	1100	85	<u>Bart</u>
	1200	90	<u>Bart</u>
	1300	95	<u>Bart</u>
	1400	96	E. Hemborg, S
	1500	96	EH
	1600	91	EH
	1700	90	EH
	1800	92	EH
	1900	94	EH
	2000	85	EH
	2100	77	EH
	2200	75	EH
	2300	70	D. Browne
	2400	66	D. Browne

Deactivate  
VHT

Date	Time	Temp.	Printed Name
8/12	0100	65	D. Browne
	0200	63	D. Browne
	0300	60	D. Browne
	0400	59	D. Browne
	0500	57	D. Browne
	0600	55	D. Browne
	0700	61	J. Cervantes
	0800	69	J. Cervantes
	0900	74	J. Cervantes
	1000	82	J. CERVANTES
	1100	83	J. Cervantes
	1200	87	J. Cervantes
	1300	88	J. Cervantes
	1400	91	J. STRICKLER
	1500	94	J. STRICKLER
	1600	92	J. STRICKLER
	1700	88	STRICKLER
	1800	87	STRICKLER
	1900	85	STRICKLER
	2000	78	STRICKLER
	2100	73	STRICKLER
	2200	69	D. Browne
	2300	68	D. Browne
	2400	62	D. Browne

ACTIVE UNIT

Deactivate  
UNIT

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

M C.S.P.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Main Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/13	0100	61	D. Browne
	0200	59	D. Browne
	0300	57	D. Browne
	0400	56	D. Browne
	0500	55	D. Browne
	0600	57	D. Browne
	0700	66	Gonzo
	0800	72	Gonzo
	0900	78	GONZO
	1000	80	GONZO
	1100	83	Gonzo
	1200	87	Gonzo
	1300	89	Gonzo
	1400	89	N Hause
	1500	92	N Hause
	1600	91	N Hause
	1700	93	N Hause
	1800	91	N Hause
	1900	90	N Hause
	2000	82	N Hause
	2100	76	N Hause
	2200	71	D. Browne
	2300	69	D. Browne
	2400	67	D. Browne

140° ACT

UWT Dept

O 2010

8-14-2011

Date	Time	Temp.	Printed Name
8-14-2011	0100	65	D. Browne
	0200	65	D. Browne
	0300	64	D. Browne
	0400	62	D. Browne
	0500	60	D. Browne
	0600	58	Gonzo
	0700	66	Gonzo
	0800	75	Gonzo
	0900	82	Gonzo
	1000	81	Gonzo
	1100	84	Gonzo
	1200	88	Gonzo
	1300	89	Gonzo
	1400	93	N Hause
	1500	95	N Hause
	1600	97	N Hause
	1700	95	N Hause
	1800	93	N Hause
	1900	89	N Hause
	2000	83	N Hause
	2100	78	N Hause
	2200	73	D. Browne
	2300	71	D. Browne
	2400	66	D. Browne

ACTIVATE  
WHT  
1325  
91°WHT  
Dept  
8-15-2011

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCS

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/15 64°F Act	0100	65	D Browne
	0200	63	D Browne
	0300	61	D Browne
	0400	61	D. Browne
	0500	61	D. Browne
	0600	65	GONZO
	0700	68	GONZO
	0800	75	GONZO
	0900	78	GONZO
	1000	81	GONZO
	1100	83	GONZO
	1200	87	GONZO
	1300	89	GONZO
	1400	92	N Hause
	1500	92	N Hause
	1600	94	N Hause
	1700	94	N Hause
	1800	93	N Hause
	1900	90	N Hause
	2000	86	N Hause
	2100	79	N Hause
	2200	73	Bart
	2300	70	Bud
	2400	68	Bud

Date	Time	Temp.	Printed Name
8/16 64°F Act	0100	66	Bud
	0200	64	Bud
	0300	62	Bud
	0400	60	Bart
	0500	51	Bud
	0600	59	Bud
	0700	67	GONE
	0800	78	STONE
	0900	82	STONE
	1000	82	STONE
	1100	86	STONE
	1200	88	STONE
	1300	90	STONE
	1400	92	STONE
	1500	96	N Hause
	1600	97	N Hause
	1700	95	N Hause
	1800	94	N Hause
	1900	91	N Hause
	2000	86	N Hause
	2100	75	N Hause
	2200	74	Bart
	2300	71	Bud
	2400	68	Bud

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCS

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/17	0100	62	Bark
	0200	62	Bark
	0300	61	Bark
	0400	60	D.W.
	0500	59	Bark
	0600	57	Bark
	0700	66	STONE
	0800	76	STONE
	0900	79	STONE
	1000	79	STONE
	1100	78	STONE
	1200	82	STONE
	1300	84	STONE
	1400	85	STONE
	1500	87	Ahlers
	1600	88	Ahlers
	1700	84	Ahlers
	1800	81	Ahlers
	1900	79	Ahlers
	2000	74	Ahlers
	2100	70	Ahlers
	2200	68	P.Browne
	2300	66	D.Browne
	2400	63	D.Browne

Date	Time	Temp.	Printed Name
8/18	0100	62	D.Browne
	0200	61	D.Browne
	0300	60	D.Browne
	0400	60	D.Browne
	0500	58	D.Browne
	0600	58	P.Browne
	0700	68	GONZO
	0800	76	GONZO
	0900	78	GONZO
	1000	79	GONZO
	1100	80	GONZO
	1200	82	GONZO
	1300	86	GONZO
	1400	86	DAILEY
	1500	88	DAILEY
	1600	91	DAILEY
	1700	90	DAILEY
	1800	88	DAILEY
	1900	85	DAILEY
	2000	77	DAILEY
	2100	74	DAILEY
	2200	72	D.Browne
	2300	69	D.Browne
	2400	67	D.Browne

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

MCSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/19	0100	64	D. Browne
	0200	60	D. Browne
	0300	58	D. Browne
	0400	57	D. Browne
	0500	56	D. Browne
	0600	55	D. Browne
	0700	68	GONZO
	0800	78	GONZO
	0900	82	GONZO
	1000	84	GONZO
	1100	86	GONZO
	1200	87	GONZO
	1300	89	GONZO
	1400	91	STOER
	1500	92	STOER
	1600	91	STOER
	1700	89	STOER
	1800	90	STOER
	1900	89	STOER
	2000	84	STOER
	2100	75	STOER
	2200	70	D. Browne
	2300	66	D. Browne
	2400	61	D. Browne

ACTIVATED  
UHT -

1923  
UHT  
DEACTIVATED

Date	Time	Temp.	Printed Name
8/20	0100	60	D. Browne
	0200	57	D. Browne
	0300	58	D. Browne
	0400	56	D. Browne
	0500	56	D. Browne
	0600	58	GONZO
	0700	60	GONZO
	0800	72	GONZO
	0900	80	GONZO
	1000	82	GONZO
	1100	87	GONZO
	1200	89	GONZO
	1300	92	GONZO
	1400	92	N Hause
	1500	93	N Hause
	1600	94	N Hause
	1700	93	N Hause
	1800	93	N Hause
	1900	89	N Hause
	2000	80	N Hause
	2100	73	N Hause
	2200	71	D. Browne
	2300	68	D. Browne
	2400	66	D. Browne

8/19  
1319UHT  
DEACTIVATED  
2000

8/21

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C.S.P.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

MAIN Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/21	0100	64	D. Browne
	0200	63	D. Browne
	0300	62	D. Browne
	0400	60	D. Browne
	0500	58	D. Browne
	0600	58	D. Browne
	0700	63	Gonzo
	0800	78	Gonzo
	0900	80	Gonzo
	1000	82	Gonzo
	1100	82	Gonzo
	1200	84	Gonzo
	1300	89	Gonzo
	1400	91	N Haas
	1500	92	N Haas
	1600	91	N Haas
	1700	91	N Haas
	1800	90	N Haas
	1900	86	N Haas
	2000	77	N Haas
	2100	71	N Haas
	2200	68	D. Browne
	2300	66	D. Browne
	2400	63	D. Browne

ACT 447  
 8/21/14 8:00 AM  
 DENK  
 12/10

Date	Time	Temp.	Printed Name
8/22	0100	61	D. Browne
	0200	58	D. Browne
	0300	58	D. Browne
	0400	57	D. Browne
	0500	55	D. Browne
	0600	58	Gonzo
	0700	61	Gonzo
	0800	68	Gonzo
	0900	70	Gonzo
	1000	73	Gonzo
	1100	75	Gonzo
	1200	80	Gonzo
	1300	81	Gonzo
	1400	82	N Haas
	1500	84	N Haas
	1600	84	N Haas
	1700	83	N Haas
	1800	79	N Haas
	1900	74	N Haas
	2000	68	N Haas
	2100	63	N Haas
	2200	62	Band
	2300	62	Band
	2400	61	Band

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M C.S.P.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-24-24	0100	60	Bart
	0200	60	Bart
	0300	60	Bart
	0400	59	Bart
	0500	60	Bart
	0600	56	STONE
	0700	59	STONE
	0800	66	STONE
	0900	73	STONE
	1000	69	STONE
	1100	73	STONE
	1200	75	STONE
	1300	78	STONE
	1400	80	N HAN
	1500	79	N HAN
	1600	75	N HANee
	1700	72	N HANee
	1800	71	N HANee
	1900	68	N HADe
	2000	66	N HADe
	2100	64	N HADe
	2200	64	Bartkiewicz
	2300	63	Bart
	2400	63	Bart

Date	Time	Temp.	Printed Name
	0100	62	Bart
	0200	62	Bart
	0300	62	Bart
	0400	61	Bart
	0500	61	Bart
	0600	61	STONE
	0700	61	STONE
	0800	63	STONE
	0900	66	STONE
	1000	70	STONE
	1100	73	STONE
	1200	73	STONE
	1300	77	STONE
	1400	78	Humphreys
	1500	78	EAT
	1600	79	EAT
	1700	78	EAT
	1800	76	EAT
	1900	74	EAT
	2000	70	EAT
	2100	67	EAT
	2200	63	EAT
	2300	60	D.Bruce
	2400	57	D.Bruce

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

Mule Creek State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Main Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/25/21	0100	57	D. Browne
	0200	55	D. Browne
	0300	54	D. Browne
	0400	52	D. Browne
	0500	51	D. Browne
	0600	51	GONZO
	0700	60	GONZO
	0800	68	GONZO
	0900	75	GONZO
	1000	75	GONZO
	1100	77	GONZO
	1200	82	GONZO
	1300	83	GONZO
	1400	84	GOCHEVA
	1500	87	GOCHEVA
	1600	89	GOCHEVA
	1700	87	GOCHEVA
	1800	86	GOCHEVA
	1900	83	GOCHEVA
	2000	78	GOCHEVA
	2100	73	GOCHEVA
	2200	69	GOCHEVA
	2300	67	GOCHEVA
	2400	65	GOCHEVA

Date	Time	Temp.	Printed Name
8/26	0100	60	GOCHEVA
	0200	58	GOCHEVA
	0300	58	GOCHEVA
	0400	57	GOCHEVA
	0500	57	GOCHEVA
	0600	58	GONZO
	0700	68	GONZO
	0800	76	GONZO
	0900	85	GONZO
	1000	86	GONZO
	1100	88	GONZO
	1200	89	GONZO
	1300	91	GONZO
	1400	92	N Hause
	1500	94	N Hause
	1600	94	N Hause
	1700	93	N Hause
	1800	91	N Hause
	1900	89	N Hause
	2000	82	N Hause
	2100	73	N Hause
	2200	71	N Hause
	2300	68	GOCHEVA
	2400	66	GOCHEVA

B

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDOR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Mule Creek State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Main Control

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/27/2024	0100	65	GOCHEVA
	0200	63	GOCHEVA
	0300	63	GOCHEVA
	0400	61	GOCHEVA
	0500	60	GOCHEVA
	0600	60	GONZO
	0700	66	GONZO
	0800	79	GONZO
	0900	84	GONZO
	1000	91	GONZO
	1100	90	GONZO
	1200	92	GONZO
	1300	95	GONZO
	1400	97	N HALE
	1500	99	N HALE
	1600	99	N HALE
	1700	100	N HALE
	1800	94	N HALE
	1900	90	N HALE
	2000	85	N HALE
	2100	80	N HALE
	2200	74	N HALE
	2300	73	N HALE
	2400	70	N HALE

Date	Time	Temp.	Printed Name
8/28	0100	70	N HALE
	0200	69	N HALE
	0300	69	N HALE
	0400	68	N HALE
	0500	64	N HALE
	0600	68	GONZO
	0700	75	GONZO
	0800	81	GONZO
	0900	89	GONZO
	1000	89	GONZO
	1100	88	GONZO
	1200	97	GONZO
	1300	97	GONZO
	1400	100	GONZO
	1500	99	E.ROMERO
	1600	101	N HALE
	1700	101	N HALE
	1800	98	N HALE
	1900	93	N HALE
	2000	90	N HALE
	2100	81	N HALE
	2200	75	N HALE
	2300	70	JUNES
	2400	66	JUNES

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCSO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/29	0100	69	JUNES
	0200	68	JUNES
	0300	60	JUNES
	0400	60	JUNES
	0500	59	JUNES
	0600	58	GONZO
	0700	65	GONZO
	0800	76	GONZO
	0900	81	GONZO
	1000	79	GONZO
	1100	81	GONZO
	1200	86	GONZO
	1300	89	GONZO
	1400	89	UNK JY
	1500	94	94
	1600	96	96
	1700	96	96
	1800	95	95
	1900	86	86
	2000	83	83
	2100	80	80
	2200	79	79
	2300	70	70
	2400	67	BWJ

Date	Time	Temp.	Printed Name
8/30	0100	64	BWJ
	0200	63	BWJ
	0300	61	BWJ
	0400	60	BWJ
	0500	58	BWJ
	0600	56	STONE
	0700	58	STONE
	0800	66	STONE
	0900	72	STONE
	1000	78	STONE
	1100	84	STONE
	1200	88	STONE
	1300	89	STONE
	1400	91	N Hause
	1500	93	N Hause
	1600	98	N Hause
	1700	96	N Hause
	1800	93	N Hause
	1900	89	N Hause
	2000	81	N Hause
	2100	76	Chapman
	2200	72	Chapman
	2300	68	DADS
	2400	64	DADS

B

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: M.C. SP.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/31 1200 UHT  DEACTIVATED 2000	0100	64	Bard
	0200	62	Bard
	0300	62	Bard
	0400	61	Bard
	0500	59	ZD
	0600	59	Bard
	0700	61	STONE
	0800	72	STONE
	0900	50	STONE
	1000	81	STONE
	1100	83	STONE
	1200	90	STONE
	1300	93	STONE
	1400	93	wo workers
	1500	95	wo workers
	1600	97	wo workers
	1700	97	wo workers
	1800	96	wo workers
	1900	89	wo workers
	2000	81	wo workers
	2100	77	wo workers
	2200	73	Humphrys
	2300	70	EH
	2400	67	EH

Date	Time	Temp.	Printed Name
1300 UHT  1800 Desert UHT	0100	67	EH
	0200	64	EH
	0300	62	EH
	0400	60	EH
	0500	59	EH
	0600	57	EH
	0700	64	EH
	0800	74	EH
	0900	80	EH
	1000	80	EH
	1100	82	EH
	1200	85	EH
	1300	90	EH
	1400	92	EH
	1500	93	(D)
	1600	93	(D)
	1700	93	(D)
	1800	97	(S)
	1900	95	(S)
	2000	76	(S)
	2100	74	(S)
	2200	69	D. Browne
	2300	65	D. Browne
	2400	63	D. Browne

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 1 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
8/12/18	0300	74.	Morr
	0600	73	ZALAZAN
	0900	74	ZALAZAN
	1200	76	ZALAZAN
	1500	75	MORA
	1800	77	MORA
	2100	76	MORA
	2400	74.3	Baker

#### Friday

Date	Time	Temp.	Name (Print)
8/12/18	0300	71.4	Baker
	0600	69.1	YANG
	0900	71	T. YANG
	1200	73	T. YANG
	1500	74.1	T. YANG
	1800	74.0	T. YANG
	2100	73.9	T. YANG
	2400	72.1	Baker

#### Saturday

Date	Time	Temp.	Name (Print)
8/13/18	0300	69.0	Baker
	0600	70.0	Derves
	0900	71.4	Derves
	1200	73.9	Derves
	1500	74.1	YANG
	1800	75.3	YANG
	2100	74.8	YANG
	2400	73.4	YANG

#### Sunday

Date	Time	Temp.	Name (Print)
8/14/18	0300	70.5	YANG
	0600	70.0	Derves
	0900	73.1	Derves
	1200	74.4	Derves
	1500	74.9	YANG
	1800	74.2	YANG
	2100	74.3	YANG
	2400	72.0	YANG

#### Notes

Mule Creek State Prison  
Facility A

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 1 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/12/18	0300	70.4	YANG
	0600	70.5	PELES
	0900	71.0	PELES
	1200	79.6	WAVES
	1500	73.5	YANG
	1800	74.9	YANG
	2100	74.2	YANG
	2400	71.8	YANG

#### Tuesday

Date	Time	Temp.	Name (Print)
8/13/18	0300	69.7	YANG
	0600	70.7	PELES
	0900	71.1	PELES
	1200	71.0	PELES
	1500	76.6	MORN
	1800	75.2	MORN
	2100	75	MORN
	2400	74.7	MORN

#### Wednesday

Date	Time	Temp.	Name (Print)
8/14/18	0300	72	MORN
	0600	72.8	SWEINGER
	0900	73.4	SWEINGER
	1200	75.8	SWEINGER
	1500	76.8	MORN
	1800	77	MORN
	2100	75.3	MORN
	2400	73.2	MORN

#### Thursday

Date	Time	Temp.	Name (Print)
8/15/18	0300	71	THAO
	0600	71.3	THAO
	0900	73.5	THAO
	1200	73.5	THAO
	1500	73.5	THAO
	1800	74	THAO
	2100	72.4	THAO
	2400	72	THAO

#### Friday + Tuesday

Date	Time	Temp.	Name (Print)
8/16/18	0300	73.5	MORN
	0600	74	MORN
	0900	75	VANG
	1200	72.5	VANG
	1500	76	MORN
	1800	76.7	MORN
	2100	75	MORN
	2400	73	THAO

#### Saturday

Date	Time	Temp.	Name (Print)
8/17/18	0300	70	THAO
	0600	70.6	THAO
	0900	72.3	THAO
	1200	72.8	THAO
	1500	73.4	VANG
	1800	74.2	VANG
	2100	73.4	VANG
	2400	72.0	VANG

#### Notes

Date	Time	Temp.	Name (Print)
8/18/18	0300	70.9	YANG
	0600	70.0	SWEINGER
	0900	72.6	SWEINGER
	1200	79.2	SWEINGER
	1500	73.5	YANG
	1800	74.7	YANG
	2100	73.1	YANG
	2400	71.3	YANG

Mule Creek State Prison

Facility A

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSF Housing Unit: 1 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
heoe1/18	0300	70.6	YANG
	0600	70.0	PEARS
	0900	71.1	PEARS
	1200	72.8	PEARS
	1500	72.0	YANG
	1800	73.4	YANG
	2100	70.7	YANG
	2400	69.4	YANG

Tuesday

Date	Time	Temp.	Name (Print)
heoe1/18	0300	67.8	YANG
	0600	67.3	PEARS
	0900	68.5	PEARS
	1200	69.3	PEARS
	1500	70.5	MORN DB
	1800	74	MORN
	2100	72	MORN
	2400	71.4	MORN

Wednesday

Date	Time	Temp.	Name (Print)
heoe1/18	0300	71.8	MORN
	0600	72.5	MORN
	0900	71.7	SARZER
	1200	73.8	SARZER
	1500	74.8	MORN
	1800	74.3	MORN
	2100	73.2	MORN
	2400	73.5	MORN

Thursday

Date	Time	Temp.	Name (Print)
heoe1/18	0300	72.2	MORN
	0600	72.4	MORN
	0900	71.9	PURVIS
	1200	73.4	PURVIS
	1500	74.5	MORN
	1800	74.5	MORN
	2100	73	MORN
	2400	72	THAO

Friday

Date	Time	Temp.	Name (Print)
heoe1/18	0300	71	THAO
	0600	69.9	DEFTRES
	0900	74.0	PEARS
	1200	78.0	DEFTRES
	1500	76.3	DEFTRES
	1800	74.1	PEARS
	2100	77.2	DEFTRES
	2400	71	THAO

Saturday

Date	Time	Temp.	Name (Print)
heoe1/18	0300	75	DEFTRES
	0600	75.3	DEFTRES
	0900	76.1	DEFTRES
	1200	77.3	DEFTRES
	1500	72.5	M.Whitaker
	1800	72.1	M.Whitaker
	2100	70.2	M.Whitaker
	2400	69.8	YANG

Notes

Date	Time	Temp.	Name (Print)
heoe1/18	0300	67.5	YANG
	0600	69.6	DEFTRES
	0900	73.2	DEFTRES
	1200	74.1	DEFTRES
	1500	70.7	YANG
	1800	72.9	YANG
	2100	71.9	YANG
	2400	68.1	YANG

Mule Creek State Prison  
Facility A

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSO Housing Unit: 1 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 18	0300	66.8	YANG
	0600	67.2	YANG
	0900	69.4	NEVES
	1200	70.3	NEVES
	1500	70.6	R. PRICE
	1800	71.4	YANG
	2100	70.7	YANG
	2400	70.1	YANG

Tuesday

Date	Time	Temp.	Name (Print)
May 18	0300	67.9	YANG
	0600	69.2	SUARWER
	0900	71.2	SUARWER
	1200	74	SUARWER
	1500	74	MORA
	1800	73	MORA
	2100	72	MORA
	2400	73	MORA

Wednesday

Date	Time	Temp.	Name (Print)
May 18	0300	72	MORA
	0600	71	MORA
	0900	73	SUARWER
	1200	74	SUARWER
	1500	74	MORA
	1800	74	MORA
	2100	73	MORA
	2400	72	MORA

Thursday

Date	Time	Temp.	Name (Print)
May 18	0300	71	MORA
	0600	72	SUARWER
	0900	74	SUARWER
	1200	76	SUARWER
	1500	76	MORA
	1800	73	MORA
	2100	72	MORA
	2400	71	THOM

Friday

Date	Time	Temp.	Name (Print)
May 18	0300	71	THAO
	0600	71	THAO
	0900	71	THAO
	1200	71	THAO
	1500	71	MORA
	1800	71	MORA
	2100	70	MORA
	2400	70	MORA

Saturday

Date	Time	Temp.	Name (Print)
May 18	0300	70	MORA
	0600	70	MORA
	0900	71.7	DEERS
	1200	72.3	DEERS
	1500	75.0	YANG
	1800	76	YANG
	2100	71	YANG
	2400	70	YANG

Sunday

Date	Time	Temp.	Name (Print)
May 18	0300	70	YANG
	0600	70	Fahow
	0900	71.7	NEVES
	1200	72.1	NEVES
	1500	73.4	YANG
	1800	74.2	YANG
	2100	72.0	YANG
	2400	70.3	YANG

Notes

Mule Creek State Prison  
Facility A

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 1 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2024	0300	68.3	YANG
	0600	67.9	YANG
	0900	68.2	Medrano
	1200	70.1	Medrano
	1500	72.3	YANG
	1800	73.7	YANG
	2100	71.9	YANG
	2400	70.2	YANG

Tuesday

Date	Time	Temp.	Name (Print)
8/27/2024	0300	68.7	YANG
	0600	70.8	Swarver
	0900	71	Swarver
	1200	71	Warner
	1500	73	Mora
	1800	75	Mora
	2100	73	Mora
	2400	70	Mora

Wednesday

Date	Time	Temp.	Name (Print)
8/28/2024	0300	69	Mora
	0600	67	Swarver
	0900	69	Swarver
	1200	71	Swarver
	1500	73	Mora
	1800	74	Mora
	2100	71	Mora
	2400	71	Mora

Thursday

Date	Time	Temp.	Name (Print)
8/29/2024	0300	70	Mora
	0600	69	Swarver
	0900	71	Swarver
	1200	73	Swarver
	1500	73	Rodriguez
	1800	73	Thao
	2100	72	Thao
	2400	71	Thao

Friday

Date	Time	Temp.	Name (Print)
8/30/2024	0300	71	Thao
	0600	70	O'Boyle
	0900	71	O'Boyle
	1200	73	O'Boyle
	1500	74	Thao
	1800	73	Thao
	2100	72	Thao
	2400	71	Thao

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/31/2024	0300	71	Thao
	0600	71.0	Dekra
	0900	72.4	Dekra
	1200	74.3	Dekra
	1500	75.1	Vang
	1800	74.8	Vang
	2100	73.5	Vang
	2400		

Notes

Mule Creek State Prison  
Facility A

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 2 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/18/18	0300	72	MOMA
	0600	72	Pico
	0900	72.2	Pico
	1200	72.5	Pico
	1500	72.8	Vang
	1800	72.5	Vang
	2100	71.6	Vang
	2400	71	MOMA

Friday

Date	Time	Temp.	Name (Print)
5/18/18	0300	70	MOMA
	0600	74.5	Romo
	0900	76	Romo
	1200	78	Romo
	1500	75	GEORGE
	1800	76	GEORGE
	2100	74	GEORGE
	2400	72	Estrada

Saturday

Date	Time	Temp.	Name (Print)
5/19/18	0300	70	Estrada
	0600	71.6	Romo
	0900	73	ROMO
	1200	74	SCALES
	1500	75	SCALES
	1800	76	SCALES
	2100	74	SCALES
	2400	70	Baker

Sunday

Date	Time	Temp.	Name (Print)
5/19/18	0300	69.8	Parker
	0600	69.9	P.D.
	0900	70.6	Danielle
	1200	72.0	Pico
	1500	73	SCALES
	1800	73	SCALES
	2100	73	SCALES
	2400	71.6	Baker

Notes

Mule Creek State Prison  
Facility A

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSR Housing Unit: 2 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/15/2018	0300	69.8	Baker <u>✓</u>
	0600	69.2	OCEAN <u>✓</u>
	0900	71.5	ORNA <u>✓</u>
	1200	73	ORNA <u>✓</u>
	1500	73	J. O'DELL <u>✓</u>
	1800	71.5	J. O'DELL <u>✓</u>
	2100	71.2	MOHR <u>✓</u>
	2400	70	MOHR <u>✓</u>

#### Tuesday

Date	Time	Temp.	Name (Print)
8/16/2018	0300	70	MOHR <u>✓</u>
	0600	70	MCBURR <u>✓</u>
	0900	71	MCBURR <u>✓</u>
	1200	71	MCBURR <u>✓</u>
	1500	72.1	Enebrad <u>✓</u>
	1800	72.4	Espane <u>✓</u>
	2100	71.4	Espane <u>✓</u>
	2400	74.5	MOHR <u>✓</u>

#### Wednesday

Date	Time	Temp.	Name (Print)
8/17/2018	0300	74.0	MOHR <u>✓</u>
	0600	74.5	R. ANDRAE <u>✓</u>
	0900	74.5	MR <u>✓</u>
	1200	73.5	MR <u>✓</u>
	1500	73.8	REEVES <u>✓</u>
	1800	73	REEVES <u>✓</u>
	2100	72	REEVES <u>✓</u>
	2400	71	MOHR <u>✓</u>

#### Thursday

Date	Time	Temp.	Name (Print)
8/18/2018	0300	72	MOHR <u>✓</u>
	0600	74	Romeo <u>✓</u>
	0900	72	Romeo <u>✓</u>
	1200	76	Romeo <u>✓</u>
	1500	76	GATES <u>✓</u>
	1800	77	GATES <u>✓</u>
	2100	74	GATES <u>✓</u>
	2400	75	Shirley <u>✓</u>

#### Friday

Date	Time	Temp.	Name (Print)
8/19/2018	0300	73	Shirley <u>✓</u>
	0600	73	Shirley <u>✓</u>
	0900	72	PICO <u>✓</u>
	1200	74	PICO <u>✓</u>
	1500	74.5	MSILVA <u>✓</u>
	1800	74.5	MSILVA <u>✓</u>
	2100	72.7	MSILVA <u>✓</u>
	2400	71.1	MOHR <u>✓</u>

#### Saturday

Date	Time	Temp.	Name (Print)
8/20/2018	0300	72	MOHR <u>✓</u>
	0600	73	Romeo <u>✓</u>
	0900	74	Romeo <u>✓</u>
	1200	75	Romeo <u>✓</u>
	1500	75	ABELLA <u>✓</u>
	1800	74.9	ABELLA <u>✓</u>
	2100	74	ABELLA <u>✓</u>
	2400	71	MOHR <u>✓</u>

#### Notes

Mule Creek State Prison  
Facility A

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSO Housing Unit: 2 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/2024	0300	72.8	Ahmed (A)
	0600	77	Lewis (P)
	0900	79	Dunn (P)
	1200	80	Lewis
	1500	76	Scales (DB)
	1800	74	Scales
	2100	73	Scales (P)
	2400	72	Mohr (P)

Tuesday

Date	Time	Temp.	Name (Print)
8/13/2024	0300	77	140412
	0600	75.3	R. VACONIAS
	0900	73.0	R. LAFERMOUS
	1200	73	SCALEY
	1500	73	SCALEY (DB)
	1800	73	SCALEY
	2100	74	SCALEY
	2400	73	LEFEBURE (P)

Wednesday

Date	Time	Temp.	Name (Print)
8/14/2024	0300	72.8	Foster (P)
	0600	73.6	R. VACONIAS
	0900	74.3	R. VACONIAS (P)
	1200	75.2	R. VACONIAS (P)
	1500	74	Reeves (P)
	1800	73	Reeves
	2100	730	Reeves
	2400	72	Mohr (P)

Thursday

Date	Time	Temp.	Name (Print)
8/15/2024	0300	77	Mohr
	0600	76	Romeo
	0900	76	Romeo
	1200	75	Romeo
	1500	75	THAO
	1800	76	THAO
	2100	71	THAO
	2400	71	Mohr (P)

Friday

Date	Time	Temp.	Name (Print)
8/16/2024	0300	70	Mohr
	0600	70	Pico.
	0900	70	Pico. (P)
	1200	70	Pico.
	1500	70	Scales (P)
	1800	71	Scales
	2100	71	Scales
	2400	71	Mohr (P)

Saturday

Date	Time	Temp.	Name (Print)
8/17/2024	0300	77	Mohr
	0600	72	Romeo
	0900	79	Romeo
	1200	75	Romeo (P)
	1500	76	Reeves
	1800	74	Reeves
	2100	73	Reeves
	2400	72	Amerson

Notes

Mule Creek State Prison  
Facility A

Date	Time	Temp.	Name (Print)
8/18/2024	0300	70	Amerson
	0600	69	Pico.
	0900	70	Pico. (P)
	1200	70	Pico.
	1500	72	Scales (DB)
	1800	73	Scales
	2100	73	Scales
	2400	71	Haley (P)

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSO Housing Unit: 2 Temp. Reading Location: 2nd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 9523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/2024	0300	71	T. Gray
	0600	75	Romo A
	0900	76	Romo
	1200	77	Romo
	1500	75	Scales R
	1800	73	Scales
	2100	73	Scales
	2400	73	MOHR C

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/2024	0300	71	MOHR B
	0600	74	Velazquez
	0900	75	Velazquez
	1200	74	Velazquez P
	1500	74	Scales
	1800	74	Scales
	2100	74	Scales
	2400	74	Lefebvre

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/2024	0300	74	Lefebvre
	0600	75	R. Valenzuela P
	0900	76	R. Valenzuela
	1200	77	R. Valenzuela
	1500	77	Reeves
	1800	74	Reeves
	2100	72	Reeves
	2400	71	MOHR C

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/2024	0300	70	MOHR P
	0600	72	Romo
	0900	74	Romo
	1200	75	Romo
	1500	75	Romo
	1800	73	Romo
	2100	70	Romo
	2400	73	MOHR X

**Friday**

Date	Time	Temp.	Name (Print)
8/23/2024	0300	72	MOHR
	0600	72	PIC
	0900	72	PIC
	1200	72	PIC
	1500	74	Scales R
	1800	74	Scales
	2100	74	Scales
	2400	74	MOHR

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/2024	0300	73	MOHR P
	0600	77	Romo
	0900	77	Romo
	1200	78	Romo
	1500	75	M. Williams
	1800	70	M. Williams
	2100	70	M. Williams
	2400	70	MOHR

**Notes**

8/20/24 - Sat/LT. took all THERMOMETERS

Date	Time	Temp.	Name (Print)
8/25/2024	0300	70	MOHR 65
	0600	70	Romo P
	0900	70	Romo P
	1200	78	Romo
	1500	70	Janni
	1800	64	Janni
	2100	64	Janni
	2400	68	CHELGREN

Mule Creek State Prison Facility A

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 2 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/26/2024	0300	68	CHELGREN <i>no</i>
	0600	69	PICO <i>16</i>
	0900	69	PICO <i>16</i>
	1200	70	PICO
	1500	70	SCALES
	1800	70	SCALES
	2100	70	SCALES
	2400	70	MOMR <i>2</i>

Tuesday			
Date	Time	Temp.	Name (Print)
8/27/2024	0300	71	MOMR <i>1</i>
	0600	70	R. VALENTE <i>RA</i>
	0900	70	R. VALENTE <i>RA</i>
	1200	70	R. VALENTE <i>RA</i>
	1500	70	R. VALENTE <i>RA</i>
	1800	70	BELSTEIN
	2100	70	BELSTEIN
	2400	74	Lefebvre <i>4</i>

Wednesday			
Date	Time	Temp.	Name (Print)
8/28/2024	0300	75	LeFebvre <i>1</i>
	0600	72	VALENTE <i>RA</i>
	0900	71	VALENTE <i>RA</i>
	1200	71	VALENTE <i>RA</i>
	1500	73	A. BODIGOCZ
	1800	73	Reeves <i>10</i>
	2100	74	Reeves <i>10</i>
	2400	71	MOMR <i>2</i>

Thursday			
Date	Time	Temp.	Name (Print)
8/29/2024	0300	70	MOMR <i>1</i>
	0600	70	Reeves <i>10</i>
	0900	73	Reeves <i>10</i>
	1200	73	Reeves <i>10</i>
	1500	73	Reeves <i>10</i>
	1800	73	Reeves <i>10</i>
	2100	73	Reeves <i>10</i>
	2400	71	MOMR <i>2</i>

Friday			
Date	Time	Temp.	Name (Print)
8/30/2024	0300	70	MOMR <i>10</i>
	0600	72	PICO <i>10</i>
	0900	72	PICO <i>10</i>
	1200	72	PICO <i>10</i>
	1500	73	SCALES <i>10</i>
	1800	73	SCALES <i>10</i>
	2100	73	SCALES <i>10</i>
	2400	72	MOMR <i>2</i>

Saturday			
Date	Time	Temp.	Name (Print)
9/1/2024	0300	70	MOMR <i>1</i>
	0600	70	PICO <i>10</i>
	0900	70	PICO <i>10</i>
	1200	70	PICO <i>10</i>
	1500	73	SALCIDO <i>10</i>
	1800	70	SALCIDO <i>10</i>
	2100	70	SALCIDO <i>10</i>
	2400	70	VOLIN <i>10</i>

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600	70	PICO
	0900	70	PICO
	1200	70	PICO
	1500	70	SCALES
	1800	70	SCALES
	2100	70	SCALES
	2400	70	SCALES

#### Notes

Mule Creek State Prison  
Facility A

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 3 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/2018	0300	72	
	0600	72.0	
	0900	74	
	1200	75	AGNEW
	1500	76.5	sami
	1800	77.3	sami
	2100	77.0	sami
	2400	76.2	sami

Friday

Date	Time	Temp.	Name (Print)
8/1/2018	0300	72	
	0600	72	AGNEW
	0900	72	AGNEW
	1200	73	AGNEW
	1500	78.8	sami
	1800	79.3	sami
	2100	78.1	sami
	2400	77.1	Sach

Saturday

Date	Time	Temp.	Name (Print)
8/3/2018	0300	77.0	Sam
	0600	77.1	Sach
	0900	78.7	sami
	1200	79.9	sami
	1500	80.5	sami
	1800	81.3	sami
	2100	80.1	sami
	2400	76	Yann

Sunday

Date	Time	Temp.	Name (Print)
8/1/2018	0300	73	
	0600	73.4	R. VARENGA
	0900	75.6	R. VARENGA
	1200	79.8	R. VARENGA
	1500	79.3	T. Varg
	1800	79.8	T. Varg
	2100	79.0	T. Varg
	2400	75.7	T. Varg

Notes

Mule Creek State Prison  
Facility A

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSF Housing Unit: 3 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 15/18	0300	70	Ym <u>AC</u>
	0600	72	<u>✓</u>
	0900	76	<u>✓</u>
	1200	77.3	Vm <u>AC</u>
	1500	79.0	Vang
	1800	77.5	Vang
	2100	74.3	Vang <u>✓</u>
	2400	74.1	Son

Tuesday

Date	Time	Temp.	Name (Print)
May 16/18	0300	74.1	Son
	0600	74.1	Sach <u>8</u>
	0900	74.1	J.Chavez
	1200	75.1	J.Chavez <u>AC</u>
	1500	78.0	J.Chavez
	1800	77.5	J.Chavez <u>AC</u>
	2100	78.0	J.Chavez <u>AC</u>
	2400	78	Williams

Wednesday

Date	Time	Temp.	Name (Print)
May 17/18	0300	77	Williams <u>✓</u>
	0600	72.5	J.Chavez <u>AC</u>
	0900	75.10	J.Chavez
	1200	76.9	J.Chavez <u>AC</u>
	1500	77.4	J.Chavez <u>AC</u>
	1800	77.4	J.Chavez
	2100	74	J.Chavez <u>✓</u>
	2400	73.7	Baker

Thursday

Date	Time	Temp.	Name (Print)
May 18/18	0300	71.8	Baker
	0600	71.9	J.Chavez <u>AC</u>
	0900	75.0	J.Chavez
	1200	75.5	J.Chavez
	1500	76	K.HOUSE
	1800	78.9	A.Sami
	2100	77.5	A.Sami
	2400	74	GREENE

Friday

Date	Time	Temp.	Name (Print)
May 19/18	0300	74	GREENE <u>✓</u>
	0600	75.0	A.Sami <u>✓</u>
	0900	76.6	A.Sami
	1200	78.2	A.Sami <u>AC</u>
	1500	78.5	A.Sami
	1800	78.3	A.Sami <u>✓</u>
	2100	77.1	A.Sami
	2400	75.3	R.LOUISIANO <u>✓</u>

Saturday

Date	Time	Temp.	Name (Print)
May 19/18	0300	73.4	R.LOUISIANO <u>✓</u>
	0600	75.5	A.Sami
	0900	76.8	A.Sami
	1200	78.0	A.Sami
	1500	79.0	A.Sami
	1800	78.2	A.Sami
	2100	77.1	A.Sami
	2400	74	Ym <u>✓</u>

Notes

Mule Creek State Prison  
Facility A

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSO Housing Unit: 3 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/2024	0300	71.3	John
	0600	72.0	R. Valencia
	0900	73.7	R. Valencia
	1200	75.0	R. Valencia
	1500	75.6	Vanya DB
	1800	75.5	Sabrina
	2100	75.1	Sabrina
	2400	74.1	Sabrina

Tuesday

Date	Time	Temp.	Name (Print)
8/13/2024	0300	70.1	Sabrina
	0600	70.0	Sabrina
	0900	70.1	Sabrina
	1200	73.5	Sabrina
	1500	74.1	J. Chavez DB
	1800	74.8	J. Chavez
	2100	75.2	J. Chavez
	2400	72	Williams MS

Wednesday

Date	Time	Temp.	Name (Print)
8/14/2024	0300	71.2	Williams
	0600	71.2	J. Chavez
	0900	71.6	J. Chavez
	1200	71.7	J. Chavez
	1500	72.8	J. Chavez Ph
	1800	72.7	J. Chavez
	2100	72.8	J. Chavez
	2400	70	J. Hugo

Thursday

Date	Time	Temp.	Name (Print)
8/15/2024	0300	70	J. Hugo
	0600	70.3	J. Chavez
	0900	70.7	J. Chavez
	1200	72.3	J. Chavez
	1500	70.1	GRIFFIN
	1800	71.0	A. Villanueva Jr
	2100	71.0	A. Villanueva Jr
	2400	71.0	Sabrina

Friday

Date	Time	Temp.	Name (Print)
8/16/2024	0300	70.1	Sabrina
	0600	70.0	Sabrina
	0900	76.5	A. Sami
	1200	70.0	A. Sami
	1500	72.0	A. Sami Ph
	1800	70.0	A. Sami
	2100	71.0	A. Sami
	2400	71.0	A. Sami

Saturday

Date	Time	Temp.	Name (Print)
8/17/2024	0300	70.1	Sabrina
	0600	71.1	Sabrina
	0900	75.0	A. Sami
	1200	71.0	A. Sami
	1500	71.0	A. Sami
	1800	71.0	A. Sami
	2100	70.0	A. Sami
	2400	70.0	Yana

Sunday

Date	Time	Temp.	Name (Print)
8/18/2024	0300	70.	Yana
	0600	74.5	SALAZAR
	0900	73.0	SALAZAR
	1200	74.3	SALAZAR
	1500	74.8	SALAZAR DB
	1800	74.4	Vanya
	2100	73	Sabrina
	2400	73	Sabrina

Notes

Mule Creek State Prison  
Facility A

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSO Housing Unit: 3 Temp. Reading Location: 2nd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/11/2023	0300	72.1	YAN
	0600	74.2	R. VALENZUELA
	0900	74.0	R. VALENZUELA
	1200	75.7	R. VALENZUELA
	1500	74.5	T. Varg
	1800	74.4	T. Varg
	2100	74.1	T. Varg
	2400	73.1	Suth

**Tuesday**

Date	Time	Temp.	Name (Print)
8/12/2023	0300	73.0	Suth
	0600	72.0	Suth
	0900	74.1	J. Chavez
	1200	75.3	J. Chavez
	1500	75.0	J. Oliver
	1800	74	J. Oliver
	2100	71	J. Chavez
	2400	71	Williams

**Wednesday**

Date	Time	Temp.	Name (Print)
8/13/2023	0300	73.1	Suth
	0600	70	J. Chavez
	0900	73	J. Chavez
	1200	75	J. Chavez
	1500	80	J. Chavez
	1800	74	J. Chavez
	2100	70	J. Chavez
	2400	71	Thao

**Thursday**

Date	Time	Temp.	Name (Print)
8/14/2023	0300	73	Thao
	0600	73	Thao
	0900	75	Thao
	1200	74	Thao
	1500	78	A. MAYBERRY
	1800	76	A. MAYBERRY
	2100	74	A. MAYBERRY
	2400	78	R. COMPTON

**Friday**

Date	Time	Temp.	Name (Print)
8/15/2023	0300		
	0600	70.0	A. Sami
	0900	72.0	A. Sami
	1200	71.0	A. Sami
	1500	70.0	A. Sami
	1800	70.0	A. Sami
	2100	69.0	A. Sami
	2400	69.0	C. Endicott

**Saturday**

Date	Time	Temp.	Name (Print)
8/16/2023	0300	68	C. Endicott
	0600	70	A. Sami
	0900	71	A. Sami
	1200	71	A. Sami
	1500	72	GORDON JR.
	1800	75	GORDON JR.
	2100	74	GORDON JR.
	2400	73	BALL

**Sunday**

Date	Time	Temp.	Name (Print)
8/17/2023	0300	72	BALL
	0600	70	O'Bryan
	0900	68	Bailey
	1200	69	Chen
	1500	70	Yan
	1800	71	Voor
	2100	71	Voor
	2400	70	Yan

**Notes**
 Mule Creek State Prison  
 Facility A

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSRP Housing Unit: 3 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/26/2024	0300	74	Lam
	0600	75	Vasquez
	0900	75	Vasquez
	1200	75.2	Vasquez
	1500	75.4	Hernandez
	1800	75.3	Hernandez
	2100	75.1	Hernandez
	2400	70.60	Larson

Tuesday			
Date	Time	Temp.	Name (Print)
8/27/2024	0300	74	Larson
	0600	74	Getty
	0900	71	GETTY
	1200	73	GETTY
	1500	73.5	Hernandez
	1800	74.7	F. Williams
	2100	75.3	F. Williams
	2400	74	Williams

Wednesday			
Date	Time	Temp.	Name (Print)
8/28/2024	0300	72.4	Williams
	0600	72.2	GETTY
	0900	72.5	GETTY
	1200	72.9	GETTY
	1500		VASQUEZ
	1800	75	ROY
	2100	75	Gutierrez
	2400	73	Thao

Thursday			
Date	Time	Temp.	Name (Print)
8/29/2024	0300	71	Thao
	0600	72	GETTY
	0900	73	GETTY
	1200	73	GETTY
	1500	75	Gutierrez
	1800	77	Gutierrez
	2100	74.6	Gutierrez
	2400	73.5	Soto

Friday			
Date	Time	Temp.	Name (Print)
8/30/2024	0300	72.1	Soto
	0600	70.6	Soto
	0900	72	GETTY
	1200	72.5	GETTY
	1500	73	GETTY
	1800	73	VILLANUEVA
	2100	73	VILLANUEVA
	2400	73	Soto

Saturday			
Date	Time	Temp.	Name (Print)
8/31/2024	0300	73	Soto
	0600	74	Soto
	0900	74	VELEZ
	1200	75	VELEZ
	1500	75	Gutierrez
	1800	75	Gutierrez
	2100	74	Gutierrez
	2400	75.0	THAO

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

Mule Creek State Prison  
Facility A

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 4 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/18/2018	0300	70.9	T-Hay ✓
	0600	70.5	Spero ✓
	0900	71.2	Spero
	1200	73.5	FDRGZ M
	1500	74.0	Green
	1800	74.2	Green
	2100	74.2	Green
	2400	74	Shindry

**Friday**

Date	Time	Temp.	Name (Print)
8/18/2018	0300	73	Shindry
	0600	73	Shindry
	0900	73	FDRGZ A
	1200	71	FDRGZ
	1500	74	TOVAP
	1800	76	TOVAP
	2100	75	TOVAP
	2400	72	T-Hay

**Saturday**

Date	Time	Temp.	Name (Print)
8/18/2018	0300	70.9	T-Hay
	0600	71.1	ABELLA
	0900	74.4	ABELLA
	1200	75.2	ABELLA
	1500	76.2	RUSHING
	1800	77.0	T. ANDREWS
	2100	76.8	T. ANDREWS
	2400	76.7	T-Hay

**Notes**

Date	Time	Temp.	Name (Print)
8/18/2018	0300	70.5	T-Hay ✓
	0600	71.4	I. DESILEZ ✓
	0900	73.5	SPERO ✓
	1200	74.5	D. GORE ✓
	1500	75.7	M. WHITAKER
	1800	76.8	M. WHITAKER
	2100	75.0	M. WHITAKER ✓
	2400	74	WILLIAMS

Mule Creek State Prison  
Facility A

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 4 Temp. Reading Location: Ang Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 12 2024	0300	74	Williams ✓
	0600	75	FPEREZ ✓
	0900	72.3	WVANB ✓
	1200	73	WVANB ✓
	1500	75.3	FUNES ✓
	1800	75.1	FUNES ✓
	2100	75.2	FUNES ✓
	2400	73.4	Williams ✓

Tuesday

Date	Time	Temp.	Name (Print)
May 13 2024	0300	71.6	Williams ✓
	0600	72.5	FPEREZ ✓
	0900	73.5	DORRIS ✓
	1200	74	FPEREZ ✓
	1500	78	Reeves ✓
	1800	76	Reeves ✓
	2100	76	Reeves ✓
	2400	73.9	T. Harg ✓

Wednesday

Date	Time	Temp.	Name (Print)
May 17 2024	0300	71.4	T. Harg ✓
	0600	72.5	FPEREZ ✓
	0900	72.5	FPEREZ ✓
	1200	73.2	FPEREZ ✓
	1500	75.3	PWLS ✓
	1800	75.7	PWLS ✓
	2100	75.3	PWLS ✓
	2400	73.4	T. Harg ✓

Thursday

Date	Time	Temp.	Name (Print)
May 18 2024	0300	71.6	T. Harg ✓
	0600	72.4	FPEREZ ✓
	0900	70	SPERZ ✓
	1200	72	FPEREZ ✓
	1500	74.4	PWLS ✓
	1800	75.1	PWLS ✓
	2100	73.9	PWLS ✓
	2400	73.0	BREEN ✓

Friday

Date	Time	Temp.	Name (Print)
May 19 2024	0300	67.9	BREEN ✓
	0600	67.7	FPEREZ ✓
	0900	71	FPEREZ ✓
	1200	72.1	FPEREZ ✓
	1500	73.9	PWLS ✓
	1800	74.6	PWLS ✓
	2100	74.3	PWLS ✓
	2400	73.9	C. Endicott ✓

Saturday

Date	Time	Temp.	Name (Print)
May 20 2024	0300	71.2	C. Endicott ✓
	0600	68.3	C. Endicott ✓
	0900	68.4	WALLACE ✓
	1200	69.2	WALLACE ✓
	1500	72.8	PWLS ✓
	1800	74.3	PWLS ✓
	2100	73.6	PWLS ✓
	2400	72	RANG ✓

Notes

Mule Creek State Prison  
Facility A

Date	Time	Temp.	Name (Print)
May 21 2024	0300	71.3	VANG ✓
	0600	71.8	FPEREZ ✓
	0900	71.5	FPEREZ ✓
	1200	72.9	FPEREZ ✓
	1500	74.3	PWLS ✓
	1800	73.9	PWLS ✓
	2100	73.8	PWLS ✓
	2400	73	DAMISON ✓

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 4 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 12/2024	0300	67	Dominion
	0600	68.3	Perez DB
	0900	71.5	Taylor
	1200	73	Jones
	1500	73	Reeves DS
	1800	73	Reeves ✓
	2100	72	Reeves ✓
	2400	70	Williams

Tuesday

Date	Time	Temp.	Name (Print)
May 13/2024	0300	68.5	Williams
	0600	70.3	E. Perez
	0900	71.5	F. Perez
	1200	73.3	E. Perez
	1500	71.8	Reeves DB
	1800	71.7	Reeves
	2100	76.9	Reeves
	2400	72.5	Huang

Wednesday

Date	Time	Temp.	Name (Print)
May 14/2024	0300	70.1	Huang
	0600	71.9	F. Perez
	0900	71.5	F. Perez
	1200	73.0	T. McCarthy
	1500	73.2	T. McCarthy
	1800	74.3	T. McCarthy
	2100	73.0	T. McCarthy
	2400	70.2	T. Huang

Thursday

Date	Time	Temp.	Name (Print)
May 15/2024	0300	69.1	T. Huang
	0600	69.0	Baker
	0900	69	Huang
	1200	72	Huang
	1500	74.3	Baker
	1800	73.4	Baker
	2100	72.9	Baker
	2400	72.1	Villaseca

Friday

Date	Time	Temp.	Name (Print)
May 16/2024	0300	69.6	Villaseca
	0600	73.0	Villaseca
	0900	70.1	Perez
	1200	72.9	Perez
	1500	75.2	Baker
	1800	76	Baker
	2100	74	Baker
	2400	73	Stamp

Saturday

Date	Time	Temp.	Name (Print)
May 17/2024	0300	69	Stamp
	0600	63	Stamp
	0900	63	Stamp
	1200	63	Stamp
	1500	76	Baker
	1800	77	Baker
	2100	77	Baker
	2400	75.4	Huang

Notes

Date	Time	Temp.	Name (Print)
May 18/2024	0300	69	T. Huang
	0600	70	E. Perez
	0900	73	E. Perez
	1200	75	E. Perez
	1500	73	Reeves DS
	1800	72.	Reeves
	2100	72	Reeves
	2400	72	Huang

Mule Creek State Prison  
Facility A

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSO Housing Unit: 4 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/2018	0300	71	Wm
	0600	71	Wm
	0900	70	Perez
	1200	70	Perez
	1500	70	Reeves
	1800	71	Breuss
	2100	70	Reeves
	2400	70	Williams

Tuesday

Date	Time	Temp.	Name (Print)
8/20/2018	0300	72	Williams
	0600	73	F. PEREZ
	0900	74	M. SAWA
	1200	75	Perez
	1500	75	Reeves
	1800	74	Reeves
	2100	72	Reeves
	2400	71	T. Harg

Wednesday

Date	Time	Temp.	Name (Print)
8/21/2018	0300	70	T. Harg
	0600	70	Reeves
	0900	72	Reeves
	1200	72	F. PEREZ
	1500	76	Baker
	1800	76	Baker
	2100	72	Baker
	2400	71	T. Harg

Thursday

Date	Time	Temp.	Name (Print)
8/22/2018	0300	70	T. Harg
	0600	70	F. PEREZ
	0900	72	F. PEREZ
	1200	77	F. PEREZ
	1500	74	Baker
	1800	76	Baker
	2100	73	Baker
	2400	70	Baker

Friday

Date	Time	Temp.	Name (Print)
8/23/2018	0300	64	R
	0600	68	R
	0900	70	R
	1200	70	R
	1500	73	Baker
	1800	75	Baker
	2100	74	Baker
	2400	72	T. Harg

Saturday

Date	Time	Temp.	Name (Print)
8/24/2018	0300	70	T. Harg
	0600	70	K. Wallach
	0900	72	R
	1200	72	R
	1500	75	Baker
	1800	77	Baker
	2100	73	Baker
	2400	69.0	W

Notes

Mule Creek State Prison  
Facility A

Date	Time	Temp.	Name (Print)
8/25/2018	0300	68.8	Wm (S)
	0600	70	R
	0900	72	R
	1200	72	R
	1500	76	F. PEREZ
	1800	76	F. PEREZ
	2100	72	R
	2400	71	R

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 4 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2024	0300	70	Williams ✓
	0600	71	Finger ✓
	0900	71	Finger ✓
	1200	71	Finger ✓
	1500	71	Reeves ✓
	1800	71	Reeves ✓
	2100	71	Reeves ✓
	2400	65	Williams ✓

Tuesday

Date	Time	Temp.	Name (Print)
8/27/2024	0300	62	Williams ✓
	0600	65	Finger ✓
	0900	68	Finger ✓
	1200	70	Finger ✓
	1500	70	Reeves ✓
	1800	70	Reeves ✓
	2100	70	Reeves ✓
	2400	70	T. Hay ✓

Wednesday

Date	Time	Temp.	Name (Print)
8/28/2024	0300	68	T. Hay ✓
	0600	68	Sheron ✓
	0900	70	Sheron ✓
	1200	71	Sheron ✓
	1500	77	T. Hay ✓
	1800	76	Shindy ✓
	2100	76	Shindy ✓
	2400	70	T. Hay ✓

Thursday

Date	Time	Temp.	Name (Print)
8/29/2024	0300	69	T. Hay ✓
	0600	70	Sheron ✓
	0900	71	Sheron ✓
	1200	74	Sheron ✓
	1500	76	Baker ✓
	1800	77	Baker ✓
	2100	75	Baker ✓
	2400	74	Shindy ✓

Friday

Date	Time	Temp.	Name (Print)
8/30/2024	0300	72	Shindy ✓
	0600	72	Shindy ✓
	0900	70	A. Lawrence ✓
	1200	71	A. Lawrence ✓
	1500	75	Baker ✓
	1800	77	Baker ✓
	2100	76	Baker ✓
	2400	73	T. Hay ✓

Saturday

Date	Time	Temp.	Name (Print)
8/31/2024	0300	70	T. Hay ✓
	0600	70	R. Valenzuela ✓
	0900	72	R. Valenzuela ✓
	1200	73	R. Valenzuela ✓
	1500	75	Baker ✓
	1800	77	Baker ✓
	2100	76	Baker ✓
	2400		

Notes

Mule Creek State Prison  
Facility A

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 5 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
5/18/2018	0300	68	Hearen
	0600	69	WONG
	0900	71.2	WONG
	1200	72.7	WONG
	1500	73.5	STOUTON
	1800	73.5	STOUTON
	2100	72.6	STOUTON
	2400	70	STOUTON

**Friday**

Date	Time	Temp.	Name (Print)
5/18/2018	0300	67	Hearen
	0600	68	WONG
	0900	71	WONG
	1200	72	WONG
	1500	72.1	STOUTON
	1800	72.7	STOUTON
	2100	72.7	STOUTON
	2400	75	Williams

**Saturday**

Date	Time	Temp.	Name (Print)
5/19/2018	0300	68	STOUTON
	0600	68	STOUTON
	0900	73	WONG
	1200	75	WONG
	1500	74.9	PRICE
	1800	74.4	PRICE
	2100	74.0	PRICE
	2400	72	Williams

**Sunday**

Date	Time	Temp.	Name (Print)
5/19/2018	0300	70.5	Williams
	0600	71.2	J. CLYNAS
	0900	70.6	J. CLYNAS
	1200	71.2	J. CLYNAS
	1500	70.8	ABELLA
	1800	72.0	ABELLA
	2100	72.1	ABELLA
	2400	72.0	ABELLA

**Notes**

Mule Creek State Prison  
Facility A

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 5 Temp. Reading Location: and Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
May 15/18	0300	70	Wu
	0600	71	C. Lee
	0900	72.7	Wong
	1200	70.9	Wong ✓
	1500	71.8	Strouton
	1800	72.0	Strouton
	2100	70	Strouton ✓
	2400	70	Stamps

Tuesday

Date	Time	Temp.	Name (Print)
May 16/18	0300	68	Stamps ✓
	0600	65	Stamps
	0900	68	Wong
	1200	71	Wong ✓
	1500	72.3	Strouton
	1800	71.7	Strouton ✓
	2100	71.2	Strouton
	2400	69.8	ISLOS

Wednesday

Date	Time	Temp.	Name (Print)
May 17/18	0300	69	ISLOS
	0600	70	WONG ✓
	0900	72	WONG
	1200	72.6	WONG ✓
	1500	73.2	Strouton
	1800	72.6	Strouton ✓
	2100	71.0	Strouton
	2400	70	Stamps

Thursday

Date	Time	Temp.	Name (Print)
May 18/18	0300	69	Stamps
	0600	68	Stamps ✓
	0900	71.1	ENDO
	1200	72.8	ENDO ✓
	1500	74	Strouton
	1800	74	Strouton
	2100	74	Strouton ✓
	2400	70	Stamps

Friday

Date	Time	Temp.	Name (Print)
May 19/18	0300	69	Stamps ✓
	0600	69	Stamps
	0900	71.1	Strouton
	1200	71	Strouton
	1500	74.73	Strouton ✓
	1800	74.71	Strouton
	2100	74.71	Strouton ✓
	2400	73.2	Williams

Saturday

Date	Time	Temp.	Name (Print)
May 19/18	0300	69.8	Williams
	0600	70	WONG
	0900	71	Wong
	1200	72	Wong
	1500	73	Reeves
	1800	73.8	Reeves
	2100	73	Reeves
	2400	72	Williams

Notes

Mule Creek State Prison  
Facility A

Date	Time	Temp.	Name (Print)
May 11/18	0300	69	Silva
	0600	70	Rushing
	0900	70	Rushing
	1200	70	Rushing
	1500	71	Reeves
	1800	72	Reeves
	2100	71	JAMES
	2400	70	Stamps

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSO Housing Unit: 5 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/2024	0300	69	Stamp
	0600	68	Stamp
	0900	71.4	SALINAS
	1200	71.6	SALINAS
	1500	72.9	STIDHAM DB
	1800	70.4	Stamp
	2100	69.9	Stamp
	2400	69	Stamp

Tuesday

Date	Time	Temp.	Name (Print)
8/13/2024	0300	66	Stamp
	0600	63	Stamp
	0900	71	ANDERSON
	1200	73	ANDERSON
	1500	71.1	STIDHAM DB
	1800	71.2	STIDHAM
	2100	69.9	STIDHAM
	2400	68	Stamp

Wednesday

Date	Time	Temp.	Name (Print)
8/14/2024	0300	66	Stamp
	0600	64	Stamp
	0900	71	ANDERSON
	1200	71	ANDERSON
	1500	72.6	STIDHAM
	1800	69.9	Stamp
	2100	69.8	Stamp
	2400	68	Stamp

Thursday

Date	Time	Temp.	Name (Print)
8/15/2024	0300	65	Stamp
	0600	60	Stamp
	0900	71	Decker
	1200	72.5	Decker
	1500	73.2	Decker STIDHAM
	1800	74.6	Stamp
	2100	72	STIDHAM
	2400	71	Stamp

Friday

Date	Time	Temp.	Name (Print)
8/16/2024	0300	69	Stamp
	0600	68	Stamp
	0900	67	AGNEW
	1200	72	AGNEW
	1500	74.1	STIDHAM
	1800	73.0	STIDHAM
	2100	73.4	STIDHAM
	2400	73.0	ISLAS off

Saturday

Date	Time	Temp.	Name (Print)
8/17/2024	0300	70	ISLAS
	0600	69.8	W.VANG
	0900	71.2	W.VANG
	1200	73	W.VANG
	1500	73.3	JAMES
	1800	74.4	Andrews Jr.
	2100	73.1	ANDREWS
	2400	72.0	ISLAS

Notes

Date	Time	Temp.	Name (Print)
8/18/2024	0300	71	ISLAS
	0600	71	J.CELIAS
	0900	72	J.CELIAS
	1200	72.5	J.CELIAS
	1500	73.6	Rica
	1800	72.0	Rosa
	2100	71.5	Rosa
	2400	70	Stamp

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Mule Creek State Prison  
Facility A

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSO Housing Unit: 5 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
hecel 11/8	0300	67	Stampf
	0600	65	Stampf
	0900	69.9	SAC INM
	1200	70.2	SAC INM
	1500	71.4	R. LACONDOLES ✓
	1800	71.1	GARBER
	2100	71.0	HANSON
	2400	70.1	VILLASENOR

**Tuesday**

Date	Time	Temp.	Name (Print)
hecel 12/8	0300	68.9	VILLASENOR
	0600	67.8	VILLASENOR
	0900	68.6	WYATT
	1200	60	WYATT
	1500	65	MCLEOD
	1800	65	RUTLEDGE
	2100	65	ZURITA
	2400	65	Stampf

**Wednesday**

Date	Time	Temp.	Name (Print)
hecel 11/8	0300	61	Stampf
	0600	62	Stampf
	0900	62	Stampf
	1200	63	SIMONSEN
	1500	63	STOUTAM
	1800	63	STOUTAM ✓
	2100	63	STOUTAM
	2400	62	Stampf

**Thursday**

Date	Time	Temp.	Name (Print)
hecel 12/8	0300	61	Stampf
	0600	60	Stampf
	0900	60	ANDERSEN
	1200	63	ANDERSEN
	1500	64	STOUTAM
	1800	63	STOUTAM
	2100	63	STOUTAM
	2400	62	Stampf

**Friday**

Date	Time	Temp.	Name (Print)
hecel 12/8	0300	61	Stampf
	0600	62	ANDERSON
	0900	63	ANDERSON
	1200	63	ANDERSON
	1500	64-62	STOUTAM ✓
	1800	61	STOUTAM
	2100	61	STOUTAM
	2400	62	Williams

**Saturday**

Date	Time	Temp.	Name (Print)
hecel 12/8	0300	61	Williams
	0600	60	BRAKES
	0900	63	PEPPER
	1200	65	PEPPER
	1500	65	PEPPER
	1800	64	PEPPER
	2100	64	PEPPER
	2400	64	Williams

**Notes**

Date	Time	Temp.	Name (Print)
hecel 12/8	0300	63	Williams
	0600	55	J. UMAS
	0900	62	J. UMAS
	1200	62	J. UMAS
	1500	62	Silva
	1800	60	Silva
	2100	61	Silva
	2400	60	Silva

Mule Creek State Prison  
Facility A

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCS Housing Unit: 5 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/24/2024	0300	65	WILLIAMS <i>W</i>
	0600	69	J.C. CLAMAS
	0900	67	J.C. CLAMAS
	1200	65	J.C. CLAMAS <i>Up</i>
	1500	67.3	GOMEZ
	1800	69.7	GOMEZ
	2100	68.0	GOMEZ
	2400	65.0	C. VINE <i>Down</i>

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/2024	0300	62.0	C. VINE
	0600	64	WONG
	0900	67	WONG
	1200	71	WONG
	1500	67	STIDHAM <i>Up</i>
	1800	69	STIDHAM
	2100	69	STIDHAM <i>Up</i>
	2400	67	STIDHAM

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/2024	0300	64	Stamps <i>Up</i>
	0600	63	Stamps <i>Up</i>
	0900	64	Stamps <i>Up</i>
	1200	68	Stamps
	1500	69	STIDHAM <i>Up</i>
	1800	69	STIDHAM
	2100	68	STIDHAM
	2400	67	Stamps

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/2024	0300	65	Stamps <i>Up</i>
	0600	62	Stamps
	0900	65	WONG
	1200	67	WONG
	1500	69	STIDHAM <i>Up</i>
	1800	69	STIDHAM
	2100	69	STIDHAM
	2400	67	Stamps

**Friday**

Date	Time	Temp.	Name (Print)
8/30/2024	0300	62	Stamps <i>N</i>
	0600	69	Stamps
	0900	68	MCELRAY <i>Up</i>
	1200	68	WONG <i>Up</i>
	1500	69	STIDHAM <i>Up</i>
	1800	69	STIDHAM
	2100	68	STIDHAM
	2400	68	WILLIAMS

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/2024	0300	68	WILLIAMS <i>W</i>
	0600	67	WONG <i>Up</i>
	0900	69	WONG
	1200	69	WONG
	1500	70	Modras
	1800	70	Modras <i>Up</i>
	2100	70	Modras <i>Up</i>
	2400	69	WILLIAMS

**Notes**

Date	Time	Temp.	Name (Print)
	0300		
	0600	62	J. CLAMAS
	0900	63	J. CLAMAS
	1200	65	J. CLAMAS
	1500		
	1800		
	2100		
	2400		

Mule Creek State Prison  
 Facility A

AUGUST 2024



In May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 6 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday THURSDAY

Date	Time	Temp.	Name (Print)
8/1/29	0300	71.2	KNOX
	0600	71	Ferrer
	0900	72.3	Ferrer
	1200	72.7	Ferrer
	1500	73.1	HANG
	1800	73.4	HANG
	2100	73.2	HANG
	2400	72.8	KNOX

Tuesday FRIDAY

Date	Time	Temp.	Name (Print)
8/2	0300	71.6	KNOX
	0600	71.7	J. CLARKS
	0900	72.5	J. CLARKS
	1200	74.3	J. CLARKS
	1500	72.2	HANG
	1800	73.1	HANG
	2100	73.1	HANG
	2400	74.8	KNOX

Wednesday SATURDAY

Date	Time	Temp.	Name (Print)
8/3	0300	73.2	KNOX
	0600	73.4	J. CLARKS
	0900	73.8	J. CLARKS
	1200	73.1	P. McCarthy
	1500	73.3	HANG
	1800	74.3	HANG
	2100	73.4	HANG
	2400	72.1	JANG

Thursday SUNDAY

Date	Time	Temp.	Name (Print)
8/4	0300	75.5	JANG
	0600	73.5	ABELA
	0900	71.9	ABELA
	1200	72.6	P. BELCH
	1500	75	KMV
	1800	74	Ferr
	2100	73	Ferr
	2400	72	AKIRAM

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

## INSTITUTION RECORD

DEPARTMENT OF CORRECTIONS &amp; REHABILITATION

AUGUST 2024



May through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.PHousing Unit: 6

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	70	AERASMI
	0600	69.9	MIGUEL
	0900	70.8	MIGUEL
	1200	71.5	MIGUEL
	1500	72.9	MIGUEL
	1800	73.1	MIGUEL
	2100	73.2	MIGUEL
	2400	73.8	KNOX

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	70.1	KNOX
	0600	69.9	MIGUEL
	0900	71.6	COPPER
	1200	72.4	COPPER
	1500	73.2	HANG
	1800	74.1	HANG
	2100	74.5	HANG
	2400	73.1	KNOX

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	72.5	KNOX
	0600	73.6	MICHAEL
	0900	75	MIGUEL
	1200	74.8	MIGUEL
	1500	74.6	HANG
	1800	74.9	HANG
	2100	74.7	HANG
	2400	73.8	KNOX

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	73.6	KNOX
	0600	70.7	FERRY
	0900	73.4	FERRY
	1200	72.6	FERRY
	1500	73.9	HANG
	1800	74.1	HANG
	2100	72.6	HANG
	2400	71.7	KNOX

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	70.8	KNOX
	0600	70.1	WVANG
	0900	71	WVANG
	1200	72.1	WVANG
	1500	73.1	HANG
	1800	73.4	HANG
	2100	72.1	HANG
	2400	71.4	KNOX

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	69.9	KNOX
	0600	69.8	WVANG
	0900	70.7	WVANG
	1200	71.2	WVANG
	1500	72.2	HANG
	1800	73.4	HANG
	2100	72.1	HANG
	2400	72	ASMAX

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	71	ASMAX
	0600	71	MIGUEL
	0900	70.8	MIGUEL
	1200	71.6	MIGUEL
	1500	72	FERRY
	1800	71	FERRY
	2100	71	HULLMAN
	2400	71	HULLMAN

Notes

## ATURE RECORD

DEPARTMENT OF CORRECTIONS &amp; REHABILITATION

AUGUST 2024



May through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 6 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	73	Hull
	0600	70.5	MIGUEL
	0900	71	MIGUEL
	1200	71.2	MIGUEL
	1500	72.1	MIGUEL
	1800	72.3	MIGUEL
	2100	71.6	MIGUEL
	2400	70.7	KNOX

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	69.2	KNOX DB
	0600	69.8	MIGUEL
	0900	69.9	SILVA
	1200	71	SILVA
	1500	70.5	HANG
	1800	70.9	HANG
	2100	70.3	HANG
	2400	71.4	KNOX

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	70.1	KNOX
	0600	70.5	MIGUEL
	0900	70.8	MIGUEL
	1200	71.2	MIGUEL
	1500	72.1	HANG
	1800	72.3	HANG
	2100	71.2	HANG
	2400	71.0	KNOX

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	71.2	KNOX
	0600	72	FERR
	0900	73	FERR
	1200	73.1	FERR
	1500	72.9	HANG
	1800	72.5	HANG
	2100	72.1	HANG
	2400	72	coone

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	70.5	coone
	0600	70.9	MIGUEL
	0900	71.2	MIGUEL
	1200	71.9	MIGUEL
	1500	72.2	HANG
	1800	73.1	HANG
	2100	72.3	HANG
	2400	71.6	KNOX

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	71.2	KNOX
	0600	70.6	coone
	0900	72	coone
	1200	73	coone
	1500	74	HANG
	1800	74.2	HANG
	2100	74	HANG
	2400	72	Stamp

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	68.5	Stamp
	0600	69.2	Stamp
	0900	71	MIGUEL
	1200	72	MIGUEL
	1500	73	Rulers
	1800	73	Rulers
	2100	72	Rulers
	2400	71	DELA TORO B

Notes

## ATURE RECORD

3)

DEPARTMENT OF CORRECTIONS &amp; REHABILITATION

AUGUST 2024



through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.PHousing Unit: 6Temp. Reading Location: 2<sup>nd</sup> Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/20/24	0300	70	DEVA TURNER
	0600	70.5	MIKEEL
	0900	70.5	SACARIO
	1200	71	SACARIO
	1500	72	M.Rodgers
	1800	73	M.Rodgers
	2100	72	M.Rodgers
	2400	72	YANG

Tuesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	YANG
	0600	70.	ATHIP
	0900	70	SACARIO
	1200	72	SACARIO
	1500	72	Rodgers
	1800	70	Rodgers
	2100	70	Rodgers
	2400	69	Rodgers

Wednesday

Date	Time	Temp.	Name (Print)
8/22/24	0300	69	Rodgers
	0600	68.00	Rodgers
	0900	67.00	Rodgers
	1200	68.0	Rodgers
	1500	70.0	D. Jones
	1800	70.0	D. Jones
	2100	70.0	D. Jones
	2400	70.1	YANG

Thursday

Date	Time	Temp.	Name (Print)
8/23/24	0300	70.2	YANG
	0600	68.0	Rodgers
	0900	69.2	Rodgers
	1200	71.0	Rodgers
	1500	71.0	M. Rodriguez
	1800	70.	D. Jones
	2100	69	M. Rodriguez
	2400	68	GREENS

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	68.0	Rodgers
	0600	68.0	Rodgers
	0900	67.5	Rodgers
	1200	65.0	Rodgers
	1500	65.0	D. Jones
	1800	65.0	D. Jones
	2100	65.0	D. Jones
	2400	65.0	Botsen

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	64.1	Botsen
	0600	64	Botsen
	0900	65.0	Botsen
	1200	68.0	Botsen
	1500	68	LEE
	1800	68	LEE
	2100	68	LEE
	2400	68	LEE

Sunday 8/25/24

Date	Time	Temp.	Name (Print)
	0300	62	Botsen
	0600	62	Ashley
	0900	65	HANSON
	1200	69	HANSON
	1500	69	D. Jones
	1800	65	D. Jones
	2100	65	D. Jones
	2400	62	Taylor

Notes

STATE OF CALIFORNIA  
INSTITUTIONAL TEMPERATURE RECORD  
CDR 31 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATION

AUGUST 2024



From May 1st through October 31st, the warden shall designate staff to be responsible to monitor any ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 6 Temp. Reading Location: 2nd tier  
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)  
 Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	61	Rutherford
	0600	63	M. Rutherford
	0900	65	M. Rutherford
	1200	66	M. Rutherford
	1500	68	M. Rutherford
	1800	70	M. Rutherford
	2100	69	M. Rutherford
	2400	69	Yang

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	68	Yang
	0600	64	TRIP
	0900	67	CHONW
	1200	68	ZEPHY
	1500	69	LOPEZ
	1800	70	Rutherford
	2100	70	Rutherford
	2400	70	Rutherford

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	70	Almagro
	0600	68	M. Rutherford
	0900	69	Sanchez
	1200	69	M. Rutherford
	1500	70	J. M. Rutherford
	1800	71	M. Rutherford
	2100	71	M. Rutherford
	2400	70	Alcala

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	68	REEDER
	0600	65	REEDER
	0900	68	E. Sanchez
	1200	70	S. Sanchez
	1500	70	M. Rutherford
	1800	70	M. Rutherford
	2100	69	J. M. Rutherford
	2400	65	Alcala

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	68	GARIBAY
	0600	69	GARIBAY
	0900	70	SANCHEZ
	1200	70	J. M. Rutherford
	1500	71	CROSBY
	1800	71	CROSBY
	2100	69	CROSBY
	2400	69	SPENCER

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	65	TYLER
	0600	64	TYLER
	0900	66	TYLER
	1200	67	TYLER
	1500	65	LOPEZ
	1800	69	LOPEZ
	2100	65	VALLE
	2400	65	VALLE

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	65	AUSTIN
	0600	63	AUSTIN
	0900	69	AUSTIN
	1200	69	M. Rutherford
	1500	69	D. M. Rutherford
	1800	69	YANG
	2100	69	YANG
	2400	69	YANG

Notes

AUGUST 2024



In May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 7 Temp. Reading Location: 2nd  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	74	Estrada

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	73	Estrada
	0600	74	Allen
	0900	74	Allen
	1200	77.5	Allen
	1500	76	Noite
	1800	77	Noite
	2100	75	Noite
	2400	74	DELATORRE

Friday

Date	Time	Temp.	Name (Print)
8/1	0300	73	DELATORRE
	0600	72	Allen
	0900	73.5	Allen
	1200	74.5	Allen
	1500	74	EVANGELISTA
	1800	75	EVANGELISTA
	2100	75	EVANGELISTA
	2400	74	Stamp

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	73	Stamp
	0600	72.5	Stamp
	0900	73	Cecilia
	1200	76	Cecilia
	1500	76.8	Santos
	1800	77.5	Santos
	2100	76.2	LINDA
	2400	76	Shirley

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	72	Shirley
	0600	72	Shirley
	0900	74	NALDE
	1200	75.2	NALDE
	1500	76	Noite
	1800	77	Noite
	2100	76	Noite
	2400	77	Shirley

Notes

AUGUST 2024



From May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 7 Temp. Reading Location: 2nd  
(e.g., 1st tier 2nd tier 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	73	Shinsky
	0600	73	Shinsky
	0900	73.4	VIZITIU
8/5	1200	75	VIZITIU
	1500	75	Nolte
	1800	75	Nolte
	2100	75	Nolte
	2400	75	Shinsky

Tuesday

Date	Time	Temp.	Name (Print)
	0300	72	Shinsky
	0600	72	Shinsky
	0900	78.2	nn
8/6	1200	77	nn
	1500	78	Nolte
	1800	76	Nolte
	2100	76	Nolte
	2400	74	Estrada

Wednesday

Date	Time	Temp.	Name (Print)
	0300	73	Estrada
	0600	73	J. Hoover
	0900	73	J. Hoover
8/1	1200	77	J. Hoover
	1500	77	Nolte
	1800	77	Nolte
	2100	75	Nolte
	2400	73	Estrada

Thursday

Date	Time	Temp.	Name (Print)
	0300	73	Estrada
	0600	74.1	Allen
	0900	74.3	Allen
	1200	79.1	Allen
8/8	1500	76	Nolte
	1800	76	Nolte
	2100	74	Nolte
	2400	73	J. Hoover

Friday

Date	Time	Temp.	Name (Print)
	0300	73	J. Hoover
	0600	73	SALAZAR
	0900	73.7	SALAZAR
	1200	74.5	SALAZAR
8/9	1500	75.5	SALAZAR
	1800	75.2	CLARK
	2100	73.7	CWAK
	2400	73	J. Hoover

Saturday

Date	Time	Temp.	Name (Print)
	0300	73	J. Hoover
	0600	72.8	RUTHERFORD
	0900	70.5	RUTHERFORD
	1200	73.0	RUTHERFORD
	1500	73	J. Hoover
	1800	73	J. Hoover
	2100	73	J. Hoover
8/10	2400	70	J. Hoover

Sunday

Date	Time	Temp.	Name (Print)
	0300	73	Shinsky
	0600	73	VIZITIU
	0900	73.2	VIZITIU
	1200	73.4	VIZITIU
	1500	75	Nolte
	1800	75	Nolte
	2100	75	Nolte
8/11	2400	73	Shinsky

Notes

AUGUST 2024



From May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 7 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	72	LIMON
	0600	73	LIMON
	0900	74	VIZITLU
	1200	74	VIZITLU
	1500	74	Noite
	1800	74	Noite
	2100	73	Noite
	2400	72	Schwabe

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	71	Schwabe
	0600	72	Hutchinson
	0900	73	Hutchinson
	1200	72	Noite
	1500	74	Noite
	1800	74	Noite
	2100	73	Noite
	2400	73	Schwabe

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	70	Schwabe
	0600	69.7	RUTHERFORD
	0900	70.1	RUTHERFORD
	1200	72.2	RUTHERFORD
	1500	74	Noite
	1800	75	Noite
	2100	74	Noite
	2400	73	Schwabe

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	72	Schwabe
	0600	70.1	FUGUAS
	0900	75.7	FUGUAS
	1200	76.8	FUGUAS
	1500	76.9	J. Gomez
	1800	75.1	J. Gomez
	2100	74.5	J. Gomez
	2400	74.4	C. Vue

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	73.8	C. Vue
	0600	71.9	V. NARDE
	0900	70	V. NARDE
	1200	70	V. NARDE
	1500	75.1	Vue, C.
	1800	75.3	C. Vue
	2100	75.8	C. Vue
	2400	75.1	VILLASENOR

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	74.7	VILLASENOR
	0600	73.8	VILLASENOR
	0900	73.7	LAO
	1200	75.1	LAO
	1500	75.5	LAO
	1800	75.6	LAO
	2100	75.3	LAO
	2400	72.5	VILLASENOR

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	67.9	VILLASENOR
	0600	71.3	VILLASENOR
	0900	72	VIZITLU
	1200	74	VIZITLU
	1500	74	Noite
	1800	74	Noite
	2100	75	Noite
	2400	76.5	VILLASENOR

Notes

AUGUST 2024



From May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 7 Temp. Reading Location: 2nd  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	68.5	VILLASEND
	0600	71.2	VILLASEND
	0900	72	VIZITIU
	1200	86	CLARK
	1500	73	Noite
	1800	73	Noite
	2100	72	Vialter
	2400	71	Shindy

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	69	Shindy
	0600	69	Shindy
	0900	73	CL
	1200	78	CL
	1500	78	Noite
	1800	78	Noite
	2100	77	Noite
	2400	75	Shindy

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	73	Shindy
	0600	71	Shindy
	0900	72	GAPUR
	1200	75	Noite
	1500	74	Noite
	1800	74	Noite
	2100	73	Shindy
	2400	72	Shindy

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	70	Shindy
	0600	70	Shindy
	0900	70	SEN
	1200	70	SEN
	1500	70	YOUNG
	1800	70	YOUNG
	2100	71	YOUNG
	2400	69	Shindy

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	66	Shindy
	0600	65°	CLARK
	0900	68°	CLARK
	1200	68°	CLARK
	1500	70	CIRORCIE
	1800	70	CIRORCIE
	2100	71	CIRORCIE
	2400	70	VILLASEND

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	67	Shindy
8/25	0600	65°	CLARK
	0900	67	CLARK
	1200	69	CLARK
	1500	68	DELROSA
	1800	68	DELROSA
	2100	67	DELROSA
	2400	64	DELROSA

Sunday

Date	Time	Temp.	Name (Print)
8/26	0300	60	
	0600	59	
	0900	65	
	1200	68°	CLARK
	1500	70°	M.Whitaker
	1800	70	CIRORCIE
	2100	70	CIRORCIE
	2400	68	Tanner

Notes

AUGUST 2024



From May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 7 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/26	0300	65	Graham
	0600	64°	CLARK <i>Houser</i>
	0900	65°	CLARK
	1200	68°	CLARK
	1500	70	ATNIP
	1800	70	ATNIP
	2100	69	ATNIP
	2400	67	ATNIP

## Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	68	J HOVEN
	0600	67	J HOVEN
	0900	69	J HOVEN
	1200	71	J HOVEN
	1500	70	ATNIP
	1800	69	DRosa
	2100	69	DRosa
	2400	69	DRosa

## Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	69	DRosa
	0600	70°	R. Andrade
	0900	70	CLARK
	1200	70	CLARK
	1500	70	S. Siddiqi
	1800	70	S. Siddiqi
	2100	70	S. Siddiqi
	2400	76	C. HENRINE

## Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	70	C. HENRINE
	0600	69	Saelern
	0900	70	Saelern
	1200	70	Saelern
	1500	70	COC
	1800	70	GOOLAM
	2100	70	GOOLAM
	2400	69	GREENE

## Friday

Date	Time	Temp.	Name (Print)
8/30	0300	67	GREENE
	0600	69	Anshu
	0900	70	CLARK
	1200	72	CLARK
	1500	72	CLARK
	1800	70	CLARK
	2100	69	CLARK
	2400	69	CLARK

## Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	68	CLARK
	0600	68°	CLARK
	0900	70°	CLARK
	1200	71°	CLARK
	1500	72°	CLARK
	1800	70	GUARD
	2100	70	GUARD
	2400	69	SOFA

## Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---



---



---



---



---



---



---



---

AUGUST 2024



In May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 8 Temp. Reading Location: \_\_\_\_\_  
(e.g.: 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300	72	SPYD ✓
	0600	72.5	Maloney
	0900	74.1	Maloney
	1200	75.8	Maloney
	1500	76	Ferry
	1800	75	Ferry
	2100	72	Ferry
	2400	74.4	Ferry

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	74	MANINI
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300	73.0	PER
	0600	72.3	PER
	0900	73.4	PER
	1200	74.9	PER
	1500	75.2	HANG
	1800	75.7	HANG
	2100	75.7	HANG
	2400	74.6	WAZZAK

Date	Time	Temp.	Name (Print)
	0300	73.9	WAZZAK
	0600	73.2	CANSON
	0900	71.2	CANSON
	1200	76	CANSON
	1500	76.2	HANG
	1800	77.	HANG
	2100	76.6	HANG
	2400	77.0	LO

Date	Time	Temp.	Name (Print)
	0300	75.7	LO
	0600	74.5	Maloney
	0900	73.5	Maloney
	1200	75.6	Maloney
	1500	76.0	BALI
	1800	76.0	BALI
	2100	77.0	BALI
	2400	76	NEELEY

## Notes

AUGUST 2024



In May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 8 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/5/24			
Date	Time	Temp.	Name (Print)
	0300	74	NEELEY
	0600	74.6	Maloney
	0900	74.4	Maloney
	1200	75.10	Maloney
	1500	77	NEELEY
	1800	78	NEELEY
	2100	77	NEELEY
	2400	75.5	LO

Wednesday 8/7/24			
Date	Time	Temp.	Name (Print)
	0300	72.1	Wynne
	0600	72.7	Maloney
	0900	74.1	Maloney
	1200	74.9	Maloney
	1500	75.9	Tang
	1800	76.1	Tang
	2100	75.5	Tang
	2400	74.9	CHELGREN

Friday 8/9/24			
Date	Time	Temp.	Name (Print)
	0300	72.1	LO
	0600	72.5	MILLER
	0900	73	VIZITIU
	1200	74.1	VIZITIU
	1500	75.7	HANG
	1800	75.5	HANG
	2100	75.2	HANG
	2400	75.6	SWEATSBY

Sunday 8/11/24			
Date	Time	Temp.	Name (Print)
	0300	74.4	LO
	0600	74.7	Maloney
	0900	74.1	Maloney
	1200	75.5	Maloney
	1500	76	NEELEY
	1800	75	NEELEY
	2100	71	NEELEY
	2400	75.2	LO

Tuesday 8/6/24			
Date	Time	Temp.	Name (Print)
	0300	74.3	LO
	0600	74.8	Maloney
	0900	72.7	Maloney
	1200	74.5	Maloney
	1500	76.7	DEROSA
	1800	76.9	DEROSA
	2100	76.2	DEROSA
	2400	75.3	Wynne

Thursday 8/8/24			
Date	Time	Temp.	Name (Print)
	0300	73.4	CHELGREN
	0600	72.8	Maloney
	0900	73.4	Maloney
	1200	74	Maloney
	1500	74.2	FERR
	1800	76	FERR
	2100	73	FERR
	2400	73.7	LO

Saturday 8/10/24			
Date	Time	Temp.	Name (Print)
	0300	74.3	LO
	0600	73.2	VIZITIU
	0900	72.8	VIZITIU
	1200	73	VIZITIU
	1500	74.8	HANG
	1800	75.7	HANG
	2100	75.2	HANG
	2400	75.2	LO

## Notes

AUGUST 2024



In May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 8 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
0300	73.9	LO	
0600	73.4	Maloney	
0900	72.9	Maloney	
1200	74.8	Maloney	✓
1500	75.2	NEELEY	
1800	74.9	NEELEY	✓
2100	73.2	NEELEY	
2400	72.8	LO	DB

Date	Time	Temp.	Name (Print)
0300	71.9	LO	
0600	70.8	Saelem	
0900	74	Saelem	
1200	75	Saelem	
1500	99	Townsend	
1800	80	Townse	
2100	80	Townse	
2400	76.1	Wygum	✓

Date	Time	Temp.	Name (Print)
0300	71.1	Yang	
0600	73.3	Maloney	✓
0900	72.2	Maloney	
1200	73.1	Maloney	
1500	73.0	Yang	✓
1800	72.9	Yang	✓
2100	73.9	Yang	
2400	73.2	Careen	✓

Date	Time	Temp.	Name (Print)
0300	72.6	Careen	
0600	73	Saelem	✓
0900	74	Saelem	✓
1200	75	Saelem	✓
1500	76	Fenor	✓
1800	73	Fenor	
2100	72	Fenor	
2400	72	Atom	


Date	Time	Temp.	Name (Print)
0300	71	HANG	
0600	71.3	VIZITU	✓
0900	72	VIZITU	✓
1200	75	VIZITU	
1500	77	HANG	
1800	78	HANG	DB
2100	77	HANG	
2400	74	Chas	✓

Date	Time	Temp.	Name (Print)
0300	74	Chas	✓
0600	74	Chas	
0900	75	VIZITU	
1200	75	VIZITU	
1500	75.1	HANG	
1800	75.5	HANG	
2100	74.2	HANG	
2400	73.7	LO	

Date	Time	Temp.	Name (Print)
0300	74.2	LO	✓
0600	74	LM	✓
0900	75	LM	
1200	74	LM	
1500	76	LM	
1800	76	NEELEY	
2100	74	NEELEY	
2400	77	LO	

## Notes

AUGUST 2024



In May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 8 Temp. Reading Location \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/24

Date	Time	Temp.	Name (Print)
	0300	73.4	LO
	0600	73.0	McEMINN
	0900	74.2	DAW
	1200	75.3	DIAZ
	1500	75.5	BURN
	1800	75.5	NEELLY
	2100	74.	NEELLY
	2400	71.4	LO

Wednesday 8/21/24

Date	Time	Temp.	Name (Print)
	0300	70	BELL
	0600	70	DMILLER
	0900	71	DMILLER
	1200	71	DMILLER
	1500	75.	TOWNSEND
	1800	70	TOWNSEND
	2100	69	TOWNSEND
	2400	70	BELL

Friday 8/23/24

Date	Time	Temp.	Name (Print)
	0300	70	DMILLER
	0600	70	DMILLER
	0900	70	DMILLER
	1200	71	DMILLER
	1500	71	TORRES
	1800	71	TORRES
	2100	70	TORRES
	2400	70	OMAS

Sunday 8/25/24

Date	Time	Temp.	Name (Print)
	0300	67	LOMAS
	0600	64	BURN
	0900	67	BURN
	1200	67	BURN
	1500	65	MILLS
	1800	66	TOWNSEND
	2100	65.0	BURN
	2400	65	AFFINS

Tuesday 8/20/24

Date	Time	Temp.	Name (Print)
	0300	73.0	LO
	0600	72.9	Maloney
	0900	72.1	Maloney
	1200	70.	Maloney
	1500	72	NEELLY
	1800	73.8	TOWNS
	2100	73	TOWNS
	2400	72	TOWNS

Thursday 8/22/24


Date	Time	Temp.	Name (Print)
	0300	70	BELL
	0600	70	TORRES
	0900	71	TORRES
	1200	71	TORRES
	1500	70	TORRES
	1800	70	TORRES
	2100	70	TORRES
	2400	70	TORRES

Saturday 8/24/24

Date	Time	Temp.	Name (Print)
	0300	69	LOMAS
	0600	68	TORRES
	0900	67	TORRES
	1200	68	TORRES
	1500	70	TORRES
	1800	69	TORRES
	2100	68	TORRES
	2400	67	LOMAS

#### Notes

AUGUST 2024



From May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 8 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2024	0300	65	ATKINS
	0600	65	L. MILLS
	0900	65	L. MILLS
	1200	65	L. MILLS
	1500	65	Alvarez
	1800	66	Alvarez
	2100	67	Alvarez
	2400	68	Alvarez

Tuesday WEDNESDAY

Date	Time	Temp.	Name (Print)
	0300	69	ROD
	0600	68	DMILLER
	0900	70	DMILLER
	1200	70	DMILLER
	1500	70	PER
	1800	72	PER
	2100	68	PER
	2400	68	PER

Wednesday TUESDAY

Date	Time	Temp.	Name (Print)
	0300	68	Lomas
	0600	67	DMILLER
	0900	69	DMILLER
	1200	69	Janni
	1500	70	Garcia
	1800	70	PER
	2100	70	PER
	2400	70	PER

Thursday

Date	Time	Temp.	Name (Print)
	0300	67	Lomas
	0600	68	DMILLER
	0900	69	DMILLER
	1200	70	DMILLER
	1500	70	PER
	1800	70	PER
	2100	70	PER
	2400	70	Lomas

Friday

Date	Time	Temp.	Name (Print)
	0300	70	Lomas
	0600	69	DMILLER
	0900	70	DMILLER
	1200	70	DMILLER
	1500	70	L. MILLS
	1800	70	W.E.
	2100	70	W.E.
	2400	69	Lomas

Saturday

Date	Time	Temp.	Name (Print)
	0300	69	Lomas
	0600	70	TORRES
	0900	70	TORRES
	1200	70	TORRES
	1500	70	TORRES
	1800	70	TORRES
	2100	69	TORRES
	2400	69	TORRES


Sunday

Date	Time	Temp.	Name (Print)
	0300	69	Lomas
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

AUGUST 2024



In May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed.  
 (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 9 Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	74	
	0600	73.7	
	0900	73.1	
	1200		
	1500	76.5	
	1800	72.8	
	2100	73.8	
	2400	74.2	

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	75	Calloway

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	73.4	Calloway
	0600	73.5	Hepner
	0900	73.5	Hepner
	1200	74.1	Hepner
	1500	75	EVANGELISTA
	1800	75	EVANGELISTA
	2100	75	EVANGELISTA
	2400	75	Calloway

Friday

Date	Time	Temp.	Name (Print)
	0300	74	Calloway
	0600	75.3	D. HARDIE
	0900	75.9	D. HARDIE
	1200	76.0	D. HARDIE
	1500	75	SAYAS
	1800	75	SAYAS
	2100	75	SAYAS
	2400	75.9	DAVENDRA

Saturday


Date	Time	Temp.	Name (Print)
	0300	75.5	DAVENDRA
	0600	75	DAVENDRA
	0900	75	Green
	1200	75	Green
	1500	75	Green
	1800	76.6	DABOOD
	2100	76.0	DABOOD
	2400	76	DAVENDRA

Sunday

Date	Time	Temp.	Name (Print)
	0300	75.6	D. HARDIE
	0600	75.2	D. HARDIE
	0900	75.3	D. HARDIE
	1200	76.7	D. HARDIE
	1500	75.2	DAVENDRA
	1800	75.5	DAVENDRA
	2100	75.3	DAVENDRA
	2400	74	Hullum

Notes

AUGUST 2024



In May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **9** Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	74.8	BORG
	0600	75.3	D-HARDIE
	0900	75.2	D-HARDIE
	1200	74.6	WANG
	1500	75.3	BALL
	1800	74.7	BALL
	2100	75.4	BALL
	2400	75.6	WANG

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	73.8	WONG
	0600	72.1	WONG
	0900	74.2	D-HARDIE
	1200	76.1	D-HARDIE
	1500	76.5	YANG
	1800	75.5	YANG
	2100	74.9	YANG
	2400	75.2	CULLING

Wednesday

Date	Time	Temp.	Name (Print)
7	0300	73.4	CULLING
	0600	73.0	CULLING
	0900	73.9	CULLING
	1200	74.6	CULLING
	1500	76.5	BABCOCK
	1800	76.2	BABCOCK
	2100	75.7	BABCOCK
	2400	75.2	CULLING

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	73.5	CULLING
	0600	73.4	VIZITIU
	0900	73.4	VIZITIU
	1200	75	VIZITIU
	1500	75	LIRA
	1800	73.7	BALL
	2100	73.4	BALL
	2400	75	CULLING

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	73.4	CULLING
	0600	73	PRAKASH
	0900	73	PRAKASH
	1200	73	PRAKASH
	1500	75.2	BABCOCK
	1800	75.1	BABCOCK
	2100	74.4	BABCOCK
	2400	74.4	DAVAPART

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	73.6	DAVAPART
	0600	73	DAVAPART
	0900	72	PRAKASH
	1200	73	PRAKASH
	1500	75	BABCOCK
	1800	75.3	BABCOCK
	2100	75.2	BABCOCK
	2400	74.4	DAVAPART

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	74	DAVAPART
	0600	73.2	DAVAPART
	0900	74.8	D-HARDIE
	1200	75.9	D-HARDIE
	1500	75.0	BABCOCK
	1800	76	BABCOCK
	2100	75.5	BABCOCK
	2400	75.3	NEFAD

Notes

AUGUST 2024



In May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 9 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	75.2	MARSH
	0600	73.3	D. HARDIE
	0900	74.2	D. HARDIE
	1200	74.5	D. HARDIE
	1500	73.5	G. GIBORGE
	1800	73.0	G. GIBORGE
	2100	72.5	G. GIBORGE
	2400	71.0	VON DR

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	71.0	MARSH
	0600	70.8	MARSH
	0900	72.1	Delaney
	1200	72.4	Delaney
	1500	72.8	C. VUE
	1800	72.8	C. VUE
	2100	72.8	C. VUE
	2400	72.8	Calloway

Wednesday

Date	Time	Temp.	Name (Print)
(14)	0300	70.7	Calloway
	0600	72.4	Casper
	0900	72.7	Casper
	1200	73.7	Casper
	1500	75.9	Bell
	1800	76.6	Bell
	2100	76.6	Bell
	2400	73.4	Calloway

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	72.5	Calloway
	0600	72.5	VIZITIU
	0900	72.8	VIZITIU
	1200	73	VIZITIU
	1500	73.2	C. VUE
	1800	73.6	C. VUE
	2100	73.7	C. VUE
	2400	73	Calloway

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	73	Calloway
	0500	73	PRAKASH
	0900	73	PRAKASH
	1200	70	PRAKASH
	1500	71	BAROCH
	1800	71	BAROCH
	2100	71	BAROCH
	2400	75	DAWKARY

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	74	DAWKARY
	0600	73.2	DAWKARY
	0900	70	PRAKASH
	1200	71	PRAKASH
	1500	70	BAROCH
	1800	73	BAROCH
	2100	74.6	DAWKARY
	2400	74	DAWKARY

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	74.6	DAWKARY
	0600	74	DAWKARY
	0900	74.7	R.P.
	1200	74.9	R.P.
	1500	74.2	PARKPAKORN
	1800	73.4	PARKPAKORN
	2100	73	PARKPAKORN
	2400	73	PARKPAKORN

Notes

AUGUST 2024



In May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 9 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/19	0300	73	A.SAD
	0600	72.7	Dnel.Jason
	0900	73.0	Ostham
	1200	71.0	Dnel.Jason
	1500	73.0	KellT
	1800	72.0	KellT
	2100	71.0	KellT
	2400	70	NEELEY

## Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	69	NEELEY
	0600	70	GOMEZ
	0900	70	GOMEZ
	1200	70	GOMEZ
	1500	70	Bell
	1800	70	Bell
	2100	70	Bell
	2400	70	Lynn

## Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	68	Lynn
	0600	71	Ostham
	0900	69	Ostham
	1200	71	Ostham
	1500	70	Bell
	1800	70	Bell
	2100	70	Bell
	2400	70	Pendleton

## Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	70	NEELEY
	0600	70	Alejandra
	0900	70	Alejandra
	1200	70	Alejandra
	1500	71	E.LIRA
	1800	71	E.LIRA
	2100	70	E.LIRA
	2400	70	Hanu

## Friday

Date	Time	Temp.	Name (Print)
8/23	0300	70	Hanu
	0600	70	Pendleton
	0900	70	Pendleton
	1200	70	Pendleton
	1500	70	NARDE
	1800	70	NARDE
	2100	70	NARDE
	2400	68	A.Tanner

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	68	Hanu
	0600	68	Pendleton
	0900	68	Pendleton
	1200	68	Pendleton
	1500	70	NARDE
	1800	70	NARDE
	2100	70	NARDE
	2400	70	C.HERRING

## Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	66	C.HERRING
	0600	65	E.Ostham
	0900	68	E.Ostham
	1200	71	E.Ostham
	1500	68	Gastano
	1800	69	KENT
	2100	68	KENT
	2400	68	NEELEY

## Notes

AUGUST 2024



In May 1st through October 31st, the warden shall designate staff to be responsible to monitor any log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: M.C.S.P Housing Unit: 9 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	66	NEELEY
	0600	68	Orellana
	0900	67	Gastano
	1200	69	Gastano
	1500	71	Kelly
	1800	70	Kelly
	2100	70	Kelly
	2400	68	NEELEY

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	65	NEELEY
	0600	65	Pendleton
	0900	68	Orellana
	1200	70	Orellana
	1500	70	E.LIRA
	1800	70	S.Siddiqui
	2100	70	S.Siddiqui
	2400	70	Lynn

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	68	Lynn
	0600	70	Pendleton
	0900	69	Orellana
	1200	71	Orellana
	1500	70	SANTS
	1800	70	SANTS
	2100	70	Lynn
	2400	70	Lynn

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	65	SOLO
	0600	70	SOLO
	0900	70	SOLO
	1200	70	SOLO
	1500	70	SOLO
	1800	70	SOLO
	2100	68	SOLO
	2400	68	SOLO

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	68	JONE
	0600	69	Pendleton
	0900	70	NANOC
	1200	70	Pendleton
	1500	70	NANOC
	1800	70	NANOC
	2100	70	NANOC
	2400	68	HANNA

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	65	HANNA
	0600	70	Pendleton
	0900	70	Pendleton
	1200	70	Pendleton
	1500	70	Pendleton
	1800	70	NANOC
	2100	70	NANOC
	2400	68	HANNA

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP      Housing Unit: C11      Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**MONDAY**

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**TUESDAY**

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**WEDNESDAY**

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**THURSDAY**

Date	time	Temp.	Name (Print)
8/1/24	0300	71.2	Mor
	0600	75.9	Gur
	0900	76.5	Gur
	1200	78.3	Gur
	1500	79.5°F	J.LADIAO
	1800	80.5°F	J.LADIAO
	2100	81.9°F	J.LADIAO
	2400	71.4	Mor

**FRIDAY**

Date	time	Temp.	Name (Print)
8/2/24	0300	69.4	Mor
	0600	76.4	Mor
	0900	76	Mor
	1200	76	Mor
	1500	78.8°F	J.LADIAO
	1800	79.9°F	J.LADIAO
	2100	79.9°F	J.LADIAO
	2400	76.4	Mor

**SATURDAY**

Date	time	Temp.	Name (Print)
8/3/24	0300	75	Mor
	0600	77	Hanson
	0900	78	Hanson
	1200	79	Hanson
	1500	80	McElroy
	1800	83	McElroy
	2100	82.6	McCormick
	2400	81.8	Mor

**SUNDAY**

Date	time	Temp.	Name (Print)
8/4/24	0300	80.6	Mor
	0600	77	Rodriguez
	0900	77	Rodriguez
	1200	78	Rodriguez
	1500	82.4	SANLEY
	1800	84.2	Baner
	2100	81.5	Baner
	2400	70	J Hoover

**NOTES**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C11 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## MONDAY

Date	time	Temp.	Name (Print)
8/5/24	0300	79	J. HOLLOWAY
	0600	76.3	GRIFFIN
	0900	76.5	GRIFFIN
	1200	77.2	GRIFFIN
	1500	79.3°F	J. LADIAO
	1800	81.2°F	J. LADIAO
	2100	81.9°F	J. LADIAO
2400	81.4	MOM	

## TUESDAY

Date	time	Temp.	Name (Print)
8/6/24	0300	79.0	MOM
	0600	75.6	O. WILLIAMS
	0900	76.2	O. WILLIAMS
	1200	77.2	O. WILLIAMS
	1500	79.9°F	J. LADIAO
	1800	82.8°F	J. LADIAO
	2100	81.0°F	J. LADIAO
2400	78.6	MOM	

## WEDNESDAY

Date	time	Temp.	Name (Print)
8/7/24	0300	77.1	MOM
	0600	76.7	H. SINGH
	0900	76.9	H. SINGH
	1200	79.1	GOSTON
	1500	82.1°F	J. LADIAO
	1800	82.5°F	J. LADIAO
	2100	82.6°F	J. LADIAO
2400	81.6	MOM	

## THURSDAY

Date	time	Temp.	Name (Print)
8/8/24	0300	75.8	MOM
	0600	74.6	H. SINGH
	0900	76.4	H. SINGH
	1200	78.0	H. SINGH
	1500	79.6	Tejeda
	1800	79.4	Tejeda
	2100	81.2	MOM
2400	78.4	MOM	

## FRIDAY

Date	time	Temp.	Name (Print)
8/9/24	0300	79.2	MOM
	0600	79.2	Green
	0900	79.0	Green
	1200	79.1	Green
	1500	79.1	Alvarez
	1800	81.8	Baill
	2100	81.8	Baill
2400	77.7	MOM	

Date	time	Temp.	Name (Print)
8/10/24	0300	75.9	MOM
	0600	74.8	O. WILLIAMS
	0900	76.0	O. WILLIAMS
	1200	77.1	O. WILLIAMS
	1500	79.2	ATKINS
	1800	83.1	ATKINS
	2100	81.7	ATKINS
2400	78.6	MOM	

## SUNDAY

Date	time	Temp.	Name (Print)
8/11/24	0300	78.0	MOM
	0600	75.7	O. WILLIAMS
	0900	76.2	O. WILLIAMS
	1200	77.4	O. WILLIAMS
	1500	78	Baillinger
	1800	77	Baillinger
	2100	77	Baillinger
2400	76	Rug	

## NOTES

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C11 Temp. Reading Location: 2<sup>nd</sup> TIER

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**MONDAY**

Date	time	Temp.	Name (Print)
8/12/24	0300	75	H. LIGG
	0600	70	K. KOM
	0900	74	K. KOM
	1200	75	K. KOM
	1500	72.8	C. VINE
	1800	78.1	C. VINE
	2100	77.2	C. VINE
	2400	77.0	M. DORR

**TUESDAY**

Date	time	Temp.	Name (Print)
8/13/24	0300	75.8	MOM
	0600	79.4	O. WILLIAMS
	0900	73.9	O. WILLIAMS
	1200	78.9	EASTER
	1500	76.3	SIDDIE
	1800	77.1	SIDDIE
	2100	77.7	SIDDIE
	2400	76.5	M. DORR

**WEDNESDAY**

Date	time	Temp.	Name (Print)
8/14/24	0300	75.0	MOM
	0600	73.9	VEGA
	0900	73.8	VEGA
	1200	76.3	VEGA
	1500	76.9	S. SIDDIE
	1800	78	S. SIDDIE
	2100	78.3	S. SIDDIE
	2400	77.6	DAVENDA

**THURSDAY**

Date	time	Temp.	Name (Print)
8/15/24	0300	76.4	DAVENDA
	0600	77	DAVENDA
	0900	75	EASTER
	1200	78.6	EASTER
	1500	78.2°	J. LADIAO
	1800	78.5°	J. LADIAO
	2100	78.5	J. LADIAO
	2400	77.4	MOM

**FRIDAY**

Date	time	Temp.	Name (Print)
8/16/24	0300	76.2	MOM
	0600	77.0	T. WALL
	0900	78.0	T. WALL
	1200	81	T. WALL
	1500	80	CROSBY
	1800	80	CROSBY
	2100	81	CROSBY
	2400	78	R. LUG

**SATURDAY**

Date	time	Temp.	Name (Print)
8/17/24	0300	76	R. LUG
	0600	76.7	EASTER
	0900	78	L. JONES
	1200	78	WILLIAMS
	1500	76	ATKINS
	1800	78.7	ATKINS
	2100	77.8	ATKINS
	2400	76.2	COONE

**NOTES**

Date	time	Temp.	Name (Print)
8/18/24	0300	75.9	COONE
	0600	77.3	MOM
	0900	77.5	MOM
	1200	77.9	MOM
	1500	78.5	CROSBY
	1800	78.7	CROSBY
	2100	79.5	CROSBY
	2400	75.1	Espinoza

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C11 Temp. Reading Location: 2<sup>nd</sup> tier  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**MONDAY**

Date	time	Temp.	Name (Print)
8/19/24	0300	74.6	Brown
	0600	75.0	D. Williams
	0900	76.1	D. Williams
	1200	76.5	D. Williams
	1500	77.0°F J. LADDO	J. LADDO
	1800	80°F J. LADDO	J. LADDO
	2100	79°F J. LADDO	J. LADDO
	2400	77.8 MORG	MORG

**TUESDAY**

Date	time	Temp.	Name (Print)
8/20/24	0300	76.4	MORG
	0600	74	D. Williams
	0900	75	D. Williams
	1200	79	STANKE
	1500	72	SIMONE
	1800	77	SIMONE
	2100	73	M
	2400	72.4	MORG

**WEDNESDAY**

Date	time	Temp.	Name (Print)
8/21/24	0300	71.6	MORG
	0600	71.6	H. SINGH
	0900	72.1	H. SINGH
	1200	80.1	H. SINGH
	1500	72.	Young
	1800	76.3	V. VOVKOVICH
	2100	72	SIDDICK
	2400	77.0	MORG

**THURSDAY**

Date	time	Temp.	Name (Print)
8/22/24	0300	73.6	MORG
	0600	72.0	H. SINGH
	0900	72.0	H. SINGH
	1200	74.0	H. SINGH
	1500	75.0	SIDDICK
	1800	70	SIDDICK
	2100	70	SIDDICK
	2400	77	MORG

**FRIDAY**

Date	time	Temp.	Name (Print)
8/23/24	0300	74	DALINPORT
	0600	72	DALINPORT
	0900	72	WALL
	1200	72	WALL
	1500	72	SIDDICK
	1800	71	SIDDICK
	2100	70	SIDDICK
	2400	70	WALL

**SATURDAY**

Date	time	Temp.	Name (Print)
8/24/24	0300	70	ZORN
	0600	70.1	EASTER
	0900	70.2	EASTER
	1200	71.0	EASTER
	1500	71	EASTER
	1800	72	EASTER
	2100	72	EASTER
	2400	69	EASTER

**SUNDAY**

Date	time	Temp.	Name (Print)
8/25/24	0300	69	ZORN
	0600	69	ZORN
	0900	70	ZORN
	1200	70	ZORN
	1500	71	ZORN
	1800	70	ARELANO
	2100	69	ARELANO
	2400	67	ZORN

**NOTES**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: C11 Temp. Reading Location: 2<sup>nd</sup> TIER

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**MONDAY**

Date	time	Temp.	Name (Print)
8/26/24	0300	69	Penn
	0600	70	Gee
	0900	70	Yours
	1200	71	Yours
	1500	70	Yours
	1800	70	Yours
	2100	70	Yours
	2400	70	

**TUESDAY**

Date	time	Temp.	Name (Print)
8/27/24	0300	70	
	0600	70	Yours
	0900	70	Yours
	1200	70	Yours
	1500	70	Yours
	1800	70	NO STAFF
	2100	70	NO STAFF
	2400	70	NO STAFF

**WEDNESDAY**

Date	time	Temp.	Name (Print)
8/28/24	0300	70	T. 20TA
	0600	70	Yours
	0900	70	Yours
	1200	70	Yours
	1500	71	Yours
	1800	72	Yours
	2100	72	Yours
	2400	71	T. 20TA

**THURSDAY**

Date	time	Temp.	Name (Print)
8/29/24	0300	71	T. 20TA
	0600	70	Yours
	0900	70	Yours
	1200	70	Yours
	1500	72	S. Radiv
	1800	72	Ph. Am
	2100	72	Yours
	2400	72	Han

**FRIDAY**

Date	time	Temp.	Name (Print)
8/30/24	0300	72	
	0600	72	Morlano
	0900	72	Morlano
	1200	72	Morlano
	1500	72°	GEE
	1800	72°	GEE
	2100	72	GEE
	2400	72	

**SATURDAY**

Date	time	Temp.	Name (Print)
8/31/24	0300	72	AM
	0600	71	AM
	0900	71	
	1200	72	
	1500	73	R. XING
	1800	71	Morlano
	2100	70	Morlano
	2400	70	

**SUNDAY**

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**NOTES**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_