

Monthly Summary Report

Institution: PBSP

Memorandum

Date: September 4, 2024
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - MONTHLY SUMMARY REPORT

The following is a summary of the heat related activity for the month of August 2024,
at PBSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? No

Number of days Stage I Alert initiated: 0

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated by the pharmacy. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Stephen Smith

Warden Name

DocuSigned by:



69DDF17E5C1A4CF...

Warden Signature

Katie Minor

Chief Executive Officer Name

DocuSigned by:



4B7D7A6C23E0476...

Chief Executive Officer Signature

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-12-11	0100	54	
	0200	52	
	0300	52	
	0400	52	MJ Julsen
	0500	52	
	0600	52	
	0700	52	
	0800	52	
	0900	54	
	1000	54	MJ Julsen
	1100	57	
	1200	60	
	1300	60	
	1400	60	
	1500	61	
	1600	61	
	1700	60	
	1800	60	J. COOK
	1900	60	
	2000	58	
	2100	58	
	2200	58	
	2300	54	R. McLean/AD
	2400	53	

Date	Time	Temp.	Printed Name
5-13-11	0100	53	
	0200	52	
	0300	52	
	0400	52	K. McLean/AD
	0500	52	
	0600	51	
	0700	51	
	0800	52	
	0900	54	
	1000	55	
	1100	58	
	1200	60	
	1300	60	
	1400	61	
	1500	61	
	1600	61	
	1700	61	
	1800	60	
	1900	57	
	2000	55	
	2100	52	
	2200	53	
	2300	53	J. McLean/AD
	2400	53	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-30-24	0100	60	
	0200	60	
	0300	60	
	0400	60	
	0500	60	
	0600	60	
	0700	60	
	0800	60	
	0900	60	
	1000	60	60 1/4
	1100	60	
	1200	60	
	1300	61	
	1400	63	
	1500	63	
	1600	63	
	1700	62	
	1800	60	60 1/2
	1900	60	
	2000	58	
	2100	56	
	2200	56	
	2300	56	
	2400	56	

Date	Time	Temp.	Printed Name
7-31-24	0100	56	
	0200	56	
	0300	56	
	0400	56	
	0500	56	
	0600	56	
	0700	56	
	0800	58	
	0900	58	
	1000	58	58 Johnson
	1100	62	
	1200	62	
	1300	64	
	1400	64	
	1500	63	
	1600	62	
	1700	61	
	1800	60	60 1/2
	1900	62	
	2000	61	
	2100	56	
	2200	56	
	2300	56	MJ Johnson
	2400	56	

**STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)**

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-1-24	0100	55	
	0200	55	
	0300	55	
	0400	55	
	0500	55	
	0600	54	
	0700	54	
	0800	54	
	0900	54	
	1000	56	
	1100	58	
	1200	60	
	1300	62	
	1400	62	
	1500	62	
	1600	60	
	1700	60	
	1800	60	
	1900	60	E. CONTRERAS
	2000	58	
	2100	58	
	2200	58	
	2300	58	
	2400	56	E. CONTRERAS

Date	Time	Temp.	Printed Name
	0100	59	Lorraine
	0200	59	
	0300	59	
	0400	59	
	0500	59	
	0600	58	
	0700	58	
	0800	58	
	0900	58	
8-2-24	1000	60	
	1100	60	M. Johnson
	1200	62	
	1300	62	
	1400	62	
	1500	60	
	1600	60	
	1700	60	
	1800	60	
	1900	59	
	2000	59	
	2100	59	
	2200	59	
	2300	58	
	2400	58	R. K. S.

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/3/24	0100	58	
	0200	58	
	0300	58	R.05
	0400	58	
	0500	58	
	0600	58	
	0700	58	
	0800	58	
	0900	59	
	1000	59	AWS
	1100	60	
	1200	60	
	1300	60	
	1400	59	
	1500	60	
	1600	61	
	1700	62	
	1800	62	
	1900	60	
	2000	59	
	2100	59	
	2200	57	J. McCovey
	2300	57	
	2400	57	

Date	Time	Temp.	Printed Name
8/4/24	0100	56	
	0200	56	
	0300	56	J. McCovey
	0400	55	
	0500	55	
	0600	55	
	0700	55	
	0800	55	
	0900	55	
	1000	55	M. Laven
	1100	57	
	1200	59	
	1300	59	
	1400	59	
	1500	60	
	1600	61	
	1700	62	
	1800	60	
	1900	58	D. 05
	2000	58	
	2100	57	
	2200	57	
	2300	57	J. McCovey
	2400	57	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

8/5/24

Date	Time	Temp.	Printed Name
	0100	57	
	0200	56	
	0300	56	
	0400	56	3.11/10/07
	0500	56	
	0600	56	
	0700	56	
	0800	56	
	0900	57	
	1000	57	3.11/10/07
	1100	58	
	1200	58	
	1300	58	
	1400	59	
	1500	60	
	1600	59	
	1700	59	
	1800	59	1.61
	1900	59	
	2000	59	
	2100	58	
	2200	58	F10/10
	2300	57	
	2400	56	

8-6-24

Date	Time	Temp.	Printed Name
	0100	56	
	0200	56	
	0300	56	
	0400	56	
	0500	50	
	0600	55	
	0700	55	
	0800	55	
	0900	56	
	1000	56	
	1100	60	1.61 John S.
	1200	62	
	1300	62	
	1400	63	
	1500	66	
	1600	63	
	1700	64	
	1800	64	
	1900	60	1.61
	2000	60	
	2100	56	S. flot
	2200	56	
	2300	55	
	2400	54	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-7-24	0100	53	
	0200	52	
	0300	51	D. J. D.
	0400	50	
	0500	49	
	0600	50	
	0700	53	
	0800	56	
	0900	59	8/7/24
	1000	61	
	1100	63	
	1200	66	
	1300	73	
	1400	65	
	1500	65	
	1600	66	
	1700	67	
	1800	64	D. J. D.
	1900	62	
	2000	60	
	2100	59	
	2200	57	
	2300	55	D. J. D.
	2400	55	

Date	Time	Temp.	Printed Name
8-8-24	0100	64	
	0200	54	
	0300	54	D. J. D.
	0400	54	
	0500	53	
	0600	53	
	0700	53	
	0800	53	
	0900	53	8/8/24
	1000	54	
	1100	56	
	1200	66	
	1300	60	
	1400	58	
	1500	61	
	1600	61	
	1700	68	
	1800	58	
	1900	55	D. J. D.
	2000	53	
	2100	53	
	2200	53	
	2300	53	D. J. D.
	2400	53	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 10 2018	0100	53	M. Johnson
	0200	53	
	0300	53	
	0400	53	
	0500	53	
	0600	53	
	0700	53	
	0800	53	
	0900	53	
	1000	54	
	1100	55	
	1200	57	
	1300	57	
	1400	60	
	1500	60	
	1600	60	
	1700	58	
	1800	58	
	1900	57	
	2000	57	
	2100	55	
	2200	54	
	2300	53	
	2400	53	

Date	Time	Temp.	Printed Name
JUN 10 2018	0100	53	T. Gray
	0200	53	
	0300	53	
	0400	53	
	0500	53	
	0600	53	
	0700	53	
	0800	53	
	0900	53	
	1000	55	
	1100	56	
	1200	57	
	1300	62	
	1400	60	
	1500	60	
	1600	60	
	1700	60	
	1800	60	
	1900	60	
	2000	58	
	2100	55	
	2200	58	
	2300	58	
	2400	58	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/11/24	0100	58	C
	0200	54	D. Carroll
	0300	54	
	0400	54	
	0500	54	
	0600	54	
	0700	54	
	0800	54	
	0900	54	
	1000	54	T. Evans
	1100	58	
	1200	58	
	1300	60	
	1400	62	
	1500	61	
	1600	62	
	1700	60	
	1800	58	D. US
	1900	55	
	2000	55	
	2100	55	
	2200	55	
	2300	55	J. McClevey
	2400	55	

Date	Time	Temp.	Printed Name
8/12/24	0100	55	
	0200	55	
	0300	54	
	0400	53	J. McClevey
	0500	53	
	0600	53	
	0700	53	
	0800	53	
	0900	58	
	1000	58	
	1100	58	
	1200	58	
	1300	60	
	1400	63	
	1500	62	
	1600	59	
	1700	58	
	1800	59	
	1900	58	
	2000	57	
	2100	55	
	2200	53	F. O. (0)
	2300	51	
	2400	50	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-13-2024	0100	49	
	0200	49	
	0300	49	Dia
	0400	49	
	0500	49	
	0600	51	
	0700	51	
	0800	53	Hawkins
	0900	56	
	1000	58	
	1100	58	
	1200	58	
	1300	58	
	1400	58	
	1500	56	
	1600	56	
	1700	56	
	1800	60	
	1900	62	Dia
	2000	66	
	2100	58	
	2200	59	
	2300	57	Dia
	2400	57	

Date	Time	Temp.	Printed Name
8-14-2024	0100	57	
	0200	57	
	0300	56	Dia
	0400	56	
	0500	56	
	0600	56	
	0700	56	
	0800	56	
	0900	56	
	1000	60	
	1100	62	
	1200	63	
	1300	63	
	1400	64	
	1500	64	
	1600	62	
	1700	62	
	1800	62	
	1900	60	
	2000	59	Dia
	2100	58	
	2200	58	
	2300	58	Camillo
	2400	57	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/15/24	0100	57	
	0200	55	
	0300	55	
	0400	53	Carrillo
	0500	53	
	0600	53	
	0700	53	
	0800	57	
	0900	59	
	1000	61	M. Johnson
	1100	62	
	1200	62	
	1300	62	
	1400	62	
	1500	62	
	1600	62	
	1700	62	
	1800	61	E. Carpenter
	1900	61	
	2000	61	
	2100	60	
	2200	59	(10/10)
	2300	58	
	2400	57	

Date	Time	Temp.	Printed Name
8-16-2024	0100	56	
	0200	55	
	0300	54	(10/10)
	0400	53	
	0500	52	
	0600	52	
	0700	54	
	0800	58	
	0900	58	
	1000	60	
	1100	64	M. Johnson
	1200	61	
	1300	62	
	1400	62	M. Larson
	1500	61	M. Larson
	1600	61	M. Larson
	1700	62	
	1800	60	
	1900	60	
	2000	58	
	2100	58	(10/10)
	2200	58	(10/10)
	2300	57	
	2400	57	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-17-2024	0100	57	
	0200	57	
	0300	57	
	0400	57	
	0500	57	
	0600	57	
	0700	58	
	0800	59	
	0900	60	
	1000	61	
	1100	62	
	1200	63	
	1300	62	
	1400	62	
	1500	61	
	1600	60	
	1700	60	
	1800	61	
	1900	61	
	2000	60	Malfauan
	2100	60	
	2200	60	J.McCovey
	2300	60	
	2400	59	

8-18-2024	0100	58	
	0200	57	
	0300	57	
	0400	57	
	0500	57	
	0600	57	
	0700	58	
	0800	60	
	0900	61	
	1000	64	
	1100	64	
	1200	64	
	1300	64	
	1400	64	
	1500	64	
	1600	64	
	1700	64	
	1800	64	
	1900	64	
	2000	60	Dub
	2100	57	
	2200	55	
	2300	55	
	2400	53	J.McCovey

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/19/24	0100	53	
	0200	53	
	0300	52	
	0400	52	J. Donalovey
	0500	51	
	0600	50	
	0700	50	
	0800	60	
	0900	62	
	1000	62	Rita Johnson
	1100	62	
	1200	60	
	1300	60	
	1400	60	
	1500	60	
	1600	60	
	1700	60	
	1800	60	
	1900	60	D. 60
	2000	60	
	2100	58	
	2200	58	
	2300	57	
	2400	56	

Date	Time	Temp.	Printed Name
8/20/24	0100	55	
	0200	54	
	0300	53	
	0400	52	
	0500	51	
	0600	51	
	0700	53	
	0800	56	
	0900	58	
	1000	58	
	1100	58	
	1200	58	
	1300	58	
	1400	58	
	1500	58	
	1600	58	
	1700	62	
	1800	62	
	1900	61	
	2000	60	
	2100	60	
	2200	58	
	2300	58	
	2400	56	D. 60

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-21-24	0100	56	
	0200	55	
	0300	53	D.05
	0400	53	
	0500	53	
	0600	53	
	0700	53	
	0800	53	
	0900	60	
	1000	63	J.05
	1100	64	
	1200	63	
	1300	63	
	1400	63	
	1500	64	
	1600	63	
	1700	62	
	1800	61	D.05
	1900	62	
	2000	61	
	2100	60	E.05
	2200	59	
	2300	58	
	2400	57	

Date	Time	Temp.	Printed Name
8-22-24	0100	57	
	0200	57	
	0300	57	
	0400	53	
	0500	53	
	0600	57	
	0700	57	
	0800	58	
	0900	60	
	1000	60	J.05
	1100	60	
	1200	58	
	1300	58	
	1400	60	
	1500	60	
	1600	60	
	1700	59	
	1800	59	
	1900	59	
	2000	59	
	2100	59	
	2200	58	E.05
	2300	57	
	2400	56	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-23-24	0100	53	
	0200	52	Flo J
	0300	52	
	0400	52	
	0500	52	
	0600	53	
	0700	53	
	0800	56	
	0900	56	
	1000	60	M. Johnson
	1100	59	
	1200	57	
	1300	57	
	1400	57	
	1500	57	
	1600	56	
	1700	55	
	1800	55	1. Newell
	1900	55	
	2000	55	
	2100	55	Flo J
	2200	55	
	2300	55	
	2400	55	

Date	Time	Temp.	Printed Name
8-24-24	0100	55	
	0200	55	Flo J
	0300	55	
	0400	55	
	0500	55	
	0600	57	
	0700	57	
	0800	60	
	0900	60	
	1000	61	
	1100	61	
	1200	61	
	1300	61	
	1400	61	
	1500	61	
	1600	61	
	1700	61	
	1800	62	
	1900	62	Mark Faure
	2000	62	
	2100	59	
	2200	55	
	2300	54	J. McCovey
	2400	54	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDGR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/25/24	0100	53	J. McCovery
	0200	53	
	0300	53	
	0400	52	
	0500	52	
	0600	51	
	0700	54	
	0800	56	
	0900	59	
	1000	62	
	1100	65	
	1200	65	
	1300	66	
	1400	65	
	1500	64	
	1600	64	
	1700	65	
	1800	66	
	1900	64	D. us
	2000	61	
	2100	59	
	2200	57	
	2300	57	
	2400	56	

Date	Time	Temp.	Printed Name
8/26/24	0100	55	J. McCovery
	0200	54	
	0300	54	
	0400	53	
	0500	53	
	0600	53	
	0700	53	
	0800	55	
	0900	57	
	1000	62	
	1100	64	
	1200	64	
	1300	64	
	1400	62	P. Serrus
	1500	66	
	1600	64	
	1700	64	
	1800	63	
	1900	63	
	2000	60	
	2100	58	
	2200	58	
	2300	57	
	2400	56	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-24-21	0100	55	
5-24-21	0200	55	
5-24-21	0300	55	
5-24-21	0400	55	
5-24-21	0500	55	
5-24-21	0600	55	
5-24-21	0700	55	
5-24-21	0800	55	
5-24-21	0900	55	
5-24-21	1000	60	
5-24-21	1100	64	M. S. Brown
5-24-21	1200	65	
5-24-21	1300	65	
5-24-21	1400	65	
5-24-21	1500	65	
5-24-21	1600	65	
5-24-21	1700	65	
5-24-21	1800	65	
5-24-21	1900	65	D. H.
5-24-21	2000	63	
5-24-21	2100	60	
5-24-21	2200	56	
5-24-21	2300	55	D. H.
5-24-21	2400	55	

Date	Time	Temp.	Printed Name
5-24-21	0100	54	
5-24-21	0200	53	
5-24-21	0300	52	
5-24-21	0400	51	
5-24-21	0500	51	
5-24-21	0600	51	
5-24-21	0700	54	
5-24-21	0800	57	
5-24-21	0900	60	
5-24-21	1000	64	
5-24-21	1100	66	
5-24-21	1200	68	R. S. Eason
5-24-21	1300	68	
5-24-21	1400	68	
5-24-21	1500	67	
5-24-21	1600	66	
5-24-21	1700	65	
5-24-21	1800	64	
5-24-21	1900	64	D. H.
5-24-21	2000	62	
5-24-21	2100	57	
5-24-21	2200	57	C. P.
5-24-21	2300	56	
5-24-21	2400	55	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-29-24	0100	54	
	0200	54	
	0300	53	5/6/10
	0400	53	
	0500	53	
	0600	53	
	0700	53	
	0800	57	
	0900	60	
	1000	60	
	1100	60	M. Sowark
	1200	60	
	1300	60	
	1400	60	
	1500	60	
	1600	60	
	1700	60	
	1800	60	
	1900	58	
	2000	56	
	2100	58	
	2200	56	
	2300	55	
	2400	54	

Date	Time	Temp.	Printed Name
5-30-24	0100	53	
	0200	53	
	0300	53	
	0400	53	
	0500	53	
	0600	52	
	0700	52	
	0800	52	
	0900	54	
	1000	55	
	1100	54	
	1200	56	
	1300	58	
	1400	58	
	1500	60	
	1600	60	
	1700	58	
	1800	55	
	1900	53	
	2000	52	
	2100	52	T. Evans
	2200	52	
	2300	51	
	2400	51	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/3/14	0100	51	
	0200	51	
	0300	50	
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	51	
	0900	53	
	1000	54	
	1100	55	
	1200	58	
	1300	60	
	1400	60	
	1500	60	
	1600	59	
	1700	57	
	1800	57	Maltavan
	1900	55	
	2000	54	
	2100	53	
	2200	51	
	2300	51	Chec Thomas
	2400	51	

Date	Time	Temp.	Printed Name
9/11/14	0100	51	
	0200	51	
	0300	50	
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	50	
	0900	52	
	1000	54	
	1100	55	
	1200	57	
	1300	59	
	1400	58	
	1500	58	
	1600	58	
	1700	58	
	1800	58	
	1900	58	
	2000	59	
	2100	53	D.05
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

On May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: Office or Station
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	71	C THORPE
	0600	71	MARTINEZ
	0900	71	MARTINEZ
	1200	71	MARTINEZ
	1500	70	C THORPE
	1800	70	C THORPE
	2100	70	C THORPE
	2400	70	C THORPE

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	70	E Kleespies
	0600	70	CARLSON
	0900	70	CARLSON
	1200	70	CARLSON
	1500	71	E Kleespies
	1800	71	E Kleespies
	2100	70	E Kleespies
	2400	70	E Kleespies

Friday

Date	Time	Temp.	Name (Print)
8/10/24	0300	69	Luenmer
	0600	70	ESPARZA
	0900	70	ESPARZA
	1200	70	ESPARZA
	1500	71	Baker
	1800	70	Baker
	2100	71	SKane
	2400	70	SKane

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	70	LUERA
	0600	70	MARTINEZ
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	70	C THORPE
	1800	70	C THORPE
	2100	70	C THORPE
	2400	70	C THORPE

Tuesday

Date	Time	Temp.	Name (Print)
8/16/24	0300	70	C THORPE
	0600	70	PALAFOR
	0900	70	PALAFOR
	1200	70	PALAFOR
	1500	70	E Kleespies
	1800	70	E Kleespies
	2100	70	E Kleespies
	2400	70	E Kleespies

Thursday

Date	Time	Temp.	Name (Print)
8/18/24	0300	71	E Kleespies
	0600	70	CARLSON
	0900	70	CARLSON
	1200	70	CARLSON
	1500	71	E Kleespies
	1800	71	E Kleespies
	2100	70	C Baker
	2400	70	Luenmer

Saturday

Date	Time	Temp.	Name (Print)
8/19/24	0300	70	SKane
	0600	70	R GRAY
	0900	70	R GRAY
	1200	70	R GRAY
	1500	71	SANCHEZ
	1800	71	SANCHEZ
	2100	71	LUERA
	2400	70	LUERA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: Officer Station
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/12/24	0300	70	THORPE
	0600	70	MARTINEZ
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	70	THORPE
	1800	70	THORPE
	2100	70	THORPE
	2400	70	THORPE

Tuesday			
Date	Time	Temp.	Name (Print)
8/13/24	0300	70	C THORPE
	0600	70	R. PALAFIX
	0900	70	R. PALAFIX
	1200	70	R. PALAFIX
	1500	71	C THORPE
	1800	71	C THORPE
	2100	70	C THORPE
	2400	70	E Kleespies

Wednesday			
Date	Time	Temp.	Name (Print)
8/14/24	0300	70	E Kleespies
	0600	70	Contreras
	0900	69	Contreras
	1200	70	Contreras
	1500	70	Chalker
	1800	70	E Kleespies
	2100	70	E Kleespies
	2400	70	E Kleespies

Thursday			
Date	Time	Temp.	Name (Print)
8/15/24	0300	70	E Kleespies
	0600	69	Contreras
	0900	70	Contreras
	1200	70	Contreras
	1500	71	E Kleespies
	1800	70	E Kleespies
	2100	70	E Kleespies
	2400	70	Carrillo

Friday			
Date	Time	Temp.	Name (Print)
8/16/24	0300	70	Carrillo
	0600	70	Carrillo
	0900	69	Contreras
	1200	70	Contreras
	1500	70	Con's. SKIPPER
	1800	70	S. SKIPPER
	2100	70	S. SKIPPER
	2400	70	S. SKIPPER

Saturday			
Date	Time	Temp.	Name (Print)
8/17/24	0300	70	S. SKIPPER
	0600	70	HENRY
	0900	70	HENRY
	1200	70	HENRY
	1500	71	S. SKIPPER
	1800	71	S. SKIPPER
	2100	70	S. SKIPPER
	2400	70	S. SKIPPER

Sunday			
Date	Time	Temp.	Name (Print)
8/18/24	0300	70	S. SKIPPER
	0600	70	MARTINEZ
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	70	THORPE
	1800	70	THORPE
	2100	70	THORPE
	2400	70	THORPE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

On May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSA Housing Unit: CTC Temp. Reading Location: Officer's Station
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5575 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	70	C THORPE
	0600	70	MARTINEZ
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	70	C THORPE
	1800	70	C THORPE
	2100	70	C THORPE
	2400	70	C THORPE

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	71	E Kleespies
	0600	71	R. PALAFAY
	0900	71	R. PALAFAY
	1200	71	R. PALAFAY
	1500	70	E Kleespies
	1800	70	E Kleespies
	2100	70	E Kleespies
	2400	71	E Kleespies

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	70	Carriillo
	0600	70	Schmidt
	0900	70	Schmidt
	1200	70	Schmidt
	1500	70	Luerna
	1800	70	Luerna
	2100	69	Luerna
	2400	69	Luerna

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	69	Luerna
	0600	70	HENRY
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	70	Ezuel
	1800	70	Ezuel
	2100	70	Ezuel
	2400	70	E. ESTRADA

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	70	C THORPE
	0600	70	PACAFON
	0900	70	PACAFON
	1200	70	PACAFON
	1500	70	Braker
	1800	70	E Kleespies
	2100	70	E Kleespies
	2400	71	E Kleespies

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	71	E Kleespies
	0600	70	Corregra
	0900	70	Corregra
	1200	70	Corregra
	1500	70	E Kleespies
	1800	70	E Kleespies
	2100	70	E Kleespies
	2400	71	Carriillo

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	70	Luerna
	0600	70	HENRY
	0900	70	HENRY
	1200	70	V Ford
	1500	70	Luerna
	1800	70	Luerna
	2100	69	Luerna
	2400	69	Luerna

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CFC Temp. Reading Location: Officer Station
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	70	R. O'NEIL
	0600	70	J. CARLSON
	0900	70	J. CARLSON
	1200	70	J. CARLSON
	1500	70	E. FIZZEL
	1800	70	E. FIZZEL
	2100	70	E. FIZZEL
	2400	70	R. REYES

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	70	R. REYES
	0600	70	R. PALAFOR
	0900	70	R. PALAFOR
	1200	70	R. PALAFOR
	1500	70	E. FIZZEL
	1800	70	C. BAKER
	2100	70	E. FIZZEL
	2400	70	OB

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	71	VR
	0600	70	CONTREJAS
	0900	71	CONTREJAS
	1200	71	CONTREJAS
	1500	71	C. BAKER
	1800	70	C. BAKER
	2100	70	A. T. N.
	2400	69	A. T. N.

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	69	A. T. N.
	0600	69	CONTREJAS
	0900	70	CONTREJAS
	1200	70	CONTREJAS
	1500	70	GREGOR
	1800	70	GREGOR
	2100	70	S. COOK
	2400	70	A. T. N.

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	70	A. T. N.
	0600	70	CONTREJAS
	0900	70	CONTREJAS
	1200	70	CONTREJAS
	1500	70	C. THORPE
	1800	70	C. THORPE
	2100	70	C. THORPE
	2400	69	L. LUNNER

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	69	L. LUNNER
	0600	70	HENRY
	0900	70	HENRY
	1200	70	HENRY
	1500	70	C. THORPE
	1800	70	C. THORPE
	2100	70	C. THORPE
	2400	70	C. THORPE

Notes

Date	Time	Temp.	Name (Print)
9-1-24	0300	70	C. THORPE
	0600	70	V. FORD
	0900	70	V. FORD
	1200	70	J. CARLSON
	1500	70	C. THORPE
	1800	70	C. THORPE
	2100	70	C. THORPE
	2400	70	T. GARNERS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: OFFICER STATION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<i>07/29/24</i>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
<i>07/30/24</i>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
<i>07/31/24</i>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
<i>08/01/24</i>	0300		
	0600		
	0900		
	1200		
	1500	73	C. CARTAGENA
	1800	71	C. CARTAGENA
	2100	71	C. CARTAGENA
	2400	71	S. KIMBER

Friday			
Date	Time	Temp.	Name (Print)
<i>8/2/24</i>	0300	71	S. KIMBER
	0600	71	R. SCHMIDT
	0900	72	R. SCHMIDT
	1200	73	R. SCHMIDT
	1500	73	S. KIMBER
	1800	73	S. KIMBER
	2100	72	C. THOMPSON
	2400	72	F. TIEZI

Saturday			
Date	Time	Temp.	Name (Print)
<i>8/3/24</i>	0300	72	F. TIEZI
	0600	71	F. MENDEZ
	0900	71	F. MENDEZ
	1200	72	F. MENDEZ
	1500	73	E. KLEESPIES
	1800	72	E. KLEESPIES
	2100	72	E. KLEESPIES
	2400	71	F. TIEZI

Sunday			
Date	Time	Temp.	Name (Print)
<i>8/4/24</i>	0300	71	F. TIEZI
	0600	71	F. MENDEZ
	0900	72	F. MENDEZ
	1200	72	F. MENDEZ
	1500	71	C. THOMPSON
	1800	71	C. THOMPSON
	2100	71	C. THOMPSON
	2400	71	C. THOMPSON

Notes

No temperatures read from 7/29/24 to 1500 hours on 8/1/24 due to not having a working thermometer.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/2024	300	70	S. Chang
	600	70	R. Hall
	900	70	R. Hall
	1200	70	R. Hall
	1500	70	F. Fontenot
	1800	70	F. Fontenot
	2100	70	F. Fontenot
	2400	70	F. Hamby

Wednesday

Date	Time	Temp.	Name (Print)
8/7/2024	300	69	F. Hamby
	600	70	L. Maciel
	900	70	L. Maciel
	1200	70	L. Maciel
	1500	70	C. Rundson
	1800	70	C. Rundson
	2100	70	C. Rundson
	2400	69	F. Hamby

Friday

Date	Time	Temp.	Name (Print)
8/9/2024	300	69	F. Hamby
	600	74	Escar
	900	74	Escar
	1200	72	Escar
	1500	70	Fontenot
	1800	70	Fontenot
	2100	70	Fontenot
	2400	70	Pena

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/11/2024	300	70	S. Chang	
	600	70	OTREMBA	
	900	70	OTREMBA	
	1200	71	OTREMBA	
	1500	74	Becker	
	1800	71	Becker	
	2100	71	Becker	
	2400	71	S. Chang	

Tuesday

Date	Time	Temp.	Name (Print)
8/6/2024	300	69	F. Hamby
	600	70	L. Maciel
	900	70	L. Maciel
	1200	70	C. Maciel
	1500	70	Fontenot
	1800	70	Fontenot
	2100	70	Fontenot
	2400	68	F. Hamby

Thursday

Date	Time	Temp.	Name (Print)
8/8/2024	300	70	F. Hamby
	600	70	L. Maciel
	900	70	L. Maciel
	1200	70	L. Maciel
	1500	71	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	F. Hamby

Saturday

Date	Time	Temp.	Name (Print)
8/10/2024	300	70	Pena
	600	73	Escar
	900	72	Escar
	1200	72	Escar
	1500	70	Fontenot
	1800	68	Fontenot
	2100	68	Fontenot
	2400	68	S. Chang

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/2024	300	72	ESPARZA
	600	73	M.OCHOA
	900	72	M.OCHOA
	1200	72	M.OCHOA
	1500	72	J Kong
	1800	72	J Kong
	2100	72	J Kong
	2400	72	BREY

Wednesday

Date	Time	Temp.	Name (Print)
8/7/2024	300	72	LOR
	600	73	A. Arias
	900	73	A. Arias
	1200	73	A. Arias
	1500	73	Schaffer
	1800	73	Schaffer
	2100	73	Schaffer
	2400	73	F. ESPARZA

Friday

Date	Time	Temp.	Name (Print)
8/9/2024	300	73	Rwander
	600	72	A. Arias
	900	72	A. Arias
	1200	73	A. Arias
	1500	74	JRodriguez
	1800	73	JRodriguez
	2100	73	JRodriguez
	2400	73	JRodriguez

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/11/2024	300	72	A. Velez	
	600	72	G.OCHOA	
	900	73	G.OCHOA	
	1200	75	G.OCHOA	
	1500	75	R.Mart	
	1800	75	R.Mart	
	2100	72	R.Mart	
	2400	72	D.Coneill	

Tuesday

Date	Time	Temp.	Name (Print)
8/6/2024	300	73	R.Perez
	600	73	A. Arias
	900	72	A. Arias
	1200	72	A. Arias
	1500	73	Schaffer
	1800	73	Schaffer
	2100	72	Schaffer
	2400	72	LOR

Thursday

Date	Time	Temp.	Name (Print)
8/8/2024	300	73	F. ESPARZA
	600	72	A. Arias
	900	72	A. MENOREZ
	1200	73	A. MENOREZ
	1500	73	C.Ridder
	1800	73	C.Ridder
	2100	73	C.Ridder
	2400	73	Ridder

Saturday

Date	Time	Temp.	Name (Print)
8/10/2024	300	72	J.Medina
	600	72	J.Rodriguez
	900	72	J.Rodriguez
	1200	72	J.Carriz
	1500	72	J.Carriz
	1800	72	J.Carriz
	2100	72	J.Carriz
	2400	73	A.Velazquez

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/2024	300	72	ESPARZA
	600	75	SOFIA
	900	75	SOFIA
	1200	75	SOFIA
	1500	75	Hamm
	1800	74	Hamm
	2100	74	Hamm
	2400	72	Billy

Tuesday

Date	Time	Temp.	Name (Print)
8/6/2024	300	72	BRAY
	600	73	Leach
	900	73	Leach
	1200	74	Leach
	1500	74	ZACHA
	1800	74	Leah
	2100	74	Leach
	2400	74	Xiong

Wednesday

Date	Time	Temp.	Name (Print)
8/7/2024	300	74	Xiong
	600	74	C Contreras
	900	74	C Contreras
	1200	74	C Contreras
	1500	75	H. Gutierrez
	1800	75	H. Gutierrez
	2100	75	H. Gutierrez
	2400	74	F. ESPARZA

Thursday

Date	Time	Temp.	Name (Print)
8/8/2024	300	74	F. ESPARZA
	600	74	C Contreras
	900	74	C Contreras
	1200	74	C Contreras
	1500	75	H. Gutierrez
	1800	75	H. Gutierrez
	2100	74	H. Gutierrez
	2400	74	Murden

Friday

Date	Time	Temp.	Name (Print)
8/9/2024	300	74	Murden
	600	74	C Contreras
	900	74	C Contreras
	1200	74	C Contreras
	1500	74	H. Gutierrez
	1800	74	H. Gutierrez
	2100	74	H. Gutierrez
	2400	74	J. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
8/10/2024	300	73	J. Rodriguez
	600	74	J. Rodriguez
	900	74	C Contreras
	1200	74	C Contreras
	1500	73	Chittenden
	1800	74	Chittenden
	2100	74	Chittenden
	2400	74	Vandervelt

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/11/2024	300	73	Vandervelt	
	600	73	C Contreras	
	900	73	C Contreras	
	1200	74	C Contreras	
	1500	74	Chittenden	
	1800	73	Chittenden	
	2100	73	Chittenden	
	2400	73	Deonell	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/2024	300	75	GANDARA
	600	75	C.J. Anderson
	900	75	C. Anderson
	1200	75	C. Anderson
	1500	75	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	GARDNER

Tuesday

Date	Time	Temp.	Name (Print)
8/6/2024	300	70	GARDNER
	600	76	J. DANG
	900	76	J. DANG
	1200	76	J. DANG
	1500	76	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	GARDNER

Wednesday

Date	Time	Temp.	Name (Print)
8/7/2024	300	74	GARDNER
	600	76	POPAOLIC
	900	76	POPAOLIC
	1200	76	POPAOLIC
	1500	76	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	76	GARDNER

Thursday

Date	Time	Temp.	Name (Print)
8/8/2024	300	77	GARDNER
	600	77	K. ROSS
	900	76	K. ROSS
	1200	76	K. ROSS
	1500	76	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	76	GARDNER

Friday

Date	Time	Temp.	Name (Print)
8/9/2024	300	76	GARDNER
	600	75	R. ROSS
	900	75	R. ROSS
	1200	75	R. ROSS
	1500	75	Escobar
	1800	74	Escobar
	2100	73	Escobar
	2400	73	MURRAY

Saturday

Date	Time	Temp.	Name (Print)
8/10/2024	300	73	Warden
	600	74	UCIEL
	900	75	UCIEL
	1200	76	UCIEL
	1500	75	ALDRETE
	1800	75	ALDRETE
	2100	79	ALDRETE
	2400	73	COCOZER

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/11/2024	300	73	BROWN	
	600	73	DAVIDSON	
	900	73	DAVIDSON	
	1200	73	DAVIDSON	
	1500	73	Lewis	
	1800	72	Lewis	
	2100	72	Lewis	
	2400	73	GARDNER	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/2024	300	75	GANDARA
	600	71	Zinn
	900	76	Zinn
	1200	78	Zinn
	1500	77	G.OCHOA
	1800	76	G.OCHOA
	2100	76	G.OCHOA
	2400	76	LINDNER

Tuesday

Date	Time	Temp.	Name (Print)
8/6/2024	300	77	LINDNER
	600	77	Zinn
	900	78	Zinn
	1200	79	Zinn
	1500	79	Zinn
	1800	78	Zinn
	2100	78	Zinn
	2400	78	GODDARD

Wednesday

Date	Time	Temp.	Name (Print)
8/7/2024	300	78	GODDARD
	600	76	Zinn
	900	77	Zinn
	1200	79	Zinn
	1500	79	Worth
	1800	78	Worth
	2100	79	Worth
	2400	78	GODDARD

Thursday

Date	Time	Temp.	Name (Print)
8/8/2024	300	78	GODDARD
	600	76	Seco
	900	78	Seco
	1200	78	Seco
	1500	76	Spa
	1800	76	Spa
	2100	76	Spa
	2400	77	GODDARD

Friday

Date	Time	Temp.	Name (Print)
8/9/2024	300	78	GODDARD
	600	75	S. Jenkins
	900	74	S. Jenkins
	1200	77	S. Jenkins
	1500	75	Han
	1800	75	Han
	2100	75	Han
	2400	74	Worth

Saturday

Date	Time	Temp.	Name (Print)
8/10/2024	300	74	Worth
	600	74	Becker
	900	74	Becker
	1200	74	Becker
	1500	74	Becker
	1800	73	Becker
	2100	72	Becker
	2400	72	Becker

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/11/2024	300	71	Gordon	
	600	70	Boden	
	900	73	Becker	
	1200	74	Becker	
	1500	71	Randerson	
	1800	74	Randerson	
	2100	74	Randerson	
	2400	75	Gordon	

2142

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/2024	300	71	Carrillo
	600	71	WALLACE
	900	72	WALLACE
	1200	72	WALLACE
	1500	72	S-S-
	1800	72	S-S-
	2100	72	S-S-
	2400	72	S. Chang

Tuesday

Date	Time	Temp.	Name (Print)
8/6/2024	300	72	S. Chang
	600	72	C. MOUA
	900	72	C. MOUA
	1200	72	C. MOUA
	1500	72	G-OCHA
	1800	73	G-OCHA
	2100	72	G-OCHA
	2400	72	F. MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/7/2024	300	72	F. MENDEZ
	600	72	C. MOUA
	900	73	WEISS
	1200	74	WEISS
	1500	74	B. Williams
	1800	74	B. Williams
	2100	73	B. Williams
	2400	73	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
8/8/2024	300	71	F. MENDEZ
	600	72	C. MOUA
	900	72	C. MOUA
	1200	72	C. MOUA
	1500	71	LOR
	1800	71	LOR
	2100	71	LOR
	2400	71	F. MENDEZ

Friday

Date	Time	Temp.	Name (Print)
8/9/2024	300	71	F. MENDEZ
	600	71	C. MOUA
	900	71	C. MOUA
	1200	71	C. MOUA
	1500	71	Sweber
	1800	71	S. weber
	2100	70	S. weber
	2400	71	Spradlin

Saturday

Date	Time	Temp.	Name (Print)
8/10/2024	300	70	Spradlin
	600	71	C. MOUA
	900	71	C. MOUA
	1200	71	C. MOUA
	1500	71	Sweber
	1800	71	Sweber
	2100	70	Sweber
	2400	70	Spradlin

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/11/2024	300	71	Spradlin	
	600	71	WALLACE	
	900	73	WALLACE	
	1200	75	WALLACE	
	1500	75	Zamudio	
	1800	75	Zamudio	
	2100	75	Zamudio	
	2400	74	Gusca	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/2024	300	72	Carrillo
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	74	Winkelmann
	1800	74	Winkelmann
	2100	74	Winkelmann
	2400	74	Spradly

Wednesday

Date	Time	Temp.	Name (Print)
8/7/2024	300	73	F. MENDEZ
	600	71	R. Reynolds
	900	72	R. Reynolds
	1200	72	F. MENDEZ
	1500	72	ISARS
	1800	72	Winkelmann
	2100	72	Winkelmann
	2400	73	F. MENDEZ

Friday

Date	Time	Temp.	Name (Print)
8/9/2024	300	72	F. MENDEZ
	600	72	M. SABIR
	900	73	M. SABIR
	1200	73	M. SABIR
	1500	73	Morden
	1800	73	Morden
	2100	72	Morden
	2400	73	Spradly

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/11/2024	300	71	Spradly	
	600	71	F. MENDEZ	
	900	71	F. MENDEZ	
	1200	71	F. MENDEZ	
	1500	71	Gordon	
	1800	71	Gordon	
	2100	71	Gordon	
	2400	70	Gordon	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/2024	300	71	S. Chang
	600	71	Becker
	900	72	Becker
	1200	72	Becker
	1500	71	Fontenot
	1800	70	Fontenot
	2100	70	Fontenot
	2400	69	F. Hamby

Tuesday

Date	Time	Temp.	Name (Print)
8/13/2024	300	69	F. Hamby
	600	70	L. MACIEI
	900	70	L. MACIEI
	1200	70	L. MACIEI
	1500	70	T. CAMPBELL
	1800	70	T. CAMPBELL
	2100	70	T. CAMPBELL
	2400	70	Well

Wednesday

Date	Time	Temp.	Name (Print)
8/14/2024	300	71	Well
	600	70	MACIEI
	900	70	MACIEI
	1200	70	MACIEI
	1500	70	Thompson
	1800	70	Thompson
	2100	70	Thompson
	2400	70	F. Hamby

Thursday

Date	Time	Temp.	Name (Print)
8/15/2024	300	69	F. Hamby
	600	69	L. MACIEI
	900	70	L. MACIEI
	1200	70	L. MACIEI
	1500	70	K. LEE
	1800	70	K. LEE
	2100	70	K. LEE
	2400	70	F. Hamby

Friday

Date	Time	Temp.	Name (Print)
8/16/2024	300	70	F. Hamby
	600	71	G. OCHOA
	900	70	G. OCHOA
	1200	70	G. OCHOA
	1500	70	F. Fontenot
	1800	70	F. Fontenot
	2100	70	F. Fontenot
	2400	70	F. Hamby

Saturday

Date	Time	Temp.	Name (Print)
8/17/2024	300	70	F. Hamby
	600	70	G. OCHOA
	900	76	G. OCHOA
	1200	70	G. OCHOA
	1500	71	CRAST
	1800	70	CRAST
	2100	70	CRAST
	2400	70	S. Chang

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/18/2024	300	70	S. Chang	
	600	70	R. HAM	
	900	70	R. HAM	
	1200	70	R. HAM	
	1500	70	Fontenot	
	1800	70	Fontenot	
	2100	70	Fontenot	
	2400	70	S. Chang	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/2024	300	73	O'Connell
	600	73	G.OCHOA
	900	74	G.OCHOA
	1200	74	G.OCHOA
	1500	74	J. Scott
	1800	73	J. Scott
	2100	73	J. Scott
	2400	74	J. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
8/13/2024	300	72	Silveglier
	600	72	J. Rodriguez
	900	75	D. Anderson
	1200	75	Soto
	1500	75	J. Serrano
	1800	70	J. Serrano
	2100	74	Sergio
	2400	74	Vadnais

Wednesday

Date	Time	Temp.	Name (Print)
8/14/2024	300	73	Vadnais
	600	73	D. Anderson
	900	73	Soto
	1200	74	Soto
	1500	74	E. Serrano
	1800	74	Serrano
	2100	74	Serrano
	2400	74	worden

Thursday

Date	Time	Temp.	Name (Print)
8/15/2024	300	74	worden
	600	78	D. Anderson
	900	74	Lynch
	1200	74	Lynch
	1500	74	C. Anderson
	1800	74	C. Anderson
	2100	74	C. Anderson
	2400	74	worden

Friday

Date	Time	Temp.	Name (Print)
8/16/2024	300	73	worden
	600	75	D. Anderson
	900	74	D. Anderson
	1200	75	D. Anderson
	1500	75	A. Pena
	1800	75	A. Pena
	2100	75	A. Pena
	2400	74	A. Nadrais

Saturday

Date	Time	Temp.	Name (Print)
8/17/2024	300	73	A. Nadrais
	600	72	F. Mendez
	900	72	F. Mendez
	1200	72	F. Mendez
	1500	73	A. Castellum
	1800	73	A. Castellum
	2100	72	A. Castellum
	2400	73	A. Valenzia

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/18/2024	300	73	A. Nadrais	
	600	73	G. Ochoa	
	900	72	G. Ochoa	
	1200	73	G. Ochoa	
	1500	73	G. Gronlund	
	1800	73	R. M. M.	
	2100	73	R. M. M.	
	2400	72	A. Nadrais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension: 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/2024	300	72	Carrie
	600	72	Erika
	900	72	Sophia
	1200	73	Sofia
	1500	73	Sara
	1800	73	Sara
	2100	72	Sofia
	2400	72	Jinnyngan

Wednesday

Date	Time	Temp.	Name (Print)
8/14/2024	300	73	Vadomas
	600	73	C. Contreras
	900	73	C. Contreras
	1200	73	C. Contreras
	1500	72	Soto
	1800	72	Soto
	2100	71	Soto
	2400	71	Gordon

Friday

Date	Time	Temp.	Name (Print)
8/16/2024	300	73	Shawn
	600	73	G. Contreras
	900	73	G. Contreras
	1200	73	G. CONTRERAS
	1500	73	H. Gutierrez
	1800	73	H. Gutierrez
	2100	73	H. Gutierrez
	2400	74	A. Vacaas

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/18/2024	300	75	A. Nodules	
	600	73	C. Controversy	
	900	73	C. Controversy	
	1200	73	C. Controversy	
	1500	73	chitoch	
	1800	71	chitoch	
	2100	70	chitoch	
	2400	72	A. Nodules	

Tuesday

Date	Time	Temp.	Name (Print)
8/13/2024	300	73	J. Rodriguez
	600	73	J. Rodriguez
	900	73	SERIA
	1200	73	SERIA
	1500	73	SERIA SOTO
	1800	72	SOTO
	2100	72	SOTO
	2400	74	Vazquez

Thursday

Date	Time	Temp.	Name (Print)
8/15/2024	300	71	Wade
	600	72	C. Contreras
	900	72	C. Contreras
	1200	72	C. Contreras
	1500	74	H. Gutierrez
	1800	74	H. Gutierrez
	2100	73	H. Gutierrez
	2400	73	Wade

Saturday

Date	Time	Temp.	Name (Print)
8/17/2024	300	73	A. Nadeau
	600	73	C. Conference
	900	72	C. Conference
	1200	72	C. Conference
	1500	73	T. Chittick
	1800	72	Chittick
	2100	73	Chittick
	2400	73	A. Nadeau

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/2024	300	75	GODINAS
	600	74	Callejas
	900	74	Callejas
	1200	74	Callejas
	1500	74	Lewis
	1800	74	Lewis
	2100	72	Lewis
	2400	73	GODINAS

Wednesday

Date	Time	Temp.	Name (Print)
8/14/2024	300	72	GODINAS
	600	74	Duratt
	900	74	Duratt
	1200	74	Duratt
	1500	75	Lewis
	1800	72	Lewis
	2100	72	Lewis
	2400	73	GODINAS

Friday

Date	Time	Temp.	Name (Print)
8/16/2024	300	75	GODINAS
	600	75	R. Ross
	900	76	R. Ross
	1200	76	R. Ross
	1500	76	N. Rodriguez
	1800	76	N. Rodriguez
	2100	76	N. Rodriguez
	2400	76	Warden

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/18/2024	300	76	BEDDEN	
	600	76	BEDDEN	
	900	76	BEDDEN	
	1200	76	BEDDEN	
	1500	75	Lewis	
	1800	75	Lewis	
	2100	74	Lewis	
	2400	73	J. Flores	

Tuesday

Date	Time	Temp.	Name (Print)
8/13/2024	300	73	GODINAS
	600	73	Orant
	900	73	Orant
	1200	73	Orant
	1500	72	Lewis
	1800	72	Lewis
	2100	72	Lewis
	2400	72	GODINAS

Thursday

Date	Time	Temp.	Name (Print)
8/15/2024	300	73	GODINAS
	600	74	R. Ross
	900	74	R. Ross
	1200	76	R. Ross
	1500	75	Lewis
	1800	75	Lewis
	2100	74	Lewis
	2400	74	GODINAS

Saturday

Date	Time	Temp.	Name (Print)
8/17/2024	300	76	Coyote
	600	76	BBM
	900	76	BBM
	1200	76	BBM
	1500	76	GBDEN
	1800	76	GBDEN
	2100	76	GBDEN
	2400	75	GBDEN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/2024	300	75	GRODINIS
	600	73	Zinn
	900	74	Zinn
	1200	73	Zinn
	1500	74	G.OCHOA
	1800	74	G.OCHOA
	2100	74	G.OCHOA
	2400	74	GRODINIS

Wednesday

Date	Time	Temp.	Name (Print)
8/14/2024	300	75	GRODINIS
	600	76	Zinn
	900	77	Zinn
	1200	78	Zinn
	1500	77	Hamm
	1800	77	Hamm
	2100	76	Hamm
	2400	76	GRODINIS

Friday

Date	Time	Temp.	Name (Print)
8/16/2024	300	73	GRODINIS
	600	77	Secor
	900	78	Secor
	1200	78	Secor
	1500	78	Hoag
	1800	78	Hoag
	2100	78	Hoag
	2400	77	Warden

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/18/2024	300	73	Grover	
	600	73	BARRAGAN	
	900	73	BARRAGAN	
	1200	73	Becker	
	1500	73	ALDRETE	
	1800	73	ALDRETE	
	2100	72	ALDRETE	
	2400	72	Flores	

Tuesday

Date	Time	Temp.	Name (Print)
8/13/2024	300	74	GRODINIS
	600	74	Zinn
	900	75	Zinn
	1200	77	Zinn
	1500	78	Zinn
	1800	77	Zinn
	2100	75	Zinn
	2400	75	GRODINIS

Thursday

Date	Time	Temp.	Name (Print)
8/15/2024	300	77	GRODINIS
	600	74	Grover
	900	74	Grover
	1200	74	rober
	1500	74	STAB
	1800	74	STAB
	2100	73	STAB
	2400	74	GRODINIS

Saturday

Date	Time	Temp.	Name (Print)
8/17/2024	300	70	Warden
	600	70	Becker
	900	70	Becker
	1200	70	Becker
	1500	71	Hoag
	1800	73	Hoag
	2100	73	Hoag
	2400	73	Grover

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/2024	300	71	Glorie
	600	72	WALLACE
	900	74	WALLACE
	1200	75	WALLACE
	1500	75	S-S
	1800	75	S-S
	2100	75	S-S
	2400	72	S.Chang

Tuesday

Date	Time	Temp.	Name (Print)
8/13/2024	300	73	S.Chang
	600	72	Mous
	900	72	Mous
	1200	72	Mous
	1500	72	G.OCHOA
	1800	73	G.OCHOA
	2100	73	G.OCHOA
	2400	72	SPRADLIN

Wednesday

Date	Time	Temp.	Name (Print)
8/14/2024	300	72	SPRADLIN
	600	72	C-Mous
	900	72	C-Mous
	1200	72	C-Mous
	1500	71	VDF
	1800	71	VDF
	2100	71	VDF
	2400	71	F.MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
8/15/2024	300	71	F.menke
	600	71	C-Mous
	900	72	C-Mous
	1200	72	C-Mous
	1500	72	C-Mous
	1800	72	C-Mous
	2100	72	C-Mous
	2400	71	F.MENDEZ

Friday

Date	Time	Temp.	Name (Print)
8/16/2024	300	71	F.MENDEZ
	600	71	C-Mous
	900	74	C-Mous
	1200	74	C-Mous
	1500	78	T.NGUYEN
	1800	76	Silveper
	2100	74	Silveper
	2400	76	SPRADLIN

Saturday

Date	Time	Temp.	Name (Print)
8/17/2024	300	75	SPRADLIN
	600	74	Mous
	900	74	Mous
	1200	74	C-Mous
	1500	73	Silveper
	1800	73	Silveper
	2100	72	Silveper
	2400	74	SPRADLIN

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/18/2024	300	74	SPRADLIN	
	600	73	Quart	
	900	74	Quart	
	1200	74	Quart	
	1500	74	Williams	
	1800	74	Williams	
	2100	73	Williams	
	2400	73	Grover	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/2024	300	71	Glynn
	600	71	Williams
	900	73	Williams
	1200	73	Williams
	1500	72	Winkelmann
	1800	72	Winkelmann
	2100	72	Winkelmann
	2400	72	S. Chang

Tuesday

Date	Time	Temp.	Name (Print)
8/13/2024	300	73	S. Chang
	600	73	Williams
	900	74	Williams
	1200	74	Williams
	1500	74	Winkelmann
	1800	74	Winkelmann
	2100	72	Winkelmann
	2400	72	Choi

Wednesday

Date	Time	Temp.	Name (Print)
8/14/2024	300	73	M.G.
	600	73	Lega
	900	73	Lega
	1200	73	Lega
	1500	73	Winkelmann
	1800	73	Winkelmann
	2100	72	Winkelmann
	2400	72	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
8/15/2024	300	72	F. MENDEZ
	600	73	Sabir
	900	75	Sabir
	1200	75	Sabir
	1500	75	Ward
	1800	75	Warden
	2100	75	Warden
	2400	74	Forest

Friday

Date	Time	Temp.	Name (Print)
8/16/2024	300	74	Glynn
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Warden
	1800	75	Warden
	2100	75	Warden
	2400	75	Spradlin

Saturday

Date	Time	Temp.	Name (Print)
8/17/2024	300	75	Spradlin
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	74	J. GARCIA
	1800	74	J. GARCIA
	2100	72	J. GARCIA
	2400	72	Spradlin

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/18/2024	300	72	Spradlin	
	600	75	Lawrence	
	900	75	Lawrence	
	1200	75	Lawrence	
	1500	75	Glynn	
	1800	75	Glynn	
	2100	75	Glynn	
	2400	75	Glynn	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/2024	300	70	S. Chang
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	F. Fontenot
	1800	70	F. Fontenot
	2100	70	F. Fontenot
	2400	70	Bray

Tuesday

Date	Time	Temp.	Name (Print)
8/20/2024	300	71	Bray
	600	70	L. MAWEI
	900	70	L. MAWEI
	1200	70	L. MAWEI
	1500	70	KAST
	1800	70	KAST
	2100	70	KAST
	2400	70	F. HANBY

Wednesday

Date	Time	Temp.	Name (Print)
8/21/2024	300	69	F. HANBY
	600	70	L. MACIEI
	900	70	L. MACIEI
	1200	70	L. MACIEI
	1500	70	C. R. Johnson
	1800	70	C. R. Johnson
	2100	70	C. R. Johnson
	2400	70	F. HANBY

Thursday

Date	Time	Temp.	Name (Print)
8/22/2024	300	70	F. HANBY
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	LEE
	1800	70	LEE
	2100	70	LEE
	2400	70	F. HANBY

Saturday

Date	Time	Temp.	Name (Print)
8/24/2024	300	70	F. HANBY
	600	71	G. OCHOA
	900	71	G. OCHOA
	1200	71	G. OCHUA
	1500	70	Fontenot
	1800	70	Fontenot
	2100	70	Fontenot
	2400	70	S. Chang

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/25/2024	300	70	S. Chang	
	600	70	R. Hull	
	900	70	R. Hull	
	1200	70	R. Hull	
	1500	70	Fontenot	
	1800	70	Fontenot	
	2100	70	Fontenot	
	2400	70	S. Chang	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 08/19/24

Date	Time	Temp.	Name (Print)
8/19/2024	300	71	A. Verduras
	600	70	D. ANDERSON
	900	75	D. ANDERSON
	1200	75	D. ANDERSON
	1500	73	ALPRETE
	1800	73	ALDRETE
	2100	73	ALDRETE
	2400	72	A. Verduras

Tuesday 08/20/24

Date	Time	Temp.	Name (Print)
8/20/2024	300	71	A. Verduras
	600	75	D. ANDERSON
	900	75	D. ANDERSON
	1200	75	D. ANDERSON
	1500	75	S. CRIGGS
	1800	75	S. CRIGGS
	2100	74	S. CRIGGS
	2400	73	V. Verduras

Wednesday 08/21

Date	Time	Temp.	Name (Print)
8/21/2024	300	71	V. Verduras
	600	73	D. ANDERSON
	900	75	D. ANDERSON
	1200	75	S. CRIGGS
	1500	75	S. CRIGGS
	1800	75	S. CRIGGS
	2100	74	S. CRIGGS
	2400	74	Singh

Thursday 08/22

Date	Time	Temp.	Name (Print)
8/22/2024	300	74	Singh
	600	73	D. ANDERSON
	900	75	D. ANDERSON
	1200	75	D. ANDERSON
	1500	75	C. PAULSEN
	1800	75	C. PAULSEN
	2100	75	C. PAULSEN
	2400	74	C. PAULSEN

Friday 08/23

Date	Time	Temp.	Name (Print)
8/23/2024	300	74	Warden
	600	72	D. ANDERSON
	900	75	D. ANDERSON
	1200	75	D. ANDERSON
	1500	75	Loyd
	1800	75	Loyd
	2100	75	Loyd
	2400	73	A. Verduras

Saturday 08/24

Date	Time	Temp.	Name (Print)
8/24/2024	300	72	A. Verduras
	600	71	G. OCHOA
	900	72	G. OCHOA
	1200	72	G. OCHOA
	1500	71	O. THOMPSON
	1800	71	O. THOMPSON
	2100	70	O. THOMPSON
	2400	71	A. Verduras

Sunday 08/25

Date	Time	Temp.	Name (Print)	NOTES:
8/25/2024	300	71	A. Verduras	
	600	71	G. OCHOA	
	900	71	G. OCHOA	
	1200	71	G. OCHOA	
	1500	70	R. HILL	
	1800	70	R. HILL	
	2100	70	R. HILL	
	2400	71	A. Verduras	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and record INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/2024	300	71	A. Vacaños
	600	75	Soto
	900	75	Soto
	1200	75	Soto
	1500	74	Soto
	1800	73	Soto
	2100	73	Soto
	2400	72	A. Vacaños

Tuesday

Date	Time	Temp.	Name (Print)
8/20/2024	300	71	A. Vacaños
	600	75	J. CEBALLOS
	900	75	Leach
	1200	73	Leach
	1500	75	Soto
	1800	74	Soto
	2100	74	Soto
	2400	73	A. Vacaños

Wednesday

Date	Time	Temp.	Name (Print)
8/21/2024	300	71	A. Vacaños
	600	73	Leach
	900	73	Leach
	1200	74	Leach
	1500	74	H. Gutierrez
	1800	74	H. Gutierrez
	2100	73	B. Soto
	2400	75	B. Soto

Thursday

Date	Time	Temp.	Name (Print)
8/22/2024	300	73	A. Vacaños
	600	73	C. Contreras
	900	73	C. Contreras
	1200	73	C. Contreras
	1500	73	H. Gutierrez
	1800	73	H. Gutierrez
	2100	73	H. Gutierrez
	2400	73	Warden

Friday

Date	Time	Temp.	Name (Print)
8/23/2024	300	73	warden
	600	73	C. Contreras
	900	73	C. Contreras
	1200	73	C. Contreras
	1500	72	H. Gutierrez
	1800	72	H. Gutierrez
	2100	72	H. Gutierrez
	2400	72	A. Vacaños

Saturday

Date	Time	Temp.	Name (Print)
8/24/2024	300	71	A. Vacaños
	600	72	C. Contreras
	900	72	C. Contreras
	1200	72	C. Contreras
	1500	73	Chittick
	1800	71	Chittick
	2100	71	Chittick
	2400	71	A. Vacaños

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/25/2024	300	71	A. Vacaños	
	600	73	Leach	
	900	73	Leach	
	1200	73	Leach	
	1500	73	Chittick	
	1800	72	Chittick	
	2100	71	Chittick	
	2400	71	A. Vacaños	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/2024	300	71	Floris
	600	75	Ford
	900	75	Appasic
	1200	75	Appasic
	1500	78	Servin
	1800	74	Deering
	2100	74	Servin
	2400	71	Singh

Tuesday

Date	Time	Temp.	Name (Print)
8/20/2024	300	74	Singh
	600	74	Appasic
	900	74	Orbott
	1200	74	Orbott
	1500	74	Lewis
	1800	74	Lewis
	2100	74	Lewis
	2400	74	Gronnells

Wednesday

Date	Time	Temp.	Name (Print)
8/21/2024	300	74	Gronnells
	600	75	Orbott
	900	74	Orbott
	1200	74	Orbott
	1500	74	Lewis
	1800	74	Lewis
	2100	72	Lewis
	2400	73	Gronnells

Date	Time	Temp.	Name (Print)
8/22/2024	300	77	Gronnells
	600	71	R. Ross
	900	74	R. Ross
	1200	75	R. Ross
	1500	75	Lewis
	1800	74	Lewis
	2100	74	Lewis
	2400	74	(Gronnells)

Friday

Date	Time	Temp.	Name (Print)
8/23/2024	300	75	Gronnells
	600	75	R. Ross
	900	74	R. Ross
	1200	74	R. Ross
	1500	74	N. Rodriguez
	1800	74	Rodriguez
	2100	74	Durden
	2400	74	M. Winder

Date	Time	Temp.	Name (Print)
8/24/2024	300	74	B. Winder
	600	74	Burr
	900	76	Burr
	1200	76	Burr
	1500	76	Durden
	1800	76	Burr
	2100	76	Burr
	2400	75	Gronnells

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/25/2024	300	75	Gronnells	
	600	76	Burr	
	900	76	Burr	
	1200	76	Burr	
	1500	74	Lewis	
	1800	74	Lewis	
	2100	74	Lewis	
	2400	74	Gronnells	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/2024	300	73	Flors
	600	74	Flors
	900	75	Zinn
	1200	76	Zinn
	1500	77	Zinn
	1800	76	Zinn
	2100	75	Zinn
	2400	73	REEVE

Tuesday

Date	Time	Temp.	Name (Print)
8/20/2024	300	72	REEVE
	600	74	Zinn
	900	75	Zinn
	1200	77	Zinn
	1500	78	Zinn
	1800	75	Zinn
	2100	73	Zinn
	2400	73	GODINGS

Wednesday

Date	Time	Temp.	Name (Print)
8/21/2024	300	74	GODINGS
	600	74	PEPATOIC
	900	74	PEPATOIC
	1200	74	PEPATOIC
	1500	74	Hamm
	1800	74	Hamm
	2100	73	Hamm
	2400	73	GODINGS

Date	Time	Temp.	Name (Print)
8/22/2024	300	74	GODINGS
	600	75	Secor
	900	77	Secor
	1200	78	Secor
	1500	76	ALDRETE
	1800	76	ALDRETE
	2100	75	ALDRETE
	2400	75	GODINGS

Thursday

Date	Time	Temp.	Name (Print)
8/23/2024	300	76	GODINGS
	600	75	Ondraut
	900	75	Ondraut
	1200	75	Ondraut
	1500	75	Hood
	1800	75	Hood
	2100	74	Hood
	2400	74	Wooden

Date	Time	Temp.	Name (Print)
8/24/2024	300	74	Wooden
	600	72	OTREMBA
	900	73	OTREMBA
	1200	73	OTREMBA
	1500	74	Hood
	1800	74	Hood
	2100	73	Hood
	2400	73	Grasse

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/25/2024	300	73	Barrera	
	600	73	B Soto	
	900	73	B Jijo	
	1200	73	B Jijo	
	1500	74	CEBALLOS	
	1800	74	CEBALLOS	
	2100	73	CEBALLOS	
	2400	74	GODINGS	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/2024	300	73	Guder
	600	74	G-Castillo
	900	74	G-Castillo
	1200	75	G-Castillo
	1500	75	J-S
	1800	75	J-S
	2100	75	J-S
	2400	74	S.Chang

Wednesday

Date	Time	Temp.	Name (Print)
8/21/2024	300	74	F.MENDEZ
	600	74	C.Moya
	900	74	C.Moya
	1200	75	C.Moya
	1500	75	LO
	1800	75	LO
	2100	74	LO
	2400	73	F.MENDEZ

Friday

Date	Time	Temp.	Name (Print)
8/23/2024	300	72	F.MENDEZ
	600	72	C.Moya
	900	72	C.moya
	1200	72	C.moya
	1500	72	A.Pena
	1800	72	A.Pena
	2100	71	A.Pena
	2400	71	Spradlin

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/25/2024	300	72	Spradlin	
	600	73	Wallace	
	900	73	Wallace	
	1200	75	Wallace	
	1500	75	Worth	
	1800	74	Worth	
	2100	73	Worth	
	2400	73	Guder	

Tuesday

Date	Time	Temp.	Name (Print)
8/20/2024	300	75	S.Chang
	600	74	C.Moya
	900	74	C.Moya
	1200	74	C.Moya
	1500	75	Weiss
	1800	75	Weiss
	2100	74	Weiss
	2400	74	F.MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
8/22/2024	300	73	F.MENDEZ
	600	73	C.Moya
	900	73	C.Moya
	1200	73	C.Moya
	1500	73	O.Thompson
	1800	72	O.Thompson
	2100	72	T.Litten
	2400	72	F.MENDEZ

Saturday

Date	Time	Temp.	Name (Print)
8/24/2024	300	72	Spradlin
	600	72	C.Moya
	900	73	C.Moya
	1200	73	C.Moya
	1500	73	Beder
	1800	73	Beder
	2100	73	Beder
	2400	73	Spradlin

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/2024	300	74	Groch
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Vinkelmann
	1800	74	Vinkelmann
	2100	74	Vinkelmann
	2400	73	S. Chang

Wednesday

Date	Time	Temp.	Name (Print)
8/21/2024	300	73	F. MENDEZ
	600	75	ZAMUDIO
	900	75	ZAMUDIO
	1200	75	ZAMUDIO
	1500	74	Vinkelmann
	1800	75	Vinkelmann
	2100	75	Vinkelmann
	2400	74	F. MENDEZ

Friday

Date	Time	Temp.	Name (Print)
8/23/2024	300	73	F. MENDEZ
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Worden
	1800	75	Worden
	2100	74	Spradlin
	2400	74	Spradlin

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/25/2024	300	75	Spradlin	
	600	75	Lawrence	
	900	75	Lawrence	
	1200	75	Lawrence	
	1500	75	Lawren	
	1800	75	Lawrel	
	2100	75	Geulen	
	2400	74	Geulen	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 03 2024

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2024	300	70	S. Chang
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	Fontenot
	1800	70	Fontenot
	2100	70	Fontenot
	2400	70	F. Hamby

Tuesday

Date	Time	Temp.	Name (Print)
8/27/2024	300	70	F. Hamby
	600	70	L. Maciel
	900	70	L. Maciel
	1200	70	L. Maciel
	1500	70	Gronlund
	1800	70	Gronlund
	2100	70	Gronlund
	2400	70	F. Hamby

Wednesday

Date	Time	Temp.	Name (Print)
8/28/2024	300	70	F. Hamby
	600	70	L. Maciel
	900	70	L. Maciel
	1200	70	L. Maciel
	1500	70	C. Randolph
	1800	70	C. Randolph
	2100	70	C. Randolph
	2400	70	F. Hamby

Thursday

Date	Time	Temp.	Name (Print)
8/29/2024	300	70	F. Hamby
	600	70	L. Maciel
	900	70	L. Maciel
	1200	70	L. Maciel
	1500	70	K. Lee
	1800	70	K. Lee
	2100	70	K. Lee
	2400	70	F. Hamby

Friday

Date	Time	Temp.	Name (Print)
8/30/2024	300	70	F. Hamby
	600	70	Becker
	900	70	Becker
	1200	70	Becker
	1500	70	Fontenot
	1800	70	Fontenot
	2100	70	Fontenot
	2400	70	A. Puma

Saturday

Date	Time	Temp.	Name (Print)
8/31/2024	300	70	A. Puma
	600	70	Becker
	900	70	T. Campbell
	1200	70	T. Campbell
	1500	70	Fontenot
	1800	70	Fontenot
	2100	70	Fontenot
	2400	70	S. Chang

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/1/2024	300	70	S. Chang	
	600	70	L. Maciel	
	900	70	L. Maciel	
	1200	70	L. Maciel	
	1500	70	Fontenot	
	1800	70	Fontenot	
	2100	70	Fontenot	
	2400	70	S. Chang	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 03 2024

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 08/26

Date	Time	Temp.	Name (Print)
8/26/2024	300	71	A. Vaudnais
	600	72	D. ANDERSON
	900	74	D. ANDERSON
	1200	75	D. ANDERSON
	1500	75	G. Gronlund
	1800	75	G. Gronlund
	2100	74	G. Gronlund
	2400	72	A. Vaudnais

Tuesday 08/27

Date	Time	Temp.	Name (Print)
8/27/2024	300	71	A. Vaudnais
	600	72	D. ANDERSON
	900	74	D. ANDERSON
	1200	75	D. ANDERSON
	1500	75	S. Cray
	1800	75	S. Cray
	2100	74	S. Cray
	2400	73	A. Vaudnais

Wednesday 08/28

Date	Time	Temp.	Name (Print)
8/28/2024	300	71	A. Vaudnais
	600	71	D. ANDERSON
	900	75	D. ANDERSON
	1200	75	D. ANDERSON
	1500	75	S. Cray
	1800	75	S. Cray
	2100	74	S. Cray
	2400	74	Warden

Friday 08/30

Date	Time	Temp.	Name (Print)
8/30/2024	300	74	Warden
	600	73	D. ANDERSON
	900	75	D. ANDERSON
	1200	75	D. ANDERSON
	1500	75	Lam
	1800	75	Lam
	2100	75	Lam
	2400	71	Vaudnais

Saturday

Date	Time	Temp.	Name (Print)
8/31/2024	300	72	Vaudnais
	600	75	Secor
	900	75	Secor
	1200	75	Secor
	1500	75	R. M. M.
	1800	75	R. M. M.
	2100	70	R. M. M.
	2400	71	Vaudnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/1/2024	300	71	Vaudnais	
	600	72	G. OCHOA	
	900	73	G. OCHOA	
	1200	73	G. OCHOA	
	1500	72	C. MACIEL	
	1800	70	C. MACIEL	
	2100	70	C. MACIEL	
	2400	71	Vaudnais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 05 2024

SEP 03 2024

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2024	300	72	Vachas
	600	70	N. YANG
	900	70	N. YANG
	1200	70	N. YANG
	1500	71	SOTO
	1800	71	SOTO
	2100	70	SOTO
	2400	71	A. Vachas

Tuesday

Date	Time	Temp.	Name (Print)
8/27/2024	300	70	Vachas
	600	70	N. YANG
	900	72	Leach
	1200	72	Leach
	1500	72	SOTO
	1800	71	SOTO
	2100	71	SOTO
	2400	72	Vachas

Wednesday

Date	Time	Temp.	Name (Print)
8/28/2024	300	71	A. Vachas
	600	71	Leach
	900	71	Leach
	1200	71	Leach
	1500	73	H. Gutierrez
	1800	73	H. Gutierrez
	2100	72	B. Soto
	2400	72	Warden

Thursday

Date	Time	Temp.	Name (Print)
8/29/2024	300	72	Leach
	600	71	T. Vang
	900	71	T. Vang
	1200	71	T. Vang
	1500	72	H. Gutierrez
	1800	72	H. Gutierrez
	2100	71	H. Gutierrez
	2400	72	Leach

Saturday

Date	Time	Temp.	Name (Print)
8/31/2024	300	72	A. Vachas
	600	72	C. Contreras
	900	72	C. Contreras
	1200	72	C. Contreras
	1500	72	C. Contreras
	1800	72	Chittick
	2100	70	Chittick
	2400	71	A. Vachas

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/1/2024	300	71	A. Vachas	
	600	72	Leach	
	900	72	Leach	
	1200	72	Leach	
	1500	73	Chittick	
	1800	73	Chittick	
	2100	70	Chittick	
	2400	70	A. Vachas	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 03 2024

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2024	300	74	GIDDINGS
	600	74	Osborn
	900	74	Oriatt
	1200	74	Oriatt
	1500	74	Lewis
	1800	74	Lewis
	2100	72	Lewis
	2400	73	GIDDINGS

Tuesday

Date	Time	Temp.	Name (Print)
8/27/2024	300	72	GIDDINGS
	600	73	Oriatt
	900	74	Oriatt
	1200	74	Oriatt
	1500	74	Lewis
	1800	74	Lewis
	2100	74	Lewis
	2400	74	GIDDINGS

Wednesday

Date	Time	Temp.	Name (Print)
8/28/2024	300	75	GIDDINGS
	600	75	Oriatt
	900	75	Oriatt
	1200	75	Pepke
	1500	75	Williams
	1800	75	Williams
	2100	74	Williams
	2400	74	GIDDINGS

Thursday

Date	Time	Temp.	Name (Print)
8/29/2024	300	75	GIDDINGS
	600	74	Barker
	900	74	Barker
	1200	75	Barker
	1500	75	Lewis
	1800	74	Lewis
	2100	74	Lewis
	2400	74	GIDDINGS

Friday

Date	Time	Temp.	Name (Print)
8/30/2024	300	75	GIDDINGS
	600	74	S-S
	900	74	S-S
	1200	74	S-S
	1500	76	N. Rodriguez
	1800	76	S-S
	2100	76	Lewis
	2400	75	Lewis

Saturday

Date	Time	Temp.	Name (Print)
8/31/2024	300	75	Cordone
	600	76	Bern
	900	76	Bern
	1200	76	Bern
	1500	76	Zay
	1800	76	Belle
	2100	76	Belle
	2400	75	Gordon

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/1/2024	300	75	Gordon	
	600	76	Bern	
	900	74	Bern	
	1200	76	Bern	
	1500	75	Lewis	
	1800	74	Lewis	
	2100	74	Lewis	
	2400	73	Camillo	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 03 2024

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2024	300	74	GIDDING
	600	74	G.OCHOA
	900	75	G.OCHOA
	1200	74	G.OCHOA
	1500	76	SERVIN
	1800	78	SERVIN
	2100	78	SERVIN
	2400	78	GIDDING

Tuesday

Date	Time	Temp.	Name (Print)
8/27/2024	300	78	GIDDING
	600	77	G.OCHOA
	900	76	G.OCHOA
	1200	75	G.OCHOA
	1500	73	Secor
	1800	75	Secor
	2100	75	Secor
	2400	76	GIDDING

Wednesday

Date	Time	Temp.	Name (Print)
8/28/2024	300	76	GIDDING
	600	75	T.CAMPBELL
	900	75	T.CAMPBELL
	1200	75	T.CAMPBELL
	1500	75	Hamm
	1800	74	Hamm
	2100	74	Hamm
	2400	74	GIDDING

Thursday

Date	Time	Temp.	Name (Print)
8/29/2024	300	75	GIDDING
	600	75	Secor
	900	76	Secor
	1200	76	Secor
	1500	76	Carmena
	1800	76	Carmena
	2100	76	Carmena
	2400	76	GIDDING

Friday

Date	Time	Temp.	Name (Print)
8/30/2024	300	77	GIDDING
	600	76	Secor
	900	77	Secor
	1200	77	Secor
	1500	75	Secor
	1800	75	Secor
	2100	75	Secor
	2400	75	GIDDING

Saturday

Date	Time	Temp.	Name (Print)
8/31/2024	300	75	Worley
	600	74	OTREMBA
	900	75	OTREMBA
	1200	75	OTREMBA
	1500	75	Hoel
	1800	75	Hoel
	2100	75	Hoel
	2400	75	Guan

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/1/2024	300	75	G.OEN	
	600	75	OTREMBA	
	900	75	OTREMBA	
	1200	75	OTREMBA	
	1500	75	Zamudio	
	1800	75	Zamudio	
	2100	74	Zamudio	
	2400	73	Carrillo	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 03 2024

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2024	300	74	GROEN
	600	74	WALLACE
	900	75	WALLACE
	1200	75	WALLACE
	1500	75	FLORES
	1800	75	FLORES
	2100	74	FLORES
	2400	75	S. Chang

Tuesday

Date	Time	Temp.	Name (Print)
8/27/2024	300	74	S. Chang
	600	73	C. MOUA
	900	74	C. MOUA
	1200	74	C. MOUA
	1500	75	WEISS
	1800	74	WEISS
	2100	73	WEISS
	2400	73	F. MANDZ

Wednesday

Date	Time	Temp.	Name (Print)
8/28/2024	300	73	F. MENDEZ
	600	73	C. MOUA
	900	74	C. MOUA
	1200	74	C. MOUA
	1500	73	LOR
	1800	73	LOR
	2100	73	LOR
	2400	74	F. MENDEZ

Date	Time	Temp.	Name (Print)
8/29/2024	300	74	F. MARDZ
	600	73	UCIEL
	900	73	UCIEL
	1200	74	MORA
	1500	72	LOR
	1800	72	LOR
	2100	72	LOR
	2400	72	ESPARZA

Friday

Date	Time	Temp.	Name (Print)
8/30/2024	300	72	ESPARZA
	600	73	CASTILLO
	900	73	CASTILLO
	1200	73	CASTILLO
	1500	73	Weber
	1800	71	Weber
	2100	70	Weber
	2400	70	SPRADDIN

Date	Time	Temp.	Name (Print)
8/31/2024	300	71	SPRADDIN
	600	72	CASTILLO
	900	72	Castillo
	1200	73	Castillo
	1500	73	Weber
	1800	73	Weber
	2100	73	Weber
	2400	73	SPRADDIN

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/1/2024	300	71	SPRADDIN	
	600	72	WALLACE	
	900	72	WALLACE	
	1200	73	WALLACE	
	1500	73	J-S	
	1800	73	J-S	
	2100	73	J-S	
	2400	73	GILDER	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 03 2024

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/2024	300	74	Groder
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Winkelmann
	1800	75	Winkelmann
	2100	75	Winkelmann
	2400	75	S. Chang

Tuesday

Date	Time	Temp.	Name (Print)
8/27/2024	300	74	S. Chang
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Winkelmann
	1800	75	Winkelmann
	2100	75	Winkelmann
	2400	74	F. MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/28/2024	300	74	F. MENDEZ
	600	74	H. Percy
	900	75	H. Percy
	1200	75	H. Percy
	1500	75	Gronlund
	1800	75	Gronlund
	2100	75	Gronlund
	2400	74	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
8/29/2024	300	74	F. MENDEZ
	600	74	H. Percy
	900	75	H. Percy
	1200	75	H. Percy
	1500	75	Worden
	1800	75	Worden
	2100	75	Worden
	2400	75	ESPARZA

Friday

Date	Time	Temp.	Name (Print)
8/30/2024	300	74	ESPARZA
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Worden
	1800	75	Worden
	2100	75	Worden
	2400	75	SPRATH

Saturday

Date	Time	Temp.	Name (Print)
8/31/2024	300	75	SPRATH
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	M REUSS
	1800	76	M REUSS
	2100	76	M REUSS
	2400	76	SPRATH

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/1/2024	300	75	SPRATH	
	600	75	Lawrence	
	900	75	Lawrence	
	1200	75	Lawrence	
	1500	75	Groder	
	1800	75	Groder	
	2100	75	Groder	
	2400	74	Groder	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-1 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

A-1

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	300	71	Hawkins
	600	71	Contreras
	900	71	Contreras
	1200	71	Contreras
	1500	70	Greengough
	1800	70	Greengough
	2100	70	Greengough
	2400	71	Hawkins

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	300	71	Hawkins
	600	72	Hawkins
	900	72	Hawkins
	1200	72	Hawkins
	1500	72	S.CHANG
	1800	72	S.CHANG
	2100	72	S.CHANG
	2400	72	Hawkins

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	300	72	Hawkins
	600	72	M.WHITR
	900	73	M.WHITR
	1200	73	M.WHITR
	1500	74	FACIAS
	1800	75	FACIAS
	2100	74	FACIAS
	2400	72	Hawkins

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	300	72	Hawkins
	600	72	Hawkins
	900	72	Hawkins
	1200	72	Hawkins
	1500	72	C Contreras
	1800	72	C Contreras
	2100	72	C Contreras
	2400	72	Hawkins

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	300	72	Hawkins
	600	71	Baltazar
	900	70	Baltazar
	1200	70	Baltazar
	1500	74/73/72	J. MARKS
	1800	74/73/72	J. MARKS
	2100	74/73/72	J. MARKS
	2400	72	CHANCE

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	300	72	CHANCE
	600	74/73/72	J. MARKS
	900	74/73/72	J. MARKS
	1200	74/73/71	J. MARKS
	1500	74/73/72	J. MARKS
	1800	74/73/72	J. MARKS
	2100	74/73/72	J. MARKS
	2400	72	CHANCE

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/4/2024	300	72	CHANCE	
	600	74/73/72	J. MARKS	
	900	74/73/72	J. MARKS	
	1200	74/73/72	J. MARKS	
	1500	74	MWHITR	
	1800	74	MWHITR	
	2100	74	MWHITR	
	2400	72	Hawkins	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	300	75	S. CHANG
	600	70	Chittoku
	900	73	Chittoku
	1200	73	Greenuough
	1500	72	HOUGHTON
	1800	72	HOUGHTON
	2100	72	HOUGHTON
	2400	71	F. HAMBY

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	300	70	F. HAMBY
	600	70	R. HAM
	900	70	R. HAM
	1200	70	R. HAM
	1500	71	HOUGHTON
	1800	70	HOUGHTON
	2100	68	HOUGHTON
	2400	69	F. HAMBY

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	300	69	F. HAMBY
	600	70	R. HAM
	900	70	R. HAM
	1200	70	R. HAM
	1500	70	C. Davidson
	1800	70	C. Davidson
	2100	70	C. Davidson
	2400	70	SCHEPP

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	300	70	RAY
	600	70	R. HAM
	900	70	R. HAM
	1200	70	R. HAM
	1500	70	K. LEE
	1800	70	K. LEE
	2100	70	K. LEE
	2400	70	F. HAMBY

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	300	70	F. HAMBY
	600	74	Escobar
	900	74	Escobar
	1200	71	Escobar
	1500	71	HOUGHTON
	1800	71	HOUGHTON
	2100	71	HOUGHTON
	2400	70	F. HAMBY

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	300	69	F. HAMBY
	600	74	Escobar
	900	74	Escobar
	1200	74	Escobar
	1500	71	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	70	S. CHANG

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/4/2024	300	70	S. CHANG	
	600	70	R. HAM	
	900	70	R. HAM	
	1200	70	R. HAM	
	1500	70	HOUGHTON	
	1800	69	HOUGHTON	
	2100	69	HOUGHTON	
	2400	70	S. CHANG	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	300	73	Vadnay
	600	70	YANG
	900	71	J. OCHOA
	1200	71	J. OCHOA
	1500	75	M. REUSS
	1800	75	M. REUSS
	2100	75	M. REUSS
	2400	74	Vadnay

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	300	73	Vadnay
	600	71	N. YANG
	900	68	N. YANG
	1200	68	N. YANG
	1500	71	SCHAUER
	1800	73	SCHAUER
	2100	71	SCHAUER
	2400	72	Vadnay

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	300	72	Vadnay
	600	73	N. YANG
	900	69	N. YANG
	1200	69	N. YANG
	1500	71	SCARL
	1800	72	SCARL
	2100	71	SCARL
	2400	71	G. Gil

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	300	71	G. Gil
	600	71	G. Gil
	900	71	N. YANG
	1200	71	N. YANG
	1500	71	C. R. Jackson
	1800	71	C. R. Jackson
	2100	71	C. R. Jackson
	2400	72	G. Gil

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	300	71	G. Gil
	600	71	G. Gil
	900	73	N. YANG
	1200	70	N. YANG
	1500	70	S. LEE
	1800	70	S. LEE
	2100	71	S. LEE
	2400	70	ESPARZA

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	300	70	ESPARZA
	600	70	Secor
	900	70	Secor
	1200	71	Secor
	1500	72	R. Reynolds
	1800	72	R. Reynolds
	2100	72	R. Reynolds
	2400	72	SMITH

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/4/2024	300	72	SALAS	
	600	72	Williams	
	900	73	Williams	
	1200	73	Williams	
	1500	70	R. HILL	
	1800	70	R. HILL	
	2100	70	R. HILL	
	2400	72	F. ESPARZA	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	300	73	Vadnais
	600	74	SORIA
	900	74	SORIA
	1200	74	SORIA
	1500	74	M. CEBALLOS
	1800	74	M. CEBALLOS
	2100	74	M. CEBALLOS
	2400	75	Vadnais

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	300	73	Vadnais
	600	77	M. SABIR
	900	78	M. SABIR
	1200	78	M. SABIR
	1500	77	SOTO
	1800	76	SOTO
	2100	76	SOTO
	2400	75	Vadnais

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	300	73	Vadnais
	600	77	Lecach
	900	79	Lecach
	1200	78	Lecach
	1500	75	H. Gutierrez
	1800	77	H. Gutierrez
	2100	75	H. Gutierrez
	2400	72	G. Gil

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	300	71	G. Gil
	600	71	G. Gil
	900	72	C. Contreras
	1200	72	C. Contreras
	1500	73	H. Gutierrez
	1800	73	H. Gutierrez
	2100	72	G. Gil
	2400	72	G. Gil

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	300	71	G. Gil
	600	71	G. Gil
	900	72	C. Contreras
	1200	72	C. Contreras
	1500	72	C. Contreras
	1800	72	C. Contreras
	2100	71	C. Contreras
	2400	72	ESPARZA

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	300	72	ESPARZA
	600	72	C. Contreras
	900	72	C. Contreras
	1200	72	C. Contreras
	1500	72	LOM
	1800	72	LOM
	2100	72	LOM
	2400	72	SISTAS

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/4/2024	300	72	SORIA	
	600	72	Lecach	
	900	72	Lecach	
	1200	73	Lecach	
	1500	73	LOM	
	1800	73	LOM	
	2100	73	LOM	
	2400	72	F. ESPARZA	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	300	75	Medrano
	600	75	Medrano
	900	76	Dyer
	1200	76	Dyer
	1500	76	B. Williams
	1800	76	B. Williams
	2100	76	Glynnas
	2400	77	O'Donnell

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	300	76	O'Donnell
	600	76	B. Williams
	900	76	B. Williams
	1200	77	B. Williams
	1500	77	B. Williams
	1800	77	B. Williams
	2100	76	B. Williams
	2400	77	B. Williams

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	300	77	Groves
	600	75	Zamudio
	900	75	Zamudio
	1200	75	Zamudio
	1500	79	T. FRAIN
	1800	72	T. FRAIN
	2100	70	T. FRAIN
	2400	75	Groves

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	300	77	Groves
	600	75	BEAT
	900	75	BEAT
	1200	75	BEAT
	1500	75	Worth
	1800	75	Worth
	2100	75	Worth
	2400	76	Groves

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	300	78	Groves
	600	78	Sabri
	900	78	Sabri
	1200	78	Sabri
	1500	77	SS
	1800	77	SS
	2100	77	SS
	2400	77	Warden

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	300	77	Warden
	600	77	B. Williams
	900	75	B. Williams
	1200	75	B. Williams
	1500	75	B. Williams
	1800	75	B. Williams
	2100	74	B. Williams
	2400	74	Warden

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/4/2024	300	75	Rorden	
	600	76	BIRE	
	900	76	BIRE	
	1200	76	BIRE	
	1500	75	C. Vantzman	
	1800	75	C. Vantzman	
	2100	75	C. Vantzman	
	2400	70	Gandaraf	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	300	77	McNamee
	600	77	McNamee
	900	78	Zinn
	1200	78	Zinn
	1500	79	G.OCHOA
	1800	79	G.OCHOA
	2100	78	G.OCHOA
	2400	77	OConnell

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	300	77	O'Connell
	600	76	Zinn
	900	77	Zinn
	1200	77	Zinn
	1500	79	Zinn
	1800	79	Zinn
	2100	77	Zinn
	2400	78	Giddings

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	300	78	Giddings
	600	76	Zinn
	900	78	Zinn
	1200	79	Zinn
	1500	79	Hamm
	1800	79	Hamm
	2100	78	Hamm
	2400	78	Giddings

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	300	79	Giddings
	600	78	Secor
	900	78	Secor
	1200	78	Secor
	1500	77	Stev
	1800	77	Stev
	2100	77	Stev
	2400	77	Giddings

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	300	78	Giddings
	600	78	Secor
	900	77	Secor
	1200	77	Secor
	1500	77	Hood
	1800	77	Hood
	2100	77	Warden
	2400	77	Warden

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	300	77	Warden
	600	77	Becker
	900	76	Becker
	1200	76	Becker
	1500	77	Hood
	1800	77	Hood
	2100	77	Hood
	2400	77	Warden

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/4/2024	300	77	Warden	
	600	77	Becker	
	900	77	Becker	
	1200	77	Becker	
	1500	76	Higareda	
	1800	77	Higareda	
	2100	76	Higareda	
	2400	75	GANDARA	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	300	73	Warden
	600	73	WALLACE
	900	73	WALLACE
	1200	73	WALLACE
	1500	73	LOR
	1800	73	LOR
	2100	73	LOR
	2400	74	S.CHANG

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	300	75	S.CHANG
	600	74	C.MOVA
	900	73	C.MOVA
	1200	73	C.MOVA
	1500	74	G.OCHOA
	1800	74	G.OCHOA
	2100	74	G.OCHOA
	2400	72	F.MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	300	72	F.MENDEZ
	600	72	C.MOVA
	900	73	C.MOVA
	1200	73	C.MOVA
	1500	73	Williams
	1800	73	Williams
	2100	73	Williams
	2400	72	F.MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	300	72	F.MENDEZ
	600	72	MOVA
	900	72	MOVA
	1200	72	MOVA
	1500	72	WILBER
	1800	72	WILBER
	2100	71	WILBER
	2400	71	F.MENDEZ

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	300	71	F.MENDEZ
	600	71	MOVA
	900	71	MOVA
	1200	71	MOVA
	1500	71	LOR
	1800	71	LOR
	2100	71	LOR
	2400	71	SPRATT

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	300	70	SPRATT
	600	70	MOVA
	900	71	MOVA
	1200	71	MOVA
	1500	71	LOR
	1800	71	LOR
	2100	71	LOR
	2400	70	SPRATT

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/4/2024	300	71	SPRATT	
	600	71	Warden	
	900	71	Warden	
	1200	71	Warden	
	1500	71	LOR	
	1800	71	LOR	
	2100	71	LOR	
	2400	71	CARRILLO	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	300	73	Warden
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Worth
	1800	74	Worth
	2100	74	Worth
	2400	75	CHANG

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	300	75	CHANG
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	74	Winkelmann
	1800	74	Winkelmann
	2100	74	Winkelmann
	2400	73	F. MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	300	73	F. MENDEZ
	600	72	Zack
	900	72	Zack
	1200	73	Orcy
	1500	74	Winkelmann
	1800	74	Winkelmann
	2100	72	Winkelmann
	2400	72	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
8/1/2024	300	72	F. MENDEZ
	600	72	Wilson
	900	70	Wilson
	1200	71	Wilson
	1500	73	Wilson
	1800	73	Wilson
	2100	73	Wilson
	2400	73	F. MENDEZ

Friday

Date	Time	Temp.	Name (Print)
8/2/2024	300	73	F. MENDEZ
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	J. GARCI
	1800	74	J. GARCI
	2100	74	J. GARCI
	2400	74	SPRADLIN

Saturday

Date	Time	Temp.	Name (Print)
8/3/2024	300	73	SPRADLIN
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	74	J. GARCI
	1800	74	J. GARCI
	2100	73	J. GARCI
	2400	73	SPRADLIN

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/4/2024	300	74	SPRADLIN	
	600	75	Lawrence	
	900	75	Lawrence	
	1200	75	Lawrence	
	1500	74	OTREMBA	
	1800	73	OTREMBA	
	2100	72	OTREMBA	
	2400	71	CARRILLO	

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1

Temp. Reading Location: SECOND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-21-08	0300	70	NELSON
	0600	71	J. Johnson
	0900	71	J. Johnson
	1200	71	J. Johnson
	1500	71	A. LABRADA
	1800	70	A. LABRADA
	2100	70	A. LABRADA
	2400	70	NELSON

Tuesday

Date	Time	Temp.	Name (Print)
5-22-08	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	71	J. Johnson
	1500	71	Vadnais
	1800	72	Vadnais
	2100	71	Vadnais
	2400	70	NELSON

Wednesday

Date	Time	Temp.	Name (Print)
5-23-08	0300	70	NELSON
	0600	71	J. Johnson
	0900	71	J. Johnson
	1200	70	J. Johnson
	1500	70	C. Bellinger
	1800	70	C. Bellinger
	2100	70	C. Bellinger
	2400	70	NELSON

Thursday

Date	Time	Temp.	Name (Print)
5-24-08	0300	70	NELSON
	0600	71	J. Johnson
	0900	71	J. Johnson
	1200	71	J. Johnson
	1500	71	C. Bellinger
	1800	71	C. Bellinger
	2100	71	C. Bellinger
	2400	70	NELSON

Friday

Date	Time	Temp.	Name (Print)
5-25-08	0300	70	NELSON
	0600	70	LABRADA
	0900	70	LABRADA
	1200	70	LABRADA
	1500	72	E. Romano
	1800	72	E. Romano
	2100	70	E. Romano
	2400	70	Haag, J.

Saturday

Date	Time	Temp.	Name (Print)
5-26-08	0300	70	Haag, J.
	0600	71	J. Hernandez
	0900	73	J. Hernandez
	1200	72	J. Hernandez
	1500	70	E. Romano
	1800	70	E. Romano
	2100	70	E. Romano
	2400	70	Haag, J.

Notes

Date	Time	Temp.	Name (Print)
5-27-08	0300	70	Haag, J.
	0600	70	C. Bellinger
	0900	71	C. Bellinger
	1200	71	C. Bellinger
	1500	72	Worsham
	1800	70	Worsham
	2100	70	Worsham
	2400	70	NELSON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-2

Temp. Reading Location: A,B,C UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday / 2021

Date	Time	Temp.	Name (Print)
8/5	0300	70	MARTINEZ
	0600	70	Baltazar
	0900	71	Baltazar
	1200	71	Baltazar
	1500	76	Higareda
	1800	77	Higareda
	2100	76	Higareda
	2400	75	PALAFUX

Wednesday / 2021

Date	Time	Temp.	Name (Print)
8/6	0300	72	R. PALAFUX
	0600	72	Schum
	0900	72	Schum
	1200	72	Schum
	1500	72	Licea
	1800	72	Licea
	2100	72	Licea
	2400	72	Haag, J.

Friday / 2021

Date	Time	Temp.	Name (Print)
8/9	0300	72	Haag, J.
	0600	72	Schum
	0900	72	Schum
	1200	72	Schum
	1500	72	Licea
	1800	72	Licea
	2100	72	Licea
	2400	72	MARTINEZ

Sunday / 2021

Date	Time	Temp.	Name (Print)
8/11	0300	70	MARTINEZ
	0600	72	Schum
	0900	72	Schum
	1200	72	Schum
	1500	72	E. Valderrama
	1800	72	E. Valderrama
	2100	71	E. Valderrama
	2400	70	MARTINEZ

Tuesday / 2021

Date	Time	Temp.	Name (Print)
8/8	0300	74	PALAFUX
	0600	72	G. Gili
	0900	74	G. Gili
	1200	72	G. Gili
	1500	72	J. Licea
	1800	72	J. Licea
	2100	72	J. Licea
	2400	72	R. PALAFUX

Thursday / 2021

Date	Time	Temp.	Name (Print)
8/10	0300	72	Haag, J.
	0600	72	Schum
	0900	72	Schum
	1200	72	Schum
	1500	72	Licea
	1800	72	Licea
	2100	72	Licea
	2400	72	Haag, J.

Saturday / 2021

Date	Time	Temp.	Name (Print)
8/10	0300	72	MARTINEZ
	0600	72	Schum
	0900	72	Schum
	1200	72	Schum
	1500	71	E. Valderrama
	1800	71	E. Valderrama
	2100	70	E. Valderrama
	2400	70	MARTINEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B4 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8/1/24</u>	0300	70	<u>C. LESLEY</u>
	0600	75	<u>B. DIAZ</u>
	0900	75	<u>B. DIAZ</u>
	1200	72	<u>B. DIAZ</u>
	1500	74	<u>A. LITTLE</u>
	1800	74	<u>A. LITTLE</u>
	2100	73	<u>A. LITTLE</u>
	2400	72	<u>C. LESLEY</u>

Tuesday			
Date	Time	Temp.	Name (Print)
<u>8/6/24</u>	0300	72	<u>C. LESLEY</u>
	0600	75	<u>B. DIAZ</u>
	0900	74	<u>B. DIAZ</u>
	1200	74	<u>B. DIAZ</u>
	1500	76	<u>D. BECKER</u>
	1800	77	<u>D. BECKER</u>
	2100	77	<u>D. BECKER</u>
	2400	72	<u>S. WILSON</u>

Wednesday 8-7-24			
Date	Time	Temp.	Name (Print)
<u>8/7/24</u>	0300	72	<u>S. WILSON</u>
	0600	71	<u>S. CHANG</u>
	0900	72	<u>S. CHANG</u>
	1200	72	<u>S. CHANG</u>
	1500	71	<u>D. BECKER</u>
	1800	72	<u>D. BECKER</u>
	2100	70	<u>D. BECKER</u>
	2400	72	<u>E. SWAN</u>

Thursday			
Date	Time	Temp.	Name (Print)
<u>8/8/24</u>	0300	72	<u>E. SWAN</u>
	0600	75	<u>B. DIAZ</u>
	0900	75	<u>B. DIAZ</u>
	1200	76	<u>B. DIAZ</u>
	1500	75	<u>A. LITTLE</u>
	1800	74	<u>A. LITTLE</u>
	2100	73	<u>A. LITTLE</u>
	2400	73	<u>E. SWAN</u>

Friday			
Date	Time	Temp.	Name (Print)
<u>8/9/24</u>	0300	72	<u>E. SWAN</u>
	0600	75	<u>B. DIAZ</u>
	0900	75	<u>B. DIAZ</u>
	1200	72	<u>B. DIAZ</u>
	1500	73	<u>A. LITTLE</u>
	1800	72	<u>A. LITTLE</u>
	2100	71	<u>A. LITTLE</u>
	2400	71	<u>E. SWAN</u>

Saturday			
Date	Time	Temp.	Name (Print)
<u>8/10/24</u>	0300	71	<u>E. SWAN</u>
	0600	72	<u>R. MUNOZ</u>
	0900	72	<u>R. MUNOZ</u>
	1200	72	<u>R. MUNOZ</u>
	1500	72	<u>A. LITTLE</u>
	1800	71	<u>A. LITTLE</u>
	2100	71	<u>A. LITTLE</u>
	2400	71	<u>E. SWAN</u>

Sunday			
Date	Time	Temp.	Name (Print)
<u>8/11/24</u>	0300	71	<u>E. SWAN</u>
	0600	72	<u>R. MUNOZ</u>
	0900	72	<u>R. MUNOZ</u>
	1200	72	<u>R. MUNOZ</u>
	1500	72	<u>A. LITTLE</u>
	1800	71	<u>A. LITTLE</u>
	2100	70	<u>A. LITTLE</u>
	2400	70	<u>S. SCHWARTZ</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	70	GARRISON
	0600	72	D. LEON
	0900	70	D. LEON
	1200	80	D. LEON
	1500	80	T. BECKER
	1800	79	T. BECKER
	2100	77	T. BECKER
	2400	75	GARRISON

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	75	GARRISON
	0600	75	D. LEON
	0900	75	D. LEON
	1200	77	D. LEON
	1500	77	A. Meranu
	1800	75	A. Meranu
	2100	75	A. Meranu
	2400	75	RIOS

Friday

Date	Time	Temp.	Name (Print)
	0300	75	SCHUTZ
	0600	75	I. Meranu
	0900	75	I. Meranu
	1200	75	I. Meranu
	1500	76	A. Meranu
	1800	77	A. Meranu
	2100	76	A. Meranu
	2400	76	SCHUTZ

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	75	RIOS
	0600	75	RIOS
	0900	70	D. LEON
	1200	75	D. LEON
	1500	79	T. BECKER
	1800	78	T. BECKER
	2100	77	T. BECKER
	2400	77	GARRISON

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	75	GARRISON
	0600	75	D. LEON
	0900	75	D. LEON
	1200	80	D. LEON
	1500	80	A. Meranu
	1800	78	A. Meranu
	2100	77	A. Meranu
	2400	75	GARRISON

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	74	RIOS
	0600	74	RIOS
	0900	75	D. LEON
	1200	79	D. LEON
	1500	79	A. Meranu
	1800	77	A. Meranu
	2100	77	A. Meranu
	2400	77	RIOS

Saturday

Date	Time	Temp.	Name (Print)
	0300	75	SCHUTZ
	0600	74	LANDIN
	0900	74	LANDIN
	1200	74	LANDIN
	1500	75	Meranu
	1800	76	Meranu
	2100	75	Meranu
	2400	75	RIOS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

OP 1014, Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B6

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier etc.)

5555

when the inside air temperature reaches

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	71	MENDOZA	
0600	72	LANDIN	
0900	72	LANDIN	
1200	72	LANDIN	
1500	71	WELTON	
1800	70	WELTON	
2100	71	WELTON	
2400	70	SOLIS	

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	SOLIS	
0600	70	L.Mora	
0900	70	L.Mora	
1200	71	L.Mora	
1500	70	WELTON	
1800	70	WELTON	
2100	71	WELTON	
2400	70	SOLIS	

Friday

Date	Time	Temp.	Name (Print)
0300	70	SOLIS	
0600	70	L.Mora	
0900	70	L.Mora	
1200	70	L.Mora	
1500	70	J. Suback	
1800	70	J. Suback	
2100	70	J. Suback	
2400	70	SOLIS	

Sunday

Date	Time	Temp.	Name (Print)
0300	71	A.MARINONEZ	
0600	70	LANDIN	
0900	72	LANDIN	
1200	72	LANDIN	
1500	71	WELTON	
1800	71	WELTON	
2100	71	WELTON	
2400	72	A.MARINONEZ	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	SOLIS	
0600	70	L.Mora	
0900	71	L.Mora	
1200	70	L.Mora	
1500	70	WELTON	
1800	70	WELTON	
2100	70	WELTON	
2400	70	SOLIS	

Thursday

Date	Time	Temp.	Name (Print)
0300	70	SOLIS	
0600	70	L.Mora	
0900	70	L.Mora	
1200	70	L.Mora	
1500	70	J. Suback	
1800	70	J. Suback	
2100	70	J. Suback	
2400	70	SOLIS	

Saturday

Date	Time	Temp.	Name (Print)
0300	70	SOLIS	
0600	70	L.Mora	
0900	70	L.Mora	
1200	70	L.Mora	
1500	70	WELTON	
1800	71	WELTON	
2100	70	WELTON	
2400	71	A.MARINONEZ	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: B7

Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/16/21	0300	73	Chittach
	0600	73	Sabry
	0900	72	Sabry
	1200	71	Sabry
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	73	Chittach

Wednesday

Date	Time	Temp.	Name (Print)
8/16/21	0300	72	Scor
	0600	72	Rivas
	0900	72	Rivas
	1200	72	Rivas
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	71	S.Wilson

Friday

Date	Time	Temp.	Name (Print)
8/16/21	0300	70	G.Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	Perez
	1800	71	Perez
	2100	70	Perez
	2400	70	G.Pope

Sunday

Date	Time	Temp.	Name (Print)
8/16/21	0300	70	G.Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	J.Suback
	1800	71	J.Suback
	2100	71	J.Suback
	2400	73	Chittach

Tuesday

Date	Time	Temp.	Name (Print)
8/16/21	0300	71	Chittach
	0600	72	LANDIN
	0900	72	LANDIN
	1200	72	LANDIN
	1500	72	ZAMUDIO
	1800	72	ZAMUDIO
	2100	72	ZAMUDIO
	2400	72	Scor

Thursday

Date	Time	Temp.	Name (Print)
8/16/21	0300	71	S. Wilson
	0600	71	Rivas
	0900	71	Rivas
	1200	72	ZAMUDIO
	1500	72	ZAMUDIO
	1800	72	ZAMUDIO
	2100	72	ZAMUDIO
	2400	70	G.Pope

Saturday

Date	Time	Temp.	Name (Print)
8/16/21	0300	70	G.Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	J.Suback
	1800	70	J.Suback
	2100	70	J.Suback
	2400	70	G.Pope

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B8 Temp. Reading Location: 2nd TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5330 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

8/5/20

Date	Time	Temp.	Name (Print)
	0300	76	Thomas
	0600	73	GASTELUM
	0900	76	GASTELUM
	1200	76	GASTELUM
	1500	76	GASTELUM
	1800	75	GASTELUM
	2100	75	GASTELUM
	2400	75	Thomas

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/7</u>	0300	74	Thomas
	0600	75	Brown
	0900	75	Brown
	1200	75	Brown
	1500	74	Brown
	1800	74	Brown
	2100	74	Brown
	2400	74	Martinez

Friday

Date	Time	Temp.	Name (Print)
<u>8/9</u>	0300	73	H. Gutierrez
	0600	73	T. Suback
	0900	73	T. Suback
	1200	73	T. Suback
	1500	73	Brown
	1800	73	Brown
	2100	72	Brown
	2400	72	H. Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
<u>8/11</u>	0300	73	Welton
	0600	72	Welton
	0900	73	GASTELUM
	1200	73	GASTELUM
	1500	73	Garcia
	1800	73	Garcia
	2100	73	Garcia
	2400	73	Thomas

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/10</u>	0300	75	Thomas
	0600	75	A. GASTELUM
	0900	75	A. GASTELUM
	1200	76	A. GASTELUM
	1500	73	Brown
	1800	75	Brown
	2100	74	Brown
	2400	74	Thomas

Thursday

Date	Time	Temp.	Name (Print)
<u>8/12</u>	0300	70	Lopez
	0600	72	(Allega)
	0900	72	Callegas
	1200	72	Callegas
	1500	72	Brown
	1800	73	Brown
	2100	73	Brown
	2400	73	H. Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
<u>8/13</u>	0300	72	H. Gutierrez
	0600	73	A. GASTELUM
	0900	73	A. GASTELUM
	1200	73	A. GASTELUM
	1500	73	Brown
	1800	73	Brown
	2100	73	Brown
	2400	72	Welton

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
8-12-24	0300	70	NELSON
	0600	70	C. Madrigal
	0900	70	C. Madrigal
	1200	70	C. Madrigal
	1500	70	E. Vacharis
	1800	70	E. Vacharis
	2100	70	E. Vacharis
	2400	70	NELSON

Tuesday 2024			
Date	Time	Temp.	Name (Print)
8-13-24	0300	70	NELSON
	0600	70	C. Bellinger
	0900	71	C. Bellinger
	1200	72	Bell, Jr.
	1500	71	E. Vacharis
	1800	71	E. Vacharis
	2100	70	E. Vacharis
	2400	70	NELSON

Wednesday 2024			
Date	Time	Temp.	Name (Print)
8-14-24	0300	70	NELSON
	0600	70	C. Bellinger
	0900	71	C. Bellinger
	1200	71	C. Bellinger
	1500	71	C. Bellinger
	1800	71	C. Bellinger
	2100	70	C. Bellinger
	2400	70	NELSON

Thursday 2024			
Date	Time	Temp.	Name (Print)
8-15-24	0300	70	NELSON
	0600	70	C. Bellinger
	0900	70	C. Bellinger
	1200	71	C. Bellinger
	1500	71	C. Bellinger
	1800	70	C. Bellinger
	2100	70	C. Bellinger
	2400	71	NELSON

Friday 2024			
Date	Time	Temp.	Name (Print)
8-16-24	0300	70	NELSON
	0600	70	J. Carr, II
	0900	72	J. Carr, II
	1200	72	J. Carr, II
	1500	72	E. Romero
	1800	72	E. Romero
	2100	70	E. Romero
	2400	70	Heag, Jr.

Saturday 2024			
Date	Time	Temp.	Name (Print)
8-17-24	0300	70	Haag, T.
	0600	70	J. Carr, II
	0900	71	J. Carr, II
	1200	72	J. Carr, II
	1500	72	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Haag, Jr.

Sunday 2024			
Date	Time	Temp.	Name (Print)
8-18-24	0300	70	Haag, Jr.
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-2 Temp. Reading Location: A,B,C UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday / 2021			
Date	Time	Temp.	Name (Print)
<u>8/12</u>	0300	<u>70</u>	<u>MARTINEZ</u>
	0600	<u>70</u>	<u>Nava</u>
	0900	<u>71</u>	<u>Nava</u>
	1200	<u>71</u>	<u>Nava</u>
	1500	<u>71</u>	
	1800	<u>72</u>	<u>SPURGEON</u>
	2100	<u>75</u>	<u>SPURGEON</u>
	2400	<u>71</u>	<u>PACAFIX</u>

Wednesday 8/14/2021			
Date	Time	Temp.	Name (Print)
<u>8/14</u>	0300	<u>71</u>	<u>PACAFIX</u>
	0600	<u>72</u>	<u>Schen</u>
	0900	<u>72</u>	<u>Schen</u>
	1200	<u>72</u>	<u>Schen</u>
	1500	<u>72</u>	<u>Licea</u>
	1800	<u>72</u>	<u>Licea</u>
	2100	<u>71</u>	<u>Licea</u>
	2400	<u>71</u>	<u>LEVEQUE</u>

Friday / 2021			
Date	Time	Temp.	Name (Print)
<u>8/16</u>	0300	<u>71</u>	<u>Haag, Jr.</u>
	0600	<u>72</u>	<u>Schen</u>
	0900	<u>72</u>	<u>Schen</u>
	1200	<u>72</u>	<u>Schen</u>
	1500	<u>72</u>	<u>Licea</u>
	1800	<u>72</u>	<u>Licea</u>
	2100	<u>72</u>	<u>Licea</u>
	2400	<u>70</u>	<u>MARTINEZ</u>

Sunday / 2021			
Date	Time	Temp.	Name (Print)
<u>8/18</u>	0300	<u>70</u>	<u>Schen</u>
	0600	<u>70</u>	<u>G. Gronlund</u>
	0900	<u>70</u>	<u>G. Gronlund</u>
	1200	<u>70</u>	<u>G. Gronlund</u>
	1500	<u>71</u>	<u>F. Vadhuis</u>
	1800	<u>72</u>	<u>F. Vadhuis</u>
	2100	<u>71</u>	<u>F. Vadhuis</u>
	2400	<u>70</u>	<u>MARTINEZ</u>

Tuesday / 2021			
Date	Time	Temp.	Name (Print)
<u>8/13</u>	0300	<u>71</u>	<u>PACAFIX</u>
	0600	<u>70</u>	<u>Nava</u>
	0900	<u>71</u>	<u>Nava</u>
	1200	<u>71</u>	<u>Nava</u>
	1500	<u>71</u>	<u>Licea</u>
	1800	<u>71</u>	<u>Licea</u>
	2100	<u>71</u>	<u>Licea</u>
	2400	<u>71</u>	<u>PACAFIX</u>

Thursday 8/15/2021			
Date	Time	Temp.	Name (Print)
<u>8/15</u>	0300	<u>71</u>	<u>LEVEQUE</u>
	0600	<u>72</u>	<u>Schen</u>
	0900	<u>72</u>	<u>Schen</u>
	1200	<u>72</u>	<u>Schen</u>
	1500	<u>72</u>	<u>Licea</u>
	1800	<u>72</u>	<u>Licea</u>
	2100	<u>72</u>	<u>Licea</u>
	2400	<u>72</u>	<u>Hague, Jr.</u>

Saturday / 2021			
Date	Time	Temp.	Name (Print)
<u>8/17</u>	0300	<u>70</u>	<u>MARTINEZ</u>
	0600	<u>70</u>	<u>Schen</u>
	0900	<u>70</u>	<u>Schen</u>
	1200	<u>70</u>	<u>Schen</u>
	1500	<u>71</u>	<u>JCKER</u>
	1800	<u>70</u>	<u>JCKER</u>
	2100	<u>70</u>	<u>JCKER</u>
	2400	<u>70</u>	<u>Schen</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PDSP Housing Unit: B 4 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension SSSS when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
0300	70	SCHUTZ	
0600	75	B. DIAZ	
0900	72	B. DIAZ	
1200	70	B. DIAZ	
1500	71	A. LITTLE	
1800	71	A. LITTLE	
2100	70	A. Little	
2400	70	C. Lesley	

Date	Time	Temp.	Name (Print)
0300	76	Scot	
0600	75	B. DIAZ	
0900	72	B. DIAZ	
1200	72	B. DIAZ	
1500	72	B. Williams	
1800	72	B. Williams	
2100	71	B. Williams	
2400	71	Scot	

Date	Time	Temp.	Name (Print)
0300	71	Scot	
0600	70	B. DIAZ	
0900	75	B. DIAZ	
1200	76	B. DIAZ	
1500	77	B. DIAZ	
1800	75	FARIES	
2100	76	FARIES	
2400	73	CHAN	

Date	Time	Temp.	Name (Print)
0300	71	SCHUTZ	
0600	72	LANDIN	
0900	72	LANDIN	
1200	72	LANDIN	
1500	74	Worth	
1800	73	Worth	
2100	73	Worth	
2400	73	C. Lesley	

Date	Time	Temp.	Name (Print)
0300	71	C. LESLEY	
0600	74	B. DIAZ	
0900	72	B. DIAZ	
1200	75	B. DIAZ	
1500	77	D. BECKER	
1800	76	D. BECKER	
2100	76	D. BECKER	
2400	76	Scot	

Date	Time	Temp.	Name (Print)
0300	71	Scot	
0600	73	B. DIAZ	
0900	70	B. DIAZ	
1200	70	B. DIAZ	
1500	70	E. GILL	
1800	71	E. GILL	
2100	73	FARIES	
2400	77	Scot	

Date	Time	Temp.	Name (Print)
0300	73	CHAN	
0600	75	C. GILL	
0900	75	C. GILL	
1200	75	C. GILL	
1500	76	SMITH	
1800	72	SMITH	
2100	72	SMITH	
2400	72	SMITH	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	75	GARRISON
	0600	76	LEON
	0900	77	LEON
	1200	76	LEON
	1500	78	Becker
	1800	72	Becker
	2100	73	Becker
	2400	75	GARRISON

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	75	GARRISON
	0600	75	D. LEON
	0900	77	D. LEON
	1200	77	D. LEON
	1500	75	E. SHEW
	1800	75	E. SHEW
	2100	75	E. SHEW
	2400	75	RIOS

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	74	SCHW
	0600	74	C. LEON
	0900	73	C. LEON
	1200	73	C. LEON
	1500	73	Mervin
	1800	77	Mervin
	2100	75	Mervin
	2400	75	RICHER

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	74	Rios
	0600	74	Rios
	0900	76	M. REUSS
	1200	74	M. REUSS
	1500	74	BECKER
	1800	74	BECKER
	2100	74	BECKER
	2400	74	GARRISON

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	75	GARRISON
	0600	75	D. LEON
	0900	77	D. LEON
	1200	77	D. LEON
	1500	77	Williams
	1800	77	Williams
	2100	75	Williams
	2400	75	GARRISON

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	74	Rios
	0600	74	Rios
	0900	76	A. PENA
	1200	74	A. PENA
	1500	71	Mervin
	1800	78	Mervin
	2100	75	Mervin
	2400	75	SCHW

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	75	SCHW
	0600	72	LANDIN
	0900	72	LANDIN
	1200	72	LANDIN
	1500	74	Mervin
	1800	74	Mervin
	2100	75	Mervin
	2400	75	Rios

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

OP 1014, Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSO Housing Unit B6

Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	71	A. MELENDREZ
	0600	72	LANDIN
	0900	72	LANDIN
	1200	72	LANDIN
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	Schaefer

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	70	Schaefer
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	70	B. Weltz
	1800	71	B. Weltz
	2100	70	S. Perez
	2400	70	Schaefer

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	70	Schaefer
	0600	70	L. Mora
	0900	70	L. Mora
	1200	71	L. Mora
	1500	70	A. Arias
	1800	73	A. Arias
	2100	73	A. Arias
	2400	74	A. Pena

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	70	A. MELENDREZ
	0600	70	J. Perez
	0900	71	J. Perez
	1200	72	J. Perez
	1500	70	B. Weltz
	1800	71	B. Weltz
	2100	70	B. Weltz
	2400	71	A. MELENDREZ

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	70	Schaefer
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	70	Weltz
	1800	70	Weltz
	2100	70	Weltz
	2400	70	Schaefer

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	70	Schaefer
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	70	A. Arias
	1800	70	A. Arias
	2100	70	A. Arias
	2400	70	Schaefer

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	74	A. Pena
	0600	71	L. Mora
	0900	76	L. Mora
	1200	76	L. Mora
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	A. MELENDREZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR

Housing Unit: B 7

Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5556 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	72	Chittenden
	0600	72	Reynoso
	0900	72	Reynoso
	1200	72	Reynoso
	1500	72	Zamudio
	1800	72	Zamudio
	2100	72	Zamudio
	2400	72	C. Madigan

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	72	S. Wilson
	0600	72	
	0900	72	
	1200	72	
	1500	72	Zamudio
	1800	72	Zamudio
	2100	72	Zamudio
	2400	70	G. Pope

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	Zamudio
	1800	70	Zamudio
	2100	70	Zamudio
	2400	70	G. Pope

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	G. Pope
	0600	70	Arias
	0900	72	Arias
	1200	72	Arias
	1500	72	A. Arias
	1800	72	A. Arias
	2100	72	A. Arias
	2400	73	Chittenden

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	72	C. Madigan
	0600	72	C. Madigan
	0900	72	M. Landin
	1200	72	M. Landin
	1500	72	Zamudio
	1800	72	Zamudio
	2100	72	Zamudio
	2400	72	S. Wilson

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	72	Zamudio
	1800	72	Zamudio
	2100	72	Zamudio
	2400	70	G. Pope

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	72	A. Arias
	1800	72	A. Arias
	2100	72	A. Arias
	2400	70	G. Pope

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B 8

Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5350 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12/24

Date	Time	Temp.	Name (Print)
8/12/24	0300	73	T. Morris
	0600	73	A. GASTELUM
	0900	73	A. GASTELUM
	1200	73	A. GASTELUM
	1500	72	60
	1800	72	60
	2100	72	60
	2400	72	T. Morris

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	72	T. Morris
	0600	69	E. Abernathy
	0900	70	E. Abernathy
	1200	70	E. Abernathy
	1500	70	BRAUN
	1800	70	BRAUN
	2100	71	BRAUN
	2400	71	T. Morris

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	72	H. Gutierrez
	0600	72	A. GASTELUM
	0900	73	A. GASTELUM
	1200	73	A. GASTELUM
	1500	73	BRAUN
	1800	73	BRAUN
	2100	72	BRAUN
	2400	73	H. Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	72	Carrillo
	0600	71	Carrillo
	0900	73	A. GASTELUM
	1200	73	A. GASTELUM
	1500	75	ISOLIS
	1800	74	ISOLIS
	2100	74	ISOLIS
	2400	74	T. Morris

Tuesday

Date	Time	Temp.	Name (Print)
8/15/24	0300	72	T. Morris
	0600	73	A. GASTELUM
	0900	73	A. GASTELUM
	1200	73	A. GASTELUM
	1500	71	G. Gronlund
	1800	70	G. Gronlund
	2100	70	G. Gronlund
	2400	72	T. Morris

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	71	T. Morris
	0600	71	Abernathy
	0900	71	Abernathy
	1200	71	Abernathy
	1500	72	BRAUN
	1800	72	BRAUN
	2100	72	BRAUN
	2400	72	H. Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	73	H. Gutierrez
	0600	73	A. GASTELUM
	0900	73	A. GASTELUM
	1200	74	A. GASTELUM
	1500	75-72	BRAUN
	1800	72	BRAUN
	2100	72	BRAUN
	2400	72	Carrillo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. Vadas
	1800	70	E. Vadas
	2100	71	E. Vadas
	2400	70	NELSON

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	72	J. Johnson
	1200	73	J. Johnson
	1500	73	J. Worth
	1800	73	J. Worth
	2100	72	S. Worth
	2400	70	NELSON

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	72	J. Johnson
	1200	73	J. Johnson
	1500	72	C. Bellamy
	1800	72	C. Bellamy
	2100	71	C. Bellamy
	2400	70	NELSON

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	70	J. Johnson
	1500	71	C. Bellamy
	1800	71	C. Bellamy
	2100	70	C. Bellamy
	2400	70	NELSON

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	70	NELSON
	0600	70	Carrillo
	0900	70	Carrillo
	1200	72	Carrillo
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Haag, J.

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	70	Haag, J.
	0600	70	Carrillo
	0900	70	Carrillo
	1200	70	Carrillo
	1500	72	E. Romero
	1800	72	E. Romero
	2100	70	E. Romero
	2400	70	Haag, J.

Notes

Date	Time	Temp.	Name (Print)
8-25-24	0300	70	Haag, J.
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	72	E. Romero
	1800	72	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-2 Temp. Reading Location: A,B,C UPPER TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday / 2021

Date	Time	Temp.	Name (Print)
8/19	0300	70	MARTINEZ
	0600	70	O'Connell
	0900	73	O'Connell
	1200	74	O'Connell
	1500	72	Licea
	1800	72	Licea
	2100	71	Licea
	2400	71	PALAFON

Wednesday / 2021

Date	Time	Temp.	Name (Print)
8/21	0300	70	PALAFON
	0600	70	Schen
	0900	72	Schen
	1200	72	Schen
	1500	72	Licea
	1800	71	Licea
	2100	71	Licea
	2400	71	Licea CAVAZOS

Friday / 2021

Date	Time	Temp.	Name (Print)
8/23	0300	71	Haag, J.
	0600	72	Schen
	0900	72	Schen
	1200	72	Schen
	1500	71	Licea
	1800	71	Licea
	2100	71	Licea
	2400	70	MARTINEZ

Sunday / 2021

Date	Time	Temp.	Name (Print)
8/25	0300	70	MARTINEZ
	0600	71	Gronlund
	0900	71	Gronlund
	1200	72	Gronlund
	1500	70	E. Vadhais
	1800	70	E. Vadhais
	2100	70	E. Vadhais
	2400	70	MARTINEZ

Tuesday / 2021

Date	Time	Temp.	Name (Print)
8/20	0300	70	PALAFON
	0600	70	Nava
	0900	71	Nava
	1200	71	Nava
	1500	72	Licea
	1800	72	Licea
	2100	71	Licea
	2400	71	PALAFON

Thursday / 2021

Date	Time	Temp.	Name (Print)
8/22	0300	71	CAVAZOS
	0600	71	CAVAZOS
	0900	72	Schen
	1200	72	Schen
	1500	72	Licea
	1800	72	Licea
	2100	72	Licea
	2400	71	Haag, J.

Saturday / 2021

Date	Time	Temp.	Name (Print)
8/24	0300	70	MARTINEZ
	0600	70	Schen
	0900	72	Schen
	1200	72	Schen
	1500	70	E. Vadhais
	1800	70	E. Vadhais
	2100	70	E. Vadhais
	2400	70	MARTINEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/10/24	0300	72	L. COLE
	0600	75	B. DIAZ
	0900	75	B. DIAZ
	1200	74	B. DIAZ
	1500	75	J. FLORES
	1800	76	J. FLORES
	2100	71	J. FLORES
	2400	72	C. LESLEY

Tuesday

Date	Time	Temp.	Name (Print)
8/11/24	0300	72	C. LESLEY
	0600	72	B. DIAZ
	0900	75	B. DIAZ
	1200	76	B. DIAZ
	1500	75	BECKER
	1800	77	DECKER
	2100	72	BECKER
	2400	72	Scor

Wednesday

Date	Time	Temp.	Name (Print)
8/12/24	0300	72	Scor
	0600	73	B. DIAZ
	0900	73	B. DIAZ
	1200	78	B. DIAZ
	1500	79	DECKER
	1800	76	DECKER
	2100	74	DECKER
	2400	74	Scor

Thursday

Date	Time	Temp.	Name (Print)
8/13/24	0300	74	Scor
	0600	75	DIAZ
	0900		B. DIAZ
	1200		B. DIAZ
	1500	74	A. LITTLE
	1800	73	A. LITTLE
	2100	72	A. LITTLE
	2400	72	Scor

Friday

Date	Time	Temp.	Name (Print)
8/14/24	0300	72	Scor
	0600	69	REYNOLDS
	0900	70	REYNOLDS
	1200	71	REYNOLDS
	1500	71	A. LITTLE
	1800	71	A. LITTLE
	2100	69	A. LITTLE
	2400	70	Scor

Saturday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70	Scor
	0600	70	C. GIL
	0900	71	C. GIL
	1200	73	C. GIL
	1500	73	A. LITTLE
	1800	72	A. LITTLE
	2100	71	A. LITTLE
	2400	70	SCHUTZ

Notes

Date	Time	Temp.	Name (Print)
8/16/24	0300	70	Scor
	0600	70	LANDIN
	0900	72	LANDIN
	1200	72	LANDIN
	1500	72	A. LITTLE
	1800	71	A. LITTLE
	2100	71	A. LITTLE
	2400	72	C. LESLEY

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8</u>	0300	<u>74</u>	<u>GARRISON</u>
<u>19</u>	0600	<u>74</u>	<u>Wethorn</u>
<u>24</u>	0900	<u>73</u>	<u>Wethorn</u>
	1200	<u>74</u>	<u>Wethorn</u>
	1500	<u>75</u>	<u>BECKER</u>
	1800	<u>77</u>	<u>BECKER</u>
	2100	<u>74</u>	<u>BECKER</u>
	2400	<u>74</u>	<u>GARRISON</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>8</u>	0300	<u>74</u>	<u>GARRISON</u>
<u>21</u>	0600	<u>74</u>	<u>D. LEON</u>
<u>24</u>	0900	<u>75</u>	<u>D. LEON</u>
	1200	<u>76</u>	<u>D. LEON</u>
	1500	<u>77</u>	<u>A. Mervanu</u>
	1800	<u>76</u>	<u>A. Mervanu</u>
	2100	<u>76</u>	<u>A. Mervanu</u>
	2400	<u>75</u>	<u>Rios</u>

Friday

Date	Time	Temp.	Name (Print)
<u>8</u>	0300	<u>75</u>	<u>J. Abear</u>
<u>—</u>	0600	<u>73</u>	<u>M. Rodriguez</u>
<u>23</u>	0900	<u>75</u>	<u>O. Diaz</u>
<u>—</u>	1200	<u>75</u>	<u>O. Diaz</u>
<u>24</u>	1500	<u>72</u>	<u>Mervanu</u>
	1800	<u>72</u>	<u>Mervanu</u>
	2100	<u>71</u>	<u>Mervanu</u>
	2400	<u>71</u>	<u>SCHART</u>

Sunday

Date	Time	Temp.	Name (Print)
<u>8</u>	0300	<u>78</u>	<u>Sury</u>
<u>—</u>	0600	<u>74</u>	<u>D. LEON</u>
<u>23</u>	0900	<u>75</u>	<u>D. LEON</u>
<u>—</u>	1200	<u>74</u>	<u>D. LEON</u>
<u>24</u>	1500	<u>74</u>	<u>D. BECKER</u>
	1800	<u>74</u>	<u>D. BECKER</u>
	2100	<u>72</u>	<u>D. BECKER</u>
	2400	<u>71</u>	<u>D. GELINS</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>8-20-24</u>	0300	<u>74</u>	<u>GARRISON</u>
	0600	<u>74</u>	<u>D. LEON</u>
	0900	<u>75</u>	<u>D. LEON</u>
	1200	<u>77</u>	<u>D. LEON</u>
	1500	<u>77</u>	<u>A. Mervanu</u>
	1800	<u>77</u>	<u>A. Mervanu</u>
	2100	<u>76</u>	<u>A. Mervanu</u>
	2400	<u>74</u>	<u>GARRISON</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>N</u>	0300	<u>75</u>	<u>Rios</u>
<u>N</u>	0600	<u>75</u>	<u>Rios</u>
<u>N</u>	0900	<u>74</u>	<u>D. LEON</u>
<u>N</u>	1200	<u>70</u>	<u>D. LEON</u>
<u>N</u>	1500	<u>71</u>	<u>A. Mervanu</u>
<u>N</u>	1800	<u>76</u>	<u>A. Mervanu</u>
<u>N</u>	2100	<u>75</u>	<u>A. Mervanu</u>
<u>N</u>	2400	<u>75</u>	<u>J. Harris</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>8-24-24</u>	0300	<u>71</u>	<u>SCHART</u>
	0600	<u>71</u>	<u>Reynolds</u>
	0900	<u>72</u>	<u>Reynolds</u>
	1200	<u>72</u>	<u>Reynolds</u>
	1500	<u>71</u>	<u>Mervanu</u>
	1800	<u>76</u>	<u>Mervanu</u>
	2100	<u>75</u>	<u>Mervanu</u>
	2400	<u>75</u>	<u>Mervanu</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

OP 1014, Attachment H
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSF Housing Unit B6 Temp. Reading Location: 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	70	A. MELENDEZ	
0600	72	R. Laram	
0900	71	R. Conneen	
1200	73	R. Conneen	
1500	70	R. Wett	
1800	70	R. Wett	
2100	70	R. Wett	
2400	70	R. Gehres	

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	S. Laram	
0600	70	L. Mora	
0900	71	L. Mora	
1200	71	L. Mora	
1500	71	Wett	
1800	71	Wett	
2100	70	Wett	
2400	70	S. Laram	

Friday

Date	Time	Temp.	Name (Print)
0300	70	S. Laram	
0600	70	L. Mora	
0900	70	L. Mora	
1200	70	L. Mora	
1500	70	T. Suback	
1800	70	T. Suback	
2100	70	T. Suback	
2400	70	S. Laram	

Sunday

Date	Time	Temp.	Name (Print)
0300	70	A. MELENDEZ	
0600	70	M. Rodriguez	
0900	72	M. Rodriguez	
1200	72	M. Rodriguez	
1500	70	Wett	
1800	70	Wett	
2100	71	Wett	
2400	71	A. MELENDEZ	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	R. Gehres	
0600	70	L. Mora	
0900	71	L. Mora	
1200	71	L. Mora	
1500	70	Wett	
1800	70	Wett	
2100	71	Wett	
2400	70	S. Laram	

Thursday

Date	Time	Temp.	Name (Print)
0300	70	S. Laram	
0600	70	L. Mora	
0900	70	L. Mora	
1200	70	L. Mora	
1500	70	T. Suback	
1800	70	T. Suback	
2100	70	T. Suback	
2400	70	S. Laram	

Saturday

Date	Time	Temp.	Name (Print)
0300	70	S. Laram	
0600	70	L. Mora	
0900	70	L. Mora	
1200	70	L. Mora	
1500	70	Wett	
1800	70	Wett	
2100	70	Wett	
2400	70	A. MELENDEZ	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B7

Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	70	Chittick
	0600	72	LANDIN
	0900	72	LANDIN
	1200	72	LANDIN
	1500	72	ZAMUDIO
	1800	72	ZAMUDIO
	2100	72	ZAMUDIO
	2400	70	Chittick

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	71	G. PIPE
	0600	71	Reyes
	0900	71	Reyes
	1200	71	Reyes
	1500	72	ZAMUDIO
	1800	72	ZAMUDIO
	2100	72	ZAMUDIO
	2400	70	G. PIPE

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	70	G. PIPE
	0600	70	Reyes
	0900	70	Reyes
	1200	70	Reyes
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. PIPE

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	70	G. PIPE
	0600	70	R. Reynolds
	0900	71	R. Reynolds
	1200	72	R. Reynolds
	1500	72	J. Slobach
	1800	72	J. Slobach
	2100	70	J. Slobach
	2400	70	Chittick

Tuesday

Date	Time	Temp.	Name (Print)
8/22/24	0300	72	Chittick
	0600	72	LANDIN
	0900	72	ZAMUDIO
	1200	72	ZAMUDIO
	1500	72	ZAMUDIO
	1800	72	ZAMUDIO
	2100	72	ZAMUDIO
	2400	71	G. PIPE

Thursday

Date	Time	Temp.	Name (Print)
8/24/24	0300	70	G. PIPE
	0600	70	Reyes
	0900	70	Reyes
	1200	70	Reyes
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. PIPE

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	70	G. PIPE
	0600	71	C. Madrigal
	0900	71	C. Madrigal
	1200	71	C. Madrigal
	1500	71	Reyes
	1800	71	Reyes
	2100	70	J. Slobach
	2400	70	G. PIPE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSF Housing Unit: B8 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5333 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/24

Date	Time	Temp.	Name (Print)
	0300	73	T. Thomas
	0600	73	A. GASTELUM
	0900	73	A. GASTELUM
	1200	73	A. GASTELUM
	1500	74	A. GASTELUM
	1800	73	A. GASTELUM
	2100	73	A. GASTELUM
	2400	73	T. Thomas

Tuesday

Date	Time	Temp.	Name (Print)
	0300	73	T. Thomas
	0600	72	M. J. Mora
	0900	75	M. J. Mora
	1200	79	M. J. Mora
	1500	75	B. Braun
	1800	73	B. Braun
	2100	73	B. Braun
	2400	73	T. Thomas

Wednesday

Date	Time	Temp.	Name (Print)
	0300	73	T. Thomas
	0600	71	N. YANG
	0900	73	N. YANG
	1200	72	N. YANG
	1500	71	B. Braun
	1800	72	B. Braun
	2100	72	B. Braun
	2400	72	T. Thomas

Thursday

Date	Time	Temp.	Name (Print)
	0300	72	T. Thomas
	0600	71	N. YANG
	0900	72	N. YANG
	1200	72	N. YANG
	1500	72	B. Braun
	1800	73	B. Braun
	2100	73	B. Braun
	2400	73	H. Gutierrez

Friday

Date	Time	Temp.	Name (Print)
	0300	73	H. Gutierrez
	0600	73	J. Suback
	0900	73	J. Suback
	1200	74	J. Suback
	1500	73	B. Braun
	1800	73	B. Braun
	2100	72	B. Braun
	2400	72	H. Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
	0300	72	H. Gutierrez
	0600	72	A. GASTELUM
	0900	73	A. GASTELUM
	1200	73	A. GASTELUM
	1500	73	B. Braun
	1800	73	B. Braun
	2100	73	B. Braun
	2400	73	T. Thomas

Sunday

Date	Time	Temp.	Name (Print)
	0300	73	T. Thomas
	0600	73	A. GASTELUM
	0900	73	A. GASTELUM
	1200	74	A. GASTELUM
	1500	73	W. CRUZ
	1800	73	W. CRUZ
	2100	73	W. CRUZ
	2400	73	C. Magaña

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1

Temp. Reading Location: SECOND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
8-26-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	72	J. Johnson
	1500	70	E. Vadnais
	1800	71	E. Vadnais
	2100	71	E. Vadnais
	2400	70	NELSON

Tuesday 2024			
Date	Time	Temp.	Name (Print)
8-27-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	70	E. Vadnais
	1800	71	E. Vadnais
	2100	70	E. Vadnais
	2400	70	NELSON

Wednesday 2024			
Date	Time	Temp.	Name (Print)
8-28-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	71	C. Bellinger
	1800	71	C. Bellinger
	2100	71	C. Bellinger
	2400	70	NELSON

Thursday 2024			
Date	Time	Temp.	Name (Print)
8-29-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	73	C. Bellinger
	1800	72	C. Bellinger
	2100	72	C. Bellinger
	2400	72	Conclusions

Friday 2024			
Date	Time	Temp..	Name (Print)
8-30-24	0300	72	R. McCasland
	0600	70	J. Carrillo
	0900	71	J. Carrillo
	1200	71	J. Carrillo
	1500	70	E. Romano
	1800	70	E. Romano
	2100	70	E. Romano
	2400	70	Haug Jr.

Saturday 2024			
Date	Time	Temp.	Name (Print)
8-31-24	0300	70	Haug Jr.
	0600	71	J. Carrillo
	0900	70	J. Carrillo
	1200	70	J. Carrillo
	1500	72	E. Romano
	1800	72	E. Romano
	2100	70	E. Romano
	2400	70	Scot

Sunday 2024			
Date	Time	Temp.	Name (Print)
9-1-24	0300	70	Scot
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. Romano
	1800	70	E. Romano
	2100	70	E. Romano
	2400	70	NELSON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-2 Temp. Reading Location: A,B,C UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
8/26	0300	70	MARTINEZ
	0600	71	LAMILLIN
	0900	71	CANTIN
	1200	71	CANTIN
	1500	71	Licea
	1800	71	Licea
	2100	71	Licea
	2400	70	R. PARAFOR

Date	Time	Temp.	Name (Print)
8/28	0300	70	R. PARAFOR
	0600	70	Schen
	0900	72	Schen
	1200	72	Schen
	1500	72	Licea
	1800	72	Licea
	2100	72	Licea
	2400	70°	MANZAND

Date	Time	Temp.	Name (Print)
8/30	0300	71	CANTIN
	0600	70	Schen
	0900	72	Schen
	1200	72	Schen
	1500	72	Licea
	1800	71	Licea
	2100	71	Licea
	2400	70	MARTINEZ

Date	Time	Temp.	Name (Print)
9/1	0300	70	MARTINEZ
	0600	70	Gronlund
	0900	72	Gronlund
	1200	72	Gronlund
	1500	71	E. Volden
	1800	71	E. Volden
	2100	70	E. Volden
	2400	70	MARTINEZ

Date	Time	Temp.	Name (Print)
8/27	0300	70	R. PARAFOR
	0600	70	Reynolds
	0900	70	Reynolds
	1200	70	Reynolds
	1500	71	Licea
	1800	71	Licea
	2100	71	Licea
	2400	70	R. PARAFOR

Date	Time	Temp.	Name (Print)
8/29	0300	70°	MANZAND
	0600	70	Schen
	0900	72	Schen
	1200	74	Schen
	1500	75	Licea
	1800	73	Licea
	2100	72	Licea
	2400	71	CANTIN

Date	Time	Temp.	Name (Print)
8/31	0300	70	MARTINEZ
	0600	70	Schen
	0900	72	Schen
	1200	72	Schen
	1500	70	CANTIN
	1800	70	CANTIN
	2100	70	CANTIN
	2400	70	MARTINEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B4 Temp. Reading Location: 2nd TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	72	C. LESLEY
	0600	72	B. DIAZ
	0900	73	B. DIAZ
	1200	73	B. DIAZ
	1500	73	A. LITTLE
	1800	72	A. LITTLE
	2100	71	A. LITTLE
	2400	72	C. LESLEY

Wednesday

8/28/18

Date	Time	Temp.	Name (Print)
8/28	0300	72	Schwartz
	0600	73	B. DIAZ
	0900	73	B. DIAZ
	1200	74	B. DIAZ
	1500	74	BECKER
	1800	75	BECKER
	2100	75	Becker
	2400	72	HAWKINS

Friday

8/30/18

Date	Time	Temp.	Name (Print)
8/30	0300	73	Schwartz
	0600	73	REYNOLDS
	0900	73	REYNOLDS
	1200	72	REYNOLDS
	1500	72	A. LITTLE
	1800	72	A. LITTLE
	2100	71	A. LITTLE
	2400	75	C. THORPE

Sunday

9/1/18

Date	Time	Temp.	Name (Print)
9/1	0300	71	SCHWARTZ
	0600	72	REYNOSO
	0900	72	REYNOSO
	1200	72	REYNOSO
	1500	72	A. LITTLE
	1800	71	A. LITTLE
	2100	71	A. LITTLE
	2400	71	C. LESLEY

Tuesday

Date	Time	Temp.	Name (Print)
8/29	0300	72	C. LESLEY
	0600	73	B. DIAZ
	0900	72	B. DIAZ
	1200	75	B. DIAZ
	1500	75	D. BECKER
	1800	74	D. BECKER
	2100	73	D. BECKER
	2400	72	Schwartz

Thursday

8/29/18

Date	Time	Temp.	Name (Print)
8/29	0300	71	HAWKINS
	0600	75	B. DIAZ
	0900	75	B. DIAZ
	1200	75	B. DIAZ
	1500	75	A. LITTLE
	1800	74	A. LITTLE
	2100	73	A. LITTLE
	2400	73	Schwartz

Saturday

8/31/18

Date	Time	Temp.	Name (Print)
8/31	0300	75	C. THORPE
	0600	73	REYNOSO
	0900	73	REYNOSO
	1200	73	REYNOSO
	1500	73	A. LITTLE
	1800	72	A. LITTLE
	2100	71	A. LITTLE
	2400	71	Schwartz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2nd TDR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	71	P. Gelinas
	0600	74	D. LEON
	0900	73	D. LEON
	1200	77	D. LEON
	1500	77	D. BECKER
	1800	76	D. BECKER
	2100	75	D. BECKER
	2400	75	J. Flores

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	79	J. Flores
	0600	74	J. Flores
	0900	74	D. LEON
	1200	75	D. LEON
	1500	76	A. Mervan
	1800	76	A. Mervan
	2100	75	A. Mervan
	2400	75	C. de los

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	73	C. de los
	0600	73	D. LEON
	0900	74	D. LEON
	1200	75	D. LEON
	1500	76	A. Mervan
	1800	76	A. Mervan
	2100	75	A. Mervan
	2400	73	D. Carrillo

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	73	Carrillo
	0600	73	D. LEON
	0900	74	D. LEON
	1200	75	D. LEON
	1500	76	A. Mervan
	1800	75	A. Mervan
	2100	73	A. Mervan
	2400	72	Hawkins

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	71	Hawkins
	0600	71	Valdivinos
	0900	71	Valdivinos
	1200	73	Mervan
	1500	72	Mervan
	1800	72	Mervan
	2100	71	Mervan
	2400	71	Schultz

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	71	Schultz
	0600	71	Landon
	0900	72	Landon
	1200	72	Landon
	1500	74	Mervan
	1800	74	Mervan
	2100	73	Mervan
	2400	72	Welt

Notes

Date	Time	Temp.	Name (Print)
9/1/24	0300	72	Welt
	0600	72	D. LEON
	0900	74	D. LEON
	1200	75	D. LEON
	1500	72	M. Gonzalez
	1800	72	M. Gonzalez
	2100	72	M. Gonzalez
	2400	70	Garcia

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	71	A. MELENOREZ
	0600	70	M. Valdovinos
	0900	70	M. Valdovinos
	1200	70	M. Valdovinos
	1500	70	Weltner
	1800	71	Weltner
	2100	70	Weltner
	2400	70	Soler

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	70	Soler
	0600	70	L. Mora
	0900	71	L. Mora
	1200	71	L. Mora
	1500	70	Weltner
	1800	71	Weltner
	2100	70	Weltner
	2400	70	Soler

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	70	Soler
	0600	70	L. Mora
	0900	71	L. Mora
	1200	72	L. Mora
	1500	71	B. Weltner
	1800	70	B. Weltner
	2100	71	B. Weltner
	2400	70	Soler

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	70	Soler
	0600	70	L. Mora
	0900	70	L. Mora
	1200	72	L. Mora
	1500	72	J. Suback
	1800	72	J. Suback
	2100	71	J. Suback
	2400	70	Kick

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	69	Rick
	0600	68	Rick
	0900	70	L. Mora
	1200	70	L. Mora
	1500	71	L. Mora
	1800	71	J. Suback
	2100	70	P. Sungack
	2400	70	N. Watson

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	70	N. Watson
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	70	B. Weltner
	1800	71	B. Weltner
	2100	70	B. Weltner
	2400	71	A. MELENOREZ

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	70	A. MELENOREZ
	0600	70	M. Valdovinos
	0900	70	M. Valdovinos
	1200	70	M. Valdovinos
	1500	70	B. Weltner
	1800	71	B. Weltner
	2100	70	B. Weltner
	2400	71	A. MELENOREZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSY Housing Unit: B7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/21	0300	70	Chitlock
	0600	70	S. Chang
	0900	70	S. Chang
	1200	70	S. Chang
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	O'Connell

Tuesday

Date	Time	Temp.	Name (Print)
8/27/21	0300	70	O'Connell
	0600	70	Valdovino, Jr.
	0900	70	Valdovino, Jr.
	1200	70	Valdovino, Jr.
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Page

Wednesday

Date	Time	Temp.	Name (Print)
8/28/21	0300	70	G. Page
	0600	70	ZAMUDIO
	0900	74	ZAMUDIO
	1200	75	ZAMUDIO
	1500	74	ZAMUDIO
	1800	74	ZAMUDIO
	2100	74	ZAMUDIO
	2400	70	G. Page

Friday

Date	Time	Temp.	Name (Print)
8/30/21	0300	70	G. Page
	0600	70	ZAMUDIO
	0900	70	ZAMUDIO
	1200	70	ZAMUDIO
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Page

Sunday

Date	Time	Temp.	Name (Print)
9/1/21	0300	74	G. Page
	0600	70	ZAMUDIO
	0900	71	ZAMUDIO
	1200	72	ZAMUDIO
	1500	74	G. Page
	1800	74	G. Page
	2100	73	G. Page
	2400	70	Chitlock

Thursday

Date	Time	Temp.	Name (Print)
8/29/21	0300	70	G. Page
	0600	72	ZAMUDIO
	0900	72	ZAMUDIO
	1200	72	ZAMUDIO
	1500	72	ZAMUDIO
	1800	72	ZAMUDIO
	2100	72	ZAMUDIO
	2400	70	G. Page

Saturday

Date	Time	Temp.	Name (Print)
8/31/21	0300	70	G. Page
	0600	70	C. GIL
	0900	75	C. GIL
	1200	75	C. GIL
	1500	75	J. Suback
	1800	75	J. Suback
	2100	75	J. Suback
	2400	74	G. Page

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 68 Temp. Reading Location: 5555 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5330 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	72	C. Maldonado
	0600	72	A. GASTELUM
	0900	73	A. GASTELUM
	1200	73	A. GASTELUM
	1500	73	A. GASTELUM
	1800	73	A. GASTELUM
	2100	72	A. GASTELUM
	2400	72	Singh

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	74	McCasland
	0600	73	J. Perez
	0900	73	J. Perez
	1200	72	J. Perez
	1500	72	Brown
	1800	73	Brown
	2100	73	Brown
	2400	73	ESPARZA

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	74	H. Gutierrez
	0600	74	T. Suback
	0900	74	T. Suback
	1200	74	T. Suback
	1500	74	C. SANTAS
	1800	74	C. SANTAS
	2100	74	C. SANTAS
	2400	73	H. Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	73	L. Merchan
	0600	72	A. Merchan
	0900	71	GASTELUM
	1200	72	GASTELUM
	1500	74	Z-YANG
	1800	73	Z-YANG
	2100	72	Z-YANG
	2400	72	Huang Jr.

Tuesday

Date	Time	Temp.	Name (Print)
8/29/24	0300	72	Singh
	0600	72	GASTELUM
	0900	73	GASTELUM
	1200	73	GASTELUM
	1500	73	Brown
	1800	72	Brown
	2100	72	Brown
	2400	74	McCasland

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	73	ESPARZA
	0600	72	Abernathy
	0900	72	Abernathy
	1200	73	Abernathy
	1500	71	Brown
	1800	72	Brown
	2100	70	Brown
	2400	74	H. Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	73	H. Gutierrez
	0600	73	A. GASTELUM
	0900	74	A. GASTELUM
	1200	74	A. GASTELUM
	1500	73	Brown
	1800	73	Brown
	2100	72	Brown
	2400	73	McCasland

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

2024

Date	Time	Temp.	Name (Print)
7-29-24	0300	70	NELSON
	0600	70	SPURGEON
	0900	70	SPURGEON
	1200	70	SPURGEON
	1500	71	Evdanais
	1800	70	Evdanais
	2100	71	Evdanais
	2400	70	NELSON

Wednesday

2024

Date	Time	Temp.	Name (Print)
7-30-24	0300	70	NELSON
	0600	70	SPURGEON
	0900	70	SPURGEON
	1200	70	SPURGEON
	1500	73	C. Bellings
	1800	71	C. Bellings
	2100	71	C. Bellings
	2400	70	NELSON

Friday

2024

Date	Time	Temp.	Name (Print)
8-2-24	0300	70	NELSON
	0600	71	J. Carrillo
	0900	71	J. Carrillo
	1200	72	J. Carrillo
	1500	70	E. VADNAIS
	1800	71	E. VADNAIS
	2100	70	E. VADNAIS
	2400	70	Haegar, J.

Sunday

2024

Date	Time	Temp.	Name (Print)
8-4-24	0300	70	Haegar, J.
	0600	70	SPURGEON
	0900	70	SPURGEON
	1200	70	SPURGEON
	1500	71	AUDRETE
	1800	71	AUDRETE
	2100	70	AUDRETE
	2400	70	NELSON

Tuesday

2024

Date	Time	Temp.	Name (Print)
7-31-24	0300	70	NELSON
	0600	70	SPURGEON
	0900	70	SPURGEON
	1200	70	SPURGEON
	1500	71	Evdanais
	1800	71	Evdanais
	2100	70	Evdanais
	2400	70	NELSON

Thursday

2024

Date	Time	Temp.	Name (Print)
8-1-24	0300	70	NELSON
	0600	70	SPURGEON
	0900	70	SPURGEON
	1200	70	SPURGEON
	1500	72	L. Bellings
	1800	72	C. Bellings
	2100	71	C. Bellings
	2400	70	NELSON

Saturday

2024

Date	Time	Temp.	Name (Print)
8-2-24	0300	70	Haegar, J.
	0600	71	J. Carrillo
	0900	71	J. Carrillo
	1200	71	J. Carrillo
	1500	72	A. CASTELLIN
	1800	71	A. CASTELLIN
	2100	71	A. CASTELLIN
	2400	70	Haegar, J.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-2 Temp. Reading Location: A,B,C UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday / 2021 2024

Date	Time	Temp.	Name (Print)
7/29	0300	70	Martinez
	0600	70	Nova
	0900	71	Nova
	1200	71	Nova
	1500	72	Hicarreda
	1800	73	Hicarreda
	2100	72	Hicarreda
	2400	72	PALAFUX

Wednesday / 2021

Date	Time	Temp.	Name (Print)
7/31	0300	72	PALAFUX
	0600	72	Schm
	0900	72	Schm
	1200	72	Schm
	1500	72	Licea
	1800	72	Licea
	2100	72	Licea
	2400	70	Welt

Friday / 2021

Date	Time	Temp.	Name (Print)
8/2	0300	70	Hoag, t.
	0600	72	Schm
	0900	72	Schm
	1200	72	Schm
	1500	72	Licea
	1800	72	Licea
	2100	72	Licea
	2400	72	Martinez

Sunday / 2021

Date	Time	Temp.	Name (Print)
8/4	0300	71	Martinez
	0600	72	Schm
	0900	72	Schm
	1200	72	Schm
	1500	70	E.Vadnais
	1800	71	E.Vadnais
	2100	71	E.Vadnais
	2400	71	Martinez

Tuesday / 2021

Date	Time	Temp.	Name (Print)
7/30	0300	72	PALAFUX
	0600	71	Nova
	0900	71	Nova
	1200	72	Nova
	1500	72	Licea
	1800	72	Licea
	2100	72	Licea
	2400	72	PALAFUX

Thursday / 2021

Date	Time	Temp.	Name (Print)
8/1	0300	70	Welt
	0600	70	Welt
	0900	70	Schm
	1200	70	Schm
	1500	72	Licea
	1800	72	Licea
	2100	72	Licea
	2400	72	Haag, t.

Saturday / 2021

Date	Time	Temp.	Name (Print)
8/3	0300	70	Martinez
	0600	70	Schm
	0900	72	Schm
	1200	72	Schm
	1500	70	E.Vadnais
	1800	70	E.Vadnais
	2100	71	E.Vadnais
	2400	71	Martinez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REH

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B4 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1/24	0300	71	C. LESLEY
	0600	72	B. DIAZ
	0900	72	B. DIAZ
	1200	72	B. DIAZ
	1500	72	A. PERU
	1800	72	A. PERU
	2100	72	A. PERU
	2400	71	(C. LESLEY)

Tuesday

Date	Time	Temp.	Name (Print)
8/30/24	0300	72	C. LESLEY
	0600	72	C. LESLEY
	0900	74	B. DIAZ
	1200	77	B. DIAZ
	1500	74	B. DIAZ
	1800	73	D. BECKER
	2100	70	D. BECKER
	2400	73	E. SAWYER

Wednesday

Date	Time	Temp.	Name (Print)
8/1/24	0300	73	E. SAWYER
	0600	76	B. DIAZ
	0900	76	B. DIAZ
	1200	78	B. DIAZ
	1500	73	D. BECKER
	1800	74	D. BECKER
	2100	70	D. BECKER
	2400	74	E. SAWYER

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	74	E. SAWYER
	0600	75	B. DIAZ
	0900	76	B. DIAZ
	1200	75	B. DIAZ
	1500	75	A. LITTLE
	1800	75	A. LITTLE
	2100	74	A. LITTLE
	2400	74	E. SAWYER

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	74	E. SAWYER
	0600	75	E. SAWYER
	0900	75	B. DIAZ
	1200	78	B. DIAZ
	1500	78	A. LITTLE
	1800	75	A. LITTLE
	2100	74	A. LITTLE
	2400	73	T. WILFERT

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	73	T. WILFERT
	0600	71	REGALO
	0900	71	REGALO
	1200	71	REGALO
	1500	73	A. LITTLE
	1800	72	A. LITTLE
	2100	71	A. LITTLE
	2400	71	REGALO

Notes

Date	Time	Temp.	Name (Print)
8/4/24	0300	71	REGALO
	0600	72	REGALO
	0900	72	REGALO
	1200	72	REGALO
	1500	72	A. LITTLE
	1800	72	A. LITTLE
	2100	71	A. LITTLE
	2400	71	C. LESLEY

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29 - 24	0300	70	GARRISON
	0600	70	D. LEON
	0900	73	D. LEON
	1200	75	D. LEON
	1500	75	BUCKER
	1800	75	BOCKEN
	2100	75	BOCKEN
	2400	74	GARRISON

Tuesday

Date	Time	Temp.	Name (Print)
7-30 - 24	0300	74	GARRISON
	0600	75	D. LEON
	0900	75	D. LEON
	1200	76	D. LEON
	1500	74	Meronius
	1800	74	Meronius
	2100	72	Meronius
	2400	70	GARRISON

Wednesday

Date	Time	Temp.	Name (Print)
7-31 24	0300	69	GARRISON
	0600	73	D. LEON
	0900	75	D. LEON
	1200	77	D. LEON
	1500	78	Meronius
	1800	77	Meronius
	2100	75	Meronius
	2400	73	Rios

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	73	Rios
	0600	73	Rios
	0900	73	J. LEON
	1200	80	D. LEON
	1500	77	A. Meronius
	1800	75	A. Meronius
	2100	75	A. Meronius
	2400	75	SCHLESER

Friday

Date	Time	Temp.	Name (Print)
8-02-24	0300	73	SCHLESER
	0600	72	Reynoso
	0900	72	Reynoso
	1200	72	Reynoso
	1500	73	Reynoso
	1800	73	Reynoso
	2100	73	Reynoso
	2400	73	SCHLESER

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	73	SCHLESER
	0600	75	LANDIN
	0900	78	LANDIN
	1200	73	LANDIN
	1500	75	SCHLESER
	1800	74	SCHLESER
	2100	70	SCHLESER
	2400	72	Rios

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	74	Rios
	0600	74	Rios
	0900	73	C. GL
	1200	70	SCHLESER
	1500	72	SCHLESER
	1800	70	SCHLESER
	2100	72	SCHLESER
	2400	70	GARRISON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

OP 1014, Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution PBSR Housing Unit B6 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	72	A. MELENDOZ
	0600	72	M. LANDIN
	0900	70	M. LANDIN
	1200	70	M. LANDIN
	1500	71	Welt-
	1800	70	Welt-
	2100	72	Welt-
	2400	70	Soler

Tuesday

Date	Time	Temp.	Name (Print)
7-30-24	0300	70	Soler
	0600	70	L. Mora
	0900	71	L. Mora
	1200	70	L. Mora
	1500	70	R. Welt-
	1800	70	B. Welt-
	2100	70	B. Welt-
	2400	70	Soler

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	70	Soler
	0600	72	L. Mora
	0900	73	L. Mora
	1200	73	L. Mora
	1500	72	Welt-
	1800	71	Welt-
	2100	71	Welt-
	2400	71	S. Wilson

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	71	S. Wilson
	0600	70	L. Mora
	0900	71	L. Mora
	1200	71	L. Mora
	1500	70	J. Subjach
	1800	71	J. Subjach
	2100	70	J. Subjach
	2400	70	S. Wilson

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	70	Soler
	0600	70	L. Mora
	0900	71	L. Mora
	1200	71	L. Mora
	1500	73	J. Subjach
	1800	73	J. Subjach
	2100	73	J. Subjach
	2400	70	Soler

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	70	Soler
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	73	LANDIN
	1800	73	LANDIN
	2100	73	LANDIN
	2400	72	A. MELENDOZ

Notes

Date	Time	Temp.	Name (Print)
8-4-24	0300	72	A. MELENDOZ
	0600	72	M. LANDIN
	0900	72	LANDIN
	1200	72	LANDIN
	1500	71	Welt-
	1800	70	Welt-
	2100	71	Welt-
	2400	71	A. MELENDOZ

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B 7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/21	0300	73	Chittack
	0600	75	CARTAGENA
	0900	73 73	CARTAGENA
	1200	72	CARTAGENA
	1500	73	ZAMUDIO
	1800	73	ZAMUDIO
	2100	73	ZAMUDIO
	2400	73	Chittack

Tuesday

Date	Time	Temp.	Name (Print)
7/23/21	0300	71	Chittack
	0600	72	LANDIN
	0900	72	LANDIN
	1200	72	LANDIN
	1500	72	ZAMUDIO
	1800	72	ZAMUDIO
	2100	72	ZAMUDIO
	2400	70	G. PRICE

Wednesday

Date	Time	Temp.	Name (Print)
7/24/21	0300	70	G. PRICE
	0600	70	RIVES
	0900	70	RIVES
	1200	70	RIVES
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. PRICE

Thursday

Date	Time	Temp.	Name (Print)
7/25/21	0300	70	G. PRICE
	0600	70	RIVES
	0900	70	RIVES
	1200	70	RIVES
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. PRICE

Friday

Date	Time	Temp.	Name (Print)
8/1/21	0300	70	G. PRICE
	0600	70	RIVES
	0900	70	RIVES
	1200	70	RIVES
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. PRICE

Saturday

Date	Time	Temp.	Name (Print)
8/2/21	0300	70	G. PRICE
	0600	70	RIVES
	0900	70	RIVES
	1200	70	RIVES
	1500	70	P. Suback
	1800	70	P. Suback
	2100	70	P. Suback
	2400	70	G. PRICE

Notes

Date	Time	Temp.	Name (Print)
8/4/21	0300	70	G. PRICE
	0600	74	M REUSS
	0900	74	M REUSS
	1200	75	M REUSS
	1500	75	T Suback
	1800	75	T Suback
	2100	75	T Suback
	2400	74	Chittack

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5550 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/14	0300	72	Madruga C
	0600	72	Madruga C.
	0900	72	Gastelum
	1200	73	Gastelum
	1500	73	GASTELUM
	1800	72	Gastelum
	2100	72	GASTELUM
	2400	72	C. Lester

Tuesday

Date	Time	Temp.	Name (Print)
7/30/14	0300	71	C. Lester
	0600	71	C. VANDERSON
	0900	71	C. VANDERSON
	1200	71	C. VANDERSON
	1500	73	BYRUM
	1800	73	BYRUM
	2100	75	BYRUM
	2400	75	BYRUM

Wednesday

Date	Time	Temp.	Name (Print)
7/31/14	0300	75	Thoms
	0600	75	Abernathy
	0900	75	Abernathy
	1200	75	Abernathy
	1500	75	BYRUM
	1800	75	BYRUM
	2100	74	BYRUM
	2400	74	Woods

Thursday

Date	Time	Temp.	Name (Print)
8/1/14	0300	74	Woods
	0600	75	Abernathy
	0900	75	Abernathy
	1200	75	Abernathy
	1500	73	BYRUM
	1800	73	BYRUM
	2100	73	BYRUM
	2400	75	VIERRIA

Friday

Date	Time	Temp.	Name (Print)
8/2/14	0300	75	H. Gutierrez
	0600	75	I. Sutack
	0900	76	I. Sutack
	1200	76	I. Sutack
	1500	75	BYRUM
	1800	75	BYRUM
	2100	75	BYRUM
	2400	75	C. Bellamy

Saturday

Date	Time	Temp.	Name (Print)
8/3/14	0300	75	C. Bellamy
	0600	75	GASTELUM
	0900	76	GASTELUM
	1200	76	GASTELUM
	1500	76	BYRUM
	1800	75	BYRUM
	2100	74	BYRUM
	2400	74	RE COTICE

Notes

Date	Time	Temp.	Name (Print)
8/4/14	0300	74	RE COTICE
	0600	74	Gastelum
	0900	75	Gastelum
	1200	75	Gastelum
	1500	75	Zamudio
	1800	74	Zamudio
	2100	75	Zamudio
	2400	75	J. Morris

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-1 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/1/24</u>	0300	70	<u>J. Nichols</u>
	0600	72	<u>J. Nichols</u>
	0900	72	<u>J. Nichols</u>
	1200	72	<u>J. Nichols</u>
	1500	72	<u>GRUNDY, H.</u>
	1800	72	<u>GRUNDY, H.</u>
	2100	71	<u>GRUNDY, H.</u>
	2400	72	<u>J. Nichols</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/1/24</u>	0300	72	<u>J. Nichols</u>
	0600	72	<u>Stephens</u>
	0900	73	<u>Stephens</u>
	1200	73	<u>Stephens</u>
	1500	73	<u>GRUNDY, H.</u>
	1800	73	<u>GRUNDY, H.</u>
	2100	71	<u>GRUNDY, H.</u>
	2400	72	<u>GRUNDY, H.</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/1/24</u>	0300	72	<u>J. Nichols</u>
	0600	70	<u>Henderson</u>
	0900	70	<u>Henderson</u>
	1200	70	<u>Henderson</u>
	1500	70	<u>Henderson</u>
	1800	70	<u>Henderson</u>
	2100	70	<u>Henderson</u>
	2400	70	<u>V. McNaught</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>8/1/24</u>	0300	70	<u>V. McNaught</u>
	0600	70	<u>Ford</u>
	0900	70	<u>Ford</u>
	1200	70	<u>Ford</u>
	1500	70	<u>Ford</u>
	1800	70	<u>Ford</u>
	2100	70	<u>Ford</u>
	2400	70	<u>V. McNaught</u>

Friday

Date	Time	Temp.	Name (Print)
<u>8/1/24</u>	0300	70	<u>V. McNaught</u>
	0600	70	<u>W. Black</u>
	0900	70	<u>W. Black</u>
	1200	70	<u>W. Black</u>
	1500	70	<u>W. Black</u>
	1800	70	<u>W. Black</u>
	2100	70	<u>W. Black</u>
	2400	70	<u>J. Nichols</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>8/1/24</u>	0300	70	<u>J. Nichols</u>
	0600	70	<u>Henderson</u>
	0900	70	<u>Henderson</u>
	1200	70	<u>Henderson</u>
	1500	70	<u>Williams</u>
	1800	70	<u>Williams</u>
	2100	70	<u>Williams</u>
	2400	70	<u>Williams</u>

Notes

Date	Time	Temp.	Name (Print)
<u>8/1/24</u>	0300	70	<u>J. Nichols</u>
	0600	70	<u>Henderson</u>
	0900	70	<u>Henderson</u>
	1200	70	<u>Henderson</u>
	1500	70	<u>GRUNDY, H.</u>
	1800	70	<u>GRUNDY, H.</u>
	2100	69	<u>GRUNDY, H.</u>
	2400	70	<u>GRUNDY, H.</u>

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D2 Temp. Reading Location: 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	74	C. Madrigal
	0600	74	C. Madrigal
	0900	74	N. M. H. D.
	1200	75	N. M. H. D.
	1500	76 63	J. OCHOA
	1800	72	J. OCHOA
	2100	72	J. OCHOA
	2400	73	Servin

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	74	SERVIN
	0600	75	Vadnais
	0900	76	Vadnais
	1200	77	Vadnais
	1500	75	C. LESLEY
	1800	75	C. LESLEY
	2100	75	C. LESLEY
	2400	74	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	72	SERVIN
	0600	72	LEVEQUE
	0900	72	LEVEQUE
	1200	72	LEVEQUE
	1500	74	Candela
	1800	74	Candela
	2100	73	Candela
	2400	73	Carmona

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	73	Carmona
	0600	74	M. LOSSELLER
	0900	75	M. LOSSELLER
	1200	75	C. ALDRETE
	1500	75	C. ALDRETE
	1800	75	C. ALDRETE
	2100	75	C. ALDRETE
	2400	78	Carmona

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	73	Carmona
	0600	75 A	Rodriguez
	0900	72 B	Rodriguez
	1200	73 C	Rodriguez
	1500	63	J. OCHOA
	1800	72	J. OCHOA
	2100	72	M. OCHOA
	2400	75	SALAS

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	75	SALAS
	0600	75	H. Stephens
	0900	73	H. Stephens
	1200	73	H. Stephens
	1500	75	A. Penn
	1800	75	A. Penn
	2100	75	A. Penn
	2400	74	CARMONA

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	74	CARMONA
	0600	75	H. Stephens
	0900	73	H. Stephens
	1200	77	H. Stephens
	1500	77	WEISS
	1800	76	WEISS
	2100	77	WEISS
	2400	77	J. Lamire

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: ①3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	74	C. Madrigal
	0600	74	C. Madrigal
	0900	74	A. Saldana
	1200	74	A. Saldana
	1500	75	Candela
	1800	73	Candela
	2100	73	Candela
	2400	75	SERVIN

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	75	SERVIN
	0600	74	A. Saldana
	0900	74	A. Saldana
	1200	74	A. Saldana
	1500	74	Candela
	1800	73	Candela
	2100	72	Candela
	2400	72	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	72	SERVIN
	0600	71	Rodriguez
	0900	73	Rodriguez
	1200	72	Rodriguez
	1500	76	Gibbons
	1800	76	Gibbons
	2100	74	Gibbons
	2400	74	Carmona

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	72	Carmona
	0600	72	Rodriguez
	0900	72	Rodriguez
	1200	72	Rodriguez
	1500	76	Gibbons
	1800	74	Gibbons
	2100	74	Gibbons
	2400	74	Carmona

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	74	Carmona
	0600	74	A. Saldana
	0900	74	A. Saldana
	1200	74	A. Saldana
	1500	76	C. Gibbons
	1800	76	C. Gibbons
	2100	74	C. Gibbons
	2400	78	SALAS

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	78	SALAS
	0600	74	A. Saldana
	0900	74	A. Saldana
	1200	74	A. Saldana
	1500	74	B. Carter
	1800	79	B. Carter
	2100	79	B. Carter
	2400	74	Carmona

Notes

Date	Time	Temp.	Name (Print)
8/11/24	0300	74	Carmona
	0600	74	A. Saldana
	0900	74	A. Saldana
	1200	74	A. Saldana
	1500	75	B. Carter
	1800	79	B. Carter
	2100	74	R. Cuth
	2400	74	J. Ramirez

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSO Housing Unit: D4 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5454 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/5/24	0300	70	Loyola1
	0600	70 Pt	S. Edwards
	0900	71	S. Edwards
	1200	70	M. Montoya
	1500	70	S. M.
	1800	70	S. M.
	2100	70	S. M.
	2400	70	Loyola1

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	70	Loyola1
	0600	73.5	S. Edwards
	0900	74	S. Edwards
	1200	74	M. Montoya
	1500	74	N. White
	1800	74	N. White
	2100	73	N. White
	2400	70	Loyola1

Wednesday

Date	Time	Temp.	Name (Print)
8-7-24	0300	74	Loyola1
	0600	75	V. Adair
	0900	75	V. Adair
	1200	75	V. Adair
	1500	76	CARTAGENA
	1800	76	CARTAGENA
	2100	75	CARTAGENA
	2400	75	V. Adair

Thursday

Date	Time	Temp.	Name (Print)
8-8-24	0300	75	V. M. Mullough
	0600	75	C. Moreno
	0900	73	C. Moreno
	1200	73	C. Moreno
	1500	73	PLAC
	1800	73	PLAC
	2100	73	PLAC
	2400	73	V. M. Mullough

Friday

Date	Time	Temp.	Name (Print)
8-9-24	0300	73	V. M. Mullough
	0600	72	R. Stevenson
	0900	73	R. Stevenson
	1200	73	R. Stevenson
	1500	73	A. Pena
	1800	73	A. Pena
	2100	73	A. Pena
	2400	75	Loyola1

Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	75	Loyola1
	0600	74	Gibbons
	0900	74	Gibbons
	1200	75	Gibbons
	1500	75	HUGHES
	1800	74	HUGHES
	2100	74	HUGHES
	2400	75	Loyola1

Sunday

Date	Time	Temp.	Name (Print)
8-11-24	0300	75	Loyola1
	0600	76	J. DANE
	0900	76	J. DANE
	1200	76	J. DANE
	1500	76	HUGHES
	1800	75	HUGHES
	2100	74	HUGHES
	2400	75	Hughes

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: DS Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24	0300	72	CBARW
	0600	71	CERROS
	0900	72	CERROS
	1200	73	CERROS
	1500	73	CLIFTON
	1800	72	CLIFTON
	2100	72	CLIFTON
	2400	72	CBARW

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	70	Greenough
	0600	70	K.SHEPP
	0900	70	K.SHEPP
	1200	70	K.SHEPP
	1500	70	CLIFTON
	1800	70	CLIFTON
	2100	70	CLIFTON
	2400	70	Greenough

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	70	Greenough
	0600	72	K.SHEPP
	0900	75	K.SHEPP
	1200	75	K.SHEPP
	1500	73	WAGNER
	1800	73	WAGNER
	2100	73	WAGNER
	2400	72	Greenough

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	71	Greenough
	0600	71	Woods
	0900	71	Woods
	1200	72	Woods
	1500	73	LO
	1800	72	LO
	2100	72	LO
	2400	71	CBARW

Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300	72	BAGGEMAN
	0600	72	140MNS
	0900	72	THOMAS
	1200	72	THOMAS
	1500	72	Williams
	1800	73	Williams
	2100	73	Williams
	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	70	Greenough
	0600	70	K.SHEPP
	0900	72	K.SHEPP
	1200	75	K.SHEPP
	1500	75	ISALS
	1800	75	ISALS
	2100	73	ISALS
	2400	72	Greenough

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	71	Greenough
	0600	78	Woods
	0900	71	Woods
	1200	70	Woods
	1500	73	WAGNER
	1800	73	WAGNER
	2100	73	WAGNER
	2400	72	Greenough

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 1ST TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/3/24	0300	75	BARRAGAN
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	77	SABIR

Tuesday

Date	Time	Temp.	Name (Print)
8/4/24	0300	77	SABIR
	0600	75	R. ROBINSON
	0900	75	L. ROBINSON
	1200	75	R. ROBINSON
	1500	75	M. CEBALLOS
	1800	75	M. CEBALLOS
	2100	75	M. CEBALLOS
	2400	76	SABIR

Wednesday

Date	Time	Temp.	Name (Print)
8/1/24	0300	76	SABIR
	0600	74	GREENOUGH
	0900	74	GREENOUGH
	1200	74	GREENOUGH
	1500	75	BAGLET
	1800	75	BAGLET
	2100	75	BAGLET
	2400	76	LUNSFORD

Thursday

Date	Time	Temp.	Name (Print)
8/2/24	0300	75	D LUNSFORD
	0600	75	B. DODGE
	0900	75	B. DODGE
	1200	75	B. DODGE
	1500	75	BAGLET
	1800	75	BAGLET
	2100	75	BAGLET
	2400	77	SABIR

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	76	SABIR
	0600	76	BRANION
	0900	76	BRANION
	1200	76	BRANION
	1500	76	BAUTISTA
	1800	76	BAUTISTA
	2100	76	BAUTISTA
	2400	76	SABIR

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	77	SABIR
	0600	74	BRANION
	0900	75	BRANION
	1200	75	BRANION
	1500	76	BAUTISTA
	1800	76	BAUTISTA
	2100	76	BAUTISTA
	2400	76	BAEYOON

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	76	BARRAGAN
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	75	BARRAGAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 7 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/8	0300	72°	J-Yang
	0600	75	BRANION
	0900	75	BRANION
	1200	75	BRANION
	1500	75	A. Pena
	1800	75	A. Pena
	2100	75	A. Pena
	2400	76	CARNEY

Tuesday			
Date	Time	Temp.	Name (Print)
8/8	0300	78	CARNEY
	0600	77	Annie
	0900	77	Annie
	1200	78	BANAV
	1500	78	WAGNER
	1800	78	WAGNER
	2100	77	WAGNER
	2400	79	CARNEY

Wednesday			
Date	Time	Temp.	Name (Print)
8/7	0300	75	CARNEY
	0600	75	B202
	0900	75	B202
	1200	75	B202
	1500	75	V.M. West
	1800	75	V.M. West
	2100	75	V.M. West
	2400	76	CARNEY

Thursday			
Date	Time	Temp.	Name (Print)
8/8	0300	77	CARNEY
	0600	75	LEVEQUE
	0900	75	LEVEQUE
	1200	75	LEVEQUE
	1500	75	V.M. West
	1800	75	V.M. West
	2100	73	V.M. West
	2400	73	BORRAGAN

Friday			
Date	Time	Temp.	Name (Print)
8/11	0300	73	BARRAGAN
	0600	73	Candela
	0900	74	Candela
	1200	75	Candela
	1500	74	CHAMON
	1800	74	CHAMON
	2100	74	CHAMON
	2400	74	BARRAGAN

Saturday			
Date	Time	Temp.	Name (Print)
8/10	0300	74	BARRAGAN
	0600	75	S-S
	0900	75	S-S
	1200	75	S-S
	1500	74	CHAMON
	1800	74	CHAMON
	2100	74	CHAMON
	2400	74°	Lima

Sunday			
Date	Time	Temp.	Name (Print)
8/11	0300	74°	J-Yang
	0600	75	BRANION
	0900	75	BRANION
	1200	75	BRANION
	1500	74	CHAMON
	1800	74	CHAMON
	2100	74	CHAMON
	2400	72°	Yang

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 8 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	72	J.Yang
	0600	72	BROZ
	0900	72	BROZ
	1200	72	BROZ
	1500	72	Thomas
	1800	72	Thomas
	2100	72	Thomas
	2400	73	CARNEY

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	75	CARNEY
	0600	76	BRANION
	0900	76	BRANION
	1200	76	BRANION
	1500	76	Thomas
	1800	76	Thomas
	2100	76	Thomas
	2400	78	CARNEY

Wednesday

Date	Time	Temp.	Name (Print)
8/8	0300	73	CARNEY
	0600	73	BROZ
	0900	73	SROZ
	1200	73	BROZ
	1500	76	C. Hamilton
	1800	76	C. HAMILTON
	2100	76	C. Hamilton
	2400	76	CARNEY

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	76	CARNEY
	0600	76	JACKSON
	0900	76	JACKSON
	1200	75	JACKSON
	1500	76	C. Hamilton
	1800	76	C. Hamilton
	2100	76	C. Hamilton
	2400	76	JACKSON

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	76	J. YANG
	0600	76	JACKSON
	0900	76	JACKSON
	1200	76	JACKSON
	1500	76	C. Hamilton
	1800	75	C. Hamilton
	2100	75	C. Hamilton
	2400	75	BARRAGAN

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	75	BARRAGAN
	0600	76	JACKSON, C
	0900	76	JACKSON, C
	1200	76	JACKSON, C
	1500	75	T. LO
	1800	75	T. LO
	2100	75	T. LO
	2400	74°	J. Yang

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	74°	J. Yang
	0600	77	JACKSON
	0900	77	JACKSON
	1200	76	JACKSON
	1500	75	ALDRATE
	1800	75	ALDRATE
	2100	75	ALDRATE
	2400	74°	Yang

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/5/2018	0300	78	BARNES
	0600	79	P. Barnes
	0900	79	P. Barnes
	1200	79	P. Barnes
	1500	78	E. L.
	1800	78	E. L.
	2100	77	E. L.
	2400	77	SABIR

Tuesday			
Date	Time	Temp.	Name (Print)
8-6-2018	0300	77	SABIR
	0600	77	P. Barnes
	0900	78	P. Barnes
	1200	78	P. Barnes
	1500	79	E. L.
	1800	78	E. L.
	2100	77	E. L.
	2400	77	SABIR

Wednesday			
Date	Time	Temp.	Name (Print)
8-7-2018	0300	77	SABIR
	0600	77	P. Barnes
	0900	77	P. Barnes
	1200	78	P. Barnes
	1500	78	E. L.
	1800	78	E. L.
	2100	79	E. L.
	2400	78	SABIR

Thursday			
Date	Time	Temp.	Name (Print)
8-8-2018	0300	76	SABIR
	0600	75	BROZ
	0900	75	BROZ
	1200	75	BROZ
	1500	75	PENA
	1800	75	PENA
	2100	75	PENA
	2400	77	SABIR

Friday			
Date	Time	Temp.	Name (Print)
8-9-2018	0300	76	SABIR
	0600	76	VADRAIS
	0900	76	VADRAIS
	1200	76	VADRAIS
	1500	79	CARTAGENA
	1800	79	CARTAGENA
	2100	76	CARTAGENA
	2400	77	SABIR

Saturday			
Date	Time	Temp.	Name (Print)
8-10-2018	0300	76	SABIR
	0600	76	P. Barnes
	0900	77	P. Barnes
	1200	77	P. Barnes
	1500	77	O. THOMPSON
	1800	76	O. THOMPSON
	2100	76	O. THOMPSON
	2400	76	BARRERA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 110 Temp. Reading Location: 5555 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24	0300	72	Greenough
	0600	74	Mitchell
	0900	70	Mitchell
	1200	70	Mitchell
	1500	70	Brodowski
	1800	70	Brod
	2100	70	Brod
	2400	70	Barroso

Wednesday

Date	Time	Temp.	Name (Print)
8/26	0300	70	Greenough
	0600	69	Mitchell
	0900	75	Mitchell
	1200	72	Mitchell
	1500	72	Brod
	1800	72	Brod
	2100	72	Brod
	2400	70	Greenough

Friday

Date	Time	Temp.	Name (Print)
8/29	0300	72	Greenough
	0600	70	Mitchell
	0900	71	Mitchell
	1200	77	Mitchell
	1500	78	Darling
	1800	76	Darling
	2100	71	Darling
	2400	72	Greenough

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	71	Greenough
	0600	77 A	Rodriguez
	0900	72 B	Rodriguez
	1200	70 C	Rodriguez
	1500	72	Ives
	1800	72	Ives
	2100	72	Ives
	2400	71	Greenough

Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300	70	Greenough
	0600	70	Mitchell
	0900	74	Mitchell
	1200	75	Mitchell
	1500	76	Brod
	1800	74	Brod
	2100	74	Brod
	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	70	Greenough
	0600	73	Mitchell
	0900	70	Mitchell
	1200	78	Mitchell
	1500	75	Brod
	1800	75	Brod
	2100	75	Brod
	2400	73	Greenough

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	71	Greenough
	0600	75 A	Rodriguez
	0900	72 E	Rodriguez
	1200	72 F	Rodriguez
	1500	72	Darling
	1800	73	Darling
	2100	72	Darling
	2400	71	Greenough

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSI Housing Unit: D-1 Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-12			
Date	Time	Temp.	Name (Print)
8/12/21	0300	70	J. Aguirre
	0600	72	J. Nichols
	0900	70	J. Nichols
	1200	72	J. Nichols
	1500	74	GRUNDY, H.
	1800	74	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	72	GRUNDY, H.

Tuesday 8-13			
Date	Time	Temp.	Name (Print)
8/13/21	0300	72	J. Aguirre
	0600	72	J. Nichols
	0900	72	J. Nichols
	1200	72	J. Nichols
	1500	73	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	72	Flores

Wednesday 8-14			
Date	Time	Temp.	Name (Print)
8/14/21	0300	70	J. Flores
	0600	70	Hendrix
	0900	70	Hendrix
	1200	70	Hendrix
	1500	70	ESPARZA
	1800	70	ESPARZA
	2100	70	ESPARZA
	2400	70	V. McNaugh

Thursday 8-15			
Date	Time	Temp.	Name (Print)
8/15/21	0300	72	V. McNaugh
	0600	70	Hendrix
	0900	71	Hendrix
	1200	72	Hendrix
	1500	71	Carrillo
	1800	71	Carrillo
	2100	71	Carrillo
	2400	71	V. McNaugh

Friday 8-16			
Date	Time	Temp.	Name (Print)
8/16/21	0300	71	V. McNaugh
	0600	72	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	70	GRUNDY, H.
	1800	70	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	71	GRUNDY, H.

Saturday 8-17			
Date	Time	Temp.	Name (Print)
8/17/21	0300	72	Carrillo
	0600	71	Carrillo
	0900	71	Taylor
	1200	71	Blythe
	1500	71	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	73	3.amine

Sunday 8-18			
Date	Time	Temp.	Name (Print)
8/18/21	0300	75	J. Camirec
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	72	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	GRUNDY, H.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 12 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-12

Date	Time	Temp.	Name (Print)
8/12/24	0300	77	J. Ramirez
	0600	77	H. Stephens
	0900	74	H. Stephens
	1200	74	H. Stephens
	1500	75	B. NEAL
	1800	75	B. NEAL
	2100	74	B. NEAL
	2400	73	SERVIN

Wednesday 8-14

Date	Time	Temp.	Name (Print)
8-14-24	0300	74	Sighn
	0600	77	H. Stephens
	0900	75	H. Stephens
	1200	75	H. Stephens
	1500	73	NELSON
	1800	73	NELSON
	2100	73	NELSON
	2400	73	Carmena

Friday 8-16

Date	Time	Temp.	Name (Print)
8-16-24	0300	73	C. Madaya
	0600	73	C. Madaya
	0900	76	Rodriguez
	1200	76	Rodriguez
	1500	76	Rodriguez
	1800	75	B. NEAL
	2100	75	B. NEAL
	2400	76	V. McMayhugh

Sunday 8-18

Date	Time	Temp.	Name (Print)
8-18-24	0300	74	Carmen
	0600	73	B. NEAL
	0900	75	B. NEAL
	1200	77	B. NEAL
	1500	76	B. NEAL
	1800	75	B. NEAL
	2100	75	B. NEAL
	2400	75	C. Madaya

Tuesday 8-13

Date	Time	Temp.	Name (Print)
8-13-24	0300	73	SERVIN
	0600	76	H. Stephens
	0900	73	H. Stephens
	1200	74	H. Stephens
	1500	75	Lesley
	1800	74	Lesley
	2100	74	Candela
	2400	74	Sighn

Thursday 8-15

Date	Time	Temp.	Name (Print)
8-15-24	0300	73	Carmena
	0600	73	M. LOISELLE
	0900	75	M. LOISELLE
	1200	75	B. NEAL
	1500	75	B. NEAL
	1800	74	B. NEAL
	2100	74	B. NEAL
	2400	74	(- Madaya)

Saturday 8-17

Date	Time	Temp.	Name (Print)
8-17-24	0300	75	V. McMayhugh
	0600	73	B. NEAL
	0900	70	B. NEAL
	1200	68	B. NEAL
	1500	75	B. NEAL
	1800	75	B. NEAL
	2100	74	B. NEAL
	2400	75	Carmen

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 123 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-12			
Date	Time	Temp.	Name (Print)
8-12-18	0300	77	J. Ramirez
	0600	76	Broz
	0900	75	Broz
	1200	75	Broz
	1500	76	Candela
	1800	75	Candela
	2100	73	Candela
	2400	74	Servin

Tuesday 8-13			
Date	Time	Temp.	Name (Print)
8-13-18	0300	73	Servin
	0600	73	Sprecher
	0900	74	Sprecher
	1200	74	Sprecher
	1500	75	Candela
	1800	74	Candela
	2100	74	Candela
	2400	74	Singh

Wednesday 8-14			
Date	Time	Temp.	Name (Print)
8-14-18	0300	74	Singh
	0600	74	Rodriguez
	0900	75	Rodriguez
	1200	75	Rodriguez
	1500	78	Gibbons
	1800	76	Gibbons
	2100	74	Gibbons
	2400	74	Carmona

Thursday 8-15			
Date	Time	Temp.	Name (Print)
8-15-18	0300	76	Carmona
	0600	75	Rodriguez
	0900	75	Rodriguez
	1200	75	Rodriguez
	1500	76	Gibbons
	1800	76	Gibbons
	2100	74	Gibbons
	2400	74	C. Madayag

Friday 8-16			
Date	Time	Temp.	Name (Print)
8-16-18	0300	74	C. Madayag
	0600	74	C. Madayag
	0900	75	B. Howe
	1200	75	B. Howe
	1500	75	O. Thompson
	1800	75	O. Thompson
	2100	75	O. Thompson
	2400	75	V. McAllayag

Saturday 8-17			
Date	Time	Temp.	Name (Print)
8-17-18	0300	76	V. McAllayag
	0600	75	B. Howe
	0900	75	B. Howe
	1200	75	B. Howe
	1500	75	C. Madayag
	1800	75	C. Madayag
	2100	75	C. Madayag
	2400	75	C. Madayag

Notes

Sunday 8-18			
Date	Time	Temp.	Name (Print)
8-18-18	0300	75	C. Madayag
	0600	75	B. Howe
	0900	75	B. Howe
	1200	75	B. Howe
	1500	74	B. Cark
	1800	74	B. Cark
	2100	74	B. Cark
	2400	74	C. Madayag

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 04 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-12-24

Date	Time	Temp.	Name (Print)
<u>8/12</u>	0300	75	un
	0600	75	Vadair
	0900	76	Vadair
	1200	76	Vadair
	1500	77	MAGNUAN
	1800	76	MAGNUAN
	2100	75	MAGNUAN
	2400	75	Lerchen

Wednesday 8/14

Date	Time	Temp.	Name (Print)
<u>8/14</u>	0300	72	J. Spalding
	0600	72	A. Spalding
	0900	72	A. Spalding
	1200	72	A. Spalding
	1500	72	HANSFORD
	1800	72	HANSFORD
	2100	71	HANSFORD
	2400	71	J. McMillough

Friday 8/16

Date	Time	Temp.	Name (Print)
<u>8/16</u>	0300	71	J. McMillough
	0600	72	A. Spalding
	0900	72	A. Spalding
	1200	72	A. Spalding
	1500	72	HANSFORD
	1800	71	HANSFORD
	2100	71	HANSFORD
	2400	72	Carrillo

Sunday 8/18

Date	Time	Temp.	Name (Print)
<u>8/18</u>	0300	75	J. Ramirez
	0600	71	A. Spalding
	0900	71	A. Spalding
	1200	71	A. Spalding
	1500	71	HAWKS
	1800	71	HAWKS
	2100	70	HAWKS
	2400	70	J. Ramirez

Tuesday 8/13/24

Date	Time	Temp.	Name (Print)
<u>8/13</u>	0300	75	Jaychard
	0600	75	Savade
	0900	78	Swinton
	1200	79	JANCINA
	1500	80	MAGNUAN
	1800	80	MAGNUAN
	2100	78	MAGNUAN
	2400	76	Forn

Thursday 8/15/24

Date	Time	Temp.	Name (Print)
<u>8/15</u>	0300	71	J. McMillough
	0600	72	A. Spalding
	0900	72	A. Spalding
	1200	72	A. Spalding
	1500	71	HANSFORD
	1800	71	HANSFORD
	2100	71	HANSFORD
	2400	71	J. McMillough

Saturday 8/17/24

Date	Time	Temp.	Name (Print)
<u>8/17</u>	0300	72	CARRILLO
	0600	72	A. Spalding
	0900	72	A. Spalding
	1200	72	A. Spalding
	1500	73	Hughes
	1800	73	Hughes
	2100	72	Hughes
	2400	75	T. Ramirez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: POSP Housing Unit: DS

Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-12

Date	Time	Temp.	Name (Print)
12	0300	72	CERAN
12	0600	71	CERROS
12	0900	71	CERROS
12	1200	71	CERROS
12	1500	72	RICKS
12	1800	71	RICKS
12	2100	70	RICKS
12	2400	70	BARBARA

Wednesday 8-14

Date	Time	Temp.	Name (Print)
14	0300	70	Greenough
14	0600	70	K. SHEDD
14	0900	73	K. SHEDD
14	1200	75	K. SHEDD
14	1500	74	Ricks
14	1800	72	Ricks
14	2100	70	Ricks
14	2400	70	Greenough

Friday 8-16

Date	Time	Temp.	Name (Print)
16	0300	70	Greenough
16	0600	70	K. SHEDD
16	0900	73	K. SHEDD
16	1200	75	K. SHEDD
16	1500	75	WAGNER
16	1800	75	WAGNER
16	2100	75	WAGNER
16	2400	73	Greenough

Sunday 8-18

Date	Time	Temp.	Name (Print)
18	0300	71	Greenough
18	0600	70	Woods
18	0900	70	Woods
18	1200	70	Woods
18	1500	71	Ricks
18	1800	71	Ricks
18	2100	71	Ricks
18	2400	72	Greenough

Tuesday 8-13

Date	Time	Temp.	Name (Print)
13	0300	70	BARRAGAN
13	0600	70	BROZ
13	0900	70	BROZ
13	1200	70	BROZ
13	1500	71	RICKS
13	1800	70	RICKS
13	2100	69	RICKS
13	2400	70	Greenough

Thursday 8-15

Date	Time	Temp.	Name (Print)
15	0300	70	Greenough
15	0600	70	K. SHEDD
15	0900	73	K. SHEDD
15	1200	75	K. SHEDD
15	1500	74	Ricks
15	1800	73	Ricks
15	2100	70	Ricks
15	2400	70	Greenough

Saturday 8-17

Date	Time	Temp.	Name (Print)
17	0300	70	Greenough
17	0600	70	Woods
17	0900	73	Woods
17	1200	73	Woods
17	1500	73	WAGNER
17	1800	73	WAGNER
17	2100	73	WAGNER
17	2400	72	Greenough

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSY Housing Unit: D-6 Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-12			
Date	Time	Temp.	Name (Print)
8/12/24	0300	75	BAMABAW
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	75	SABIV

Tuesday 8-13			
Date	Time	Temp.	Name (Print)
8/13/24	0300	75	SABIV
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	74	LEVEQUE
	1800	74	LEVEQUE
	2100	74	LEVEQUE
	2400	77	SABIV

Wednesday 8-14			
Date	Time	Temp.	Name (Print)
8/14/24	0300	77	SABIV
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	ROB/12
	1800	75	ROB/12
	2100	76	ROB/12
	2400	78	SABIV

Thursday 8-15			
Date	Time	Temp.	Name (Print)
8/15/24	0300	77	SABIV
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	ROB/12
	1800	75	ROB/12
	2100	75	ROB/12
	2400	78	SABIV

Friday 8-16			
Date	Time	Temp.	Name (Print)
8/16/24	0300	78	SABIV
	0600	76	BRANION
	0900	76	BRANION
	1200	76	BRANION
	1500	76	BANTISTA
	1800	77	BANTISTA
	2100	76	BANTISTA
	2400	78	SABIV

Saturday 8-17			
Date	Time	Temp.	Name (Print)
8/17/24	0300	78	SABIV
	0600	78	BRANION
	0900	78	BRANION
	1200	78	BRANION
	1500	78	BANTISTA
	1800	78	BANTISTA
	2100	78	BANTISTA
	2400	78	BRANION

Sunday 8-18			
Date	Time	Temp.	Name (Print)
8/18/24	0300	78	BANTISTA
	0600	77	ROBINSON
	0900	77	ROBINSON
	1200	77	ROBINSON
	1500	78	WAGNER
	1800	78	WAGNER
	2100	77	WAGNER
	2400	77	OLENEY

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: TEC 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
8/12	0300	73°	Yang
	0600	74	J.DANE
	0900	74	J.DANE
	1200	76	J.DANE
	1500	76	CASTILLO
	1800	76	CASTILLO
	2100	76	CASTILLO
	2400	76	Flores

Date	Time	Temp.	Name (Print)
8/14	0300	78	CARNEY
	0600	77	J.DANE
	0900	78	J.DANE
	1200	77	L.VEREONE
	1500	77	V.MILLIGAN
	1800	77	V.MILLIGAN
	2100	75	V.MILLIGAN
	2400	75	15915

Date	Time	Temp.	Name (Print)
8/16	0300	72	BARNETT
	0600	77	Annead
	0900	75	Annead
	1200	77	Annead
	1500	77	Chunji
	1800	76	Chunji
	2100	76	Chunji
	2400	76	BARNETT

Date	Time	Temp.	Name (Print)
8/18	0300	74°	Yang
	0600	76	BRANDON
	0900	76	BRANDON
	1200	76	BRANDON
	1500	76	BRAM
	1800	75	BRAM
	2100	75	BRAM
	2400	74°	Yang

Date	Time	Temp.	Name (Print)
8/13	0300	74	Flores
	0600	73	FLORES
	0900	74	ANNEAD
	1200	74	ANNEAD
	1500	76	ANNEAD
	1800	76	WAGNER
	2100	76	WAGNER
	2400	78	CARNEY

Date	Time	Temp.	Name (Print)
8/15	0300	75	15915
	0600	75	ANNEAD
	0900	76	ANNEAD
	1200	77	ANNEAD
	1500	77	V.MILLIGAN
	1800	77	V.MILLIGAN
	2100	77	V.MILLIGAN
	2400	77	BALMOR

Date	Time	Temp.	Name (Print)
8/17	0300	76	BARRISON
	0600	76	ANNEAD
	0900	72	ANNEAD
	1200	77	ANNEAD
	1500	76	CHAM
	1800	76	CHAM
	2100	76	CHAM
	2400	74°	J.TANG

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		<u>8-12</u>	
Date	Time	Temp.	Name (Print)
<u>8/12</u>	0300	73°	Varay
	0600	74	JACKSON
	0900	78	JACKSON
	1200	78	JACKSON
	1500	77	Thomas
	1800	77	Thomas
	2100	77	Thomas
	2400	77	J.Flores

Wednesday		<u>8-14</u>	
Date	Time	Temp.	Name (Print)
<u>8/14</u>	0300	78	CARNEY
	0600	78	J.DANG
	0900	72	J.DANG
	1200	77	J.DANG
	1500	76	C.Hamilton
	1800	76	C.Hamilton
	2100	76	C.Hamilton
	2400	75	ISOLIS

Friday		<u>8-16</u>	
Date	Time	Temp.	Name (Print)
<u>8/16</u>	0300	76	ISOLIS
	0600	76	Vadnais
	0900	76	Vadnais
	1200	77	Vadnais
	1500	76	ISOLIS
	1800	76	ISOLIS
	2100	76	ISOLIS
	2400	76	ISOLIS

Sunday		<u>8-18</u>	
Date	Time	Temp.	Name (Print)
<u>8/18</u>	0300	74°	YANG
	0600	75	J.DANG
	0900	75	J.DANG
	1200	77	J.DANG
	1500	77	Vadnais
	1800	77	Vadnais
	2100	76	Vadnais
	2400	74°	J.YANG

Tuesday		<u>8-13</u>	
Date	Time	Temp.	Name (Print)
<u>8/13</u>	0300	77	J.Flores
	0600	77	Vadnais
	0900	77	Vadnais
	1200	77	Vadnais
	1500	77	Thomas
	1800	77	Thomas
	2100	77	Thomas
	2400	78	CARNEY

Thursday		<u>8-15</u>	
Date	Time	Temp.	Name (Print)
<u>8/15</u>	0300	75	ISOLIS
	0600	75	Vadnais
	0900	75	Vadnais
	1200	76	Vadnais
	1500	76	C.Hamilton
	1800	76	C.Hamilton
	2100	76	C.Hamilton
	2400	76	BARNES

Saturday		<u>8-17</u>	
Date	Time	Temp.	Name (Print)
<u>8/17</u>	0300	76	BARNES
	0600	78	JACKSON
	0900	78	JACKSON
	1200	78	JACKSON
	1500	77	Thompson
	1800	75	Thompson
	2100	75	Thompson
	2400	73°	Tong

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

D-9

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9

Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

8-18

Date	Time	Temp.	Name (Print)
8/12	0300	78	BARNABY
12/24	0600	75	P. GARNES
	0900	76	P. GARNES
	1200	77	P. GARNES
	1500	76	O. Higareda
	1800	77	O. Higareda
	2100	77	O. Higareda
	2400	76	sabir

Wednesday

8-14

Date	Time	Temp.	Name (Print)
08/14	0300	77	sabir
12/24	0600	77	P. Barnes
	0900	77	P. Barnes
	1200	78	P. Barnes
	1500	79	H. Stephens
	1800	77	H. Stephens
	2100	77	H. Stephens
	2400	77	sabir

Friday

8-16

Date	Time	Temp.	Name (Print)
08/16	0300	78	sabir
12/24	0600	78	IVES
	0900	76	IVES
	1200	76	IVES
	1500	78	C. CARTAGENA
	1800	77	C. CARTAGENA
	2100	77	C. CARTAGENA
	2400	78	sabir

Sunday

8-18

Date	Time	Temp.	Name (Print)
08/18	0300	77	BARNABY
12/24	0600	77	P. Barnes
	0900	77	P. Barnes
	1200	78	P. Barnes
	1500	79	Barnab
	1800	77	Barnab
	2100	77	Barnab
	2400	79	OBERTO

Tuesday

8-13

Date	Time	Temp.	Name (Print)
08/13	0300	78	sabir
12/24	0600	76	P. Barnes
	0900	76	P. Barnes
	1200	77	P. Barnes
	1500	79	H. Stephens
	1800	79	H. Stephens
	2100	77	H. Stephens
	2400	77	sabir

Thursday

8-15

Date	Time	Temp.	Name (Print)
08/15	0300	77	sabir
12/24	0600	77	BOZOZ
	0900	77	BOZOZ
	1200	77	BOZOZ
	1500	72	CASTILLO
	1800	72	MATMO
	2100	72	MATMO
	2400	78	sabir

Saturday

8-17

Date	Time	Temp.	Name (Print)
08/17	0300	78	sabir
12/24	0600	77	P. Barnes
	0900	77	P. Barnes
	1200	78	P. Barnes
	1500	78	Barnab
	1800	77	Barnab
	2100	77	Barnab
	2400	77	OBERTO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PrSP Housing Unit: D10

Temp. Reading Location: 2nd T/FK

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

8-12

Date	Time	Temp.	Name (Print)
8/12	0300	72	GAMM
0600	75	MITCHELL	
0900	68	MITCHELL	
1200	72	MITCHELL	
1500	72	BROZ	
1800	72	BROZ	
2100	72	BROZ	
2400	72	BARNABAR	

Wednesday

8-14

Date	Time	Temp.	Name (Print)
8/14	0300	70	Greenough
0600	68	Mitchell	
0900	73	Mitchell	
1200	75	Mitchell	
1500	74	BROZ	
1800	74	BROZ	
2100	74	BROZ	
2400	73	Greenough	

Friday

8-16

Date	Time	Temp.	Name (Print)
8/16	0300	76	Greenough
0600	73	Mitchell	
0900	73	Mitchell	
1200	71	Mitchell	
1500	70	SALAS	
1800	70	SALAS	
2100	70	SALAS	
2400	70	Greenough	

Sunday

8-18

Date	Time	Temp.	Name (Print)
8/18	0300	70	Greenough
0600	74	Rodriguez	
0900	74	Rodriguez	
1200	74	Rodriguez	
1500	74	NES	
1800	74	NES	
2100	72	NES	
2400	74	GAMM	

Tuesday

8-13

Date	Time	Temp.	Name (Print)
8/13	0300	72	Greenough
0600	72	Mitchell	
0900	75	Mitchell	
1200	71	Mitchell	
1500	71	BROZ	
1800	71	BROZ	
2100	71	BROZ	
2400	70	Greenough	

Thursday

8-15

Date	Time	Temp.	Name (Print)
8/15	0300	71	Greenough
0600	73	Mitchell	
0900	75	Mitchell	
1200	75	Mitchell	
1500	75	BROZ	
1800	75	BROZ	
2100	75	BROZ	
2400	73	Greenough	

Saturday

8-17

Date	Time	Temp.	Name (Print)
8/17	0300	70	Greenough
0600	77A	Rodriguez	
0900	68 C	Rodriguez	
1200	77 F	Rodriguez	
1500	74	Houghton	
1800	74	Houghton	
2100	74	Houghton	
2400	72	Greenough	

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D1 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>05/19/24</u>	0300	73	J. Robbie
	0600	70	J. Nichols
	0900	72	J. Nichols
	1200	72	J. Nichols
	1500	73	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	73	N. Glass

Tuesday			
Date	Time	Temp.	Name (Print)
<u>05/20/24</u>	0300	71	M. Gray
	0600	70	S. M. Gray
	0900	70	Sabir
	1200	71	Sabir
	1500	71	RE Little
	1800	71	RE Little
	2100	71	RE Little
	2400	71	Weltner

Wednesday			
Date	Time	Temp.	Name (Print)
<u>05/21/24</u>	0300	70	Weltner
	0600	70	Weltner
	0900	71	Hendrix
	1200	71	Hendrix
	1500	71	ESPARZA
	1800	71	ESPARZA
	2100	71	ESPARZA
	2400	71	V. McNaugh

Thursday			
Date	Time	Temp.	Name (Print)
<u>05/22/24</u>	0300	71	V. McNaugh
	0600	71	H. H.
	0900	71	H. H.
	1200	71	Hendrix
	1500	71	Contreras
	1800	71	Carr
	2100	71	Weltner
	2400	71	V. McNaugh

Friday			
Date	Time	Temp.	Name (Print)
<u>05/23/24</u>	0300	70	V. McNaugh
	0600	71	V. McNaugh
	0900	71	Hendrix
	1200	71	Hendrix
	1500	70	W. Black
	1800	70	W. Black
	2100	70	W. Black
	2400	70	Lagland

Saturday			
Date	Time	Temp.	Name (Print)
<u>05/24/24</u>	0300	70	Weltner
	0600	71	Weltner
	0900	70	Weltner
	1200	70	Weltner
	1500	72	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Weltner

Sunday			
Date	Time	Temp.	Name (Print)
<u>05/25/25</u>	0300	71	Weltner
	0600	70	Weltner
	0900	70	
	1200	70	
	1500	73	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Carrillo

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	75	(Medina)
	0600	76	H. Stephens
	0900	75	H. Stephens
	1200	75	H. Stephens
	1500	75	Hernandez
	1800	75	Hernandez
	2100	75	Hernandez
	2400	75	Medrano

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	76	Medrano
	0600	78	H. Stephens
	0900	77	H. Stephens
	1200	78	H. Stephens
	1500	77	Silas
	1800	77	Silas
	2100	76	Silas
	2400	75	Flores

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	72	Flores
	0600	74	H. Stephens
	0900	73	H. Stephens
	1200	74	H. Stephens
	1500	74	A. MELENDOZ
	1800	74	A. MELENDOZ
	2100	72	A. MELENDOZ
	2400	73	Carmena

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	73	Carmena
	0600	73	M. LOISELLE
	0900	75	M. LOISELLE
	1200	75	M. LOISELLE
	1500	75	Zeph
	1800	75	Zeph
	2100	75	Zeph
	2400	75	Carmena

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	73	Carmena
	0600	75	Rodriguez
	0900	74	Rodriguez
	1200	77	Rodriguez
	1500	75	Zeph
	1800	75	Zeph
	2100	74	Zeph
	2400	73	T. WHITESIDE

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	73	T. WHITESIDE
	0600	73	Streeter
	0900	73	Streeter
	1200	74	Streeter
	1500	74	Zeph
	1800	74	Zeph
	2100	73	Zeph
	2400	74	Gammie

Notes

Date	Time	Temp.	Name (Print)
8/25/24	0300	74	Gammie
	0600	74	H. Stephens
	0900	76	H. Stephens
	1200	76	H. Stephens
	1500	75	M. OCHOA
	1800	75	M. OCHOA
	2100	74	M. OCHOA
	2400	74	M. OCHOA

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 03 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	74	C. Madrid
	0600	75	B. Howe
	0900	75	B. Howe
	1200	75	B. Howe
	1500	75	C. Cerritos
	1800	74	C. Cerritos
	2100	73	C. Cerritos
	2400	71	R. O'Neill

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	73	Floyd
	0600	75	Sabir
	0900	75	Sabir
	1200	76	Sabir
	1500	76	Stevenson
	1800	75	Stevenson
	2100	74	Stevenson
	2400	74	Carmona

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	76	Carmona
	0600	75	B. Howe
	0900	75	B. Howe
	1200	75	B. Howe
	1500	73	T. FRIAN
	1800	72	T. FRIAN
	2100	70	T. FRIAN
	2400	70	T. WHITESIDE

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	74	Carmona
	0600	74	B. Howe
	0900	74	B. Howe
	1200	74	B. Howe
	1500	75	B. Carter
	1800	74	B. Carter
	2100	74	B. Carter
	2400	74	E. Miller

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	74	R. O'Neill
	0600	74	J. Prester
	0900	75	J. Prester
	1200	75	J. Prester
	1500	74	C. Cartagena
	1800	75	C. CARTAGENA
	2100	75	C. CARTAGENA
	2400	75	Floyd

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	74	Carmona
	0600	76	Rodriguez
	0900	76	Rodriguez
	1200	76	Rodriguez
	1500	77	C. CARTAGENA
	1800	77	C. CARTAGENA
	2100	76	C. CARTAGENA
	2400	76	Carmona

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	70	T. Whiteside
	0600	74	B. Howe
	0900	74 A	Stephens
	1200	75 A	Stephens
	1500	75	Carter
	1800	75	Karter
	2100	75	Carter
	2400	75	Carter

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D4

Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-20-18	0300	73	J. Romine
	0600	73	Stephens
	0900	73	Stephens
	1200	74	Stephens
	1500	73	HANSFORD
	1800	73	HANSFORD
	2100	73	HANSFORD
	2400	73	N. Gray

Wednesday

Date	Time	Temp.	Name (Print)
8-21-18	0300	72	Welton
	0600	72	Well
	0900	72	A. Spalding
	1200	72	A. Spalding
	1500	72	A. Spalding
	1800	72	HANSFORD
	2100	72	HANSFORD
	2400	72	V. McMillen

Friday

Date	Time	Temp.	Name (Print)
8-23-18	0300	72	V. McMillen
	0600	72	A. Spalding
	0900	72	A. Spalding
	1200	72	A. Spalding
	1500	72	MAGNUSON
	1800	72	MAGNUSON
	2100	72	MAGNUSON
	2400	72	Laguerre

Sunday

Date	Time	Temp.	Name (Print)
8-25-18	0300	70	Welton
	0600	71	Well
	0900	72	A. Spalding
	1200	72	A. Spalding
	1500	72	A. Spalding
	1800	72	HUGHES
	2100	71	Hughes
	2400	71	Carriero

Tuesday

Date	Time	Temp.	Name (Print)
8-22-18	0300	73	Crisse
	0600	73	Stephens
	0900	76	Stephens
	1200	74	Anaya
	1500	74	HANSFORD
	1800	74	HANSFORD
	2100	74	HANSFORD
	2400	73	Welton

Thursday

Date	Time	Temp.	Name (Print)
8-22-18	0300	72	V. McMillen
	0600	72	A. Spalding
	0900	72	A. Spalding
	1200	72	A. Spalding
	1500	74	MAGNUSON
	1800	74	MAGNUSON
	2100	72	MAGNUSON
	2400	72	V. McMillen

Saturday

Date	Time	Temp.	Name (Print)
8-24-18	0300	72	Ingraham
	0600	72	A. Spalding
	0900	72	A. Spalding
	1200	72	A. Spalding
	1500	72	HUGHES
	1800	72	Hughes
	2100	71	Hughes
	2400	71	Well

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 05 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	74	CORONADO
	0600	74	CERROS
	0900	75	CERROS
	1200	75	CERROS
	1500	74	Ricks
	1800	72	Ricks
	2100	71	Ricks
	2400	70	MEDANO

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	72	BEL
	0600	72	K-SHEED
	0900	74	K-SHEED
	1200	75	K-SHEED
	1500	76	Ricks
	1800	74	Ricks
	2100	73	Ricks
	2400	73	R. O'Neill

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	70	Greenough
	0600	70	K-SHEED
	0900	70	ALDRETE
	1200	70	ALDRETE
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	Greenough

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	70	Greenough
	0600	70	Chad
	0900	70	Chad
	1200	74	Chad
	1500	75	Ricks
	1800	72	Ricks
	2100	71	Ricks
	2400	71	Medano

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	78	Medano
	0600	75	Medano
	0900	76	C-CERROS
	1200	77	C-CERROS
	1500	75	Ricks
	1800	74	Ricks
	2100	72	Ricks
	2400	72	BRA

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	71	K.O'Neill
	0600	72	K-SHEED
	0900	75	K-SHEED
	1200	75	K-SHEED
	1500	76	Ricks
	1800	74	Ricks
	2100	71	Ricks
	2400	70	Greenough

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	70	Greenough
	0600	70	Chad
	0900	78	Chad
	1200	70	Chad
	1500	72	WAGNER
	1800	71	WAGNER
	2100	70	WAGNER
	2400	70	Greenough

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D 6 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			2024
Date	Time	Temp.	Name (Print)
8/19/24	0300	77	Olney
	0600	77	Damns
	0900	77	Damns
	1200	77	Damns
	1500	77	WAGNER
	1800	76	WAGNER
	2100	76	WITTINGER
	2400	78	Sabry

Tuesday			
Date	Time	Temp.	Name (Print)
8/20/04	0300	78	Sabir
	0600	79	Sabir
	0900	81	Sabir
	1200	82	Sabir
	1500	82	T. PRATT
	1800	80	T. PRATT
	2100	78	T. PRATT
	2400	78	Sabir

Wednesday			
Date	Time	Temp.	Name (Print)
9/21	0300	78	Sabir
	0600	78	ANNALETT
	0900	78	ANNALETT
	1200	78	ANNALETT
	1500	78	Nayra
	1800	78	Nayra
	2100	78	Nayra
	2400	78	Sabir

Thursday			
Date	Time	Temp.	Name (Print)
8/22	0300	78	Carly
	0600	79	H. Stephens
	0900	74	H. Stephens
	1200	74	H. Stephens
	1500	76	Maggie
	1800	76	Bailey
	2100	76	Maggie
	2400	76	6 Reserve

Friday			
Date	Time	Temp.	Name (Print)
8/13/04	0300	76	SABIR
	0600	78	TALIBAH
	0900	78	TALIBAH
	1200	78	TALIBAH
	1500	78	BAUTISTA
	1800	78	BAUTISTA
	2100	78	BAUTISTA
	2400	78	SABIR

Saturday			
Date	Time	Temp.	Name (Print)
8/14	0300	26	A Roosa
	0600	26	A Roosa
	0900	76	B CAMBELL
	1200	76	B CAMPBELL
	1500	77	B CAMBELL
	1800	77	BAUTISTA
	2100	77	BAUTISTA
	2400	77	Carillo

Sunday			
Date	Time	Temp.	Name (Print)
8/25/14	0300	75	Carrillo
	0600	75	R. Robinson
	0900	75	R. Robinson
	1200	75	R. Robinson
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	75	BARRAGAN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday - 2021

Date	Time	Temp.	Name (Print)
<u>8/19/21</u>	0300	73°	Yang
	0600	73°	Scheerer
	0900	74	Scheerer
	1200	74°	Scheerer
	1500	74	B.Williams
	1800	74	B.Williams
	2100	73	B.Williams
	2400	73	HAMES

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/20/21</u>	0300	74	FLODEJ
	0600	77	Amerson
	0900	78	Amerson
	1200	78	Amerson
	1500	77	WAGNER
	1800	77	WAGNER
	2100	76	WAGNER
	2400	77	CARNEY

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/21/21</u>	0300	78	CARNEY
	0600	77	Amerson
	0900	78	Amerson
	1200	78	Amerson
	1500	78	V.Mel.Hayes
	1800	78	V.Mel.Hayes
	2100	78	V.Mel.Hayes
	2400	79	F.ESPARZA

Thursday

Date	Time	Temp.	Name (Print)
<u>8/22/21</u>	0300	76	F.ESPARZA
	0600	76	Amerson
	0900	77	Amerson
	1200	77	Amerson
	1500	77	V.Mel.Hayes
	1800	77	V.Mel.Hayes
	2100	77	V.Mel.Hayes
	2400	78	ESPARZA

Friday

Date	Time	Temp.	Name (Print)
<u>8/23/21</u>	0300	78	ESPARZA
	0600	77	Amerson
	0900	79	Amerson
	1200	75	Amerson
	1500	76	Ruvalcaba
	1800	81	Ruvalcaba
	2100	79	Ruvalcaba
	2400	77	C.Madrigal

Saturday

Date	Time	Temp.	Name (Print)
<u>8/24/21</u>	0300	78	C.Madrigal
	0600	77	Amerson
	0900	77	Morano
	1200	77	Morano
	1500	76	CHAM
	1800	76	CHAM
	2100	76	CHAM
	2400	75	J.CEDALOZ

Sunday

Date	Time	Temp.	Name (Print)
<u>8/25/21</u>	0300	74	Yang
	0600	74	Morano
	0900	75	HEMING
	1200	75	HEMING
	1500	75	HEMING
	1800	73	HEMING
	2100	73	HEMING
	2400	72°	Yang

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 8 Temp. Reading Location: TCER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	73°	J. Manz
	0600	73	J-S
	0900	75	J-S
	1200	75	J-S
	1500	74	R. Martinez
	1800	73	R. Martinez
	2100	73	R. Martinez
	2400	73	Flores

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	72	FLORES
	0600	73	TRAIN
	0900	73	TRAIN
	1200	73	TRAIN
	1500	73	M. Grogan
	1800	73	M. Grogan
	2100	73	M. Grogan
	2400	74	CARNEY, K

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	75	CARNEY
	0600	74	Hughes
	0900	74	Hughes
	1200	73	Hughes
	1500	73	Wilson
	1800	73	Wilson
	2100	74	Wilson
	2400	74	ESPARZA

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	74	ESPARZA
	0600	74	T. GOGG
	0900	74	T. GOGG
	1200	74	GOGG
	1500	74	CASTILLO
	1800	74	CASTILLO
	2100	74	CASTILLO
	2400	74	ESPARZA

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	74	ESPARZA
	0600	74	CAGLE
	0900	75	CAGLE
	1200	75	CAGLE
	1500	74	ALDRETE
	1800	74	ALDRETE
	2100	73	ALDRETE
	2400	73	C. Aldrete

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	73	C. Aldrete
	0600	73	CAGLE
	0900	73	CAGLE
	1200	74	CAGLE
	1500	74	CEBALLOS
	1800	74	CEBALLOS
	2100	73	CEBALLOS
	2400	73	CEBALLOS

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	73°	Yong
	0600	74	CAGLE
	0900	74	CAGLE
	1200	74	CAGLE
	1500	75	J. DANE
	1800	75	J. DANE
	2100	75	J. DANE
	2400	73°	Yong

Notes



STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D 9 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-19-24	0300	78	Oliver
	0600	77	P. Barnes
	0900	77	P. Barnes
	1200	78	P. Barnes
	1500	79	Bryant
	1800	78	Bryant
	2100	78	Bryant
	2400	78	Sabir
Tuesday			
Date	Time	Temp.	Name (Print)
8-20-24	0300	77	Sabir
	0600	77	P. Barnes
	0900	76	P. Barnes
	1200	74	P. Barnes
	1500	70	Bryant
	1800	79	Bryant
	2100	78	Bryant
	2400	78	Sabir
Wednesday			
Date	Time	Temp.	Name (Print)
8-21-24	0300	78	Sabir
	0600	77	P. Barnes
	0900	78	P. Barnes
	1200	79	P. Barnes
	1500	79	Bryant
	1800	78	Bryant
	2100	78	Bryant
	2400	78	Sabir
Thursday			
Date	Time	Temp.	Name (Print)
8-22-24	0300	78	SABIR
	0600	78	BROZDOWNSOFF
	0900	78	BROZ
	1200	78	BROZ
	1500	76	Stevenson
	1800	76	Stevenson
	2100	76	Stevenson
	2400	76	A. REEVES
Friday			
Date	Time	Temp.	Name (Print)
8-23-24	0300	76	Reeve
	0600	76	Reeve
	0900	75	Thomas
	1200	75	Thomas
	1500	76	CARTAGO 10
	1800	76	CARTAGO 10
	2100	76	CARTAGO 10
	2400	78	Sabir
Saturday			
Date	Time	Temp.	Name (Print)
8/24/24	0300	76	A. Reeve
	0600	76	A. Reeve
	0900	75	Thomas
	1200	75	Thomas
	1500	75	A. Pena
	1800	75	A. Pena
	2100	75	A. Pena
	2400	73	Carrillo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D10 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	74	CHAVIN
	0600	74	ROCCO
	0900	75	ROCCO
	1200	75	ROCCO
	1500	75	BROZ
	1800	75	BROZ
	2100	75	BROZ
	2400	76	MEDIANO

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	78	MEDIANO
	0600	74	MEDIANO
	0900	78	MITCHELL
	1200	70	MITCHELL
	1500	70	BROZ
	1800	70	BROZ
	2100	70	BROZ
	2400	71	BROZ

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	71	BROZ
	0600	77	MITCHELL
	0900	75	MITCHELL
	1200	74	MITCHELL
	1500	74	BROZ
	1800	74	BROZ
	2100	74	BROZ
	2400	73	R. O'NEILL

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	71	R. O'NEILL
	0600	75	M. TATELLI
	0900	79	M. TATELLI
	1200	75	M. TATELLI
	1500	75	BROZ
	1800	75	BROZ
	2100	75	BROZ
	2400	73	GREENOUGH

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	72	GREENOUGH
	0600	72	L. MCALENDAR
	0900	72	L. MCALENDAR
	1200	72	L. MCALENDAR
	1500	72	R. STEWART
	1800	72	R. STEWART
	2100	72	R. STEWART
	2400	71	GREENOUGH

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	70	GREENOUGH
	0600	74 D	RODRIGUEZ
	0900	69 B	RODRIGUEZ
	1200	70 F	RODRIGUEZ
	1500	70	CARRILLO
	1800	70	CARRILLO
	2100	69	CARRILLO
	2400	70	GREENOUGH

Notes

Date	Time	Temp.	Name (Print)
8/25/24	0300	70	GREENOUGH
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	70	BROZ
	1800	70	BROZ
	2100	70	BROZ
	2400	70	MEDIANO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BSP Housing Unit: D1 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	70	Carrillo
	0600	70	Thomas
	0900	70	Thomas
	1200	70	Thomas
	1500	70	GRUNDY
	1800	70	GRUNDY
	2100	70	GRUNDY
	2400	70	GRUNDY

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	70	Logsdon
	0600	70	Thomas
	0900	70	Thomas
	1200	70	Thomas
	1500	74	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Logsdon

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	72	Logsdon
	0600	71	
	0900	72	
	1200	72	Hendrix
	1500	72	ESPARZA
	1800	72	ESPARZA
	2100	72	ESPARZA
	2400	72	V. McAllister

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	70	V. McAllister
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	72	Carrillo
	1800	72	Carrillo
	2100	72	Carrillo
	2400	72	R. O'Neill

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	71	Carrillo
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	71	W. BLACK
	1800	71	W. BLACK
	2100	71	W. BLACK
	2400	71	W. BLACK


Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	71	
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	73	GRUNDY, H.
	1800	73	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Logsdon

Notes

Date	Time	Temp.	Name (Print)
9/1/24	0300	70	Logsdon
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	73	GRUNDY, H.
	1800	73	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Logsdon

DISTRIBUTION: Original: Institution ADA Coordinator


John Clegg
CATT Q

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D - 2 Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-26-24	0300	74	
	0600	73	H. Stephens
	0900	75	H. Stephens
	1200	74	H. Stephens
	1500	76	M. OCHOA
	1800	76	M. OCHOA
	2100	76	M. OCHOA
	2400	74	SERVIN

Tuesday

Date	Time	Temp.	Name (Print)
5-27-24	0300	74	SERVIN
	0600	76	H. Stephens
	0900	78	H. Stephens
	1200	78	H. Stephens
	1500	76	C. LESLEY
	1800	75	C. LESLEY
	2100	75	C. LESLEY
	2400	75	V. CHANG

Wednesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	74	V. CHANG
	0600	74	W. BLACK
	0900	75	W. BLACK
	1200	76	W. BLACK
	1500	76	Candela
	1800	75	Candela
	2100	75	Candela
	2400	75	Carmona

Thursday

Date	Time	Temp.	Name (Print)
5-29-24	0300	75	Carmona
	0600	75	W. BLACK
	0900	76	W. BLACK
	1200	76	W. BLACK
	1500	75	Zeta
	1800	75	Zeta
	2100	75	Zeta
	2400	75	Carmona

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	76	Carmona
	0600	76	Rodriguez
	0900	75	Rodriguez
	1200	75	Rodriguez
	1500	75	Rodriguez
	1800	75	Rodriguez
	2100	75	Rodriguez
	2400	75	Lunstead

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	75	Lunstead D.
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	Zeta
	1800	75	Zeta
	2100	75	Zeta
	2400	74	V. McMurphy

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	74	V. McMurphy
	0600	74	C. Bellinger
	0900	74	Bellinger
	1200	74	Bellinger
	1500	76	M. OCHOA
	1800	74	M. OCHOA
	2100	74	M. OCHOA
	2400	74	R. O'NEILL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

JRC CLEMSON (MTPB)

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	73	CHANG
	0600	75	B. Howe
	0900	75	B. Howe
	1200	76	B. Howe
	1500	75	Candela
	1800	75	Candela
	2100	74	Candela
	2400	76	SERVIN

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	74	SERVIN
	0600	74	Spreeyer
	0900	75	Spreeyer
	1200	75	Spreeyer
	1500	76	Candela
	1800	76	Candela
	2100	74	Candela
	2400	73	CHANG

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	73	CHANG
	0600	74	Rodriguez
	0900	75	Rodriguez
	1200	75	Rodriguez
	1500	80	Gibbons
	1800	80	Gibbons
	2100	78	Gibbons
	2400	78	Carmona

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	78	Carmona
	0600	78	Spreeyer
	0900	78	Spreeyer
	1200	78	Spreeyer
	1500	80	Gibbons
	1800	78	Gibbons
	2100	76	Gibbons
	2400	76	Carmona

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	71	Carmona
	0600	70	B. Howe
	0900	74	B. Howe
	1200	74	B. Howe
	1500	71	B. Howe
	1800	74	B. Howe
	2100	71	B. Howe
	2400	74	Lunsford

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	72	Lunsford D.
	0600	73	B. Howe
	0900	73	B. Howe
	1200	73	B. Howe
	1500	74	B. Howe
	1800	74	B. Howe
	2100	74	B. Howe
	2400	72	W. Williams

Notes

Date	Time	Temp.	Name (Print)
9/1/24	0300	72	V. McAllister
	0600	73	B. Howe
	0900	74	M. JONES
	1200	74	M. JONES
	1500	71	C. Gibbons
	1800	74	C. Gibbons
	2100	72	C. Gibbons
	2400	74	P. O'Neill

DISTRIBUTION: Original: Institution ADA Coordinator

J. Chen 04/18

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D4 Temp. Reading Location: TFR 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	71	Carrillo
	0600	71 F	Stephens
	0900	71 F	Stephens
	1200	72 F	Stephens
	1500	74	MAGNUSON
	1800	73	MAGNUSON
	2100	72	MAGNUSON
	2400	72	Loychuk

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	72	Loychuk
	0600	75 F	Stephens
	0900	75 F	Stephens
	1200	77 F	Stephens
	1500	76	MAGNUSON
	1800	76	MAGNUSON
	2100	75	MAGNUSON
	2400	75	Loychuk

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	75	Loychuk
	0600	75	Vadraiz
	0900	76	Vadraiz
	1200	77	Vadraiz
	1500	74	CROOK
	1800	74	CROOK
	2100	79	CROOK
	2400	72	K. McMillan

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	72	K. McMillan
	0600	76	CARLSEN
	0900	76	CARLSEN
	1200	76	CARLSEN
	1500	76	Hughes
	1800	75	Hughes
	2100	75	Hughes
	2400	74	O'Neill

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	79	O'hora
	0600	78	CARLSEN
	0900	76	CARLSEN
	1200	76	CARLSEN
	1500	74	Hawkins
	1800	79	Hawkins
	2100	74	Hawkins
	2400	74	Loychuk

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	74	Loychuk
	0600	75	CARLSEN
	0900	75	CARLSEN
	1200	76	CARLSEN
	1500	76	Hughes
	1800	75	Hughes
	2100	75	Hughes
	2400	75	Loychuk

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	78	Loychuk
	0600	74	CARLSEN
	0900	75	CARLSEN
	1200	75	CARLSEN
	1500	76	Hughes
	1800	79	Hughes
	2100	73	Hughes
	2400	73	Loychuk

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

J. L. Laren CMT 8/1

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D5 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5585 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21/24	0300	75	McNamee
	0600	72	McNamee
	0900	71	Cerritos
	1200	71	Cerritos
	1500	72	Ricks
	1800	70	Ricks
	2100	70	Ricks
	2400	73	sterDevant

Wednesday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	Greenough
	0600	70	K. SHEDD
	0900	73	K. SHEDD
	1200	75	K. SHEDD
	1500	74	Ricks
	1800	72	Ricks
	2100	70	Ricks
	2400	70	Greenough

Friday

Date	Time	Temp.	Name (Print)
5/25/24	0300	74	Greenough
	0600	74	K. SHEDD
	0900	74	K. SHEDD
	1200	75	K. SHEDD
	1500	75	WAGNER
	1800	75	WAGNER
	2100	73	WAGNER
	2400	72	Greenough

Sunday

Date	Time	Temp.	Name (Print)
5/27/24	0300	71	Greenough
	0600	72	Woods
	0900	73	Woods
	1200	74	Woods
	1500	74	Ricks
	1800	72	Ricks
	2100	71	Ricks
	2400	71	J. Fiers

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	73	Burgos
	0600	73	Leveque
	0900	73	Leveque
	1200	73	Leveque
	1500	74	Ricks
	1800	72	Ricks
	2100	71	Ricks
	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	Greenough
	0600	70	B. Campion
	0900	72	B. Campion
	1200	76	B. Campion
	1500	81	Ricks
	1800	80	Ricks
	2100	79	Ricks
	2400	75	Greenough

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	71	Greenough
	0600	72	Woods
	0900	73	Woods
	1200	74	Woods
	1500	75	WAGNER
	1800	73	WAGNER
	2100	73	WAGNER
	2400	72	Greenough

Notes

In Clean CHT. O

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/26/24	0300	75	BARNABAS
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	75	SABIR

Tuesday			
Date	Time	Temp.	Name (Print)
8-27-24	0300	75	SABIR
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	GONZALEZ
	1800	75	GONZALEZ
	2100	75	GONZALEZ
	2400	78	SABIR

Wednesday			
Date	Time	Temp.	Name (Print)
8-28-24	0300	78	SABIR
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	BORGES
	1800	75	BORGES
	2100	75	MURRAY
	2400	78	SABIR

Thursday			
Date	Time	Temp.	Name (Print)
8-29-24	0300	78	SABIR
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	BORGES
	1800	75	BORGES
	2100	75	BORGES
	2400	77	SABIR

Friday			
Date	Time	Temp.	Name (Print)
8-30-24	0300	77	SABIR
	0600	78	BRANION
	0900	78	BRANION
	1200	78	BRANION
	1500	78	BAUTISTA
	1800	77	BAUTISTA
	2100	78	BAUTISTA
	2400	77	SABIR

Saturday			
Date	Time	Temp.	Name (Print)
8/31/24	0300	77	SABIR
	0600	75	BRANION
	0900	75	BRANION
	1200	75	BRANION
	1500	76	BAUTISTA
	1800	75	BAUTISTA
	2100	75	BAUTISTA
	2400	75	BRANION

Sunday			
Date	Time	Temp.	Name (Print)
9/1/24	0300	75	BRANION
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	75	BRANION

Notes

J. Chen R. CPTC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/14	0300	73	73
	0600	73	Sneader
	0900	73	Sneader
	1200	74	Sneader
	1500	75	Ussery
	1800	75	Ussery
	2100	75	Ussery
	2400	73	Gaines

Tuesday

Date	Time	Temp.	Name (Print)
8/27/14	0300	73	Gaines
	0600	73	Gaines
	0900	74	Hannan
	1200	75	Hannan
	1500	76	Hannan
	1800	77	Watson
	2100	76	Watson
	2400	75	Ylona

Wednesday

Date	Time	Temp.	Name (Print)
8/28/14	0300	70	Kearns
	0600	72	Lunsford
	0900	76	Lunsford
	1200	78	Lunsford
	1500	78	J. Hernandez
	1800	76	J. Hernandez
	2100	74	J. Hernandez
	2400	76	Kearns

Thursday

Date	Time	Temp.	Name (Print)
8/29/14	0300	76	K. CARNEY
	0600	76	Hannan
	0900	77	Hannan
	1200	78	Hannan
	1500	77	Fryne
	1800	78	Fryne
	2100	78	Fryne
	2400	78	Bartner

Friday

Date	Time	Temp.	Name (Print)
8/30/14	0300	78	13 ARRACAR
	0600	77	Hannan
	0900	78	Hannan
	1200	78	Hannan
	1500	78	Hernandez
	1800	77	Hernandez
	2100	76	Hernandez
	2400	76	13 ARRACAR

Saturday

Date	Time	Temp.	Name (Print)
8/31/14	0300	76	13 ARRACAR
	0600	76	Hannan
	0900	77	Hannan
	1200	78	Hannan
	1500	77	Hernandez
	1800	76	Hernandez
	2100	76	Hernandez
	2400	75	SMITH

Sunday

Date	Time	Temp.	Name (Print)
9/1/14	0300	75	SMITH
	0600	76	Bernion
	0900	76	Branion
	1200	76	Branion
	1500	77	Hernandez
	1800	76	Hernandez
	2100	75	Hernandez
	2400	75	Abernathy

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 8 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8/26/24</u>	0300	72°	Yang
	0600	72	CAGLE
	0900	72	CAGLE
	1200	72	CAGLE
	1500	74	Burke
	1800	74	Burke
	2100	74	Burke
	2400	73	Gardner
Tuesday			
Date	Time	Temp.	Name (Print)
<u>8/27/24</u>	0300	73	Gardner
	0600	73	Gardner
	0900	73	C. Moreno
	1200	75	C. Moreno
	1500	75	O. Higareda
	1800	76	O. Higareda
	2100	75	O. Higareda
	2400	75	Xiong
Wednesday			
Date	Time	Temp.	Name (Print)
<u>8/28/24</u>	0300	76	Deon
	0600	77 1/2	Jeffers
	0900	78 1/2	Stephens
	1200	78	JONES
	1500	78	BUDSAA
	1800	78	Carney
	2100	80	Carney
	2400	80	K-CARREL
Thursday			
Date	Time	Temp.	Name (Print)
<u>8/29/24</u>	0300	80	K-CARREL
	0600	80	BCN
	0900	80	BCN
	1200	80	BCN
	1500	80	BCN
	1800	80	BCN
	2100	80	BCN
	2400	80	BCN
Friday			
Date	Time	Temp.	Name (Print)
<u>8/30/24</u>	0300	78	BARRON
	0600	77	Robinson
	0900	77	Robinson
	1200	77	Robinson
	1500	77	STEVENS
	1800	76	STEVENS
	2100	76	STEVENS
	2400	76	BARRON
Saturday			
Date	Time	Temp.	Name (Print)
<u>8/31/24</u>	0300	76	BARRON
	0600	78	CAGLE
	0900	76	CAGLE
	1200	76	CAGLE
	1500	74	LESSER
	1800	75	LESSER
	2100	73	LESSER
	2400	73	SARAS

Notes

JRC, CAGLE, CAPRON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/26/24	0300	74	B. MANGAN
	0600	74	P. Barnes
	0900	75	P. Barnes
	1200	76	P. Barnes
	1500	74	M. CEBALLOS
	1800	76	M. CEBALLOS
	2100	75	M. CEBALLOS
	2400	75	Sabir

Tuesday

Date	Time	Temp.	Name (Print)
08/27/24	0300	75	Sabir
	0600	75	P. Barnes
	0900	76	P. Barnes
	1200	77	P. Barnes
	1500	76	M. CEBALLOS
	1800	76	M. CEBALLOS
	2100	75	M. CEBALLOS
	2400	78	Sabir

Wednesday

Date	Time	Temp.	Name (Print)
08/28/24	0300	78	Sabir
	0600	77	P. Barnes
	0900	77	P. Barnes
	1200	78	P. Barnes
	1500	78	C. CARTAGENA
	1800	78	C. CARTAGENA
	2100	77	C. CARTAGENA
	2400	78	Sabir

Thursday

Date	Time	Temp.	Name (Print)
08/29/24	0300	77	Sabir
	0600	76	BROZ
	0900	76	BROZ
	1200	76	BROZ
	1500	77	LESSER
	1800	75	LESSER
	2100	76	Sabir
	2400	77	Sabir

Friday

Date	Time	Temp.	Name (Print)
08/30/24	0300	77	Sabir
	0600	77	Vadraik
	0900	76	Vadraik
	1200	77	Vadraik
	1500	76	LESSER
	1800	75	LESSER
	2100	74	LESSER
	2400	77	Sabir

Saturday

Date	Time	Temp.	Name (Print)
08/31/24	0300	77	Sabir
	0600	77	P. Barnes
	0900	77	P. Barnes
	1200	78	P. Barnes
	1500	77	BROZ
	1800	77	BROZ
	2100	76	BROZ
	2400	76	BROZ

Sunday

Date	Time	Temp.	Name (Print)
09/01/24	0300	76	B. MANGAN
	0600	76	P. Barnes
	0900	76	P. Barnes
	1200	77	P. Barnes
	1500	76	T-LO
	1800	75	T-LO
	2100	75	T-LO
	2400	75	B. MANGAN

Notes

JNL Ogleman A

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D10 Temp. Reading Location: -71°F 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/14	0300	74	Medrone
	0600	72	Medrone
	0900	73	Williams
	1200	74	Williams
	1500	74	Broz
	1800	74	Broz
	2100	74	Broz
	2400	74	Greenough

Wednesday

Date	Time	Temp.	Name (Print)
8-28-14	0300	71	Greenough
	0600	72	Baugh
	0900	72	Baugh
	1200	72	Baugh
	1500	72	Broz
	1800	72	Broz
	2100	72	Broz
	2400	71	Greenough

Friday

Date	Time	Temp.	Name (Print)
8-30-14	0300	73	Greenough
	0600	73	R.S. Floyd
	0900	74	R.S. Floyd
	1200	74	R.S. Floyd
	1500	74	Deethridge
	1800	73	Deethridge
	2100	73	Deethridge
	2400	72	Greenough

Sunday

Date	Time	Temp.	Name (Print)
9-1-14	0300	70	Greenough
	0600	70	Greenough
	0900	70	Greenough
	1200	70	Greenough
	1500	71	WES
	1800	71	WES
	2100	71	WES
	2400	71	Flor

Tuesday

Date	Time	Temp.	Name (Print)
8/27/14	0300	74	Bambar
	0600	74	Williams
	0900	75	Williams
	1200	75	Williams
	1500	75	Broz
	1800	75	Broz
	2100	75	Broz
	2400	73	Greenough

Thursday

Date	Time	Temp.	Name (Print)
8-29-14	0300	70	Greenough
	0600	68	Lunsford
	0900	72	Lunsford
	1200	75	Lunsford
	1500	75	Broz
	1800	75	Broz
	2100	75	Broz
	2400	74	Greenough

Saturday

Date	Time	Temp.	Name (Print)
8-31-14	0300	71	Greenough
	0600	71	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	70	NWHS
	1800	70	NWHS
	2100	70	NWHS
	2400	70	Greenough

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: P36P Housing Unit: D-1 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5855 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/21/21</u>	0300	75	<u>Loyd Fcl</u>
	0600	75	<u>J. Pineda</u>
	0900	75	<u>J. Pineda</u>
	1200	75	<u>J. Pineda</u>
	1500	75	<u>GRUNDY, H.</u>
	1800	75	<u>GRUNDY, H.</u>
	2100	73	<u>GRUNDY, H.</u>
	2400	75	<u>Loyd Fcl</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/22/21</u>	0300	75	<u>Loyd Fcl</u>
	0600	75	<u>S. TRAIN</u>
	0900	75	<u>S. TRAIN</u>
	1200	76	<u>S. TRAIN</u>
	1500	74	<u>GRUNDY, H.</u>
	1800	74	<u>GRUNDY, H.</u>
	2100	72	<u>GRUNDY, H.</u>
	2400	76	<u>Loyd Fcl</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/21/21</u>	0300	77	<u>Loyd Fcl</u>
	0600	70	<u>Hendrix</u>
	0900	70	<u>Hendrix</u>
	1200	71	<u>Hendrix</u>
	1500	70	<u>Price</u>
	1800	70	<u>Price</u>
	2100	70	<u>Price</u>
	2400	70	<u>V. McWayne</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>7/21/21</u>	0300	70	<u>V. McWayne</u>
	0600	71	<u>Hendrix</u>
	0900	71	<u>Hendrix</u>
	1200	71	<u>Hendrix</u>
	1500	71	<u>Cowen</u>
	1800	71	<u>Cowen</u>
	2100	71	<u>Cowen</u>
	2400	71	<u>V. McWayne</u>

Friday

Date	Time	Temp.	Name (Print)
<u>8/1/21</u>	0300	71	<u>V. McWayne</u>
	0600	71	<u>A. Melenchon</u>
	0900	71	<u>A. Melenchon</u>
	1200	71	<u>A. Melenchon</u>
	1500	70	<u>W. Black</u>
	1800	70	<u>W. Black</u>
	2100	70	<u>W. Black</u>
	2400	71	<u>Loyd Fcl</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>8/1/21</u>	0300	72	<u>Loyd Fcl</u>
	0600	75	<u>S. Train</u>
	0900	75	<u>S. Train</u>
	1200	75	<u>S. Train</u>
	1500	75	<u>GRUNDY, H.</u>
	1800	75	<u>GRUNDY, H.</u>
	2100	72	<u>GRUNDY, H.</u>
	2400	71	<u>Loyd Fcl</u>

Sunday

Date	Time	Temp.	Name (Print)
<u>8/1/21</u>	0300	70	<u>Loyd Fcl</u>
	0600	70	<u>Hendrix</u>
	0900	70	<u>Hendrix</u>
	1200	70	<u>Hendrix</u>
	1500	73	<u>GRUNDY, H.</u>
	1800	73	<u>GRUNDY, H.</u>
	2100	71	<u>GRUNDY, H.</u>
	2400	71	<u>Loyd Fcl</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 102 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	70	Servin
	0600	70	C. Garnica
	0900	77	C. Garnica
	1200	77	C. Garnica
	1500	77	M. Ochoa
	1800	77	M. Ochoa
	2100	77	M. Ochoa
	2400	75	SERVIN

Tuesday

Date	Time	Temp.	Name (Print)
7-30-2024	0300	70	SERVIN
	0600	70	NELSON
	0900	70	NELSON
	1200	70	NELSON
	1500	70	C. LESLEY
	1800	71	C. LESLEY
	2100	70	C. LESLEY
	2400	74	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
7-31-2024	0300	70	SERVIN
	0600	70	J. Train
	0900	70	J. Train
	1200	70	J. Train
	1500	72	Candela
	1800	72	Candela
	2100	71	Candela
	2400	71	Carmen

Thursday

Date	Time	Temp.	Name (Print)
8-1-2024	0300	72	Carmen
	0600	72	M. Lorraine
	0900	73	M. Lorraine
	1200	73	M. Lorraine
	1500	72	H. Garcia
	1800	70	H. Garcia
	2100	70	H. Garcia
	2400	71	Carmen

Friday

Date	Time	Temp.	Name (Print)
8-2-2024	0300	71	Carmen
	0600	77 A	Rodriguez
	0900	77 C	Rodriguez
	1200	63 E	Rodriguez
	1500	75	Zeta
	1800	75	Zeta
	2100	74	Zeta
	2400	74	V. McWayne

Saturday

Date	Time	Temp.	Name (Print)
8-3-2024	0300	74	V. McWayne
	0600	73	Zeta
	0900	74	Zeta
	1200	75	Zeta
	1500	75	Zeta
	1800	75	Zeta
	2100	75	Zeta
	2400	74	Carmen

Notes

Date	Time	Temp.	Name (Print)
8-4-2024	0300	74	Garn
	0600	74	H. Stephens
	0900	75	H. Stephens
	1200	75	H. Stephens
	1500	75	Zeta
	1800	75	Zeta
	2100	74	Zeta
	2400	74	C. Mayo

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-3 Temp. Reading Location: All Sections
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7-29-2024	0300	71	ohiel
	0600	71	B. Howe
	0900	71	B. Howe
	1200	71	B. Howe
	1500	72	Candela
	1800	71	Candela
	2100	70	Candela
	2400	74	SERVIN

Tuesday			
Date	Time	Temp.	Name (Print)
7-30-2024	0300	72	SERVIN
	0600	75	B. Howe
	0900	75	B. Howe
	1200	76	B. Howe
	1500	75	Candela
	1800	74	Candela
	2100	72	Candela
	2400	74	SERVIN

Wednesday			
Date	Time	Temp.	Name (Print)
7-31-2024	0300	74	SERVIN
	0600	74	TORRANCE
	0900	74	TORRANCE
	1200	74	TORRANCE
	1500	78	Gibbons
	1800	78	Gibbons
	2100	74	Gibbons
	2400	74	Carmona

Thursday			
Date	Time	Temp.	Name (Print)
8-1-2024	0300	74	Carmona
	0600	74	Rodriguez
	0900	74	Rodriguez
	1200	75	Rodriguez
	1500	78	Gibbons
	1800	76	Gibbons
	2100	76	Gibbons
	2400	76	Carmona

Friday			
Date	Time	Temp.	Name (Print)
8-2-2024	0300	74	Carmona
	0600	74	Candela
	0900	74	Candela
	1200	74	Candela
	1500	76	Cant
	1800	75	Cant
	2100	75	Cant
	2400	75	V. McMillan

Saturday			
Date	Time	Temp.	Name (Print)
8-3-2024	0300	75	V. McMillan
	0600	75	B. Howe
	0900	75	B. Howe
	1200	75	B. Howe
	1500	75	B. Howe
	1800	75	B. Howe
	2100	75	B. Howe
	2400	74	Carmona

Sunday			
Date	Time	Temp.	Name (Print)
8-4-2024	0300	74	Carmona
	0600	74	Rodriguez
	0900	75	Rodriguez
	1200	75	Rodriguez
	1500	76	Gibbons
	1800	76	Gibbons
	2100	74	Gibbons
	2400	74	C. Madrigal

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D4 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>7-29-24</u>	0300	71	Lagefeld
	0600	72	A. Stephens
	0900	73	Stephens
	1200	73	Stephens
	1500	74	Magnson
	1800	74	Magnson
	2100	73	Magnson
	2400	75	Lagefeld

Tuesday			
Date	Time	Temp.	Name (Print)
<u>7-30-24</u>	0300	75	Lagefeld
	0600	75	Stephens
	0900	76	Stephens
	1200	73	Stephens
	1500	78	Magnson
	1800	78	Magnson
	2100	75	Magnson
	2400	75	Lagefeld

Wednesday			
Date	Time	Temp.	Name (Print)
<u>7/31</u>	0300	75	Lagefeld
	0600	75	B. Kozi
	0900	75	B. Kozi
	1200	75	B. Kozi
	1500	75	Hansford
	1800	75	Hansford
	2100	75	Hansford
	2400	75	V. McMillough

Thursday			
Date	Time	Temp.	Name (Print)
<u>8/1</u>	0300	75	V. McMillough
	0600	75	Vadraiz
	0900	76	Vadraiz
	1200	77	Vadraiz
	1500	76	Hansford
	1800	76	Hansford
	2100	76	Hansford
	2400	76	V. McMillough

Friday			
Date	Time	Temp.	Name (Print)
<u>8/2</u>	0300	76	V. McMillough
	0600	75	J-S-
	0900	75	J-S-
	1200	75	J-S-
	1500	75	Hiagarela
	1800	75	Hiagarela
	2100	75	Hiagarela
	2400	75	Lagefeld

Saturday			
Date	Time	Temp.	Name (Print)
<u>8/3</u>	0300	75	Lagefeld
	0600	76	CARNEY
	0900	76	CARNEY
	1200	76	CARNEY
	1500	75	Haines
	1800	75	Haines
	2100	74	Haines
	2400	70	Lagefeld

Sunday			
Date	Time	Temp.	Name (Print)
<u>8/4</u>	0300	72	e. white
	0600	72	N. White
	0900	72	N. White
	1200	72	N. White
	1500	72	Hegarb
	1800	72	Hegarb
	2100	71	Hegarb
	2400	72	Lagefeld

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 05 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/21	0300	72	CHAMAN
	0600	73	E. CARRERA
	0900	73	E. CARRERA
	1200	76	E. CARRERA
	1500	74	Ricks
	1800	74	Ricks
	2100	70	Ricks
	2400	76	BRANNIGAN

Wednesday

Date	Time	Temp.	Name (Print)
8/1/21	0300	70	Greenough
	0600	70	K. SHEDD
	0900	74	K. SHEDD
	1200	78	K. SHEDD
	1500	74	Ricks
	1800	72	Ricks
	2100	70	Ricks
	2400	70	Greenough

Friday

Date	Time	Temp.	Name (Print)
8/2/21	0300	70	Greenough
	0600	70	K. SHEDD
	0900	73	K. SHEDD
	1200	76	K. SHEDD
	1500	78	WAGNER
	1800	78	WAGNER
	2100	78	WAGNER
	2400	70	Greenough

Sunday

Date	Time	Temp.	Name (Print)
8/4/21	0300	76	Greenough
	0600	70	Woods
	0900	72	Woods
	1200	72	Woods
	1500	74	Ricks
	1800	73	Ricks
	2100	70	Ricks
	2400	72	CHAMAN

Tuesday

Date	Time	Temp.	Name (Print)
8/2/21	0300	76	BARRASSO
	0600	76	E. CARRERA
	0900	76	E. CARRERA
	1200	76	E. CARRERA
	1500	79	Ricks
	1800	73	Ricks
	2100	72	Ricks
	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
8/1/21	0300	70	Greenough
	0600	70	K. SHEDD
	0900	72	K. SHEDD
	1200	74	K. SHEDD
	1500	77	Ricks
	1800	72	Ricks
	2100	70	Ricks
	2400	70	Greenough

Saturday

Date	Time	Temp.	Name (Print)
8/3/21	0300	70	Greenough
	0600	70	Woods
	0900	72	Woods
	1200	70	Woods
	1500	73	WAGNER
	1800	73	WAGNER
	2100	73	WAGNER
	2400	70	Greenough

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBPS Housing Unit: D-6 Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	75	BARRAGAN
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	77	SABIR

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	77	SABIR
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	M. CEBALLOS
	1800	75	M. CEBALLOS
	2100	75	M. CEBALLOS
	2400	77	SABIR

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	77	SABIR
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	BAGLEY
	1800	75	BAGLEY
	2100	75	BAGLEY
	2400	78	M. SABIR

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	77	M. SABIR
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	BAGLEY
	1800	75	BAGLEY
	2100	75	BAGLEY
	2400	77	SABIR

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	75	C. WHITE
	0600	75	BRANION
	0900	75	BRANION
	1200	75	BRANION
	1500	75	BAUTISTA
	1800	76	BAUTISTA
	2100	76	BAUTISTA
	2400	78	SABIR

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	78	SABIR
	0600	74	BRANION
	0900	75	BRANION
	1200	75	BRANION
	1500	76	BAUTISTA
	1800	76	BAUTISTA
	2100	75	BAUTISTA
	2400	75	BAUTISTA

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	75	BARRAGAN
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	75	BRANION

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	75°	J. Yang
	0600	76	BRANION
	0900	76	BRANION
	1200	76	BRANION
	1500	76	COTA
	1800	76	COTA
	2100	76	COTA
	2400	75	S. Grimes

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	75	J. GRIMES
	0600	76	Vadrais
	0900	77	Vadrais
	1200	78	Vadrais
	1500	78	WATKINS
	1800	77	WATKINS
	2100	77	WATKINS
	2400	78	CARNEY

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	78	CARNEY
	0600	76	AANRUD
	0900	76	AANRUD
	1200	76	AANRUD
	1500	76	V. McMillan
	1800	76	V. McMillan
	2100	76	V. McMillan
	2400	77	CARNEY

Thursday

Date	Time	Temp.	Name (Print)
7/1/1	0300	77	CARNEY
	0600	76	AANRUD
	0900	77	AANRUD
	1200	77	AANRUD
	1500	77	V. McMillan
	1800	76	V. McMillan
	2100	76	V. McMillan
	2400	76	IBARRAGA

Friday

Date	Time	Temp.	Name (Print)
8/1/2	0300	76	BANDAGAN
	0600	70	GANDARA
	0900	70	GANDARA
	1200	70	GANDARA
	1500	77	BUCKMAN
	1800	71	CGIL
	2100	71	CGIL
	2400	71	BANDAGAN

Saturday

Date	Time	Temp.	Name (Print)
8/1/3	0300	71	BANDAGAN
	0600	75	V. McMillan
	0900	75	V. McMillan
	1200	75	V. McMillan
	1500	75	CGIL
	1800	74	CGIL
	2100	74	CGIL
	2400	73°	Tay

Notes

Date	Time	Temp.	Name (Print)
8/1/4	0300	72°	Tay
	0600	76	BRANION
	0900	76	BRANION
	1200	76	BRANION
	1500	74	CGIL
	1800	74	CGIL
	2100	74	CGIL
	2400	74°	Tay

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	74°	J.Yang
	0600	78	Vadrait
	0900	79	Vadrait
	1200	79	Vadrait
	1500	79	Thomas
	1800	79	Thomas
	2100	79	Thomas
	2400	79	J. humer

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	78	CARNEY
	0600	78	Stepheat
	0900	79	Stepheat
	1200	79	Stepheat
	1500	80	C. Hamilton
	1800	80	C. Hamilton
	2100	79	C. Hamilton
	2400	80	CARNEY

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	78	BARNAGAN
	0600	78	BARNAGAN
	0900	78	BARNAGAN
	1200	76	BARNAGAN
	1500	78	C. Hamilton
	1800	78	C. Hamilton
	2100	77	C. Hamilton
	2400	78	BARNAGAN

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	73°	Yang
	0600	73	5-5-
	0900	74	5-5-
	1200	74	5-5-
	1500	75	W BLACK
	1800	75	W BLACK
	2100	74	W BLACK
	2400	72°	5-5-19

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	75	Shamer
	0600	78	BRANION
	0900	79	BRANION
	1200	78	BRANION
	1500	78	Thomas
	1800	75	Thomas
	2100	75	Thomas
	2400	78	CARNEY

Thursday

Date	Time	Temp.	Name (Print)
8/01	0300	80	CARNEY
	0600	78	W BLACK
	0900	79	W BLACK
	1200	78	W BLACK
	1500	74	C. Hamilton
	1800	79	C. Hamilton
	2100	78	C. Hamilton
	2400	78	BARNAGAN

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	77	BARNAGAN
	0600	77	BROZ
	0900	77	BROZ
	1200	77	BROZ
	1500	78	BLACK
	1800	77	BLACK
	2100	76	BLACK
	2400	75°	Yang

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/19	0300	75	Barnes
7/19	0600	75	P. Barnes
7/19	0900	76	P. Barnes
7/19	1200	77	P. Barnes
7/19	1500	77	T-Lo
7/19	1800	76	Lo
7/19	2100	76	Lo
7/19	2400	77	Sabir

Tuesday

Date	Time	Temp.	Name (Print)
7/20	0300	77	Sabir
7/20	0600	77	P. Barnes
7/20	0900	78	P. Barnes
7/20	1200	78	P. Barnes
7/20	1500	79	Barnes
7/20	1800	78	Barnes
7/20	2100	78	Barnes
7/20	2400	77	Sabir

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	77	Sabir
7/31	0600	77	P. Barnes
7/31	0900	78	P. Barnes
7/31	1200	78	P. Barnes
7/31	1500	79	Im
7/31	1800	78	Im
7/31	2100	78	Im
7/31	2400	77	m. Sabir

Thursday

Date	Time	Temp.	Name (Print)
8/01	0300	77	m. Sabir
8/01	0600	77	BROZ
8/01	0900	77	BROZ
8/01	1200	77	BROZ
8/01	1500	77	REUTHER
8/01	1800	77	REUTHER
8/01	2100	77	REUTHER
8/01	2400	77	REUTHER

Friday

Date	Time	Temp.	Name (Print)
8/02	0300	77	Sabir
8/02	0600	77	Vahai
8/02	0900	78	Vahai
8/02	1200	78	Vadnig
8/02	1500	78	Ergel
8/02	1800	78	Ergel
8/02	2100	78	Ergel
8/02	2400	78	Sabir

Saturday

Date	Time	Temp.	Name (Print)
8/03	0300	78	Sabir
8/03	0600	78	P. Barnes
8/03	0900	78	P. Barnes
8/03	1200	78	P. Barnes
8/03	1500	78	Barnes
8/03	1800	78	Barnes
8/03	2100	78	Barnes
8/03	2400	78	Barnes

Sunday

Date	Time	Temp.	Name (Print)
8/04	0300	78	Barnes
8/04	0600	76	P. Barnes
8/04	0900	77	P. Barnes
8/04	1200	78	P. Barnes
8/04	1500	78	Barnes
8/04	1800	78	Barnes
8/04	2100	78	Barnes
8/04	2400	78	Barnes

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 010 Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7 9 10	0300	72	GARNER
	0600	72	W BLACK
	0900	72	W BLACK
	1200	73	W BLACK
	1500	73	BROZ
	1800	72	BROZ
	2100	72	BROZ
	2400	72	BARNETT

Wednesday

Wednesday		Date	Time	Temp.	Name (Print)
7/31/24	0300	70		Greenough	
	0600	75		Mitchell	
	0900	74		Mitchell	
	1200	74		Mitchell	
	1500	74		Broz	
	1800	74		Broz	
	2100	74		Broz	
	2400	70		greenough	

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	70	Greenough
	0600	70	McCall
	0900	75	McCall
	1200	74	McCall
	1500	75	Lawrence
	1800		Lawrence
	2100		Lawrence
	2400	70	Greenough

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	70	Greenough
	0600	76 D	Rodriguez
	0900	68 E	Rodriguez
	1200	73 F	Rodriguez
	1500	72	IVES
	1800	72	IVES
	2100	70	IVES
	2400	72	Conrad

Tuesday

Dat	Time	Temp.	Name (Print)
7/30 24	0300	72	Baumann
	0600	74	Mitchell
	0900	74	Mitchell
	1200	74	Mitchell
	1500	74	Broz
	1800	73	Broz
	2100	73	Broz
	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	70	Greenvough
	0600	74	Mitchell
	0900	75	Mitchell
	1200	75	Brod
	1500	75	Brod
	1800	75	Brod
	2100	75	Brod
	2400	70	Greenvough

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	70	Greensough
	0600	78 A	Rodriguez
	0900	70 B	Rodriguez
	1200	68 C	Rodriguez
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	70	Greensough

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF ^A Dorm _____ Temp. Reading Location: 2nd TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/05/24	0300	73	E. CARRERA
	0600	73	E. CARRERA
	0900	73	E. CARRERA
	1200	73	E. CARRERA
	1500	73	D. Williams
	1800	73	D. Williams
	2100	73	D. Williams
	2400	72	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
08/06/24	0300	73	E. CARRERA
	0600	70	WEISS
	0900	73	WEISS
	1200	73	WEISS
	1500	73	A. SABIN
	1800	73	A. SABIN
	2100	72	A. SABIN
	2400	72	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
07/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	74	P. CHAPA
	1800	74	P. CHAPA
	2100	73	P. CHAPA
	2400	72	R. WOIVERTON

Thursday

Date	Time	Temp.	Name (Print)
08/08/24	0300	73	K. O'NEILL
	0600	72	R. O'NEILL
	0900	72	P. CHAPA
	1200	73	P. CHAPA
	1500	73	P. CHAPA
	1800	73	P. CHAPA
	2100	72	P. CHAPA
	2400	71	R. WOIVERTON

Friday

Date	Time	Temp.	Name (Print)
08/09/24	0300	71	R. WOIVERTON
	0600	72	P. CHAPA
	0900	72	P. CHAPA
	1200	73	P. CHAPA
	1500	75	J. Ramirez
	1800	75	J. Ramirez
	2100	75	J. Ramirez
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
08/10/24	0300	73	E. CARRERA
	0600	73	Coupe
	0900	73	Coupe
	1200	73	Coupe
	1500	75	J. Ramirez
	1800	75	J. Ramirez
	2100	75	J. Ramirez
	2400	73	E. CARRERA

DAY

Date	Time	Temp.	Name (Print)	NOTES:
08/11/24	0300	73	E. CARRERA	
	0600	73	Coupe	
	0900	73	Coupe	
	1200	73	Coupe	
	1500	73	Coupe	
	1800	74	Coupe	
	2100	73	Coupe	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: P1351P Housing Unit: B - DORM Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	70	O'Neil
	0600	70	O'Neill
	0900	70	O'Neil
	1200	70	O'Neill
	1500	- 70	I.Foot
	1800	70	I.Foot
	2100	70	I.Foot
	2400	70	S.Tran

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	70	S.Tran
	0600	70	S.Tran
	0900	70	Sabir
	1200	70	Sabir
	1500	71	I.Foot
	1800	71	I.Foot
	2100	70	J.Carr
	2400	70	J.Carr

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	70	S.Tran
	0600	70	S.Tran
	0900	70	R.O'Neill
	1200	70	R.O'Neill
	1500	70	I.Foot
	1800	71	J.Foot
	2100	70	J.Foot
	2400	70	Xiong

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	70	R.O'Neill
	0600	70	S.Chang
	0900	70	S.Chang
	1200	70	S.Chang
	1500	71	E.Farias
	1800	70	E.Farias
	2100	70	E.Farias
	2400	70	R.Wolverton

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	70	O'Connell
	0600	70	Weiss
	0900	70	Weiss
	1200	70	Weiss
	1500	72	J.Ramirez
	1800	75	J.Ramirez
	2100	75	J.Ramirez
	2400	70	S.Tran

Tuesday

Date	Time	Temp.	Name (Print)
8/9/24	0300	70	Xiong
	0600	70	S.Chang
	0900	71	S.Chang
	1200	72	S.Chang
	1500	70	I.Foot
	1800	70	I.Foot
	2100	70	J.Foot
	2400	70	R.O'Neill

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	R.Wolverton
	0600	70	G.Gil
	0900	70	G.Gil
	1200	71	G.Gil
	1500	71	M.Ellington
	1800	71	M.Ellington
	2100	70	M.Ellington
	2400	70	O'connell

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: MSF-A Dorm _____ Temp. Reading Location: 2nd TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/12/24	0300	73	E. CARRERA
	0600	73	A. Zamudio
	0900	73	A. Zamudio
	1200	73	A. Zamudio
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	72	Singh

Tuesday

Date	Time	Temp.	Name (Print)
08/13/24	0300	72	Singh
	0600	73	T. CAMPBELL
	0900	73	T. CAMPBELL
	1200	73	T. CAMPBELL
	1500	73	A. Zamudio
	1800	73	A. Zamudio
	2100	73	A. Zamudio
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
08/14/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	74	T. Coupe
	1800	74	T. Coupe
	2100	73	T. Coupe
	2400	73	Singh

Thursday

Date	Time	Temp.	Name (Print)
08/15/24	0300	72	Singh
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	74	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	WOIVERTON

Friday

Date	Time	Temp.	Name (Print)
08/16/24	0300	73	WOIVERTON
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	75	J. Ramire
	1800	75	J. Ramire
	2100	75	J. Ramire
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
08/17/24	0300	73	E. CARRERA
	0600	73	Coupe
	0900	73	Coupe
	1200	73	Coupe
	1500	74	J. Ramire
	1800	74	J. Ramire
	2100	74	J. Ramire
	2400	73	E. CARRERA

DAY

Date	Time	Temp.	Name (Print)	NOTES:
08/18/24	0300	73	E. CARRERA	
	0600	74	Coupe	
	0900	73	Coupe	
	1200	73	Coupe	
	1500	74	Coupe	
	1800	74	Coupe	
	2100	73	Coupe	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF-B Dorm _____ Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/12/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	J. TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
4/13/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S. TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
4/14/24	0300	70	J. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Faest
	1800	70	J. Faest
	2100	70	J. Faest
	2400	70	S. TRAIN

Thursday

Date	Time	Temp.	Name (Print)
4/15/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Faest
	1200	70	J. Faest
	1500	70	J. Faest
	1800	70	J. Faest
	2100	70	J. Faest
	2400	70	A. Reeve

Friday

Date	Time	Temp.	Name (Print)
4/16/24	0300	70	A. Reeve
	0600	70	A. Reeve
	0900	70	J. Faest
	1200	70	J. Faest
	1500	70	J. Faest
	1800	70	J. Faest
	2100	70	J. Faest
	2400	70	Wolverton

Saturday

Date	Time	Temp.	Name (Print)
4/17/24	0300	70	Wolverton
	0600	70	UCIEL
	0900	70	UCIEL
	1200	70	UCIEL
	1500	70	A. Reeve
	1800	70	A. Reeve
	2100	70	A. Reeve
	2400	70	C. Madayal

DAY

Date	Time	Temp.	Name (Print)	NOTES:
4/18/24	0300	70	C. Madayal	
	0600	70	C. Madayal	
	0900	70	A. Sanchez	
	1200	70	A. Sanchez	
	1500	70	J. Lamirez	
	1800	70	J. Lamirez	
	2100	70	J. Lamirez	
	2400	70	S. TRAIN	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP A Housing Unit: MSF • Dorm Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/19/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. Chapa
	1200	73	P. Chapa
	1500	74	P. Chapa
	1800	74	P. Chapa
	2100	73	P. Chapa
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
08/20/24	0300	73	E. CARRERA
	0600	73	E. CARRERA
	0900	73	E. CARRERA
	1200	73	E. CARRERA
	1500	74	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
08/21/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	74	P. CHAPA
	1200	74	P. CHAPA
	1500	74	Coupe
	1800	74	Coupe
08/22/24	2100	73	Coupe
08/23/24	2400		

Thursday

Date	Time	Temp.	Name (Print)
08/22/24	0300		
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	73	P. CHAPA
	1800	73	P. CHAPA
	2100	73	P. CHAPA
	2400		

Friday

Date	Time	Temp.	Name (Print)
08/23/24	0300		
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	75	J. RAMIREZ
	1800	75	J. RAMIREZ
	2100	75	J. RAMIREZ
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
08/24/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	75	J. RAMIREZ
	1800	75	J. RAMIREZ
	2100	75	J. RAMIREZ
	2400	73	E. CARRERA

DAY

Date	Time	Temp.	Name (Print)	NOTES:
08/25/24	0300	73	E. CARRERA	
	0600	74	Coupe	
	0900	74	Coupe	
	1200	74	Coupe	
	1500	74	Coupe	
	1800	74	Coupe	
	2100	74	Coupe	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF-B Dorm _____ Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S. TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	71	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S. TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Faust
	1800	71	J. Faust
	2100	71	J. Faust
	2400	70	S. TRAIN

Thursday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Faust
	1200	70	J. Faust
	1500	70	J. Faust
	1800	70	J. Faust
	2100	70	J. Faust
	2400	70	S. TRAIN

Friday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Faust
	1200	70	J. Faust
	1500	70	J. Faust
	1800	70	J. Faust
	2100	70	J. Faust
	2400	70	A. Pena

Saturday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	A. Pena
	0600	70	J. Denicholas
	0900	71	J. Denicholas
	1200	71	J. Denicholas
	1500	71	A. Reeves
	1800	71	A. Reeves
	2100	71	A. Reeves
	2400	70	Melvano

DAY

Date	Time	Temp.	Name (Print)	NOTES:
8/21/24	0300	70	Melvano	
	0600	70	J. Denicholas	
	0900	70	J. Denicholas	
	1200	71	J. Denicholas	
	1500		J. Denicholas	
	1800			
	2100			
	2400			

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: A MSF-Dorm _____ Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	73	E. CARRERA
	0600	72	J. DOMINGUEZ
	0900	72	J. DOMINGUEZ
	1200	72	J. DOMINGUEZ
	1500	72	Z. CALHOUN
	1800	73	Z. CALHOUN
	2100	73	Z. CALHOUN
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	73	E. CARRERA
	0600	73	J. DOMINGUEZ
	0900	73	J. DOMINGUEZ
	1200	73	J. DOMINGUEZ
	1500	74	COURT
	1800	74	COURT
	2100	74	COURT
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	76	COURT
	1800	75	COURT
	2100	74	COURT
	2400	74	Xlong

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	74	Xlong
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	75	COURT
	1800	75	COURT
	2100	74	COURT
	2400	72	D. LUNSFORD

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	71	LUNSFORD D.
	0600	72	J. PEREZ
	0900	72	J. PEREZ
	1200	72	J. PEREZ
	1500	75	J. ROMAN
	1800	75	J. ROMAN
	2100	75	J. ROMAN
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	73	E. CARRERA
	0500	71	SANCHEZ
	0900	71	SANCHEZ
	1200	72	SANCHEZ
	1500	74	J. ROMAN
	1800	75	J. ROMAN
	2100	75	J. ROMAN
	2400	73	E. CARRERA

DAY

Date	Time	Temp.	Name (Print)	NOTES:
9/1/24	0300	73	E. CARRERA	
	0600	72	O'LEAREY	
	0900	72	O'LEAREY	
	1200	73	O'LEAREY	
	1500	73	COURT	
	1800	73	COURT	
	2100	72	COURT	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF-B Dorm _____ Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Tuesday

Date	Time	Temp.	Name (Print)
8-26	0300	70	J. Flores
	0600	70	J. Flores
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	71	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	MEORNUO

Date	Time	Temp.	Name (Print)
8/27/24	0300	70	MEORNUO
	0600	70	J. Reichlin
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	71	J. Reichlin
	2100	70	J. Reichlin
	2400	70	J. Reichlin

Wednesday

Thursday

Date	Time	Temp.	Name (Print)
8/26/24	0300	70	S. Train
	0600	70	S. Train
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	71	J. Faust
	1800	71	J. Faust
	2100	71	J. Faust
	2400	70	R. O'Neill

Date	Time	Temp.	Name (Print)
8/29/24	0300	70	R. O'Neill
	0600	70	J. Faust
	0900	70	J. Faust
	1200	71	J. Faust
	1500	71	J. Faust
	1800	70	J. Faust
	2100	70	J. Faust
	2400	70	S. Train

Friday

Saturday

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	S. Train
	0600	70	S. Train
	0900	70	J. Faust
	1200	70	J. Faust
	1500	70	A. Pena
	1800	70	A. Pena
	2100	70	A. Pena
	2400	70	A. Pena

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	A. Pena
	0600	71	J. Denicholas
	0900	71	J. Denicholas
	1200	71	J. Denicholas
	1500	71	A. Reever
	1800	71	A. Reever
	2100	71	A. Reever
	2400	70	J. Ramirez

DAY

Date	Time	Temp.	Name (Print)	NOTES:
9/1/24	0300	70	J. Ramirez	
	0600	71	J. Denicholas	
	0900	71	J. Denicholas	
	1200	71	J. Denicholas	
	1500	72	J. Ramirez	
	1800	72	J. Ramirez	
	2100	72	J. Ramirez	
	2400	72	C. Madrigal	

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: MSF MSF-B Dorm _____ Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	73	E. CARRERA
	0600	73	J. DENICHOCAS
	0900	73	J. DENICHOCAS
	1200	73	J. DENICHOCAS
	1500	74	Coupe
	1800	74	Coupe
	2100	74	Coupe
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
07/30/24	0300	73	E. CARRERA
	0600	73	J. DENICHOCAS
	0900	73	J. DENICHOCAS
	1200	73	J. DENICHOCAS
	1500	75	SERVIN
	1800	72	SERVIN
	2100	72	SERVIN
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	74	P. CHAPA
	1800	74	P. CHAPA
	2100	73	P. CHAPA
	2400	71	P. WOLVERTON

Thursday

Date	Time	Temp.	Name (Print)
08/1/24	0300	71	P. WOLVERTON
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	P. CHAPA
	1800	74	P. CHAPA
	2100	73	P. CHAPA
	2400	73	CARRILLO

Friday

Date	Time	Temp.	Name (Print)
08/2/24	0300	72	Carrillo
	0600	73	C. Rodriguez
	0900	73	C. Rodriguez
	1200	73	C. Rodriguez
	1500	73	Calleja
	1800	73	Calleja
	2100	73	Calleja
	2400	73	Carrillo

Saturday

Date	Time	Temp.	Name (Print)
08/3/24	0300	72	Carrillo
	0600	73	M.Rodriguez
	0900	73	M.Rodriguez
	1200	73	A. Rodriguez
	1500	75	J. Ramirez
	1800	75	J. Ramirez
	2100	75	J. Ramirez
	2400	75	F. ESPARZA

DAY

Date	Time	Temp.	Name (Print)	NOTES:
08/4/24	0300	72	F. ESPARZA	
	0600	72	O'connell	
	0900	72	o'connell	
	1200	72	o'connell	
	1500	73	Mellinger	
	1800	72	Mellinger	
	2100	71	Mellinger	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF-B Dorm _____ Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. REICHLIN
	1200	70	J. REICHLIN
	1500	70	J. REICHLIN
	1800	70	J. REICHLIN
	2100	70	J. REICHLIN
	2400	70	S. TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. REICHLIN
	1200	70	J. REICHLIN
	1500	70	J. REICHLIN
	1800	70	J. REICHLIN
	2100	70	J. REICHLIN
	2400	70	S. TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. REICHLIN
	1200	70	J. REICHLIN
	1500	70	J. FOIST
	1800	70	J. FOIST
	2100	70	J. FOIST
	2400	70	S. TRAIN

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. FOIST
	1200	70	J. FOIST
	1500	70	J. FOIST
	1800	70	J. FOIST
	2100	70	J. FOIST
	2400	70	C. MADIGAL

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	70	C. MADIGAL
	0600	70	C. MADIGAL
	0900	70	J. FOIST
	1200	70	J. FOIST
	1500	70	J. FOIST
	1800	70	J. FOIST
	2100	70	J. FOIST
	2400	70	R. WALTERS

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	70	R. WALTERS
	0600	71	J. DENICHOLS
	0900	71	J. DENICHOLS
	1200	71	J. DENICHOLS
	1500	71	A. REEVE
	1800	71	A. REEVE
	2100	71	A. REEVE
	2400	70	C. MADIGAL

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
8/4/24	0300	70°	C. MADIGAL	
	0600	70°	C. MADIGAL	
	0900	69°	R. REYNOLDS	
	1200	70°	R. REYNOLDS	
	1500	70	J. RAMIREZ	
	1800	70	J. RAMIREZ	
	2100	70	J. RAMIREZ	
	2400	70	R. O'NEILL	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: RHU

Temp. Reading Location: 1st tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday 8/5/2024

Date	Time	Temp.	Name (Print)
8/5	0300	72	Chapa
	0600	73	C ALANIS
	0900	70	C ALANIS
	1200	72	C ALANIS
	1500	71 C	Perreault FA
	1800	73 D	Perreault FA
	2100	70 E	Perreault FA
	2400	68 F	Perreault FA

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	68 F	Perreault FA
	0600	73	C ALANIS
	0900	70	C ALANIS
	1200	72	C ALANIS
	1500	74 A	Perreault
	1800	72 B	Perreault
	2100	70 H	Perreault
	2400	74 A	Perreault FA

Friday

Date	Time	Temp.	Name (Print)
8/10	0300	70 E	m Perreault
	0600	73	C ALANIS
	0900	70	C ALANIS
	1200	72	C ALANIS
	1500	68 F	m Perreault
	1800	66 G	m Perreault
	2100	69 H	m Perreault FA
	2400	72 A	m Perreault

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	70 A	Cathoon
	0600	70 B	Cathoon
	0900	70 C	Ruralcats
	1200	71 E	Ruralcats
	1500	71 F	Ruralcats
	1800	71	Ruralcats
	2100	71	Ruralcats
	2400	70 A	Cathoon

Tuesday 8/16/2024

Date	Time	Temp.	Name (Print)
8/16	0300	71 C	Perreault FA
	0600	73	C ALANIS
	0900	70	C ALANIS
	1200	71	C ALANIS
	1500	73 A	Perreault FA
	1800	72 B	Perreault FA
	2100	71 C	Perreault FA
	2400	73 D	Perreault FA

Thursday

Date	Time	Temp.	Name (Print)
8/20	0300	71 B	Perreault FA
	0600	73	C ALANIS
	0900	70	C ALANIS
	1200	70	C ALANIS
	1500	72 A	Perreault
	1800	70 B	Perreault
	2100	72 C	Perreault
	2400	74 D	Perreault

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	70 B	Perreault
	0600	72	CATHOON
	0900	72	GAPTR
	1200	72	CAT
	1500	72	A Sanchez
	1800	71	Sanchez
	2100	71	Sanchez
	2400	69 H	Sanchez

Notes

Stevens Cathoon

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: RTH4 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/13/24	0300	72	Perreal J.A.
	0600	73	C. Alanis
	0900	72	C. Alanis
	1200	70	C. Alanis
	1500	71	M. Madras
	1800	72	M. Madras
	2100	73	M. Madras
	2400	65 F	Perreal J.A.

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	68 F	Perreal J.A.
	0600	70	C. Alanis
	0900	73	C. Alanis
	1200	70	C. Alanis
	1500	73 A	Perreal J.A.
	1800	72 B	Perreal J.A.
	2100	67 C	Perreal J.A.
	2400	74 D	Perreal J.A.

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	72 C	Perreal J.A.
	0600	73	C. Alanis
	0900	70	C. Alanis
	1200	71	C. Alanis
	1500	73 A	Perreal J.A.
	1800	71 B	Perreal J.A.
	2100	72 C	Perreal J.A.
	2400	74 D	Perreal J.A.

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	70 A	R. Rivas-Cabas
	0600	74	C. Alanis
	0900	70	C. Alanis
	1200	72	C. Alanis
	1500	71	Sanchez
	1800	72	Sanchez
	2100	72	R. Rivas-Cabas
	2400	70	R. Rivas-Cabas

Tuesday

Date	Time	Temp.	Name (Print)
8/15/24	0300	68 F	Perreal J.A.
	0600	73	C. Alanis
	0900	70	C. Alanis
	1200	72	C. Alanis
	1500	75 A	Perreal J.A.
	1800	71 C	Perreal J.A.
	2100	74 D	Perreal J.A.
	2400	70 E	Perreal J.A.

Thursday

Date	Time	Temp.	Name (Print)
8/16/24	0300	71	Perreal J.A.
	0600	70	C. Alanis
	0900	73	C. Alanis
	1200	72	C. Alanis
	1500	69 F	Perreal J.A.
	1800	68 F	Perreal J.A.
	2100	70 E	Perreal J.A.
	2400	73 D	Perreal J.A.

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	70 F	Perreal J.A.
	0600	73 C	R. Rivas-Cabas
	0900	71 A	R. Rivas-Cabas
	1200	72 D	R. Rivas-Cabas
	1500	71	A. Pena
	1800	70	A. Pena
	2100	69	A. Pena
	2400	73 B	C. Rivas-Cabas

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: RHU

Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/19/18	0300	68 G	Rovalabs
	0600	73	CALANIS
	0900	70	CALANIS
	1200	71	CALANIS
	1500	78 G	Perreault A
	1800	72 C	Perreault A
	2100	73 D	Perreault A
	2400	70 E	Perreault A

Wednesday

Date	Time	Temp.	Name (Print)
5/21/18	0300	70 E	Perreault A
	0600	73	CALANIS
	0900	71	CALANIS
	1200	70	CALANIS
	1500	74 A	Perreault
	1800	68 G	Perreault
	2100	70 H	Perreault
	2400	77 A	Perreault

Friday

Date	Time	Temp.	Name (Print)
5/22/18	0300	71 B	Perreault
	0600	73	CALANIS
	0900	72	CALANIS
	1200	70	CALANIS
	1500	73 A	M Perreault
	1800	66 G	M Perreault
	2100	70 H	M Perreault
	2400	72 B	M Perreault

Sunday

Date	Time	Temp.	Name (Print)
5/25/18	0300	71	C. Bellinger
	0600	70	C. Bellinger
	0900	72	C. Bellinger
	1200	72	C. Bellinger
	1500	72	C. Bellinger
	1800	72	C. Bellinger
	2100	72	C. Bellinger
	2400	73	C. Bellinger

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
5/22/18	0300	70 H	Pomerant
	0600	73	CALANIS
	0900	72	CALANIS
	1200	70	CALANIS
	1500	73 A	Pomerant
	1800	72 B	Pomerant
	2100	68 G	Pomerant
	2400	77 A	Pomerant

Thursday

Date	Time	Temp.	Name (Print)
5/24/18	0300	70 B	Pomerant
	0600	74	CALANIS
	0900	70	CALANIS
	1200	72	CALANIS
	1500	72 C	Perreault
	1800	74 D	Perreault
	2100	70 E	Perreault
	2400	68 F	Perreault

Saturday

Date	Time	Temp.	Name (Print)
5/24/18	0300	71	Perreault
	0600	72	Calhoen
	0900	72	Calhoen
	1200	72	Calhoen
	1500	71	T. Cromwell
	1800	72	T. Cromwell
	2100	70	T. Cromwell
	2400	70	C. Bellinger

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: RHU

Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26	0300	73 D	Calthoon B
	0600	70	CALANIS
	0900	73	CALANIS
	1200	72	CALANIS
	1500	76 A	Ferreault F.A.
	1800	71 B	Ferreault F.A.
	2100	71 C	Ferreault F.A.
	2400	73 D	Ferreault F.A.

Wednesday

Date	Time	Temp.	Name (Print)
8-28	0300	70 E	Ferreault F.A.
	0600	70 F	M. Rodriguez
	0900	70 G	M. Rodriguez
	1200	70 H	M. Rodriguez
	1500	74 A	M. Ferreault
	1800	71 J	M. Ferreault
	2100	66 G	M. Ferreault
	2400	71 C	M. Ferreault

Friday

Date	Time	Temp.	Name (Print)
8-30	0300	70 H	M. Ferreault
	0600	70 I	OCIEL
	0900	71	OCIEL
	1200	70	OCIEL
	1500	73 A	M. Ferreault
	1800	70 B	M. Ferreault
	2100	71 C	M. Ferreault
	2400	73 D	M. Ferreault

Sunday

Date	Time	Temp.	Name (Print)
8-1	0300	71 B	Calthoon
	0600	72	CABRETA
	0900	72	CABRETA
	1200	72	CABRETA
	1500	72	Sanchez
	1800	72	Sanchez
	2100	72	Sanchez
	2400	72	Calthoon

Tuesday

Date	Time	Temp.	Name (Print)
8-27	0300	70 F	Ferreault F.A.
	0600	73	CALANIS
	0900	70	CALANIS
	1200	72	CALANIS
	1500	70 B	Ferreault F.A.
	1800	75 H	Ferreault F.A.
	2100	70 I	Ferreault F.A.
	2400	71 C	Ferreault F.A.

Thursday

Date	Time	Temp.	Name (Print)
8-29	0300	74 A	Ferreault F.A.
	0600	70	CALANIS
	0900	74	CALANIS
	1200	72	CALANIS
	1500	72 C	Ferreault F.A.
	1800	74 D	Ferreault F.A.
	2100	70 E	Ferreault F.A.
	2400	68 F	M. Ferreault

Saturday

Date	Time	Temp.	Name (Print)
8-31	0300	70 E	M. Ferreault
	0600	72	CALANIS
	0900	72	CABRETA
	1200	72	CABRETA
	1500	72	SANCHEZ
	1800	72	SANCHEZ
	2100	72	SANCHEZ
	2400	71 A	Calthoon

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: RTHU

Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29	0300	70	Z. Calhoon
	0600	72	C. Alanis
	0900	70	C. Alanis
	1200	71	C. Alanis
	1500	70	S. Chang
	1800	70	S. Chang
	2100	71	S. Chang
	2400	74	A. Perreault, A.

Wednesday

Date	Time	Temp.	Name (Print)
7-31	0300	73 A	M. Perreault, A.
	0600	73	C. Alanis
	0900	70	C. Alanis
	1200	72	C. Alanis
	1500	73 A	M. Perreault, A.
	1800	71 B	M. Perreault, A.
	2100	71 C	M. Perreault, A.
	2400	73 A	M. Perreault, A.

Friday

Date	Time	Temp.	Name (Print)
8-2	0300	68	G. Perreault
	0600	72	C. Alanis
	0900	70	C. Alanis
	1200	73	C. Alanis
	1500	70	H. Perreault
	1800	73 A	H. Perreault
	2100	71 B	H. Perreault
	2400	72 C	H. Perreault

Sunday

Date	Time	Temp.	Name (Print)
8-4	0300	73	J. Flores
	0600	72	J. Flores
	0900	73	C. Alanis
	1200	73	C. Alanis
	1500	71	Sanchez
	1800	71	Sanchez
	2100	71	Sanchez
	2400	70 E	Z. Calhoon

Tuesday

Date	Time	Temp.	Name (Print)
7-30	0300	71 B	M. Perreault, A.
	0600	72	C. Alanis
	0900	70	C. Alanis
	1200	73	C. Alanis
	1500	71 C	M. Perreault, A.
	1800	73 D	M. Perreault, A.
	2100	71 E	M. Perreault, A.
	2400	68 F	M. Perreault, A.

Thursday

Date	Time	Temp.	Name (Print)
8-1	0300	70 B	M. Perreault, A.
	0600	73	C. Alanis
	0900	72	C. Alanis
	1200	70	C. Alanis
	1500	72 C	M. Perreault, A.
	1800	74 D	M. Perreault, A.
	2100	70 E	M. Perreault, A.
	2400	68 F	M. Perreault, A.

Saturday

Date	Time	Temp.	Name (Print)
8-3	0300	73 D	M. Perreault, A.
	0600	72	C. Alanis
	0900	72	C. Alanis
	1200	72	C. Alanis
	1500	71	Sanchez
	1800	71	Sanchez
	2100	71	Sanchez
	2400	73	J. Flores

Notes