

Monthly Summary Report

Institution: ISP

Memorandum

Date: November 4, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - October 2024

The following is a summary of the heat related activity for the month of October ,
at ISP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 23 _____

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____

Number of days Stage II Alert initiated: 0 _____

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: 0 _____

4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness. 0 _____ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.


Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

DAVID HOLBROOK (A)

Warden Name

DocuSigned by:



2AC5FPFB34P47426...

Warden Signature

ERIC ANDERSSON

Chief Executive Officer Name

DocuSigned by:



1C3CFDPD905E4D3...

Chief Executive Officer Signature

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)Immediately notify the watch commander at extension
90 degrees.5516 / 4321

When the air temperature reaches

Date	Time	Temp.	Printed name
OCTOBER	0100	84	A. Galenas
	0200	83	A. Galenas
	0300	82	A. Galenas
	0400	82	A. Galena
	0500	82	A. Galena
	0600	81	Z. Pérez
	0700	79	Z. Pérez
	0800	86	Z. Pérez
	0900	90	Z. Pérez
	1000	94	Z. Pérez
	1100	101	Z. Pérez
	1200	105	Z. Pérez
	1300	107	Z. Pérez
	1400	111	Gaskill
	1500	111	Gaskill
	1600	110	Gaskill
	1700	108	Gaskill
	1800	105	Gaskill
	1900	99	Gaskill
	2000	97	Gaskill
	2100	94	Gaskill
	2200	94	Gaskill
	2300	92	Gaskill
	2400	91	Gaskill

Date	Time	Temp.	Printed name
OCTOBER	0100	90	Gaskill
	0200	87	Gaskill
	0300	87	Gaskill
	0400	86	Gaskill
	0500	85	Gaskill
	0600	85	Z. Pérez
	0700	85	Z. Pérez
	0800	85	Z. Pérez
	0900	88	Z. Pérez
	1000	97	Z. Pérez
	1100	104	Z. Pérez
	1200	107	Z. Pérez
	1300	108	Z. Pérez
	1400	110	Gaskill
	1500	110	Gaskill
	1600	108	Gaskill
	1700	105	Gaskill
	1800	101	Gaskill
	1900	98	Gaskill
	2000	98	Gaskill
	2100	97	Gaskill
	2200	96	Martinez
	2300	88	Martinez
	2400	85	Martinez

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)

Immediately notify the watch commander at extension
90 degrees.

5516 / 4321 When the air temperature reaches

Date	Time	Temp.	Printed name
OCTOBER	0100	81	martinez
	0200	83	martinez
	0300	80	martinez
	0400	80	martinez
	0500	80	martinez
	0600	78	martinez/Silva
	0700	80	Rivera
	0800	85	Rivera
	0900	89	Rivera
	1000	97	Rivera
	1100	102	Rivera
	1200	106	Rivera
	1300	109	Rivera
	1400	108	Gaskill
	1500	108	Gaskill
	1600	105	Gaskill
	1700	102	Gaskill
	1800	100	Gaskill
	1900	99	Gaskill
	2000	97	Gaskill
	2100	96	Gaskill
	2200	94	Gaskill
	2300	96	Gaskill
	2400	98	Gaskill

Date	Time	Temp.	Printed name
OCTOBER	0100	85	Gaskill
	0200	84	Gaskill
	0300	82	Gaskill
	0400	81	Gaskill
	0500	78	Gaskill
	0600	78	Rivera
	0700	80	Rivera
	0800	81	Rivera
	0900	89	Rivera
	1000	94	Rivera
	1100	103	Rivera
	1200	106	Rivera
	1300	109	Rivera
	1400	107	Gaskill
	1500	107	Gaskill
	1600	105	Gaskill
	1700	105	Gaskill
	1800	104	Gaskill
	1900	99	Gaskill
	2000	97	Gaskill
	2100	92	Gaskill
	2200	89	Rodriguez
	2300	88	Rodriguez
	2400	88	Rodriguez

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)Immediately notify the watch commander at extension
90 degrees.5516 / 4321

When the air temperature reaches

Date	Time	Temp.	Printed name
O C T O B E R 2 0 2 4	0100	89	Rodriguez
	0200	86	Rodriguez
	0300	87	Rodriguez
	0400	83	Rodriguez
	0500	83	Rodriguez
	0600	76	T.Brown
	0700	81	T.Brown
	0800	86	T.Brown
	0900	90	T.Brown
	1000	93	T.Brown
	1100	101	T.Brown
	1200	107	T.Brown
	1300	115	T.Brown
	1400	110	J.Bruce
	1500	110	J.Bruce
	1600	109	J.Breeze
	1700	108	J.Bruce
	1800	102	J.Bruce
	1900	99	J.Breeze
	2000	96	J.Breeze
	2100	93	J.Bruce
	2200	90	J.Bruce
	2300	84	J.Breeze
	2400	85	J.Bruce

Date	Time	Temp.	Printed name
O C T O B E R 2 0 2 4	0100	84	J.Bruce
	0200	83	J.Bruce
	0300	83	J.Bruce
	0400	84	J.Bruce
	0500	80	J.Breeze
	0600	81	T.Brown
	0700	84	T.Brown
	0800	86	T.Brown
	0900	90	T.Brown
	1000	96	T.Brown
	1100	101	T.Brown
	1200	104	T.Brown
	1300	109	T.Brown
	1400	112	A.Cadenas
	1500	110	A.Cadenas
	1600	109	A.Cadenas
	1700	109	A.Cadenas
	1800	105	A.Cadenas
	1900	100	A.Cadenas
	2000	98	A.Cadenas
	2100	94	A.Cadenas
	2200	91	A.Cadenas
	2300	90	A.Cadenas
	2400	90	A.Cadenas

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
O C T O B E R	0100	88	A. Cadenas
	0200	82	A. Cadenas
	0300	81	A. Cadenas
	0400	81	A. Cadenas
	0500	81	A. Cadenas
	0600	82	Lopez
	0700	82	Lopez
	0800	84	Lopez
	0900	88	Lopez
	1000	93	Lopez
	1100	94	Lopez
	1200	110	Lopez
	1300	109	Lopez
	1400	110	CADENAS
	1500	110	CADENAS
	1600	109	CADENAS
	1700	108	CADENAS
	1800	105	CADENAS
	1900	98	CADENAS
	2000	95	CADENAS
	2100	93	CADENAS
	2200	90	CADENAS
	2300	90	CADENAS
	2400	89	CADENAS

Date	Time	Temp.	Printed name
O C T O B E R	0100	82	CADENAS
	0200	82	CADENAS
	0300	83	CADENAS
	0400	78	CADENAS
	0500	78	CADENAS
	0600	76	Lopez
	0700	79	Soler
	0800	82	Soler
	0900	85	Soler
	1000	92	Soler
	1100	97	Soler
	1200	103	Soler
	1300	106	Soler
	1400	106	Castill
	1500	107	Castill
	1600	106	Castill
	1700	104	Castill
	1800	101	Castill
	1900	97	Castill
	2000	93	Castill
	2100	91	Castill
	2200	90	Castill J. Bruce
	2300	85	Castill J. Bruce
	2400	84	Castill J. Bruce

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)

Immediately notify the watch commander at extension
90 degrees.

5516 / 4321 When the air temperature reaches

Date	Time	Temp.	Printed name
O C T O B E R 2 0 2 2 4	0100	82	Gaskill J. Bruce
	0200	82	Gaskill J. Bruce
	0300	82	Gaskill J. Bruce
	0400	80	Gaskill J. Bruce
	0500	77	Gaskill J. Bruce
	0600	77	Sherer
	0700	73	Sherer
	0800	78	Sherer
	0900	85	Sherer
	1000	91	Sherer
	1100	98	Sherer
	1200	102	Sherer
	1300	104	Sherer
	1400	104	Gaskill
	1500	106	Gaskill
	1600	104	Gaskill
	1700	99	Gaskill
	1800	95	Gaskill
	1900	91	Gaskill
	2000	89	Gaskill
	2100	87	Gaskill
	2200	87	J. Bruce
	2300	85	J. Bruce
	2400	79	J. Bruce

Date	Time	Temp.	Printed name
1 0 0 C T O B E 2 0 2 2 4	0100	79	J. Bruce
	0200	80	J. Bruce
	0300	75	J. Bruce
	0400	73	J. Bruce
	0500	73	J. Bruce
	0600	72	Sherer
	0700	74	Sherer
	0800	78	Sherer
	0900	83	Sherer
	1000	88	Sherer
	1100	90	Sherer
	1200	101	Sherer
	1300	104	Sherer
	1400	106	Gaskill
	1500	105	Gaskill
	1600	105	Gaskill
	1700	103	Gaskill
	1800	100	Gaskill
	1900	95	Gaskill
	2000	91	Gaskill
	2100	90	Gaskill
	2200	86	J. Bruce
	2300	80	J. Bruce
	2400	82	J. Bruce

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)Immediately notify the watch commander at extension
90 degrees.5516 / 4321

When the air temperature reaches

Date	Time	Temp.	Printed name
1 1 0 C T O B E R	0100	82	J. Breeze
	0200	79	J. Breeze
	0300	79	J. Breeze
	0400	78	J. Breeze
	0500	72	<i>Sherr</i>
	0600	74	<i>Sherr</i>
	0700	73	<i>Sherr</i>
	0800	74	<i>Sherr</i>
	0900	82	<i>Sherr</i>
	1000	88	<i>Sherr</i>
	1100	95	<i>Sherr</i>
	1200	100	<i>Sherr</i>
	1300	101	<i>Sherr</i>
	1400	103	Gaskill
	1500	103	Gaskill
	1600	102	Gaskill
	1700	101	Gaskill
	1800	98	Gaskill
	1900	92	Gaskill
	2000	90	Gaskill
	2100	89	Gaskill
	2200	84	J. Breeze
	2300	84	J. Breeze
	2400	81	J. Breeze

Date	Time	Temp.	Printed name
1 2 0 C T O B E R	0100	81	J. Breeze
	0200	79	J. Breeze
	0300	76	J. Breeze
	0400	75	J. Breeze
	0500	73	J. Breeze
	0600	70	T. Brown
	0700	76	T. Brown
	0800	80	T. Brown
	0900	92	T. Brown
	1000	90	T. Brown
	1100	95	T. Brown
	1200	99	T. Brown
	1300	103	T. Brown
	1400	103	J. Breeze
	1500	101	J. Breeze
	1600	99	J. Breeze
	1700	97	J. Breeze
	1800	93	J. Breeze
	1900	89	J. Breeze
	2000	85	J. Breeze
	2100	85	J. Breeze
	2200	79	J. Breeze
	2300	78	J. Breeze
	2400	77	J. Breeze

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)Immediately notify the watch commander at extension
90 degrees.5516 / 4321

When the air temperature reaches

Date	Time	Temp.	Printed name
1 3 O C T O B E R 2 0 2 2 4	0100	78	J. Brush
	0200	76	J. Brush
	0300	74	J. Brush
	0400	71	J. Brush
	0500	68	J. Brush
	0600	64	J. Brown
	0700	66	J. Brown
	0800	74	T. Brown
	0900	74	T. Brown
	1000	82	T. Brown
	1100	84	T. Brown
	1200	94	T. Brown
	1300	100	T. Brown
	1400	105	Cadenas
	1500	99	Cadenas
	1600	99	Cadenas
	1700	97	Cadenas
	1800	93	Cadenas
	1900	90	Cadenas
	2000	86	Cadenas
	2100	84	Cadenas
	2200	82	Cadenas
	2300	78	Cadenas
	2400	74	Cadenas

Date	Time	Temp.	Printed name
1 4 O C T O B E R 2 0 2 2 4	0100	72	Cadenas
	0200	72	Cadenas
	0300	70	Cadenas
	0400	68	Cadenas
	0500	64	Cadenas
	0600	68	Speis
	0700	68	Speis
	0800	70	Speis
	0900	78	Perez
	1000	82	Speis
	1100	88	Speis
	1200	93	Speis
	1300	95	Speis
	1400	104	Cadenas
	1500	97	Cadenas
	1600	95	Cadenas
	1700	93	Cadenas
	1800	91	Cadenas
	1900	90	Cadenas
	2000	85	Cadenas
	2100	79	Cadenas
	2200	78	Cadenas
	2300	76	Cadenas
	2400	76	Cadenas

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
1 5 O C T O B E R	0100	70	Cadernas
	0200	70	Cadernas
	0300	69	Cadernas
	0400	67	Cadernas
	0500	67	Cadernas
	0600	61	Soler
	0700	63	Perez
	0800	70	Perez
	0900	76	Perez
	1000	83	Perez
	1100	88	Perez
	1200	92	Perez
	1300	95	Perez
	1400	96	Canskil
	1500	95	Canskil
	1600	95	Canskil
	1700	93	Canskil
	1800	90	Canskil
	1900	86	Canskil
	2000	84	Canskil
	2100	79	Canskil
	2200	77	Canskil
	2300	73	Canskil
	2400	73	Canskil

Date	Time	Temp.	Printed name
1 6 O C T O B E R	0100	71	Canskil
	0200	70	Canskil
	0300	70	Canskil
	0400	68	Canskil
	0500	67	Canskil
	0600	68	Perez
	0700	64	Perez
	0800	74	Perez
	0900	80	Perez
	1000	87	Perez
	1100	90	Perez
	1200	92	Perez
	1300	94	Perez
	1400	94	Canskil
	1500	94	Canskil
	1600	93	Canskil
	1700	90	Canskil
	1800	85	Canskil
	1900	86	Canskil
	2000	85	Canskil
	2100	80	Canskil
	2200	80	J. Bruce
	2300	80	J. Bruce
	2400	79	J. Bruce

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
1 7 0 C T O B E R	0100	75	J. Breese
	0200	75	J. Breese
	0300	72	J. Breese
	0400	72	J. Breese
	0500	71	J. Breese
	0600	72	J. Breese
	0700	72	J. Breese
	0800	73	J. Breese
	0900	78	J. Breese
	1000	81	J. Breese
	1100	83	J. Breese
	1200	87	J. Breese
	1300	88	J. Breese
	1400	90	Carskill
	1500	90	Carskill
	1600	87	Carskill
	1700	85	Carskill
	1800	81	Carskill
	1900	78	Carskill
	2000	76	Carskill
	2100	75	Carskill
	2200	74	J. Breese
	2300	71	J. Breese
	2400	72	J. Breese

Date	Time	Temp.	Printed name
1 8 0 C T O B E R	0100	69	J. Breese
	0200	68	J. Breese
	0300	68	J. Breese
	0400	69	J. Breese
	0500	68	J. Breese
	0600	68	A. Cadenas
	0700	68	A. Cadenas
	0800	70	A. Cadenas
	0900	79	A. Cadenas
	1000	78	A. Cadenas
	1100	78	A. Cadenas
	1200	78	A. Cadenas
	1300	76	A. Cadenas
	1400	76	Carskill
	1500	75	Carskill
	1600	74	Carskill
	1700	72	Carskill
	1800	70	Carskill
	1900	68	Carskill
	2000	68	Carskill
	2100	67	Carskill
	2200	67	Carskill
	2300	65	Carskill
	2400	65	Carskill

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)Immediately notify the watch commander at extension
90 degrees.5516 / 4321

When the air temperature reaches

Date	Time	Temp.	Printed name
1 9 O C T O B E 2 0 2 4	0100	64	CASKILL
	0200	64	CASKILL
	0300	63	CASKILL
	0400	62	CASKILL
	0500	61	CASKILL
	0600	60	CASAREZ
	0700	65	CASAREZ
	0800	67	CASAREZ
	0900	71	CASAREZ
	1000	73	CASAREZ
	1100	75	CASAREZ
	1200	76	CASAREZ
	1300	82	CASAREZ
	1400	80	CASAREZ
	1500	80	CASAREZ
	1600	80	CASAREZ
	1700	77	CASAREZ
	1800	74	CASAREZ
	1900	72	CASAREZ
	2000	72	CASAREZ
	2100	66	CASAREZ
	2200	68	OSEDA, D.
	2300	65	OSEDA, D.
	2400	63	OSEDA, D.

Date	Time	Temp.	Printed name
2 0 0 C T O B E 2 0 2 4	0100	59	OSEDA, D.
	0200	61	OSEDA, D.
	0300	61	OSEDA, D.
	0400	61	OSEDA, D.
	0500	57	OSEDA, D.
	0600	59	Chavez, E.
	0700	64	Chavez, E.
	0800	69	Chavez, E.
	0900	73	Chavez, E.
	1000	73	Chavez, E.
	1100	76	Chavez, E.
	1200	79	Chavez, E.
	1300	84	Chavez, E.
	1400	87.0	Price, V
	1500	81	Price, V
	1600	81	Price, V
	1700	79	Price, V
	1800	76	Price, V
	1900	75	Price, V
	2000	72	Price, V
	2100	75	Price, V
	2200	72	CADENAS
	2300	71	Cadenas
	2400	70	Cadenas

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)Immediately notify the watch commander at extension
90 degrees.5516 / 4321

When the air temperature reaches

Date	Time	Temp.	Printed name
2 1 0 C T O B E R	0100	67	CADENAS
	0200	63	CADENAS
	0300	60	CADENAS
	0400	60	CADENAS
	0500	60	CADENAS
	0600	59	Stevie
	0700	59	Stevie
	0800	61	Stevie
	0900	67	Stevie
	1000	73	Stevie
	1100	79	Stevie
	1200	84	Stevie
	1300	87	Stevie
	1400	94	A.CADENAS
	1500	89.	CADENAS
	1600	89	CADENAS
	1700	81	CADENAS
	1800	85	CADENAS
	1900	80	CADENAS
	2000	78	CADENAS
	2100	78	CADENAS
	2200	70	CADENAS
	2300	66	CADENAS
	2400	66	CADENAS

Date	Time	Temp.	Printed name
2 2 0 C T O B E R	0100	64	CADENAS
	0200	64	CADENAS
	0300	64	CADENAS
	0400	62	CADENAS
	0500	62	CADENAS
	0600	60.5	Vanderby
	0700	62	Vanderby
	0800	62.6	Vanderby
	0900	67	Vanderby
	1000	71	Vanderby
	1100	78	Vanderby
	1200	85	Vanderby
	1300	90	Vanderby
	1400	91	Gaskill
	1500	92	Gaskill
	1600	91	Gaskill
	1700	90	Gaskill
	1800	85	Gaskill
	1900	81	Gaskill
	2000	78	Gaskill
	2100	75	Gaskill
	2200	72	Gaskill
	2300	71	Gaskill
	2400	70	Gaskill

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)Immediately notify the watch commander at extension
90 degrees.

5516 / 4321 When the air temperature reaches

Date	Time	Temp.	Printed name
OCTOBER	0100	68	Censkill
	0200	65	Censkill
	0300	64	Censkill
	0400	64	Censkill
	0500	63	Censkill
	0600	66	Mendoza
	0700	68	Mendoza
	0800	77	Mendoza
	0900	92.3	Mendoza
	1000	96	Mendoza
	1100	98.3	Mendoza
	1200	101	Mendoza
	1300	103	Mendoza
	1400	95	Censkill
	1500	93	Censkill
	1600	91	Censkill
	1700	92	Censkill
	1800	90	Censkill
	1900	88	Censkill
	2000	85	Censkill
	2100	81	Censkill
	2200	73	J. Bruse
	2300	71	J. Bruse
	2400	71	J. Bruse

Date	Time	Temp.	Printed name
OCTOBER	0100	68	J. Bruse
	0200	66	J. Bruse
	0300	63	J. Bruse
	0400	63	J. Bruse
	0500	62	J. Bruse
	0600	61	J. Peter
	0700	61	J. Peter
	0800	66	J. Peter
	0900	76	J. Peter
	1000	77	J. Peter
	1100	84	J. Peter
	1200	90	J. Peter
	1300	92	J. Peter
	1400	95	Censkill
	1500	94	Censkill
	1600	93	Censkill
	1700	92	Censkill
	1800	89	Censkill
	1900	85	Censkill
	2000	80	Censkill
	2100	77	Censkill
	2200	72	J. Bruse
	2300	73	J. Bruse
	2400	69	J. Bruse

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
2 5 0 C T O B E R 2 0 2 4	0100	70	J. Breeze
	0200	68	J. Breeze
	0300	66	J. Breeze
	0400	65	J. Breeze
	0500	62	J. Breeze
	0600	61	Shawn
	0700	59	Shawn
	0800	65	Shawn
	0900	71	Shawn
	1000	75	Shawn
	1100	83	J. Breeze
	1200	87	J. Breeze
	1300	90	J. Breeze
	1400	93	Cousill
	1500	93	Cousill
	1600	91	Cousill
	1700	90	Cousill
	1800	87	Cousill
	1900	83	Cousill
	2000	78	Cousill
	2100	72	Cousill
	2200	76	J. Breeze
	2300	72	J. Breeze
	2400	71	J. Breeze

Date	Time	Temp.	Printed name
2 6 0 C T O B E R 2 0 2 4	0100	69	J. Breeze
	0200	65	J. Breeze
	0300	63	J. Breeze
	0400	63	J. Breeze
	0500	63	J. Breeze
	0600	62	T. Brown
	0700	62	T. Brown
	0800	65	T. Brown
	0900	72	T. Brown
	1000	76	T. Brown
	1100	84	T. Brown
	1200	90	T. Brown
	1300	91	T. Brown
	1400	96	J. Breeze
	1500	96	J. Breeze
	1600	95	J. Breeze
	1700	92	J. Breeze
	1800	87	J. Breeze
	1900	82	J. Breeze
	2000	78	J. Breeze
	2100	76	J. Breeze
	2200	72	J. Breeze
	2300	70	J. Breeze
	2400	72	J. Breeze

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)Immediately notify the watch commander at extension
90 degrees.5516 / 4321

When the air temperature reaches

Date	Time	Temp.	Printed name
2 7 0 C T O B E R	0100	67	J. Brown
	0200	69	J. Brown
	0300	66	J. Brown
	0400	65	J. Brown
	0500	65	J. Brown
	0600	65	T. Brown
	0700	60	T. Brown
	0800	68	T. Brown
	0900	76	T. Brown
	1000	82	T. Brown
	1100	84	T. Brown
	1200	86	T. Brown
	1300	94	T. Brown
	1400	93	A. Cadenas
	1500	97	A. Cadenas
	1600	95	A. Cadenas
	1700	90	A. Cadenas
	1800	87	A. Cadenas
	1900	85	A. Cadenas
	2000	80	A. Cadenas
	2100	60	A. Cadenas
	2200	79	A. Cadenas
	2300	73	A. Cadenas
	2400	70	A. Cadenas

Date	Time	Temp.	Printed name
2 8 0 C T O B E R	0100	69	Cadenas
	0200	68	Cadenas
	0300	68	Cadenas
	0400	67	Cadenas
	0500	67	Cadenas
	0600	69	Soler
	0700	74	Soler
	0800	72	Soler
	0900	82	Soler
	1000	86	Soler
	1100	84	Soler
	1200	83	Soler
	1300	86	Soler
	1400	88	A. Cadenas
	1500	88	A. Cadenas
	1600	84	A. Cadenas
	1700	78	A. Cadenas
	1800	76	A. Cadenas
	1900	74	A. Cadenas
	2000	70	A. Cadenas
	2100	68	A. Cadenas
	2200	65	A. Cadenas
	2300	64	A. Cadenas
	2400	63	A. Cadenas

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)Immediately notify the watch commander at extension
90 degrees.**5516 / 4321**

When the air temperature reaches

Date	Time	Temp.	Printed name
2 9 0 C T O B E R	0100	68	Lademas
	0200	68	CADENAS
	0300	61	Acuadeno
	0400	61	Acuadeno
	0500	61	Acuadeno
	0600	60	Dreker
	0700	59	Dreker
	0800	61	Dreker
	0900	65	Dreker
	1000	68	Dreker
	1100	70	Dreker
	1200	71	Dreker
	1300	72	Dreker
	1400	74	Longfill
	1500	75	Longfill
	1600	75	Longfill
	1700	72	Longfill
	1800	69	Longfill
	1900	67	Longfill
	2000	65	Longfill
	2100	63	Longfill
	2200	62	Longfill
	2300	66	Longfill
	2400	60	Longfill

Date	Time	Temp.	Printed name
3 0 0 C T O B E R	0100	59	Longfill
	0200	58	Longfill
	0300	58	Longfill
	0400	57	Longfill
	0500	56	Longfill
	0600	55	Dreker
	0700	55	Dreker
	0800	58	Dreker
	0900	63	Dreker
	1000	68	Dreker
	1100	72	Dreker
	1200	73	Dreker
	1300	75	Dreker
	1400	75	Longfill
	1500	75	Longfill
	1600	75	Longfill
	1700	74	Longfill
	1800	71	Longfill
	1900	69	Longfill
	2000	65	Longfill
	2100	63	Longfill
	2200	56	J. Bruce
	2300	55	J. Bruce
	2400	54	J. Bruce

DISTRIBUTION: Original; Institution Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

IRONWOOD STATE PRISON

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER SEVEN (7)

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
3 1 O C T O B E R 2 0 2 4	0100	53	J. Breen
	0200	53	J. Breen
	0300	51	J. Breen
	0400	51	J. Breeze
	0500	50	J. Breen
	0600	48	Spener
	0700	48	Spener
	0800	51	Spener
	0900	56	Spener
	1000	61	Spener
	1100	70	Spener
	1200	74	Spener
	1300	76	Spener
	1400	76	Catskill
	1500	76	Catskill
	1600	75	Catskill
	1700	73	Catskill
	1800	71	Catskill
	1900	70	Catskill
	2000	68	Catskill
	2100	67	Catskill
	2200	61	Maiava
	2300	58	Maiava
	2400	56	Maiava

DISTRIBUTION: Original; Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/01/24	0300	74	B. Bonds
10/01/24	0600	75	H. Relays
10/01/24	0900	75	H. Relays
10/01/24	1200	76	H. Relays
10/01/24	1500	76	J. Coddan
10/01/24	1800	76	J. Coddan
10/01/24	2100	75	J. Coddan
10/01/24	2400	74	B. Bonds

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	74	B. Bonds
10/02/24	0600	75	H. Relays
10/02/24	0900	75	H. Relays
10/02/24	1200	76	H. Relays
10/02/24	1500	75	A. Nicoll
10/02/24	1800	76	A. Nicoll
10/02/24	2100	75	A. Nicoll
10/02/24	2400	75	R. Cherland

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	75	R. Cherland
10/03/24	0600	75	FIGUEROA
10/03/24	0900	75	FIGUEROA
10/03/24	1200	75	FIGUEROA
10/03/24	1500	76	T. Penkow
10/03/24	1800	75	T. Penkow
10/03/24	2100	75	T. Penkow
10/03/24	2400	75	R. Cherland

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	75	R. Cherland
10/04/24	0600	75	B. DUNCAN
10/04/24	0900	75	B. DUNCAN
10/04/24	1200	76	B. DUNCAN
10/04/24	1500	75	T. Penkow
10/04/24	1800	76	K. Hicks
10/04/24	2100	75	K. Hicks
10/04/24	2400	75	Penkow

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	75	Penkow
10/05/24	0600	75	FIGUEROA
10/05/24	0900	75	FIGUEROA
10/05/24	1200	75	FIGUEROA
10/05/24	1500	75	Spears
10/05/24	1800	75	Spears
10/05/24	2100	75	Spears
10/05/24	2400	75	N. Smith

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	75	N. Smith
10/06/24	0600	75	N. Smith
10/06/24	0900	75	Cordonia
10/06/24	1200	75	Cordonia
10/06/24	1500	76	Spears
10/06/24	1800	76	Spears
10/06/24	2100	76	Spears
10/06/24	2400	76	N. Smith

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	75	N. Smith
	0600	75	N. Smith
	0900	75	R. Miller
	1200	75	R. Miller
	1500	76	R. Miller
	1800	76	R. Miller
	2100	76	R. Miller
	2400	76	B. Bond

Tuesday

Date	Time	Temp.	Name (Print)
10/08/24	0300	75	B. Bond
	0600	75	H. Relago
	0900	75	H. Relago
	1200	76	H. Relago
	1500	76	J. MAYFIELD
	1800	76	J. MAYFIELD
	2100	75	J. MAYFIELD
	2400	75	B. Bond

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	76	B. Bond
	0600	75	H. Relago
	0900	75	H. Relago
	1200	76	H. Relago
	1500	75	FRANCO
	1800	76	FRANCO
	2100	75	FRANCO
	2400	75	R. Cherland

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	75	R. Cherland
	0600	75	SILVIA JC
	0900	75	H. Relago
	1200	75	H. Relago
	1500	75	B. Job
	1800	76	B. Job
	2100	75	B. Job
	2400	75	R. Cherland

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	75	R. Cherland
	0600	74	C. DELARADA
	0900	75	C. DELARADA
	1200	75	C. DELARADA
	1500	75	B. Job
	1800	75	B. Job
	2100	75	B. Job
	2400	75	N. Smith

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	75	N. Smith
	0600	74	N. Smith
	0900	75	R. Henderson
	1200	75	R. Henderson
	1500	75	B. Job
	1800	75	B. Job
	2100	75	B. Job
	2400	75	N. Smith

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	75	N. Smith
	0600	74	N. Smith
	0900	75	T. Carter
	1200	75	T. Carter
	1500	75	B. Job
	1800	75	B. Job
	2100	75	B. Job
	2400	75	N. Smith

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	75	N. Smith
	0600	74	N. Smith
	0900	74	R. Miller
	1200	75	R. Miller
	1500	75	R. Miller
	1800	75	R. Miller
	2100	75	R. Miller
	2400	75	(S. Bend)

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	73	B. Bond
	0600	74	J. Kelly
	0900	74	J. Kelly
	1200	75	J. Kelly
	1500	75	J. Mayfield
	1800	75	J. Mayfield
	2100	75	J. Mayfield
	2400	75	B. Bond

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	76	B. Bond
	0600	74	J. Kelly
	0900	75	J. Kelly
	1200	75	J. Kelly
	1500	75	A. Monge
	1800	75	A. Monge
	2100	75	A. Monge
	2400	75	R. Cherland

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	74	R. Cherland
	0600	75	J. Kelly
	0900	75	J. Kelly
	1200	75	J. Kelly
	1500	75	J. Kelly
	1800	75	J. Kelly
	2100	75	J. Kelly
	2400	74	R. Cherland

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	77	R. Cherland
	0600	74	J. Figueroa
	0900	74	J. Figueroa
	1200	74	J. Figueroa
	1500	74	T. Perkins
	1800	74	T. Perkins
	2100	74	T. Perkins
	2400	74	N. Smith

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	74	N. Smith
	0600	73	N. Smith
	0900	74	R. Henderson
	1200	74	R. Henderson
	1500	74	Spears
	1800	74	Spears
	2100	77	Spears
	2400	74	N. Smith

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	75	N. Smith
	0600	72	N. Smith
	0900	74	T. Conklin
	1200	74	T. Conklin
	1500	74	Spears
	1800	74	Spears
	2100	74	Spears
	2400	74	N. Smith

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/18	0300	74	N. Smith
	0600	73	N. Smith
	0900	73	R. Miller
	1200	74	R. Miller
	1500	74	R. Miller
	1800	74	R. Miller
	2100	74	R. Miller
	2400	74	B. Bond

Tuesday

Date	Time	Temp.	Name (Print)
10/22/18	0300	74	B. Bond
	0600	73	H. Relays
	0900	74	H. Relays
	1200	74	H. Relays
	1500	75	J. Mayfield
	1800	75	J. Mayfield
	2100	74	J. Mayfield
	2400	73	B. Bond

Wednesday

Date	Time	Temp.	Name (Print)
10/23/18	0300	74	B. Bond
	0600	73	H. Relays
	0900	74	H. Relays
	1200	74	H. Relays
	1500	74	G. Hernandez
	1800	74	G. Hernandez
	2100	74	G. Hernandez
	2400	74	R. Cherland

Thursday

Date	Time	Temp.	Name (Print)
10/24/18	0300	74	R. Cherland
	0600	74	P. Roche
	0900	74	H. Relays
	1200	74	H. Relays
	1500	75	T. Perkins
	1800	75	T. Perkins
	2100	74	T. Perkins
	2400	74	R. Cherland

Friday

Date	Time	Temp.	Name (Print)
10/25/18	0300	74	R. Cherland
	0600	74	B. Taylor
	0900	74	B. Taylor
	1200	74	B. Taylor
	1500	74	T. Peckles
	1800	74	T. Peckles
	2100	74	T. Peckles
	2400	74	N. Smith

Saturday

Date	Time	Temp.	Name (Print)
10/26/18	0300	74	N. Smith
	0600	74	N. Smith
	0900	74	B. Henderson
	1200	74	B. Henderson
	1500	74	Spear
	1800	74	Spear
	2100	74	Spear
	2400	74	N. Smith

Sunday

Date	Time	Temp.	Name (Print)
10/27/18	0300	74	N. Smith
	0600	74	N. Smith
	0900	74	T. Conklin
	1200	74	T. Conklin
	1500	74	Spear
	1800	74	Spear
	2100	74	Spear
	2400	74	A. Montanez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A 3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/28/24	0300	74	Martinez
	0600	74	R. Miller
	0900	74	R. Miller
	1200	74	R. Miller
	1500	74	R. Miller
	1800	74	R. Miller
	2100	74	R. Miller
	2400	74	R. Miller

Tuesday			
Date	Time	Temp.	Name (Print)
10/29/24	0300	74	Martinez
	0600	74	C. Benefield
	0900	74	C. Benefield
	1200	74	C. Benefield
	1500	74	Mayfield
	1800	74	Mayfield
	2100	74	Mayfield
	2400	73	Mayfield

Wednesday			
Date	Time	Temp.	Name (Print)
10/30/24	0300	73	Martinez
	0600	73	C. Benefield
	0900	73	C. Benefield
	1200	74	C. Benefield
	1500	74	Nicolao
	1800	74	Nicolao
	2100	73	Nicolao
	2400	72	R. Cherland

Thursday			
Date	Time	Temp.	Name (Print)
10/31/24	0300	71	R. Cherland
	0600	72	C. Benefield
	0900	72	C. Benefield
	1200	73	C. Benefield
	1500	73	T. Perkins
	1800	73	T. Perkins
	2100	73	T. Perkins
	2400	72	MANNY

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
COOR 2034 (8815)

From May 1st through October 31st, the worker shall doze one shift in the residence to monitor and log the minute occupied air levels (relative air flow) as conducted housing units where no smoke or the heat not yet may be removed. (Note: Air-conditioned housing units will also be monitored when the air condition is not operating).

Using an accurate stethometer on the highest frequency in the bounding unit in a top-tier while on change on the floor
rate of 100 beats/min. The initial circulatory rate is to be taken every three (3) weeks, then 7 days or week.

Institution: ISP Housing Unit: A-5 central temp. Reheating location: DVR room

When the inside air temperature reaches 55° or 60° F., the metal components of extension

Date	Time	Temp.	Name (Pain)
9/1	6:00	75	D. Rodriguez
	6:30	67.5	Reyes
9/2	6:00	74	Ramirez
	7:00	81	D. Molina
9/3	6:00	73	Torres
	7:00	73	Torres
9/4	6:00	73	Torres
	7:00	73	Torres
10/1	6:00	73	Torres

Tuesday		Date	Time	Temp.	Name (P.M.)
		10/1 24	1 P.M.	75	R.C., T.G., M.
			2 P.M.	75	Reesley
			3 P.M.	73	Reesley
			4 P.M.	72	Reesley
			5 P.M.	73	Leopold
			6 P.M.	73	Leopold
			7 P.M.	73	Leopold
			8 P.M.	75	D.R.C. Drat

Date	Time	Temp.	Name (Print)
10/24	8:00 AM	74	D. Johnson
	10:00 AM	74	Beasley
	1:00 PM	73	Gastley
	3:00 PM	72	Hawley
	5:00 PM	73	Templer
	7:00 PM	73	Templer
	9:00 PM	72	Templer
	11:00 PM	72	D. Johnson

BIRDS DAY		Date	Time	Temp.	Name (E-10)
		10/10	8:15	67.5	DICK CROW
		10/10	7:45	70	7 PIGEON
		10/10	7:45	72	C. PIGEON
		10/10	7:45	73	L. PIGEON
		10/10	7:45	73	TROPIC BIRD
		10/10	7:45	73	SEAGULL
		10/10	7:45	73	SEAGULL
		10/10	7:45	73	SEAGULL
		10/10	7:45	73	SEAGULL
		10/10	7:45	73	SEAGULL
		10/10	7:45	75	C. SEAGULL

Date	Time	Deeps	Name (End)
10/5/29	3:00	74	St. Vargas
	3:15	75	P. rodriguez
	3:30	73	P. rodriguez
	3:45	72	P. rodriguez
	4:00	71	Onaghnor
	4:15	72	Onaghnor
	4:30	74	Onaghnor
	4:45	75	O. Rodriguez

Sunday			
Date	Time	Temp.	Name (Print)
10	10:00	73	D. Hlavacek
	10:00	72	D. Morna
	10:00	74	D. Morna
B	10:00	74	D. Morna
	10:00	73	Snaghinoor
	10:00	74	Snaghinoor
	10:00	75	Snaghinoor
24	10:00	75	D. Hlavacek

Flores

DISTRIBUTION: Primary Registration Heat Plan Geography

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL INSTITUTIONS

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit A5 Control Temp. Reading Location: Dayroom

(e.g., 74° for 74° F, etc.)

Immediately notify the Watch Commander at extension 5516 / 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	74	Rodriguez
	0600	74	Villafan
	0900	72	Villafan
	1200	72	Garcia
	1500	73	Taylor
	1800	73	Taylor
	2100	73	Taylor
	2400	75	D. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300	75	D. Rodriguez
	0600	75	BeeSley
	0900	73	BeeSley
	1200	72	BeeSley
	1500	72	MARROQUIN
	1800	74	MARROQUIN
	2100	71	MARROQUIN
	2400	75	D. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	75	D. Rodriguez
	0600	75	BeeSley
	0900	73	BeeSley
	1200	72	BeeSley
	1500	73	Taylor
	1800	73	Taylor
	2100	74	Taylor
	2400	74	D. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	75	D. Rodriguez
	0600	75	RYANT, G.
	0900	74	RYANT, G.
	1200	74	RYANT, G.
10/11	1500	73	Robles, A.
	1800	72	Robles, A.
	2100	74	Robles, A.
	2400	74	J. COATEZ

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	74	J. COATEZ
	0600	75	Spears
	0900	74	Spears
	1200	72	Spears
	1500	73	Taylor
	1800	72	Taylor
	2100	72	Taylor
	2400	75	J. COATEZ

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	75	Vargas
	0600	75	D. Rodriguez
	0900	74	D. Rodriguez
	1200	72	D. Rodriguez
	1500	72	Onguimor
	1800	73	Onguimor
	2100	74	Onguimor
	2400	75	D. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	75	D. Rodriguez
	0600	75	D. Rodriguez
	0900	74	D. Rodriguez
	1200	74	D. Rodriguez
	1500	73	Onguimor
	1800	74	Onguimor
	2100	75	Onguimor
	2400	74	D. Rodriguez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution ISP Housing Unit A5 control Temp. Reading Location DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516/4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/ 14	0300	74	D. Rodriguez
	0600	74	R. Solano
	0900	74	R. Solano
	1200	74	R. Solano
	1500	73	Tompson
	1800	74	Tompson
	2100	74	Tompson
	2400	75	D. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
10/ 15	0300	75	D. Rodriguez
	0600	74	Bearley
	0900	75	Bearley
	1200	73	Bearley
	1500	73	Tompson
	1800	74	Tompson
	2100	73	Tompson
	2400	74	D. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/ 16	0300	74	D. Rodriguez
	0600	76	Bearley
	0900	74	Bearley
	1200	74	Bearley
	1500	74	Tompson
	1800	75	Tompson
	2100	75	Tompson
	2400	74	D. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/ 17	0300	74	D. Rodriguez
	0600	75	T. Peacock
	0900	75	T. Peacock
	1200	74	T. Peacock
	1500	74	Tompson
	1800	74	Tompson
	2100	75	Tompson
	2400	74	J. Lincoln

Friday

Date	Time	Temp.	Name (Print)
10/ 18	0300	74	J. Lincoln
	0600	74	T. Peacock
	0900	74	T. Peacock
	1200	74	T. Peacock
	1500	74	J. Hernandez
	1800	75	J. Hernandez
	2100	75	J. Hernandez
	2400	75	CHRIS TELFEE

Saturday

Date	Time	Temp.	Name (Print)
10/ 19	0300	73	CHRIS TELFEE
	0600	73	None
	0900	74	None
	1200	74	None
	1500	74	Onaghinor
	1800	74	Onaghinor
	2100	74	Onaghinor
	2400	73	D. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
10/ 20	0300	73	D. Rodriguez
	0600	73	D. molan
	0900	74	D. molan
	1200	75	D. molan
	1500	74	Onaghinor
	1800	74	Onaghinor
	2100	74	Onaghinor
	2400	74	D. Rodriguez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04-18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution ISP Housing Unit A 5 CONTROL Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516/4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	73	D. Rodriguez
	0600	73	Dorothea
	0900	73	P. molan
	1200	73	Cecil
	1500	73	Temple
	1800	75	Temple
	2100	75	Tanya
	2400	72	B. Gables

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	72	B. Gables
	0600	72	B. Gables
	0900	73	Beasley
	1200	74	Beasley
	1500	75	Tanya
	1800	73	Temple
	2100	73	Chaska
	2400	73	D. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	72	D. Rodriguez
	0600	72	Beasley
	0900	72	Beasley
	1200	74	Beasley
	1500	74	Temple
	1800	74	Temple
	2100	73	Temple
	2400	73	D. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	73	D. Rodriguez
	0600	73	T. Peoples
	0900	73	T. Peoples
	1200	74	T. Peoples
	1500	74	Temple
	1800	74	Chaska
	2100	73	Temple
	2400	73	Tanya

Friday

Date	Time	Temp.	Name (Print)
11/1	0300	72	Tanya
	0600	72	Tanya
	0900	72	Tanya
	1200	72	T. Peoples
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3 Temp. Reading Location: 2nd tier Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5514 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	73	B.Gonzales
	0600	73	B.Gonzales
	0900	73	RIOS
	1200	73	RIOS
10/1/24	1500	74	PARAMORE
	1800	74	PARAMORE
	2100	74	PARAMORE
	2400	72	Cela

Wednesday

Date	Time	Temp.	Name (Print)
	0300	72	J.Costa
	0600	72	J.Costa
10/2/24	0900	75	A.MARROQUIN
	1200	73	A.MARROQUIN
	1500	74	JACOSTA
	1800	74	JACOSTA
	2100	73	JACOSTA
	2400	73	N.Miller

Thursday

Date	Time	Temp.	Name (Print)
	0300	73	N.Miller
	0600	73	I.Tinjilio
	0900	73	I.Tinjilio
	1200	74	I.Tinjilio
10/3/24	1500	74	I.Tinjilio
	1800	73	I.Tinjilio
	2100	73	I.Tinjilio
	2400	77	N.Miller

Friday

Date	Time	Temp.	Name (Print)
	0300	73	N.Miller
10/4/24	0600	73	I.Tinjilio
	0900	73	I.Tinjilio
	1200	74	I.Tinjilio
	1500	74	Grey
	1800	73	Grey
	2100	73	Grey
	2400	73	N.Miller

Saturday

Date	Time	Temp.	Name (Print)
	0300	73	N.Miller
	0600	73	Grey
	0900	74	Grey
10/5/24	1200	73	Grey
	1500	73	Grey
	1800	73	Grey
	2100	73	Grey
	2400	74	Grey

Notes

Date	Time	Temp.	Name (Print)
	0300	74	Chase
	0600	72	Chase
10/6/24	0900	73	Sanchez Grey
	1200	74	Grey
	1500	73	I.CORONA
	1800	73	I.CORONA
	2100	73	I.CORONA
	2400	74	Chase

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3

Temp. Reading Location: 2nd tier Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/11/24	0300	73	Cheng
	0600	73	Cheng
	0900	74	L.Taylor
	1200	74	L.Taylor
	1500	74	L.Taylor
	1800	73	L.Taylor
	2100	73	L.Taylor
	2400	73	NEA

Tuesday

Date	Time	Temp.	Name (Print)
10/12/24	0300	73	MILLER
	0600	73	PIOS
	0900	73	PIOS
	1200	74	PIOS
	1500	74	PARRAORE
	1800	73	PARRAORE
	2100	73	PARRAORE
	2400	74	PIOS

Wednesday

Date	Time	Temp.	Name (Print)
10/13/24	0300	74	NEA
	0600	73	MARROQUIN
	0900	73	MARROQUIN
	1200	73	MARROQUIN
	1500	74	JACOSTA
	1800	74	JACOSTA
	2100	73	JUSTA
	2400	74	N.MILLER

Thursday

Date	Time	Temp.	Name (Print)
10/14/24	0300	73	N.MILLER
	0600	71	L.Taylor
	0900	73	L.Taylor
	1200	73	L.Taylor
	1500	74	L.Taylor
	1800	73	L.Taylor
	2100	73	L.Taylor
	2400	73	N.MILLER

Friday

Date	Time	Temp.	Name (Print)
10/15/24	0300	73	N.MILLER
	0600	71	L.Taylor
	0900	73	L.Taylor
	1200	73	L.Taylor
	1500	74	Grey
	1800	73	Grey
	2100	72	Grey
	2400	73	N.MILLER

Saturday

Date	Time	Temp.	Name (Print)
10/16/24	0300	73	W.MILLER
	0600	73	Grey
	0900	72	Grey
	1200	73	Grey
	1500	73	Grey
	1800	73	Grey
	2100	73	Grey
	2400	72	Cheng

Notes

Date	Time	Temp.	Name (Print)
10/17/24	0300	72	Cheng
	0600	71	Sarita
	0900	73	Grey
	1200	72	Grey
	1500	72	Grey
	1800	72	Grey
	2100	72	Grey
	2400	73	Cheng

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3

Temp. Reading Location: 2nd tier Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	73	Chang
/14	0600	72	I. Trujillo
	0900	72	I. Trujillo
	1200	72	I. Trujillo
	1500	73	I. Trujillo
	1800	73	I. Trujillo
	2100	73	I. Trujillo
	2400	72	NOE

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	72	MEER
/15	0600	72	RIOS
	0900	72	RIOS
	1200	72	RIOS
	1500	73	PARAMORE
	1800	73	PARAMORE
	2100	72	PARAMORE
	2400	73	MEER

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	73	MEER
/16	0600	71	MARROAWIN
	0900	72	MARROAWIN
	1200	74	MARROAWIN
	1500	72	JACSON
	1800	74	JACSON
	2100	74	JACSON
	2400	73	N. MILLER

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	72	N. MILLER
/17	0600	75	I. Trujillo
	0900	73	I. Trujillo
	1200	73	I. Trujillo
	1500	73	I. Trujillo
	1800	73	I. Trujillo
	2100	72	I. Trujillo
	2400	72	N. MILLER

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	72	N. MILLER
/18	0600	72	M. Hinojos
	0900	72	M. Hinojos
	1200	72	M. Hinojos
	1500	72	gray
	1800	72	gray
	2100	72	gray
	2400	72	N. MILLER

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	72	N. MILLER
/19	0600	72	gray
	0900	72	gray
	1200	72	gray
	1500	72	gray
	1800	72	gray
	2100	72	gray
	2400	72	gray

Notes

Date	Time	Temp.	Name (Print)
10/20	0300	72	Chang
/20	0600	72	gray
	0900	72	gray
	1200	72	gray
	1500	73	gray
	1800	72	gray
	2100	72	gray
	2400	71	gray

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3 Temp. Reading Location: 2nd tier Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/21	0300	72	Chang
	0600	72	Tinjillo
	0900	72	Tinjillo
	1200	73	Tinjillo
	1500	73	Tinjillo
	1800	73	Tinjillo
	2100	73	Tinjillo
	2400	72	MEKL

Tuesday

Date	Time	Temp.	Name (Print)
10/22/21	0300	72	MEKL
	0600	72	RIOS
	0900	73	RIOS
	1200	73	RIOS
	1500	72	PARAMORE
	1800	72	PARAMORE
	2100	72	PARAMORE
	2400	71	MEKL

Wednesday

Date	Time	Temp.	Name (Print)
10/23/21	0300	72	MEKL
	0600	72	PARAMORE
	0900	72	PARAMORE
	1200	72	PARAMORE
	1500	73	Acosta
	1800	74	Acosta
	2100	72	Acosta
	2400	73	MEKL

Thursday

Date	Time	Temp.	Name (Print)
10/24/21	0300	72	N.M.11er
	0600	72	Tinjillo
	0900	72	Tinjillo
	1200	71	Tinjillo
	1500	73	Tinjillo
	1800	73	Tinjillo
	2100	73	Tinjillo
	2400	72	N.M.11er

Friday

Date	Time	Temp.	Name (Print)
10/25/21	0300	72	N.M.11er
	0600	72	Tinjillo
	0900	72	Tinjillo
	1200	72	Tinjillo
	1500	72	bry
	1800	72	bry
	2100	72	bry
	2400	72	N.M.11er

Saturday

Date	Time	Temp.	Name (Print)
10/26/21	0300	72	N.M.11er
	0600	72	bry
	0900	72	bry
	1200	72	bry
	1500	72	bry
	1800	72	bry
	2100	72	bry
	2400	71	Chang

Sunday

Date	Time	Temp.	Name (Print)
10/27/21	0300	72	Chang
	0600	72	bry
	0900	73	bry
	1200	72	bry
	1500	73	bry
	1800	72	bry
	2100	72	bry
	2400	72	Chang

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISOP Housing Unit: B3 Temp. Reading Location: 2nd tier Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	72	charles
	0600	72	charles
	0900	73	L-Tinjillo
	1200	73	L-Tinjillo
	1500	73	L-Tinjillo
	1800	73	L-Tinjillo
	2100	72	L-Tinjillo
	2400	72	MERK

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	72	MERK
	0600	72	TRIOS
	0900	72	TRIOS
	1200	72	TRIOS
	1500	73	R-Miller
	1800	73	R-Miller
	2100	72	R-miller
	2400	72	MERK

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	72	MERK
	0600	71	A.MARROQUIN
	0900	71	A.morroquin
	1200	73	A.MARROQUIN
	1500	73	JAGOSKA
	1800	73	JAGOSKA
	2100	72	JAGOSKA
	2400	71	A.Miller

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	69	N.Miller
	0600	69	L-Tinjillo
	0900	70	L-Tinjillo
	1200	72	L-Tinjillo
	1500	73	L-Tinjillo
	1800	72	L-Tinjillo
	2100	72	L-Tinjillo
	2400	71	N.Miller

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: T3 Temp. Reading Location: 1st & 2nd Tier
SS/6 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4221 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300	71	J. Brooks
10/2	0600	71	D. Daram
	0900	70	D. Daram
	1200	69	D. Daram
	1500	69	J. Infante
2024	1800	69	J. Infante
	2100	69	J. Infante
	2400	69	J. Infante

Friday

Date	Time	Temp.	Name (Print)
	0300	71	J. Brooks
10/4	0600	72	O.SMA
	0900	70	O.SMA
	1200	68	O.SMA
	1500	69	O.SMA
2024	1800	70	O.SMA
	2100	69	O.SMA
	2400	69	J. SARAGAN

Sunday

Date	Time	Temp.	Name (Print)
	0300	71	J. SARAGAN
10/6	0600	71	J. SARAGAN
	0900	69	A. ANAYA
	1200	68	A. ANAYA
	1500	68	K. INIBOL
2024	1800	68	K. INIBOL
	2100	69	J. SARAGAN
	2400	69	J. SARAGAN

Tuesday

Date	Time	Temp.	Name (Print)
	0300	71	J.C. Brooks
10/1	0600	71	D. Daram
	0900	69	D. Daram
	1200	69	D. Daram
2024	1500	69	E. JENKINS JR.
	1800	69	E. JENKINS JR.
	2100	69	E. JENKINS JR.
	2400	69	J.C. Brooks

Thursday

Date	Time	Temp.	Name (Print)
	0300	71	J.C. Brooks
10/3	0600	72	D. Daram
	0900	70	D. Daram
	1200	69	D. Daram
	1500	69	D. Daram
2024	1800	69	D. Daram
	2100	69	D. Daram
	2400	69	J.C. Brooks

Saturday

Date	Time	Temp.	Name (Print)
	0300	71	J. SARAGAN
10/5	0600	71	J. SARAGAN
	0900	69	O. NUNEZ
	1200	68	O. NUNEZ
	1500	68	J. DUBON
2024	1800	68	J. DUBON
	2100	70	J. DUBON
	2400	70	J. SARAGAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D-3 Temp. Reading Location: Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1	0300	71	J.C.BROOKS
	0600	71	D.DARCIENE
	0900	71	D.DARCIENE
	1200	69	D.DARCIENE
	1500	69	E.GASTRO
	1800	70	E.GASTRO
	2100	71	E.GASTRO
	2400	69	J.C.BROOKS

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	71	J.C.BROOKS
	0600	73	D.DARCIENE
	0900	70	D.DARCIENE
	1200	69	D.DARCIENE
	1500	69	J. INFANTE
	1800	69	J. INFANTE
	2100	69	J. INFANTE
	2400	69	J.C.BROOKS

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	70	J.C.BROOKS
	0600	72	SILVAS
	0900	70	SILVAS
	1200	69	SILVAS
	1500	69	E.JENKINS JR.
	1800	69	E.JENKINS JR.
	2100	70	E.JENKINS JR.
	2400	70	J.BARRAGAN

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	73	J.BARRAGAN
	0600	73	J.BARRAGAN
	0900	71	A.ANAYA
	1200	69	A.ANAYA
	1500	68	E.JENKINS JR.
	1800	68	E.JENKINS JR.
	2100	71	E.JENKINS JR.
	2400	70	J.C.BROOKS

Tuesday

Date	Time	Temp.	Name (Print)
10/18	0300	71	J.C.BROOKS
	0600	70	D.DARCIENE
	0900	69	D.DARCIENE
	1200	71	D.DARCIENE
	1500	71	J.RODRIGUEZ
	1800	71	J.RODRIGUEZ
	2100	71	J.RODRIGUEZ
	2400	69	J.C.BROOKS

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	71	J.C.BROOKS
	0600	70	D.DARCIENE
	0900	69	D.DARCIENE
	1200	69	D.DARCIENE
	1500	69	D.ZECHARIAH
	1800	70	D.ZECHARIAH
	2100	70	D.ZECHARIAH
	2400	69	J.C.BROOKS

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	71	J.BARRAGAN
	0600	73	J.BARRAGAN
	0900	71	D.ZECHARIAH
	1200	69	D.ZECHARIAH
	1500	69	E.JENKINS JR.
	1800	69	E.JENKINS JR.
	2100	70	E.JENKINS JR.
	2400	70	J.BARRAGAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D-3 Temp. Reading Location: TOP TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	70	T.C.Brook
	0600	72	D.Darame
	0900	71	D.Darame
	1200	69	D.Darame
	1500	68	E.Jenkins Jr.
	1800	69	E.Jenkins Jr.
	2100	71	E.Jenkins Jr.
	2400	70	T.C.Brook

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	72	T.C.Brook
	0600	72	D.Darame
	0900	71	D.Darame
	1200	70	D.Darame
	1500	69	J.Infante
	1800	70	J.Infante
	2100	72	J.Infante
	2400	72	T.C.Brook

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	73	T.C.Brook
	0600	71	OSUNA
	0900	72	OSUNA
	1200	67	OSUNA
	1500	66	E.Jenkins Jr.
	1800	66	E.Jenkins Jr.
	2100	71	E.Jenkins Jr.
	2400	71	J.BARRAGAN

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	72	J.BARRAGAN
	0600	72	J.BARRAGAN
	0900	73	A.ANAYA
	1200	70	A.ANAYA
	1500	70	E.Jenkins Jr.
	1800	71	E.Jenkins Jr.
	2100	73	E.Jenkins Jr.
	2400	73	T.C.Brook

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	71	T.C.Brook
	0600	70	D.Darame
	0900	71	D.Darame
	1200	69	D.Darame
	1500	69	E.Jenkins Jr.
	1800	68	E.Jenkins Jr.
	2100	72	E.Jenkins Jr.
	2400	70	T.C.Brook

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	73	T.C.Brook
	0600	73	A.Gonz
	0900	72	A.Gonz
	1200	70	A.Gonz
	1500	69	D.Gonz
	1800	68	R.Gonz
	2100	67	P.Taylor
	2400	70	T.C.Brook

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	71	J.BARRAGAN
	0600	70	J.BARRAGAN
	0900	72	O.Wuere
	1200	71	O.Wuere
	1500	71	E.Jenkins Jr.
	1800	72	E.Jenkins Jr.
	2100	73	E.Jenkins Jr.
	2400	73	J.BARRAGAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: FSI Housing Unit: A-3 Temp. Reading Location: TOA Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	70	T.C.Brooks
	0600	72	D.Darame
	0900	71	D.Darame
	1200	70	D.Darame
	1500	69	E.Jenkins Jr.
	1800	71	E.Jenkins Jr.
	2100	72	E.Jenkins Jr.
	2400	72	T.C.Brooks

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	73	T.C.Brooks
	0600	73	D.Darame
	0900	73	D.Darame
	1200	69	D.Darame
	1500	69	J.Infante
	1800	69	J.Infante
	2100	71	J.Infante
	2400	72	T.C.Brooks

Friday

Date	Time	Temp.	Name (Print)
10/15	0300	72	T.C.Brooks
	0600	72	C.Serna
	0900	73	C.Serna
	1200	70	C.Serna
	1500	69	E.Jenkins Jr.
	1800	69	E.Jenkins Jr.
	2100	72	E.Jenkins Jr.
	2400	72	J.Marragan

Sunday

Date	Time	Temp.	Name (Print)
10/17	0300	73	J.Marragan
	0600	73	S.Karragan
	0900	72	A.Anaya
	1200	70	A.Anaya
	1500	72	E.Jenkins Jr.
	1800	73	E.Jenkins Jr.
	2100	73	E.Jenkins Jr.
	2400	72	T.C.Brooks

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	73	T.C.Brooks
	0600	73	D.Darame
	0900	73	D.Darame
	1200	70	D.Darame
	1500	69	E.Jenkins Jr.
	1800	70	E.Jenkins Jr.
	2100	72	E.Jenkins Jr.
	2400	72	T.C.Brooks

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	72	T.C.Brooks
	0600	71	D.Darame
	0900	73	D.Darame
	1200	69	D.Darame
	1500	69	J.C.Perez
	1800	69	T.C.Brooks
	2100	71	T.C.Brooks
	2400	72	T.C.Brooks

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	72	J.Marragan
	0600	72	J.Marragan
	0900	74	D.Wilcox
	1200	70	D.Wilcox
	1500	69	E.Jenkins Jr.
	1800	71	E.Jenkins Jr.
	2100	72	E.Jenkins Jr.
	2400	72	J.Marragan

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: FSP Housing Unit: D3 Temp. Reading Location: TOP TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>10/28</u>	0300	78	J.C.Brooks
	0600	73	D.Darame
	0900	73	D.Darame
	1200	71	L.QUINTERO
	1500	69	E.JENKINS JR.
	1800	71	E.JENKINS JR.
	2100	73	E.JENKINS JR.
	2400	73	J.C.Brooks

Wednesday

Date	Time	Temp.	Name (Print)
<u>10/30</u>	0300	73	J.C.Brooks
	0600	71	E.JENKINS
	0900	73	E.JENKINS
	1200	72	E.JENKINS
	1500	73	CORONER
	1800	73	GOMES
	2100	73	GOMES
	2400	72	J.C.Brooks

Friday

Date	Time	Temp.	Name (Print)
<u>11/03</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
<u>11/05</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
<u>10/29</u>	0300	73	J.C.Brooks
	0600	71	D.Darame
	0900	71	D.Darame
	1200	72	D.Darame
	1500	72	B.PISCOTTA
	1800	73	E.JENKINS JR.
	2100	73	E.JENKINS JR.
	2400	72	J.C.Brooks

Thursday

Date	Time	Temp.	Name (Print)
<u>10/31</u>	0300	73	J.C.Brooks
	0600	71	D.Darame
	0900	71	D.Darame
	1200	71	D.Darame
	1500	71	RIGGIO
	1800	71	RIGGIO
	2100	73	RIGGIO
	2400	72	J.C.Brooks

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1st Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4371/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	68	G.M. Rodriguez
	0600	64	J. Garcia
	0900	69	J. Heron
	1200	67	J. Heron
30	1500	69	L. Gaspard
	1800	69	L. Gaspard
	2100	68	L. Gaspard
2024	2400	67	L. Gaspard

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	69	L. Gaspard
	0600	69	O. Sepeda
	0900	69	O. Sepeda
1	1200	68	O. Sepeda
	1500	68	L. Gaspard
	1800	67	L. Gaspard
2024	2100	68	L. Gaspard
	2400	67	L. Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	69	L. Gaspard
	0600	68	O. Sepeda
	0900	68	O. Sepeda
2	1200	70	J. Heron
	1500	69	G.M. Rodriguez
	1800	68	G.M. Rodriguez
2024	2100	68	G.M. Rodriguez
	2400	68	G.M. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10	0300	69	G.M. Rodriguez
	0600	68	G.M. Rodriguez
	0900	69	O. Sepeda
3	1200	69	J. Heron
	1500	68	G.M. Rodriguez
	1800	68	G.M. Rodriguez
2024	2100	68	G.M. Rodriguez
	2400	68	R. Forbes

Friday

Date	Time	Temp.	Name (Print)
10	0300	69	R. Forbes
	0600	68	L. Gaspard
	0900	67	L. Gaspard
4	1200	68	L. Gaspard
	1500	68	O. Sepeda
	1800	67	O. Sepeda
2024	2100	67	O. Sepeda
	2400	67	O. Sepeda

Saturday

Date	Time	Temp.	Name (Print)
10	0300	66	P. Ross
	0600	66	A. White
	0900	67	A. White
5	1200	67	A. White
	1500	68	L. Ward
	1800	69	L. Ward
2024	2100	68	L. Ward
	2400	68	C. Williams

Sunday

Date	Time	Temp.	Name (Print)
10	0300	66	C. Williams
	0600	66	L. Gaspard
	0900	67	L. Gaspard
4	1200	68	J. Heron
	1500	68	L. Gaspard
	1800	69	L. Gaspard
2024	2100	69	L. Gaspard
	2400	67	V. Gomez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1st Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321/5576 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/1/2024	0300	66	JHM167
	0600	68	JHM167
	0900	67	Cordova
	1200	67	Cordova
	1500	68	L.Gaspard
	1800	66	L.Gaspard
	2100	70	L.Gaspard
	2400	69	L.Gaspard

Tuesday			
Date	Time	Temp.	Name (Print)
10/1/2024	0300	69	L.Gaspard
	0600	67	O.Sepeda
	0900	69	O.Sepeda
	1200	70	O.Sepeda
	1500	68	L.Gaspard
	1800	69	L.Gaspard
	2100	67	L.Gaspard
	2400	69	L.Gaspard

Wednesday			
Date	Time	Temp.	Name (Print)
10/9/2024	0300	70	L.Gaspard
	0600	67	O.Sepeda
	0900	68	O.Sepeda
	1200	67	O.Sepeda
	1500	67	Cordova
	1800	67	Cordova
	2100	66	Cordova
	2400	64	GOMALIC

Thursday			
Date	Time	Temp.	Name (Print)
10/10/2024	0300	66	GOMALIC
	0600	67	O.Sepeda
	0900	68	O.Sepeda
	1200	69	O.Sepeda
	1500	67	GOMALIC
	1800	67	GOMALIC
	2100	68	GOMALIC
	2400	66	SPLASH

Friday			
Date	Time	Temp.	Name (Print)
10/11/2024	0300	66	B.Perez
	0600	66	C.Wilson
	0900	67	C.Wilson
	1200	67	C.Wilson
	1500	67	S.Tamayo
	1800	66	S.Tamayo
	2100	66	Dileno
	2400	68	GOMALIC

Saturday			
Date	Time	Temp.	Name (Print)
10/12/2024	0300	68	GOMALIC
	0600	68	GOMALIC
	0900	69	GOMALIC
	1200	67	GOMALIC
	1500	67	S.Perez
	1800	67	P.Torres
	2100	67	P.Torres
	2400	66	J.Hernandez

Sunday			
Date	Time	Temp.	Name (Print)
10/13/2024	0300	67	J.Cordova
	0600	64	J.Cordova
	0900	64	J.Cordova
	1200	64	J.Cordova
	1500	67	L.WARD
	1800	67	L.WARD
	2100	66	L.WARD
	2400	65	PORRAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1ST Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	66	PORROS
10	0600	65	Cordova
10	0900	67	Cordova
14	1200	67	Cordova
14	1500	67	L.Gaspard
2024	1800	66	L.Gaspard
2024	2100	64	L.Gaspard
2024	2400	66	L.Gaspard

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	67	L.Gaspard
10	0600	65	J.Hern
15	0900	67	J.Hern
15	1200	68	J.Hern
2024	1500	68	L.Gaspard
2024	1800	68	L.Gaspard
2024	2100	68	L.Gaspard
2024	2400	68	L.Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	68	L.Gaspard
10	0600	68	O.Sepeda
10	0900	68	O.Sepeda
10	1200	68	O.Sepeda
10	1500	68	C.Wilson
2024	1800	68	Gonzalez
2024	2100	68	Gonzalez
2024	2400	68	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
10	0300	68	Gonzalez
10	0600	68	Gonzalez
17	0900	69	L.Gaspard
17	1200	68	L.Gaspard
2024	1500	69	Gonzalez
2024	1800	68	Gonzalez
2024	2100	69	Gonzalez
2024	2400	68	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
10	0300	67	Gonzalez
10	0600	67	Gonzalez
10	0900	67	O.Sepeda
10	1200	67	O.Sepeda
10	1500	67	O.Sepeda
10	1800	67	O.Sepeda
2024	2100	67	O.Sepeda
2024	2400	66	Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
10	0300	65	Gonzalez
10	0600	65	Gonzalez
19	0900	65	L.Gaspard
19	1200	67	Gonzalez
2024	1500	67	L.WARD
2024	1800	67	L.WARD
2024	2100	67	L.WARD
2024	2400	66	Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
10	0300	65	O.R.Hernandez
10	0600	64	J.Hern
10	0900	65	J.Cordova
10	1200	67	J.Cordova
10	1500	68	L.WARD
2024	1800	68	J.DAMES
2024	2100	68	J.DAMES
2024	2400	67	PORROS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: 044-Infirmary Temp. Reading Location: 1st Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4381/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	66	Perez
	0600	65	Quinonez
	0900	67	Cordova
	1200	68	Cordova
	1500	69	L. Gaspard
	1800	68	L. Gaspard
	2100	68	L. Gaspard
	2400	67	L. Gaspard

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	67	L. Gaspard
	0600	65	J. Hora
	0900	65	O. Sepeda
	1200	67	O. Sepeda
	1500	68	L. Gaspard
	1800	67	L. Gaspard
	2100	68	L. Gaspard
	2400	67	L. Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	66	L. Gaspard
	0600	66	O. Sepeda
	0900	66	O. Sepeda
	1200	67	J. Hora
	1500	67	Gonzalez
	1800	68	Gonzalez
	2100	68	Gonzalez
	2400	64	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	66	Gonzalez
	0600	65	Gonzalez
	0900	66	O. Sepeda
	1200	67	O. Sepeda
	1500	68	Gonzalez
	1800	67	Gonzalez
	2100	68	Gonzalez
	2400	67	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	66	Gonzalez
	0600	65	Gonzalez
	0900	66	O. Sepeda
	1200	69	O. Sepeda
	1500	69	C. Wilson
	1800	69	C. Wilson
	2100	67	C. Wilson
	2400	67	Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	65	Gonzalez
	0600	65	Gonzalez
	0900	65	Gonzalez
	1200	68	Gonzalez
	1500	67	L. Ward
	1800	67	L. Ward
	2100	68	L. Ward
	2400	67	L. Ward

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	65	C. Wilson
	0600	65	J. Hora
	0900	66	J. Hora
	1200	67	J. Hora
	1500	68	D. Escobar
	1800	68	D. Escobar
	2100	68	D. Escobar
	2400	67	V. Quinonez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHV INFIRMARY Temp. Reading Location: 1ST Floor
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	67	QUNBONIZ
	0600	66	Cordova
	0900	69	J. Hordn
	1200	67	J. Hen
	1500	68	L. Gaspard
	1800	67	L. Gaspard
	2100	67	L. Gaspard
	2400	65	L. Gaspard

Tuesday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	64	L. Gaspard
	0600	64	J. Hordn
	0900	68	J. Hordn
	1200	67	J. Hordn
	1500	67	L. Gaspard
	1800	67	L. Gaspard
	2100	66	C. Wilson
	2400	65	L. Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	64	L. Gaspard
	0600	65	J. Sepeda
	0900	67	J. Sepeda
	1200	67	J. Hordn
	1500	68	Gonzales
	1800	68	Gonzales
	2100	66	C. Wilson
	2400	64	Gonzales

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	64	Gonzales
	0600	65	Gonzales
	0900	67	J. Sepeda
	1200	67	J. Sepeda
	1500	68	Gonzales
	1800	68	Gonzales
	2100	67	Gonzales
	2400	67	J. Sepeda

Friday

Date	Time	Temp.	Name (Print)
11/01/2024	0300	65	R. Flores
	0600	66	O. Sepeda
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/02/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/03/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes