

## Monthly Summary Report

Institution: CHCF

### Memorandum

Date: October  
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CHCF September 2024

The following is a summary of the heat related activity for the month of SEPTEMBER,  
at CHCF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 18

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No \_\_\_\_\_

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No \_\_\_\_\_

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? No \_\_\_\_\_

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Gena Jones

Warden Name

DocuSigned by:




27EF10BEF45A48E...  
Warden Signature

Rita Lowe

Chief Executive Officer Name

DocuSigned by:



1E8D3F454417416...  
Chief Executive Officer Signature

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/31/24	0100	66	PIMENT
	0200	65	PIMENT
	0300	63	PIMENT
	0400	62	PIMENT
	0500	60	PIMENT
	0600	59	HER
	0700	61	HER
	0800	65	HER
	0900	68	HER
	1000	73	HER
	1100	79	HER
	1200	85	HER
	1300	88	HER
	1400	90	ARETAS
	1500	94	ARETAS
	1600	94	ARETAS
	1700	94	ARETAS
	1800	91	ARETAS
	1900	86	ARETAS
	2000	87	ARETAS
	2100	75	ARETAS
	2200	72	ARETAS
	2300	69	ARETAS
	2400	67	ARETAS

90° - Stage 1 Heat Alert  
Activated.

90° - Stage 2 Heat Alert  
Activated.

90° - Stage 3 Heat Alert  
Activated.

Date	Time	Temp.	Printed Name
9-1-2024	0100	66	ARETAS
	0200	66	ARETAS
	0300	63	ARETAS
	0400	61	ARETAS
	0500	60	ARETAS
	0600	58	PONTER
	0700	58	PONTER
	0800	63	PONTER
	0900	66	PONTER
	1000	72	PONTER
	1100	77	PONTER
	1200	83	PONTER
	1300	87	PONTER
	1400	90	OPTIZ
	1500	91	OPTIZ
	1600	92	OPTIZ
	1700	91	OPTIZ
	1800	90	OPTIZ
	1900	83	OPTIZ
	2000	77	OPTIZ
	2100	73	OPTIZ
	2200	68	ARETAS
	2300	66	ARETAS
	2400	66	ARETAS

Heat plan  
activated.  
10:00am

HP Deact.  
10:00am

INSTITUTION: CHOF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL Control

Immediately notify the Watch Commander at extension 6907 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/1/24	0100	64	ARENAS
	0200	63	ARENAS
	0300	62	ARENAS
	0400	61	ARENAS
	0500	60	ARENAS
	0600	59	POTTER
	0700	59	POTTER
	0800	62	POTTER
	0900	65	POTTER
	1000	71	POTTER
	1100	75	POTTER
	1200	82	POTTER
	1300	85	POTTER
	1400	87	Her
	1500	90	Her
	1600	90	Her
	1700	91	Her
	1800	90	Her
	1900	86	Her
	2000	80	Her
	2100	73	Her
	2200	70	ARENAS
	2300	67	ARENAS
9/3/24	2400	65	ARENAS

1500 - HA Activated

2000 HA deactivated

Date	Time	Temp.	Printed Name
9/3/24	0100	64	ARENAS
	0200	62	ARENAS
	0300	61	ARENAS
	0400	59	ARENAS
	0500	59	ARENAS
	0600	56	POTTER
	0700	57	POTTER
	0800	61	POTTER
	0900	66	POTTER
	1000	71	POTTER
	1100	78	POTTER
	1200	85	POTTER
	1300	90	POTTER
	1400	93	C. Casino
	1500	95	C. Casino
	1600	97	C. Casino
	1700	98	C. Casino
	1800	96	C. Casino
	1900	93	C. Casino
	2000	89	C. Casino
	2100	81	C. Casino
	2200	79	ARENAS
	2300	78	ARENAS
	2400	76	ARENAS

STAFF ACTIVATED  
& 1300 hrs

STAFF DEACTIVATED  
& 2100 hrs

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHEC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/5/14	0100	74	ANETA J
	0200	72	ANETAS
	0300	70	ANETAS
	0400	68	ANETA J
	0500	67	ANETA J
	0600	64	ANETA J
	0700	64	PORTER
	0800	68	PORTER
	0900	73	PORTER
	1000	79	PORTER
	1100	86	PORTER
	1200	91	PORTER
	1300	97	PORTER
	1400	99	C. CASINO
	1500	101	C. CASINO
	1600	103	C. CASINO
	1700	102	C. CASINO
	1800	104	C. CASINO
	1900	93	C. CASINO
	2000	87	C. CASINO
	2100	82	C. CASINO
	2200	80	PIMENTA
	2300	76	PIMENTA
	2400	74	PIMENTA

STAGE 1  
HEAT PLAN  
ACTIVATED  
8/11/35 HRS

STAGE 1  
DEACTIVATED  
20/14 HRS

Date	Time	Temp.	Printed Name
9/5/14	0100	72	PIMENTA
	0200	70	PIMENTA
	0300	68	PIMENTA
	0400	66	PIMENTA
	0500	65	PIMENTA
	0600	63	PORTER
	0700	62	PORTER
	0800	67	PORTER
	0900	71	PORTER
	1000	79	PORTER
	1100	86	PORTER
	1200	92	PORTER
	1300	95	PORTER
	1400	98	C. CASINO
	1500	99	C. CASINO
	1600	101	C. CASINO
	1700	101	C. CASINO
	1800	99	C. CASINO
	1900	94	C. CASINO
	2000	88	C. CASINO
	2100	83	C. CASINO
	2200	80	C. CASINO
	2300	77	C. CASINO
	2400	74	C. CASINO

20/14 HRS: STAGE 1  
HEAT PLAN DEACTIVATED  
8/11/45 HRS

INSTITUTION: California Health Care Facility - Stockton

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension x 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/6/24	0100	72	C. CASINO
	0200	70	C. CASINO
	0300	68	C. CASINO
	0400	66	C. CASINO
	0500	64	C. CASINO
	0600	66	P. Cogn
	0700	69	P. Cogn
	0800	74	P. Cogn
	0900	78	P. Cogn
	1000	82	P. Cogn
	1100	87	P. Cogn
	1200	91	P. Cogn
	1300	94	P. Cogn
	1400	101	C. CASINO
	1500	103	C. CASINO
	1600	103	C. CASINO
	1700	103	C. CASINO
	1800	101	C. CASINO
	1900	96	C. CASINO
	2000	89	C. CASINO
	2100	85	C. CASINO
	2200	80	A. VETAS
	2300	77	A. VETAS
	2400	75	A. VETAS

STAGE 1  
ACTIVATED  
11592030 hrs : STAGE 1  
HP DEACTIVATED

9-7-24

Date	Time	Temp.	Printed Name
9-7-24	0100	72	A. VETAS
	0200	70	A. VETAS
	0300	69	A. VETAS
	0400	67	A. VETAS
	0500	65	A. VETAS
	0600	65	Her
	0700	64	Her
	0800	69	Her
	0900	75	Her
	1000	81	Her
	1100	87	Her
	1200	93	Her
	1300	97	Her
	1400	101	PINEZA
	1500	101	PINEZA
	1600	102	PINEZA
	1700	100	PINEZA
	1800	98	PINEZA
	1900	92	PINEZA
	2000	88	PINEZA
	2100	84	PINEZA
	2200	76	A. VETAS
	2300	74	A. VETAS
	2400	72	A. VETAS

STAGE 1  
DEACTIVATED  
2200

9-8-24

## OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 60967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/8/24	0100	70	ANETAS
	0200	69	ANETAS
	0300	68	ANETAS
	0400	64	ANETAS
	0500	63	ANETAS
	0600	62	PORTER
	0700	62	PORTER
	0800	65	PORTER
	0900	71	PORTER
	1000	77	PORTER
	1100	83	PORTER
	1200	90	PORTER
	1300	95	PORTER
	1400	97	ORTIZ
	1500	99	ORTIZ
	1600	100	ORTIZ
	1700	100	ORTIZ
	1800	99	ORTIZ
	1900	94	ORTIZ
	2000	89	ORTIZ
	2100	86	ORTIZ
	2200	81	PIMENTA
	2300	78	PIMENTA
	2400	76	PIMENTA

STAGE 1  
HEAT PLAN  
ACTIVATED  
AT 2:00 PM

Date	Time	Temp.	Printed Name
9/9/24	0100	74	PIMENTA
	0200	71	PIMENTA
	0300	69	PIMENTA
	0400	67	PIMENTA
	0500	66	PIMENTA
	0600	65	PORTER
	0700	64	PORTER
	0800	67	PORTER
	0900	73	PORTER
	1000	79	PORTER
	1100	83	PORTER
	1200	90	PORTER
	1300	93	PORTER
	1400	97	Her
	1500	99	Her
	1600	99	Her
	1700	97	Her
	1800	93	Her
	1900	86	Her
	2000	80	Her
	2100	76	Her
	2200	74	HARRIS
	2300	70	HARRIS
	2400	70	HARRIS

STAGE 1 HEAT PLAN  
ACTIVATED AT 12:00 PM

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/9/0	0100	65	HARMS
	0200	63	HARMS
	0300	61	HARMS
	0400	60	HARMS
	0500	59	HARMS
	0600	57	PORTER
	0700	56	PORTER
	0800	60	PORTER
	0900	64	PORTER
	1000	67	PORTER
	1100	73	PORTER
	1200	78	PORTER
	1300	82	PORTER
	1400	85	Her
	1500	87	Her
	1600	86	Her
	1700	85	Her
	1800	83	Her
	1900	77	Her
	2000	70	Her
	2100	68	Her
	2200	64	Tarr
	2300	63	Tarr
	2400	60	Tarr

Date	Time	Temp.	Printed Name
9/11/24	0100	56	Tarr
	0200	55	Tarr
	0300	55	Tarr
	0400	56	Tarr
	0500	57	Tarr
	0600	56	Porter
	0700	56	Porter
	0800	59	Porter
	0900	65	Porter
	1000	70	Porter
	1100	74	Porter
	1200	79	Porter
	1300	82	Porter
	1400	85	Her
	1500	85	Her
	1600	85	Her
	1700	83	Her
	1800	80	Her
	1900	77	Her
	2000	75	Her
	2100	70	Her
	2200	68	PIMENTA
	2300	66	PIMENTA
	2400	64	PIMENTA

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/12/24	0100	62	PIMENTA
	0200	61	PIMENTA
	0300	59	PIMENTA
	0400	58	PIMENTA
	0500	57	PIMENTA
	0600	57	PORTER
	0700	57	PORTER
	0800	61	PORTER
	0900	65	PORTER
	1000	70	PORTER
	1100	74	PORTER
	1200	80	PORTER
	1300	82	PORTER
	1400	80	Her
	1500	84	Her
	1600	89	Her
	1700	84	Her
	1800	87	Her
	1900	83	Her
	2000	74	Her
	2100	74	Her
	2200	72	PIMENTA
	2300	69	PIMENTA
9/13/24	2400	67	PIMENTA

Date	Time	Temp.	Printed Name
9/13/24	0100	65	PIMENTA
	0200	63	PIMENTA
	0300	61	PIMENTA
	0400	60	PIMENTA
	0500	59	PIMENTA
	0600	57	Her
	0700	60	Her
	0800	62	Her
	0900	68	Her
	1000	74	Her
	1100	79	Her
	1200	84	Her
	1300	84	Her
	1400	89	Her
	1500	91	Her
	1600	92	Her
	1700	91	Her
	1800	90	Her
	1900	84	Her
	2000	80	Her
	2100	70	Her
	2200	73	HARNES
	2300	71	HARNES
	2400	68	HARNES

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL Control

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/13/24	0100	66	HANES
	0200	64	HANES
	0300	63	HANES
	0400	61	HANES
	0500	60	HANES
	0600	59	HANES
	0700	61	P. CRAY
	0800	63	P. CRAY
	0900	70	P. CRAY
	1000	77	P. CRAY
	1100	81	P. CRAY
	1200	84	P. CRAY
	1300	87	P. CRAY
	1400	89	P. CRAY
	1500	91	P. CRAY
	1600	91	P. CRAY
	1700	91	P. CRAY
	1800	90	P. CRAY
	1900	88	P. CRAY
	2000	85	P. CRAY
	2100	80	P. CRAY
	2200	77	ANETA
	2300	69	ANETA
	2400	66	ANETA

STAGE 1  
ACTIVATED

Date	Time	Temp.	Printed Name
9/15/24	0100	66	ANETA
	0200	65	ANETA
	0300	63	ANETA
	0400	62	ANETA
	0500	61	ANETA
	0600	60	PORTEX
	0700	59	PORTEX
	0800	64	PORTEX
	0900	68	PORTEX
	1000	70	PORTEX
	1100	74	PORTEX
	1200	77	PORTEX
	1300	77	PORTEX
	1400	79	C. REBELO
	1500	78	C. REBELO
	1600	75	C. REBELO
	1700	72	C. REBELO
	1800	70	C. REBELO
	1900	66	C. REBELO
	2000	63	C. REBELO
	2100	61	C. REBELO
	2200	59	ANETAS
	2300	59	ANETAS
	2400	58	ANETAS

INSTITUTION: CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-16-24	0100	59	ARETAS
	0200	56	ARETAS
	0300	56	ARETAS
	0400	55	ARETAS
	0500	54	ARETAS
	0600	53	PORTER
	0700	55	PORTER
	0800	57	PORTER
	0900	59	PORTER
	1000	63	PORTER
	1100	65	PORTER
	1200	69	PORTER
	1300	70	PORTER
	1400	73	Her
	1500	74	Her
	1600	74	Her
	1700	75	Her
	1800	72	Her
	1900	70	Her
	2000	68	Her
	2100	66	Her
	2200	63	ARETAS
	2300	62	ARETAS
	2400	61	ARETAS

Date	Time	Temp.	Printed Name
9-17-24	0100	60	ARETAS
	0200	68	ARETAS
	0300	58	ARETAS
	0400	57	ARETAS
	0500	56	ARETAS
	0600	54	PORTER
	0700	55	PORTER
	0800	58	PORTER
	0900	62	PORTER
	1000	66	PORTER
	1100	70	PORTER
	1200	74	PORTER
	1300	76	PORTER
	1400	78	Her
	1500	79	Her
	1600	80	Her
	1700	78	Her
	1800	75	Her
	1900	72	Her
	2000	68	Her
	2100	66	Her
	2200	63	TEAR
	2300	62	TEAR
	2400	62	TEAR

INSTITUTION: \_\_\_\_\_

California Health Care Facility

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: \_\_\_\_\_

Central Control6967

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/18/24	0100	62	ROM
	0200	60	ROM
	0300	60	ROM
	0400	59	ROM
	0500	60	ROM
	0600	57	PORTER
	0700	58	PORTER
	0800	60	PORTER
	0900	63	PORTER
	1000	66	PORTER
	1100	68	PORTER
	1200	72	PORTER
	1300	72	PORTER
	1400	76	C. CASINO
	1500	77	C. CASINO
	1600	78	C. CASINO
	1700	77	C. CASINO
	1800	76	C. CASINO
	1900	74	C. CASINO
	2000	72	C. CASINO
	2100	69	C. CASINO
	2200	66	PIMENTA
	2300	64	PIMENTA
9/19/24	2400	62	PIMENTA

Date	Time	Temp.	Printed Name
9/19/24	0100	61	PIMENTA
	0200	60	PIMENTA
	0300	59	PIMENTA
	0400	58	PIMENTA
	0500	57	PIMENTA
	0600	57	PORTER
	0700	55	PORTER
	0800	58	PORTER
	0900	61	PORTER
	1000	65	PORTER
	1100	73	PORTER
	1200	78	PORTER
	1300	80	PORTER
	1400	81	C. CASINO
	1500	84	C. CASINO
	1600	85	C. CASINO
	1700	84	C. CASINO
	1800	82	C. CASINO
	1900	78	C. CASINO
	2000	74	C. CASINO
	2100	71	C. CASINO
	2200	67	PIMENTA
	2300	65	PIMENTA
9/20/24	2400	63	PIMENTA

INSTITUTION:

C HCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/21/21	0100	62	PIMFA
	0200	61	PIMFA
	0300	59	PIMFA
	0400	58	PIMFA
	0500	57	PIMFA
	0600	63	P. CAMPB
	0700	63	P. CAMPB
	0800	62	D. CAMPB
	0900	62	P. CAMPB
	1000	66	P. CAMPB
	1100	72	D. CAMPB
	1200	75	P. CAMPB
	1300	80	P. CAMPB
	1400	84	C. CASINO
	1500	86	C. CASINO
	1600	87	C. CASINO
	1700	87	C. CASINO
	1800	86	C. CASINO
	1900	81	C. CASINO
	2000	76	C. CASINO
	2100	72	C. CASINO
	2200	69	PIMFA
	2300	67	PIMFA
	2400	65	PIMFA

Date	Time	Temp.	Printed Name
9/21/21	0100	64	PIMFA
	0200	62	PIMFA
	0300	61	PIMFA
	0400	59	PIMFA
	0500	58	PIMFA
	0600	57	Her
	0700	56	Her
	0800	59	Her
	0900	64	Her
	1000	69	Her
	1100	74	Her
	1200	80	Her
	1300	83	Her
	1400	85	C. CASINO
	1500	88	C. CASINO
	1600	89	C. CASINO
	1700	89	C. CASINO
	1800	88	C. CASINO
	1900	83	C. CASINO
	2000	79	C. CASINO
	2100	75	C. CASINO
	2200	68	AIRZA
	2300	67	AIRZA
	2400	65	AIRZA

INSTITUTION: CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 60467 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/22/24	0100	61	ANETAS
	0200	63	ANETAS
	0300	61	ANETAS
	0400	60	ANETAS
	0500	59	ANETAS
	0600	58	PORTER
	0700	57	PORTER
	0800	59	PORTER
	0900	64	PORTER
	1000	71	PORTER
	1100	76	PORTER
	1200	81	PORTER
	1300	85	PORTER
	1400	89	PORTER
	1500	91	PORTER
	1600	93	PORTER
	1700	92	PORTER
	1800	89	PORTER
	1900	84	PORTER
	2000	79	PORTER
	2100	76	PORTER
	2200	70	ANETAS
	2300	75	ANETAS
	2400	67	ANETAS

14:15 Hours  
Stage 1 Plan  
ACTIVATED

STAGE 1  
DEACTIVATED

Date	Time	Temp.	Printed Name
9/23/24	0100	66	ANETAS
	0200	64	ANETAS
	0300	62	ANETAS
	0400	59	ANETAS
	0500	59	ANETAS
	0600	58	PORTER
	0700	56	PORTER
	0800	59	PORTER
	0900	64	PORTER
	1000	71	PORTER
	1100	80	PORTER
	1200	84	PORTER
	1300	90	PORTER
	1400	92	Her
	1500	93	Her
	1600	97	Her
	1700	91	Her
	1800	94	Her
	1900	90	Her
	2000	83	Her
	2100	83	Her
	2200	75	ANETAS
	2300	73	ANETAS
	2400	72	ANETAS

Stage 1 Heat Alert  
activated 1300

2000 Heat Alert  
deactivated

9/24/24

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 69107 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/24/24	0100	70	ALETAJ
	0200	69	ALETAJ
	0300	67	ALETAJ
	0400	65	ALETAJ
	0500	63	ALETAJ
	0600	62	PORTER
	0700	63	PORTER
	0800	65	PORTER
	0900	70	PORTER
	1000	78	PORTER
	1100	85	PORTER
	1200	91	PORTER
	1300	94	PORTER
	1400	98	C. CASINO
	1500	99	C. CASINO
	1600	100	C. CASINO
	1700	99	C. CASINO
	1800	96	C. CASINO
	1900	91	C. CASINO
	2000	85	C. CASINO
	2100	80	C. CASINO
	2200	75	Tarr
	2300	72	Tarr
	2400	71	Tarr

11:55 Hours STAGE 1  
Heat 724N  
→ ACTIVATED

2015 hrs - STAGE 2  
DEACTIVATED

Date	Time	Temp.	Printed Name
9/25/24	0100	70	Tarr
	0200	68	Tarr
	0300	65	Tarr
	0400	63	Tarr
	0500	62	Tarr
	0600	61	PORTER
	0700	60	PORTER
	0800	62	PORTER
	0900	65	PORTER
	1000	70	PORTER
	1100	75	PORTER
	1200	79	PORTER
	1300	83	PORTER
	1400	85	C. CASINO
	1500	86	C. CASINO
	1600	86	C. CASINO
	1700	84	C. CASINO
	1800	81	C. CASINO
	1900	76	C. CASINO
	2000	72	C. CASINO
	2100	67	C. CASINO
	2200	65	PIMENTA
	2300	63	PIMENTA
	2400	61	PIMENTA

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/26/24	0100	60	P1 MEDA
	0200	58	P1 MEDA
	0300	57	P1 MEDA
	0400	56	P1 MEDA
	0500	55	P1 MEDA
	0600	53	Rock
	0700	55	Rock
	0800	55	Rock
	0900	59	Rock
	1000	65	Rock
	1100	71	Rock
	1200	73	Rock
	1300	82	Rock
	1400	83	C. CASINO
	1500	85	C. CASINO
	1600	86	C. CASINO
	1700	87	C. CASINO
	1800	86	C. CASINO
	1900	81	C. CASINO
	2000	76	C. CASINO
	2100	72	C. CASINO
	2200	67	C. CASINO
	2300	64	C. CASINO
	2400	63	C. CASINO

Date	Time	Temp.	Printed Name
9/27/24	0100	61	P1 MEDA
	0200	61	P1 MEDA
	0300	59	P1 MEDA
	0400	58	P1 MEDA
	0500	56	P1 MEDA
	0600	58	P. Cynn
	0700	57	P. Cynn
	0800	63	P. Cynn
	0900	69	P. Cynn
	1000	71	P. Cynn
	1100	83	P. Cynn
	1200	85	P. Cynn
	1300	88	P. Cynn
	1400	90	C. Casino
	1500	92	C. CASINO
	1600	93	C. CASINO
	1700	93	C. CASINO
	1800	91	C. CASINO
	1900	85	C. CASINO
	2000	79	C. CASINO
	2100	75	C. CASINO
	2200	70	Tarr
	2300	67	Tarr
	2400	65	Tarr

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Central Control

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/28/24	0100	64	Tarr
	0200	64	Tarr
	0300	63	Tarr
	0400	59	Tarr
	0500	58	Tarr
	0600	57	Her
	0700	58	Her
	0800	61	Her
	0900	64	Her
	1000	72	Her
	1100	79	Her
	1200	84	Her
	1300	89	Her
<b>STATION 5 @ 1405</b>		92	WGuar
	1500	94	WGuar
	1600	95	WGuar
	1700	93	WGuar
	1800	89	WGuar
	1900	85	WGuar
	2000	80	WGuar
	2100	73	WGuar
	2200	65	ALERTA)
	2300	64	ALERTAS
	2400	62	ALERTAS

Date	Time	Temp.	Printed Name
9/29/24	0100	61	ALERTA)
	0200	59	ALERTA)
	0300	58	ALERTA)
	0400	56	ALERTA)
	0500	55	ALERTA)
	0600	54	POTTER
	0700	54	POTTER
	0800	55	POTTER
	0900	61	POTTER
	1000	67	POTTER
	1100	71	POTTER
	1200	76	POTTER
	1300	81	POTTER
	1400	85	OPTIZ
	1500	87	OPTIZ
	1600	88	OPTIZ
	1700	89	OPTIZ
	1800	84	OPTIZ
	1900	78	OPTIZ
	2000	75	OPTIZ
	2100	71	OPTIZ
	2200	69	ALERTA)
	2300	67	ALERTA)
	2400	65	ALERTA)

INSTITUTION: CHOC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
4/30/20	0100	63	ALBERTAS
	0200	61	ALBERTAS
	0300	60	ALBERTAS
	0400	59	ALBERTAS
	0500	58	ALBERTAS
	0600	55	POTTER
	0700	54	POTTER
	0800	56	POTTER
	0900	61	POTTER
	1000	68	POTTER
	1100	74	POTTER
	1200	80	POTTER
	1300	85	POTTER
	1400	89	POTTER
	1500	92	Her
	1600	93	Her
	1700	92	Her
	1800	90	Her
	1900	83	Her
	2000	79	Her
	2100	74	Her
	2200		
	2300		
	2400		

1436 - Heat alert activated!

1900 Heat Alert deactivated!

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		