

## Monthly Summary Report

Institution: CHCF

### Memorandum

Date: November 1, 2024  
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CHCF October 2024

The following is a summary of the heat related activity for the month of OCTOBER,  
at CHCF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 8 \_\_\_\_\_

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No \_\_\_\_\_

Number of days Stage II Alert initiated: 0 \_\_\_\_\_

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No \_\_\_\_\_

Number of days Stage III Alert initiated: 0 \_\_\_\_\_

4. Weekly list of heat risk patients archived? No \_\_\_\_\_

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Gena Jones

Warden Name

DocuSigned by:




27EF10BEF45A48E...  
Warden Signature

Rita Lowe

Chief Executive Officer Name

DocuSigned by:



TE8D3F454417416...  
Chief Executive Officer Signature

INSTITUTION: CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL Control

Immediately notify the Watch Commander at extension 6987 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
10-124	2200	72	ALETA'S
	2300	71	ALETA'S
	2400	69	ALETA'S

Date	Time	Temp.	Printed Name
	0100	67	ALETA'S
	0200	66	ALETA'S
	0300	64	ALETA'S
	0400	62	ALETA'S
	0500	61	ALETA'S
	0600	59	PONTEK
	0700	59	PONTEK
	0800	59	PONTEK
	0900	61	PONTEK
	1000	73	PONTEK
	1100	80	PONTEK
	1200	87	PONTEK
	1300	93	PONTEK
	1400	95	C. CASINO
	1500	97	C. CASINO
	1600	98	C. CASINO
	1700	98	C. CASINO
	1800	95	C. CASINO
	1900	88	C. CASINO
	2000	82	C. CASINO
	2100	79	C. CASINO
	2200	77	TEAM
	2300	75	TEAM
	2400	73	TEAM

INSTITUTION:

California Health Care Facility

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 10967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
16/3/24	0100	70	TEAM
	0200	68	TEAM
	0300	66	TEAM
	0400	65	TEAM
	0500	64	TEAM
	0600	61	PORTER
	0700	63	PORTER
	0800	65	PORTER
	0900	71	PORTER
	1000	78	PORTER
	1100	83	PORTER
	1200	91	PORTER
	1300	95	PORTER
	1400	96	J. GARCIA
	1500	101	C. CASINO
	1600	102	C. CASINO
	1700	101	C. CASINO
	1800	97	C. CASINO
	1900	89	C. CASINO
	2000	84	C. CASINO
	2100	79	C. CASINO
	2200	78	PINTERA
	2300	76	PINTERA
	2400	75	PINTERA

STAGE 1 HEAT ACTIVATED  
ACTIVATED 2/15/24

1930hrs - STAGE 1  
HEAT PLAN DEACTIVATED

16/3/24

Date	Time	Temp.	Printed Name
16/3/24	0100	72	PINTERA
	0200	70	PINTERA
	0300	68	PINTERA
	0400	67	PINTERA
	0500	65	PINTERA
	0600	65	PORTER
	0700	62	PORTER
	0800	66	PORTER
	0900	70	PORTER
	1000	79	PORTER
	1100	86	PORTER
	1200	92	PORTER
	1300	97	PORTER
	1400	98	C. CASINO
	1500	100	C. CASINO
	1600	102	C. CASINO
	1700	102	C. CASINO
	1800	99	C. CASINO
	1900	89	C. CASINO
	2000	84	C. CASINO
	2100	80	C. CASINO
	2200	78	PINTERA
	2300	75	PINTERA
	2400	73	PINTERA

1930hrs - STAGE 1  
HEAT PLAN DEACTIVATED

16/4/24

INSTITUTION:

CHUF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/6/24	0100	72	PIMENT
	0200	70	PIMENT
	0300	68	PIMENT
	0400	67	PIMENTA
	0500	66	PIMENTA
	0600	68	P. Gynn
	0700	65	P. Gynn
	0800	69	P. Gynn
	0900	74	P. Gynn
	1000	81	P. Gynn
STAGE 1 HEAT ALERT ACTIVATED 1119	1100	90	P. Gynn
	1200	94	P. Gynn
	1300	99	P. Gynn
	1400	99	C. Casino
	1500	100	C. Casino
	1600	100	C. Casino
	1700	99	C. Casino
	1800	95	C. Casino
	1900	87	C. Casino
	2000	82	C. Casino
	2100	78	C. Casino
	2200	70	AKETAS
	2300	75	AKETAS
	2400	73	AKETAS

Date	Time	Temp.	Printed Name
10/5/24	0100	71	AKETAS
	0200	76	AKETAS
	0300	68	AKETAS
	0400	67	AKETAS
	0500	65	AKETAS
	0600	65	P. Gynn
	0700	69	P. Gynn
	0800	72	P. Gynn
	0900	75	P. Gynn
	1000	81	P. Gynn
STAGE 1 HEAT ALERT ACTIVATED 12:00	1100	85	P. Gynn
	1200	90	P. Gynn
	1300	94	P. Gynn
	1400	94	P. Gynn
	1500	99	PIMENT
	1600	100	PIMENT
	1700	99	PIMENT
	1800	95	PIMENT
	1900	88	PIMENT
	2000	84	PIMENTA
	2100	81	PIMENT
	2200	79	AKETAS
	2300	78	AKETAS
	2400	75	AKETAS

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension (696) when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/6/14	0100	73	ANNEA
	0200	71	ANNEA
	0300	69	ANNEA
	0400	68	ANNEA
	0500	66	ANNEA
	0600	64	PORTER
	0700	63	PORTER
	0800	66	PORTER
	0900	69	PORTER
	1000	75	PORTER
	1100	81	PORTER
	1200	89	PORTER
	1300	93	PORTER
	1400	94	OPTIZ
	1500	99	OPTIZ
	1600	100	OPTIZ
	1700	99	OPTIZ
	1800	94	OPTIZ
	1900	90	OPTIZ
	2000	94	OPTIZ
	2100	91	OPTIZ
	2200	96	OPTIZ
	2300	77	OPTIZ
	2400	75	OPTIZ

12:15 HRS  
STAGE 1 - Heat Plan  
ACTIVATED

STAGE 2  
Deactivated

Date	Time	Temp.	Printed Name
	0100	73	OPTIZ
	0200	70	OPTIZ
	0300	69	OPTIZ
	0400	66	OPTIZ
	0500	65	OPTIZ
	0600	64	PORTER
	0700	64	PORTER
	0800	64	PORTER
	0900	70	Porter
	1000	76	Porter
	1100	83	Porter
	1200	88	Porter
	1300	94	Porter
	1400	96	Her
	1500	99	Her
	1600	100	Her
	1700	100	Her
	1800	96	Her
	1900	89	Her
	2000	83	Her
	2100	80	Her
	2200	79	HAMS
	2300	76	HAMS
	2400	74	HAMS

STAGE 1 HEAT PLAN  
ACTIVATED @ 12:30 HRS

2000 Heat Alert deactivation

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CUCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL COT TACK

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/8	0100	72	HANNA
	0200	70	HANNA
	0300	68	HANNA
	0400	67	HANNA
	0500	67	HANNA
	0600	65	PONTER
	0700	62	PONTER
	0800	65	PONTER
	0900	70	PONTER
	1000	76	PONTER
	1100	72	PONTER
	1200	88	PONTER
	1300	92	PONTER
	1400	94	C. CASINO
	1500	97	C. CASINO
	1600	97	C. CASINO
	1700	96	C. CASINO
	1800	92	C. CASINO
	1900	86	C. CASINO
	2000	82	C. CASINO
	2100	78	C. CASINO
	2200	75	ALERTAS
	2300	71	ALERTAS
	2400	69	ALERTAS

12:40 NOON STAGE 2 HEAT PLAN  
→ ACTIVATED  
1915 NOON STAGE 1 HEAT PLAN  
DEACTIVATED

Date	Time	Temp.	Printed Name
10/9/24	0100	67	ALERTAS
	0200	65	ALERTAS
	0300	62	ALERTAS
	0400	60	ALERTAS
	0500	59	ALERTAS
	0600	57	PONTER
	0700	57	PONTER
	0800	57	PONTER
	0900	64	PONTER
	1000	68	PONTER
	1100	74	PONTER
	1200	79	PONTER
	1300	84	PONTER
	1400	86	C. CASINO
	1500	87	C. CASINO
	1600	85	C. CASINO
	1700	83	C. CASINO
	1800	81	C. CASINO
	1900	76	C. CASINO
	2000	72	C. CASINO
	2100	69	C. CASINO
	2200	67	PIMENTA
	2300	66	PIMENTA
	2400	65	PIMENTA

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/10/29	0100	65	PIMENTA
	0200	64	PIMENTA
	0300	62	PIMENTA
	0400	60	PIMENTA
	0500	59	PIMENTA
	0600	58	PORTER
	0700	57	PORTER
	0800	58	PORTER
	0900	64	PORTER
	1000	69	PORTER
	1100	73	PORTER
	1200	79	PORTER
	1300	82	PORTER
	1400	85	C. CASINO
	1500	87	C. CASINO
	1600	87	C. CASINO
	1700	87	C. CASINO
	1800	84	C. CASINO
	1900	78	C. CASINO
	2000	74	C. CASINO
	2100	71	C. CASINO
	2200	67	PIMENTA
	2300	65	PIMENTA
10/11/29	2400	62	PIMENTA

Date	Time	Temp.	Printed Name
10/11/29	0100	61	PIMENTA
	0200	59	PIMENTA
	0300	57	PIMENTA
	0400	56	PIMENTA
	0500	54	PIMENTA
	0600	55	P. GRIFFIN
	0700	55	P. GRIFFIN
	0800	56	P. GRIFFIN
	0900	62	P. GRIFFIN
	1000	69	P. GRIFFIN
	1100	75	P. GRIFFIN
	1200	79	P. GRIFFIN
	1300	81	P. GRIFFIN
	1400	83	C. CASINO
	1500	84	C. CASINO
	1600	85	C. CASINO
	1700	84	C. CASINO
	1800	81	C. CASINO
	1900	75	C. CASINO
	2000	71	C. CASINO
	2100	67	C. CASINO
	2200	63	C. CASINO
	2300	61	C. CASINO
10/12/29	2400	59	C. CASINO

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

*CHCF*

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: *CENTRAL CONTROL*

Immediately notify the Watch Commander at extension *6967* when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
16/11/24	0100	58	C. Casinó
	0200	57	C. Casinó
	0300	56	C. Casinó
	0400	56	C. Casinó
	0500	56	C. Casinó
	0600	59	Herr
	0700	54	Herr
	0800	57	Herr
	0900	61	Herr
	1000	67	Herr
	1100	71	Herr
	1200	75	Herr
	1300	78	Herr
	1400	80	C. Casinó
	1500	81	C. Casinó
	1600	81	C. Casinó
	1700	81	C. Casinó
	1800	79	C. Casinó
	1900	75	C. Casinó
	2000	72	C. Casinó
	2100	69	C. Casinó
	2200	66	ANETAS
	2300	66	ANETAS
16/11/24	2400	65	ANETAS

Date	Time	Temp.	Printed Name
16/11/24	0100	61	ANETAS
	0200	63	ANETAS
	0300	62	ANETAS
	0400	61	ANETAS
	0500	61	ANETAS
	0600	59	PORTER
	0700	59	PORTER
	0800	60	PORTER
	0900	64	PORTER
	1000	69	PORTER
	1100	73	PORTER
	1200	78	PORTER
	1300	81	PORTER
	1400	82	ORTIZ
	1500	83	ORTIZ
	1600	83	ORTIZ
	1700	82	ORTIZ
	1800	80	ORTIZ
	1900	70	ORTIZ
	2000	73	ORTIZ
	2100	70	ORTIZ
	2200	68	ANETAS
	2300	68	ANETAS
16/11/24	2400	67	ANETAS

INSTITUTION:

CHOP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension (912) when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/14	0100	64	ANITA
	0200	62	ANITA
	0300	61	ANITA
	0400	60	ANITA
	0500	59	ANITA
	0600	58	ANITA
	0700	57	PORTER
	0800	59	PORTER
	0900	60	PORTER
	1000	64	PORTER
	1100	72	PORTER
	1200	73	PORTER
	1300	80	PORTER
	1400	83	Her
	1500	84	Her
	1600	84	Her
	1700	83	Her
	1800	79	Her
	1900	74	Her
	2000	70	Her
	2100	67	Her
	2200	68	HARRIS
	2300	65	HARRIS
10/15	2400	63	HARRIS

Date	Time	Temp.	Printed Name
10/15	0100	61	HARRIS
	0200	59	HARRIS
	0300	58	HARRIS
	0400	57	HARRIS
	0500	57	HARRIS
	0600	58	English
	0700	58	English
	0800	56	English
	0900	61	English
	1000	71	English
	1100	71	English
	1200	76	English
	1300	78	English
	1400	85	Her
	1500	85	Her
	1600	86	Her
	1700	84	Her
	1800	81	Her
	1900	75	Her
	2000	73	Her
	2100	68	Her
	2200	67	TEAM
	2300	64	TEAM
	2400	65	TEAM

INSTITUTION:

California Health Care Facility

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Central Control

Immediately notify the Watch Commander at extension (8167) when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
15/17/21	0100	63	TEAM
	0200	62	TEAM
	0300	61	TEAM
	0400	60	TEAM
	0500	60	TEAM
	0600	58	Rock
	0700	58	Rock
	0800	60	Rock
	0900	63	Rock
	1000	66	Rock
	1100	69	Rock
	1200	71	Rock
	1300	74	Rock
	1400	75	C. Casino
	1500	76	C. Casino
	1600	76	C. Casino
	1700	76	C. Casino
	1800	75	C. Casino
	1900	71	C. Casino
	2000	67	C. Casino
	2100	65	C. Casino
	2200	63	PIMENTA
	2300	62	PIMENTA
15/17/21	2400	60	PIMENTA

Date	Time	Temp.	Printed Name
15/17/21	0100	59	PIMENTA
	0200	58	PIMENTA
	0300	57	PIMENTA
	0400	56	PIMENTA
	0500	55	PIMENTA
	0600	54	ALMARAS
	0700	53	ALMARAS
	0800	54	Rock
	0900	63	Rock
	1000	64	Rock
	1100	68	Rock
	1200	71	Rock
	1300	73	Rock
	1400	73	C. Casino
	1500	74	C. Casino
	1600	74	C. Casino
	1700	74	C. Casino
	1800	72	C. Casino
	1900	68	C. Casino
	2000	65	C. Casino
	2100	67	C. Casino
	2200	62	PIMENTA
	2300	60	PIMENTA
15/18/21	2400	59	PIMENTA

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/18/24	0100	57	PIMENT
	0200	56	PIMENT
	0300	54	PIMENT
	0400	53	PIMENT
	0500	52	PIMENT
	0600	54	P. Gmyr
	0700	54	P. Gmyr
	0800	54	P. Gmyr
	0900	59	P. Gmyr
	1000	63	P. Gmyr
	1100	68	P. Gmyr
	1200	71	P. Gmyr
	1300	73	P. Gmyr
	1400	76	C. CASINO
	1500	77	C. CASINO
	1600	78	C. CASINO
	1700	77	C. CASINO
	1800	74	C. CASINO
	1900	70	C. CASINO
	2000	66	C. CASINO
	2100	64	C. CASINO
	2200	61	C. CASINO
	2300	59	C. CASINO
10/19/24	2400	56	C. CASINO

Date	Time	Temp.	Printed Name
10/19/24	0100	54	C. CASINO
	0200	51	C. CASINO
	0300	50	C. CASINO
	0400	49	C. CASINO
	0500	48	C. CASINO
	0600	47	HER
	0700	47	HER
	0800	49	HER
	0900	54	HER
	1000	60	HER
	1100	64	HER
	1200	71	HER
	1300	74	HER
	1400	75	C. CASINO
	1500	76	C. CASINO
	1600	79	C. CASINO
	1700	78	C. CASINO
	1800	73	C. CASINO
	1900	67	C. CASINO
	2000	62	C. CASINO
	2100	58	C. CASINO
	2200	54	C. CASINO
	2300	52	C. CASINO
10/20/24	2400	51	C. CASINO

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/08/24	0100	49	C. CASINO
	0200	48	C. CASINO
	0300	47	C. CASINO
	0400	47	C. CASINO
	0500	46	C. CASINO
	0600	46	C. REBECO
	0700	45	C. REBECO
	0800	47	C. REBECO
	0900	53	C. REBECO
	1000	61	C. REBECO
	1100	70	C. REBECO
	1200	73	C. REBECO
	1300	76	C. REBECO
	1400	80	HER
	1500	82	HER
	1600	83	HER
	1700	82	HER
	1800	76	HER
	1900	71	HER
	2000	66	HER
	2100	63	HER
	2200	61	ARETAS
	2300	60	ARETAS
10-21-24	2400	59	ARETAS

Date	Time	Temp.	Printed Name
10-21-24	0100	57	ARETAS
	0200	56	ARETAS
	0300	54	ARETAS
	0400	53	ARETAS
	0500	51	ARETAS
	0600	48	PORTER
	0700	47	PORTER
	0800	49	PORTER
	0900	56	PORTER
	1000	62	PORTER
	1100	68	PORTER
	1200	73	PORTER
	1300	76	PORTER
	1400	80	ORTIZ
	1500	81	ORTIZ
	1600	80	ORTIZ
	1700	79	ORTIZ
	1800	77	ORTIZ
	1900	76	ORTIZ
	2000	75	ORTIZ
	2100	72	ORTIZ
	2200	59	ARETAS
	2300	59	ARETAS
	2400	57	ARETAS

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension (090) when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/12/24	0100	56	ALERTA)
	0200	57	ALERTA)
	0300	54	ALERTA)
	0400	53	ALERTA)
	0500	52	ALERTA)
	0600	51	PORTER
	0700	50	PORTER
	0800	53	PORTER
	0900	56	PORTER
	1000	59	PORTER
	1100	65	PORTER
	1200	71	PORTER
	1300	74	PORTER
	1400	77	C. CASINO
	1500	78	C. CASINO
	1600	79	C. CASINO
	1700	78	C. CASINO
	1800	74	C. CASINO
	1900	69	C. CASINO
	2000	65	C. CASINO
	2100	62	C. CASINO
	2200	59	ALERTAS)
	2300	56	ALERTAS)
	2400	56	ALERTAS)

Date	Time	Temp.	Printed Name
10/13/24	0100	54	ALERTA)
	0200	53	ALERTA)
	0300	51	ALERTA)
	0400	50	ALERTA)
	0500	49	ALERTA)
	0600	48	PORTER
	0700	47	PORTER
	0800	48	PORTER
	0900	55	PORTER
	1000	61	PORTER
	1100	66	PORTER
	1200	72	PORTER
	1300	76	PORTER
	1400	77	C. CASINO
	1500	78	C. CASINO
	1600	79	C. CASINO
	1700	79	C. CASINO
	1800	76	C. CASINO
	1900	78	C. CASINO
	2000	65	C. CASINO
	2100	63	C. CASINO
	2200	62	PINERA
	2300	59	PINERA
	2400	59	PINERA

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/25/19	0100	58	PIMFA
	0200	57	PIMFA
	0300	55	PIMFA
	0400	53	PIMFA
	0500	51	PIMFA
	0600	51	Recl
	0700	49	Recl
	0800	51	Recl
	0900	54	Recl
	1000	59	Recl
	1100	63	Recl
	1200	68	Recl
	1300	73	Recl
	1400	74	C. CASINO
	1500	75	C. CASINO
	1600	76	C. CASINO
	1700	76	C. CASINO
	1800	72	C. CASINO
	1900	65	C. CASINO
	2000	60	C. CASINO
	2100	57	C. CASINO
	2200	57	PIMFA
	2300	56	PIMFA
	2400	56	PIMFA

Date	Time	Temp.	Printed Name
10/25/19	0100	54	PIMFA
	0200	53	PIMFA
	0300	51	PIMFA
	0400	50	PIMFA
	0500	49	PIMFA
	0600	47	Hubbard
	0700	47	Hubbard
	0800	47	Hubbard
	0900	51	Hubbard
	1000	58	Hubbard
	1100	63	Hubbard
	1200	68	Hubbard
	1300	73	Hubbard
	1400	76	Hubbard
	1500	77	C. CASINO
	1600	78	C. CASINO
	1700	79	C. CASINO
	1800	74	C. CASINO
	1900	68	C. CASINO
	2000	63	C. CASINO
	2100	59	C. CASINO
	2200	58	PIMFA
	2300	56	PIMFA
	2400	55	PIMFA

INSTITUTION:

CHCF

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/26/14	0100	53	PIMENTA
	0200	52	PIMENTA
	0300	50	PIMENTA
	0400	49	PIMENTA
	0500	48	PIMENTA
	0600	48	1st 6AM
	0700	47	1st 6AM
	0800	48	Huber
	0900	53	Huber
	1000	60	Huber
	1100	66	Huber
	1200	71	Huber
	1300	74	Huber
	1400	77	C. CASINO
	1500	78	C. CASINO
	1600	79	C. CASINO
	1700	79	C. CASINO
	1800	74	C. CASINO
	1900	69	C. CASINO
	2000	64	C. CASINO
	2100	62	C. CASINO
	2200	62	TEAM
	2300	61	TEAM
	2400	61	TEAM

Date	Time	Temp.	Printed Name
10/27/14	0100	61	TEAM
	0200	60	TEAM
	0300	59	TEAM
	0400	58	TEAM
	0500	58	TEAM
	0600	56	OPT12
	0700	55	OPT12
	0800	54	OPT12
	0900	50	OPT12
	1000	47	OPT12
	1100	43	OPT12
	1200	43	OPT12
	1300	45	OPT12
	1400	47	OPT12
	1500	48	OPT12
	1600	48	OPT12
	1700	48	OPT12
	1800	50	OPT12
	1900	57	OPT12
	2000	64	OPT12
	2100	62	OPT12
	2200	62	TEAM
	2300	61	TEAM
	2400	61	TEAM

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

California Health Care Facility

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Central Control

Immediately notify the Watch Commander at extension 6961 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/29/24	0100	59	TEAM
	0200	51	TEAM
	0300	55	TEAM
	0400	52	TEAM
	0500	53	TEAM
	0600	49	Rock
	0700	48	Rock
	0800	49	Rock
	0900	54	Rock
	1000	59	Rock
	1100	63	Rock
	1200	67	Rock
	1300	68	Rock
	1400	69	Her
	1500	68	Her
	1600	67	Her
	1700	65	Her
	1800	62	Her
	1900	59	Her
	2000	57	Her
	2100	55	Her
	2200	53	Her
	2300	50	Her
	2400	50	Her

Date	Time	Temp.	Printed Name
10/29/24	0100	50	Her
	0200	50	Her
	0300	49	Her
	0400	47	Her
	0500	47	Her
	0600	46	Rock
	0700	45	Rock
	0800	46	Rock
	0900	50	Rock
	1000	55	Rock
	1100	58	Rock
	1200	63	Rock
	1300	66	Rock
	1400	66	Her
	1500	68	Her
	1600	69	Her
	1700	68	Her
	1800	65	Her
	1900	60	Her
	2000	56	Her
	2100	53	Her
	2200	52	Her
	2300	50	Her
	2400	49	Her

INSTITUTION: California Health Care Facility

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 8967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/30/24	0100	47	Her
	0200	45	Her
	0300	43	Her
	0400	42	Her
	0500	47	Her
	0600	41	PORTOL
	0700	41	PORTOL
	0800	42	PORTOL
	0900	46	PORTOL
	1000	52	PORTOL
	1100	58	PORTOL
	1200	63	PORTOL
	1300	65	PORTOL
	1400	65	C. CASINO
	1500	65	C. CASINO
	1600	65	C. CASINO
	1700	65	C. CASINO
	1800	64	C. CASINO
	1900	59	C. CASINO
	2000	56	C. CASINO
	2100	54	C. CASINO
	2200	52	PIMENTA
	2300	51	PIMENTA
	2400	49	PIMENTA

Date	Time	Temp.	Printed Name
10/31/24	0100	49	PIMENTA
	0200	50	PIMENTA
	0300	50	PIMENTA
	0400	50	PIMENTA
	0500	50	PIMENTA
	0600	49	PORTOL
	0700	48	PORTOL
	0800	48	PORTOL
	0900	52	PORTOL
	1000	56	PORTOL
	1100	60	PORTOL
	1200	63	PORTOL
	1300	65	PORTOL
	1400	66	C. CASINO
	1500	66	C. CASINO
	1600	64	C. CASINO
	1700	62	C. CASINO
	1800	60	C. CASINO
	1900	57	C. CASINO
	2000	55	C. CASINO
	2100	53	C. CASINO
	2200	53	C. CASINO
	2300	52	C. CASINO
	2400	51	C. CASINO