

Monthly Summary Report

Institution: HDSP

Memorandum

Date: July 2, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - June 2024

The following is a summary of the heat related activity for the month of June,
at HDSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 9

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

ROB ST. ANDRE, WARDEN

Warden Name

DocuSigned by:


Kimberly Thygeson
2024
2349444FC5FE48C...

Warden Signature

TODD E. MURRAY, PSY. D. MA. CCHP

Chief Executive Officer Name

DocuSigned by:


Todd Murray
2/2024
F93A9FF4DDE8456

Chief Executive Officer Signature

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD



CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	72	CHEHAROSEN
	0600	72	Lily
	0900	72	Lily
	1200	72	Lily
	1500	72	Lane
	1800	72	Lane
	2100	72	Lane
	2400	72	CHEHAROSEN

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	72	CHEHAROSEN
	0600	72.1	Cohrman
	0900	72.6	Soriano
	1200	72.3	Soriano
	1500	72.1	Cohrman
	1800	72	Cohrman
	2100	72	Cohrman
	2400	73.1	Hung

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	73.4	Hurd
	0600	72.7	SORIAND
	0900	72.1	SORIAND
	1200	72.3	SORIAND
	1500	72.3	Kreth
	1800	72.9	Kreth
	2100	72.7	Kreth
	2400	72.7	Hurd

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	0300	73.8	Hurd
	0600	72.9	SORIAND
	0900	72.4	SORIAND
	1200	72.5	SORIAND
	1500	72.9	Kreth
	1800	73.2	Kreth
	2100	73.2	Kreth
	2400	73.0	Hurd

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	73.5	Hurd
	0600	72.7	SORIAND
	0900	72.9	SORIAND
	1200	72.3	SORIAND
	1500	73.0	Kreth
	1800	73.2	Kreth
	2100	73.2	Kreth
	2400	73.7	Hurd

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	73.2	Hurd
	0600	73.8	SORIAND
	0900	73.2	SORIAND
	1200	73.3	SORIAND
	1500	73.4	Kreth
	1800	73.6	Kreth
	2100	73.8	Kreth
	2400	72.9	Hurd

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	71.0	Hurd
	0600	73	Guzman
	0900	72	Guzman
	1200	72	Guzman
	1500	73.9	Kreth
	1800	73.6	Kreth
	2100	73.7	Kreth
	2400	73	CHEHAROOGAY

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	73	CHEHAROOGAY
	0600	73	wilcox
	0900	73.6	wilcox
	1200	73.4	wilcox
	1500	73.0	Corlissane
	1800	73.1	Corlissane
	2100	73	Corlissane
	2400	74	CHEHAROOGAY

Sunday

Date	Time	Temp.	Name (Print)
6/9/2024	0300	74	CHEHAROOGAY
	0600	73.0	SORIAND
	0900	72.4	SORIAND
	1200	72.8	SORIAND
	1500	72	Bellcourt
	1800	72	Bellcourt
	2100	73	MARTINEZ
	2400	72.7	MARTINEZ

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	71.7	C. MARTINEZ
	0600	73.8	SORIANO
	0900	73.0	SORIANO
	1200	73.4	SORIANO
	1500	73.6	CHAPPEL
	1800	73.4	CHAPPEL
	2100	73	CHAPPEL
	2400	73.0	Hurd

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	73	Hurd
	0600	72.9	Hurd
	0900	73.0	SORIANO
	1200	73.2	SORIANO
	1500	71.8	CHAPPEL
	1800	73.4	CHAPPEL
	2100	73.6	CHAPPEL
	2400	73	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	71	MARTINEZ
	0600	73	MARTINEZ
	0900	72.7	SORIANO
	1200	73.0	SORIANO
	1500	73.2	SORIANO
	1800	73.5	Zamzami
	2100	73.6	Zamzami
	2400	73	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	73	MARTINEZ
	0600	72.7	MARTINEZ
	0900	73.6	Lee
	1200	73.3	Lee
	1500	73.5	LEE
	1800	73.5	LEE
	2100	73.5	LEE
	2400	73	Parente

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	73	Parente
	0600	73	Rodriguez
	0900	73	Rodriguez
	1200	73	Rodriguez
	1500	73	HELM
	1800	73	HELM
	2100	73	HELM
	2400	73	CHEHAROUSKY

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	73	CHEHAROUSKY
	0600	73	CARINO
	0900	73	CARINO
	1200	73	CARINO
	1500	72.7	YANG, M
	1800	72.7	YANG, M
	2100	72.5	YANG, M
	2400	72	CHEHAROUSKY

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	72	CHEHAROUSKY
	0600	73.0	SORIANO
	0900	72.9	SORIANO
	1200	72.5	SORIANO
	1500	72	Endsley
	1800	72	Endsley
	2100	72	Endsley
	2400	72.7	Kuri

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	72.7	Hurd	
0600	73.0	SORIANO	
0900	73.0	SORIANO	
1200	72.5	SORIANO	
1500	72.3	CHAPMAN	
1800	72.3	CHAPMAN	
2100	72.3	CHAPMAN	
2400	72.7	Hurd	

Wednesday

Date	Time	Temp.	Name (Print)
0300	72.3	Hurd	
0600	72.5	SORIANO	
0900	72.3	SORIANO	
1200	72.3	SORIANO	
1500	73.2	Kreth	
1800	73.2	Kreth	
2100	73.1	Kreth	
2400	72.7	Hurd	

Friday

Date	Time	Temp.	Name (Print)
0300	73.8	Hurd	
0600	72.5	Kreth	
0900	72.9	Kreth	
1200	73.1	Kreth	
1500	73.2	Kreth	
1800	72.1	Kreth	
2100	73	Kreth	
2400	73	CHAPMAN	

Sunday

Date	Time	Temp.	Name (Print)
0300	73	CHAPMAN	
0600	72.1	SORIANO	
0900	72.7	SORIANO	
1200	72.1	SORIANO	
1500	72.9	VILLAGEMAN	
1800	72	VILLAGEMAN	
2100	72	VILLAGEMAN	
2400	72.9	PATTERSON	

Tuesday

Date	Time	Temp.	Name (Print)
0300	72.7	Hurd	
0600	72.5	SORIANO	
0900	72.3	SORIANO	
1200	72.5	SORIANO	
1500	72.1	Kreth	
1800	72.9	Kreth	
2100	72.9	Kreth	
2400	72.6	Hurd	

Thursday

Date	Time	Temp.	Name (Print)
0300	72.3	Hurd	
0600	73.0	SORIANO	
0900	72.1	SORIANO	
1200	72.3	SORIANO	
1500	73.0	Kreth	
1800	73.2	Kreth	
2100	73.0	Kreth	
2400	72.7	Hurd	

Saturday

Date	Time	Temp.	Name (Print)
0300	73	CHAPMAN	
0600	72	Parrish	
0900	73	Parrish	
1200	73.2	Parrish	
1500	72	Endley	
1800	73	Endley	
2100	72	Endley	
2400	73	CHAPMAN	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: CL Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	0300	72.7	PATTERSON
	0600	72.5	SORIANO
	0900	72.7	SORIANO
	1200	72.7	SORIANO
	1500	72.7	CHAPMAN
	1800	73	CHAPMAN
	2100	72.9	CHAPMAN
	2400	72	Parente

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	0300	72	Parente
	0600	72.3	SORIANO
	0900	72.5	SORIANO
	1200	72.5	SORIANO
	1500	72.9	CHAPMAN
	1800	73.2	CHAPMAN
	2100	73.2	CHAPMAN
	2400	73	Hurd

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	0300	72.0	Hurd
	0600	72.7	SORIANO
	0900	72.9	SORIANO
	1200	73.0	SORIANO
	1500	73.2	Kreth
	1800	73.1	Kreth
	2100	73.2	Kreth
	2400	72.7	Hurd

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	0300	72.3	Hurd
	0600	72.7	SORIANO
	0900	72.5	SORIANO
	1200	72.7	SORIANO
	1500	72.8	Kreth
	1800	72.8	Kreth
	2100	72.7	Kreth
	2400	72.5	Hurd

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	0300	72.5	Hurd
	0600	72.5	R. Rodriguez
	0900	73.0	R. Rodriguez
	1200	73.0	R. Rodriguez
	1500	72.5	D. Huskey
	1800	72.9	D. Huskey
	2100	72.9	D. Huskey
	2400	72	CHEHAROUSEK

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	0300	72	CHEHAROUSEK
	0600	72.1	CHAPMAN
	0900	72.5	CHAPMAN
	1200	72.5	CHAPMAN
	1500	72.9	CHAPMAN
	1800	73	CHAPMAN
	2100	72.5	CHAPMAN
	2400	72	CHEHAROUSEK

Sunday

Date	Time	Temp.	Name (Print)
6/30/2024	0300	72	CHEHAROUSEK
	0600	72.5	SORIANO
	0900	72.5	SORIANO
	1200	72.7	SORIANO
	1500	73.0	Zamzami
	1800	72.9	Zamzami
	2100	73.0	Zamzami
	2400	71.8	C. Huskey

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Saturday			
Date	Time	Temp.	Name (Print)
6/1/2024	0300	-	
	0600	72	Herndon
	0900	73	Herndon
	1200	73	Herndon
	1500	73	Herndon
	1800	73	Herndon
	2100	73	Herndon
	2400	73	SALT CAVER

Sunday			
Date	Time	Temp.	Name (Print)
6/2/2024	0300	73	SALTSGAVER
	0600	73	Henderson
	0900	73	Henderson
	1200	73	Henderson
	1500	73	Henderson
	1800	73	Henderson
	2100	73	Henderson
	2400	73	Valenz

Saturday				
Date	Time	Temp.	Name (Print)	
6/1/2024	0300	-		
	0600	72	Herndon	
	0900	73	Herndon	
	1200	73	Herndon	
	1500	73	Herndon	
	1800	73	Herndon	
	2100	73	Herndon	
	2400	73	SALTSCAYER	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	72	Valega
	0600	72	Guzman
	0900	72	Es. Adams
	1200	72	Ed. H.
	1500	71	W. Martinez
	1800	71	M. Garcia
	2100	72	Wilson
	2400	71	Valega

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	0300	71	Valega
	0600	71	Z. Hernandez
	0900	72	Z. Hernandez
	1200	72	Z. Hernandez
	1500	74	Valega
	1800	74	Valega
	2100	74	Valega
	2400	73	Valega

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	73	Valega
	0600	73	Guzman
	0900	73	Guzman
	1200	73	Guzman
	1500	76	Shaffer
	1800	76	Shaffer
	2100	76	Shaffer
	2400	77	Valega

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	77	Valega
	0600	77	Shaffer
	0900	78	Shaffer
	1200	78	Shaffer
	1500	75	Shaffer
	1800	75	Shaffer
	2100	73	Shaffer
	2400	75	Ortega

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	73	Ortega
	0600	73	Ortega
	0900	73	Shaffer
	1200	73	Shaffer
	1500	73	Herndon
	1800	73	Herndon
	2100	73	Herndon
	2400	73	MAGANA

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	72	MAGANA
	0600	72	MAGANA
	0900	72	Shaffer
	1200	75	Shaffer
	1500	75	Shaffer
	1800	73	Shaffer
	2100	73	Shaffer
	2400	73	SALISGIVER

Sunday

Date	Time	Temp.	Name (Print)
6/9/2024	0300	73	SALISGIVER
	0600	73	Herndon
	0900	72	Herndon
	1200	74	Herndon
	1500	74	Herndon
	1800	73	Herndon
	2100	73	Herndon
	2400	73	Valega

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/10/2024	0300	73	Valenz	6/11/2024	0300	74	Valenz
	0600	72.5	E. Arroyo		0600	73	Carrie
	0900	73	E. Arroyo		0900	73	carrie
	1200	73.2	E. Arroyo		1200	73	carrie
	1500	73.1	WAC		1500	73	Valenz
	1800	73.4	WAC		1800	73	Valenz
	2100	73.1	WAC		2100	73	Valenz
	2400	74	Valenz		2400	73	Valenz
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/12/2024	0300	73	Valenz	6/13/2024	0300	73	Mengel
	0600	73	Valenz		0600	73	Shaefer
	0900	73	Shaefer		0900	73	Shaefer
	1200	73	Shaefer		1200	74	Shaefer
	1500	73	Shaefer		1500	74	Shaefer
	1800	74	Shaefer		1800	74	Shaefer
	2100	74	Shaefer		2100	73	Shaefer
	2400	73	Murillo		2400	73	CHENARROW
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/14/2024	0300	70	CHENARROW	6/15/2024	0300	73	MAGADIA
	0600	73	Avalos		0600	73	MAGADIA
	0900	73	Avalos		0900	73	Herndon
	1200	73	Avalos		1200	74	Herndon
	1500	74	Herndon		1500	74	Herndon
	1800	75	Herndon		1800	74	Herndon
	2100	74	Herndon		2100	74	Herndon
	2400	73	MAGADIA		2400	73	SALTSGAVER
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
6/16/2024	0300	73	SALTSGAVER				
	0600	73	Herndon				
	0900	73	Herndon				
	1200	73	Herndon				
	1500	73.1	E. Arroyo				
	1800	73.2	E. Arroyo				
	2100	73.1	E. Arroyo				
	2400	73	Valenz				

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	73	Valegr
	0600	73	Er Army
	0900	73	Er Army
	1200	73	Er Army
	1500	73	MAGNUS
	1800	74	MAGUS
	2100	73	WEEZ
	2400	72	Valegr

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	72	Valegr
	0600	72	WEEZ
	0900	72	WEEZ
	1200	73	WEEZ
	1500	73	Valegr
	1800	74	Valegr
	2100	74	Valegr
	2400	74	Valegr

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	74	Valegr
	0600	74	Hendon
	0900	73	Hendon
	1200	73	Hendon
	1500	73	Hendon
	1800	73	Hendon
	2100	73	Hendon
	2400	73	Valegr

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	73	Valegr
	0600	73	Hendon
	0900	73	Hendon
	1200	74	Hendon
	1500	74	Hendon
	1800	74	Hendon
	2100	74	Hendon
	2400	74	FAR

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	74	Shae
	0600	73.4	L.Taylor
	0900	73.4	L.Taylor
	1200	73.8	L.Taylor
	1500	73	Villagemo
	1800	72	Villagemo
	2100	72	Villagemo
	2400	72	SALTCAVER

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	72	SALTCAVER
	0600	72	Hendon
	0900	73	Hendon
	1200	74	Hendon
	1500	74	Hendon
	1800	74	Hendon
	2100	74	Hendon
	2400	75	Valegr

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	72	SALTCAVER
	0600	72	Hendon
	0900	73	Hendon
	1200	74	Hendon
	1500	74	Hendon
	1800	73	Hendon
	2100	72	Hendon
	2400	75	Valegr

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	0300	75	Valerga
	0600	75	E. George
	0900	78	E. George
	1200	78	E. George
	1500	78	CHENARICKST
	1800	78	CHENARICKST
	2100	78	CHENARICKST
	2400	73	Valerga

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	0300	73	Valerga
	0600	71	MASON
	0900	72	MASON
	1200	73	MASON
	1500	75	Valerga
	1800	75	Valerga
	2100	75	Valerga
	2400	75	Valerga

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	0300	75	Valerga
	0600	74	Shaffer
	0900	73	Shaffer
	1200	73	Shaffer
	1500	73	Shaffer
	1800	73	Shaffer
	2100	73	Shaffer
	2400	73	Valerga

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	0300	73	Valerga
	0600	73	Shaffer
	0900	73	Shaffer
	1200	73	Shaffer
	1500	73	Shaffer
	1800	73	Shaffer
	2100	73	Shaffer
	2400	73	CHENARIKST

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	0300	73	CHENARIKST
	0600	73	Avalos
	0900	73	Avalos
	1200	73	Avalos
	1500	73	Henderson
	1800	73	Henderson
	2100	73	Henderson
	2400	73	Valerga

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	0300	73	Valerga
	0600	73	Shaffer
	0900	73	Shaffer
	1200	73	Shaffer
	1500	73	Shaffer
	1800	73	Shaffer
	2100	73	Shaffer
	2400	73	SALTSGAVER

Sunday

Date	Time	Temp.	Name (Print)
6/30/2024	0300	73	SALTSGAVER
	0600	73	Henderson
	0900	73	Henderson
	1200	73	Henderson
	1500	73	Henderson
	1800	73	Henderson
	2100	73	Henderson
	2400	73	Valerga

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD



CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
	0300	72	JARVIS
	0600	72	E. AMAYA
	0900	72	E. AMAYA
	1200	72	E. AMAYA
	1500	72	SALTSLAVER
	1800	72	SALTSLAVER
	2100	72	SALTSLAVER
	2400	72	JARVIS

6/1/2024

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	72	JARVIS
	0600	72	E. AMAYA
	0900	72	E. AMAYA
	1200	72	E. AMAYA
	1500	73	J. MAREN
	1800	73	J. MAREN
	2100	73	J. MAREN
	2400	73	J. MAREN

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C4 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	71	J. MAGANA	
0600	72	J. MAGANA	
0900	72	L. LOPEZ	
1200	72	L. LOPEZ	
1500	72	L. LOPEZ	
1800	72	H. MARTINEZ	
2100	72	H. MARTINEZ	
2400	72	Auston	

6/3/2024

Tuesday

Date	Time	Temp.	Name (Print)
0300	72	Auston	
0600	72	L. LOPEZ	
0900	72	L. LOPEZ	
1200	72	L. LOPEZ	
1500	72	H. MARTINEZ	
1800	73	H. MARTINEZ	
2100	73	H. MARTINEZ	
2400	73	Auston	

6/4/2024

Wednesday

Date	Time	Temp.	Name (Print)
0300	73	Auston	
0600	72	L. LOPEZ	
0900	73	L. LOPEZ	
1200	72	L. LOPEZ	
1500	73	L. LOPEZ	
1800	73	L. LOPEZ	
2100	73	HALL	
2400	73	MEST	

6/5/2024

Thursday

Date	Time	Temp.	Name (Print)
0300	73	MEST	
0600	74	L. LOPEZ	
0900	74	L. LOPEZ	
1200	74	L. LOPEZ	
1500	74	HALL	
1800	74	HALL	
2100	74	HALL	
2400	74	MEST	

6/6/2024

Friday

Date	Time	Temp.	Name (Print)
0300	74	MEST	
0600	74	L. LOPEZ	
0900	74	L. LOPEZ	
1200	74	L. LOPEZ	
1500	73	SALTSGAVER	
1800	73	SALTSGAVER	
2100	73	SALTSGAVER	
2400	74	MEST	

6/7/2024

Saturday

Date	Time	Temp.	Name (Print)
0300	74	MEST	
0600	73.4	ESTICADA	
0900	74	ESTICADA	
1200	72.3	ESTICADA	
1500	73	SALTSGAVER	
1800	73	SALTSGAVER	
2100	73	SALTSGAVER	
2400	73	MAGANA	

6/8/2024

Sunday

Date	Time	Temp.	Name (Print)
0300	73	MAGANA	
0600	73	MAGANA	
0900	73	HALL	
1200	73	HALL	
1500	74	H. MARTINEZ	
1800	75	H. MARTINEZ	
2100	75	H. MARTINEZ	
2400	74	MAGANA	

6/9/2024

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	75	MAGANA
	0600	75	L. LOPEZ
	0900	75	L. LOPEZ
	1200	75	L. LOPEZ
	1500	75	H. MARTINEZ
	1800	75	H. MARTINEZ
	2100	75	H. MARTINEZ
	2400	75	Anton

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	75	Anton
	0600	75	L. LOPEZ
	0900	75	L. LOPEZ
	1200	75	L. LOPEZ
	1500	75	Gonzalez
	1800	75	Gonzalez
	2100	74	Gonzalez
	2400	74	Anton

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	76	Anton
	0600	75	L. LOPEZ
	0900	75	L. LOPEZ
	1200	75	L. LOPEZ
	1500	76	B. Hall
	1800	75	E. Hall
	2100	75	E. Hall
	2400	76	NECA

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	74	NECA
	0600	75	L. LOPEZ
	0900	75	L. LOPEZ
	1200	75	L. LOPEZ
	1500	75	B. Hall
	1800	75	B. Hall
	2100	75	B. Hall
	2400	74	NECA

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	74	NECA
	0600	75	L. LOPEZ
	0900	75	L. LOPEZ
	1200	75	L. LOPEZ
	1500	74	SALTSAVER
	1800	74	SALTSAVER
	2100	74	SALTSAVER
	2400	73	NECA

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	74	NECA
	0600	74	E. Amaya
	0900	75	E. Amaya
	1200	74	E. Amaya
	1500	73	SALTSAVER
	1800	74	SALTSAVER
	2100	73	SALTSAVER
	2400	73	MAGANA

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	73	MAGANA
	0600	74	MAGANA
	0900	73	E. Amaya
	1200	72	E. Amaya
	1500	74	H. MARTINEZ
	1800	73	H. MARTINEZ
	2100	73	H. MARTINEZ
	2400	72	J. MAGANA

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: CU Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	72	J. MAGANA
	0600	70	J. MAGANA
	0900	73	L. LOPEZ
	1200	73	L. LOPEZ
	1500	73	H. MARTINEZ
	1800	72	H. MARTINEZ
	2100	73	H. MARTINEZ
	2400	74	MELA

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	74	MELA
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	H. MARTINEZ
	1800	73	H. MARTINEZ
	2100	72	H. MARTINEZ
	2400	74	MELA

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	72	MELA
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	L. LOPEZ
	1800	72	HALL
	2100	72	HALL
	2400	72	MELA

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	72	MELA
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	C. LOPEZ
	1500	72	L. LOPEZ
	1800	72	HALL
	2100	72	HALL
	2400	72	MELA

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	72	MELA
	0600	73	L. LOPEZ
	0900	73	L. LOPEZ
	1200	73	L. LOPEZ
	1500	72	SALTSGAVER
	1800	73	SALTSGAVER
	2100	73	SALTSGAVER
	2400	73	MELA

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	73	MELA
	0600	73	E. ARAUJO
	0900	73.5	E. ARAUJO
	1200	73.5	E. ARAUJO
	1500	73	SALTSGAVER
	1800	73	SALTSGAVER
	2100	73	SALTSGAVER
	2400	72	MAGANA

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	72	MAGANA
	0600	72	MAGANA
	0900	73	E. ARAUJO
	1200	73.2	E. ARAUJO
	1500	73.6	E. ARAUJO
	1800	74	H. moore
	2100	74	H. moore
	2400	73	V. WELCH

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	72	W. WEGREN	
0600	72	W. WEGREN	
0900	72	L. LOPEZ	
1200	74	L. LOPEZ	
1500	74	H. MARTINEZ	
1800	74	H. MARTINEZ	
2100	74	H. MARTINEZ	
2400	74	H. MARTINEZ	

Wednesday

Date	Time	Temp.	Name (Print)
0300	74	CHAMBERS	
0600	74	L. LOPEZ	
0900	74	L. LOPEZ	
1200	74	L. LOPEZ	
1500	74.0	Hall	
1800	73.9	Hall	
2100	73.6	Hall	
2400	73.4	CHAMBERS	

Friday

Date	Time	Temp.	Name (Print)
0300	73	MELTA	
0600	74.1	L. LOPEZ	
0900	74	Lopez	
1200	73	Lopez	
1500	72	SALTSGAVER	
1800	73	SALTSGAVER	
2100	73	SALTSGAVER	
2400	73	MELTA	

Sunday

Date	Time	Temp.	Name (Print)
0300	71.1	Blahut	
0600	71.2	Blahut	
0900	72	Blahut	
1200	72.1	Blahut	
1500	73.1	Blahut	
1800	72.7	Blahut	
2100	72.8	Blahut	
2400	72.9	Blahut	

Tuesday

Date	Time	Temp.	Name (Print)
0300	74	R. STA	
0600	74	L. LOPEZ	
0900	74	L. LOPEZ	
1200	74	L. LOPEZ	
1500	74	H. MARTINEZ	
1800	74	H. MARTINEZ	
2100	74	L. MARTINEZ	
2400	74	GARRET	

Thursday

Date	Time	Temp.	Name (Print)
0300	73.1	CHRISTIAN	
0600	74	L. LOPEZ	
0900	74	L. LOPEZ	
1200	74	L. LOPEZ	
1500	74	E. HALL	
1800	74	E. HALL	
2100	73	E. HALL	
2400	73	MICHAEL	

Saturday

Date	Time	Temp.	Name (Print)
0300	73	MICHAEL	
0600	72.4	E. AMAYA	
0900	72.7	E. AMAYA	
1200	72.7	E. AMAYA	
1500	72	SALTSGAVER	
1800	73	SALTSGAVER	
2100	73	SALTSGAVER	
2400	71	BLAHUT	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: 15 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Saturday				
Date	Time	Temp.	Name (Print)	
6/1/2024	0300	71.4	SIMPSON	
	0600	71	BConor	
	0900	72	Blonda	
	1200	72	BConor	
	1500	72	BConor	
	1800	72	Blonda	
	2100	72	BConor	
	2400	72.0	B.Simpson	

Saturday			
Date	Time	Temp.	Name (Print)
6/1/2024	0300	71.4	SIMPSON
	0600	71	Blount
	0900	72	Blount
	1200	72	Blount
	1500	72	Blount
	1800	72	Blount
	2100	72	Blount
	2400	72.0	B.Simpson

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	71.8	B. Simpson
	0600	72	BCouser
	0900	72	BCouser
	1200	72	BCouser
	1500	72	SALTGAVER
	1800	72	SALTGAVER
	2100	72	SALTGAVER
	2400	72	BCouser

Notes

6/2/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	72	Ovarez
	0600	72	Ovarez
	0900	72	BETTS
	1200	72	BETTS
	1500	72	SALSGAVER
	1800	72	SALSGAVER
	2100	72	SALSGAVER
	2400	72	Parente

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	0300	72	Parente
	0600	72.4	MOORE
	0900	72	MOORE
	1200	72	MOORE
	1500	72	MOORE
	1800	72	MOORE
	2100	72	MOORE
	2400	72	Parente

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	72	Parente
	0600	71	MOORE
	0900	72	MOORE
	1200	72	MOORE
	1500	73	MOORE
	1800	73	MOORE
	2100	73	MOORE
	2400	73	LOFTON

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	73	LOFTON
	0600	71.8	PHIETO
	0900	72	PHIETO
	1200	73	PHIETO
	1500	73.6	MOORE
	1800	73.8	MOORE
	2100	73.8	MOORE
	2400	73.6	Schmidt

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	73.6	Schmidt
	0600	73	Wheeler
	0900	73	Wheeler
	1200	74	Wheeler
	1500	74	ENGLUND
	1800	75	ENGLUND
	2100	75	ENGLUND
	2400	75	ENGLUND

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	72	MURRILAD
	0600	73	BLOUNT
	0900	73	BLOUNT
	1200	73	BLOUNT
	1500	73	BLOUNT
	1800	73	BLOUNT
	2100	73	BLOUNT
	2400	74.3	B.SIMPSON

Sunday

Date	Time	Temp.	Name (Print)
6/9/2024	0300	74.3	B.SIMPSON
	0600	73	BLOUNT
	0900	73	BLOUNT
	1200	73	BLOUNT
	1500	73	SALSGAVER
	1800	73	SALSGAVER
	2100	73	SALSGAVER
	2400	74.8	B.SIMPSON

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	74.3	B.Simpson	
0600	74	Bettencourt	
0900	74	Bettencourt	
1200	7	Bettencourt	
1500	75	SALTSGAVER	
1800	74	SALTSGAVER	
2100	74	SALTSGAVER	
2400	74	Parente	

Wednesday

Date	Time	Temp.	Name (Print)
0300	74	Parente	
0600	74.3	MOORE	
0900	74.3	MOORE	
1200	74.8	MOORE	
1500	75	MOORE	
1800	75	MOORE	
2100	75.4	MOORE	
2400	74.6	MAGANA	

Friday

Date	Time	Temp.	Name (Print)
0300	74.6	MAGANA	
0600	74.6	MAGANA	
0900	75.2	E. Amaya	
1200	74.8	E. Amaya	
1500	75.7	E. Amaya	
1800	75.4	E. Amaya	
2100			
2400	74.5	B. Simpson	

Sunday

Date	Time	Temp.	Name (Print)
0300	72.9	B. Simpson	
0600	72	BCOURT	
0900	72	BCOURT	
1200	72	BCOURT	
1500	73	SALTSGAVER	
1800	73	SALTSGAVER	
2100	73	SALTSGAVER	
2400	73	Webb J.	

Tuesday

Date	Time	Temp.	Name (Print)
0300	74	Parente	
0600	73	BCOURT	
0900	73	BCOURT	
1200	73	BCOURT	
1500	73	BCOURT	
1800	73	BCOURT	
2100	73	BCOURT	
2400	75	Parente	

Thursday

Date	Time	Temp.	Name (Print)
0300	74	MAGANA	
0600	75.4	MOORE	
0900	75.4	MOORE	
1200	75.4	MOORE	
1500	75.7	MOORE	
1800	75.6	MOORE	
2100	75.6	MOORE	
2400	74.5	MAGANA	

Saturday

Date	Time	Temp.	Name (Print)
0300	74.5	B. Simpson	
0600	73	BCOURT	
0900	73	BCOURT	
1200	73	BCOURT	
1500	73	BCOURT	
1800	73	BCOURT	
2100	73	BCOURT	
2400	73.6	B. Simpson	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	72	WEBB	
0600	72	WEBB BROWN	
0900	72	WEBB BROWN	
1200	72	BROWN	
1500	72	SALISGIVER	
1800	72	SALISGIVER	
2100	71	SALISGIVER	
2400	71	PARENTE	

Wednesday

Date	Time	Temp.	Name (Print)
0300	71	PARENTE	
0600	71	MOORE	
0900	71	MOORE	
1200	71	MOORE	
1500	71	MOORE	
1800	71	MOORE	
2100	71	MOORE	
2400	71	MAGANA	

Friday

Date	Time	Temp.	Name (Print)
0300	71	MAGANA	
0600	71	MAGANA	
0900	71.2	E. ARAYA	
1200	71.8	E. ARAYA	
1500	72	HEIMS	
1800	72	HEIMS	
2100	72	HEIMS	
2400	72	LOFTON	

Sunday

Date	Time	Temp.	Name (Print)
0300	72.5	MELANDREZ	
0600	72	BROWN	
0900	72	BROWN	
1200	72	BROWN	
1500	72	SALISGIVER	
1800	72	SALISGIVER	
2100	72	SALISGIVER	
2400	72	Orton	

Tuesday

Date	Time	Temp.	Name (Print)
0300	71	PARENTE	
0600	71	MOORE	
0900	71	MOORE	
1200	71.5	MOORE	
1500	71.6	MOORE	
1800	71.6	MOORE	
2100	71.6	MOORE	
2400	71	PARENTE	

Thursday

Date	Time	Temp.	Name (Print)
0300	71	MAGANA	
0600	71	MAGANA	
0900	71.1	E. ARAYA	
1200	71.4	E. ARAYA	
1500	71.4	MOORE	
1800	71.6	MOORE	
2100	71.6	MOORE	
2400	71	MAGANA	

Saturday

Date	Time	Temp.	Name (Print)
0300	72	LOFTON	
0600	72	BROWN	
0900	72	BROWN	
1200	72	BROWN	
1500	73	BROWN	
1800	73	BROWN	
2100	73	BROWN	
2400	72.9	MELANDREZ	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: 65 Temp. Reading Location: 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/24/2024	0300	72.1	Christian
	0600	73	BCount
	0900	73	BCount
	1200	73	Blown
	1500	73	SALTSGAVER
	1800	73	SALTSGAVER
	2100	73	SALTSGAVER
	2400	74.1	C. Huskey

Tuesday			
Date	Time	Temp.	Name (Print)
6/25/2024	0300	73	C. Huskey
	0600	73	BCount
	0900	73	BCount
	1200	73	BCount
	1500	73	Blown
	1800	73	BCount
	2100	73	BCount
	2400	74	TWAS

Wednesday			
Date	Time	Temp.	Name (Print)
6/26/2024	0300	74	TWAD
	0600	74	MOORE
	0900	74.5	MOORE
	1200	75	MOORE
	1500	75	MOORE
	1800	75	MOORE
	2100	76.7	MOORE
	2400	74	H. MARTINEZ

Thursday			
Date	Time	Temp.	Name (Print)
6/27/2024	0300	74	J. MORGAN
	0600	74	MOORE
	0900	74	MOORE
	1200	74	MOORE
	1500	74	MOORE
	1800	74.5	MOORE
	2100	74.4	MOORE
	2400	74.7	MOORE

Friday			
Date	Time	Temp.	Name (Print)
6/28/2024	0300	75.8	MOORE
	0600	73.6	E. Arroyo
	0900	73.6	E. Arroyo
	1200	73.4	E. Arroyo
	1500	73.1	E. Arroyo
	1800	74.1	E. Arroyo
	2100	74.5	E. Arroyo
	2400	73.9	SLIVER

Saturday			
Date	Time	Temp.	Name (Print)
6/29/2024	0300	73.6	SLIVER
	0600	73	BCount
	0900	73	BCount
	1200	73	BCount
	1500	73	Blown
	1800	73	Blown
	2100	73	BCount
	2400	74	S. Vee

Sunday			
Date	Time	Temp.	Name (Print)
6/30/2024	0300	74	S. Vee
	0600	73	S. Vee Blown
	0900	73	Blown
	1200	73	Blown
	1500	73	SALTSGAVER
	1800	74	SALTSGAVER
	2100	73	SALTSGAVER
	2400	74	Webb S

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C6 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

This image shows a dark gray, almost black, textured surface. The texture appears to be a fine, vertical grain, similar to wood grain or a book's endpaper. There are several horizontal white scratches of varying lengths and thicknesses across the surface, most notably one near the top center and another near the bottom right. The overall appearance is that of a plain, unadorned dark material.

The image shows a dark gray, almost black, textured surface, likely a book cover or endpaper. The texture is fine and grainy. A prominent vertical red line runs from the top to the bottom of the frame on the right side. A horizontal white line runs across the middle-left portion of the frame. There are some minor discolorations and small white spots scattered across the dark surface.

Saturday			
Date	Time	Temp.	Name (Print)
6/1/2024	0300		
	0600	69.6	HOOVEN
	0900	70.0	HOOVEN
	1200	70.4	HOOVEN
	1500	70.9	J. REYES
	1800	71.	J. REYES
	2100	70.6	J. REYES
	2400	71	HOOVEN

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
6/2/2024	0300	71	Alex
	0600	71	Reyes
	0900	71	Reyes
	1200	71	Reyes
	1500	71.6	Reyes.
	1800	71.2	Reyes
	2100	71.2	Reyes
	2400	70.9	Chen.

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C6 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/3/2024	0300	70.7	Chen.
	0600	70.5	Chen
	0900	70.7	CHARLES
	1200	70.7	CHARLES
	1500	70	MUTHAIAH
	1800	70	MUTHAIAH
	2100	70	MUTHAIAH
	2400	70.5	Chen.

Tuesday			
Date	Time	Temp.	Name (Print)
6/4/2024	0300	70.5	Chen
	0600	70.3	Chen
	0900	70.2	CHAPMAN
	1200		CARLSON
	1500	70	MUTHAIAH
	1800	70	MUTHAIAH
	2100	71	MUTHAIAH
	2400	71.1	VELASCO

Wednesday			
Date	Time	Temp.	Name (Print)
6/5/2024	0300	71.1	Velasco
	0600	70.2	Kreth
	0900	71.3	Kreth
	1200	71.4	Kreth
	1500	71	Murphy
	1800	71	Murphy
	2100	72	Murphy
	2400	72.1	Murphy

Thursday				
Date	Time	Temp.	Name (Print)	
6/6/2024	0300	72-3	Marilyn	
	0600	72-3	Brett	
	0900	72.4	Kreth	
	1200	72.3	Kreth	
	1500	73.	Kreth	
	1800	73	Marilyn	
	2100	72	Marilyn	
	2400	72-3	Marilyn	

Friday		Date	Time	Temp.	Name (Print)
6/7/2024	0300	72.7	Maurie		
	0600	72.9	HOOVEN		
	0900	72.9	HOOVEN		
	1200	73.0	HOOVEN		
	1500	73	MICIA		
	1800	73	MICIA		
	2100	73	KLEM		
	2400	73	MICIA		

Saturday			
Date	Time	Temp.	Name (Print)
6/8/2024	0300	72	Mel
	0600	73.0	HOOVEN
	0900	73.	HOOVEN
	1200	73.	BOEREMA
	1500	73.2	S. HENKES
	1800	73.2	3. PETERS
	2100	73	3. PETERS
	2400	72	Mel

Sunday			
Date	Time	Temp.	Name (Print)
6/9/2024	0300	72	MICHAEL
	0600	73	CHAMPION
	0900	73	CHAMPION
	1200	72.9	CHAMPION
	1500	72	KEYES
	1800	73	REYES
	2100	73	REYES
	2400	73	TWOLINE

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: c6 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	72	HODGE	
0600	73	CHAPMAN	
0900	72.7	CHAPMAN	
1200	73	CHAPMAN	
1500	73	MUTHAMA	
1800	73	MUTHAMA	
2100	72	muth	
2400	72	muth	

Wednesday

Date	Time	Temp.	Name (Print)
0300	73	Murdin	
0600	73	CHAPMAN	
0900	72.5	CHAPMAN	
1200	72.9	CHAPMAN	
1500	73	MUTHAMA	
1800	73	MUTHAMA	
2100	73	MUTHAMA	
2400	73.2	B. Simpson	

Friday

Date	Time	Temp.	Name (Print)
0300	73.0	B. Simpson	
0600	73.2	HOVEN	
0900	73.2	HOVEN	
1200	73.3	HOVEN	
1500	73	MUTHAMA	
1800	73	MUTHAMA	
2100	73	MUTHAMA	
2400	73	HICR	

Sunday

Date	Time	Temp.	Name (Print)
0300			
0600	71.6	CHAPMAN	
0900	71.8	CHAPMAN	
1200	71.2	CHAPMAN	
1500	71.6	J. REYES	
1800	71.6	J. REYES	
2100	71.9	J. REYES	
2400			

Tuesday

Date	Time	Temp.	Name (Print)
0300	72	CHAPMAN	
0600	72.7	CHAPMAN	
0900	72.3	CHAPMAN	
1200	72.5	CHAPMAN	
1500	72	MUTHAMA	
1800	73	MUTHAMA	
2100	73	MUTHAMA	
2400	73	Murdin	

Thursday

Date	Time	Temp.	Name (Print)
0300	73.0	B. Simpson	
0600	73.0	CHAPMAN	
0900	72.9	CHAPMAN	
1200	72.7	CHAPMAN	
1500	73	MUTHAMA	
1800	73	MUTHAMA	
2100	73	MUTHAMA	
2400	73.2	B. Simpson	

Saturday

Date	Time	Temp.	Name (Print)
0300	73	HICR	
0600	72.9	HOVEN	
0900	72.3	HOVEN	
1200	72.3	HOVEN	
1500	73	Linedale	
1800	73	Linedale	
2100	73	Linedale	
2400			

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C6 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	70	Herndon
	0600	70.9	CHAPMAN
	0900	70.5	CHAPMAN
	1200	70.5	CHAPMAN
	1500	70	MUTHAMA
	1800	70	MUTHAMA
	2100	70	MUTHAMA
	2400	70	Herndon

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	70	Herndon
	0600	69.6	CHAPMAN
	0900	69.8	CHAPMAN
	1200	70	CHAPMAN
	1500	70	MUTHAMA
	1800	70	MUTHAMA
	2100	70	MUTHAMA
	2400	70	Herndon

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	78.7	Herndon
	0600	69.4	CHAPMAN
	0900	69.4	CHAPMAN
	1200	69.4	CHAPMAN
	1500	70	MUTHAMA
	1800	70	MUTHAMA
	2100	70	MUTHAMA
	2400	70	David

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	70	David
	0600	69.6	Kreth
	0900	70.0	Kreth
	1200	70.0	Kreth
	1500	70	MUTHAMA
	1800	70	MUTHAMA
	2100	70	MUTHAMA
	2400	70	TORRES

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	70.5	M. TORRES
	0600	70.2	HOVEN
	0900	70.3	HOVEN
	1200	70.7	HOVEN
	1500	70	MUTHAMA
	1800	71	MUTHAMA
	2100	71	MUTHAMA
	2400	71	Muthama

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	71	Hicks
	0600	71.1	HOVEN
	0900	71.1	HOVEN
	1200	71.4	HOVEN
	1500	71.4	S. KEYES
	1800	71.4	S. KEYES
	2100	72.0	S. KEYES
	2400	71	Hicks

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	71	Hicks
	0600	71.6	CHAPMAN
	0900	71.6	CHAPMAN
	1200	71.6	CHAPMAN
	1500	72.0	S. KEYES
	1800	72.2	S. KEYES
	2100	72.3	S. KEYES
	2400	72	Chen

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C6 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/24/2024	0300	72	Chen
	0600	72	Chen
	0900	72	CHAPMAN
	1200	72	CHAPMAN
	1500	72	MUTHAMA
	1800	72	MUTHAMA
	2100	72	MUTHAMA
	2400	72.3	Chen

Tuesday			
Date	Time	Temp.	Name (Print)
6/25/2024	0300	72	Chen
	0600	72	Chen
	0900	73	TORRES
	1200	73	TORRES
	1500	73	MUTHAMA
	1800	72	MUTHAMA
	2100	72	MUTHAMA
	2400	72.7	Maul

Wednesday			
Date	Time	Temp.	Name (Print)
6/26/2024	0300	72.4	Maul
	0600	72.3	Kreth
	0900	72.0	Kreth
	1200	72.0	Kreth
	1500	72	MUTHAMA
	1800	72	MUTHAMA
	2100	72	MUTHAMA
	2400	72.7	Maul

Thursday			
Date	Time	Temp.	Name (Print)
6/27/2024	0300	72.5	Maul
	0600	72.3	Kreth
	0900	72.4	Kreth
	1200	72.3	Kreth
	1500	72	MUTHAMA
	1800	72	MUTHAMA
	2100	72	MUTHAMA
	2400	72.5	Maul

Friday			
Date	Time	Temp.	Name (Print)
6/28/2024	0300	72.4	Maul
	0600	72.1	HOVEN
	0900	72.1	HOVEN
	1200	72.1	HOVEN
	1500	72	MUTHAMA
	1800	72	MUTHAMA
	2100	72	MUTHAMA
	2400	72	Maul

Saturday			
Date	Time	Temp.	Name (Print)
6/29/2024	0300	72	HICHA
	0600	72.3	HOVEN
	0900	72.5	HOVEN
	1200	72.5	HOVEN
	1500	72.7	S. REYES
	1800	72.1	S. REYES
	2100	72.1	S. REYES
	2400	72	Maul

Sunday			
Date	Time	Temp.	Name (Print)
6/30/2024	0300	72	Rich
	0600	72.5	CHAPMAN
	0900	73	estman
	1200	72.7	CHAPMAN
	1500	72	MUTHAMA
	1800	72	MUTHAMA
	2100	72	MUTHAMA
	2400	72.9	Carson

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD



CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
	0300	70	Roches
	0600	70	Shaffer
	0900	71	Shaffer
	1200	71	Shaffer
	1500	71.6	Montgomery
	1800	71.8	Montgomery
	2100	71.6	Montgomery
	2400	70	M. Rivera

6/1/2024

Notes

Date	Time	Temp.	Name (Print)
	0300	70	M. Rivera
	0600	70	L.ily
	0900	71	L.ily
	1200	71	L.ily
	1500	71.4	Montgomery
	1800	72.0	Montgomery
	2100	71.6	Montgomery
	2400	71.6	J. Lina

6/2/2024

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: CT Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300	71	J. Luna
	0600	71.6	REYES
	0900	71	REYES
	1200	71	REYES
	1500	71	REYES
	1800	71	REYES
	2100	71	REYES
	2400	71	J. Luna

Tuesday			
Date	Time	Temp.	Name (Print)
6/4/2024	0300	71	J. Luna
	0600	70.7	Reyes
	0900	71	Reyes
	1200	71	Reyes
	1500	72	H. Lewis
	1800	72	H. Lewis
	2100	72	H. Lewis
	2400	72	Mare

Wednesday			
Date	Time	Temp.	Name (Print)
6/5/2024	0300	71	Maurie
	0600	71.4	Pearce
	0900	71.8	Pearce
	1200	72.1	Pearce
	1500	72.3	W KE
	1800	73.4	SIMM
	2100	72.4	RICHARD
	2400	73	Maurie

Thursday			
Date	Time	Temp.	Name (Print)
6/6/2024	0300	71	MARTIN
	0600	72.5	HOOVEN
	0900	72.9	HOOVEN
	1200	73.4	HOOVEN
	1500	73.6	FIERRE
	1800	74.7	FIERRE
	2100	74.3	FIERRE
	2400	73	LOFTON

Friday			
Date	Time	Temp.	Name (Print)
6/7/2024	0300	73	LORTON.
	0600	73	Shaffer
	0900	73	Shaffer
	1200	73	Shaffer
	1500	74.3	Montgomery
	1800	74.5	Montgomery
	2100	74.5	Montgomery
	2400	73.9	J. Burgess

Saturday			
Date	Time	Temp.	Name (Print)
6/8/2024	0300	73.9	J. Burgess
	0600	73.4	REYES
	0900	73	REYES
	1200	73	REYES
	1500	74.3	Montgomery
	1800	74.7	Montgomery
	2100	74.7	Montgomery
	2400	74.2	V. Burgess

Sunday			
Date	Time	Temp.	Name (Print)
6/9/2024	0300	73.9	J. Burgess
	0600	73.8	R. Evans
	0900	73	R. Reyes
	1200	74	R. Reyes
	1500	74.8	Montgomery
	1800	75	Montgomery
	2100	75	Montgomery
	2400	74	J. Linn

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	74	J. Lune
	0600	73.6	C. REYES
	0900	73	C. REYES
	1200	73	C. REYES
	1500	74.3	J. REYES
	1800	74.4	J. REYES
	2100	73	J. REYES
	2400	73	J. Lune

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	73	J. Lune
	0600	73.8	C. REYES
	0900	73.6	C. REYES
	1200	73.6	C. REYES
	1500	74.4	J. REYES
	1800	75.4	J. REYES
	2100	75.1	J. REYES
	2400	74.3	J. BULGESS

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	73.6	J. BULGESS
	0600	73.6	HOOVEN
	0900	74.1	HOOVEN
	1200	74.3	HOOVEN
	1500	75.0	HOOVEN
	1800	75.6	FIELLO
	2100	75.6	FIELLO
	2400	74.3	J. BULGESS

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	74.3	J. BULGESS
	0600	74.3	HOOVEN
	0900	74.3	HOOVEN
	1200	74.8	HOOVEN
	1500	75.4	FIELLO
	1800	75.4	FIELLO
	2100	75.4	FIELLO
	2400	75	Koches

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	75	Koches
	0600	74.3	Masters
	0900	74.5	Masters
	1200	74.5	Masters
	1500	74.7	Montgomery
	1800	74.7	Montgomery
	2100	74.3	Montgomery
	2400	74.	Koches

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	74	C. Koches
	0600	73.6	REYES
	0900	73.2	REYES
	1200	73.2	REYES
	1500	73.8	Montgomery
	1800	73.6	Montgomery
	2100	73.2	Montgomery
	2400	73.0	Montgomery

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	72.8	Marie
	0600	72	REYES
	0900	72	REYES
	1200	72.7	REYES
	1500	72.3	Montgomery
	1800	72.6	Montgomery
	2100	72.7	Montgomery
	2400	72	J. Lune

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	71	J. Luna	
0600	71.1	C. Reyes	
0900	71.2	C. Reyes	
1200	71.2	C. Reyes	
1500	71.4	J. Burgess	
1800	71.1	J. Reyes	
2100	71.1	S. Reyes	
2400	70	J. Luna	

Wednesday

Date	Time	Temp.	Name (Print)
0300	70.5	J. Burgess	
0600	70.7	Hoojen	
0900	70.5	Hoojen	
1200	70.3	Hoojen	
1500	70.5	Fierro	
1800	70.7	Fierro	
2100	70.9	Fierro	
2400	70.6	C. Reyes	

Friday

Date	Time	Temp.	Name (Print)
0300	70.5	Lee	
0600	71.1	Masters	
0900	71.1	Masters	
1200	71.4	Masters	
1500	72.0	Bresciani	
1800	72.1	Bresciani	
2100	72.0	Bresciani	
2400	72.0	J. Burgess	

Sunday

Date	Time	Temp.	Name (Print)
0300	72.1	J. Burgess	
0600	72.1	X. Reyes	
0900	72.5	X. Reyes	
1200	72.9	X. Reyes	
1500	73.6	J. Gonzalez	
1800	73.8	J. Gonzalez	
2100	73.8	J. Gonzalez	
2400	73	S. Luna	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	J. Luna	
0600	70.7	L. Taylor	
0900	71.1	L. Taylor	
1200	70.4	L. Taylor	
1500	71.1	J. Reyes	
1800	71.1	S. Reyes	
2100	71.2	S. Reyes	
2400	70.9	J. Burgess	

Thursday

Date	Time	Temp.	Name (Print)
0300	70.5	C. Shin	
0600	70.5	Hoojen	
0900	70.9	Hoojen	
1200	70.9	Hoojen	
1500	70.9	Fierro	
1800	71.6	Fierro	
2100	71.6	Fierro	
2400	71	LBB	

Saturday

Date	Time	Temp.	Name (Print)
0300	71.8	J. Burgess	
0600	72	X. Reyes	
0900	72	X. Reyes	
1200	72.3	X. Reyes	
1500	73	Montgomery	
1800	73.2	Montgomery	
2100	73.2	Montgomery	
2400	72.5	J. Burgess	

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week..

Institution: HDSP Housing Unit: CF Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/24/2024	0300	72	J. LUNA
	0600	72.7	C. REYES
	0900	73	C. REYES
	1200	73	C. REYES
	1500	73.3	J. REYES
	1800	73.6	J. REYES
	2100	72	J. LUNA
	2400	72	J. LUNA

Date	Time	Temp.	Name (Print)
6/25/2024	0300	72	J. Lunn
	0600	72.5	C. REYES
	0900	72.7	C. REYES
	1200	72.9	C. REYES
	1500	73.6	J. REYES
	1800	74.0	J. Ray
	2100	74.1	J. Ray
	2400	74.2	J. BURGESS

Wednesday		Date	Time	Temp.	Name (Print)
6/26/2024	0300		74.3	J. BURGESS	
	0600		73.8	HOVEN	J. BURGESS
	0900		73.2	HOVEN	J. BURGESS
	1200		73.6	HOVEN	J. BURGESS
	1500		73.9	FIELD	J. BURGESS
	1800		74.3	FIELD	J. BURGESS
	2100		73.4	FIELD	J. BURGESS
	2400		73.2	BURGESS	J. BURGESS

Date	Time	Temp.	Name (Print)
6/27/2024	0300	73.2	J. BURGESS
	0600	73.2	HOVEN
	0900	73.2	HOVEN
	1200	73.2	HOVEN
	1500	73.2	FIELD
	1800	73.4	FIELD
	2100	73.6	FIELD
	2400	72.5	J. BURGESS

Date	Time	Temp.	Name (Print)
6/28/2024	0300	72.9	J. Buggs
	0600	72.5	Hanaya
	0900	72.5	Hanaya
	1200	72.8	Hanaya
	1500	73.2	Bresciani
	1800	73.8	Bresciani
	2100	73.5	Bresciani
	2400	73.9	Buggs

Saturday			
Date	Time	Temp.	Name (Print)
6/29/2024	0300	72.9	Burgess
	0600	72	Hoover
	0900	72	Hoover
	1200	73	Hoover
	1500	73.8	Montgomery
	1800	74.0	Montgomery
	2100	74.1	Montgomery
	2400	73.4	M. Lee

Sunday			
Date	Time	Temp.	Name (Print)
6/30/2024	0300	73.4	M. Lee
	0600	73.4	M. Lee
	0900	73	Reyes
	1200	73	Reyes
	1500	74.1	Montgomery
	1800	74.1	Montgomery
	2100	74.7	Montgomery
	2400	74	J. June

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD



CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	71.8	BRADEEN
	0600	71.6	Velazquez
	0900	71.6	Velazquez
	1200	71.6	Velazquez
	1500	71.6	MOORE
	1800	72.0	MOORE
	2100	72.3	MOORE
	2400	71.8	BRADEEN

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	71.8	BRADEEN
	0600	71.6	HOOVEN
	0900	71.8	HOOVEN
	1200	71.8	HOOVEN
	1500	71.6	MOOR
	1800	72.0	MOOR
	2100	72.1	MOOR
	2400	72	BRADEEN

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	72	BRADEEN
	0600	71	Carinio
	0900	71	carinio
	1200	71	Carinio
	1500	71.6	Moore
	1800	71.6	Moore
	2100	71.8	Carinio
	2400	71.6	BRADEEN

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	0300	71.4	BRADEEN
	0600	71.1	Carinio
	0900	71.4	carinio
	1200	71.6	Carinio
	1500	71.4	Moore
	1800	71.5	Moore
	2100	72.0	Moore
	2400	71.6	BRADEEN

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	71.8	BRADEEN
	0600	71.8	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	72.3	Moore
	1800	72.5	Moore
	2100	72.8	Moore
	2400	72.5	BRADEEN

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	72.5	BRADEEN
	0600	72.7	Moore
	0900	72.8	Hunt
	1200	73.0	Hunt
	1500	73.2	A. MARTINEZ
	1800	73.1	A. MARTINEZ
	2100	72.0	A. MARTINEZ
	2400	72	Hunt

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	72	Hunt
	0600	73	Hunt
	0900	73	Hunt
	1200	73	Hunt
	1500	73	Roves
	1800	73	Roves
	2100	73	Roves
	2400	73.8	S.KOTEAR

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	73.6	S.KOTEAR
	0600	73.8	Hunt
	0900	73.8	Hunt
	1200	74	Hunt
	1500	74	Moore
	1800	73.9	Moore
	2100	74.1	Moore
	2400	73.1	Hunt

Sunday

Date	Time	Temp.	Name (Print)
6/9/2024	0300	73.7	Moore
	0600	74	Moore
	0900	74	Moore
	1200	74	Moore
	1500	74.2	Moore
	1800	74.3	Moore
	2100	74.1	Moore
	2400	74	BRADEEN

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: 18 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	73.8	BRADEN
	0600	73.8	Taylor
	0900	73.8	Taylor
	1200	73.8	Taylor
	1500	73.8	Moore
	1800	73.8	Moore
	2100	73.8	Moore
	2400	73.8	BRADEN

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	73.6	BRADEN
	0600	73	
	0900	73	
	1200	73	
	1500	74.3	Moore
	1800	74.5	Moore
	2100	74.7	Moore
	2400	73.9	BRADEN

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	73.9	BRADEN
	0600	73.8	Gonzalez
	0900	74.1	Gonzalez
	1200	74.1	Gonzalez
	1500	74.1	Moore
	1800	74.5	Moore
	2100	74.7	Moore
	2400	74.3	BRADEN

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	74.1	BRADEN
	0600	74.2	
	0900	74.1	
	1200	74.1	
	1500	74.1	
	1800	74.5	Hearn
	2100	74.2	Hearn
	2400	73	Hearn

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	73	Hearn
	0600	79	Shoe
	0900	75	Shoe
	1200	75	Shoe
	1500	75	J. REYES
	1800	75	J. REYES
	2100	74	J. REYES
	2400	73.8	S. KOTLAR

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	73.6	S. KOTLAR
	0600	73.8	
	0900	73.8	
	1200	73.8	
	1500	73.4	Moore
	1800	73.4	Moore
	2100	73.2	
	2400	73.1	BRADEN

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	72.9	BRADEN
	0600	72.5	Moore
	0900	72.3	Moore
	1200	72.3	Moore
	1500	72.5	Moore
	1800	72.5	Moore
	2100	72.7	Moore
	2400	72.5	BRADEN

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	72.1	BRADEN	
0600	72.1	REYES	
0900	72.1	REYES	
1200	71.4	REYES	
1500	71.6	MOOR	
1800	71	MOORE	
2100	71	MOORE	
2400	71.6	BRADEN	

Wednesday

Date	Time	Temp.	Name (Print)
0300	71.2	BRADEN	
0600	71.1	Martinez Gallardo	
0900	71.2	Martinez Gallardo	
1200	71.1	Martinez Gallardo	
1500	71.2	TZITZEY	
1800	71.2	TZITZEY	
2100	71.3	TZITZEY	
2400	71.2	BRADEN	

Friday

Date	Time	Temp.	Name (Print)
0300	71	Alex	
0600	71.2	Rodriguez	
0900	71.3	Rodriguez	
1200	71.3	Kuringoz	
1500	71.3	REYES	
1800	72.2	REYES	
2100	72.3	REYES	
2400	72.1	S.KOTAR	

Sunday

Date	Time	Temp.	Name (Print)
0300	72.1	BRADEN	
0600	72.5	HOOVEN	
0900	72.7	HOOVEN	
1200	72	BRADEN	
1500	72	CORY	
1800	72	CORY	
2100	73.4	Lily	
2400	74.7	BRADEN	

Tuesday

Date	Time	Temp.	Name (Print)
0300	71.4	BRADEN	
0600	71.4	FOLKES	
0900	71.4	FOLKES	
1200	71.2	FOLKES	
1500	71.2	MOOR	
1800	71.7	MOOR	
2100	71.4	Moore	
2400	71.4	BRADEN	

Thursday

Date	Time	Temp.	Name (Print)
0300	71.2	ISRAEEL	
0600	71	Avalos	
0900	71	Ruiz	
1200	71	FATI	
1500	71.5	ZamZami	
1800	71.3	ZamZami	
2100	71.1	ZamZami	
2400	71	Alein	

Saturday

Date	Time	Temp.	Name (Print)
0300	72.1	S.KOTAR	
0600	72	HOOVEN	
0900	72.3	HOOVEN	
1200	72.4	HOOVEN	
1500	72.7	ZamZami	
1800	72.9	ZamZami	
2100	72.7	ZamZami	
2400	72.7	BRADEN	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	72.5	BRADEEN	
0600	73	Royer	
0900	73	Royer	
1200	73	Royer	
1500	73.2	Moore	
1800	73.6	Moore	
2100	73.6	Moore	
2400	73.0	BRADEEN	

Wednesday

Date	Time	Temp.	Name (Print)
0300	73.8	Christina	
0600	73.6	A. MARTINEZ	
0900	73.5	A. MARTINEZ	
1200	73.8	A. MARTINEZ	
1500	73.8	Moore	
1800	73.8	Moore	
2100	73.8	Moore	
2400	73.6	C. HUSKEY	

Friday

Date	Time	Temp.	Name (Print)
0300	72.7	C. HUSKEY	
0600	72.7	S. KOTLAR	
0900	73.0	S. KOTLAR	
1200	73.0	S. KOTLAR	
1500	73	GROBOWSKI	
1800	73	GROBOWSKI	
2100	73	GROBOWSKI	
2400	73.0	S. KOTLAR	

Sunday

Date	Time	Temp.	Name (Print)
0300	73.4	BRADEEN	
0600	73.6	HOOVEN	
0900	73.6	HOOVEN	
1200	73.8	HOOVEN	
1500	73.6	Moore	
1800	73.8	Moore	
2100	73.8	Moore	
2400	73.2	BRADEEN	

Tuesday

Date	Time	Temp.	Name (Print)
0300	72	BRADEEN	
0600	72.7	A. MARTINEZ	
0900	73.2	A. MARTINEZ	
1200	73.0	A. MARTINEZ	
1500	73.2	J. MOORE	
1800	73.8	J. MOORE	
2100	74.3	J. MOORE	
2400	73.9	Christina	

Thursday

Date	Time	Temp.	Name (Print)
0300	73.4	C. HUSKEY	
0600	71	AVALOS	
0900	73	AVALOS	
1200	73	AVALOS	
1500	73.2	NARAYAN	
1800	73.6	NARAYAN	
2100	73.6	NARAYAN	
2400	73.0	C. HUSKEY	

Saturday

Date	Time	Temp.	Name (Print)
0300	73.0	S. KOTLAR	
0600	72.9	MURRAY	
0900	73	MURRAY	
1200	73.2	MURRAY	
1500	73.0	Moore	
1800	73.6	Moore	
2100	73.4	Moore	
2400	73.6	BRADEEN	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (07/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSF Housing Unit: D1 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1/24	0300	71	John
	0600	71	Wilcox
	0900	71.1	Wilcox
	1200	71.4	RL
	1500	71.8	RL
	1800	71.4	RL
	2100	71	John
	2400	71	John

Wednesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	71	John
	0600	71	John
	0900	71	John
	1200	71	John
	1500	71	John
	1800	71	John
	2100	71	John
	2400	70.7	John

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
6/2/24	0300	71	John
	0600	70	John
	0900	70	John
	1200	70	John
	1500	71.8	John
	1800	70	John
	2100	71.9	John
	2400	71	John

Thursday

Date	Time	Temp.	Name (Print)
6/4/24	0300	71.9	John
	0600	71.1	John
	0900	71.4	John
	1200	71.9	John
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____ Housing Unit: D Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	74	C. La
	0600	74	
	0900	74.1	
	1200	74	
	1500	75	
	1800	74	
	2100	75	
	2400	75	

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	74	
	0600	74	Hautz
	0900	71	
	1200	71	
	1500	71.1	J. Gonzalez
	1800	71.6	J. Gonzalez
	2100	71.8	J. Gonzalez
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300		
	0600	71	Hautz
	0900	71	Hautz
	1200	71	Hautz
	1500	72	Hautz
	1800	72	Hautz
	2100	72	Hautz
	2400	72.9	WAYER

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	72.9	WAYER
	0600	72.9	Hautz
	0900	73.1	Hautz
	1200	74.1	Hautz
	1500	74.1	Hautz
	1800	74.1	Hautz
	2100	74.1	Hautz
	2400	73	Hautz

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	73	SLIVER
	0600	72.1	C. Roche
	0900	72.3	C. Roche
	1200	71.1	C. Roche
	1500	74.7	
	1800	74.7	
	2100	74.7	
	2400	74.5	SLIVER

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	74.3	SLIVER
	0600	72.5	MAGATA
	0900	74.7	MAGATA
	1200	74.5	MAGATA
	1500	74.5	
	1800	74.8	
	2100	74.8	
	2400	74.8	E. G. L.

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	74	C. La
	0600	74	
	0900	74	
	1200	74	
	1500	75.2	RL
	1800	75.2	RL
	2100	75.6	RL
	2400	75	C. La

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____ Housing Unit: D1 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	74	Cutter
	0600	73	Page
	0900	73	Page
	1200	73	Page
	1500	71	
	1800	71	
	2100	71	
	2400	74.8	

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	74	Cutter
	0600	71	
	0900	71	
	1200	71	
	1500	75	PAGE
	1800	75	PAGE
	2100	75	PAGE
	2400	74.8	Cutter

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	74	Cutter
	0600	75	C RODRIGUEZ
	0900	74	C RODRIGUEZ
	1200	74.9	C RODRIGUEZ
	1500	74.8	J. Gonzalez
	1800	75.4	J. Gonzalez
	2100	75.2	J. Gonzalez
	2400	75	Cutter

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	75	Cutter
	0600	73.9	ESTRADA
	0900	73.6	ESTRADA
	1200	74.6	Gonz
	1500	74.7	Gonz
	1800	74	Cutter
	2100	74	Cutter
	2400	74.7	Jon

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	74.2	Jon
	0600	70.9	Vegas
	0900	73	Nico
	1200	73.9	Nico
	1500	74.1	RL
	1800	74.1	RL
	2100	73.8	RL
	2400	73.9	Jon

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	73.8	Jon
	0600	73.2	Whit
	0900	71	Whit
	1200	73	RL
	1500	73.4	GACCIA
	1800	73.4	GACCIA
	2100	73.4	GACCIA
	2400	72.7	Melendrez

Notes

Date	Time	Temp.	Name (Print)
6-16-24	0300	72.0	Melendrez
	0600	72.5	Melendrez
	0900	73.0	Melendrez
	1200	72.3	Melendrez
	1500	72.7	GACCIA
	1800	72.5	GACCIA
	2100	72.5	GACCIA
	2400	71	

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D1 Temp. Reading Location: Roof
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/24/24	0300	68.4	White
	0600	69.4	Taylor
	0900	70.5	Taylor
	1200	71.3	Taylor
	1500	71.5	Gonzales
	1800	71.3	Gonzales
	2100	69.8	Gonzales
	2400	69.9	Guzman

Tuesday			
Date	Time	Temp.	Name (Print)
6/25/24	0300	68.6	Guzman
	0600	69.4	Houtz
	0900	70.6	Houtz
	1200	70.7	Houtz
	1500	71.2	Kitchen
	1800	70.5	Kitchen
	2100	69.8	Kitchen
	2400	69.4	Guzman

Wednesday			
Date	Time	Temp.	Name (Print)
6/26/24	0300	68.9	Guzman
	0600	69.4	Houtz
	0900	70.1	Houtz
	1200	70.4	Houtz
	1500	71.2	Houtz
	1800	70.8	Houtz
	2100	69.9	Houtz
	2400	69.5	Guzman

Thursday			
Date	Time	Temp.	Name (Print)
6/27/24	0300	69.4	Guzman
	0600	70.2	Houtz
	0900	70.8	Houtz
	1200	71.4	Houtz
	1500	71.5	Houtz
	1800	70.8	Houtz
	2100	70.4	Houtz
	2400	69.8	Jones

Friday			
Date	Time	Temp.	Name (Print)
6/28/24	0300	68.4	Jones
	0600	69.7	Rodriguez
	0900	70.1	Rodriguez
	1200	71.4	Rodriguez
	1500	71.4	Rodriguez
	1800	70.8	Villafanez
	2100	70.6	Villafanez
	2400	70.2	Jones

Saturday			
Date	Time	Temp.	Name (Print)
6/29/24	0300	69.7	Jones
	0600	69.4	Jones
	0900	70.2	Rodriguez
	1200	70.8	Rodriguez
	1500	71.2	Garcia
	1800	71.2	Garcia
	2100	70.9	Garcia
	2400	69.4	Garcia

Sunday			
Date	Time	Temp.	Name (Print)
6/30/24	0300	68.9	White
	0600	69.4	White
	0900	70.6	White
	1200	70.8	Pagoe
	1500	70.9	Garcia
	1800	71.0	Garcia
	2100	70.6	Garcia
	2400	69.7	White

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSR Housing Unit: D1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	74	C. Clark
	0600	71.5	R.
	0900	71.5	R.
	1200	71.5	R.
	1500	73	R.
	1800	73	R.
	2100	73	R.
	2400	71.6	C. Clark

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	71	C. Clark
	0600	71	H. Clark
	0900	71	H. Clark
	1200	71	H. Clark
	1500	71.4	Melendrez
	1800	71.6	Melendrez
	2100	72.0	Melendrez
	2400	71.8	C. Clark

6/18/24**Wednesday**

Date	Time	Temp.	Name (Print)
6/19/24	0300	71	C. Clark
	0600	71	H. Clark
	0900	71	H. Clark
	1200	71	H. Clark
	1500	71.6	H. Clark
	1800	71.6	H. Clark
	2100	71.8	H. Clark
	2400	71.8	C. Clark

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	71	C. Clark
	0600	71.4	G. Clark
	0900	71	H. Clark
	1200	71	H. Clark
	1500	70	P. Clark
	1800	71	P. Clark
	2100	70	P. Clark
	2400	72	J. Clark

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	J. Clark
	0600	72	~
	0900	72	~
	1200	72	~
	1500	72.4	R. Garcia
	1800	72.9	R. Garcia
	2100	73.2	R. Garcia
	2400	72.7	J. Clark

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	72	J. Clark
	0600	72	~
	0900	72	~
	1200	72	~
	1500	73.4	R. Garcia
	1800	72.3	R. Garcia
	2100	73.6	R. Garcia
	2400	73	C. White

Notes

Date	Time	Temp.	Name (Print)
6/23	0300	73	L. Taylor
	0600	73	L. Taylor
	0900	72	L. Taylor
	1200	73.2	L. Taylor
	1500	72.6	L. Taylor
	1800	72.8	L. Taylor
	2100	73.3	L. Taylor
	2400	73.3	L. Taylor

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HOSP Housing Unit: D - 2 Temp. Reading Location: B - SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	71	Martensen
	0600	71	Macies
	0900	71	Macies
	1200	71	Macies
	1500	71	Niceto
	1800	71	Niceto
	2100	71	Niceto
	2400	71	Martensen

Sunday

Date	Time	Temp.	Name (Print)
	0300	71	Martensen
	0600	71	Niceto
	0900	71	Niceto
	1200	71	Niceto
	1500	71	Niceto
	1800	71	Niceto
6	2100	71	Niceto
	2400	71.7	Gonz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____ Housing Unit: D - 2 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	71.4	GONZ
6/3/24	0600	71.7	C. Dominguez
6/3/24	0900	71.1	C. Dominguez
6/3/24	1200	71.3	C. Dominguez
6/3/24	1500	71.2	RL
6/3/24	1800	71.2	RL
6/3/24	2100	71.2	RL
6/3/24	2400	71	C. White

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	71	C. White
6/4/24	0600	71.8	Martinez-Gallardo
6/4/24	0900	71.2	Martinez-Gallardo
6/4/24	1200	71.1	Martinez-Gallardo
6/4/24	1500	71.2	RL
6/4/24	1800	71.6	RL
6/4/24	2100	71.8	RL
6/4/24	2400	71	Wannamaker

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	71	Wannamaker
6/5/24	0600	71.5	Zelosze
6/5/24	0900	71.8	Zelosze
6/5/24	1200	71.9	Zelosze
6/5/24	1500	72	Niefo
6/5/24	1800	72.4	Nicolo
6/5/24	2100	72.9	Nicolo
6/5/24	2400	72	Wannamaker

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	72	Wannamaker
6/6/24	0600	71	Velasquez
6/6/24	0900	71	Velasquez
6/6/24	1200	73	Velasquez
6/6/24	1500	73.8	Niefo
6/6/24	1800	73.9	Nicolo
6/6/24	2100	73.9	Nicolo
6/6/24	2400	74	Vary

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	74	Vary
6/7/24	0600	71	Nicolo
6/7/24	0900	71	Nicolo
6/7/24	1200	71	Nicolo
6/7/24	1500	74.7	Zamzami
6/7/24	1800	75.2	Zamzami
6/7/24	2100	74.8	Zamzami
6/7/24	2400	74.7	Martensen

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	74.7	Martensen
6/8/24	0600	74	RL
6/8/24	0900	74.6	RL
6/8/24	1200	74.7	RL
6/8/24	1500	75	Nicolo
6/8/24	1800	75.2	Nicolo
6/8/24	2100	75.2	Nicolo
6/8/24	2400	74	Martensen

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	74	Martensen
6/9/24	0600	74.4	RL
6/9/24	0900	75.0	RL
6/9/24	1200	75.0	RL
6/9/24	1500	75	Nicolo
6/9/24	1800	75.4	Nicolo
6/9/24	2100	75.4	Nicolo
6/9/24	2400	74.9	RL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____ Housing Unit: D - 2 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	74.3	George
	0600	74.7	C. Rodriguez
	0900	73.4	C. Rodriguez
	1200	73.6	C. Rodriguez
	1500	74.5	RL
	1800	74.7	RL
	2100	75	RL
	2400	75	George

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	75	Clark
	0600	74.7	Martinez-Garcia
	0900	76	Martinez-Garcia
	1200	79.5	Martinez-Garcia
	1500	74.7	GARCIA
	1800	75.4	GARCIA
	2100	75.2	RL
	2400	75	WANNAMAKER

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	75	WANNAMAKER
	0600	74	Shoe
	0900	74	Shoe
	1200	74	Shoe
	1500	74.8	NP-66
	1800	75.4	NP-66
	2100	75.4	NP-66
	2400	75	WANNAMAKER

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	75	WANNAMAKER
	0600	74.3	C. Rodriguez
	0900	74.1	C. Rodriguez
	1200	74.2	C. Rodriguez
	1500	74.8	NP-66
	1800	75	NP-66
	2100	74.8	NP-66
	2400	74	WANNAMAKER

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	WANNAMAKER
	0600	74.1	C. Rodriguez
	0900	74.2	C. Rodriguez
	1200	74.3	C. Rodriguez
	1500	74.3	NP-66
	1800	74.7	NP-66
	2100	74.1	NP-66
	2400	73.7	Martensen

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	73	Martensen
	0600	73	Wise
	0900	73	Wise
	1200	73	Wise
	1500	73	NP-66
	1800	73.2	NP-66
	2100	72.9	NP-66
	2400	71.5	Martensen

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	72.5	Martensen
	0600	72.1	Wise
	0900	72.1	Wise
	1200	72.3	Wise
	1500	72.	Wise
	1800	72.3	Wise
	2100	72.3	Wise
	2400	72.3	Wise

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/17/2024	0300	71.2	~
	0600	71.4	~
	0900	72.2	~
	1200	72.5	~
	1500	71.2	Rle
	1800	71.2	R
	2100	71.2	Rle
	2400	71.3	White

Date	Time	Temp.	Name (Print)
6/18/2024	0300	70.4	White
	0600	70.4	Wise
	0900	70.7	Wise
	1200	70.9	Wise
	1500	70.7	GARCIA
	1800	70.9	GARCIA
	2100	71.4	GARCIA
	2400	71	Warriner

Wednesday			
Date	Time	Temp.	Name (Print)
6/19/2024	0300	71	Warramabie
	0600	70	Harrison
	0900	70	Hargrove
	1200	70	Hargrove
	1500	71.1	Hilltop
	1800	71.1	Hilltop
	2100	71.1	Hilltop
	2400	70	Warramabie

Thursday			
Date	Time	Temp.	Name (Print)
6/20/2024	0300	70	Wannamaker
	0600	71	Palmer
	0900	71	Palmer
	1200	71	Palmer
	1500	71.2	Lieftjens
	1800	71.4	Lieftjens
	2100	71.6	Lieftjens
	2400	71	Wannamaker

Friday			
Date	Time	Temp.	Name (Print)
6/21/2024	0300	71	Wannamerville
	0600	71	PALMER
	0900	71	PALMER
	1200	71	PALMER
	1500	71.6	McGEE
	1800	71.8	NISBET
	2100	72	MCGEE
	2400	72	Martensen

Saturday			
Date	Time	Temp.	Name (Print)
6/22/2024	0300	72	Martensen
	0600	71	PALMER
	0900	71	PALMER
	1200	71	PALMER
	1500	72.3	NEFF
	1800	72.5	NICH
	2100	72.5	NICH
	2400	72	Martensen

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	72	Martinez
	0600	71.6	Melendez
	0900	71.8	Melendez
	1200	72.5	Melendez
	1500	73	Miller
	1800	73	Miller
	2100	72.9	Miller
	2400	72.9	Ton

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	72.6	Gard	
0600	72.5	~	
0900	72.5	~	
1200	72.5	~	
1500	72.6	RL	
1800	73	RL	
2100	72.9	RL	
2400	71	Cline	

Wednesday

Date	Time	Temp.	Name (Print)
0300	73	Amarindo	
0600	73	Palmer	
0900	73	Palmer	
1200	73	Palmer	
1500	72.2	Nicole	
1800	73.4	Nicole	
2100	73.8	Nicole	
2400	72	Warramance	

Friday

Date	Time	Temp.	Name (Print)
0300	72	Varney	
0600	72	Palmer	
0900	72	Palmer	
1200	72	Palmer	
1500	72	Nicole	
1800	72	Nicole	
2100	72	Nicole	
2400	72.1	Marderson	

Sunday

Date	Time	Temp.	Name (Print)
0300	72.4	Markison	
0600	72.3	White, D	
0900	72.4	White, D	
1200	72.5	White, D	
1500	72.7	Nicole	
1800	73.2	Nicole	
2100	73.4	Nicole	
2400	73.4	Nicole	

Tuesday

Date	Time	Temp.	Name (Print)
0300	71	Cline	
0600	72	Palmer	
0900	72	Palmer	
1200	72	Palmer	
1500	72.5	Garcia	
1800	73.2	Garcia	
2100	73	Garcia	
2400	73	Warramance	

Thursday

Date	Time	Temp.	Name (Print)
0300	72	Warramance	
0600	72	Palmer	
0900	73	Palmer	
1200	73	Palmer	
1500	72.7	Nicole	
1800	72.9	Nicole	
2100	72.7	Nicole	
2400	72	Varney	

Saturday

Date	Time	Temp.	Name (Print)
0300	72.1	Marderson	
0600	72	Palmer	
0900	72	Palmer	
1200	72	Palmer	
1500	72.3	Nicole	
1800	72.6	Nicole	
2100	72.9	Nicole	
2400	72.5	Marderson	

Notes



STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: DS Temp. Reading Location: 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday				
Date	Time	Temp.	Name (Print)	
6/1/2024	0300	70	S C	
	0600	70.1	C. Rodriguez	
	0900	70.3	C. Rodriguez	
	1200	70.5	C. Rodriguez	
	1500	70.9	Zam Zamani	
	1800	71.1	Zam Zamani	
	2100	70.9	Zam Zamani	
	2400	70.3	GRIFFITH	

Sunday				
Date	Time	Temp.	Name (Print)	
6/2/2024	0300	70.1	GRIFFITH	
	0600	70	C. Rodriguez	
	0900	70.2	R. Rodriguez	
	1200	70.5	Rodriguez	
	1500	70	PAIGE	
	1800	70	PAIGE	
	2100	70	PAIGE	
	2400	70.8	GRIFFITH	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	70.3	GRIFFITH	
0600	70.2	J. Morgan	
0900	70.2	J. Morgan	
1200	70.2	J. Morgan	
1500	70	PALIE	
1800	70	PALIE	
2100	70	PALIE	
2400	70.3	GRIFFITH	

6/3/2024

Tuesday

Date	Time	Temp.	Name (Print)
0300	70.2	GRIFFITH	
0600	70.2	J. Morgan	
0900	70.3	J. Morgan	
1200	70.4	J. Morgan	
1500	70.5	R. BAKER	
1800	70.6	G. GOMER	
2100	71.2	G. GOMER	
2400	71	F. [unclear]	

6/4/2024

Wednesday

Date	Time	Temp.	Name (Print)
0300	71	[unclear]	
0600	71.1	J. Morgan	
0900	71.2	J. Morgan	
1200	71.3	J. Morgan	
1500	71.6	C. Gonzales	
1800	72.3	C. Gonzales	
2100	73.0	C. Gonzales	
2400	72.7	C. Gonzales	

6/5/2024

Thursday

Date	Time	Temp.	Name (Print)
0300	72.3	[unclear]	
0600	71.8	C. Crowley	
0900	72.9	C. Crowley	
1200	73.2	C. Crowley	
1500	73.6	P. [unclear]	
1800	73.9	P. [unclear]	
2100	74.1	P. [unclear]	
2400	73.8	[unclear]	

6/6/2024

Friday

Date	Time	Temp.	Name (Print)
0300	73.7	[unclear]	
0600	72.7	C. Crowley	
0900	73.9	C. Crowley	
1200	73.9	C. Crowley	
1500	73	A. Celic	
1800	73	A. Celic	
2100	73	A. Celic	
2400	73	CAMP	

6/7/2024

Saturday

Date	Time	Temp.	Name (Print)
0300	73	C. [unclear]	
0600	73.2	C. Rodriguez	
0900	73.1	C. Rodriguez	
1200	73.2	C. Rodriguez	
1500	74.1	C. Gonzales	
1800	74.3	C. Gonzales	
2100	74	C. Gonzales	
2400	74.1	GRIFFITH	

6/8/2024

Sunday

Date	Time	Temp.	Name (Print)
0300	73.9	GRIFFITH	
0600	73.7	C. Rodriguez	
0900	73.1	C. Rodriguez	
1200	73.1	C. Rodriguez	
1500	74	P. [unclear]	
1800	74	P. [unclear]	
2100	74	P. [unclear]	
2400	74.3	GRIFFITH	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D 45 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	73.6	GRIFFITH
	0600	72.9	J. Morgan
	0900	72.9	J. Morgan
	1200	72.9	J. Morgan
	1500	74	PAGE
	1800	74	PAGE
	2100	74	PAGE
	2400	73.8	GRIFFITH

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	73.0	GRIFFITH
	0600	72.7	J. Morgan
	0900	72.7	J. Morgan
	1200	72.7	J. Morgan
	1500	73.0	C. Gonzales
	1800	74.1	C. Gonzales
	2100	74.5	C. Gonzales
	2400	73.9	GRIFFITH

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	73.4	GRIFFITH
	0600	72.7	J. Morgan
	0900	72.7	J. Morgan
	1200	72.7	J. Morgan
	1500	74.1	C. Gonzales
	1800	74.3	C. Gonzales
	2100	75.1	C. Gonzales
	2400	74.5	C. Gonzales

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	74.2	ZONI
	0600	72.7	CROWLEY
	0900	73.8	CROWLEY
	1200	74.1	CROWLEY
	1500	74.2	C. Gonzales
	1800	74.7	C. Gonzales
	2100	74.1	C. Gonzales
	2400	73.9	ZONI

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	73.6	ZONI
	0600	73.6	CROWLEY
	0900	73.8	CROWLEY
	1200	73.7	CROWLEY
	1500	73.9	C. Gonzales
	1800	73.8	C. Gonzales
	2100	73.6	C. Gonzales
	2400	73	CAMP

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	73	CAMP
	0600	72.5	C. Rodriguez
	0900	73.1	C. Rodriguez
	1200	73.2	C. Rodriguez
	1500	72.3	C. Gonzales
	1800	72	C. Gonzales
	2100	71.5	C. Gonzales
	2400	71.2	GRIFFITH

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	71.1	GRIFFITH
	0600	71.2	C. Dodge
	0900	71.3	C. Dodge
	1200	71.4	C. Dodge
	1500	71.1	C. Rodriguez
	1800	71.4	PRIETO
	2100	71.2	Prieto
	2400	70.9	GRIFFITH

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: DS Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	70.7	GRIFFITH
	0600	70.5	J. Morgan
	0900	70.5	J. Morgan
	1200	70.5	J. Morgan
	1500	70.0	YAN
	1800	70.0	YAN
	2100	70	YANG
	2400	70	LOF ZON

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	70	LOF ZON
	0600	70.0	J. Morgan
	0900	70.0	J. Morgan
	1200	70.0	J. Morgan
	1500	69.6	C. Gonzales
	1800	70.5	C. Gonzales
	2100	69.8	C. Gonzales
	2400	69.6	GRIFFITH

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	69.4	GRIFFITH
	0600	69	Car
	0900	69	Car
	1200	69	Car
	1500	69.6	C. Gonzales
	1800	69.8	C. Gonzales
	2100	70.0	C. Gonzales
	2400	70.0	ZON

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	69.8	ZON
	0600	70.0	CROWLEY
	0900	70.5	CROWLEY
	1200	70.5	CROWLEY
	1500	70.5	Goan
	1800	70.5	Goan
	2100	70.5	Goan
	2400	70.5	ZON

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	70.2	ZON
	0600	70.3	CROWLEY
	0900	71.2	CROWLEY
	1200	71.2	CROWLEY
	1500	71.2	L. LOPEZ
	1800	71.4	L. LOPEZ
	2100	71.4	L. LOPEZ
	2400	71	ZON

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	71	CROW
	0600	71.3	E. RODRIGUEZ
	0900	71.2	E. RODRIGUEZ
	1200	71.3	E. RODRIGUEZ
	1500	72.1	E. MONCLOVA
	1800	72.1	E. MONCLOVA
	2100	72.2	E. MONCLOVA
	2400	71.8	GRIFFITH

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	71.2	GRIFFITH
	0600	71	Rodriguez
	0900	70.9	RODRIGUEZ
	1200	70.6	RODRIGUEZ
	1500	71.7	PAGE
	1800	72.1	PAGE
	2100	72.8	PAGE
	2400	72.4	GRIFFITH

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	0300	71.6	GRIFFITH
	0600	71.4	J. Morgan
	0900	71.4	J. Morgan
	1200	71.4	J. Morgan
	1500	73	PAGE
	1800	73	PAGE
	2100	73	PAGE
	2400	72.1	GRIFFITH

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	0300	71.8	GRIFFITH
	0600	71.9	J. Morgan
	0900	71.4	J. Morgan
	1200	71.4	J. Morgan
	1500	73	PAGE
	1800	73	PAGE
	2100	73	PAGE
	2400	73	thw

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	0300	72	thw
	0600	72	TOMES
	0900	73	TOMES
	1200	73.6	TOMES
	1500	73.3	D. MUN
	1800	74.1	DM
	2100	73.4	DM
	2400	73.6	C. GONZ

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	0300	73.1	70.1
	0600	71.6	CROWLEY
	0900	71.6	CROWLEY
	1200	72.1	CROWLEY
	1500	72.2	BL
	1800	72.2	BL
	2100	72.2	BL
	2400	71.8	CROW

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	0300	71.5	C. TONI
	0600	71.4	CROWLEY
	0900	71.4	CROWLEY
	1200	71.4	CROWLEY
	1500	72.1	GARCIA
	1800	72.1	GARCIA
	2100	72.2	GARCIA
	2400	72.3	GARCIA

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	0300	72	OMAR
	0600	72	OMAR
	0900	71.7	C. ROGUE
	1200	71.6	C. ROGUE
	1500	72.2	A. MACIAS
	1800	73.2	A. MACIAS
	2100	73	A. MACIAS
	2400	72.5	GRIFFITH

Sunday

Date	Time	Temp.	Name (Print)
6/30/2024	0300	72.3	GRIFFITH
	0600	72.5	C. ROGUE
	0900	72.3	C. ROGUE
	1200	72.1	C. ROGUE
	1500	73	PAGE
	1800	73	PAGE
	2100	73	PAGE
	2400	72.7	Melendrez

Notes



STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D6 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
	0300	70	GARCIA
	0600	70	PRIETO
	0900	70.3	PRIETO
	1200	70	PRIETO
	1500	70.9	Hernandez
	1800	71.2	Hernandez
	2100	70.9	Hernandez
	2400	70.7	VELASCO

6/1/2024

Notes

Date	Time	Temp.	Name (Print)
6/2/2024	0300	71	VELASCO
	0600	71	SCHRIVER
	0900	71	SCHRIVER
	1200	71	SCHRIVER
	1500	71	Hernandez
	1800	71.1	Hernandez
	2100	70.9	Hernandez
	2400	70.9	VELASCO

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: Dle Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	70.9	VELASCO
	0600	70.8	Price
	0900	70.7	Price
	1200	70.9	Price
	1500	71.1	J. Morgan
	1800	71.2	J. Morgan
	2100	71.1	J. Morgan
	2400	70.6	VELASCO

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	0300	70.3	VELASCO
	0600	70	INCHERSON
	0900	70	INCHERSON
	1200	70	INCHERSON
	1500	70	J. Morgan
	1800	70	J. Morgan
	2100	70	J. Morgan
	2400	70	J. Morgan

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	71.5	J. XONK
	0600	71.4	E. Mandova
	0900	71.2	E. Mandova
	1200	71.4	E. Mandova
	1500	72.0	CROWLEY
	1800	72.5	CROWLEY
	2100	72.5	CROWLEY
	2400	72	DEETON

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	72	DEETON
	0600	71.1	PRICE
	0900	72.1	PRICE
	1200	.	PRICE
	1500	72.7	CROWLEY
	1800	73.4	CROWLEY
	2100	73.4	CROWLEY
	2400	73	DEETON

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	73	DEETON
	0600	72.9	PRICE
	0900	72.9	PRICE
	1200	72.7	PRICE
	1500	73.2	CROWLEY
	1800	73.6	CROWLEY
	2100	73.4	CROWLEY
	2400	73.0	VELASCO

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	72.9	VELASCO
	0600	73.0	PRICE
	0900	73.4	PRICE
	1200	73.4	PRICE
	1500	73.6	Hernandez
	1800	73.6	Hernandez
	2100	73.6	Hernandez
	2400	73.2	VELASCO

Sunday

Date	Time	Temp.	Name (Print)
6/9/2024	0300	73.2	VELASCO
	0600	72.9	PRICE
	0900	72.9	PRICE
	1200	72.2	PRICE
	1500	73.6	Hernandez
	1800	73.6	Hernandez
	2100	73.6	Hernandez
	2400	73.4	VELASCO

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D#6 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	72.9	VELASCO	
0600	72.7	PRICE	
0900	72.7	PRICE	
1200	72.6	PRICE	
1500	73.0	J. Morgan	
1800	73.3	J. Morgan	
2100	73.0	J. Morgan	
2400	73	LOPEZ	

6/10/2024Tuesday

Date	Time	Temp.	Name (Print)
0300	73	LOPEZ	
0600	72	MURKIN	
0900	72	MURKIN	
1200	72	MURKIN	
1500	73.2	J. Morgan	
1800	73.2	J. Morgan	
2100	73.2	J. Morgan	
2400	73.6	J. Morgan	

6/11/2024Wednesday

Date	Time	Temp.	Name (Print)
0300	74	XOCH	
0600	73	E. Monclova	
0900	73.2	E. Monclova	
1200	73.4	E. Monclova	
1500	73.8	L. Lopez	
1800	73.9	V. Lagomars	
2100	73.9	V. Lagomars	
2400	73	DEEZHN	

6/12/2024Thursday

Date	Time	Temp.	Name (Print)
0300	73	DEEZHN	
0600	73.1	YATES	
0900	73.2	YATES	
1200	73.4	YATES	
1500	73.9	CROWLEY	
1800	74.1	CROWLEY	
2100	73.9	CROWLEY	
2400	73	DEEZHN	

6/13/2024Friday

Date	Time	Temp.	Name (Print)
0300	73	DEEZHN	
0600	73	FINAN	
0900	73	FINAN	
1200	73	FINAN	
1500	73.6	CROWLEY	
1800	73.4	CROWLEY	
2100	73.7	CROWLEY	
2400	72.9	VELASCO	

6/14/2024Saturday

Date	Time	Temp.	Name (Print)
0300	72.7	VELASCO	
0600	72.7	PRICE	
0900	72.7	PRICE	
1200	72.9	PRICE	
1500	72.5	Hernandez	
1800	72.5	Hernandez	
2100	72.3	Hernandez	
2400	72.0	VELASCO	

6/15/2024Notes

Date	Time	Temp.	Name (Print)
0300	72.0	VELASCO	
0600	72.0	PRICE	
0900		PRICE	
1200		PRICE	
1500	71.6	VANZALEZ	
1800	71.6	YANEZ	
2100	71.6	YANEZ	
2400	71.7	VELASCO	

6/16/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D6 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	70.9	VELASCO	
0600	71.1	PRICE	
0900	71.1	Price	
1200	71.1	Price	
1500	71.2	J. Morgan	
1800	71.2	J. Morgan	
2100	71.2	J. Morgan	
2400	71	LOPEZ, M	

6/17/2024

Tuesday

Date	Time	Temp.	Name (Print)
0300	71	LOPEZ, M	
0600	70	WILHELMSON	
0900	70	WILHELMSON	
1200	70	WILHELMSON	
1500	71.2	J. Morgan	
1800	71.2	J. Morgan	
2100	71.2	J. Morgan	
2400	70	J. XIONG	

6/18/2024

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	XIONG	
0600	70.5	E. Monclova	
0900	70.4	E. Monclova	
1200	70.7	E. Monclova	
1500	70.5	CROWLEY	
1800	71.2	CROWLEY	
2100	71.2	CROWLEY	
2400	70	DEETON	

6/19/2024

Thursday

Date	Time	Temp.	Name (Print)
0300	70	DEETON	
0600	70	Price	
0900	71.6	CROWLEY	
1200	71.2	CROWLEY	
1500	71.2	CROWLEY	
1800	71.1	CROWLEY	
2100	71.1	CROWLEY	
2400	71	DEETON	

6/20/2024

Saturday

Date	Time	Temp.	Name (Print)
0300	71.1	VELASCO	
0600	71.1	PRICE	
0900	72.0	Price	
1200	72.1	Price	
1500	72.2	Hepworth	
1800	72.2	Hepworth	
2100	72.3	Hepworth	
2400	72.0	VELASCO	

Notes

Sunday

Date	Time	Temp.	Name (Print)
0300	71.8	VELASCO	
0600	71.8	PRICE	
0900	71.8	PRICE	
1200	71.8	PRICE	
1500	73.1	Hepworth	
1800	73.0	AINSWORTH	
2100	72.7	Hepworth	
2400	72.3	VELASCO	

6/23/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D6 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	72.1	VELASCO	
0600	70.3	Hern	
0900	70.3	Price	
1200	73.1	Price	
1500	72.7	J. Morgan	
1800	72.7	J. Morgan	
2100	72.7	J. Morgan	
2400	72	LOPEZ, J	

Wednesday

Date	Time	Temp.	Name (Print)
0300	73.1	JXJORN	
0600	73.2	E. Monclova	
0900	73.3	E. Monclova	
1200	73.4	E. Monclova	
1500	73.4	CROWLEY	
1800	74.1	CROWLEY	
2100	73.4	CROWLEY	
2400	73	DIZZIEN	

Friday

Date	Time	Temp.	Name (Print)
0300	72	DIZZIEN	
0600	72	Price	
0900	72.3	Price	
1200	72.3	Price	
1500	72.3	CROWLEY	
1800	72.3	CROWLEY	
2100	72.7	CROWLEY	
2400	72.3	VELASCO	

Sunday

Date	Time	Temp.	Name (Print)
0300	72.5	VELASCO	
0600	72.1	Price	
0900	72.9	Price	
1200	72.9	Price	
1500	72.2	Hern	
1800	72.2	Hern	
2100	73	Hern	
2400	72.7	VELASCO	

Tuesday

Date	Time	Temp.	Name (Print)
0300	72	LOPEZ, JN	
0600	72	CARINA	
0900	71.5	CARINA	
1200	71.5	CARINA	
1500	73.4	J. Morgan	
1800	73.4	J. Morgan	
2100	73.4	J. Morgan	
2400	73	J. YORK	

Thursday

Date	Time	Temp.	Name (Print)
0300	73	DEZIEN	
0600	73	Price	
0900	73	Price	
1200	73	Price	
1500	72.7	CROWLEY	
1800	72.9	CROWLEY	
2100	72.9	CROWLEY	
2400	72	DEZIEN	

Saturday

Date	Time	Temp.	Name (Print)
0300	72.6	VELASCO	
0600	72.6	Price	
0900	72.5	Price	
1200	72.5	Price	
1500	73.0	Hern	
1800	73.0	Hern	
2100	73.0	Hern	
2400	72.7	VELASCO	

Notes



STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	70	Xiom
	0600	54.1	Taylor
	0900	70.9	Taylor
	1200	70.7	Taylor
	1500	71	HODGE
	1800	71	HODGE
	2100	70	HODGE
	2400	70	Xiom

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	70	Xiom
	0600	70	E. Monclova
	0900	70.1	E. Monclova
	1200	70.2	E. Monclova
	1500	71	T. HODGE
	1800	71	HODGE
	2100	71	HODGE
	2400	70	SM

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>6/3/2024</u>	0300	71	Gare	<u>6/4/2024</u>	0300	70	Gare
	0600	71	Smith		0600	70	Thompson
	0900	71	Smith		0900	70	Thompson
	1200	71	Smith		1200	70	Thompson
	1500	71	HODGE		1500	71	HODGE
	1800	71	HODGE		1800	71	HODGE
	2100	71	HODGE		2100	71	Gare
	2400	70	Gare		2400	71	Gare

Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>6/5/2024</u>	0300	71	Gare	<u>6/6/2024</u>	0300	71	Gare
	0600	71	Thompson		0600	71	Thompson
	0900	71	Thompson		0900	71	Thompson
	1200	71	Thompson		1200	71	Thompson
	1500	71	HODGE		1500	71	Smith
	1800	71	HODGE		1800	71	Smith
	2100	71	HODGE		2100	71	Smith
	2400	71	Gare		2400	72	Gare

Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>6/7/2024</u>	0300	72	Gare	<u>6/8/2024</u>	0300	72	Koches
	0600	72	Thompson		0600	72.3	E. Monclava
	0900	72	Thompson		0900	72.4	E. Monclava
	1200	72	Thompson		1200	72.9	E. Monclava
	1500	73	Hodges		1500	72	T. HODGE
	1800	73	Hodges		1800	73	HODGE
	2100	72.7	Hernandez		2100	73	HODGE
	2400	72	Koches		2400	73	Xiong

Sunday				Notes			
Date	Time	Temp.	Name (Print)				
<u>6/9/2024</u>	0300	73	Xiong				
	0600	72.3	E. Monclava				
	0900	72.6	E. Monclava				
	1200	72	E. Monclava				
	1500	73	HODGE				
	1800	73	HODGE				
	2100	73	HODGE				
	2400	73	Gare				

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: DT Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	73	GATE
	0600	70	HODGE
	0900	71	Thompson
	1200	72	Thompson
	1500	72	HODGE
	1800	72	HODGE
	2100	74	HODGE
	2400	72	GATE

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	72	GATE
	0600	72	HODGE
	0900	72	Thompson
	1200	72	Thompson
	1500	72	HODGE
	1800	73	HODGE
	2100	73	HODGE
	2400	72	GATE

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	72	GATE
	0600	72	Thompson
	0900	72	Thompson
	1200	72	Thompson
	1500	72.5	Melendrez
	1800	73.0	Melendrez
	2100	73.5	Melendrez
	2400	72	GATE

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	72	GATE
	0600	72	Thompson
	0900	72	Thompson
	1200	72	Thompson
	1500	73	Santos
	1800	73	Santos
	2100	72	Santos
	2400	72	Santos

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	72	GATE
	0600	72	Thompson
	0900	72	Thompson
	1200	72	Thompson
	1500	72.4	Hernandez
	1800	72.4	Hernandez
	2100	72.5	Hernandez
	2400	72.5	XON

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	73	XON
	0600	70	E. Monclova
	0900	71.8	E. Monclova
	1200	71.8	E. Monclova
	1500	71.8	GATE
	1800	70.0	GATE
	2100	71.60	GATE
	2400	71.4	XON

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	71.4	XON
	0600	71.5	E. Monclova
	0900	71.4	E. Monclova
	1200	71.4	E. Monclova
	1500	71.4	E. Monclova
	1800	71	GATE
	2100	71	GATE
	2400	71	GATE

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	72	Gare
	0600	70	cur
	0900	70	cur
	1200	70	cur
	1500	70	carinie
	1800	70	carinie
	2100	71	carinie
	2400	70	Gare

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	70	Gare
	0600	70	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	70	HODGE
	1800	70	HODGE
	2100	71	HODGE
	2400	70	Gare

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	70	Gare
	0600	70	Thompson
	0900	70	Thompson
	1200	71	Thompson
	1500	71	HODGE
	1800	70	HODGE
	2100	70	HODGE
	2400	70	Gare

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	70	Gare
	0600	70	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	71.3	HODGE
	1800	71.3	HODGE
	2100	71.1	HODGE
	2400	70	Gare

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	70	Gare
	0600	71	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	71.1	HODGE
	1800	71	wilcox
	2100	71	wilcox
	2400	71	

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	71	
	0600	71	E. Moncler
	0900	71.3	E. Moncler
	1200	71.4	E. Moncler
	1500	71	HODGE
	1800	71	HODGE
	2100	71	HODGE
	2400	71	

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	71	
	0600	71	DING
	0900	71	DING
	1200	71	DING
	1500	72	HODGE
	1800	72	HODGE
	2100	72	HODGE
	2400	72	HODGE

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: DT Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	72		
0600	72	Thompson	
0900	72	Thompson	
1200	72	Thompson	
1500	72	HODGE	
1800	72	HODGE	
2100	73	HODGE	
2400	72	Thompson	

Wednesday

Date	Time	Temp.	Name (Print)
0300	72	Thompson	
0600	72	Thompson	
0900	72	Thompson	
1200	72	Thompson	
1500	73	HODGE	
1800	73	HODGE	
2100	73	HODGE	
2400	72	GATE	

Friday

Date	Time	Temp.	Name (Print)
0300	72	GATE	
0600	72	Thompson	
0900	71	Thompson	
1200	71	Thompson	
1500	71.5	TERMINUS	
1800	72.0	TERMINUS	
2100	71.5	TERMINUS	
2400	71		

Sunday

Date	Time	Temp.	Name (Print)
0300	72		
0600	72	E. GATE	
0900	72.3	E. GATE	
1200	72.6	E. GATE	
1500	72	HODGE	
1800	74	HODGE	
2100	73	HODGE	
2400	71	GATE	

Tuesday

Date	Time	Temp.	Name (Print)
0300	72	Thompson	
0600	71	Thompson	
0900	71	Thompson	
1200	71	Thompson	
1500	72	HODGE	
1800	72	HODGE	
2100	73	HODGE	
2400	72	Thompson	

Thursday

Date	Time	Temp.	Name (Print)
0300	72	GATE	
0600	72	Thompson	
0900	72	Thompson	
1200	71	Thompson	
1500	71	SCHW	
1800	71	SCHW	
2100	72	SCHW	
2400	72	GATE	

Saturday

Date	Time	Temp.	Name (Print)
0300	71		
0600	71.8	HODGE	
0900	71.8	HODGE	
1200	71	HODGE	
1500	72	HODGE	
1800	72	HODGE	
2100	72	HODGE	
2400	72		

Notes



STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INS DE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DSP Housing Unit: D8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	72	Slater
	0600	70	Spill
	0900	70	Spill
	1200	70	Spill
	1500	74	DIAZ
	1800	73	DIAZ
	2100	73	DIAZ
	2400	73	Mono

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	70	Mono
	0600	70	Spill
	0900	70	Spill
	1200	70	Spill
	1500	72	Spill
	1800	72	Spill
	2100	72	Spill
	2400	70	XOPA

Notes

XOPA

STATE OF CALIFORNIA
 INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D 8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	70	J XUNH
	0600	70	wheeler
	0900	70	wheeler
	1200	70	Wheeler
	1500	72	Hanandy
	1800	72.1	Hamandy
	2100	72.1	Hamandy
	2400	72	J XUNH

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	0300	71	J XUNH
	0600	70	Sanya
	0900	70	Sanya
	1200	70	Sanya
	1500	72.5	Todd
	1800	72.5	Todd
	2100	72.5	Todd
	2400	73	M. RIVERA

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	73	M. RIVERA
	0600	72	Sanya
	0900	72	Sanya
	1200	72	Sanya
	1500	73	DIAZ
	1800	73	DIAZ
	2100	74	DIAZ
	2400	74	M. RIVERA

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	73	M. RIVERA
	0600	73.2	GOMEZ
	0900	72.5	GOMEZ
	1200	72.5	GOMEZ
	1500	73	DIAZ
	1800	77	DIAZ
	2100	74	DIAZ
	2400	73.9	SAYER

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	73.4	SAYER
	0600	73.4	E. Monclova
	0900	73	E. Monclova
	1200	76.6	E. Monclova
	1500	76.6	DIAZ
	1800	76.6	DIAZ
	2100	76.6	DIAZ
	2400	76	M. RIVERA

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	75	M. RIVERA
	0600	73.4	SAYER
	0900	79	SAYER
	1200	79	M.
	1500	79	DIAZ
	1800	79	DIAZ
	2100	78	DIAZ
	2400	76	M. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
6/9/2024	0300	75	M. RIVERA
	0600	74	mcgee
	0900	72	mcgee
	1200	73	mcgee
	1500	76	DIAZ
	1800	75	DIAZ
	2100	77	DIAZ
	2400	74.5	XUNH

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: DB Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	74.3	Xynd
	0600	70	M. Garcia
	0900	70	
	1200	70	
	1500	72.1	Hernandez
	1800	74	Hernandez
	2100	80	Hernandez
	2400	75	J. Xiomar

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	72	J. Xiomar
	0600	70	S. Garcia
	0900	70	S. Garcia
	1200	72	S. Garcia
	1500	71	S. Garcia
	1800	74	S. Garcia
	2100	71	S. Garcia
	2400	75	M. Rivera

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	74	M. RIVERA
	0600	73	S. Garcia
	0900	73	S. Garcia
	1200	73	S. Garcia
	1500	75	DIAZ
	1800	81	S. Garcia
	2100	78	S. Garcia
	2400	75	M. RIVERA

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	75	M. RIVERA
	0600	74.2	E. Monclava
	0900	74.6	E. Monclava
	1200	75.2	E. Monclava
	1500	76	F. Diaz
	1800	78	F. Diaz
	2100	77	F. Diaz
	2400	77	Shanna

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	77	Shanna
	0600	73.8	E. Monclava
	0900	73.7	E. Monclava
	1200	73.9	E. Monclava
	1500	75	DIAZ
	1800	75	DIAZ
	2100	75	DIAZ
	2400	74	Shanna

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	74	Shanna
	0600	72	M. Garcia
	0900	73	M. Garcia
	1200	74	M. Garcia
	1500	75	DIAZ
	1800	74	DIAZ
	2100	72	DIAZ
	2400	71	Shanna

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	71	Shanna
	0600	71	Shanna
	0900	71	Shanna
	1200	72	Shanna
	1500	72	DIAZ
	1800	72	DIAZ
	2100	72	DIAZ
	2400	71.8	YNG

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D 8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	71	<u>Y</u>	
0600	71	<u>M</u>	
0900	70	<u>P</u>	
1200	70	<u>M</u>	
1500	71.4	<u>H</u>	
1800	71.4	<u>J</u>	
2100	71.2	<u>I</u>	
2400	70	<u>M</u>	

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	<u>M. RIVERA</u>	
0600	70	<u>S</u>	
0900	70	<u>S</u>	
1200	70	<u>S</u>	
1500	71	<u>E. M</u>	
1800	72	<u>E. M</u>	
2100	72	<u>E. M</u>	
2400	71	<u>M. RIVERA</u>	

Friday

Date	Time	Temp.	Name (Print)
0300	70	<u>Shannon</u>	
0600	64.8	<u>E. Monelov</u>	
0900	70	<u>E. Monelov</u>	
1200	71.3	<u>E. Monelov</u>	
1500	75.8	<u>E. Monelov</u>	
1800	72	<u>E. Monelov</u>	
2100	72	<u>E. Monelov</u>	
2400	72	<u>Shannon</u>	

Sunday

Date	Time	Temp.	Name (Print)
0300	71	<u>Shanna</u>	
0600	70	<u>D</u>	
0900	70	<u>M</u>	
1200	70	<u>D</u>	
1500	73	<u>DIAZ</u>	
1800	73	<u>DIAZ</u>	
2100	72	<u>DIAZ</u>	
2400	72.7	<u>C. Huskey</u>	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	<u>T</u>	
0600	70	<u>S</u>	
0900	70	<u>S</u>	
1200	70	<u>S</u>	
1500	71	<u>W</u>	
1800	71	<u>W</u>	
2100	71	<u>W</u>	
2400	70	<u>M. RIVERA</u>	

Thursday

Date	Time	Temp.	Name (Print)
0300	70	<u>M. RIVERA</u>	
0600	70	<u>E. Monelova</u>	
0900	70	<u>E. Monelova</u>	
1200	70	<u>E. Monelova</u>	
1500	72	<u>DIAZ</u>	
1800	72	<u>DIAZ</u>	
2100	71	<u>DIAZ</u>	
2400	71	<u>Shannon</u>	

Saturday

Date	Time	Temp.	Name (Print)
0300	70	<u>Shannon</u>	
0600	71	<u>M</u>	
0900	71.3	<u>M</u>	
1200	71.6	<u>M</u>	
1500	71	<u>DIAZ</u>	
1800	71	<u>DIAZ</u>	
2100	72	<u>DIAZ</u>	
2400	72	<u>Shannon</u>	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: DS Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	0300	71.4	C. Huskey
	0600	71	Hil
	0900	71	Hil
	1200	71	Hil
	1500	74.7	Macias
	1800	78.3	Macias
	2100	75.7	Macias
	2400	72	

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	0300	72	
	0600	72	Salt
	0900	72	Salt
	1200	71	Salt
	1500	72.7	Melendrez
	1800	72.9	Melendrez
	2100	74.5	Melendrez
	2400	73	Shannon

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	0300	73	Shannon
	0600	71	Salt
	0900	71	Salt
	1200	72	Salt
	1500	74	DIAZ
	1800	74	DIAZ
	2100	75	DIAZ
	2400	74	Shannon

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	0300	73	Shannon
	0600	72.7	E. Monclava
	0900	72.7	E. Monclava
	1200	72.8	E. Monclava
	1500	72	DIAZ
	1800	72	DIAZ
	2100	73	DIAZ
	2400	72	Shannon

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	0300	72	Shannon
	0600	72	E. Monclava
	0900	71.8	E. Monclava
	1200	71.8	E. Monclava
	1500	71	Avalos
	1800	71	Avalos
	2100	71	Avalos
	2400	73	Shannon

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	0300	73	Shannon
	0600	71	Nice
	0900	72.1	Nice
	1200	72.4	Nice
	1500	72	DIAZ
	1800	72	DIAZ
	2100	71	DIAZ
	2400	72	Shannon

Sunday

Date	Time	Temp.	Name (Print)
6/30/2024	0300	72	Shannon
	0600	71	Nice
	0900	71.4	Nice
	1200	72.1	Nice
	1500	73	DIAZ
	1800	73	DIAZ
	2100	73	DIAZ
	2400	72.9	XIOWH

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: msf 1 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Temperature Log - Inside Housing Unit			
Date	Time	Temp.	Name (Print)
6/2/2024	0300	74	B. Crawford
	0600	74	A. Lopez
	0900	75	A. Lopez
	1200	76	A. Lopez
	1500	77	b. Martinez
	1800	77	b. Martinez
	2100	77	b. Martinez
	2400	77	B. Crawford

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	74	B. Crawford
	0600	74	A. Lopez
	0900	75	A. Lopez
	1200	76	A. Lopez
	1500	77	b. Martinez
	1800	77	b. Martinez
	2100	77	b. Martinez
	2400	77	B. Crawford

Temperature Log - Inside Housing Unit			
Date	Time	Temp.	Name (Print)
6/1/2024	0300	78	C. Green
	0600	77	C. Green
	0900	77	C. Green
	1200	77	C. Green
	1500	75	Martinez
	1800	75	Martinez
	2100	75	Martinez
	2400	77	R. Crawford

Saturday

Date	Time	Temp.	Name (Print)
0300	78	C. Green	
0600	77	C. Green	
0900	77	C. Green	
1200	77	C. Green	
1500	75	Martinez	
1800	75	Martinez	
2100	75	Martinez	
2400	77	R. Crawford	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 1 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/3/2024	0300	74	B. Crawford
	0600	74	
	0900	74	
	1200	75	
	1500	75	D. MARTINER
	1800	74	D. MARTINER
	2100	74	D. MARTINER
	2400	74	B. Crawford

Tuesday			
Date	Time	Temp.	Name (Print)
6/4/2024	0300	74	J. Gandy
	0600	74	J. Atkins
	0900	75	J. Atkins
	1200	76	J. Atkins
	1500	78	D. Martinez
	1800	76	D. Martinez
	2100	76	D. Martinez
	2400	75	n Army

Wednesday			
Date	Time	Temp.	Name (Print)
6/5/2024	0300	74	AUTREY
	0600	70	ALKI
	0900	72	ATKINS
	1200	74	ATHENS
	1500	85	D. MARTINEZ
	1800	85	D. MARTINEZ
	2100	83	D. MARTINEZ
	2400	82	AUTREY

Thursday			
Date	Time	Temp.	Name (Print)
6/6/2024	0300	72	
	0600	73	Nicole S
	0900	77	Nicole S
	1200	77	Nicole S
	1500	75.6	D. Gabor
	1800	76	D. Gabor
	2100	74	D. Gabor
	2400	74	

Date	Time	Temp.	Name (Print)
6/7/2024	0300	50	Audrey
	0600	78	ATKINS
	0900	79	ATKINS
	1200	79	ATKINS
	1500	78	Kummer
	1800	72	Kummer
	2100	74	Kummer
	2400	73	Crawford

Saturday			
Date	Time	Temp.	Name (Print)
6/8/2024	0300	73	Crawford
	0600	73	Atkins
	0900	74	Atkins
	1200	73	Atkins
	1500	72	Martin
	1800	73	Martin
	2100	73	Martin
	2400	73	B. Crawford

Sunday			
Date	Time	Temp.	Name (Print)
6/9/2024	0300	73	R. Conrad.
	0600	67	ATKINS
	0900	71	Loyd
	1200	74	R. Conrad
	1500	75	R. Conrad
	1800	73	R. Conrad
	2100	71.2	R. Conrad
	2400	69.3	R. Conrad

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 1 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	70	Craigland
	0600	71	ATKINS
	0900	72	ATKINS
	1200	73	ATKINS
	1500	73	D. MARTINEZ
	1800	74	D. MARTINEZ
	2100	74	D. MARTINEZ
	2400	75	B. Crawford

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	71	A. Crawford
	0600	71	ATKINS
	0900	72	ATKINS
	1200	74	ATKINS
	1500	74	D. MARTINEZ
	1800	74	D. MARTINEZ
	2100	74	D. MARTINEZ
	2400	74	Autrey

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	73	Autrey
	0600	73	Hernandez
	0900	73	Hernandez
	1200	73	Hernandez
	1500	74	D. MARTINEZ
	1800	74	D. MARTINEZ
	2100		D. MARTINEZ
	2400	73	Autrey

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	72	Autrey
	0600	72	Stambach
	0900	72	Stambach
	1200	73	Stambach
	1500	74	D. MARTINEZ
	1800	74	D. MARTINEZ
	2100	74	D. MARTINEZ
	2400	73	Autrey

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	72	Autrey
	0600	72	EASLEY
	0900	70	EASLEY
	1200	71	EASLEY
	1500	71	Kummert
	1800	72	Kummert
	2100	71	Kummert
	2400	70	Autrey

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	70	Autrey
	0600	74	C. RODRIGUEZ
	0900	74	C. RODRIGUEZ
	1200	75	C. RODRIGUEZ
	1500	75	Joe
	1800	75	Joe
	2100	74	Joe
	2400	72	B. Crawford

Notes

Date	Time	Temp.	Name (Print)
6/16/2024	0300	75	R. Crawford
	0600	61	J. ATKINS
	0900	64	J. ATKINS
	1200	70	J. ATKINS
	1500	72	D. MARTINEZ
	1800	72	D. MARTINEZ
	2100	72	D. MARTINEZ
	2400	70	R. Crawford

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: msf 1 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	71	B. Crawford	
0600	63	ATKINS	
0900	65	ATKINS	
1200	66	ATKINS	
1500	68	D. MARTINEZ	
1800	68	D. MARTINEZ	
2100	68	D. MARTINEZ	
2400	70	B. Crawford	

6/17/2024

Tuesday

Date	Time	Temp.	Name (Print)
0300	69	B. Crawford	
0600	61	ATKINS	
0900	64	ATKINS	
1200	70	ATKINS	
1500	70	D. MARTINEZ	
1800	71	D. MARTINEZ	
2100	71	D. MARTINEZ	
2400	70	B. Crawford	

6/18/2024

Wednesday

Date	Time	Temp.	Name (Print)
0300	69	B. Crawford	
0600	70	ATKINS	
0900	72	ATKINS	
1200	73	ATKINS	
1500	70	D. MARTINEZ	
1800	71	D. MARTINEZ	
2100	69	D. MARTINEZ	
2400	69	B. Crawford	

6/19/2024

Thursday

Date	Time	Temp.	Name (Print)
0300	68	B. Crawford	
0600	64	NORCROSS	
0900	64	NORCROSS	
1200	64	D. MARTINEZ	
1500	74	D. MARTINEZ	
1800	71	D. MARTINEZ	
2100	71	D. MARTINEZ	
2400	69	ENGLAND	

6/20/2024

Friday

Date	Time	Temp.	Name (Print)
0300	66	ENGLAND	
0600	65	ENGLAND	
0900	65	NORCROSS	
1200	70	NORCROSS	
1500	70	KUMMER	
1800	71	KUMMER	
2100	70	KUMMER	
2400			

6/21/2024

Saturday

Date	Time	Temp.	Name (Print)
0300	69	ENGLAND	
0600	68	ATKINS	
0900	69	ATKINS	
1200	71	ATKINS	
1500	73	Vaille	
1800	73	Vaille	
2100	73	Vaille	
2400	71	B. Crawford	

6/22/2024

Sunday

Date	Time	Temp.	Name (Print)
0300	70	B. Crawford	
0600	65	ATKINS	
0900	67	ATKINS	
1200	69	ATKINS	
1500	74	D. MARTINEZ	
1800	74	D. MARTINEZ	
2100	74	D. MARTINEZ	
2400	70.7	B. Crawford	

6/23/2024

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 1 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	69	P. Crawford	
0600	67	Atkins	
0900	64	Atkins	
1200	71	SHARON ATKINS	
1500	73	D. MARTINEZ	
1800	73	D. MARTINEZ	
2100	73	D. MARTINEZ	
2400	71	P. Crawford	

Wednesday

Date	Time	Temp.	Name (Print)
0300	69	Martinez	
0600	67	Atkins	
0900	70	Atkins	
1200	72	Atkins	
1500	74	D. MARTINEZ	
1800	74	D. MARTINEZ	
2100	74	D. MARTINEZ	
2400	75		

Friday

Date	Time	Temp.	Name (Print)
0300	69	PATTERSON	
0600	69	Rodriguez	
0900	70	Rodriguez	
1200	72	Rodriguez	
1500	72	Kumler	
1800	72	Kumler	
2100	71	Kumler	
2400	71	PATTERSON	

Sunday

Date	Time	Temp.	Name (Print)
0300	69	P. Crawford	
0600	70	Atkins	
0900	72	Atkins	
1200	72	Atkins	
1500	73	D. MARTINEZ	
1800	73	P. MARTINEZ	
2100	73	D. MARTINEZ	
2400	72	P. Crawford	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	P. Crawford	
0600	64	Atkins	
0900	68	Atkins	
1200	72	Atkins	
1500	74	D. MARTINEZ	
1800	74	D. MARTINEZ	
2100	74	D. MARTINEZ	
2400	71	D. MARTINEZ	

Thursday

Date	Time	Temp.	Name (Print)
0300	69	Patterson	
0600	69	Atkins	
0900	70	Atkins	
1200	71	Atkins	
1500	73	D. MARTINEZ	
1800	73	D. MARTINEZ	
2100	72	D. MARTINEZ	
2400	71	PATTERSON	

Saturday

Date	Time	Temp.	Name (Print)
0300	69	Crawford	
0600	69	Masters	
0900	70	Masters	
1200	73	Masters	
1500	73	Lane	
1800	72	Hawke	
2100	71	Crawford	
2400	71	P. Crawford	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD


CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 2 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	71	Castro
	0600	71	Kummer
	0900	72	Kummer
	1200	72	Kummer
	1500	74	Shark
	1800	73	Shark
	2100	72	Shark
	2400	72	E. Rauer

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	71	Shark
	0600	71	Martin
	0900	71	Martyn
	1200	71	Martin
	1500	71	Ergenbeck
	1800	71	Ergenbeck
	2100	71	Ergenbeck
	2400	71	Wes

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 2 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	71	Wes
	0600	70	D. Collier
	0900	71	D. Collier
	1200	71	D. Collier
	1500	71	Stanley
	1800	71	Stanley
	2100	71	Stanley
	2400	71	Wes

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	0300	71	Wes
	0600	71	Kummel
	0900	71	Kummel
	1200	71	Kummel
	1500	71	Wes
	1800	71	Wes
	2100	71	Wes
	2400	72	EASLEY

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	71	EASLEY
	0600	71	Kummel
	0900	72	Kummel
	1200	72	Kummel
	1500	77	Flores
	1800	77	Flores
	2100	77	Flores
	2400	71	Wes

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	71	Wes
	0600	72	Kummel
	0900	73	Kummel
	1200	75	Kummel
	1500	77	Arvelo
	1800	74	Arvelo
	2100	73	Arvelo
	2400	71	Wes

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	71	Wes
	0600	72	Kummel
	0900	72	Kummel
	1200	74	Kummel
	1500	76	Arvelo
	1800	77	Arvelo
	2100	76	Arvelo
	2400	75	SALTZBAUER

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	73	SALTZBAUER
	0600	73	Kummel
	0900	75	Kummel
	1200	77	Kummel
	1500	79	Arvelo
	1800	79	Arvelo
	2100	77.4	Blahut
	2400	76.1	Blahut

Sunday

Date	Time	Temp.	Name (Print)
6/9/2024	0300	72	SALTZBAUER
	0600	74	Martin
	0900	75	Martin
	1200	76	Martin
	1500	78	Stark
	1800	76	Stark
	2100	75	Stark
	2400	76	Stark

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: msf 2 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/10/2024	0300	76	<u>Walsh</u>	6/11/2024	0300	76	<u>Walsh</u>
	0600	77	<u>Walsh</u>		0600	75	<u>Walsh</u>
	0900	75	<u>Walsh</u>		0900	75	<u>Walsh</u>
	1200	75	<u>Walsh</u>		1200	75	<u>Walsh</u>
	1500	81	<u>CStahel</u>		1500	75	<u>CStahel</u>
	1800	81	<u>CStahel</u>		1800	75	<u>CStahel</u>
	2100	78	<u>CStahel</u>		2100	75	<u>CStahel</u>
	2400	77	<u>Horn</u>		2400	76	<u>Horn</u>
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/12/2024	0300	74	<u>Kummel</u>	6/13/2024	0300	74	<u>Kummel</u>
	0600	73	<u>Kummel</u>		0600	74	<u>Kummel</u>
	0900	75	<u>Kummel</u>		0900	75	<u>Kummel</u>
	1200	75	<u>Kummel</u>		1200	75	<u>Kummel</u>
	1500	75	<u>Kummel</u>		1500	76	<u>Arnold</u>
	1800	75	<u>Kummel</u>		1800	77	<u>Arnold</u>
	2100	75	<u>Kummel</u>		2100	76	<u>Arnold</u>
	2400	75	<u>A.Martini</u>		2400	75	<u>Martini</u>
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/14/2024	0300	74	<u>Martin</u>	6/15/2024	0300	71	<u>StGebach</u>
	0600	74	<u>Martin</u>		0600	71	<u>Kummel</u>
	0900	74	<u>Kummel</u>		0900	70	<u>Kummel</u>
	1200	72	<u>Kummel</u>		1200	70	<u>Kummel</u>
	1500	74	<u>Arnold</u>		1500	70	<u>Kummel</u>
	1800	73	<u>Arnold</u>		1800	70	<u>Kummel</u>
	2100	73	<u>Arnold</u>		2100	70	<u>Kummel</u>
	2400	71	<u>StGebach</u>		2400	70	<u>Horn</u>
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
6/16/2024	0300	70	<u>StGebach</u>				
	0600	69	<u>Martin</u>				
	0900	70	<u>Martin</u>				
	1200	70	<u>Martin</u>				
	1500	70	<u>StGebach</u>				
	1800	70	<u>StGebach</u>				
	2100	70	<u>StGebach</u>				
	2400	69	<u>StGebach</u>				

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: msf 2 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	69	Hoover
	0600	70	Hoover
	0900	70	Hoover
	1200	70	Hoover
	1500	71	Keller
	1800	71	Keller
	2100	70	Keller
	2400	70	Keller

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	70	Hoover
	0600	70	Walsh
	0900	70	Walsh
	1200	72	Walsh
	1500	71	Flores S
	1800	70	Flores S
	2100	69	Flores S
	2400	69	Hoover

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	69	Hoover
	0600	70	Kummer
	0900	70	Kummer
	1200	72	Kummer
	1500	72	Flores
	1800	71	Flores
	2100	70	Flores
	2400	71	Hoover

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	70	Hoover
	0600	70	Kummer
	0900	71	Kummer
	1200	72	Kummer
	1500	72	Flores
	1800	73	Flores
	2100	73	Flores
	2400	73	Hoffman

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	70	Hoover
	0600	69	Kummer
	0900	70	Kummer
	1200	73	Kummer
	1500	73	Angie
	1800	74	Angie
	2100	73	Angie
	2400	73	Cabernet

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	73	Cabernet
	0600	70	Kummer
	0900	71	Kummer
	1200	71	Kummer
	1500	75	Angie
	1800	74	Angie
	2100	73	Angie
	2400	73	Morales

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	76	Martinez
	0600	72	Martinez
	0900	72	Martinez
	1200	72	Martinez
	1500	72	Martinez
	1800	74	Martinez
	2100	74	Martinez
	2400	73	Martinez

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCP 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: msf 2 Temp. Reading Location: lau room podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	76	MARTIN	
0600	70	Walsh	
0900	70	Walsh	
1200	70	Walsh	
1500	76	Stalzer	
1800	70	Stalzer	
2100	70	Stalzer	
2400	71	Patterson	

Wednesday

Date	Time	Temp.	Name (Print)
0300	71	EASLEY	
0600	71	Kummerr	
0900	71	Kummerr	
1200	72	Kummerr	
1500	72	Flores	
1800	72	Flores	
2100	71	Flores	
2400	70	Quinn	

Friday

Date	Time	Temp.	Name (Print)
0300	70	Martin	
0600	70	Martin	
0900	70	Kummerr	
1200	71	Kummerr	
1500	72	Flores	
1800	74	Brown	
2100	73	Martn	
2400	73	CABELLA	

Sunday

Date	Time	Temp.	Name (Print)
0300	70	Gonzales	
0600	71	Martin	
0900	71	Martin	
1200	72	Martin	
1500	70	Stanford	
1800	70	Stanford	
2100	71	Stanford	
2400	72	Stanford	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	Patterson	
0600	70	Walsh	
0900	70	Walsh	
1200	70	Walsh	
1500	72	Flores	
1800	72	Flores	
2100	71	Flores	
2400	71	EASLEY	

Thursday

Date	Time	Temp.	Name (Print)
0300	70	Arthur	
0600	69	Kummerr	
0900	69	Kummerr	
1200	71	Kummerr	
1500	71	Brown	
1800	72	Brown	
2100	71	Brown	
2400	70	Martin	

Saturday

Date	Time	Temp.	Name (Print)
0300	72	CABELLA	
0600	72	CABELLA	
0900	72	Arthur	
1200	71	Arthur	
1500	71	Gonzales	
1800	70	Gonzales	
2100	70	Gonzales	
2400	70	Gonzales	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

6/1/2024			
Sunday			
Date	Time	Temp.	Name (Print)
0300	68.0	DRAGON	
0600	68.0	Whitmore	
0900	68	Whitmore	
1200	70.0	Whitmore	
1500	64	Whitmore	
1800	64	Whitmore	
2100	64	Whitmore	
2400	66	Whitmore	

6/2/2024

6/1/2024	Saturday		
Date	Time	Temp.	Name (Print)
0300	C7	T	
0600	68.0	Whitmore	
0900	67.5	Whitmore	
1200	66.2	Whitmore	
1500	C7	T	
1800	C7	T	
2100	C7	T	
2400	C8	T	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	64	BROWN	
0600	69	K. CARPENTER	
0900	71	B. CARPENTER	
1200	71	B. CARPENTER	
1500	71	LEPOUT	
1800	71	LEPOUT	
2100	68	LEPOUT	
2400	71	LEPOUT	

Wednesday

Date	Time	Temp.	Name (Print)
0300	71	GARZA	
0600	69	GARZA	
0900	69	GARZA	
1200	69	GARZA	
1500	69	GARZA	
1800	69	GARZA	
2100	69	GARZA	
2400	69	GARZA	

Friday

Date	Time	Temp.	Name (Print)
0300	71	DEZHN	
0600	68.5	Whitmore	
0900	68	Zeffertholm	
1200	69.6	Whitmore	
1500	69	Z	
1800	69	Z	
2100	69	Z	
2400	68	DEZHN	

Sunday

Date	Time	Temp.	Name (Print)
0300	68	Parente	
0600	68	L. CARPENTER	
0900	68	L. CARPENTER	
1200	69	L. CARPENTER	
1500	69.8	LEPOUT	
1800	68.9	LEPOUT	
2100	68.9	LEPOUT	
2400	68	Vitale	

Tuesday

Date	Time	Temp.	Name (Print)
0300	71	Bob S	
0600	69	B. CARPENTER	
0900	71	B. CARPENTER	
1200	64	B. CARPENTER	
1500	69	GUERRA	
1800	69	GUERRA	
2100	68	GUERRA	
2400	71	GUERRA	

Thursday

Date	Time	Temp.	Name (Print)
0300	71	GUERRA	
0600	69	GUERRA	
0900	69	GUERRA	
1200	69	GUERRA	
1500	69	GUERRA	
1800	69	GUERRA	
2100	69	GUERRA	
2400	71	GUERRA	

Saturday

Date	Time	Temp.	Name (Print)
0300	68	DEZHN	
0600	66.9	Whitmore	
0900	68.7	Whitmore	
1200	69.3	Whitmore	
1500	69	Z	
1800	69	Z	
2100	69	Z	
2400	68	Parente	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	68	Vitali
	0600	66	Vitali
	0900	68	B.CARPENTER
	1200	68	B.CARPENTER
	1500	68	J.LEPORT
	1800	69	J.LEPORT
	2100	68	J.LEPORT
	2400	68	DEETON

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	68	Gonzalez
	0600	66.6	Gonzalez
	0900	54.1	Gonzalez
	1200	68.9	Gonzalez
	1500	69	Gonzalez
	1800	69	Gonzalez
	2100	68	Gonzalez
	2400	63	soam

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	53	soam
	0600	68	MCCORMAC
	0900	68	MCCORMAC
	1200	68	MCCORMAC
	1500	69	GUEVARA
	1800	70	GUEVARA
	2100	70	GUEVARA
	2400	67	PARNISH

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	67	
	0600	78	
	0900	68	
	1200	70	
	1500	69	GUEVARA
	1800	69	GUEVARA
	2100	69	GUEVARA
	2400	70	PARNISH

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	69	PARNISH
	0600	66.6	Whitmore
	0900	61	Whitmore
	1200	54	Whitmore
	1500	68	
	1800	68	
	2100	68	
	2400	68	PARNISH

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	68	PARNISH
	0600	69.1	Whitmore
	0900	70.3	CELIS
	1200	66.2	Whitmore
	1500	68	
	1800	68	
	2100	68	
	2400	69.1	Z. Orosz

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	68	Z. Orosz
	0600	68	B.CARPENTER
	0900	69	B.CARPENTER
	1200	66	B.CARPENTER
	1500	66	LEPORT
	1800	66	LEPORT
	2100	69	LEPORT
	2400	69	Vitali

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B1 Temp. Reading Location: 2nd tier(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	69	Vitali
	0600	69	Vitali
	0900	68	B.CARPENTER
	1200	69	B.CARPENTER
	1500	70	LEPORT
	1800	70	LEPORT
	2100	69	LEPORT
	2400	69	COHN

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	68	COHN
	0600	68	R.CARPENTER
	0900	68	B.CARPENTER
	1200	68	B.CARPENTER
	1500	68	?
	1800	68	?
	2100	68	?
	2400	68	Lofzon

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	68	Lofzon
	0600	66	
	0900	66	
	1200	66	
	1500	67	
	1800	67	
	2100	66	
	2400	71	and

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	71	EVANS
	0600	66	
	0900	67	
	1200	66	
	1500	66	EVANS
	1800	66	EVANS
	2100	66	EVANS
	2400	71	EVANS

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	71	LEPORT
	0600	65.7	Whitrome
	0900	63.8	Whitrome
	1200	63.5	Whitrome
	1500	66.0	FELICO
	1800	65.2	LEPORT
	2100	54.1	LEPORT
	2400	71	LEPORT

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	71	WHITROME
	0600	66.2	WHITROME
	0900	54.0	WHITROME
	1200	66	WHITROME
	1500	69	?
	1800	69	?
	2100	69	?
	2400	69.3	RONZIO

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	69	RONZIO
	0600	69.6	RONZIO
	0900	69	MURRAY
	1200	69	MURRAY
	1500	68	LEPORT
	1800	64	LEPORT
	2100	62	LEPORT
	2400	55	VITALI

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/24/2024	0300	55	Vitali
	0600	55	Vitali
	0900	54.2	Kreth
	1200	54.3	Kreth
	1500	53	LEPOKI
	1800	53	LEPOKI
	2100	53	LEPOKI
	2400	71	7-105

Tuesday			
Date	Time	Temp.	Name (Print)
6/25/2024	0300	71	over
	0600	68	66
	0900	68	60
	1200	68	60
	1500	68	Schumann
	1800	68	Schumann
	2100	68	Schumann
	2400	71	over

Wednesday			
Date	Time	Temp.	Name (Print)
6/26/2024	0300	71	Bob S
	0600	65.8	Caino
	0900	63.9	Caino
	1200	63.7	Caino
	1500	68	Guerat
	1800	68	Guerat
	2100	68	Guerat
	2400	71	Bob S

Thursday			
Date	Time	Temp.	Name (Print)
6/27/2024	0300	63	Laura
	0600	65.8	Carmie
	0900	65.9	Carmie
	1200	68.4	Carmie
	1500	68	GERRA
	1800	68	GERRA
	2100	69	GERRA
	2400	71	Dawn

Friday			
Date	Time	Temp.	Name (Print)
6/28/2024	0300	71	DANIS
	0600	69	ALICE
	0900	70	STEPHEN
	1200	66.7	STEPHENS
	1500	66	
	1800	66	
	2100	67	
	2400	66	DEATH

Saturday			
Date	Time	Temp.	Name (Print)
6/29/2024	0300	66	Damon
	0600	65	Stephens
	0900	66.7	Stephens
	1200	66.3	Stephens
	1500	64	g
	1800	66	g
	2100	68	g
	2400	69	Ronzo

Sunday			
Date	Time	Temp.	Name (Print)
6/30/2024	0300	68	Renzos
	0600	70	Renzos
	0900	70	Schumann
	1200	70	Schumann
	1500	71.4	LEPORT
	1800	70.3	LEPORT
	2100	70.3	LEPORT
	2400	70	Vitagliano

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD



CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
	0300	68	M-RIVERA
	0600	67	BLUEVINS
	0900	67	BLUEVINS
	1200	68	BLUEVINS
	1500	70	ORTEGA
	1800	72	ORTEGA
	2100	70	ORTEGA
	2400	69	ORTEGA

6/1/2024

Notes

Date	Time	Temp.	Name (Print)
6/2/2024	0300	69	COLIN
	0600	69.3	Whitcome
	0900	71.8	Whitcome
	1200	74.2	Whitcome
	1500	75.2	FERG
	1800	73.9	FERG
	2100	70.5	FERG
	2400	69	COLINAYAN

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/3/2024	0300	69	PEN GAYAW
	0600	69.4	Whitmore
	0900	70.2	Stephens
	1200	70.5	Stephens
	1500	71.2	Stephens
	1800	69.3	Stephens
	2100	69.8	Stephens
	2400	69.8	LEPORT

Tuesday			
Date	Time	Temp.	Name (Print)
6/4/2024	0300	67	LEPORT
	0600	68	Nicholson
	0900	69	Nicholson
	1200	69	Nicholson
	1500	72	LEPORT
	1800	72	LEPORT
	2100	72	LEPORT
	2400	72.2	GAVIN

Wednesday			
Date	Time	Temp.	Name (Print)
6/5/2024	0300	72	GAVIN
	0600	72.2	GAVIN
	0900	72	Nicholson
	1200	73	Nicholson
	1500	73	Orzola
	1800	75	Orzola
	2100	74	Orzola
	2400	77.6	G. MARTINEZ

Thursday			
Date	Time	Temp.	Name (Print)
6/6/2024	0300	74	G. MARTINEZ
	0600	72	G. MARTINEZ
	0900	73	BLEVINS
	1200	74	BLEVINS
	1500	75	MARIE DE G
	1800	75	MARIE DE G
	2100	74	MARIE DE G
	2400	70	COHN

Friday			
Date	Time	Temp.	Name (Print)
6/7/2024	0300	68	COHN
	0600	70	BLEVINS
	0900	73	BLEVINS
	1200	73	BLEVINS
	1500	79	TITAN
	1800	81	TITAN
	2100	76	TITAN
	2400	78	COHN

Saturday			
Date	Time	Temp.	Name (Print)
6/8/2024	0300	82	CORTES
	0600	84	C RODRIGUEZ
	0900	84	C RODRIGUEZ
	1200	85	C RODRIGUEZ
	1500	75	Avalos
	1800	74	Avalos
	2100	74	Avalos
	2400	74	M. O'DUESLER

Sunday			
Date	Time	Temp.	Name (Print)
6/9/2024	0300	72	MIDDLETON
	0600	71	MIDDLETON
	0900	72.7	Whitmore
	1200	72	Whitmore
	1500	72.5	ESTRADA
	1800	72.0	ESTRADA
	2100	72	ESTRADA
	2400	72	PANGA YAO

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	69	BANGAYAN	
0600	53.6	Whitene	
0900	70.7	Whitene	
1200	73.3	Whitene	
1500	71.3	Stephens	
1800	78.8	Stephens	
2100	75.6	Stephens	
2400	70	Vitali	

6/10/2024

Tuesday

Date	Time	Temp.	Name (Print)
0300	69	Vitali	
0600	69	Vitali	
0900	71	Nicholson	
1200	70	Nicholson	
1500	79	Rodriguez	
1800	77	Rodriguez	
2100	76	Rodriguez	
2400	75	COM	

6/11/2024

Wednesday

Date	Time	Temp.	Name (Print)
0300			
0600	72	Nicholson	
0900	74	Nicholson	
1200	75	Nicholson	
1500	73	Walsh	
1800	76	Walsh	
2100	76	Walsh	
2400	70	PATTERSON	

6/12/2024

Thursday

Date	Time	Temp.	Name (Print)
0300	70	Carr	
0600	68	BEVER	
0900	71	BEVER	
1200	75	BEVER	
1500	80	Clark	
1800	79	Clark	
2100	78	Clark	
2400	78	Clark	

6/13/2024

Friday

Date	Time	Temp.	Name (Print)
0300	70.3	PATTERSON	
0600	71	BEVER	
0900	73	BEVER	
1200	76	BEVER	
1500	73	Jordan	
1800	73	Jordan	
2100	73	ROONIC	
2400	73	ROONIC	

6/14/2024

Saturday

Date	Time	Temp.	Name (Print)
0300	73	Roncler	
0600	69	Lopez	
0900	71	Lopez	
1200	71	Lopez	
1500	73	Endley	
1800	71	Endley	
2100	68	Endley	
2400	69	roncler	

6/15/2024

Sunday

Date	Time	Temp.	Name (Print)
0300	67	Roscel	
0600	67	ROONIC	
0900	69.4	Whitene	
1200	70.0	Whitene	
1500	72	Macias	
1800	72.5	Macias	
2100	70.7	Macias	
2400	70	BANGAYAN	

6/16/2024

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/17/2024	0300	64	BONGAY AND WHITCOMBE
	0600	63.5	Whitcombe
	0900	63.9	Whitcombe
	1200	64.0	Whitcombe
	1500	54	Stephens
	1800	68.5	Stephens
	2100	60.9	Stephens
	2400	66	Vital

Tuesday			
Date	Time	Temp.	Name (Print)
6/18/2024	0300	66C	Vitali
	0600	66C	Vitali
	0900	66.1	Vitali
	1200	66.3	Vitali
	1500	66.5	Vitali
	1800	66.3	Wron
	2100	65.9	Wron
	2400	65.3	Colton

Wednesday			
Date	Time	Temp.	Name (Print)
6/19/2024	0300	64	COTW
	0600	63	Nicholson
	0900	64	Nicholson
	1200	63	Nicholson
	1500	69	Walsh
	1800	70	Walsh
	2100	70	Walsh
	2400	60.9	B.Simpson

Thursday		Date	Time	Temp.	Name (Print)
6/20/2024	0300	53.8	B. Simpson		
	0600	68	BEVINS		
	0900	68	BEVINS		
	1200	68	BEVINS		
	1500	75	FORBES		
	1800	75	TRICKEY		
	2100	75	TRICKEY		
	2400	70.3	B. Simpson		

Friday			
Date	Time	Temp.	Name (Print)
6/21/2024	0300	69.4	B. Simpson
	0600	70	Bleuver
	0900	71	Bleuver
	1200	75	Bleuver
	1500	79	Endsley
	1800	79	Endsley
	2100	75	Endsley
	2400	73.4	Collie

Saturday			
Date	Time	Temp.	Name (Print)
6/22/2024	0300	69.1	Cow
	0600	70	BEEVERS
	0900	72	BEEVERS
	1200	76	BEEVERS
	1500	78	Avalon
	1800	79	Ginger
	2100	75	Compy II
	2400	71.5	cows

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	69.5	Cow
	0600	54.3	Whitcome
	0900	59.8	Whitene
	1200	60.4	Whitene
	1500	73	Gadsley
	1800	72	Gadsley
	2100	71	Gadsley
	2400	54	Webb

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	56	Webs	36
0600	54.0	Whitmore	
0900	60	Whitmore	
1200	63	Whitmore	
1500	75	Stephens	
1800	75	Stephens	
2100	74	Stephens	
2400	69	Vitali	

6/24/2024

Tuesday

Date	Time	Temp.	Name (Print)
0300	69	Vitali	
0600	69	Vitali	
0900	68	Schwarz	
1200	68	Schwarz	
1500	72.7	Lepore	
1800	72	Lepore	
2100	72	Lepore	
2400	72	Lepore	

6/25/2024

Wednesday

Date	Time	Temp.	Name (Print)
0300	72	Soriano	
0600	72	Soriano	
0900	72	A. Panu	
1200	72	A. Panu	
1500	73	Heims	
1800	73	Heims	
2100	73	Heims	
2400	71.2	Colin	

6/26/2024

Thursday

Date	Time	Temp.	Name (Print)
0300	69.4	Colin	
0600	70.0	TATE	
0900	72	TATE	
1200	72	TATE	
1500	74	Ricardo	
1800	74	Ricardo	
2100	73	Ricardo	
2400	72.1	Ricardo	

6/27/2024

Friday

Date	Time	Temp.	Name (Print)
0300	69.7	Colin	
0600	68.5	Brown	
0900	70	Brown	
1200	70	Brown	
1500	77	Zamzami	
1800	79.3	Zamzami	
2100	78	Zamzami	
2400	75.1	Colin	

6/28/2024

Saturday

Date	Time	Temp.	Name (Print)
0300	69.6	Colin	
0600	71	Hernandez	
0900	71	Gutierrez	
1200	73	Gutierrez	
1500	77	Oreaga	
1800	77	Oreaga	
2100	75.1	Oreaga	
2400	74.5	Oreaga	

6/29/2024

Sunday

Date	Time	Temp.	Name (Print)
0300	69.3	Colin	
0600	69.8	Whitmore	
0900	72.0	Whitmore	
1200	74.3	Whitmore	
1500	73	Gonzalez	
1800	73	Gonzalez	
2100	73	Gonzalez	
2400	71	Gonzalez	

6/30/2024

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tie) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B3 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Saturday			
Date	Time	Temp.	Name (Print)
6/1/2024	0300	66.9	VANG
	0600	67.2	EVANS
	0900	67.7	EVANS
	1200	68	EVANS
	1500	69	Anderson
	1800	68.3	Anderson
	2100	68	Anderson
	2400	67	VANG

Date	Time	Temp.	Name (Print)
	0300	66.5	VANc
	0600	67	EVANS
	0900	68	EVANS
	1200	68.5	EVANS
	1500	70	hinojosa
	1800	69	hinojosa
	2100	68.5	hinojosa
	2400	69	Vans

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/3/2024	0300	67.5	Lewes	6/4/2024	0300	71	Vang
	0600	70.9	LGwres		0600	71.8	whitmore
	0900	70	Billett Strand		0900	71.6	whitmore
	1200	71	Billett Strand		1200	70.5	whitmore
	1500	68.5	Gomez		1500	71.6	carino
	1800	57.3	Gomez		1800	71	Middleborough
	2100	66.6	Lopez		2100	71	Middleborough
	2400	71	Vang		2400	70	Vang
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/5/2024	0300	54	Vang	6/6/2024	0300	70	BANGAYAN (2nd)
	0600	68	GUERRA		0600	70	GUERRA
	0900	69	GUERRA		0900	69	GUERRA
	1200	69	GUERRA		1200	70	GUERRA
	1500	69	TRITTER		1500	73	Amzi
	1800	70	TRITTER		1800	73	Amzi
	2100	69	TRITTER		2100	71	Amzi
	2400	71	BANGAYAN		2400	70	BANGAYAN (2nd)
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/7/2024	0300	68	BANGAYAN	6/8/2024	0300	72	Vue
	0600	68	Vue		0600	71	Vue
	0900	68	Vue		0900	71	Vue
	1200	70	Vue		1200	71	Vue
	1500	71	Vue		1500	71.2	Vue
	1800	71	Vue		1800	71.7	Vue
	2100	72	Vue		2100	71.4	Vue
	2400	72	Vue		2400	71.1	Vue
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
6/9/2024	0300	71.3	Vie				
	0600	71.5	Blahut				
	0900	71.7	Blahut				
	1200	72.1	Blahut				
	1500	71.1	Lopez				
	1800	70.5	MORGENSTERN				
	2100	70.5	MORGENSTERN				
	2400	70	Vie				

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	70	
	0600	70	Billett-Shinel
	0900	71	Billett-Shinel
	1200	71	Billett-Shinel
	1500	70.5	TANCRETO
	1800	71.4	TANCRETO
	2100	70.7	TANCRETO
	2400	70	Vang

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	53	Vang
	0600	66.2	Whitman
	0900	68.4	Whitman
	1200	70.2	Whitman
	1500	70	
	1800	70	
	2100	70	
	2400	70	T. m

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	70.2	T. m
	0600	70	Gutierrez
	0900	71	Gutierrez
	1200	72	Gutierrez
	1500	72.1	Gutierrez
	1800	72	Gutierrez
	2100	72	Gutierrez
	2400	69	BANGAYAN

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	70	BANGAYAN
	0600	70	Gutierrez
	0900	69	Gutierrez
	1200	70	Gutierrez
	1500	70	Amari
	1800	70	Amari
	2100	70	Amari
	2400	68	BANGAYAN

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	68	BANGAYAN
	0600	69	EVANS
	0900	68	EVANS
	1200	68	EVANS
	1500	70	Amari
	1800	70	Amari
	2100	70	Amari
	2400	70	Amari

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	71	Vue
	0600	68	
	0900	68	
	1200	68	
	1500	53	Hilary
	1800	66	Helms
	2100	66	Helms
	2400	70	Vue

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	70	Vue
	0600	71	
	0900	71	
	1200	71	
	1500	68.4	
	1800	68.6	
	2100	69.	
	2400	70	Vue

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	70	Vue
	0600	71	Billett-Strabel
	0900	71	Billett-Strabel
	1200	71	Billett-Strabel
	1500	72	GOMEZ
	1800	71	GOMEZ
	2100	70	GOMEZ
	2400	69	Vue

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	70	Vue
	0600	71.4	Whitcome
	0900	70.5	Whitcome
	1200	66.9	Whitcome
	1500	68	Signature
	1800	69	Signature
	2100	67	Signature
	2400	69	Vue

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	70	Vue
	0600	71	EVANS
	0900	71	EVANS
	1200	71	EVANS
	1500	66.5	ELIZARRARAZ
	1800	68.5	ELIZARRARAZ
	2100	65.4	ELIZARRARAZ
	2400	68	BONGAYAN

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	70	BONGAYAN
	0600	70	EVANS
	0900	70	EVANS
	1200	70	EVANS
	1500	70	EVANS
	1800	70	EVANS
	2100	70	EVANS
	2400	70	BONGAYAN

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	63	BONGAYAN
	0600	63	EVANS
	0900	64	EVANS
	1200	66	EVANS
	1500	66	EVANS
	1800	66	EVANS
	2100	66	EVANS
	2400	68	Vue

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	69	Vue
	0600	68	EVANS
	0900	68	EVANS
	1200	68	EVANS
	1500	73.2	Macias
	1800	71.2	Macias
	2100	68.4	Macias
	2400	69	Vue

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	68	Vue
	0600	67.6	EVANS
	0900	67	EVANS
	1200	67	EVANS
	1500	69	Macias
	1800	68	Macias
	2100	68	Macias
	2400	69	Vue

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	0300	61	Vue
	0600	67	Billett-Strand
	0900	68	Billett-Strand
	1200	64	Billett-Strand
	1500	64	Ayson
	1800	69	Ayson
	2100	68	Ayson
	2400	66	Vang

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	0300	63	Vang
	0600	68.9	Whitmore
	0900	68.2	Whitmore
	1200	68.5	Whitmore
	1500	69	I. Gomez
	1800	70	I. Gomez
	2100	69.3	I. Gomez
	2400	64	Vang

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	0300	68	Vang
	0600	69	Gueria
	0900	69	Gueria
	1200	70	Gueria
	1500	70.5	I. Gomez
	1800	71.2	I. Gomez
	2100	69.9	I. Gomez
	2400	64	BANGMAN

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	0300	69	BANGMAN
	0600	68	Gueria
	0900	68	Gueria
	1200	69	Gueria
	1500	70.8	Stephens
	1800	71.2	Stephens
	2100	68.9	Stephens
	2400	64	BANGMAN

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	0300	64	BANGMAN
	0600	65	
	0900	67	
	1200	68	
	1500	72	Stephens
	1800	74	Stephens
	2100	70	Stephens
	2400	70	Vue

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	0300	71	Vue
	0600	70	
	0900	69	
	1200	68	
	1500	70	Stephens
	1800	70	Hernandez
	2100	69	Hernandez
	2400	70	Vue

Sunday

Date	Time	Temp.	Name (Print)
6/30/2024	0300	71	Vue
	0600	72	Gueria
	0900	71	Gueria
	1200	72	Gueria
	1500	69	Gueria
	1800	70	Gueria
	2100	71	Gueria
	2400	71	Vue

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD



CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	69	Bell
	0600	68	Moulton
	0900	69	Moulton
	1200	68	Moulton
	1500	70	Stephens
	1800	69	Stephens
	2100	69	Stephens
	2400	68	Bell

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	70	Bell
	0600	69	Moulton
	0900	69	Moulton
	1200	70	Moulton
	1500	70	Nicholson
	1800	71	Nicholson
	2100	70	Nicholson
	2400	68	Claver

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	68	Clavel
	0600	68	Moulton
	0900	69	Moulton
	1200	68	Moulton
	1500	68	Nicholson
	1800	67	Nicholson
	2100	67	Nicholson
	2400	68	Clavel

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	0300	67	Clavel
	0600	67	Mesheuwat
	0900	68	Mesheuwat
	1200	69	Mesheuwat
	1500	68	Nicholson
	1800	68	Nicholson
	2100	68	Nicholson
	2400	68	T -

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	68.8	T -
	0600	69.1	Canacks
	0900	68.9	Canacks
	1200	70.2	Canacks
	1500	71	Nicholson
	1800	70	Nicholson
	2100	70	Nicholson
	2400	69	Nicholson

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	69	Billott-Strad
	0600	68	Billott-Strad
	0900	69	Billott-Strad
	1200	69	Billott-Strad
	1500	69	Beevins
	1800	69	Beevins
	2100	70	Beevins
	2400	68	Beevins

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	68	Billott-Strad
	0600	68	Billott-Strad
	0900	69	Billott-Strad
	1200	69	Billott-Strad
	1500	69	Beevins
	1800	70	Beevins
	2100	69	Beevins
	2400	68	Maurer

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	68	Maurer
	0600	69	Maurer
	0900	69	Maurer
	1200	70	Maurer
	1500	69.8	Stephens
	1800	70.7	Stephens
	2100	68.7	Stephens
	2400	68.8	Good

Sunday

Date	Time	Temp.	Name (Print)
6/9/2024	0300	69.1	Good
	0600	68	Moulton
	0900	68	Moulton
	1200	68.9	Stephens
	1500	69.6	Stephens
	1800	69.1	Stephens
	2100	69.6	Stephens
	2400	68	ADT

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B4 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	65	Abeast
	0600	66	Morson
	0900	66	Morson
	1200	67	Morson
	1500	67	Nicholson
	1800	66	Nicholson
	2100	66	Nicholson
	2400	67	Harris

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	68	Elliott
	0600	68	Morson
	0900	69	Morson
	1200	68	Nesmith
	1500	70	Nicholson
	1800	69	Nicholson
	2100	67	Nicholson
	2400	68	Harris

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	65	Harris
	0600	69	Morson
	0900	76	Morson
	1200	69	Morson
	1500	75	Nicholson
	1800	69	Nicholson
	2100	70	Nicholson
	2400	55	Clare

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	68	Clare
	0600	66	Billet-Schad
	0900	69	Billet-Schad
	1200	70	Billet-Schad
	1500	70	Bleuett
	1800	70	Bleuett
	2100	69	Bleuett
	2400	54	Clare

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	59	Clare
	0600	60	Billet-Schad
	0900	66	Billet-Schad
	1200	68	Billet-Schad
	1500	68	Bleuett
	1800	66	Bleuett
	2100	68	Bleuett
	2400	60	Bangayan

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	55	Bangayan
	0600	65	Morson
	0900	68	Morson
	1200	70	Morson
	1500	65.1	Stephens
	1800	65.1	Stephens
	2100	68.7	Stephens
	2400	60	Bangayan

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	65	Bangayan
	0600	70	Moulton
	0900	72	Moulton
	1200	73	Moulton
	1500	66.2	Stephens
	1800	54.3	Stephens
	2100	68.7	Stephens
	2400	68	Harris

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B4 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	65	Maurer
	0600	68	Maurer
	0900	68	Maurer
	1200	68	Maurer
	1500	70	Nicholson
	1800	70	Nicholson
	2100	69	Nicholson
	2400	59	Nicholson

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	63	Maurer
	0600	65	Maurer
	0900	65	Maurer
	1200	65	Maurer
	1500	65	Nicholson
	1800	65	Nicholson
	2100	66	Nicholson
	2400	66	Aguayo

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	66	Aguayo
	0600	66	Maurer
	0900	67	Maurer
	1200	68	Maurer
	1500	67	Nicholson
	1800	68	Nicholson
	2100	68	Nicholson
	2400	65	Clare

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	64	Clare
	0600	64	Billett-Shanefield
	0900	68	Billett-Shanefield
	1200	70	Billett-Shanefield
	1500	67	Blevins
	1800	67	Blevins
	2100	66	Blevins
	2400	65	Clare

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	66	Clare
	0600	66	Billett-Shanefield
	0900	66	Billett-Shanefield
	1200	65	Billett-Shanefield
	1500	61	Blevins
	1800	69	Blevins
	2100	65	Blevins
	2400	68	Bongman

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	68	Bongman
	0600	54	Bonner
	0900	54	Bonner
	1200	69	Bonner
	1500	69	Rickey
	1800	69	Rickey
	2100	60	Rickey
	2400	66	Bell

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	68	Bell
	0600	54.1	Pineda
	0900	53.6	Pineda
	1200	68.5	Pineda
	1500	68	Stephens
	1800	70.1	Stephens
	2100	69.1	Stephens
	2400	69.1	Stephens

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/24/2024	0300	69.1	SEUNT
	0600	69.1	SEUNT
	0900	66.2	Stephens
	1200	63.6	Stephens
	1500	65.5	PEREZ
	1800	67	PEREZ
	2100	67	PEREZ
	2400	68	PEREZ

Tuesday			
Date	Time	Temp.	Name (Print)
6/25/2024	0300	68	Maurer
	0600	68	Maurer
	0900	68	Maurer
	1200	69	Maurer
	1500	69	Gonzalez
	1800	68	Gonzalez
	2100	68	Gonzalez
	2400	69	Ayala

Wednesday			
Date	Time	Temp.	Name (Print)
6/26/2024	0300	69	Clay
	0600	69	Maurer
	0900	68	Maurer
	1200	70	Maurer
	1500	68.9	Oros
	1800	69	Oros
	2100	69	Oros
	2400	66	Clay

Thursday			
Date	Time	Temp.	Name (Print)
6/27/2024	0300	69	Clay
	0600	64	Billett-Strad
	0900	67	Billett-Strad
	1200	67	Billett-Strad
	1500	66.4	Zamzami
	1800	67.2	Zamzami
	2100	68.5	Zamzami
	2400	54	Clay

Friday			
Date	Time	Temp.	Name (Print)
6/28/2024	0300	68	Clay
	0600	70	Billett-Strad
	0900	67	Billett-Strad
	1200	66	Billett-Strad
	1500	66	Flem
	1800	66.9	Flem
	2100	54.3	Flem
	2400	66	BANGAYAN

Saturday			
Date	Time	Temp.	Name (Print)
6/29/2024	0300	68	BANGAYAN
	0600	68	Maurer
	0900	68	Maurer
	1200	68	Maurer
	1500	69.1	Stephens
	1800	62	Stephens
	2100	54	Stephens
	2400	66	BANGAYAN

Sunday			
Date	Time	Temp.	Name (Print)
6/30/2024	0300	68	BANGAYAN
	0600	68	Maurer
	0900	68	Maurer
	1200	68	Maurer
	1500	68.9	Whitcomb
	1800	68.9	Whitcomb
	2100	68.8	Whitcomb
	2400	66	Whitcomb

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tie) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B5 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Saturday			
Date	Time	Temp.	Name (Print)
6/1/2024	0300	66	Orozco
	0600	68	Veldez
	0900	69	Veldez
	1200	70	Veldez
	1500	70.5	Chernavskiy
	1800	69	Cheharonsky
	2100	67	Cheharonsky
	2400	66	Tiegs

Sunday			
Date	Time	Temp.	Name (Print)
6/2/2024	0300	67	tiegs
	0600	67.5	padoc
	0900	68.2	panter
	1200	68.7	Dapper
	1500	70	tiegs
	1800	69	tiegs
	2100	68	tiegs
	2400	67	tiegs

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HOSP Housing Unit: B5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	<u>Jensen</u>
	0600	71	Jensen
	0900	71	Jensen
	1200	72	Jensen
	1500	74	Neshevici
	1800	73	Neshevici
	2100	73	Neshevici
	2400	72	

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	70	<u>Jensen</u>
	0600	70	Jensen
	0900	71	Jensen
	1200	71	Jensen
	1500	73	
	1800	72	
	2100	74	
	2400	70	

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	70	<u>Alexander</u>
	0600	69	CHEHAROVSKY
	0900	71	CHEHAROVSKY
	1200	71	CHEHAROVSKY
	1500	74	ALEXANDER
	1800	73	Alexander
	2100	74	Alexander
	2400	72	Alexander

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	71	Alexander
	0600	71	YATES
	0900	71	YATES
	1200	74	YATES
	1500	75.9	Zamzami
	1800	74.8	Zamzami
	2100	72.7	Zamzami
	2400	72	BELL

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	72	BELL
	0600	68	Jensen
	0900	70	Jensen
	1200	75	Jensen
	1500	73	CHEHAROVSKY
	1800	73	CHEHAROVSKY
	2100	71	CHEHAROVSKY
	2400	73	BELL

Saturday

Date	Time	Temp.	Name (Print)
6-8	0300	72	BELL
	0600	69	Ballett-Strzel
	0900	70	Ballett-Strzel
	1200	70	Ballett-Strzel
	1500	73	CHEHAROVSKY
	1800	72	CHEHAROVSKY
	2100	70	CHEHAROVSKY
	2400	71	TIEGS

Sunday

Date	Time	Temp.	Name (Print)
6-9	0300	70	TIEGS
	0600	70	Ballett-Strzel
	0900	70	Ballett-Strzel
	1200	71	Ballett-Strzel
	1500	72	Neshevici
	1800	72	TIEGS
	2100	72	TIEGS
	2400	71	TIEGS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HOSP Housing Unit: 135 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10	0300	69	TIEGS
	0600	68	JENSEN
	0900	68	JENSEN
	1200	72	JENSEN
	1500	71	GOMEZ
	1800	72	NeSheinat
	2100	72	TIEGS
	2400	71	TIEGS

Tuesday

Date	Time	Temp.	Name (Print)
6-11	0300	69	TIEGS
	0600	67	JENSEN
	0900	69	JENSEN
	1200	72	JENSEN
	1500	74	AUTREY
	1800	74	AUTREY
	2100	73	AUTREY
	2400	71	TIEGS

Wednesday

Date	Time	Temp.	Name (Print)
6-12	0300	69	TIEGS
	0600	69	JENSEN
	0900	70	JENSEN
	1200	72	JENSEN
	1500	77	GOMEZ
	1800	75	GOMEZ
	2100	73	GOMEZ
	2400	72	TIEGS

Thursday

Date	Time	Temp.	Name (Print)
6-13	0300	69	TIEGS
	0600	67	JENSEN
	0900	70	JENSEN
	1200	72	JENSEN
	1500	74	OMERO
	1800	74	OMERO
	2100	71	OMERO
	2400	71	R. OROZCO

Friday

Date	Time	Temp.	Name (Print)
6-14	0300	69	R. OROZCO
	0600	66	JENSEN
	0900	70	JENSEN
	1200	72	JENSEN
	1500	72	CHEHAROVSKY
	1800	72	CHEHAROVSKY
	2100	69	CHEHAROVSKY
	2400	69	R. OROZCO

Saturday

Date	Time	Temp.	Name (Print)
6-15	0300	68	2000212
	0600	66	Billett-Strand
	0900	69	Billett-Strand
	1200	71	Billett-Strand
	1500	69	CHEHAROVSKY
	1800	69	CHEHAROVSKY
	2100	69	CHEHAROVSKY
	2400	67	TIEGS

Sunday

Date	Time	Temp.	Name (Print)
6-16	0300	65	TIEGS
	0600	64	UNKNW
	0900	66	UNKNW
	1200	68	UNKNW
	1500	71	CELIS
	1800	71	CELIS
	2100	69	CELIS
	2400	68	TIEGS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: B5 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17	0300	65	TIEGS
	0600	65	JENSEN
	0900	65	JENSEN
	1200	66	JENSEN
	1500	66	BELL, C
	1800	67°	BELL, C
	2100	67°	BELL, C
	2400	65	TIEGS

Tuesday

Date	Time	Temp.	Name (Print)
6-18	0300	64	TIEGS
	0600	65.3	BELL
	0900	65.7	BELL
	1200	67.5	BELL
	1500	69	ALEXANDRA
	1800	69	ALEXANDRA
	2100	70	ALEXANDRA
	2400	68	ALEXANDRA

Wednesday

Date	Time	Temp.	Name (Print)
6-19	0300	65	ALEXANDRA
	0600	65	JENSEN
	0900	67	JENSEN
	1200	70	JENSEN
	1500	70	ALEXANDRA
	1800	71	ALEXANDRA
	2100	70	ALEXANDRA
	2400	70	ALEXANDRA

Thursday

Date	Time	Temp.	Name (Print)
6-20	0300	68	ALEXANDRA
	0600	67	JENSEN
	0900	70	JENSEN
	1200	72	JENSEN
	1500	75	ALEXANDRA
	1800	74	ALEXANDRA
	2100	70	ALEXANDRA
	2400	68	RONDZEN

Friday

Date	Time	Temp.	Name (Print)
6-21	0300	65	RONDZEN
	0600	66	RONDZEN
	0900	69	JENSEN
	1200	72	JENSEN
	1500	71	CHEHAROVSKY
	1800	72	CHEHAROVSKY
	2100	71	CHEHAROVSKY
	2400	70.3	RONDZEN

Saturday

Date	Time	Temp.	Name (Print)
6-22	0300	67.5	RONDZEN
	0600	66	BILLETT-STRAND
	0900	69	BILLETT-STRAND
	1200	71	BILLETT-STRAND
	1500	73	CHEHAROVSKY
	1800	73	CHEHAROVSKY
	2100	73	CHEHAROVSKY
	2400	72	TIEGS

Notes

Date	Time	Temp.	Name (Print)
6-23	0300	68	TIEGS
	0600	69	BILLETT-STRAND
	0900	69	BILLETT-STRAND
	1200	70	BILLETT-STRAND
	1500	70	TIEGS
	1800	70	TIEGS
	2100	70	TIEGS
	2400	70	TIEGS

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HOSP Housing Unit: B5 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Monday

Date	Time	Temp.	Name (Print)
6-24	0300	69	TIEGS
	0600	70	HORN
	0900	70	HORN
	1200	69	HORN
	1500	74	TIEGS
	1800	73	TIEGS
	2100	71	TIEGS
	2400	71	TIEGS

Wednesday

Wednesday		Date	Time	Temp.	Name (Print)
6-26			0300	69	Alexander
			0600	69	JENSEN
			0900	69	JENSEN
			1200	69	JENSEN
			1500	69	Alexander
			1800	70	Alexander
			2100	72	Alexander
			2400	69	Alexander

Friday

Date	Time	Temp.	Name (Print)
6/28/08	0300	69	Ronan
	0600	68	Ronan
	0900	69	Jensen
	1200	71	Jensen
	1500	72	CHENAROLSKY
	1800	72	CHENAROLSKY
	2100	72	CHENAROLSKY
	2400	70	Ronan

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	70	TIEGS
	0600	69	Billett-Simond
	0900	71	Billett-Simond
	1200	73	Billett-Simond
	1500	73	TIEGS
	1800	72	TIEGS
	2100	70	TIEGS
	2400	68	TIEGS

Tuesday

Date	Time	Temp.	Name (Print)
6-25	0300	68	TIEGS
	0600	68	FLORES
	0900	70	FLORES
	1200	72	FLORES
	1500	74	Alexander
	1800	75	Alexander
	2100	73	Alexander
	2400	70	Alexander

Thursday

Date	Time	Temp.	Name (Print)
6-27	0300	69	Alexander
	0600	66	JENSEN
	0900	69	JENSEN
	1200	73	JENSEN
	1500	69	Alexander
	1800	69	Alexander
	2100	68	Alexander
	2400	70	Romney

Saturday

Date	Time	Temp.	Name (Print)
6-29	0300	69	ROROES
	0600	68	ROROW
	0900	67	BILLETT-STRAED
	1200	68	BILLETT-STRAED
	1500	67	BILLETT-STRAED
	1800	71	CHERRYHAROLD
	2100	71	CHERRYHAROLD
	2400	72	TIEGS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: 3 Unit Temp. Reading Location: A1 ceiling
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	77	
	0600	75	Wm
	0900	75	Wm
	1200	73	
	1500	75	Gonzalez
	1800	75	Gonzalez
	2100	75	Gonzalez
	2400	77	S-Kotlar

Notes

Date	Time	Temp.	Name (Print)
6/2/2024	0300	77	S-Kotlar
	0600	77	Adams
	0900	76	Adams
	1200	76	Adams
	1500	77	Adams
	1800	77	Adams
	2100	77	Adams
	2400	77	SEXTON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: Z Temp. Reading Location: All Sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	77	SEXTON
	0600	77	SEXTON
	0900	77	ADAMSON
	1200	77	ADAMSON
	1500	76	HOELZLE
	1800	77	HOELZLE
	2100	77	HOELZLE
	2400	77	NYSTROM

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	77	NYSTROM
	0600	77	A. SMITH
	0900	77	Z. SMITH
	1200	77	Z. SMITH
	1500	77	HOELZLE
	1800	78	HOELZLE
	2100	78	HOELZLE
	2400	78	CAMACHTO

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	77	CAMACHTO
	0600	77	J. LEE
	0900	77	J. LEE
	1200	78.5	J. LEE
	1500	78	HOELZLE
	1800	79	HOELZLE
	2100	78	HOELZLE
	2400	77	HONDOEZ

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	77	HONDOEZ
	0600	77	HONDOEZ
	0900	78	HOELZLE
	1200	78	HOELZLE
	1500	79	HOELZLE
	1800	79	HOELZLE
	2100	79	HOELZLE
	2400	78	HONDOEZ

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	76	HOENDEZ
	0600	78	HOENDEZ
	0900	78	PARRA
	1200	78	PARRA
	1500	79	GONZALEZ
	1800	78	GONZALEZ
	2100	78	GONZALEZ
	2400	78	HOENDEZ

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	78	HOENDEZ
	0600	78	HOENDEZ
	0900	76	PARRA
	1200	77	PARRA
	1500	77	GONZALEZ
	1800	79	GONZALEZ
	2100	78	GONZALEZ
	2400	77.5	S.K. KOFAR

Notes

Date	Time	Temp.	Name (Print)
6/9	0300	79.5	S. KOFAR
	0600	79.9	GONI
	0900	79.0	GONI
	1200	79.1	GONI
	1500	79	CHAN
	1800	78	CHAN
	2100	78	CHAN
	2400	77	SEXTON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HOSP Housing Unit: RHU

Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	77	SEXTON
	0600	77	SEXTON
	0900	78.5	GONI
	1200	78.6	GONI
	1500	77	HOELZLE
	1800	77	HOELZLE
	2100	77	HOELZLE
	2400	77	HONDER

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	77	HONDER
	0600	77	HONDER
	0900	77	ARMOUR
	1200	77	ARMOUR
	1500	77	HOELZLE
	1800	77	HOELZLE
	2100	77	HOELZLE
	2400	77	HONDER

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	77	HONDER
	0600	77	HONDER
	0900	77	HOELZLE
	1200	77	HOELZLE
	1500	77	HOELZLE
	1800	77	HOELZLE
	2100	77	HOELZLE
	2400	77	HONDER

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	77	HONDER
	0600	77	HONDER
	0900	71.5	COLOVER
	1200	75.9	COLOVER
	1500	77	HOELZLE
	1800	77	HOELZLE
	2100	77	HOELZLE
	2400	77	HONDER

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	77	HONDER
	0600	77	HONDER
	0900	77	WIRTZ
	1200	78	WIRTZ
	1500	78	GONZALEZ
	1800	77	GONZALEZ
	2100	77	GONZALEZ
	2400	76	HONDER

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	76	HONDER
	0600	76	HONDER
	0900	76	WIRTZ
	1200	76	WIRTZ
	1500	76	VANRADE
	1800	76	VANRADE
	2100	76	VANRADE
	2400	75.7	S.KOTLAR

Notes

Date	Time	Temp.	Name (Print)
6/16	0300	75.6	S.KOTLAR
	0600	76	ARMOUR
	0900	76	ARMOUR
	1200	76	ARMOUR
	1500	76	HOELZLE
	1800	76	HOELZLE
	2100	76	HOELZLE
	2400	77	SEXTON

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: 2 unit Temp. Reading Location: all sections

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	77	SEXTON
	0600	77	SEXTON
	0900	75	Hoezle
	1200	75	Hoezle
	1500	75	Hoezle
	1800	75	Hoezle
	2100	76	Hoezle
	2400	76	Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	76	Hernandez
	0600	76	Hernandez
	0900	76	Aramuri
	1200	76	Aramuri
	1500	76	Hoezle
	1800	76	Hoezle
	2100	76	Hoezle
	2400	76	Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	76	Hernandez
	0600	76	Hernandez
	0900	75	Aramuri
	1200	75	Aramuri
	1500	76	Hoezle
	1800	76	Hoezle
	2100	76	Hoezle
	2400	76	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	76	Hernandez
	0600	74	Hernandez
	0900	75.8	GOUL
	1200	76.1	GOUL
	1500	75.4	Wright
	1800	75.4	Wright
	2100	75.4	Wright
	2400	76	Hernandez

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	76	Hernandez
	0600	76	Hernandez
	0900	74	Clark
	1200	74	Clark
	1500	74	Gonzales
	1800	74	Gonzales
	2100	74	Gonzales
	2400	76	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	76	Hernandez
	0600	76	Hernandez
	0900	75	WR
	1200	75	WR
	1500	78	Gonzales
	1800	78	Gonzales
	2100	76	Gonzales
	2400	76.6	S. Kotlar

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	76.3	S. Kotlar
	0600	75.9	Wright
	0900	75.9	Wright
	1200	75.9	Wright
	1500	75	Von Rader
	1800	77	Von Rader
	2100	75	Von Rader
	2400	75	SEXTON

Notes

STATE OF CALIFORNIA
 INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: 2 unit Temp. Reading Location: all sections
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/24/2024	0300	74	SEXTON
	0600	74	SEXTON
	0900	74	Rodriguez
	1200	74	Rodriguez
	1500	79 G	Hoezle
	1800	77	Hoezle
	2100	77	Hoezle
	2400	76	Hernandez

Tuesday			
Date	Time	Temp.	Name (Print)
6/25/2024	0300	76	Hernandez
	0600	76	Hernandez
	0900	76	ABAMUNA
	1200	76	ABAMUNA
	1500	77	Hoezle
	1800	77	Hoezle
	2100	77	Hoezle
	2400	76	Hernandez

Wednesday			
Date	Time	Temp.	Name (Print)
6/26/2024	0300	76	Hernandez
	0600	76	Hernandez
	0900	76	ABAMUNA
	1200	76	ABAMUNA
	1500	79	Hoezle
	1800	78	Hoezle
	2100	78	Hoezle
	2400	77	Hernandez

Thursday			
Date	Time	Temp.	Name (Print)
6/27/2024	0300	77	Hernandez
	0600	77	Hernandez
	0900	77	Hoezle
	1200	77	Hoezle
	1500	77	Hoezle
	1800	77	Hoezle
	2100	77	Hoezle
	2400	76	Hernandez

Friday			
Date	Time	Temp.	Name (Print)
6/28/2024	0300	77	Hernandez
	0600	77	Hernandez
	0900	79	W. R.
	1200	77	W. R.
	1500	75	Gonzales
	1800	75	Gonzales
	2100	75	Gonzales
	2400	75.5	M. Lee

Saturday			
Date	Time	Temp.	Name (Print)
6/29/2024	0300	75.5	M. Lee
	0600	76	W.R.
	0900	76	W.R.
	1200	76	GONZALEZ
	1500	76	GONZALEZ
	1800	76	GONZALEZ
	2100	76	T.C. GONZALEZ
	2400	76.6	S. KOTLAR

Sunday			
Date	Time	Temp.	Name (Print)
6/30/2024	0300	76.5	S. KOTLAR
	0600	77	AGAMUNA
	0900	77	ABAMUNA
	1200	77	ABAMUNA
	1500	77	Hoezle
	1800	77	Hoezle
	2100	77	Hoezle
	2400	78	SEXTON

Notes

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY June 1, 2024	0100	69	Oroza
	0200	68	Navarro
	0300	67	Navarro
	0400	66	Rogers
	0500	58	Rogers
	0600	58	Rogers
	0700	60	Rogers
	0800	65	Rogers
	0900	71	Rogers
	1000	74	Rogers
	1100	77	Rogers
	1200	77	Rogers
	1300	78	RIVAUO
	1400	79	Navarro
	1500	80	Navarro
	1600	80	Alba
	1700	79	RIVAUO
	1800	77	Alba
	1900	72	Navarro
	2000	72	Navarro
	2100	69	Navarro
	2200	65	Alba
	2300	63	Alba
	2400	63	Alba

Date	Time	Temp.	Printed Name
SUNDAY June 2, 2024	0100	62	Alba
	0200	62	Alba
	0300	61	Alba
	0400	61	Alba
	0500	55	Alba
	0600	53	McGinnis
	0700	55	RIVAUO
	0800	62	Navarro
	0900	67	Navarro
	1000	75	Navarro
	1100	75	Navarro
	1200	75	Navarro
	1300	78	Navarro
	1400	78	RIVAUO
	1500	78	Alba
	1600	76	Alba
	1700	76	Alba
	1800	75	Alba
	1900	75	Alba
	2000	70	Alba
	2100	70	RIVAUO
	2200	68	S. Robertson
	2300	67	S. Robertson
	2400	67	S. Robertson

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2020 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY June 1, 2024	0100	69	Oreza
	0200	68	Alba
	0300	67	Alba
	0400	66	Oreza
	0500	58	Rogers
	0600	58	Rogers
	0700	60	Rogers
	0800	65	Rogers
	0900	71	Rogers
	1000	74	Rogers
	1100	77	Rogers
	1200	77	Rogers
	1300	78	RENAUDO
	1400	79	Navarro
	1500	80	Navarro
	1600	80	Alba
	1700	79	RENAUDO
	1800	77	Alba
	1900	72	Navarro
	2000	72	Navarro
	2100	69	Navarro
	2200	65	Alba
	2300	63	Alba
	2400	63	Alba

Date	Time	Temp.	Printed Name
SUNDAY, June 2, 2024	0100	62	Alba
	0200	62	Alba
	0300	61	Alba
	0400	61	Alba
	0500	55	Alba
	0600	53	McFannis
	0700	55	RENAUDO
	0800	62	Navarro
	0900	67	Navarro
	1000	75	Navarro
	1100	75	Navarro
	1200	75	Navarro
	1300	78	Navarro
	1400	78	RENAUDO
	1500	78	Alba
	1600	76	Alba
	1700	76	Alba
	1800	75	Alba
	1900	75	Alba
	2000	76	Alba
	2100	70	RENAUDO
	2200	68	S. Robertson
	2300	67	S. Robertson
	2400	67	S. Robertson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	65	S. Robertson
	0200	64	S. Robertson
	0300	63	S. Robertson
	0400	62	S. Robertson
	0500	61	S. Robertson
	0600	61	J. BAKER
	0700	61	J. BAKER
	0800	63	J. BAKER
	0900	64	J. BAKER
	1000	64	HAWK
	1100	65	J. BAKER
	1200	64	J. BAKER
	1300	64	J. BAKER
	1400	64	J. BAKER
	1500	67	J. BAKER
	1600	68	J. BAKER
	1700	70	J. BAKER
	1800	69	J. BAKER
	1900	67	J. BAKER
	2000	66	J. BAKER
	2100	63	J. BAKER
	2200	62	S. Robertson
	2300	61	S. Robertson
	2400	59	S. Robertson

MONDAY, JUNE 3, 2024

Date	Time	Temp.	Printed Name
	0100	58	S. Robertson
	0200	57	S. Robertson
	0300	55	S. Robertson
	0400	50	S. Robertson
	0500	52	S. Robertson
	0600	53	HAWKS
	0700	55	HAWKS
	0800	60	HAWKS
	0900	64	HAWKS
	1000	68	HAWKS
	1100	72	HAWKS
	1200	75	HAWKS
	1300	77	HAWKS
	1400	80	HAWKS
	1500	87	HAWKS
	1600	83	HAWKS
	1700	86	BAKER
	1800	86	BAKER
	1900	87	BAKER
	2000	84	BAKER
	2100	80	HAWKS
	2200	77	S. Robertson
	2300	74	S. Robertson
	2400	72	S. Robertson

TUESDAY, JUNE 4, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	65	S. Robertson
	0200	64	S. Robertson
	0300	63	S. Robertson
	0400	62	S. Robertson
	0500	61	S. Robertson
	0600	61	J. BAKER
	0700	61	J. BAKER
	0800	63	J. BAKER
	0900	64	J. BAKER
	1000	64	HAWK
	1100	65	J. BAKER
	1200	64	J. BAKER
	1300	64	J. BAKER
	1400	64	J. BAKER
	1500	67	J. BAKER
	1600	68	J. BAKER
	1700	70	J. BAKER
	1800	69	J. BAKER
	1900	67	J. BAKER
	2000	66	J. BAKER
	2100	63	J. BAKER
	2200	62	S. Robertson
	2300	61	S. Robertson
	2400	59	S. Robertson

MONDAY, JUNE 3, 2024

Date	Time	Temp.	Printed Name
	0100	58	S. Robertson
	0200	57	S. Robertson
	0300	55	S. Robertson
	0400	50	S. Robertson
	0500	52	S. Robertson
	0600	53	HAWKS
	0700	55	HAWKS
	0800	60	HAWKS
	0900	64	HAWKS
	1000	68	HAWKS
	1100	72	HAWKS
	1200	75	HAWKS
	1300	77	HAWKS
	1400	80	HAWKS
	1500	82	HAWKS
	1600	83	HAWKS
	1700	86	BAKER
	1800	86	BAKER
	1900	87	BAKER
	2000	84	BAKER
	2100	80	HAWKS
	2200	77	S. Robertson
	2300	74	S. Robertson
	2400	72	S. Robertson

TUESDAY, JUNE 4, 2024

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

5031 143C Stage 1 Heat Alert

WEDNESDAY, JUNE 5, 2024

Date	Time	Temp.	Printed Name
	0100	69	S. Robertson
	0200	67	S. Robertson
	0300	64	S. Robertson
	0400	64	S. Robertson
	0500	62	S. Robertson
	0600	59	Hawth
	0700	59	Hawth
	0800	66	BAKER
	0900	69	HAWTH
	1000	77	HAWTH
	1100	80	BAKER
	1200	82	BAKER
	1300	86	HAWTH
	1400	88	Gillanders
	1500	90	Gillanders
	1600	92	Gillanders
	1700	92	Gillanders
	1800	93	Gillanders
	1900	92	Gillanders
	2000	88	Gillanders
	2100	84	Gillanders
	2200	78	Bart
	2300	76	Bart
	2400	74	Bart

THURSDAY, JUNE 6, 2024

Date	Time	Temp.	Printed Name
	0100	71	Bart
	0200	69	Bart
	0300	66	Bart
	0400	64	Bart
	0500	63	Bart
	0600	64	HASSELL
	0700	65	HASSELL
	0800	75	HASSELL
	0900	79	HASSELL
	1000	81	HASSELL
	1100	84	HASSELL
	1200	88	HASSELL
	1300	90	HASSELL
	1400	91	HASSELL
	1500	92	HASSELL
	1600	92	HASSELL
	1700	92	HASSELL
	1800	90	HASSELL
	1900	90	HASSELL
	2000	88	HASSELL
	2100	82	HASSELL
	2200	81	HUTSON
	2300	78	HUTSON
	2400	75	HUTSON

1245 STAGE 1 HEAT ALERT

315 - Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

5031 143C Stage 1 Heat Alert

WEDNESDAY, JUNE 5, 2024

Date	Time	Temp.	Printed Name
	0100	69	S. Robertson
	0200	67	S. Robertson
	0300	64	S. Robertson
	0400	64	S. Robertson
	0500	62	S. Robertson
	0600	59	Hantz
	0700	59	Hantz
	0800	66	BAKER
	0900	69	BAKER
	1000	77	BAKER
	1100	80	BAKER
	1200	82	BAKER
	1300	86	BAKER
	1400	92	G. McElroy
	1500	90	G. McElroy
	1600	92	G. McElroy
	1700	92	G. McElroy
	1800	93	G. McElroy
	1900	92	G. McElroy
	2000	88	G. McElroy
	2100	84	G. McElroy
	2200	78	R. Bent
	2300	76	R. Bent
	2400	74	R. Bent

THURSDAY, JUNE 6, 2024

Date	Time	Temp.	Printed Name
	0100	71	Bent
	0200	69	Bent
	0300	66	Bent
	0400	64	Bent
	0500	63	Bent
	0600	64	HASSELL
	0700	65	HASSELL
	0800	75	HASSELL
	0900	79	HASSELL
	1000	81	HASSELL
	1100	84	HASSELL
	1200	88	HASSELL
	1300	90	HASSELL
	1400	91	HASSELL
	1500	92	HASSELL
	1600	92	HASSELL
	1700	92	HASSELL
	1800	90	HASSELL
	1900	94	HASSELL
	2000	88	HASSELL
	2100	82	HASSELL
	2200	81	HUTSON
	2300	78	HUTSON
	2400	75	HUTSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

1 JUNE 2024 FRIDAY

FRIDAY, JUNE 7, 2024

Date	Time	Temp.	Printed Name
	0100	70	HUTSON
	0200	66	HUTSON
	0300	64	HUTSON
	0400	63	HUTSON
	0500	64	HUTSON
	0600	60	HASSELL
	0700	64	HASSELL
	0800	68	HASSELL
	0900	76	HASSELL
	1000	81	HASSELL
	1100	86	HASSELL
	1200	88	HASSELL
	1300	89	HASSELL
	1400	91	HASSELL
	1500	92	Navarro
	1600	92	Navarro
	1700	89	Navarro
	1800	89	Navarro
	1900	87	Navarro
	2000	84	Navarro
	2100	78	Navarro
	2200	75	SEMFI
	2300	74	SEMFI
	2400	74	SEMFI

SATURDAY, JUNE 8, 2024

Date	Time	Temp.	Printed Name
	0100	70	SEMFI
	0200	70	SEMFI
	0300	69	SEMFI
	0400	70	SEMFI
	0500	70	SEMFI
	0600	63	RIVAUO
	0700	67	RIVAUO
	0800	69	RIVAUO
	0900	73	MGRMJS
	1000	76	MGRMJS
	1100	78	MGRMJS
	1200	86	MGRMJS
	1300	88	MGRMJS
	1400	88	Navarro
	1500	88	Navarro
	1600	89	RIVAUO
	1700	88	RIVAUO
	1800	85	Navarro
	1900	85	Navarro
	2000	81	RIVAUO
	2100	78	Navarro
	2200	74	Navarro
	2300	73	Navarro
	2400	72	Navarro

315 - Attachment C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRIDAY, JUNE 7, 2024	0100	70	HUTSON
	0200	66	HUTSON
	0300	64	HUTSON
	0400	63	HUTSON
	0500	64	HUTSON
	0600	60	HASSELL
	0700	64	HASSELL
	0800	68	HASSELL
	0900	76	HASSELL
	1000	81	HASSELL
	1100	86	HASSELL
	1200	88	HASSELL
	1300	89	HASSELL
	1400	91	HASSELL
	1500	92	Navarro
	1600	92	Navarro
	1700	89	Navarro
	1800	89	Navarro
	1900	87	Navarro
	2000	84	Navarro
	2100	78	Navarro
	2200	75	SEMEIT
	2300	74	SEMEIT
	2400	74	SEMEIT

Date	Time	Temp.	Printed Name
SATURDAY, JUNE 8, 2024	0100	70	SEMEIT
	0200	70	SEMEIT
	0300	69	SEMEIT
	0400	70	SEMEIT
	0500	70	SEMEIT
	0600	63	RIVAUOO
	0700	67	RIVAUOO
	0800	69	RIVAUOO
	0900	73	MILLERS
	1000	76	MILLERS
	1100	78	MILLERS
	1200	86	MILLERS
	1300	88	MILLERS
	1400	88	Navarro
	1500	88	Navarro
	1600	89	RIVAUOO
	1700	88	RIVAUOO
	1800	85	Navarro
	1900	85	Navarro
	2000	81	RIVAUOO
	2100	78	Navarro
	2200	74	Navarro
	2300	73	Navarro
	2400	72	Navarro

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	68	Navarro
	0200	68	Navarro
	0300	67	Navarro
	0400	67	Navarro
	0500	61	Navarro
	0600	62	Rogers
	0700	65	Rogers
	0800	70	Rogers
	0900	73	Rogers
	1000	77	Rogers
	1100	80	Rogers
	1200	82	Rogers
	1300	83	Rogers
	1400	85	Navarro
	1500	82	Navarro
	1600	81	Baker
	1700	80	Baker
	1800	78	Baker
	1900	78	Navarro
	2000	76	Navarro
	2100	74	Navarro
	2200	73	CHITWOOD
	2300	69	CHITWOOD
	2400	66	CHITWOOD

SUNDAY, JUNE 9, 2024

Date	Time	Temp.	Printed Name
	0100	66	CHITWOOD
	0200	65	CHITWOOD
	0300	63	CHITWOOD
	0400	62	CHITWOOD
	0500	58	CHITWOOD
	0600	57	Hawks
	0700	60	Hawks
	0800	61	BAKER
	0900	69	Hawks
	1000	74	HAWKS
	1100	74	HAWKS
	1200	78	HAWKS
	1300	80	HAWKS
	1400	84	BAKER
	1500	85	BAKER
	1600	88	BAKER
	1700	89	BAKER
	1800	90	BAKER
	1900	88	BAKER
	2000	85	BAKER
	2100	83	BAKER
	2200	79	BAKER
	2300	77	BAKER
	2400	74	BAKER

MONDAY, JUNE 10, 2024

HEAT ALERT
STAGE 1
STAGE 1
STAGE 1
STAGE 1
1730 0
1930 1
5031

315 - Attachment C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	68	Navarro
	0200	68	Navarro
	0300	67	Navarro
	0400	67	Navarro
	0500	61	Navarro
	0600	62	Rogers
	0700	65	Rogers
	0800	70	Rogers
	0900	73	Rogers
	1000	77	Rogers
	1100	80	Rogers
	1200	82	Rogers
	1300	83	Rogers
	1400	85	Navarro
	1500	82	Navarro
	1600	81	Baker
	1700	80	Baker
	1800	78	Baker
	1900	78	Navarro
	2000	76	Navarro
	2100	74	Navarro
	2200	73	CHITWOOD
	2300	69	CHITWOOD
	2400	66	CHITWOOD

SUNDAY, JUNE 9, 2024

Date	Time	Temp.	Printed Name
	0100	66	CHITWOOD
	0200	65	CHITWOOD
	0300	63	CHITWOOD
	0400	62	CHITWOOD
	0500	58	CHITWOOD
	0600	57	Hawks
	0700	60	Hawks
	0800	61	BAKER
	0900	69	BAKER
	1000	74	HAWKS
	1100	74	HAWKS
	1200	78	HAWKS
	1300	80	HAWKS
	1400	84	BAKER
	1500	85	BAKER
	1600	88	BAKER
	1700	89	BAKER
	1800	90	BAKER
	1900	88	BAKER
	2000	85	BAKER
	2100	83	BAKER
	2200	79	Bonito
	2300	77	Bonito
	2400	74	Bonito

MONDAY, JUNE 10, 2024

16 NOV 2023
5031
1730 1930
5 STAGE 1 STAGE 2
NEUTRAL REINITIATED

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
1945 10155 1320 HOURS STAGE 2 DEPARTURE	0100	72	Bonita
	0200	70	Bonita
	0300	65	Bonita
	0400	61	Bonita
	0500	59	Bonita
	0600	59	BAKER
	0700	61	HAWKS
	0800	65	HAWKS
	0900	73	HAWKS
	1000	80	HAWKS
	1100	85	HAWKS
	1200	86	BAKER
	1300	89	BAKER
	1400	90	BAKER
	1500	92	BAKER
	1600	93	BAKER
	1700	93	HAWKS
	1800	89	HAWKS
	1900	89	BAKER
	2000	86	HAWKS
	2100	84	BAKER
	2200	82	S. Robertson
	2300	78	S. Robertson
	2400	75	S. Robertson

Date	Time	Temp.	Printed Name
	0100	71	S. Robertson
	0200	67	S. Robertson
	0300	64	S. Robertson
	0400	62	S. Robertson
	0500	60	S. Robertson
	0600	58	HAWKS
	0700	62	BAKER
	0800	67	BAKER
	0900	75	BAKER
	1000	80	BAKER
	1100	82	Hawks
	1200	84	BAKER
	1300	88	BAKER
	1400	90	Hawks
	1500	92	Hawks
	1600	93	Hawks
	1700	92	Hollingsworth
	1800	91	Hollingsworth
	1900	89	HAWKS
	2000	86	Hawks
	2100	83	HAWKS
	2200	79	Bathy
	2300	77	Bathy
	2400	76	Bathy

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

125 Hours Starts & Stoppes & Heat Neutralized

TUESDAY, JUNE 11, 2024

Date	Time	Temp.	Printed Name
	0100	72	Burke
	0200	70	Burke
	0300	65	Burke
	0400	61	Burke
	0500	59	Burke
	0600	59	BAKER
	0700	61	HAWKS
	0800	65	HAWKS
	0900	73	HAWKS
	1000	80	HAWKS
	1100	85	HAWKS
	1200	86	BAKER
	1300	89	BAKER
	1400	90	BAKER
	1500	92	BAKER
	1600	93	BAKER
	1700	93	HAWKS
	1800	89	HAWKS
	1900	89	BAKER
	2000	86	HAWKS
	2100	84	BAKER
	2200	82	S. Robertson
	2300	78	S. Robertson
	2400	75	S. Robertson

WEDNESDAY, JUNE 12, 2024

Date	Time	Temp.	Printed Name
	0100	71	S. Robertson
	0200	67	S. Robertson
	0300	64	S. Robertson
	0400	62	S. Robertson
	0500	60	S. Robertson
	0600	58	HAWKS
	0700	62	BAKER
	0800	67	BAKER
	0900	75	BAKER
	1000	80	BAKER
	1100	82	HAWKS
	1200	84	BAKER
	1300	88	BAKER
	1400	90	HAWKS
	1500	92	HAWKS
	1600	93	HAWKS
	1700	92	Hollingsworth
	1800	91	Hollingsworth
	1900	89	HAWKS
	2000	86	BAKER
	2100	83	HAWKS
	2200	79	Burke
	2300	77	Burke
	2400	76	Burke

2000 • 135th Hours Stage 1 Heat Plan
1305.5

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

b8 s17 01

150 55444 4 1000 7 2024 4 1000 7 2024

THURSDAY, JUNE 13, 2024

Date	Time	Temp.	Printed Name
	0100	73	Ron
	0200	67	Bart
	0300	65	Bart
	0400	63	Bart
	0500	61	Bart
	0600	61	BAKER
	0700	62	WESTON
	0800	67	BAKER
	0900	76	BAKER
	1000	81	BAKER
	1100	84	BAKER
	1200	88	WESTON
	1300	89	BAKER
	1400	89	Navarro
	1500	90	Navarro
	1600	90	Navarro
	1700	88	Vang
	1800	86	Vang
	1900	84	BAKER
	2000	78	Navarro
	2100	78	Navarro
	2200	77	HUTSON
	2300	74	HUTSON
	2400	70	HUTSON

FRIDAY, JUNE 14, 2024

Date	Time	Temp.	Printed Name
	0100	68	HUTSON
	0200	68	HUTSON
	0300	60	HUTSON
	0400	58	HUTSON
	0500	58	HUTSON
	0600	62	BAKER
	0700	67	BAKER
	0800	69	BAKER
	0900	72	BAKER
	1000	77	BAKER
	1100	78	BAKER
	1200	86	BAKER
	1300	83	BAKER
	1400	83	Navarro
	1500	83	Navarro
	1600	81	Vang
	1700	80	Vang
	1800	70	BAKER
	1900	76	Navarro
	2000	73	Navarro
	2100	69	Navarro
	2200	61	Bell
	2300	60	Bell
	2400	59	BELL

5031

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

68 SNGL
SNSL QSHI
T 330SS T HUTSON
BAKER NAVARRO
BAKER NAVARRO

5031

Date	Time	Temp.	Printed Name
THURSDAY, JUNE 13, 2024	0100	73	Rutherford
	0200	67	Rutherford
	0300	65	Rutherford
	0400	63	Rutherford
	0500	61	Rutherford
	0600	61	BAKER
	0700	62	WESTON
	0800	67	BAKER
	0900	76	BAKER
	1000	81	BAKER
	1100	84	BAKER
	1200	85	WESTON
	1300	89	BAKER
	1400	89	Navarro
	1500	90	Navarro
	1600	90	Navarro
	1700	88	Vang
	1800	86	Vang
	1900	84	BAKER
	2000	78	Navarro
	2100	78	Navarro
	2200	77	HUTSON
	2300	74	HUTSON
	2400	70	HUTSON

Date	Time	Temp.	Printed Name
FRIDAY, JUNE 14, 2024	0100	68	HUTSON
	0200	68	HUTSON
	0300	60	HUTSON
	0400	58	HUTSON
	0500	58	HUTSON
	0600	62	BAKER
	0700	67	BAKER
	0800	69	BAKER
	0900	72	BAKER
	1000	77	BAKER
	1100	78	BAKER
	1200	76	BAKER
	1300	83	BAKER
	1400	83	Navarro
	1500	83	Navarro
	1600	81	Vang
	1700	80	Vang
	1800	70	BAKER
	1900	76	Navarro
	2000	73	Navarro
	2100	69	Navarro
	2200	61	Bell
	2300	60	Bell
	2400	59	BELL

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	60	BELL
	0200	59	Coffey
	0300	57	Coffey
	0400	54	Coffey
	0500	58	Coffey
	0600	58	Speaker
SATURDAY, JUNE 15, 2024	0700	60	RINAUDO
	0800	62	Rogers
	0900	65	Speaker
	1000	68	Rogers
	1100	70	Rogers
	1200	73	Rogers
	1300	75	Rogers
	1400	76	RINAUDO
	1500	78	Navarro
	1600	75	RINAUDO
	1700	75	Navarro
	1800	70	Navarro
	1900	69	Navarro
	2000	69	Navarro
	2100	63	Navarro
	2200	60	Barto
	2300	58	Barto
	2400	57	Barto

Date	Time	Temp.	Printed Name
SUNDAY, JUNE 16, 2024	0100	56	Barto
	0200	53	Barto
	0300	51	Barto
	0400	48	Susto
	0500	45	Barto
	0600	47	RINAUDO
	0700	47	RINAUDO
	0800	52	RINAUDO
	0900	60	Dueston
	1000	62	McGinnis
	1100	63	RINAUDO
	1200	67	RINAUDO
	1300	69	RINAUDO
	1400	72	RINAUDO
	1500	76	RINAUDO
	1600	73	Dueston
	1700	72	RINAUDO
	1800	71	RINAUDO
	1900	67	RINAUDO
	2000	66	RINAUDO
	2100	64	RINAUDO
	2200	64	Barto
	2300	61	Barto
	2400	58	Barto

5/31

315 - Attachment C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension: 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY, JUNE 15, 2024	0100	60	BELL
	0200	59	Coffield
	0300	57	Coffield
	0400	54	Coffield
	0500	58	Coffield
	0600	58	Speaker
	0700	60	RENAUDO
	0800	62	Rogers
	0900	65	Speaker
	1000	68	Rogers
	1100	70	Rogers
	1200	73	Rogers
	1300	75	Rogers
	1400	76	RENAUDO
	1500	78	Navarro
	1600	75	RENAUDO
	1700	75	Navarro
	1800	70	Navarro
	1900	69	Navarro
	2000	69	Navarro
	2100	63	Navarro
	2200	60	Barto
	2300	58	Barto
	2400	57	Barto

Date	Time	Temp.	Printed Name
SUNDAY, JUNE 16, 2024	0100	56	Barto
	0200	53	Barto
	0300	51	Barto
	0400	48	Barto
	0500	45	Barto
	0600	47	RENAUDO
	0700	47	RENAUDO
	0800	52	RENAUDO
	0900	60	DUNSTON
	1000	62	McGinnis
	1100	63	RENAUDO
	1200	67	RENAUDO
	1300	69	RENAUDO
	1400	72	RENAUDO
	1500	76	RENAUDO
	1600	73	DUNSTON
	1700	72	RENAUDO
	1800	71	RENAUDO
	1900	67	RENAUDO
	2000	66	RENAUDO
	2100	64	RENAUDO
	2200	64	Barto
	2300	61	Barto
	2400	58	Barto

5031

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	57	Barto
	0200	54	Barto
	0300	51	Barto
	0400	48	Barto
	0500	47	Barto
	0600	45	BAKER
	0700	45	BAKER
	0800	48	BAKER
	0900	49	BAKER
	1000	52	BAKER
	1100	55	BAKER
	1200	58	BAKER
	1300	60	BAKER
	1400	63	RIMACDO
	1500	63	RIMACDO
	1600	66	BAKER
	1700	66	BAKER
	1800	67	Martinez-Galindo
	1900	67	Martinez-Galindo
	2000	66	Martinez-Galindo
	2100	61	Martinez-Galindo
	2200	60	S. Robertson
	2300	58	S. Robertson
	2400	56	S. Robertson

MONDAY, JUNE 17, 2024

FAXED
07/02/2024

Date	Time	Temp.	Printed Name
	0100	54	S. Robertson
	0200	52	S. Robertson
	0300	50	S. Robertson
	0400	46	S. Robertson
	0500	42	S. Robertson
	0600	41	Hawks
	0700	44	BAKER
	0800	48	BAKER
	0900	57	Hawks
	1000	63	Hawks
	1100	63	HAWKS
	1200	68	Hawks
	1300	68	Hawks
	1400	71	HAWKS
	1500	73	HAWKS
	1600	73	Hawks
	1700	76	HAWKS
	1800	76	dustry
	1900	74	BAKER
	2000	71	Hawks
	2100	68	BAKER
	2200	66	S. Robertson
	2300	63	S. Robertson
	2400	60	S. Robertson

TUESDAY, JUNE 18, 2024

315 - Attachment C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY, JUNE 17, 2024	0100	57	Baker
	0200	54	Baker
	0300	51	Baker
	0400	48	Zentz
	0500	47	Zentz
	0600	45	BAKER
	0700	45	BAKER
	0800	48	BAKER
	0900	49	BAKER
	1000	50	BAKER
	1100	55	BAKER
	1200	58	BAKER
	1300	60	BAKER
	1400	63	Rimacado
	1500	63	Rimacado
	1600	66	BAKER
	1700	66	BAKER
	1800	67	Martinez-Galindo
	1900	67	Martinez-Galindo
	2000	66	Martinez-Galindo
	2100	61	Martinez-Galindo
	2200	60	S. Robertson
	2300	58	S. Robertson
	2400	56	S. Robertson

Date	Time	Temp.	Printed Name
TUESDAY, JUNE 18, 2024	0100	54	S. Robertson
	0200	52	S. Robertson
	0300	50	S. Robertson
	0400	46	S. Robertson
	0500	42	S. Robertson
	0600	41	Hawks
	0700	44	BAKER
	0800	49	BAKER
	0900	57	Hawks
	1000	63	Hawks
	1100	63	HAWKS
	1200	68	HAWKS
	1300	68	HAWKS
	1400	71	HAWKS
	1500	73	HAWKS
	1600	73	Hawks
	1700	76	Hawks
	1800	76	Hawks
	1900	74	BAKER
	2000	71	Hawks
	2100	68	BAKER
	2200	66	S. Robertson
	2300	63	S. Robertson
	2400	60	S. Robertson

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	56	S. Robertson
	0200	52	S. Robertson
	0300	51	S. Robertson
	0400	47	S. Robertson
	0500	44	S. Robertson
	0600	44	J. BAKER
	0700	50	J. BAKER
	0800	56	J. BAKER
	0900	61	J. BAKER
	1000	69	HAWKS
	1100	70	BAKER
	1200	72	HAWKS
	1300	76	BAKER
	1400	78	Hollingsworth
	1500	79	Hollingsworth
	1600	79	Hollingsworth
	1700	80	Hollingsworth
	1800	81	Hollingsworth
	1900	81	HACRES
	2000	78	Hollingsworth
	2100	73	Hollingsworth
	2200	71	Burt
	2300	68	Burt
	2400	65	Burt

WEDNESDAY, JUNE 19, 2024

Date	Time	Temp.	Printed Name
	0100	63	Burt
	0200	63	Burt
	0300	57	Burt
	0400	55	Burt
	0500	54	Burt
	0600	53	WESTON
	0700	55	WESTON
	0800	58	HASSELL
	0900	65	HASSELL
	1000	73	HASSELL
	1100	76	HASSELL
	1200	80	HASSELL
	1300	81	HASSELL
	1400	83	Navarro
	1500	87	Navarro
	1600	87	Navarro
	1700	86	Navarro
	1800	86	Navarro
	1900	86	Navarro
	2000	82	Vang
	2100	78	Vang
	2200	77	Hudson
	2300	73	Hudson
	2400	73	Hudson

THURSDAY, JUNE 20, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY, JUNE 19, 2024	0100	56	B. Robertson
	0200	52	B. Robertson
	0300	51	B. Robertson
	0400	47	B. Robertson
	0500	44	B. Robertson
	0600	44	J. Baker
	0700	50	J. Baker
	0800	56	J. BAKER
	0900	61	J. BAKER
	1000	69	Hawks
	1100	70	BAKER
	1200	72	Hawks
	1300	76	BAKER
	1400	78	Hollingsworth
	1500	79	Hollingsworth
	1600	79	Hollingsworth
	1700	80	Hollingsworth
	1800	81	Hollingsworth
	1900	81	Hawkes
	2000	78	Hollingsworth
	2100	73	Hollingsworth
	2200	71	Barto
	2300	68	Barto
	2400	65	Barto
THURSDAY, JUNE 20, 2024	0100	63	Barto
	0200	63	Barto
	0300	57	Barto
	0400	55	Barto
	0500	54	Barto
	0600	53	WESTON
	0700	55	WESTON
	0800	58	HASSELL
	0900	65	HASSELL
	1000	73	HASSELL
	1100	76	HASSELL
	1200	80	HASSELL
	1300	81	HASSELL
	1400	83	Navarro
	1500	87	Navarro
	1600	87	Navarro
	1700	86	Navarro
	1800	86	Navarro
	1900	86	Navarro
	2000	82	Vang
	2100	78	Vang
	2200	77	Hanson
	2300	73	Hanson
	2400	73	Hanson

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	71	HUNTER
	0200	71	HUNTER
	0300	68	HUNTER
	0400	64	HUNTER
	0500	59	HUNTER
	0600	55	HASSELL
	0700	55	HASSELL
	0800	68	HASSELL
	0900	73	HASSELL
	1000	80	HASSELL
	1100	84	WESTON
	1200	85	HASSELL
	1300	88	WESTON
	1400	89	HASSELL
	1500	91	Navarro
	1600	91	Navarro
	1700	91	Navarro
	1800	91	Navarro
	1900	91	Navarro
	2000	88	Vang
	2100	84	Navarro
	2200	82	SLIVER
	2300	78	SLIVER
	2400	74	SLIVER

FRIDAY, JUNE 21, 2024

 90
 1452
 89
 1945

Date	Time	Temp.	Printed Name
	0100	60	SLIVER
	0200	60	SLIVER
	0300	60	SLIVER
	0400	60	SLIVER
	0500	60	SLIVER
	0600	58	RIVACCO
	0700	68	Lopez,N
	0800	68	Lopez,N
	0900	82	Lopez,N
	1000	82	Lopez,N
	1100	85	Lopez,N
	1200	87	Lopez,N
	1300	89	Lopez,N
	1400	92	Navarro
	1500	93	Navarro
	1600	94	Navarro
	1700	92	ROBLEK
	1800	90	ROBLEK
	1900	86	Navarro
	2000	86	Navarro
	2100	78	Navarro
	2200	78	CHITWOOD
	2300	74	CHITWOOD
	2400	66	CHITWOOD

SATURDAY, JUNE 22, 2024

89
1850

Stage 1 heat alert 1310 hours

Deactivated 1950 hrs

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	71	HUNTER
	0200	71	HUNTER
	0300	68	HUNTER
	0400	64	HUNTER
	0500	59	HUNTER
	0600	55	HASSELL
	0700	55	HASSELL
	0800	63	HASSELL
	0900	73	HASSELL
	1000	80	HASSELL
	1100	84	WESTON
	1200	85	HASSELL
	1300	88	WESTON
	1400	89	HASSELL
	1500	91	Navarro
	1600	91	Navarro
	1700	91	Navarro
	1800	91	Navarro
	1900	91	Navarro
	2000	88	Vang
	2100	84	Navarro
	2200	82	SLIVER
	2300	78	SLIVER
	2400	74	SLIVER

90
1452
89
1445

FRIDAY, JUNE 21, 2024

Date	Time	Temp.	Printed Name
	0100	60	SLIVER
	0200	60	SLIVER
	0300	60	SLIVER
	0400	60	SLIVER
	0500	60	SLIVER
	0600	58	RIVERO
	0700	68	Lopez,N
	0800	68	Lopez,N
	0900	82	Lopez,N
	1000	82	Lopez,N
	1100	85	Lopez,N
	1200	87	Lopez,N
	1300	89	Lopez,N
	1400	92	Navarro
	1500	93	Navarro
	1600	94	Navarro
	1700	92	ROBLEK
	1800	90	ROBLEK
	1900	86	Navarro
	2000	86	Navarro
	2100	78	Navarro
	2200	78	CHITWOOD
	2300	74	CHITWOOD
	2400	66	CHITWOOD

89
1450

Stage 1 heat alert 1-3/4 hours

Deactivated 1950 hrs

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	64	CHIWAEN
	0200	61	CHIWAEN
	0300	60	CHIWAEN
	0400	60	CHIWAEN
	0500	59	CHIWAEN
	0600	56	McGinnis
	0700	61	Dueston
	0800	68	Dueston
	0900	75	Dueston
	1000	82	Dueston
	1100	85	Dueston
	1200	86	Dueston
	1300	88	Dueston
	1400	89	Burke
	1500	89	Burke
	1600	88	Burke
	1700	88	Burke
	1800	87	Burke
	1900	86	Burke
	2000	79	Burke
	2100	79	Burke
	2200	77	Burke
	2300	74	Burke
	2400	74	Burke

SUNDAY, JUNE 23, 2024

Date	Time	Temp.	Printed Name
	0100	66	Ruska
	0200	62	Ruska
	0300	59	Ruska
	0400	58	Ruska
	0500	57	Ruska
	0600	59	Hawky
	0700	59	BAKER
	0800	69	HAWKS
	0900	75	BAKER
	1000	78	HAWK
	1100	81	HAWK
	1200	85	HAWK
	1300	87	BAKER
	1400	88	BAKER
	1500	89	BAKER
	1600	89	CRAFTER
	1700	89	CRAFTER
	1800	88	BAKER
	1900	86	C. BAKER
	2000	83	BAKER
	2100	77	BAKER
	2200	77	S. Robertson
	2300	74	S. Robertson
	2400	69	S. Robertson

MONDAY, JUNE 24, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY, JUNE 23, 2024	0100	64	CHINWOO
	0200	61	CHINWOO
	0300	60	CHINWOO
	0400	60	CHINWOO
	0500	59	CHINWOO
	0600	56	MCGANNIS
	0700	61	DWESTON
	0800	68	DWESTON
	0900	75	DWESTON
	1000	82	DWESTON
	1100	83	DWESTON
	1200	86	DWESTON
	1300	88	DWESTON
	1400	89	Burke
	1500	89	Burke
	1600	88	Burke
	1700	88	Burke
	1800	87	Burke
	1900	86	Burke
	2000	79	Burke
	2100	79	Burke
	2200	77	Burke
	2300	74	Burke
	2400	74	Burke

Date	Time	Temp.	Printed Name
MONDAY, JUNE 24, 2024	0100	66	Burke
	0200	62	Burke
	0300	59	Burke
	0400	58	Burke
	0500	57	Burke
	0600	59	HAWK
	0700	59	BAKER
	0800	69	HAWK
	0900	75	BAKER
	1000	78	HAWK
	1100	81	HAWK
	1200	85	HAWK
	1300	87	BAKER
	1400	88	BAKER
	1500	89	BAKER
	1600	89	CHAKER
	1700	89	CHAKER
	1800	88	BAKER
	1900	86	C. BAKER
	2000	83	BAKER
	2100	77	BAKER
	2200	77	S. Robertson
	2300	74	S. Robertson
	2400	69	S. Robertson

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY, JUNE 25, 2024	0100	66	J. Robertson
	0200	64	J. Robertson
	0300	60	J. Robertson
	0400	58	J. Robertson
	0500	56	J. Robertson
	0600	55	Cutes
	0700	59	BAKER
	0800	64	BAKER
	0900	73	HAWKS
	1000	75	DAVIS
	1100	77	HAWKS
	1200	78	HAWKS
	1300	80	HAWKS
	1400	85	HAWKS
	1500	82	HAWKS
	1600	84	HAWKS
	1700	86	HAWKS
	1800	87	HAWKS
	1900	85	HAWKS
	2000	83	HAWKS
	2100	80	BAKER
	2200	80	Barto
	2300	79	Barto
	2400	77	Barto

Date	Time	Temp.	Printed Name
WEDNESDAY, JUNE 26, 2024	0100	75	Barto
	0200	74	Barto
	0300	73	Barto
	0400	73	Barto
	0500	72	Barto
	0600	69	BAKER
	0700	70	BAKER
	0800	75	BAKER
	0900	78	HAWKS
	1000	81	HAWKS
	1100	81	BAKER
	1200	83	BAKER
	1300	83	HAWKS
	1400	84	HAWKS
	1500	85	HASSELL
	1600	85	HASSELL
	1700	84	HASSELL
	1800	83	HASSELL
	1900	80	HASSELL
	2000	78	HASSELL
	2100	74	HASSELL
	2200	71	Barto
	2300	70	Barto
	2400	68	Barto

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY, JUNE 25, 2024	0100	60	S. Robertson
	0200	64	S. Robertson
	0300	60	S. Robertson
	0400	58	S. Robertson
	0500	56	S. Robertson
	0600	55	C. BAKER
	0700	59	BAKER
	0800	64	BAKER
	0900	73	HAWKS
	1000	75	HAWKS
	1100	77	HAWKS
	1200	78	HAWKS
	1300	80	HAWKS
	1400	83	HAWKS
	1500	82	HAWKS
	1600	84	HAWKS
	1700	86	HAWKS
	1800	87	HAWKS
	1900	85	HAWKS
	2000	83	HAWKS
	2100	80	BAKER
	2200	80	Burke
	2300	79	Burke
	2400	77	Burke

Date	Time	Temp.	Printed Name
WEDNESDAY, JUNE 26, 2024	0100	75	Burke
	0200	74	Burke
	0300	75	Burke
	0400	73	Burke
	0500	72	Burke
	0600	69	BAKER
	0700	70	BAKER
	0800	75	BAKER
	0900	78	HAWKS
	1000	81	HAWKS
	1100	81	BAKER
	1200	83	BAKER
	1300	83	HAWKS
	1400	84	HAWKS
	1500	85	HASSELL
	1600	85	HASSELL
	1700	84	HASSELL
	1800	83	HASSELL
	1900	80	HASSELL
	2000	79	HASSELL
	2100	74	HASSELL
	2200	71	Burke
	2300	70	Burke
	2400	68	Burke

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	67	Barto
	0200	64	Barto
	0300	62	Barto
	0400	60	Barto
	0500	58	Barto
	0600	56	Weeton
	0700	57	HASSELL
	0800	65	HASSELL
	0900	69	HASSELL
	1000	74	HASSELL
	1100	77	HASSELL
	1200	77	HASSELL
	1300	80	HASSELL
	1400	80	Navarro
	1500	82	Navarro
	1600	82	HASSELL
	1700	82	Navarro
	1800	81	Navarro
	1900	77	Navarro
	2000	77	Navarro
	2100	73	Navarro
	2200	71	HUTSON
	2300	70	HUTSON
	2400	69	HUTSON

THURSDAY, JUNE 27, 2024

Date	Time	Temp.	Printed Name
	0100	66	HUTSON
	0200	63	HUTSON
	0300	61	HUTSON
	0400	60	HUTSON
	0500	58	HUTSON
	0600	58	HASSELL
	0700	57	HASSELL
	0800	64	HASSELL
	0900	66	HASSELL
	1000	72	HASSELL
	1100	74	HASSELL
	1200	78	HASSELL
	1300	81	HASSELL
	1400	83	HASSELL
	1500	83	HASSELL
	1600	87	Navarro
	1700	87	Navarro
	1800	87	Navarro
	1900	87	Navarro
	2000	79	Navarro
	2100	79	Navarro
	2200	76	YATES
	2300	73	YATES
	2400	71	YATES

FRIDAY, JUNE 28, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
THURSDAY, JUNE 27, 2024	0100	67	Burton
	0200	64	Burton
	0300	62	Burton
	0400	60	Burton
	0500	58	Burton
	0600	56	Weeton
	0700	57	HASSELL
	0800	65	HASSELL
	0900	69	HASSELL
	1000	71	HASSELL
	1100	77	HASSELL
	1200	77	HASSELL
	1300	80	HASSELL
	1400	80	Navarro
	1500	82	Navarro
	1600	87	HASSELL
	1700	82	Navarro
	1800	81	Navarro
	1900	77	Navarro
	2000	77	Navarro
	2100	73	Navarro
	2200	71	HUTSON
	2300	70	HUTSON
	2400	69	HUTSON

Date	Time	Temp.	Printed Name
FRIDAY, JUNE 28, 2024	0100	66	HUTSON
	0200	63	HUTSON
	0300	61	HUTSON
	0400	60	HUTSON
	0500	58	HUTSON
	0600	58	HASSELL
	0700	57	HASSELL
	0800	64	HASSELL
	0900	66	HASSELL
	1000	72	HASSELL
	1100	74	HASSELL
	1200	78	HASSELL
	1300	81	HASSELL
	1400	83	HASSELL
	1500	83	HASSELL
	1600	87	Navarro
	1700	87	Navarro
	1800	87	Navarro
	1900	87	Navarro
	2000	79	Navarro
	2100	79	Navarro
	2200	76	YATES
	2300	73	YATES
	2400	71	YATES

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	71	YATES
	0200	70	YATES
	0300	69	YATES
	0400	68	YATES
	0500	64	YATES
	0600	64	Weston
	0700	64	Weston
	0800	67	Alba
	0900	73	Alba
	1000	76	Alba
	1100	81	Alba
	1200	84	Alba
	1300	84	Alba
	1400	85	RIVAUO
	1500	87	RIVAUO
	1600	87	Navarro
	1700	86	Navarro
	1800	86	Navarro
	1900	85	RIVAUO
	2000	81	Alba
	2100	79	RIVAUO
	2200	75	Barto
	2300	73	Barto
	2400	72	Barto

SATURDAY, JUNE 29, 2024

Date	Time	Temp.	Printed Name
	0100	70	Barto
	0200	68	Barto
	0300	67	Barto
	0400	65	Barto
	0500	63	Barto
	0600	62	RIVAUO
	0700	63	Dueston
	0800	66	Dueston
	0900	70	Dueston
	1000	75	RIVAUO
	1100	77	Alba
	1200	78	Weston
	1300	78	Weston
	1400	83	Navarro
	1500	84	Navarro
	1600	83	RIVAUO
	1700	82	RIVAUO
	1800	81	Navarro
	1900	81	Navarro
	2000	79	Navarro
	2100	78	RIVAUO
	2200	75	Barto
	2300	73	Barto
	2400	70	Barto

SUNDAY, JUNE 30, 2024

Fax 5031

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY, JUNE 29, 2024	0100	71	YATES
	0200	70	YATES
	0300	69	YATES
	0400	68	YATES
	0500	64	YATES
	0600	64	Weston
	0700	64	Weston
	0800	67	Alba
	0900	73	Alba
	1000	76	Alba
	1100	81	Alba
	1200	84	Alba
	1300	84	Alba
	1400	85	RENAUD
	1500	87	RENAUD
	1600	87	Navarro
	1700	86	Navarro
	1800	86	Navarro
	1900	45	RENAUD
	2000	81	Alba
	2100	79	RENAUD
	2200	75	Barts
	2300	73	Barts
	2400	72	Barts

Date	Time	Temp.	Printed Name
SUNDAY, JUNE 30, 2024	0100	70	Barts
	0200	68	Barts
	0300	67	Barts
	0400	65	Barts
	0500	63	Barts
	0600	62	RENAUD
	0700	63	Dueston
	0800	66	Dueston
	0900	70	Dueston
	1000	75	RENAUD
	1100	77	Alba
	1200	78	Dueston
	1300	78	Dueston
	1400	83	Navarro
	1500	84	Navarro
	1600	83	RENAUD
	1700	82	RENAUD
	1800	81	Navarro
	1900	81	Navarro
	2000	79	Navarro
	2100	78	RENAUD
	2200	75	Barts
	2300	73	Barts
	2400	70	Barts

Fax 5001

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

6/1/2024	0300	69	Bell
	0600	70	RODRIGUEZ
	0900	68	RODRIGUEZ
	1200	69	RODRIGUEZ
	1500	70	MUNOZ
	1800	71	MUNOZ
	2100	71	MUNOZ
	2400	70	Bell
	0300	69	Bell
	0600	70	COLLENS
	0900	71	COLLENS
	1200	72	COLLENS

Date	Time	Temp.	Name (Print)
6/2/2024	0300	69	Bell
	0600	70	COLLENS
	0900	71	COLLENS
	1200	72	COLLENS
	1500	73	Anderson
	1800	74	Anderson
	2100	73	Anderson
	2400	70	Bell
	0300	69	Bell
	0600	70	COLLENS
	0900	71	COLLENS
	1200	72	COLLENS

Saturday				
6/1/2024	Date	Time	Temp.	Name (Print)
	0300	67	67	Bell
	0600	68	68	RODRIGUEZ
	0900	68	68	RODRIGUEZ
	1200	69	69	RODRIGUEZ
	1500	70	70	MUNOZ
	1800	71	71	MUNOZ
	2100	71	71	MUNOZ
	2400	70	70	Bell
	0300	69	69	Bell
	0600	70	70	COLLENS
	0900	71	71	COLLENS

Saturday

Date	Time	Temp.	Name (Print)
0300	67	67	Bell
0600	68	68	RODRIGUEZ
0900	68	68	RODRIGUEZ
1200	69	69	RODRIGUEZ
1500	70	70	MUNOZ
1800	71	71	MUNOZ
2100	71	71	MUNOZ
2400	70	70	Bell

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	69	Bell
	0600	70	COLLENS
	0900	71	COLLENS
	1200	72	COLLENS
	1500	73	Anderson
	1800	74	Anderson
	2100	73	Anderson
	2400	70	Bell
	0300	69	Bell
	0600	70	COLLENS
	0900	71	COLLENS
	1200	72	COLLENS

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSR Housing Unit: A1 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/3</u>	0300	54-	Bell
	0600	66	Collins
	0900	65	Collins
	1200	66	Collins
	1500	66	Hahn
	1800	64	Hahn
	2100	66	Hahn
	2400	65	JARVIS

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/4</u>	0300	65	JARVIS
	0600	69	Collins
	0900	64	Collins
	1200	68	Collins
	1500	69	D. Munoz
	1800	70.2	D. Munoz
	2100	70	D. Munoz
	2400	69	MCCREA

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/5</u>	0300	67	MCCREA
	0600	66	Collins
	0900	68	Collins
	1200	69	Collins
	1500	70	D. Munoz
	1800	71	D. Munoz
	2100	70.7	D. Munoz
	2400	70	JARVIS

Thursday

Date	Time	Temp.	Name (Print)
<u>6/6</u>	0300	66	JARVIS
	0600	66	Collins
	0900	69	Collins
	1200	70	Collins
	1500	71	D. Munoz
	1800	72	D. Munoz
	2100	71	D. Munoz
	2400	70	JARVIS

Friday

Date	Time	Temp.	Name (Print)
<u>6/7</u>	0300	53	JARVIS
	0600	59	RODRIGUEZ
	0900	69	RODRIGUEZ
	1200	70	RODRIGUEZ
	1500	72.1	Fleming
	1800	71.4	Fleming
	2100	70.2	Fleming
	2400	68	JARVIS

Saturday

Date	Time	Temp.	Name (Print)
<u>6/8</u>	0300	54	JARVIS
	0600	60	RODRIGUEZ
	0900	69	RODRIGUEZ
	1200	68	RODRIGUEZ
	1500	71	D. Munoz
	1800	71	D. Munoz
	2100	70	D. Munoz
	2400	68	BELL

Notes

Date	Time	Temp.	Name (Print)
<u>6/9</u>	0300	68	Bell
	0600	68	COLLINS
	0900	69	COLLINS
	1200	70	COLLINS
	1500	70.5	Compill.
	1800	70	Compill.
	2100	69	Compill.
	2400	69	Lily

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	66.4	Lilly	
0600	65	Hale	
0900	69	Hale	
1200	69	Hale	
1500	69	Martinez	
1800	69	Martinez	
2100	69	Martinez	
2400	68	OCHOA	

Wednesday

Date	Time	Temp.	Name (Print)
0300	67	OCHOA	
0600	67	Collins	
0900	68	Collins	
1200	71	Collins	
1500	73.8	D. Munoz	
1800	73	D. Munoz	
2100	73	D. Munoz	
2400	73	D. Lee	

Friday

Date	Time	Temp.	Name (Print)
0300	72	D. Lee	
0600	73	D. Lee	
0900	68	Rodriguez	
1200	69	Rodriguez	
1500	71	D. Munoz	
1800	68	D. Munoz	
2100	68	D. Munoz	
2400	65	S. VUE	

Sunday

Date	Time	Temp.	Name (Print)
0300	65	Bell	
0600	68	BELL	
0900	67	Gallaway	
1200	66	Gallaway	
1500	67	Anderson	
1800	66.8	Anderson	
2100	64.8	Anderson	
2400	64.9	Clegg	

Tuesday

Date	Time	Temp.	Name (Print)
0300	60	OCHOA	
0600	67	Collins	
0900	69	Collins	
1200	72	Collins	
1500	72.5	D. Munoz	
1800	72	D. Munoz	
2100	72	D. Munoz	
2400	68	OCHOA	

Thursday

Date	Time	Temp.	Name (Print)
0300	72	D. Lee	
0600	72	D. Lee	
0900	69	Collins	
1200	72	Collins	
1500	72	D. Munoz	
1800	72.1	D. Munoz	
2100	69	D. Munoz	
2400	70	D. Lee	

Saturday

Date	Time	Temp.	Name (Print)
0300	66	S. VUE	
0600	66	S. VUE	
0900	67	Rodriguez	
1200	67	Rodriguez	
1500	70	D. Munoz	
1800	69	D. Munoz	
2100	68	D. Munoz	
2400	68	BELL	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	62	Lilly	
0600	62	Collins	
0900	60	Collins	
1200	59	Collins	
1500	62	Hale	
1800	62	Hale	
2100	61	Hale	
2400	61	JARVIS	

Wednesday

Date	Time	Temp.	Name (Print)
0300	60	JARVIS	
0600	60	Collins	
0900	60	Collins	
1200	62	Collins	
1500	66	D.Munoz	
1800	68	D.Munoz	
2100	54	D.Munoz	
2400	60	JARVIS	

Friday

Date	Time	Temp.	Name (Print)
0300	66	JARVIS	
0600	65	Rodriguez	
0900	65	Rodriguez	
1200	66	Rodriguez	
1500	71	D.Munoz	
1800	70	D.Munoz	
2100	70	D.Munoz	
2400	68	JARVIS	

Sunday

Date	Time	Temp.	Name (Print)
0300	71	Bell	
0600	70	Collins	
0900	68	Collins	
1200	70	Collins	
1500	71.4	Anderson	
1800	70.7	Anderson	
2100	69.5	Anderson	
2400	69	Lilly	

Tuesday

Date	Time	Temp.	Name (Print)
0300	60	JARVIS	
0600	60	Collins	
0900	60	Collins	
1200	62	Collins	
1500	63	D.Munoz	
1800	65	D.Munoz	
2100	63	D.Munoz	
2400	63	JARVIS	

Thursday

Date	Time	Temp.	Name (Print)
0300	64	JARVIS	
0600	61	Collins	
0900	62	Collins	
1200	66	Collins	
1500	60	Jany	
1800	64	Villagomez	
2100	64	Villagomez	
2400	68	JARVIS	

Saturday

Date	Time	Temp.	Name (Print)
0300	66	JARVIS	
0600	65	Rodriguez	
0900	67	Rodriguez	
1200	69	Rodriguez	
1500	72	D.Munoz	
1800	72	D.Munoz	
2100	71	D.Munoz	
2400	71	Bell	

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: 41 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	0300	63.6	Lily
	0600	65	Collins
	0900	68	Collins
	1200	69	Collins
	1500	71	Hendon
	1800	71	Hendon
	2100	69	Hendon
	2400	66°	Bell, C

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	0300	64°	Bell, C
	0600	62	Collins
	0900	67	Collins
	1200	69	Collins
	1500	70	D. Munoz
	1800	71	D. Munoz
	2100	71	D. Munoz
	2400	70	A. Perez

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	0300	69°	A. Perez
	0600	68	A. Perez
	0900	68	Collins
	1200	70	Collins
	1500	72	D. Munoz
	1800	71	D. Munoz
	2100	70	D. Munoz
	2400	70	N. West

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	0300	69	N. West
	0600	66	Ramirez
	0900	66	Ramirez
	1200	68	Ramirez
	1500	70	D. Munoz
	1800	68	D. Munoz
	2100	68	D. Munoz
	2400	65	A. Martinez

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	0300	63	H. Martinez
	0600	64	Rodriguez
	0900	69	Rodriguez
	1200	69	Rodriguez
	1500	68	D. Munoz
	1800	68	D. Munoz
	2100	68	D. Munoz
	2400	68	Bell

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	0300	68	Bell
	0600	65	Rodriguez
	0900	68	Rodriguez
	1200	69	Rodriguez
	1500	70	D. Munoz
	1800	71	D. Munoz
	2100	70	D. Munoz
	2400	70	Bell

Sunday

Date	Time	Temp.	Name (Print)
6/30/2024	0300	70	Bell
	0600	69.6	E. Gomez
	0900	69.8	E. Gomez
	1200	69.6	E. Gomez
	1500	70.2	I. Gomez
	1800	70.5	I. Gomez
	2100	69.3	I. Gomez
	2400	69.5	Lily

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD



CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	71	Matta
	0600	67	Peterson
	0900	67	Peterson
	1200	69	Peterson
	1500	75	ZETTERHOLM
	1800	75	ZETTERHOLM
	2100	73	ZETTERHOLM
	2400	71	Matta

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	71	McNeil
	0600	67	Gonzalez
	0900	66	Gonzalez
	1200	66	Gonzalez
	1500	73	ENDSLEY
	1800	72	ENDSLEY
	2100	70	ENDSLEY
	2400	68.9	Camacho

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	68.5	Camacho
	0600	67	Gonzalez
	0900	68	Gonzalez
	1200	70	Gonzalez
	1500	75.9	Gonzalez
	1800	75.3	Gonzalez
	2100	73.8	Gonzalez
	2400	71.4	Bell

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	0300	72	Bell
	0600	67	Peterson
	0900	66	Peterson
	1200	66	Peterson
	1500	74.1	Autry
	1800	75.2	Autry
	2100	73.2	Autry
	2400	71	Autry

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	71	Autry
	0600	67	Peterson
	0900	66	Peterson
	1200	65	Peterson
	1500	79.3	Zetterholm
	1800	80.0	Zetterholm
	2100	74	Zetterholm
	2400	74	Autry

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	73	Autry
	0600	69	Peterson
	0900	74	Peterson
	1200	77	Peterson
	1500	81	Zetterholm
	1800	80	Zetterholm
	2100	78	Zetterholm
	2400	75	Webb J

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	71	Webb J
	0600	70	Peterson
	0900	73	Peterson
	1200	78	Peterson
	1500	79.1	Zetterholm
	1800	78	Zetterholm
	2100	75	Zetterholm
	2400	73	Webb J

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	69.4	Webb J
	0600	69	Peterson
	0900	74	Peterson
	1200	78	Peterson
	1500	79	Zetterholm
	1800	78	Zetterholm
	2100	76	Zetterholm
	2400	71	Webb J

Sunday

Date	Time	Temp.	Name (Print)
6/9/2024	0300	69	Webb S
	0600	70	Gonzalez
	0900	74	Gonzalez
	1200	76	Gonzalez
	1500	77.4	Zetterholm
	1800	78.5	Zetterholm
	2100	73.0	Zetterholm
	2400	70.5	Camacho

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	68.5	CAMACHTO
	0600	69	Gonzalez
	0900	69	Gonzalez
	1200	69	Gonzalez
	1500	72	Gonzalez
	1800	74	Gonzalez
	2100	74	Gonzalez
	2400	70.5	Lilly

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	70.5	Lilly
	0600	70.2	Lilly
	0900	73	Peterson
	1200	76	Peterson
	1500	78	Blausier
	1800	79	Blausier
	2100	78	Blausier
	2400	75	Webb J

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	71	Webb J
	0600	71	Peterson
	0900	72	Peterson
	1200	76	Peterson
	1500	77.1	Zetterholm
	1800	70.8	Zetterholm
	2100	75.7	Zetterholm
	2400	70	Webb J

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	69	Webb J
	0600	68	Peterson
	0900	73	ZETTERHOLM
	1200	77	ZETTERHOLM
	1500	79	ZETTERHOLM
	1800	60	ZETTERHOLM
	2100	73	ZETTERHOLM
	2400	68	Webb J

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	68	Webb J
	0600	69.4	CAMACHTO
	0900	72.1	CAMACHTO
	1200	74.1	CAMACHTO
	1500	75	Zetterholm
	1800	75	Zetterholm
	2100	71	Zetterholm
	2400	72	Webb J

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	71	Webb J
	0600	68	Peterson
	0900	69	Peterson
	1200	70	Peterson
	1500	72	Zetterholm
	1800	71	Zetterholm
	2100	68	Zetterholm
	2400	67	Webb J

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	67	Webb J
	0600	69	Gonzalez
	0900	67	Gonzalez
	1200	67	Gonzalez
	1500	67.3	Zetterholm
	1800	70	Zetterholm
	2100	68.1	Zetterholm
	2400	68	Zetterholm

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	65	CAMPACTO
	0600	65	Gonzalez
	0900	66	Gonzalez
	1200	68	Gonzalez
	1500	68	Gonzalez
	1800	73	Gonzalez
	2100	73	Gonzalez
	2400	68	Lilly

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	66	Lilly
	0600	63	Peterson
	0900	65	Peterson
	1200	68	Peterson
	1500	69	Lo
	1800	69	Lo
	2100	69	Lo
	2400	67	Webb J

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	64	Webb J
	0600	64	Peterson
	0900	66	Peterson
	1200	69	Peterson
	1500	70	ZARZUELA
	1800	71	ZARZUELA
	2100	65	ZARZUELA
	2400	66	Webb J

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	67	Webb J
	0600	66	Peterson
	0900	66	Peterson
	1200	67	Peterson
	1500	67	ZARZUELA
	1800	68	ZARZUELA
	2100	69	ZARZUELA
	2400	67	Webb J

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	67	Webb J
	0600	66	CAMPACTO
	0900	69	CAMPACTO
	1200	69	CAMPACTO
	1500	75	Jordan
	1800	76	Jordan
	2100	75	Jordan
	2400	74	MATHESON

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	70	MATHESON
	0600	68	Peterson
	0900	69	Peterson
	1200	70	Peterson
	1500	78	ORTEGA
	1800	78	ORTEGA
	2100	76	ORTEGA
	2400	69	ORTEGA

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	66	Webb J
	0600	70	Gonzalez
	0900	72	Gonzalez
	1200	75	Gonzalez
	1500	70	Peterson
	1800	76.9	McGraw
	2100	74	McGraw
	2400	70	McGraw

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	78	Lily	
0600	77	Gonzales	
0900	71	Gonzales	
1200	74	Gonzales	
1500	75	Gonzales	
1800	75	Gonzales	
2100	75	Gonzales	
2400	75	Lily	

Wednesday

Date	Time	Temp.	Name (Print)
0300	79	Webb J	
0600	73	Peterson	
0900	74	Peterson	
1200	75	Peterson	
1500	75	WEST, N	
1800	75	WEST, N	
2100	74	WEST, N	
2400	72	Webb J	

Friday

Date	Time	Temp.	Name (Print)
0300	69	Webb J	
0600	64	Hurst	
0900	71	Hurst	
1200	75.6	Hurst	
1500	77.2	Celis	
1800	79	Celis	
2100	76.3	Celis	
2400	69	Hurst	

Sunday

Date	Time	Temp.	Name (Print)
0300	68	Hurst	
0600	70	Gonzales	
0900	72	Gonzales	
1200	74	Gonzales	
1500	77.5	E. Moncke	"
1800	75.5	E. Moncke	"
2100	73.9	E. Moncke	"
2400	74	Gonzales	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70.2	Lily	
0600	68	Lily	
0900	69	Peterson	
1200	70	Peterson	
1500	76	Reilly	
1800	79	Reilly	
2100	77	Feltro	
2400	76	Webb J	

Thursday

Date	Time	Temp.	Name (Print)
0300	68	Webb J	
0600	68	Peterson	
0900	71	Peterson	
1200	74	Peterson	
1500	76	Schumann	
1800	76	Schumann	
2100	74	Schumann	
2400	71	Webb J	

Saturday

Date	Time	Temp.	Name (Print)
0300	69	mult	
0600	69	Peterson	
0900	70	Peterson	
1200	74	Peterson	
1500	75.2	Anderson	
1800	75.4	Anderson	
2100	73.6	Anderson	
2400	69	mult	

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSR Housing Unit: A 3 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
6/1/2024	0300	70	GOMEZ
	0600	71	Ochoa
	0900	72	Ochoa
	1200	72	Ochoa
	1500	73	Chimenti
	1800	72	Chimenti
	2100	72	Chimenti
	2400	72	WEST. N

Sunday			
Date	Time	Temp.	Name (Print)
6/2/2021	0300	72	WEST. N.
	0600	73	Ochea
	0900	73	Ochea
	1200	74	Ochea
	1500	74	Ghimenti
	1800	73	Ghimenti
	2100	73	Gonee
	2400	72	WEST. N.

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NDSD Housing Unit: A 3 Temp. Reading Location: 2 ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/13/24	0300	69	WEST, N
	0600	70	Z PARKER
	0900	66	Z PARKER
	1200	66	Z PARKER
	1500	67	TANCERETO
	1800	68	TANCERETO
	2100	68	TANCERETO
	2400	68	e/kell

Tuesday

Date	Time	Temp.	Name (Print)
06-04-24	0300	68	e/kell
	0600	69	RODRIGUES
	0900	70	RODRIGUES
	1200	67	RODRIGUES
	1500	68	Carmy
	1800	71	Carmy
	2100	70	Carmy
	2400	70	e/kell

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	72	e/kell
	0600	72	C Kelly
	0900	73	C Kelly
	1200	73	C Kelly
	1500	70	I. Gomez
	1800	77	I. Gomez
	2100	77	I. Gomez
	2400	75	A. PANNU

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	75	A. PANNU
	0600	75	C Kelly
	0900	75	C Kelly
	1200	78	C Kelly
	1500	77	RODRIGUES
	1800	79	RODRIGUES
	2100	78	RODRIGUES
	2400	78	Carmy

Friday

Date	Time	Temp.	Name (Print)
06/07/2024	0300	76	Carmy
	0600	72	Carmy
	0900	73	Carmy
	1200	73	Carmy
	1500	74	RODRIGUES
	1800	78	RODRIGUES
	2100	77	RODRIGUES
	2400	77	WEST, N

Saturday

Date	Time	Temp.	Name (Print)
06/08/2024	0300	77	WEST, N
	0600	77	OCHOA
	0900	78	OCHOA
	1200	78	OCHOA
	1500	76	ANDERSON
	1800	76	ANDERSON
	2100	76	ANDERSON
	2400	77	WEST

Sunday

Date	Time	Temp.	Name (Print)
06/09/2024	0300	75	WEST, N
	0600	74	OCHOA
	0900	75	OCHOA
	1200	75	OCHOA
	1500	74	Gomez
	1800	79	Gomez
	2100	78	Gomez
	2400	79	WEST, N

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	70	WEST, N
	0600	71	Z. PARKER
	0900	72	GOMES
	1200	71	GONZALEZ
	1500	71	HOBBS
	1800	71	HOBBS
	2100	71	HOBBS
	2400	74	ELWELL

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	72	ELWELL
	0600	74	GONZALEZ
	0900	74	GONZALEZ
	1200	75	GONZALEZ
	1500	76	HOBBS
	1800	76	HOBBS
	2100	74	HOBBS
	2400	74	ELWELL

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	72	ELWELL
	0600	72	CKELLY
	0900	72	CKELLY
	1200	72	CKELLY
	1500	76	HOBBS
	1800	75	HOBBS
	2100	74	HOBBS
	2400	74	CKELLY

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	72	CAMPBELL
	0600	72	CKELLY
	0900	72	CKELLY
	1200	73	CKELLY
	1500	76	RODRIGUEZ
	1800	74	RODRIGUEZ
	2100	74	RODRIGUEZ
	2400	73	CKELLY

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	73	CAMPBELL
	0600	73	CKELLY
	0900	72	CKELLY
	1200	72	CKELLY
	1500	74	RODRIGUEZ
	1800	75	RODRIGUEZ
	2100	75	RODRIGUEZ
	2400	74	WEST

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	73	WEST
	0600	72	OCHOA
	0900	72	OCHOA
	1200	72	OCHOA
	1500	72	GOMEZ
	1800	72	GOMEZ
	2100	72	GOMEZ
	2400	70	WEST

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	70	WEST, N
	0600	70	OCHOA
	0900	71	OCHOA
	1200	71	OCHOA
	1500	70	RAMOS
	1800	70	RAMOS
	2100	72	RAMOS
	2400	70	WEST, N

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	68	WEST, N
	0600	67	Z. PARKER
	0900	68	PARKER
	1200	68	PARKER
	1500	70	WEST, N
	1800	71	WEST, N
	2100	70	WEST, N
	2400	70	Cleary

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	70	elwell
	0600	74	E. GOMEZ
	0900	74	E. GOMEZ
	1200	76.3	E. GOMEZ
	1500	71	Grauer
	1800	71	Grauer
	2100	70	Grauer
	2400	70	elwell

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	70	elwell
	0600	70	CKelly
	0900	70	CKelly
	1200	71	CKelly
	1500	70	Jensen
	1800	69	Jensen
	2100	70	Jensen
	2400	70	Camacho

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	70	Camacho
	0600	70	CKelly
	0900	70	CKelly
	1200	70	CKelly
	1500	70	ROOKIBURG
	1800	69	ROOKIBURG
	2100	71	ROOKIBURG
	2400	70	Camacho

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	70	Camacho
	0600	70	CKelly
	0900	70	CKelly
	1200	70	CKelly
	1500	71	ROOKIBURG
	1800	70	ROOKIBURG
	2100	70	ROOKIBURG
	2400	70	elwell

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	70	elwell
	0600	73	OCHUA
	0900	74	OCHUA
	1200	74	OCHUA
	1500	74	OCHUA
	1800	74	Gulmer
	2100	73	Gulmer
	2400	72	West

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	71	West, N
	0600	72	OCHUA
	0900	72	OCHUA
	1200	73	OCHUA
	1500	72	Gulmer
	1800	73	Gulmer
	2100	73	Gulmer
	2400	72	West, N

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	0300	70	WEST, N
	0600	71	Z. PARKER
	0900	70	Z. PARKER
	1200	72	Z. PARKER
	1500	72	GARRETT
	1800	74	SILVER
	2100	73	GARRETT
	2400	73	CHEW

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	0300	71	ELWELL
	0600	72	CONZALEZ
	0900	72	CONZALEZ
	1200	75	CONZALEZ
	1500	74	HOBBS
	1800	74	HOBBS
	2100	73	HOBBS
	2400	73	ELWELL

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	0300	71	ELWELL
	0600	72	HOBBS
	0900	73	HOBBS
	1200	73	HOBBS
	1500	72	HOBBS
	1800	72	HOBBS
	2100	70	HOBBS
	2400	70	HOBBS

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	0300	70	HOBBS
	0600	71	C. KELLY
	0900	72	C. KELLY
	1200	75	C. KELLY
	1500	72	RODRIGUEZ
	1800	72	RODRIGUEZ
	2100	70	RODRIGUEZ
	2400	70	CARACHO

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	0300	68	CARACHO
	0600	70	C. KELLY
	0900	72	CHEW
	1200	72	C. KELLY
	1500	73	RODRIGUEZ
	1800	74	RODRIGUEZ
	2100	71	RODRIGUEZ
	2400	72	BELL, C

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	0300	71	BELL, C
	0600	71	OCHOA
	0900	72	OCHOA
	1200	72	OCHOA
	1500	74	GRUENWERTH
	1800	73	GRUENWERTH
	2100	73	GRUENWERTH
	2400	72	WEST, N

Sunday

Date	Time	Temp.	Name (Print)
6/30/2024	0300	71	BELL, C
	0600	72	OCHOA
	0900	73	OCHOA
	1200	73	OCHOA
	1500	74	RASCHELLA
	1800	72	RASCHELLA
	2100	72	RASCHELLA
	2400	70	WEST, N

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)



From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A4 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.



Saturday

Date	Time	Temp.	Name (Print)
	0300	74	Cernacho
	0600	74	Shaubach
	0900	74	Shaubach
	1200	75	Shaubach
	1500	75	RODRIGUEZ
	1800	74	RODRIGUEZ
	2100	73	RODRIGUEZ
	2400	73	Cernacho

6/1/2024

Sunday

Date	Time	Temp.	Name (Print)
	0300	72	Cernacho
	0600	72	Shaubach
	0900	73	Shaubach
	1200	74	Shaubach
	1500	75	GONZALEZ
	1800	74	GONZALEZ
	2100	74	GONZALEZ
	2400	73	HERNANDEZ

6/2/2024

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDP Housing Unit: A4 Temp. Reading Location: CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/8/24	0300	73	SHUBACK
	0600	74	SHUBACK
	0900	74	SHUBACK
	1200	74	SHUBACK
	1500	73	RODRIGUEZ
	1800	74	RODRIGUEZ
	2100	73	RODRIGUEZ
	2400	72	ANZO

Tuesday

Date	Time	Temp.	Name (Print)
6/8/24	0300	77	ANZO
	0600	71	Jordan
	0900	72	Jordan
	1200	72	Jordan
	1500	76	ANZO
	1800	73	ANZO
	2100	77	ANZO
	2400	77	ANZO

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	71	ANZO
	0600	72	Jordan
	0900	72	Jordan
	1200	73	Jordan
	1500	73	ANZO
	1800	73	ANZO
	2100	70	ANZO
	2400	72	Webb

Thursday

Date	Time	Temp.	Name (Print)
6/5/24	0300	71	ANZO
	0600	73	JALDEN
	0900	76	JALDEN
	1200	78	JALDEN
	1500	78	ANZO
	1800	76	ANZO
	2100	74	ANZO
	2400	72	ANZO

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	72	ANZO
	0600	74	Lyon
	0900	72	VALDEN
	1200	72	VALDEN
	1500	76	VALDEN
	1800	76	VALDEN
	2100	74	VALDEN
	2400	75	ANZO

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	74	LAMPILLI
	0600	74	LAMPILLI
	0900	74	SHUBACK
	1200	74	SHUBACK
	1500	76	RODRIGUEZ
	1800	76	RODRIGUEZ
	2100	75	RODRIGUEZ
	2400	75	Camacho

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	74	Camacho
	0600	74	SHUBACK
	0900	74	SHUBACK
	1200	74	SHUBACK
	1500	74	Cochran
	1800	74	Cochran
	2100	74	Cochran
	2400	73	Wright

Notes

6-7-24 1315 1ST Stage Heat Alert.

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: 44 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2024	0300	71	HABER
	0600	72	SHAWBACK
	0900	72	SHAWBACK
	1200	72	SHAWBACK
	1500	71	Hab
	1800	73	Hab
	2100	74	Hab
	2400	74	WILSON

Tuesday

Date	Time	Temp.	Name (Print)
6/11/2024	0300	72	JORDAN
	0600	70	Jordan
	0900	72	Jordan
	1200	74	Jordan
	1500	75	Hab
	1800	76	Hab
	2100	73	Hab
	2400	73.0	VELASCO

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2024	0300	72.0	VELASCO
	0600	72	Jordan
	0900	73	Jordan
	1200	73	Jordan
	1500	75	AUTREY
	1800	76	AUTREY
	2100	74	AUTREY
	2400	74	WILSON

Thursday

Date	Time	Temp.	Name (Print)
6/13/2024	0300	73	WALKER
	0600	71	VALDERR
	0900	75	VALDER
	1200	75	VALDER
	1500	76	WALKER
	1800	76	WALKER
	2100	74	WALKER
	2400	72	WALKER

Friday

Date	Time	Temp.	Name (Print)
6/14/2024	0300	72	meth
	0600	71	VALDER
	0900	71	VALDER
	1200	71	VALDER
	1500	71	Hernandez
	1800	74	Hernandez
	2100	74	Hernandez
	2400	73	LAMPTII

Saturday

Date	Time	Temp.	Name (Print)
6/15/2024	0300	72	LAMPTII
	0600	72	LAMPTII
	0900	75	SHAWBACK
	1200	75	SHAWBACK
	1500	7-	WILSON
	1800	79	L. MURKIN
	2100	74	L. MURKIN
	2400	72	L. MURKIN

Sunday

Date	Time	Temp.	Name (Print)
6/16/2024	0300	71	L. MURKIN
	0600	71	SHAWBACK
	0900	72	SHAWBACK
	1200	72	SHAWBACK
	1500	72	Currant
	1800	72	Currant
	2100	70	currant
	2400	71	XAVIER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/2024	0300	70	Anzur
	0600	71	Schuback
	0900	72	Shawach
	1200	70	Shaubach
	1500	72	Anzur
	1800	72	Anzur
	2100	72	Anzur
	2400	69	Anzur

Tuesday

Date	Time	Temp.	Name (Print)
6/18/2024	0300	69	Anzur
	0600	67	Jorden
	0900	71	Jorden
	1200	72	Jorden
	1500	73	Anzur
	1800	72	Anzur
	2100	72	Anzur
	2400	69	Anzur

Wednesday

Date	Time	Temp.	Name (Print)
6/19/2024	0300	69	Anzur
	0600	69	Jorden
	0900	69	Jorden
	1200	74	Jorden
	1500	76	YATES
	1800	75	YATES
	2100	73	YATES
	2400	72	YATES

Thursday

Date	Time	Temp.	Name (Print)
6/20/2024	0300	72	YATES
	0600	71	VALDEZ
	0900	74	VALDEZ
	1200	70	VALDEZ
	1500	75	YATES
	1800	75	YATES
	2100	75	YATES
	2400	73	YATES

Friday

Date	Time	Temp.	Name (Print)
6/21/2024	0300	72	YATES
	0600	71	VALDEZ
	0900	73	VALDEZ
	1200	74	VALDEZ
	1500	80	YATES
	1800	78	YATES
	2100	76	YATES
	2400	75	MURILLO

Saturday

Date	Time	Temp.	Name (Print)
6/22/2024	0300	72	MURILLO
	0600	73	MURILLO
	0900	76	SHUBACK
	1200	76	SHUBACK
	1500	77	L...
	1800	76	L...
	2100	76	L...
	2400	74	YATES

Sunday

Date	Time	Temp.	Name (Print)
6/23/2024	0300	73	YATES
	0600	74	SHUBACK
	0900	75	SHUBACK
	1200	76	SHUBACK
	1500	76	Cernoch
	1800	74	Cernoch
	2100	75	Cernoch
	2400	75	YATES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/2024	0300	73	YATES
	0600	74	SHAWACH
	0900	75	SHAWACH
	1200	76	SHAWACH
	1500	76	YATES
	1800	77	YATES
	2100	76	YATES
	2400	74	YATES

Tuesday

Date	Time	Temp.	Name (Print)
6/25/2024	0300	73	YATES
	0600	72	Jordan
	0900	74	Jordan
	1200	80	Jordan
	1500	77	YATES
	1800	76	YATES
	2100	76	YATES
	2400	75	YATES

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2024	0300	75	YATES
	0600	74	Jordan
	0900	77	Jordan
	1200	75	Jordan
	1500	76	RITCHIE
	1800	75	RITCHIE
	2100	73	RITCHIE
	2400	74	YATES

Thursday

Date	Time	Temp.	Name (Print)
6/27/2024	0300	72	YATES
	0600	72	VALDEZ
	0900	72	VALDEZ
	1200	77	VALDEZ
	1500	75	YATES
	1800	75	YATES
	2100	74	YATES
	2400	72	YATES

Friday

Date	Time	Temp.	Name (Print)
6/28/2024	0300	72	YATES
	0600	73	VALDEZ
	0900	75	VALDEZ
	1200	78	VALDEZ
	1500	76	YATES
	1800	76	YATES
	2100	74	YATES
	2400	72	CAMACHO

Saturday

Date	Time	Temp.	Name (Print)
6/29/2024	0300	72	CAMACHO
	0600	72	SHAWACH
	0900	74	SHAWACH
	1200	76	SHAWACH
	1500	76	RODRIGUEZ
	1800	75	RODRIGUEZ
	2100	74	RODRIGUEZ
	2400	74	CAMACHO

Sunday

Date	Time	Temp.	Name (Print)
6/30/2024	0300	73	CAMACHO
	0600	72	SHAWACH
	0900	72	SHAWACH
	1200	74	SHAWACH
	1500	74	CAMACHO
	1800	74	CAMACHO
	2100	79	GONZALEZ
	2400	74	YATES

Notes