

**Monthly Summary Report**

Institution: CMC

**Memorandum**

Date: September 16, 2024  
To: Statewide Heat Plan Coordinator  
Subject: Heat Plan Activity - August 2024

The following is a summary of the heat related activity for the month of August 2024  
at CMC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? No

Number of days Stage I Alert initiated: 0

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness: 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.


Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

D. Samuel

Warden Name

DocuSigned by:

  
Danny Samuel

8002853055c5424  
Warden Signature

T. Macias

CSE Montalvo  
for CEO

Chief Executive Officer Name

DocuSigned by:

  
Olga Montalvo, CEO (A)

176E05AE21E34CA  
Chief Executive Officer Signature

8/5/2024

TO

8/11/2024

STATE OF CALIFORNIA

REHABILITATION

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND

From August 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list August be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 5, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday August 7, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	70.8	J. FARAD
	1200	71.0	"
	1500	74	"
	1800		
	2100		N/A
	2400		

Friday August 9, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	65	J. FARAD
	1200	68	" "
	1500	71	" "
	1800		
	2100		N/A
	2400		

Sunday August 11, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	65	J. FARAD
	0900	68	"
	1200		
	1500		
	1800		
	2100		N/A
	2400		

Tuesday August 6, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday August 8, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	65	J. FARAD
	0900	67	" "
	1200	70	" "
	1500	74	" "
	1800		
	2100		N/A
	2400		

Saturday August 10, 2024

Date	Time	Temp.	Name (Print)
	0300	7	N/A
	0600	6	J. FARAD
	0900	70	"
	1200	70	"
	1500	70	
	1800		
	2100		N/A
	2400		

Notes

---



---



---



---



---



---



---



---



---



---



---

8/5/2024 to 8/11/2024

to 8/11/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L Temp. Reading Location: Clothing Dist.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	ART CASSIOLI
	1200	78	ART CASSIOLI
	1500	78	ART CASSIOLI
	1800		
	2100		N/A
	2400		

Tuesday		8/6	
Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	ARTHUR CASSIO
	1200	76	M. GORON
	1500	78	M. GORON
	1800		
	2100		N/A
	2400		

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	ARTHUR CASHIN
	1200	76	ARTHUR CASHIN
	1500	78	ARTHUR CASHIN
	1800		
	2100		N/A
	2400		

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		N/A
	0900	77	ARTHUR CASSIM
	1200	76	ARTHUR CASSIM
	1500	80	ARTHUR CASSIM
	1800		N/A
	2100		N/A
	2400		N/A

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	79	ARS CASSIO
	1200	76	ARS CASSIO
	1500	80	ARS CASSIO
	1800		
	2100		N/A
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

DA Coordinator  
Arthur J. Cat <sup>MB 531</sup>  
8/9/24

8/5/2024 + 8/11/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-229, Testing Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300		
	0600		
	0900		
	1200	70	Not contact
	1500		
	1800	70	
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300		
	0600		
	0900		
	1200	70	Not contact
	1500	70	
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/9	0300		
	0600		
	0900		
	1200	70	Not contact
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/16	0300		N/A
	0600		
	0900	75	MATHES
	1200	76	MATHES
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/18	0300		N/A
	0600		
	0900	76	MATHES
	1200	77	MATHES
	1500		
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/20	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes


---



---



---



---



---



---



---



---

8/5/2024

TO

8/11/2024

DocuSign Envelope ID: 2CF73537-A6EA-4809-AD63-1940315886AF

DEPARTMENT OF CORRECTIONS AND

REHABILITATION

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMCHousing Unit: B102Temp. Reading Location: B Corridor(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/05	0300		N/A
	0600		
	0900	72	ROCHA
	1200	75	ROCHA
	1500	76	ROCHA
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/06	0300		N/A
	0600		
	0900	75	ROCHA
	1200	77	ROCHA
	1500	78	ROCHA
	1800		
	2100		
	2400		N/A

**Wednesday**

Date	Time	Temp.	Name (Print)
8/07	0300		N/A
	0600		
	0900	No class	ROCHA
	1200	No class	ROCHA
	1500	No class	ROCHA
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/08	0300		N/A
	0600		
	0900	76	ROCHA
	1200	79	ROCHA
	1500	80	ROCHA
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/09	0300		N/A
	0600		
	0900	76	ROCHA
	1200	77	ROCHA
	1500	No class	ROCHA
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Notes**

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

8/5/2024 TO 8/11/2024

DocuSign Envelope ID: 9CA702E1-42AF-4049-A9DA-1CAA800D6EEA  
 INSIDE TEMPERATURE RECORDS  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Q113A Temp. Reading Location: D yard  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/5

Date	Time	Temp.	Name (Print)
8/05	0300		N/A
	0600		
	0900	72	SCIOCCHETTI/
	1200	76	SCIOCCHETTI/
	1500	76	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Wednesday 8/7

Date	Time	Temp.	Name (Print)
8/07	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/
	1200	No class	SCIOCCHETTI/
	1500	76	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Friday 8/9

Date	Time	Temp.	Name (Print)
8/09	0300		N/A
	0600		
	0900	74	SCIOCCHETTI/
	1200	75	SCIOCCHETTI/
	1500	75	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Sunday 8/11

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday 8/6

Date	Time	Temp.	Name (Print)
8/06	0300		N/A
	0600		
	0900	72	SCIOCCHETTI/
	1200	76	SCIOCCHETTI/
	1500	76	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Thursday 8/8

Date	Time	Temp.	Name (Print)
8/08	0300		N/A
	0600		
	0900	76	SCIOCCHETTI/
	1200	76	SCIOCCHETTI/
	1500	78	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

Saturday 8/10

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---

---

---

---

---

---

---

---

8/5/2024 TO 8/11/2024

DocuSign Envelope ID: 0784C29B-5597-4026-9003-440D632F8365

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym CorridorTemp. Reading Location: East Education – HSD/GED Classroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/5/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	COLE
	1200	74	COLE
	1500	76	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	75	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	74	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	COLE
	1200	75	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	COLE
	1200	74	COLE
	1500	76	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:

Calob Cole

468693570662466

8/15/2024 TO 8/11/2024

DocuSign Envelope ID: 82EB045B-B59D-4256-B65E-23C4EFD64FC0

DEPARTMENT OF CORRECTIONS AND REHABILITATION.

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2034 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/05 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	76deg	V.VERA
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
08/06 2024	0300		N/A
	0600		
	0900	74deg	V.Vera
	1200	76deg	V.Vera
	1500	76 deg	V.VERA
	1800		N/A
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
08/07 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	77deg	V.VERA
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
08/08 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	77deg	V.VERA
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
08/09 2024	0300		N/A
	0600		
	0900	74deg	V.VERA
	1200	75deg	V.VERA
	1500	77deg	V.VERA
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**


DISTRIBUTION: Original: Institution ADA Coordinator

8/5/2024 to 8/11/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-5-24	0300		N/A
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500	75°	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8-7-24	0300		
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8-9-24	0300		N/A
	0600		
	0900	71°	S. MOORE/C. BERRY
	1200	74°	S. MOORE/C. BERRY
	1500	76°	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8-11-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

**Tuesday**

Date	Time	Temp.	Name (Print)
8-6-24	0300		N/A
	0600		
	0900	75	S. MOORE/C. BERRY
	1200	77	S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8-7-24	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	76	S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8-10-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**


---

---

---

---

---

---

---

8/5/2024 to 8/11/2024

## **DEPARTMENT OF CORRECTIONS AND REHABILITATION**

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-10 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## **Monday**

Date	Time	Temp.	Name (Print)
8/5/14	0300		
	0600		
	0900	77.	Deltoro
	1200	76.8	Deltoro
	1500	76.8	Deltoro
	1800		
	2100		
	2400		

**Tuesday**

Dat	Time	Temp.	Name (Print)	
8 6nday	0300			
	0600			
	0900	77.3	defecting	
	1200	79.3	Defecting	
	1500	—	NO IM contact	
	1800			
	2100			
	2400			

## **Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/24/14	0300		
	0600	79.6	DeRISTO
	0900	80.3	DeROBRI
	1200	81.2	DePEYRD
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## **Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## **Notes**

2400

8/15/2024

+0

8/11/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-135 Temp. Reading Location: 1st tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
8/5	0900	69	Thompson
	1200	72	Thompson
	1500	74	Thompson
	1800		
	2100		
	2400		N/A

## Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300		N/A
	0600		
	0900	70	Thompson
	1200	73	Thompson
	1500	76	Thompson
	1800		
	2100		
	2400		N/A

## Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300		N/A
	0600		
	0900	73	Thompson
	1200	76	Thompson
	1500	78	Thompson
	1800		
	2100		
	2400		N/A

## Thursday

Date	Time	Temp.	Name (Print)
8/8	0300		N/A
	0600		
	0900	72	Thompson
	1200	75	Thompson
	1500	75	Thompson
	1800		
	2100		
	2400		N/A

## Friday

Date	Time	Temp.	Name (Print)
8/9	0300		N/A
	0600		
	0900	69	Thompson
	1200	71	Thompson
	1500	72	Thompson
	1800		
	2100		
	2400		N/A

## Saturday

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		RDo
	1500		
	1800		
	2100		
	2400		

## Notes

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

8/5/2024 to 8/11/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor

Temp. Reading Location: East Education -Testing Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/5/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.9	Friend
	1200	76.5	Friend
	1500	76.6	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.4	Friend
	1200	79.7	Friend
	1500	78.7	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/2024	0300	XXX	XXX
	0600		
	0900		
	1200		
	1500		
	1800		
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	76.5	Friend
	1200	80.2	Friend
	1500	79.3	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.2	Friend
	1200	75.3	Friend
	1500	76.2	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

K. Friend, Testing Coordinator Ext. 4711

Date	Time	Temp.	Name (Print)
8/11/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

8/5/2024 to 8/11/2024

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: Medical Corridor      Temp. Reading Location: Classroom B-125  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8 - 5 - 24

Date	Time	Temp.	Name (Print)
	0300	XXXXXX	XXXXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	72	Mark Kirstein
	1500	74	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXX

## Wednesday

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXXXX	
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXXXX	

Friday

Date	Time	Temp.	Name (Print)
	0300	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	0900	70	Mark Kirstein
1/9	1200	71	Mark Kirstein
	1500	73	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXXXXXXXX

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 3 - 6 - 24

Date	Time	Temp.	Name (Print)
	0300	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	72	Mark Kirstein
	1500	76	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXXXXXXXX

Thursday

Date	Time	Temp.	Name (Print)
	0300	XXXXX	XXXXXXXXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXXXXXXXX
	0900	70	Mark Kirstein
3/8	1200	72	Mark Kirstein
	1500	74	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXXXXXXXX

Saturday

Date	Time	Temp.	Name (Print)
10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

8/5/2024

to

8/11/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit:   Temp. Reading Location: H-E / Gym Corridor East Education – GED Classroom (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 79° or 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	G.LOAYZA/W.BACILA
	1200	74°	G.LOAYZA/W.BACILA
	1500	75°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		


## Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74°	G.LOAYZA/W.BACILA
	1200	76°	G.LOAYZA/W.BACILA
	1500	78°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

## Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	G.LOAYZA/W.BACILA
	1200	75°	G.LOAYZA/W.BACILA
	1500	78°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

## Sunday



## Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76°	G.LOAYZA/W.BACILA
	1200	78°	G.LOAYZA/W.BACILA
	1500	80°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	G.LOAYZA/W.BACILA
	1200	76°	G.LOAYZA/W.BACILA
	1500	80°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Notes

8/5/2024

to

8/11/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: East Gym      Temp. Reading Location: East Education Coaches' Office  
G102A  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5/2024	0300		
	0600		
	0900	68°	B. Ferrall
	1200	69°	B. Ferrall
	1500	71°	B. Ferrall
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/2024	0300		
	0600		
	0900		B. Ferrall
	1200		B. Ferrall
	1500		B. Ferrall
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/2024	0300		
	0600		
	0900	69°	B. Ferrall
	1200	71°	B. Ferrall
	1500	73°	B. Ferrall
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/2024	0300		
	0600		
	0900	69°	B. Ferrall
	1200	71°	B. Ferrall
	1500	73°	B. Ferrall
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/9/2024	0300		
	0600		
	0900	68°	B. Ferrall
	1200	70°	B. Ferrall
	1500	72°	B. Ferrall
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

RDO

---



---



---



---



---



---



---



---



---



---

8/5/2024 to 8/11/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 224 Temp. Reading Location: Classroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 4792 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Monday		Date	Time	Temp.	Name (Print)	
9 5 24	0300				N/A	
	0600					
	0900	78		78	78	Ramona
	1200	79		79	79	Ramona
	1500	84		84	84	Ramona
	1800					
	2100					N/A
	2400					

Wednesday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300		N/A
	0600		
	0900	80	Ramitha
	1200	82	Ramitha
	1500	85	Ramitha
	1800		
	2100		N/A
	2400		

## **Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

**Tuesday**

Dat	Time	Temp.	Name (Print)
8/6/24	0300		N/A
	0600		
	0900	79	Ramie R
	1200	82	Ramie R
	1500	85	Ramie R
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300		N/A
	0600		
	0900	79	Ramiro
	1200	81	Ramiro
	1500	84	Ramiro
	1800		
	2100		N/A
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

8/5/2024 to 8/11/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
COCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit:

Temp. Reading Loca

East Library

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/5	0300		N/A
	0600		
	0900	70	A. Garcia
	1200	78	A. Garcia
	1500	79	A. Garcia
	1800		
	2100		N/A
	2400		

## **Wednesday**

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	A. Garcia
8/1	1200	79	A. Garcia
	1500	80	A. Garcia
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp..	Name (Print)
8/9	0300		N/A
	0600		
	0900	74	A. Garcia
	1200	71°	A. Garcia
	1500	77	A. Garcia
	1800		
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/11	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/18	0300		N/A
	0600		
	0900	74	A. Garcia
	1200	79	A. Garcia
	1500	81	A. Garcia
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76	A. Garcia
8/8	1200	78	A. Garcia
	1500	79	A. Garcia
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
B/10	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

---

Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/5/2024

to 8/11/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/5/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	75.9	Zelenski/Diederich/Puett
	1200	76.6	Zelenski/Diederich/Puett
	1500	81.3	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	76.8	Zelenski/Diederich/Puett
	1200	80.1	Zelenski/Diederich/Puett
	1500	82.9	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		Zelenski/Diederich/Puett
	1200		Zelenski/Diederich/Puett
	1500		Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.2	Zelenski/Diederich/Puett
	1200	76.4	Zelenski/Diederich/Puett
	1500	78.6	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO****Notes**

Zelenski./Diederich/Puett, PSCE-COLLEGE Building H-H

---



---



---



---



---



---



---



---

8/5/2024 to 8/11/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/5/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73	Mensing
	1200	80.9	Mensing
	1500	84°	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	75.2	Mensing
	1200	82.3	Mensing
	1500	85.8	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No Student Contact	Mensing
	1200	Student Contact	Mensing
	1500	Student Contact	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/2024	0300	XXX	XX
	0600	XXX	X
	0900	74.2	Mensing
	1200	81.0	Mensing
	1500	83.1	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	XXX	Mensing
	1200	XXX	Mensing
	1500	XXX	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO****Notes**

D. Mensing, GED Instructor Ext. 4625

8/5/2024

to

8/11/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DELGÁDILLO, K ABE-3

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: 0106      Temp. Reading Location: East Education

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	/	METROGEN
	0600		
	0900	74	
	1200	76	
	1500	78	
	1800	/	
	2100	/	
	2400	/	

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	/	METROGEN
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	/	METROGEN
	0600		
	0900	74	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	/	METROGEN
	0600		
	0900		
	1200		
	1500		
	1800		
	2100	/	
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	/	METROGEN
	0600		
	0900	74	
	1200	76	
	1500	78	
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

K. Delgadillo, ABE-3 monitor,

S. Metrogen

8/15/2024 TO 8/11/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A-152 Temp. Reading Location: (e.g. 1<sup>st</sup> tier 2<sup>nd</sup> tier 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
8/5	0600		
	0900	76	R. Lopez
	1200	76	R. Lopez
	1500	78	R. Lopez
	1800		N/A
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600		
	0900	77	R. Lopez
	1200	78	R. Lopez
	1500	78	R. Lopez
	1800		
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/9	0300		N/A
	0600		
	0900	74°	R. Lopez
	1200	76°	R. Lopez
	1500	76°	R. Lopez
	1800		N/A
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600	87°	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/10	0300		N/A
	0600		
	0900	73°	R. Lopez
	1200	74°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		
	2400		N/A

## Thursday

Date	Time	Temp.	Name (Print)
8/12	0300		N/A
	0600		
	0900	72°	R. Lopez
	1200	76°	R. Lopez
	1500	76°	R. Lopez
	1800		
	2100		
	2400		N/A

## Saturday

Date	Time	Temp.	Name (Print)
8/13	0300		
	0600	87°	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

8/5/2024 to 8/11/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: CMC Classroom D-104 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300		N/A
	0600		
	0900	74.5°	W. Bacila (For Today)
	1200	78.5°	W. Bacila (For Today)
	1500	No Students (Class Closed)	
	1800		
	2100		N/A
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300		N/A
	0600		
	0900	—	No Students
	1200	80.5°	W. Bacila
	1500	No Students (Class Closed)	
	1800		
	2100		N/A
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300		
	0600		
	0900	—	No Students
	1200	Staff Training	
	1500		
	1800		
	2100		
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300		N/A
	0600		
	0900	77	Todd
	1200	80	Todd
	1500	84	Todd
	1800		
	2100		N/A
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300		N/A
	0600		
	0900	75	Todd
	1200	80	Todd
	1500	85	Todd
	1800		
	2100		
	2400		N/A

## Saturday

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

CLASS meets M-F 0800-1515

8/5/2024 to 8/11/2024

**DocuSign Envelope ID: 6B80C800-C813-4E8A-B1BD-3EA5DC1BDF89**  
**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: EDUCATION      Temp. Reading Location: H-G  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8-5-24	0300		N/A
	0600		
	0900	72 Degrees	J. Voerman
	1200	76 degrees	J. Voerman
	1500	77 degrees	J. Voerman
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8-6-24	0300		N/A
	0600		
	0900	72 degrees	J. Voerman
	1200	76 degrees	J. Voerman
	1500	81 degrees	J. Voerman
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8-7-24	0300		N/A
	0600		
	0900	74 degrees	J. Voerman
	1200	76 degrees	J. Voerman
	1500	82 degrees	J. Voerman
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-8-24	.0300		N/A
	0600		
	0900	71 degrees	J. Voerman
	1200	76 degrees	J. Voerman
	1500	78 degrees	J. Voerman
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8-9-24	0300		N/A
	0600		
	0900	69 degrees	J. Voerman
	1200	73 degrees	J. Voerman
	1500	75 degrees	J. Voerman
	1800		
	2100		N/A
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
RDO	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
RDO	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/5/2024

TO

8/11/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST Housing Unit: FACILITY A

Temp. Reading Location: BUILDING ONE, 3<sup>rd</sup> TIER

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8 / 5 / 2024	0300	72	ROBLES 107
	0600	69	RAMOS 108
	0900	70	RAMOS 109
	1200	70	RAMOS 110
	1500	72	CAMPUS 111
	1800	72	CAMPUS 112
	2100	71	CAMPUS 113
	2400	69	Deli

**Tuesday**

Date	Time	Temp.	Name (Print)
8 / 6 / 2024	0300	69	Dial 107
	0600	70	MAGLIERI
	0900	72	TRANSON
	1200	73	TRANSON
	1500	75	CHESTERSON
	1800	75	CHESTERSON
	2100	74	CHESTERSON
	2400	72	Roberts

**Wednesday**

Date	Time	Temp.	Name (Print)
8 / 7 / 2024	0300	69	Roberts
	0600	67	LINOS
	0900	74	LINOS
	1200	75	LINOS
	1500	75	CAMPUS 114
	1800	75	CAMPUS 115
	2100	75	CAMPUS 116
	2400	72	CAMPUS

**Thursday**

Date	Time	Temp.	Name (Print)
8 / 8 / 2024	0300	72	CAMPUS
	0600	72	Ramos
	0900	72	Ramos
	1200	76	Ramos
	1500	75	CAMPUS 117
	1800	75	CAMPUS 118
	2100	75	CAMPUS 119
	2400	74	Campbell

**Friday**

Date	Time	Temp.	Name (Print)
8 / 9 / 2024	0300	73	CAMPUS 120
	0600	69	Ramos
	0900	72	Ramos
	1200	73	Ramos
	1500	73	CAMPUS 121
	1800	72	CAMPUS 122
	2100	73	CAMPUS 123
	2400	72	Robles

**Saturday**

Date	Time	Temp.	Name (Print)
8 / 10 / 2024	0300	70	Robles
	0600	69	Ramos
	0900	71	Ramos
	1200	74	Ramos
	1500	74	Ramos
	1800	70	Ramos
	2100	72	Ramos
	2400	72	Robles

**Sunday**

Date	Time	Temp.	Name (Print)
8 / 11 / 2024	0300	72	Robles
	0600	69	Ramos
	0900	72	Ramos
	1200	71	Ramos
	1500	75	CAMPUS
	1800	72	CAMPUS
	2100	73	CAMPUS
	2400	68	B. TRAIL

**Notes**

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST Housing Unit: FACILITY A

Temp. Reading Location: BUILDING TWO, 3<sup>rd</sup> TIER

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8 / 5 / 2024	0300	70	Lopez 1CD
	0600	72	Alvarez
	0900	72	Alvarez
	1200	72	Alvarez
	1500	75	Landwehr
	1800	72	Landwehr
	2100	72	Landwehr
	2400	70	Lopez

Tuesday

Date	Time	Temp.	Name (Print)
8 / 6 / 2024	0300	68	Lopez CP
	0600	67	A. Lopez
	0900	60	A. Lopez
	1200	75	A. Lopez
	1500	78	Landwehr
	1800	75	Landwehr
	2100	75	Landwehr
	2400	72	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
8 / 7 / 2024	0300	70	Lopez
	0600	74	Alvarez
	0900	76	Alvarez
	1200	78	Alvarez
	1500	79	Martin
	1800	78	Landwehr
	2100	76	Landwehr
	2400	75	Roberts

Thursday

Date	Time	Temp.	Name (Print)
8 / 8 / 2024	0300	74	Roberts
	0600	71	EE Roberts
	0900	75	EE Roberts
	1200	76	EE Roberts
	1500	75	Landwehr
	1800	76	Landwehr
	2100	75	Landwehr
	2400	73	Roberts

Friday

Date	Time	Temp.	Name (Print)
8 / 9 / 2024	0300	73	Roberts
	0600	72	Rodriguez
	0900	75	Rodriguez
	1200	75	Rodriguez
	1500	72	Landwehr
	1800	72	Landwehr
	2100	70	Landwehr
	2400	70	Martinez

Saturday

Date	Time	Temp.	Name (Print)
8 / 10 / 2024	0300	70	Martinez
	0600	70	Martinez
	0900	71	McCrary
	1200	78	McCrary
	1500	76	Brennan
	1800	75	Brennan
	2100	72	Brennan
	2400	70	Lopez

Sunday

Date	Time	Temp.	Name (Print)
8 / 11 / 2024	0300	68	Lopez
	0600	68	Alvarez
	0900	70	Alvarez
	1200	74	Alvarez
	1500	76	C. Wallace
	1800	74	C. Wallace
	2100	72	C. Wallace
	2400	75	Arteaga

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST Housing Unit: **FACILITY A**

Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension **7904** when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8 / 5 / 2024	0300	N/A	
	0600	70	Jacobs
	0900	73	Jacobs
	1200	N/A	
	1500	79	Ishem
	1800	75	Ishem
	2100	N/A	
	2400	N/A	

**Tuesday**

Date	Time	Temp.	Name (Print)
8 / 6 / 2024	0300	N/A	
	0600	69	Jacobs
	0900	71	Jacobs
	1200	N/A	
	1500	80	J. Noel
	1800	82	J. Noel
	2100	N/A	
	2400	N/A	

**Wednesday**

Date	Time	Temp.	Name (Print)
8 / 7 / 2024	0300	N/A	
	0600	72	Jacobs
	0900	74	Jacobs
	1200	N/A	
	1500	80	J. Noel
	1800	81	J. Noel
	2100	N/A	
	2400	N/A	

**Thursday**

Date	Time	Temp.	Name (Print)
8 / 8 / 2024	0300	N/A	
	0600	69	Jacobs
	0900	71	Jacobs
	1200	N/A	
	1500	77	J. Noel
	1800	77	J. Noel
	2100	N/A	
	2400	N/A	

**Friday**

Date	Time	Temp.	Name (Print)
8 / 9 / 2024	0300	N/A	
	0600	70°	S. NOEL
	0900	72°	S. NOEL
	1200	N/A	
	1500	77	J. Noel
	1800	76	J. Noel
	2100	N/A	
	2400	N/A	

**Saturday**

Date	Time	Temp.	Name (Print)
8 / 10 / 2024	0300	N/A	
	0600	70	S. NOEL
	0900	72	S. NOEL
	1200	N/A	
	1500	79	Paca
	1800	78	Paca
	2100	N/A	
	2400	N/A	

**Sunday**

Date	Time	Temp.	Name (Print)
8 / 11 / 2024	0300	N/A	
	0600	71	BARRIOS
	0900	73	BARRIOS
	1200	N/A	
	1500	78	Garcia
	1800	77	Garcia
	2100	N/A	
	2400	N/A	

**Notes**

---

---

---

---

---

---

---

---

8/15/2024

+0

8/11/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST Housing Unit: FACILITY A

Temp. Reading Location: PROGRAM OFFICE

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8 / 5 / 2024	0300	N/A	
	0600	N/A	
	0900	67	CARINA
	1200	69	CARINA
	1500	71	MONTGOMERY
	1800	72	MONTGOMERY
	2100	N/A	
	2400	N/A	

## Tuesday

Date	Time	Temp.	Name (Print)
8 / 6 / 2024	0300	N/A	
	0600	N/A	
	0900	68	CARINA
	1200	72	CARINA
	1500	74	MONTGOMERY
	1800	74	MONTGOMERY
	2100	N/A	
	2400	N/A	

## Wednesday

Date	Time	Temp.	Name (Print)
8 / 7 / 2024	0300	N/A	
	0600	N/A	
	0900	71	CARINA
	1200	74	CARINA
	1500	74	MONTGOMERY
	1800	73	MONTGOMERY
	2100	N/A	
	2400	N/A	

## Thursday

Date	Time	Temp.	Name (Print)
8 / 8 / 2024	0300	N/A	
	0600	N/A	
	0900	70	CARINA
	1200	71	CARINA
	1500	77	WU
	1800	73	WU
	2100	N/A	
	2400	N/A	

## Friday

Date	Time	Temp.	Name (Print)
8 / 9 / 2024	0300	N/A	
	0600	/	FOLTS
	0900	/	FOLTS
	1200	/	KURT
	1500	69	MONTGOMERY
	1800	70	MONTGOMERY
	2100	N/A	
	2400	N/A	

## Saturday

Date	Time	Temp.	Name (Print)
8 / 10 / 2024	0300	N/A	
	0600	/	FOLTS
	0900	/	FOLTS
	1200	/	FOLTS
	1500	/	MONTGOMERY
	1800	/	MONTGOMERY
	2100	N/A	
	2400	N/A	

## Sunday

Date	Time	Temp.	Name (Print)
8 / 11 / 2024	0300	N/A	
	0600	N/A	
	0900	68	CARINA
	1200	71	CARINA
	1500	70	
	1800	N/A	
	2100	N/A	
	2400	N/A	

## Notes

---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST    Housing Unit: **FACILITY A**

Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension **7904** when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8 / 5 / 2024	0300	N/A	
	0600	N/A	
	0900	70	Lund
	1200	80	Lund
	1500	87	
	1800	75	
	2100	N/A	
	2400	N/A	

**Tuesday**

Date	Time	Temp.	Name (Print)
8 / 6 / 2024	0300	N/A	
	0600	N/A	
	0900	74	Lund
	1200	83	Lund
	1500	85	
	1800	75	
	2100	N/A	
	2400	N/A	

**Wednesday**

Date	Time	Temp.	Name (Print)
8 / 7 / 2024	0300	N/A	
	0600	N/A	
	0900	75	Lund
	1200	83	Lund
	1500	85	
	1800	73	
	2100	N/A	
	2400	N/A	

**Thursday**

Date	Time	Temp.	Name (Print)
8 / 8 / 2024	0300	N/A	
	0600	N/A	
	0900	72	Lund
	1200	80	Lund
	1500	78	
	1800	75	
	2100	N/A	
	2400	N/A	

**Friday**

Date	Time	Temp.	Name (Print)
8 / 9 / 2024	0300	N/A	
	0600	N/A	
	0900	70	Lund
	1200	77	Lund
	1500	83	
	1800	76	
	2100	N/A	
	2400	N/A	

**Saturday**

Date	Time	Temp.	Name (Print)
8 / 10 / 2024	0300	N/A	
	0600	N/A	
	0900	70	Banksian
	1200	77	Banksian
	1500	80	Banksian
	1800	75	Banksian
	2100	N/A	
	2400	N/A	

**Sunday**

Date	Time	Temp.	Name (Print)
8 / 11 / 2024	0300	N/A	Banksian
	0600	N/A	Banksian
	0900	70	Banksian
	1200	74	Banksian
	1500	74	Banksian
	1800	72	Banksian
	2100	N/A	
	2400	N/A	

**Notes**

---

---

---

---

---

---

---

---

8/15/2024

TO

8/11/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC-B Bldg. 3 Temp. Reading Location: Tier 3  
 (e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300	66	P.HENRY
8/5/24	0600	68	R.Vega
	0900	68	R.Vega
	1200	70	R.Vega
	1500	72	G.WILKES
	1800	72	G.WILKES
	2100	70	WILKES
	2400	70	P.HENRY

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/24	0300	70	P.HENRY
	0600	68	WILKES
	0900	70	WILKES
	1200	72	WILKES
	1500	72	WILKES
	1800	74	WILKES
	2100	70	WILKES
	2400	68	P.HENRY

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/24	0300	68	P.HENRY
	0600	70	Chris
	0900	71	Chris
	1200	71	Chris
	1500	74	WILKES
	1800	74	WILKES
	2100	72	WILKES
	2400	70	P.HENRY

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/24	0300	68	P.HENRY
	0600	70	Chris
	0900	70	Chris
	1200	72	WILKES
	1500	72	WILKES
	1800	70	WILKES
	2100	68	WILKES
	2400	68	P.HENRY

**Friday**

Date	Time	Temp.	Name (Print)
8/9/24	0300	68	P.HENRY
	0600	69	Chris
	0900	68	Costa
	1200	70	Chris
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	70	Hernandez

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	Hernandez
	0600	68°F	DE LA GARZA
	0900	68°F	DE LA GARZA
	1200	70°F	DE LA GARZA
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	68°F	S.SANCHEZ

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	66°	S.SANCHEZ
	0600	68	R.Vega
	0900	68	R.Vega
	1200	72	R.Vega
	1500	72	WILKES
	1800	68	WILKES
	2100	66	WILKES
	2400	68	P.HENRY

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B 4 Temp. Reading Location: 3rd tier  
FAC. (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	68	Loper
	0600	68	Graves
	0900	69	Jackson
	1200	69	Graves
	1500	72	BONNER
	1800	72	WHITE
	2100	71	WHITE
	2400	70	ROBES

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	68	D. OROZCO
	0600	69	W. Rivera
	0900	70	Loper
	1200	72	LOPEZ
	1500	73	Lugo
	1800	74	Lugo
	2100	74	Lugo
	2400	71	ACHA

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	69	WHITE
	0600	69	Gonzales
	0900	70	GONZALES
	1200	70	Gonzales
	1500	70	TOSTE
	1800	70	TOSTE
	2100	69	TOSTE
	2400	68	D. OROZCO

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	68	D. OROZCO
	0600	69	Graves
	0900	71	Gonzales
	1200	71	Gonzales
	1500	71	White
	1800	70	White
	2100	70	White
	2400	69	D. OROZCO

Tuesday

Date	Time	Temp.	Name (Print)
8/8	0300	69	D. OROZCO
	0600	70	Rivera
	0900	70	White
	1200	71	Rivera
	1500	71	White
	1800	73	White
	2100	71	White
	2400	69	D. OROZCO

Thursday

Date	Time	Temp.	Name (Print)
8/10	0300	70	AGUSTA
	0600	70	ALEMAN
	0900	73	ALEMAN
	1200	75	ALEMAN
	1500	73	White
	1800	73	White
	2100	72	White
	2400	71	White

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	69	D. OROZCO
	0600	70	White
	0900	69	White
	1200	69	White
	1500	70	White
	1800	70	White
	2100	70	White
	2400	68	D. OROZCO

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMCHousing Unit: Facility B DinerTemp. Reading Location: Near Coffee Machine(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
0300	N/A	N/A	
0600	76°	S. NOEL	
0900	76°	S. NOEL	
1200	78°	S. NOEL	
1500	79°	Paca	
1800	82°	Paca	
2100	N/A	N/A	
2400	N/A	N/A	

**Wednesday**

Date	Time	Temp.	Name (Print)
0300	N/A	N/A	
0600	78°	K. ADAME	
0900	78	K. ADAME	
1200	79	K. ADAME	
1500	80	WACS	
1800	80	WACS	
2100	N/A	N/A	
2400	N/A	N/A	

**Friday**

Date	Time	Temp.	Name (Print)
0300	N/A	N/A	
0600	78	YOUNG	
0900	78	YOUNG	
1200	78	YOUNG	
1500	76	BRI DAIGLER	
1800	77	BRI DAIGLER	
2100	N/A	N/A	
2400	N/A	N/A	

**Sunday**

Date	Time	Temp.	Name (Print)
0300	N/A	N/A	
0600	77°	S. NOEL	
0900	77°	S. NOEL	
1200	80°	S. NOEL	
1500	83	ARTEAGA	
1800	84	ARTEAGA	
2100	N/A	N/A	
2400	N/A	N/A	

DISTRIBUTION: Original: Institution ADA Coordinator

**Tuesday**

Date	Time	Temp.	Name (Print)
0300	N/A	N/A	
0600	75	K. ADAME	
0900	76	K. ADAME	
1200	77	K. ADAME	
1500	77	WACS	
1800	74	WACS	
2100	N/A	N/A	
2400	N/A	N/A	

**Thursday**

Date	Time	Temp.	Name (Print)
0300	N/A	N/A	
0600	78	YOUNG	
0900	78	YOUNG	
1200	80	YOUNG	
1500	80	WACS	
1800	79	WACS	
2100	N/A	N/A	
2400	N/A	N/A	

**Saturday**

Date	Time	Temp.	Name (Print)
0300	N/A	N/A	
0600	77	BABY	
0900	77	BABY	
1200	77	ZAYN	
1500	80	COMEDY	
1800	80	COMEDY	
2100	N/A	N/A	
2400	N/A	N/A	

**Notes**


---



---



---



---



---



---



---



---



---

8/5/2024 to 8/11/2024

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: BLDS FLR 3

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

FAC. C

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
08/05/24	0300	68	C. LOPEZ R
	0600	70	Rivera
	0900	72	Rivera
	1200	74	Rivera
	1500	74	S. Miguel
	1800	74	S. Miguel
	2100	74	S. Miguel
	2400	72	J. AGUAYO

## Tuesday

Date	Time	Temp.	Name (Print)
08/06/24	0300	68°	AGUAYO J. C
	0600	68	Lopez
	0900	72	Lopez
	1200	74	Lopez
	1500	76	S. Miguel
	1800	76	S. Miguel
	2100	74	S. Miguel
	2400	72	J. AGUAYO

## Wednesday

Date	Time	Temp.	Name (Print)
08/07/24	0300	68°	J. AGUAYO C
	0600	68	P. DEL TONI
	0900	70	P. DEL TONI
	1200	74	P. DEL TONI
	1500	78	S. Miguel
	1800	76	S. Miguel
	2100	76	S. Miguel
	2400	76	ESQUIVIAS

## Thursday

Date	Time	Temp.	Name (Print)
08/08/24	0300	74	ESQUIVIAS C
	0600	72	Wykoff
	0900	72	Wykoff
	1200	74	Wykoff
	1500	76	S. Miguel
	1800	74	S. Miguel
	2100	70	S. Miguel
	2400	70	C. Lopez

## Friday

Date	Time	Temp.	Name (Print)
08/09/24	0300	70	C. Lopez
	0600	70	Rivera
	0900	70	Rivera
	1200	72	Rivera
	1500	74	S. Miguel
	1800	68	S. Miguel
	2100	68	S. Miguel
	2400	68	C. Lopez

## Saturday

Date	Time	Temp.	Name (Print)
08/10/24	0300	68	C. Lopez
	0600	70	Bell
	0900	72	Bell
	1200	75	Bell
	1500	74	S. Miguel
	1800	72	S. Miguel
	2100	66	S. Miguel
	2400	66	P. DEL TONI

## Notes

## Sunday

Date	Time	Temp.	Name (Print)
	0300	64	P. DEL TONI
	0600	68	C. Gonzalez
	0900	72	C. Gonzalez
	1200	72	C. GONZALEZ
	1500	74	S. Mire
	1800	72	S. Mire
	2100	72	S. Mire
	2400	70	C. Mire

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Building 6 Temp. Reading Location: Fac. C 3<sup>rd</sup> tier  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc)

7904 when the inside air temperature reaches

Immediately notify the Watch Commander at extension:  
90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/5/24	0300	72°	S. Banuelos
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	73	J. Rowlett
	1500	76	A. Zepeda
	1800	75	A. Zepeda
	2100	74	A. Zepeda
	2400	73°	S. Banuelos

Wednesday			
Date	Time	Temp.	Name (Print)
8/7/24	0300	74°	S. Banuelos
	0600	74	J. Rowlett
	0900	74	J. Rowlett
	1200	75	J. Rowlett
	1500	78	E. Ayon Flores
	1800	79	E. Ayon Flores
	2100	76	E. Ayon Flores
	2400	75	S. Banuelos

Friday			
Date	Time	Temp.	Name (Print)
8/9/24	0300	72	M. Cairo
	0600	70	Gonzales
	0900	72	Gonzales
	1200	74	Gonzales
	1500	75	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	72	A. Zepeda

Sunday			
Date	Time	Temp.	Name (Print)
8/11/24	0300	73°	S. Banuelos
	0600	73	J. Rowlett
	0900	73	J. Rowlett
	1200	74	J. Rowlett
	1500	75	A. Zepeda
	1800	76	A. Zepeda
	2100	74	A. Zepeda
	2400	73°	S. Banuelos

Tuesday			
Date	Time	Temp.	Name (Print)
8/6/24	0300	73	S. Banuelos
	0600	73	J. Rowlett
	0900	73	J. Rowlett
	1200	75	J. Rowlett
	1500	78	E. Ayon Flores
	1800	78	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	74°	S. Banuelos

Thursday			
Date	Time	Temp.	Name (Print)
8/8/24	0300	75	M. Cairo
	0600	72	J. Rowlett
	0900	72	J. Rowlett
	1200	74	J. Rowlett
	1500	76	E. Ayon Flores
	1800	76	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	74°	M. Cairo

Saturday			
Date	Time	Temp.	Name (Print)
8/10/24	0300	73	A. Zepeda
	0600	73	A. Alvarado
	0900	73	A. Alvarado
	1200	75	A. Alvarado
	1500	76	E. Ayon Flores
	1800	76	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	73°	S. Banuelos

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Faulty C Temp. Reading Location: Diner  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-5-24	0300		N/A
	0600	64°	Montano
	0900	72°	Montano
	1200	73°	MAT
	1500	73°	MATSON
	1800	70°	MATSON
	2100	76°	MATSON
	2400		N/A

Tuesday			
Date	Time	Temp.	Name (Print)
8-6-24	0300		N/A
	0600	70°	S NOEL
	0900	74°	S NOEL
	1200	74°	S NOEL
	1500		
	1800		N/A
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
8-7-24	0300		N/A
	0600	70°	Montano
	0900	74°	Montano
	1200		N/A
	1500	70°	Montano
	1800	70°	Montano
	2100		
	2400		N/A

Thursday			
Date	Time	Temp.	Name (Print)
8-8-24	0300		N/A
	0600	72°	Montano
	0900	74°	Montano
	1200		N/A
	1500	76°	OLIVEA
	1800	78°	OLIVEA
	2100		
	2400		N/A

Friday			
Date	Time	Temp.	Name (Print)
8-9-24	0300		N/A
	0600	68°	Montano
	0900	70°	Montano
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
8-10-24	0300		N/A
	0600	68°	Montano
	0900	70°	Montano
	1200		
	1500		
	1800		
	2100		N/A
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
8-11-24	0300		N/A
	0600	68°	Montano
	0900	70°	Montano
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

8/5/2024 to 8/11/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**Attachment B**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: BLDG 7      Temp. Reading Location: TIER 3  
*(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)*

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday			
Date	Time	Temp.	Name (Print)
8 5 24	0300	69	Chiles 128
	0600	70	Witt
	0900	70	Witt
	1200	72	Witt
	1500	75	Witt
	1800	74	Witt
	2100	72	Witt
	2400	70	Tomes

Tuesday			
Dat	Time	Temp.	Name (Print)
8	0300	70	TORGES
	0600	70	Witt
	0900	72	Witt
6	1200	74	Witt
	1500	76	Witt
24	1800	75	Witt
	2100	72	Witt
	2400	71	Witt

Wednesday			
Date	Time	Temp.	Name (Print)
8-7-24	0300	76	T. Gove
	0600	68	Danner, Jen
	0900	59	Danner, Jen
	1200	74	Danner, Jen
	1500	76°	T. Faield
	1800	76°	T. Faield
	2100	76°	T. Faield
	2400	74	T. Gove

Thursday			
Date	Time	Temp.	Name (Print)
4-24	0300	76	T. Fajola
4-25	0600	70	Dannerlein
4-26	0900	68	Dannerlein
4-27	1200	74	Dannerlein
4-28	1500	76	T. Fajola
4-29	1800	74°	T. Fajola
4-30	2100	74°	T. Fajola
5-1	2400	72	T. Fajola

Friday			
Date	Time	Temp.	Name (Print)
9-24	0300	70°	T. G. 628
80	0600	71°	Chavez
	0900	71°	Chavez
	1200	72°	Chavez
	1500	72°	T. Farold
	1800	74°	T. Farold W
	2100	72°	T. Farold
	2400	72	T. G. 628

Saturday			
Date	Time	Temp.	Name (Print)
8-10-24	0300	70	T. Goff
	0600	70°	Chavez
	0900	70°	Chavez
	1200	72°	Chavez
	1500	72°	T. Faiola
	1800	72°	T. Faiola
	2100	70°	T. Faiola
	2400	70°	T. Goff

Sunday			
Date	Time	Temp.	Name (Print)
8-11-24	0300	70°	Bernardos
	0600	70	CORUSS
	0900	70	CORUSS
	1200	71	CORUSS
	1500	72	CABRERA
	1800	72	CABRERA
	2100	71	CABRERA
	2400	70°	Bernardos

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: Building 8      Temp. Reading Location: 3rd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## **Monday**

Date	Time	Temp.	Name (Print)
8/6/04	0300	70	Torres 10
	0600	70	E. Gonzalez
	0900	72	E. Gonzalez
	1200	74	E. Gonzalez
	1500	75	Lester
	1800	740	Lester
	2100	770	Lester
	2400	730	Pennisi

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	71	Nerdy
	0600	72	Telayo
	0900	73	Playo
	1200	75"	Playo
	1500	77°	Nerdy
	1800	76	Nerdy
	2100	75	Nerdy
	2400	75	Nerdy

Friday

Date	Time	Temp.	Name (Print)
8/6/24	0300	72	Cherly
	0600	72	Pelayo
	0900	72	Pelayo
	1200	71	Pelayo
	1500	74°	Cherly
	1800	73	Cherly
	2100	72°	Cherly
	2400	70	P. DALTON

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	72	TORRES
	0600	72	Relay a
	0900	71	Relay b
	1200	73	Relay c
	1500	74	Mullings
	1800	74	Mullings
	2100	73	Mullings
	2400	72	TORRES

Tuesday

Dat	Time	Temp.	Name (Print)
8/6/24	0300	70°	Perry, S.
	0600	70°	E. Gonzalez
	0900	71°	E. Gonzalez
	1200	74°	E. Gonzalez
	1500	75°	Ronda
	1800	79°	Leah
	2100	77°	Becky
	2400	73	Charley

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/24	0300	74	Clester
	0600	74	Pelayo
	0900	74	Pelayo
	1200	74	Pelayo
	1500	74	AVILA
	1800	73	AVILA
	2100	73	Avila
	2400	73	Clester

Saturday

Date	Time	Temp.	Name (Print)
2/1/06	0300	70	P Del Torre
	0600	70	Pelayo
	0900	72	Pelayo
	1200	74	Pelayo
	1500	74	DeCastro
	1800	74	DeCastro
	2100	74	DeCastro
	2400	72	Torres

## **Notes**

---

---

---

---

---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: D-Dinner

Temp. Reading Location: Diner Plan  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/15/14	0300	/	
	0600	66	Martyn
	0900	66	Martyn
	1200	67	Martyn
	1500	70	TJL
	1800	78	TJL
	2100	/	
	2400	/	

**Tuesday**

Date	Time	Temp.	Name (Print)
8/16/14	0300	/	
	0600	65	Martyn
	0900	64	Martyn
	1200	61	Martyn
	1500	74	C.3rd
	1800	77	C.3rd
	2100	/	
	2400	/	

**Wednesday**

Date	Time	Temp.	Name (Print)
8/17/14	0300	/	
	0600	64	Martyn
	0900	71	Martyn
	1200	71	Martyn
	1500	82	LINES
	1800	87	LINES
	2100	84	LINES
	2400	/	

**Thursday**

Date	Time	Temp.	Name (Print)
8/18/14	0300	/	
	0600	78	/
	0900	80	/
	1200	82	/
	1500	84	LINES
	1800	85	LINES
	2100	83	LINES
	2400	/	

**Friday**

Date	Time	Temp.	Name (Print)
8/19/14	0300	/	
	0600	74	J.W.
	0900	77	J.W.
	1200	/	
	1500	80	J.W.
	1800	80	J.W.
	2100	78	J.W.
	2400	/	

**Saturday**

Date	Time	Temp.	Name (Print)
8/20/14	0300	/	
	0600	70	L.Schell
	0900	70	L.Schell
	1200	71	Chad
	1500	80	J.W.
	1800	70	J.W.
	2100	71	J.W.
	2400	/	

**Notes**

Weekend 18 8/24

Date	Time	Temp.	Name (Print)
8/21/14	0300	/	
	0600	68	Martyn
	0900	66	Martyn
	1200	70	Martyn
	1500	70	TJL
	1800	70	TJL
	2100	/	
	2400	/	

8/5/2024

TO

8/11/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/05/24	0300	72	Howell
	0600	70	Collins
	0900	72	JIMSON
	1200	74	JAMESON
	1500	70	Howell
	1800	74	Howell
	2100	74	Howell
	2400	72	VASQUEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
8/06/24	0300	73	VASQUEZ
	0600	73	Cook
	0900	75	COLLINS
	1200	76	COLLINS
	1500	78	Howell
	1800	80	Howell
	2100	74	Howell
	2400	74	VASQUEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
8/07/24	0300	74	VASQUEZ
	0600	74	COLLINS
	0900	75	COLLINS
	1200	78	COLLINS
	1500	80	Howell
	1800	78	Howell
	2100	76	Howell
	2400	76	VASQUEZ

**Thursday**

Date	Time	Temp.	Name (Print)
8/08/24	0300	75	VASQUEZ
	0600	74	Cook
	0900	75	COLLINS
	1200	75	COLLINS
	1500	77	Ramos
	1800	75	Ramos
	2100	72	Ramos
	2400	72	VASQUEZ

**Friday**

Date	Time	Temp.	Name (Print)
8/09/24	0300	70	VASQUEZ
	0600	70	Solis
	0900	69	COLLINS
	1200	70	COLLINS
	1500	76	Ramos
	1800	74	Ramos
	2100	72	Ramos
	2400	70	JIMSON

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	Cook
	0600	71	JAMESON
	0900	70	JIMSON
	1200	75	COLLINS
	1500	78	Gomez
	1800	75	Gomez
	2100	76	Gomez
	2400	76	Solis

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	74	Solis
	0600	74	JIMSON
	0900	74	JIMSON
	1200	74	JIMSON
	1500	75	Cook
	1800	73	Cook
	2100	73	Cook
	2400	73	VASQUEZ

**Notes**

(Handwritten notes from the log book)

8/11/24 - 7:00 AM: Inside temperature at Facility M is 74 degrees. No action taken.

8/11/24 - 10:00 AM: Inside temperature at Facility M is 74 degrees. No action taken.

8/11/24 - 1:00 PM: Inside temperature at Facility M is 74 degrees. No action taken.

8/11/24 - 4:00 PM: Inside temperature at Facility M is 73 degrees. No action taken.

8/11/24 - 7:00 PM: Inside temperature at Facility M is 73 degrees. No action taken.

DISTRIBUTION: Original: Institution ADA Coordinator



STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: DORM 31  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/05/24	0300	72	HOWELL
	0600	72	Cook
	0900	72	JIMESON
	1200	74	JIMESON
	1500	78	HOWELL
	1800	76	HOWELL
	2100	75	HOWELL
	2400	73	JASWAL

**Tuesday**

Date	Time	Temp.	Name (Print)
8/06/24	0300	74	JASWAL
	0600	74	Cook
	0900	75	COLLINS
	1200	78	COKING
	1500	80	HOWELL
	1800	82	HOWELL
	2100	76	HOWELL
	2400	76	JASWAL

**Wednesday**

Date	Time	Temp.	Name (Print)
8/07/24	0300	76	JASWAL
	0600	76	COLLINS
	0900	76	COLLINS
	1200	80	COLLINS
	1500	82	HOWELL
	1800	80	HOWELL
	2100	80	HOWELL
	2400	79	JASWAL

**Thursday**

Date	Time	Temp.	Name (Print)
8/08/24	0300	76	JASWAL
	0600	74	Cook
	0900	75	COLLINS
	1200	75	COLLINS
	1500	77	RAMOS
	1800	75	RAMOS
	2100	72	RAMOS
	2400	75	JASWAL

**Friday**

Date	Time	Temp.	Name (Print)
8/09/24	0300	75	JASWAL
	0600	75	JOHNS
	0900	74	COLLINS
	1200	71	COLLINS
	1500	76	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	71	RAMOS

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	Cook
	0600	70	JIMESON
	0900	70	JIMESON
	1200	75	COLLINS
	1500	78	GOMEZ
	1800	78	GOMEZ
	2100	74	GOMEZ
	2400	73	SOLIS

**Notes**

Date	Time	Temp.	Name (Print)
8/11/24	0300	72	Solis
	0600	72	Snow
	0900	72	Snow
	1200	72	Snow
	1500	75	Cook
	1800	73	Cook
	2100	73	Cook
	2400	76	JASWAL

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: DORM 32  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/05/24	0300	72	HOWELL
	0600	72	Cook
	0900	72	JIMESON
	1200	75	JIMESON
	1500	78	HOWELL
	1800	78	HOWELL
	2100	76	HOWELL
	2400	73	VASQUEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
8/06/24	0300	74	JASWINE P
	0600	73	Cook
	0900	75	COLLENS
	1200	77	COLLENS
	1500	82	HOWELL
	1800	84	HOWELL
	2100	78	HOWELL
	2400	76	VASQUEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
8/07/24	0300	77	VASQUEZ
	0600	74	COLLENS
	0900	77	COLLENS
	1200	82	COLLENS
	1500	84	HOWELL
	1800	82	HOWELL
	2100	80	HOWELL
	2400	78	VASQUEZ

**Thursday**

Date	Time	Temp.	Name (Print)
8/08/24	0300	76	VASQUEZ
	0600	79	Cook
	0900	77	COLLENS
	1200	78	COLLENS
	1500	78	RAMOS
	1800	76	RAMOS
	2100	72	RAMOS
	2400	72	VASQUEZ

**Friday**

Date	Time	Temp.	Name (Print)
8/09/24	0300	70	VASQUEZ
	0600	70	SOLIS
	0900	67	COLLENS
	1200	67	COLLENS
	1500	76	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	71	RAMOS

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	Cook
	0600	74	JIMESON
	0900	74	JIMESON
	1200	75	COLLENS
	1500	78	GOMEZ
	1800	77	GOMEZ
	2100	74	GOMEZ
	2400	74	SOLIS

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	73	SOLIS
	0600	73	JIMESON
	0900	73	JIMESON
	1200	73	JIMESON
	1500	75	Cook
	1800	73	Cook
	2100	73	Cook
	2400	72	VASQUEZ

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 33  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/05/24	0300	72	Howell
	0600	72	Cook
	0900	73	JIMSON
	1200	74	JIMSON
	1500	76	Howell
	1800	74	Howell
	2100	74	Howell
	2400	72	JIMSON

**Wednesday**

Date	Time	Temp.	Name (Print)
8/07/24	0300	74	VASCONZ
	0600	74	COLLINS
	0900	72	COLLINS
	1200	78	COLLINS
	1500	80	Howell
	1800	80	Howell
	2100	76	Howell
	2400	70	VASCONZ

**Friday**

Date	Time	Temp.	Name (Print)
8/09/24	0300	70	VASCONZ
	0600	70	SOLIS
	0900	69	COLLINS
	1200	70	COLLINS
	1500	74	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	72	RAMOS

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	72	SOLIS
	0600	73	JIMSON
	0900	73	JIMSON
	1200	73	JIMSON
	1500	73	Cook
	1800	73	Cook
	2100	73	Cook
	2400	73	VASCONZ

**Tuesday**

Date	Time	Temp.	Name (Print)
8/06/24	0300	71	VASCONZ
	0600	71	COLLINS
	0900	75	COLLINS
	1200	76	COLLINS
	1500	78	Howell
	1800	78	Howell
	2100	74	Howell
	2400	70	VASCONZ

**Thursday**

Date	Time	Temp.	Name (Print)
8/08/24	0300	75	VASCONZ
	0600	74	COLLINS
	0900	75	COLLINS
	1200	75	COLLINS
	1500	77	RAMOS
	1800	75	RAMOS
	2100	72	RAMOS
	2400	72	VASCONZ

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	Cook
	0600	70	JIMSON
	0900	70	JIMSON
	1200	75	COLLINS
	1500	78	GOMEZ
	1800	78	GOMEZ
	2100	79	GOMEZ
	2400	72	SOLIS

**Notes**

---

---

---

---

---

---

---

---

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: DORM 34  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## **Monday**

Date	Time	Temp.	Name (Print)
8/05/24	0300	72	Howell
	0600	72	Craig
	0900	72	Jameson
	1200	74	JIMESON
	1500	76	Howell
	1800	74	Howell
	2100	74	Howell
	2400	72	JAMESON

**Wednesday**

Date	Time	Temp.	Name (Print)
8/07/24	0300	75	JACKS
	0600	70	COLLINS
	0900	71	COLLINS
	1200	78	COLLINS
	1500	80	HOWELL
	1800	78	HOWELL
	2100	76	HOWELL
	2400	78	JACOBSON

Friday

Date	Time	Temp.	Name (Print)
8/09/24	0300	65	JASPER
	0600	68	Solis
	0900	67	COLLINS
	1200	68	COLLINS
	1500	74	RAMOS
	1800	79	RAMOS
	2100	72	RAMOS
	2400	72	MU

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	72	Solis
	0600	73	Jones, M.
	0900	73	Stewart
	1200	73	Stewart
	1500	75	Cook
	1800	73	Cook
	2100	73	Cook
	2400	73	Vannier

Tuesday

Dat	Time	Temp.	Name (Print)
8/06/24	0300	73	WERNER
	0600	73	COLE
	0900	75	COLLINS
	1200	76	COLLINS
	1500	77	HOWELL
	1800	77	HOWELL
	2100	74	HOWELL
	2400	74	WERNER

**Thursday**

Date	Time	Temp.	Name (Print)
8/08/24	0300	75	Washburn
	0600	74	Curtis
	0900	75	Collins
	1200	75	Collins
	1500	76	Rams
	1800	74	Rams
	2100	72	Rams
	2400	70	Washburn

## Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	Cook
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	73	COLLINS
	1500	75	Gomez
	1800	78	Gomez
	2100	74	Gomez
	2400	72	Solis

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: PROGRAM OFFICE  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/05/24	0300	72	Howell
	0600	72	Cook
	0900	72	JAMESON
	1200	74	JAMESON
	1500	76	Howell
	1800	74	Howell
	2100	70	Howell
	2400	70	UNKNOWN

**Tuesday**

Date	Time	Temp.	Name (Print)
8/06/24	0300	70	UNKNOWN
	0600	70	Cook
	0900	74	COLLINS
	1200	75	COLLINS
	1500	76	Howell
	1800	75	Howell
	2100	70	Howell
	2400	70	UNKNOWN

**Wednesday**

Date	Time	Temp.	Name (Print)
8/07/24	0300	70	UNKNOWN
	0600	70	COLLINS
	0900	70	COLLINS
	1200	74	COLLINS
	1500	76	Howell
	1800	76	Howell
	2100	74	Howell
	2400	72	UNKNOWN

**Friday**

Date	Time	Temp.	Name (Print)
8/09/24	0300	68	UNKNOWN
	0600	68	SOLIS
	0900	68	SOLIS
	1200	69	COLLINS
	1500	76	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	74	SOLIS
	0600	74	UNKNOWN
	0900	74	UNKNOWN
	1200	74	JAMESON
	1500	75	COLLINS
	1800	73	COLLINS
	2100	73	COLLINS
	2400	70	UNKNOWN

**Thursday**

Date	Time	Temp.	Name (Print)
8/08/24	0300	70	UNKNOWN
	0600	70	COLLINS
	0900	70	COLLINS
	1200	73	COLLINS
	1500	74	RAMOS
	1800	72	RAMOS
	2100	70	RAMOS
	2400	68	UNKNOWN

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	COLLINS
	0600	70	JAMESON
	0900	78	JAMESON
	1200	78	COLLINS
	1500	78	GOMEZ
	1800	76	GOMEZ
	2100	74	GOMEZ
	2400	70	SOLIS

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: MINI CANTEEN  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/05/24	0300	73	Howell
	0600	73	JIMESON
	0900	73	JAMESON
	1200	74	JIMESON
	1500	76	Howell
	1800	74	Howell
	2100	No Access	Howell
	2400	No Access	

**Tuesday**

Date	Time	Temp.	Name (Print)
8/06/24	0300	70	Cook
	0600	70	Cook
	0900	75	COLLINS
	1200	77	Howell
	1500	80	Howell
	1800	78	Howell
	2100	—	No Access
	2400	—	No Access

**Wednesday**

Date	Time	Temp.	Name (Print)
8/07/24	0300	—	No Access
	0600	—	No Access
	0900	74	COLLINS
	1200	76	COLLINS
	1500	78	Howell
	1800	78	Howell
	2100	—	No Access
	2400	—	No Access

**Thursday**

Date	Time	Temp.	Name (Print)
8/08/24	0300	—	No Access
	0600	—	No Access
	0900	75	COLLINS
	1200	75	COLLINS
	1500	76	RAMOS
	1800	74	RAMOS
	2100	—	No Access
	2400	—	No Access

**Friday**

Date	Time	Temp.	Name (Print)
8/09/24	0300	—	No Access
	0600	—	No Access
	0900	68	COLLINS
	1200	70	COLLINS
	1500	74	RAMOS
	1800	72	RAMOS
	2100	—	No Access
	2400	—	No Access

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300	—	No Access
	0600	—	No Access
	0900	72	JIMESON
	1200	74	JIMESON
	1500	76	GOMEZ
	1800	74	GOMEZ
	2100	—	No Access
	2400	—	No Access

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	—	No Access
	0600	—	No Access
	0900	72	JIMESON
	1200	72	JIMESON
	1500	75	Cook
	1800	77	Cook
	2100	—	No Access
	2400	—	No Access

**Notes**

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: M DINER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/05/24	0300		N/A
	0600	70°	Hampton
	0900	76°	Hampton
	1200	68°	Jones
	1500	72°	Jones
	1800	74°	Jones
	2100		
	2400		N/A

**Tuesday**

Date	Time	Temp.	Name (Print)
8/06/24	0300		N/A
	0600	70°	J. Feist
	0900	70°	J. Feist
	1200	72°	Jones
	1500	74°	Jones
	1800	76°	Jones
	2100		
	2400		N/A

**Wednesday**

Date	Time	Temp.	Name (Print)
8/07/24	0300		N/A
	0600	72°	J. Feist
	0900	72°	J. Feist
	1200	74°	Jones
	1500	76°	Jones
	1800	78°	Jones
	2100		
	2400		N/A

**Thursday**

Date	Time	Temp.	Name (Print)
8/08/24	0300		N/A
	0600	72°	J. Feist
	0900	72°	J. Feist
	1200	72°	Jones
	1500	74°	Jones
	1800	76°	Jones
	2100		
	2400		N/A

**Friday**

Date	Time	Temp.	Name (Print)
8/09/24	0300		N/A
	0600	70°	J. Feist
	0900	70°	J. Feist
	1200	76°	Hampton
	1500	74°	Hampton
	1800	72°	Hampton
	2100		
	2400		N/A

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/24	0300		N/A
	0600	70°	J. Feist
	0900	70°	J. Feist
	1200	76°	Hampton
	1500	74°	Hampton
	1800	74°	Hampton
	2100		
	2400		N/A

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/24	0300		N/A
	0600	64°	Hampton
	0900	69°	Hampton
	1200	70°	Jones
	1500	72°	Jones
	1800	76°	Jones
	2100		
	2400		N/A

**Notes**

---

---

---

---

---

---

---

---

8/5/2024 to 8/11/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: Interfaith Chapel East      Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300		N/A
	0600		
	0900	70	Gottesfeld
	1200	73	"
	1500	73	"
	1800		
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Saturday		Date	Time	Temp.	Name (Print)
8/10	0300				
	0600				
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				

## Notes

---

---

---

---

---

---

---

---

---

---

8/5/2024

to

8/11/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: Main Canteen Temp. Reading Location: Main Office  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/5

Date	Time	Temp.	Name (Print)
8/5	0300		N/A
	0600		
	0900	70	M. (initials) (D)
	1200	72	(initials)
	1500	74	(initials)
	1800	72	(initials)
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300		N/A
	0600		
	0900	72	(initials)
	1200	74	(initials)
	1500	75	(initials)
	1800	74	(initials)
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
8/9	0300		N/A
	0600		
	0900	71	(initials)
	1200	74	(initials)
	1500	75	(initials)
	1800	74	(initials)
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday 8/6

Date	Time	Temp.	Name (Print)
8/6	0300		N/A
	0600		
	0900	70	(initials)
	1200	72	(initials)
	1500	72	(initials)
	1800	71	(initials)
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300		N/A
	0600		
	0900	76	(initials)
	1200	77	(initials)
	1500	75	(initials)
	1800	74	(initials)
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

8/5/2024 to 8/11/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2<sup>nd</sup> FLOOR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5/2024	0300	/	/
	0600	71	J-MILLS
	0900	70	J-MILLS
	1200	72	R WEBB
	1500	72	R WEBB
	1800	72	R WEBB
	2100	/	/
	2400	/	/

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/2024	0300	/	/
	0600	70	J-MILLS
	0900	70	MILLS
	1200	72	WEBB
	1500	74	WEBB
	1800	76	WEBB
	2100	/	/
	2400	/	/

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/2024	0300	/	/
	0600	72	Mederos
	0900	74	Mederos
	1200	76	Mederos
	1500	76	Mederos
	1800	78	Mederos
	2100	/	/
	2400	/	/

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/2024	0300	/	/
	0600	70	R Corelli
	0900	73	R Corelli
	1200	76	A Yarlor
	1500	78	A Yarlor
	1800	78	A Yarlor
	2100	/	/
	2400	/	/

**Friday**

Date	Time	Temp.	Name (Print)
8/9/2024	0300	/	/
	0600	70	S NUER
	0900	73	A Espinoza
	1200	71	WEBB
	1500	72	WEBB
	1800	72	WEBB
	2100	/	/
	2400	/	/

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/2024	0300	/	/
	0600	66	Mederos
	0900	70	Mederos
	1200	71	WEBB
	1500	72	WEBB
	1800	72	WEBB
	2100	/	/
	2400	/	/

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/2024	0300	/	/
	0600	70	CRANEY
	0900	70	CRANEY
	1200	72	BARROSA
	1500	72	BARROSA
	1800	72	BARROSA
	2100	/	/
	2400	/	/

**Notes**

8/5/2024

TO

8/11/2024

## ATTACHMENT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 1001 Temp. Reading Location: 2-13-C  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 71451 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gray
	1200	72	G Gray
	1500	72	G Gray
	1800		
	2100		N/A
	2400		

Wednesday 8/14/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	G Gray
	1200	74	G Gray
	1500	74	G Gray
	1800		
	2100		N/A
	2400		

Friday 8/16/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gray
	1200	72	G Gray
	1500	73	G Gray
	1800		
	2100		N/A
	2400		

Sunday 8/11

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday 8/14/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	G Gray
	1200	73	G Gray
	1500	74	G Gray
	1800		
	2100		N/A
	2400		

Thursday 8/16/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	G Gray
	1200	74	G Gray
	1500	74	G Gray
	1800		
	2100		N/A
	2400		

Saturday 8/10

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes


---



---



---



---



---



---



---



---



---



---

8/5/2024 to 8/11/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300		N/A
	0600	73°	
	0900	73°	TS
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300		N/A
	0600	75°	
	0900	75°	Att
	1200	75°	
	1500	75°	
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300		N/A
	0600	77°	
	0900	77°	AH
	1200	77°	
	1500	77°	
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300		N/A
	0600	77°	
	0900	77°	AH
	1200	77°	
	1500	77°	
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300		N/A
	0600	75	
	0900	75	FS
	1200	75	
	1500	75	
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		CL
	1500		
	1800		
	2100		
	2400		

**Notes**


---

---

---

---

---

---

---

---

8/5/2024 to 8/11/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
FDCR 201 (0418)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C M C Housing Unit: PRINT PLANT Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension ----- when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday MONTH / YEAR: AUGUST, 2024

Date	Time	Temp.	Name (Print)
5	0300		N/A
	0600		
	0900	68	
	1200	70	
	1500	75	MA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7	0300		N/A
	0600		
	0900	70	
	1200	80	
	1500	82	d
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
9	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		RDO

Sunday

Date	Time	Temp.	Name (Print)
11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		RDO

Tuesday

Date	Time	Temp.	Name (Print)
6	0300		N/A
	0600		
	0900	70	
	1200	78	
	1500	80	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8	0300		N/A
	0600		
	0900	70	
	1200	78	
	1500	80	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		RDO

Notes

---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

8/5/2024

8/11/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: P/A Temp. Reading Location: 1st Floor Fabrics  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**NET PROCESSING**

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
8/5	0900	68	Swayment
	1200	72	Swayment
	1500	78	Swayment
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
8/6	0900	68	Swayment
	1200	70	Swayment
	1500	76	Swayment
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
8/7	0900	75	Swayment
	1200	79	Swayment
	1500	80	Swayment
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
8/8	0900	78	Swayment
	1200	82	Swayment
	1500	79	Swayment
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
8/9	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
8/10	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
8/11	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

8/5/2024

to

8/11/2024

## ATTACHMENT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: Inmate Office  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300		N/A
	0600		
	0900	76	Wong
	1200	77	Wong
	1500		
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300		N/A
	0600		
	0900	77°	Rodriguez
	1200	78°	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300		N/A
	0600		
	0900	77	Wong
	1200	79	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300		N/A
	0600		
	0900	77	Rodriguez
	1200	79	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

~~200~~

~~200~~

~~200~~

~~200~~

DISTRIBUTION: Original: Institution ADA Coordinator

8/5/2024 +0 8/11/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).**

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: Coop Apt      Temp. Reading Location: MFR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## **Monday**

Date	Time	Temp.	Name (Print)
8-5	0300		N/A
	0600	73°	C. Sanchez
	0900	75°	C. Sanchez
	1200	79°	C. Sanchez
	1500	80°	C. Sanchez
	1800	81°	C. S.
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
8-7	0300		N/A
	0600	73°	C. Sanchez
	0900	75°	C. Sanchez
	1200	81°	C. Sanchez
	1500	82°	C. Sanchez
	1800		
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
8.9	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday		Date	Time	Temp.	Name (Print)
<b>8-11</b>			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8-6	0300		N/A
	0600	74°	C. Sanchez
	0900	76°	C. Sanchez
	1200	80°	C. Sanchez
	1500	81°	C. Sanchez
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8-2	0300		N/A
	0600	78°	C. Sanchez
	0900	78°	C. Sanchez
	1200	81°	C. Sanchez
	1500	83°	C. Sanchez
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8-10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/5/2024

to 8/11/2024

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: Shoe Factory Temp. Reading Location: Clerks Office  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/5	0300		N/A
	0600	75	Rickat
	0900	78°	Cu
	1200	80	Cu
	1500	81	Cu
	1800		
	2100		
	2400		N/A

## Wednesday

Date	Time	Temp.	Name (Print)
8/1	0300		N/A
	0600	76	R. Fant
	0900	81	Rickat
	1200	82	Upt
	1500	84	Upt
	1800		
	2100		
	2400		N/A

## Friday

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

## Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300		N/A
	0600	78°	Rickat
	0900	79	Rick Flare
	1200	80	Rick Flare
	1500	87"	Rick Howell
	1800		
	2100		
	2400		N/A

## Thursday

Date	Time	Temp.	Name (Print)
8/8	0300		N/A
	0600	79	Rickat
	0900	79	R. Fant
	1200	83	R. Fant
	1500	84	R. Fant
	1800		
	2100		
	2400		N/A

## Saturday

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---



---



---



---



---



---



---



---



---



---

8/15/2024 + 8/11/2024

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CMC Housing Unit Jacket Factory Temp. Reading Location: 2<sup>nd</sup> Floor T-shirt  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900	60	D Cooper	
1200	68	D Cooper	
1500	72	D Cooper	
1800			
2100			
2400			

**Tuesday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900	62	D Cooper	
1200	70	D Cooper	
1500	77	D Cooper	
1800			
2100			
2400			

**Wednesday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900	62	D Cooper	
1200	72	D Cooper	
1500	77	D Cooper	
1800			
2100			
2400			

**Thursday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900	62	D Cooper	
1200	70	D Cooper	
1500	72	D Cooper	
1800			
2100			
2400			

**Friday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			RDC
1800			
2100			
2400			

**Saturday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

**Sunday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			RDC
1500			
1800			
2100			
2400			

**Notes**


---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

8/5/2024 to 8/11/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cmc Housing Unit: Pia Temp. Reading Location: Safety T  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	69	CHD1
	1200	78	CHD1
	1500	78	CHD1
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	69	CHD1
	1200	80	CHD1
	1500	81	CHD1
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	68	CHD1
	1200	81	CHD1
	1500	82	CHD1
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	CHD1
	1200	78	CHD1
	1500	80	CHD1
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

8/5/2024

to

8/11/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Ur Knit Mill Temp. Reading Location: Shop Asile

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	77°	Regalado
	1200	81°	Regalado
	1500	87°	Regalado
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	81°	Richardson M
	1200	84°	Regalado
	1500	89°	Regalado
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	60°	Regalado
	1200	85°	Regalado
	1500	91°	Richardson M.
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	80°	Richardson M.
	1200	85°	Richardson M.
	1500	90°	Richardson M.
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Notes**

8/5/24 - 8/8/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

8/5/2024

to 8/11/2024

STATE OF CALIFORNIA

REHABILITATION

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND

From Sept. 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp. Reading Location: **Protestant Chapel EAST**

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300		.
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		.
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300		
	0600		N/A
	0900	79	E
	1200	72	E
	1500		
	1800		
	2100		N/A
	2400		.

Friday

Date	Time	Temp.	Name (Print)
8/9	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300		N/A
	0600		
	0900	69	E
	1200		.
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

8/5/2024

TO 8/11/2024

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: East Watch

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/06/2024	0100	56	ZEFDA, J
	0200	54	ZEFDA, J
	0300	54	ZEFDA, J
	0400	54	ZEFDA, J
	0500	54	ZEFDA, J
	0600	54	ZEFDA, J
	0700	58	STONE
	0800	59	STONE
	0900	65	STONE
	1000	68	STONE
	1100	70	Stone
	1200	70	STONE
	1300	70	STONE
	1400	72	STONE
	1500	81	Dominguez
	1600	78	Dominguez
	1700	78	Dominguez
	1800	80	Dominguez
	1900	76	Rupp
	2000	65	Rupp
	2100	65	Rupp
	2200	56	ZEFDA
	2300	56	ZEFDA
	2400	54	ZEFDA

Date	Time	Temp.	Printed Name
8/07/2024	0100	56	ZEFDA
	0200	55	ZEFDA
	0300	55	ZEFDA
	0400	55	ZEFDA
	0500	53	ZEFDA
	0600	53	ZEFDA
	0700	60	De la Torre
	0800	64	De la Torre
	0900	68	De la Torre
	1000	72	De la Torre
	1100	73	De la Torre
	1200	74	De la Torre
	1300	78	De la Torre
	1400	80	Hernandez
	1500	79	Hernandez
	1600	78	Hernandez
	1700	77	Hernandez
	1800	74	Hernandez
	1900	71	Hernandez
	2000	68	Hernandez
	2100	67	Hernandez
	2200	65	Hernandez
	2300	58	Hernandez
	2400	58	Hernandez

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: East Watch

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/24/18	0100	56	Hernandez
	0200	54	ZEPEDA, J
	0300	54	ZELAN, J
	0400	54	ZEPEDA, J
	0500	54	ZEPEDA, J
	0600	53	ZEPEDA, J
	0700	55	FONTI
	0800	57	C.PRICE
	0900	63	C.PRICE
	1000	66	FONTI
	1100	75	HUNT
	1200	75	C.PRICE
	1300	75	C.PRICE
	1400	75	Hernandez
	1500	74	Hernandez
	1600	73	Hernandez
	1700	69	Hernandez
	1800	68	Hernandez
	1900	61	Hernandez
	2000	56	Hernandez
	2100	53	Hernandez
	2200	52	Hernandez
	2300	52	ZELAN
	2400	52	ZELAN

Date	Time	Temp.	Printed Name
8/9/18	0100	52	ZELAN
	0200	51	ZELAN
	0300	51	ZELAN
	0400	51	Hernandez
	0500	51	Hernandez
	0600	51	ZEPEDA
	0700	55	C.PRICE
	0800	57	C.PRICE
	0900	60	C.PRICE
	1000	61	C.PRICE
	1100	70	C.PRICE
	1200	72	C.PRICE
	1300	74	C.PRICE
	1400	74	C.PRICE
	1500	72	Hernandez
	1600	71	Hernandez
	1700	68	Hernandez
	1800	63	Hernandez
	1900	57	Hernandez
	2000	55	Hernandez
	2100	55	Hernandez
	2200	52	ZEPEDA
	2300	52	ZEPEDA
	2400	52	ZEPEDA

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/10/24	0100	52	ZEPEDA
	0200	52	ZEPEDA
	0300	56	ZEPEDA
	0400	58	ZEPEDA
	0500	60	ZEPEDA
	0600	65	BURNE
	0700	65	BURNE
	0800	66	BURNE
	0900	66	BURNE
	1000	67	BURNE
	1100	69	BURNE
	1200	71	BURNE
	1300	73	BURNE
	1400	74	Dewels
	1500	75	Dewels
	1600	76	Dewels
	1700	77	Dewels
	1800	77	Deweis
	1900	78	Deweis
	2000	79	Deweis
	2100	80	Deweis
	2200	85	Deweis
	2300	80	ZEPEDA
	2400	70	ZEPEDA

Date	Time	Temp.	Printed Name
8/11/24	0100	52	ZEPEDA
	0200	54	ZEPEDA
	0300	58	ZEPEDA
	0400	61	ZEPEDA
	0500	68	ZEPEDA
	0600	70	STONE
	0700	71	STONE
	0800	72	STONE
	0900	72	STONE
	1000	72	STONE
	1100	72	STONE
	1200	71	STONE
	1300	70	STONE
	1400	72	Hernandez
	1500	75	Hernandez
	1600	77	Hernandez
	1700	72	Hernandez
	1800	70	Hernandez
	1900	68	Hernandez
	2000	68	Hernandez
	2100	69	Hernandez
	2200	53	Konger
	2300	51	Konger
	2400	51	Konger

REHABILITATION

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From August 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list August be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 12, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Wednesday August 14, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. FARAD
	1200	70	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Friday August 16, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67	J. FARAD
	1200	70	"
	1500	72	"
	1800		
	2100		N/A
	2400		

Sunday August 18, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J. FARAD
	1200	71	"
	1500	72	"
	1800		
	2100		N/A
	2400		

Tuesday August 13, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Thursday August 15, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66.6	J. FARAD
	1200	70	"
	1500	71	"
	1800		
	2100		N/A
	2400		

Saturday August 17, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67	J. FARAD
	1200	70	"
	1500	72.5	"
	1800		
	2100		N/A
	2400		

Notes

---



---



---



---



---



---



---



---



---



---



---



---



---

8/12/2024 to 8/18/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: \_\_\_\_\_ Temp. Reading Location: Clothing Dist.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 8/12

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	M. GORON
	1200	76	M. GORON
	1500	78	M. GORON
	1800		
	2100		N/A
	2400		

Tuesday 8/13

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	A CASSIA
	1200	76	A CASSIA
	1500	77	A CASSIA
	1800		
	2100		N/A
	2400		

Wednesday 8/14

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	M. GORON
	1200	76	A. COSSIO
	1500	78	A. CASSIO
	1800		
	2100		
	2400		N/A

Thursday 8/15

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	M. GORON
	1200	75	M. GORON
	1500	77	M. GORON
	1800		
	2100		N/A
	2400		

Friday 8/16

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	M. GORON
	1200	74	M. GORON
	1500	77	M. GORON
	1800		
	2100		N/A
	2400		

Saturday 8/17

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday** 8/18

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		RDO

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

8/12/2024 to 8/18/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A FACILITY Temp. Reading Location: BUILDING 1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/24	0300	66	B. TITTLE JR
	0600	68	Ramor.
	0900	71	Ramos
	1200	71	Ramos
	1500	71	CAMPUS
	1800	71	CAMPUS
	2100	71	CAMPUS
	2400	70	Dial.

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/24	0300	68	Dial
	0600	68	Alvarez
	0900	70	Alvarez
	1200	72	Alvarez
	1500	73	CAMPUS
	1800	73	CAMPUS
	2100	73	CAMPUS
	2400	72	J. Hernandez

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/24	0300	72	J. Hernandez
	0600	70	LINES
	0900	71	LINES
	1200	72	LINES
	1500	72	CUBBARD
	1800	72	CUBBARD
	2100	72	CUBBARD
	2400	72	Robles

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/24	0300	70	Robles
	0600	70	Rodriguez
	0900	71	Rodriguez
	1200	73	Rodriguez
	1500	73	CUBBARD
	1800	73	CUBBARD
	2100	73	CUBBARD
	2400	71	Rodriguez

**Friday**

Date	Time	Temp.	Name (Print)
8/16/24	0300	70	Rodriguez
	0600	70	J. NUÑEZ
	0900	72	J. NUÑEZ
	1200	73	J. NUÑEZ
	1500	72	CUBBARD
	1800	74	CUBBARD
	2100	73	CUBBARD
	2400	73	Pennisi

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/24	0300	70	Pennisi
	0600	64	KREBS
	0900	70	KREBS
	1200	73	KREBS
	1500	73	CUBBARD
	1800	73	CUBBARD
	2100	73	CUBBARD
	2400	71	CAMPUS

**Notes**

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	CAMPUS
	0600	70	KAMOS
	0900	71	KAMOS
	1200	72	KAMOS
	1500	73	CAMPUS
	1800	72	CAMPUS
	2100	71	CAMPUS
	2400	71	B. TITTLE

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A FACILITY Temp. Reading Location: BUILDING 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

8/12

Date	Time	Temp.	Name (Print)
	0300	70	ACREAGA
	0600	72	ACREAGA
	0900	72	ALMABUR
	1200	76	ALMABUR
	1500	78	Morado
	1800	74	Morado
	2100	73	CNMY2
	2400	72	CAMPUS

Wednesday

8/14

Date	Time	Temp.	Name (Print)
	0300	72	Roberts
	0600	70	Ganbare
	0900	73	Holcolm
	1200	74	Holcolm
	1500	79	S. Scouse
	1800	72	S. Scouse
	2100	72	S. Scouse
	2400	72	Roberts

Friday

8/16

Date	Time	Temp.	Name (Print)
	0300	71	Roberts
	0600	71	B. Siv
	0900	72	B. Siv
	1200	74	B. Siv
	1500	74	Pelayo
	1800	74	Pelayo
	2100		Pelayo
	2400		.

Sunday

8/18

Date	Time	Temp.	Name (Print)
	0300	72	Rivera
	0600	72	ARMABUR
	0900	74	ACREAGA
	1200	74	ALMABUR
	1500	74	KREBS
	1800	73	KREBS
	2100	73	KREBS
	2400	70	Lopez

Tuesday

8/13

Date	Time	Temp.	Name (Print)
	0300	70	CAMPOS
	0600	71	Holcolm
	0900	71	Holcolm
	1200		Holcolm
	1500	76	GARZA
	1800	74	GARZA
	2100	74	GARZA
	2400	72	Roberts

Thursday

8/15

Date	Time	Temp.	Name (Print)
	0300	72	Roberts
	0600	70	F. MULLER
	0900	71	Holcolm
	1200	75	Holcolm
	1500	77	TABAREZ
	1800	76	TABAREZ
	2100	77	TABAREZ
	2400	71	Roberts

Saturday

8/17

Date	Time	Temp.	Name (Print)
	0300		
	0600	70	Bell
	0900	71	Bell
	1200	72	Bell
	1500	75	KREBS
	1800	73	KREBS
	2100	74	KREBS
	2400	72	Rivera

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDGR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A - Diner Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70	Jacobs
	0900	72	Jacobs
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	69	Jacobs
	0900	71	Jacobs
	1200		
	1500	80	J. Noel
	1800	77	J. Noel
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	68	Jacobs
	0900	70	Jacobs
	1200		N/A
	1500	73	S. Noel
	1800	73	J. Noel
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	68	Jacobs
	0900	70	Jacobs
	1200		N/A
	1500	74	J. Noel
	1800	75	J. Noel
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	68	S. Noel
	0900	70	S. Noel
	1200		N/A
	1500	74	J. Noel
	1800	78	J. Noel
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70°	S. Noel
	0900	70°	S. Noel
	1200		N/A
	1500	79°	Pacas
	1800	74°	Pacas
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	71	Jacobs
	0900	73	Jacobs
	1200		N/A
	1500	77°	Pacas
	1800	73°	Pacas
	2100		
	2400		N/A

Notes

---



---



---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST      Housing Unit: FACILITY A

Temp. Reading Location: MINI CANTEEN

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## Monday

Date	Time	Temp.	Name (Print)
8 / 12 / 2024	0300	N/A	
	0600	N/A	
	0900		
	1200		
	1500		
	1800	81	HODGES
	2100	N/A	Hodges
	2400	N/A	

**Tuesday**

Date	Time	Temp.	Name (Print)
8 / 13 2024	0300	N/A	
	0600	N/A	
	0900	78	Hodges
	1200	81	Hodges
	1500	82	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
8 / 14 / 2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	82	Hodges
	1500	93	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Thursday

Thursday		Date	Time	Temp.	Name (Print)
8 / 15 / 2024	0300	N/A			
	0600	N/A			
	0900	—			Hodge
	1200	—			Hodge
	1500	—			Hodge
	1800	80			Hodge
	2100	N/A			
	2400	N/A			

Friday

Date	Time	Temp.	Name (Print)
8 / 16 / 2024	0300	N/A	
	0600	N/A	
	0900	80	Hedges
	1200		
	1500		
	1800	79	Hedges
	2100	N/A	
	2400	N/A	

Saturday

Saturday			
Date	Time	Temp.	Name (Print)
8 / 17 / 2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	83	Hodges
	1500	85	Hodges
	1800	81	Hodges
	2100	N/A	
	2400	N/A	

Sunday

Sunday		Date	Time	Temp.	Name (Print)
8 / 18 / 2024	0300	N/A			
	0600	N/A			
	0900	79			Hedges
	1200	84			Hedges
	1500	84			Hedges
	1800	81			Hedges
	2100	N/A			
	2400	N/A			

## Notes

---

---

---

---

---

---

8/12/2024

TO

8/18/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC-B Bldg. 3 Temp. Reading Location: Tier 3  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-12-24	0300	66	P. HENRY
	0600	66	R. Vega
	0900	70	R. Vega
	1200	70	R. Vega
	1500	71	Madrena
	1800	71	Madrena
	2100	70	Madrena
	2400	68	P. HENRY

**Tuesday**

Date	Time	Temp.	Name (Print)
8-13-24	0300	68	P. HENRY
	0600	68	F. VAMINET
	0900	70	F. VAMINET
	1200	70	F. VAMINET
	1500	71	Madrena
	1800	70	Madrena
	2100	68	Madrena
	2400	68	P. HENRY

**Wednesday**

Date	Time	Temp.	Name (Print)
8-14-24	0300	68	P. HENRY
	0600	69	C. C. S.
	0900	69	C. C. S.
	1200	70	C. C. S.
	1500	70	Madrena
	1800	70	Madrena
	2100	68	Madrena
	2400	64	rr

**Thursday**

Date	Time	Temp.	Name (Print)
8-15-24	0300	67	rr
	0600	69	C. C. S.
	0900	70	C. C. S.
	1200	71	C. C. S.
	1500	70	Madrena
	1800	68	Madrena
	2100	69	rr
	2400	70	P. HENRY

**Friday**

Date	Time	Temp.	Name (Print)
8-16-24	0300		P. HENRY
	0600	69	C. C. S.
	0900	69	C. C. S.
	1200	71	C. C. S.
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	69	Martinez

**Saturday**

Date	Time	Temp.	Name (Print)
8-17-24	0300	69	Martinez
	0600	70°F	D. G. GARCIA
	0900	66°F	D. G. GARCIA
	1200	70°F	D. G. GARCIA
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	70	P. DEL TORO

**Sunday**

Date	Time	Temp.	Name (Print)
8-18-24	0300	69	P. DEL TORO
	0600	69	U. GALARZA, R.
	0900	69	U. GALARZA, R.
	1200	69	U. GALARZA, R.
	1500	72	U. GALARZA, R.
	1800	70	U. GALARZA, R.
	2100	68	U. GALARZA, R.
	2400	68	U. GALARZA, R.

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BID 4 Temp. Reading Location: 3<sup>-D</sup> TIER  
FAC-B (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/12	0300	69	D. OROZCO
	0600	69	Johnson
	0900	70	Johnson
	1200	70	Johnson
	1500	69	Johnson
	1800	69	Johnson
	2100	68	Johnson
	2400	68	D. OROZCO

Tuesday

Date	Time	Temp.	Name (Print)
05/13	0300	68	D. OROZCO
	0600	67	D. OROZCO
	0900	67	D. OROZCO
	1200	69	D. OROZCO
	1500	69	Johnson
	1800	69	Johnson
	2100	69	Johnson
	2400	68	D. OROZCO

Wednesday

Date	Time	Temp.	Name (Print)
05/14	0300	68	D. OROZCO
	0600	68	ALEMAN
	0900	69	Yu
	1200	70	Bretez
	1500	70	Johnson
	1800	70	TOSTE
	2100	70	TOSTE
	2400	69	Cashilla

Thursday

Date	Time	Temp.	Name (Print)
05/15	0300	68	Cashilla
	0600	69	ALEMAN
	0900	70	ALEMAN
	1200	71	ALEMAN
	1500	71	Johnson
	1800	71	75
	2100	71	MOPIN
	2400	69	MOPIN

Friday

Date	Time	Temp.	Name (Print)
05/16	0300	69	MOPIN
	0600	71	Gonzalez
	0900	71	Gonzalez
	1200	72	Gonzalez
	1500	72	TOSTE
	1800	71	TOSTE
	2100	70	TOSTE
	2400	70	PRINT

Saturday

Date	Time	Temp.	Name (Print)
05/17	0300	69	Gonzalez
	0600	68	Gonzalez
	0900	68	Gonzalez
	1200	69	Gonzalez
	1500	71	A. Lopez
	1800	70	A. Lopez
	2100	70	A. Lopez
	2400	69	R. TOSTE

Sunday

Date	Time	Temp.	Name (Print)
05/18	0300	69	R. TOSTE
	0600	69	Graves
	0900	70	E. Gonzalez
	1200	70	M. Gonzalez
	1500	71	R. TOSTE
	1800	71	R. TOSTE
	2100	71	R. TOSTE
	2400	71	R. TOSTE

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: Facility B Diner

Temp. Reading Location: Near Coffee Machine  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	N/A	N/A
	0600	76°	S. NOEL
	0900	76°	S. NOEL
	1200	78°	S. NOEL
	1500	81°	Pacas
	1800	85°	Pacas
	2100	N/A	N/A
	2400	N/A	N/A

## Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	N/A	N/A
	0600	76	BARBOSA
	0900	76	BARBOSA
	1200	77	BARBOSA
	1500	81	Pimm
	1800	83	Pimm
	2100	N/A	N/A
	2400	N/A	N/A

## Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	N/A	N/A
	0600	76	YOUNG
	0900	78	YOUNG
	1200	80	YOUNG
	1500	82	Pimm
	1800	85	Pimm
	2100	N/A	N/A
	2400	N/A	N/A

## Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	N/A	N/A
	0600	76	S. NOEL
	0900	78	S. NOEL
	1200	80	S. NOEL
	1500	83	Arteaga
	1800	82	Arteaga
	2100	N/A	N/A
	2400	N/A	N/A

## Tuesday

Date	Time	Temp.	Name (Print)
8/15/24	0300	N/A	N/A
	0600	76	YOUNG
	0900	76	YOUNG
	1200	78	YOUNG
	1500	83	Pimm
	1800	86	Pimm
	2100	N/A	N/A
	2400	N/A	N/A

## Thursday

Date	Time	Temp.	Name (Print)
8/17/24	0300	N/A	N/A
	0600	76	YOUNG
	0900	78	YOUNG
	1200	80	YOUNG
	1500	81	Pimm
	1800	83	Pimm
	2100	N/A	N/A
	2400	N/A	N/A

## Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	N/A	N/A
1	0600	79	JENSON
24	0900	79	JENSON
	1200	80	JENSON
	1500	82	LEES
	1800	86	LEES
	2100	N/A	N/A
	2400	N/A	N/A

## Notes

---



---



---



---



---



---



---



---



---



---

8/12/2024

to 8/18/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMCHousing Unit: BDS FLR3  
FAC. C

Temp. Reading Location:

Tier 3 Facility C  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	69	Charles
	0600	69	DAL TONO
	0900	70	DAL TONO
	1200	70	C. GONZALEZ
	1500	74°	S.Miguel
	1800	74°	S.Miguel
	2100	72°	S.Miguel
	2400	70	J. AGUAYO

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/24	0300	68	AGUAYO
	0600	69	J. MAREN
	0900	70	J. MAREN
	1200	71°	J. MAREN
	1500	72°	S. Miguel
	1800	72°	S. Miguel
	2100	70°	S. Miguel
	2400	70°	S. Miguel

**Friday**

Date	Time	Temp.	Name (Print)
8/16/24	0300	70	Rivero
	0600	70	Kingsley
	0900	70	Kingsley
	1200	70	Kingsley
	1500	74	S. Lee
	1800	72	S. Lee
	2100	70	S. Lee
	2400	70	Carroll

**Sunday**

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	C. Sibley
	0600	70	Kingsley
	0900	70	Kingsley
	1200	70	Kingsley
	1500	73	S. Lee
	1800	71	S. Lee
	2100	70	S. Lee
	2400	70	Carroll

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	68°	AGUAYO
	0600	68	Wilson
	0900	70	Wilson
	1200	75	Wilson
	1500	76°	S. Miguel
	1800	72°	S. Miguel
	2100	70°	S. Miguel
	2400	70	AGUAYO

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	69	J. MAREN
	0600	68	J. MAREN
	0900	69	J. MAREN
	1200	72	J. MAREN
	1500	74°	S. Miguel
	1800	74°	S. Miguel
	2100	72°	S. Miguel
	2400	70	Rivero

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	70	C. Sibley
	0600	71	Kingsley
	0900	71	Kingsley
	1200	75	Kingsley
	1500	77	Kingsley
	1800	74	Kingsley
	2100	72	Carmel
	2400	70	Carmel

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Building 6 Temp. Reading Location: 3<sup>rd</sup> tier  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc)

Fac. C

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/13/24	0300	73°	S. Banuelos
	0600	73	J. Rowlett
	0900	73	J. Rowlett
	1200	74	J. Rowlett
	1500	75	A. Zepeda
	1800	75	A. Zepeda
	2100	72	A. Zepeda
	2400	72°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	73°	S. Banuelos
	0600	73	J. Rowlett
	0900	72	J. Rowlett
	1200	73	J. Rowlett
	1500	75	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	72	S. Banuelos

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	77	M. Catron
	0600	72	Gonzales
	0900	74	Gonzales
	1200	76	Gonzales
	1500	77	E. Ayon Flores
	1800	76	E. Ayon Flores
	2100	75	E. Ayon Flores
	2400	74°	S. Banuelos

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	74°	S. Banuelos
	0600	73	Rowlett
	0900	73	Rowlett
	1200	75	Rowlett
	1500	76	Zepeda
	1800	76	Zepeda
	2100	74	Zepeda
	2400	73°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	70°	S. Banuelos
	0600	72	J. Rowlett
	0900	73	J. Rowlett
	1200	74	J. Rowlett
	1500	75	E. Ayon Flores
	1800	74	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	73°	S. Banuelos

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70	S. Banuelos
	0600	70	Rowlett
	0900	71	Rowlett
	1200	72	Rowlett
	1500	76	E. Ayon Flores
	1800	76	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	77	M. Catron

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	73°	S. Banuelos
	0600	70	A. Alvarado
	0900	70	A. Alvarado
	1200	70	A. Alvarado
	1500	76	E. Ayon Flores
	1800	76	E. Ayon Flores
	2100	76	E. Ayon Flores
	2400	74°	S. Banuelos

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C.M.C. Housing Unit: Facility C Temp. Reading Location: Diner  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-13-24	0300		N/A
	0600	68	Martino
	0900	70	Martino
	1200		N/A
	1500	72	Martino
	1800	71	Martino
	2100	70	Martino
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300		N/A
	0600	70	R
	0900	72	R
	1200	72	R
	1500	74	Hernandez
	1800	74	Hernandez
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300		N/A
	0600	68	Martino
	0900	70	Martino
	1200		N/A
	1500	70	Martino
	1800	71	Martino
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300		N/A
	0600	70	Martino
	0900	74	Martino
	1200		N/A
	1500	72	Hernandez
	1800	70	Hernandez
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300		S.N. N/A
	0600	70°	S.NOEL
	0900	72°	S.NOEL
	1200	72°	S.NOEL
	1500		N/A
	1800	74	Hernandez
	2100	74	Hernandez
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300		N/A
	0600	72°	Orcia
	0900	72	Orcia
	1200		N/A
	1500	74	Hernandez
	1800	74	Hernandez
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300		N/A
	0600	70°	Martino
	0900	72°	Martino
	1200		N/A
	1500	70	Martino
	1800	70	Martino
	2100		N/A
	2400		

Notes

---



---



---



---



---



---



---



---

8/12/2024 to 8/18/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment B**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 Temp. Reading Location: TIER 3  
*(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)*

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
12-24-88	0300	70	Chavez. 1A
	0600	68°	Chavez
	0900	67°	Chavez
	1200	70°	Chavez
	1500	73	Chavez
	1800	71°	Chavez
	2100	71°	Chavez
	2400	70	JONES

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	69	T. Gove
	0600	70	Dennenlein
	0900	70	Dennenlein
	1200	72	Dennenlein
	1500	74°	T. Faiole
	1800	74°	T. Faiole
	2100	72°	T. Faiole
	2400	71	T. Gove

**Friday**

Date	Time	Temp.	Name (Print)
16-8	0300	70	Jazzoo
	0600	70	Witt
	0900	70	Witt
	1200	75	Witt
	1500	76°	T. Faield
	1800	76°	T. Faield
	2100	75	T. Faield
	2400	72	T. Faield

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	70°	Bernardot
	0600	70	Witt
	0900	70	Witt
	1200	74	Witt
	1500	74	CARDENAL
	1800	74	CARDENAL
	2100	74	CARDENAL
	2400	70°	Bernardot

Tuesday

Dat	Time	Temp.	Name (Print)
13-24	0300	68	TORRES
8	0600	66°	Chavez
	0900	67°	Chavez
	1200	70	Chavez
	1500	74	Chavez
	1800	74°	Chavez
	2100	71	CHAVES
	2400	70	T-Gov

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	70	Plank
	0600	70	Dennertlein
	0900	71	Dennertlein
	1200	74	Dennertlein
	1500	74°	T. Farolda
	1800	76°	T. Farolda
	2100	74°	T. Farolda
	2400	72	Razz

**Saturday**

Date	Time	Temp.	Name (Print)
8-17-24	0300	70	T. Galt
	0600	70	WIFF
	0900	70	Martinez
	1200	72	Martinez
	1500	76°	T. Fa'old
	1800	75°	T. Fa'old
	2100	74°	T. Fa'old
	2400	70°	J. Lee

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Building 8 Temp. Reading Location: 3rd tier  
FAC. D  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/24	0300	72	TORRES
	0600	70	E. Gonzalez
	0900	72	E. Gonzalez
	1200	74°	E. Gonzalez
	1500	73°	Pelayo
	1800	73°	Pelayo
	2100	72°	Pelayo
	2400	72	Clarke

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/24	0300	71	Clarke
	0600	72	E. Gonzalez
	0900	72	E. Gonzalez
	1200	72	E. Gonzalez
	1500	75°	Pelayo
	1800	74°	Pelayo
	2100	73°	Pelayo
	2400	72	Clarke

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/24	0300	72	Clarke
	0600	72	Pelayo
	0900	72	Pelayo
	1200	74°	Pelayo
	1500	75°	Pelayo
	1800	74°	Pelayo
	2100	73°	Pelayo
	2400	73	Clarke

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/24	0300	72	Clarke
	0600	72	Pelayo
	0900	73°	Pelayo
	1200	74°	Pelayo
	1500	75°	Pelayo
	1800	74°	Pelayo
	2100	73°	Pelayo
	2400	73	Clarke

**Friday**

Date	Time	Temp.	Name (Print)
8/16/24	0300	73	Clarke
	0600	72	Pelayo
	0900	74	Pelayo
	1200	74°	Pelayo
	1500	74°	Pelayo
	1800	74°	Pelayo
	2100	73°	Pelayo
	2400	73	Clarke

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/24	0300	73	Clarke
	0600	72	Pelayo
	0900	72	Pelayo
	1200	74	Pelayo
	1500	74	Mullins
	1800	74	Mullins
	2100	72	Mullins
	2400	72	TORRES

**Sunday**

Date	Time	Temp.	Name (Print)
8/18/24	0300	72	TORRES
	0600	72	Pelayo
	0900	72	Pelayo
	1200	74	Pelayo
	1500	74	Mullins
	1800	74	Mullins
	2100	72	Mullins
	2400	72	TORRES

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST Housing Unit: FACILITY D

Temp. Reading Location: DINER

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8 / 12 / 2024	0300	N/A	
	0600	66	Murphy
	0900	66	Murphy
	1200	N/A	
	1500	78	Rod
	1800	78	Rod
	2100	N/A	
	2400	N/A	

**Tuesday**

Date	Time	Temp.	Name (Print)
8 / 13 / 2024	0300	N/A	
	0600	67	BANSTON
	0900	69	(BANSTON)
	1200	N/A	
	1500	78	
	1800	78	Beach
	2100	N/A	
	2400	N/A	

**Wednesday**

Date	Time	Temp.	Name (Print)
8 / 14 / 2024	0300	N/A	
	0600	67	WILSON
	0900	70	WILSON
	1200	N/A	
	1500	76	LINES
	1800	75	LINES
	2100	N/A	
	2400	N/A	

**Thursday**

Date	Time	Temp.	Name (Print)
8 / 15 / 2024	0300	N/A	
	0600	74	~
	0900	74	~
	1200	N/A	
	1500	78	LINES
	1800	78	LINES
	2100	N/A	
	2400	N/A	

**Friday**

Date	Time	Temp.	Name (Print)
8 / 16 / 2024	0300	N/A	
	0600	67	CUBO
	0900	69	CUBO
	1200	N/A	
	1500	80	Juan
	1800	80	Juan
	2100	N/A	
	2400	N/A	

**Saturday**

Date	Time	Temp.	Name (Print)
8 / 17 / 2024	0300	N/A	
	0600	68	Murphy
	0900	69	Murphy
	1200	N/A	
	1500	80	Juan
	1800	80	Juan
	2100	N/A	
	2400	N/A	

**Sunday**

Date	Time	Temp.	Name (Print)
8 / 18 / 2024	0300	N/A	
	0600	69	Murphy
	0900	69	Murphy
	1200	N/A	
	1500	80	Rod
	1800	80	Rod
	2100	N/A	
	2400	N/A	

**Notes**

---



---



---



---



---



---



---



---

8/12/2024 to 8/18/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/12/24	0300	72	VASWANI
	0600	68	COLLINS
	0900	70	COLLINS
	1200	72	JIMESON
	1500	78	GOMEZ
	1800	78	GOMEZ
	2100	78	GOMEZ
	2400	74	VASWANI

**Tuesday**

Date	Time	Temp.	Name (Print)
08/13/24	0300	72	VASWANI
	0600	68	COLLINS
	0900	69	COLLINS
	1200	70	GOMEZ
	1500	71	GOMEZ
	1800	73	GOMEZ
	2100	73	GOMEZ
	2400	74	VASWANI

**Wednesday**

Date	Time	Temp.	Name (Print)
08/14/24	0300	71	VASWANI
	0600	72	COLLINS
	0900	70	COLLINS
	1200	74	VASWANI
	1500	78	GOMEZ
	1800	74	GOMEZ
	2100	74	GOMEZ
	2400	72	Argujo

**Thursday**

Date	Time	Temp.	Name (Print)
08/15/24	0300	72	Argujo
	0600	70	COLLINS
	0900	70	COLLINS
	1200	75	COLLINS
	1500	75	COLLINS
	1800	74	CARLO
	2100	74	VASWANI
	2400	74	MORAWETZ

**Friday**

Date	Time	Temp.	Name (Print)
08/16/24	0300	72	JAMESON
	0600	70	COLLINS
	0900	70	COLLINS
	1200	72	COLLINS
	1500	76	RAMOS
	1800	76	RAMOS
	2100	74	RAMOS
	2400	77	Argujo

**Saturday**

Date	Time	Temp.	Name (Print)
08/17/24	0300	72	Argujo
	0600	70	JAMESON
	0900	70	JAMESON
	1200	74	Argujo
	1500	76	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	74	HOWELL

**Notes**

Date	Time	Temp.	Name (Print)
08/18/24	0300	74	HOWELL
	0600	74	MORENO
	0900	74	MORENO
	1200	76	MORENO
	1500	75	MORENO
	1800	76	MORENO
	2100	77	MORENO
	2400	74	VASWANI

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 31  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/12/24	0300	77	Vasquez
	0600	71	Collins
	0900	71	Collins
	1200	76	Jimerson
	1500	78	Gomez
	1800	74	Gomez
	2100	74	Gomez
	2400	74	Vasquez

**Tuesday**

Date	Time	Temp.	Name (Print)
08/13/24	0300	73	Vasquez
	0600	69	Collins
	0900	73	Collins
	1200	74	Collins
	1500	78	Gomez
	1800	78	Gomez
	2100	78	Gomez
	2400	78	Vasquez

**Wednesday**

Date	Time	Temp.	Name (Print)
08/14/24	0300	78	Vasquez
	0600	76	Collins
	0900	74	Vasquez
	1200	74	Vasquez
	1500	76	Gomez
	1800	74	Gomez
	2100	74	Gomez
	2400	72	Argujo

**Thursday**

Date	Time	Temp.	Name (Print)
08/15/24	0300	72	Argujo
	0600	69	Collins
	0900	69	Collins
	1200	78	Collins
	1500	75	Cook
	1800	75	Cook
	2100	72	Vasquez
	2400	74	Vasquez

**Friday**

Date	Time	Temp.	Name (Print)
08/16/24	0300	72	Vasquez
	0600	71	Collins
	0900	70	Collins
	1200	74	Collins
	1500	75	Ramos
	1800	76	Ramos
	2100	74	Ramos
	2400	74	Argujo

**Saturday**

Date	Time	Temp.	Name (Print)
08/17/24	0300	72	Argujo
	0600	72	Jimerson
	0900	72	Jimerson
	1200	76	Argujo
	1500	76	Ramos
	1800	74	Ramos
	2100	72	Ramos
	2400	74	Howell

**Notes**

Date	Time	Temp.	Name (Print)
08/18/24	0300	74	Howell
	0600	74	Morono
	0900	74	Morono
	1200	76	Morono
	1500	74	Cook
	1800	73	Cook
	2100	72	Cook
	2400	72	Vasquez

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 32  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/12/24	0300	72	VASQUEZ
	0600	64	COLLINS
	0900	66	COLLINS
	1200	74	JIMSON
	1500	78	GOMEZ
	1800	74	GOMEZ
	2100	74	GOMEZ
	2400	72	VASQUEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
08/13/24	0300	72	VASQUEZ
	0600	69	COLLINS
	0900	73	COLLINS
	1200	74	COLLINS
	1500	75	GOMEZ
	1800	75	GOMEZ
	2100	75	GOMEZ
	2400	72	VASQUEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
08/14/24	0300	70	VASQUEZ
	0600	69	VASQUEZ
	0900	74	VASQUEZ
	1200	74	VASQUEZ
	1500	74	GOMEZ
	1800	78	GOMEZ
	2100	74	GOMEZ
	2400	72	Argujo

**Thursday**

Date	Time	Temp.	Name (Print)
08/15/24	0300	72	Argujo
	0600	73	COLLINS
	0900	74	COLLINS
	1200	80	COLLINS
	1500	60	Cook
	1800	75	Cook
	2100	72	VASQUEZ
	2400	72	VASQUEZ

**Friday**

Date	Time	Temp.	Name (Print)
08/16/24	0300	77	VASQUEZ
	0600	71	COLLINS
	0900	72	COLLINS
	1200	74	COLLINS
	1500	75	RAMOS
	1800	76	RAMOS
	2100	74	RAMOS
	2400	72	Argujo

**Saturday**

Date	Time	Temp.	Name (Print)
08/17/24	0300	72	Argujo
	0600	74	JIMSON
	0900	74	JIMSON
	1200	76	Argujo
	1500	76	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	74	Howell

**Notes**

Date	Time	Temp.	Name (Print)
08/18/24	0300	74	Howell
	0600	74	Moneno
	0900	74	Moneno
	1200	76	Moneno
	1500	74	Moneno
	1800	72	Moneno
	2100	72	Moneno
	2400	72	VASQUEZ

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 33  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/12/24	0300	72	WAZWAZ
	0600	68	COLLINS
	0900	68	COLLINS
	1200	71	JIMESON
	1500	74	GOMEZ
	1800	76	GOMEZ
	2100	76	GOMEZ
	2400	72	WAZWAZ

**Tuesday**

Date	Time	Temp.	Name (Print)
08/13/24	0300	72	WAZWAZ
	0600	69	COLLINS
	0900	69	COLLINS
	1200	70	COLLINS
	1500	71	GOMEZ
	1800	72	GOMEZ
	2100	72	GOMEZ
	2400	72	STAPLER

**Wednesday**

Date	Time	Temp.	Name (Print)
08/14/24	0300	70	WAZWAZ
	0600	68	COLLINS
	0900	70	WAZWAZ
	1200	72	WAZWAZ
	1500	74	GOMEZ
	1800	74	GOMEZ
	2100	74	GOMEZ
	2400	72	Argujo

**Thursday**

Date	Time	Temp.	Name (Print)
08/15/24	0300	72	Argujo
	0600	70	COLLINS
	0900	69	COLLINS
	1200	75	COLLINS
	1500	75	Cook
	1800	72	Cook
	2100	72	WAZWAZ
	2400	74	WAZWAZ

**Friday**

Date	Time	Temp.	Name (Print)
08/16/24	0300	72	WAZWAZ
	0600	71	COLLINS
	0900	70	COLLINS
	1200	74	COLLINS
	1500	75	RAMOS
	1800	76	RAMOS
	2100	74	RAMOS
	2400	74	Argujo

**Saturday**

Date	Time	Temp.	Name (Print)
08/17/24	0300	72	Argujo
	0600	68	SIMEDOR
	0900	68	JIMESON
	1200	72	Argujo
	1500	74	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	74	HOLLOWELL

**Sunday**

Date	Time	Temp.	Name (Print)
08/18/24	0300	74	HOLLOWELL
	0600	74	MORENO
	0900	74	MORENO
	1200	76	MORENO
	1500	76	MORENO
	1800	76	MORENO
	2100	77	MORENO
	2400	74	WAZWAZ

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 34  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/12/24	0300	73	JASWINE
	0600	69	COLLINS
	0900	70	COLLINS
	1200	72	JIMMIE
	1500	74	GOMEZ
	1800	74	GOMEZ
	2100	74	GOMEZ
	2400	70	JASWINE

**Tuesday**

Date	Time	Temp.	Name (Print)
08/13/24	0300	71	JASWINE
	0600	69	COLLINS
	0900	69	COLLINS
	1200	70	COLLINS
	1500	71	GOMEZ
	1800	73	GOMEZ
	2100	73	GOMEZ
	2400	72	JASWINE

**Wednesday**

Date	Time	Temp.	Name (Print)
08/14/24	0300	70	JASWINE
	0600	65	COLLINS
	0900	72	JASWINE
	1200	72	JASWINE
	1500	74	GOMEZ
	1800	74	GOMEZ
	2100	72	GOMEZ
	2400	72	Argujo

**Thursday**

Date	Time	Temp.	Name (Print)
08/15/24	0300	72	Argujo
	0600	69	COLLINS
	0900	68	COLLINS
	1200	78	COLLINS
	1500	78	Cook
	1800	73	Cook
	2100	74	JASWINE
	2400	74	JASWINE

**Friday**

Date	Time	Temp.	Name (Print)
08/16/24	0300	72	JASWINE
	0600	71	COLLINS
	0900	70	COLLINS
	1200	72	COLLINS
	1500	74	RAMOS
	1800	76	RAMOS
	2100	74	RAMOS
	2400	71	Argujo

**Saturday**

Date	Time	Temp.	Name (Print)
08/17/24	0300	72	Argujo
	0600	67	JIMESON
	0900	67	JIMESON
	1200	70	Argujo
	1500	72	RAMOS
	1800	72	RAMOS
	2100	70	RAMOS
	2400	74	HOWELL

**Notes**

Date	Time	Temp.	Name (Print)
08/18/24	0300	74	HOWELL
	0600	70	MORENO
	0900	70	MORENO
	1200	74	MORENO
	1500	74	MORENO
	1800	72	MORENO
	2100	72	MORENO
	2400	72	JASWINE

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: Program Office  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/12/24	0300	78	VASQUEZ
	0600	62	COLLINS
	0900	64	COLLINS
	1200	72	JIMSON
	1500	72	GOMEZ
	1800	70	GOMEZ
	2100	68	GOMEZ
	2400	68	VASQUEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
08/13/24	0300	68	VASQUEZ
	0600	69	COLLINS
	0900	70	COLLINS
	1200	72	COLLINS
	1500	75	GOMEZ
	1800	75	GOMEZ
	2100	75	GOMEZ
	2400	68	VASQUEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
08/14/24	0300	68	VASQUEZ
	0600	68	COLLINS
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	74	GOMEZ
	1800	72	GOMEZ
	2100	70	GOMEZ
	2400	70	ARGUERO

**Thursday**

Date	Time	Temp.	Name (Print)
08/15/24	0300	68	AGUIRRE
	0600	68	COLLINS
	0900	67	COLLINS
	1200	71	COLLINS
	1500	70	COOK
	1800	70	COOK
	2100	70	COOK
	2400	70	VASQUEZ

**Friday**

Date	Time	Temp.	Name (Print)
08/16/24	0300	72	VASQUEZ
	0600	72	COLLINS
	0900	72	COLLINS
	1200	73	COLLINS
	1500	74	RAMOS
	1800	74	RAMOS
	2100	74	RAMOS
	2400	72	ARGUERO

**Saturday**

Date	Time	Temp.	Name (Print)
08/17/24	0300	70	AGUIRRE
	0600	68	JIMSON
	0900	70	JIMSON
	1200	72	AGUIRRE
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	74	HOWELL

**Notes**

Date	Time	Temp.	Name (Print)
08/18/24	0300	74	HOWELL
	0600	70	MORENO
	0900	70	MORENO
	1200	70	MORENO
	1500	76	MORENO
	1800	70	MORENO
	2100	70	MORENO
	2400	70	VASQUEZ

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: mini canteen  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/12/24	0300	—	NO ACCESS
	0600	—	NO ACCESS
	0900	70	JAMISON
	1200	72	JAMISON
	1500	76	GOMEZ
	1800	74	GOMEZ
	2100	—	NO ACCESS
	2400	—	NO ACCESS

**Tuesday**

Date	Time	Temp.	Name (Print)
08/13/24	0300	—	NO ACCESS
	0600	—	NO ACCESS
	0900	70	COLLINS
	1200	75	COLLINS
	1500	75	GOMEZ
	1800	75	GOMEZ
	2100	—	NO ACCESS
	2400	—	NO ACCESS

**Wednesday**

Date	Time	Temp.	Name (Print)
08/14/24	0300	—	NO ACCESS
	0600	—	NO ACCESS
	0900	70	JAMISON
	1200	72	JAMISON
	1500	72	GOMEZ
	1800	72	GOMEZ
	2100	—	NO ACCESS
	2400	—	NO ACCESS

**Thursday**

Date	Time	Temp.	Name (Print)
08/15/24	0300	—	NO ACCESS
	0600	—	NO ACCESS
	0900	70	Arguillo
	1200	70	Arguillo
	1500	74	RAMOS
	1800	76	RAMOS
	2100	—	NO ACCESS
	2400	—	NO ACCESS

**Friday**

Date	Time	Temp.	Name (Print)
08/16/24	0300	—	NO ACCESS
	0600	—	NO ACCESS
	0900	75	COLLINS
	1200	80	COLLINS
	1500	82	RAMOS
	1800	84	RAMOS
	2100	—	NO ACCESS
	2400	—	NO ACCESS

**Saturday**

Date	Time	Temp.	Name (Print)
08/17/24	0300	—	NO ACCESS
	0600	—	NO ACCESS
	0900	70	Cook
	1200	71	Cook
	1500	73	Cook
	1800	70	Cook
	2100	—	NO ACCESS
	2400	—	NO ACCESS

**Sunday**

Date	Time	Temp.	Name (Print)
08/18/24	0300	—	NO ACCESS
	0600	—	NO ACCESS
	0900	70	MORENO
	1200	72	MORENO
	1500	73	MORENO
	1800	70	MORENO
	2100	—	NO ACCESS
	2400	—	NO ACCESS

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)  
7904

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300		N/A
	0600	68°	Hampton
	0900	72°	Hampton
	1200	72°	Jones
	1500	74°	Jones
	1800	75°	Jones
	2100		N/A
	2400		N/A

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300		N/A
	0600	70°	J. Feist
	0900	71°	J. Feist
	1200	72°	G Jones
	1500	74°	G Jones
	1800	75°	G Jones
	2100		N/A
	2400		N/A

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300		N/A
	0600	70°	J. Feist
	0900	70°	J. Feist
	1200	70°	Jones
	1500	72°	Jones
	1800	74°	Jones
	2100		N/A
	2400		N/A

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300		N/A
	0600	70°	J. Feist
	0900	71°	J. Feist
	1200	72°	Jones
	1500	74°	Jones
	1800	75°	Jones
	2100		N/A
	2400		N/A

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300		N/A
	0600	70°	J. Feist
	0900	70°	J. Feist
	1200	74°	Hampton
	1500	74°	Hampton
	1800	72°	Hampton
	2100		N/A
	2400		N/A

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300		N/A
	0600	69°	J. Feist
	0900	70°	J. Feist
	1200	76°	Hampton
	1500	76°	Hampton
	1800	74°	Hampton
	2100		N/A
	2400		N/A

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300		N/A
	0600	76°	Hampton
	0900	72°	Hampton
	1200	72°	Jones
	1500	74°	Jones
	1800	75°	Jones
	2100		N/A
	2400		N/A

**Notes**

Year

2024

8/12/2024 to 8/18/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: H - G  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300		N/A
	0600		N/A
	0900	72°	J. VOERMAN
	1200	76°	J. VOERMAN
	1500	76°	J. VOERMAN
	1800		
	2100		N/A
	2400		N/A

## Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300		N/A
	0600		N/A
	0900	72°	D. JACOBEN
	1200	75°	D. JACOBEN
	1500	78°	D. JACOBEN
	1800		
	2100		N/A
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300		N/A
	0600		
	0900	71°	D. JACOBEN
	1200	74°	D. JACOBEN
	1500	76°	D. JACOBEN
	1800		
	2100		N/A
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300		N/A
	0600		
	0900	72°	D. JACOBEN
	1200	77°	D. JACOBEN
	1500	75°	D. JACOBEN
	1800		
	2100		N/A
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300		N/A
	0600		
	0900	72°	D. JACOBEN
	1200	76°	D. JACOBEN
	1500		
	1800		
	2100		N/A
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300		
	0600		
	0900		R DO
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

R DO

---



---



---



---



---



---



---



---



---

8/12/2024 to 8/18/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 7-234 Temp. Reading Location: Classroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	82	Ramirez R
8/12	1200	84	Ramirez R
	1500	86	Ramirez R
	1800		
	2100		
	2400		N/A

Tuesday

Dat	Time	Temp.	Name (Print)
8/13/24	0300		N/A
	0600		
	0900	72	Ramire R
	1200	75	Ramire R
	1500	85	Ramire R
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8 14 24	0300		N/A
	0600		
	0900	73	Ramie R
	1200	73	Ramie R
	1500	79	Ramie R
	1800		
	2100		
	2400		N/A

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/24	0300		N/A
	0600		
	0900	76	Ramie R
	1200	78	Ramie R
	1500	80	Ramie R
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/16/24	0300		N/A
	0600		
	0900	76°	Ramona R.
	1200	78°	Ramona
	1500	83°	Ramona
	1800		
	2100		N/A
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		R.D.O.
	1500		
	1800		
	2100		
	2400		

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/12/2024 to 8/18/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: Classroom D-104

Temp. Reading Location: Teacher's Desk

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/24	0300		
	0600		N/A
	0900	73	Todd
	1200	78	Todd
	1500	80	Todd
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/24	0300		
	0600		N/A
	0900	73	Todd
	1200	77	Todd
	1500	78	Todd
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/16/24	0300		
	0600		N/A
	0900	75	Todd
	1200	80	Todd
	1500	86	Todd
	1800		
	2100		N/A
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/18/24	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/24	0300		
	0600		N/A
	0900	73	Todd
	1200	77	Todd
	1500	82	Todd
	1800		
	2100		
	2400		N/A

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/24	0300		
	0600		N/A
	0900	75	Todd
	1200	80	Todd
	1500	84	Todd
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/24	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

*[Handwritten signature]*

---



---



---



---



---



---



---



---



---

8/12/2024 to 8/18/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68.7	Mensing
	1200	78.0	Mensing
	1500	84.0	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.2	Mensing
	1200	79.7	Mensing
	1500	83.1	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.7	Mensing
	1200	78.0	Mensing
	1500	No Students	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/2024	0300	XXX	XX
	0600	XXX	X
	0900	No Students	Mensing
	1200	80°	Mensing
	1500	79°	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.1	Mensing
	1200	80.3	Mensing
	1500	No Students	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO****Notes**

D. Mensing, GED Instructor Ext. 4625

Date	Time	Temp.	Name (Print)
8/18/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO**

8/12/2024 TO 8/18/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DELGADILLO, K ABE-3

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: H-3 Watch Commander

D106

Temp. Reading Location: East Education

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904

when the inside air temperature reaches

90 degrees and again at 95 degrees.

Monday:

Date	Time	Temp.	Name (Print)
8/12	0300	/	METROGEN
	0600	/	
	0900	74	
	1200	76	
	1500	78	
	1800	/	
	2100	/	
	2400	/	

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	/	METROGEN
	0600	/	
	0900	74	
	1200	76	
	1500	78	
	1800	/	
	2100	/	
	2400	/	

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	/	METROGEN
	0600	/	
	0900	78	
	1200	76	
	1500	78	
	1800	/	
	2100	/	
	2400	/	

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	/	METROGEN
	0600	/	
	0900	74	
	1200	76	
	1500	78	
	1800		
	2100	/	
	2400	/	

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	/	METROGEN
	0600	/	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

~~Delgadillo, ABE-3 Instructor~~*Q. Metrogen*

DISTRIBUTION: Original: Institution Heat Plan Coordinator

8/12/2024 to 8/18/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: Medical Corridor      Temp. Reading Location: Classroom B-125

**Immediately notify the Watch Commander at extension 7804 when the inside air temperature reaches 90 degrees (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)**

Monday 8-12-74

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
	0600	XXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	72	Mark Kirstein
	1500	73	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXX

## **Wednesday**

Date	Time	Temp.	Name (Print)
14	0300	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	72	Mark Kirstein
	1500	73	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXXXXXXXX

Friday

Date	Time	Temp.	Name (Print)
	0300	XXXXXX	XXXXXXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXXXXXX
	0900	70	Mark Kirstein
16	1200	71	Mark Kirstein'
	1500	73	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXXXXXX

Sunday

Date	Time	Temp.	Name (Print)
18	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 8-13-24

Date	Time	Temp.	Name (Print)
	0300	XXXXXX	XXXXXXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	72	Mark Kirstein
	1500	74	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXXXXXX

Thursday

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXXXX	
	0900	-70	Mark Kirstein
15	1200	72	Mark Kirstein
	1500	74	Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXXXX	

Saturday

Saturday		Date	Time	Temp.	Name (Print)
17			0300		
			0600		
			0900		
			1200		RDO
			1500		
			1800		
			2100		
			2400		

## Notes

---

---

---

---

---

---

---

---

---

---

DISTRIBUTION: Original: Institution ADA Coordinator

8/12/2024 to 8/18/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL FACILITIES

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A - 156 Temp. Reading Location: \_\_\_\_\_  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/12	0300		N/A
	0600		R. Lopez
	0900	66°	R. Lopez
	1200	70°	R. Lopez
	1500	70°	R. Lopez
	1800		
	2100		N/A
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300		N/A
	0600		R. Lopez
	0900	65°	R. Lopez
	1200	68°	R. Lopez
	1500	72°	R. Lopez
	1800		
	2100		N/A
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300		N/A
	0600		R. Lopez
	0900	65°	R. Lopez
	1200	70°	R. Lopez
	1500	72°	R. Lopez
	1800		
	2100		N/A
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8/15	0300		N/A
	0600		R. Lopez
	0900	66°	R. Lopez
	1200	70°	R. Lopez
	1500	72°	R. Lopez
	1800		
	2100		N/A
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/16	0300		N/A
	0600		R. Lopez
	0900	74°	R. Lopez
	1200	76°	R. Lopez
	1500	80°	R. Lopez
	1800		
	2100		N/A
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

8/12/2024

to

8/18/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	76.7	Zelenski/Diederich/Puett
	1200	78.2	Zelenski/Diederich/Puett
	1500	78.5	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	—	Zelenski/Diederich/Puett
	1200	78.8	Zelenski/Diederich/Puett
	1500	80.4	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	76.8	Zelenski/Diederich/Puett
	1200	76.9	Zelenski/Diederich/Puett
	1500	77.5	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	77.6	Zelenski/Diederich/Puett
	1200	80.6	Zelenski/Diederich/Puett
	1500	78.7	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.1	Zelenski/Diederich/Puett
	1200	78.1	Zelenski/Diederich/Puett
	1500	79.6	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/2024	0300	—	—
	0600	—	—
	0900	—	—
	1200	—	—
	1500	—	—
	1800	—	—
	2100	—	—
	2400	—	—

**Sunday**

Date	Time	Temp.	Name (Print)
8/18/2024	0300	—	—
	0600	—	—
	0900	—	—
	1200	—	—
	1500	—	—
	1800	—	—
	2100	—	—
	2400	—	—

**Notes**

Zelenski./Diederich/Puett, PSCE-COLLEGE Building H-H

**RDO**

8/12/2024 to 8/18/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: East Gym      Temp. Reading Location: East Education Coaches' Office  
G102 H      (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## **Monday**

Date	Time	Temp.	Name (Print)
8/12/2024	0300		
	0600		
	0900	67	B. Ferrall
	1200	69	B. Ferrall
	1500	71	B. Ferrall
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
8/13/24	0300		
	0600		
	0900	67°	B. Ferrall
	1200	69°	B. Ferrall
	1500	71°	B. Ferrall
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/14/2024	0300		
	0600		
	0900	67°	B. Ferrall
	1200	69°	B. Ferrall
	1500	71°	B. Ferrall
	1800		.
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/15/2024	0300		
	0600		
	0900	68°	B. Ferrall
	1200	70°	B. Ferrall
	1500		B. Ferrall
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/16/2024	0300		
	0600		
	0900	68°	B. Ferrall
	1200	70°	B. Ferrall
	1500		B. Ferrall
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

*[Signature]*

8/12/2024 to 8/18/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit:   Temp. Reading Location: H-E / Gym Corridor East Education – GED Classroom (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 7904 90 degrees and again at 95 degrees.

**Monday**


Date	Time	Temp.	Name (Print)
8/12	0300		N/A
	0600		
	0900	72°	G.LOAYZA/W.BACILA
	1200	75°	G.LOAYZA/W.BACILA
	1500	76°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300		N/A
	0600		
	0900	76°	G.LOAYZA/W.BACILA
	1200	78°	G.LOAYZA/W.BACILA
	1500	78°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600		
	0900	76°	G.LOAYZA/W.BACILA
	1200	76°	G.LOAYZA/W.BACILA
	1500	76°	G.LOAYZA/W.BACILA
	1800		
	2100		
	2400		

**Sunday****Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300		N/A
	0600		
	0900	72°	G.LOAYZA/W.BACILA
	1200	75°	G.LOAYZA/W.BACILA
	1500	78°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300		N/A
	0600		
	0900	74°	G.LOAYZA/W.BACILA
	1200	75°	G.LOAYZA/W.BACILA
	1500	78°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

8/12/2024 to 8/18/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: \_\_\_\_\_

Temp. Reading Location:

East Library

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/12	0300		
	0600		
	0900	70	BURKE
	1200	72	BURKE
	1500	76	BURKE
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
3/14	0300		
	0600		
	0900	74	A. Garcia
	1200	78	A. Garcia
	1500	78	A. Garcia
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900	77	T. Barker
	1200	76	T. Barker
	1500	78	T. Barker
	1800		
	2100		
	2400		

Sunday

200

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900	RDD	
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300		
	0600		
	0900	73	A. Garcia
	1200	76	A. Garcia
	1500	79	A. Garcia
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300		
	0600		
	0900	73	A. Garcia
	1200	75	A. Garcia
	1500	79	A. Garcia
	1800		
	2100		
	2400		

Saturday

1206

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900	RDD	
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

8/12/2024 + 0 8/18/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-12-24	0300		
	0600		N/A
	0900	71	S. MOORE/C. BERRY
	1200	73	S. MOORE/C. BERRY
	1500	75	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8-13-24	0300		
	0600		N/A
	0900	74	S. MOORE/C. BERRY
	1200	75	S. MOORE/C. BERRY
	1500	76	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8-14-24	0300		N/A
	0600		N/A
	0900	73	S. MOORE/C. BERRY
	1200	74	S. MOORE/C. BERRY
	1500	76	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8-15-24	0300		N/A
	0600		
	0900		S. MOORE/C. BERRY
	1200	74	S. MOORE/C. BERRY
	1500	77	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8-16-24	0300		N/A
	0600		
	0900	71	S. MOORE/C. BERRY
	1200	74	S. MOORE/C. BERRY
	1500	79	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8-17-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8-18-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

*C-Berry*

*Transition*

8/12/2024

to 8/18/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CNC Housing Unit: B-135 Temp. Reading Location: 1ST TIER

(e.g., 1<sup>st</sup> tier; 2<sup>nd</sup> tier; 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/12	0300		N/A
	0600		N/A
	0900	68.5	E.Boaz
	1200	71.6	Thompson
	1500	72.7	Thompson
	1800		
	2100		N/A
	2400		N/A

## Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300		N/A
	0600		N/A
	0900	70.2	Thompson
	1200	72.9	Thompson
	1500	73	Thompson
	1800		
	2100		N/A
	2400		N/A

## Friday

Date	Time	Temp.	Name (Print)
8/16	0300		N/A
	0600		N/A
	0900	71	E.Boaz
	1200	74.6	Thompson
	1500	74.6	Thompson
	1800		
	2100		N/A
	2400		N/A

## Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

## Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300		N/A
	0600		N/A
	0900	68.9	E.Boaz
	1200	72.8	Thompson
	1500	74.3	Thompson
	1800		
	2100		
	2400		N/A

## Thursday

Date	Time	Temp.	Name (Print)
8/15	0300		N/A
	0600		
	0900	69.4	Thompson
	1200	74.9	Thompson
	1500	73.1	Thompson
	1800		
	2100		N/A
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Notes

8/12/2024 to 8/18/2024

DocuSign Envelope ID: F6789414-979C-46AB-9485-3C7FC3AEC1D3  
REHABILITATION

DEPARTMENT OF CORRECTIONS AND

INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: B102

Temp. Reading Location: B Corridor

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/12	0300		
	0600		N/A
	0900	70	ROCHA
	1200	76	ROCHA
	1500	76	ROCHA
	1800		
	2100		N/A
	2400		N/A

## Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300		
	0600		N/A
	0900	No class	ROCHA
	1200	No class	ROCHA
	1500	No class	ROCHA
	1800		
	2100		N/A
	2400		N/A

## Friday

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600		N/A
	0900	76	ROCHA
	1200	78	ROCHA
	1500	No class	ROCHA
	1800		
	2100		N/A
	2400		N/A

## Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300		
	0600		N/A
	0900	75	ROCHA
	1200	76	ROCHA
	1500	76	ROCHA
	1800		
	2100		N/A
	2400		N/A

## Thursday

Date	Time	Temp.	Name (Print)
8/15	0300		N/A
	0600		
	0900	No class	ROCHA
	1200	No class	ROCHA
	1500	No class	ROCHA
	1800		
	2100		N/A
	2400		N/A

## Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Notes

8/12/2024 TO 8/18/2024

DocuSign Envelope ID: 4DBF2C6F-F3F8-4054-92DD-68EA69E883AA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Q113A Temp. Reading Location: D yard

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension: 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300		N/A
	0600		
	0900	74	SCIOCCHETTI/
	1200	74	SCIOCCHETTI/
	1500	75	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/
	1200	75	SCIOCCHETTI/
	1500	76	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300		N/A
	0600		
	0900	74	SCIOCCHETTI/
	1200	76	SCIOCCHETTI/
	1500	76	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300		N/A
	0600		
	0900	74	SCIOCCHETTI/
	1200	75	SCIOCCHETTI/
	1500	76	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300		N/A
	0600		
	0900	74	SCIOCCHETTI/
	1200	76	SCIOCCHETTI/
	1500	76	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**


---

---

---

---

---

---

---

---

8/12/2024 to 8/18/2024

DocuSign Envelope ID: 6056285D-33E0-41C1-8099-198FAC416D9F

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. (Z105)

Institution: CMC Housing Unit: \_\_\_\_\_ Temp. Reading Location: VOCATIONAL WELDING, Z-103  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 8/12/2024
	1200	73	J. Fogo
	1500	77	J. Fogo
	1800		
	2100		N/A
	2400		

Wednesday 8/14

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 8/14/2024
	1200	71	J. Fogo
	1500	74	J. Fogo
	1800		
	2100		N/A
	2400		

Friday 8/16

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	NO	J. Fogo 8/16/2024
	1200	I/P	J. Fogo
	1500	CONTACT	J. Fogo
	1800		
	2100		N/A
	2400		

Sunday 8/18

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday 8/13

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	64	J. Fogo 8/13/2024
	1200	68	J. Fogo
	1500	73	J. Fogo
	1800		
	2100		N/A
	2400		

Thursday 8/15

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J. Fogo 8/15/2024
	1200	71	J. Fogo
	1500	75	J. Fogo
	1800		
	2100		N/A
	2400		

Saturday 8/17

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Notes

---



---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

8/12/2024

TO

8/18/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: \_\_\_\_\_ Temp. Reading Location: Bldg. Z-109  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-12-24	0300		
	0600	/	
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800	/	
	2100	/	
	2400	/	

**Tuesday**

Date	Time	Temp.	Name (Print)
8-13-24	0300		
	0600	/	
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100	/	
	2400	/	

**Wednesday**

Date	Time	Temp.	Name (Print)
8-14-24	0300		
	0600	/	
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800	/	
	2100	/	
	2400	/	

**Thursday**

Date	Time	Temp.	Name (Print)
8-15-24	0300		
	0600	/	
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800		
	2100	/	
	2400	/	

**Friday**

Date	Time	Temp.	Name (Print)
8-16-24	0300	/	
	0600	/	
	0900	NIC	Ron Shoffeitt
	1200	NIC	Ron Shoffeitt
	1500		
	1800	/	
	2100	/	
	2400	/	

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Notes**

Z-109 East Education Voc. Masonry  
Ron Shoffeitt

No Inmate Contact

Designated by:

Ron Shoffeitt

ABB4117555F46B..

8/12/2024 to 8/18/2024

DocuSign Envelope ID: A1C5F533-F077-4AA5-80A1-4198ADE1E3AB

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voo Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/12 2024	0300		
	0600		N/A
	0900	75deg	V.VERA
	1200	76deg	V.VERA
	1500	78deg	V.VERA
	1800		
	2100		N/A
	2400		N/A

**Tuesday**

Date	Time	Temp.	Name (Print)
08/13 2024	0300		
	0600		N/A
	0900	75deg	V.Vera
	1200	76deg	V.Vera
	1500	78 deg	V.VERA
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
08/14 2024	0300		
	0600		N/A
	0900	75deg	V.VERA
	1200	76deg	V.VERA
	1500	78deg	V.VERA
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
08/15 2024	0300		
	0600		N/A
	0900	75deg	V.VERA
	1200	76deg	V.VERA
	1500	78deg	V.VERA
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
08/16 2024	0300		
	0600		N/A
	0900	75deg	V.VERA
	1200	76deg	V.VERA
	1500	78deg	V.VERA
	1800		
	2100		N/A
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		.
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		.
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

RDO

---



---



---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

8/12/2024 to 8/18/2024

DocuSign Envelope ID: 1BD636A7-D986-4331-A0DD-9CCE588B2B83

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor

Temp. Reading Location: East Education – HSD/GED Classroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	COLE
	1200	74	COLE
	1500	76	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	75	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	74	COLE
	1500	OUT	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	OUT	COLE
	1200	OUT	COLE
	1500	OUT	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	74	COLE
	1500	76	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/18/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

C. Cole GED/ HSD Instructor Ext. 4861

Designated by:

Cate Cole

468D9E70CC24EC..

8/12/2024

to 8/18/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: D101      Temp. Reading Location: East Education - ABE 1 Classroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300		
	0600		
	0900	74.2	DeFazio
	1200	75.4	DeFazio
	1500		NO contact
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300		
	0600		
	0900	74.	DeFazio
	1200	76.5	DeFazio
	1500	76.3	DeFazio
	1800	76.9	DeFazio
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300		
	0600		
	0900	76.2	DeFazio
	1200	76.9	DeFazio
	1500	77.5	DeFazio
	1800		
	2100		
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8/15	0300		
	0600		
	0900		No Students /
	1200		
	1500		Staff Absent
	1800		
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600		
	0900		No Students /
	1200		
	1500		
	1800		
	2100		Staff Absent
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		RDC
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

P. Pung, ABE-I Instructor Ext. 4027

J. DeFazio

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

3/12/2024 to 8/18/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: Z-211      Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300		
	0600		
	0900	N/A	NO I/P CONTACT
	1200	N/A	NO I/P CONTACT
	1500	N/A	NO I/P CONTACT
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
8/13/24	0300		
	0600		
	0900	N/A	NO I/P CONTACT
	1200	N/A	NO I/P CONTACT
	1500	N/A	NO I/P CONTACT
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300		
	0600		
	0900	N/A	NO I/P CONTACT
	1200	N/A	NO I/P CONTACT
	1500	N/A	NO I/P CONTACT
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300		
	0600		
	0900	N/A	NO I/P CONTACT
	1200	N/A	NO I/P CONTACT
	1500	N/A	NO I/P CONTACT
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300		
	0600		
	0900	N/A	NO I/P CONTACT
	1200	N/A	NO I/P CONTACT
	1500	N/A	NO I/P CONTACT
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

8/12/2024 to 8/18/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-229, Testing Room

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/12	0300		
	0600		
	0900		
	1200		<i>No Contact</i>
	1500		
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300		
	0600		
	0900		
	1200		<i>No Contact</i>
	1500		
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300		
	0600		
	0900		<i>No Contact</i>
	1200		
	1500		
	1800		<i>No Contact</i>
	2100		
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8/15	0300		
	0600		
	0900		
	1200		<i>No Contact</i>
	1500		
	1800		
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600		
	0900		<i>No Contact</i>
	1200		
	1500		
	1800		<i>No Contact</i>
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200		<i>RDO</i>
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		<i>RDO</i>

## Notes

---



---



---



---



---



---



---



---

8/12/2024 to 8/18/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor

Temp. Reading Location: East Education -Testing Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO	Friend
	1200	STUDENT	Friend
	1500	CONTACT	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO	Friend
	1200	STUDENT	Friend
	1500	CONTACT	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.5	Friend
	1200	78.7	Friend
	1500	77.9	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.9	Friend
	1200	79.7	Friend
	1500	79.2	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	75.7	Friend
	1200	79.3	Friend
	1500	78.5	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO****Notes**

K. Friend, Testing Coordinator Ext. 4711

Date	Time	Temp.	Name (Print)
8/18/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

8/12/2024 to 8/18/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: Interfaith Chapel East      Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ /905 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/12	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300		N/A
	0600		
	0900	71	Gottesfeld
	1200	72	"
	1500	74	"
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/16/24	0300		N/A
	0600		
	0900	71	Gottsefeld
	1200	73	"
	1500	74	"
	1800		
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
8/13	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300		N/A
	0600		
	0900	71	Gottesfeld
	1200	74	11
	1500		
	1800		N/A
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

8/12/2024

TO 8/18/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMCHousing Unit: CANTEEN

Temp. Reading Location:

MAIN OFFICE(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

8/12/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	
	1200	70°	
	1500	73°	
	1800		
	2100		N/A
	2400		

Wednesday

8/14

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	
	1200	72	
	1500	75	
	1800	72	SC
	2100		
	2400		N/A

Friday

8/16

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	CA
	1200	74	CA
	1500	74	CA
	1800	73	CD
	2100		
	2400		N/A

Sunday

8/18

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday

8/13/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67°	
	1200	70°	
	1500	74°	
	1800	72	
	2100		
	2400		N/A

Thursday

8/15

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	CA
	1200	71	CA
	1500	72	CA
	1800	73	CD
	2100		
	2400		N/A

Saturday

8/17

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---



---

8/12/2024 to 8/18/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit EAST MAIN KITCHEN Temp. Reading Location: 2<sup>nd</sup> FLOOR  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/2024	0300	—	—
	0600	70	J. MILLS
	0900	72	MILLS
	1200	72	WEBB
	1500	72	WEBB
	1800	72	WEBB
	2100	—	—
	2400	—	—

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/2024	0300	—	—
	0600	70	G. MACKEL
	0900	70	G. MACKEL
	1200	72	R. WEBB
	1500	72	R. WEBB
	1800	72	R. WEBB
	2100	—	—
	2400	—	—

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/2024	0300	—	—
	0600	71	WANG
	0900	71	WANG
	1200	72	BOLIN
	1500	71	BOLIN
	1800	71	BOLIN
	2100	—	—
	2400	—	—

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/2024	0300	—	—
	0600	71	WANG
	0900	71	WANG
	1200	71	WANG
	1500	71	KINDEN
	1800	71	KINDEN
	2100	—	—
	2400	—	—

**Friday**

Date	Time	Temp.	Name (Print)
8/16/2024	0300	—	—
	0600	70	WANG
	0900	70	WANG
	1200	72	WEBB
	1500	72	WEBB
	1800	72	WEBB
	2100	—	—
	2400	—	—

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/2024	0300	—	—
	0600	70	(WCA)
	0900	70	WANG
	1200	69	WEBB
	1500	70	WEBB
	1800	69	WEBB
	2100	—	—
	2400	—	—

**Sunday**

Date	Time	Temp.	Name (Print)
8/18/2024	0300	70	—
	0600	70	GONZALEZ
	0900	70	GONZALEZ
	1200	70	WEBB
	1500	70	WEBB
	1800	70	WEBB
	2100	—	—
	2400	—	—

**Notes**


---

---

---

---

---

---

---

---

8/12/2024 + 8/18/2024

## ATTACHMENT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIVC Housing Unit: Platypus Temp. Reading Location: Z-150a  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	73	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Tuesday 8/13/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	G Gary
	1200	73	{ G Gary }
	1500	73	
	1800		
	2100		N/A
	2400		

Wednesday 8/14/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	77	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Thursday 8/15/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	G Gary
	1200	73	G Gary
	1500	74	G Gary
	1800		
	2100		N/A
	2400		

Friday 8/16/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	G Gary
	1200	73	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Saturday 8/17/2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Jacket Factory Temp. Reading Location: 2<sup>nd</sup> Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	/	
	0600	/	
	0900	60	J. Diaz
	1200	71	J. Diaz
	1500	71	J. Diaz
	1800	/	
	2100	/	
	2400	/	

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	/	
	0600	/	
	0900	60	J. Diaz
	1200	69	J. Diaz
	1500	72	J. Diaz
	1800	/	
	2100	/	
	2400	/	

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	/	
	0600	/	
	0900	61	J. Diaz
	1200	70	J. Diaz
	1500	73	J. Diaz
	1800	/	
	2100	/	
	2400	/	

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	/	
	0600	/	
	0900	68	J. Diaz
	1200	71	J. Diaz
	1500		J. Diaz
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

8/12/2024 to 8/18/2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMCHousing Unit: PIA Fabric Temp. Reading Location: Jacket Factory 2<sup>nd</sup> Fl.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
<u>8/12</u>	0300		
	0600		
	0900	71	D Cooper
	1200	75	CHOI
	1500	80	CHOI
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
<u>8/13</u>	0300		
	0600		
	0900	69	CHOI
	1200	75	CHOI
	1500	80	CHOI
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
<u>8/14</u>	0300		
	0600		
	0900	68	CHOI
	1200	72	SILVER
	1500	77	SILVER
	1800		
	2100		
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
<u>8/15</u>	0300		
	0600		
	0900	70	CHOI
	1200	79	CHOI
	1500	80	CHOI
	1800		
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
<u>8/16</u>	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
<u>8/17</u>	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

## Notes

---



---



---



---



---



---



---



---

## Sunday

Date	Time	Temp.	Name (Print)
<u>8/18</u>	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

8/12/2024 to 8/18/2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Pia Temp. Reading Location: Safety TShirt  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	64	J. Johnson
	0900	69	J. Johnson
	1200	75	J. Johnson
	1500	78	J. Johnson
	1800		
	2100		N/A
	2400		

Wednesday 8/14/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	62	J. Johnson
	0900	64	J. Johnson
	1200	68	J. Johnson
	1500	68	J. Johnson
	1800		
	2100		N/A
	2400		

Friday 8/16

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

8/18

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday

8/13/24

Date	Time	Temp.	Name (Print)
e	0300		N/A
	0600	61	J. Johnson
	0900	68	J. Johnson
	1200	68	J. Johnson
	1500	68	J. Johnson
	1800		
	2100		N/A
	2400		

Thursday

8/15/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	62	J. Johnson
	0900	70	J. Johnson
	1200	72	J. Johnson
	1500	79	J. Johnson
	1800		
	2100		N/A
	2400		

Saturday 8/17

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
FDCR 2031 (04118)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

8/12/2024 to 8/18/2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C M C Housing Unit: PRINT PLANT Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday MONTH / YEAR: AUGUST, 2024

Date	Time	Temp.	Name (Print)
12	0300		N/A
	0600		
	0900	64	PM
	1200	68	PM
	1500	72	PM
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
14	0300		N/A
	0600		
	0900	68	PM
	1200	71	PM
	1500	76	PM
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
16	0300		
	0600		
	0900	700	
	1200	700	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
18	0300		
	0600		
	0900	700	
	1200	700	
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
13	0300		N/A
	0600		
	0900	65	PM
	1200	72	PM
	1500	76	PM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
15	0300		N/A
	0600		
	0900	69	PM
	1200	73	PM
	1500	75	PM
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
17	0300		
	0600		
	0900	700	
	1200	700	
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

8/14/2024

TO

8/18/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CINC-E Housing Unit: Knitting Mill

Temp. Reading Location: Factory Isle  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12

Date	Time	Temp.	Name (Print)
0300		N/A	
0600			
0900	73°	Richardson M.	
1200	84°	Richardson M.	
1500	86°	Richardson M.	
1800			
2100		N/A	
2400			

Wednesday 8/14

Date	Time	Temp.	Name (Print)
0300		N/A	
0600			
0900	73°	Richardson M.	
1200	84°	Richardson M.	
1500	88°	Richardson M.	
1800			
2100		N/A	
2400			

Friday 8/16

Date	Time	Temp.	Name (Print)
0300			
0600			
0900		RDO	
1200			
1500			
1800			
2100			
2400			

Sunday 8/18

Date	Time	Temp.	Name (Print)
0300			
0600		RDO	
0900			
1200			
1500			
1800			
2100			
2400			

Tuesday 8/13

Date	Time	Temp.	Name (Print)
0300		N/A	
0600			
0900	77°	Richardson M.	
1200	83°	Richardson M.	
1500	90°	Richardson M.	
1800			
2100		N/A	
2400			

Thursday 8/15

Date	Time	Temp.	Name (Print)
0300		N/A	
0600			
0900	79°	Richardson M.	
1200	86°	Richardson M.	
1500	89°	Richardson M.	
1800			
2100		N/A	
2400			

Saturday 8/17

Date	Time	Temp.	Name (Print)
0300			
0600			
0900		RDO	
1200			
1500			
1800			
2100			
2400			

Notes

8-12-24 - 8-15-24

DISTRIBUTION: Original: Institution ADA Coordinator

CDCCR 2031 (04/18) 8/12/2024 to 8/18/2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: Shoe factory      Temp: Reading Location: Clerks office  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## Monday

Date	Time	Temp.	Name (Print)
9/12	0300		N/A
	0600	76	Buckhead
	0900	81	FM
	1200	84	FM
	1500	86	FM
	1800		
	2100		N/A
	2400		

## **Wednesday**

Date	Time	Temp.	Name (Print)
8/24	0300		N/A
	0600	75°	R. Faut
	0900	78	R. Faut
	1200	81	R. Faut
	1500	83	R. Faut
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300		N/A
	0600	75°	RICKY
	0900	79	P. Fant
	1200	82	P. Paul
	1500	84	P. Fant
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300		N/A
	0600	75°	RICK A
	0900	78	RICK A
	1200	81	RICK A
	1500	85	RICK A
	1800		RICK A
	2100		/A
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

8/12/2024 TO 8/18/2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: Cal PIA

Temp. Reading Location: n/a(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-12	0300		N/A
	0600	74°	c.sanchez
	0900	75°	c.sanchez
	1200	78°	c.sanchez
	1500	80°	c.sanchez
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8-14	0300		
	0600		
	0900	closed	
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600	70°	
	0900	71°	
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600	70°	
	0900	70°	
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8-13	0300		N/A
	0600	74°	c.sanchez
	0900	76°	c.sanchez
	1200	78°	c.sanchez
	1500	80°	c.sanchez
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8-15	0300		N/A
	0600	78°	R.Esfelb
	0900	82°	R.Esfelb
	1200	81°	R.Esfelb
	1500	80°	R.Esfelb
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		R.D
	0900		R.D
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**


---

---

---

---

---

---

---

---

8/12/2024 to 8/18/2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300		N/A
	0600	75°	
	0900	75°	FS
	1200	75°	
	1500	75°	
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300		N/A
	0600	75°	
	0900	75°	
	1200	75°	
	1500	75°	FS
	1800		
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300		N/A
	0600	75°	
	0900	75°	
	1200	75°	FS
	1500	75°	
	1800		
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300		N/A
	0600	75°	
	0900	75°	
	1200	75°	FS
	1500	75°	
	1800		
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
8/16	0300		N/A
	0600	75°	
	0900	75°	
	1200	75°	FS
	1500	75°	
	1800		
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---

---

---

---

---

---

---

---

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

8/12/2024 to 8/18/2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: PIA

Temp. Reading Location:

## Wet Processing

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
8/12	0900	75°	Payment
	1200	83°	Payment
✓	1500	78°	Shipment
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/13 ✓	0300		
	0600		
	0900	74	E. Wayment
	1200	82	82
	1500	78	E. Wayment
	1800		
	2100		
	2400		

## **Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300		
	0600		
	0900	74	Swayment
	1200	82	Swayment
	1500	78	Swayment
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	—	
	0600	—	
	0900	73	SWaymat
	1200	79	SWaymat
	1500	76	Saymat
	1800	—	
	2100	—	
	2400	—	

Friday

Friday		Date	Time	Temp.	Name (Print)
8/16	0300				
	0600				
	0900				
	1200				
	1500				
	1800				RDO
	2100				
	2400				

### Saturday

Saturday			
Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200		RDD
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Notes

#### **INSIDE TEMPERATURE RECORD**

CDGR 2031 (04/18)

DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS

8/12/2024 to 8/18/2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: P1A

Temp. Reading Location:

1st floor fabrics  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/12	0300		
	0600		
	0900	72	Shayment
	1200	78	Shayment
	1500	76	Shayment
	1800		
	2100		
	2400		

## **Wednesday**

Date	Time	Temp.	Name (Print)
8/14 ✓	0300		
	0600		
	0900	70°	SWayment
	1200	78°	SWayment
	1500	79°	Swayment
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		
	1500		
	1800		RDC
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300		
	0600		
	0900	72	Swamp
	1200	78	Swamp
	1500	74	Swamp
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
8/15	0900	72	SWayment
	1200	75	SWayment
	1500	73	SWayment
	1800		
	2100		
	2400		

## Saturday

Saturday		Date	Time	Temp.	Name (Print)
8/17			0300		
			0600		
			0900		
			1200		
			1500		RDO
			1800		
			2100		
			2400		

## Notes

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT B  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

8/12/2024 to 8/18/2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: Inmate office  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/12</u>	0300		N/A
	0600		
	0900	78°	Rodriguez
	1200	78°	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/13</u>	0300		N/A
	0600		
	0900	76°	Rodriguez
	1200	78	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/14</u>	0300		N/A
	0600		
	0900	76°	Rodriguez
	1200	74°	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
<u>8/15</u>	0300		N/A
	0600		
	0900	76°	carranza
	1200	74	KING
	1500		
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
<u>8/16</u>	0300		
	0600		
	0900		
	1200		DDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
<u>8/17</u>	0300		
	0600		
	0900		
	1200		DDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
<u>8/18</u>	0300		
	0600		
	0900		
	1200		DDO
	1500		
	1800		
	2100		
	2400		

Notes

---

---

---

---

---

---

---

---

**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From Sept. 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp. Reading Location: **Protestant Chapel EAST**

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300		N/A
	0600		
	0900	64	62
	1200		
	1500		
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300		N/A
	0600		
	0900		
	1200	66	62
	1500	68	62
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300		N/A
	0600		
	0900	66	62
	1200	68	62
	1500		
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

**Notes**

---



---



---



---



---



---



---



---



---



---



---



---

8/12/2024

to

8/18/2024

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CNC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: East Watch

Immediately notify the Watch Commander at extension 1904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	51	Dominguez
	0200	51	Dominguez
	0300	51	Dominguez
	0400	51	Dominguez
	0500	66	STONE
	0600	67	STONE
	0700	67	STONE
	0800	53	Delettre
	0900	60	Delettre
	1000	70	Delettre
	1100	74	Delettre
	1200	72	Delettre
	1300	71	Delettre
	1400	73	Rupp
	1500	73	Dominguez
	1600	73	Dominguez
	1700	73	Dominguez
	1800	65	Dominguez
	1900	60	Dominguez
	2000	58	Rupp
	2100	54	Rupp
	2200	53	Dominguez
	2300	53	Dominguez
	2400	52	Dominguez

8-12-2024

Date	Time	Temp.	Printed Name
	0100	52	Dominguez
	0200	52	Dominguez
	0300	52	Dominguez
	0400	52	STONE
	0500	52	STONE
	0600	64	STONE
	0700	65	STONE
	0800	70	Delettre
	0900	78	Delettre
	1000	70	Delettre
	1100	72	Delettre
	1200	77	Delettre
	1300	69	STONE
	1400	77	Rupp
	1500	75	Dominguez
	1600	73	Dominguez
	1700	73	Dominguez
	1800	69	Dominguez
	1900	65	Dominguez
	2000	58	Dominguez
	2100	56	Rupp
	2200	55	Zefair
	2300	55	Zefair
	2400	55	Zefair

8-13-2024

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: East Watch

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

*8-14-2024*

Date	Time	Temp.	Printed Name
	0100	54	ZELERA
	0200	54	ZELERA
	0300	53	ZELERA
	0400	53	ZELERA
	0500	55	Dominguez
	0600	55	ZELERA
	0700	57	Del Torre
	0800	60	Del Torre
	0900	61	Del Torre
	1000	68	Del Torre
	1100	70	Del Torre
	1200	70	STONE
	1300	73	STONE
	1400	74	Hernandez
	1500	72	Hernandez
	1600	70	Hernandez
	1700	67	Hernandez
	1800	65	Hernandez
	1900	60	Hernandez
	2000	58	Hernandez
	2100	56	Hernandez
	2200	55	Hernandez
	2300	55	ZELERA
	2400	55	ZELERA

*8/15/24*

Date	Time	Temp.	Printed Name
	0100	54	ZELERA
	0200	54	Hernandez
	0300	54	Hernandez
	0400	54	Hernandez
	0500	53	ZELERA
	0600	53	ZELERA
	0700	59	Del Torre
	0800	60	Del Torre
	0900	78	Del Torre
	1000	74	Del Torre
	1100	79	Del Torre
	1200	79	Del Torre
	1300	74	Del Torre
	1400	74	Hernandez
	1500	72	Hernandez
	1600	72	Hernandez
	1700	71	Hernandez
	1800	69	Hernandez
	1900	65	Hernandez
	2000	62	Hernandez
	2100	60	Hernandez
	2200	59	Hernandez
	2300	57	ZELERA
	2400	56	ZELERA

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: East Watch

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/16/24	0100	56	ZELERA
	0200	55	Hernandez
	0300	55	Hernandez
	0400	55	ZEPEDA
	0500	55	ZELERA
	0600	51	ZEPEDA
	0700	55	Delatorre
	0800	60	Delatorre
	0900	65	Delatorre
	1000	70	Delatorre
	1100	70	Delatorre
	1200	75	Delatorre
	1300	79	Delatorre
	1400	78	Hernandez
	1500	75	Hernandez
	1600	74	Hernandez
	1700	71	Hernandez
	1800	69	Hernandez
	1900	64	Hernandez
	2000	62	Hernandez
	2100	59	Hernandez
	2200	57	ZEPEDA
	2300	57	ZEPEDA
	2400	55	ZEPEDA

Date	Time	Temp.	Printed Name
8/17/24	0100	54	ZELERA
	0200	53	ZEPEDA
	0300	53	ZEPEDA
	0400	53	ZEPEDA
	0500	52	ZEPEDA
	0600	52	ZEPEDA
	0700	52	C.PRICE
	0800	52	C.PRICE
	0900	65	C.PRICE
	1000	68	C.PRICE
	1100	72	C.PRICE
	1200	72	C.PRICE
	1300	75	C.PRICE
	1400	75	C.PRICE
	1500	75	TUCKER
	1600	75	TUCKER
	1700	74	TUCKER
	1800	73	TUCKER
	1900	70	TUCKER
	2000	70	TUCKER
	2100	69	TUCKER
	2200	65	ZEPEDA
	2300	62	ZEPEDA
	2400	60	ZEPEDA

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CML

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/18/2024	0100	59	ZEPEDA
	0200	60	ZEPEDA
	0300	60	ZEPEDA
	0400	62	ZEPEDA
	0500	65	ZEPEDA
	0600	68	STONE
	0700	69	STONE
	0800	69	STONE
	0900	70	STONE
	1000	70	STONE
	1100	71	STONE
	1200	70	STONE
	1300	70	STONE
	1400	72	RUPP
	1500	72	RUPP
	1600	71	RUPP
	1700	68	RUPP
	1800	66	RUPP
	1900	60	RUPP
	2000	55	RUPP
	2100	54	Dominguez
	2200	53	Dominguez
	2300	53	Dominguez
	2400	53	Dominguez

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

## REHABILITATION

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From August 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list August be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday August 19, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday August 21, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
7/3	0900	No inmates	J. FARAD
7/4	1200	"	" Lock down
	1500		
	1800		
	2100		N/A
	2400		

Friday August 23, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67	J. FARAD
	1200	68	"
	1500	71	"
	1800		
	2100		N/A
	2400		

Sunday August 25, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	J. FARAD
	1200	71	" "
	1500	73	" "
	1800		
	2100		N/A
	2400		

Tuesday August 20, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday August 22, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		J. FARAD
	0900	66	"
	1200	78	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Saturday August 24, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. FARAD
	1200	68	"
	1500	71	"
	1800		
	2100		N/A
	2400		

Notes

8/19/2024 TO 8/25/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L Temp. Reading Location: Clothing Dist.  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-19-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75°	TA II
	1200	76°	TA II
	1500	76°	TA II
	1800		
	2100		N/A
	2400		

Tuesday 8-20-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	78°	TA II
	1200	80	mac
	1500	80	Ade
	1800		
	2100		N/A
	2400		

Wednesday 8-21-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75°	TA III
	1200	76°	TA III
	1500	76°	TA III
	1800		
	2100		N/A
	2400		

Thursday 8-22-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	M. Goran
	1200	76	A. CASILO
	1500	76	A. CASILO
	1800		
	2100		N/A
	2400		

Friday 8-23-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	ARTHUR CASSIO
	1200	78	ARTHUR CASSIO
	1500	78	ARTHUR CASSIO
	1800		
	2100		N/A
	2400		

Saturday 8-24-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 8-25-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	OFF	
	1800		
	2100		
	2400		

Notes

8/19/2024 to 8/25/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-101 Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/19	0300		
	0600		
	0900		
	1200		NO INMATE CONTACT
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Dat	Time	Temp.	Name (Print)
8/20	0300		
	0600		
	0900		
	1200	NO INMATE CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300		
	0600		
	0900		
	1200		NO INMATE CONTACT
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300		
	0600		
	0900		
	1200		NO INMATE CONTACT
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/23	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## **Notes**

## **NO INMATE CONTACT**

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.8	Mensing
	1200	79.9	Mensing
	1500	82.3	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	77.9	Mensing
	1200	80.9	Mensing
	1500	88.4	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	76.1	Mensing
	1200	82.5	Mensing
	1500	Students	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/2024	0300	XXX	XX
	0600	XXX	X
	0900	71.1	Mensing
	1200	76.7	Mensing
	1500	80.8	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	C	Mensing
	1200	C	Mensing
	1500	C	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO****Sunday**

Date	Time	Temp.	Name (Print)
8/25/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

D. Mensing, GED Instructor Ext. 4625

---

---

---

---

---

---

---

**RDO**

8/19/2024 to 8/25/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

## **DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday			
Date	Time	Temp.	Name (Print)
11-24	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	76	S. MOORE/C. BERRY
	1500	79	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Tuesday			
Dat	Time	Temp.	Name (Print)
DD-21	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	79	S. MOORE/C. BERRY
	1500	81	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Date	Time	Temp.	Name (P/cnt)
21-24	0300		
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
7-2-24	0300		N/A
	0600		
	0900	72	S. MOORE/C. BERRY
	1200	77	S. MOORE/C. BERRY
	1500	78	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Friday			
Date	Time	Temp.	Name (Print)
3-24	0300		N/A
	0600		
	0900	74	S. MOORE/C. BERRY
	1200	78	S. MOORE/C. BERRY
	1500	78	S. MOORE/C. BERRY
	1800		
	2100		
	2400		N/A

Saturday			
Date	Time	Temp.	Name (Print)
24-74	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

<u>Sunday</u>			
Date	Time	Temp.	Name (Print)
5/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## **Notes**

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/19/2024 TO 8/25/2024

DocuSign Envelope ID: 6056285D-33E0-41C1-8099-198FAC416D9F

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR.2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: \_\_\_\_\_ Temp. Reading Location: VOCATIONAL WELDING, Z-103  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo
	1200	73	J. Fogo
	1500	77	J. Fogo
	1800		
	2100		N/A
	2400		

Tuesday 8/20

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	64	J. Fogo
	1200	68	J. Fogo
	1500	73	J. Fogo
	1800		
	2100		N/A
	2400		

Wednesday 8/21

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo
	1200	71	J. Fogo
	1500	74	J. Fogo
	1800		
	2100		N/A
	2400		

Thursday 8/22

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J. Fogo
	1200	71	J. Fogo
	1500	75	J. Fogo
	1800		
	2100		N/A
	2400		

Friday 8/23

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	NO	J. Fogo
	1200	I/P	J. Fogo
	1500	CONTACT	J. Fogo
	1800		
	2100		N/A
	2400		

Saturday 8/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

---

---

---

---

---

---

---

---

---

---

Sunday 8/25

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

Docusign Envelope ID: 70538D19-49EC-49CE-A8DD-35A131553D6B

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: N/A Temp. Reading Location: Z-221 Voc. Build. Maint.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 4617 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
24-	0300		NO IP CONTACT
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

**Tuesday**

Dat	Time	Temp.	Name (Print)
24.	0300		NO IP CONTACT
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
24	0300		NO IP CONTACT
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

**Thursday**

Wednesday			
Date	Time	Temp.	Name (Print)
2/24	0300		NO IP CONTACT
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
24	0300		NO IP CONTACT
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		N/A -- RDO
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
24	0300		
	0600		
	0900		
	1200		N/A - RDO
	1500		
	1800		
	2100		
	2400		

## Notes

**DISTRIBUTION:** Original Institution ADA-Coordinator

8/19/2024

to

8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: \_\_\_\_\_ Temp. Reading Location: Bldg. Z-109  
(e.g., 1<sup>st</sup> tier; 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300		
	0600		
	0900	NIC	Ron Shoffelt
	1200	NIC	Ron Shoffelt
	1500		
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300		
	0600		
	0900	NIC	Ron Shoffelt
	1200	NIC	Ron Shoffelt
	1500		
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300		
	0600		
	0900	NIC	Ron Shoffelt
	1200	NIC	Ron Shoffelt
	1500		
	1800		
	2100		
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300		
	0600		
	0900	NIC	Ron Shoffelt
	1200	NIC	Ron Shoffelt
	1500		
	1800		
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300		
	0600		
	0900	NIC	Ron Shoffelt
	1200	NIC	Ron Shoffelt
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

Z-109 East Education Voc. Masonry  
Ron Shoffelt

No Inmate Contact

Documented by:

Ron Shoffelt

AB#111265561468

8/19/2024 TO 8/25/2024

DocuSign Envelope ID: 7116011D-B1E7-41B7-B22B-89A699DE26BF  
REHABILITATION

DEPARTMENT OF CORRECTIONS AND

INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMCHousing Unit: B102Temp. Reading Location: B Corridor(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300		N/A
	0600		
	0900	75	ROCHA
	1200	76	ROCHA
	1500	78	ROCHA
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300		N/A
	0600		
	0900	79	ROCHA
	1200	80	ROCHA
	1500	82	ROCHA
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300		N/A
	0600		
	0900	79	ROCHA
	1200	81	ROCHA
	1500	83	ROCHA
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300		N/A
	0600		
	0900	75	ROCHA
	1200	78	ROCHA
	1500	79	ROCHA
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300		N/A
	0600		
	0900	76	ROCHA
	1200	80	ROCHA
	1500	81	ROCHA
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		RDD
	1500		
	1800		
	2100		
	2400		

**Notes**

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900		
	1200		RDD
	1500		
	1800		
	2100		
	2400		

8/19/2024 to 8/25/2024

DocuSign Envelope ID: E885A028-9C6D-4F3A-8A81-361124CD8F4E.

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor

Temp. Reading Location: East Education - HSD/GED Classroom  
(e.g., 1<sup>st</sup> tier; 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	COLE
	1200	74	COLE
	1500	76	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	75	COLE
	1500	77	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	74	COLE
	1500	OUT	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	OUT	COLE
	1200	OUT	COLE
	1500	OUT	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	74	COLE
	1500	76	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO****Sunday**

Date	Time	Temp.	Name (Print)
8/25/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO****Notes**

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:

Cale Cole

4BBD3E70CC24EC

8/19/2024 to 8/25/2024

Docusign Envelope ID: E91463D0-F007-42AC-8B8D-9672A8B55A21

**STATE OF CALIFORNIA**

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## Monday

Date	Time	Temp.	Name (Print)
08/19 2024	0300		N/A
	0600		
	0900	78deg	V.VERA
	1200	80deg	V.VERA
	1500	80deg	V.VERA
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
08/20 2024	0300		N/A
	0600		
	0900	78deg.	V.Vera
	1200	80deg.	V.Vera
	1500	80 deg.	V.VERA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
08/21 2024	0300		N/A
	0600		
	0900	78deg	V.VERA
	1200	80deg	V.VERA
	1500	80deg	V.VERA
	1800		.
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
08/22 2024	0300		N/A
	0600		
	0900	78deg	V.VERA
	1200	80deg	V.VERA
	1500	80deg	V.VERA
	1800		
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
08/23 2024	0300		N/A
	0600		
	0900	75deg	V.VERA
	1200	76deg	V.VERA
	1500	78deg	V.VERA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	2100		
	2400		

## Notes

RDO

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/19/2024 TO 8/25/2024

STATE OF CALIFORNIA  
DocuSign Envelope ID: A139CFBE-4916-4359-AF24-B849B963088C  
INSIDE TEMPERATURE RECORD  
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Q113A Temp. Reading Location: D yard

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300		
	0600		N/A
	0900	No class	SCIOCCHETTI/
	1200	No class	SCIOCCHETTI/
	1500	No class	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/
	1200	No class	SCIOCCHETTI/
	1500	No class	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/
	1200	No class	SCIOCCHETTI/
	1500	No class	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/
	1200	No class	SCIOCCHETTI/
	1500	No class	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/
	1200	No class	SCIOCCHETTI/
	1500	No class	SCIOCCHETTI/
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit:B-135 EDU. OFFICE Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/19	0300		N/A
	0600		
	0900	69	Thompson
	1200	72	Thompson
	1500	73.9	Thompson
	1800		
	2100		N/A
	2400		

**Tuesday**

Dat	Time	Temp.	Name (Print)
8/20	0300		N/A
	0600		
	0900	76	Thompson
	1200	81.2	Thompson
	1500	79.8	Thompson
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
6/21	0300		N/A
	0600		
	0900	74.5	Thompson
	1200		
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300		N/A
	0600		
	0900	68	Thompson
	1200	72°	E. Boaz
	1500	72.2	Thompson
	1800		
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
8/13	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Saturday			
Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

---

---

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. (7777)

Institution: CMC      Housing Unit: East Education      Temp. Reading Location: Z-229, Testing Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/19	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
1/22	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
22	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
23	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time.	Temp.	Name (Print)
24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
1/25	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

---

---

---

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/19/2024 +0 8/25/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: HG - Gym Corridor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 8-19-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71°	D. Jacobs
	1200	75°	D. Jacobs
	1500	77°	D. Jacobs
	1800		
	2100		N/A
	2400		

Wednesday 8-21-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75°	D. Jacobson
	1200	77°	D. Jacobson
	1500	74°	D. Jacobson
	1800		
	2100		
	2400		N/A

Friday 8-23-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	D. Jacobsen
	1200	74°	D. Jacobsen
	1500	73°	D. Jacobsen
	1800		
	2100		N/A
	2400		

Sunday 8/25

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**DISTRIBUTION:** Original: Institution ADA Coordinator

Tuesday 8-20-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75'	D. Jacobson
	1200	82°	D. Jacobson
	1500	84°	D. Jacobson
	1800		
	2100		N/A
	2400		

Thursday 8-22-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73°	D. JACOBEN
	1200	77°	D. JACOBEN
	1500	80°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Saturday 8/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

### Notes

---

---

---

---

---

---

---

---

---

---

8/19/2024

TO

8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CDCR Housing Unit: 723 Temp. Reading Location: Education - CRT Classroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7975 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
9	0300		XXXXXXXXXXXXXX
10	0600		XXXXXXXXXXXXXX
11	0900	83	Andrew James
12	1200	86	Andrew James
13	1500		Andrew James
14	1800		XXXXXXXXXXXXXX
15	2100		XXXXXXXXXXXXXX
16	2400		XXXXXXXXXXXXXX

## Tuesday

Date	Time	Temp.	Name (Print)
9	0300		XXXXXXXXXXXXXX
10	0600		XXXXXXXXXXXXXX
11	0900	77	Andrew James
12	1200	82	Andrew James
13	1500		Andrew James
14	1800		XXXXXXXXXXXXXX
15	2100		XXXXXXXXXXXXXX
16	2400		XXXXXXXXXXXXXX

## Wednesday

Date	Time	Temp.	Name (Print)
17	0300		XXXXXXXXXXXXXX
18	0600	70	XXXXXXXXXXXXXX
19	0900		Andrew James
20	1200		Andrew James
21	1500	77	Andrew James
22	1800		XXXXXXXXXXXXXX
23	2100		XXXXXXXXXXXXXX
24	2400		XXXXXXXXXXXXXX

## Thursday

Date	Time	Temp.	Name (Print)
17	0300		XXXXXXXXXXXXXX
18	0600		XXXXXXXXXXXXXX
19	0900	71	Andrew James
20	1200	77	Andrew James
21	1500		Andrew James
22	1800		XXXXXXXXXXXXXX
23	2100		XXXXXXXXXXXXXX
24	2400		XXXXXXXXXXXXXX

## Friday

Date	Time	Temp.	Name (Print)
21	0300		XXXXXXXXXXXXXX
22	0600		XXXXXXXXXXXXXX
23	0900	77	Andrew James
24	1200	82	Andrew James
25	1500		Andrew James
26	1800		XXXXXXXXXXXXXX
27	2100		XXXXXXXXXXXXXX
28	2400		XXXXXXXXXXXXXX

## Saturday RDO

Date	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900		XXXXXXXXXXXXXX
	1200		XXXXXXXXXXXXXX
	1500		XXXXXXXXXXXXXX
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

## Sunday RDO

Date	Time	Temp.	Name (Print)
	0300		XXXXXXXXXXXXXX
	0600		XXXXXXXXXXXXXX
	0900		XXXXXXXXXXXXXX
	1200		XXXXXXXXXXXXXX
	1500		XXXXXXXXXXXXXX
	1800		XXXXXXXXXXXXXX
	2100		XXXXXXXXXXXXXX
	2400		XXXXXXXXXXXXXX

## Notes

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.8	Zelenski/Diederich/Puett
	1200	77.5	Zelenski/Diederich/Puett
	1500	79.6	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	76.4	Zelenski/Diederich/Puett
	1200	84.3	Zelenski/Diederich/Puett
	1500	84.3	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	Zelenski/Diederich/Puett
	1200	83.3	Zelenski/Diederich/Puett
	1500	84	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	73.6	Zelenski/Diederich/Puett
	1200	77.1	Zelenski/Diederich/Puett
	1500	77.6	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.8	Zelenski/Diederich/Puett
	1200	76.0	Zelenski/Diederich/Puett
	1500	76.0	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Sunday**

Date	Time	Temp.	Name (Print)
8/25/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO****Notes**

Zelenski./Diederich/Puett, PSCE-COLLEGE Building H-H

---



---



---



---



---



---



---



---

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

METROGEN ADE 2

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: H-Gym

Temp Reading Location: East Education

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	/	METROGEN
	0600	74	
	0900		
	1200	76	
	1500	80	
	1800	/	
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	/	METROGEN
	0600		
	0900		
	1200	No Contact	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	/	METROGEN
	0600	76	
	0900		
	1200	78	
	1500	80	
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	/	METROGEN
	0600		
	0900	80	
	1200	80	
	1500	82	
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	/	METROGEN
	0600		
	0900	74	
	1200	76	
	1500	80	
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

~~H-Gym, ADE 3 Instructor~~

DISTRIBUTION: Original: Institution Heat Plan Coordinator

8/19/2024 to 8/25/2024

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: \_\_\_\_\_

Temp. Reading Location: \_\_\_\_\_

Library D-120-  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/14	0300		
	0600		
	0900	74	A. Garcia
	1200	74	A. Garcia
	1500	79	A. Garcia
	1800		RDO
	2100		RDO
	2400		RDO

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300		
	0600		
	0900	79	A. Gara
	1200	81	A. Gara
	1500	81	A. Gara
	1800		1200
	2100		1200
	2400		1200

**Friday**

Date	Time	Temp.	Name (Print)
8/13	0300		
	0600		
	0900	72	A. Garcia
	1200	74	A. Garcia
	1500	74	A. Garcia
	1800		
	2100		RDO
	2400		RDO

Sunday

Date	Time	Temp.	Name (Print)
8/19	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300		
	0600		
	0900	75	A. Garcia
	1200	80	A. Garcia
	1500	81	A. Garcia
	1800		RDO
	2100		RDO
	2400		RDO

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300		
	0600		
	0900	72	A. Garcia
	1200	74	A. Garcia
	1500	75	A. Garcia
	1800		RDO
	2100		RDO
	2400		RDO

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Gym Temp. Reading Location: East Education Coaches' Office  
G102A  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/2024	0300		
	0600		
	0900	68°	B. Ferrall
	1200	70°	B. Ferrall
	1500	72°	B. Ferrall
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/24	0300		
	0600		
	0900	69°	B. Ferrall
	1200	71°	B. Ferrall
	1500	74°	B. Ferrall
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/24	0300		
	0600		
	0900	69°	B. Ferrall
	1200	71°	B. Ferrall
	1500	74°	B. Ferrall
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/24	0300		
	0600		
	0900		B. Ferrall
	1200		B. Ferrall
	1500		B. Ferrall
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/23/24	0300		
	0600		
	0900	68°	B. Ferrall
	1200	70°	B. Ferrall
	1500	72°	B. Ferrall
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Notes**

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

DISTRIBUTION: Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
COCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMCHousing Unit: Classroom D-104Temp. Reading Location: Teacher's Desk(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/24	0300		
	0600		
	0900	75	Todd
	1200	76	Todd
	1500	77	Todd
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300		N/A
	0600		
	0900	81	Todd
	1200	84	Todd
	1500	83	Todd
	1800		
	2100		
	2400		N/A

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300		N/A
	0600		
	0900	81	Todd
	1200	84	Todd
	1500	83	Todd
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300		N/A
	0600		
	0900	78	Todd
	1200	80	Todd
	1500	82	Todd
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300		N/A
	0600		
	0900	75	Todd
	1200	76	Todd
	1500	82	Todd
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

*RDO*

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
8/25	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

8/19/2024 TO 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REVENGEFUL

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: OMC Housing Unit: A-150 Temp. Reading Location: \_\_\_\_\_  
(e.g. 1<sup>st</sup> tier 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/19	0300		N/A
	0600		N/A
	0900	71°	R. Lopez
	1200	72°	R. Lopez
	1500	74°	R. Lopez
	1800		N/A
	2100		N/A
	2400		N/A

## Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300		N/A
	0600		N/A
	0900	70°	R. Lopez
	1200	72°	R. Lopez
	1500	74°	R. Lopez
	1800	76°	R. Lopez
	2100		N/A
	2400		N/A

## Friday

Date	Time	Temp.	Name (Print)
8/23	0300		N/A
	0600		N/A
	0900	75°	R. Lopez
	1200	78°	R. Lopez
	1500	76°	R. Lopez
	1800		N/A
	2100		N/A
	2400		N/A

## Sunday

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600	75°	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300		N/A
	0600		N/A
	0900	72°	R. Lopez
	1200		R. Lopez
	1500	80°	R. Lopez
	1800		N/A
	2100		N/A
	2400		N/A

## Thursday

Date	Time	Temp.	Name (Print)
8/22	0300		N/A
	0600		N/A
	0900	70°	R. Lopez
	1200	80°	R. Lopez
	1500	75°	R. Lopez
	1800	78°	R. Lopez
	2100		N/A
	2400		N/A

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600	75°	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: Medical Corridor      Temp. Reading Location: Classroom B-125  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	XXXXXX	XXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXX
	0900	70	Mark Kirstein
	1200	71	Mark Kirstein
	1500	73	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	XXXXXX	XXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXX
	0900	73	Mark Kirstein
	1200	75	Mark Kirstein
	1500	77	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	XXXXXX	XXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXX
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XX	XXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	XXXXXX	XXXXXXXXXXXXXX
	0600	XXX	XXXXXXXXXXXXXX
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XX	XXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXX

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	XXXXXX	XXXXXXXXXXXXXX
N	0600	XXXXXX	XXXXXXXXXXXXXX
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XX	XXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes****Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO**

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Temp. Reading Location: H-E / Gym Corridor East Education – GED Classroom (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.).

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 79° or 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/19	0300		N/A
	0600		
	0900	74°	G.LOAYZA/W.BACILA
	1200	76°	G.LOAYZA/W.BACILA
	1500	76°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300		N/A
	0600		
	0900	76°	G.LOAYZA/W.BACILA
	1200	76°	G.LOAYZA/W.BACILA
	1500	76°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300		N/A
	0600		
	0900	73°	G.LOAYZA/W.BACILA
	1200	75°	G.LOAYZA/W.BACILA
	1500	76°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8/22	0300		N/A
	0600		
	0900	72°	G.LOAYZA/W.BACILA
	1200	74°	G.LOAYZA/W.BACILA
	1500	75°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		


## Friday

Date	Time	Temp.	Name (Print)
8/23	0300		N/A
	0600	ND	N/A
	0900	Student	G.LOAYZA/W.BACILA
	1200		G.LOAYZA/W.BACILA
	1500	LOTHA	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Notes



8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor

Temp. Reading Location: East Education -Testing Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**FRIEND**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.2	Friend
	1200	77.3	Friend
	1500	72.0	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	77.5	Friend
	1200	84.7	Friend
	1500	80.6	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	78.0	Friend
	1200	80.9	Friend
	1500	no contact	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.5	Friend
	1200	79.3	Friend
	1500	78.3	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	75.6	Friend
	1200	75.9	Friend
	1500	77.5	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/25/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO**

**Notes**

K. Friend, Testing Coordinator Ext. 4711

8/14/2024

to

8/25/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A FACILITY Temp. Reading Location: BUILDING 1

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/24	0300	69	B. TUTTLE ✓P
	0600	69	RAMOS ✓P
	0900	72	RAMOS ✓P
	1200	72	Ramor ✓P
	1500	72	CAMPES ✓P
	1800	72	CAMPES ✓P
	2100	72	CAMPES ✓P
	2400	70°	S. Scorse ✓P

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/24	0300	75	CAMPES ✓P
	0600	76	LINES ✓P
	0900	78	LINES ✓P
	1200	78	LINES ✓P
	1500	78	CUBUBAS ✓P
	1800	75	CUPILAK ✓P
	2100	75	CUPILAK ✓P
	2400	71	CAMPES ✓P

**Friday**

Date	Time	Temp.	Name (Print)
8/23/24	0300	69	Roth ✓P
	0600	69	RAMOS ✓P
	0900	70	RAMOS ✓P
	1200	72	RAMOS ✓P
	1500	72	CUBUBA ✓P
	1800	72	CABMIA ✓P
	2100	72	CUBUBA ✓P
	2400	72	ROBLES ✓P

**Sunday**

Date	Time	Temp.	Name (Print)
8/25/24	0300	70	ROBLES ✓P
	0600	70	RAMOS ✓P
	0900	72	RAMOS ✓P
	1200	74	RAMOS ✓P
	1500	74	CAMPES ✓P
	1800	74	CAMPES ✓P
	2100	74	CAMPES ✓P
	2400	72	TUTTLE ✓P

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300	70°	S. Scorse ✓P
	0600	72	CABMIA ✓P
	0900	74	CABMIA ✓P
	1200	74	CABMIA ✓P
	1500	75	CABMIA ✓P
	1800	75	CABMIA ✓P
	2100	79	CABMIA ✓P
	2400	75	CAMPES ✓P

**Thursday**

Date	Time	Temp.	Name (Print)
8/24/24	0300	70	CAMPES ✓P
	0600	67	RAMOS ✓P
	0900	69	RAMOS ✓P
	1200	71	RAMOS ✓P
	1500	73	CABMIA ✓P
	1800	73	CABMIA ✓P
	2100	72	Roth ✓P
	2400	70	ROLL ✓P

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/24	0300	72	L. ROBLES ✓P
	0600	68	RAMOS ✓P
	0900	70	RAMOS ✓P
	1200	72	RAMOS ✓P
	1500	72	RAMOS ✓P
	1800	72	RAMOS ✓P
	2100	72	RAMOS ✓P
	2400	71	ROBLES ✓P

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A FACILITY Temp. Reading Location: BUILDING 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	68	Lopez <i>VR</i>
	0600	71	Arteaga
	0900	71	Arteaga
	1200	77	Arteaga
	1500	71	LANDWEHR
	1800	77	LANDWEHR
	2100	75	LANDWEHR
	2400	72	Lopez

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	70	Lopez <i>VR</i>
	0600	75	Holcim
	0900	85	Holcim
	1200	87	Holcim
	1500	80	LANDWEHR
	1800	78	LANDWEHR
	2100	75	LANDWEHR
	2400	73	Lopez

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	77	Lopez
	0600	74	Holcim
	0900	74	Holcim
	1200	77	Holcim
	1500	80	LANDWEHR <i>VR</i>
	1800	76	LANDWEHR
	2100	72	LANDWEHR
	2400	72	Roberts

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	72	Roberts <i>VR</i>
	0600	75	Holcim
	0900	75	Holcim
	1200	75	Holcim
	1500	75	LANDWEHR
	1800	72	LANDWEHR
	2100	72	LANDWEHR
	2400	72	Roberts

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	72	Roberts <i>VR</i>
	0600	71	CARLSON
	0900	70	CARLSON
	1200	72	CARLSON
	1500	72	KREBS
	1800	72	LANDWEHR
	2100	72	LANDWEHR
	2400	70	Lopez

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	68	Lopez
	0600	72	VILLEGAS
	0900	72	VILLEGAS
	1200	75	VILLEGAS <i>M</i>
	1500	76	KREBS
	1800	72	KREBS
	2100	71	KREBS
	2400	70	Lopez <i>VR</i>

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	70	Lopez <i>VR</i>
	0600	70	AVILA
	0900	72	AVILA
	1200	72	AVILA
	1500	73	KREBS
	1800	73	KREBS
	2100	72	KREBS
	2400	70	Lopez <i>VR</i>

**Notes**

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST

Housing Unit: FACILITY A

Temp. Reading Location: DINER

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8 / 19 / 2024	0300	N/A	
	0600	70	Jacobs
	0900	72	Jacobs
	1200	N/A	
	1500	73	Jacobs
	1800	73	Jacobs
	2100	N/A	
	2400	N/A	

**Tuesday**

Date	Time	Temp.	Name (Print)
8 / 20 / 2024	0300	N/A	
	0600	76	Jacobs
	0900	78	Jacobs
	1200	N/A	
	1500	80	J. Noel
	1800	78	J. Noel
	2100	N/A	
	2400	N/A	

**Wednesday**

Date	Time	Temp.	Name (Print)
8 / 21 / 2024	0300	N/A	
	0600	70	Jacobs
	0900	72	Jacobs
	1200	N/A	
	1500	75	J. Noel
	1800	74	J. Noel
	2100	N/A	
	2400	N/A	

**Thursday**

Date	Time	Temp.	Name (Print)
8 / 22 / 2024	0300	N/A	
	0600	72	Jacobs
	0900	74	Jacobs
	1200	N/A	
	1500	72	J. Noel
	1800	72	J. Noel
	2100	N/A	
	2400	N/A	

**Friday**

Date	Time	Temp.	Name (Print)
8 / 23 / 2024	0300	N/A	
	0600	72	S. Noel
	0900	73	S. Noel
	1200	N/A	
	1500	74	J. Noel
	1800	70	J. Noel
	2100	N/A	
	2400	N/A	

**Saturday**

Date	Time	Temp.	Name (Print)
8 / 24 / 2024	0300	N/A	
	0600	68	MARIE
	0900	69	MARIE
	1200	N/A	
	1500	70	MORENO
	1800	70	MORENO
	2100	N/A	
	2400	N/A	

**Sunday**

Date	Time	Temp.	Name (Print)
8 / 25 / 2024	0300	N/A	
	0600	71	Jacobs
	0900	73	Jacobs
	1200	N/A	
	1500	74	Jacobs
	1800	74	Jacobs
	2100	N/A	
	2400	N/A	

**Notes**


---

---

---

---

---

---

---

---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST    Housing Unit: FACILITY A

Temp. Reading Location: PROGRAM OFFICE

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

#### Monday

Date	Time	Temp.	Name (Print)
8 / 19 / 2024	0300	N/A	
	0600	N/A	
	0900	68	CARIEL
	1200	70	CARIEL
	1500	72	J. COTA
	1800	74	J. COTA
	2100	N/A	
	2400	N/A	

#### Tuesday

Date	Time	Temp.	Name (Print)
8 / 20 / 2024	0300	N/A	
	0600	N/A	
	0900	70	CARIEL
	1200	75	CARIEL
	1500	77	MONTGOMERY
	1800	77	MONTGOMERY
	2100	N/A	
	2400	N/A	

#### Wednesday

Date	Time	Temp.	Name (Print)
8 / 21 / 2024	0300	N/A	
	0600	N/A	
	0900	N/A	
	1200	N/A	
	1500	74	SPALE
	1800	73	SPALE
	2100	N/A	
	2400	N/A	

#### Thursday

Date	Time	Temp.	Name (Print)
8 / 22 / 2024	0300	N/A	
	0600	N/A	
	0900	69	CARIEL
	1200	74	CARIEL
	1500	72	R. VALENCIA
	1800	70	R. VALENCIA
	2100	N/A	
	2400	N/A	

#### Friday

Date	Time	Temp.	Name (Print)
8 / 23 / 2024	0300	N/A	
	0600	67	FONTI
	0900	67	FONTI
	1200	67	FONTI
	1500	69	MONTGOMERY
	1800	69	MONTGOMERY
	2100	N/A	
	2400	N/A	

#### Saturday

Date	Time	Temp.	Name (Print)
8 / 24 / 2024	0300	N/A	
	0600	67	FONTI
	0900	71	FONTI
	1200	71	FONTI
	1500	70	MONTGOMERY
	1800	70	MONTGOMERY
	2100	N/A	
	2400	N/A	

#### Sunday

Date	Time	Temp.	Name (Print)
8 / 25 / 2024	0300	N/A	
	0600	N/A	
	0900	70	CARIEL
	1200	73	CARIEL
	1500	73	MONTGOMERY
	1800	73	MONTGOMERY
	2100	N/A	
	2400	N/A	

#### Notes

---



---



---



---



---



---



---



---

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC-B Bldg. 3 Temp. Reading Location: Tier 3  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	68	P. HENRY
	0600	68	Wilkes
	0900	68	Wilkes
	1200	70	Wilkes
	1500	70	Wilkes
	1800	70	Wilkes
	2100	70	Wilkes
	2400	70	HENRY

## Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	70	HENRY
	0600	70	Chris
	0900	71	Chris
	1200	72	Chris
	1500	76	Wilkes
	1800	74	Wilkes
	2100	72	Wilkes
	2400	72	P. HENRY

## Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	P. HENRY
	0600	70	Chris
	0900	72	Chris
	1200	72	Chris
	1500	72	Wilkes
	1800	70	Wilkes
	2100	70	Wilkes
	2400	70	P. HENRY

## Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	69	P. HENRY
	0600	69	Chris
	0900	70	Chris
	1200	70	Chris
	1500	70	Wilkes
	1800	70	Wilkes
	2100	70	Wilkes
	2400	70	P. HENRY

## Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	69	P. HENRY
	0600	69	Chris
	0900	69	Chris
	1200	72	Chris
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	69	Martinez

## Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	69	Martinez
	0600	66°F	DE LA GAMA
	0900	68°F	DE LA GAMA
	1200	70°F	DE LA GAMA
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	68	Martinez

## Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	68	Martinez
	0600	68	Martinez
	0900	68	R. Vega
	1200	70	R. Vega
	1500	72	Wilkes
	1800	71	Wilkes
	2100	70	Wilkes
	2400	70	HENRY

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CDC Housing Unit: FAC B BLDY Temp. Reading Location: 3rd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	70	Rivera
	0600	71	Villarosa
	0900	72	JohNSON
	1200	72	JohNSON
	1500	72	JohNSON
	1800	71	JohNSON
	2100	70	JohNSON
	2400	70	Rivera

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	70	Rivera
	0600	69	Lopez
	0900	69	Lopez
	1200	70	Lopez
	1500	72	JohNSON
	1800	73	JohNSON
	2100	73	JohNSON
	2400	72	Jensen

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	70	Jensen
	0600	70	ALEMAN
	0900	73	ALEMAN
	1200	73	ALEMAN
	1500	73	JohNSON
	1800	73	JohNSON
	2100	72	JohNSON
	2400	71	AGHA

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	70	AGHA
	0600	70	ALEMAN
	0900	70	ALEMAN
	1200	71	ALEMAN
	1500	71	JohNSON
	1800	72	JohNSON
	2100	72	D. STEPHEN
	2400	72	MORRISON

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	71	MORRISON
	0600	70	Rivera
	0900	70	BENITEZ
	1200	70	TOSTE
	1500	70	TOSTE
	1800	70	TOSTE
	2100	69	TOSTE
	2400	69	Rivera

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	70	Rivera
	0600	68	E. GONZALEZ
	0900	68	E. GONZALEZ
	1200	68	E. GONZALEZ
	1500	68	R. TOSTE
	1800	68	R. TOSTE
	2100	68	R. TOSTE
	2400	70	D. OROZCO

**Notes**

Date	Time	Temp.	Name (Print)
8/25	0300	70	D. OROZCO
	0600	70	BENITEZ
	0900	70	GEMITEZ
	1200	72	GEMITA
	1500	71	GEMITA
	1800	72	GEMITA
	2100	70	GEMITA
	2400	70	D. OROZCO

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: Facility B Diner

Temp. Reading Location: Near Coffee Machine

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/21	0300	N/A	N/A
	0600	76°	S. NOEL
	0900	70°	S. NOEL
	1200	70°	S. NOEL
	1500	77	Sprague
	1800	77	Sprague
	2100	N/A	N/A
	2400	N/A	N/A

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	N/A	N/A
	0600	69	Nermin
	0900	69	Nermin
	1200	61	Nermin
	1500	82	J. P. Irm
	1800	81	J. P. Irm
	2100	N/A	N/A
	2400	N/A	N/A

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	N/A	N/A
	0600	64	Wesley
	0900	69	Wesley
	1200	61	Wesley
	1500	71	Rodriguez
	1800	71	Rodriguez
	2100	N/A	N/A
	2400	N/A	N/A

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	N/A	N/A
	0600	69	Nermin
	0900	69	Nermin
	1200	61	Nermin
	1500	78	J. P. Irm
	1800	81	J. P. Irm
	2100	N/A	N/A
	2400	N/A	N/A

**Friday**

Date	Time	Temp.	Name (Print)
8/24	0300	N/A	N/A
	0600	69	Nermin
	0900	69	Nermin
	1200	64	Nermin
	1500	75	J. P. Irm
	1800	75	J. P. Irm
	2100	N/A	N/A
	2400	N/A	N/A

**Saturday**

Date	Time	Temp.	Name (Print)
8/25	0300	N/A	N/A
	0600	69	Average
	0900	69	Average
	1200	69	Average
	1500	76	Average
	1800	72	Average
	2100	N/A	N/A
	2400	N/A	N/A

**Notes**

Date	Time	Temp.	Name (Print)
8/26	0300	N/A	N/A
	0600	74°	S. NOEL
	0900	74°	S. NOEL
	1200	74°	S. NOEL
	1500	80	R. Vega
	1800	76	R. Vega
	2100	N/A	N/A
	2400	N/A	N/A

DISTRIBUTION: Original: Institution ADA Coordinator

8/19/2024 + 8/25/2024

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: BLOC 5  
FAC. CTemp. Reading Location: BLOC 5 FLR 3(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08-19-2024	0300	69	CALDERON
	0600	69	CARDOZO
	0900	70	Kingsley
	1200	70	Kingsley ✓
	1500	74	GARZA
	1800	74	GARZA
	2100	72	GARZA
	2400	72	Rozzo

**Tuesday**

Date	Time	Temp.	Name (Print)
08-20-2024	0300	72	Rozzo
	0600	74	Kingsley
	0900	74	Kingsley ✓
	1200	74	Kingsley ✓
	1500	80	S.Miguel
	1800	78°	S.Miguel
	2100	74°	S.Miguel
	2400	72°	AGUAYO, T

**Wednesday**

Date	Time	Temp.	Name (Print)
08-21-2024	0300	72°	AGUAYO
	0600	68	J.MAREAN
	0900	72	J.MAREAN
	1200	76	J.MAREAN
	1500	82	S.Miguel
	1800	80°	S.Miguel
	2100	80°	S.Miguel
	2400	79	Rozzo

**Thursday**

Date	Time	Temp.	Name (Print)
08-22-2024	0300	72	R.Martinez
	0600	70	J.MAREAN
	0900	70	J.MAREAN
	1200	71	J.MAREAN
	1500	80°	S.Miguel
	1800	76°	S.Miguel
	2100	75	S.Miguel
	2400	74	Rozzo

**Friday**

Date	Time	Temp.	Name (Print)
08-23-2024	0300	73	Rozzo
	0600	70	Kingsley
	0900	70	Kingsley
	1200	74	Kingsley ✓
	1500	80°	S.Miguel
	1800	80°	S.Miguel
	2100	80°	S.Miguel
	2400	72°	Rozzo

**Saturday**

Date	Time	Temp.	Name (Print)
08-24-2024	0300	70°	Rozzo
	0600	70	Kingsley
	0900	70	Kingsley
	1200	70	Kingsley
	1500	70	S.Miguel
	1800	70	S.Miguel
	2100	66	S.Miguel
	2400	66	Pennisi

**Notes**

Date	Time	Temp.	Name (Print)
08-25-2024	0300	66	Pennisi
	0600	68	Kingsley
	0900	70	Kingsley
	1200	70	Kingsley
	1500	73	S.Miguel
	1800	74	S.Miguel
	2100	71	S.Miguel
	2400	72°	Rozzo

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Building 6 Temp. Reading Location: 3<sup>rd</sup> tier  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc)

FAC. C  
Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/24	0300	73°	S. Bonuelos
	0600	73	Rowlett
	0900	73	Rowlett
	1200	74	Rowlett
	1500	76	Zepeda
	1800	75	Zepeda
	2100	74	Zepeda
	2400	73°	S. Bonuelos

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/24	0300	73°	S. Bonuelos
	0600	73	J. Rowlett
	0900	74	J. Rowlett
	1200	80	J. Rowlett
	1500	80	E. Ayon Flores
	1800	79	E. Ayon Flores
	2100	78	E. Ayon Flores
	2400	75°	S. Bonuelos

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/24	0300	75	S. Bonuelos
	0600	75	Rowlett
	0900	76	Rowlett
	1200	77	Rowlett
	1500	78	E. Ayon Flores
	1800	76	E. Ayon Flores
	2100	76	E. Ayon Flores
	2400	75	E. Ayon Flores

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/24	0300	72	R. Morris
	0600	72	Rowlett
	0900	73	Rowlett
	1200	75	Rowlett
	1500	75	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	75	E. Ayon Flores
	2400	75	M. Carrion

**Friday**

Date	Time	Temp.	Name (Print)
8/23/24	0300	73	Carrion
	0600	72	Gonzales
	0900	72	Gonzales
	1200	75	Gonzales
	1500	75	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	73°	S. Bonuelos

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/24	0300	73°	S. Bonuelos
	0600	79	X. Hernandez
	0900	75	X. Hernandez
	1200	77	X. Hernandez
	1500	79	A. Morales
	1800	76	A. Morales
	2100	76	A. Morales
	2400	74°	S. Bonuelos

**Notes**

Date	Time	Temp.	Name (Print)
8/25/24	0300	73°	S. Bonuelos
	0600	72°	D. Whitehead II
	0900	74°	D. Whitehead II
	1200	76°	D. Whitehead II
	1500	76	A. Zepeda
	1800	76	A. Zepeda
	2100	76	A. Zepeda
	2400	74°	S. Bonuelos

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C.M.C Housing Unit: Faulk C Temp. Reading Location: Diner  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-10-24	0300		N/A
	0600	69°	Montano
	0900	74°	Montano
	1200		N/A
	1500	74	Martinez
	1800	72	Martinez
	2100		
	2400		N/A

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300		N/A
	0600	72°	S. NOEL
	0900	74°	S. NOEL
	1200	74°	S. NOEL
	1500		
	1800		
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300		N/A
	0600	74	Bn
	0900	74	m
	1200		N/A
	1500	74	Ora
	1800	76	Ora
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300		N/A
	0600	70	Montano
	0900	72	Montano
	1200	74	N/A
	1500	74	Ora
	1800	74	Ora
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300		N/A
	0600	70	Montano
	0900	72	Montano
	1200		N/A
	1500	74	WILLIAMS
	1800	74	WILLIAMS
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300		N/A
	0600	70	Montano
	0900	72	Montano
	1200		N/A
	1500	72	Martinez
	1800	72	Martinez
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300		N/A
	0600	69	Montano
	0900	74	Montano
	1200		N/A
	1500	75	Martinez
	1800	74	Martinez
	2100		
	2400		N/A

Notes

---



---



---



---



---



---



---



---

8/19/2024 to 8/25/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

**Attachment B**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 Temp. Reading Location: TIER 3  
*(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)*

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8	0300	70	CALIFORNIA
	0600	70	WITT
	0900	70	WITT
19	1200	74	WITT
	1500	75	WITT
24	1800	73	WITT
	2100	71	WITT
	2400	70	TORRES

## Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	72	T. Faiole
	0600	72	Dennie Len
	0900	74	Dennie Len
	1200	77	Dennie Len
	1500	76°	T. Faiole
	1800	74°	T. Faiole
	2100	74°	T. Faiole
	2400	72	T. Faiole

**Friday**

Date	Time	Temp.	Name (Print)
8/23/24	0300	70°	Livesi
	0600	70°	Chavez
	0900	68°	Chavez
	1200	72°	Chavez
	1500	74°	T. Faighi
	1800	74°	T. Faighi
	2100	72°	T. Faighi
	2400	70°	Livesi

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	69°	Bernardos by
	0600	70	TOMES
	0900	71	TOMES
	1200	72	TOMES
	1500	72	CABRERA
	1800	72	CABRERA
	2100	72	CABRERA
	2400	69°	Bernardos

**Tuesday**

Dat	Time	Temp.	Name (Print)
8	0300	70	Torres 14P
	0600	70	Witt
	0900	72	Witt
20	1200	76	Witt
	1500	80	Witt
24	1800	77	Witt
	2100	76	Witt
	2400	74	Torres

**Thursday**

Date	Time	Temp.	Name (Print)
8	0300	71	T. Ferrell
	0600	70	Dennison
	0900	70	Dennison
	1200	72	Dennison
22	1500	72°	T. F. G. Old
	1800	72°	T. Fairall
	2100	72°	T. Fairall
	2400	70°	T. Fairall

Saturday

Date	Time	Temp.	Name (Print)
8/24/21	0300	70°	Bengtson Chase
	0600	68°	
	0900	70°	Chase
	1200	70°	T. Fazio
	1500	72°	T. Fazio
	1800	74°	T. Fazio
	2100	74°	T. Fazio
	2400	70°	Bengtson

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: BLDG 8      Temp. Reading Location: TIER 3  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300		
	0600	70	E. Gonzalez
	0900	72	E. Gonzalez
	1200	74	E. Gonzalez
	1500	74	Barker
	1800	73	Barker
	2100	73	Barker
	2400	72	Clerde

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	72	Clerde
	0600	74	E. Gonzalez
	0900	78	Gill
	1200	78	J. Lee
	1500	79	P. Morris
	1800	79	A. Morris
	2100	77	M. M. M.
	2400	75	Clerde

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	75	Clerde
	0600	75	Pelayo
	0900	76	Pelayo
	1200	78	Pelayo
	1500	77	Barker
	1800	76	Barker
	2100	75	Barker
	2400	72	Clerde

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	70	Clerde
	0600	70	Pelayo
	0900	72	Pelayo
	1200	73	Pelayo
	1500	79	Barker
	1800	73	Barker
	2100	72	Barker
	2400	72	Clerde

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	72	Clerde
	0600	72	Pelayo
	0900	73	Pelayo
	1200	73	Pelayo
	1500	71	Barker
	1800	70	Barker
	2100	73	Barker
	2400	70	Clerde

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	70	Clerde
	0600	70	Pelayo
	0900	70	Pelayo
	1200	72	Pelayo
	1500	72	Mullings
	1800	72	Mullings
	2100	72	Mullings
	2400	72	Torres

Notes

Date	Time	Temp.	Name (Print)
8-25-24	0300	72	TPMRS
	0600	72	Pelayo
	0900	72	Pelayo
	1200	74	Pelayo
	1500	74	Pelayo
	1800	74	Pelayo
	2100	74	Pelayo
	2400	74	Torres

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST    Housing Unit: **FACILITY D**

Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension **7904** when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/2024	0300	N/A	
	0600	69	Martyan
	0900	69	Martyan
	1200	N/A	
	1500	76	TM
	1800	78	MR
	2100	N/A	
	2400	N/A	

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/2024	0300	N/A	
	0600	69	Martyan
	0900	69	Martyan
	1200	N/A	
	1500	75	BRADEN
	1800	74	BRADEN
	2100	N/A	
	2400	N/A	

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/2024	0300	N/A	
	0600	72	Martyan
	0900	72	Martyan
	1200	N/A	
	1500	79	LINES
	1800	80	LINES
	2100	N/A	
	2400	N/A	

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/2024	0300	N/A	
	0600	72	C. COBB
	0900	72	C. COBB
	1200	N/A	
	1500	74	LINES
	1800	76	LINES
	2100	N/A	
	2400	N/A	

**Friday**

Date	Time	Temp.	Name (Print)
8/23/2024	0300	N/A	
	0600	72	TM
	0900	74	TM
	1200	N/A	
	1500	74	JMM
	1800	71	JMM
	2100	N/A	
	2400	N/A	

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/2024	0300	N/A	
	0600	72	Martyan
	0900	72	Martyan
	1200	N/A	
	1500	76	JMM
	1800	76	JMM
	2100	N/A	
	2400	N/A	

**Sunday**

Date	Time	Temp.	Name (Print)
8/25/2024	0300	N/A	
	0600	70	Martyan
	0900	70	Martyan
	1200	N/A	
	1500	76	TM
	1800	78	TM
	2100	N/A	
	2400	N/A	

**Notes**

---

---

---

---

---

---

---

---

8/19/2024 TO 8/25/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/19/24	0300	72	D SOLIS
	0600	68	JIMESON
	0900	68	JIMESON
	1200	72	JIMESON
	1500	76	HOWELL
	1800	76	HOWELL
	2100	76	HOWELL
	2400	74	JASUAR

**Tuesday**

Date	Time	Temp.	Name (Print)
08/20/24	0300	72	D SOLIS
	0600	73	COLLINS
	0900	77	COLLINS
	1200	80	COLLINS
	1500	83	HOWELL
	1800	83	HOWELL
	2100	75	HOWELL
	2400	75	JASUAR

**Wednesday**

Date	Time	Temp.	Name (Print)
08/21/24	0300	76	Argujo
	0600	70	COLLINS
	0900	74	COLLENS
	1200	78	COLLENS
	1500	74	HOWELL
	1800	78	HOWELL
	2100	76	HOWELL
	2400	74	JASUAR

**Thursday**

Date	Time	Temp.	Name (Print)
08/22/24	0300	72	Argujo
	0600	71	COLLINS
	0900	70	COLLENS
	1200	71	COLLENS
	1500	76	HOWELL
	1800	74	HOWELL
	2100	70	HOWELL
	2400	72	JASUAR

**Friday**

Date	Time	Temp.	Name (Print)
08/23/24	0300	72	Argujo
	0600	72	JIMSON
	0900	72	JIMSON
	1200	74	JIMSON
	1500	76	HOWELL
	1800	74	HOWELL
	2100	72	HOWELL
	2400	75	D SOLIS

**Saturday**

Date	Time	Temp.	Name (Print)
08/24/24	0300	73	D SOLIS
	0600	70	COLLINS
	0900	70	COLLENS
	1200	74	RAMOS
	1500	78	RAMOS
	1800	74	RAMOS
	2100	74	RAMOS
	2400	74	GOMEZ

**Notes**

Date	Time	Temp.	Name (Print)
08/25/24	0300	74	GOMEZ
	0600	74	JIMSON
	0900	74	JIMSON
	1200	74	JIMSON
	1500	80	RAMOS
	1800	76	RAMOS
	2100	76	RAMOS
	2400	76	JASUAR

DISTRIBUTION: Original: Institution ADA Coordinator

12

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: DORM 31  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
08/19/24	0300	70	D. SOLIS
	0600	66	JIMESON
	0900	66	JIMISON
	1200	71	JIMESON
	1500	76	FOWELL
	1800	78	FOWELL
	2100	76	FOWELL
	2400	74	JAGUARZ

Wednesday

Date	Time	Temp.	Name (Print)
08/21/24	0300	74	Argyria
	0600	70	Coccinea
	0900	78	Collina
	1200	79	Coronaria
	1500	76	Hassel
	1800	74	Hassel
	2100	73	Hassel
	2400	73	Vulturina

Friday

Date	Time	Temp.	Name (Print)
08/23/24	0300	72	Aguirre
	0600	72	JIMSON
	0900	72	JAMESON
	1200	72	JIMSON
	1500	74	Hewell
	1800	72	Hewell
	2100	72	Hewell
	2400	72	D. SOLIS

**Sunday**

Date	Time	Temp.	Name (Print)
08/25/24	0300	72	Solis
	0600	72	JAMESON
	0900	72	JIMSON
	1200	72	JIMSON
	1500	78	RAMOS
	1800	76	RAMOS
	2100	74	RAMOS
	2400	77	MURKIN

Tuesday

Dat	Time	Temp.	Name (Print)
08/20/24	0300	72	D. SOLIS
	0600	72	COLLEN S
	0900	77	COLLINS
	1200	82	CULLINS
	1500	84	HAWEL
	1800	82	HAWEL
	2100	75~	HAWEL
	2400	75	VASUMIR

**Thursday**

Date	Time	Temp.	Name (Print)
08/22/24	0300	72	Aguijo
	0600	71	COLLINS
	0900	70	COLLINS
	1200	71	COLLINS
	1500	74	HOWELL
	1800	72	HOWELL
	2100	70	HOWELL
	2400	72	MUSUMI

## **Saturday**

Date	Time	Temp.	Name (Print)
08/24/24	0300	72	Arguejo
	0600	70	COLLINS
	0900	71	CULLINS
	1200	72	RAMOS
	1500	74	RAMOS
	1800	74	RAMOS
	2100	74	RAMOS
	2400	73	CROMEL

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: DORM 32  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
08/19/24	0300	70	D. SOLIS
	0600	66	JIMSON
	0900	66	JIMSON
	1200	74	JIMSON
	1500	76	HAWELL
	1800	78	HAWELL
	2100	76	HAWELL
	2400	74	JASMIN

Tuesday

Day	Time	Temp.	Name (Print)
08/20/24	0300	71	D. SOLIS
	0600	72	COLLENS
	0900	78	COLLENS
	1200	85	CULLINS
	1500	85	HAWELL
	1800	83	HAWELL
	2100	75	HAWELL
	2400	74	VASWANI

Wednesday

Date	Time	Temp.	Name (Print)
08/21/24	0300	72	Argujo
	0600	70	COLLINS JR
	0900	78	COLLINS
	1200	78	COLLINS
	1500	80	Howell
	1800	78	Howell
	2100	76	Howell
	2400	77	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
08/22/24	0300	72	Argelio B
	0600	71	COLLINS
	0900	70	COLLINS
	1200	72	COLLINS
	1500	76	Howell
	1800	74	Howell
	2100	72	Howell
	2400	74	WESCU

Friday

Date	Time	Temp.	Name (Print)
08/23/24	0300	74	Maggie, NO
	0600	68	Simsen
	0900	70	Simsen
	1200	76	Simsen
	1500	76	Howell
	1800	75	Howell.
	2100	73	Howell
	2400	72	D. SD 15

**Saturday**

Date	Time	Temp.	Name (Print)
08/24/24	0300	72	Argujo
	0600	70	Collantes
	0900	71	Collins
	1200	74	Ramos
	1500	74	Ramos
	1800	74	Ramos
	2100	74	Ramos
	2400	73	Gomez

Sunday

Date	Time	Temp.	Name (Print)
08/25/24	0300	72	Gomez
	0600	72	JAMESON
	0900	72	JAMESON
	1200	72	JAMESON
	1500	80	RAMOS
	1800	78	RAMOS
	2100	76	RAMOS
	2400	74	RAMOS

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 33  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/19/24	0300	72	D.SOLIS
	0600	70	JAMESCO
	0900	70	JAMESCO
	1200	72	JAMESCO
	1500	76	HOWELL
	1800	74	HOWELL
	2100	74	HOWELL
	2400	74	VASQUEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
08/20/24	0300	71	D.SOLIS
	0600	72	COLLENS
	0900	76	COLLENS
	1200	79	COLLENS
	1500	82	HOWELL
	1800	80	HOWELL
	2100	75	HOWELL
	2400	75	VASQUEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
08/21/24	0300	74	Argujo
	0600	73	COLLENS
	0900	75	COLLENS
	1200	78	COLLENS
	1500	76	HOWELL
	1800	76	HOWELL
	2100	74	HOWELL
	2400	77	VASQUEZ

**Thursday**

Date	Time	Temp.	Name (Print)
08/22/24	0300	70	Argujo
	0600	70	COLLENS
	0900	70	COLLENS
	1200	70	COLLENS
	1500	74	HOWELL
	1800	74	HOWELL
	2100	70	HOWELL
	2400	72	VASQUEZ

**Friday**

Date	Time	Temp.	Name (Print)
08/23/24	0300	72	Argujo
	0600	69	JAMESCO
	0900	70	JAMESCO
	1200	74	JAMESCO
	1500	74	HOWELL
	1800	73	HOWELL
	2100	72	HOWELL
	2400	72	D.SOLIS

**Saturday**

Date	Time	Temp.	Name (Print)
08/24/24	0300	72	Argujo
	0600	70	COLLENS
	0900	71	COLLENS
	1200	72	RAMOS
	1500	74	RAMOS
	1800	74	RAMOS
	2100	74	RAMOS
	2400	73	FRANCER

**Notes**

Date	Time	Temp.	Name (Print)
08/25/24	0300	72	GOMEZ
	0600	72	JAMESCO
	0900	72	JAMESCO
	1200	72	JAMESCO
	1500	80	RAMOS
	1800	78	RAMOS
	2100	78	RAMOS
	2400	74	VASQUEZ

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: DORM 34  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday		Date	Time	Temp.	Name (Print)
08/19/24	0300	70	D. SOLIS		
	0600	70	JAMESON		
	0900	70	JJ. JAMESON		
	1200	70	JAMESON		
	1500	74	Hewell		
	1800	74	Hewell		
	2100	72	Hewell		
	2400	77	JAMESON		

Wednesday

Date	Time	Temp.	Name (Print)
08/21/24	0300	72	Argoje B
	0600	74	COLLENS
	0900	75	COLLENS
	1200	80	COLLENS
	1500	76	Hewell
	1800	72	Hewell
	2100	71	Hewell
	2400	70	Argoje

Friday

Date	Time	Temp.	Name (Print)
08/23/24	0300	72	ARROWJO
	0600	67	SIMON
	0900	70	JUNIOR
	1200	72	JUNIOR
	1500	72	FOWELL
	1800	71	FOWELL
	2100	70	FOWELL
	2400	70	D-SOFTS

## Sunday

Date	Time	Temp.	Name (Print)
08/25/24	0300	70	GOMEZ
	0600	70	JARRELL
	0900	78	JARRELL
	1200	70	JARRELL
	1500	78	RAMOS
	1800	76	RAMOS
	2100	71	RAMOS
	2400	74	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
08/20/24	0300	70	D. SOLIS
	0600	70	COLLINS
	0900	77	COLLINS
	1200	82	COLLINS
	1500	82	HANDEL
	1800	79	HANDEL
	2100	75	HANDEL
	2400	72	WATKINS

**Thursday**

Date	Time	Temp.	Name (Print)
08/22/24	0300	70	Argujeo
	0600	70	COLLINS
	0900	70	COL-LINS
	1200	70	COLLINS
	1500	73	Hawel
	1800	72	Hawel
	2100	70	Hawel
	2400	72	Jr-SUN-ER

## **Saturday**

Date	Time	Temp.	Name (Print)
08/24/24	0300	70	Agejo
	0600	70	Couture
	0900	71	cousins
	1200	70	Ramos
	1500	74	Ramos
	1800	74	Ramos
	2100	72	Ramos
	2400	71	Goyer

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC PROGRAM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/19/24	0300	70	D.Solis
	0600	67	JIMEXO
	0900	69	JIMEXO
	1200	70	JIMEXO
	1500	74	Howell
	1800	72	Howell
	2100	70	Howell
	2400	70	JASMIN

**Tuesday**

Date	Time	Temp.	Name (Print)
08/20/24	0300	68	D.Solis
	0600	72	COLLINS
	0900	72	COLLINS
	1200	73	COLLINS
	1500	76	Howell
	1800	75	Howell
	2100	74	Howell
	2400	72	MARINA

**Wednesday**

Date	Time	Temp.	Name (Print)
08/21/24	0300	72	Argoje
	0600	74	COLLINS
	0900	75	COLLINS
	1200	73	COLLINS
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	JASMIN

**Thursday**

Date	Time	Temp.	Name (Print)
08/22/24	0300	70	Argoje
	0600	71	COLLINS
	0900	70	COLLINS
	1200	70	COLLINS
	1500	70	Howell
	1800	68	Howell
	2100	66	Howell
	2400	68	JASMIN

**Friday**

Date	Time	Temp.	Name (Print)
08/23/24	0300	68	Argoje
	0600	68	JIMEXO
	0900	70	JIMEXO
	1200	70	JIMEXO
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Howell

**Saturday**

Date	Time	Temp.	Name (Print)
08/24/24	0300	70	D.Solis
	0600	70	COLLINS
	0900	71	COLLINS
	1200	70	RAMOS
	1500	74	RAMOS
	1800	72	RAMOS
	2100	72	RAMOS
	2400	71	CROMER

**Notes**

Date	Time	Temp.	Name (Print)
08/25/24	0300	70	CROMER
	0600	70	JIMEXO
	0900	70	JIMEXO
	1200	70	JIMEXO
	1500	70	RAMOS
	1800	72	RAMOS
	2100	72	RAMOS
	2400	70	JASMIN

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

2024

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300		N/A
	0600	70°	Hampton
	0900	72°	Hampton
	1200	70°	Jones
	1500	72°	Jones
	1800	74°	Jones
	2100		N/A
	2400		N/A

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300		N/A
	0600	74°	J. Feist
	0900	74°	J. Feist
	1200	75°	Jones
	1500	76°	Jones
	1800	76°	Jones
	2100		N/A
	2400		N/A

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300		N/A
	0600	70°	J. Feist
	0900	70°	J. Feist
	1200	70°	Hampton
	1500	72°	Hampton
	1800	70°	Hampton
	2100		N/A
	2400		N/A

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300		N/A
	0600	70°	Hampton
	0900	72°	Hampton
	1200	74°	Jones
	1500	76°	Jones
	1800	75°	Jones
	2100		N/A
	2400		N/A

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300		N/A
	0600	70°	J. Feist
	0900	70°	J. Feist
	1200	78°	Jones
	1500	80°	Jones
	1800	80°	Jones
	2100		N/A
	2400		N/A

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300		N/A
	0600	70°	J. Feist
	0900	70°	J. Feist
	1200	70°	Jones
	1500	73°	Jones
	1800	73°	Jones
	2100		N/A
	2400		N/A

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300		N/A
	0600	68°	J. Feist
	0900	70°	J. Feist
	1200	72°	Hampton
	1500	72°	Hampton
	1800	70°	Hampton
	2100		N/A
	2400		N/A

**Notes**

---



---



---



---



---



---



---



---

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: MINI CANTEEN  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
08/19/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	67	Jimmy
	1200	70	Jimmy
	1500	76	Howell
	1800	78	Howell
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
08/20/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	75	COLLINS
	1200	77	COLLINS
	1500	77	HAYEL
	1800	75	HAYEL
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
08/21/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	74	COLLINS
	1200	80	COLLINS
	1500	78	Howell
	1800	76	Howell
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Thursday

Date	Time	Temp.	Name (Print)
08/22/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	COLLINS
	1200	70	COLLINS
	1500	76	Hawley
	1800	74	Hawley
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Friday

Date	Time	Temp.	Name (Print)
08/23/24	0300	NO ACCESS	NO ACCESS ✓
	0600	NO ACCESS	NO ACCESS
	0900	70	JAMESON
	1200	70	JAMESON
	1500	74	HOLLOWELL
	1800	74	HOLLOWELL
	2100	NO ACCESS	NO ACCESS ✓
	2400	NO ACCESS	NO ACCESS

## Saturday

Date	Time	Temp.	Name (Print)
08/24/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	71	COLLINS
	1200	72	RAMOS
	1500	74	RAMOS
	1800	72	RAMOS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
08/25/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	J. Thompson
	1200	70	J. Thompson
	1500	74	Ramos
	1800	74	Ramos
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>8/21/24</u>	0300		N/A
	0600		
	0900	72	Gottesfeld
	1200	74	11
	1500		
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>8/21/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
<u>8/23/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
<u>8/25</u>	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300		N/A
	0600		
	0900	74	Gottesfeld
	1200	76	11
	1500	78	
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**


---

---

---

---

---

---

---

---

**STATE OF CALIFORNIA**

## **INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC**

Housing Unit: Canteen

Temp. Reading Location:

Temp. Reading Location: Main Office  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday** 8/19

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	
	1200	71	S
	1500	74	W
	1800	74	SC
	2100		
	2400		N/A

Wednesday 8/2\

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	(W)
	1200	76	(R)
	1500	75	(W)
	1800	73	(R)
	2100		
	2400		N/A

**Friday** 8/23

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	(M)
	1200	71	BC
	1500	72	(M)
	1800	71	(M)
	2100		N/A
	2400		

Sunday 8/25

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDC
	1500		
	1800		
	2100		
	2400		

**Tuesday**

8/26

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	
	1200	75	(E)
	1500	73	(E)
	1800	72	(E)
	2100		
	2400		N/A

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	an
	1200	74	c
	1500	74	e
	1800	73	36
	2100		
	2400		N/A

### Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2<sup>nd</sup> FLOOR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/19/2024	0300	—	—
	0600	69	MACIEL
	0900	69	MACIEL
	1200	69	MACIEL
	1500	69	WEBB
	1800	69	WEBB
	2100	—	—
	2400	—	—

Tuesday			
Date	Time	Temp.	Name (Print)
8/20/2024	0300	—	—
	0600	69	MACIEL
	0900	72	MACIEL
	1200	75	MACIEL
	1500	75	WEBB
	1800	74	WEBB
	2100	—	—
	2400	—	—

Wednesday			
Date	Time	Temp.	Name (Print)
8/21/2024	0300	—	—
	0600	62	Mederos
	0900	64	Mederos
	1200	66	Mederos
	1500	66	Mederos
	1800	68	Mederos
	2100	—	—
	2400	—	—

Thursday			
Date	Time	Temp.	Name (Print)
8/22/2024	0300	—	—
	0600	64	Mederos
	0900	64	Mederos
	1200	69	SCOTT
	1500	68	SCOTT
	1800	68	SCOTT
	2100	—	—
	2400	—	—

Friday			
Date	Time	Temp.	Name (Print)
8/23/2024	0300	—	—
	0600	64	Mederos
	0900	66	Mederos
	1200	69	WEBB
	1500	69	WEBB
	1800	69	WEBB
	2100	—	—
	2400	—	—

Saturday			
Date	Time	Temp.	Name (Print)
8/24/2024	0300	—	—
	0600	64	Mederos
	0900	66	Mederos
	1200	68	WEBB
	1500	68	WEBB
	1800	68	WEBB
	2100	—	—
	2400	—	—

Sunday			
Date	Time	Temp.	Name (Print)
8/25/2024	0300	—	—
	0600	66	SCOTT
	0900	68	SCOTT
	1200	69	WEBB
	1500	70	WEBB
	1800	71	WEBB
	2100	—	—
	2400	—	—

## Notes

---

---

---

---

---

---

---

---

8/19/2024 TO 8/25/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATTACHMENT B  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant Dps Temp. Reading Location: Z-150a  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	73	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	72	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	72	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75	G Gary
	1200	77	G Gary
	1500	77	G Gary
	1800		
	2100		N/A
	2400		

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	G Gary
	1200	73	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - E Housing Unit: Knitting Mill

Temp. Reading Location: Floor Is. Lc  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/19	0300		
	0600		N/A
	0900	80°	Richardson
	1200	85°	Richardson
	1500	90°	Richardson
	1800		
	2100		
	2400		N/A

## Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300		
	0600		N/A
	0900	84°	Richardson
	1200	81°	Richardson
	1500	82°	Richardson
	1800		
	2100		
	2400		N/A

## Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300		N/A
	0600		
	0900	78°	Richardson
	1200	81°	Richardson
	1500	83°	Richardson
	1800		
	2100		N/A
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8/22	0300		N/A
	0600		
	0900	76°	Richardson
	1200	81°	Richardson
	1500	86°	Richardson
	1800		
	2100		
	2400		N/A

## Friday

Date	Time	Temp.	Name (Print)
8/23	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

8-19-24 — 8-22-24

DISTRIBUTION: Original: Institution ADA Coordinator

8/19/2024 + 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: CAL PIA

Temp. Reading Location: MPR

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8-19	0300		N/A
	0600	75°	C.Sanchez
	0900	76°	C.Sanchez
	1200	79°	R.E.Sleban
	1500	80°	C.Sanchez
	1800		
	2100		N/A
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8-21	0300		N/A
	0600	78°	C.Sanchez
	0900	80°	C.Sanchez
	1200	82°	C.Sanchez
	1500	85°	C.Sanchez
	1800		
	2100		N/A
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/23	0300		
	0600		ROC
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		ROC
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

## Tuesday

Date	Time	Temp.	Name (Print)
8-20	0300		N/A
	0600	75°	C.Sanchez
	0900	80°	R.Tchatekian
	1200	82°	C.Sanchez
	1500	83°	C.Sanchez
	1800		
	2100		N/A
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8-22	0300		N/A
	0600	76°	C.Sanchez
	0900	78°	C.Sanchez
	1200	79°	C.Sanchez
	1500	80°	C.Sanchez
	1800		
	2100		N/A
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		ROC
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

---

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
DCR 2021 (0418)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit PRINT PLANT Temp. Reading Location: Central Post, 1st tier

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday MONTH / YEAR: AUGUST, 2024

Date	Time	Temp.	Name (Print)
19	0300		N/A
	0600		
	0900	64	PM
	1200	70	PM
	1500	75	PM
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
21	0300		N/A
	0600		
	0900	70	PM
	1200	78	PM
	1500	79	PM
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
23	0300		
	0600		
	0900	70	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
25	0300		
	0600		
	0900	70	
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
22	0300		N/A
	0600		
	0900	75	PM
	1200	80	PM
	1500	82	PM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
24	0300		N/A
	0600		
	0900	64	PM
	1200	69	PM
	1500	70	PM
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
24	0300		
	0600		
	0900	70	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

ATTACHMENT B  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: Inmate Office  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8/19</u>	0300		N/A
	0600		
	0900	76°	S.K
	1200	77	GSC
	1500		
	1800		N/A
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
<u>8/21</u>	0300		N/A
	0600		
	0900	78°	Rodriguez
	1200	78°	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
<u>8/23</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
<u>8/25</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
<u>8/20</u>	0300		N/A
	0600		
	0900	78°	Rodriguez
	1200	77	S.R
	1500		
	1800		
	2100		N/A
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
<u>8/22</u>	0300		N/A
	0600		
	0900	76°	Rodriguez
	1200	76°	Rodriguez
	1500		
	1800		
	2100		N/A
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

8/19/2024 TO 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Jackpot Factory Temp. Reading Location: 2<sup>nd</sup> Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/19	0300		
	0600		
	0900	60	J. Diaz
	1200	71	J. Diaz
	1500	73	J. Diaz
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300		
	0600		
	0900	71	J. Diaz
	1200	80	J. Diaz
	1500	81	J. Diaz
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300		
	0600		
	0900	71	J. Diaz
	1200	73	J. Diaz
	1500	71	J. Diaz
	1800		
	2100		
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8/22	0300		
	0600		
	0900	61	J. Diaz
	1200	70	J. Diaz
	1500	70	J. Diaz
	1800		
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/23	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Notes

---



---



---



---



---



---



---



---

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA

Temp. Reading Location: West Process  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/19	0300		
	0600		
	0900	78	SWayment
	1200	82	SWayment
	1500	75	SWayment
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300		
	0600		
	0900	78	SWayment
	1200	84	SWayment
	1500	80	SWayment
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300		
	0600		
	0900	80	SWayment
	1200	87	SWayment
	1500	89	SWaym
	1800		
	2100		
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8/22	0300		
	0600		
	0900	78	SWayment
	1200	78	SWaym
	1500		
	1800		
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/23	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

RDO

RDO

DISTRIBUTION: Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMCHousing Unit: SHOE Factory

Temp. Reading Location:

Clerk Wall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300		N/A
	0600	79°	Rick H
	0900	81°	
	1200	85°	
	1500	85.88	
	1800		N/A
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300		N/A
	0600	79°	Rick H
	0900	80°	R. Fant
	1200	80°	
	1500	82°	
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300		N/A
	0600		
	0900	76°	Rick H
	1200	86°	R. Fant
	1500	88°	R. Fant
	1800		
	2100		
	2400		N/A

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300		N/A
	0600	76°	Rick H
	0900	77°	Rick H
	1200	79°	R. Fant
	1500	81°	R. Fant
	1800		
	2100		
	2400		N/A

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**


---

---

---

---

---

---

---

---

8/19/2024 + 8/25/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CML Housing Unit: P1a

Temp. Reading Location:

Safety-TShir  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4431 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70	J. Johnson
	0900	75	J. Johnson
	1200	77	J. Johnson
	1500	82	J. Johnson
	1800		
	2100		N/A
	2400		

Wednesday 8/21

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70	J. Johnson
	0900	75	J. Johnson
	1200	80	J. Johnson
	1500	83	J. Johnson
	1800		
	2100		N/A
	2400		

Friday 8/23

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 8/25

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	75	J. Johnson
	0600	75	J. Johnson
	0900	75	J. Johnson
	1200	82	J. Johnson
	1500	90	J. Johnson
	1800		
	2100		
	2400		N/A

Thursday 8/22

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	78	J. Johnson
	0900	78	J. Johnson
	1200	78	J. Johnson
	1500	85	J. Johnson
	1800		
	2100		
	2400		N/A

Saturday 8/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: HFM      Temp. Reading Location: HFM MAIN OFFICE  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300		N/A
	0600	73°	
	0900	73°	A/H
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300		N/A
	0600	77°	
	0900	77°	A/H
	1200	77°	
	1500	77°	
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300		N/A
	0600	77°	
	0900	77°	A/H
	1200	77°	
	1500	77°	
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300		N/A
	0600	77°	
	0900	77°	A/H
	1200	77°	
	1500	77°	
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300		N/A
	0600	73°	
	0900	73°	F/S
	1200	73°	
	1500	73°	
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900		
	1200		C/C
	1500		
	1800		
	2100		
	2400		

**Notes**


---

---

---

---

---

---

---

---

DISTRIBUTION: Original: Institution ADA Coordinator

8/19/2024 to 8/25/2024

From Sept. 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp. Reading Location: **Protestant Chapel EAST**

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		N/A
	0900	66	66
	1200	70	70
	1500		
	1800		
	2100		
	2400		N/A

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300		N/A
	0600		
	0900	68	68
	1200	70	70
	1500	72	72
	1800		
	2100		
	2400		N/A

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

---



---



---



---



---



---



---



---



---

8/19/2024 to 8/25/2024

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-19-2024	0100	52	Dominguez
	0200	52	Dominguez
	0300	52	Dominguez
	0400	51	Dominguez
	0500	51	Dominguez
	0600	51	DeLaTorre
	0700	51	DeLaTorre
	0800	60	Garcia
	0900	64	Garcia
	1000	64	Garcia
	1100	72	DeLaTorre
	1200	67	Stone
	1300	77	Stone
	1400	77	Dominguez
	1500	76	Rupp
	1600	73	Rupp
	1700	70	Dominguez
	1800	67	Dominguez
	1900	64	Dominguez
	2000	62	Dominguez
	2100	57	Rupp
	2200	55	Zepeda
	2300	55	Zepeda
	2400	54	Zepeda

Date	Time	Temp.	Printed Name
8-20-2024	0100	54	Dominguez
	0200	54	Zepeda
	0300	60	Zepeda
	0400	62	Zepeda
	0500	67	Zepeda
	0600	68	Zepeda
	0700	71	DeLaTorre
	0800	76	DeLaTorre
	0900	80	DeLaTorre
	1000	82	DeLaTorre
	1100	85	DeLaTorre
	1200	86	DeLaTorre
	1300	84	DeLaTorre
	1400	83	Dominguez
	1500	82	Dominguez
	1600	77	Dominguez
	1700	74	Dominguez
	1800	71	Dominguez
	1900	67	Dominguez
	2000	62	Rupp
	2100	62	Rupp
	2200	58	Zepeda
	2300	58	Zepeda
	2400	57	Dominguez

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CNC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/21/24	0100	57	Dominguez
	0200	58	Dominguez
	0300	55	Dominguez
	0400	62	Zefaria
	0500	63	Zefaria
	0600	63	Zefaria
	0700	61	Delatorre
	0800	68	Delatorre
	0900	70	Delatorre
	1000	75	Delatorre
	1100	77	Delatorre
	1200	78	Delatorre
	1300	74	Stone
	1400	74	Hernandez
	1500	72	Hernandez
	1600	71	Hernandez
	1700	68	Hernandez
	1800	65	Hernandez
	1900	59	Hernandez
	2000	54	Hernandez
	2100	55	Hernandez
	2200	51	Zefaria
	2300	51	Zefaria
	2400	50	Zefaria

Date	Time	Temp.	Printed Name
8/22/24	0100	52	Zefaria
	0200	52	Zefaria
	0300	52	Zefaria
	0400	52	Zefaria
	0500	52	Zefaria
	0600	52	Zefaria
	0700	52	Delatorre
	0800	54	Delatorre
	0900	58	Delatorre
	1000	65	Delatorre
	1100	70	Delatorre
	1200	70	Delatorre
	1300	70	Delatorre
	1400	70	Hernandez
	1500	69	Hernandez
	1600	67	Hernandez
	1700	66	Hernandez
	1800	64	Hernandez
	1900	60	Hernandez
	2000	58	Hernandez
	2100	58	Hernandez
	2200	58	Hernandez
	2300	58	Zefaria
	2400	58	Zefaria

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: East Wall off

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/23/24	0100	58	Zefers, J.
	0200	54	Hernandez
	0300	54	Hernandez
	0400	54	Hernandez
	0500	53	Zefers, J.
	0600	53	Zefers, J.
	0700	55	Stone
	0800	57	Stone
	0900	63	Silber
	1000	68	Delutore
	1100	70	Delutore
	1200	71	Delutore
	1300	71	Stone
	1400	71	Stone
	1500	71	Stone
	1600	70	Rupp
	1700	70	Rupp
	1800	70	Rupp
	1900	67	Rupp
	2000	63	Rupp
	2100	60	Rupp
	2200	57	Zefers, J.
	2300	57	Zefers, J.
	2400	56	Zefers, J.

Date	Time	Temp.	Printed Name
8/24/24	0100	56	Zefers
	0200	59	Zefers
	0300	51	Zefers
	0400	51	Zefers
	0500	51	Zefers
	0600	51	Zefers
	0700	50	Stone
	0800	54	Stone
	0900	60	Stone
	1000	68	Stone
	1100	72	Stone
	1200	71	Stone
	1300	71	Stone
	1400	70	Rupp
	1500	70	Rupp
	1600	70	Rupp
	1700	69	Rupp
	1800	67	Rupp
	1900	62	Rupp
	2000	60	Rupp
	2100	56	Zefers
	2200	56	Zefers
	2300	56	Zefers
	2400	55	Zefers

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL SERVICE WEATHER STATION

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5.25.24	0100	62	Dominguez
	0200	62	Dominguez
	0300	62	Dominguez
	0400	63	Dominguez
	0500	63	Dominguez
	0600	65	STONE
	0700	67	STONE
	0800	69	STONE
	0900	70	STONE
	1000	71	STONE
	1100	75	STONE
	1200	78	STONE
	1300	81	STONE
	1400	80	HUFF
	1500	78	HUFF
	1600	74	HUFF
	1700	70	HUFF
	1800	70	HUFF
	1900	69	HUFF
	2000	68	HUFF
	2100	68	HUFF
	2200	67	Dominguez
	2300	67	Dominguez
	2400	66	Dominguez

Date	Time	Temp.	Printed Name
5.26.24	0100	64	Dominguez
	0200	64	Dominguez
	0300	64	Dominguez
	0400	67	Dominguez
	0500	67	Dominguez
	0600	70	Deftorse
	0700	71	Deftorse
	0800	72	Deftorse
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

8/26/2024

to

9/1/2024

STATE OF CALIFORNIA

REHABILITATION

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND

From August 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list August be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 26, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Wednesday August 28, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Friday August 30, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66	J FARAO
	1200	68	11 11
	1500		11 11
	1800		
	2100		N/A
	2400		

Sunday August 1, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J FARAO
	1200	68	11 11
	1500	70	11 11
	1800		
	2100		N/A
	2400		

Tuesday August 27, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday August 29, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66	J FARAO
	1200	68	11 11
	1500	70	11 11
	1800		
	2100		
	2400		N/A

Saturday August 31, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	67	J FARAO
	0900	67	" "
	1200	68	11 11
	1500		
	1800		
	2100		N/A
	2400		

## Notes

---



---



---



---



---



---



---



---



---

Kelly.Warnes@cdcr.gov

DISTRIBUTION: Original: Institution ADA Coordinator

8/26/2024

to

9/1/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L Temp. Reading Location: Clothing Dist.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/26	0300		N/A
	0600		
	0900	74	ARTHUR CARTER
	1200	76	ARTHUR CARTER
	1500	80	ARTHUR CARTER
	1800		
	2100		N/A
	2400		N/A

## Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300		N/A
	0600		
	0900	75°	ARTHUR CARTER
	1200	77	ARTHUR CARTER
	1500	80	ARTHUR CARTER
	1800		
	2100		N/A
	2400		N/A

## Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300		N/A
	0600		
	0900	74	ARTHUR CARTER
	1200	76	ARTHUR CARTER
	1500	80	ARTHUR CARTER
	1800		
	2100		N/A
	2400		N/A

## Thursday

Date	Time	Temp.	Name (Print)
8/29	0300		N/A
	0600		
	0900	70°	ARTHUR CARTER
	1200	74°	ARTHUR CARTER
	1500	76°	ARTHUR CARTER
	1800		
	2100		N/A
	2400		N/A

## Friday

Date	Time	Temp.	Name (Print)
8/30	0300		N/A
	0600		
	0900	70°	ARTHUR CARTER
	1200	72°	ARTHUR CARTER
	1500	78	ARTHUR CARTER
	1800		
	2100		N/A
	2400		N/A

## Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

Arthur Cart  
MS551 CLOTHING DISTRIBUTION

AUG 26 2024

Docugen Envelope ID: 7B4FFD84-B03D-46C2-BD33-1AA96500E045

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: \_\_\_\_\_ Temp. Reading Location: VOCATIONAL WELDING, Z-103  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 8/26/2024
	1200	73	J. Fogo
	1500	81	J. Fogo
	1800		
	2100		N/A
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	64	J. Fogo 8/27/2024
	1200	81	J. Fogo
	1500	82	J. Fogo
	1800		
	2100		N/A
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 8/28/2024
	1200	72	J. Fogo
	1500	78	J. Fogo
	1800		
	2100		N/A
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66	J. Fogo 8/29/2024
	1200	73	J. Fogo
	1500	79	J. Fogo
	1800		
	2100		N/A
	2400		

## Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	NO	J. Fogo 8/23/2024
	1200	I/P	J. Fogo
	1500	CONTACT	J. Fogo
	1800		
	2100		N/A
	2400		

## Saturday 8/31

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday 9/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Notes

---



---



---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: D-101      Temp. Reading Location: 1st Tier  
*Unassigned* (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	NO INMATE CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	NO INMATE CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	NO INMATE CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	NO INMATE CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	NO INMATE CONTACT	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: East Gym      Temp. Reading Location: East Education Coaches' Office  
G102A  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/2024	0300		
	0600		
	0900	70°	B. Ferrall
	1200	72°	B. Ferrall
	1500	74°	B. Ferrall
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/2024	0300		
	0600		
	0900	70°	B. Ferrall
	1200	72°	B. Ferrall
	1500	74°	B. Ferrall
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/2024	0300		
	0600		
	0900	67°	B. Ferrall
	1200	70°	B. Ferrall
	1500	72°	B. Ferrall
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/2024	0300		
	0600		
	0900	63°	B. Ferrall
	1200	70°	B. Ferrall
	1500	71°	B. Ferrall
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/30/2024	0300		
	0600		
	0900	RDO	B. Ferrall
	1200	RDO	B. Ferrall
	1500	RDO	B. Ferrall
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday** 9/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

**Notes**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the Inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	77.1	Mensing
	1200	85.2	Mensing
	1500	85.3	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	77.6	Mensing
	1200	78.3	Mensing
	1500	77.3	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	77.1	Mensing
	1200	76.4	Mensing
	1500	77.2	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/2024	0300	XXX	XX
	0600	XXX	XX
	0900	78.0	Mensing
	1200	77.9	Mensing
	1500	76.0	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	77.1	Mensing
	1200	76.4	Mensing
	1500	77.2	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
9/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO****Notes**

D. Mensing, GED Instructor Ext. 4625

AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26	0300		N/A
	0600		N/A
	0900	71	S. MOORE/C. BERRY
	1200	70	S. MOORE/C. BERRY
	1500	69	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8-27	0300		N/A
	0600		N/A
	0900	74	S. MOORE/C. BERRY
	1200	74	S. MOORE/C. BERRY
	1500	74	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8-28	0300		N/A
	0600		N/A
	0900	72	S. MOORE/C. BERRY
	1200	72	S. MOORE/C. BERRY
	1500	72	S. MOORE/C. BERRY C/02
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-29	0300		N/A
	0600		N/A
	0900	74	S. MOORE/C. BERRY
	1200	76	S. MOORE/C. BERRY
	1500	78	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8-30	0300		N/A
	0600		N/A
	0900	74	S. MOORE/C. BERRY
	1200	74	S. MOORE/C. BERRY
	1500	74	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8-31	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

RDO

---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup> the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the heat risk list is housed). The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution U.S.T. Housing Unit 2-1-1 Temp. Reading Location \_\_\_\_\_  
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/16	0300		N/A
	0600		
	0900	71°	
	1200	77°	
	1500	78°	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/18	0300		N/A
	0600		
	0900	71°	
	1200	74°	
	1500	74°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/23	0300		N/A
	0600		
	0900	72°	
	1200		
	1500		
	1800		
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600		
	0900	71°	
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/21	0300		N/A
	0600		
	0900	71°	
	1200		
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300		N/A
	0600		
	0900	66°	
	1200	66°	
	1500	67°	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

AUG 26 2024

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top-tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMCHousing Unit: Classroom D-104Temp. Reading Location: Teacher's Desk(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600		N/A
	0900	81	Todd
	1200	85	Todd
	1500	88	Todd
	1800		
	2100		N/A
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300		
	0600		N/A
	0900	73	Todd
	1200	77	Todd
	1500	82	Todd
	1800		
	2100		N/A
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300		
	0600		N/A
	0900	72	Todd
	1200	76	Todd
	1500	80	Todd
	1800		
	2100		N/A
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8/29	0300		
	0600		N/A
	0900	71	Todd
	1200	75	Todd
	1500	77	Todd
	1800		
	2100		N/A
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/30	0300		
	0600		
	0900		Todd
	1200	C	Todd
	1500	C	Todd
	1800		
	2100	C	
	2400	C	

## Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: 2-234 Temp. Reading Location: 1125xx/1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/26	0300		N/A
8/26	0600		N/A
8/26	0900	72	Rebecca D
8/26	1200		
8/26	1500		
8/27	1800		
8/27	2100		N/A
8/27	2400		N/A

## Tuesday

Date	Time	Temp.	Name (Print)
8/28	0300		N/A
8/28	0600		N/A
8/28	0900		
8/28	1200	81	Rebecca D
8/28	1500		
8/28	1800		
8/28	2100		N/A
8/28	2400		N/A

## Wednesday

Date	Time	Temp.	Name (Print)
8/29	0300		N/A
8/29	0600		N/A
8/29	0900	81	Rebecca D
8/29	1200	83	Rebecca D
8/29	1500		
8/29	1800		
8/29	2100		N/A
8/29	2400		N/A

## Thursday

Date	Time	Temp.	Name (Print)
8/30	0300		
8/30	0600		
8/30	0900		
8/30	1200		
8/30	1500		
8/30	1800		
8/30	2100		
8/30	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/31	0300		
8/31	0600		
8/31	0900	81	
8/31	1200	83	
8/31	1500	83	
8/31	1800		
8/31	2100		
8/31	2400		

## Saturday

Date	Time	Temp.	Name (Print)
9/1	0300		
9/1	0600		
9/1	0900		
9/1	1200		
9/1	1500		
9/1	1800		
9/1	2100		
9/1	2400		

## Sunday

Date	Time	Temp.	Name (Print)
9/1	0300		
9/1	0600		
9/1	0900		
9/1	1200		
9/1	1500		
9/1	1800		
9/1	2100		
9/1	2400		

## Notes

RDC

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
COCR 0031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

~~DECLASSIFIED, K-100-3~~

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SMC

Housing Unit: ~~D106~~

Temp. Reading Location: East Education

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904

when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	/	METROGEN
	0600		
	0900	74	
	1200	76	
	1500	82	
	1800	/	
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	/	METROGEN
	0600		
	0900	78	
	1200	76	
	1500	80	
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	/	METROGEN
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	/	METROGEN
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	/	METROGEN
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

~~Not applicable, RDO is air-conditioned~~

DISTRIBUTION: Original: Institution Heat Plan Coordinator

AUG 26 2024

DocuSign Envelope ID: 758E5B8E-4D1D-425C-9DAB-4621D5088CD2

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: N/ATemp, Reading Location: Z-221 Voc. Build. Maint.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)Immediately notify the Watch Commander at extension 4617 when the inside air temperature reaches 90 degrees and again at 95 degrees.**Monday**

Date	Time	Temp.	Name (Print)
8/26/24	0300		No I.P.
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/24	0300		No I.P.
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/24	0300		No I.P.
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/24	0300		No I.P.
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/30/24	0300		No I.P.
	0600		Contact
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/24	0300		
	0600		
	0900		N/A -- RDO
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
9/1/24	0300		
	0600		
	0900		
	1200		N/A -- RDO
	1500		
	1800		
	2100		
	2400		

**Notes**


---

---

---

---

---

---

---

---

AUG 26 2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: CMC Housing Unit: B-135 EDU, OFFICE Temp. Reading Location: 1st Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600		N/A
	0900	75	
	1200	79.9	E. Boaz
	1500	79.0	
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300		
	0600		N/A
	0900	67	Thompson
	1200	72	Thompson
	1500	74	Thompson
	1800		
	2100		
	2400		N/A

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300		N/A
	0600		
	0900	68.8	Henderson
	1200	73	Henderson
	1500	75	Henderson
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300		N/A
	0600		
	0900	68	Thompson
	1200	70.2	Thompson
	1500	70.1	Henderson
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300		N/A
	0600		
	0900	67.3	E. Boaz
	1200	71.2	E. Boaz
	1500	70.9	E. Boaz
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

**STATE OF CALIFORNIA**

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

**Housing Unit:**

Temp. Reading Location:

Library D-100100  
1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp:	Name (Print)
	0300		N/A
	0600		
Sept	0900	74	A. GARCIA
	1200	83	A. GARCIA
	1500	82	A. GARCIA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300		N/A
	0600		N/A
	0900	72	A. Garcia
	1200	70	A. Garcia
	1500	78	A. Garcia
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/30	0300		N/A
	0600		
	0900	72	L. Miller
	1200	74	L. Miller
	1500	78	L. Miller
	1800		N/A
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900	R170	
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
8/27	0900	72	A. Garcia
	1200	78	A. Garcia
	1500	79	A. Garcia
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	76	N/A
	0600		
	0900	76	L. M. atke
	1200	76	L. M. atke
	1500	76	L. M. atke
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900	2100	
	1200		
	1500		
	1800		
	2100		
	2400		

---

## Notes

---

---

---

---

---

---

---

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	75.4	Zelenski/Diederich/Puett
	1200	83.3	Zelenski/Diederich/Puett
	1500	82.6	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68.5	Zelenski/Diederich/Puett
	1200	76.5	Zelenski/Diederich/Puett
	1500	79.3	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.3	Zelenski/Diederich/Puett
	1200	77.3	Zelenski/Diederich/Puett
	1500	77.6	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69.9	Zelenski/Diederich/Puett
	1200	75.3	Zelenski/Diederich/Puett
	1500	76.0	Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		Zelenski/Diederich/Puett
	1200		Zelenski/Diederich/Puett
	1500		Zelenski/Diederich/Puett
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**RDO****Sunday**

Date	Time	Temp.	Name (Print)
9/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

Zelenski/Diederich/Puett, PSCE COLLEGE Building H-H

---

---

---

---

---

---

---

DISTRIBUTION: Original: Institution Heat Plan Coordinator

AUG 26 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: Medical Corridor

Temp. Reading Location: Classroom B-125

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-26-24

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXXXX	
	0900	72	Mark Kirstein
	1200	74	Mark Kirstein
	1500	80	Mark Kirstein
	1800	XXXXXX XXXXXXXXXX	
	2100	XXXXXX XXXXXXXXXX	
	2400	XXXXXX XXXXXXXXXX	

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	XXXXXX XXXXXXXXXX	
	0600	XXXXXX XXXXXXXXXX	
	0900	71	Mark Kirstein
	1200	73	Mark Kirstein
	1500	75	Mark Kirstein
	1800	XXXXXX XXXXXXXXXX	
	2100	XXXXXX XXXXXXXXXX	
	2400	XXXXXX XXXXXXXXXX	

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	XXXXXX XXXXXXXXXX	
	0600	XXXXXX XXXXXXXXXX	
	0900	70	Mark Kirstein
	1200	72	Mark Kirstein
	1500	74	Mark Kirstein
	1800	XXXXXX XXXXXXXXXX	
	2100	XXXXXX XXXXXXXXXX	
	2400	XXXXXX XXXXXXXXXX	

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

8-27-24

Date	Time	Temp.	Name (Print)
	0300	XXXXXX XXXXXXXXXX	
	0600	XXXXXX XXXXXXXXXX	
	0900	70	Mark Kirstein
	1200	72	Mark Kirstein
	1500	74	Mark Kirstein
	1800	XXXXXX XXXXXXXXXX	
	2100	XXXXXX XXXXXXXXXX	
	2400	XXXXXX XXXXXXXXXX	

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	XXXXXX XXXXXXXXXX	
	0600	XXXXXX XXXXXXXXXX	
	0900	70	Mark Kirstein
	1200	72	Mark Kirstein
	1500	74	Mark Kirstein
	1800	XXXXXX XXXXXXXXXX	
	2100	XXXXXX XXXXXXXXXX	
	2400	XXXXXX XXXXXXXXXX	

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

RDO

AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: Education

Temp. Reading Location: Gym Corridor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

HC

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-26-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	74°	D. Jacoben
	1200	79°	D. Jacoben
	1500	80°	D. Jacoben
	1800		
	2100		N/A
	2400		N/A

Wednesday 8-28-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		N/A
	0900	70°	D. Jacoben
	1200	75°	D. Jacoben
	1500	78°	D. Jacoben
	1800		
	2100		N/A
	2400		

Friday 8-30-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		X/A
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 9/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday 8-27-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		N/A
	0900	69°	D. Jacoben
	1200	74°	D. Jacoben
	1500	78°	D. Jacoben
	1800		
	2100		N/A
	2400		

Thursday 8-29-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		N/A
	0900	71°	D. Jacoben
	1200	76°	D. Jacoben
	1500	75°	D. Jacoben
	1800		
	2100		N/A
	2400		

Saturday 8/31

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

*S*

*a work*

---



---



---



---



---

AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: \_\_\_\_\_ Temp. Reading Location: Bldg. Z-109  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300		
	0600		
	0900	NIC	Ron Shoffelt
	1200	NIC	Ron Shoffelt
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300		
	0600		
	0900	NIC	Ron Shoffelt
	1200	NIC	Ron Shoffelt
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300		
	0600		
	0900	NIC	Ron Shoffelt
	1200	NIC	Ron Shoffelt
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300		
	0600		
	0900	NIC	Ron Shoffelt
	1200	NIC	Ron Shoffelt
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300		
	0600		
	0900	NIC	Ron Shoffelt
	1200	NIC	Ron Shoffelt
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Z-109 East Education Voc. Masonry  
Ron Shoffelt

No Inmate Contact

DocuSigned by:

Ron Shoffelt  
AB34117559E468

AUG 26 2024

Docusign Envelope ID: 0DE62FA4-9AF1-46E0-B663-5B8C425E8371  
REHABILITATION

**DEPARTMENT OF CORRECTIONS AND**

#### **INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored where the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: B102

Temp. Reading Location: B Corridor

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600		
	0900	78	ROCHA
	1200	80	ROCHA
	1500	82	ROCHA
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300		
	0600		
	0900	75	ROCHA
	1200	77	ROCHA
	1500	78	ROCHA
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300		
	0600		
	0900	72	ROCHA
	1200	75	ROCHA
	1500	77	ROCHA
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300		
	0600		
	0900	absent	ROCHA
	1200	absent	ROCHA
	1500	absent	ROCHA
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/30	0300		
	0600		
	0900	absent	ROCHA
	1200	absent	ROCHA
	1500	absent	ROCHA
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

AUG 26 2024

Docusign Envelope ID: 5D7946E4-9AE2-48F7-9182-21BABAEB2B2CA

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: Voc. Electronics 2-Bldg      Temp. Reading Location: Z-114 Maintenance Corridor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/26 2024	0300		
	0600		
	0900		V.VERA
	1200		V.VERA
	1500		V.VERA
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
08/28 2024	0300		
	0600		
	0900	76deg	V.VERA
	1200	76deg	V.VERA
	1500	78deg	V.VERA
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
08/30 2024	0300		
	0600		
	0900		V.VERA
	1200		V.VERA
	1500		V.VERA
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
08/27 2024	0300		
	0600		
	0900	77deg	V.Vera
	1200	78deg	V.Vera
	1500	80 deg	V.VERA
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
08/29 2024	0300		
	0600		
	0900		V.VERA
	1200		V.VERA
	1500		V.VERA
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

DISTRIBUTION: Original: Institution ADA Coordinator

**AUG 26 2024**

Docusign Envelope ID: A75D553C-2229-4444-A6DB-5E89BD6EC191  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**2024**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Q113A Temp. Reading Location: D yard

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300		N/A
	0600		
	0900	74	SCIOCCHETTI
	1200	76	SCIOCCHETTI
	1500	79	SCIOCCHETTI
	1800		
	2100		N/A
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300		N/A
	0600		
	0900	74	SCIOCCHETTI
	1200	74	SCIOCCHETTI
	1500	75	SCIOCCHETTI
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300		N/A
	0600		
	0900	74	SCIOCCHETTI
	1200	74	SCIOCCHETTI
	1500	74	SCIOCCHETTI
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300		N/A
	0600		
	0900	74	SCIOCCHETTI
	1200	74	SCIOCCHETTI
	1500	74	SCIOCCHETTI
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI
	1200	No class	SCIOCCHETTI
	1500	No class	SCIOCCHETTI
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Notes**

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

DocuSign Envelope ID: 7F8B7AEB-8FAD-444D-85A9-9E1960B58C7C

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

## NOTE: All temperatures are in °F.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor

Temp. Reading Location: East Education - HSD/GED Classroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

## Monday

Date	Time	Temp.	Name (Print)
8/26/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	COLE
	1200	74	COLE
	1500	76	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

## Tuesday

Date	Time	Temp.	Name (Print)
8/27/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72	COLE
	1200	75	COLE
	1500	80	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

## Wednesday

Date	Time	Temp.	Name (Print)
8/28/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72	COLE
	1200	76	COLE
	1500	78	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

## Thursday

Date	Time	Temp.	Name (Print)
8/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72	COLE
	1200	78	COLE
	1500	80	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

## Friday

Date	Time	Temp.	Name (Print)
8/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	RDO	COLE
	1200	RDO	COLE
	1500	RDO	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

## Saturday

Date	Time	Temp.	Name (Print)
8/31/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
9/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

C. Cole GED/ HSD Instructor Ext. 4861

Documented by:

C. Cole

48603E70CC24EC

AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Temp. Reading Location: H-E / Gym Corridor East Education – GED Classroom (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 79° or 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600		
	0900		G.LOAYZA/W.BACILA
	1200		G.LOAYZA/W.BACILA
	1500		G.LOAYZA/W.BACILA
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600		
	0900		G.LOAYZA/W.BACILA
	1200		G.LOAYZA/W.BACILA
	1500		G.LOAYZA/W.BACILA
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/27	0300		
	0600		
	0900		G.LOAYZA/W.BACILA
	1200		G.LOAYZA/W.BACILA
	1500		G.LOAYZA/W.BACILA
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/27	0300		
	0600		
	0900		G.LOAYZA/W.BACILA
	1200		G.LOAYZA/W.BACILA
	1500		G.LOAYZA/W.BACILA
	1800		
	2100		
	2400		


Friday

Date	Time	Temp.	Name (Print)
8/28	0300		
	0600		
	0900		G.LOAYZA/W.BACILA
	1200		G.LOAYZA/W.BACILA
	1500		G.LOAYZA/W.BACILA
	1800		
	2100		
	2400		

Saturday 8/29

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes



AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: 2-229      Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	NO I/P CONTACT	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

NO STUDENTS ASSIGNED- NO INMATE CONTACT

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**NOTE: All temperatures are in °F.**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-104 / Medical Corridor

Temp. Reading Location: East Education -Testing Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	77.3	Friend
	1200	81.8	Friend
	1500	80.1	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.5	Friend
	1200	78.7	Friend
	1500	78.7	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.7	Friend
	1200	No Contact	Friend
	1500	No Contact	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.8	Friend
	1200	77.5	Friend
	1500	76.8	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Friday**

Date	Time	Temp.	Name (Print)
8/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		Friend
	1200	RDO	Friend
	1500		Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
9/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

K. Friend, Testing Coordinator Ext. 4711

8/26/2024 to 9/1/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST**      Housing Unit: **FACILITY A**

Temp. Reading Location: **BUILDING ONE, 3<sup>rd</sup> TIER**

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8 / 26 / 2024	0300	73	TURTLE ✓
	0600	72	RAMOS
	0900	75	RAMOS
	1200	80	RAMOS
	1500	76	CAMPES
	1800	79	CAMPES
	2100	75	CAMPES
	2400	73	Dial

Tuesday

Tuesday		Date	Time	Temp.	Name (Print)
8 / 27 / 2024	0300	73	Dial	✓P	
	0600	71	ALMAHON		
	0900	72	ALMAHON	?	
	1200	74	ALMAHON		
	1500	74	CUBING		
	1800	73	CUBING		
	2100	73	CUBING		
	2400	73	CUBING		

Wednesday

Date	Time	Temp.	Name (Print)
8 / 28 / 2024	0300	73	CARSON
	0600	69	LINES
	0900	74	LINES
	1200	74	LINES
	1500	73	CABRILLO
	1800	73	CABRILLO
	2100	72	CABRILLO
	2400	72	CAMPS

Thursday

Date	Time	Temp.	Name (Print)
8 / 29 / 2024	0300	70	CAMPES
	0600	69	RAMOS
	0900	70	RAMOS
	1200	72	RAMOS
	1500	72	CAMPES
	1800	72	CAMPES
	2100	72	CAMPES
	2400	70	L. ROBERT

## Friday

Date	Time	Temp.	Name (Print)
8 / 30 / 2024	0300	73	MONTANO
	0600	70	Jacobs
	0900	69	Jacobs
	1200	73	Jacobs
	1500	74	A. Simmons
	1800	72	A. Simmons
	2100	70	A. Simmons
	2400	70	L. ROBLES

**Saturday**

Date	Time	Temp.	Name (Print)
8 / 31 / 2024	0300	69	L. ROBLES
	0600	69	RAMOS
	0900	69	RAMOS
	1200	69	RAMOS
	1500	70	L. ROBLES
	1800	70	DELFIN
	2100	70	DELFIN
	2400	70	L. ROBLES

## Sunday

Date	Time	Temp.	Name (Print)
9 / 1 / 2024	0300	70	L. ROBLES
	0600	64	RAMOS
	0900	66	RAMOS
	1200	70	RAMOS
	1500	72	Jacobs
	1800	74	Jacobs
	2100	74	Jacobs
	2400	69	B. TAYLOR

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST    Housing Unit: **FACILITY A**

Temp. Reading Location: **BUILDING TWO, 3<sup>rd</sup> TIER**

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8 / 26 / 2024	0300	68	Lopez <i>✓✓</i>
	0600	74	Amarion <i>✓✓</i>
	0900	75	Amarion <i>✓✓</i>
	1200	75	Amarion <i>✓✓</i>
	1500	75	LANDWEHR
	1800	75	LANDWEHR
	2100	75	LANDWEHR
	2400	72	Lopez

**Tuesday**

Date	Time	Temp.	Name (Print)
8 / 27 / 2024	0300	70	Lopez <i>✓✓</i>
	0600	73	Holcim <i>✓✓</i>
	0900	74	Holcim <i>✓✓</i>
	1200	75	Holcim <i>✓✓</i>
	1500	75	LANDWEHR
	1800	75	LANDWEHR
	2100	72	LANDWEHR
	2400	72	Lopez

**Wednesday**

Date	Time	Temp.	Name (Print)
8 / 28 / 2024	0300	72	Lopez
	0600	73	Holcim <i>✓✓</i>
	0900	74	Holcim <i>✓✓</i>
	1200	74	Holcim <i>✓✓</i>
	1500	74	LANDWEHR
	1800	74	LANDWEHR
	2100	74	LANDWEHR
	2400	73	Roberts

**Thursday**

Date	Time	Temp.	Name (Print)
8 / 29 / 2024	0300	73	Roberts <i>✓✓</i>
	0600	72	LISONBEE <i>✓✓</i>
	0900	73	LISONBEE <i>✓✓</i>
	1200	74	LISONBEE <i>✓✓</i>
	1500	75	LANDWEHR
	1800	72	LANDWEHR
	2100	72	LANDWEHR
	2400	71	Roberts

**Friday**

Date	Time	Temp.	Name (Print)
8 / 30 / 2024	0300	71	Roberts
	0600	70	Holcim
	0900	71	Holcim
	1200	74	Holcim <i>✓</i>
	1500	75	LANDWEHR
	1800	72	LANDWEHR
	2100	72	LANDWEHR
	2400	72	Lopez

**Saturday**

Date	Time	Temp.	Name (Print)
8 / 31 / 2024	0300	70	Lopez
	0600	71	VILLEGRS
	0900	72	VILLEGRS
	1200	74	VILLEGRS
	1500	73	KREBS
	1800	72	KREBS
	2100	72	KREBS
	2400	70	Lopez

**Sunday**

Date	Time	Temp.	Name (Print)
9 / 1 / 2024	0300	70	Lopez
	0600	71	McCrory
	0900	71	McCrory
	1200	72	McCrory
	1500	74	KREBS
	1800	73	KREBS
	2100	73	KREBS
	2400	70	Lopez

**Notes**


---

---

---

---

---

---

---

---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST      Housing Unit: FACILITY A

Temp. Reading Location: **PROGRAM OFFICE**

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8 / 26 / 2024	0300	N/A	
	0600	N/A	
	0900	73	CARIBA
	1200	77	CARIBA
	1500	77	MARIA
	1800	77	WILMA
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
8 / 27 / 2024	0300	N/A	
	0600	~1A	
	0900	68	CARINA
	1200	71	CARINA
	1500	73	Montgomery
	1800	74	Montgomery
	2100	N/A	
	2400	N/A	

Wednesday

Wednesday		Date	Time	Temp.	Name (Print)
8 / 28 / 2024	0300	N/A			
	0600	74			
	0900	68			CARINA
	1200	69			CARINA
	1500	69			Rosiever
	1800	66			Rosiever
	2100	N/A			
	2400	N/A			

Thursday

Thursday		Date	Time	Temp.	Name (Print)
8 / 29 2024			0300	N/A	
			0600	n/a	
			0900	68	VALENCIA ✓
			1200	71	VALENCIA ✓
			1500	72	HODDER
			1800	73	HODDER ✓
			2100	N/A	
			2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
8 / 30 / 2024	0300	N/A	
	0600	64	Fouts
	0900	66	Ronan
	1200	67	Fouts
	1500	N/A	
	1800	71	Mandy
	2100	N/A	
	2400	N/A	

## Saturday

Saturday			
Date	Time	Temp.	Name (Print)
8 / 31 / 2024	0300	N/A	
	0600	64°	E-VALENCIA
	0900	46°	E-VALENCIA
	1200	68°	E-VALENCIA
	1500	76	Maryann
	1800	70	Maryann
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
9 / 1 / 2024	0300	N/A	
	0600	67°	
	0900	64°	R. Sennin
	1200	65°	R. Sennin
	1500	71	M. Hartman
	1800	71	M. Hartman
	2100	N/A	
	2400	N/A	

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST Housing Unit: **FACILITY A**Temp. Reading Location: **DINER**

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8 / 26 / 2024	0300	N/A	
	0600	73	Jacobs
	0900	76	Jacobs
	1200	N/A	
	1500	83	J. Noel
	1800	80	J. Noel
	2100	N/A	
	2400	N/A	

**Tuesday**

Date	Time	Temp.	Name (Print)
8 / 27 / 2024	0300	N/A	
	0600	69	Jacobs
	0900	71	Jacobs
	1200	N/A	
	1500	77	J. Noel
	1800	78	J. Noel
	2100	N/A	
	2400	N/A	

**Wednesday**

Date	Time	Temp.	Name (Print)
8 / 28 / 2024	0300	N/A	
	0600	69	Jacobs
	0900	71	Jacobs
	1200	N/A	
	1500	74	J. Noel
	1800	75	J. Noel
	2100	N/A	
	2400	N/A	

**Thursday**

Date	Time	Temp.	Name (Print)
8 / 29 / 2024	0300	N/A	
	0600	71	Jacobs
	0900	73	Jacobs
	1200	N/A	
	1500	76	Cunallo
	1800	74	C. unallo
	2100	N/A	
	2400	N/A	

**Friday**

Date	Time	Temp.	Name (Print)
8 / 30 / 2024	0300	N/A	
	0600	70°	S. NOEL
	0900	720	S. NOEL
	1200	N/A	
	1500	75	CUNALLO
	1800		
	2100	N/A	
	2400	N/A	

**Saturday**

Date	Time	Temp.	Name (Print)
8 / 31 / 2024	0300	N/A	
	0600	70	E. GASTERO
	0900	73	E. GASTERO
	1200	N/A	
	1500	74	A. SIMMONS
	1800	72	A. SIMMONS
	2100	N/A	
	2400	N/A	

**Sunday**

Date	Time	Temp.	Name (Print)
9 / 1 / 2024	0300	N/A	
	0600	69	Jacobs
	0900	71	Jacobs
	1200	N/A	
	1500	71	frank
	1800	71	frank
	2100	N/A	
	2400	N/A	

**Notes**


---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST    Housing Unit: **FACILITY A**

Temp. Reading Location: **MINI CANTEEN**

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8 / 26 / 2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	79	Hodges
	1500	82	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

**Tuesday**

Date	Time	Temp.	Name (Print)
8 / 27 / 2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	79	Hodges
	1500	80	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

**Wednesday**

Date	Time	Temp.	Name (Print)
8 / 28 / 2024	0300	N/A	
	0600	N/A	
	0900	78	Hodges
	1200	81	Hodges
	1500	82	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

**Thursday**

Date	Time	Temp.	Name (Print)
8 / 29 / 2024	0300	N/A	
	0600	N/A	
	0900	76	Hodges
	1200	77	Hodges
	1500	82	Hodges
	1800	74	Hodges
	2100	N/A	
	2400	N/A	

**Friday**

Date	Time	Temp.	Name (Print)
8 / 30 / 2024	0300	N/A	
	0600	N/A	
	0900	75	Hodges
	1200	78	Hodges
	1500	79	Hodges
	1800	78	Hodges
	2100	N/A	
	2400	N/A	

**Saturday**

Date	Time	Temp.	Name (Print)
8 / 31 / 2024	0300	N/A	
	0600	N/A	
	0900	78	Hodges
	1200	85	Hodges
	1500	82	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

**Sunday**

Date	Time	Temp.	Name (Print)
9 / 1 / 2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500	84	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

**Notes**

---

---

---

---

---

---

---

---

8/26/2024 to 9/1/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC-B Bldg. 3 Temp. Reading Location: Tier 3  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/24	0300	70	P. HENRY
	0600	72	R. Vega
	0900	72	R. Vega
	1200	78	R. Vega
	1500	75	L. Sonbee
	1800	84	L. Sonbee
	2100	70	L. Sonbee
	2400	68	P. HENRY

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/24	0300	68	P. HENRY
	0600	69	C. L. G.
	0900	70	C. L. G.
	1200	71	C. L. G.
	1500	72	P. HENRY
	1800	73	P. HENRY
	2100	70	P. HENRY
	2400	68	P. HENRY

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/24	0300	68	P. HENRY
	0600	69	C. L. G.
	0900	70	C. L. G.
	1200	71	C. L. G.
	1500	71	C. L. G.
	1800	71	P. L. G.
	2100	68	P. L. G.
	2400	68	P. HENRY

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/24	0300	68	P. HENRY
	0600	68°F	D. E. L. G.
	0900	68	D. E. L. G.
	1200	70	D. E. L. G.
	1500	70	V. L. G.
	1800	68	V. L. G.
	2100	68	W. L. G.
	2400	68	W. L. G.

**Friday**

Date	Time	Temp.	Name (Print)
8/30/24	0300	68	P. HENRY
	0600	68	C. Costa
	0900	68	C. Costa
	1200	68	C. Costa
	1500	68	Martinez
	1800	68	Martinez
	2100	68	Martinez
	2400	68	Martinez

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/24	0300	68	M. Martinez
	0600	68	C. Costa
	0900	68	C. Costa
	1200	68	C. Costa
	1500	68	Martinez
	1800	68	Martinez
	2100	68	Martinez
	2400	68	Martinez

**Notes**

Date	Time	Temp.	Name (Print)
8/31/24	0300	68	Martinez
	0600	68	Martinez
	0900	67	C. Costa
	1200	68	C. Costa
	1500	68	C. Costa
	1800	66	C. Costa
	2100	69	C. Costa
	2400	68	P. HENRY

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC B B104 Temp. Reading Location: 3<sup>rd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/22/24	0300	70	D. OROZCO
	0600	71	JOHNSON
	0900	71	JOHNSON
	1200	74	Barker
	1500	75	JOHNSON
	1800	74	JOHNSON
	2100	73	JOHNSON
	2400	72	D. OROZCO

#### Tuesday

Date	Time	Temp.	Name (Print)
8/23/24	0300	70	D. OROZCO
	0600	68	J. Graves
	0900	68	J. Graves
	1200	70	J. Johnson
	1500	75	JOHNSON
	1800	72	JOHNSON
	2100	72	JOHNSON
	2400	70	Jensen

#### Wednesday

Date	Time	Temp.	Name (Print)
8/24/24	0300	70	Jensen
	0600	68	ALEMAN
	0900	68	ALEMAN
	1200	70	ALEMAN
	1500	71	JOHNSON
	1800	70	TOSTE
	2100	70	TOSTE
	2400	72	R. Lopen

#### Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	69	R. Lopen
	0600	70	ALEMAN
	0900	70	ALEMAN
	1200	70	ALEMAN
	1500	70	JOHNSON
	1800	70	JOHNSON
	2100	68	Johansen
	2400	70	MARTIN

#### Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	69	MORTEN
	0600	68	Graves
	0900	69	Graves
	1200	69	Graves
	1500	70	TOSTE
	1800	68	TOSTE
	2100	68	TOSTE
	2400	68	INHLE

#### Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	67	INHLE
	0600	67	GRAVES
	0900	67	GRAVES
	1200	68	GRAVES
	1500	68	TOSTE
	1800	68	TOSTE
	2100	68	TOSTE
	2400	68	Sorenson

#### Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	68	Sorenson
	0600	66	Graves
	0900	68	Graves
	1200	69	TOSTE
	1500	70	TOSTE
	1800	70	TOSTE
	2100	69	TOSTE
	2400	67	INHLE

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMCHousing Unit: Facility B DinerTemp. Reading Location: Near Coffee Machine(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
8/26/24	0300	N/A	N/A
	0600	78°	S. NOEL
	0900	78°	S. NOEL
	1200	80°	S. NOEL
	1500	83	Pacus
	1800	88	Pacus
	2100	N/A	N/A
	2400	N/A	N/A

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/24	0300	N/A	N/A
	0600	76	Young
	0900	76	Young
	1200		Young
	1500	80	J.P.I.M
	1800	84	J.P.I.M
	2100	N/A	N/A
	2400	N/A	N/A

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/24	0300	N/A	N/A
	0600	69	Neithan
	0900	69	Neithan
	1200	69	Neithan
	1500	78	J.P.I.M
	1800	79	J.P.I.M
	2100	N/A	N/A
	2400	N/A	N/A

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	N/A	N/A
	0600	69	Neithan
	0900	69	Neithan
	1200	69	Neithan
	1500	77	J.P.I.M
	1800	78	J.P.I.M
	2100	N/A	N/A
	2400	N/A	N/A

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	N/A	N/A
	0600	67	Neithan
	0900	67	Neithan
	1200	67	Neithan
	1500	76	J.P.I.M
	1800	77	J.P.I.M
	2100	N/A	N/A
	2400	N/A	N/A

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	N/A	N/A
	0600	69	Neithan
	0900	69	Neithan
	1200	69	Neithan
	1500	70	Loes
	1800	69	Loes
	2100	N/A	N/A
	2400	N/A	N/A

**Notes**

Date	Time	Temp.	Name (Print)
9/1	0300	N/A	N/A
	0600	70	BARBOSA
	0900	71	BARBOSA
	1200	69	BARBOSA
	1500	78	Arlene
	1800	79	Arlene
	2100	N/A	N/A
	2400	N/A	N/A

DISTRIBUTION: Original: Institution ADA Coordinator

8/26/2024 to 9/1/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: 5

Temp. Reading Location:

3<sup>rd</sup>(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	70	Rogers
	0600	70	Kingsley
	0900	75	Kingsley
	1200	74	Kingsley
	1500	78°	S.Miguel
	1800	78°	S.Miguel
	2100	76°	S.Miguel
	2400	74	J. AGUAYO

## Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	70	Aguayo
	0600	68°	J. Martin
	0900	70	J. Martin
	1200	74°	J. Martin
	1500	74°	S.Miguel
	1800	70°	S.Miguel
	2100	70°	S.Miguel
	2400	70°	P. DEL TORO

## Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	65	P. DEL TORO
	0600	70	Kingsley
	0900	70	Kingsley
	1200	70	Kingsley
	1500	70°	S.Miguel
	1800	70°	S.Miguel
	2100	68°	S.Miguel
	2400	68	C. LOPEZ

## Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	70	C. LOPEZ
	0600	70	Kingsley
	0900	73	Kingsley
	1200	74	Kingsley
	1500	74	C. LEE
	1800	74	S. LEE
	2100	70	S. LEE
	2400	70	C. LOPEZ

## Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	70°	AGUAYO J.
	0600	70	KINGSLY
	0900	75	KINGSLY
	1200	75	KINGSLY
	1500	74°	S.Miguel ✓ KT
	1800	74°	S.Miguel
	2100	70°	S.Miguel
	2400	70	J. AGUAYO

## Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	68°	P. DEL TORO
	0600	67°	J. MARTIN
	0900	68°	J. MARTIN
	1200	69°	J. MARTIN
	1500	70°	S. VIDUELA
	1800	66°	S. MIGUEL
	2100	66°	S. MIGUEL
	2400	66	P. DEL TORO

## Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	68	C. LOPEZ
	0600	70	KINGSLY
	0900	70	KINGSLY
	1200	72	KINGSLY
	1500	72	S. LEE
	1800	70	S. LEE
	2100	70	S. LEE
	2400	70	C. LOPEZ

## Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Building 6 Temp. Reading Location: 3<sup>rd</sup> tier  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc)

FAC. C

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	74°	S. Banuelos
	0600	75°	A. Guzzie
	0900	78°	A. Guzzie
	1200	81°	A. Guzzie
	1500	78	A. Zepeda
	1800	75	A. Zepeda
	2100	76	A. Zepeda
	2400	75°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	74°	S. Banuelos
	0600	71°	A. Guzzie
	0900	75°	A. Guzzie
	1200	77°	A. Guzzie
	1500	76	E. Ayon Flores
	1800	74	E. Ayon Flores
	2100	76	E. Ayon Flores
	2400	74°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	74°	S. Banuelos
	0600	71°	A. Guzzie
	0900	73°	A. Guzzie
	1200	75°	A. Guzzie
	1500	77	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	72	S. Banuelos

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	72	S. Banuelos
	0600	70°	A. Guzzie
	0900	72	A. Guzzie
	1200	72	A. Guzzie
	1500	75	E. Ayon Flores
	1800	75	E. Ayon Flores
	2100	74	E. Ayon Flores
	2400	73	G. Gray

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	72	G. Gray
	0600	70	Gonzales
	0900	72	Gonzales
	1200	72	Gonzales
	1500	72	E. Ayon Flores
	1800	72	E. Ayon Flores
	2100	73	E. Ayon Flores
	2400	73°	S. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	73°	S. Banuelos
	0600	70	G. Gray
	0900	70	G. Gray
	1200	70	G. Gray
	1500	70	B. Avila
	1800	70	B. Avila
	2100	70	B. Avila
	2400	72°	S. Banuelos

Notes

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	72°	S. Banuelos
	0600	71	G. Gray
	0900	76	G. Gray
	1200	71	G. Gray
	1500	75	A. Zepeda
	1800	76	A. Zepeda
	2100	74	A. Zepeda
	2400	73°	S. Banuelos

8/26/2024

to

9/11/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility C  
Diner Temp. Reading Location: Tool cage  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7989 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/26/24	0300		N/A
	0600	69°	C Gonzalez
	0900	74	C. Gonzalez
	1200		N/A
	1500	74	MATTHEW
	1800	73	MATTING
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
8-25-24	0300		N/A
	0600	72	B. Webb
	0900		
	1200		N/A
	1500	78°	D. Whitesell
	1800		D. Whitesell
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
Aug 30, 24	0300		N/A
	0600	68°	Martino
	0900	70	Martino
	1200		N/A
	1500	72	WILLIBAEN
	1800	72	WILLIBAEM
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300		N/A
	0600	68°	S. ALVARADO
	0900	70°	S. ALVARADO
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
8/27/24	0300		N/A
	0600	72°	S. NOEL
	0900	71°	S. NOEL
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
8/24/24	0600	68	E. Montana
	0900	74°	C. Montana
	1200		N/A
	1500	80°	I. Foothills
	1800	60°	I. Foothills
	2100		N/A
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300		N/A
	0600	68	Martino
	0900	76	Martino
	1200		N/A
	1500	71	MARTINO
	1800	70	MARTINO
	2100		
	2400		N/A

## Notes

---

---

---

---

---

---

---

---

---

---

8/26/2024

to

9/1/2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment B**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: BLDG 7      Temp. Reading Location: TIER 3  
FAC. D      (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/24	0300	72	Gaines
	0600	73	Sanchez
	0900	73	Dominguez
	1200	73	Dominguez
	1500	76	CABRERA
	1800	78	CABRERA
	2100	76	CABRERA
	2400	74	TORRES

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/24	0300	72	JONES
	0600	78°	Chavez
	0900	78	Chavez
	1200	71°	Chavez
	1500	74°	Chavez
	1800	74°	Chavez
	2100	72	T. COOK
	2400	71	T. COOK

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/24	0300	70	T. COOK
	0600	65	J. Madrigal
	0900	68	J. Madrigal
	1200	72	J. Madrigal
	1500	74°	T. FAIOLA
	1800	74°	T. FAIOLA
	2100	72	T. FAIOLA
	2400	72	T. COOK

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/24	0300	70	T. COOK
	0600	70	J. Madrigal
	0900	70	J. Madrigal
	1200	72	J. Madrigal
	1500	72°	T. FAIOLA
	1800	72°	T. FAIOLA
	2100	72°	T. FAIOLA
	2400	72	T. COOK

**Friday**

Date	Time	Temp.	Name (Print)
8/30/24	0300	76	T. COOK
	0600	70°	Chavez
	0900	78°	Chavez
	1200	70°	Chavez
	1500	72°	T. FAIOLA
	1800	72°	T. FAIOLA
	2100	72°	T. FAIOLA
	2400	70	T. COOK

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/24	0300	76	T. COOK
	0600	70	Witt
	0900	70	Witt
	1200	70	Witt
	1500	74°	T. FAIOLA
	1800	72°	T. FAIOLA
	2100	72°	T. FAIOLA
	2400	70	T. COOK

**Sunday**

Date	Time	Temp.	Name (Print)
9/1/24	0300	70°	Bernaldo
	0600	70	Witt
	0900	70	Witt
	1200	71	Witt
	1500	71	Witt
	1800	70	Witt
	2100	70	Witt
	2400	70°	Bernaldo

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: BLDG 8      Temp. Reading Location: TIER 3  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

FAC. O

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/24

Date	Time	Temp.	Name (Print)
8-26-24	0300	74	Torres Vx
	0600	74	Gonzalez
	0900	78	E. Gonzalez
	1200	78	M. Hahn
	1500	78	Perez
	1800	77	Perez
	2100	76	Perez
	2400	76	Rivera Vx

Wednesday

Date	Time	Temp.	Name (Print)
8-26-24	0300	70	Ordeas
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Perez
	1800	70	Perez
	2100	70	Perez
	2400	72	Ordeas

Friday

Date	Time	Temp.	Name (Print)
8-10-24	0300	77	Ordeas
	0600	72	Pelayo
	0900	72	Pelayo
	1200	72	Pelayo
	1500	74	Perez
	1800	71	Perez
	2100	72	Perez
	2400	72	Ordeas

Sunday

Date	Time	Temp.	Name (Print)
8-11-24	0300	70	Rivera
	0600	70	Pelayo
	0900	70	Pelayo
	1200	72	Pelayo
	1500	72	Mills
	1800	72	Mills
	2100	71	Mills
	2400	70	Rivera

Tuesday 8/27/24

Date	Time	Temp.	Name (Print)
8-27-24	0300	74	Rivera
	0600	74	Rivera
	0900	72	E. Gonzalez
	1200	72	E. Gonzalez
	1500	75	Perez
	1800	74	Perez
	2100	74	Perez
	2400	72	Ordeas

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	71	Ordeas
	0600	70	Pelayo
	0900	71	Pelayo
	1200	72	Pelayo
	1500	75	Rivera
	1800	74	Rivera
	2100	74	Ordeas
	2400	74	Ordeas

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	70	Ordeas
	0600	70	Pelayo
	0900	70	Pelayo
	1200	72	Pelayo
	1500	72	Pelayo
	1800	72	Pelayo
	2100	72	Pelayo
	2400	72	Rivera

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC - EAST    Housing Unit: FACILITY D

Temp. Reading Location: DINER

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/2024	0300	N/A	
	0600	71	Murphy Aw
	0900	71	Murphy Aw
	1200	N/A	
	1500	81	Fentress
	1800	81	Fentress
	2100	N/A	
	2400	N/A	

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/2024	0300	N/A	
	0600	68	Murphy Aw
	0900	70	Murphy Aw
	1200	N/A	
	1500	80	Brett
	1800	82	Brett
	2100	N/A	
	2400	N/A	

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/2024	0300	N/A	
	0600	67	Murphy Aw
	0900	69	Murphy Aw
	1200	N/A	
	1500	78	LINES
	1800	79	LINES
	2100	N/A	
	2400	N/A	

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/2024	0300	N/A	
	0600	68	COBB
	0900	69	COBB
	1200	N/A	
	1500	76	LINES
	1800	76	LINES
	2100	N/A	
	2400	N/A	

**Friday**

Date	Time	Temp.	Name (Print)
8/30/2024	0300	N/A	
	0600	69	COBB
	0900	70	COBB
	1200	N/A	
	1500	74	J. m
	1800	74	J. m
	2100	N/A	
	2400	N/A	

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/2024	0300	N/A	
	0600	70	Murphy Aw
	0900	70	Murphy Aw
	1200	N/A	
	1500	71	J. m
	1800	71	J. m
	2100	N/A	
	2400	N/A	

**Sunday**

Date	Time	Temp.	Name (Print)
9/1/2024	0300	N/A	
	0600	70	Murphy Aw
	0900	70	Murphy Aw
	1200	N/A	
	1500	79	Wheeler
	1800	79	Wheeler
	2100	N/A	
	2400	N/A	

**Notes**

---

---

---

---

---

---

---

---

8/26/2024

TO

9/1/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/26/24	0300	77	SC15
	0600	72	JIMESON
	0900	72	JIMESON
	1200	82	JIMESON
	1500	84	HOWELL
	1800	82	HOWELL
	2100	78	HOWELL
	2400	78	VASQUEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
08/27/24	0300	77	SC15
	0600	70	MORENO
	0900	70	HOWELL
	1200	70	HOWELL
	1500	79	HOWELL
	1800	76	HOWELL
	2100	76	HOWELL
	2400	79	VASQUEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
08/28/24	0300	72	AREVALO
	0600	70	MORENO
	0900	72	MORENO
	1200	72	MORENO
	1500	78	HOWELL
	1800	76	HOWELL
	2100	76	HOWELL
	2400	76	VASQUEZ

**Thursday**

Date	Time	Temp.	Name (Print)
08/29/24	0300	74	AREVALO
	0600	70	RAMOS
	0900	70	RAMOS
	1200	72	RAMOS
	1500	74	RAMOS
	1800	72	RAMOS
	2100	70	RAMOS
	2400	70	VASQUEZ

**Friday**

Date	Time	Temp.	Name (Print)
08/30/24	0300	70	AREVALO
	0600	69	JAMESON
	0900	69	JAMESON
	1200	67	JAMESON
	1500	72	RAMOS
	1800	72	RAMOS
	2100	72	RAMOS
	2400	70	MORENO

**Saturday**

Date	Time	Temp.	Name (Print)
08/31/24	0300	70	MORENO
	0600	70	MORENO
	0900	70	MORENO
	1200	70	MORENO
	1500	70	RAMOS
	1800	72	RAMOS
	2100	70	RAMOS
	2400	72	HOWELL

**Sunday**

Date	Time	Temp.	Name (Print)
09/01/24	0300	72	HOWELL
	0600	70	GOMEZ
	0900	70	GOMEZ
	1200	70	GOMEZ
	1500	76	GOMEZ
	1800	76	GOMEZ
	2100	72	GOMEZ
	2400	72	HOWELL

**Notes**


---

---

---

---

---

---

---

---

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: DORM 31  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension	7904	when the inside air temperature reaches
90 degrees and again at 95 degrees.		

Date	Time	Temp.	Name (Print)
08/28/24	0300	72	Azucena (S)
	0600	72	Moreno
	0900	72	Moreno
	1200	74	Moreno
	1500	78	Hawley
	1800	76	Hawley
	2100	76	Hawley
	2400	74	Azucena (S)

Date	Time	Temp.	Name (Print)
08/30/24	0300	70	Arguello
	0600	69	J. Arguello
	0900	69	J. Arguello
	1200	69	J. Arguello
	1500	72	Ramos
	1800	72	Ramos
	2100	72	Ramos
	2400	77	Morales

Sunday			
Date	Time	Temp.	Name (Print)
09/01/24	0300	72	Hawel re
	0600	72	Gomez
	0900	72	Gomez
	1200	72	Gomez
	1500	76	Gomez
	1800	76	Gomez
	2100	72	Gomez
	2400	72	Hawel

Dat	Time	Temp.	Name (Print)
08/27/24	0300	74	Sch. S
	0600	69	Moreno
	0900	70	Howell
	1200	70	Howell
	1500	78	Howell
	1800	78	Howell
	2100	76	Howell
	2400	74	VAN WYK

Thursday			
Date	Time	Temp.	Name (Print)
08/29/24	0300	74	Arlen J. 10
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	74	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	JAY T. 10

Date	Time	Temp.	Name (Print)
08/31/24	0300	72	Moreno
	0600	70	Morun
	0900	70	Moreno
	1200	70	Moruno
	1500	70	R Amos
	1800	70	(Amos
	2100	70	R Amos
	2400	72	Fabiel

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air-temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: DORM 32  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## Monday

Date	Time	Temp.	Name (Print)
08/26/74	0300	74	JOLIS
	0600	71	JIMISON
	0900	71	JAMESON
	1200	80	JIMESON
	1500	85	HOWELL
	1800	83	HOWELL
	2100	76	HOWELL
	2400	74	WETIN 132

Tuesday

Day	Date	Time	Temp.	Name (Print)
	09/27/04	0300	72	Seuss
		0600	68	Morales
		0900	70	Howell
		1200	70	Howell
		1500	78	Howell
		1800	78	Howell
		2100	76	Howell
		2400	74	Howell

Wednesday

Date	Time	Temp.	Name (Print)
08/28/24	0300	72	AZGUL JC
	0600	72	Morenno
	0900	72	Morenno
	1200	74	Morenno
	1500	78	Hewell
	1800	76	Hewell
	2100	74	Hewell
	2400	72	JDCWR

Thursday

Date	Time	Temp.	Name (Print)
08/29/24	0300	72	ANGELIS
	0600	70	RAMOS
	0900	70	RAMOS
	1200	72	RAMOS
	1500	74	RAMOS
	1800	72	RAMOS
	2100	70	RAMOS
	2400	70	JANNAZ

Friday

Date	Time	Temp.	Name (Print)
08/30/24	0300	70	MAGULJO
	0600	67	JUNIOR
	0900	70	JIMASO
	1200	73	JIMASO
	1500	74	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	70	

Saturday

Date	Time	Temp.	Name (Print)
08/31/24	0300	70	Moreno
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	72	TOWELL

Sunday

Date	Time	Temp.	Name (Print)
09/01/24	0300	72	Hawel 124
	0600	72	Gomez
	0900	74	Gomez
	1200	74	Gomez
	1500	76	Gomez
	1800	76	Gomez
	2100	72	Gomez
	2400	72	Hawel

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: FACILITY M      Temp. Reading Location: DORM 33  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Monday

Monday			
Date	Time	Temp.	Name (Print)
08/20/24	0300	73	Solis
	0600	72	JONESON
	0900	72	JIMESON
	1200	78	JIMESON
	1500	82	HOWELL
	1800	80	HOWELL
	2100	78	HOWELL
	2400	74	YANNILO

Wednesday

Date	Time	Temp.	Name (Print)
08/28/24	0300	70	AZGELIO
	0600	70	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	76	Hawell
	1800	74	Hawell
	2100	73	Hawell
	2400	77	Stevens

Friday

Date	Time	Temp.	Name (Print)
08/30/24	0300	70	AGUNDO
	0600	66	J. AGUNDO
	0900	64	J. AGUNDO
	1200	64	J. AGUNDO
	1500	71	RAMOS
	1800	72	RAMOS
	2100	70	RAMOS
	2400	70	

Sunday

Date	Time	Temp.	Name (Print)
09/01/24	0300	72	Howell
	0600	72	Gomez
	0900	72	Gomez
	1200	72	Gomez
	1500	76	Gomez
	1800	76	Gomez
	2100	72	Gomez
	2400	72	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
08/27/24	0300	73	Schles
	0600	70	Morano
	0900	72	Howell
	1200	72	Howell
	1500	74	Howell
	1800	76	Howell
	2100	74	Howell
	2400	73	Ward

**Thursday**

Date	Time	Temp.	Name (Print)
08/29/24	0300	72	Aguilar
	0600	70	Ramos
	0900	72	Ramos
	1200	70	Ramos
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Ramos

## Saturday

Date	Time	Temp.	Name (Print)
08/31/24	0300	70	Moreno
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	72	Hewell

## Notes

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 34  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/26/24	0300	72	Solis
	0600	72	JIMESON
	0900	72	JIMESON <i>SP</i>
	1200	76	JIMESON
	1500	82	Howell
	1800	80	Howell
	2100	74	Howell
	2400	72	JAMESON

Tuesday

Date	Time	Temp.	Name (Print)
08/27/24	0300	71	Solis
	0600	68	Moreno
	0900	70	Howell
	1200	70	Howell
	1500	74	Howell
	1800	76	Howell
	2100	74	Howell
	2400	70	VAZQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
08/28/24	0300	70	ARGUERO
	0600	70	Moreno
	0900	72	Moreno
	1200	72	Moreno
	1500	75	Howell
	1800	74	Howell
	2100	72	Howell
	2400	72	JAMESON

Thursday

Date	Time	Temp.	Name (Print)
08/29/24	0300	72	ARGUERO
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	RAMOS
	1800	72	RAMOS
	2100	72	RAMOS
	2400	70	JAMESON

Friday

Date	Time	Temp.	Name (Print)
08/30/24	0300	70	ARGUERO
	0600	66	JIMESON
	0900	68	JIMESON
	1200	68	JIMESON
	1500	72	RAMOS
	1800	72	RAMOS
	2100	70	RAMOS
	2400	70	

Saturday

Date	Time	Temp.	Name (Print)
08/31/24	0300	70	Moreno
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	72	Howell

Sunday

Date	Time	Temp.	Name (Print)
09/01/24	0300	72	Howell
	0600	72	GOMEZ
	0900	72	GOMEZ
	1200	72	GOMEZ
	1500	74	GOMEZ
	1800	74	GOMEZ
	2100	72	GOMEZ
	2400	72	Howell

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC PROGRAM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
08/27/24	0300	70	JONES
	0600	72	JONES
	0900	72	JONES
	1200	78	JONES
	1500	78	HOWELL
	1800	74	HOWELL
	2100	70	HOWELL
	2400	70	JASMIN

Tuesday			
Date	Time	Temp.	Name (Print)
08/27/24	0300	69	JONES
	0600	69	Moreno
	0900	70	HOWELL
	1200	70	HOWELL
	1500	74	HOWELL
	1800	74	HOWELL
	2100	72	HOWELL
	2400	70	JASMIN

Wednesday			
Date	Time	Temp.	Name (Print)
08/28/24	0300	68	JONES
	0600	70	Moreno
	0900	72	Moreno
	1200	74	Moreno
	1500	72	HOWELL
	1800	70	HOWELL
	2100	70	HOWELL
	2400	70	JASMIN

Thursday			
Date	Time	Temp.	Name (Print)
08/29/24	0300	70	JONES
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	70	RAMOS
	1800	68	RAMOS
	2100	68	RAMOS
	2400	69	RAMOS

Friday			
Date	Time	Temp.	Name (Print)
08/30/24	0300	68	JONES
	0600	68	JONES
	0900	68	JONES
	1200	68	JONES
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	Moreno

Saturday			
Date	Time	Temp.	Name (Print)
08/31/24	0300	70	Moreno
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	72	HOWELL

Sunday			
Date	Time	Temp.	Name (Print)
09/01/24	0300	72	HOWELL
	0600	72	HOWELL
	0900	72	HOWELL
	1200	72	HOWELL
	1500	74	HOWELL
	1800	72	HOWELL
	2100	70	HOWELL
	2400	72	HOWELL

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
08/26/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	74	JIMESON
	1200	76	HOWELL
	1500	78	HOWELL
	1800	74	HOWELL
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

**Tuesday**

Date	Time	Temp.	Name (Print)
08/27/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	NO ACCESS	Moreno
	1200	NO ACCESS	HOWELL
	1500	76	HOWELL
	1800	76	HOWELL
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

**Wednesday**

Date	Time	Temp.	Name (Print)
08/28/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	74	Moreno
	1200	74	Moreno
	1500	76	HOWELL
	1800	76	HOWELL
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

**Thursday**

Date	Time	Temp.	Name (Print)
08/29/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

**Friday**

Date	Time	Temp.	Name (Print)
08/30/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	69	JIMESON
	1200	69	JIMESON
	1500	74	RAMOS
	1800	72	RAMOS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

**Saturday**

Date	Time	Temp.	Name (Print)
08/31/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

**Sunday**

Date	Time	Temp.	Name (Print)
09/01/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	GOMEZ
	1200	72	GOMEZ
	1500	72	GOMEZ
	1800	72	GOMEZ
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

**Notes**

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8/26</u>	0300		N/A
	0600	72	Hampton
	0900	72	Hampton
	1200	77	G Jones
	1500	78	G Jones
	1800	80	G Jones
	2100		N/A
	2400		N/A

Tuesday			
Date	Time	Temp.	Name (Print)
<u>8/27</u>	0300		N/A
	0600	70	J. Feist
	0900	70	J. Feist
	1200	74	G Jones
	1500	74	G Jones
	1800	74	G Jones
	2100		N/A
	2400		N/A

Wednesday			
Date	Time	Temp.	Name (Print)
<u>8/28</u>	0300		N/A
	0600	70	J. Feist
	0900	70	J. Feist
	1200	72	G Jones
	1500	74	G Jones
	1800	74	G Jones
	2100		N/A
	2400		N/A

Thursday			
Date	Time	Temp.	Name (Print)
<u>8/29</u>	0300		N/A
	0600	70	J. Feist
	0900	70	J. Feist
	1200	73	G Jones
	1500	73	G Jones
	1800	73	G Jones
	2100		N/A
	2400		N/A

Friday			
Date	Time	Temp.	Name (Print)
<u>8/30</u>	0300		N/A
	0600	68	J. Feist
	0900	70	J. Feist
	1200	72	Hampton
	1500	70	Hampton
	1800	70	Hampton
	2100		N/A
	2400		N/A

Saturday			
Date	Time	Temp.	Name (Print)
<u>8/31</u>	0300		N/A
	0600	68	J. Feist
	0900	68	J. Feist
	1200	70	Hampton
	1500	70	Hampton
	1800	70	Hampton
	2100		N/A
	2400		N/A

Sunday			
Date	Time	Temp.	Name (Print)
<u>9/1</u>	0300		N/A
	0600	68	Hampton
	0900	68	Hampton
	1200	68	Jones
	1500	70	Jones
	1800	74	Jones
	2100		N/A
	2400		N/A

Notes

8/26/2024 to 9/1/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier

Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300		N/A
	0600		
	0900	72	Gottscheld
	1200	77	
	1500	76	11
	1800		
	2100		
	2400		N/A

Tuesday

Dat	Time	Temp.	Name (Print)
g	0300		N/A
g	0600		
g	0900	74	Gattefeld
g	1200	74	u
g	1500	7.5	11
g	1800		
g	2100		N/A
g	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300		N/A
	0600		
	0900	70	Gottscheld
	1200	72	"
	1500	74	"
	1800		
	2100		
	2400		N/A

**Thursday**

Date	Time	Temp.	Name (Print)
9/24/08	0300		N/A
	0600		
	0900	72	Gottesfeld
	1200	73	11
	1500	73	11
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8-30-24	0300		N/A
	0600		
	0900	71	Gottestold
	1200	70	11
	1500	71	11
	1800		
	2100		
	2400		N/A

## Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

8/26/2024

to

9/1/2024

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: CANTER

Temp. Reading Location:

Main Office

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		N/A
	0900	71	M. Lewis
	1200	72	W
	1500	73	
	1800		
	2100		N/A
	2400		

Wednesday 8/28

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	B. Steele
	1200	72	BC
	1500	71	BR
	1800		
	2100		N/A
	2400		

Friday 8/30

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	C
	1200	72	CM
	1500	72	AN
	1800		
	2100		N/A
	2400		

Sunday 9/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original; Institution ADA Coordinator

Tuesday 8/27

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	CM
	1200	71	CM
	1500	71	CM
	1800		
	2100		N/A
	2400		

Thursday 8/29

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71°	CM
	1200	72°	CM
	1500	72°	CM
	1800		
	2100		N/A
	2400		

Saturday 8/31

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

8/26/2024

to

9/1/2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2<sup>nd</sup> FLOOR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26/2024	0300	—	—
	0600	71	CASTRO
	0900	74	CASTRO
	1200	75	WEBB
	1500	75	WEBB
	1800	75	WEBB
	2100	—	—
	2400	—	—

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27/2024	0300	—	—
	0600	70	CHAVEZ
	0900	70	CHAVEZ
	1200	70	WEBB
	1500	72	WEBB
	1800	71	WEBB
	2100	—	—
	2400	—	—

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28/2024	0300	—	—
	0600	66	SCOTT
	0900	68	SCOTT
	1200	69	SCOTT
	1500	70	SCOTT
	1800	70	SCOTT
	2100	—	—
	2400	—	—

**Thursday**

Date	Time	Temp.	Name (Print)
8/29/2024	0300	—	—
	0600	66	Medres
	0900	66	Medres
	1200	68	SCOTT
	1500	69	SCOTT
	1800	69	SCOTT
	2100	—	—
	2400	—	—

**Friday**

Date	Time	Temp.	Name (Print)
8/30/2024	0300	—	—
	0600	64	Medres
	0900	66	Medres
	1200	66	Medres
	1500	66	Medres
	1800	66	Medres
	2100	—	—
	2400	—	—

**Saturday**

Date	Time	Temp.	Name (Print)
8/31/2024	0300	—	—
	0600	64	Medres
	0900	66	Medres
	1200	68	WEBB
	1500	68	WEBB
	1800	68	WEBB
	2100	—	—
	2400	—	—

**Sunday**

Date	Time	Temp.	Name (Print)
9/1/2024	0300	—	—
	0600	64	Medres
	0900	66	Medres
	1200	66	WEBB
	1500	69	WEBB
	1800	69	WEBB
	2100	—	—
	2400	—	—

**Notes**

8/26/2024 to 9/1/2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

## **DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cmc Housing Unit: Plant Ops Temp. Reading Location: Z-150 A  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73	C. McGarvey
	1200	73	C. McGarvey
	1500	73	C. McGarvey
	1800		
	2100		N/A
	2400		

Wednesday 8/28/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	C. mcgarvey
	1200	73	C. mcgarvey
	1500	74	C. mcgarvey
	1800		
	2100		N/A
	2400		

Friday 8/30/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	C. McGarvey
	1200	71	C. McGarvey
	1500	71	C. McGarvey
	1800		
	2100		N/A
	2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 8/27/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	C. McGarvey
	1200	73	C. McGarvey
	1500	74	C. McGarvey
	1800		
	2100		N/A
	2400		

Thursday 8/28/2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	C. McCarvey
	1200	72	C. McCarvey
	1500	73	C. McCarvey
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

AUG 26 2024

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Temp. Reading Location: Wet Processing  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/26	0300	—	
	0600	—	
	0900	80°	SWayment
	1200	85°	SWayment
	1500	82	CH01
	1800	—	
	2100	—	
	2400	—	

## Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	—	
	0600	—	
	0900	74°	SWayment
	1200	83	SWayment
	1500	—	
	1800	—	
	2100	—	
	2400	—	

## Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	—	
	0600	—	
	0900	74°	SWayment
	1200	83°	SWayment
	1500	80°	SWayment
	1800	—	
	2100	—	
	2400	—	

## Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	—	
	0600	—	
	0900	73°	SWayment
	1200	80°	SWayment
	1500	78°	SWayment
	1800	—	
	2100	—	
	2400	—	

## Friday

Date	Time	Temp.	Name (Print)
	0300	—	
	0600	—	
	0900	70°	
	1200	70°	
	1500	—	
	1800	—	
	2100	—	
	2400	—	

## Saturday

Date	Time	Temp.	Name (Print)
	0300	—	
	0600	—	
	0900	70°	
	1200	70°	
	1500	—	
	1800	—	
	2100	—	
	2400	—	

## Sunday

Date	Time	Temp.	Name (Print)
	0300	—	
	0600	—	
	0900	70°	
	1200	70°	
	1500	—	
	1800	—	
	2100	—	
	2400	—	

## Notes

AUG 26 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Infirmary Temp. Reading Location: 2<sup>nd</sup> Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600		
	0900	70	J. Diaz
	1200	73	J. Diaz
	1500	81	J. Diaz
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300		
	0600		
	0900	60	J. Diaz
	1200	62	J. Diaz
	1500	70	J. Diaz
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300		
	0600		
	0900	71	SILVER
	1200	75	SILVER
	1500	74	SILVER
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300		
	0600		
	0900	65	SILVER
	1200	69	SILVER
	1500	71	SILVER
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/30	0300		
	0600		
	0900		
	1200	65	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

8/26 2024

---



---



---



---



---



---



---



---



---

AUG 26 2024

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: PIA Fabric Temp. Reading Location: Fabric 2nd Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/26	0300		N/A
	0600		
	0900	80	CHOI
	1200	81	CHOI
	1500	83	SILLE
	1800		
	2100		N/A
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300		N/A
	0600		
	0900	65	CHOI
	1200	75	CHOI
	1500	80	CHOI
	1800		
	2100		N/A
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300		N/A
	0600		
	0900	70	CHOI
	1200	78	CHOI
	1500	80	CHOI
	1800		
	2100		N/A
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8/29	0300		N/A
	0600		
	0900	65	CHOI
	1200	70	CHOI
	1500	78	SILLE
	1800		
	2100		N/A
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/30	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting Mill Temp. Reading Location: Floor 1 side  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	85°	Richardson M.
	1200	71°	Richardson M.
	1500	91°	Richardson M.
	1800		
	2100		N/A
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	77°	Richardson M.
	1200	84°	Richardson M.
	1500	89°	Richardson M.
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70°	
	1200	70°	
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70°	
	1200	70°	
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	78°	Richardson M.
	1200	83°	Richardson M.
	1500	88°	Richardson M.
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	77°	Richardson M.
	1200	84°	Richardson M.
	1500		
	1800		
	2100		N/A
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70°	
	1200	70°	
	1500		
	1800		
	2100		
	2400		

**Notes**

8-26-24 — 8-29-24

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

Housing Unit: PIA

Temp. Reading Location:

Mg R

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

8-26-24

Date	Time	Temp.	Name (Print)
0300			N/A
0600	73°	R. Esteban	P
0900	73°	R. Esteban	
1200	76°	R. Esteban	
1500	81°	R. Esteban	
1800	81°	R. Esteban	
2100			N/A
2400			N/A

Wednesday

8-28-24

Date	Time	Temp.	Name (Print)
0300			N/A
0600	77°	R. Esteban	
0900	75°	R. Esteban	
1200	79°	R. Esteban	
1500	80°	R. Esteban	
1800			
2100			N/A
2400			N/A

Friday

8-30-24

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200	72°		
1500			
1800			
2100			
2400			

Sunday

8-31-24

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

8-27-24

Date	Time	Temp.	Name (Print)
0300			N/A
0600			R. Esteban
0900			R. Esteban
1200	79°		R. Esteban
1500	80°		R. Esteban
1800			
2100			N/A
2400			N/A

Thursday

8-29-24

Date	Time	Temp.	Name (Print)
0300			N/A
0600	78°		R. Esteban
0900			R. Esteban
1200			R. Esteban
1500			R. Esteban
1800			
2100			N/A
2400			N/A

Saturday

8-31-24

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Notes

---



---



---



---



---



---



---



---



---



---

AUG 26 2024

**ATTACHMENT B**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Division office Temp. Reading Location: Inmate office  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/26	0300		N/A
	0600		
	0900	77°	S. B. K.
	1200	78°	B. K.
	1500		
	1800		
	2100		N/A
	2400		

Tuesday			
Dat	Time	Temp.	Name (Print)
8/27	0300		N/A
	0600		
	0900	77°	B. Rock
	1200	77°	B. Hart
	1500		
	1800		
	2100		N/A
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
8/20	0300		N/A
	0600		
	0900	75°	GSC
	1200	78°	B. Lat
	1500		
	1800		
	2100		N/A
	2400		

Date	Time	Temp.	Name (Print)
8/29	0300		N/A
	0600		
	0900	77°	SSC
	1200	75°	B/L
	1500		
	1800		
	2100		
	2400		N/A

Friday			
Date	Time	Temp.	Name (Print)
R D O	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday		Temp.	Name (Print)
Date	Time		
<i>R D O</i>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
R J O	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air-temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC

### Housing Units

**Temp. Reading Location**

Clerk off Wall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Monday			
Date	Time	Temp.	Name (Print)
8/26/14	0300		N/A
	0600	80	R. Fair
	0900	83	R. Fair
	1200	86	R. Fair
	1500	90	L. MENDOZA
	1800		
	2100		N
	2400		/A

Wednesday

Date	Time	Temp.	Name (Print)
12/24/21	0300		N/A
	0600	75°	Rick H
	0900	77°	Rick H
	1200	80	Rick H
	1500	83	Rick H
	1800		N/A
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
3/11/20	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/1/20	0300		N/A
	0600	75°	Kirk H
	0900	77	Kirk H
	1200	81	Fant R
	1500	83	Fant R
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/23/24	0300		N/A
	0600	77'	Rick F
	0900	79	<u>✓</u>
	1200	81	<u>✓</u>
	1500	82	L
	1800		
	2100		N/A
	2400		

Saturday

Saturday			
Date	Time	Temp.	Name (Print)
8/24/14	0300		
	0600		
	0900		
	1200		
	1500		
	1800		PDC
	2100		
	2400		

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
FDCR 201 (0410)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C M C Housing Unit: P R I N T P L A N T Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday      MONTH / YEAR: AUGUST, 2024

Date	Time	Temp.	Name (Print)
26	0300		N/A
	0600		
	0900	72	PM
	1200	80	PM
	1500	82	PM
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
28	0300		N/A
	0600		
	0900	65	PM
	1200	70	PM
	1500	73	PM
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
30	0300		
	0600		
	0900	70	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
27	0300		N/A
	0600		
	0900	62	PM
	1200	70	PM
	1500	74	PM
	1800		
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
29	0300		N/A
	0600		
	0900	64	PM
	1200	70	PM
	1500	72	PM
	1800		
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
31	0300		
	0600		
	0900	70	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes:

---

---

---

---

---

---

---

---

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cmc Housing Unit: P1a Temp. Reading Location: Safety TShirt  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday Aug 26 th 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	96	J. Johnson
	0900	78	J. Johnson
	1200	81	J. Johnson
	1500	85	J. Johnson
	1800		
	2100		N/A
	2400		

Wednesday Aug 28 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	77	J. Johnson
	0900	72	J. Johnson
	1200	78	J. Johnson
	1500	78	J. Johnson
	1800		
	2100		N/A
	2400		

Friday 8/30

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 9/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday Aug 27 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	75	J. Johnson
	0900	77	J. Johnson
	1200	74	J. Johnson
	1500	70	J. Johnson
	1800		
	2100		
	2400		N/A

Thursday Aug 29 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70	J. Johnson
	0900	77	J. Johnson
	1200	70	J. Johnson
	1500	70	J. Johnson
	1800		
	2100		
	2400		N/A

Saturday 8/31

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

AUG 26 2024

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC      Housing Unit: HFM      Temp. Reading Location: HFM MAIN OFFICE  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/26	0300	77°	N/A
	0600	77°	AH
	0900	77°	
	1200	77°	
	1500	77°	
	1800		
	2100		N/A
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	75°	N/A
	0600	75°	AH
	0900	75°	
	1200	75°	
	1500	75°	
	1800		
	2100		N/A
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	77°	N/A
	0600	77°	AH
	0900	77°	
	1200	77°	
	1500	77°	
	1800		
	2100		N/A
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	77°	N/A
	0600	77°	AH
	0900	77°	
	1200	77°	
	1500	77°	
	1800		N/A
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
8/30	0300	77°	N/A
	0600	77°	AH
	0900	77°	
	1200	77°	
	1500	77°	
	1800		
	2100		N/A
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

CL

---



---



---



---



---



---



---



---

DISTRIBUTION: Original: Institution ADA Coordinator

8/26/2024

to

9/1/2024

STATE OF CALIFORNIA

REHABILITATION

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND

From Sept. 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp. Reading Location: **Protestant Chapel EAST**

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300		
	0600		N/A
	0900	66	G
	1200	65	G
	1500	63	G
	1800		
	2100		N/A
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300		
	0600		N/A
	0900	64	G
	1200		
	1500	68	G
	1800		
	2100		N/A
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		N/A
	0900	62	G
	1200	66	G
	1500		
	1800		
	2100		N/A
	2400		

**Notes**


---



---



---



---



---



---



---



---

8/26/2024

to 9/1/2024

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL SERVICE WEATHER STATION

**Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-25-24	0100	62	Dominguez
	0200	62	Dominguez
	0300	62	Dominguez
	0400	63	Dominguez
	0500	63	Dominguez
	0600	65	STONE
	0700	67	STONE
	0800	69	STONE
	0900	70	STONE
	1000	71	STONE
	1100	75	STONE
	1200	78	STONE
	1300	81	STONE
	1400	80	Rupp
	1500	78	Rupp
	1600	74	Rupp
	1700	70	Rupp
	1800	70	Rupp
	1900	69	Rupp
	2000	68	Rupp
	2100	68	Rupp
	2200	67	Dominguez
	2300	67	Dominguez
	2400	66	Dominguez

Date	Time	Temp.	Printed Name
8-26-24	0100	64	Dominguez
	0200	64	Dominguez
	0300	64	Dominguez
	0400	67	Dominguez
	0500	67	Dominguez
	0600	70	Deletorre
	0700	71	Deletorre
	0800	72	Deletorre
	0900	70	Deletorre
	1000	80	Deletorre
	1100	82	Deletorre
	1200	85	Deletorre
	1300	83	Deletorre
	1400	83	Dominguez
	1500	81	Dominguez
	1600	78	Dominguez
	1700	75	Dominguez
	1800	71	Dominguez
	1900	68	Dominguez
	2000	62	Dominguez
	2100	58	Dominguez
	2200	54	Dominguez
	2300	53	Zelena, J
	2400	53	Zelena, J

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL SERVICE WEATHER STATION

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

8/27/04

Date	Time	Temp.	Printed Name
	0100	51	Zefea, J
	0200	51	Dominguez
	0300	50	Dominguez
	0400	49	Dominguez
	0500	49	Zefea, J
	0600	49	Zefea, J
	0700	50	Deltorre
	0800	50	Deltorre
	0900	52	Deltorre
	1000	68	STONE
	1100	68	STONE
	1200	75	STONE
	1300	74	Deltorre
	1400	76	Dominguez
	1500	77	Dominguez
	1600	75	Martin
	1700	74	Dominguez
	1800	70	Dominguez
	1900	62	Dominguez
	2000	57	Dominguez
	2100	54	Dominguez
	2200	52	Zefea, J
	2300	52	Zefea, J
	2400	52	Zefea, J

8/28/04

Date	Time	Temp.	Printed Name
	0100	50	Zefea, J
	0200	50	Zefea, J
	0300	50	Zefea, J
	0400	50	Zefea, J
	0500	49	Zefea, J
	0600	49	Zefea, J
	0700	50	Deltorre
	0800	51	STONE
	0900	60	Deltorre
	1000	66	Deltorre
	1100	71	Deltorre
	1200	72	Deltorre
	1300	75	Deltorre
	1400	73	STONE
	1500	73	STONE
	1600	72°	HUADA
	1700	70°	HUADA
	1800	65°	HUADA
	1900	60°	HUADA
	2000	57°	HUADA
	2100	57	Zefea, J
	2200	56	Zefea, J
	2300	56	Zefea, J
	2400	55	Zefea, J

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL SERVICE WEATHER STATION

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-29-21	0100	55	Hernandez
	0200	55	Hernandez
	0300	54	Hernandez
	0400	53	Hernandez
	0500	53	Hernandez
	0600	52	ZEPEDA, J
	0700	52	Delatorre
	0800	52	Delatorre
	0900	54	Delatorre
	1000	63	Delatorre
	1100	65	Delatorre
	1200	67	Delatorre
	1300	69	Delatorre
	1400	69	Hernandez
	1500	69	Hernandez
	1600	69	Hernandez
	1700	64	Hernandez
	1800	60	Hernandez
	1900	57	Hernandez
	2000	56	Hernandez
	2100	56	Hernandez
	2200	55	Hernandez
	2300	55	ZEPEDA, J
	2400	55	ZEPEDA, J

Date	Time	Temp.	Printed Name
8-30-21	0100	54	ZEPEDA
	0200	54	ZEPEDA
	0300	53	ZEPEDA
	0400	53	ZEPEDA
	0500	53	Jensen
	0600	53	ZEPEDA
	0700	56	Delatorre
	0800	57	Delatorre
	0900	61	Delatorre
	1000	65	Delatorre
	1100	66	Delatorre
	1200	69	Delatorre
	1300	68	Delatorre
	1400	69	Hernandez
	1500	69	Hernandez
	1600	71	Hernandez
	1700	71	Hernandez
	1800	64	Hernandez
	1900	61	Hernandez
	2000	57	Hernandez
	2100	56	Hernandez
	2200	54	ZEPEDA, J
	2300	54	ZEPEDA, J
	2400	53	ZEPEDA, J

INSTITUTION: CALIFORNIA MENS COLONY - EAST FACILITY

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL SERVICE WEATHER STATION

Immediately notify the Watch Commander at extension 7904 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/31/24	0100	53	ZEPEDA
	0200	53	ZEPEDA
	0300	53	ZEPEDA
	0400	53	ZEPEDA
	0500	53	ZEPEDA
	0600	53	ZEPEDA
	0700	55	BYRNE
	0800	58	BYRNE
	0900	60	BYRNE
	1000	65	BYRNE
	1100	70	BYRNE
	1200	70	BYRNE
	1300	70	BYRNE
	1400	69	RUPP
	1500	69	RUPP
	1600	69	RUPP
	1700	66	RUPP
	1800	62	RUPP
	1900	60	RUPP
	2000	57	RUPP
	2100	56	RUPP
	2200	55	RUPP
	2300	55	RUPP
	2400	55	RUPP

Date	Time	Temp.	Printed Name
9/1/24	0100	54	ZEPEDA
	0200	54	ZEPEDA
	0300	53	ZEPEDA
	0400	53	ZEPEDA
	0500	53	ZEPEDA
	0600	51	J. COTA
	0700	52	BYRNE
	0800	52	BYRNE
	0900	66	Flowers
	1000	72	Flowers
	1100	74	Flowers
	1200	76	Flowers
	1300	74	Hernandez
	1400	71	Hernandez
	1500	70	Hernandez
	1600	69	Hernandez
	1700	69	Hernandez
	1800	61	Hernandez
	1900	60	Hernandez
	2000	59	Hernandez
	2100	57	Hernandez
	2200	56	Danielle
	2300	54	Danielle
	2400	54	Danielle