

Monthly Summary Report

Institution: WSP

Memorandum

Date: September 5, 2024
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Wasco State Prison-RC
The following is a summary of the heat related activity for the month of August
at WSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 28

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes _____

Number of days Stage II Alert initiated: 1

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness.¹ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Christian Pfeiffer


Warden Name



Warden Signature

Penny Shank

Chief Executive Officer Name



Chief Executive Officer Signature

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CTC Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/14	0300		
	0600	71	Miranda
	0900	72	Miranda
	1200	73	Miranda
	1500	73	
	1800	73	
	2100	73	
	2400	72	

Tuesday

Date	Time	Temp.	Name (Print)
8/27/14	0300	70	
	0600	71	
	0900	71	
	1200	71	
	1500	71	
	1800	72	
	2100	70	
	2400	72	A. NASENA

Wednesday

Date	Time	Temp.	Name (Print)
8/28/14	0300	71	A. NASENA
	0600	72	S. Miranda
	0900	72	S. Miranda
	1200	72	S. Miranda
	1500	72	URENO
	1800	72	URENO
	2100	72	URENO
	2400	72	A. NASENA

Thursday

Date	Time	Temp.	Name (Print)
8/29/14	0300	71	A. NASENA
	0600	70/70	Beshirs
	0900	70/70	Beshirs
	1200	70/70	Beshirs
	1500	72/72	URENO
	1800	72/72	URENO
	2100	72/72	URENO
	2400	72/72	L. Perezchica

Friday

Date	Time	Temp.	Name (Print)
8/30/14	0300	72/72	L. Perezchica
	0600	72	B. Garza
	0900	72	B. Garza
	1200	73	B. Garza
	1500	72	A. Alvarez
	1800	72	A. Alvarez
	2100	72	A. Alvarez
	2400	72	A. NASENA

Saturday

Date	Time	Temp.	Name (Print)
8/31/14	0300	72	A. NASENA
	0600	72	B. GARZA
	0900	72	B. GARZA
	1200	73	B. GARZA
	1500	72	D. HOSEY
	1800	72	D. HOSEY
	2100	72	D. HOSEY
	2400	72	D. NASENA

Sunday

Date	Time	Temp.	Name (Print)
09/01/14	0300		
	0600	71	B. GARZA
	0900	72	B. GARZA
	1200	73	B. GARZA
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment D
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-84	0300	74	M. Diaz
	0600	74	L. Clenderen
	0900	74	L. Clenderen
	1200	75	L. Clenderen
	1500	76	J. Garcia
	1800	74	J. Garcia
	2100	74	J. Garcia
	2400	76	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
8-28-84	0300	78	M. Diaz
	0600	78	L. Clenderen
	0900	78	L. Clenderen
	1200	78	L. Clenderen
	1500	78°	M. Franco
	1800	78°	M. Franco
	2100	78°	M. Franco
	2400	78	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
8-30-84	0300	78	M. Diaz
	0600	78	L. Clenderen
	0900	78	L. Clenderen
	1200	78	L. Clenderen
	1500	78	J. Espinoza
	1800	78	J. Espinoza
	2100	78	J. Espinoza
	2400	79	Martinez

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8-27-84	0300	76	M. Diaz
	0600	76	L. Clenderen
	0900	76	L. Clenderen
	1200	76	L. Clenderen
	1500	76	Crowell
	1800	76	Crowell
	2100	76	Crowell
	2400	78	M. Diaz

Thursday

Date	Time	Temp.	Name (Print)
8-29-84	0300	78	M. Diaz
	0600	78	L. Clenderen
	0900	78	L. Clenderen
	1200	79	L. Clenderen
	1500	79°	M. Franco
	1800	79°	M. Franco
	2100	79	M. Franco
	2400	78	M. Diaz

Saturday

Date	Time	Temp.	Name (Print)
8-31-84	0300	77	Martinez
	0600	77	J. Espinoza
	0900	79	J. Espinoza
	1200	79	J. Espinoza
	1500	77	J. Espinoza
	1800	77	J. Espinoza
	2100	77	J. Espinoza
	2400	78	J. Espinoza

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment D
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
18-08-19	0300	78	M. DIAZ
	0600	78	L. Clederens
	0900	78	L. Clederens
	1200	79	L. Clederens
	1500	78	FIGUEROA
	1800	78	FIGUEROA
	2100	78	FIGUEROA
	2400	78	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
18-08-21	0300	78	M. DIAZ
	0600	78	L. Clederens
	0900	78	L. Clederens
	1200	79	L. Clederens
	1500	79°	M. Franco
	1800	79°	M. Franco
	2100	79°	M. Franco
	2400	79	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
18-08-23	0300	75	M. DIAZ
	0600	75	L. Clederens
	0900	76	L. Clederens
	1200	76	L. Clederens
	1500	78	J. Espinoza
	1800	78	J. Espinoza
	2100	76	J. Espinoza
	2400	76	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
18-08-25	0300	73	MARTINEZ
	0600	70	P. POWELL
	0900	71	P. POWELL
	1200	71	CROWELL
	1500	73	J. Espinoza
	1800	75	J. Espinoza
	2100	73	J. Espinoza
	2400	73	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
18-08-26	0300	78	M. DIAZ
	0600	78	L. Clederens
	0900	78	L. Clederens
	1200	78	L. Clederens
	1500	78	Crowell
	1800	78	Crowell
	2100	76	Crowell
	2400	78	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
18-08-28	0300	78	M. DIAZ
	0600	78	L. Clederens
	0900	78	L. Clederens
	1200	78	L. Clederens
	1500	79°	M. Franco
	1800	79°	M. Franco
	2100	79°	M. Franco
	2400	79	M. DIAZ

Saturday

Date	Time	Temp.	Name (Print)
18-08-29	0300	72	MARTINEZ
	0600	72	J. Espinoza
	0900	72	J. Espinoza
	1200	75	J. Espinoza
	1500	75	J. Espinoza
	1800	75	J. Espinoza
	2100	73	J. Espinoza
	2400	74	MARTINEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2931 (04/13)

DEPARTMENT OF CORRECTIONS AND REVENGEFUL JUSTICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top-tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
18-81-8	0300	80	M. Diaz
	0600	80	L. Clederan
	0900	80	L. Clederan
	1200	80	L. Clederan
	1500	79	Figueroa
	1800	79	Huezoa
	2100	80	Figueroa
	2400	80	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
18-81-8	0300	80	M. Diaz
	0600	80	L. Clederan
	0900	80	L. Clederan
	1200	80	L. Clederan
	1500	80	M. Franco
	1800	80	M. Franco
	2100	80	M. Franco
	2400	80	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
18-81-8	0300	80	M. Diaz
	0600	79	L. Clederan
	0900	80	L. Clederan
	1200	80	L. Clederan
	1500	80	J. Espinoza
	1800	80	J. Espinoza
	2100	80	J. Espinoza
	2400	99	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
18-81-8	0300	80	A. Salcedo
	0600	78	Crowell
	0900	78	Crowell
	1200	78	Crowell
	1500	80	J. Espinoza
	1800	78	J. Espinoza
	2100	78	J. Espinoza
	2400	78	M. Diaz

Tuesday

Date	Time	Temp.	Name (Print)
18-81-8	0300	80	M. Diaz
	0600	80	L. Clederan
	0900	80	L. Clederan
	1200	80	L. Clederan
	1500	80	Crowea
	1800	80	Crowell
	2100	80	Crowell
	2400	80	M. Diaz

Thursday

Date	Time	Temp.	Name (Print)
18-81-8	0300	80	M. Diaz
	0600	79	L. Clederan
	0900	79	L. Clederan
	1200	80	L. Clederan
	1500	80	M. Franco
	1800	80	M. Franco
	2100	80	M. Franco
	2400	80	M. Diaz

Saturday

Date	Time	Temp.	Name (Print)
18-81-8	0300	79	MARTINEZ
	0600	78	J. Espinoza
	0900	78	J. Espinoza
	1200	80	J. Espinoza
	1500	80	J. Espinoza
	1800	77	J. Espinoza
	2100	75	J. Espinoza
	2400	80	A. Salcedo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DOCSR 2021 (04/18)

Department of Corrections and Rehabilitation

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1

Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
he-90-8	0300	79	M. DIAZ
	0600	79	L.Clendener
	0900	79	L.Clendener
	1200	79	L.Clendener
	1500	78	FIGUEROA
	1800	77	FIGUEROA
	2100	77	FIGUEROA
	2400	80	M.DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
he-90-8	0300	80	M. DIAZ
	0600	79	L.Clendener
	0900	79	L.Clendener
	1200	80	L.Clendener
	1500	80	CROWELL
	1800	86	CROWELL
	2100	80	CROWELL
	2400	80	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
he-90-8	0300	80	M. DIAZ
	0600	80	L.Clendener
	0900	80	L.Clendener
	1200	80	L.Clendener
	1500	80	M. FRANC
	1800	80	M. FRANC
	2100	80	M. FRANC
	2400	80	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
he-90-8	0300	80	M. DIAZ
	0600	80	A. Alash
	0900	80	P. NICALA
	1200	80	P. NICALA
	1500	80	M. FRANCO
	1800	80	M. FRANCO
	2100	80	M. FRANCO
	2400	80	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
he-90-8	0300	80	M. DIAZ
	0600	79	Bailey
	0900	80	Bailey
	1200	80	Bailey
	1500	80	J.Espinoza
	1800	78	J.Espinoza
	2100	78	J.Espinoza
	2400	80	CLOPER

Saturday

Date	Time	Temp.	Name (Print)
he-90-8	0300	80	CLOPER
	0600	78	J.Espinoza
	0900	80	J.Espinoza
	1200	80	J.Espinoza
	1500	80	J.Espinoza
	1800	80	J.Espinoza
	2100	78	J.Espinoza
	2400	78	J.Espinoza

Sunday

Date	Time	Temp.	Name (Print)
he-90-8	0300	78	GALICIA
	0600	80	CROWELL
	0900	80	CROWELL
	1200	80	CROWELL
	1500	80	J.Espinoza
	1800	80	J.Espinoza
	2100	78	J.Espinoza
	2400	80	M. DIAZ

Notes

STATE OF CALIFORNIA,
INSIDE TEMPERATURE RECORD
02 SEP 2021 (08/13)

DISTRIBUTION: 5 COPIES FOR USE AND RETENTION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B - 1 Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-10-24	0300	79	M. DIAZ
	0600	79	F. GARCIA
	0900	80	F. GARCIA
	1200	80	F. GARCIA
	1500	80°	M. FRANCO
	1800	80°	M. FRANCO
	2100	79°	M. FRANCO
	2400	79	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
8-10-24	0300	79	M. DIAZ
	0600	79	CHAVEZ
	0900	77	J. ESPINOZA
	1200	77	J. ESPINOZA
	1500	79	J. ESPINOZA
	1800	79	J. ESPINOZA
	2100	76	J. ESPINOZA
	2400	78	J. GARCIA

Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	78	R. GARCIA
	0600	78	W. GARCIA
	0900	78	W. GARCIA
	1200	78	W. GARCIA
	1500	80	J. ESPINOZA
	1800	78	J. ESPINOZA
	2100	78	J. ESPINOZA
	2400	78	K. GARCIA

Sunday

Date	Time	Temp.	Name (Print)
8-10-24	0300	78	K. GARCIA
	0600	79	J. JASQUEZ
	0900	80	J. JASQUEZ
	1200	80	J. JASQUEZ
	1500	80	J. JASQUEZ
	1800	80	J. JASQUEZ
	2100	78	J. JASQUEZ
	2400	79	M. DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment D
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>5-28-18</u>	0300	68	M. DIAZ
	0600	68	L. Clederon
	0900	68	L. Clederon
	1200	69	L. Clederon
	1500	70	J. ARENA
	1800	69	J. ARENA
	2100	69	J. ARENA
	2400	69	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>5-28-18</u>	0300	69	M. DIAZ
	0600	69	L. Clederon
	0900	70	L. Clederon
	1200	70	L. Clederon
	1500	70	M. Franco
	1800	70	M. Franco
	2100	70	M. Franco
	2400	70	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
<u>5-30-18</u>	0300	69	M. DIAZ
	0600	69	L. Clederon
	0900	70	L. Clederon
	1200	70	L. Clederon
	1500	73	J. Espinosa
	1800	73	J. Espinosa
	2100	73	J. Espinosa
	2400	73	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
<u>5-29-18</u>	0300	69	M. DIAZ
	0600	69	L. Clederon
	0900	69	L. Clederon
	1200	70	L. Clederon
	1500	70	Crowell
	1800	70	Crowell
	2100	70	Crowell
	2400	70	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
<u>5-31-18</u>	0300	69	M. DIAZ
	0600	70	L. Clederon
	0900	71	L. Clederon
	1200	71	L. Clederon
	1500	71	M. Franco
	1800	71	M. Franco
	2100	71	M. Franco
	2400	70	M. DIAZ

Saturday

Date	Time	Temp.	Name (Print)
<u>6-1-18</u>	0300	74	MARTINEZ
	0600	76	J. Espinosa
	0900	76	J. Espinosa
	1200	74	J. Espinosa
	1500	74	J. Espinosa
	1800	71	J. Espinosa
	2100	74	J. Espinosa
	2400	74	MARTINEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment D
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B - 1 Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>he-08-19</u>	0300	70	M. Diaz
	0600	70	L. Cledener
	0900	71	L. Cledener
	1200	72	L. Cledener
	1500	72	Figueroa
	1800	72	Figueroa
	2100	71	Figueroa
	2400	71	M. Diaz

Tuesday

Date	Time	Temp.	Name (Print)
<u>he-08-20</u>	0300	71	M. Diaz
	0600	71	L. Cledener
	0900	72	L. Cledener
	1200	72	L. Cledener
	1500	72	Crowell
	1800	72	Crowell
	2100	72	Crowell
	2400	71	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
<u>he-08-21</u>	0300	70	M. Diaz
	0600	70	L. Cledener
	0900	70	L. Cledener
	1200	71	L. Cledener
	1500	70	M. Franco
	1800	70	M. Franco
	2100	70	M. Franco
	2400	70	M. Diaz

Thursday

Date	Time	Temp.	Name (Print)
<u>he-08-22</u>	0300	70	M. Diaz
	0600	70	L. Cledener
	0900	70	L. Cledener
	1200	71	L. Cledener
	1500	70	M. Franco
	1800	70	M. Franco
	2100	70	M. Franco
	2400	70	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
<u>he-08-23</u>	0300	69	M. Diaz
	0600	69	L. Cledener
	0900	70	L. Cledener
	1200	70	L. Cledener
	1500	73	J. Espinoza
	1800	73	J. Espinoza
	2100	70	J. Espinoza
	2400	71	Martinez

Saturday

Date	Time	Temp.	Name (Print)
<u>he-08-24</u>	0300	70	Martinez
	0600	70	J. Espinoza
	0900	70	J. Espinoza
	1200	73	J. Espinoza
	1500	73	J. Espinoza
	1800	73	J. Espinoza
	2100	70	J. Espinoza
	2400	71	Martinez

Sunday

Date	Time	Temp.	Name (Print)
<u>he-08-25</u>	0300	71	Martinez
	0600	70	Crowell
	0900	70	Crowell
	1200	70	Crowell
	1500	73	J. Espinoza
	1800	73	J. Espinoza
	2100	70	J. Espinoza
	2400	75	M. Diaz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
SDOR-2081 (04/13)

DEPARTMENT OF CORRECTIONS AND REVENGEFUL CORRECTIONAL

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
he-81-8	0300	72	M. DIAZ
	0600	73	L. Clederan
	0900	74	L. Clederan
	1200	76	L. Clederan
	1500	77	FIGUEROA
	1800	77	FIGUEROA
	2100	76	FIGUEROA
	2400	72	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
he-81-8	0300	72	M. DIAZ
	0600	73	L. Clederan
	0900	73	L. Clederan
	1200	75	L. Clederan
	1500	75	CROWELL
	1800	75	CROWELL
	2100	75	CROWELL
	2400	72	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
he-81-8	0300	72	M. DIAZ
	0600	72	L. Clederan
	0900	73	L. Clederan
	1200	74	L. Clederan
	1500	75	M. Franco
	1800	75	M. Franco
	2100	75	M. Franco
	2400	72	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
he-81-8	0300	72	M. DIAZ
	0600	72	L. Clederan
	0900	73	L. Clederan
	1200	73	L. Clederan
	1500	74	M. Franco
	1800	74	M. Franco
	2100	74	M. Franco
	2400	72	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
he-81-8	0300	72	M. DIAZ
	0600	72	L. Clederan
	0900	73	L. Clederan
	1200	73	L. Clederan
	1500	75	J. Espinosa
	1800	75	J. Espinosa
	2100	75	J. Espinosa
	2400	74	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
he-81-8	0300	73	MARTINEZ
	0600	75	J. Espinosa
	0900	75	J. Espinosa
	1200	78	J. Espinosa
	1500	78	J. Espinosa
	1800	75	J. Espinosa
	2100	75	J. Espinosa
	2400	80	A. SALCEDO

Sunday

Date	Time	Temp.	Name (Print)
he-81-8	0300	80	A. SALCEDO
	0600	71	CROWELL
	0900	71	CROWELL
	1200	72	CROWELL
	1500	75	J. Espinosa
	1800	73	J. Espinosa
	2100	73	J. Espinosa
	2400	72	M. DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CCOR 2031 (6/4/93)

DEPARTMENT OF CORRECTIONS - OPERATIONS

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1

Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
he-90-8	0300	74	M. DIAZ
	0600	74	L. Clendener
	0900	75	L. Clendener
	1200	76	L. Clendener
	1500	76	F. FIGUEREDA
	1800	75	F. FIGUEREDA
	2100	75	F. FIGUEREDA
	2400	75	M. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
he-90-8	0300	75	M. DIAZ
	0600	76	L. Clendener
	0900	76	L. Clendener
	1200	78	L. Clendener
	1500	78	CROWELL
	1800	78	CROWELL
	2100	78	CROWELL
	2400	76	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
he-10-8	0300	75	M. DIAZ
	0600	75	L. Clendener
	0900	76	L. Clendener
	1200	77	L. Clendener
	1500	78	M. FRANCO
	1800	78	M. Franco
	2100	78	M. Franco
	2400	75	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
he-10-8	0300	75	M. DIAZ
	0600	78	R. Alak
	0900	78	R. Meala
	1200	78	R. Meala
	1500	79	M. Franco
	1800	79	M. Franco
	2100		M. Franco
	2400	75	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
he-10-8	0300	75	M. DIAZ
	0600	79	Bailey
	0900	79	Bailey
	1200	80	Bailey
	1500	80	J. Espinoza
	1800	78	J. Espinoza
	2100	78	J. Espinoza
	2400		

Saturday

Date	Time	Temp.	Name (Print)
he-01-8	0300	86	C. LOPEZ
	0600	78	J. Espinoza
	0900	80	J. Espinoza
	1200	80	J. Espinoza
	1500	80	J. Espinoza
	1800	80	J. Espinoza
	2100	80	J. Espinoza
	2400	78	FAMILIA

Sunday

Date	Time	Temp.	Name (Print)
he-11-8	0300	78	Gutierrez
	0600	77	CROWELL
	0900	77	CROWELL
	1200	77	CROWELL
	1500	80	J. Espinoza
	1800	80	J. Espinoza
	2100	78	J. Espinoza
	2400	75	M. DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
ODCR 2021 (3413)

Department of Corrections and Rehabilitation

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/8-10-24	0300	71	M. Diaz
	0600	74	F. Garcia
	0900	76	F. Garcia
	1200	77	F. Garcia
	1500	78	M. Franco
	1800	78	M. Franco
	2100	78	M. Franco
	2400	73	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
7/8-10-24	0300	73	M. Diaz
	0600	79	J. Alvarez
	0900	79	J. Samarripas
	1200	79	J. Samarripas
	1500	79	J. Espinosa
	1800	79	J. Espinosa
	2100	76	J. Espinosa
	2400	76	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
7/8-10-24	0300	76	B. Garcia
	0600	78	L. Soto
	0900	78	W. Soto
	1200	78	W. Soto
	1500	80	J. Espinosa
	1800	78	J. Espinosa
	2100	79	J. Espinosa
	2400	78	K. Garcia

Sunday

Date	Time	Temp.	Name (Print)
7/8-10-24	0300	78	K. Garcia
	0600	79	J. Alvarez
	0900	80	J. Vasquez
	1200	80	J. Vasquez
	1500	80	J. Espinosa
	1800	80	J. Espinosa
	2100	78	J. Espinosa
	2400	78	M. Diaz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
(Form 1281 (Rev. 6-8))

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2

Temp. Reading Location: A-SIDE 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	72	Crowell
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	Crowell
	1500	73	R. Pinon
	1800	73	R. Pinon
	2100	72	R. Pinon
	2400	72	L. Camacho

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	72	Crowell
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	Crowell
	1500	73	R. Pinon
	1800	73	R. Pinon
	2100	73	R. Pinon
	2400	78	Martinez

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	76	Martinez
	0600	75	A. Duran
	0900	73	A. Duran
	1200	73	A. Duran
	1500	74	R. Pinon
	1800	74	R. Pinon
	2100	74	R. Pinon
	2400	75	Martinez

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	76	Martinez
	0600	76	Esquivel
	0900	77	ESQUIVEL
	1200	78	ESQUIVEL
	1500	78	R. Pinon
	1800	78	R. Pinon
	2100	77	R. Pinon
	2400	76	Shamp

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	76	Shamp
	0600	74	ESQUIVEL
	0900	77	ESQUIVEL
	1200	78	ESQUIVEL
	1500	78°	M. Franco
	1800	78°	M. Franco
	2100	78°	M. Franco
	2400	77	R. Camacho

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	72	R. Camacho
	0600	74	ESQUIVEL
	0900	75	ESQUIVEL
	1200	75	ESQUIVEL
	1500	78	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	75	R. Camacho

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REVENGEANCE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2 Temp. Reading Location: A-S.O.E 2nd T.C.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/21	0300	79	R. GUNZAKER
	0600	79	CROWELL
	0900	79	CROWELL
	1200	79	CROWELL
	1500	80	R. Pinon
	1800	80	R. Pinon
	2100	80	R. Pinon
	2400	79	R. GUNZAKER

Tuesday

Date	Time	Temp.	Name (Print)
8/20/21	0300	79	R. GUNZAKER
	0600	76	CROWELL
	0900	76	CROWELL
	1200	76	CROWELL
	1500	76	R. Pinon
	1800	77	R. Pinon
	2100	77	R. Pinon
	2400	77	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/21/21	0300	77	MARTINEZ
	0600	76	A. DUCUT
	0900	77	A. DUCUT
	1200	78	A. DUCUT
	1500	78	R. Pinon
	1800	79	R. Pinon
	2100	79	R. Pinon
	2400	79	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
8/22/21	0300	78	MARTINEZ
	0600	78	ESQUIVEL
	0900	79	ESQUIVEL
	1200	79	ESQUIVEL
	1500	78	R. Pinon
	1800	79	R. Pinon
	2100	78	R. Pinon
	2400	78	SHAW

Friday

Date	Time	Temp.	Name (Print)
8/23/21	0300	78	SHAW
	0600	77	ESQUIVEL
	0900	76	ESQUIVEL
	1200	77	ESQUIVEL
	1500	78	M. FRONCO
	1800	78	M. FRONCO
	2100	78	M. FRONCO
	2400	77	F. HARVEY

Saturday

Date	Time	Temp.	Name (Print)
8/24/21	0300	77	F. HARVEY
	0600	74	M. ESQUIVEL
	0900	73	M. ESQUIVEL
	1200	74	M. ESQUIVEL
	1500	73	C. PENA
	1800	73	C. PENA
	2100	73	C. PENA
	2400	72	K. GUNZAKER

Sunday

Date	Time	Temp.	Name (Print)
8/25/21	0300	72	R. GUNZAKER
	0600	73	M. ESQUIVEL
	0900	74	M. ESQUIVEL
	1200	76	M. ESQUIVEL
	1500	76	M. CLOUD
	1800	76	M. CLOUD
	2100	75	M. CLOUD
	2400	72	R. GUNZAKER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
SOCR 2021 (04/19)

DISTRIBUTION: Original, File, 1st and 2nd Revisions, etc.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2

Temp. Reading Location: A-SIDE 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	79	R. GONZALEZ
	0600	80	CROWELL
	0900	80	CROWELL
	1200	80	CROWELL
	1500	80	R. PINON
	1800	79	R. PINON
	2100	79	R. PINON
	2400	79	R. GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	79	R. GONZALEZ
	0600	79	CROWELL
	0900	79	CROWELL
	1200	80	CROWELL
	1500	80	R. PINON
	1800	81	R. PINON
	2100	80	R. PINON
	2400	79	A. NAGENT

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	78	A. NAGENT
	0600	78	M. ESQUIVEL
	0900	80	M. ESQUIVEL
	1200	80	M. ESQUIVEL
	1500	80	R. PINON
	1800	81	R. PINON
	2100	80	R. PINON
	2400	79	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	79	MARTINEZ
	0600	79	M. ESQUIVEL
	0900	80	M. ESQUIVEL
	1200	81	M. ESQUIVEL
	1500	81	R. PINON
	1800	80	R. PINON
	2100	80	R. PINON
	2400	79	Shamp

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	79	Shamp
	0600	78	M. ESQUIVEL
	0900	78	M. ESQUIVEL
	1200	78	M. ESQUIVEL
	1500	79	Franco
	1800	79	Franco
	2100	79	Franco
	2400	79	R. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	79	R. GONZALEZ
	0600	78	M. ESQUIVEL
	0900	78	M. ESQUIVEL
	1200	79	M. ESQUIVEL
	1500	79	J. JACKSON
	1800	80	J. JACKSON
	2100	80	J. JACKSON
	2400	79	R. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	79	R. GONZALEZ
	0600	78	M. ESQUIVEL
	0900	78	M. ESQUIVEL
	1200	78	M. ESQUIVEL
	1500	79	J. JACKSON
	1800	80	J. JACKSON
	2100	80	J. JACKSON
	2400	79	R. GONZALEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DOCP 2001 (04/13)

DEPARTMENT OF CORRECTIONS & REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: B 2 Temp. Reading Location: A-SIDE 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	79	R. Gonzalez
	0600	79	CROWELL
	0900	79	CROWELL
	1200	80	CROWELL
	1500	81	R. Pinon
	1800	82	R. Pinon
	2100	81	R. Pinon
	2400	79	R. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	80	MARTINEZ
	0600	73	ESQUIVEL
	0900	76	ESQUIVEL
	1200	76	ESQUIVEL
	1500	78	R. Pinon
	1800	79	R. Pinon
	2100	80	R. Pinon
	2400	80	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	80	Sham
	0600	80	M. ESQUIVEL
	0900	81	M. ESQUIVEL
	1200	80	M. ESQUIVEL
	1500	80°	M. Franco
	1800	80°	M. Franco
	2100	80	M. Franco
	2400	80	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	79	R. Gonzalez
	0600	80	M. ESQUIVEL
	0900	80	M. ESQUIVEL
	1200	81	M. ESQUIVEL
	1500	80	R. Pinon
	1800	81	R. Pinon
	2100	80	R. Pinon
	2400	79	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	79	R. Gonzalez
	0600	80	CROWELL
	0900	80	CROWELL
	1200	80	CROWELL
	1500	81	R. Pinon
	1800	81	R. Pinon
	2100	80	R. Pinon
	2400	80	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	80	MARTINEZ
	0600	81	M. ESQUIVEL
	0900	83	M. ESQUIVEL
	1200	76	M. ESQUIVEL
	1500	77	R. Pinon
	1800	77	R. Pinon
	2100	77	R. Pinon
	2400	80	Sham

Saturday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	80	R. Gonzalez
	0600	78	M. ESQUIVEL
	0900	79	M. ESQUIVEL
	1200	80	M. ESQUIVEL
	1500	80°	OPENA
	1800	80°	OPENA
	2100	80	OPENA
	2400	79	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDOP 2001 (04/03)

DEPARTMENT OF CORRECTIONS - INSPECTION UNIT

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B2 A-SIDE Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	83	MARTINEZ
	0600	81	MORA
	0900	80	MORA
	1200	81	MORA
	1500	81	K. PISON
	1800	81	K. PISON
	2100	80	K. PISON
	2400	80	Shamp

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	80	Shamp
	0600	81	MORA
	0900	80	MORA
	1200	80	MORA
	1500	80	M. FRANCO
	1800	80	M. FRANCO
	2100	80	M. FRANCO
	2400	79	R. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	79	R. GONZALEZ
	0600	80	J. VASQUEZ
	0900	81	J. VASQUEZ
	1200	81	J. VASQUEZ
	1500	81	V. REYNA
	1800	81	V. REYNA
	2100	80	V. REYNA
	2400	79	R. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	79	R. GONZALEZ
	0600	79	BORGES
	0900	79	BORGES
	1200	80	BORGES
	1500	81	E. BOSTOS
	1800	81	E. BOSTOS
	2100	80	E. BOSTOS
	2400	79	R. GONZALEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
(D.O.I. 2001 (04913))

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2 Temp. Reading Location: B-SIDE 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	72	R. Gonzalez
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	CROWELL
	1500	72	R. Pinon
	1800	72	R. Pinon
	2100	72	R. Pinon
	2400	72	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	72	R. Gonzalez
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	CROWELL
	1500	73	R. Pinon
	1800	73	R. Pinon
	2100	73	R. Pinon
	2400	74	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	75	MARTINEZ
	0600	75	A. Duct
	0900	75	A. Duct
	1200	75	A. Duct
	1500	75	R. Pinon
	1800	75	R. Pinon
	2100	75	R. Pinon
	2400	75	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	75	MARTINEZ
	0600	74	ESQUIVEL
	0900	77	ESQUIVEL
	1200	78	ESQUIVEL
	1500	78	R. Pinon
	1800	78	R. Pinon
	2100	77	R. Pinon
	2400	74	Shamp

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	74	Shamp
	0600	76	ESQUIVEL
	0900	77	ESQUIVEL
	1200	76	ESQUIVEL
	1500	78°	M. Franco
	1800	78°	M. Franco
	2100	78°	M. Franco
	2400	77	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	72	R. Gonzalez
	0600	74	ESQUIVEL
	0900	74	ESQUIVEL
	1200	74	ESQUIVEL
	1500	74	J. Jackson
	1800	76	J. Jackson
	2100	76	J. Jackson
	2400	75	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DCR 2001 (04/13)

GENERIC FORM DCP-1000 REV. 10-10-01

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NSP-RC Housing Unit: B - 2 Temp. Reading Location: S. S-05 2nd T.on
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	79	R. Gonzalez
	0600	79	CROWELL
	0900	79	CROWELL
	1200	76	CROWELL
	1500	79	R. Pinon
	1800	80	R. Pinon
	2100	80	R. Pinon
	2400	79	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	78	R. Gonzalez
	0600	76	CROWELL
	0900	76	CROWELL
	1200	76	CROWELL
	1500	76	R. Pinon
	1800	77	R. Pinon
	2100	77	R. Pinon
	2400	76	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	75	MARTINEZ
	0600	76	A. MCMILLAN
	0900	77	A. MCMILLAN
	1200	76	A. MCMILLAN
	1500	76	R. Pinon
	1800	77	R. Pinon
	2100	77	R. Pinon
	2400	76	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	75	MARTINEZ
	0600	77	ESQUIVEL
	0900	78	ESQUIVEL
	1200	76	ESQUIVEL
	1500	78	R. Pinon
	1800	78	R. Pinon
	2100	77	R. Pinon
	2400	78	SHAMO

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	76	Sham
	0600	77	ESQUIVEL
	0900	77	ESQUIVEL
	1200	78	ESQUIVEL
	1500	78	M. Freyce
	1800	78	M. Freyce
	2100	78	M. Freyce
	2400	77	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	79	R. Gonzalez
	0600	73	M. ESQUIVEL
	0900	74	M. ESQUIVEL
	1200	74	M. ESQUIVEL
	1500	74	C. PENA
	1800	74	C. PENA
	2100	73	C. PENA
	2400	72	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	72	R. Gonzalez
	0600	73	M. ESQUIVEL
	0900	74	M. ESQUIVEL
	1200	76	M. ESQUIVEL
	1500	76	M. CLOUD
	1800	74	M. CLOUD
	2100	72	M. CLOUD
	2400	72	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
SDOR 2001 (04/18)

DEPARTMENT OF CORRECTIONS AND REVENGEANCE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2

Temp. Reading Location: B-5105 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 16001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	79	R. Gonzalez
	0600	79	CROWELL
	0900	79	CROWELL
	1200	79	CROWELL
	1500	79	K. Pinon
	1800	79	R. Pinon
	2100	79	R. Pinon
	2400	79	R. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	78	M. Nasenat
	0600	76	M. Esquivel
	0900	70	M. Esquivel
	1200	80	M. Esquivel
	1500	80	R. Pinon
	1800	81	R. Pinon
	2100	80	R. Pinon
	2400	76	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	76	Shamp
	0600	70	ESQUIVEL
	0900	78	ESQUIVEL
	1200	70	ESQUIVEL
	1500	78	Franco
	1800	78	Franco
	2100	78	Franco
	2400	78	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	78	R. Gonzalez
	0600	77	M. Esquivel
	0900	78	M. Esquivel
	1200	78	M. Esquivel
	1500	78	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	79	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	79	R. Gonzalez
	0600	79	CROWELL
	0900	79	CROWELL
	1200	79	CROWELL
	1500	80	R. Pinon
	1800	80	R. Pinon
	2100	80	R. Pinon
	2400	79	A. Nasenat

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	77	MARTINEZ
	0600	79	M. Esquivel
	0900	80	M. Esquivel
	1200	80	M. Esquivel
	1500	80	R. Pinon
	1800	80	R. Pinon
	2100	80	R. Pinon
	2400	76	Shamp

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	78	R. Gonzalez
	0600	78	M. Esquivel
	0900	78	M. Esquivel
	1200	78	M. Esquivel
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	78	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DDCP 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B 2

Temp. Reading Location: B - Side 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/5/24	0300	79	R. Gonzalez
	0600	79	CROWELL
	0900	79	CROWELL
	1200	79	CROWELL
	1500	80	R. Pinon
	1800	81	R. Pinon
	2100	81	R. Pinon
	2400	79	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	79	R. Gonzalez
	0600	79	CROWELL
	0900	79	CROWELL
	1200	79	CROWELL
	1500	80	R. Pinon
	1800	81	R. Pinon
	2100	80	R. Pinon
	2400	79	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	79	MARTINEZ
	0600	73	M. ESQUIVEL
	0900	76	M. ESQUIVEL
	1200	76	M. ESQUIVEL
	1500	78	R. Pinon
	1800	79	R. Pinon
	2100	79	R. Pinon
	2400	79	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	79	MARTINEZ
	0600	80	M. ESQUIVEL
	0900	82	M. ESQUIVEL
	1200	76	M. ESQUIVEL
	1500	77	R. Pinon
	1800	78	R. Pinon
	2100	77	R. Pinon
	2400	76	Shamp

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	76	Shamp
	0600	80	M. ESQUIVEL
	0900	80	M. ESQUIVEL
	1200	81	M. ESQUIVEL
	1500	81°	M. Franco
	1800	81°	M. Franco
	2100	81°	M. Franco
	2400	79	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	80	R. Gonzalez
	0600	78	M. ESQUIVEL
	0900	78	M. ESQUIVEL
	1200	79	M. ESQUIVEL
	1500	78°	CPENA
	1800	79°	CPENA
	2100	78°	CPENA
	2400	78	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	79	R. Gonzalez
	0600	80	M. ESQUIVEL
	0900	80	M. ESQUIVEL
	1200	81	M. ESQUIVEL
	1500	80	R. Pinon
	1800	81	R. Pinon
	2100	80	R. Pinon
	2400	79	R. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B2 B-SIDE Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	77	MARTINEZ
	0600	79	MORA
	0900	79	MORA
	1200	79	MORA
	1500	80	R. Franco
	1800	81	R. Franco
	2100	80	R. Franco
	2400	80	SHAW

Friday

Date	Time	Temp.	Name (Print)
	0300	80	Shaw
	0600	80	MORA
	0900	80	MORA
	1200	79	MORA
	1500	80	M. Franco
	1800	80	M. Franco
	2100	80	M. Franco
	2400	79	R. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
	0300	79	R. GONZALEZ
	0600	80	J. VASQUEZ
	0900	81	J. VASQUEZ
	1200	81	J. VASQUEZ
	1500	81	V. REYNOLDS
	1800	81	V. REYNOLDS
	2100	80	V. REYNOLDS
	2400	79	R. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
	0300	79	R. GONZALEZ
	0600	79	Burgos
	0900	79	Burgos R
	1200	80	Burgos A.
	1500	81	E. Bustos
	1800	81	E. Bustos
	2100	80	E. Bustos
	2400	79	C.C. GONZALEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/18)

DEPARTMENT OF STATE, U.S. GOVERNMENT

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-3 A-side Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Monday			
Date	Time	Temp.	Name (Print)
8/26/24	0300	71°	J. Esquedra
	0600	72°	J. Esquedra
	0900	70	Avarela
	1200	72	Avarela
	1500	74	J. Jackson
	1800	74	J. Jackson
	2100	74	J. Jackson
	2400	73°	J. Jackson

Tuesday			
Date	Time	Temp.	Name (Print)
8/27/29	0300	72°	J - BSQUEDA
	0600	72°	J - BSQUEDA
	0900	72°	MURDOZ
	1200	71°	MURDOZ
	1500	73	D - KNIGHT
	1800	73	D - KNIGHT
	2100	73	D - KNIGHT
	2400	72°	J - BSQUEDA

Date	Time	Temp.	Name (Print)
8/28	0300	71°	J. ESGUERRA
	0600	71°	J. ESGUERRA
	0900	70°	CROWELL
	1200	70°	CROWELL
	1500	73°	D. KNIGHT
	1800	73°	D. KNIGHT
	2100	73°	D. KNIGHT
	2400	73°	J. ESGUERRA

Thursday			
Date	Time	Temp.	Name (Print)
8/29/24	0300	72°	J. ESQUEDA
	0600	72°	J. ESQUEDA
	0900	74	L. Perea
	1200	74	L. Perea
	1500	73	O. KNIGHT
	1800	73	O. KNIGHT
	2100	73	O. KNIGHT
	2400	74	MARTINEZ

Friday			
Date	Time	Temp.	Name (Print)
8/30/24	0300	73	MARTINEZ
	0600	73	AVARELA
	0900	73	AVARELA
	1200	73	AVARELA
	1500	73	D. KNIGHT
	1800	73	D. KNIGHT
	2100	73	D. KNIGHT
	2400	73	HERNANDEZ

Saturday			
Date	Time	Temp.	Name (Print)
8/23/24	0300	72	HERNANDEZ
	0600	73	FUNNER
	0900	73	FUMPER
	1200	74	FICVENTER
	1500	74	D. KNIGHT
	1800	74	D. KNIGHT
	2100	74	D. KNIGHT
	2400	73	J. SQUEOAP

Sunday			
Date	Time	Temp.	Name (Print)
9/1/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/13)

DEPARTMENT OF CORRECTIONS AND REVENGE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	77	S Della Rosa
	0600	73	AVarela
	0900	73	AVarela
	1200	73	AVarela
	1500	74	J. Jackson
	1800	76	J. Jackson
	2100	76	J. Jackson
	2400	74	S Della Rosa

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	76	S Della Rosa
	0600	74	AVarela
	0900	74	AVarela
	1200	74	AVarela
	1500	74	D. Knight
	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	S Della Rosa

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	73	S Della Rosa
	0600	73	Crowell
	0900	73	Crowell
	1200	73	Crowell
	1500	73	D. Knight
	1800	73	D. Knight
	2100	73	D. Knight
	2400	73	S Della Rosa

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	73	S Della Rosa
	0600	73	J. Castellanos
	0900	75	J. Castellanos
	1200	75	J. Castellanos
	1500	74	D. Knight
	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	Martinez

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	73	Martinez
	0600	73	AVarela
	0900	74	AVarela
	1200	74	AVarela
	1500	74	D. Knight
	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	U. Franco

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	74°	U. Franco
	0600	75	M. Gonzalez
	0900	76	M. Gonzalez
	1200	74	M. Gonzalez
	1500	78	J. Diaz
	1800	78	J. Diaz
	2100	70	M. Diaz
	2400	70	M. Diaz

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	69	M. Diaz
	0600	70	AVarela
	0900	70	AVarela
	1200	70	AVarela
	1500	71°	C. Penn
	1800	71°	C. Penn
	2100	71°	C. Penn
	2400	71	M. Esquela

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	78	S. DELA REN
12/24	0600	73	A Varela
	0900	75	A Varela
	1200	75	A Varela
	1500	76	J. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	78	S. DELA REN

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	78	S. DELA REN
24	0600	78	R. Luer
	0900	78	R. Luer
	1200	78	R. Luer
	1500	79	K. Cottrell
	1800	78	K. COTTRELL
	2100	79	K. COTTRELL
	2400	79	S. DELA REN

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	76	MARTINEZ
24	0600	74	A Varela
	0900	75	A Varela
	1200	75	A Varela
	1500	75	D. KNIGHT
	1800	75	D. KNIGHT
	2100	75	D. KNIGHT
	2400	75	M. FRANC

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	77	S. DELA REN
24	0600	77	S. ENRIQUEZ
	0900	79	S. ENRIQUEZ
	1200	80°	S. ENRIQUEZ
	1500	78	J. Jackson
	1800	79	J. Jackson
	2100	79	J. Jackson
	2400	79	S. DELA REN

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	77	S. DELA REN
24	0600	73	A Varela
	0900	73	A Varela
	1200	74	A Varela
	1500	78	QUINTANA
	1800	78	QUINTANA
	2100	78	QUINTANA
	2400	78	QUINTANA

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	79	S. DELA REN
24	0600	77	M. PANTOJA
	0900	78	M. PANTOJA
	1200	79	M. PANTOJA
	1500	79	D. KNIGHT
	1800	79	D. KNIGHT
	2100	79	D. KNIGHT
	2400	76	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	75	M. FRANC
24	0600	76	N. GONZALEZ
	0900	77	N. GONZALEZ
	1200	77	N. GONZALEZ
	1500	79	D. KNIGHT
	1800	79	D. KNIGHT
	2100	77	D. KNIGHT
	2400	79	S. DELA REN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DOCR 2001 (M418)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2 ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24	0300	79	S. Delta R.
	0600	76	A. Varela
	0900	76	A. Varela
	1200	77	A. Varela
	1500	78	J. Jackson
	1800	80	J. Jackson
	2100	79	J. Jackson
	2400	78	S. Delta R.

Wednesday

Date	Time	Temp.	Name (Print)
8/24	0300	79	J. Delta R.
	0600	79	Crowell
	0900	79	Cottrell
	1200	80	Cottrell
	1500	80	D. Knight
	1800	81	D. Knight
	2100	80	D. Knight
	2400	80	A. Nasen

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	76	Martinez
	0600	76	A. Varela
	0900	76	A. Varela
	1200	77	A. Varela
	1500	80	D. Knight
	1800	80	D. Knight
	2100	80	D. Knight
	2400	80	L. Martinez

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	79	A. Nasen
	0600	74	A. Varela
	0900	74	A. Varela
	1200	75	A. Varela
	1500	77	C. pena
	1800	78	C. pena
	2100	78	C. pena
	2400	78	J. Delta R.

Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300	75	S. Delta R.
	0600	80	Camarena
	0900	80	Camarena
	1200	80	Camarena
	1500	80	D. Knight
	1800	80	D. Knight
	2100	80	D. Knight
	2400	80	J. Delta R.

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	79	A. Nasen
	0600	78	Samaratin
	0900	79	Samaratina
	1200	80	Samaratina
	1500	80	D. Knight
	1800	80	D. Knight
	2100	80	D. Knight
	2400	78	Martinez

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	80	R. Montour
	0600	79	Berry A.
	0900	80	Berry A.
	1200	80	Berry A.
	1500	80	D. Knight
	1800	80	D. Knight
	2100	80	D. Knight
	2400	80	A. Nasen

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (REV 13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	S. DelaRosa
8/24	0600	77	JAMARRIPAS
	0900	78	JAMARRIPAS
	1200	79	JAMARRIPAS
	1500	78	D. Knight
	1800	78	D. Knight
	2100	78	D. Knight
	2400	76	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	75	MARTINEZ
	0600	75	AVARELA
	0900	75	AVARELA
	1200	75	AVARELA
	1500	75	M. Leon
	1800	75	I. Saylor
	2100	75	I. Saylor
	2400	75	M. Diaz

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	75	M. Diaz
	0600	75	AVARELA
	0900	75	AVARELA
	1200	75	AVARELA
	1500	76	AVARELA
	1800	76	AVARELA
	2100	76	A. Karp
	2400	76	S. DelaRosa

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	76	S. DelaRosa
	0600	77	N. Gonzalez
	0900	78	N. Gonzalez
	1200	79	N. Gonzalez
	1500	80	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	79	S. DelaRosa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DCOR 2021 (REV 13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-3 B-side Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	71°	J. ESQUEDA
	0600	72°	J. ESQUEDA
	0900	70	AVARELA
	1200	70	AVARELA
	1500	74	J. JACKSON
	1800	74	J. JACKSON
	2100	74	J. JACKSON
	2400	73	J. ESQUEDA

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	72°	J. ESQUEDA
	0600	72°	J. ESQUEDA
	0900	72	MUNOZ
	1200	72	MUNOZ
	1500	74	D. KNIGHT
	1800	74	D. KNIGHT
	2100	74	D. KNIGHT
	2400	72°	J. ESQUEDA

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	71°	J. ESQUEDA
	0600	71°	J. ESQUEDA
	0900	75	CROWELL
	1200	75	CROWELL
	1500	75	D. KNIGHT
	1800	73	D. KNIGHT
	2100	73	D. KNIGHT
	2400	73°	J. ESQUEDA

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	72°	J. ESQUEDA
	0600	72°	J. ESQUEDA
	0900	74	LPPERA
	1200	74	LPPERA
	1500	73	D. KNIGHT
	1800	73	D. KNIGHT
	2100	73	D. KNIGHT
	2400	75	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	75	MARTINEZ
	0600	75	AVARELA
	0900	75	AVARELA
	1200	76	AVARELA
	1500	75	D. KNIGHT
	1800	74	D. KNIGHT
	2100	74	D. KNIGHT
	2400	73	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	72	Hernandez
	0600	76	F. VARELA
	0900	75	F. VARELA
	1200	76	P. CENTER
	1500	75	D. KNIGHT
	1800	75	D. KNIGHT
	2100	75	D. KNIGHT
	2400	73	J. ESQUEDA

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (REV 13)

DEPARTMENT OF CORRECTIONS & REVENGEANCE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	78	S. Della Rosa
	0600	79	A. Varela
	0900	79	A. Varela
	1200	80	A. Varela
	1500	80	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	79	S. Della Rosa

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	78	S. Della Rosa
	0600	79	A. Varela
	0900	79	A. Varela
	1200	79	A. Varela
	1500	79	D. Knight
	1800	79	D. Knight
	2100	77	D. Knight
	2400	76	S. Della Rosa

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	76	S. Della Rosa
	0600	79	Crowell
	0900	79	Crowell
	1200	79	Crowell
	1500	77	D. Knight
	1800	78	D. Knight
	2100	78	D. Knight
	2400	77	S. Della Rosa

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	77	S. Della Rosa
	0600	76	J. Castellanos
	0900	77	J. Castellanos
	1200	78	J. Castellanos
	1500	78	D. Knight
	1800	78	D. Knight
	2100	78	D. Knight
	2400	80	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	78	MARTINEZ
	0600	78	A. Varela
	0900	79	A. Varela
	1200	79	A. Varela
	1500	78	D. Knight
	1800	78	D. Knight
	2100	78	D. Knight
	2400	78	M. Franco

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	78	M. Franco
	0600	78	N. Gonzalez
	0900	76	N. Gonzalez
	1200	76	N. Gonzalez
	1500	78	J. Diaz
	1800	78	J. Diaz
	2100	78	M. Diaz
	2400	78	H. Diaz

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	76	M. Diaz
	0600	76	A. Varela
	0900	76	A. Varela
	1200	76	A. Varela
	1500	76	C. pena
	1800	75	C. pena
	2100	73	C. pena
	2400	73	S. Varela

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2031 (14/18)

DEPARTMENT OF CORRECTIONAL INSTITUTIONS

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	77	S. DeLaRosa
	0600	79	A. Varela
	0900	80	A. Varela
	1200	80	A. Varela
	1500	80	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	79	S. DeLaRosa

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	78	S. DeLaRosa
	0600	79	F. Rivera
	0900	79	F. Rivera
	1200	80	F. Rivera
	1500	79	K. Cottrell
	1800	79	K. Cottrell
	2100	78	K. Cottrell
	2400	78	S. DeLaRosa

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	79	MARTINEZ
	0600	79	A. Varela
	0900	79	A. Varela
	1200	80	A. Varela
	1500	80	D. Knight
	1800	79	O. Knight
	2100	79	D. Knight
	2400	79	M. Franco

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	77	S. DeLaRosa
	0600	77	S. ENRIQUEZ
	0900	79	S. ENRIQUEZ
	1200	80	S. ENRIQUEZ
	1500	80	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	79	S. DeLaRosa

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	78	S. DeLaRosa
	0600	77	A. Varela
	0900	79	A. Varela
	1200	80	A. Varela
	1500	80	QUINTANA
	1800	80	QUINTANA
	2100	79	QUINTANA
	2400	78	S. DeLaRosa

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	78	S. DeLaRosa
	0600	80	M. PANTOJA
	0900	80	M. PANTOJA
	1200	80	M. PANTOJA
	1500	80	P. Knight
	1800	79	P. Knight
	2100	79	D. Knight
	2400	80	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	79	M. Franco
	0600	79	M. Franco
	0900	79	N. GONZALES
	1200	79	N. GONZALES
	1500	79	D. Knight
	1800	79	D. Knight
	2100	79	D. Knight
	2400	78	S. DeLaRosa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24	0300	79	S DELAROSA
	0600	80	A Varela
	0900	80	A Varela
	1200	80	A Varela
	1500	80	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	80	S DELAROSA

Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300	79	S DELAROSA
	0600	80	CAMARENA
	0900	80	CAMARENA
	1200	80	CAMARENA
	1500	80	D. KNIGHT
	1800	80	D. KNIGHT
	2100	80	D. KNIGHT
	2400	80	S DELAROSA

Wednesday

Date	Time	Temp.	Name (Print)
8/24	0300	79	S DELAROSA
	0600	80	CROWELL
	0900	79	COTTELL
	1200	80	COTTELL
	1500	80	D. KNIGHT
	1800	80	D. KNIGHT
	2100	80	D. KNIGHT
	2400	80	A. NASENT

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	79	A. NASENT
	0600	78	JAMARRIPAS
	0900	79	JAMARRIPAS
	1200	80	JAMARRIPAS
	1500	80	D. KNIGHT
	1800	80	D. KNIGHT
	2100	80	D. KNIGHT
	2400	80	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	80	MARTINEZ
	0600	80	A Varela
	0900	80	A Varela
	1200	80	A Varela
	1500	80	D. KNIGHT
	1800	80	D. KNIGHT
	2100	80	D. KNIGHT
	2400	80	R. Montoya

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	80	R. Montoya
	0600	80	A. BURGOS
	0900	80	BURGOS
	1200	80	A. BURGOS
	1500	80	D. KNIGHT
	1800	80	D. KNIGHT
	2100	80	D. KNIGHT
	2400	80	A. NASENT

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	79	A. NASENT
	0600	79	A Varela
	0900	80	A Varela
	1200	80	A Varela
	1500	80	C. PENA
	1800	80	C. PENA
	2100	77°	C. PENA
	2400	77	S DELAROSA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DDOR 2021 (04/13)

DEPARTIVE DATE SHEET FORM - D-88-2021-1

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	S. DELAROSA
	0600	78	JAMARRIPAS
	0900	79	JAMARRIPAS
8/1/24	1200	80	JAMARRIPAS
	1500	78	D. KNIGHT
	1800	78	D. KNIGHT
	2100	78	D. KNIGHT
	2400	78	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	77	MARTINEZ
	0600	78	A. Varela
	0900	78	A. Varela
	1200	78	A. Varela
	1500	75	M. Leon
	1800	78	Irigoyen
	2100	78	Irigoyen
	2400	78	H. Diaz

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	78	H. Diaz
	0600	78	A. Varela
	0900	79	A. Varela
	1200	79	A. Varela
	1500	80	A. Varela
	1800	80	A. Varela
	2100	80	A. Varela
	2400	79	S. DELAROSA

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	78	S. DELAROSA
	0600	78	N. Gonzales
	0900	78	N. Gonzales
	1200	78	N. Gonzales
	1500	80	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	79	S. DELAROSA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
100-B 2/22/1991

DEPARTMENT OF CORRECTIONS AND REVENGE

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4-A side Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	70	Hernandez
	0600	70	Guzman
	0900	70	Guzman
	1200	70	Guzman
	1500	71	Smith
	1800	71	Smith
	2100	71	Smith
	2400	71	T. Gavilan

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	70	C. Vasquez
	0600	70	Guzman
	0900	70	Guzman
	1200	70	P. Guzman
	1500	72	J. Jackson
	1800	72	J. Jackson
	2100	72	J. Jackson
	2400	71	C. Vasquez

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	70	C. Vasquez
	0600	71	SAMARIPAS
	0900	71	SAMARIPAS
	1200	73	JAMARI PAS
	1500	73	E. Huizman
	1800	73	E. Huizman
	2100	73	E. Huizman
	2400	71	C. Vasquez

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	Hernandez
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	71	T. Gavilan
	0600	71	P. Guzman
	0900	71	P. Guzman
	1200	71	P. Guzman
	1500	72	J. Jackson
	1800	72	S. Saenz
	2100	72	J. Jackson
	2400	71	C. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	70	C. Vasquez
	0600	70	P. Guzman
	0900	70	P. Guzman
	1200	71	P. Guzman
	1500	71	E. Huizman
	1800	72	E. Huizman
	2100	71	E. Huizman
	2400	70	C. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	70	C. Vasquez
	0600	71	JAMARI PAS
	0900	73	JAMARI PAS
	1200	74	JAMARI PAS
	1500	74	E. Huizman
	1800	74	E. Huizman
	2100	74	E. Huizman
	2400	70	Hernandez

Notes

STATE OF FLORIDA
INSIDE TEMPERATURE RECORD
SOP9-2011 (04/16)

DEPARTMENT OF CORRECTIONS POLICY STATEMENT

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB 4 Temp. Reading Location: A - SIDE tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/14	0300	75	E. Hernandez
	0600	78	P. Guzman
	0900	75	P. Guzman
	1200	75	P. Guzman
	1500	75	E. Huitron
	1800	75	E. Huitron
	2100	75	E. Huitron
	2400	73	C. Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
5/1/14	0300	70	C. Vasquez
	0600	70	P. Guzman
	0900	70	P. Guzman
	1200	70	P. Guzman
	1500	74	J. Jackson
	1800	74	J. Jackson
	2100	74	J. Jackson
	2400	73	C. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
5/2/14	0300	70	C. Vasquez
	0600	70	P. Guzman
	0900	70	P. Guzman
	1200	70	P. Guzman
	1500	72	J. Jackson
	1800	74	J. Jackson
	2100	74	J. Jackson
	2400	72	C. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
5/2/14	0300	70	C. Vasquez
	0600	70	P. Guzman
	0900	70	P. Guzman
	1200	70	P. Guzman
	1500	78	E. Huitron
	1800	78	E. Huitron
	2100	78	E. Huitron
	2400	78	C. Vasquez

Friday

Date	Time	Temp.	Name (Print)
5/3/14	0300	70	C. Vasquez
	0600	72	S. Martinez
	0900	73	S. Martinez
	1200	74	S. Martinez
	1500	74	E. Huitron
	1800	74	E. Huitron
	2100	74	E. Huitron
	2400	72	C. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
5/3/14	0300	70	C. Vasquez
	0600	71	S. Martinez
	0900	73	S. Martinez
	1200	74	S. Martinez
	1500	74	E. Huitron
	1800	74	E. Huitron
	2100	74	E. Huitron
	2400	73	E. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
5/4/14	0300	70	E. Hernandez
	0600	70	P. Guzman
	0900	70	P. Guzman
	1200	70	P. Guzman
	1500	70	E. Huitron
	1800	70	E. Huitron
	2100	76	E. Huitron
	2400	70	E. Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DOOR 2931 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FB 4 Temp. Reading Location: 4 side tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	77	Hernandez
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	77	P.Guzman
	1500	77	E.HUTCHINSON
	1800	77	E.HUTCHINSON
	2100	77	E.HUTCHINSON
	2400	77	E.HUTCHINSON

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	77	E.HUTCHINSON
	0600	78	J.LOTT
	0900	78	J.LOTT
	1200	78	J.LOTT
	1500	78	J.Smith
	1800	78	J.Jackson
	2100	78	J.Jackson
	2400	78	E.HUTCHINSON

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	78	E.HUTCHINSON
	0600	78	P.Guzman
	0900	78	P.Guzman
	1200	78	P.Guzman
	1500	78	Mur
	1800	78	Mur
	2100	78	Mur
	2400	78	V.Raym

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	77	V.Raym
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	77	P.Guzman
	1500	77	E.HUTCHINSON
	1800	77	E.HUTCHINSON
	2100	77	E.HUTCHINSON
	2400	77	E.HUTCHINSON

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	77	E.HUTCHINSON
	0600	77	SAMARATIPAJ
	0900	78	SAMARATIPAJ
	1200	79	SAMARATIPAJ
	1500	79	E.HUTCHINSON
	1800	79	E.HUTCHINSON
	2100	79	E.HUTCHINSON
	2400	75	C.MASOLED

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	74	C.MASOLED
	0600	74	Mur
	0900	74	Mur
	1200	75	Mur
	1500	76	S.Delk
	1800	74	S.Delk
	2100	76	S.Delk
	2400	76	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	76	Hernandez
	0600	76	L.Martinez
	0900	77	L.Martinez
	1200	78	L.Martinez
	1500	78	E.HUTCHINSON
	1800	78	E.HUTCHINSON
	2100	78	E.HUTCHINSON
	2400	76	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DOCP 2031 (04/13)

DEPARTMENT OF CORRECTIONS AND REVENGE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB4 Temp. Reading Location: Tier 2 A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/2013	0300	76	R. Montoya
	0600	79	CAMARENA
	0900	80	CAMARENA
	1200	83	CAMARENA
	1500	76	S. Day
	1800	78	S. Day
	2100	78	S. Day
	2400	77	C. VASQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
8/6/2013	0300	77	C. VASQUEZ
	0600	77	P. Guzman
	0900	77	P. Guzman
	1200	77	P. Guzman
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	77	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/7/2013	0300	77	C. VASQUEZ
	0600	77	P. Guzman
	0900	77	P. Guzman
	1200	77	P. Guzman
	1500	78	J. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	77	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
8/8/2013	0300	77	C. VASQUEZ
	0600	77	P. Guzman
	0900	77	P. Guzman
	1200	77	P. Guzman
	1500	77	E. HOLLOWAY
	1800	77	E. HOLLOWAY
	2100	77	E. HOLLOWAY
	2400	76	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
8/9/2013	0300	75	C. VASQUEZ
	0600	76	R. SAMARRIPAS
	0900	78	R. SAMARRIPAS
	1200	79	R. SAMARRIPAS
	1500	79	E. HOLLOWAY
	1800	79	E. HOLLOWAY
	2100	79	E. HOLLOWAY
	2400	77	C. VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
8/10/2013	0300	74	C. VASQUEZ
	0600	76	R. SAMARRIPAS
	0900	77	R. SAMARRIPAS
	1200	78	R. SAMARRIPAS
	1500	79	M. Anderson
	1800	80	M. Anderson
	2100	80	M. Anderson
	2400	80	R. Montoya

Sunday

Date	Time	Temp.	Name (Print)
8/11/2013	0300	80	R. Montoya
	0600	77	P. Guzman
	0900	77	P. Guzman
	1200	77	P. Guzman
	1500	79	D. Rodriguez
	1800	79	D. Rodriguez
	2100	79	D. Rodriguez
	2400	78	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
OCOR 2001 (3/4/12)

DEPARTMENT OF CORRECTIONS AND REVENGE, CALIFORNIA

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB4 Temp. Reading Location: A Tier 2
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1	0300		
1	0600		
1	0900		
1	1200		
1	1500		
1	1800		
1	2100		
1	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
08/13/12	0300	75	R. Montoya
08/13/12	0600	75	SAMARIPAS
08/13/12	0900	75	SAMARIPAS
08/13/12	1200	76	SAMARIPAS
08/13/12	1500	76	E. HUTIRON
08/13/12	1800	76	E. HUTIRON
08/13/12	2100	76	E. HUTIRON
08/13/12	2400	76	R. Montoya

Friday

Date	Time	Temp.	Name (Print)
08/13/12	0300	76	R. Montoya
08/13/12	0600	77	SAMARIPAS
08/13/12	0900	78	SAMARIPAS
08/13/12	1200	79	SAMARIPAS
08/13/12	1500	79	E. HUTIRON
08/13/12	1800	79	R. HUTIRON
08/13/12	2100	79	E. HUTIRON
08/13/12	2400	79	F. Rojas

Saturday

Date	Time	Temp.	Name (Print)
08/13/12	0300	78	R. Montoya
08/13/12	0600	77	SAMARIPAS
08/13/12	0900	78	SAMARIPAS
08/13/12	1200	79	SAMARIPAS
08/13/12	1500	79	E. HUTIRON
08/13/12	1800	79	E. HUTIRON
08/13/12	2100	79	E. HUTIRON
08/13/12	2400	78	F. Rojas

Sunday

Date	Time	Temp.	Name (Print)
08/13/12	0300	78	F. Rojas
08/13/12	0600	75	MEDINA
08/13/12	0900	75	MEDINA
08/13/12	1200	76	MEDINA
08/13/12	1500	77	K. Fales
08/13/12	1800	77	K. Fales
08/13/12	2100	77	K. Fales
08/13/12	2400	77	L. M. MIRE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DCOR 2001 (04/10)

DEPARTMENT OF CORRECTIONS AND REVENGE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4-Bide Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/26/24	0300	77	HERNANDEZ
	0600	77	P.Guzman
	0900	77	P.Guzman
	1200	77	P.Guzman
	1500	79	Smith
	1800	79	Smith
	2100	79	Smith
	2400	79	T.GARcia

Tuesday

Date	Time	Temp.	Name (Print)
5/27/24	0300	79	T.GARcia
	0600	79	P.Guzman
	0900	79	P.Guzman
	1200	80	P.Guzman
	1500	80	J.Sackson
	1800	80	J.Sackson
	2100	80	J.Jackson
	2400	79	C.VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	79	S.VASQUEZ
	0600	79	P.Guzman
	0900	79	P.Guzman
	1200	79	P.Guzman
	1500	80	J.Sackson
	1800	80	J.Sackson
	2100	80	J.Sackson
	2400	79	C.VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
5/29/24	0300	79	C.VASQUEZ
	0600	79	P.Guzman
	0900	79	P.Guzman
	1200	80	P.Guzman
	1500	80	E.HUTCHINSON
	1800	80	E.HUTCHINSON
	2100	80	E.HUTCHINSON
	2400	79	C.VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
5/30/24	0300	78	C.VASQUEZ
	0600	77	SAMARAHIPAS
	0900	78	SAMARAHIPAS
	1200	77	SAMARAHIPAS
	1500	77	E.HUTCHINSON
	1800	77	E.HUTCHINSON
	2100	77	E.HUTCHINSON
	2400	77	C.VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
5/31/24	0300	77	C.VASQUEZ
	0600	76	SAMARAHIPAS
	0900	77	SAMARAHIPAS
	1200	78	SAMARAHIPAS
	1500	78	E.HUTCHINSON
	1800	78	E.HUTCHINSON
	2100	78	E.HUTCHINSON
	2400	77	Hernandez

Notes

Date	Time	Temp.	Name (Print)
	0300	76	Hernandez
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

2009 WEDCOW, INC.
INSIDE TEMPERATURE RECORD
DOOR 2031 (04/16)

DEPARTMENT OF CORRECTIONS - INSTITUTIONAL HEALTH

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB 4 Temp. Reading Location: B- side tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	76	E Hernandez
	0600	76	P Guzman
	0900	77	P Guzman
	1200	78	P Guzman
	1500	78	E-Hurtiron
	1800	78	E-Hurtiron
	2100	78	E-Hurtiron
	2400	77	C. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
	0300	79	C. Vasquez
	0600	79	P Guzman
	0900	79	P Guzman
	1200	80	P Guzman
	1500	80	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	79	C. Vasquez

Friday

Date	Time	Temp.	Name (Print)
	0300	79	C. Vasquez
	0600	75	Sammardis
	0900	76	Sammardis
	1200	77	Sammardis
	1500	77	E. Hurtiron
	1800	77	E. Hurtiron
	2100	77	E. Hurtiron
	2400	77	C. Vasquez

Sunday

Date	Time	Temp.	Name (Print)
	0300	75	Hernandez E
	0600	76	P Guzman
	0900	77	P Guzman
	1200	77	P Guzman
	1500	77	E. Hurtiron
	1800	77	E. Hurtiron
	2100	77	E. Hurtiron
	2400	77	Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
	0300	77	C. Vasquez
	0600	77	P Guzman
	0900	77	P Guzman
	1200	77	P Guzman
	1500	80	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	80	C. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
	0300	79	C. Vasquez
	0600	79	P Guzman
	0900	79	P Guzman
	1200	79	P Guzman
	1500	79	E. Hurtiron
	1800	75	E. Hurtiron
	2100	75	E. Hurtiron
	2400	79	C. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
	0300	77	C. Vasquez
	0600	76	Sammardis
	0900	77	Sammardis
	1200	78	Sammardis
	1500	78	E. Hurtiron
	1800	78	E. Hurtiron
	2100	78	E. Hurtiron
	2400	77	E. Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
ODCR 2001 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 Temp. Reading Location: B - side tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10071 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	77	Hernandez
	0600	80	P.Gurman
	0900	80	P.Gurman
	1200	80	P.Gurman
	1500	80	E.HUTIRON
	1800	80	E.HUTIRON
	2100	80	E.HUTIRON
	2400	80	E.HUTIRON

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	78	E.HUTIRON
	0600	78	J.LOTT
	0900	78	J.LOTT
	1200	80	J.LOTT
	1500	82	J.Sabu
	1800	82	J.Sabu
	2100	82	J.Sabu
	2400	80	E.HUTIRON

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	80	E.HUTIRON
	0600	80	P.Gurman
	0900	80	P.Gurman
	1200	80	P.Gurman
	1500	80	Muz
	1800	80	Muz
	2100	80	Muz
	2400	80	V.RICOHNE

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	78	V.RICOHNE
	0600	80	P.Gurman
	0900	80	P.Gurman
	1200	80	P.Gurman
	1500	80	E.HUTIRON
	1800	80	E.HUTIRON
	2100	80	E.HUTIRON
	2400	80	E.HUTIRON

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	80	E.HUTIRON
	0600	78	SAMPARIPAS
	0900	79	SAMPARIPAS
	1200	80	SAMPARIPAS
	1500	80	P.HUTIRON
	1800	80	E.HUTIRON
	2100	80	E.HUTIRON
	2400	80	C.VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	79	C.VASQUEZ
	0600	79	Muz
	0900	79	Muz
	1200	80	Muz
	1500	80	S.JELLYR
	1800	80	S.JELLYR
	2100	79	S.JELLYR
	2400	78	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	76	Hernandez
	0600	79	L.Madras
	0900	79	L.Madras
	1200	79	L.Madras
	1500	79	E.HUTIRON
	1800	79	E.HUTIRON
	2100	78	E.HUTIRON
	2400	77	Hernandez

Notes

STATE OF MICHIGAN
INSIDE TEMPERATURE RECORD
DOOR 2031 (MAY 13)

DEPARTMENT OF CORRECTIONS, "The Michigan Department of Corrections"

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB4

Temp. Reading Location: Tier 2B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/4	0300	81	R. Montoya
8/6	0600	80	C. MARENA
8/6	0900	80	C. MARENA
8/6	1200	83	C. MARENA
8/6	1500	81	S. Rodriguez
8/6	1800	82	J. Jackson
8/6	2100	82	J. Jackson
8/6	2400	80	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	80	C. VASQUEZ
8/7/24	0600	80	P. Guzman
8/7/24	0900	80	P. Guzman
8/7/24	1200	86	P. Guzman
8/7/24	1500	86	J. Jackson
8/7/24	1800	86	J. Jackson
8/7/24	2100	84	J. Jackson
8/7/24	2400	82	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	79	C. VASQUEZ
8/9/24	0600	71	R. MARENA
8/9/24	0900	78	R. MARENA
8/9/24	1200	79	R. MARENA
8/9/24	1500	70	E. Hutton
8/9/24	1800	79	E. Hutton
8/9/24	2100	79	E. Hutton
8/9/24	2400	79	C. VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	80	R. Montoya
8/11/24	0600	80	P. Guzman
8/11/24	0900	80	P. Guzman
8/11/24	1200	80	P. Guzman
8/11/24	1500	79	D. Rodriguez
8/11/24	1800	80	D. Rodriguez
8/11/24	2100	80	D. Rodriguez
8/11/24	2400	79	Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	80	C. VASQUEZ
8/6/24	0600	80	P. Guzman
8/6/24	0900	80	P. Guzman
8/6/24	1200	80	P. Guzman
8/6/24	1500	82	J. Jackson
8/6/24	1800	84	J. Jackson
8/6/24	2100	84	J. Jackson
8/6/24	2400	82	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	80	C. VASQUEZ
8/8/24	0600	80	P. Guzman
8/8/24	0900	80	P. Guzman
8/8/24	1200	80	P. Guzman
8/8/24	1500	80	E. Hutton
8/8/24	1800	80	E. Hutton
8/8/24	2100	80	E. Hutton
8/8/24	2400	80	C. VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	79	C. VASQUEZ
8/10/24	0600	79	R. MARENA
8/10/24	0900	81	R. MARENA
8/10/24	1200	81	R. MARENA
8/10/24	1500	79	M. ANDERSON
8/10/24	1800	82	M. ANDERSON
8/10/24	2100	81	M. ANDERSON
8/10/24	2400	80	R. Montoya

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDOR 2181 (04/12)

DEPARTMENT OF CORRECTIONS & REVENGEFUL JUSTICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB4 Temp. Reading Location: B Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6801 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-06-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
08/07/24	0300	80	L. Montoya
	0600	80	P. Zimmerman
	0900	80	P. Zimmerman
	1200	80	P. Zimmerman
	1500	80	E. Huettiron
	1800	80	E. Huettiron
	2100	80	E. Huettiron
	2400	80	L. Montoya

Friday

Date	Time	Temp.	Name (Print)
08/08/24	0300	80	L. Montoya
	0600	79	SAMARRIPAS
	0900	80	SAMARRIPAS
	1200	81	SAMARRIPAS
	1500	81	E. Huettiron
	1800	80	E. Huettiron
	2100	80	E. Huettiron
	2400	80	F. Rosas

Saturday

Date	Time	Temp.	Name (Print)
08/09/24	0300	80	F. Rosas
	0600	79	SAMARRIPAS
	0900	80	SAMARRIPAS
	1200	81	SAMARRIPAS
	1500	81	E. Huettiron
	1800	81	E. Huettiron
	2100	81	E. Huettiron
	2400	80	F. Rosas

Sunday

Date	Time	Temp.	Name (Print)
08/10/24	0300	80	F. Rosas
	0600	80	M. Medina
	0900	81	M. Medina
	1200	81	M. Medina
	1500	81	K. Foley
	1800	81	K. Foley
	2100	81	K. Foley
	2400	80	L. Montoya

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONAL FACILITIES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LISI Housing Unit: B5 A-side Temp. Reading Location: 7th Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8-26-24</u>	0300	<u>74</u>	<u>C. YOCUM</u>
	0600	<u>75</u>	<u>SAMARITAN</u>
	0900	<u>76</u>	<u>SAMARITAN</u>
	1200	<u>77</u>	<u>SAMARITAN</u>
	1500	<u>76</u>	<u>E. GONZALEZ</u>
	1800	<u>76</u>	<u>E. GONZALEZ</u>
	2100	<u>74</u>	<u>E. GONZALEZ</u>
	2400	<u>74</u>	<u>A. AYACA</u>

Tuesday			
Date	Time	Temp.	Name (Print)
<u>8-27-24</u>	0300	<u>74</u>	<u>A. AYACA</u>
	0600	<u>72</u>	<u>C. BLACKWOOD</u>
	0900	<u>72</u>	<u>C. BLACKWOOD</u>
	1200	<u>72</u>	<u>C. BLACKWOOD</u>
	1500	<u>70</u>	<u>S. BOLAREZO</u>
	1800	<u>81</u>	<u>S. BOLAREZO</u>
	2100	<u>70</u>	<u>S. BOLAREZO</u>
	2400	<u>80</u>	<u>A. AYACA</u>

Wednesday			
Date	Time	Temp.	Name (Print)
<u>8-28-24</u>	0300	<u>80</u>	<u>A. AYACA</u>
	0600	<u>73</u>	<u>C. BLACKWOOD</u>
	0900	<u>73</u>	<u>C. BLACKWOOD</u>
	1200	<u>74</u>	<u>C. BLACKWOOD</u>
	1500	<u>70</u>	<u>S. BOLAREZO</u>
	1800	<u>81</u>	<u>S. BOLAREZO</u>
	2100	<u>70</u>	<u>S. BOLAREZO</u>
	2400	<u>80</u>	<u>C. YOCUM</u>

Thursday			
Date	Time	Temp.	Name (Print)
<u>8-27-24</u>	0300	<u>80</u>	<u>C. YOCUM</u>
	0600	<u>73</u>	<u>C. BLACKWOOD</u>
	0900	<u>73</u>	<u>C. BLACKWOOD</u>
	1200	<u>73</u>	<u>C. BLACKWOOD</u>
	1500	<u>74</u>	<u>Ramirez</u>
	1800	<u>74</u>	<u>Ramirez</u>
	2100	<u>74</u>	<u>Ramirez</u>
	2400	<u>74</u>	<u>C. YOCUM</u>

Friday			
Date	Time	Temp.	Name (Print)
<u>8-30-24</u>	0300	<u>74</u>	<u>C. YOCUM</u>
	0600	<u>74</u>	<u>C. BLACKWOOD</u>
	0900	<u>74</u>	<u>C. BLACKWOOD</u>
	1200	<u>74</u>	<u>C. BLACKWOOD</u>
	1500	<u>75</u>	<u>Ramirez</u>
	1800	<u>75</u>	<u>Ramirez</u>
	2100	<u>75</u>	<u>Ramirez</u>
	2400	<u>75</u>	<u>C. YOCUM</u>

Saturday			
Date	Time	Temp.	Name (Print)
<u>8-31-24</u>	0300	<u>75</u>	<u>C. YOCUM</u>
	0600	<u>74</u>	<u>C. BLACKWOOD</u>
	0900	<u>74</u>	<u>C. BLACKWOOD</u>
	1200	<u>74</u>	<u>C. BLACKWOOD</u>
	1500	<u>74</u>	<u>E. GONZALEZ</u>
	1800	<u>74</u>	<u>E. GONZALEZ</u>
	2100	<u>74</u>	<u>E. GONZALEZ</u>
	2400	<u>74</u>	<u>C. YOCUM</u>

Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL FACILITIES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSR Housing Unit: B5 A-side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>5-21-18</u>	0300	77	C. YOCUM
	0600	74	SAMARAI PAS
	0900	74	SAMARAI PAS
	1200	78	SAMARAI PAS
	1500	80	S. BORREGO
	1800	80	S. BORREGO
	2100	79	S. BORREGO
	2400	80	A-AYACA

Tuesday			
Date	Time	Temp.	Name (Print)
<u>5-22-18</u>	0300	80	A-AYACA
	0600	76	C-BLACKWOOD
	0900	76	C-BLACKWOOD
	1200	76	C-BLACKWOOD
	1500	76	E. GONZALEZ
	1800	76	E. GONZALEZ
	2100	76	E. GONZALEZ
	2400	75	A-AYACA

Wednesday			
Date	Time	Temp.	Name (Print)
<u>5-23-18</u>	0300	75	A-AYACA
	0600	74	C-BLACKWOOD
	0900	75	C-BLACKWOOD
	1200	75	C-BLACKWOOD
	1500	77	S. BORREGO
	1800	77	S. BORREGO
	2100	76	S. BORREGO
	2400	78	PAREDER

Thursday			
Date	Time	Temp.	Name (Print)
<u>5-24-18</u>	0300	78	PAREDER
	0600	78	PAREDER
	0900	73	C-BLACKWOOD
	1200	75	C-BLACKWOOD
	1500	75	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	75	C-YOCUM

Friday			
Date	Time	Temp.	Name (Print)
<u>5-25-18</u>	0300	75	C-YOCUM
	0600	72	C-BLACKWOOD
	0900	72	C-BLACKWOOD
	1200	72	C-BLACKWOOD
	1500	73	RAMIREZ
	1800	73	RAMIREZ
	2100	73	RAMIREZ
	2400	73	C-YOCUM

Saturday			
Date	Time	Temp.	Name (Print)
<u>5-26-18</u>	0300	73	C-YOCUM
	0600	73	J-CASTELLANOS
	0900	74	J-CASTELLANOS
	1200	74	M-CLOUD
	1500	73	M-CLOUD
	1800	73	M-CLOUD
	2100	73	M-CLOUD
	2400	73	C-YOCUM

Sunday			
Date	Time	Temp.	Name (Print)
<u>5-27-18</u>	0300	73	C-YOCUM
	0600	74	SAMARAI PAS
	0900	75	SAMARAI PAS
	1200	74	SAMARAI PAS
	1500	76	E-GONZALEZ
	1800	76	E-GONZALEZ
	2100	74	E-GONZALEZ
	2400	74	C-YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND RECLAMATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LSP Housing Unit: B5 A-side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	77	C. VASQUEZ
	0600	78	SAMMARI PAS
	0900	79	SAMMARI PAS
	1200	80	SAMMARI PAS.
	1500	80	S. BORREGO
	1800	80	S. BORREGO
	2100	80	S. BORREGO
	2400	80	A. AYACA

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	80	A. AYACA
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	79	Ramirez
	1800	79	Ramirez
	2100	79	Ramirez
	2400	80	A. AYACA

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	80	A. AYACA
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	81	S. BORREGO
	1800	80	S. BORREGO
	2100	79	S. BORREGO
	2400	79	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	77	C. YOCUM
	0600	77	C. BLACKWOOD
	0900	77	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	78	Ramirez
	1800	78	Ramirez
	2100	78	Ramirez
	2400	78	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	78	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	76	C. BLACKWOOD
	1500	77	Ramirez
	1800	77	Ramirez
	2100	77	Ramirez
	2400	77	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	77	C. YOCUM
	0600	77	D. MUÑOZ
	0900	78	D. MUÑOZ
	1200	80	D. MUÑOZ
	1500	80	E. GONZALEZ
	1800	78	E. GONZALEZ
	2100	78	E. GONZALEZ
	2400	78	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	78	C. YOCUM
	0600	77	J. VASQUEZ
	0900	77	J. VASQUEZ
	1200	77	J. VASQUEZ
	1500	77	G. GONZALEZ
	1800	77	E. GONZALEZ
	2100	77	E. GONZALEZ
	2400	77	C. YOCUM

Notes

INSIDE TEMPERATURE RECORD

CDGR 2041 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: USP Housing Unit: B5- A-side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>5-24</u>	0300	78	C. YOCUM
	0600	78	S. DEHN
	0900	78	S. DEHN
	1200	78	C. YOCUM
	1500	80	E. GONZALEZ
	1800	80	E. GONZALEZ
	2100	78	E. GONZALEZ
	2400	78	L. MONTOYA

Wednesday

Date	Time	Temp.	Name (Print)
<u>5-26</u>	0300	80	C. YOCUM
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	78	S. BORREGO
	1800	80	S. BORREGO
	2100	80	S. BORREGO
	2400	80	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
<u>5-29</u>	0300	80	C. YOCUM
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	80	L. AMARAL
	1800	80	L. AMARAL
	2100	80	L. AMARAL
	2400	80	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
<u>5-11</u>	0300	80	C. YOCUM
	0600	79	SAMARRIPAS
	0900	80	SAMARRIPAS
	1200	81	SAMARRIPAS
	1500	80	RAMIREZ
	1800	80	RAMIREZ
	2100	80	RAMIREZ
	2400	79	C. YOCUM

Tuesday

Date	Time	Temp.	Name (Print)
<u>5-29</u>	0300	78	C. YOCUM
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	79	RAMIREZ
	1800	80	RAMIREZ
	2100	80	RAMIREZ
	2400	80	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
<u>5-30</u>	0300	80	C. YOCUM
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	79	L. AMARAL
	1800	79	L. AMARAL
	2100	80	L. AMARAL
	2400	80	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
<u>5-31</u>	0300	80	C. YOCUM
	0600	79	Bailey
	0900	79	Bailey
	1200	79	Bailey
	1500	79	RAMIREZ
	1800	80	RAMIREZ
	2100	80	RAMIREZ
	2400	80	C. YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5-A-SIDE Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300				0300		
	0600				0600		
	0900				0900		
	1200				1200		
	1500				1500		
	1800				1800		
	2100				2100		
	2400				2400		

Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300				0300	78	B-GARCIA
	0600				0600	76	C-BLACKWOOD
	0900				0900	77	C-BLACKWOOD
	1200				1200	77	C-BLACKWOOD
	1500				1500	79	Ramner
	1800				1800	79	Ramner
	2100				2100	79	Ramner
	2400				2400	78	bft. 11

Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300	78	L-Hill		0300	79	C-YOCUM
	0600	78	C-BLACKWOOD		0600	78	C-BLACKWOOD
	0900	78	C-BLACKWOOD		0900	78	C-BLACKWOOD
	1200	78	C-BLACKWOOD		1200	78	C-BLACKWOOD
	1500	79	B-Ramner		1500	79	S-Delph
	1800	79	B-Ramner		1800	78	S-Delph
	2100	79	B-Ramner		2100	78	S-Delph
	2400	79	C-YOCUM		2400	78	C-YOCUM

Sunday				Notes			
Date	Time	Temp.	Name (Print)	Notes			
	0300	78	C-YOCUM				
	0600	76	SAMARRIPAS				
	0900	77	SAMARRIPAS				
	1200	78	SAMARRIPAS				
	1500	79	GONZALEZ				
	1800	78	GONZALEZ				
	2100	78	GONZALEZ				
	2400	78	C-YOCUM				

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL INSTITUTIONS

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 B-Side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	79	C. YOCUM
	0600	75	J. MABERTPAJ
	0900	77	J. MABERTPAJ
	1200	78	J. MABERTPAJ
	1500	78	E. GONZALEZ
	1800	76	E. GONZALEZ
	2100	76	E. GONZALEZ
	2400	74	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	76	A. AYALA
	0600	73	C. BLACKWOOD
	0900	73	C. BLACKWOOD
	1200	74	C. BLACKWOOD
	1500	80	S. BOLLECO
	1800	81	S. BOLLECO
	2100	80	S. BOLLECO
	2400	86	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	79	C. YOCUM
	0600	74	C. BLACKWOOD
	0900	74	C. BLACKWOOD
	1200	74	C. BLACKWOOD
	1500	74	RAMMER
	1800	74	RAMMER
	2100	74	RAMMER
	2400	75	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8-29-24	0300	74	K. AYALA
	0600	72	C. BLACKWOOD
	0900	72	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	80	S. BOLLECO
	1800	81	S. BOLLECO
	2100	80	S. BOLLECO
	2400	80	A. AYALA

Thursday

Date	Time	Temp.	Name (Print)
8-30-24	0300	80	C. YOCUM
	0600	73	C. BLACKWOOD
	0900	73	C. BLACKWOOD
	1200	73	C. BLACKWOOD
	1500	74	RAMMER
	1800	74	RAMMER
	2100	74	RAMMER
	2400	77	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	75	C. YOCUM
	0600	74	C. BLACKWOOD
	0900	74	C. BLACKWOOD
	1200	74	C. BLACKWOOD
	1500	74	E. GONZALEZ
	1800	74	E. GONZALEZ
	2100	74	E. GONZALEZ
	2400	74	C. YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 B-5 Temp. Reading Location: 2nd Tie-

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-19-24	0300	77	C. YOCUM
	0600	77	SAMARRIPAS
	0900	78	SAMARRIPAS
	1200	79	SAMARRIPAS. <i>TM</i>
	1500	80	S. BORREGO
	1800	80	S. BORREGO
	2100	79	S. BORREGO
	2400	80	A. AYACA

Wednesday

Date	Time	Temp.	Name (Print)
5-21-24	0300	75	A. AYACA
	0600	74	C. BLACKWOOD
	0900	75	C. BLACKWOOD
	1200	75	C. BLACKWOOD
	1500	77	S. BORREGO
	1800	77	S. BORREGO
	2100	76	S. BORREGO
	2400	78	PAREOZ

Friday

Date	Time	Temp.	Name (Print)
5-23-24	0300	75	C. YOCUM
	0600	72	C. BLACKWOOD
	0900	72	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	73	RAMIREZ
	1800	73	RAMIREZ
	2100	73	RAMIREZ
	2400	73	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
5-25-24	0300	73	C. YOCUM
	0600	75	SAMARRIPAS.
	0900	76	SAMARRIPAS
	1200	77	SAMARRIPAS
	1500	76	E. GONZALEZ
	1800	76	E. GONZALEZ
	2100	74	E. GONZALEZ
	2400	74	C. YOCUM

Tuesday

Date	Time	Temp.	Name (Print)
5-20-24	0300	80	A. AYACA
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	76	C. BLACKWOOD
	1500	75	E. GONZALEZ
	1800	76	E. GONZALEZ
	2100	76	E. GONZALEZ
	2400	75	A. AYACA

Thursday

Date	Time	Temp.	Name (Print)
5-22-24	0300	78	PAREOZ
	0600	78	PAREOZ
	0900	73	C. BLACKWOOD
	1200	75	C. BLACKWOOD
	1500	75	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	75	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
5-24-24	0300	73	C. YOCUM
	0600	73	J. CASTELLANOS
	0900	73	J. CASTELLANOS
	1200	73	J. CASTELLANOS
	1500	73	M. CLOUD
	1800	73	M. CLOUD
	2100	73	M. CLOUD
	2400	73	C. YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/13)

DEPARTMENT OF CORRECTIONAL FACILITIES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: USP Housing Unit: B5 B-side Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-21-13	0300	77	C. VASQUEZ
	0600	77	J. MARIAPAN
	0900	78	J. MARIAPAN
	1200	79	J. MARIAPAN
	1500	80	S. BORREGO
	1800	80	S. BORREGO
	2100	80	S. BORREGO
	2400	80	A. AYACA

Wednesday

Date	Time	Temp.	Name (Print)
5-23-13	0300	80	A. AYACA
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	81	S. BORREGO
	1800	80	S. BORREGO
	2100	79	S. BORREGO
	2400	77	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
5-16-13	0300	75	C. YOCUM
	0600	76	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	76	C. BLACKWOOD
	1500	77	RAMIREZ
	1800	77	RAMIREZ
	2100	77	RAMIREZ
	2400	77	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
5-19-13	0300	78	C. YOCUM
	0600	77	J. VASQUEZ
	0900	77	J. VASQUEZ
	1200	77	J. VASQUEZ
	1500	77	E. GONZALEZ
	1800	77	E. GONZALEZ
	2100	77	E. GONZALEZ
	2400	77	C. YOCUM

Tuesday

Date	Time	Temp.	Name (Print)
5-24-13	0300	80	A. AYACA
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	79	RAMIREZ
	1800	79	RAMIREZ
	2100	79	RAMIREZ
	2400	80	A. AYACA

Thursday

Date	Time	Temp.	Name (Print)
5-24-13	0300	79	C. YOCUM
	0600	77	C. BLACKWOOD
	0900	77	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	78	RAMIREZ
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	78	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
5-17-13	0300	77	C. YOCUM
	0600	76	D. MUÑOZ
	0900	76	D. MUÑOZ
	1200	78	D. MUÑOZ
	1500	78	E. GONZALEZ
	1800	78	E. GONZALEZ
	2100	78	E. GONZALEZ
	2400	78	C. YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL VACAVILLE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 B-5, L Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-24-18	0300	78	C. YOCUM
	0600	78	S. DELIB
	0900	78	S. DELIB
	1200	78	S. DELIB
	1500	80	E. GONZALEZ
	1800	80	E. GONZALEZ
	2100	78	E. GONZALEZ
	2400	78	R. MELLO

Tuesday

Date	Time	Temp.	Name (Print)
7-25-18	0300	78	R. ANTONY
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	79	RAMIREZ
	1800	80	RAMIREZ
	2100	80	RAMIREZ
	2400	80	R. MELLO

Wednesday

Date	Time	Temp.	Name (Print)
7-26-18	0300	78	C. BLACKWOOD
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	78	S. BORREGO
	1800	80	S. BORREGO
	2100	80	S. BORREGO
	2400	80	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
7-27-18	0300	80	C. YOCUM
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	80	L. AMARAL
	1800	79	L. AMARAL
	2100	79	L. AMARAL
	2400	78	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
7-28-18	0300	78	C. YOCUM
	0600	78	C. BLACKWOOD
	0900	78	C. BLACKWOOD
	1200	78	C. BLACKWOOD
	1500	80	L. AMARAL
	1800	80	L. AMARAL
	2100	80	L. AMARAL
	2400	80	C. YOCUM

Saturday

Date	Time	Temp.	Name (Print)
7-29-18	0300	80	C. YOCUM
	0600	79	Bailey
	0900	79	Bailey
	1200	79	Bailey
	1500	79	RAMIREZ
	1800	80	RAMIREZ
	2100	80	RAMIREZ
	2400	80	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
7-30-18	0300	80	C. YOCUM
	0600	79	JAMARRIPAS
	0900	80	JAMARRIPAS
	1200	81	JAMARRIPAS
	1500	80	RAMIREZ
	1800	80	RAMIREZ
	2100	80	RAMIREZ
	2400	79	C. YOCUM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5-B-SIDE Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8-1-18	0300	78	L. H. H.
8-1-18	0600	78	C. BLACKWOOD
8-1-18	0900	78	C. BLACKWOOD
8-1-18	1200	78	C. BLACKWOOD
8-1-18	1500	79	Ramirez
8-1-18	1800	79	Ramirez
8-1-18	2100	79	Ramirez
8-1-18	2400	79	C. YOUNG

Sunday

Date	Time	Temp.	Name (Print)
8-2-18	0300	78	C. YOUNG
8-2-18	0600	78	JAMARIA IPM.
8-2-18	0900	79	JAMARIA IPM.
8-2-18	1200	80	JAMARIA IPM.
8-2-18	1500	80	GONZALEZ
8-2-18	1800	80	GONZALEZ
8-2-18	2100	78	GONZALEZ
8-2-18	2400	78	C. YOUNG

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1-18	0300	78	B. GARCIA
8-1-18	0600	76	C. BLACKWOOD
8-1-18	0900	77	C. BLACKWOOD
8-1-18	1200	77	C. BLACKWOOD
8-1-18	1500	79	Ramirez
8-1-18	1800	79	Ramirez
8-1-18	2100	79	Ramirez
8-1-18	2400	78	L. H. H.

Saturday

Date	Time	Temp.	Name (Print)
8-3-18	0300	79	C. YOUNG
8-3-18	0600	78	C. BLACKWOOD
8-3-18	0900	78	C. BLACKWOOD
8-3-18	1200	78	C. BLACKWOOD
8-3-18	1500	78	J. De La Rosa
8-3-18	1800	78	J. De La Rosa
8-3-18	2100	78	J. De La Rosa
8-3-18	2400	78	C. YOUNG

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6 - "A" Temp. Reading Location: ZWP Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	72	DelaO
	0600	72	F.RIVAS
	0900	72	F.RIVAS
	1200	72	F.RIVAS
	1500	72	D.RIPPEE
	1800	72	D.RIPPEE
	2100	72	D.RIPPEE
	2400	72	DelaO

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	72	DelaO
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	D.RIPPEE
	1800	70	D.RIPPEE
	2100	70	D.RIPPEE
	2400	72	DelaO

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	72	DelaO
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	D.RIPPEE
	1800	70	D.RIPPEE
	2100	70	D.RIPPEE
	2400	70	1-SARIZ

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	70	1-SARIZ
	0600	70	F.RIVAS
	0900	72	F.RIVAS
	1200	72	F.RIVAS
	1500	72	D.RIPPEE
	1800	72	D.RIPPEE
	2100	72	D.RIPPEE
	2400	72	1-SARIZ

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	72	1-SARIZ
	0600	72	F.RIVAS
	0900	72	F.RIVAS
	1200	72	F.RIVAS
	1500	72	D.RIPPEE
	1800	72	D.RIPPEE
	2100	72	D.RIPPEE
	2400	72	DelaO

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	72	DelaO
	0600	72	Reyna
	0900	74	Reyna
	1200	76	Reyna
	1500	73	Ramirez
	1800	73	Ramirez
	2100	73	Ramirez
	2400	72	DelaO

Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBBL-A Temp. Reading Location: Top Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-28-24	0300	72	Delos
	0600	72	F. RIVAS
	0900	72	F. RIVAS
	1200	72	F. RIVAS
	1500	71	D. RIPPEE
	1800	71	D. RIPPEE
	2100	71	D. RIPPEE
	2400	73	Delos

Tuesday

Date	Time	Temp.	Name (Print)
8-29-24	0300	72	Delos
	0600	72	Rivas
	0900	72	Rivas
	1200	72	Rivas
	1500	71	D. RIPPEE
	1800	71	D. RIPPEE
	2100	71	D. RIPPEE
	2400	74	Delos

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	72	Delos
	0600	72	Rivas
	0900	72	Rivas
	1200	72	L. Rivas
	1500	72	D. RIPPEE
	1800	72	D. RIPPEE
	2100	71	D. RIPPEE
	2400	72	I. SAN

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	72	I. SAN
	0600	72	F. RIVAS
	0900	72	F. RIVAS
	1200	72	F. RIVAS
	1500	71	D. RIPPEE
	1800	71	D. RIPPEE
	2100	72	D. RIPPEE
	2400	72	I. SAN

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	72	I. SAN
	0600	72	F. RIVAS
	0900	72	F. RIVAS
	1200	72	F. RIVAS
	1500	72	D. RIPPEE
	1800	71	D. RIPPEE
	2100	71	D. RIPPEE
	2400	70	Delos

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	70	Delos
	0600	70	J. VALVERDE
	0900	71	J. VALVERDE
	1200	71	J. VALVERDE
	1500	72	Ramirez
	1800	72	Ramirez
	2100	72	Ramirez
	2400	70	Delos

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	68	Delos
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	Ramirez
	1800	72	Ramirez
	2100	72	Ramirez
	2400	72	Delos

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6 - "A" Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	78	DeLao
	0600	77	F.RIVAS
	0900	76	F.RIVAS
	1200	76	F.RIVAS
	1500	77	D.RIPPEE
	1800	77	D.RIPPEE
	2100	77	D.RIPPEE
	2400	78	DeLao

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	74	DeLao
	0600	74	Rivas
	0900	74	Rivas
	1200	74	Rivas
	1500	74	D.RIPPEE
	1800	74	D.RIPPEE
	2100	74	D.RIPPEE
	2400	76	DeLao

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	76	DeLao
	0600	74	Rivas
	0900	73	Rivas
	1200	72	Rivas
	1500	72	D.RIPPEE
	1800	72	D.RIPPEE
	2100	72	D.RIPPEE
	2400	74	I.SALV

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	74	I-SALV
	0600	73	F.RIVAS
	0900	73	F.RIVAS
	1200	73	F.RIVAS
	1500	72	D.RIPPEE
	1800	72	D.RIPPEE
	2100	72	D.RIPPEE
	2400	72	B.Garcia

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	72	B.Garcia
	0600	72	F.RIVAS
	0900	72	D.RIPPEE
	1200	72	D.RIPPEE
	1500	72	D.RIPPEE
	1800	72	D.RIPPEE
	2100	72	D.RIPPEE
	2400	71	J.Vasquez

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	71	J.Vasquez
	0600	72	CAMARENA
	0900	76	CAMARENA
	1200	80	CAMARENA
	1500	80	RAMIREZ
	1800	81	RAMIREZ
	2100	81	RAMIREZ
	2400	78	DeLao

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	76	DeLao
	0600	74	F.RIVAS
	0900	74	F.RIVAS
	1200	74	F.RIVAS
	1500	75	RAMIREZ
	1800	75	RAMIREZ
	2100	75	RAMIREZ
	2400	74	DeLao

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL FACILITIES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NSPBC Housing Unit: FBB6-A Side Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-5-24	0300	75	K. GOMES
	0600	75	F. RIVAS
	0900	75	F. RIVAS
	1200	75	F. RIVAS
	1500	75	D. RIPPEE
	1800	75	D. RIPPEE
	2100	75	D. RIPPEE
	2400	80	DeLo

Tuesday

Date	Time	Temp.	Name (Print)
8-6-24	0300	78	DeLo
	0600	75	Rivas
	0900	74	Rivas
	1200	73	Rivas
	1500	78	D. RIPPEE
	1800	80	D. RIPPEE
	2100	80	D. RIPPEE
	2400	80	DeLo

Wednesday

Date	Time	Temp.	Name (Print)
8-7-24	0300	80	D. RIPPEE
	0600	80	Rivas
	0900	78	Rivas
	1200	78	Rivas
	1500	77	D. RIPPEE
	1800	77	D. RIPPEE
	2100	77	D. RIPPEE
	2400	77	I. SAIZ

Thursday

Date	Time	Temp.	Name (Print)
8-8-24	0300	77	I. SAIZ
	0600	75	F. RIVAS
	0900	75	F. RIVAS
	1200	75	F. RIVAS
	1500	74	D. RIPPEE
	1800	74	D. RIPPEE
	2100	74	D. RIPPEE
	2400	75	I. SAIZ

Friday

Date	Time	Temp.	Name (Print)
8-9-24	0300	73	I. SAIZ
	0600	73	E. DIAZ
	0900	73	E. DIAZ
	1200	73	E. DIAZ
	1500	73	D. RIPPEE
	1800	77	D. RIPPEE
	2100	77	D. RIPPEE
	2400	78	DeLo

Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	78	DeLo
	0600	78	Regan
	0900	78	Regan
	1200	79	Klyne
	1500	76	L. Ambar
	1800	77	L. Ambar
	2100	78	L. Ambar
	2400	76	DeLo

Notes

Date	Time	Temp.	Name (Print)
8-11-24	0300	76	DeLo
	0600	77	Regan
	0900	78	Regan
	1200	79	Regan
	1500	79	Ambar
	1800	79	Ambar
	2100	80	Ambar
	2400	80	DeLo

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP - RC Housing Unit: FBB6 - A Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300				0300		
	0600				0600		
	0900				0900		
	1200				1200		
	1500				1500		
	1800				1800		
	2100				2100		
	2400				2400		

Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300				0300	74	1. SAIZ
	0600				0600	72	F. RIVAS
	0900				0900	72	F. RIVAS
	1200				1200	73	F. RIVAS
	1500				1500	74	D. RIPPEE
	1800				1800	74	D. RIPPEE
	2100				2100	74	D. RIPPEE
	2400				2400	74	1. SAIZ

Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/1/24	0300	74	1. SAIZ		0300	74	J. Trujillo
	0600	74	F. RIVAS		0600	72	R. MARENO
	0900	74	F. RIVAS		0900	72	R. MARENO
	1200	73	F. RIVAS		1200	74	R. MARENO
	1500	74	D. RIPPEE		1500	76	R. MARENO
8/2/24	1800	74	D. RIPPEE		1800	76	Ramirez
	2100	74	D. RIPPEE		2100	76	Ramirez
	2400	74	J. Trujillo		2400	76	ORLANDO

Sunday				Notes			
Date	Time	Temp.	Name (Print)	Notes			
8/4/24	0300	76	G. LAUNER				
	0600	78	CAMAREN				
	0900	79	CAMAREN				
	1200	80	CAMAREN				
	1500	80	Ramor				
	1800	80	Ramor				
	2100	80	Ramor				
	2400	75	S. GAMES				

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6 - B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	68	DeLaO
	0600	70	F.RIVAS
	0900	70	F.RIVAS
	1200	70	F.RIVAS
	1500	70	D.RIPPEE
	1800	70	D.RIPPEE
	2100	70	D.RIPPEE
	2400	70	DeLaO

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	70	DeLaO
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	D.RIPPEE
	1800	70	D.RIPPEE
	2100	70	D.RIPPEE
	2400	70	DeLaO

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	70	DeLaO
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	D.RIPPEE
	1800	70	D.RIPPEE
	2100	70	D.RIPPEE
	2400	70	1-SAR

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	70	1-SAR
	0600	70	F.RIVAS
	0900	71	F.RIVAS
	1200	72	F.RIVAS
	1500	72	D.RIPPEE
	1800	72	D.RIPPEE
	2100	72	D.RIPPEE
	2400	72	1-SAR

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	72	1-SAR
	0600	72	F.RIVAS
	0900	72	F.RIVAS
	1200	72	F.RIVAS
	1500	72	D.RIPPEE
	1800	72	D.RIPPEE
	2100	72	D.RIPPEE
	2400	72	DeLaO

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	70	DeLaO
	0600	70	Reyna
	0900	72	Reyna
	1200	75	Reyna
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	75	DeLaO

Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSF Housing Unit: PBBL-B

Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	72	Dels
	0600	72	F.RIVAS
	0900	72	F.RIVAS
	1200	72	F.RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	71	Dels

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	72	Dels
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	D.RIPPEE
	1800	70	D.RIPPEE
	2100	70	D.RIPPEE
	2400	70	Dels

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	70	Dels
	0600	70	Rivas
	0900	70	Rivas
	1200	70	L.Farran
	1500	70	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	71	I.SARZ

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	71	I.SARZ
	0600	71	F.RIVAS
	0900	72	F.RIVAS
	1200	72	F.RIVAS
	1500	72	D.RIPPEE
	1800	72	D.RIPPEE
	2100	72	D.RIPPEE
	2400	72	I.SARZ

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	72	I.SARZ
	0600	72	F.RIVAS
	0900	72	F.RIVAS
	1200	72	F.RIVAS
	1500	70	D.RIPPEE
	1800	72	D.RIPPEE
	2100	72	D.RIPPEE
	2400	72	Dels (Ad)

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	72	Dels
	0600	72	J.Vader
	0900	72	J.Vader
	1200	72	J.Vader
	1500	74	Ramirez
	1800	74	Ramirez
	2100	74	Ramirez
	2400	72	Dels

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	72	Dels
	0600	72	F.RIVAS
	0900	71	F.RIVAS
	1200	71	F.RIVAS
	1500	72	Ramirez
	1800	72	Ramirez
	2100	72	Ramirez
	2400	72	Dels

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6-B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	74	DeLo
	0600	72	F.RIVAS
	0900	72	F.RIVAS
	1200	72	F.RIVAS
	1500	72	D.RIPPEE
	1800	72	D.RIPPEE
	2100	71	D.RIPPEE
	2400	72	DeLo

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	70	DeLo
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	72	DeLo

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	72	DeLo
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	70	D.RIPPEE
	1800	70	D.RIPPEE
	2100	70	D.RIPPEE
	2400	70	

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	72	1-3017
	0600	71	F.RIVAS
	0900	71	F.RIVAS
	1200	71	F.RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	71	B.Garcia

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	71	B.Garcia
	0600	71	F.RIVAS
	0900	71	D.RIPPEE
	1200	71	D.RIPPEE
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	71	J.Vasquez

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	71	J.Vasquez
	0600	72	CAMARENA
	0900	70	CAMARENA
	1200	80	CAMARENA
	1500	81	Ramirez
	1800	81	Ramirez
	2100	81	Ramirez
	2400	72	DeLo

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	70	DeLo
	0600	71	F.RIVAS
	0900	71	F.RIVAS
	1200	70	F.RIVAS
	1500	75	Ramirez
	1800	75	Ramirez
	2100	75	Ramirez
	2400	72	DeLo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-PL Housing Unit: FBB6-B5102 Temp. Reading Location: 2ND tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-5-24	0300	74	K. GOMEZ
	0600	72	F. RIVAS
	0900	72	F. RIVAS
	1200	72	F. RIVAS
	1500	71	D. RIPPEE
	1800	71	D. RIPPEE
	2100	71	D. RIPPEE
	2400	76	Debra

Tuesday

Date	Time	Temp.	Name (Print)
8-6-24	0300	74	Debra
	0600	72	Rivas
	0900	72	Rivas
	1200	72	Rivas
	1500	72	D. RIPPEE
	1800	74	D. RIPPEE
	2100	74	D. RIPPEE
	2400	76	Debra

Wednesday

Date	Time	Temp.	Name (Print)
8-7-24	0300	76	Debra
	0600	75	Rivas
	0900	75	Rivas
	1200	75	Rivas
	1500	74	D. RIPPEE
	1800	74	D. RIPPEE
	2100	74	D. RIPPEE
	2400	74	I. SAIL

Thursday

Date	Time	Temp.	Name (Print)
8-8-24	0300	74	I. SAIL
	0600	73	F. RIVAS
	0900	73	F. RIVAS
	1200	74	F. RIVAS
	1500	74	D. RIPPEE
	1800	77	D. RIPPEE
	2100	77	D. RIPPEE
	2400	74	I. SAIL

Friday

Date	Time	Temp.	Name (Print)
8-9-24	0300	74	I. SAIL
	0600	74	E. DIAZ
	0900	74	E. DIAZ
	1200	74	E. DIAZ
	1500	74	D. RIPPEE
	1800	74	D. RIPPEE
	2100	74	D. RIPPEE
	2400	76	Debra

Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	76	Debra
	0600	77	Regan
	0900	77	Regan
	1200	78	Regan
	1500	75	L. AMARAL
	1800	76	L. AMARAL
	2100	78	L. AMARAL
	2400	76	Debra

Sunday

Date	Time	Temp.	Name (Print)
8-11-24	0300	72	Debra
	0600	73	Regan
	0900	75	Regan
	1200	72	Regan
	1500	75	AMARAL
	1800	77	AMARAL
	2100	78	AMARAL
	2400	78	Debra

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP - RLC Housing Unit: FBB6 - B Temp. Reading Location: 2 ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/11/24	0300	73	I. SAVIZ
	0600	73	F. RIVAS
	0900	73	F. RIVAS
	1200	74	F. RIVAS
	1500	71	D. RIPPEE
	1800	71	D. RIPPEE
	2100	71	D. RIPPEE
	2400	71	I. SAVIZ

Friday

Date	Time	Temp.	Name (Print)
8/24/24	0300	71	I. SAVIZ
	0600	71	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	D. RIPPEE
	1800	71	D. RIPPEE
	2100	71	D. RIPPEE
	2400	71	J. Trillo

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	71	J. Trillo
	0600	70	CAMARENA
	0900	70	CAMARENA
	1200	72	CAMARENA
	1500	77	Ramer
	1800	77	Ramer
	2100	72	Ramer
	2400	70	GLAUDR

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	70	GLAUDR
	0600	78	CAMARENA
	0900	79	CAMARENA
	1200	80	CAMARENA
	1500	80	Ramer
	1800	80	Ramer
	2100	80	Ramer
	2400	75	KELMIS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
08-01-24	0300	75	B. MATH
	0600	75	M. GARCIA
	0900	75	M. GARCIA
	1200	76	M. GARCIA
	1500	76	C. NIETO
	1800	76	C. NIETO
	2100	76	C. NIETO
	2400	76	B. MATH

Friday			
Date	Time	Temp.	Name (Print)
08-02-24	0300	76	B. MATH
	0600	76	M. GARCIA
	0900	76	M. GARCIA
	1200	76	M. GARCIA
	1500	78	C. NIETO
	1800	78	C. NIETO
	2100	78	C. NIETO
	2400	78	J. SAVILLE

Saturday			
Date	Time	Temp.	Name (Print)
08-03-24	0300	75	J. SAVILLE
	0600	76	M. GARCIA
	0900	76	M. GARCIA
	1200	76	M. GARCIA
	1500	77	J. OROZCO
	1800	78	J. OROZCO
	2100	77	J. OROZCO
	2400	77	J. SAVILLE

Sunday			
Date	Time	Temp.	Name (Print)
08-04-24	0300	75	J. SAVILLE
	0600	75	M. GARCIA
	0900	75	M. GARCIA
	1200	76	M. GARCIA
	1500	77	J. OROZCO
	1800	77	J. OROZCO
	2100	76	J. OROZCO
	2400	76	B. MATH

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
08-05-24	0300	78	B.MATA
	0600	78	C.Pelatorre
	0900	80	C.Pelatorre
	1200	80	C.Pelatorre
	1500	82	Chieto
	1800	82	Chieto
	2100	82	Chieto
	2400	80	B.MATA

Tuesday			
Date	Time	Temp.	Name (Print)
08-06-24	0300	79	B.MATA
	0600	79	O.Sheron
	0900	79	O.Sheron
	1200	79	O.Sheron
	1500	80	G.Chief
	1800	80	G.Chief
	2100	80	G.Chief
	2400	80	B.MATA

Wednesday			
Date	Time	Temp.	Name (Print)
08-07-24	0300	79	B.MATA
	0600	80	Mazelle
	0900	80	Mazelle
	1200	80	Mazelle
	1500	80	Chieto
	1800	80	Chieto
	2100	80	Chieto
	2400	79	B.MATA

Thursday			
Date	Time	Temp.	Name (Print)
08-08-24	0300	79	B.MATA
	0600	79	J.Flores
	0900	79	J.Flores
	1200	80	J.Flores
	1500	80	H.Casan A
	1800	80	Chieto
	2100	80	Chieto
	2400	79	B.MATA

Friday			
Date	Time	Temp.	Name (Print)
08-09-24	0300	79	B.MATA
	0600	78	J.Hall
	0900	79	J.Hall
	1200	79	J.Hall
	1500	80	Chieto
	1800	80	Chieto
	2100	80	Chieto
	2400	79	J.Saville

Saturday			
Date	Time	Temp.	Name (Print)
08-10-24	0300	78	J.Saville
	0600	78	M.PANTOJA
	0900	79	M.PANTOJA
	1200	80	M.PANTOJA
	1500	80	J.OROZCO
	1800	80	J.OROZCO
	2100	79	J.OROZCO
	2400	79	J.Saville

Notes			
<hr/>			

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-12-24	0300	79	B.MATA
	0600	79	L.Delatorre
	0900	80	L.Delatorre
	1200	80	L.Delatorre
	1500	80	J.Diaz
	1800	80	J.Diaz
	2100	79	J.Diaz
	2400	75	B.MATA

Tuesday

Date	Time	Temp.	Name (Print)
08-13-24	0300	77	B.MATA
	0600	77	O.Sheron
	0900	77	O.Sheron
	1200	78	O.Sheron
	1500	78	B.MATA
	1800	78	B.MATA
	2100	77	B.MATA
	2400	77	B.MATA

Wednesday

Date	Time	Temp.	Name (Print)
08-14-24	0300	77	B.MATA
	0600	77	B.GRIMES
	0900	78	B.GRIMES
	1200	79	B.GRIMES
	1500	78	J.CARDENAS
	1800	78	J.CARDENAS
	2100	77	J.CARDENAS
	2400	77	B.MATA

Thursday

Date	Time	Temp.	Name (Print)
08-15-24	0300	76	B.MATA
	0600	76	M.Garcia
	0900	76	M.Garcia
	1200	71	M.Garcia
	1500	77	C.Pascual
	1800	77	C.Pascual
	2100	77	C.Pascual
	2400	76	B.MATA

Friday

Date	Time	Temp.	Name (Print)
08-16-24	0300	75	B.MATA
	0600	75	M.Garcia
	0900	75	M.Garcia
	1200	77	M.Garcia
	1500	77	C.Pascual
	1800	77	C.Pascual
	2100	77	C.Pascual
	2400	76	J.Santos

Saturday

Date	Time	Temp.	Name (Print)
08-17-24	0300	75	J.Santos
	0600	78	M.Garcia
	0900	75	M.Garcia
	1200	78	M.Garcia
	1500	75	J.OROZCO
	1800	74	J.OROZCO
	2100	74	J.OROZCO
	2400	74	J.Santos

Sunday

Date	Time	Temp.	Name (Print)
08-18-24	0300	74	J.Santos
	0600	76	M.Garcia
	0900	75	M.Garcia
	1200	75	M.Garcia
	1500	75	J.OROZCO
	1800	76	J.OROZCO
	2100	74	J.OROZCO
	2400	74	B.MATA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-19-24	0300	74	B.MATA
	0600	74	L.DELATORRE
	0900	74	L.DELATORRE
	1200	75	L.DELATORRE
	1500	80	C.Nieto
	1800	80	C.Nieto
	2100	80	C.Nieto
	2400	78	B.MATA

Tuesday

Date	Time	Temp.	Name (Print)
08-20-24	0300	77	B.MATA
	0600	75	S.Sharon
	0900	75	S.Sharon
	1200	73	S.Sharon
	1500	78	C.Nieto
	1800	78	C.Nieto
	2100	78	C.Nieto
	2400	77	B.MATA

Wednesday

Date	Time	Temp.	Name (Print)
08-21-24	0300	76	B.MATA
	0600	75	S.Sharon
	0900	75	S.Sharon
	1200	75	Monzon
	1500	75	A.Rivera
	1800	75	C.Nieto
	2100	75	C.Nieto
	2400	75	B.MATA

Thursday

Date	Time	Temp.	Name (Print)
08-22-24	0300	74	B.MATA
	0600	76	M.Valencia
	0900	78	M.Valencia
	1200	78	M.Valencia
	1500	70	C.Nieto
	1800	70	C.Nieto
	2100	70	C.Nieto
	2400	70	B.MATA

Friday

Date	Time	Temp.	Name (Print)
08-23-24	0300	70	B.MATA
	0600	70	M.Garcia
	0900	70	M.Garcia
	1200	70	M.Garcia
	1500	70	C.Nieto
	1800	70	C.Nieto
	2100	70	C.Nieto
	2400	70	J.Smith

Saturday

Date	Time	Temp.	Name (Print)
08-24-24	0300	70	J.Smith
	0600	70	J.Smith
	0900	71	J.Smith
	1200	73	J.Smith
	1500	73	J.OROZCO
	1800	73	J.OROZCO
	2100	72	J.OROZCO
	2400	72	J.Smith

Sunday

Date	Time	Temp.	Name (Print)
08-25-24	0300	71	J.Smith
	0600	71	M.Garcia
	0900	71	M.Garcia
	1200	71	M.Garcia
	1500	72	J.OROZCO
	1800	72	J.OROZCO
	2100	71	J.OROZCO
	2400	70	B.MATA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-26-24	0300	70	B.MATA
	0600	70	Bargas A.
	0900	71	Bargas T
	1200	73	Bargas
	1500	75	C.Nieto
	1800	75	C.Nieto
	2100	75	C.Nieto
	2400	74	B.MATA

Tuesday

Date	Time	Temp.	Name (Print)
08-27-24	0300	74	B.MATA
	0600	74	J.VASQUEZ
	0900	75	J.VASQUEZ
	1200	75	J.VASQUEZ
	1500	75	G.ZARACOSA
	1800	75	G.ZARACOSA
	2100	74	G.ZARACOSA
	2400	74	B.MATA

Wednesday

Date	Time	Temp.	Name (Print)
08-28-24	0300	74	B.MATA
	0600	75	M.Garcia
	0900	75	M.Garcia
	1200	75	M.Garcia
	1500	75	C.Nieto
	1800	75	C.Nieto
	2100	75	C.Nieto
	2400	75	B.MATA

Thursday

Date	Time	Temp.	Name (Print)
08-29-24	0300	75	B.MATA
	0600	75	M.Garcia
	0900	75	M.Garcia
	1200	75	M.Garcia
	1500	75	C.Nieto
	1800	75	C.Nieto
	2100	75	C.Nieto
	2400	75	B.MATA

Friday

Date	Time	Temp.	Name (Print)
08-30-24	0300	74	B.MATA
	0600	75	M.Garcia
	0900	75	M.Garcia
	1200	75	M.Garcia
	1500	75	C.Nieto
	1800	75	C.Nieto
	2100	75	C.Nieto
	2400	74	J.Sanchez

Saturday

Date	Time	Temp.	Name (Print)
08-31-24	0300	74	J.Sanchez
	0600	74	J.E.Z. ten/low
	0900	75	J.Sanchez
	1200	75	J.E.Z. ten/low
	1500	75	J.E.Z. ten/low
	1800	76	J.OROZCO
	2100	75	J.OROZCO
	2400	74	J.SANCHEZ

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
08-01-24	0300	78	J. SANCHEZ
	0600	78	L. Ramirez
	0900	78	L. Ramirez
	1200	78	L. Ramirez
	1500	79	J. Lopes
	1800	79	J. Lopes
	2100	80	J. Lopes
	2400	79	J. SANCHEZ

Friday			
Date	Time	Temp.	Name (Print)
08-02-24	0300	78	J. SANCHEZ
	0600	78	L. Ramirez
	0900	78	L. Ramirez
	1200	79	L. Ramirez
	1500	79	B. MATA
	1800	79	B. MATA
	2100	79	B. MATA
	2400	78	J. MATEU

Saturday			
Date	Time	Temp.	Name (Print)
08-03-24	0300	76	J. Mateu
	0600	77	J. Mateu
	0900	77	S. Ordiz
	1200	75	S. Ordiz
	1500	77	J. Lopes
	1800	77	J. Lopes
	2100	78	J. Lopes
	2400	78	B. MATA

Sunday			
Date	Time	Temp.	Name (Print)
08-04-24	0300	77	B. MATA
	0600	78	S. Ordiz
	0900	79	S. Ordiz
	1200	81	S. Ordiz
	1500	81	J. Lopes
	1800	82	J. Lopes
	2100	83	J. Lopes
	2400	80	J. Mateu

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-05-24	0300	79	J. MARY
	0600	76	J. MARY
	0900	74	L. Ramirez
	1200	77	L. Ramirez
	1500	77	J. OROZCO
	1800	78	J. OROZCO
	2100	78	J. OROZCO
	2400	78	J. MARY

Tuesday

Date	Time	Temp.	Name (Print)
08-06-24	0300	76	J. MARY
	0600	76	J. MARY
	0900	78	EZELIA MATA
	1200	78	EZELIA MATA
	1500	78	J. OROZCO
	1800	79	J. OROZCO
	2100	79	J. OROZCO
	2400	78	J. MARY

Wednesday

Date	Time	Temp.	Name (Print)
08-07-24	0300	76	J. MARY
	0600	76	J. MARY
	0900	78	Bailey
	1200	79	Bailey
	1500	79	J. Lopes
	1800	80	J. Lopes
	2100	81	J. Lopes
	2400	79	H. CERA

Thursday

Date	Time	Temp.	Name (Print)
08-08-24	0300	78	H. CERA
	0600	78	L. Lopez
	0900	80	L. Lopez
	1200	80	L. Lopez
	1500	81	J. Lopes
	1800	81	J. Lopes
	2100	82	J. Lopes
	2400	79	J. Shaffer

Friday

Date	Time	Temp.	Name (Print)
08-09-24	0300	72	J. Shaffer
	0600	78	J. JEFFERSON
	0900	80	J. JEFFERSON
	1200	90	J. JEFFERSON
	1500	90	J. Lopes
	1800	91	J. Lopes
	2100	91	J. Lopes
	2400	81	B. MATA

Saturday

Date	Time	Temp.	Name (Print)
08-10-24	0300	80	B. MATA
	0600	80	J. VASQUEZ
	0900	81	G. MARINAS
	1200	81	G. MARINAS
	1500	81	J. Lopes
	1800	82	J. Lopes
	2100	82	J. Lopes
	2400	80	B. GRIMES

Sunday

Date	Time	Temp.	Name (Print)
08-11-24	0300	79	B. GRIMES
	0600	79	G. ZARAGOZA
	0900	80	G. ZARAGOZA
	1200	80	G. ZARAGOZA
	1500	80	A. RIVERA
	1800	80	A. RIVERA
	2100	79	A. RIVERA
	2400	78	J. MARY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
08-12-24	0300	76	J. Manz
	0600	76	J. Manz
	0900	76	L. Ramirez
	1200	77	L. Ramirez
	1500	78	A. Frusido
	1800	78	A. Frusido
	2100	79	A. Frusido
	2400	79	J. Manz

Tuesday			
Date	Time	Temp.	Name (Print)
08-13-24	0300	76	J. Manz
	0600	73	J. Manz
	0900	73	L. Ramirez
	1200	77	L. Ramirez
	1500	78	J. Lop
	1800	78	J. Lop
	2100	78	J. Day
	2400	76	J. Manz

Wednesday			
Date	Time	Temp.	Name (Print)
08-14-24	0300	73	J. Manz
	0600	73	J. Manz
	0900	79	L. Ramirez
	1200	75	L. Ramirez
	1500	76	J. Lop
	1800	77	J. Lop
	2100	78	J. Lop
	2400	78	J. Sotile

Thursday			
Date	Time	Temp.	Name (Print)
08-15-24	0300	77	J. Sotile
	0600	77	L. Ramirez
	0900	77	L. Ramirez
	1200	78	L. Ramirez
	1500	78	R. Montoya
	1800	78	R. Montoya
	2100	77	R. Montoya
	2400	76	J. Sotile

Friday			
Date	Time	Temp.	Name (Print)
08-16-24	0300	75	J. Sotile
	0600	75	L. Ramirez
	0900	76	L. Ramirez
	1200	77	L. Ramirez
	1500	78	J. Lop
	1800	79	J. Lop
	2100	79	J. Manz
	2400	78	J. Manz

Saturday			
Date	Time	Temp.	Name (Print)
08-17-24	0300	75	J. Manz
	0600	72	J. Manz
	0900	75	R. Dhakwal
	1200	78	R. Dhakwal
	1500	79	J. Lop
	1800	79	J. Lop
	2100	81	J. Lop
	2400	79	J. Manz

Sunday			
Date	Time	Temp.	Name (Print)
08-18-24	0300	76	J. Manz
	0600	79	J. Manz
	0900	75	S. Ordiz
	1200	77	S. Ordiz
	1500	78	J. Lop
	1800	79	J. Lop
	2100	80	J. Lop
	2400	77	J. Manz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-19-24	0300	75	T. Manz
	0600	73	T. Manz
	0900	73	L. Ramirez
	1200	75	L. Ramirez
	1500	75	J. Orozco
	1800	75	J. Orozco
	2100	74	J. Orozco
	2400	74	T. Manz

Tuesday

Date	Time	Temp.	Name (Print)
08-20-24	0300	72	T. Manz
	0600	72	T. Manz
	0900	73	L. Ramirez
	1200	73	L. Ramirez
	1500	74	J. Orozco
	1800	74	J. Orozco
	2100	73	J. Orozco
	2400	72	T. Manz

Wednesday

Date	Time	Temp.	Name (Print)
08-21-24	0300	72	T. Manz
	0600	72	T. Manz
	0900	75	L. Ramirez
	1200	77	L. Ramirez
	1500	72	J. Lopes
	1800	72	J. Lopes
	2100	75	J. Lopes
	2400	74	J. Salvato

Thursday

Date	Time	Temp.	Name (Print)
08-22-24	0300	73	J. Salvato
	0600	73	L. Ramirez
	0900	74	L. Ramirez
	1200	75	L. Ramirez
	1500	75	J. Lopes
	1800	76	J. Lopes
	2100	77	J. Lopes
	2400	75	J. Salvato

Friday

Date	Time	Temp.	Name (Print)
08-23-24	0300	74	J. Salvato
	0600	74	L. Ramirez
	0900	74	L. Ramirez
	1200	76	L. Ramirez
	1500	76	Dubocalva
	1800	76	Dubocalva
	2100	77	Dubocalva
	2400	75	T. Manz

Saturday

Date	Time	Temp.	Name (Print)
08-24-24	0300	73	T. Manz
	0600	72	T. Manz
	0900	72	S. Ordiz
	1200	73	S. Ordiz
	1500	73	J. Lopes
	1800	74	J. Lopes
	2100	75	J. Lopes
	2400	74	T. Manz

Sunday

Date	Time	Temp.	Name (Print)
08-25-24	0300	72	T. Manz
	0600	72	T. Manz
	0900	70	J. Rodriguez
	1200	70	J. Rodriguez
	1500	71	J. Lopes
	1800	72	J. Lopes
	2100	73	J. Lopes
	2400	72	T. Manz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-26-24	0300	72	T.Mary
	0600	72	T.Mary
	0900	72	L.Ramirez
	1200	72	L.Ramirez
	1500	72	J.OROZCO
	1800	72	J.OROZCO
	2100	71	J.OROZCO
	2400	70	T.Mary

Tuesday

Date	Time	Temp.	Name (Print)
08-27-24	0300	70	T.Mary
	0600	70	T.Mary
	0900	71	L.Ramirez
	1200	71	L.Ramirez
	1500	72	J.OROZCO
	1800	73	J.OROZCO
	2100	71	J.OROZCO
	2400	70	T.Mary

Wednesday

Date	Time	Temp.	Name (Print)
08-28-24	0300	70	T.Mary
	0600	70	T.Mary
	0900	70	L.Ramirez
	1200	71	L.Ramirez
	1500	72	J.Lopes
	1800	73	J.Lopes
	2100	74	J.Lopes
	2400	73	J.Smith

Thursday

Date	Time	Temp.	Name (Print)
08-29-24	0300	71	J.Smith
	0600	71	L.Ramirez
	0900	73	L.Ramirez
	1200	76	L.Ramirez
	1500	78	J.Lopes
	1800	79	J.Lopes
	2100	79	J.Lopes
	2400	72	J.Smith

Friday

Date	Time	Temp.	Name (Print)
08-30-24	0300	71	J.Smith
	0600	73	L.Ramirez
	0900	73	L.Ramirez
	1200	74	L.Ramirez
	1500	75	J.Lopes
	1800	75	J.Lopes
	2100	76	J.Lopes
	2400	74	J.Lopes

Saturday

Date	Time	Temp.	Name (Print)
08-31-24	0300	77	J.Lopes
	0600	77	S.Orozco
	0900	78	S.Orozco
	1200	79	S.Orozco
	1500	79	J.Lopes
	1800	80	J.Lopes
	2100	80	J.Lopes
	2400	80	B.Mata

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
08-01-24	0300	79	E. Martinez
	0600	78	A. Hermosillo
	0900	78	A. Hermosillo
	1200	79	A. Hermosillo
	1500	79	B. Mata
	1800	79	B. Mata
	2100	79	B. Mata
	2400	76	-E. Martinez

Friday

Date	Time	Temp.	Name (Print)
08-02-24	0300	78	E. Martinez
	0600	77	A. Hermosillo
	0900	78	A. Hermosillo
	1200	78	A. Hermosillo
	1500	78	J. Martinez
	1800	79	J. Martinez
	2100	79	J. Martinez
	2400	79	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
08-03-24	0300	79	E. Martinez
	0600	78	A. Hermosillo
	0900	79	A. Hermosillo
	1200	80	A. Hermosillo
	1500	81	Z. Rufa
	1800	79	Z. Rufa
	2100	77	Z. Rufa
	2400	79	E. Martinez

Sunday

Date	Time	Temp.	Name (Print)
08-04-24	0300	79	E. Martinez
	0600	79	R. Zamora Jr.
	0900	79	R. Zamora Jr.
	1200	79	R. Zamora Jr.
	1500	79	C. Zaragoza
	1800	79	C. Zaragoza
	2100	78	C. Zaragoza
	2400	78	E. Martinez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-05-24	0300	79	E. Martinez
	0600	80	S. Ortiz
	0900	82	S. Ortiz
	1200	83	S. Ortiz
	1500	83	J. Martinez
	1800	82	J. Martinez
	2100	81	J. Martinez
	2400	79	J. McCain

Wednesday

Date	Time	Temp.	Name (Print)
08-07-24	0300	79	B. Grimes
	0600	78	A. Hermosillo
	0900	80	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	J. Orozco
	1800	81	J. Orozco
	2100	81	J. Orozco
	2400	80	E. Martinez

Friday

Date	Time	Temp.	Name (Print)
08-09-24	0300	79	E. Martinez
	0600	78	A. Hermosillo
	0900	80	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	J. Martinez
	1800	80	J. Martinez
	2100	80	J. Martinez
	2400	79	E. Martinez

Sunday

Date	Time	Temp.	Name (Print)
08-11-24	0300	79	E. Martinez
	0600	78	A. Hermosillo
	0900	78	A. Hermosillo
	1200	79	A. Hermosillo
	1500	81	Z. Renfro
	1800	79	Z. Renfro
	2100	77	Z. Renfro
	2400	78	E. Magana

Tuesday

Date	Time	Temp.	Name (Print)
08-06-24	0300	79	J. McCain
	0600	80	S. Ortiz
	0900	82	S. Ortiz
	1200	82	S. Ortiz
	1500	83	J. Martinez
	1800	83	J. Martinez
	2100	81	J. Martinez
	2400	80	B. Grimes

Thursday

Date	Time	Temp.	Name (Print)
08-08-24	0300	80	E. Martinez
	0600	78	A. Hermosillo
	0900	80	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	B. Mata
	1800	80	B. Mata
	2100	80	B. Mata
	2400	79	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
08-10-24	0300	79	E. Martinez
	0600	78	A. Hermosillo
	0900	79	A. Hermosillo
	1200	79	A. Hermosillo
	1500	80	J. Martinez
	1800	80	J. Martinez
	2100	79	J. Martinez
	2400	79	E. Martinez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-12-24	0300	79	E. Martinez
	0600	78	S. Ordiz
	0900	72	S. Ordiz
	1200	72	S. Ordiz
	1500	82	J. Martinez
	1800	81	J. Martinez
	2100	80	J. Martinez
	2400	78	G. Montoya

Tuesday

Date	Time	Temp.	Name (Print)
08-13-24	0300	78	G. Montoya
	0600	78	Moechert
	0900	79	M. Oehlert
	1200	79	M. Oehlert
	1500	79	J. Martinez
	1800	79	J. Martinez
	2100	79	J. Martinez
	2400	78	J. Smith

Wednesday

Date	Time	Temp.	Name (Print)
08-14-24	0300	78	J. Smith
	0600	78	A. Hermosillo
	0900	78	A. Hermosillo
	1200	80	A. Hermosillo
	1500	80	C. Pascual
	1800	80	C. Pascual
	2100	80	C. Pascual
	2400	79	E. Martinez

Thursday

Date	Time	Temp.	Name (Print)
08-15-24	0300	79	E. Martinez
	0600	78	A. Hermosillo
	0900	78	A. Hermosillo
	1200	79	A. Hermosillo
	1500	79	F. HARVEY
	1800	79	F. HARVEY
	2100	78	F. HARVEY
	2400	78	E. Martinez

Friday

Date	Time	Temp.	Name (Print)
08-16-24	0300	78	E. Martinez
	0600	78	A. Hermosillo
	0900	80	A. Hermosillo
	1200	80	A. Hermosillo
	1500	79	J. Martinez
	1800	80	J. Martinez
	2100	79	J. Martinez
	2400	79	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
08-17-24	0300	78	E. Martinez
	0600	77	A. Hermosillo
	0900	78	A. Hermosillo
	1200	78	A. Hermosillo
	1500	78	J. Martinez
	1800	79	J. Martinez
	2100	78	J. Martinez
	2400	78	E. Martinez

Sunday

Date	Time	Temp.	Name (Print)
08-18-24	0300	78	E. Martinez
	0600	77	A. Hermosillo
	0900	77	A. Hermosillo
	1200	78	A. Hermosillo
	1500	79	Z. Ruhn
	1800	81	Z. Ruhn
	2100	78	Z. Ruhn
	2400	75	E. Martinez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-19-24	0300	78	E. Martinez
	0600	79	S. Ortiz
	0900	79	S. Ortiz
	1200	82	S. Ortiz
	1500	81	J. Martinez
	1800	80	J. Martinez
	2100	79	J. Martinez
	2400	79	J. McCain

Tuesday

Date	Time	Temp.	Name (Print)
08-20-24	0300	78	J. McCain
	0600	79	S. Ortiz
	0900	79	S. Ortiz
	1200	81	S. Ortiz
	1500	80	S. Verdugo
	1800	78	S. Verdugo
	2100	78	S. Verdugo
	2400	77	J. Martinez

Wednesday

Date	Time	Temp.	Name (Print)
08-21-24	0300	77	J. Martinez
	0600	77	A. Hermosillo
	0900	78	A. Hermosillo
	1200	78	A. Hermosillo
	1500	77	J. Orozco
	1800	77	J. Orozco
	2100	76	J. Orozco
	2400	78	E. Martinez

Thursday

Date	Time	Temp.	Name (Print)
08-22-24	0300	78	E. Martinez
	0600	77	A. Hermosillo
	0900	77	A. Hermosillo
	1200	78	A. Hermosillo
	1500	79	A. ACROBAT
	1800	79	A. ACROBAT
	2100	78	A. ACROBAT
	2400	78	E. Martinez

Friday

Date	Time	Temp.	Name (Print)
08-23-24	0300	78	E. Martinez
	0600	77	A. Hermosillo
	0900	77	A. Hermosillo
	1200	78	A. Hermosillo
	1500	77	J. Martinez
	1800	75	J. Martinez
	2100	75	J. Martinez
	2400	75	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
08-24-24	0300	75	E. Martinez
	0600	74	A. Hermosillo
	0900	74	A. Hermosillo
	1200	76	A. Hermosillo
	1500	75	J. Martinez
	1800	75	J. Martinez
	2100	75	J. Martinez
	2400	75	E. Martinez

Sunday

Date	Time	Temp.	Name (Print)
08-25-24	0300	76	E. Martinez
	0600	74	A. Hermosillo
	0900	74	A. Hermosillo
	1200	75	A. Hermosillo
	1500	76	Z. Renfro
	1800	75	Z. Renfro
	2100	73	Z. Renfro
	2400	73	H. GIBBON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-26-24	0300	75	H. CERA
	0600	75	S. Ordiz
	0900	76	S. Ordiz
	1200	78	S. Ordiz
	1500	78	J. Martinez
	1800	78	J. Martinez
	2100	78	J. Martinez
	2400	76	J. McCain

Tuesday

Date	Time	Temp.	Name (Print)
08-27-24	0300	75	J. McCain
	0600	77	S. Ordiz
	0900	78	S. Ordiz
	1200	79	S. Ordiz
	1500	78	J. Martinez
	1800	79	J. Martinez
	2100	78	J. Martinez
	2400	77	J. Martinez

Wednesday

Date	Time	Temp.	Name (Print)
08-28-24	0300	76	J. Smith
	0600	76	A. Hermosillo
	0900	77	A. Hermosillo
	1200	78	A. Hermosillo
	1500	78	J. Orozco
	1800	79	J. Orozco
	2100	78	J. Orozco
	2400	78	E. Martinez

Thursday

Date	Time	Temp.	Name (Print)
08-29-24	0300	78	E. Martinez
	0600	76	A. Hermosillo
	0900	78	A. Hermosillo
	1200	78	A. Hermosillo
	1500	78	C. Pascual
	1800	79	C. Pascual
	2100	78	C. Pascual
	2400	78	E. Martinez

Friday

Date	Time	Temp.	Name (Print)
08-30-24	0300	78	E. Martinez
	0600	78	E. Martinez
	0900	78	A. Hermosillo
	1200	79	A. Hermosillo
	1500	79	J. Martinez
	1800	79	J. Martinez
	2100	78	J. Martinez
	2400	78	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
08-31-24	0300	78	E. Martinez
	0600	78	E. Martinez
	0900	78	M. Noguer
	1200	79	M. Noguer
	1500	79	J. Martinez
	1800	79	J. Martinez
	2100	79	J. Martinez
	2400	78	E. Martinez

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	77	M. CLOUD
	0600	77	Andrade
	0900	78	Andrade
	1200	79	Andrade
	1500	79	Andrade
	1800	79	Andrade
	2100	79	Andrade
	2400	79	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	77	M. CLOUD
	0600	78	M. Delatorre
	0900	80	M. Delatorre
	1200	81	M. Delatorre
	1500	81	M. Delatorre
	1800	80	M. Delatorre
	2100	79	M. Delatorre
	2400	78	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	77	M. CLOUD
	0600	79	M. Delatorre
	0900	80	M. Delatorre
	1200	81	M. Delatorre
	1500	82	M. Delatorre
	1800	81	M. Delatorre
	2100	79	M. Delatorre
	2400	78	J. Mecain

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	78	J. Mecain
	0600	79	M. Delatorre
	0900	81	M. Delatorre
	1200	82	M. Delatorre
	1500	82	B. MATA
	1800	80	B. MATA
	2100	80	B. MATA
	2400	80	J. Mecain

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	80	J. McCain
	0600	81	M. De La Torre
	0900	83	M. De La Torre
	1200	84	M. De La Torre
	1500	82	MORA
	1800	81	MORA
	2100	82	MORA
	2400	80	M. Cloud

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	78	M. Cloud
	0600	79	S. Ordiz
	0900	82	S. Ordiz
	1200	83	S. Ordiz
	1500	82	MORA
	1800	82	MORA
	2100	81	MORA
	2400	80	M. Cloud

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	77	M. Cloud
	0600	79	M. De La Torre
	0900	81	M. De La Torre
	1200	82	M. De La Torre
	1500	82	J. De La Torre
	1800	82	J. De La Torre
	2100	81	J. De La Torre
	2400	80	M. Cloud

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	79°	H. Vazquez
	0600	79°	H. Vazquez
	0900	81	M. De La Torre
	1200	82	M. De La Torre
	1500	82	B. Mata
	1800	81	B. Mata
	2100	80	B. Mata
	2400	78	M. Cloud

Tuesday

Date	Time	Temp.	Name (Print)
8/24/24	0300	73	M. Cloud
	0600	78	M. De La Torre
	0900	80	M. De La Torre
	1200	82	M. De La Torre
	1500	81	MORA
	1800	81	MORA
	2100	81	MORA
	2400	80	A. Cloud

Thursday

Date	Time	Temp.	Name (Print)
8/24/24	0300	78	M. Cloud
	0600	78	R. Mora
	0900	79	B. Mora
	1200	79	B. Mora
	1500	80	MORA
	1800	80	MORA
	2100	80	MORA
	2400	78	M. Cloud

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	78	M. Cloud
	0600	79	M. De La Torre
	0900	81	M. De La Torre
	1200	82	M. De La Torre
	1500	80	J. Garcia
	1800	80	M. Garcia
	2100	80	M. Garcia
	2400	80	M. Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12/24

Date	Time	Temp.	Name (Print)
<u>8/12/24</u>	0300	79	M. ANDERSON
	0600	80	M. Dela Torre
	0900	81	M. Dela Torre
	1200	82	M. Dela Torre
	1500	83	B. Holland
	1800	84	B. Holland
	2100	81	B. Holland
	2400	80	B. GARCIA

Wednesday 8-14-24

Date	Time	Temp.	Name (Print)
<u>8/14/24</u>	0300	78	G. MORENO
	0600	80	I. Escalante
	0900	80	I. Escalante
	1200	81	I. Escalante
	1500	80	S. Moreno
	1800	83	S. Moreno
	2100	81	S. Moreno
	2400	78	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
<u>8/16/24</u>	0300	78	J. Lopez
	0600	79	M. Dela Torre
	0900	81	M. Dela Torre
	1200	82	M. Dela Torre
	1500	82	J. OROZCO
	1800	82	J. OROZCO
	2100	80	J. OROZCO
	2400	80	M. CLOUD

Sunday

Date	Time	Temp.	Name (Print)
<u>8/18/24</u>	0300	77	J. MILLAIN
	0600	77	J. REED
	0900	79	J. REED
	1200	79	J. REED
	1500	79	J. SAWAYA
	1800	78	J. SALAZAR
	2100	72	J. SALAZAR
	2400	78	J. MCCAIN

Tuesday 8/13/24

Date	Time	Temp.	Name (Print)
<u>8/13/24</u>	0300	80	B. GARCIA
	0600	80	M. Dela Torre
	0900	81	M. Dela Torre
	1200	82	M. Dela Torre
	1500	80	D. Rodriguez
	1800	80	D. Rodriguez
	2100	80	D. Rodriguez
	2400	79	G. MONTAÑA

Thursday 8-15-24

Date	Time	Temp.	Name (Print)
<u>8/15/24</u>	0300	76	M. CLOUD
	0600	76	A. Andrade
	0900	77	A. Andrade
	1200	78	A. Andrade
	1500	78	I. SALAZAR
	1800	79	I. SALAZAR
	2100	78	I. SALAZAR
	2400	78	T. GARCIA

Saturday

Date	Time	Temp.	Name (Print)
<u>8/17/24</u>	0300	78	M. CLOUD
	0600	78	J. OROZCO
	0900	78	J. OROZCO
	1200	78	J. OROZCO
	1500	78	J. OROZCO
	1800	79	J. OROZCO
	2100	78	J. OROZCO
	2400	77	J. MCCAIN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	78	J. McCain
8/19/24	0600	79	M. Dela Torre
8/19/24	0900	80	M. Dela Torre
8/19/24	1200	81	M. Dela Torre
8/19/24	1500	80	M. Cloud - Mora
8/19/24	1800	78	M. Cloud - Mora
8/19/24	2100	76	M. Cloud - Mora
8/19/24	2400	76	M. Cloud

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	76	M. Cloud
8/20/24	0600	77	M. Dela Torre
8/20/24	0900	79	M. Dela Torre
8/20/24	1200	80	M. Dela Torre
8/20/24	1500	80	M. Mora
8/20/24	1800	80	M. Mora
8/20/24	2100	80	M. Mora
8/20/24	2400	78	M. Cloud

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	77	M. Cloud
8/21/24	0600	76	S. Orlin
8/21/24	0900	80	S. Orlin
8/21/24	1200	81	S. Orlin
8/21/24	1500	80	M. Mora
8/21/24	1800	81	M. Mora
8/21/24	2100	81	M. Mora
8/21/24	2400	78	M. Cloud

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	76	M. Cloud
8/22/24	0600	76	Z. Aguirre
8/22/24	0900	78	Z. Aguirre
8/22/24	1200	79	Z. Aguirre
8/22/24	1500	80	M. Mora
8/22/24	1800	79	M. Mora
8/22/24	2100	79	M. Mora
8/22/24	2400	77	M. Cloud

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	76	M. Cloud
8/23/24	0600	77	M. Dela Torre
8/23/24	0900	79	M. Dela Torre
8/23/24	1200	79	M. Dela Torre
8/23/24	1500	78	J. Orosco
8/23/24	1800	78	J. Orosco
8/23/24	2100	77	J. Orosco
8/23/24	2400	76	M. Cloud

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	76	M. Cloud
8/24/24	0600	77	M. Camarena
8/24/24	0900	77	M. Camarena
8/24/24	1200	78	M. Camarena
8/24/24	1500	77	J. Viveros
8/24/24	1800	77	J. Viveros
8/24/24	2100	75	J. Viveros
8/24/24	2400	73	H. Vasquez

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	73	H. Vasquez
8/25/24	0600	76	J. Orosco
8/25/24	0900	76	J. Orosco
8/25/24	1200	77	J. Orosco
8/25/24	1500	77	M. Mora
8/25/24	1800	78	M. Mora
8/25/24	2100	79	M. Mora
8/25/24	2400	79	C. Hill

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	78	c Hill
26	0600	78	M. DeLaTorre
—	0900	79	M. DeLaTorre
24	1200	79	M. DeLaTorre
—	1500	79	MORA
24	1800	79	MORA
—	2100	79	MORA
24	2400	78	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	75	M. CLOUD
27	0600	76	M. DeLaTorre
—	0900	78	M. DeLaTorre
24	1200	79	M. DeLaTorre
—	1500	79	MORA
24	1800	77	MORA
—	2100	79	MORA
24	2400	77	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	75	M. CLOUD
28	0600	76	S. ORTIZ
—	0900	78	S. ORTIZ
24	1200	79	S. ORTIZ
—	1500	79	MORA
24	1800	80	MORA
—	2100	80	MORA
24	2400	78	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	76	M. CLOUD
29	0600	76	Andrade
—	0900	77	Andrade
24	1200	78	Andrade
—	1500	79	MORA
24	1800	80	MORA
—	2100	80	MORA
24	2400	78	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	76	M. CLOUD
30	0600	78	M. DeLaTorre
—	0900	78	M. DeLaTorre
24	1200	79	M. DeLaTorre
—	1500	80	J. OROZCO
24	1800	78	J. OROZCO
—	2100	78	J. OROZCO
24	2400	78	Dominquez

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	75	Dominquez
31	0600	78	Dominquez
—	0900	80	Moehlert
24	1200	82	Moehlert
—	1500	82	McCains
24	1800	81	McCains
—	2100	80	McCains
24	2400	79	J. McCains

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	77	M. CLOUD
	0600	77	Analytic
	0900	78	Analytic
	1200	79	Analytic
	1500	79	Analytic
	1800	79	Analytic
	2100	79	Analytic
	2400	78	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	77	M. CLOUD
	0600	78	M. DelaTorre
	0900	80	M. DelaTorre
	1200	81	M. DelaTorre
	1500	81	M. DelaTorre
	1800	80	M. DelaTorre
	2100	79	M. DelaTorre
	2400	78	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	77	M. CLOUD
	0600	79	M. DelaTorre
	0900	80	M. DelaTorre
	1200	81	M. DelaTorre
	1500	81	M. DelaTorre
	1800	80	M. DelaTorre
	2100	79	M. DelaTorre
	2400	78	J. McCall

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	78	J. McCall
	0600	79	M. DelaTorre
	0900	81	M. DelaTorre
	1200	82	M. DelaTorre
	1500	81	B. MATA
	1800	80	B. MATA
	2100	80	B. MATA
	2400	80	J. McCall

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	80	J. McCain
	0600	81	M. De La Torre
	0900	83	M. De La Torre
	1200	83	M. De La Torre
	1500	83	MORA
	1800	83	MORA
	2100	81	MORA
	2400	80	M. Cloud

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	78	M. Cloud
	0600	79	M. De La Torre
	0900	80	M. De La Torre
	1200	83	M. De La Torre
	1500	81	MORA
	1800	81	MORA
	2100	81	MORA
	2400	80	M. Cloud

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	78	M. Cloud
	0600	79	S. Ordiz
	0900	82	S. Ordiz
	1200	83	S. Ordiz
	1500	82	MORA
	1800	82	MORA
	2100	81	MORA
	2400	80	M. Cloud

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	78	M. Cloud
	0600	72	B. MORA
	0900	78	B. MORA
	1200	79	B. MORA
	1500	80	MORA
	1800	80	MORA
	2100	80	MORA
	2400	78	M. Cloud

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	77	M. Cloud
	0600	79	M. De La Torre
	0900	82	M. De La Torre
	1200	83	M. De La Torre
	1500	83	J. OROZCO
	1800	82	J. OROZCO
	2100	81	J. OROZCO
	2400	80	M. Cloud

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	78	M. Cloud
	0600	80	M. De La Torre
	0900	81	M. De La Torre
	1200	82	M. De La Torre
	1500	82	M. Gener
	1800	81	M. Gener
	2100	80	M. Gener
	2400	80	M. Gener

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	79°	H. VASQUEZ
	0600	79°	H. VASQUEZ
	0900	81	M. De La Torre
	1200	82	M. De La Torre
	1500	82	B. MATA
	1800	81	B. MATA
	2100	80	B. MATA
	2400	78	M. Cloud

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
8/12/24	0300	79	M. Anderson
	0600	80	M. DelaTorre
	0900	82	M. DelaTorre
	1200	83	M. DelaTorre
	1500	83	B. Holland
	1800	84	B. Holland
	2100	81	B. Holland
	2400	80	B. Garcia

Date	Time	Temp.	Name (Print)
8/14/24	0300	78	G. Moreno
	0600	79	M. Escobar
	0900	80	M. Escobar
	1200	81	M. Escobar
	1500	80	S. Moreno
	1800	81	S. Moreno
	2100	80	S. Moreno
	2400	78	M. Cloud

Date	Time	Temp.	Name (Print)
8/16/24	0300	78	J. Garcia
	0600	80	M. DelaTorre
	0900	81	M. DelaTorre
	1200	82	M. DelaTorre
	1500	82	J. Orobio
	1800	82	J. Orobio
	2100	80	J. Orobio
	2400	80	M. Cloud

Date	Time	Temp.	Name (Print)
8/18/24	0300	77	J. McCain
	0600	78	J. Orobio
	0900	78	J. Orobio
	1200	78	J. Orobio
	1500	78	I. Salazar
	1800	78	I. Salazar
	2100	77	I. Salazar
	2400	78	J. McCain

Date	Time	Temp.	Name (Print)
8/13/24	0300	80	B. Garcia
	0600	81	M. DelaTorre
	0900	82	M. DelaTorre
	1200	83	M. DelaTorre
	1500	81	D. Rodriguez
	1800	81	D. Rodriguez
	2100	80	D. Rodriguez
	2400	79	G. Montoya

Date	Time	Temp.	Name (Print)
8/15/24	0300	76	M. Cloud
	0600	76	Andrade
	0900	77	Andrade
	1200	78	Andrade
	1500	80	I. Salazar
	1800	80	I. Salazar
	2100	78	I. Salazar
	2400	78	T. Garcia

Date	Time	Temp.	Name (Print)
8/17/24	0300	78	M. Cloud
	0600	80	J. Orobio
	0900	78	J. Orobio
	1200	78	J. Orobio
	1500	78	J. Orobio
	1800	78	J. Orobio
	2100	78	J. Orobio
	2400	77	J. McCain

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	78	J. McLean
	0600	79	M. Delatorre
	0900	80	M. Delatorre
	1200	80	M. Delatorre
	1500	80	MORA
	1800	79	MORA
	2100	79	MORA
	2400	77	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	77	M. CLOUD
	0600	78	M. Delatorre
	0900	79	M. Delatorre
	1200	80	M. Delatorre
	1500	79	MORA
	1800	79	MORA
	2100	79	MORA
	2400	78	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	76	M. CLOUD
	0600	78	S. ORCINI
	0900	80	S. ORCINI
	1200	81	S. ORCINI
	1500	80	MORA
	1800	80	MORA
	2100	80	MORA
	2400	78	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	76	M. CLOUD
	0600	76	ZARAGOZA
	0900	78	ZARAGOZA
	1200	79	ZARAGOZA
	1500	79	MORA
	1800	80	MORA
	2100	80	MORA
	2400	78	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	76	M. CLOUD
	0600	77	M. Delatorre
	0900	78	M. Delatorre
	1200	79	M. Delatorre
	1500	78	J. OROZCO
	1800	78	J. OROZCO
	2100	77	J. OROZCO
	2400	76	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	76	M. CLOUD
	0600	77	M. CAMARINA
	0900	77	M. CAMARINA
	1200	78	M. CAMARINA
	1500	77	S. VIVEROS
	1800	77	S. VIVEROS
	2100	75	S. VIVEROS
	2400	74	H. VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	730	H. VASQUEZ
	0600	76	F. OROZCO
	0900	77	F. OROZCO
	1200	77	F. OROZCO
	1500	77	MORA
	1800	79	MORA
	2100	79	MORA
	2400	79	C. HILL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	78	C. HILL
8/26	0600	78	M. Delatorre
8/26	0900	79	M. Delatorre
8/26	1200	79	M. Delatorre
8/26	1500	79	MORA
8/26	1800	78	MORA
8/26	2100	78	MORA
8/26	2400	76	M. Cloud

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	75	M. CLOUD
8/28	0600	76	S. ORTIZ
8/28	0900	78	S. ORTIZ
8/28	1200	79	S. ORTIZ
8/28	1500	79	MORA
8/28	1800	79	MORA
8/28	2100	80	MORA
8/28	2400	78	M. Cloud

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	76	M. Cloud
8/30	0600	78	M. Delatorre
8/30	0900	78	M. Delatorre
8/30	1200	79	M. Delatorre
8/30	1500	80	J. TOROSCO
8/30	1800	78	J. TOROSCO
8/30	2100	78	J. TOROSCO
8/30	2400	78	Dominguez

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300	74	M. Cloud
8/24	0600	76	M. Delatorre
8/24	0900	77	M. Delatorre
8/24	1200	79	M. Delatorre
8/24	1500	78	MORA
8/24	1800	79	MORA
8/24	2100	79	MORA
8/24	2400	77	M. Cloud

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	76	M. Cloud
8/24	0600	76	Andrade
8/24	0900	77	Andrade
8/24	1200	78	Andrade
8/24	1500	79	MORA
8/24	1800	79	MORA
8/24	2100	79	MORA
8/24	2400	77	M. Cloud

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	78	H. Dominguez
8/31	0600	78	M. McPherson
8/31	0900	79	M. McPherson
8/31	1200	81	M. McPherson
8/31	1500	82	D. Bailey
8/31	1800	81	G. Halligan
8/31	2100	80	G. Halligan
8/31	2400	79	E. McCains

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
08-01-24	0300	80	J. McCain
	0600	81	J. Rodriguez
	0900	82	J. Rodriguez
	1200	82	J. Rodriguez
	1500	81	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	80	J. McCain

Friday			
Date	Time	Temp.	Name (Print)
08-02-24	0300	80	J. McCain
	0600	79	J. Rodriguez
	0900	79	J. Rodriguez
	1200	80	J. Rodriguez
	1500	79	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	80	J. McCain

Saturday			
Date	Time	Temp.	Name (Print)
08-03-24	0300	80	J. McCain
	0600	79	J. Rodriguez
	0900	79	J. Rodriguez
	1200	80	J. Rodriguez
	1500	80	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	80	J. McCain

Sunday			
Date	Time	Temp.	Name (Print)
08-04-24	0300	80	J. McCain
	0600	80	J. L. Garcia
	0900	80	J. L. Garcia
	1200	81	J. L. Garcia
	1500	80	Rivas, L.
	1800	80	Rivas, L.
	2100	80	Rivas, L.
	2400	80	J. McCain

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-05-24	0300	80	Maress
	0600	80	S. VERDUGO
	0900	80	S. VERDUGO
	1200	80	S. VERDUGO
	1500	82	J. ORCZKO
	1800	82	J. ORCZKO
	2100	81	J. ORCZKO
	2400	80	H. CERA

Wednesday

Date	Time	Temp.	Name (Print)
08-07-24	0300	80	A. MATA
	0600	80	S. VERDUGO
	0900	80	S. VERDUGO
	1200	81	S. VERDUGO
	1500	81	R. SANCHEZ
	1800	81	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	80	CHACON

Friday

Date	Time	Temp.	Name (Print)
08-09-24	0300	80	J. MCCAIN
	0600	79	Andrae
	0900	79	Andrae
	1200	80	Andrae
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	80	B. GRIMES

Sunday

Date	Time	Temp.	Name (Print)
08-11-24	0300	80	Maress
	0600	80	J. L. GARCIA
	0900	80	J. L. GARCIA
	1200	80	J. L. GARCIA
	1500	81	J. ORCZKO
	1800	81	J. ORCZKO
	2100	80	J. ORCZKO
	2400	80	Maress

Tuesday

Date	Time	Temp.	Name (Print)
08-06-24	0300	78	H. CERA
	0600	78	S. VERDUGO
	0900	78	S. VERDUGO
	1200	80	S. VERDUGO
	1500	80	B. MATA
	1800	81	B. MATA
	2100	81	B. MATA
	2400	80	A. MATA

Thursday

Date	Time	Temp.	Name (Print)
08-08-24	0300	80	CHACON
	0600	79	S. VERDUGO
	0900	80	S. VERDUGO
	1200	80	S. VERDUGO
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	80	J. MATA

Saturday

Date	Time	Temp.	Name (Print)
08-10-24	0300	79	B. GRIMES
	0600	79	Angryaze
	0900	80	Angryaze
	1200	80	Andrae
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	80	Maress

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-12-24	0300	80	Mareess
	0600	79	S. VERDUGO
	0900	79	S. VERDUGO
	1200	80	S. VERDUGO
	1500	80	J. OROZCO
	1800	80	J. OROZCO
	2100	80	J. OROZCO
	2400	80	Mareess

Tuesday

Date	Time	Temp.	Name (Print)
08-13-24	0300	80	Mareess
	0600	80	S. VERDUGO
	0900	80	S. VERDUGO
	1200	80	S. VERDUGO
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	78	A. M. OCALADA

Wednesday

Date	Time	Temp.	Name (Print)
08-14-24	0300	78	A. M. OCALADA
	0600	78	S. VERDUGO
	0900	78	S. VERDUGO
	1200	79	S. VERDUGO
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	80	A. M. OCALADA

Thursday

Date	Time	Temp.	Name (Print)
08-15-24	0300	80	A. AYALA
	0600	80	S. VERDUGO
	0900	80	S. VERDUGO
	1200	80	S. VERDUGO
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	80	J. MULLEN

Friday

Date	Time	Temp.	Name (Print)
08-16-24	0300	79	J. MCLEAN
	0600	79	Anchorage
	0900	80	Anchorage
	1200	81	Anchorage
	1500	79	F. ROJAS
	1800	79	F. ROJAS
	2100	79	F. ROJAS
	2400	79	J. MCLEAN

Saturday

Date	Time	Temp.	Name (Print)
08-17-24	0300	79	J. MCLEAN
	0600	79	Anchorage
	0900	79	Anchorage
	1200	80	Anchorage
	1500	79	R. Montoya
	1800	79	R. Montoya
	2100	79	R. Montoya
	2400	79	RIVAS, L.

Notes

Date	Time	Temp.	Name (Print)
08-18-24	0300	79	RIVAS, L.
	0600	79	F. COPPER
	0900	80	F. COPPER
	1200	80	R. RIVERA
	1500	80	G. ZAMORA
	1800	80	G. ZAMORA
	2100	79	G. ZAMORA
	2400	79	MCG

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-19-24	0300	77°	J. MINT
	0600	78°	S. VERDUZO
	0900	78°	S. VERDUZO
	1200	78°	S. VERDUZO
	1500	78°	G. ZARAHOSA
	1800	78°	G. ZARAHOSA
	2100	78°	J. MINT
	2400	78°	J. MINT

Tuesday

Date	Time	Temp.	Name (Print)
08-20-24	0300	78°	J. MINT
	0600	78°	S. VERDUZO
	0900	78°	S. VERDUZO
	1200	79°	S. VERDUZO
	1500	79°	R. SANCHEZ
	1800	79°	R. SANCHEZ
	2100	79°	R. SANCHEZ
	2400	79°	J. MINT

Wednesday

Date	Time	Temp.	Name (Print)
08-21-24	0300	79°	J. MINT
	0600	79°	S. VERDUZO
	0900	79°	S. VERDUZO
	1200	80°	S. VERDUZO
	1500	79°	R. SANCHEZ
	1800	79°	R. SANCHEZ
	2100	79°	J. MINT
	2400	79°	J. MINT

Thursday

Date	Time	Temp.	Name (Print)
08-22-24	0300	79°	J. MINT
	0600	79°	S. VERDUZO
	0900	79°	S. VERDUZO
	1200	79°	S. VERDUZO
	1500	79°	R. SANCHEZ
	1800	79°	R. SANCHEZ
	2100	79°	R. SANCHEZ
	2400	79°	J. MINT

Friday

Date	Time	Temp.	Name (Print)
08-23-24	0300	78°	J. MCCAIN
	0600	77°	J. FELIX
	0900	78°	J. FELIX
	1200	78°	J. FELIX
	1500	79°	R. SANCHEZ
	1800	78°	R. SANCHEZ
	2100	78°	R. SANCHEZ
	2400	78°	S. MENDOZA

Saturday

Date	Time	Temp.	Name (Print)
08-24-24	0300	77°	S. MENDOZA
	0600	77°	J. FELIX
	0900	78°	J. FELIX
	1200	78°	J. FELIX
	1500	78°	R. SANCHEZ
	1800	76°	R. SANCHEZ
	2100	75°	R. SANCHEZ
	2400	75°	C. FELIX

Notes

Date	Time	Temp.	Name (Print)
08-25-24	0300	75°	C. FELIX
	0600	78°	J. L. GARCIA
	0900	79°	J. L. GARCIA
	1200	79°	J. L. GARCIA
	1500	79°	J. OROZCO
	1800	79°	J. OROZCO
	2100	77°	J. OROZCO
	2400	78°	MINT

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-26-24	0300	78	J. Ming
	0600	78	S. VERDUGO
	0900	78	S. VERDUGO
	1200	78	S. VERDUGO
	1500	79	J. OROZCO
	1800	79	J. OROZCO
	2100	79	J. OROZCO
	2400	78	J. Ming

Tuesday

Date	Time	Temp.	Name (Print)
08-27-24	0300	78	J. Ming
	0600	77	S. VERDUGO
	0900	77	S. VERDUGO
	1200	77	S. VERDUGO
	1500	79	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	78	J. Ming

Wednesday

Date	Time	Temp.	Name (Print)
08-28-24	0300	78	J. Ming
	0600	78	S. VERDUGO
	0900	78	S. VERDUGO
	1200	78	S. VERDUGO
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	78	J. Ming

Thursday

Date	Time	Temp.	Name (Print)
08-29-24	0300	78	J. Ming
	0600	78	S. VERDUGO
	0900	78	S. VERDUGO
	1200	78	S. VERDUGO
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	78	J. McCain

Friday

Date	Time	Temp.	Name (Print)
08-30-24	0300	78	J. McCain
	0600	78	Ambrose
	0900	78	Ambrose
	1200	79	Ambrose
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	78	J. McCain

Saturday

Date	Time	Temp.	Name (Print)
08-31-24	0300	78	J. McCain
	0600	78	Ambrose
	0900	78	Ambrose
	1200	79	Ambrose
	1500	80	R. SANCHEZ
	1800	80	R. SANCHEZ
	2100	80	R. SANCHEZ
	2400	78	J. McCain

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CIA side Temp. Reading Location: 2 tier

Immediately notify the Watch Commander at extension 6001 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	76	
	0600	75	
	0900	73	
	1200	71	
	1500	76	
	1800	70	
	2100	78	
	2400	78	

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600	82	A. Rodriguez
	0900	82	Alex Rodriguez
	1200	82	A. Rodriguez
	1500	82	J. Urive
	1800	73	Dunne
	2100	81	Dunne
	2400	81	Dunne

Saturday

Date	Time	Temp.	Name (Print)
	0300	79	Dunne
	0600	81	Dunne
	0900	86	Dunne
	1200	97	Dunne
	1500	89	Dunne
	1800	85	Dunne
	2100	83	Dunne
	2400	81	Dunne

Sunday

Date	Time	Temp.	Name (Print)
	0300	79	Dunne
	0600	79	Betancourt
	0900	80	Betancourt
	1200	80	Betancourt
	1500	81	Anderson
	1800	81	Anderson
	2100	80	Anderson
	2400	80	Foley

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A

Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-6-00	0300	81	X. Foy
	0600	81	BETANCOURT
	0900	83	BETANCOURT
	1200	83	BETANCOURT
	1500	83	R. Rice
	1800	83	R. Rice
	2100	83	R. Rice
	2400	81	R. Rice

Tuesday

Date	Time	Temp.	Name (Print)
5-7-00	0300	81	R. Rice
	0600	83	BETANCOURT
	0900	83	BETANCOURT
	1200	83	BETANCOURT
	1500	83	
	1800	82	
	2100	80	
	2400	78	

Wednesday

Date	Time	Temp.	Name (Print)
5-8-00	0300	79	
	0600	79	M. Amores
	0900	80	M. Amores
	1200	80	M. Amores
	1500	80	ACROBIAI
	1800	80	ACROBIAI
	2100	80	ACROBIAI
	2400	79	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
5-9-00	0300	79	Hernandez
	0600	80	M. Amores
	0900	80	M. Amores
	1200	81	M. Amores
	1500	81	A. Evans
	1800	80	A. Evans
	2100	80	A. Evans
	2400	79	Hernandez

Friday

Date	Time	Temp.	Name (Print)
5-10-00	0300	74	Dunne
	0600	81	BETANCOURT
	0900	80	BETANCOURT
	1200	81	BETANCOURT
	1500	82	Dunne
	1800	83	Dunne
	2100	81	Dunne
	2400	80	Dunne

Saturday

Date	Time	Temp.	Name (Print)
5-11-00	0300	79	Dunne
	0600	79	BETANCOURT
	0900	80	BETANCOURT
	1200	80	BETANCOURT
	1500	82	Dunne
	1800	82	Dunne
	2100	80	Dunne
	2400	79	Dunne

Sunday

Date	Time	Temp.	Name (Print)
5-12-00	0300	79	Dunne
	0600	79	BETANCOURT
	0900	79	BETANCOURT
	1200	79	BETANCOURT
	1500	79	R. Rice
	1800	79	R. Rice
	2100	79	R. Rice
	2400	80	BETANCOURT

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-12-24	0300	78	BARRON
	0600	78	BETAN COURT
	0900	78	BETAN COURT
	1200	79	BETAN COURT
	1500	80	RICE
	1800	79	RICE
	2100	78	RICE
	2400	75	RICE

Tuesday			
Date	Time	Temp.	Name (Print)
8-13-24	0300	74	RICE
	0600	76	BETAN COURT
	0900	78	BETAN COURT
	1200	78	BETAN COURT
	1500	77	R. Rice
	1800	80	R. Rice
	2100	79	R. Rice
	2400	78	R. Rice

Wednesday			
Date	Time	Temp.	Name (Print)
8-14-24	0300	78	R. Rice
	0600	79	CARRAWAY
	0900	79	CARRAWAY
	1200	79	CARRAWAY
	1500	81	GONZALEZ
	1800	82	GONZALEZ
	2100	80	GONZALEZ
	2400	79	GONZALEZ

Thursday			
Date	Time	Temp.	Name (Print)
8-15-24	0300	78	Hernandez
	0600	78	CARRAWAY
	0900	78	CARRAWAY
	1200	78	CARRAWAY
	1500	82	F.GONZALEZ
	1800	81	F. GONZALEZ
	2100	80	F. GONZALEZ
	2400	79	Rice

Saturday			
Date	Time	Temp.	Name (Print)
8-17-24	0300	78	Dunn
	0600	78	AMAYA
	0900	81	AMAYA
	1200	81	AMAYA
	1500	82	Dunn
	1800	83	Dunn
	2100	80	Dunn
	2400	79	Dunn

Sunday			
Date	Time	Temp.	Name (Print)
8-18-24	0300	78	Dunn
	0600	78	BETAN COURT
	0900	79	BETAN COURT
	1200	80	B. BETAN COURT
	1500	80	M. ANDERSON
	1800	80	M. ANDERSON
	2100	80	M. ANDERSON
	2400	80	Dunn

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-PL Housing Unit: C1 ASIDE Temp. Reading Location: 2ND tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6100 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/19/24	0300	78	M. Dunne
	0600	78	Betancourt
	0900	79	Betancourt
	1200	81	Betancourt
	1500	81	R. Rice
	1800	80	R. Rice
	2100	79	R. Rice
	2400	78	R. Rice

Tuesday			
Date	Time	Temp.	Name (Print)
8/20/24	0300	76	R. Rice
	0600	78	BETAN COURT
	0900	80	BETAN COURT
	1200	80	BETAN COURT
	1500	79	R. Rice
	1800	79	R. Rice
	2100	78	R. Rice
	2400	78	R. Rice

Wednesday			
Date	Time	Temp.	Name (Print)
8/21/24	0300	77	
	0600	77	M. Zamora
	0900	78	M. Zamora
	1200	78	M. Zamora
	1500	79	M. Valencia
	1800	79	M. Valencia
	2100	80	M. Valencia
	2400	79	S. Moreno

Thursday			
Date	Time	Temp.	Name (Print)
8/22/24	0300	78	S. Moreno
	0600	78	M. Zamora
	0900	78	M. Zamora
	1200	77	M. Zamora
	1500	79	M. Valencia
	1800	80	M. Valencia
	2100	80	M. Valencia
	2400	79	M. Valencia

Friday			
Date	Time	Temp.	Name (Print)
8/23/24	0300	79	Dunne
	0600	79	BETAN COURT
	0900	79	BETAN COURT
	1200	80	BETAN COURT
	1500	81	Dunne
	1800	81	Dunne
	2100	80	Dunne
	2400	78	Dunne

Saturday			
Date	Time	Temp.	Name (Print)
8/24/24	0300	77	Dunne
	0600	77	BETAN COURT
	0900	77	BETAN COURT
	1200	78	BETAN COURT
	1500	79	Dunne
	1800	80	Dunne
	2100	79	Dunne
	2400	78	Dunne

Sunday			
Date	Time	Temp.	Name (Print)
8/25/24	0300	77	Dunne
	0600	77	BETAN COURT
	0900	77	BETAN COURT
	1200	77	BETAN COURT
	1500	77	Rodriguez
	1800	77	Rodriguez
	2100	77	Rodriguez
	2400	78	BARNETT

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-26-24	0300	70	BANON
	0600	76	BETANCOURT
	0900	75	BETANCOURT
	1200	76	BETANCOURT
	1500	76	Rice
	1800	76	Rice
	2100	75	Rice
	2400	75	Rice

Tuesday			
Date	Time	Temp.	Name (Print)
8-27-24	0300	74	Rice
	0600	74	BETANCOURT
	0900	74	BETANCOURT
	1200	75	BETANCOURT
	1500	76	Rice
	1800	77	Rice
	2100	76	Rice
	2400	75	Rice

Wednesday			
Date	Time	Temp.	Name (Print)
8-28-24	0300	75	Rice
	0600	76	M.ZAMORA
	0900	75	M.ZAMORA
	1200	75	M.ZAMORA
	1500	74	A. Smith
	1800	74	A. Smith
	2100	73	A. Smith
	2400	76	Hernandez

Thursday			
Date	Time	Temp.	Name (Print)
8-29-24	0300	76	Hernandez
	0600	75	M.ZAMORA
	0900	75	M.ZAMORA
	1200	75	M.ZAMORA
	1500	76	L.ANTON
	1800	75	L.ANTON
	2100	79	L.ANTON
	2400	77	Hernandez

Friday			
Date	Time	Temp.	Name (Print)
8-30-24	0300	76	Hernandez
	0600	76	BETANCOURT
	0900	77	BETANCOURT
	1200	77	BETANCOURT
	1500	77	Dunne
	1800	78	Dunne
	2100	76	Dunne
	2400	75	Dunne

Saturday			
Date	Time	Temp.	Name (Print)
8-31-24	0300	74	Dunne
	0600	76	BETANCOURT
	0900	77	BETANCOURT
	1200	77	BETANCOURT
	1500	78	Dunne
	1800	78	Dunne
	2100	77	Dunne
	2400	76	Dunne

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-B Temp. Reading Location: 1ST Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300	76	ufr
	0600	78°	Coto
	0900	78°	Coto
	1200	78°	Coto
	1500	78	15
	1800	78	15
	2100	78	15
	2400	78	15

Date	Time	Temp.	Name (Print)
	0300	78	
	0600	78°	Coto
	0900	78°	Coto
	1200	78°	Coto
	1500	78°	Gonzales
	1800	78°	Gonzales
	2100	78°	Gonzales
	2400	77	Hernandez

Date	Time	Temp.	Name (Print)
	0300	77	Hernandez
	0600	78°	Cot
	0900	79°	Cot
	1200	79°	Cot
	1500	80	ANDERSON
	1800	80	ANDERSON
	2100	80	ANDERSON
	2400	80	F.ORTIZ

Date	Time	Temp.	Name (Print)
	0300	78	F.ORTIZ
	0600	78°	Coto
	0900	78°	Cot
	1200	78°	Cot
	1500	80	AMADOR
	1800	80	AMADOR
	2100	80	AMADOR
	2400	80	S. SENIC

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-B Temp. Reading Location: TOP TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	79	S. Seville
	0600	79	S. Seville
	0900	79	A. ATILANO
	1200	79	A. ATILANO
	1500	79	RAMIREZ
	1800	79	RAMIREZ
	2100	79	RAMIREZ
	2400	79	MAMAUAS

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	79	MAMAUAS
	0600	74	A. ATILANO
	0900	79	A. ATILANO
	1200	76	A. ATILANO
	1500	79	J RAMIREZ
	1800	79	J RAMIREZ
	2100	79	J RAMIREZ
	2400	78	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	76	K Smith
	0600	78	Cote
	0900	78	Cote
	1200	78	Cote
	1500	79	RAMIREZ
	1800	79	RAMIREZ
	2100	79	RAMIREZ
	2400	78	K Smith

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	76	K Smith
	0600	78	Cote
	0900	78	Cote
	1200	78	Cote
	1500	79	RAMIREZ
	1800	79	RAMIREZ
	2100	79	RAMIREZ
	2400	78	K Smith

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	78	K Smith
	0600	78	Cote
	0900	78	Cote
	1200	78	Cote
	1500	79	Gonzales
	1800	79	Gonzales
	2100	79	Gonzales
	2400	78	E. BURRIS

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	79	IC Sun RT
	0600	79	Cote
	0900	79	Cote
	1200	70	Cote
	1500	79	A. Gonzales
	1800	79	A. Gonzales
	2100	79	A. Gonzales
	2400	78	F. ORTIZ

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	78	F. ORTIZ
	0600	79	Cote
	0900	79	Cote
	1200	79	Cote
	1500	79	RAMIREZ
	1800	79	RAMIREZ
	2100	79	RAMIREZ
	2400	79	K Smith

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-B Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	76	K SMITH
	0600	77	J. PITTS
	0900	77	J. PITTS
	1200	77	J. PITTS
	1500	77	RAMIREZ
	1800	77	RAMIREZ
	2100	77	RAMIREZ
	2400	77	K SMITH

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	77	K. SMITH
	0600	76	J. ESQUEDA
	0900	76	J. ESQUEDA
	1200	77	J. ESQUEDA
	1500	77	RAMIREZ
	1800	77	RAMIREZ
	2100	77	RAMIREZ
	2400	77	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	76	K Smith
	0600	76	RAMIREZ
	0900	76	RAMIREZ
	1200	76	RAMIREZ
	1500	76	RAMIREZ
	1800	76	RAMIREZ
	2100	76	RAMIREZ
	2400	76	K Smith

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	76	K Smith
	0600	75°	Cota
	0900	75°	Cota
	1200	75°	Cota
	1500	79	RAMIREZ
	1800	79	RAMIREZ
	2100	79	RAMIREZ
	2400	78	K Smith

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	76	K Smith
	0600	74°	Cota
	0900	74°	Cota
	1200	75°	Cota
	1500	78	Luke
	1800	78	Luke
	2100	79	Luke
	2400	78	K Smith

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	76	K Smith
	0600	77	J. PITTS
	0900	77	J. PITTS
	1200	77	J. PITTS
	1500	77	GONZALEZ
	1800	79	GONZALEZ
	2100	76	GONZALEZ
	2400	75	F. ORTIZ

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	75	F. ORTIZ
	0600	75	J. PITTS
	0900	75	J. PITTS
	1200	75	J. PITTS
	1500	76	RAMIREZ
	1800	76	RAMIREZ
	2100	76	RAMIREZ
	2400	76	K Smith

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-B Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	76	K Smith
	0600	77	T Pitts
	0900	77	T Pitts
	1200	77	T Pitts
	1500	77	Ramirez
	1800	77	Ramirez
	2100	77	Ramirez
	2400	77	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	76	K Smith
	0600	76	G. MACIAS
	0900	78	G. MACIAS
	1200	77	G. MACIAS
	1500	77	Ramirez
	1800	77	Ramirez
	2100	77	Ramirez
	2400	77	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	76	K Smith
	0600	75°	Cota
	0900	75°	Cota
	1200	75°	Cota
	1500	77	Ramirez
	1800	77	Ramirez
	2100	77	Ramirez
	2400	77	K Smith

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	75	K Smith
	0600	75°	Cota
	0900	75°	Cota
	1200	75°	Cota
	1500	78	Luis, MIZ
	1800	78	Ramirez
	2100	78	Ramirez
	2400	76	K Smith

Friday 8/23/24

Date	Time	Temp.	Name (Print)
8-23-24	0300	74	K Smith
	0600	75°	Cota
	0900	75°	Cota
	1200	75°	Cota
	1500	76	A. Gonzales
	1800	77	A. Gonzales
	2100	76	A. Gonzales
	2400	76	Hernandez

Saturday 8/24/24

Date	Time	Temp.	Name (Print)
8-24-24	0300	76	Hernandez
	0600	74	Cota
	0900	74	Cota
	1200	72	Cota
	1500	75	A. Gonzalez
	1800	75	A. Gonzalez
	2100	74	A. Gonzalez
	2400	74	F. ORTIZ

Sunday 8/25/24

Date	Time	Temp.	Name (Print)
8-25-24	0300	72	E. ORTIZ
	0600	72	Cota
	0900	73	Cota
	1200	73	Cota
	1500	74	J. Ramirez
	1800	74	J. Ramirez
	2100	74	J. Ramirez
	2400	74	K Smith

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-B Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	74	K Smith
	0600	74	A. ATILANO
	0900	75	A. ATILANO
	1200	75	A. ATILANO
	1500	75	RAMIREZ
	1800	75	RAMIREZ
	2100	75	Ramirez
	2400	75	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	74	K Smith
	0600	74	AATILANO
	0900	74	A. ATILANO
	1200	75	A. ATILANO
	1500	75	RAMIREZ
	1800	75	Ramirez
	2100	75	Ramirez
	2400	75	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	74	K Smith
	0600	76°	Cota
	0900	76°	Cota
	1200	71°	Cota
	1500	77	RAMIREZ
	1800	77	RAMIREZ
	2100	77	Ramirez
	2400	79	M. Garcia

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	80	M. Garcia
	0600	78°	Cota
	0900	80°	Cota
	1200	80°	Cota
	1500	80	RAMIREZ
	1800	80	RAMIREZ
	2100	80	Ramirez
	2400	80	K Smith

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	78	K Smith
	0600	78	J. PEREZ
	0900	81	J. PEREZ
	1200	81	J. PEREZ
	1500	80	J. Rivas-Cabral
	1800	80	J. Rivas-Cabral
	2100	80	J. Rivas-Cabral
	2400	79	F. HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	79	F. HERNANDEZ
	0600	78	Cota
	0900	78	Cota
	1200	78	Cota
	1500	78	F. ROJAS
	1800	78	F. ROJAS
	2100	78	F. ROJAS
	2400	78	Cota

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C-2 A Temp. Reading Location: 2 tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	71	T. Henwood
	0600	78	R. Lee
	0900	79	R. Lee
	1200	80	R. Lee
	1500	81	A. Wilson
	1800	81	M. Wilson
	2100	81	A. Wilson
	2400	83	G. Valenda

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	78	E. Montoya
	0600	79	R. Lee
	0900	80	R. Lee
	1200	81	R. Lee
	1500	81	S. Wilson
	1800	81	C. Wilson
	2100	81	C. Wilson
	2400	84	M. Valenda

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	82	M. Valenda
	0600	80	80
	0900	80	80
	1200	82	82
	1500	82	82
	1800	82	82
	2100	82	82
	2400	82	82

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	69	Gonzales
	0600	70	H. Aguayo
	0900	71	H. Aguayo
	1200	72	H. Aguayo
	1500	79	C. Lomeli
	1800	79	C. Lomeli
	2100	80	P. Lomeli
	2400	81°	E. Lopezano

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C-2 A Temp. Reading Location: 2 tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1/24	0300	80°	E. LOZANO
	0600	81	R. LEE
	0900	82	R. LEE
	1200	82	R. LEE
	1500	81°	U. MEDINA
	1800	81	U. MEDINA
	2100	80°	U. MEDINA
	2400	80	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
8	0300	78	E. LOZANO
	0600	79	R. LEE
	0900	80	R. LEE
	1200	82	R. LEE
	1500	82	Alcaraz
	1800	82	Alcaraz
	2100	82	Alcaraz
	2400	81	T. HENWOOD

Wednesday

Date	Time	Temp.	Name (Print)
8	0300	80	T. HENWOOD
	0600	81	R. LEE
	0900	82	R. LEE
	1200	82	R. LEE
	1500	82	R. LEE
	1800	82	Alcaraz
	2100	81	Alcaraz
	2400	81	T. HENWOOD

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	80	T. HENWOOD
	0600	80	Smith
	0900	81	R. LEE
	1200	81	R. LEE
	1500	81	Alcaraz
	1800	81	Alcaraz
	2100	82	Alcaraz
	2400	80	T. HENWOOD

Friday

Date	Time	Temp.	Name (Print)
8	0300	79	T. HENWOOD
	0600	80	QUINTANAS
	0900	81	R. LEE
	1200	82	R. LEE
	1500	80	Alcaraz
	1800	81	Alcaraz
	2100	81	Alcaraz
	2400	80	T. HENWOOD

Saturday

Date	Time	Temp.	Name (Print)
8/1/24	0300	78	T. HENWOOD
	0600	78	J. DIAZ
	0900	78	J. DIAZ
	1200	79	J. DIAZ
	1500	80	Alcaraz
	1800	80	Alcaraz
	2100	80	Alcaraz
	2400	79	T. HENWOOD

Sunday

Date	Time	Temp.	Name (Print)
8/1/24	0300	78	T. HENWOOD
	0600	78	H. AGUARD
	0900	78	H. AGUARD
	1200	80	H. AGUARD
	1500	81	GONZALEZ
	1800	80	GONZALEZ
	2100	80	GONZALEZ
	2400	80	E. LOZANO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-A Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-12-24	0300	78	E. LOZANO
	0600	79	R. LEE
	0900	80	R. LEE
	1200	81	R. LEE
	1500	81	UNNAMED
	1800	81	CONTRIB
	2100	81	UNNAMED
	2400	80	F. LOZANO

Tuesday			
Date	Time	Temp.	Name (Print)
8-13-24	0300	80	E. LOZANO
	0600	80	R. LEE
	0900	81	R. LEE
	1200	81	R. LEE
	1500	81	R. LEE
	1800	81	ALCARAZ
	2100	80	ALCARAZ
	2400	79	THENWOOD

Wednesday			
Date	Time	Temp.	Name (Print)
8-14-24	0300	78	THENWOOD
	0600	79	R. LEE
	0900	80	R. LEE
	1200	81	R. LEE
	1500	81	ALCARAZ
	1800	81	ALCARAZ
	2100	80	ALCARAZ
	2400	79	MAMAUAH

Thursday			
Date	Time	Temp.	Name (Print)
8-15-24	0300	79	MAMAUAH
	0600	80	R. LEE
	0900	81	R. LEE
	1200	81	R. LEE
	1500	81	ALCARAZ
	1800	81	ALCARAZ
	2100	80	ALCARAZ
	2400	79	THENWOOD

Friday			
Date	Time	Temp.	Name (Print)
8-16-24	0300	78	THENWOOD
	0600	78	R. LEE
	0900	79	R. LEE
	1200	80	R. LEE
	1500	80	ALCARAZ
	1800	80	ALCARAZ
	2100	80	ALCARAZ
	2400	79	THENWOOD

Saturday			
Date	Time	Temp.	Name (Print)
8-17-24	0300	78	THENWOOD
	0600	78	C. GILLET
	0900	79	C. GILLET
	1200	79	C. GILLET
	1500	80	COLA
	1800	80	ALCARAZ
	2100	80	ALCARAZ
	2400	77	THENWOOD

Sunday			
Date	Time	Temp.	Name (Print)
8-18-24	0300	75	THENWOOD
	0600	75	M. RIOS
	0900	75	M. RIOS
	1200	77	M. RIOS
	1500	77	C. LUMET
	1800	77	C. LUMET
	2100	77	C. LUMET
	2400	78	E. LOZANO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-A Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-19-24	0300	78°	E. LOZANO
	0600	79	R. LEE
	0900	80	R. LEE
	1200	80	R. LEE
	1500	82	A. HENWOOD
	1800	83	A. HENWOOD
	2100	83	A. HENWOOD
	2400	78°	E. LOZANO

Tuesday			
Date	Time	Temp.	Name (Print)
8-20-24	0300	77°	E. LOZANO
	0600	77°	E. LEE
	0900	78°	E. LEE
	1200	78	R. LEE
	1500	80	Alcaraz
	1800	80	Alcaraz
	2100	80	Alcaraz
	2400	75	T. Henwood

Wednesday			
Date	Time	Temp.	Name (Print)
8-21-24	0300	74	T. Henwood
	0600	75	R. LEE
	0900	77	R. LEE
	1200	78	R. LEE
	1500	78	Alcaraz
	1800	79	Alcaraz
	2100	79	Alcaraz
	2400	78	T. Henwood

Thursday			
Date	Time	Temp.	Name (Print)
8-22-24	0300	74	T. Henwood
	0600	71	J. Flores
	0900	72	J. Flores
	1200	72	J. Flores
	1500	73	Alcaraz
	1800	78	Alcaraz
	2100	78	Alcaraz
	2400	74	T. Henwood

Friday			
Date	Time	Temp.	Name (Print)
8-23-24	0300	73	T. Henwood
	0600	73	R. LEE
	0900	74	R. LEE
	1200	74	R. LEE
	1500	74	Alcaraz
	1800	74	Alcaraz
	2100	74	Alcaraz
	2400	73	T. Henwood

Saturday			
Date	Time	Temp.	Name (Print)
8-24-24	0300	72	T. Henwood
	0600	74	J. Day
	0900	76	J. Day
	1200	76	J. Day
	1500	76	Benedict
	1800	76	Alcaraz
	2100	76	Alcaraz
	2400	74	T. Henwood

Sunday			
Date	Time	Temp.	Name (Print)
8-25-24	0300	73	T. Henwood
	0600	73	M. Rios
	0900	74	M. Rios
	1200	74	M. Rios
	1500	74	C. LOMELI
	1800	74	C. LOMELI
	2100	73	C. LOMELI
	2400	75	E. LOZANO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-A Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8-26-24	0300	75	E. LOZANO	8-27-24	0300	75°	E. LOZANO
	0600	75	R. OFF		0600	75	A. LEON
	0900	76	R. OFF		0900	76	A. LEON
	1200	76	R. OFF		1200	76	A. LEON
	1500	77	A. GONZALES		1500	76	Alcaraz
	1800	77	A. GONZALES		1800	76	Alcaraz
	2100	76	A. GONZALES		2100	76	Alcaraz
	2400	75°	E. LOZANO		2400	74	T. Henwood
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8-28-24	0300	74	T. Henwood	8-29-24	0300	74	T. Henwood
	0600	75	R. OFF		0600	74	R. JONES, JR.
	0900	76	R. JONES		0900	75	R. JONES
	1200	77	R. JONES		1200	78	Rubya
	1500	78	Alcaraz		1500	76	Alcaraz
	1800	78	Alcaraz		1800	78	Alcaraz
	2100	78	Alcaraz		2100	79	Alcaraz
	2400	75	T. Henwood		2400	74	S. Moreno
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8-30-24	0300	74	S. Moreno	8-31-24	0300	76	T. Henwood
	0600	75	R. OFF		0600	74	
	0900	76	R. OFF		0900	76	J. JONES
	1200	76	R. OFF		1200	78	J. JONES
	1500	78	Alcaraz		1500	79	Alcaraz
	1800	79	Alcaraz		1800	79	Alcaraz
	2100	79	Alcaraz		2100	80	Alcaraz
	2400	77	T. Henwood		2400	77	T. Henwood
Sunday							
Date	Time	Temp.	Name (Print)	Notes			
	0300						
	0600						
	0900						
	1200						
	1500						
	1800						
	2100						
	2400						

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2B Temp. Reading Location: TIER 9
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5-2-24	0300	80	VALENCIA
	0600	80	HERNANDEZ
	0900	80	HERNANDEZ
	1200	80	HERNANDEZ
	1500	80	MARIO'S
	1800	80	MARIO'S
	2100	79	MARIO'S
	2400	79	J. VIGIL

Sunday

Date	Time	Temp.	Name (Print)
5-4-24	0300	78	J. VIGIL
	0600	77	J. VIGIL
	0900	78	S GARZA
	1200	78	S GARZA
	1500	80	MARIO'S
	1800	82	MARIO'S
	2100	82	MARIO'S
	2400	80	CANTT

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5-1-24	0300	80	ZOANO
	0600	80	HERNANDEZ
	0900	80	HERNANDEZ
	1200	80	HERNANDEZ
	1500	80	MARIO'S
	1800	82	MARIO'S
	2100	82	MARIO'S
	2400	81	VALENCIA

Saturday

Date	Time	Temp.	Name (Print)
5-3-24	0300	79	J. VIGIL
	0600	78	J. VIGIL
	0900	79	S GARZA
	1200	80	S GARZA
	1500	80	MARIO'S
	1800	80	MARIO'S
	2100	80	MARIO'S
	2400	80	J. VIGIL

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CZ B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	78	CAMPOS
8/15/24	0600	78	H. AGUARD
	0900	78	H. AGUARD
	1200	78	H. AGUARD
	1500	80	H. AGUARD
	1800	80	H. AGUARD
	2100	78	H. AGUARD
	2400	78	CAMPOS

Wednesday

Date	Time	Temp.	Name (Print)
8/17/24	0300	80	E. LOZANO
	0600	80	HERNANDEZ
	0900	82	HERNANDEZ
	1200	82	HERNANDEZ
	1500	80	HERNANDEZ
	1800	80	HERNANDEZ
	2100	80	HERNANDEZ
	2400	80	E. LOZANO

Friday

Date	Time	Temp.	Name (Print)
8/17/24	0300	80	J. VIGIL
	0600	80	J. VIGIL
	0900	80	HERNANDEZ
	1200	80	HERNANDEZ
	1500	80	MRIOS
	1800	81	MRIOS
	2100	81	MRIOS
	2400	80	J. VIGIL

Sunday

Date	Time	Temp.	Name (Print)
8/17/24	0300	79	J. VIGIL
	0600	77	J. VIGIL
	0900	77	S. GARZA
	1200	78	S. GARZA
	1500	80	MRIOS
	1800	80	MRIOS
	2100	80	MRIOS
	2400	78	CAMP?

Tuesday

Date	Time	Temp.	Name (Print)
8/18/24	0300	78	CAMPOS
	0600	78	J. SORIANO
	0900	78	HAGUARD
	1200	80	H. AGUARD
	1500	81	S. BORREGO
	1800	82	S. BORREGO
	2100	80	S. BORREGO
	2400	80	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
8/18/24	0300	80	E. LOZANO
	0600	80	HERNANDEZ
	0900	80	HERNANDEZ
	1200	82	HERNANDEZ
	1500	82	E. GONZALEZ
	1800	83	F. GONZALEZ
	2100	82	F. GONZALEZ
	2400	81	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
8/18/24	0300	79	J. VIGIL
	0600	77	J. VIGIL
	0900	79	S. GARZA
	1200	79	S. GARZA
	1500	80	MRIOS
	1800	80	MRIOS
	2100	80	MRIOS
	2400	80	J. VIGIL

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	78	CAMPBELL
8/12/14	0600	78	HAGEMAN
	0900	78	HAGEMAN
	1200	80	HAGEMAN
	1500	80	MARLOS
	1800	80	MARLOS
	2100	80	MARLOS
	2400	77	CAMPBELL

Tuesday

Date	Time	Temp.	Name (Print)
	0300	77	CAMPBELL
8/13/14	0600	78	G. MACIAS
	0900	78	G. MACIAS
	1200	78	G. MACIAS
	1500	81	J. Perez
	1800	81	J. Perez
	2100	81	J. Perez
	2400	80	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
8/14/14	0300	80	E. LOZANO
	0600	80	S. OBA
	0900	80	S. OBA
	1200	83	S. OBA
	1500	81	HERNANDEZ
	1800	80	HERNANDEZ
	2100	80	HERNANDEZ
	2400	80	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
8/15/14	0300	80	E. LOZANO
	0600	80	HERNANDEZ
	0900	80	HERNANDEZ
	1200	80	HERNANDEZ
	1500	80	Valencia
	1800	80	Valencia
	2100	80	Valencia
	2400	78	J. VIGIL

Friday

Date	Time	Temp.	Name (Print)
8/16/14	0300	77	J. VIGIL
	0600	78	HERNANDEZ
	0900	78	HERNANDEZ
	1200	78	HERNANDEZ
	1500	78	MARIOS
	1800	78	MARIOS
	2100	78	MARIOS
	2400	77	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
8/17/14	0300	76	J. VIGIL
	0600	77	S. GARCIA
	0900	77	S. GARCIA
	1200	78	S. GARCIA
	1500	78	MARIOS
	1800	78	MARIOS
	2100	78	MARIOS
	2400	78	J. VIGIL

Sunday

Date	Time	Temp.	Name (Print)
8/18/14	0300	77	J. VIGIL
	0600	77	S. GARCIA
	0900	78	S. GARCIA
	1200	79	S. GARCIA
	1500	78	MARIOS
	1800	78	MARIOS
	2100	78	MARIOS
	2400	76	CAMPBELL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	76	CAMPOS
	0600	78	J. AQUINO
	0900	79	J. AQUINO
	1200	79	HAGUANO
	1500	79	HAGUANO
	1800	79	HAGUANO
	2100	76	HAGUANO
	2400	75	AGUINO

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	75	CAMPOS
	0600	78	J. PERIN
	0900	79	J. PERIN
	1200	71	J. PERIN
	1500	79	A. GONZALEZ
	1800	79	A. GONZALEZ
	2100	79	A. GONZALEZ
	2400	78	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	77°	E. LOZANO
	0600	77	HERNANDEZ
	0900	77	HERNANDEZ
	1200	77	HERNANDEZ
	1500	77	HERNANDEZ
	1800	77	HERNANDEZ
	2100	77	HERNANDEZ
	2400	77	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	77	E. LOZANO
	0600	77	M. HERNANDEZ
	0900	77	M. HERNANDEZ
	1200	78	M. HERNANDEZ
	1500	78	MILIOS
	1800	78	MILIOS
	2100	76	MILIOS
	2400	77	J. VIGIL

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	76	J. VIGIL
	0600	76	M. HERNANDEZ
	0900	76	M. HERNANDEZ
	1200	76	M. HERNANDEZ
	1500	75	MILIOS
	1800	74	MILIOS
	2100	74	MILIOS
	2400	74	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	74	J. VIGIL
	0600	73	S. GARCIA
	0900	74	S. GARCIA
	1200	74	S. GARCIA
	1500	74	MILIOS
	1800	74	MILIOS
	2100	74	MILIOS
	2400	74	VIGIL

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	73	J. VIGIL
	0600	72	S. GARCIA
	0900	73	S. GARCIA
	1200	74	S. GARCIA
	1500	74	MILIOS
	1800	74	MILIOS
	2100	74	MILIOS
	2400	74	R. AGUERO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	72	R. Mont OYA
	0600	72	A. Alvarez
	0900	70	C. Barnes
	1200	72	C. Ernest
	1500	70	H. Dawson
	1800	70	A. Dawson
	2100	71	H. Aguirre
	2400	74	J. Vign

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	73	J. Vign
	0600	74	H. Dawson
	0900	74	H. Aguirre
	1200	76	H. Aguirre
	1500	79	Gonzales
	1800	78	Gonzales
	2100	78	Gonzales
	2400	77	E. Lozano

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	77°	E. Lozano
	0600	77	HERNANDEZ
	0900	77	HERNANDEZ
	1200	78	HERNANDEZ
	1500	78	HERNANDEZ
	1800	77	HERNANDEZ
	2100	77	HERNANDEZ
	2400	77°	E. Lozano

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	75	E. Lozano
	0600	75	HERNANDEZ
	0900	75	HERNANDEZ
	1200	75	HERNANDEZ
	1500	76	M Rios
	1800	78	M Rios
	2100	78	M Rios
	2400	77	J. Vign

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	76	J. Vign
	0600	76	Henry
	0900	76	Henry
	1200	77	Henry
	1500	78	M Rios
	1800	80	M Rios
	2100	80	M Rios
	2400	77	ZELAYA

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	76°	ZELAYA
	0600	77°	ZELAYA
	0900	74	S Garcia
	1200	74	S Garcia
	1500	75	S Garcia M Rios
	1800	76	M Rios
	2100	76	M Rios
	2400	75	M VALENCIA

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3A Temp. Reading Location: 2P
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension (100) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	72	HUE
	0600	77	HUE
	0900	77	Rodriguez
	1200		Rodriguez
	1500	78°	Rodriguez
	1800	78	Rodriguez
	2100	78	Rodriguez
	2400	75	SUAREZ

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	78	RAMIREZ
	0600	78	RAMIREZ
	0900	78	RAMIREZ
	1200	79	RAMIREZ
	1500	79	RAMIREZ
	1800	80	RAMIREZ
	2100	80	RAMIREZ
	2400	80	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
6/16	0300	77	RAMIREZ
	0600	74	RIOS
	0900	74	RIOS
	1200	76	RIOS
	1500	78	HERNANDEZ
	1800	79	HERNANDEZ
	2100	79	HERNANDEZ
	2400	75	HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
6/16	0300	72	SUAREZ
	0600	72	SUAREZ
	0900	74	SUAREZ
	1200	74	SUAREZ
	1500	75	M. VALENCIA
	1800	78	M. VALENCIA
	2100	78	M. VALENCIA
	2400	78	RAMIREZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 A Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1/14	0300	78	A. RAMIREZ
	0600	78	S. RAMIREZ
	0900	79	S. RAMIREZ
	1200	80	S. RAMIREZ
	1500	80	F. HARVEY
	1800	79	F. HARVEY
	2100	79	F. HARVEY
	2400	79	A. RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
8/1/14	0300	79	A. RAMIREZ
	0600	79	C. CARRAWAY
	0900	79	C. CARRAWAY
	1200	79	C. CARRAWAY
	1500	79	U. MEDINA
	1800	80	U. MEDINA
	2100	79	U. MEDINA
	2400	79	A. RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
8/1/14	0300	78	A. RAMIREZ
	0600	79	C. HARVEY
	0900	79	C. HARVEY
	1200	80	C. HARVEY
	1500	80	A. FRANSTO
	1800	80	E. LYLE
	2100	80	A. FRANSTO
	2400	79	A. RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
8/1/14	0300	79	A. RAMIREZ
	0600	77	R. RIOS
	0900	77	R. RIOS
	1200	78	R. RIOS
	1500	79	COTTERELL
	1800	79	COTTERELL
	2100	79	COTTERELL
	2400	78	S. HINE

Friday

Date	Time	Temp.	Name (Print)
8/1/14	0300	76	S. HINE
	0600	76	S. HINE
	0900	78	A. LOPEZ
	1200	79	A. LOPEZ
	1500	79	A. PRASTO
	1800	78	A. PRASTO
	2100	78	A. PRASTO
	2400	76	S. HINE

Saturday

Date	Time	Temp.	Name (Print)
8/1/14	0300	76	S. HINE
	0600	76	S. HINE
	0900	77	S. RAMIREZ
	1200	77	S. RAMIREZ
	1500	79	RAMIREZ
	1800	79	RAMIREZ
	2100	79	RAMIREZ
	2400	78	RAMIREZ

Notes:

Date	Time	Temp.	Name (Print)
8/1/14	0300	78	A. RAMIREZ
	0600	78	S. RAMIREZ
	0900	79	S. RAMIREZ
	1200	79	S. RAMIREZ
	1500	79	A. RAMIREZ
	1800	79	A. RAMIREZ
	2100	78	A. RAMIREZ
	2400	78	A. RAMIREZ

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-A Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	70	Ramirez
	0600	78	J. HERNANDEZ
	0900	78	J. HERNANDEZ
	1200	80	J. HERNANDEZ
	1500	78	Lopez
	1800	78	Vazquez
	2100	76	Calanca
	2400	70	Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	70	Ramirez
	0600	70	J. HERNANDEZ
	0900	71	J. HERNANDEZ
	1200	79	J. HERNANDEZ
	1500	76	Banks
	1800	76	Banks
	2100	76	Banks
	2400	76	Ramirez

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	78	Ramirez
	0600	72	Lopez
	0900	72	Lopez
	1200	76	Lopez
	1500	76	Lyle
	1800	76	Banks
	2100	76	Banks
	2400	76	Ramirez

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	76	Ramirez
	0600	70	S. OSA
	0900	72	S. OSA
	1200	79	S. OSA
	1500	78	J. Rodriguez
	1800	77	J. Rodriguez
	2100	77	J. Rodriguez
	2400	77	S. OSA

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	76	S. OSA
	0600	76	S. OSA
	0900	79	J. Hernandez
	1200	79	J. Hernandez
	1500	79	J. Hernandez
	1800	77	T. Murphy
	2100	77	T. Murphy
	2400	77	S. OSA

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	74	S. OSA
	0600	74	S. OSA
	0900	74	Banks
	1200	74	Banks
	1500	74	Banks
	1800	74	Banks
	2100	74	Banks
	2400	72	Banks

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	72	Banks
	0600	70	J. Hernandez
	0900	70	J. Hernandez
	1200	79	J. Hernandez
	1500	72	Banks
	1800	72	Banks
	2100	72	Banks
	2400	72	Banks

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	72	Banville
	0600	77	FELIX
	0900	77	FELIX
	1200	78	FELIX
	1500	72	Banville
	1800	72	Banville
	2100	72	Banville
	2400	72	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	71	RAMIREZ
	0600	77	J. FELIX
	0900	77	J. FELIX
	1200	79	J. FELIX
	1500	79	RAMIREZ
	1800	79	RAMIREZ
	2100	79	RAMIREZ
	2400	78	RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	78	RAMIREZ
	0600	76	AGUAYO
	0900	78	AGUAYO
	1200	78	AGUAYO
	1500	77	RAMIREZ
	1800	77	RAMIREZ
	2100	77	RAMIREZ
	2400	76	RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	76	RAMIREZ
	0600	73	RIOS
	0900	73	RIOS
	1200	72	RIOS
	1500	72	HERNANDEZ
	1800	73	HERNANDEZ
	2100	72	HERNANDEZ
	2400	72	S. Ali

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	71	S. Ali
	0600	70	S. Ali
	0900	72	S. Ali
	1200	74	S. Ali
	1500	72	S. GARZA
	1800	73	S. GARZA
	2100	73	S. GARZA
	2400	70	S. Ali

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	70	S. Ali
	0600	70	S. Ali
	0900	70	S. Ali
	1200	70	Banville
	1500	70	Banville
	1800	70	Banville
	2100	70	Banville
	2400	69	Banville

Notes

Date	Time	Temp.	Name (Print)
8-25-24	0300	67	Banville
	0600	70	Banville
	0900	70	Banville
	1200	70	S. Ali
	1500	70	Banville
	1800	70	Banville
	2100	70	Banville
	2400	68	Banville

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	68	Bambill
	0600	69	S. Morris
	0900	70	S. Morris
	1200	70	S. Morris
	1500	70	Bambill
	1800	70	Bambill
	2100	70	Bambill
	2400	70	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	70	RAMIREZ
	0600	70	S. Morris
	0900	75	S. Morris
	1200	75	S. Morris
	1500	70	Bambill
	1800	70	Bambill
	2100	70	Bambill
	2400	70	RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	70	RAMIREZ
	0600	74	H. AGUADO
	0900	74	H. AGUADO
	1200	74	H. AGUADO
	1500	72	Bambill
	1800	72	Bambill
	2100	72	Bambill
	2400	72	RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	72	RAMIREZ
	0600	70	NORIEGA
	0900	71	D. ROSS
	1200	71	D. ROSS
	1500	71	HERNANDEZ
	1800	71	HERNANDEZ
	2100	72	HERNANDEZ
	2400	70	S. Morris

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	70	S. Morris
	0600	70	S. Morris
	0900	70	S. Morris
	1200	70	S. Morris
	1500	71	S. GARCIA
	1800	72	S. GARCIA
	2100	71	S. GARCIA
	2400	72	S. Morris

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	70	S. Morris
	0600	70	S. Morris
	0900	70	S. Morris
	1200	77	S. Morris
	1500	74	Bambill
	1800	74	Bambill
	2100	74	Bambill
	2400	72	Bambill

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NIS P Housing Unit: C 3 B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6007 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/21/24	0300	78	F. MARTINEZ
	0600	77	F. MARTINEZ
	0900	78	F. MARTINEZ
	1200	79	F. MARTINEZ
	1500	79	F. HARVEY
	1800	78	F. HARVEY
	2100	78	F. HARVEY
	2400	78	F. MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
8/24/24	0300	78	S. GARCIA
	0600	78	S. GARCIA
	0900	78	C. GARCIA
	1200	79	C. GARCIA
	1500	80	S. GARCIA
	1800	80	S. GARCIA
	2100	80	S. GARCIA
	2400	79	S. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/24/24	0300	78	F. MARTINEZ
	0600	78	F. MARTINEZ
	0900	78	C. GARCIA
	1200	76	C. GARCIA
	1500	75	L. ARIAS
	1800	76	L. ARIAS
	2100	76	L. ARIAS
	2400	78	F. MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	76	F. MARTINEZ
	0600	76	F. MARTINEZ
	0900	78	D. TORRES
	1200	79	D. TORRES
	1500	80	S. GARCIA
	1800	80	S. GARCIA
	2100	79	S. GARCIA
	2400	79	S. GARCIA

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 B Temp. Reading Location: Tier 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5	0300	74	S. Hine
5	0600	74	S. Hine
5	0900	77	C. Gonzalez
5	1200	77	C. Gonzalez
5	1500	80	Gadella
5	1800	80	Gadella
5	2100	80	Gadella
5	2400	80	M. Ortega

Wednesday

Date	Time	Temp.	Name (Print)
7-24	0300	79	J. NICKELE
7-24	0600	80	Clemon
7-24	0900	81	Clemon
7-24	1200	80	Clemon
7-24	1500	81	Gadella
7-24	1800	81	Gadella
7-24	2100	81	Gadella
7-24	2400	81	J. NICKELE

Friday

Date	Time	Temp.	Name (Print)
9-24	0300	75	J. NICKELE
9-24	0600	75	D. MEDINA
9-24	0900	75	D. MEDINA
9-24	1200	77	D. MEDINA
9-24	1500	80	Gadella
9-24	1800	80	Gadella
9-24	2100	80	Gadella
9-24	2400	80	L. AMARAL

Sunday

Date	Time	Temp.	Name (Print)
11-24	0300	78	S. Hine
11-24	0600	76	S. Hine
11-24	0900	76	Clemon
11-24	1200	77	Clemon
11-24	1500	78	S. GARZA
11-24	1800	78	S. GARZA
11-24	2100	78	S. GARZA
11-24	2400	78	S. Hine

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	80	M. Ortega
9	0600	79	Clemon
9	0900	80	Clemon
9	1200	81	Clemon
9	1500	80	Gadella
9	1800	80	Gadella
9	2100	80	Gadella
9	2400	80	J. NICKEL

Thursday

Date	Time	Temp.	Name (Print)
7-24	0300	80	J. NICKEL
7-24	0600	80	Clemon
7-24	0900	81	Clemon
7-24	1200	81	Clemon
7-24	1500	81	Gadella
7-24	1800	80	Gadella
7-24	2100	80	Gadella
7-24	2400	80	J. NICKEL

Saturday

Date	Time	Temp.	Name (Print)
10-10	0300	80	L. AMARAL
10-10	0600	80	L. AMARAL
10-10	0900	79	D. RIOS
10-10	1200	79	D. RIOS
10-10	1500	79	S. GARZA
10-10	1800	79	S. GARZA
10-10	2100	78	S. GARZA
10-10	2400	79	- s. hine

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-B Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	78	S. HILE
	0600	78	S. HILE
	0900	78	C. GOMIATT
	1200	79	C. GOMIATT
	1500	80	C. GOMIATT
	1800	80	GADALLA
	2100	80	GADALLA
	2400	79	U. MEDINA

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	79	U. MEDINA
	0600	78	J. RUFFY
	0900	79	J. RUFFY
	1200	77	J. RUFFY
	1500	79	Gradelia
	1800	79	Gradelia
	2100	79	Gradelia
	2400	79	U. Medina

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	75	U. Medina
	0600	72	C. GILLETT
	0900	73	C. GILLETT
	1200	77	C. GILLETT
	1500	79	Gradelia
	1800	79	Gradelia
	2100	79	Gradelia
	2400	75	U. Medina

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	75	U. Medina
	0600	75	C. GILLETT
	0900	76	C. GILLETT
	1200	77	C. GILLETT
	1500	78	Gradelia
	1800	79	Gradelia
	2100	79	Gradelia
	2400	76	U. Medina

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	78	U. Medina
	0600	76	Bailey
	0900	77	Bailey
	1200	77	Bailey
	1500	78	Gradelia
	1800	78	Gradelia
	2100	78	Gradelia
	2400	75	U. Medina

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	75	U. Medina
	0600	76	Bailey
	0900	77	Bailey
	1200	77	Bailey
	1500	78	S. GARZA
	1800	78	S. GARZA
	2100	78	S. GARZA
	2400	74	S. LUE

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	79	S. LUE
	0600	74	S. LUE
	0900	75	C. GILLETT
	1200	77	C. GILLETT
	1500	77	S. GARZA
	1800	78	S. GARZA
	2100	77	S. GARZA
	2400	78	S. LUE

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	74	S. SANCHEZ
	0600	74	S. SANCHEZ
	0900	74	L. ZEPEDA
	1200	74	L. ZEPEDA
	1500	79	CARRAWAY
	1800	79	CARRAWAY
	2100	79	CARRAWAY
	2400	78	F. MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	77	F. MARTINEZ
	0600	76	F. MARTINEZ
	0900	76	L. ZEPEDA
	1200	76	L. ZEPEDA
	1500	79	CARRAWAY
	1800	79	CARRAWAY
	2100	79	CARRAWAY
	2400	78	F. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	77	F. MARTINEZ
	0600	76	F. MARTINEZ
	0900	76	L. ZEPEDA
	1200	76	L. ZEPEDA
	1500	79	CARRAWAY
	1800	79	CARRAWAY
	2100	78	CARRAWAY
	2400	74	F. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	73	F. MARTINEZ
	0600	73	F. MARTINEZ
	0900	75	L. ZEPEDA
	1200	77	L. ZEPEDA
	1500	78	CARRAWAY
	1800	78	CARRAWAY
	2100	77	CARRAWAY
	2400	76	F. MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	76	F. MARTINEZ
	0600	75	F. MARTINEZ
	0900	71	D. RIOS
	1200	72	D. RIOS
	1500	72	CARRAWAY
	1800	73	CARRAWAY
	2100	73	CARRAWAY
	2400	72	F. MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	72	F. MARTINEZ
	0600	71	F. MARTINEZ
	0900	72	D. RIOS
	1200	72	D. RIOS
	1500	73	S. GARZA
	1800	73	S. GARZA
	2100	72	S. GARZA
	2400	70	S. GARZA

Notes

Date	Time	Temp.	Name (Print)
8-25-24	0300	70	S. SANCHEZ
	0600	70	S. SANCHEZ
	0900	70	J. BLACK
	1200	71	J. BLACK
	1500	72	S. GARZA
	1800	72	S. GARZA
	2100	71	S. GARZA
	2400	70	S. SANCHEZ

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-B Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	70	S. wie
	0600	70	S. wie
	0900	71	C. leon
	1200	71	C. leon
	1500	74	F. MARTINEZ
	1800	75	F. MARTINEZ
	2100	73	F. MARTINEZ
	2400	71	F. MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	70	F. MARTINEZ
	0600	70	F. MARTINEZ
	0900	72	C. leon
	1200	72	C. leon
	1500	72	F. MARTINEZ
	1800	72	F. MARTINEZ
	2100	71	F. MARTINEZ
	2400	71	F. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	70	F. MARTINEZ
	0600	70	F. MARTINEZ
	0900	71	C. leon
	1200	71	C. leon
	1500	75	Gadelia
	1800	75	Gadelia
	2100	75	Gadelia
	2400	74	F. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	74	F. MARTINEZ
	0600	72	F. MARTINEZ
	0900	70	C. leon
	1200	71	C. leon
	1500	73	Gadelia
	1800	76	Gadelia
	2100	75	Gadelia
	2400	73	Gadelia

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	70	Gadelia
	0600	70	Gadelia
	0900	70	D. Ross
	1200	70	D. Ross
	1500	73	Wade
	1800	73	Gadelia
	2100	73	Gadelia
	2400	73	Gadelia

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	73	Gadelia
	0600	73	D. Ross
	0900	73	D. Ross
	1200	73	D. Ross
	1500	75	S. Garcia
	1800	75	S. Garcia
	2100	74	S. Garcia
	2400	74	S. Garcia

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	72	S. wie
	0600	72	S. wie
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: USP-RC Housing Unit: C4-A

Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600-1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8	0300	68	J. Quinonez
1	0600	68	H. Lopez
24	0900	68	H. Lopez
	1200	68	
	1500	68	Hernandez
	1800	68	Hernandez
	2100	68	Hernandez
	2400	68	D. Williams

Friday

Date	Time	Temp.	Name (Print)
8	0300	68	Williams
2	0600	68	Zendejas
24	0900	69	Zendejas
	1200	70	Zendejas
	1500	70	Hernandez
	1800	70	Hernandez
	2100	70	Hernandez
	2400	70	Williams

Saturday

Date	Time	Temp.	Name (Print)
8	0300	70	Williams
3	0600	70	Zendejas
24	0900	70	Zendejas
	1200	71	Zendejas
	1500	75	Ramirez
	1800	75	Ramirez
	2100	77	Ramirez
	2400	77	Williams

Sunday

Date	Time	Temp.	Name (Print)
8	0300	71	Williams
4	0600	72	Perez
24	0900	72	Perez
	1200	72	Perez
	1500	75	Ramirez
	1800	75	Ramirez
	2100	76	Ramirez
	2400	76	Williams

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B Temp. Reading Location: T-2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	70	WILLIAMS
	0600	70	HERNANDEZ
	0900	70	HERNANDEZ
	1200	71	HERNANDEZ
	1500	70	W.Scott
	1800	72	W.Scott
	2100	73	W.Scott
	2400	72	S.Stefford

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	71	Station
	0600	71	ZENDUELAS
	0900	72	ZENDUELAS
	1200	72	ZENDUELAS
	1500	72	W.Scott
	1800	72	W.Scott
	2100	72	W.Scott
	2400	72	J.Quinonez

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	70	J.Quinonez
	0600	71	J.ZENDUELAS
	0900	72	J.ZENDUELAS
	1200	72	J.ZENDUELAS
	1500	73	W.Scott
	1800	72	W.Scott
	2100	72	W.Scott
	2400	71	M

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	70	M
	0600	71	ZENDUELAS
	0900	72	ZENDUELAS
	1200	73	ZENDUELAS
	1500	75	Hernandez
	1800	75	Hernandez
	2100	75	Hernandez
	2400	75	Williams

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	75	Williams
	0600	72	ZENDUELAS
	0900	72	ZENDUELAS
	1200	75	ZENDUELAS
	1500	74	Hernandez
	1800	74	Hernandez
	2100	76	Hernandez
	2400	72	Williams

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	Williams
	0600	70	ZENDUELAS
	0900	71	ZENDUELAS
	1200	72	ZENDUELAS
	1500	75	J.AMADOR
	1800	75	J.AMADOR
	2100	75	J.AMADOR
	2400	72	Williams

Notes

Date	Time	Temp.	Name (Print)
8/11/24	0300	70	Williams
	0600	70	P.Rios
	0900	70	P.Rios
	1200	70	P.Rios
	1500	70	A.Torres
	1800	71	W
	2100	71	W
	2400	70	Station

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	70	Gonzales
	0600	70	K. Bailey
	0900	70	R. Ray
	1200	71	R. Ray
	1500	71	W. Sova
	1800	70	W. Sova
	2100	70	W. Sova
	2400	70	WILLIAMS

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	70	WILLIAMS
	0600	70	ZENDEJAS
	0900	70	ZENDEJAS
	1200	71	ZENDEJAS
	1500	70	W. Sova
	1800	71	W. Sova
	2100	70	W. Sova
	2400	69	J. Quinonez

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	68	J. Quinonez
	0600	70	Margaux
	0900	69	Margaux
	1200	69	Margaux
	1500	70	W. Sova
	1800	70	W. Sova
	2100	70	W. Sova
	2400	70	W. Sova

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	70	Gonzales
	0600	70	ZENDEJAS
	0900	70	ZENDEJAS
	1200	71	ZENDEJAS
	1500	71	Hernandez
	1800	71	Hernandez
	2100	70	Hernandez
	2400	70	Gonzales

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	69	Gonzales
	0600	70	ZENDEJAS
	0900	70	ZENDEJAS
	1200	71	ZENDEJAS
	1500	73	Hernandez
	1800	73	Hernandez
	2100	72	Hernandez
	2400	70	Gonzales

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	68	Gonzales
	0600	69	M. Pantoya
	0900	70	M. Pantoya
	1200	71	M. Pantoya
	1500	70	W. Sova
	1800	71	W. Sova
	2100	70	W. Sova
	2400	70	WILLIAMS

Notes

Date	Time	Temp.	Name (Print)
8-18-24	0300	70	WILLIAMS
	0600	70	K. Bailey
	0900	70	K. Bailey
	1200	71	K. Bailey
	1500	70	W. Sova
	1800	70	W. Sova
	2100	70	W. Sova
	2400	68	WILLIAMS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	68	WILLIAMS
	0600	65	L. Martin
	0900	65	L. Martin
	1200	68	L. Martin
	1500	70	W. Sova
	1800	70	W. Sova
	2100	70	W. Sova
	2400	68	J. Quinonez

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	70	J. Quinonez
	0600	70	ZENDERA
	0900	71	ZENDERA
	1200	71	ZENDERA
	1500	70	W. Sova
	1800	70	W. Sova
	2100	70	W. Sova
	2400	70	J. Quinonez

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	68	J. Quinonez
	0600	68	ZENDERA
	0900	69	ZENDERA
	1200	69	ZENDERA
	1500	70	W. Sova
	1800	70	W. Sova
	2100	70	W. Sova
	2400	68	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	66	J. Quinonez
	0600	69	ZENDERA
	0900	69	ZENDERA
	1200	70	ZENDERA
	1500	72	Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	70	Williams

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	68	Williams
	0600	68	ZENDERA
	0900	69	ZENDERA
	1200	70	ZENDERA
	1500	72	Hernandez
	1800	73	Hernandez
	2100	72	Hernandez
	2400	68	Williams

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	68	Williams
	0600	68	ZENDERA
	0900	69	ZENDERA
	1200	67	ZENDERA
	1500	68	Sova
	1800	68	Sova
	2100	68	Sova
	2400	68	Williams

Notes:

Date	Time	Temp.	Name (Print)
8-25-24	0300	68	Williams
	0600	65	D. RIOS
	0900	65	D. RIOS
	1200	65	D. RIOS
	1500	66	W. Sova
	1800	65	W. Sova
	2100	65	W. Sova
	2400	70	Williams

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	68	WILLIAMS
	0600	63	ZENDEJAS
	0900	63	ZENDEJAS
	1200	63	ZENDEJAS
	1500	63	W. SERVE
	1800	63	W. SERVE
	2100	63	W. SERVE
	2400	63	S. STAFFORD

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	63	S. STAFFORD
	0600	64	ZENDEJAS
	0900	64	ZENDEJAS
	1200	65	ZENDEJAS
	1500	68	W. SERVE
	1800	68	W. SERVE
	2100	69	W. SERVE
	2400	69	J. QUINONEZ

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	64	J. QUINONEZ
	0600	64	ZENDEJAS
	0900	65	ZENDEJAS
	1200	66	ZENDEJAS
	1500	68	W. SERVE
	1800	68	W. SERVE
	2100	68	W. SERVE
	2400	67	J. QUINONEZ

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	65	J. QUINONEZ
	0600	66	ZENDEJAS
	0900	67	ZENDEJAS
	1200	67	ZENDEJAS
	1500	69	ANDREW
	1800	70	ANDREW
	2100	70	ANDREW
	2400	70	WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	66	WILLIAMS
	0600	68	ZENDEJAS
	0900	68	ZENDEJAS
	1200	69	ZENDEJAS
	1500	70	ANDREW
	1800	71	ANDREW
	2100	71	ANDREW
	2400	68	WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	65	WILLIAMS
	0600	68	ZENDEJAS
	0900	68	ZENDEJAS
	1200	69	ZENDEJAS
	1500	71	ANDREW
	1800	71	ANDREW
	2100	70	ANDREW
	2400	70	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B Temp. Reading Location: TOP TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	Romer
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	77	Taylor
	0600	77	6.6m
	0900	78	6.6m
1	1200	80	6.6m
	1500	80	Williams
	1800	78	Williams
	2100	78	Williams
	2400	76	J. Quinones

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	76	J. Quinones
	0600	76	Gamm
	0900	76	Gamm
	1200	76	Gamm
	1500	75	Gamm
	1800	75	Gamm
	2100	75	Gamm
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600	76	Gamm
	0900	76	Gamm
3	1200	76	Gamm
	1500	80	MURRI
	1800	80	A.GURIE
	2100	80	A.GURIE
	2400	80	MURRI

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	79	TSATTA
	0600	78	Gamm
	0900	78	Gamm
	1200	78	Gamm
	1500	77	Romer
	1800	77	Romer
	2100	77	Romer
	2400	75	Romer

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LSP-RC Housing Unit: C4-B Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/14	0300	70°	Romo
	0600	76	T. AMADOR
	0900	78	T. AMADOR
	1200	79	T. AMADOR
	1500	79	T. AMADOR
	1800	79	T. AMADOR
	2100	78	T. AMADOR
	2400	78	Romo

Tuesday

Date	Time	Temp.	Name (Print)
8/6/14	0300	77	Romo
	0600	77	T. AMADOR
	0900	77	T. AMADOR
	1200	77	T. AMADOR
	1500	80	J. AMADOR
	1800	81	J. AMADOR
	2100	81	J. AMADOR
	2400	77	Romo

Wednesday

Date	Time	Temp.	Name (Print)
8/7/14	0300	72	Romo
	0600	78	ZARAGOZA
	0900	79	ZARAGOZA
	1200	80	ZARAGOZA
	1500	81	GONZALEZ
	1800	83	GONZALEZ
	2100	79	GONZALEZ
	2400	78	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
8/8/14	0300	76	J. Quinonez
	0600	78	M. AMADOR
	0900	78	M. AMADOR
	1200	79	M. AMADOR
	1500	80	WILLIAMS
	1800	79	WILLIAMS
	2100	79	WILLIAMS
	2400	78	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
8/9/14	0300	77	J. Quinonez
	0600	76	GAMM
	0900	76	GAMM
	1200	76	GAMM
	1500	76	GAMM
	1800	76	GAMM
	2100	76	GAMM
	2400	76	Romo

Saturday

Date	Time	Temp.	Name (Print)
8/10/14	0300	76	Romo
	0600	76	GAMM
	0900	76	GAMM
	1200	76	GAMM
	1500	80	Pascual
	1800	80	Pascual
	2100	75	C. Pascual
	2400	76	S. servile

Sunday

Date	Time	Temp.	Name (Print)
8/11/14	0300	76	SEVILIC
	0600	76	GAMM
	0900	76	GAMM
	1200	78	GAMM
	1500	80	F. GONZALEZ
	1800	82	F. GONZALEZ
	2100	80	F. GONZALEZ
	2400	76	Romo

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	<u>77</u>	<u>Romero</u>
	0600	<u>78</u>	<u>Tannan</u>
	0900	<u>78</u>	<u>Tannan</u>
	1200	<u>79</u>	<u>Tannan</u>
	1500	<u>79</u>	<u>Tannan</u>
	1800	<u>79</u>	<u>Tannan</u>
	2100	<u>79</u>	<u>Tannan</u>
	2400	<u>77</u>	<u>Romero</u>

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	<u>77</u>	<u>Romero</u>
	0600	<u>78</u>	<u>Black</u>
	0900	<u>78</u>	<u>Black</u>
	1200	<u>78</u>	<u>Black</u>
	1500	<u>78</u>	<u>Tannan</u>
	1800	<u>78</u>	<u>Tannan</u>
	2100	<u>78</u>	<u>Tannan</u>
	2400	<u>77</u>	<u>Romero</u>

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	<u>78</u>	<u>Romero</u>
	0600	<u>78</u>	<u>Waltford</u>
	0900	<u>78</u>	<u>Waltford</u>
	1200	<u>78</u>	<u>Waltford</u>
	1500	<u>78</u>	<u>M. Lao</u>
	1800	<u>78</u>	<u>M. Lao</u>
	2100	<u>78</u>	<u>M. Lao</u>
	2400	<u>76</u>	<u>J. Quinonez</u>

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	<u>74</u>	<u>J. Quinonez</u>
	0600	<u>74</u>	<u>Gomez</u>
	0900	<u>74</u>	<u>Gomez</u>
	1200	<u>76</u>	<u>Gomez</u>
	1500	<u>78</u>	<u>S. Moreno</u>
	1800	<u>78</u>	<u>S. Moreno</u>
	2100	<u>77</u>	<u>S. Moreno</u>
	2400	<u>76</u>	<u>J. Quinonez</u>

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	<u>74</u>	<u>J. Quinonez</u>
	0600	<u>74</u>	<u>Gomez</u>
	0900	<u>74</u>	<u>Gomez</u>
	1200	<u>75</u>	<u>Gomez</u>
	1500	<u>78</u>	<u>Gomez</u>
	1800	<u>78</u>	<u>Gomez</u>
	2100	<u>77</u>	<u>Gomez</u>
	2400	<u>77</u>	<u>Romero</u>

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	<u>77</u>	<u>Romero</u>
	0600	<u>77</u>	<u>Gomez</u>
	0900	<u>77</u>	<u>Gomez</u>
	1200	<u>77</u>	<u>Gomez</u>
	1500	<u>76</u>	<u>J. McCain</u>
	1800	<u>75</u>	<u>J. McCain</u>
	2100	<u>75</u>	<u>J. McCain</u>
	2400	<u>77</u>	<u>Romero</u>

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	<u>77</u>	<u>Romero</u>
	0600	<u>77</u>	<u>Gomez</u>
	0900	<u>77</u>	<u>Gomez</u>
	1200	<u>78</u>	<u>Gomez</u>
	1500	<u>78</u>	<u>ZULAYA</u>
	1800	<u>77</u>	<u>ZULAYA</u>
	2100	<u>77</u>	<u>ZULAYA</u>
	2400	<u>77</u>	<u>Romero</u>

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B Temp. Reading Location: TIER 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	77	Romero
	0600	70	Tanner
	0900	75	Tanner
	1200	76	Tanner
	1500	78	Tanner
	1800	79	Tanner
	2100	79	Tanner
	2400	77	Romero

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	77	Romero
	0600	70	R. Norsey
	0900	75	R. Norsey
	1200	75	R. Norsey
	1500	78	Tanner
	1800	78	Tanner
	2100	78	Tanner
	2400	77	Romero

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	72	Gamer
	0600	70	R. Norsey
	0900	72	R. Norsey
	1200	70	Gamer
	1500	77	Tanner
	1800	78	Tanner
	2100	78	Tanner
	2400	75	Tanner

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	75	Tanner
	0600	70	Gamer
	0900	75	Gamer
	1200	70	Gamer
	1500	77	WILLIAMS
	1800	77	WILLIAMS
	2100	76	WILLIAMS
	2400	74	J. Quiñonez

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	72	J. Quiñonez
	0600	70	Gamer
	0900	70	Gamer
	1200	70	Gamer
	1500	70	Gamer
	1800	72	Gamer
	2100	72	Gamer
	2400	70	Romero

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	70	Romero
	0600	70	Gamer
	0900	70	Gamer
	1200	75	Gamer
	1500	76	TORIBIO
	1800	76	TORIBIO
	2100	74	ZORROS
	2400	72	Romero

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	76	Romero
	0600	76	Gamer
	0900	76	Gamer
	1200	76	Gamer
	1500	75	Rivera
	1800	75	Rivera
	2100	72	Rivera
	2400	70	Romero

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	70	Romero
	0600	70	TANAKA
	0900	71	TANAKA
	1200	70	TANAKA
	1500	75	C. PASAR
	1800	80	C. PASAR
	2100	80	C. PASAR
	2400	73	Romero

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	70	Romero
	0600	70	M. GARC
	0900	70	M. GARC
	1200	70	M. GARC
	1500	71	TANAKA
	1800	72	TANAKA
	2100	71	TANAKA
	2400	70	Romero

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	70	Romero
	0600	70	Salinas
	0900	71	Salinas
	1200	71	Salinas
	1500	72	TANAKA
	1800	71	TANAKA
	2100	75	TANAKA
	2400	71	TANAKA

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	71	TANAKA
	0600	70	A. ZEPEDA
	0900	72	ZEPEDA
	1200	72	ZEPEDA
	1500	73	WILLIAMS
	1800	70	WILLIAMS
	2100	70	WILLIAMS
	2400	74	J. QUINONEZ

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	72	J. QUINONEZ
	0600	72	Game
	0900	72	Game
	1200	72	Game
	1500	74	Game
	1800	75	Game
	2100	74	Game
	2400	71	Romero

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	70	Romero
	0600	70	MEDINA
	0900	72	MEDINA
	1200	72	MEDINA
	1500	73	Perez
	1800	74	Perez
	2100	75	Perez
	2400	76	Romero

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	Romero
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: HOTEL 1 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 86 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	80	WSANITATOR
	0600	80	Salinas
	0900	80	Salinas
	1200	81	Salinas
	1500	82	Ramirez
	1800	82	Ramirez
	2100	81	AGUSTIN
	2400	80	AGUSTIN

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	80	AGUSTIN
	0600	80	Salinas
	0900	80	Salinas
	1200	81	Salinas
	1500	80	Am
	1800	80	Am
	2100	80	Am
	2400	80	AGUSTIN

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	80	AGUSTIN
	0600	80	Salinas
	0900	81	Salinas
	1200	81	Salinas
	1500	80	Am
	1800	80	Am
	2100	80	Am
	2400	80	AGUSTIN

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	80	PUEBLES
	0600	80	E-BUSTOS
	0900	80	E-BUSTOS
	1200	81	E-BUSTOS
	1500	80	Am
	1800	80	Am
	2100	80	Am
	2400	80	PUEBLES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-1 Temp. Reading Location: 1ST TIER (ARM)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/05/24	0300	80	M. FUENTES
	0600	80	CARLSON
	0900	80	CARLSON
	1200	80	CARLSON
	1500	81	A. PEY
	1800	81	A. PEY
	2100	81	A. PEY
	2400	80	M. FUENTES

Tuesday

Date	Time	Temp.	Name (Print)
08/06/24	0300	80	Fuentes
	0600	80	CARLSON
	0900	80	CARLSON
	1200	81	CARLSON
	1500	80	ARM
	1800	80	ARM
	2100	80	ARM
	2400	80	ARM

Wednesday

Date	Time	Temp.	Name (Print)
08/07/24	0300	80	A. PEY
	0600	80	CARLSON
	0900	80	CARLSON
	1200	80	CARLSON
	1500	80	ARM
	1800	80	ARM
	2100	80	ARM
	2400	80	A. PEY

Thursday

Date	Time	Temp.	Name (Print)
08/08/24	0300	80	ARM
	0600	80	ARM
	0900	80	ARM
	1200	80	ARM
	1500	81	ARM
	1800	81	ARM
	2100	81	ARM
	2400	81	ARM

Friday

Date	Time	Temp.	Name (Print)
08/09/24	0300	80	ARM
	0600	80	ARM
	0900	80	ARM
	1200	81	ARM
	1500	80	ARM
	1800	80	ARM
	2100	80	ARM
	2400	80	ARM

Saturday

Date	Time	Temp.	Name (Print)
08/10/24	0300	80	ARM
	0600	80	CARLSON
	0900	80	CARLSON
	1200	80	CARLSON
	1500	80	ARM
	1800	80	ARM
	2100	80	ARM
	2400	80	ARM

Sunday

Date	Time	Temp.	Name (Print)
08/11/24	0300	80	E. GUSTOS
	0600	80	E. GUSTOS
	0900	81	E. GUSTOS
	1200	82	E. GUSTOS
	1500	80	ARM
	1800	80	ARM
	2100	80	ARM
	2400	80	E. GUSTOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-1 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	80	FUENTES
	0600	80	Harc
	0900	80	Harc
	1200	80	Harc
	1500	80	REYES
	1800	80	REYES
	2100	80	REYES
	2400	80	FUENTES

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	86	FUENTES
	0600	80	Harc
	0900	80	Harc
	1200	86	CACZADA
	1500	86	C. Reyes
	1800	86	C. Reyes
	2100	86	C. Reyes
	2400	80	FUENTES

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	80	FUENTES
	0600	80	Harc
	0900	79	Harc
	1200	79	Harc
	1500	80	C. Reyes
	1800	80	C. Reyes
	2100	80	C. Reyes
	2400	80	Melvin

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	86	Melvin
	0600	80	Harc
	0900	79	Harc
	1200	79	Harc
	1500	80	R. Martinez
	1800	80	R. Martinez
	2100	80	R. Martinez
	2400	80	AGUSTO

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	80	AGUSTO
	0600	79	R. Martinez
	0900	79	R. Martinez
	1200	79	R. Martinez
	1500	76	an
	1800	79	an
	2100	79	an
	2400	79	AGUSTO

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	79	AGUSTO
	0600	79	CACZADA
	0900	79	CACZADA
	1200	79	R. Martinez
	1500	80	R. Martinez
	1800	80	R. Martinez
	2100	80	R. Martinez
	2400	80	FUENTES

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	80	FUENTES
	0600	79	CACZADA
	0900	79	CACZADA
	1200	79	CACZADA
	1500	79	L. Martinez
	1800	79	L. Martinez
	2100	79	L. Martinez
	2400	79	FUENTES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	75	Fuentes
	0600	78	Caceres
	0900	78	Caceres
	1200	79	Caceres
	1500	79°	L. Hayes
	1800	79°	L. Hayes
	2100	79°	L. Hayes
	2400	79	Fuentes

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	78	Fuentes
	0600	78	Caceres
	0900	78	Caceres
	1200	79	Caceres
	1500	74	Harl
	1800	79	Harl
	2100	79	Harl
	2400	78	Fuentes

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	78	Fuentes
	0600	78	Harl
	0900	78	Harl
	1200	79	Harl
	1500	80	Abuso
	1800	80	Abuso
	2100	80	Abuso
	2400	80	M. S. A.

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	80	M. S. A.
	0600	78	Abuso
	0900	78	Abuso
	1200	78	Abuso
	1500	79	Abuso
	1800	79	Abuso
	2100	79	Abuso
	2400	79	Abuso

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	79	Abuso
	0600	78	Z. Montoya
	0900	79	Z. Montoya
	1200	79	R. Montoya
	1500	79	Medina
	1800	79	Medina
	2100	77	Medina
	2400	79	Abuso

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	79	Abuso
	0600	79	M. S. A.
	0900	79	M. S. A.
	1200	79	M. S. A.
	1500	79	Medina
	1800	78	Medina
	2100	79	Medina
	2400	79	Abuso

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	70	A. G. S.
	0600	74	B. Vasquez
	0900	74	B. Vasquez
	1200	75	B. Vasquez
	1500	75	L. Martin
	1800	75	L. Martin
	2100	75	L. Martin
	2400	74	Fuentes

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-1 Temp. Reading Location: Dayroom
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	78	L. Mejia
	0600	78	L. Mejia
	0900	78	R. Hall
	1200	78	R. Hall
	1500	75	L. Mejia
	1800	75	L. Mejia
	2100	75	L. Mejia
	2400	74	Fuentes

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	74	Fuentes
	0600	75	HDL
	0900	75	Hall
	1200	76	Hall
	1500	75	L. Mejia
	1800	76	REYES
	2100	77	REYES
	2400	74	Fuentes

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	77	Fuentes
	0600	78	HERNANDEZ
	0900	79	HERNANDEZ
	1200	77	Herandez
	1500	80	Ard
	1800	80	Ard
	2100	80	Ard
	2400	78	Megia

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	78	Megia
	0600	77	lone
	0900	77	Hone
	1200	78	Blanz
	1500	79	RAMIREZ
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	79	AGUSTO

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	79	ABUSTO
	0600	78	Harl
	0900	78	Harl
	1200	78	Hnr 1
	1500	80	Rodriguez
	1800	79	Rodriguez
	2100	77	Rodriguez
	2400	78	U SANCHEZ

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	78	U SANCHEZ
	0600	79	E. Salinas
	0900	79	E. Salinas
	1200	79	E. Salinas
	1500	78	A. Smith
	1800	70	A. Smith
	2100	78	A. Smith
	2400	79	ABUSTO

Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	80	M. GRAHAM
	0600	79	BVASDEU
	0900	80	BVASDEU
	1200	80	BVASDEU
	1500	80	CERMEND
	1800	80	CERMEND
	2100	79	CERMEND
	2400	79	COBB

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	80	COBB
	0600	80	YANEZ
	0900	80	YANEZ
	1200	81	YANEZ
	1500	81	CERMEND
	1800	81	CERMEND
	2100	81	CERMEND
	2400	81	M. GRAHAM

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	79	M. GRAHAM
	0600	79	BVASDEU
	0900	79	BVASDEU
	1200	79	BVASDEU
	1500	79	PRYE
	1800	80	PRYE
	2100	80	PRYE
	2400	80	M. GRAHAM

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	79	COBB
	0600	79	YANEZ
	0900	79	YANEZ
	1200	79	YANEZ
	1500	79	PRYE
	1800	80	PRYE
	2100	80	PRYE
	2400	80	COBB

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: W.S.P. Housing Unit: 112 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-5-2024

Date	Time	Temp.	Name (Print)
8/5/24	0300	81	Ramirez
	0600	79	M.Yanez
	0900	79	M.Yanez
	1200	81	BUSDELL
	1500	82	J.Valencic
	1800	84	J.Valencic
	2100	84	J.Valencic
	2400	82	M.Graham

Wednesday 8-7-2024

Date	Time	Temp.	Name (Print)
8/7/24	0300	77	M.Graham
	0600	79	BUSDELL
	0900	79	BUSDELL
	1200	81	BUSDELL
	1500	82	J.Valencic
	1800	81	J.Valencic
	2100	81	J.Valencic
	2400	79	M.Graham

Friday 8-9-2024

Date	Time	Temp.	Name (Print)
8/9/24	0300	77	M.Graham
	0600	77	M.Yanez
	0900	78	RAMIREZ
	1200	79	RAMIREZ
	1500	80	J.AMADOR
	1800	82	J.AMADOR
	2100	82	J.AMADOR
	2400	81	RAMIREZ

Sunday 8-11-2024

Date	Time	Temp.	Name (Print)
8/11/24	0300	80	F.GONZALEZ
	0600	75	CERMENO-A
	0900	77	CERMENO-A
	1200	79	M.Yanez
	1500	81	J.Valencic
	1800	81	J.Valencic
	2100	82	J.Valencic
	2400	81	J.Valencic

Tuesday 8-6-2024

Date	Time	Temp.	Name (Print)
8/6/24	0300	79	M.Graham
	0600	77	M.Yanez
	0900	77	M.Yanez
	1200	81	BUSDELL
	1500	81	J.Valencic
	1800	84	J.Valencic
	2100	84	J.Valencic
	2400	79	M.Graham

Thursday 8-8-2024

Date	Time	Temp.	Name (Print)
8/8/24	0300	77	M.Graham
	0600	77	BUSDELL
	0900	78	JAMIEZ
	1200	79	BUSDELL
	1500	81	J.Valencic
	1800	82	J.Valencic
	2100	82	J.Valencic
	2400	79	M.Graham

Saturday 8-10-2024

Date	Time	Temp.	Name (Print)
8/10/24	0300	77	RAMIREZ
	0600	75	M.Yanez
	0900	77	M.Yanez
	1200	79	M.Yanez
	1500	81	A.CERMENO
	1800	81	A.CERMENO
	2100	81	A.CERMENO
	2400	80	F.GONZALEZ

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-12-24	0300	77	M. GRAHAM
	0600	77	BUSDELL
	0900	77	BUSDELL
	1200	79	BUSDELL
	1500	81	J. VALENCIA
	1800	81	J. VALENCIA
	2100	81	J. VALENCIA
	2400	79	M. GRAHAM

Tuesday			
Date	Time	Temp.	Name (Print)
8-13-24	0300	77	M. GRAHAM
	0600	75	BUSDELL
	0900	77	BUSDELL
	1200	79	BUSDELL
	1500	79	Valencia
	1800	81	Valencia
	2100	79	Valencia
	2400	77	M. GRAHAM

Wednesday			
Date	Time	Temp.	Name (Print)
8-14-24	0300	75	M. Graham
	0600	77	A. GUY
	0900	74	A. GUY
	1200	79	M. GUY
	1500	79	Valencia
	1800	80	Valencia
	2100	79	Valencia
	2400	77	M. GRAHAM

Thursday			
Date	Time	Temp.	Name (Print)
8-15-24	0300	75	M. Graham
	0600	71	P. AMIREZ
	0900	75	P. AMIREZ
	1200	77	P. AMIREZ
	1500	79	J. FRYE
	1800	79	J. FRYE
	2100	79	J. FRYE
	2400	77	M. Graham

Friday			
Date	Time	Temp.	Name (Print)
8-16-24	0300	75	M. Graham
	0600	74	P. AMIREZ
	0900	79	P. AMIREZ
	1200	74	P. AMIREZ
	1500	79	CERMENO A
	1800	81	CERMENO A
	2100	79	CERMENO A
	2400	78	D. COBB

Saturday			
Date	Time	Temp.	Name (Print)
8-17-24	0300	79	D. COBB
	0600	75	P. AMIREZ
	0900	77	P. AMIREZ
	1200	77	P. AMIREZ
	1500	79	CERMENO A
	1800	79	CERMENO A
	2100	79	CERMENO A
	2400	79	C. VILLALOBOS

Sunday			
Date	Time	Temp.	Name (Print)
8-18-24	0300	76	C. VILLALOBOS
	0600	75	CERMENO A
	0900	75	CERMENO A
	1200	77	CERMENO A
	1500	81	J. Valencia
	1800	82	J. Valencia
	2100	81	J. Valencia
	2400	79	J. Valencia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-2 Temp. Reading Location: 1st tier Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	75	M. GRAHAM
	0600	75	BLASDELL
	0900	77	M. Yanez
	1200	77	M. Yanez
	1500	77	J. Valencia
	1800	81	J. Valencia
	2100	81	J. Valencia
	2400	77	M. Graham

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	73	E. GONZALEZ
	0600	73	BLASDELL
	0900	73	BLASDELL
	1200	75	BLASDELL
	1500	77	J. Valencia
	1800	78	J. Valencia
	2100	77	J. Valencia
	2400	77	Mareess

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	73	M. Graham
	0600	72	M. Yanez
	0900	73	M. Yanez
	1200	73	BLASDELL
	1500	75	CERMENO A
	1800	75	CERMENO A
	2100	75	CERMENO A
	2400	78	C. VILLACOB

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	69	C. VILLACOB
	0600	72	M. Yanez
	0900	73	CERMENO A
	1200	75	CERMENO A
	1500	75	J. Valencia
	1800	75	J. Valencia
	2100	75	J. Valencia
	2400	75	J. Valencia

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	75	M. Graham
	0600	73	BLASDELL
	0900	73	BLASDELL
	1200	75	BLASDELL
	1500	77	J. Valencia
	1800	79	J. Valencia
	2100	79°	J. Valencia
	2400	75	E. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	77	Mareess
	0600	7d	BLASDELL
	0900	73	BLASDELL
	1200	75	BLASDELL
	1500	77	Valencia
	1800	79	Valencia
	2100	77	Valencia
	2400	75	M. Graham

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	73	C. VILLACOB
	0600	72	J. Valencia
	0900	74	J. Valencia
	1200	75	J. Valencia
	1500	75	CERMENO A
	1800	75	CERMENO A
	2100	73	CERMENO A
	2400	71	C. VILLACOB

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H2 Temp. Reading Location: DAY room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/26/18	0300	79	Vauncia
	0600	72	BLASDELL
	0900	73	BLASDELL
	1200	75	M. Yancey
	1500	75	Vauncia
	1800	78	Vauncia
	2100	77	Vauncia
	2400	75	M. Graham

Tuesday

Date	Time	Temp.	Name (Print)
5/27/18	0300	73	M. Graham
	0600	73	BLASDELL
	0900	73	BLASDELL
	1200	75	M. Yancey
	1500	77	Vauncia
	1800	79	Vauncia
	2100	79	Vauncia
	2400	75	Vauncia

Wednesday

Date	Time	Temp.	Name (Print)
5/28/18	0300	75	Vauncia
	0600	75	BLASDELL
	0900	75	BLASDELL
	1200	77	BLASDELL
	1500	77	Vauncia
	1800	77	Vauncia
	2100	78	Vauncia
	2400	75	M. Graham

Thursday

Date	Time	Temp.	Name (Print)
5/29/18	0300	75	M. Graham
	0600	75	BLASDELL
	0900	75	BLASDELL
	1200	77	BLASDELL
	1500	77	Vauncia
	1800	79	Vauncia
	2100	79	Vauncia
	2400	75	M. Graham

Friday

Date	Time	Temp.	Name (Print)
5/30/18	0300	75	M. Graham
	0600	73	M. Yancey
	0900	75	M. Yancey
	1200	77	M. Yancey
	1500	79	CERMENO A
	1800	79	CERMENO A
	2100	79	CERMENO A
	2400	79	C. VILLACCOLA

Saturday

Date	Time	Temp.	Name (Print)
5/31/18	0300	77	A. VILLELA
	0600	77	A. VILLELA
	0900	77	A. VILLELA
	1200	77	A. VILLELA
	1500	77	K. Cottrell
	1800	78	K. Cottrell
	2100	80	K. Cottrell
	2400	79	C. VILLACCOLA

Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	79	J. GALAVIZ
	0600	79	E. HURD
	0900	79	E. HURD
	1200	79	E. HURD
	1500	78	R. MICHAE
	1800	80	R. MICHAEL
	2100	80	R. MICHAEL
	2400	80	GALAVIZ

Friday

Date	Time	Temp.	Name (Print)
	0300	80	GALAVIZ
	0600	79	E. HURD
	0900	80	BASACO
	1200	80	E. HURD
	1500	80	R. MICHAE
	1800	80	R. MICHAEL
	2100	79	R. MICHAEL
	2400	79	S. BOTREAO

Saturday

Date	Time	Temp.	Name (Print)
	0300	79	S. BOTREAO
	0600	79	E. HURD
	0900	79	E. HURD
	1200	79	E. HURD
	1500	79	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	80	S. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
	0300	80	S. RIVERA
	0600	80	BASACO
	0900	80	BASACO
	1200	81	BASACO
	1500	81	S. RIVERA
	1800	81	S. RIVERA
	2100	81	S. RIVERA
	2400	81	C. VILLENA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 4 - 3 Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/5/18	0300	80	C. VILLALOBOS
	0600	80	Barrera
	0900	81	Barrera
	1200	81	Barrera
	1500	81	ENRIQUEZ
	1800	81	ENRIQUEZ
	2100	82	ENRIQUEZ
	2400	83	S. BORREGO

Tuesday			
Date	Time	Temp.	Name (Print)
8/6/18	0300	81	S. BORREGO
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	82	R. Michtelson
	1800	83	R. Michtelson
	2100	84	R. Michtelson
	2400	82	J. GALAVIZ

Wednesday			
Date	Time	Temp.	Name (Print)
8/7/18	0300	81	S. GALAVIZ
	0600	80	E. HURD
	0900	81	E. HURD
	1200	81	E. HURD
	1500	83	R. Michtelson
	1800	83	R. Michtelson
	2100	84	R. Michtelson
	2400	82	E. VILLALOBOS

Thursday			
Date	Time	Temp.	Name (Print)
8/8/18	0300	82	P. VILLALOBOS
	0600	80	E. HURD
	0900	81	E. HURD
	1200	81	E. HURD
	1500	81	R. Michtelson
	1800	81	R. Michtelson
	2100	82	R. Michtelson
	2400	82	J. GALAVIZ

Friday			
Date	Time	Temp.	Name (Print)
8/9/18	0300	81	J. GALAVIZ
	0600	80	E. HURD
	0900	81	E. HURD
	1200	81	E. HURD
	1500	81	R. Michtelson
	1800	82	R. Michtelson
	2100	81	R. Michtelson
	2400	81	J. GALAVIZ

Saturday			
Date	Time	Temp.	Name (Print)
8/10/18	0300	80	J. GALAVIZ
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	80	S. RIVERA
	1800	81	S. RIVERA
	2100	81	S. RIVERA
	2400	80	S. RIVERA

Sunday			
Date	Time	Temp.	Name (Print)
8/11/18	0300	80	S. RIVERA
	0600	80	Barrera
	0900	80	Barrera
	1200	80	Barrera
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	81	S. RIVERA
	2400	81	C. VILLALOBOS

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: DAYROOM
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	80	B. BAKER
	0600	80	B. BAKER
	0900	80	B. BAKER
	1200	80	B. BAKER
	1500	79	R. MICHTELSON
	1800	79	R. MICHTELSON
	2100	81	R. MICHTELSON
	2400	80	VAVAREZ

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	79	JAVADEZ
	0600	80	E. HURD
	0900	81	E. HURD
	1200	80	E. HURD
	1500	82	R. MICHTELSON
	1800	81	R. MICHTELSON
	2100	81	R. MICHTELSON
	2400	80	JAVADEZ

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	79	VAVAREZ
	0600	80	E. HURD
	0900	80	E. HURD
	1200	80	E. HURD
	1500	81	R. MICHTELSON
	1800	80	R. MICHTELSON
	2100	80	R. MICHTELSON
	2400	80	J. GALANIZ

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	80	J. GALANIZ
	0600	80	E. HURD
	0900	79	E. HURD
	1200	79	E. HURD
	1500	79	R. MICHTELSON
	1800	80	R. MICHTELSON
	2100	80	R. MICHTELSON
	2400	80	J. GALANIZ

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	80	J. GALANIZ
	0600	79	E. HURD
	0900	79	E. HURD
	1200	79	E. HURD
	1500	81	S. RIVERA
	1800	81	S. RIVERA
	2100	80	S. RIVERA
	2400	80	J. GALANIZ

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	79	J. GALANIZ
	0600	79	E. HURD
	0900	79	E. HURD
	1200	79	E. HURD
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	80	S. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	80	S. RIVERA
	0600	80	FASIO
	0900	80	FASIO
	1200	80	
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	79	S. RIVERA
	2400	79	VAVAREZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk-list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	78	J. ALAPER
	0600	78	B. Sustica
	0900	79	B. Sustica
	1200	79	B. Sustica
	1500	79	N. MOJAREW
	1800	79	N. MOJAREW
	2100	79	N. MOJAREW
	2400	79	S. BOLLEGU

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	78	S. BOLLEGU
	0600	78	E. HURD
	0900	78	E. HURD
	1200	78	E. HURD
	1500	79	R. MICHELSON
	1800	78	R. MICHELSON
	2100	78	R. MICHELSON
	2400	78	J. ALAPER

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	78	J. ALAPER
	0600	78	E. HURD
	0900	78	E. HURD
	1200	78	E. HURD
	1500	77	R. MICHELSON
	1800	78	R. MICHELSON
	2100	77	R. MICHELSON
	2400	78	C. VILLECAZADA

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	76	C. VILLECAZADA
	0600	78	E. HURD
	0900	77	E. HURD
	1200	78	E. HURD
	1500	78	R. MICHELSON
	1800	77	R. MICHELSON
	2100	77	R. MICHELSON
	2400	77	J. GACAYA

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	77	J. GALANZ
	0600	75	E. HURD
	0900	75	E. HURD
	1200	76	E. HURD
	1500	76	R. MICHELSON
	1800	75	R. MICHELSON
	2100	75	R. MICHELSON
	2400	79	S. RIVERA

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	77	S. RIVERA
	0600	78	MEDINA
	0900	78	MEDINA
	1200	78	MEDINA
	1500	76	S. RIVERA
	1800	75	S. RIVERA
	2100	75	S. RIVERA
	2400	75	S. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	74	S. RIVERA
	0600	75	B. Sustica
	0900	75	B. Sustica
	1200	76	B. Sustica
	1500	76	S. RIVERA
	1800	76	S. RIVERA
	2100	75	S. RIVERA
	2400	75	J. ALAPER

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	70	VALADEZ
	0600	75	Basiaco
	0900	76	Basiaco
	1200	76	Basiaco
	1500	77	A. CASTANEDA
	1800	78	A. CASTANEDA
	2100	77	A. CASTANEDA
	2400	75	CARTER

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	75	CARTER
	0600	76	B. MORA
	0900	76	B. MORA
	1200	77	B. MORA
	1500	78	R. MICHELSON
	1800	78	R. MICHELSON
	2100	79	R. MICHELSON
	2400	79	J. GALANIZ

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	79	J. GALANIZ
	0600	78	E. HURO
	0900	78	E. HURO
	1200	78	E. HURO
	1500	79	R. MICHELSON
	1800	80	R. MICHELSON
	2100	80	R. MICHELSON
	2400	80	J. GALANIZ

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	80	J. GALANIZ
	0600	79	E. HURO
	0900	79	E. HURO
	1200	79	E. HURO
	1500	79	R. MICHELSON
	1800	79	R. MICHELSON
	2100	79	R. MICHELSON
	2400	76	J. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	75	S. BORREGO
	0600	77	E. HURO
	0900	77	E. HURO
	1200	77	E. HURO
	1500	80	K. COTTRILL
	1800	80	K. COTTRILL
	2100	80	K. COTTRILL
	2400	80	J. GALANIZ

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	80	J. GALANIZ
	0600	77	E. HURO
	0900	78	E. HURO
	1200	79	E. HURO
	1500	79	ENRIQUEZ
	1800	79	ENRIQUEZ
	2100	79	ENRIQUEZ
	2400	79	E. GONZALEZ

Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer at the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 14 Temp. Reading Location: Dorm Room

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/18	0300	77	J. RAMIREZ
	0600	75	J. RAMIREZ
	0900	76	J. RAMIREZ
	1200	76	J. RAMIREZ
	1500	77	B. ORTEGA
	1800	80	B. ORTEGA
	2100	79	C. DIAZ
	2400	80	J. RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
8/1/18	0300	79	J. RAMIREZ
	0600	78	J. RAMIREZ
	0900	78	J. RAMIREZ
	1200	78	J. RAMIREZ
	1500	79	S. SEVILLE
	1800	79	S. SEVILLE
	2100	79	S. SEVILLE
	2400	79	S. SEVILLE

Saturday

Date	Time	Temp.	Name (Print)
8/3/18	0300	79	S. RIVERA
	0600	79	G. GARCIA
	0900	80	G. GARCIA
	1200	80	G. GARCIA
	1500	79	R. MICHAESEN
	1800	80	R. MICHAESEN
	2100	80	R. MICHAESEN
	2400	80	C. VILLALBA

Sunday

Date	Time	Temp.	Name (Print)
8/4/18	0300	78	C. VILLALBA
	0600	78	F. GALICIA
	0900	80	F. GALICIA
	1200	80	F. GALICIA
	1500	81	I. ALONSO
	1800	82	I. ALONSO
	2100	82	I. ALONSO
	2400	80	F. GALICIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H4 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/19	0300	80	N. SONES
	0600	80	J. RAMIREZ
	0900	80	J. RAMIREZ
	1200	80	J. RAMIREZ
	1500	80	S. RIVERA
	1800	80	S. RIVERA
	2100	80	S. RIVERA
	2400	80	N. MOSARDO

Wednesday

Date	Time	Temp.	Name (Print)
8/7/19	0300	80	N. MOSARDO
	0600	80	F. MELGOZA
	0900	80	F. MELGOZA
	1200	80	F. MELGOZA
	1500	81	B. ORTEGA
	1800	81	B. ORTEGA
	2100	80	B. ORTEGA
	2400	80	N. MOSARDO

Friday

Date	Time	Temp.	Name (Print)
8/9/19	0300	80	N. MOSARDO
	0600	78	J. RAMIREZ
	0900	78	J. RAMIREZ
	1200	78	J. RAMIREZ
	1500	80	S. MORENO
	1800	80	S. MORENO
	2100	80	S. MORENO
	2400	80	S. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
8/11/19	0300	80	S. RIVERA C. VILLACOB
	0600	77	J. RAMIREZ
	0900	78	J. RAMIREZ
	1200	78	J. RAMIREZ
	1500	80	T. LUMISTON
	1800	80	T. LUMISTON
	2100	80	T. LUMISTON
	2400	80	A. MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
8/6/19	0300	79	N. MOSARDO
	0600	80	BASILIO
	0900	80	BASILIO
	1200	80	BASILIO
	1500	80	A. ALCAZAR
	1800	80	A. ALCAZAR
	2100	80	A. ALCAZAR
	2400	80	N. MOSARDO

Thursday

Date	Time	Temp.	Name (Print)
8/8/19	0300	80	N. MOSARDO
	0600	78	J. RAMIREZ
	0900	78	J. RAMIREZ
	1200	78	J. RAMIREZ
	1500	81	B. ORTEGA
	1800	81	B. ORTEGA
	2100	80	B. ORTEGA
	2400	80	N. MOSARDO

Saturday

Date	Time	Temp.	Name (Print)
8/10/19	0300	80	S. RIVERA
	0600	78	J. RAMIREZ
	0900	78	J. RAMIREZ
	1200	78	J. RAMIREZ
	1500	80	R. MICTEZU
	1800	80	R. MICTEZU
	2100	80	R. MICTEZU
	2400	80	C. VILLACOB

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-4 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	79	A. MARTINEZ
	0600	77	G. TORRES
	0900	79	G. TORRES
	1200	79	G. TORRES
	1500	82	F. Gonzalez
	1800	83	F. Gonzalez
	2100	81	F. Gonzalez
	2400	80	F. GALICIA

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	79	N. MORALES
	0600	74°	F. MELGOZA
	0900	74°	F. MELGOZA
	1200	76°	F. MELGOZA
	1500	79°	B. ORtega
	1800	78	B. ORtega
	2100	77	B. ORtega
	2400	76	N. MORALES

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	76	N. MORALES
	0600	76	S. Gonzalez
	0900	76	S. Gonzalez
	1200	76	S. Gonzalez
	1500	78	B. ORtega
	1800	78	B. ORtega
	2100	77	B. ORtega
	2400	78	S. River

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	78	F. GALICIA
	0600	78	F. GALICIA
	0900	79	F. GALICIA
	1200	79	F. GALICIA
	1500	80	F. Gonzalez
	1800	81	F. Gonzalez
	2100	79	F. Gonzalez
	2400	79	F. GALICIA

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	79	E. GALICIA
	0600	76	C. Ernest
	0900	76	C. Ernest
	1200	77	C. Ernest
	1500	82	F. GONZALEZ
	1800	81	F. GONZALEZ
	2100	79	F. GONZALEZ
	2400	79	N. MORALES

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	75	N. MORALES
	0600	76°	S. Gonzalez
	0900	75	S. Gonzalez
	1200	76	S. Gonzalez
	1500	78	J. Flores
	1800	78	J. Flores
	2100	77	J. Flores
	2400	78	N. MORALES

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	77	S. River
	0600	77	S. Gonzalez
	0900	77	S. Gonzalez
	1200	77	S. Gonzalez
	1500	77	J. Garcia
	1800	77	J. Garcia
	2100	77	J. Garcia
	2400	78	H. Ahmed

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-4 Temp. Reading Location: Dayroom

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	78	F. GARCIA
	0600	73	J. RAMIREZ
	0900	73	J. RAMIREZ
	1200	74	J. RAMIREZ
	1500	79	M. VALENCIA
	1800	79	M. VALENCIA
	2100	80	M. VALENCIA
	2400	80	N. MORALES

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	79	N. MORALES
	0600	74	B. RODRIGUEZ
	0900	75	L. SANCHEZ
	1200	75	L. SANCHEZ
	1500	79	M. VALENCIA
	1800	79	M. VALENCIA
	2100	79	M. VALENCIA
	2400	79	N. MORALES

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	75	N. MORALES
	0600	74°	F. MELGOZA
	0900	74°	F. MELGOZA
	1200	74°	F. MELGOZA
	1500	75	M. PANTOJA
	1800	79	M. PANTOJA
	2100	79	M. PANTOJA
	2400	75	N. MORALES

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	73	N. MORALES
	0600	73	J. RAMIREZ
	0900	73	J. RAMIREZ
	1200	73	J. RAMIREZ
	1500	75	E. DELAYA
	1800	75	E. DELAYA
	2100	75	E. DELAYA
	2400	72	M. PASCUAL

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	71	M. PASCUAL
	0600	72	J. RAMIREZ
	0900	72	J. RAMIREZ
	1200	72	J. RAMIREZ
	1500	71	D. RODRIGUEZ
	1800	71	D. RODRIGUEZ
	2100	72	D. RODRIGUEZ
	2400	72	E. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	70	Gonzalez
	0600	70	J. RAMIREZ
	0900	70	J. RAMIREZ
	1200	70	J. RAMIREZ
	1500	71	R. MICHELSON
	1800	71	R. MICHELSON
	2100	70	R. MICHELSON
	2400	70	C. LUNEMAN

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	70	C. LUNEMAN
	0600	72	J. FELIX
	0900	72	J. FELIX
	1200	72	J. FELIX
	1500	74	M. VALENCIA
	1800	79	M. VALENCIA
	2100	75	M. VALENCIA
	2400	75	F. GARCIA

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-4 Temp. Reading Location: Dayroom
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	70	N. JONES
	0600	70	I. HERNANDEZ
	0900	70	I. HERNANDEZ
	1200	70	J. RAMIREZ
	1500	72	M. Leon
	1800	70	M. Leon
	2100	70	M. Leon
	2400	70	N. MOSARDO

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	70	N. MOSARDO
	0600	70	B. SANCHEZ
	0900	71	B. SANCHEZ
	1200	71	B. SANCHEZ
	1500	73	H. VASQUEZ
	1800	73	H. VASQUEZ
	2100	74	H. VASQUEZ
	2400	75	N. MOSARDO

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	72	N. MOSARDO
	0600	72	O. NUNEZ
	0900	72	O. NUNEZ
	1200	73	O. NUNEZ
	1500	78	A. FRAUSTO
	1800	79	A. FRAUSTO
	2100	78	A. FRAUSTO
	2400	78	N. MOSARDO

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	75	N. MOSARDO
	0600	70	J. FELIX
	0900	72	J. FELIX
	1200	73	J. FELIX
	1500	74	B. ORTEGA
	1800	74	B. ORTEGA
	2100	72	B. ORTEGA
	2400	72	N. MOSARDO

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	72	N. MOSARDO
	0600	72	J. RAMIREZ
	0900	72	J. RAMIREZ
	1200	73	J. RAMIREZ
	1500	73	ALCALA
	1800	73	ALCALA
	2100	73	ALCALA
	2400	70	N. JONES

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	70	N. JONES
	0600	72	F. GALICIA
	0900	72	F. GALICIA
	1200	73	F. GALICIA
	1500	74	ALCALA
	1800	74	ALCALA
	2100	73	ALCALA
	2400	72	N. JONES

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	79	CARAWAY
	0600	79	G. HENSON
	0900	79	G. HENSON
	1200	79	G. HENSON
	1500	79	M. CLOUD
	1800	78	M. CLOUD
	2100	78	M. CLOUD
	2400	78	CARAWAY

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	79	CARAWAY
	0600	79	G. HENSON
	0900	76	G. HENSON
	1200	76	G. HENSON
	1500	76	G. HENSON
	1800	76	G. HENSON
	2100	76	G. HENSON
	2400	76	H. CERA

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	76	H. CERA
	0600	76°	MANNING, T.
	0900	76°	MANNING, T.
	1200	77°	MANNING, T.
	1500	79	CARAWAY
	1800	79	CARAWAY
	2100	81°	H. HUNSON
	2400	81	H. CERA

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	80	H. CERA
	0600	78	J. O.
	0900	78	J. O.
	1200	80	J. O.
	1500	79	CARRAWAY
	1800	79	CARRAWAY
	2100	79	CARRAWAY
	2400	79	Reyes

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	79	H. CERA
	0600	79	G. HENSON
	0900	79	G. HENSON
	1200	79	G. HENSON
	1500	80	MONTGOMERY
	1800	80	MONTGOMERY
	2100	79	MONTGOMERY
	2400	77	G. CERA

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	76	G. CERA
	0600	76	G. HENSON
	0900	78	G. HENSON
	1200	79	G. HENSON
	1500	80	MONTGOMERY
	1800	80	MONTGOMERY
	2100	79	MONTGOMERY
	2400	77	G. CERA

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	78	G. CERA
	0600	79	CAMARENA
	0900	81	CAMARENA
	1200	82	CAMARENA
	1500	81	MONTGOMERY
	1800	81	MONTGOMERY
	2100	79	MONTGOMERY
	2400	78	CAMARENA

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	78	CHARTIER
	0600	78	G. HENSON
	0900	78	G. HENSON
	1200	79	G. HENSON
	1500	79	R. YOUNG
	1800	79	R. YOUNG
	2100	77	R. YOUNG
	2400	79	CHARTIER

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	79	CHARTIER
	0600	78	A. LEON
	0900	81	A. LEON
	1200	81	A. LEON
	1500	81	MONTGOMERY
	1800	80	MONTGOMERY
	2100	79	MONTGOMERY
	2400	77	J. SPARKS

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	77	J. SPARKS
	0600	78	RAMIREZ
	0900	78	RAMIREZ
	1200	79	RAMIREZ
	1500	80	BOSTICK
	1800	79	BOSTICK
	2100	78	BOSTICK
	2400	78	CHARTIER

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	78	CHARTIER
	0600	79	BOSTICK
	0900	79	BOSTICK
	1200	80	BOSTICK
	1500	80	BOSTICK
	1800	79	BOSTICK
	2100	77	BOSTICK
	2400	79	CHARTIER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	78	G.L.HAN
	0600	78	G.HENSON
	0900	78	G.HENSON
	1200	79	G.HENSON
	1500	80	MONTGOMERY
	1800	79	MONTGOMERY
	2100	79	MONTGOMERY
	2400	78	G.L.HAN

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	78	G.L.HAN
	0600	78	G.HENSON
	0900	79	G.HENSON
	1200	79	G.HENSON
	1500	79	MONTGOMERY
	1800	79	MONTGOMERY
	2100	79	MONTGOMERY
	2400	78	G.C.HAN

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	78	G.L.HAN
	0600	78	G.HENSON
	0900	78	G.HENSON
	1200	79	G.HENSON
	1500	79	T.GARCI
	1800	79	T.GARCI
	2100	79	T.GARCI
	2400	78	G.L.HAN

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	78	G.L.HAN
	0600	78	G.HENSON
	0900	78	G.HENSON
	1200	78	G.HENSON
	1500	78	MONTGOMERY
	1800	78	MONTGOMERY
	2100	78	MONTGOMERY
	2400	78	CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	78	CHAVEZ
	0600	78	G.HENSON
	0900	78	G.HENSON
	1200	78	G.HENSON
	1500	78	A.ORTIZ
	1800	78	A.ORTIZ
	2100	78	A.ORTIZ
	2400	78	A.ORTIZ

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	78	A.ORTIZ
	0600	78	A.ORTIZ
	0900	78	MALAJINGI,T.
	1200	78	MALAJINGI,T.
	1500	79	BUTLER
	1800	79	BUTLER
	2100	78	BUTLER
	2400	78	CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	78	CHAVEZ
	0600	78	BUTLER
	0900	78	BUTLER
	1200	78	BUTLER
	1500	78	BUTLER
	1800	78	BUTLER
	2100	78	BUTLER
	2400	78	K.GILMER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR-2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/19/24	0300	78	G. GEIMAS
	0600	78	G. HENSON
	0900	78	G. HENSON
	1200	78	G. HENSON
	1500	78	MONTGOMERY
	1800	78	MONTGOMERY
	2100	78	MONTGOMERY
	2400	78	RICHARD

Tuesday			
Date	Time	Temp.	Name (Print)
8/20/24	0300	78	G. CLARK
	0600	78	G. HENSON
	0900	78	G. HENSON
	1200	78	G. HENSON
	1500	79	MONTGOMERY
	1800	79	MONTGOMERY
	2100	78	MONTGOMERY
	2400	78	G. CLARK

Wednesday			
Date	Time	Temp.	Name (Print)
8/21/24	0300	77	G. HENSON
	0600	77	G. HENSON
	0900	77	G. HENSON
	1200	77	G. HENSON
	1500	77	MURKIN
	1800	77	MURKIN
	2100	77	MURKIN
	2400	76	I. SALAZAR

Thursday			
Date	Time	Temp.	Name (Print)
8/22/24	0300	76	I. SALAZAR
	0600	76	I. SALAZAR
	0900	76	G. HENSON
	1200	76	G. HENSON
	1500	75	C. VASQUEZ
	1800	74	C. VASQUEZ
	2100	74	C. VASQUEZ
	2400	74	I. SALAZAR

Friday			
Date	Time	Temp.	Name (Print)
8/23/24	0300	74	I. SALAZAR
	0600	73	I. SALAZAR
	0900	73	G. HENSON
	1200	75	G. HENSON
	1500	76	J. MACIEL
	1800	75	MANNING-T
	2100	74	MANNING-T
	2400	74	I. SALAZAR

Saturday			
Date	Time	Temp.	Name (Print)
8/24/24	0300	74	I. SALAZAR
	0600	74	I. SALAZAR
	0900	72°	MANNING-T
	1200	73°	MANNING-T
	1500	73°	MANNING-T
	1800	72	BORTON
	2100	72	BORTON
	2400	72	I. SALAZAR

Sunday			
Date	Time	Temp.	Name (Print)
8/25/24	0300	70°	I. SALAZAR
	0600	70°	I. SALAZAR
	0900	71	BORTON
	1200	72	BORTON
	1500	73	BORTON
	1800	72	BORTON
	2100	71	BORTON
	2400	71	MARTINEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/26/24	0300	72	Charlize
	0600	72	G. Henson
	0900	73	G. Henson
	1200	74	G. Henson
	1500	75	J. Flores
	1800	74	J. Flores
	2100	72	J. Flores
	2400	71	G. Chacon

Tuesday			
Date	Time	Temp.	Name (Print)
8/27/24	0300	71	G. Chacon
	0600	71	G. Henson
	0900	72	G. Henson
	1200	74	G. Henson
	1500	74	J. Flores
	1800	74	A. Smith
	2100	74	A. Smith
	2400	72	G. Chacon

Wednesday			
Date	Time	Temp.	Name (Print)
8/28/24	0300	71	G. Chacon
	0600	72	G. Henson
	0900	72	G. Henson
	1200	72	G. Henson
	1500	74	J. Flores
	1800	74	J. Flores
	2100	74	J. Flores
	2400	74	HELMICK

Thursday			
Date	Time	Temp.	Name (Print)
8/29/24	0300	74	HELMICK
	0600	74	G. Henson
	0900	74	G. Henson
	1200	74	G. Henson
	1500	75	J. Flores
	1800	75	J. Flores
	2100	75	J. Flores
	2400	75	T. Garcia

Friday			
Date	Time	Temp.	Name (Print)
8/30/24	0300	75	T. Garcia
	0600	75	G. Henson
	0900	75	G. Henson
	1200	75	G. Henson
	1500	75	J. Flores
	1800	75	J. Flores
	2100	75	J. Flores
	2400	74	H. Cera

Saturday			
Date	Time	Temp.	Name (Print)
8/31/24	0300	74	H. Cera
	0600	74	S. Ramirez
	0900	75	S. Ramirez
	1200	75	S. Ramirez
	1500	75	Rafael
	1800	74	Bolton
	2100	74	Bolton
	2400	74	Bolton

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300	79	CHARTER
	0600	79	G. HENSON
8/1/24	0900	79	G. HENSON
	1200	79	G. HENSON
	1500	77	N. CLOUD
	1800	78	N. CLOUD
	2100	78	N. CLOUD
	2400	79	CHARTER

Friday			
Date	Time	Temp.	Name (Print)
	0300	79	MANNSON
8/2/24	0600	79	G. HENSON
	0900	78	G. HENSON
	1200	78	G. HENSON
	1500	78	G. HENSON
	1800	78	G. HENSON
	2100	78	G. HENSON
	2400	77	H. CELA

Saturday			
Date	Time	Temp.	Name (Print)
	0300	77	H. CELA
8/3/24	0600	76°	MANNING, T.
	0900	76°	MANNING, T.
	1200	77°	MANNING, T.
	1500	79	CARRAWAY
	1800	79	CARRAWAY
	2100	81°	HUNSAK
	2400	80	H. CELA

Sunday			
Date	Time	Temp.	Name (Print)
	0300	79	H. CELA
8/4/24	0600	78	S. D.
	0900	78	S. D.
	1200	80	S. D.
	1500	79	CARRAWAY
	1800	79	CARRAWAY
	2100	79	CARRAWAY
	2400	79	Reyes

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/5/24	0300	79	H.CERA	8/6/24	0300	76	G.C.HAN
	0600	79	G.HENSON		0600	76	G.HENSON
	0900	79	G.HENSON		0900	78	G.HENSON
	1200	79	G.HENSON		1200	79	G.HENSON
	1500	80	MONTOR		1500	80	MONTOR
	1800	80	MONTOR		1800	80	MONTOR
	2100	79	MONTOR		2100	79	MONTOR
	2400	77	G.CHAP		2400	79	G.CHAP
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/7/24	0300	79	G.CELAND	8/8/24	0300	78	CHARTER
	0600	79	CAMARENA		0600	78	G.HENSON
	0900	81	CAMARENA		0900	78	G.HENSON
	1200	82	CAMARENA		1200	79	G.HENSON
	1500	81	MONTOR		1500	79	C.YOCUM
	1800	81	MONTOR		1800	79	C.YOCUM
	2100	80	MONTOR		2100	79	C.YOCUM
	2400	78	CHARTER		2400	79	CHARTER
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/9/24	0300	79	CHARTER	8/10/24	0300	77	J.BALDWIN
	0600	80	ALEON		0600	76	ROBIN
	0900	81	ALEON		0900	76	ROBIN
	1200	81	ALEON		1200	77	ROBIN
	1500	81	MONTOR		1500	80	ROBIN
	1800	80	MONTOR		1800	77	BOSTON
	2100	80	MONTOR		2100	78	BOSTON
	2400	77	J.SACNATI		2400	78	CHARTER
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
8/11/24	0300	78	CHARTER				
	0600	78	CHARTER				
	0900	77	BOSTON				
	1200	80	BOSTON				
	1500	81	BOSTON				
	1800	80	BOSTON				
	2100	79	BOSTON				
	2400	79	CHARTER				

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	78	GELTAUN
	0600	78	G.HENSON
	0900	78	G.HENSON
	1200	79	G.HENSON
	1500	78	MONTGOMERY
	1800	79	MONTGOMERY
	2100	79	MONTGOMERY
	2400	78	GELTAUN

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	78	G.GELTAUN
	0600	78	G.HENSON
	0900	79	G.HENSON
	1200	79	G.HENSON
	1500	79	MONTGOMERY
	1800	79	MONTGOMERY
	2100	79	MONTGOMERY
	2400	78	G.GELTAUN

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	78	G.GELTAUN
	0600	78	G.HENSON
	0900	78	G.HENSON
	1200	79	G.HENSON
	1500	79	T.GARLIA
	1800	79	T.GARLIA
	2100	79	T.GARLIA
	2400	78	G.GELTAUN

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	78	G.GELTAUN
	0600	78	G.HENSON
	0900	78	G.HENSON
	1200	78	G.HENSON
	1500	78	MONTGOMERY
	1800	78	MONTGOMERY
	2100	78	MONTGOMERY
	2400	78	CHARTEREE

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	78	CHARTEREE
	0600	78	G.HENSON
	0900	78	G.HENSON
	1200	78	G.HENSON
	1500	78	A.GARZA
	1800	78	A.GARZA
	2100	78	A.GARZA
	2400	78	A.GARZA

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	78	A.GARZA
	0600	78	A.GARZA
	0900	78	MANNING,T.
	1200	78	MANNING,T.
	1500	79	B.GOMEZ
	1800	78	B.GOMEZ
	2100	78	B.GOMEZ
	2400	78	CHARTEREE

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	78	CHARTEREE
	0600	78	B.GOMEZ
	0900	78	B.GOMEZ
	1200	78	B.GOMEZ
	1500	78	B.GOMEZ
	1800	78	B.GOMEZ
	2100	78	B.GOMEZ
	2400	78	K.GOMEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	78	K. GUNNER
	0600	78	G. HENSON
	0900	78	G. HENSON
	1200	78	G. HENSON
	1500	78	MINTON
	1800	78	MINTON
	2100	78	MINTON
	2400	78	G. CHAN

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	78	G. CHAN
	0600	78	G. HENSON
	0900	78	G. HENSON
	1200	78	G. HENSON
	1500	79	MINTON
	1800	79	MINTON
	2100	78	MINTON
	2400	78	G. CHAN

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	77	G. CHAN
	0600	77	G. HENSON
	0900	77	G. HENSON
	1200	77	G. HENSON
	1500	77	MINTON
	1800	77	MINTON
	2100	77	MINTON
	2400	77	I. SALAZAR

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	76	I. SALAZAR
	0600	76	I. SALAZAR
	0900	76	G. HENSON
	1200	76	G. HENSON
	1500	75	C. MACIEL
	1800	74	G. MACIEL
	2100	74	C. MACIEL
	2400	73	I. SALAZAR

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	73	I. SALAZAR
	0600	73	I. SALAZAR
	0900	72	G. HENSON
	1200	73	G. HENSON
	1500	70	J. MACIEL
	1800	75	ZUMMERMAN
	2100	75	ZUMMERMAN
	2400	74	I. SALAZAR

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	74	I. SALAZAR
	0600	72	I. SALAZAR
	0900	72	MANNING
	1200	73	MANNING
	1500	73	MANNING
	1800	72	BOTT
	2100	72	BOTT
	2400	72	I. SALAZAR

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	70	I. SALAZAR
	0600	70	I. SALAZAR
	0900	71	BOTT
	1200	72	BOTT
	1500	72	BOTT
	1800	72	BOTT
	2100	71	BOTT
	2400	71	C. MACIEL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/26/24	0300	72	Charmaine	8/27/24	0300	71	G. Henson
	0600	72	G. Henson		0600	71	G. Henson
	0900	73	G. Henson		0900	72	G. Henson
	1200	74	G. Henson		1200	74	G. Henson
	1500	75	J. Flores		1500	74	J. Flores
	1800	74	J. Flores		1800	74	A. Smith
	2100	72	J. Flores		2100	75	A. Smith
	2400	71	G. Henson		2400	71	G. Henson
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/28/24	0300	72	G. Henson	8/29/24	0300	75	H. CERA
	0600	72	G. Henson		0600	75	G. Henson
	0900	72	G. Henson		0900	74	G. Henson
	1200	72	G. Henson		1200	74	G. Henson
	1500	74	J. Flores		1500	75	J. Flores
	1800	74	J. Flores		1800	75	J. Flores
	2100	74	J. Flores		2100	75	J. Flores
	2400	75	H. CERA		2400	75	T. GARCIA
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/30/24	0300	75	H. CERA	8/31/24	0300	74	H. CERA
	0600	75	H. CERA		0600	74	RAMIREZ
	0900	75	G. Henson		0900	75	RAMIREZ
	1200	75	G. Henson		1200	75	RAMIREZ
	1500	75	J. Flores		1500	75	B. TATE
	1800	75	J. Flores		1800	74	B. TATE
	2100	75	J. Flores		2100	74	B. TATE
	2400	74	H. CERA		2400	74	G. LAUDIE
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
	0300						
	0600						
	0900						
	1200						
	1500						
	1800						
	2100						
	2400						

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: A SIDE Tier 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	80	CLAUDIE
	0600	80°	P.MULLIGAN
	0900	80°	P.MULLIGAN
	1200	80°	P.MULLIGAN
	1500	80°	P.MULLIGAN
	1800	80°	P.MULLIGAN
	2100	80°	P.MULLIGAN
	2400	80	CLAUDIE

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	80	CLAUDIE
	0600	80°	P.MULLIGAN
	0900	80°	P.MULLIGAN
	1200	80°	P.MULLIGAN
	1500	80°	P.MULLIGAN
	1800	78°	P.MULLIGAN
	2100	78°	P.MULLIGAN
	2400	78	CLAUDIE

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	78	CLAUDIE
	0600	78	CERINA
	0900	79	CERINA
	1200	80°	CERINA
	1500	80°	P.MULLIGAN
	1800	80°	P.MULLIGAN
	2100	80°	P.MULLIGAN
	2400	78	CERINA

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	78	CLAUDIE
	0600	78	CERINA
	0900	79	CERINA
	1200	79	CERINA
	1500	80	P.MULLIGAN
	1800	80°	P.MULLIGAN
	2100	78°	P.MULLIGAN
	2400	78	CLAUDIE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: A SIDE Tier 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	78	GLAUME
	0600	78°	MANNING, T.
	0900	78°	MANNING, T.
	1200	79°	MANNING, T.
	1500	80°	BLASDELL
	1800	80°	BLASDELL
	2100	80°	BLASDELL
	2400	80	GLAUME

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	80	GLAUME
	0600	79°	MANNING, T.
	0900	79°	MANNING, T.
	1200	80°	MANNING, T.
	1500	80°	MANNING, T.
	1800	80°	MANNING, T.
	2100	80°	MANNING, T.
	2400	80	GLAUME

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	80	GLAUME
	0600	80	Hernandez
	0900	80	Hernandez
	1200	80	Hernandez
	1500	80°	P. MULLIGAN
	1800	80°	P. MULLIGAN
	2100	80°	P. MULLIGAN
	2400	80	GLAUME

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	86	GLAUME
	0600	84	S. DELAURE
	0900	82	S. DELAURE
	1200	82	S. DELAURE
	1500	82°	P. MULLIGAN
	1800	82°	P. MULLIGAN
	2100	80	P. MULLIGAN
	2400	80	GLAUME

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	80	GLAUME
	0600	80	Hernandez
	0900	80	Hernandez
	1200	80	Hernandez
	1500	80°	P. MULLIGAN
	1800	80°	P. MULLIGAN
	2100	80°	P. MULLIGAN
	2400	80	GLAUME

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	80	GLAUME
	0600	80	HERNANDEZ
	0900	80	HERNANDEZ
	1200	80	HERNANDEZ
	1500	80	Valencia
	1800	80	Valencia
	2100	80	Valencia
	2400	78	G. CHACON

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	78	G. CHACON
	0600	80	Hernandez
	0900	80	Hernandez
	1200	80	J. FERNANDEZ
	1500	80°	P. MULLIGAN
	1800	80°	P. MULLIGAN
	2100	80°	P. MULLIGAN
	2400	78	G. CHACON

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: A SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	76	G CHAM
	0600	78°	MANNING,T
	0900	78°	MANNING,T
	1200	79°	MANNING,T
	1500	78	Boutch
	1800	78	Boutch
	2100	77	Boutch
	2400	76	GLAUME

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	76	GLAUME
	0600	76	Swenson
	0900	77	Swenson
	1200	78	Swenson
	1500	78°	P. MULLIGAN
	1800	78°	P. MULLIGAN
	2100	78°	P. MULLIGAN
	2400	74	GLAUME

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	70	GLAUME
	0600	71	Swenson
	0900	72	Swenson
	1200	72	Swenson
	1500	75°	P. MULLIGAN
	1800	75°	P. MULLIGAN
	2100	74°	P. MULLIGAN
	2400	74	GLAUME

Sunday

Date	Time	Temp.	Name (Print)
8/19/24	0300	76	G CHAM
	0600	78°	P. MULLIGAN
	0900	78°	P. MULLIGAN
	1200	78°	P. MULLIGAN
	1500	78°	P. MULLIGAN
	1800	78°	P. MULLIGAN
	2100	78°	P. MULLIGAN
	2400	78	G CHAM

Tuesday

Date	Time	Temp.	Name (Print)
8/15/24	0300	76	GLAUME
	0600	78°	MANNING,T
	0900	78°	MANNING,T
	1200	79°	MANNING,T
	1500	79°	MANNING,T
	1800	78°	MANNING,T
	2100	77°	MANNING,T
	2400	76	GLAUME

Thursday

Date	Time	Temp.	Name (Print)
8/24/24	0300	74	GLAUME
	0600	75	Swenson
	0900	76	Swenson
	1200	76	Swenson
	1500	76°	P. MULLIGAN
	1800	76°	P. MULLIGAN
	2100	76°	P. MULLIGAN
	2400	74	GLAUME

Date	Time	Temp.	Name (Print)
8/24/24	0300	74	GLAUME
	0600	74	Swenson
	0900	75	Swenson
	1200	75	Swenson
	1500	75	Swenson
	1800	74	Swenson
	2100	74	Swenson
	2400	78	G CHAM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: A SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	79	GELAHAN
	0600	78°	MANNING,T
	0900	78°	MANNING,T
	1200	78°	MANNING,T
	1500	78	RORKE
	1800	77	RORKE
	2100	77	RORKE
	2400	76	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	76	GLAUDE
	0600	75	CLAMIRZ
	0900	74	CLAMIRZ
	1200	76	CLAMIRZ
	1500	76°	P.MULLIGAN
	1800	78°	P.MULLIGAN
	2100	78°	P.MULLIGAN
	2400	76	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	76	GLAUDE
	0600	75	CLAWSON
	0900	75	CLAWSON
	1200	75	CLAWSON
	1500	75°	P.MULLIGAN
	1800	75°	P.MULLIGAN
	2100	75°	P.MULLIGAN
	2400	74	GLAUDE

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	73	M.CLOUD
	0600	75°	P.MULLIGAN
	0900	75°	P.MULLIGAN
	1200	76°	P.MULLIGAN
	1500	76°	P.MULLIGAN
	1800	75°	P.MULLIGAN
	2100	75	P.MULLIGAN
	2400	74	M.CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
8-26-24	0300	76	GLAUDE
	0600	76°	MANNING,T
	0900	76°	MANNING,T
	1200	77°	MANNING,T
	1500	77°	MANNING,T
	1800	77°	MANNING,T
	2100	76°	MANNING,T
	2400	76	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	76	GLAUDE
	0600	72	CLAWSON
	0900	73	CLAWSON
	1200	74	CLAWSON
	1500	76°	P.MULLIGAN
	1800	76°	P.MULLIGAN
	2100	76°	P.MULLIGAN
	2400	76	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	74	GLAUDE
	0600	74	SWENSON
	0900	75	SWENSON
	1200	75	SWENSON
	1500	75	SWENSON
	1800	75	SWENSON
	2100	75	SWENSON
	2400	73	GLAUDE

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: A SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

8/26/24

Date	Time	Temp.	Name (Print)
<u>8-26-24</u>	0300	71	G-CHAM
	0600	72°	MANNING.T
	0900	72°	MANNING.T
	1200	73°	MANNING.T
	1500	74	Borden
	1800	74	Borden
	2100	73	BOZER
	2400	72	GLAUXE

Tuesday

Date	Time	Temp.	Name (Print)
<u>8-27-24</u>	0300	72	GLAUXE
	0600	72°	MANNING.T
	0900	72°	MANNING.T
	1200	73°	MANNING.T
	1500	74°	MANNING.T
	1800	74°	MANNING.T
	2100	72°	MANNING.T
	2400	72	GLAUXE

Wednesday

Date	Time	Temp.	Name (Print)
<u>8-28-24</u>	0300	72	GLAUXE
	0600	73	Swenson
	0900	73	Swenson
	1200	73	Swenson
	1500	73°	P.MULLIGAN
	1800	73°	P.MULLIGAN
	2100	73°	P.MULLIGAN
	2400	70	GLAUXE

Thursday

Date	Time	Temp.	Name (Print)
<u>8-29-24</u>	0300	70	GLAUXE
	0600	70	Swenson
	0900	71	Swenson
	1200	72	Swenson
	1500	72°	P.MULLIGAN
	1800	72°	P.MULLIGAN
	2100	71°	P.MULLIGAN
	2400	70	GLAUXE

Friday

Date	Time	Temp.	Name (Print)
<u>8-30-24</u>	0300	70	GLAUXE
	0600	70	Swenson
	0900	71	Swenson
	1200	72	Swenson
	1500	72°	P.MULLIGAN
	1800	72°	P.MULLIGAN
	2100	72°	P.MULLIGAN
	2400	72	GLAUXE

Saturday

Date	Time	Temp.	Name (Print)
<u>8-31-24</u>	0300	72	GLAUXE
	0600	72	Swenson
	0900	73	Swenson
	1200	73	Swenson
	1500	73	Swenson
	1800	72	Swenson
	2100	72	Swenson
	2400	72	G-CHAM

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	78	GLAUDE
	0600	76°	P.MULLIGAN
	0900	78°	P.MULLIGAN
	1200	78°	P.MULLIGAN
	1500	80°	P.MULLIGAN
	1800	80°	P.MULLIGAN
	2100	78°	P.MULLIGAN
	2400	78	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	78	GLAUDE
	0600	78°	P.MULLIGAN
	0900	78°	P.MULLIGAN
	1200	80°	P.MULLIGAN
	1500	80°	P.MULLIGAN
	1800	78°	P.MULLIGAN
	2100	78°	P.MULLIGAN
	2400	78	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	78	GLAUDE
	0600	78	CERNA
	0900	79	CERNA
	1200	80	CERNA
	1500	80°	P.MULLIGAN
	1800	80°	P.MULLIGAN
	2100	80°	P.MULLIGAN
	2400	78	GLAUDE

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	78	GLAUDE
	0600	78	P.MULLIGAN
	0900	79	CERNA
	1200	79	CERNA
	1500	80°	P.MULLIGAN
	1800	80°	P.MULLIGAN
	2100	78°	P.MULLIGAN
	2400	78	GLAUDE

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/5/24	0300	78	G-LAUDE
	0600	78°	MANNING,T.
	0900	78°	MANNING,T.
	1200	79°	MANNING,T.
	1500	80	BLASDELL
	1800	80	BLASDELL
	2100	80	BLASDELL
	2400	80	G- LAUDE

Tuesday			
Date	Time	Temp.	Name (Print)
8/6/24	0300	80	G- LAUDE
	0600	79°	MANNING,T.
	0900	79°	MANNING,T.
	1200	80°	MANNING,T.
	1500	80°	MANNING,T.
	1800	80°	MANNING,T.
	2100	80°	MANNING,T.
	2400	80	G- LAUDE

Wednesday			
Date	Time	Temp.	Name (Print)
8/7/24	0300	80	G- LAUDE
	0600	80	Hernandez
	0900	80	Hernandez
	1200	80	Hernandez
	1500	80°	P. MULLIGAN
	1800	80°	P. MULLIGAN
24	2100	80°	P. MULLIGAN
	2400	88	G- LAUDE

Thursday			
Date	Time	Temp.	Name (Print)
8/8/24	0300	88	G- LAUDE
	0600	80	J. Hernandez
	0900	78	J. Hernandez
	1200	78	J. Hernandez
	1500	80°	P. MULLIGAN
	1800	80°	P. MULLIGAN
24	2100	80°	P. MULLIGAN
	2400	80	G- LAUDE

Friday			
Date	Time	Temp.	Name (Print)
8/9/24	0300	80	G- LAUDE
	0600	80	Hernandez
	0900	80	Hernandez
	1200	80	Hernandez
	1500	80°	P. MULLIGAN
	1800	80°	P. MULLIGAN
24	2100	80°	P. MULLIGAN
	2400	80	G- LAUDE

Saturday			
Date	Time	Temp.	Name (Print)
8/10/24	0300	80	G- LAUDE
	0600	80	HERNANDEZ
	0900	80	HERNANDEZ
	1200	80	HERNANDEZ
	1500	80	G. CHAN
	1800	80	G. CHAN
24	2100	80	G. CHAN
	2400	80	G. CHAN

Sunday			
Date	Time	Temp.	Name (Print)
8/11/24	0300	78	G. CHAN
	0600	80	Hernandez
	0900	80	Hernandez
	1200	80	J. HERNANDEZ
	1500	80°	P. MULLIGAN
	1800	80°	P. MULLIGAN
24	2100	80°	P. MULLIGAN
	2400	75	G. CHAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	76	G (HAW)
	0600	77°	MANNING ST
	0900	77°	MANNING ST
	1200	78°	MANNING ST
	1500	76	BOA DR
	1800	77	BOA DR
	2100	77	BOA DR
	2400	76	CLAUDE

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	76	CLAUDE
	0600	78°	MANNING ST
	0900	78°	MANNING ST
	1200	78°	MANNING ST
	1500	79°	MANNING ST
	1800	78°	MANNING ST
	2100	77°	MANNING ST
	2400	76	CLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	76	CLAUDE
	0600	77	Swenson
	0900	77	Swenson
	1200	77	Swenson
	1500	77	P. MULLEGAN
	1800	77°	P. MULLEGAN
	2100	77°	P. MULLEGAN
	2400	76	CLAUDE

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	76	CLAUDE
	0600	76	Swenson
	0900	77	Swenson
	1200	77	Swenson
	1500	77°	P. MULLEGAN
	1800	77°	P. MULLEGAN
	2100	77°	P. MULLEGAN
	2400	76	CLAUDE

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	76	CLAUDE
	0600	76	Swenson
	0900	77	Swenson
	1200	77	Swenson
	1500	77°	P. MULLEGAN
	1800	76°	P. MULLEGAN
	2100	76°	P. MULLEGAN
	2400	74	CLAUDE

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	74	CLAUDE
	0600	75	Swenson
	0900	75	Swenson
	1200	75	Swenson
	1500	74	Swenson
	1800	74	Swenson
	2100	74	Swenson
	2400	78	CLAUDE

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	78	G (HAW)
	0600	76°	P. MULLEGAN
	0900	75°	P. MULLEGAN
	1200	75°	P. MULLEGAN
	1500	75°	P. MULLEGAN
	1800	75°	P. MULLEGAN
	2100	75°	P. MULLEGAN
	2400	76	G (HAW)

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: B SIDE Tier L
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

8/19/24

Date	Time	Temp.	Name (Print)
8.19.24	0300	76	GCHAUD
	0600	76°	MANNING-T
	0900	76°	MANNING-T
	1200	76°	MANNING-T
	1500	77	BOZIE
	1800	77	BOZIE
	2100	74	BOZIE
	2400	76	GLAUDE

Tuesday

Date	Time	Temp.	Name (Print)
8.20.24	0300	76	GLAUDE
	0600	76°	MANNING-T
	0900	76°	MANNING-T
	1200	77°	MANNING-T
	1500	77°	MANNING-T
	1800	77°	MANNING-T
	2100	76°	MANNING-T
	2400	76	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	76	GLAUDE
	0600	76	RAMSEY
	0900	76	RAMSEY
	1200	76	RAMSEY
	1500	75°	P.MULLIGAN
	1800	76°	P.MULLIGAN
	2100	75°	P.MULLIGAN
	2400	74	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	74	GLAUDE
	0600	72	CAMPAGNA
	0900	73	CAMPAGNA
	1200	75	CAMPAGNA
	1500	73°	P.MULLIGAN
	1800	73°	P.MULLIGAN
	2100	75°	P.MULLIGAN
	2400	72	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	72	GLAUDE
	0600	72	RAMSEY
	0900	72	RAMSEY
	1200	72	RAMSEY
	1500	72°	P.MULLIGAN
	1800	72°	P.MULLIGAN
	2100	73°	P.MULLIGAN
	2400	70	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	70	GLAUDE
	0600	71	SWERSON
	0900	72	SWERSON
	1200	72	SWERSON
	1500	73	SWERSON
	1800	73	SWERSON
	2100	72	SWERSON
	2400	72	M.CLOUD

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	71	M.CLOUD
	0600	70°	P.MULLIGAN
	0900	70°	P.MULLIGAN
	1200	70°	P.MULLIGAN
	1500	70°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	75	GLAUDE

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2

Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

8/26/24

Date	Time	Temp.	Name (Print)
8-26-24	0300	71	G-CLAUDE
	0600	72°	MANNING,T
	0900	72°	MANNING,T
	1200	73°	MANNING,T
	1500	71	Swanson
	1800	74	Bother
	2100	73	Bother
	2400	72	GLAUME

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	72	GLAUME
	0600	72°	MANNING,T
	0900	72°	MANNING,T
	1200	73°	MANNING,T
	1500	74°	MANNING,T
	1800	73°	MANNING,T
	2100	72°	MANNING,T
	2400	72	OLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	72	GLAUME
	0600	73	Swanson
	0900	73	Swanson
	1200	74	Swanson
	1500	74°	P. MULLIGAN
	1800	74°	P. MULLIGAN
	2100	73°	P. MULLIGAN
	2400	72	GLAUME

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	72	GLAUME
	0600	73	Swanson
	0900	73	Swanson
	1200	73	Swanson
	1500	73°	P. MULLIGAN
	1800	73°	P. MULLIGAN
	2100	72°	P. MULLIGAN
	2400	72	OLAUDE

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	72	GLAUME
	0600	72	Swanson
	0900	73	Swanson
	1200	73	Swanson
	1500	73°	P. MULLIGAN
	1800	73°	P. MULLIGAN
	2100	73°	P. MULLIGAN
	2400	72	GLAUME

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	72	GLAUME
	0600	72	Swanson
	0900	72	Swanson
	1200	73	Swanson
	1500	73	Swanson
	1800	73	Swanson
	2100	72	Swanson
	2400	72	GLAUME

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: A SIDE Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	77	L. HILL
	0600	77°	R. ZARAGOZA JR.
08	0900	78°	R. ZARAGOZA JR.
01	1200	79°	R. ZARAGOZA JR.
24	1500	80°	D. RODRIGUEZ
	1800	80°	D. Rodri
	2100	80°	D. Rodriguez
	2400	80°	HIRACHETA

Friday

Date	Time	Temp.	Name (Print)
	0300	80	HIRACHETA
08	0600	79	Gonzalez
	0900	79	Gonzalez
02	1200	80	Gonzalez
24	1500	70	F. ROJAS
	1800	70	F. Rojas
	2100	71	F. Rojas
	2400	71	G. CHAM

Saturday

Date	Time	Temp.	Name (Print)
	0300	72	G.C. HILL
	0600	72	E. Olivares
08	0900	72	E. Olivares
03	1200	72	E. Olivares
24	1500	72	M. CLOUD
	1800	72	M. Cloud
	2100	72	M. Cloud
	2400	71	L. WILLI

Notes

Date	Time	Temp.	Name (Print)
	0300	74	L. Hill
08	0600	72	J. HILL
	0900	78	J. HILL
04	1200	78	J. HILL
24	1500	78	J. HILL
	1800	76	J. HILL
	2100	79	J. HILL
	2400	78	L. Hill

STATE OF CALIFORNIA
INS DE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3

Temp. Reading Location: A-Side Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	76	L.HILL
	0600	72	GONZALEZ
	0900	72	GONZALEZ
	1200	72	GONZALEZ
	1500	76°	J.MING
	1800	75°	J.MING
	2100	75	J.MING
	2400	75	L.HILL

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	75	L.HILL
	0600	75	GONZALEZ
	0900	75	GONZALEZ
	1200	75	GONZALEZ
	1500	75	J.MING
	1800	75	J.MING
	2100	75	J.MING
	2400	74	L.HILL

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	74	L.HILL
	0600	74	MANNING,T
	0900	74	MANNING,T
	1200	75°	MANNING,T
	1500	78	B.GARCIA
	1800	78	B.GARCIA
	2100	78	B.GARCIA
	2400	76	L.HILL

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	76	L.HILL
	0600	76	VELASQUEZ
	0900	76	VELASQUEZ
	1200	76	VELASQUEZ
	1500	76	M.CLOUD
	1800	76	M.CLOUD
	2100	76	M.CLOUD
	2400	76	J.HIRACHETA

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	76	S.HARRIS
	0600	77	GONZALEZ
	0900	77	GONZALEZ
	1200	77	GONZALEZ
	1500	78	R.RU
	1800	78	A.ESCOBAR
	2100	79	A.ESCOBAR
	2400	77	G.CHAN

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	77	G.CHAN
	0600	77	GONZALEZ
	0900	77	GONZALEZ
	1200	77	GONZALEZ
	1500	77	MENDOZA
	1800	77	MENDOZA
	2100	77	MENDOZA
	2400	76	L.HILL

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	76	L.HILL
	0600	77	GONZALEZ
	0900	77	GONZALEZ
	1200	77	GONZALEZ
	1500	77°	M.CLOUD
	1800	80°	M.CLOUD
	2100	79°	M.CLOUD
	2400	77	L.HILL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: A side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	77	L.HILL
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	77	B.Montoya
8/24	1800	77	B.Montoya
	2100	77	L.Nomast
	2400	76	L.HILL

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	76	L.HILL
	0600	76	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	80	GARCIA
8/24	1800	80	GARCIA
	2100	80	GARCIA
	2400	78	L.HILL

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	78	L.HILL
	0600	76°	MANNING-T
	0900	76°	MANNING-T
	1200	77°	MANNING-T
	1500	77	B.GARCIA
8/24	1800	77	B.GARCIA
	2100	77	B.GARCIA
	2400	76	L.HILL

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	76	L.HILL
	0600	76	Velasquez
	0900	76	Velasquez
	1200	77	Velazquez
	1500	78	G.CHAN
8/24	1800	78	G.CHAN
	2100	78	G.CHAN
	2400	76	Hiraetha

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	76	J.Rodriguez
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78°	C.Cerro
8/24	1800	78°	A.SALCEDO
	2100	78°	A.SALCEDO
	2400	78	G.CHAN

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	78	G.CHAN
	0600	77	J.Dunn
	0900	77	J.Dunn
	1200	78	J.Dunn
	1500	78	M.VALENCIA
8/24	1800	78	M.VALENCIA
	2100	77	M.VALENCIA
	2400	77	L.HILL

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	77	L.HILL
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	80°	H.Vasquez
	1800	80°	H.Vasquez
8/24	2100	79°	H.Vasquez
	2400	77	C.HILL

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: A SIDE Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/19/24	0300	78	C. HILL	8/20/24	0300	79	MAMANAG
	0600	78	Gonzalez		0600	77	Gonzalez
	0900	78	Gonzalez		0900	77	Gonzalez
	1200	78	Gonzalez		1200	77	Gonzalez
	1500	80	F. GONZALEZ		1500	80	F. GONZALEZ
	1800	79	F. GONZALEZ		1800	81	F. GONZALEZ
	2100	78	F. GONZALEZ		2100	78	F. GONZALEZ
	2400	79	MAMANAG		2400	78	L. HILL
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/21/24	0300	78	L. HILL	8/22/24	0300	77	L. HILL
	0600	78	MANNING,T		0600	77	Velasquez
	0900	78	MANNING,T		0900	77	Velasquez
	1200	78	MANNING,T		1200	77	Velasquez
	1500	78	B. GARCIA		1500	78	M. CLOUD
	1800	78	B. GARCIA		1800	78	M. CLOUD
	2100	78	B. GARCIA		2100	77	M. CLOUD
	2400	77	L. HILL		2400	77	J. HIRAEKAWA
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/23/24	0300	77	F. GONZALEZ	8/24/24	0300	78	F. GONZALEZ
	0600	77	Gonzalez		0600	77	Gonzalez
	0900	77	Gonzalez		0900	77	Gonzalez
	1200	77	Gonzalez		1200	77	Gonzalez
	1500	80	F. GONZALEZ		1500	80	F. GONZALEZ
	1800	78	F. GONZALEZ		1800	79	F. GONZALEZ
	2100	78	F. GONZALEZ		2100	77	F. GONZALEZ
	2400	78	F. GONZALEZ		2400	76	L. HILL
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
8/25/24	0300	76	L. HILL				
	0600	79	Gonzalez				
	0900	79	Gonzalez				
	1200	79	Gonzalez				
	1500	80	F. GONZALEZ				
	1800	79	F. GONZALEZ				
	2100	78	F. GONZALEZ				
	2400	77	L. HILL				

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: A SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	77	L. HILL
26	0600	78	Gonzalez
26	0900	78	Gonzalez
26	1200	78	Gonzalez
26	1500	80	F. GONZALEZ
26	1800	79	F. GONZALEZ
26	2100	78	F. GONZALEZ
26	2400	77	L. HILL

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	76	L. HILL
27	0600	77	Gonzalez
27	0900	77	Gonzalez
27	1200	77	Gonzalez
27	1500	80	F. GONZALEZ
27	1800	79	F. GONZALEZ
27	2100	78	F. GONZALEZ
27	2400	77	H. CERA

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	77	H. CERA
28	0600	67°	MANNING, T
28	0900	68°	MANNING, T
28	1200	69°	MANNING, T
28	1500	70	B. Garcia
28	1800	70	B. Garcia
28	2100	70	B. Garcia
28	2400	70	H. CERA

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	70	H. CERA
29	0600	70	Velasquez
29	0900	70	Velasquez
29	1200	70	Velasquez
29	1500	70	Ruralcaba
29	1800	70	Ruralcaba
29	2100	70	Ruralcaba
29	2400	70	HIRACHETA

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	70	HIRACHETA
30	0600	75	Gonzalez
30	0900	75	Gonzalez
30	1200	75	Gonzalez
30	1500	80	F. GONZALEZ
30	1800	79	F. GONZALEZ
30	2100	78	F. GONZALEZ
30	2400	72	G. CHAN

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	72	G. CHAN
31	0600	72	Gonzalez
31	0900	75	Gonzalez
31	1200	78	Gonzalez
31	1500	80	F. GONZALEZ
31	1800	79	F. GONZALEZ
31	2100	78	F. GONZALEZ
31	2400	77	L. HILL

Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	L Hill
08	0600	78°	R. ZAPATA JR.
08	0900	79°	R. ZAPATA JR.
01	1200	80°	R. ZAPATA JR.
24	1500	80°	D. Rodriguez
	1800	80°	D. Rodriguez
	2100	80°	D. Rodriguez
	2400	80°	HILLER, J

Friday

Date	Time	Temp.	Name (Print)
	0300	80	HILLER, J
08	0600	80	Gonzalez
02	0900	80	Gonzalez
24	1200	80	Gonzalez
	1500	80	F. Rojas
	1800	80	F. Rojas
	2100	80	F. Rojas
	2400	76	G. CHAM

Saturday

Date	Time	Temp.	Name (Print)
	0300	76	G. CHAM
08	0600	76	E. Olivares
03	0900	78	E. Olivares
24	1200	80	E. Olivares
	1500	80	M. CLOUD
	1800	80	M. CLOUD
	2100	79	M. CLOUD
	2400	78	L-HILL

Sunday

Date	Time	Temp.	Name (Print)
	0300	78	L-HILL
08	0600	78	CHAVEZ
04	0900	79	CHAVEZ
24	1200	79	CHAVEZ
	1500	78	CHAVEZ
	1800	78	CHAVEZ
	2100	80	CHAVEZ
	2400	79	L-HILL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/5/24	0300	79	L. Hill
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	J. Ming
	1800	77	J. Ming
	2100	77	J. Ming
	2400	76	L. Hill

Tuesday			
Date	Time	Temp.	Name (Print)
8/6/24	0300	76	L. Hill
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	77	J. Ming
	1800	77	J. Ming
	2100	77	J. Ming
	2400	76	L. Hill

Wednesday			
Date	Time	Temp.	Name (Print)
8/7/24	0300	76	L. Hill
	0600	77°	Manning
	0900	77°	Manning
	1200	78°	Manning
	1500	80	S. Garcia
	1800	80	S. Garcia
	2100	80	S. Garcia
	2400	78	L. Hill

Thursday			
Date	Time	Temp.	Name (Print)
8/8/24	0300	78	L. Hill
	0600	78	Velasquez
	0900	78	Velasquez
	1200	78	Velasquez
	1500	78	M. Cloud
	1800	78	M. Cloud
	2100	78	M. Cloud
	2400	78	M. Cloud

Friday			
Date	Time	Temp.	Name (Print)
8/9/24	0300	78	J. Hernandez
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	79	R. Carr
	1800	79	A. Salcedo
	2100	79	A. Salcedo
	2400	78	G. Chan

Saturday			
Date	Time	Temp.	Name (Print)
8/10/24	0300	77	G. Chan
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	77	Mendoza
	1800	77	Mendoza
	2100	77	Mendoza
	2400	77	L. Hill

Sunday			
Date	Time	Temp.	Name (Print)
8/11/24	0300	77	L. Hill
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	79°	M. Cloud
	1800	77°	M. Cloud
	2100	77°	M. Cloud
	2400	76	L. Hill

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LSP Housing Unit: P3 Temp. Reading Location: B Side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	76	L.H.11
	0600	76	Gonzalez
	0900	76	Gonzalez
	1200	76	Gonzalez
8/24	1500	77	L.Montoya
	1800	77	L.Montoya
	2100	77	L.Montoya
	2400	75	L.H.11

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	75	L.H.11
	0600	75	Gonzalez
	0900	78	Gonzalez
	1200	80	Gonzalez
8/24	1500	80	GARCIA
	1800	80	GARCIA
	2100	80	GARCIA
	2400	77	L.H.11

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	77	L.H.11
	0600	76°	MANNING,T
	0900	76°	MANNING,T
	1200	77°	MANNING,T
8/24	1500	77	R.GARCIA
	1800	77	B.GARCIA
	2100	77	B.GARCIA
	2400	75	L.H.11

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	75	L.H.11
	0600	76	Velasquez
	0900	76	Velasquez
	1200	77	Velasquez
8/24	1500	78	G.CHAVEZ
	1800	78	G.CHAVEZ
	2100	78	G.CHAVEZ
	2400	78	HIRATEKETA

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	78	HIRATEKETA
	0600	75	Gonzalez
	0900	75	Gonzalez
	1200	75	Gonzalez
8/24	1500	70	C.EMAN
	1800	70°	A.SALCEDO
	2100	70°	A.SALCEDO
	2400	78	G.CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	78	G.CHAVEZ
	0600	77	J.DUNJ
	0900	77	J.DUNJ
	1200	78	J.DUNJ
8/24	1500	78	M.VALECIO
	1800	78	M.VALECIO
	2100	78	M.VALECIO
	2400	76	L.H.11

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	76	L.H.11
	0600	76	Gonzalez
	0900	76	Gonzalez
	1200	76	Gonzalez
8/24	1500	80°	H.VASQUEZ
	1800	80°	H.VASQUEZ
	2100	74°	H.VASQUEZ
	2400	79	C.HM

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	79	C. HILL
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	80	F. GONZALEZ
	1800	79	F. GONZALEZ
	2100	79	F. GONZALEZ
	2400	79	MAMAUAS

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	79	MAMAUAS
	0600	78	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	80	F. GONZALEZ
	1800	81	F. GONZALEZ
	2100	79	F. GONZALEZ
	2400	79	L. HILL

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	78	L. HILL
	0600	78°	MANNING
	0900	78°	MANNING
	1200	78°	MANNING
	1500	78	B. Garcia
	1800	78	B. Garcia
	2100	78	B. Garcia
	2400	78	L. HILL

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	77	L. HILL
	0600	77	Velasquez
	0900	77	Velasquez
	1200	77	Velasquez
	1500	78	M. CLOUD
	1800	78	M. CLOUD
	2100	77	M. CLOUD
	2400	77	J. H. READERA

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	77	J. H. READERA
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	80	F. GONZALEZ
	1800	79	F. GONZALEZ
	2100	78	F. GONZALEZ
	2400	78	F. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	78	F. GONZALEZ
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	80	F. GONZALEZ
	1800	79	F. GONZALEZ
	2100	77	F. GONZALEZ
	2400	77	L. HILL

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	77	L. HILL
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	79	Gonzalez
	1500	80	F. GONZALEZ
	1800	79	F. GONZALEZ
	2100	78	F. GONZALEZ
	2400	77	L. HILL

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/25	0300	77	L.H.III
25	0600	78	Gonzalez
25	0900	78	Gonzalez
25	1200	78	Gonzalez
25	1500	80	F.GONZALEZ
25	1800	79	F.GONZALEZ
25	2100	78	F.GONZALEZ
25	2400	77	L.H.III

Tuesday

Date	Time	Temp.	Name (Print)
8/26	0300	77	L.H.III
26	0600	77	Gonzalez
26	0900	77	Gonzalez
26	1200	77	Gonzalez
26	1500	80	F.GONZALEZ
26	1800	79	F.GONZALEZ
26	2100	78	F.GONZALEZ
26	2400	77	H.CERA

Wednesday

Date	Time	Temp.	Name (Print)
8/27	0300	77	H.CERA
27	0600	76°	MANNING,T
27	0900	77°	MANNING,T
27	1200	78°	MANNING,T
27	1500	78	B.Garcia
27	1800	78	B.Garcia
27	2100	78	B.Garcia
27	2400	77	H.CERA

Thursday

Date	Time	Temp.	Name (Print)
8/28	0300	76	H.CERA
28	0600	76	Velasquez
28	0900	76	Velasquez
28	1200	76	Velasquez
28	1500	79	Rovalcaba
28	1800	76	Rovalcaba
28	2100	78	Rovalcaba
28	2400	78	HIRACHETA

Friday

Date	Time	Temp.	Name (Print)
8/29	0300	78	HIRACHETA
29	0600	77	Gonzalez
29	0900	77	Gonzalez
29	1200	77	Gonzalez
29	1500	80	F.GONZALEZ
29	1800	79	F.GONZALEZ
29	2100	78	F.GONZALEZ
29	2400	72	G.CHAM

Saturday

Date	Time	Temp.	Name (Print)
8/30	0300	72	G.CHAM
30	0600	72	Gonzalez
30	0900	75	Gonzalez
30	1200	78	Gonzalez
30	1500	80	F.GONZALEZ
30	1800	79	F.GONZALEZ
30	2100	78	F.GONZALEZ
30	2400	77	L.H.III

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: A SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

<u>Monday</u>			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
7/31/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	79	L. CERA

Date	Time	Temp.	Name (Print)
8/01/24	0300	78	H. CERA
	0600	78	J. De La Roche
	0900	78	J. De La Roche
	1200	78	J. De La Roche
	1500	79	C. Pommier
	1800	78	C. Pommier
	2100	74	C. Pommier
	2400	76°	R. GALTAD

Friday			
Date	Time	Temp.	Name (Print)
8/02/24	0300	75°	REGALTA
	0600	75	RAMIREZ
	0900	76	RAMIREZ
	1200	77	RAMIREZ
	1500	74	L. MASTRO
	1800	73	L. MASTRO
	2100	72	L. MASTRO
	2400	72°	REGALTA

Date	Time	Temp.	Name (Print)
8/03/24	0300	72°	RF GALEZA
	0600	72	Velasquez
	0900	72	Velasquez
	1200	73	Velasquez
	1500	75	L MASTRO
	1800	75	L MASTRO
	2100	75	L MASTRO
	2400	74°	RF GALEZA

Date	Time	Temp.	Name (Print)
8/04/24	0300	74°	R.F.GALT
	0600	76	SHERWOOD
	0900	78	SHERWOOD
	1200	76	SHERWOOD
	1500	79	CROMMIE
	1800	79	CROMMIE
	2100	77	CROMMIE
	2400	77°	R.F.GALT

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: A SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	76°	R.F.GARZA
	0600	76	SPIERWOOD
	0900	77	L.BROWN
	1200	77	L.BROWN
	1500	78	C.JOHNSON
	1800	79	C.POMEROY
	2100	77	C.POMEROY
	2400	77°	R.F.GARZA

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	76°	R.F.GARZA
	0600	76°	L.BROWN
	0900	77°	L.BROWN
	1200	78	L.BROWN
	1500	79	(Johansson)
	1800	79	C.POMEROY
	2100	77	C.POMEROY
	2400	77°	R.F.GARZA

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	76°	R.F.GARZA
	0600	76	L.BROWN
	0900	77°	L.BROWN
	1200	78°	L.BROWN
	1500	79	C.POMEROY
	1800	81	C.POMEROY
	2100	79	C.POMEROY
	2400	78°	R.F.GARZA

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	77°	R.F.GARZA
	0600	77°	L.BROWN
	0900	78°	L.BROWN
	1200	78°	L.BROWN
	1500	79	C.POMEROY
	1800	80	C.POMEROY
	2100	79	C.POMEROY
	2400	78°	R.F.GARZA

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	77°	R.F.GARZA
	0600	77	Velasquez
	0900	77	Velasquez
	1200	77	Velasquez
	1500	78	B.MATA
	1800	78	B.MATA
	2100	78	B.MATA
	2400	77	L.MASTRO

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	76	L.MASTRO
	0600	76	Velasquez
	0900	76	Velasquez
	1200	77	Velasquez
	1500	77	L.MASTRO
	1800	76	L.MASTRO
	2100	76	L.MASTRO
	2400	76	GLAUDIE

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	76	GLAUDIE
	0600	77	L.BROWN
	0900	77	L.BROWN
	1200	78	L.BROWN
	1500	78	J.VASQUEZ
	1800	78	J.VASQUEZ
	2100	78	J.VASQUEZ
	2400	78	GLAUDIE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FD-B4 Temp. Reading Location: A-SIDE 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	74	G LAUDER
	0600	77	SHERWOOD
	0900	77	SHERWOOD
	1200	76	SHERWOOD
	1500	77	G ZARAGOZA
	1800	77	G ZARAGOZA
	2100	76	G ZARAGOZA
	2400	76	RF GARZA

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	75°	RF GARZA
	0600	74	SHERWOOD
	0900	77	SHERWOOD
	1200	78	SHERWOOD
	1500	79	C JAMISON
	1800	79	C JAMISON
	2100	77	C JAMISON
	2400	76°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	75°	RF GARZA
	0600	74	C JAMISON
	0900	75	C JAMISON
	1200	76	C JAMISON
	1500	74	C JAMISON
	1800	77	C JAMISON
	2100	75	C JAMISON
	2400	74°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	74°	RF GARZA
	0600	74	SHERWOOD
	0900	74	SHERWOOD
	1200	75	SHERWOOD
	1500	76	SHERWOOD
	1800	75	SHERWOOD
	2100	75	SHERWOOD
	2400	75°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	74°	RF GARZA
	0600	74	VELASQUEZ
	0900	74	VELASQUEZ
	1200	74	VELASQUEZ
	1500	75	V. REYNOLDS
	1800	75	V. REYNOLDS
	2100	75	V. REYNOLDS
	2400	75	B. GRIMES

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	75	B. GRIMES
	0600	75	C. VASQUEZ
	0900	75	C. VASQUEZ
	1200	75	C. VASQUEZ
	1500	75°	J. BARAJAS
	1800	75°	J. BARAJAS
	2100	75°	J. BARAJAS
	2400	75	C. VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	75	C. VASQUEZ
	0600	75	SHERWOOD
	0900	77	SHERWOOD
	1200	78	SHERWOOD
	1500	79	C JAMISON
	1800	78	C JAMISON
	2100	76	C JAMISON
	2400	75	C. SALINAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 74 Temp. Reading Location: A. SDPE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/18	0300	76	J. DAJENAT
	0600	75	SHERWOOD
	0900	75	SHERWOOD
	1200	76	SHERWOOD
	1500	78	C. RAMIREZ
	1800	78	C. RAMIREZ
	2100	75	C. RAMIREZ
	2400	76	A. HONAKER

Wednesday

Date	Time	Temp.	Name (Print)
8/26/18	0300	75	A. DAJENAT
	0600	74	SHERWOOD
	0900	75	SHERWOOD
	1200	74	SHERWOOD
	1500	77	C. RAMIREZ
	1800	76	C. RAMIREZ
	2100	75	C. RAMIREZ
	2400	74	R.F. GARZA

Friday

Date	Time	Temp.	Name (Print)
8/24/18	0300	73°	R.F. GARZA
	0600	73	Velasquez
	0900	73	Velasquez
	1200	73	Velasquez
	1500	73	L. MASTRO
	1800	72	L. MASTRO
	2100	72	L. MASTRO
	2400	70	L. MASTRO

Sunday

Date	Time	Temp.	Name (Print)
8/25/18	0300	72	J. HIRACHA
	0600	72	SHERWOOD
	0900	74	SHERWOOD
	1200	75	SHERWOOD
	1500	75	SHERWOOD
	1800	74	SHERWOOD
	2100	73	SHERWOOD
	2400	72	R.F. GARZA

Tuesday

Date	Time	Temp.	Name (Print)
8/20/18	0300	75	A. HONAKER
	0600	74	SHERWOOD
	0900	75	SHERWOOD
	1200	76	SHERWOOD
	1500	78	C. RAMIREZ
	1800	79	C. RAMIREZ
	2100	76	C. RAMIREZ
	2400	76	A. DAJENAT

Thursday

Date	Time	Temp.	Name (Print)
8/22/18	0300	74	R.F. GARZA
	0600	74	SHERWOOD
	0900	75	SHERWOOD
	1200	76	SHERWOOD
	1500	74	C. RAMIREZ
	1800	78	C. RAMIREZ
	2100	75	C. RAMIREZ
	2400	74	R.F. GARZA

Saturday

Date	Time	Temp.	Name (Print)
8/24/18	0300	70	L. MASTRO
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	L. MASTRO
	1800	70	L. MASTRO
	2100	70	L. MASTRO
	2400	70	J. HIRACHA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB 4 Temp. Reading Location: TOP TIER A Tier 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8 / 26 / 24	0300	71°	RFGARZA
	0600	71	SHERWOOD
	0900	72	SHERWOOD
	1200	72	SHERWOOD
	1500	74	C.PARNISI
	1800	74	C.PARNISI
	2100	72	C.PARNISI
	2400	71°	RFGARZA

Tuesday

Date	Time	Temp.	Name (Print)
8 / 27 / 24	0300	70°	R.F.GARZA
	0600	71	SHERWOOD
	0900	73	SHERWOOD
	1200	74	SHERWOOD
	1500	75°	C.PARNISI
	1800	77	C.PARNISI
	2100	74	C.PARNISI
	2400	73°	R.F.GARZA

Wednesday

Date	Time	Temp.	Name (Print)
8 / 28 / 24	0300	72°	RFGARZA
	0600	72	SHERWOOD
	0900	75	SHERWOOD
	1200	76	SHERWOOD
	1500	77	C.PARNISI
	1800	77	C.PARNISI
	2100	74	C.PARNISI
	2400	73°	RFGARZA

Thursday

Date	Time	Temp.	Name (Print)
8 / 29 / 24	0300	73°	R.F.GARZA
	0600	74	SHERWOOD
	0900	74	SHERWOOD
	1200	75	SHERWOOD
	1500	74	C.PARNISI
	1800	76	C.PARNISI
	2100	74	C.PARNISI
	2400	74°	R.F.GARZA

Friday

Date	Time	Temp.	Name (Print)
8 / 30 / 24	0300	73°	RFGARZA
	0600	73	Velasquez
	0900	73	Velasquez
	1200	73	Velasquez
	1500	73	R.Garcia
	1800	73	R.Garcia
	2100	75	R.Garcia
	2400	75	Alcaraz

Saturday

Date	Time	Temp.	Name (Print)
8 / 31 / 24	0300	70	Alcaraz
	0600	70	Alcaraz
	0900	70	Velasquez
	1200	71	Velasquez
	1500	71	LAVASTRO
	1800	71	MAGDALENO
	2100	71	J.Santos
	2400	70	C. MOLINEZ

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	79	H. CERA

Thursday

Date	Time	Temp.	Name (Print)
8/01/24	0300	77	H. CERA
	0600	78	J. NELSON
	0900	75	J. NELSON
	1200	78	J. NELSON
	1500	79	C. POMERAY
	1800	80	C. POMERAY
	2100	77	C. POMERAY
	2400	77	R.F. GARCIA

Friday

Date	Time	Temp.	Name (Print)
8/02/24	0300	76°	R.F. GARCIA
	0600	75	R. MASTRO
	0900	76	R. MASTRO
	1200	74	R. MASTRO
	1500	73	L. MASTRO
	1800	70	L. MASTRO
	2100	70	L. MASTRO
	2400	70°	R.F. GARCIA

Saturday

Date	Time	Temp.	Name (Print)
8/03/24	0300	79°	R.F. GARCIA
	0600	79	V. LESTHER
	0900	79	V. LESTHER
	1200	79	V. LESTHER
	1500	72	L. MASTRO
	1800	72	L. MASTRO
	2100	72	L. MASTRO
	2400	71°	R.F. GARCIA

Sunday

Date	Time	Temp.	Name (Print)
8/04/24	0300	71°	R.F. GARCIA
	0600	73	SHERWOOD
	0900	75	SHERWOOD
	1200	75	SHERWOOD
	1500	76	C. POMERAY
	1800	77	C. POMERAY
	2100	75	C. POMERAY
	2400	75°	R.F. GARCIA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/15/24	0300	74°	R.F.GARZA
	0600	74	SHEEWOGG
	0900	74	L.BROWN
	1200	77	L.BROWN
	1500	79	C.PATTERSON
	1800	80	C.PATTERSON
	2100	79	C.PATTERSON
	2400	78°	R.F.GARZA

Tuesday

Date	Time	Temp.	Name (Print)
8/16/24	0300	77°	R.F.GARZA
	0600	77	L.BROWN
	0900	77	L.BROWN
	1200	78	L.BROWN
	1500	80	C.PATTERSON
	1800	81	C.PATTERSON
	2100	78	C.PATTERSON
	2400	78°	L.BROWN

Wednesday

Date	Time	Temp.	Name (Print)
8/17/24	0300	77°	R.F.GARZA
	0600	78°	L.BROWN
	0900	78°	L.BROWN
	1200	79°	L.BROWN
	1500	81	C.PATTERSON
	1800	82	C.PATTERSON
	2100	80	C.PATTERSON
	2400	79°	R.F.GARZA

Thursday

Date	Time	Temp.	Name (Print)
8/18/24	0300	78°	R.F.GARZA
	0600	78°	L.BROWN
	0900	79°	L.BROWN
	1200	79°	L.BROWN
	1500	80	C.PATTERSON
	1800	79	C.PATTERSON
	2100	77	C.PATTERSON
	2400	77°	R.F.GARZA

Friday

Date	Time	Temp.	Name (Print)
8/19/24	0300	76°	R.F.GARZA
	0600	76	Velasquez
	0900	76	Velasquez
	1200	76	Velasquez
	1500	76	B.MATA
	1800	76	B.MATA
	2100	76	B.MATA
	2400	73	L.MASTRO

Saturday

Date	Time	Temp.	Name (Print)
8/20/24	0300	70	L.MASTRO
	0600	71	Velasquez
	0900	71	Velasquez
	1200	71	Velasquez
	1500	71	L.MASTRO
	1800	71	L.MASTRO
	2100	71	L.MASTRO
	2400	70	CLAUDIE

Notes

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	CLAUDIE
	0600	74	L.BROWN
	0900	75	L.BROWN
	1200	77	L.BROWN
	1500	77	C.VASQUEZ
	1800	76	C.VASQUEZ
	2100	74	C.VASQUEZ
	2400	74	CLAUDIE

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP- RL Housing Unit: FD - B 4 Temp. Reading Location: B-SIDE 2ND Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	78	C LAUDE
	0600	64	SHERWOOD
	0900	66	SHERWOOD
	1200	67	SHERWOOD
	1500	68	C. ZAENGANE
	1800	69	C. ZAENGANE
	2100	67	C. ZAENGANE
	2400	74°	RF GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	73°	RF GARCIA
	0600	73	SHERWOOD
	0900	75	SHERWOOD
	1200	74	SHERWOOD
	1500	75	C. ZAENGANE
	1800	73	C. ZAENGANE
	2100	70	C. ZAENGANE
	2400	70°	RF GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	69°	RF GARCIA
	0600	70	C. ZAENGANE
	0900	71	C. ZAENGANE
	1200	73	C. ZAENGANE
	1500	75	C. ZAENGANE
	1800	77	C. ZAENGANE
	2100	75	C. ZAENGANE
	2400	74°	RF GARCIA

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	73°	RF GARCIA
	0600	74	SHERWOOD
	0900	74	SHERWOOD
	1200	74	SHERWOOD
	1500	75	SHERWOOD
	1800	73	SHERWOOD
	2100	72	SHERWOOD
	2400	72°	RF GARCIA

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	71°	RF GARCIA
	0600	71	Velasquez
	0900	71	Velasquez
	1200	71	Velasquez
	1500	75	V. Reyna
	1800	75	V. Reyna
	2100	75	V. Reyna
	2400	75	B. GRIMES

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	75	B. GRIMES
	0600	75	C. VASQUEZ
	0900	75	C. VASQUEZ
	1200	75	C. VASQUEZ
	1500	75°	J. BARAJAS
	1800	75°	J. BARAJAS
	2100	75°	J. BARAJAS
	2400	73	C. VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	C. VASQUEZ
	0600	64	SHERWOOD
	0900	65	SHERWOOD
	1200	66	SHERWOOD
	1500	67	C. ZAENGANE
	1800	69	C. ZAENGANE
	2100	68	C. ZAENGANE
	2400	76	J. SANCHEZ

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 74 Temp. Reading Location: B-SIDE Tier 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/19/14</u>	0300	76	J. SHIZUWA
	0600	64	SHERWOOD
	0900	65	SHERWOOD
	1200	64	SHERWOOD
	1500	68	C.PROMMER
	1800	69	C.PROMMER
	2100	66	C.PROMMER
	2400	66	A.NAJERA

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/20/14</u>	0300	60	A.NAJERA
	0600	64	SHERWOOD
	0900	64	SHERWOOD
	1200	67	SHERWOOD
	1500	69	C.PROMMER
	1800	67	C.PROMMER
	2100	64	C.PROMMER
	2400	67	A.NAJERA

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/21/14</u>	0300	65	A.NAJERA
	0600	65	SHERWOOD
	0900	64	SHERWOOD
	1200	66	SHERWOOD
	1500	67	C.PROMMER
	1800	67	C.PROMMER
	2100	66	C.PROMMER
	2400	66	RF.GALZA

Thursday

Date	Time	Temp.	Name (Print)
<u>8/22/14</u>	0300	65	RF.GALZA
	0600	64	SHERWOOD
	0900	67	SHERWOOD
	1200	67	SHERWOOD
	1500	68	C.PROMMER
	1800	69	C.PROMMER
	2100	66	C.PROMMER
	2400	65	RF.GALZA

Friday

Date	Time	Temp.	Name (Print)
<u>8/23/14</u>	0300	64	RF.GALZA
	0600	64	Velasquez
	0900	64	Velasquez
	1200	64	Velasquez
	1500	65	L.MASTRO
	1800	65	L.MASTRO
	2100	65	L.MASTRO
	2400	65	L.MASTRO

Saturday

Date	Time	Temp.	Name (Print)
<u>8/24/14</u>	0300	65	L.MASTRO
	0600	65	Velasquez
	0900	65	Velasquez
	1200	65	Velasquez
	1500	65	L.MASTRO
	1800	65	L.MASTRO
	2100	65	L.MASTRO
	2400	65	J.HIRACHETA

Sunday

Date	Time	Temp.	Name (Print)
<u>8/25/14</u>	0300	65	J.HIRACHETA
	0600	65	SHERWOOD
	0900	66	SHERWOOD
	1200	64	SHERWOOD
	1500	65	Swenson
	1800	65	Swenson
	2100	65	Swenson
	2400	64	RF.GALZA

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: TOP TIER B Tier 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8 / 26 / 24	0300	64°	RF GARZA
	0600	65	SHERWOOD
	0900	60	SHERWOOD
	1200	66	SHERWOOD
	1500	68	C. PARRISH
	1800	68	C. PARRISH
	2100	67	C. PARRISH
	2400	66°	RF GARZA

Tuesday			
Date	Time	Temp.	Name (Print)
8 / 27 / 24	0300	65°	RF GARZA
	0600	66	SHERWOOD
	0900	65	SHERWOOD
	1200	65	SHERWOOD
	1500	66	C. PARRISH
	1800	66	C. PARRISH
	2100	65	C. PARRISH
	2400	64°	RF GARZA

Wednesday			
Date	Time	Temp.	Name (Print)
8 / 28 / 24	0300	64°	RF GARZA
	0600	65	SHERWOOD
	0900	66	SHERWOOD
	1200	64	SHERWOOD
	1500	66	C. PARRISH
	1800	67	C. PARRISH
	2100	64	C. PARRISH
	2400	63°	RF GARZA

Thursday			
Date	Time	Temp.	Name (Print)
8 / 29 / 24	0300	63°	RF GARZA
	0600	64	SHERWOOD
	0900	65	SHERWOOD
	1200	65	SHERWOOD
	1500	66	C. PARRISH
	1800	67	C. PARRISH
	2100	66	C. PARRISH
	2400	65°	RF GARZA

Friday			
Date	Time	Temp.	Name (Print)
8 / 30 / 24	0300	64°	RF GARZA
	0600	69	Velasquez
	0900	69	Velasquez
	1200	69	Velasquez
	1500	65	R. GOMEZ
	1800	63	R. GOMEZ
	2100	63	R. GOMEZ
	2400	62	ALCAZAR

Saturday			
Date	Time	Temp.	Name (Print)
8 / 31 / 24	0300	65	ALCAZAR
	0600	66	Velasquez
	0900	66	Velasquez
	1200	66	Velasquez
	1500	66	L. MARTIN
	1800	66	MAGDALENO
	2100	66	S. SANCHEZ
	2400	66	L. VASQUEZ

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: A SIDE Tier 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	78	E GAMES
	0600	79	ABNEY
	0900	78	ABNEY
	1200	78	ABNEY
	1500	78	Shamp
	1800	78	Shamp
	2100	78	Shamp
	2400	77	E GAMES

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	75	E GAMES
	0600	77	Velasquez
	0900	77	Velasquez
	1200	77	Velasquez
	1500	78	L. MASTRO
	1800	80	L. MASTRO
	2100	80	L. MASTRO
	2400	80	J. HIRAKAWA

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	75	E GAMES
	0600	75	Abney
	0900	75	Abney
	1200	78	Abney
	1500	78	Shamp
	1800	78	Shamp
	2100	78	Shamp
	2400	77	E GAMES

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	77	E GAMES
	0600	78	Abney
	0900	78	Abney
	1200	78	Abney
	1500	78	R. GONZALEZ
	1800	78	R. GONZALEZ
	2100	77	R. GONZALEZ
	2400	75	E GAMES

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: A SIDE Tier 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24	0300	80	S. HIRACHETA
	0600	79	Velasquez
	0900	79	Velasquez
	1200	79	Velasquez
	1500	79	HIRACHETA
	1800	79	HIRACHETA
	2100	79	HIRACHETA
	2400	79	HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300	79	H. RACHETA
	0600	79	RAMIREZ
	0900	79	RAMIREZ
	1200	79	RAMIREZ
	1500	79	Shamp
	1800	79	Shamp
	2100	79	Shamp
	2400	79	Shamp

Wednesday

Date	Time	Temp.	Name (Print)
8/24	0300	77	K. GAMES
	0600	78	R. Dhalwala
	0900	79	R. Dhalwala
	1200	79	R. Dhalwala
	1500	79	Shamp
	1800	79	Shamp
	2100	79	Shamp
	2400	78	K. GAMES

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	77	K. GAMES
	0600	78	RIVAS, L.
	0900	78	RIVAS, L.
	1200	78	RIVAS, L.
	1500	78	Shamp
	1800	78	Shamp
	2100	78	Shamp
	2400	77	K. GAMES

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	77	K. GAMES
	0600	77	R. Dhalwala
	0900	77	RAMIREZ
	1200	75	RAMIREZ
	1500	78	Shamp
	1800	78	Shamp
	2100	78	Shamp
	2400	78	K. GAMES

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	77	K. GAMES
	0600	77	Abrey
	0900	77	Abrey
	1200	77	Abrey
	1500	77	Z. MASTRO
	1800	79	Z. MASTRO
	2100	78	Z. MASTRO
	2400	77	K. GAMES

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	77	K. GAMES
	0600	77	Velasquez
	0900	77	Velasquez
	1200	77	Velasquez
	1500	76	L. MASTRO
	1800	76	L. MASTRO
	2100	76	L. MASTRO
	2400	76	J. HIRACHETA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: A SIDE Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/14/24	0300	76	Hiracheta
	0600	76	Velasquez
	0900	76	Velasquez
	1200	76	Velasquez
	1500	76	Hernandez
	1800	76	Hiracheta
	2100	76	Hiracheta
	2400	76	Hiracheta

Wednesday

Date	Time	Temp.	Name (Print)
8/14-24	0300	76	K. Gaines
	0600	76	Abney
	0900	76	Abney
	1200	76	Abney
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. Gaines

Friday

Date	Time	Temp.	Name (Print)
8/16-24	0300	75	K. Gaines
	0600	75	R. Zaragoza Jr.
	0900	76	R. Zaragoza Jr.
	1200	76	R. Zaragoza Jr.
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	76	K. Gaines

Sunday

Date	Time	Temp.	Name (Print)
8/18-24	0300	74	K. Gaines
	0600	75°	J. Lujque
	0900	75°	J. Lujque
	1200	76°	J. Lujque
	1500	76	C. Vasquez
	1800	75	C. Vasquez
	2100	75	C. Vasquez
	2400	75	J. Hiracheta

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	76	Hiracheta
	0600	76	Abney
	0900	76	Abney
	1200	76	Abney
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	76	K. Gaines

Thursday

Date	Time	Temp.	Name (Print)
8/15-24	0300	75	K. Gaines
	0600	75	MEDINA
	0900	75	MEDINA
	1200	75	MEDINA
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. Gaines

Saturday

Date	Time	Temp.	Name (Print)
8/17-24	0300	75	K. Gaines
	0600	75	N. Mosarro
	0900	75	N. Mosarro
	1200	75	N. Mosarro
	1500	75	J. Hernandez
	1800	75	J. Hernandez
	2100	75	J. Hernandez
	2400	75	K. Gaines

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: A SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	75	J. HIRACHETA
	0600	75	Velasquez
	0900	75	Velasquez
	1200	75	Velasquez
	1500	75	H. Hernandez
	1800	75	H. Hernandez
	2100	75	H. Hernandez
	2400	75	H. Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	74	K. Gaines
	0600	75	A. Leon
	0900	75	A. Leon
	1200	75	A. Leon
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K. Gaines

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	73	K. Gaines
	0600	73	Mur
	0900	73	Mur
	1200	73	Mur
	1500	73	K. Gaines
	1800	73	K. Gaines
	2100	73	K. Gaines
	2400	72	K. Gaines

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	70	K. Gaines
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	71	L. Mastro
	1800	71	L. Mastro
	2100	70	L. Mastro
	2400	70	J. HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	75	J. HIRACHETA
	0600	75	A. Leon
	0900	74	A. Leon
	1200	75	A. Leon
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K. Gaines

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	74	K. Gaines
	0600	73	R. Clark
	0900	73	R. Clark
	1200	74°	R. Clark
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	73	K. Gaines

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	72	K. Gaines
	0600	72	A. Grey
	0900	72	A. Grey
	1200	75	A. Grey
	1500	72	R. Marazita
	1800	72	R. Marazita
	2100	72	R. Marazita
	2400	70	K. Gaines

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: ASIDE TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	70	HIRACHETA
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	HIRACHETA
	1800	70	HIRACHETA
	2100	70	HIRACHETA
	2400	70	HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	70	HIRACHETA
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	70	K. Gaines

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	70	K. Gaines
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	70	K. Gaines

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	70	K. Gaines
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	70	K. Gaines

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	70	K. Gaines
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	72	C. Vasquez
	1800	72	C. Vasquez
	2100	72	C. Vasquez
	2400	70	K. Gaines

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	70	K. Gaines
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	R. Vasquez
	1800	70	R. Vasquez
	2100	70	R. Vasquez
	2400	70	K. Gaines

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5

Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	75	K. GAMES
	0600	75	Abney
	0900	75	Abney
	1200	78	Abney
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. GAMES

Friday

Date	Time	Temp.	Name (Print)
8-24	0300	75	K. GAMES
	0600	75	ABNEY
	0900	75	ABNEY
	1200	78	ABNEY
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. GAMES

Saturday

Date	Time	Temp.	Name (Print)
8-24	0300	75	C. GAMES
	0600	75	Abney
	0900	78	Abney
	1200	78	Abney
	1500	78	R. GARCIA
	1800	78	R. GARCIA
	2100	77	R. GARCIA
	2400	75	K. GAMES

Sunday

Date	Time	Temp.	Name (Print)
8-24	0300	75	K. GAMES
	0600	77	Velasquez
	0900	77	Velasquez
	1200	77	Velasquez
	1500	78	L. MASTRO
	1800	78	L. MASTRO
	2100	78	L. MASTRO
	2400	78	J. HERRERA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/15/24	0300	78	HIRACHETA
	0600	77	Velasquez
	0900	77	Velazquez
	1200	77	Velazquez
	1500	77	HIRACHETA
	1800	77	HIRACHETA
	2100	77	HIRACHETA
	2400	77	HIRACHETA

Tuesday			
Date	Time	Temp.	Name (Print)
8/16/24	0300	77	HIRACHETA
	0600	77	RAMIREZ
	0900	77	RAMIREZ
	1200	77	RAMIREZ
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. GUNNIS

Wednesday			
Date	Time	Temp.	Name (Print)
8-7-24	0300	75	K. GUNNIS
	0600	78	R. Dhalwala
	0900	78	R. Dhalwala
	1200	78	R. Dhalwala
	1500	78	Shamp
	1800	78	Shamp
	2100	76	Shamp
	2400	75	K. GUNNIS

Thursday			
Date	Time	Temp.	Name (Print)
8-8-24	0300	75	K. GUNNIS
	0600	78	RIVAS, L.
	0900	78	RIVAS, L.
	1200	78	RIVAS, L.
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. GUNNIS

Friday			
Date	Time	Temp.	Name (Print)
8-9-24	0300	75	K. GUNNIS
	0600	75	RAMIREZ
	0900	76	RAMIREZ
	1200	76	RAMIREZ
	1500	76	Shamp
	1800	76	Shamp
	2100	76	Shamp
	2400	75	K. GUNNIS

Saturday			
Date	Time	Temp.	Name (Print)
8-10-24	0300	75	K. GUNNIS
	0600	75	Abney
	0900	75	Abney
	1200	77	T.C. GUNNIS
	1500	77	T.C. GUNNIS
	1800	78	T.C. GUNNIS
	2100	78	T.C. GUNNIS
	2400	75	K. GUNNIS

Sunday			
Date	Time	Temp.	Name (Print)
8-11-24	0300	75	K. GUNNIS
	0600	75	Velasquez
	0900	75	Velasquez
	1200	75	Velasquez
	1500	75	L. MASTRO
	1800	75	L. MASTRO
	2100	75	L. MASTRO
	2400	75	S. DIAZVINA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5

Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/ 12/24	0300	75	HIRACETTA
	0600	75	Velasquez
	0900	75	Velasquez
	1200	75	Velasquez
	1500	75	Velasquez
	1800	75	Velasquez
	2100	75	HIRACETTA
	2400	75	HIRACETTA

Tuesday			
Date	Time	Temp.	Name (Print)
8/ 13/24	0300	75	HIRACETTA
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K GRIMES

Wednesday			
Date	Time	Temp.	Name (Print)
8-14-24	0300	74	K GRIMES
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	73	K GRIMES

Thursday			
Date	Time	Temp.	Name (Print)
8-15-24	0300	73	K GRIMES
	0600	73	MEDINA
	0900	73	MEDINA
	1200	73	MEDINA
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	73	K GRIMES

Friday			
Date	Time	Temp.	Name (Print)
8-16-24	0300	73	K GRIMES
	0600	75	R. ZARAGOZA JR
	0900	74	R. ZARAGOZA JR
	1200	74	R. ZARAGOZA JR
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	73	K GRIMES

Saturday			
Date	Time	Temp.	Name (Print)
8-17-24	0300	73	R. GARCIA
	0600	73	N. MOJARDO
	0900	74	N. MOJARDO
	1200	74	N. MOJARDO
	1500	74	R. GARCIA
	1800	74	R. GARCIA
	2100	74	R. GARCIA
	2400	73	R. GARCIA

Sunday			
Date	Time	Temp.	Name (Print)
8-18-24	0300	72	K GRIMES
	0600	73	J. LUCILLE
	0900	73	J. LUCILLE
	1200	74	J. LUCILLE
	1500	74	S. VASQUEZ
	1800	73	S. VASQUEZ
	2100	73	S. VASQUEZ
	2400	75	S. HIRACETTA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5

Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/19/24	0300	72	J HIRAGOTO
	0600	72	Velasquez
	0900	72	Velasquez
	1200	72	VFC 1-59672
	1500	72	Hirokazu
	1800	72	Hirokazu
	2100	72	Hirokazu
	2400	72	Hirokazu

Tuesday			
Date	Time	Temp.	Name (Print)
8/20/24	0300	72	J Hirokazu
	0600	72	A Leon
	0900	73	A Leon
	1200	72	A Leon
	1500	73-72	A Leon Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	72	K Gaines

Wednesday			
Date	Time	Temp.	Name (Print)
8/21/24	0300	72	K Gaines
	0600	73	A Leon
	0900	73	A Leon
	1200	73	A Leon
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	72	K Gaines

Thursday			
Date	Time	Temp.	Name (Print)
8/22/24	0300	72	K Gaines
	0600	70	R. Alcal
	0900	70	R. Alcal
	1200	72	R. Alcal
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	70	K Gaines

Friday			
Date	Time	Temp.	Name (Print)
8/23/24	0300	70	K Gaines
	0600	70	Mir
	0900	70	Mir
	1200	70	Mir
	1500	70	K Gaines
	1800	70	K Gaines
	2100	70	K Gaines
	2400	70	K Gaines

Saturday			
Date	Time	Temp.	Name (Print)
8/24/24	0300	70	K Gaines
	0600	70	Abrey
	0900	70	Abrey
	1200	72	Abrey
	1500	70	J. Marquez
	1800	70	J. Marquez
	2100	70	J. Marquez
	2400	70	K Gaines

Sunday			
Date	Time	Temp.	Name (Print)
8/25/24	0300	70	K Gaines
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	71	L. MASTRO
	1800	71	L. MASTRO
	2100	70	L. MASTRO
	2400	70	J. HIRAGOTO

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/26/24</u>	0300	70	J. HIRACHETA
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	JIRACHETA
	1800	70	JIRACHETA
	2100	70	JIRACHETA
	2400	70	JIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/27/24</u>	0300	70	JIRACHETA
	0600	70	Abney
	0900	70	Abney
	1200	72	Abney
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	K Grimes

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/28-29/24</u>	0300	70	K Grimes
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	K Grimes

Thursday

Date	Time	Temp.	Name (Print)
<u>8/29-30/24</u>	0300	70	K Grimes
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	K Grimes

Friday

Date	Time	Temp.	Name (Print)
<u>8/30-31/24</u>	0300	70	K Grimes
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	C. VASQUEZ
	1800	70	C. VASQUEZ
	2100	70	C. VASQUEZ
	2400	70	K Grimes

Saturday

Date	Time	Temp.	Name (Print)
<u>8/31-9/1/24</u>	0300	70	K Grimes
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	C. VASQUEZ
	1800	70	C. VASQUEZ
	2100	70	C. VASQUEZ
	2400	70	K Grimes

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: INSIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	71	Wofford
	0600	71	I. SALAZAR
	0900	75	L. Lopez
	1200	75	L. Lopez
	1500	75	E. McLEOD
	1800	75	E. McLEOD
	2100	75	G. McLEOD
	2400	75	Wofford

Friday

Date	Time	Temp.	Name (Print)
8/1/24	0300	71	Wofford
	0600	71	I. SALAZAR
	0900	71	I. SALAZAR
	1200	74	I. SALAZAR
	1500	76	E. McLEOD
	1800	75	E. McLEOD
	2100	75	E. McLEOD
	2400	72	V. REYNOLDS

Saturday

Date	Time	Temp.	Name (Print)
8/1/24	0300	70	Wofford V. REYNOLDS
	0600	73	I. SALAZAR
	0900	74	I. SALAZAR
	1200	75	I. SALAZAR
	1500	75	A. REED
	1800	75	A. REED
	2100	75	A. REED
	2400	73	A. REED

Sunday

Date	Time	Temp.	Name (Print)
8/1/24	0300	73	A. REED
	0600	72	I. SALAZAR
	0900	74	I. SALAZAR
	1200	75	I. SALAZAR
	1500	75	A. REED
	1800	76	A. REED
	2100	75	A. REED
	2400	75	MARSHAL

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: A SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/5/24</u>	0300	75	MAMAUAS
	0600	76	MAMAUAS
	0900	78	MAMAUAS
	1200	78	MAMAUAS
	1500	78	EM'LEON
	1800	80	EM'LEON
	2100	78	EM'LEON
	2400	78	V. ROYNE

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/6/24</u>	0300	75	V. ROYNE
	0600	75	L. RICHTER
	0900	75	L. RICHTER
	1200	77	L. RICHTER
	1500	78	EM'LEON
	1800	79	EM'LEON
	2100	78	EM'LEON
	2400	78	V. ROYNE

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/7/24</u>	0300	75	V. ROYNE
	0600	75	L. RICHTER
	0900	74	L. RICHTER
	1200	79	L. RICHTER
	1500	80	EM'LEON
	1800	80	EM'LEON
	2100	78	EM'LEON
	2400	78	n offal

Thursday

Date	Time	Temp.	Name (Print)
<u>8/8/24</u>	0300	78	n offal
	0600	75	E. CALVO
	0900	75	E. CALVO
	1200	78	E. CALVO
	1500	78	EM'LEON
	1800	78	EM'LEON
	2100	78	EM'LEON
	2400	78	n offal

Friday

Date	Time	Temp.	Name (Print)
<u>8/9/24</u>	0300	78	n offal
	0600	75	E. CALVO
	0900	78	E. CALVO
	1200	78	E. CALVO
	1500	79	R. GONZALES
	1800	78	R. GONZALES
	2100	76	R. GONZALES
	2400	78	V. ROYNE

Saturday

Date	Time	Temp.	Name (Print)
<u>8/10/24</u>	0300	76	V. ROYNE
	0600	75	E. CALVO
	0900	76	E. CALVO
	1200	78	E. CALVO
	1500	78	J. RECALDO
	1800	78	J. RECALDO
	2100	78	J. RECALDO
	2400	78	V. ROYNE

Sunday

Date	Time	Temp.	Name (Print)
<u>8/11/24</u>	0300	75	V. ROYNE
	0600	75	P. MULLIGAN
	0900	75	P. MULLIGAN
	1200	75	P. MULLIGAN
	1500	75	J. RECALDO
	1800	75	J. RECALDO
	2100	75	J. RECALDO
	2400	75	S. SCHULZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: A SIDE Tier 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8.12.24	0300	75	S. Seville
	0600	75	E. CALVO
	0900	75	E. CALVO
	1200	78	E. CALVO
	1500	78	E. M. LEON
	1800	78	E. M. LEON
	2100	76	E. M. LEON
	2400	79	V. REYNOLDS

Tuesday

Date	Time	Temp.	Name (Print)
8.13.24	0300	71	V. REYNOLDS
	0600	70	A. AGUILERA
	0900	70	A. AGUILERA
	1200	72	A. AGUILERA
	1500	78	E. M. LEON
	1800	78	E. M. LEON
	2100	76	E. M. LEON
	2400	75	FIGUEROA

Wednesday

Date	Time	Temp.	Name (Print)
8.14.24	0300	70	F. GARCIA
	0600	72	Orbill
	0900	74	Orbill
	1200	74	Orbill
	1500	75	E. M. LEON
	1800	75	E. M. LEON
	2100	75	E. M. LEON
	2400	75	n offed

Thursday

Date	Time	Temp.	Name (Print)
8.15.24	0300	71	FIGUEROA
	0600	72	E. CALVO
	0900	74	E. CALVO
	1200	75	E. CALVO
	1500	75	E. M. LEON
	1800	75	E. M. LEON
	2100	75	E. M. LEON
	2400	75	walked

Friday

Date	Time	Temp.	Name (Print)
8.16.24	0300	75	n offed
	0600	73	E. CALVO
	0900	75	E. CALVO
	1200	75	E. CALVO
	1500	75	L. MONTOYA
	1800	75	L. MONTOYA
	2100	75	L. MONTOYA
	2400	75	V. REYNOLDS

Saturday

Date	Time	Temp.	Name (Print)
8.17.24	0300	71	V. REYNOLDS
	0600	71	E. CALVO
	0900	73	E. CALVO
	1200	75	E. CALVO
	1500	75	A. AGUILERA
	1800	75	A. AGUILERA
	2100	75	A. AGUILERA
	2400	74	V. REYNOLDS

Sunday

Date	Time	Temp.	Name (Print)
8.18.24	0300	71	V. REYNOLDS
	0600	72	E. CALVO
	0900	73	E. CALVO
	1200	75	E. CALVO
	1500	75	A. AGUILERA
	1800	75	A. AGUILERA
	2100	75	A. AGUILERA
	2400	71	V. REYNOLDS

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6

Temp. Reading Location: A SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/19/24</u>	0300	70	V. COYNE
	0600	72	E. CALVO
	0900	74	E. CALVO
	1200	74	E. CALVO
	1500	75	E. CALVO
	1800	75	E. CALVO
	2100	75	E. CALVO
	2400	73	V. COYNE

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/20/24</u>	0300	70	V. COYNE
	0600	70	S. RAMIREZ
	0900	74	S. RAMIREZ
	1200	74	S. RAMIREZ
	1500	78	E. CALVO
	1800	75	E. CALVO
	2100	78	E. CALVO
	2400	78	V. COYNE

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/21/24</u>	0300	70	V. COYNE
	0600	70	S. DBA
	0900	72	S. DBA
	1200	74	S. DBA
	1500	75	M. LEON
	1800	75	M. LEON
	2100	75	M. LEON
	2400	75	M. LEON

Thursday

Date	Time	Temp.	Name (Print)
<u>8/22/24</u>	0300	75	-
	0600	71	E. CALVO
	0900	72	E. CALVO
	1200	74	E. CALVO
	1500	75	E. CALVO
	1800	78	E. CALVO
	2100	72	E. CALVO
	2400	72	-

Friday

Date	Time	Temp.	Name (Print)
<u>8/23/24</u>	0300	72	-
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	72	E. CALVO
	1500	74	E. CALVO
	1800	74	E. CALVO
	2100	72	E. CALVO
	2400	70	V. COYNE

Saturday

Date	Time	Temp.	Name (Print)
<u>8/24/24</u>	0300	70	V. COYNE
	0600	70	A. MURRAY
	0900	70	A. MURRAY
	1200	70	A. MURRAY
	1500	70	A. MURRAY
	1800	72	A. MURRAY
	2100	72	A. MURRAY
	2400	70	V. COYNE

Sunday

Date	Time	Temp.	Name (Print)
<u>8/25/24</u>	0300	70	V. COYNE
	0600	70	C. EARNSHAW
	0900	70	C. EARNSHAW
	1200	71	C. EARNSHAW
	1500	72	C. EARNSHAW
	1800	72	C. EARNSHAW
	2100	72	A. REGARD
	2400	70	V. COYNE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OF #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: Dle Temp. Reading Location: 7 S. OG BP TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6671 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	70	V. REYN	
0600	70	E. CALVO	
0900	70	E. CALVO	
1200	71	E. CALVO	
1500	72		
1800	74	J. DIAZ	
2100	71	J. DIAZ	
2400	71	V. REYN	

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	V. REYN	
0600	70	E. CALVO	
0900	71	E. CALVO	
1200	71	E. CALVO	
1500	74	E. CALVO	
1800	71	E. CALVO	
2100	72	E. CALVO	
2400	71	Q. QUINTANA	

Friday

Date	Time	Temp.	Name (Print)
0300	71	Q. QUINTANA	
0600	70	E. CALVO	
0900	71	E. CALVO	
1200	72	E. CALVO	
1500	72	E. CALVO	
1800	71	E. CALVO	
2100	72	E. CALVO	
2400	72	V. REYN	

Sunday

Date	Time	Temp.	Name (Print)
0300	70	V. REYN	
0600	70	E. CALVO	
0900	72	E. CALVO	
1200	72	E. CALVO	
1500	71	E. CALVO	
1800	71	E. CALVO	
2100	72	E. CALVO	
2400	74	V. REYN	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	V. REYN	
0600	70	E. CALVO	
0900	70	E. CALVO	
1200	72	E. CALVO	
1500	70	M. LEON	
1800	74	A. VECI	
2100	72	A. VECI	
2400	71	V. REYN	

Thursday

Date	Time	Temp.	Name (Print)
0300	72	Q. QUINTANA	
0600	70	E. CALVO	
0900	74	E. CALVO	
1200	76	E. CALVO	
1500	75	E. CALVO	
1800	74	E. CALVO	
2100	72	E. CALVO	
2400	72	Q. QUINTANA	

Saturday

Date	Time	Temp.	Name (Print)
0300	72	Q. QUINTANA	
0600	70	E. CALVO	
0900	71	E. CALVO	
1200	72	E. CALVO	
1500	75	E. CALVO	
1800	75	E. CALVO	
2100	75	E. CALVO	
2400	72	V. REYN	

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

(B) Institution: WSP Housing Unit: D6 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/1/24	0300	71	WOFFORD
	0600	72	I. SALAZAR
	0900	73	I. SALAZAR
	1200	73	I. SALAZAR
	1500	75	EM'LEON
	1800	75	EM'LEON
	2100	75	EM'LEON
	2400	72	V. REYNOLDS

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	76	A. RAYNO
	0600	77	I. SALAZAR
	0900	74	I. SALAZAR
	1200	75	I. SALAZAR
	1500	75	A. REED
	1800	75	A. REED
	2100	75	A. REED
	2400	75	MAMAWA

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	71	WOFFORD
	0600	71	I. SALAZAR
	0900	71	I. SALAZAR
	1200	70	I. SALAZAR
	1500	75	EM'LEON
	1800	75	EM'LEON
	2100	75	EM'LEON
	2400	75	EM'LEON

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	70	WOFFORD V. REYNOLDS
	0600	73	I. SALAZAR
	0900	73	I. SALAZAR
	1200	75	I. SALAZAR
	1500	75	A. REED
	1800	75	A. REED
	2100	75	A. REED
	2400	73	A. REED

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	75	MAMASAC
	0600	76	Manson
	0900	78	Manson
	1200	78	Mordan
	1500	78	EM'LEON
	1800	80	EM'LEON
	2100	78	EM'LEON
	2400	78	V. REYN

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	75	V. REYN
	0600	75	E. CALVO
	0900	76	E. CALVO
	1200	77	E. CALVO
	1500	80	E. CALVO
	1800	80	E. CALVO
	2100	78	E. CALVO
	2400	78	V. REYN

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	76	V. REYN
	0600	75	E. CALVO
	0900	76	E. CALVO
	1200	78	E. CALVO
	1500	78	R. GONZALEZ
	1800	78	R. GONZALEZ
	2100	78	R. GONZALEZ
	2400	78	V. REYN

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	75	V. REYN
	0600	75°	P. MILLIGAN
	0900	75°	P. MILLIGAN
	1200	75°	P. MILLIGAN
	1500	75	R. GONZALEZ
	1800	75	R. GONZALEZ
	2100	75	R. GONZALEZ
	2400	75	S. SEVILLA

Tuesday

Date	Time	Temp.	Name (Print)
8/8/24	0300	75	V. REYN
	0600	75	L. RICHER
	0900	75	L. RICHER
	1200	77	L. RICHER
	1500	78	EM'LEON
	1800	78	EM'LEON
	2100	78	EM'LEON
	2400	78	V. REYN

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	78	ALLEN
	0600	75	E. CALVO
	0900	75	E. CALVO
	1200	78	E. CALVO
	1500	79	EM'LEON
	1800	79	EM'LEON
	2100	78	EM'LEON
	2400	78	ALLEN

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	78	ALLEN
	0600	75	E. CALVO
	0900	78	E. CALVO
	1200	78	E. CALVO
	1500	73	R. GONZALEZ
	1800	79	R. GONZALEZ
	2100	76	R. GONZALEZ
	2400	78	V. REYN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: B SIDE Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8.12.24	0300	75	S. SEVILLA
	0600	75	E. CALVO
	0900	75	E. CALVO
	1200	78	E. CALVO
	1500	78	E. CALVO
	1800	78	E. CALVO
	2100	78	E. CALVO
	2400	78	V. REYNOLDS

Tuesday

Date	Time	Temp.	Name (Print)
8.13.24	0300	71	V. REYNOLDS
	0600	70	A. ARGUELLO
	0900	70	A. ARGUELLO
	1200	72	A. ARGUELLO
	1500	78	E. CALVO
	1800	78	E. CALVO
	2100	75	E. CALVO
	2400	75	F. FIGUEROA

Wednesday

Date	Time	Temp.	Name (Print)
8.14.24	0300	70	P. MARTINEZ
	0600	72	G. GRABILL
	0900	74	G. GRABILL
	1200	74	G. GRABILL
	1500	75	E. CALVO
	1800	75	E. CALVO
	2100	75	E. CALVO
	2400	75	K. REYNOLDS

Thursday

Date	Time	Temp.	Name (Print)
8.15.24	0300	71	F. FIGUEROA
	0600	72	E. CALVO
	0900	74	E. CALVO
	1200	75	E. CALVO
	1500	76	D. YELLOO
	1800	75	E. CALVO
	2100	75	E. CALVO
	2400	75	- off duty

Friday

Date	Time	Temp.	Name (Print)
8.16.24	0300	75	M. ALFARO
	0600	73	E. CALVO
	0900	75	E. CALVO
	1200	75	E. CALVO
	1500	75	F. FIGUEROA
	1800	75	R. ALEXANDER
	2100	75	R. ALEXANDER
	2400	75	V. REYNOLDS

Saturday

Date	Time	Temp.	Name (Print)
8.17.24	0300	71	V. REYNOLDS
	0600	71	E. CALVO
	0900	73	E. CALVO
	1200	75	E. CALVO
	1500	75	M. REED
	1800	75	M. REED
	2100	75	J. VARGAS
	2400	74	V. REYNOLDS

Notes

Date	Time	Temp.	Name (Print)
8.18.24	0300	71	V. REYNOLDS
	0600	72	E. CALVO
	0900	73	E. CALVO
	1200	75	E. CALVO
	1500	75	M. REED
	1800	75	M. REED
	2100	75	A. MELCHOR
	2400	71	V. REYNOLDS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: B SIDE TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/18	0300	70	V. ROYNE
	0600	72	E. CALVO
	0900	74	E. CALVO
	1200	74	E. CALVO
	1500	75	EMILEON
	1800	75	EMILEON
	2100	75	EMILEON
	2400	73	V. ROYNE

Tuesday

Date	Time	Temp.	Name (Print)
8/20/18	0300	70	V. ROYNE
	0600	70	S. RAMIREZ
	0900	74	S. RAMIREZ
	1200	74	S. RAMIREZ
	1500	75	EMILEON
	1800	75	EMILEON
	2100	75	EMILEON
	2400	72	V. ROYNE

Wednesday

Date	Time	Temp.	Name (Print)
8/21/18	0300	70	V. ROYNE
	0600	70	S. OBA
	0900	72	S. OBA
	1200	74	S. OBA
	1500	75	EMILEON
	1800	75	EMILEON
	2100	75	EMILEON
	2400	75	noted

Thursday

Date	Time	Temp.	Name (Print)
8/22/18	0300	75	-off
	0600	71	E. CALVO
	0900	72	E. CALVO
	1200	74	E. CALVO
	1500	75	EMILEON
	1800	75	EMILEON
	2100	72	EMILEON
	2400	72	-off

Friday

Date	Time	Temp.	Name (Print)
8/23/18	0300	75	-off
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	72	E. CALVO
	1500	74	EMILEON
	1800	74	EMILEON
	2100	72	EMILEON
	2400	70	V. ROYNE

Saturday

Date	Time	Temp.	Name (Print)
8/24/18	0300	70	V. ROYNE
	0600	70	A. AGUILERA
	0900	70	A. AGUILERA
	1200	70	A. AGUILERA
	1500	70	A. AGUILERA
	1800	72	A. AGUILERA
	2100	72	A. AGUILERA
	2400	70	V. ROYNE

Sunday

Date	Time	Temp.	Name (Print)
8/25/18	0300	70	V. ROYNE
	0600	70	C. FARNES
	0900	70	C. FARNES
	1200	71	C. FARNES
	1500	72	A. AGUILERA
	1800	72	A. AGUILERA
	2100	72	A. AGUILERA
	2400	70	V. ROYNE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (0412)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: INSIDE TOP TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/21	0300	70	V. Reynal
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	71	E. CALVO
	1500	72	
	1800	72	
	2100	72	D. Cap
	2400	71	V. Reynal

Wednesday

Date	Time	Temp.	Name (Print)
8/28/21	0300	70	V. REYNAL
	0600	70	Chavez
	0900	71	Chavez
	1200	71	Chavez
	1500	74	E. CALVO
	1800	74	E. CALVO
	2100	72	E. CALVO
	2400	72	QUINTANA

Friday

Date	Time	Temp.	Name (Print)
8/30/21	0300	72	QUINTANA
	0600	70	E. CALVO
	0900	71	E. CALVO
	1200	72	E. CALVO
	1500	72	E. CALVO
	1800	75	E. CALVO
	2100	72	E. CALVO
	2400	72	V. REYNAL

Sunday

Date	Time	Temp.	Name (Print)
9/1/21	0300	70	V. REYNAL
	0600	70	E. CALVO
	0900	72	E. CALVO
	1200	72	E. CALVO
	1500	74	E. CALVO
	1800	75	E. CALVO
	2100	75	E. CALVO
	2400	74	V. REYNAL

Tuesday

Date	Time	Temp.	Name (Print)
8/27/21	0300	70	V. REYNAL
	0600	70	Chavez
	0900	70	Chavez
	1200	72	Chavez
	1500	74	M. LEON
	1800	74	M. LEON
	2100	72	M. LEON
	2400	71	V. REYNAL

Thursday

Date	Time	Temp.	Name (Print)
8/29/21	0300	72	QUINTANA
	0600	70	E. CALVO
	0900	74	E. CALVO
	1200	76	E. CALVO
	1500	78	E. CALVO
	1800	74	E. CALVO
	2100	72	E. CALVO
	2400	72	QUINTANA

Saturday

Date	Time	Temp.	Name (Print)
8/31/21	0300	72	QUINTANA
	0600	70	E. CALVO
	0900	71	E. CALVO
	1200	72	E. CALVO
	1500	75	E. CALVO
	1800	75	E. CALVO
	2100	72	E. CALVO
	2400	72	V. REYNAL

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator.

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st ~~_____~~
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	Rodriguez
	0600	74	J. ELIAS
	0900	78	J. ELIAS
	1200	80 79	J. ELIAS
	1500	79	A MARTINER
	1800	80	A MARTINER
	2100	80	A MARTINER
	2400	79	Reyes

Friday

Date	Time	Temp.	Name (Print)
	0300	77	Reyes
	0600	74	J. ELIAS
	0900	77	J. ELIAS
	1200	78	J. ELIAS
	1500	79	A. LOPEZ
	1800	79	Ramos
	2100	79	Ramos
	2400	78	S. Delgadillo

Saturday

Date	Time	Temp.	Name (Print)
	0300	77	S. Delgadillo
	0600	76	J. Perez
	0900	78	J. Perez
	1200	79	J. Perez
	1500	81	Ramos
	1800	81	Ramos
	2100	81	Ramos
	2400	79	S. Delgadillo

Sunday

Date	Time	Temp.	Name (Print)
	0300	79	S. Delgadillo
	0600	79	J. Perez
	0900	79	S. Delgadillo
	1200	80	J. Perez
	1500	80	Ramos
	1800	82	Ramos
	2100	82	Ramos
	2400	81	S. Delgadillo

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/5/24</u>	0300	80	S. Delgadillo
	0600	80	J. Perez
	0900	80	J. Perez
	1200	81	J. Perez
	1500	82	M. Ortega
	1800	82	M. Ortega
	2100	81	M. Ortega
	2400	81	J. Dominguez

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/7/24</u>	0300	80	S. Delgadillo
	0600	80	J. Elias
	0900	81	J. Elias
	1200	81	J. Elias
	1500	81	A. Lopez
	1800	82	A. Lopez
	2100	82	A. Lopez
	2400	81	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
<u>8/9/24</u>	0300	80	J. Dominguez
	0600	79	J. Perez
	0900	80	J. Perez
	1200	80	J. Elias
	1500	82	Ramos
	1800	82	Ramos
	2100	81	Ramos
	2400	81	S. Delgadillo

Sunday

Date	Time	Temp.	Name (Print)
<u>8/11/24</u>	0300	79	S. Delgadillo
	0600	79	J. Perez
	0900	79	J. Perez
	1200	80	J. Perez
	1500	81	E. Bustos
	1800	81	E. Bustos
	2100	80	E. Bustos
	2400	80	S. Delgadillo

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/16/24</u>	0300	80	J. Dominguez
	0600	78	J. Perez
	0900	79	J. Perez
	1200	80	J. Perez
	1500	82	M. Zimmerman
	1800	82	M. Zimmerman
	2100	82	M. Zimmerman
	2400	81	S. Delgadillo

Thursday

Date	Time	Temp.	Name (Print)
<u>8/18/24</u>	0300	80	J. Dominguez
	0600	80	J. Elias
	0900	80	J. Elias
	1200	80	J. Elias
	1500	81°	A. Martinez
	1800	81°	A. Martinez
	2100	81°	A. Martinez
	2400	81°	J. Dominguez

Saturday

Date	Time	Temp.	Name (Print)
<u>8/10/24</u>	0300	80	S. Delgadillo
	0600	78	J. Perez
	0900	80	J. Perez
	1200	81	J. Perez
	1500	82	Ramos
	1800	82	Ramos
	2100	81	Ramos
	2400	80	S. Delgadillo

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	79	S. Delgadillo
	0600	79	L. Martin
	0900	79	L. Martin
	1200	80	L. Martin
	1500	80	F. Ortiz
	1800	80	F. Ortiz
	2100	80	F. Ortiz
	2400	80	S. Delgadillo

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	80	S. Delgadillo
	0600	78	J. Perez
	0900	79	J. Perez
	1200	80	J. Perez
	1500	80	U. Ortega
	1800	80	U. Ortega
	2100	79	U. Ortega
	2400	80	S. Delgadillo

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	79	S. Delgadillo
	0600	77	J. Elias
	0900	77	J. Elias
	1200	78	J. Elias
	1500	80°	A. Martinez
	1800	80°	A. Martinez
	2100	79°	A. Martinez
	2400	78	J. Dominguez

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	78	J. Dominguez
	0600	76	J. Elias
	0900	77	J. Elias
	1200	78	J. Elias
	1500	79°	A. Martinez
	1800	79°	A. Martinez
	2100	80°	A. Martinez
	2400	80°	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	79	J. Dominguez
	0600	78	J. Perez
	0900	78	J. Perez
	1200	79	J. Perez
	1500	80	R. James
	1800	79	R. James
	2100	80	R. James
	2400	79	A. Ortiz

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	77	A. Ortiz
	0600	77	J. Perez
	0900	77	J. Perez
	1200	78	J. Perez
	1500	79°	A. Lopez
	1800	80	R. James
	2100	80	R. James
	2400	79	A. Ortiz

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	79	A. Ortiz
	0600	79	A. Ortiz
	0900	79	J. Perez
	1200	79	J. Perez
	1500	79	R. James
	1800	79	R. James
	2100	78	R. James
	2400	78	S. Delgadillo

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	78	S. Delgadillo
	0600	74	J. Perez
	0900	77	J. Perez
	1200	78	J. Perez
	1500	78	E. Ortiz
	1800	79	E. Ortiz
	2100	80	E. Ortiz
	2400	79	S. Delgadillo

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	78	S. Delgadillo
	0600	76	J. Perez
	0900	74	J. Perez
	1200	77	J. Perez
	1500	77	Z. Zimmerman
	1800	77	Z. Zimmerman
	2100	77	Z. Zimmerman
	2400	79	S. Delgadillo

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	78	S. Delgadillo
	0600	78°	R. Dhaliwal
	0900	78°	R. Dhaliwal
	1200	79°	R. Dhaliwal
	1500	78°	A. Martinez
	1800	80°	A. Martinez
	2100	80°	A. Martinez
	2400	78	J. Dominguez

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	78	J. Dominguez
	0600	79	R. Dhaliwal
	0900	78°	R. Dhaliwal
	1200	78°	R. Dhaliwal
	1500	78°	A. Martinez
	1800	78°	A. Martinez
	2100	79°	A. Martinez
	2400	78	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	72	J. Dominguez
	0600	73°	R. Dhaliwal
	0900	75°	R. Dhaliwal
	1200	75°	R. Dhaliwal
	1500	74	S. Moreno
	1800	75	S. Moreno
	2100	74	S. Moreno
	2400	74	S. Delgadillo

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	72	S. Delgadillo
	0600	72	A. Carrillo
	0900	72	J. Perez
	1200	72	J. Perez
	1500	78	Ramirez
	1800	76	Ramirez
	2100	76	Ramirez
	2400	76	S. Delgadillo

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	74	S. Delgadillo
	0600	72	J. Perez
	0900	73	J. Perez
	1200	74	J. Perez
	1500	76	Ramirez
	1800	76	Ramirez
	2100	74	Ramirez
	2400	72	S. Delgadillo

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	76	S. Delgadillo
	0600	71	J. Perez
	0900	72	J. Perez
	1200	72	J. Perez
	1500	75	M. Ortega
	1800	75	M. Ortega
	2100	74	M. Ortega
	2400	75	M. Valencia

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	75	M. Valencia
	0600	73	J. Perez
	0900	73	J. Perez
	1200	77	J. Perez
	1500	78	M. Ortega
	1800	78	M. Ortega
	2100	79	M. Ortega
	2400	78	S. Delgadillo

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	76	S. Delgadillo
	0600	72	J. Elias
	0900	73	J. Elias
	1200	77	J. Elias
	1500	79°	A. Martinez
	1800	80°	A. Martinez
	2100	80°	A. Martinez
	2400	78°	J. DOMINGUEZ

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	77	J. DOMINGUEZ
	0600	73	J. ELIAS
	0900	74	J. ELIAS
	1200	76	J. ELIAS
	1500	77	M. Leon
	1800	78	M. Leon
	2100	78	M. Leon
	2400	78	E. Gonzalez

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	78	E. Gonzalez
	0600	72	J. Perez
	0900	73	J. Perez
	1200	78	J. Perez
	1500	80	Ramirez
	1800	78	Ramirez
	2100	78	Ramirez
	2400	76	Delgadillo

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	77	S. Delgadillo
	0600	75	Rivas, L.
	0900	75	Rivas, L.
	1200	74	Rivas, L.
	1500	78	Ramirez
	1800	78	Ramirez
	2100	78	Ramirez
	2400	78	S. Delgadillo

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	77	S. Delgadillo
	0600	75°	S. ENRIQUEZ
	0900	76°	S. ENRIQUEZ
	1200	76°	S. ENRIQUEZ
	1500	79°	A. Smith
	1800	78°	A. Smith
	2100	78	M. ANDERSON
	2400	78	S. Delgadillo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M 1 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
3/11/24	0300	78°	S. Mariano
	0600	78°	S. Medina
	0900	80	S. Medina
	1200	80	S. Medina
	1500	80	I. Dominguez
	1800	80	I. Dominguez
	2100	85	I. Dominguez
	2400	90°	A. Pascual

Friday

Date	Time	Temp.	Name (Print)
3/22/24	0300	79	M. Pascual
	0600	80	M. Pascual
	0900	80	J. Munoz
	1200	80	J. Munoz
	1500	80	Dominguez 2
	1800	80	Dominguez 2
	2100	80	Dominguez 2
	2400	76	Gonzales

Saturday

Date	Time	Temp.	Name (Print)
3/23/24	0300	76	Gonzales
	0600	76	Gonzales
	0900	76	J. Munoz
	1200	76	J. Munoz
	1500	85°	Dominguez 2
	1800	85°	Dominguez 2
	2100	85°	J. Munoz
	2400	83	J. Munoz

Sunday

Date	Time	Temp.	Name (Print)
3/24/24	0300	79	J. Munoz
	0600	79	Munoz
	0900	82	Munoz
	1200	84	Munoz
	1500	84	Munoz
	1800	84	Munoz
	2100	84	Munoz
	2400	84	J. Munoz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	77	J.DUNN
	0600	77	BARRON
	0900	78	BARRON
	1200	80	BARRON
	1500	86	M.Pascual
	1800	86	M.Pascual
	2100	86	M.Pascual
	2400	86	A.FONSECA

Tuesday			
Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	80	A.FONSECA
	0600	82	BARRON
	0900	82	BARRON
	1200	84	BARRON
	1500	85	DOMINGUEZ
	1800	85	DOMINGUEZ
	2100	85	DOMINGUEZ
	2400	88	MAMAUAK

Wednesday			
Date	Time	Temp.	Name (Print)
<u>8/25</u>	0300	81	MAMAUAK
	0600	84	S.METIVA
	0900	85	S.METIVA
	1200	86	S.METIVA
	1500	90°	J.Dominguez
	1800	89°	J.Dominguez
	2100	89°	J.Dominguez
	2400	86	Gonzales

Thursday			
Date	Time	Temp.	Name (Print)
<u>8/25</u>	0300	81	Gonzales
	0600	83	S.METIVA
	0900	86	S.METIVA
	1200	87	S.METIVA
	1500	89°	Dominguez
	1800	89°	Dominguez
	2100	89°	Dominguez
	2400	88	Dominguez

Friday			
Date	Time	Temp.	Name (Print)
<u>8/26</u>	0300	84	Dominguez
	0600	82	BARRON
	0900	84	BARRON
	1200	88	BARRON
	1500	88	Dominguez
	1800	88	Dominguez
	2100	87	Dominguez
	2400	87	Dominguez

Saturday			
Date	Time	Temp.	Name (Print)
<u>8/27</u>	0300	87	Dominguez
	0600	87	Dominguez
	0900	85	BARRON
	1200	88	BARRON
	1500	87	Dominguez
	1800	87	Dominguez
	2100	87	Dominguez
	2400	86	J.Dominguez

Sunday			
Date	Time	Temp.	Name (Print)
<u>8/28</u>	0300	85	J.DUNN
	0600	83	BARRON
	0900	86	BARRON
	1200	88	BARRON
	1500	89	M.Pascual
	1800	88	M.Pascual
	2100	88	M.Pascual
	2400	88	J.DUNN

Notes

NOTIFIED SGT. TO NOTIFY 8-7-24
WATCH COMMANDER @ 1520HRS. 90° INSIDE
1515 TEMP @ 89° OFFSTAGE 2.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: Door Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/12/24</u>	0300	84	J. DUNN
	0600	84	J. DUNN
	0900	85	BARRON
	1200	87	BARRON
	1500	87	BARRON
	1800	86	PASCUAL
	2100	88	PASCUAL
	2400	85	GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/13/24</u>	0300	84	GONZALEZ
	0600	84	BARRON
	0900	85	BARRON
	1200	88	BARRON
	1500	88	G. ZARAGOZA
	1800	88	G. ZARAGOZA
	2100	86	G. ZARAGOZA
	2400	81	E. GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/14/24</u>	0300	78	F. GONZALEZ
	0600	81	S. MEJIA
	0900	81	S. MEJIA
	1200	81	CEDROZOS
	1500	80	DOMINIQUEZ
	1800	80	DOMINIQUEZ
	2100	78	DOMINIQUEZ
	2400	78	B. GRIMES

Thursday

Date	Time	Temp.	Name (Print)
<u>8/15/24</u>	0300	81	B. GRIMES
	0600	820	N. MORENO
	0900	820	N. MORENO
	1200	820	N. MORENO
	1500	80	DOMINIQUEZ
	1800	78	DOMINIQUEZ
	2100	78	DOMINIQUEZ
	2400	78	S. DELA

Friday

Date	Time	Temp.	Name (Print)
<u>8/16/24</u>	0300	77	S. DELA ROSA
	0600	76	BARRON
	0900	77	BARRON
	1200	78	BARRON
	1500	78	DOMINIQUEZ
	1800	78	DOMINIQUEZ
	2100	78	DOMINIQUEZ
	2400	78	R. MORENO

Saturday

Date	Time	Temp.	Name (Print)
<u>8/17/24</u>	0300	78	R. MORENO
	0600	77	R. MORENO
	0900	78	BARRON
	1200	79	BARRON
	1500	81	Dominguez
	1800	82	Dominguez
	2100	84	Dominguez
	2400	83	J. DUNN

Sunday

Date	Time	Temp.	Name (Print)
<u>8/18/24</u>	0300	82	J. DUNN
	0600	80	BARRON
	0900	80	BARRON
	1200	81	BARRON
	1500	83	PASCUAL
	1800	84	PASCUAL
	2100	82	PASCUAL
	2400	82	J. DUNN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/13/24	0300	83	J. DUNN
	0600	82	J. DUNN
	0900	82	BATIRON
	1200	83	BARRON
	1500	82	A. RIVERA
	1800	84	A. RIVERA
	2100	84	A. RIVERA
	2400	83	S. SEVILLE

Tuesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	83	S. SEVILLE
	0600	80	Dominquez
	0900	80	Dominquez
	1200	80	Dominquez
	1500	80	Dominquez
	1800	79	Dominquez
	2100	79	Dominquez
	2400	80	S. SEVILLE

Wednesday

Date	Time	Temp.	Name (Print)
8/15/24	0300	80	S. SEVILLE
	0600	80	S. RIVERA
	0900	80	S. RIVERA
	1200	81	S. RIVERA
	1500	80	Dominquez
	1800	80	Dominquez
	2100	80	Dominquez
	2400	80	F. HARVEY

Thursday

Date	Time	Temp.	Name (Print)
8/16/24	0300	79	F. HARVEY
	0600	79	F. HARVEY
	0900	80	S. MEJIA
	1200	81	S. MEJIA
	1500	80	Dominquez
	1800	80	Dominquez
	2100	80	Dominquez
	2400	79	Dominquez

Friday

Date	Time	Temp.	Name (Print)
8/17/24	0300	79	Dominquez
	0600	78	BARRON
	0900	79	BATIRON
	1200	80	BATIRON
	1500	79	ZELAYA
	1800	78	ZELAYA
	2100	78	ZELAYA
	2400	79	Gonzales

Saturday

Date	Time	Temp.	Name (Print)
8/18/24	0300	79	GONZALES
	0600	79	BATIRON
	0900	80	BARRON
	1200	81	BATIRON
	1500	82	ZELAYA
	1800	81	ZELAYA
	2100	80	ZELAYA
	2400	80	J. DUNN

Sunday

Date	Time	Temp.	Name (Print)
8/19/24	0300	80	J. DUNN
	0600	80	J. DUNN
	0900	80	BATIRON
	1200	81	BATIRON
	1500	80	J. RUFFY
	1800	80	J. RUFFY
	2100	80	J. RUFFY
	2400	80	J. DUNN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

6/26/24

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: Day Room
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/24			
Date	Time	Temp.	Name (Print)
8/26/24	0300	80	J. DUNN
	0600	79	J. DUNN
	0900	80	BARRON
	1200	81	BARRON
	1500	81	J. RUFFY
	1800	81	J. RUFFY
	2100	81	J. RUFFY
	2400	79	S. SEVILLE

Wednesday 8/28/24			
Date	Time	Temp.	Name (Print)
8/28/24	0300	80	S. SEVILLE
	0600	81	S. MOTIA
	0900	82	M. AMAYA
	1200	82	M. AMAYA
	1500	82	DOMINIQUE
	1800	82	DOMINIQUE
	2100	82	DOMINIQUE
	2400	83	S. MORENO

Friday 8/30/24			
Date	Time	Temp.	Name (Print)
8/30/24	0300	80	COBB
	0600	78	BARRON
	0900	79	BARRON
	1200	80	BARRON
	1500	85	DOMINIQUE
	1800	85	DOMINIQUE
	2100	89	COBB
	2400	80	COBB

Sunday 9-1-24			
Date	Time	Temp.	Name (Print)
9/1/24	0300	80	GANNON
	0600	78	BARRON
	0900	79	BARRON
	1200	81	BARRON
	1500	82	J. RUFFY
	1800	84	J. RUFFY
	2100	89	J. RUFFY
	2400	90	J. DUNN

Tuesday 8/27/24			
Date	Time	Temp.	Name (Print)
8/27/24	0300	79	S. SEVILLE
	0600	79	DOMINIQUE
	0900	79	DOMINIQUE
	1200	79	DOMINIQUE
	1500	80	DOMINIQUE
	1800	80	DOMINIQUE
	2100	80	DOMINIQUE
	2400	80	S. SEVILLE

Thursday 8/29/24			
Date	Time	Temp.	Name (Print)
8/29/24	0300	82	S. MORENO
	0600	82	S. MEJIA
	0900	81	S. MEJIA
	1200	82	S. MEJIA
	1500	82	DOMINIQUE
	1800	82	DOMINIQUE
	2100	80	DOMINIQUE
	2400	80	D. COBB

Saturday 8/31/24			
Date	Time	Temp.	Name (Print)
8/31/24	0300	80	COBB
	0600	78	BARRON
	0900	79	BARRON
	1200	80	BARRON
	1500	80	DOMINIQUE
	1800	80	DOMINIQUE
	2100	80	DOMINIQUE
	2400	80	GANNON

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP - RC Housing Unit: M2

Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	78	CERAVEL
	0600	74	MALLAND
	0900	74	MALLAND
	1200	74	Mallard
	1500	78	ESQUIVEL
	1800	78	ESQUIVEL
	2100	81	ESQUIVEL
	2400	81	J. DUNN

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	81	J. DUNN
	0600	81	J. DUNN
	0900	78	Mallard
	1200	78	Mallard
	1500	78	M. ESQUIVEL
	1800	80	M. ESQUIVEL
	2100	82	M. ESQUIVEL
	2400	81	J. DUNN

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	81	J. DUNN
	0600	81	J. DUNN
	0900	81	M. ESQUIVEL
	1200	82	M. ESQUIVEL
	1500	81	M. ESQUIVEL
	1800	82	M. ESQUIVEL
	2100	82	M. ESQUIVEL
	2400	84	Flores

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	81	Flores
	0600	79	J. RUFFY
	0900	81	J. RUFFY
	1200	81	J. RUFFY
	1500	82	M. ESQUIVEL
	1800	83	M. ESQUIVEL
	2100	83	M. ESQUIVEL
	2400	83	M. ESQUIVEL

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: M2 Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/18	0300	84	C. LUNEN
	0600	80	MALLARD
	0900	82	MALLARD
	1200	84	MALLARD
	1500	86	OITR
	1800	86	OITR
	2100	86	OITR
	2400	79	A. TACIAS

Wednesday

Date	Time	Temp.	Name (Print)
8/7/18	0300	79	A. TACIAS
	0600	82	Mallard
	0900	84	Mallard
	1200	86	Mallard
	1500	86	M. Pascual
	1800	86	M. Pascual
	2100	86	M. Pascual
	2400	83	A. TACIAS

Friday

Date	Time	Temp.	Name (Print)
8/9/18	0300	84	J. Duvn
	0600	82	J. Duvn
	0900	84	MALLARD
	1200	86	MALLARD
	1500	88	OITR
	1800	88	OITR
	2100	88	OITR
	2400	86	J. RICO

Sunday

Date	Time	Temp.	Name (Print)
8/11/18	0300	87	K. Peay
	0600	87	S. GANOR
	0900	87	S. GANOR
	1200	87	S. GANOR
	1500	88	OITR
	1800	88	OITR
	2100	88	OITR
	2400	86	DOMINIQUE

Tuesday

Date	Time	Temp.	Name (Print)
8/6/18	0300	79	A. TACIAS
	0600	80	Mallard
	0900	82	Mallard
	1200	84	Mallard
	1500	84	M. Pascual
	1800	86	M. Pascual
	2100	86	M. Pascual
	2400	79	A. TACIAS

Thursday

Date	Time	Temp.	Name (Print)
8/14/18	0300	83	A. TACIAS
	0600	81	Mallard
	0900	84	Mallard
	1200	84	MALLARD
	1500	88	OITR
	1800	88	OITR
	2100	88	OITR
	2400	86	J. Duvn

Saturday

Date	Time	Temp.	Name (Print)
8/10/18	0300	84	J. RICO
	0600	82	J. RICO
	0900	82	S. GANOR
	1200	83	S. GANOR
	1500	84	OITR
	1800	88	OITR
	2100	88	OITR
	2400	88	K. Peay

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: M2

Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6601 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/12/18	0300	80	DOMINGUEZ
	0600	80	Dominguez
	0900	80	mallon
	1200	80	mallon
	1500	90	OJIL
	1800	86	OJIL
	2100	82	OJIL
	2400	80	ATACAS

Tuesday

Date	Time	Temp.	Name (Print)
5/13/18	0300	80	A.YACIAS
	0600	80	MALLARD
	0900	80	MALLARD
	1200	80	Mallard
	1500	82	Pascual
	1800	86	Pascual
	2100	84	Pascual
	2400	80	ATACAS

Wednesday

Date	Time	Temp.	Name (Print)
5/14/18	0300	80	ATACAS
	0600	80	Dominguez
	0900	80	Dominguez
	1200	80	Dominguez
	1500	80	RUBIO
	1800	80	RUBIO
	2100	80	RUBIO
	2400	79	ATACAS

Thursday

Date	Time	Temp.	Name (Print)
5/15/18	0300	79	ATACAS
	0600	79	ATACAS
	0900	79	ATACAS
	1200	79	ATACAS
	1500	78	J.Dunn
	1800	78	J.Dunn
	2100	77	J.Dunn
	2400	77	J.Dunn

Friday

Date	Time	Temp.	Name (Print)
5/16/18	0300	77	J.Dunn
	0600	77	J.Dunn
	0900	78	J.Dunn
	1200	78	J.Dunn
	1500	80	DYARBER
	1800	81	DYARBER
	2100	82	DYARBER
	2400	82	J.Dunn

Saturday

Date	Time	Temp.	Name (Print)
5/17/18	0300	81	J.Dunn
	0600	81	SORIA
	0900	81	SORIA
	1200	81	SORIA
	1500	81	PASCUAL
	1800	81	PASCUAL
	2100	80	PASCUAL
	2400	80	ATACAS

Sunday

Date	Time	Temp.	Name (Print)
5/18/18	0300	80	ATACAS
	0600	80	J.Dunn
	0900	76	C.Earnest
	1200	76	C.Earnest
	1500	76	TORRES
	1800	78	TORRES
	2100	78	TORRES
	2400	78	ATACAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-Rc Housing Unit: M2 Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 0061 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	78	A. MACIAS
	0600	78	L. Brown
	0900	78	L. Brown
	1200	78	L. Brown
	1500	80	Rodriguez
	1800	80	Rodriguez
	2100	80	Rodriguez
	2400	79	A. MACIAS

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	78	A. MACIAS
	0600	78	L. Brown
	0900	78	L. Brown
	1200	78	L. Brown
	1500	80	J. RUFFY
	1800	80	J. RUFFY
	2100	80	J. RUFFY
	2400	79	A. MACIAS

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	78	A. MACIAS
	0600	78	L. Brown
	0900	79	L. Brown
	1200	79	L. Brown
	1500	80	J. RUFFY
	1800	81	J. RUFFY
	2100	80	J. RUFFY
	2400	79	A. MACIAS

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	78	A. MACIAS
	0600	78	L. Brown
	0900	78	L. Brown
	1200	78	L. Brown
	1500	80	Ortez
	1800	82	Ortez
	2100	82	Ortez
	2400	82	M. MAMAL

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	80	M. MAMAL
	0600	80	L. Brown
	0900	81	L. Brown
	1200	81	L. Brown
	1500	82	Ortez
	1800	82	Ortez
	2100	78	Ortez
	2400	77	J. DUNN

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	76	J. DUNN
	0600	75	J. DUNN
	0900	76	J. DUNN
	1200	82	Ortez
	1500	82	Ortez
	1800	78	Ortez
	2100	78	Ortez
	2400	77	H. Ahmed

Notes

Date	Time	Temp.	Name (Print)
8/25/24	0300	77	H. Ahmed
	0600	77	S. Gannon
	0900	78	S. Gannon
	1200	78	S. Gannon
	1500	78	Ortez
	1800	79	Ortez
	2100	78	Ortez
	2400	76	F. MARTIN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NSP, Re Housing Unit: M2 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24/24	0300	76	F. MARTIN
	0600	70	F. MARTIN
	0900	72	MALLARD
	1200	72	MALLARD
	1500	78	O'R
	1800	78	O'R
	2100	78	O'R
	2400	78	C. LUMLEY

Tuesday

Date	Time	Temp.	Name (Print)
8/24/24	0300	76	C. LUMLEY
	0600	74	MALLARD
	0900	74	MALLARD
	1200	74	MALLARD
	1500	78	O'R
	1800	78	J. RUGG
	2100	78	J. RUGG
	2400	77	J. RUGG

Wednesday

Date	Time	Temp.	Name (Print)
8/26/24	0300	77	A. MACIAS
	0600	72	Mallard
	0900	74	Mallard
	1200	76	Mallard
	1500	79	J. RUGG
	1800	80	J. RUGG
	2100	80	J. RUGG
	2400	79	A. MACIAS

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	78	A. MACIAS
	0600	78	Mallard
	0900	78	Mallard
	1200	78	Mallard
	1500	80	O'R
	1800	80	O'R
	2100	78	O'R
	2400	80	J. DUNN

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	80	J. DUNN
	0600	80	J. DUNN
	0900	82	Mallard
	1200	85	Mallard
	1500	88	O'R
	1800	88	O'R
	2100	88	O'R
	2400	81	J. DUNN

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	81	J. DUNN
	0600	80	J. DUNN
	0900	80	J. DUNN
	1200	81	J. DUNN
	1500	82	J. DUNN
	1800	82	J. DUNN
	2100	82	J. DUNN
	2400	79	A. MACIAS

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	79	A. MACIAS
	0600	78	GANNON
	0900	79	GANNON
	1200	80	GANNON
	1500	84	O'R
	1800	86	O'R
	2100	88	O'R
	2400	80	EALY

Notes

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/1/24	0100	75	J. Goren
	0200	73	J. Goren
	0300	70	J. Goren
	0400	70	J. Goren
	0500	77	J. Goren
	0600	70	M. Stevens
	0700	71	M. Stevens
	0800	81	M. Stevens
	0900	83	M. Stevens
	1000	85	M. Stevens
	1100	89	M. Stevens
	1200	90	M. Stevens
	1300	98	M. Stevens
	1400	101	M. Stevens
	1500	103	M. Stevens
	1600	104	M. Stevens
	1700	100	M. Stevens
	1800	97	M. Stevens
	1900	91	M. Stevens
	2000	94	M. Stevens
	2100	88	M. Stevens
	2200	86	M. Stevens
	2300	84	M. Stevens
	2400	82	M. Stevens

ACTIVATED 1110

DEACTIVATED ~1200

Date	Time	Temp.	Printed Name
8/2/24	0100	81	E. Lee
	0200	81	E. Lee
	0300	78	E. Lee
	0400	75	E. Lee
	0500	74	E. Lee
	0600	76	M. Stevens
	0700	77	M. Stevens
	0800	78	M. Stevens
	0900	83	M. Stevens
	1000	84	M. Stevens
	1100	85	M. Stevens
	1200	85	M. Stevens
	1300	86	M. Stevens
	1400	87	M. Stevens
	1500	89	E. Lee
	1600	89	E. Lee
	1700	91	E. Lee
	1800	92	E. Lee
	1900	90	E. Lee
	2000	87	E. Lee
	2100	86	E. Lee
	2200	80	E. Lee
	2300	79	E. Lee
	2400	78	E. Lee

ACTIVATED 1630

DEACTIVATED 2100

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/3/24	0100	77	Cson
	0200	75	Elaud
	0300	74	Elaun
	0400	73	Elaov
	0500	72	E8rac
	0600	72	Gaudynski
	0700	75	Gaudynski
	0800	77	Gaudynski
	0900	75	Gaudynski
	1000	78	Gaudynski
	1100	90	Gaudynski
	1200	95	Gaudynski
	1300	98	Gaudynski
	1400	100	G
	1500	102	G
	1600	106	G
	1700	106	G
	1800	104	G
	1900	101	G
	2000	96	G
	2100	92	G
	2200	89	Elaun
	2300	87	Elaac
	2400	85	Elaun

ACTIVATED 0950

DEACTIVATED 2230

Date	Time	Temp.	Printed Name
8/4/24	0100	81	Elaun
	0200	80	Elaun
	0300	78	Elaun
	0400	75	Elaun
	0500	72	Elaac
	0600	72	I.Bonilla
	0700	72	I.Bonilla
	0800	72	I.Bonilla
	0900	87	I.Bonilla
	1000	90	I.Bonilla
	1100	95	I.Bonilla
	1200	98	I.Bonilla
	1300	100	Sobol
	1400	101	C.-D.Boan
	1500	105	C.-B.Garcia
	1600	101	C.-B.Garcia
	1700	106	C.-B.Garcia
	1800	105	C.-B.Garcia
	1900	104	C.-B.Garcia
	2000	100	C.-B.Garcia
	2100	94	C.-B.Garcia
	2200	88	E.Ramirez
	2300	86	E.Ramirez
	2400	84	E.Ramirez

ACTIVATED 0950

DEACTIVATED 2230

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION.

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/24	0100	82	E.Ramirez
	0200	80	E.Ramirez
	0300	79	E.Ramirez
	0400	78	E.Ramirez
	0500	77	J.Garcia
	0600	74	M.Sturges
	0700	73	M.Sturges
	0800	83	M.Sturges
	0900	86	M.Sturges
	1000	89	M.Sturges
	1100	92	M.Sturges
	1200	97	M.Sturges
	1300	101	M.Sturges
	1400	102	M.Sturges
	1500	105	J.Garcia
	1600	106	J.Garcia
	1700	106	J.Garcia
	1800	104	J.Parker
	1900	103	J.Garcia
	2000	99	J.Garcia
	2100	92	J.Garcia
	2200	89	J.Garcia
	2300	86	J.Garcia
	2400	84	E.Ramirez

ACTIVATED 1020

DEACTIVATED 2300

Date	Time	Temp.	Printed Name
8/24	0100	82	E.Ramirez
	0200	80	E.Ramirez
	0300	78	J.Garcia
	0400	76	E.Ramirez
	0500	74	E.Ramirez
	0600	74	M.Sturges
	0700	76	M.Sturges
	0800	80	M.Sturges
	0900	85	M.Sturges
	1000	88	M.Sturges
	1100	91	M.Sturges
	1200	95	M.Sturges
	1300	100	M.Sturges
	1400	101	M.Sturges
	1500	104	G.Den
	1600	106	G.Den
	1700	109	G.Den
	1800	106	G.Den
	1900	102	G.Den
	2000	99	G.Den
	2100	90	G.Den
	2200	89	J.Garcia
	2300	86	J.Garcia
	2400	85	J.Garcia

ACTIVATED 1040

DEACTIVATED 2200

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Watch office

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/24	0100	83	J Garen
	0200	82	J Garen
	0300	80	J Garen
	0400	77	J Garen
	0500	74	J Garen
	0600	73	M. Stevens
	0700	74	M. Stevens
	0800	87	M. Stevens
	0900	89	M. Stevens
	1000	94	M. Stevens
	1100	94	M. Stevens
	1200	102	M. Stevens
	1300	103	M. Stevens
	1400	103	M. Stevens
	1500	109	S. P.
	1600	110	S. P.
	1700	111	S. P.
	1800	109	S. P.
	1900	109	S. P.
	2000	106	S. P.
	2100	92	S. P.
	2200	89	E. S.
	2300	87	E. S.
	2400	84	E. S.

Activated 0920

Deactivated 2300

Date	Time	Temp.	Printed Name
8/24	0100	70	E. S.
	0200	77	E. S.
	0300	76	E. S.
	0400	75	E. S.
	0500	74	E. S.
	0600	77	Gaudynski
	0700	78	Gaudynski
	0800	81	Gaudynski
	0900	86	Gaudynski
	1000	88	Gaudynski
	1100	92	Gaudynski
	1200	100	Gaudynski
	1300	102	Gaudynski
	1400	103	Gaudynski
	1500	105	S. P.
	1600	106	S. P.
	1700	104	S. P.
	1800	104	S. P.
	1900	102	S. P.
	2000	98	S. P.
	2100	92	S. P.
	2200	88	E. S.
	2300	85	E. S.
	2400	81	E. S.

Activated 1040

Deactivated 2220

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8	0100	79	Eduar
	0200	76	Eduar
	0300	74	Eduar
	0400	72	Eduar
	0500	72	Eduar
	0600	71	Gaudynski
	0700	73	Gaudynski
	0800	77	Gaudynski
	0900	85	Gaudynski
	1000	90	Gaudynski
	1100	94	Gaudynski
	1200	98	Gaudynski
	1300	100	Gaudynski
	1400	103	Gaudynski
	1500	105	Gaudynski
	1600	106	Gaudynski
	1700	106	Gaudynski
	1800	105	Gaudynski
	1900	104	Gaudynski
	2000	102	Gaudynski
	2100	90	Gaudynski
	2200	87	E. Ramirez
	2300	84	E. Ramirez
	2400	80	E. Ramirez

Date	Time	Temp.	Printed Name
8	0100	78	Eduar
	0200	77	Eduar
	0300	75	Eduar
	0400	74	Eduar
	0500	74	Eduar
	0600	74	Gaudynski
	0700	73	Gaudynski
	0800	80	Gaudynski
	0900	85	Gaudynski
	1000	97	Gaudynski
	1100	90	Gaudynski
	1200	96	Sear
	1300	97	Sear
	1400	100	ROBLES
	1500	102	ROBLES
	1600	104	ROBLES
	1700	103	J. PARKER
	1800	99	J. PARKER
	1900	97	J. PARKER
	2000	96	J. PARKER
	2100	90	E.Sear
	2200	88	E.Ramirez
	2300	85	E.Ramirez
	2400	82	Eduar

ACTIVATED 0955

ACTIVATED 1055

DEACTIVATED 2210

DEACTIVATED 2245

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
4/	0100	79	E. Ramirez
11	0200	76	E. Ramirez
11	0300	73	E. Ramirez
11	0400	71	E. Ramirez
11	0500	70	E. Ramirez
11	0600	66	C. Bogard
11	0700	73	C. Bogard
11	0800	77	C. Bogard
11	0900	89	C. Bogard
11	1000	82	C. Bogard
11	1100	94	C. Bogard
11	1200	97	C. Bogard
11	1300	102	C. Bogard
11	1400	108	C. Bogard
11	1500	105	C. Bogard
11	1600	105	C. Bogard
11	1700	105	C. Bogard
11	1800	105	C. Bogard
11	1900	101	C. Bogard
11	2000	97	C. Bogard
11	2100	91	C. Bogard
11	2200	86	E. Ramirez
11	2300	84	E. Ramirez
11	2400	83	E. Ramirez

Date	Time	Temp.	Printed Name
4/	0100	81	E. Ramirez
12	0200	79	E. Ramirez
12	0300	76	E. Ramirez
12	0400	74	E. Ramirez
12	0500	72	E. Ramirez
12	0600	70	C. Bogard
12	0700	69	C. Bogard
12	0800	76	C. Bogard
12	0900	83	C. Bogard
12	1000	84	C. Bogard
12	1100	90	C. Bogard
12	1200	93	C. Bogard
12	1300	97	C. Bogard
12	1400	101	C. Bogard
12	1500	102	C. Bogard
12	1600	102	C. Bogard
12	1700	102	C. Bogard
12	1800	101	C. Bogard
12	1900	98	C. Bogard
12	2000	91	C. Bogard
12	2100	89	C. Bogard
12	2200	84	E. Ramirez
12	2300	81	E. Ramirez
12	2400	78	E. Ramirez

ACTIVATED 6930

ACTIVATED 1100

DEACTIVATED 7230

DEACTIVATED 2130

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/13	0100	76	E. Ramirez
	0200	75	E. Ramirez
	0300	74	E. Ramirez
	0400	72	E. Ramirez
8/24	0500	71	E. Ramirez
	0600	70	Gaudynski
	0700	69	Gaudynski
	0800	75	Gaudynski
	0900	78	Gaudynski
	1000	82	C-BGARD
	1100	86	C-BGARD
	1200	91	C-BGARD
	1300	93	C-BGARD
	1400	98	Gmuz
	1500	101	Gmuz
	1600	101	Gmuz
	1700	100	Gmuz
	1800	98	Gmuz
	1900	95	Gmuz
	2000	89	G. Munoz
	2100	85	Elsor
	2200	79	Elsor
	2300	78	Elsor
	2400	75	7.2

Date	Time	Temp.	Printed Name
8/14	0100	73	E. Ramirez
	0200	71	E. Ramirez
	0300	69	E. Ramirez
	0400	68	E. Ramirez
	0500	66	E. Ramirez
	0600	65	Gaudynski
	0700	69	Gaudynski
	0800	74	Gaudynski
	0900	79	Gaudynski
	1000	84	Gaudynski
	1100	87	Gaudynski
	1200	90	Gaudynski
	1300	92	Gaudynski
	1400	96	C-BGARD
	1500	97	C-BGARD
	1600	99	C-BGARD
	1700	99	C-BGARD
	1800	97	C-BGARD
	1900	98	C-BGARD
	2000	90	C-BGARD
	2100	84	C-BGARD
	2200	80	Elsor
	2300	75	Elsor
	2400	73	Elsor

ACTIVATED 1146

ACTIVATED 1156

DEACTIVATED 2105

DEACTIVATED 2106

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/15/24	0100	71	Evan
	0200	68	Evan
	0300	68	Evan
	0400	67	Evan
	0500	66	Evan
	0600	66	Gaudynski
	0700	70	Gaudynski
	0800	76	Gaudynski
	0900	79	Gaudynski
	1000	82	Gaudynski
	1100	86	Sabat
	1200	89	Sabat
	1300	92	Sabat
	1400	94	Sabat
	1500	95	Sabat
	1600	93	Sabat
	1700	90	Sabat
	1800	89	Sabat
	1900	88	Sabat
	2000	86	Sabat
	2100	85	Sabat
	2200	80	Evan
	2300	78	Evan
	2400	75	Evan

Date	Time	Temp.	Printed Name
8/16/24	0100	70	Evan
	0200	68	Evan
	0300	67	Evan
	0400	66	Evan
	0500	66	Evan
	0600	65	Sabat
	0700	68	Sabat
	0800	75	Sabat
	0900	78	Sabat
	1000	83	Sabat
	1100	88	Sabat
	1200	90	Sabat
	1300	94	Sabat
	1400	94	C. Pr
	1500	97	C. Pr
	1600	99	C. Pr
	1700	99	C. Pr
	1800	98	C. Pr
	1900	95	C. Pr
	2000	89	C. Pr
	2100	85	C. Pr
	2200	82	E. Ramirez
	2300	79	E. Ramirez
	2400	70	E. Ramirez

ACTIVATED 1230

ACTIVATED 1200

DEACTIVATED 1930

DEACTIVATED 2100

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/17	0100	75	E. Ramirez
	0200	73	E. Ramirez
	0300	71	E. Ramirez
	0400	69	E. Ramirez
	0500	67	E. Ramirez
	0600	66	Gaudynski
	0700	69	Gaudynski
	0800	74	Gaudynski
	0900	78	Gaudynski
	1000	78	Sims
	1100	87	Sims
	1200	90	Sims
	1300	92	Sims
	1400	92	Sims
	1500	95	C. Pern
	1600	96	C. Pern
	1700	98	C. Pern
	1800	97	C. Pern
	1900	93	C. Pern
	2000	90	C. Pern
	2100	84	C. Pern
	2200	81	C. Pern
	2300	77	E. Ramirez
	2400	74	E. Sims

Date	Time	Temp.	Printed Name
5/18	0100	72	E. Ramirez
	0200	71	E. Ramirez
	0300	70	E. Ramirez
	0400	69	E. Ramirez
	0500	68	E. Ramirez
	0600	68	Pospisil
	0700	69	Pospisil
	0800	69	Pospisil
	0900	74	Pospisil
	1000	78	Pospisil
	1100	80	Pospisil
	1200	83	Pospisil
	1300	86	Pospisil
	1400	87	C. B. Gau
	1500	90	C. B. Gau
	1600	92	C. B. Gau
	1700	92	C. B. Gau
	1800	91	C. B. Gau
	1900	89	C. B. Gau
	2000	87	C. B. Gau
	2100	84	C. B. Gau
	2200	81	E. Ramirez
	2300	77	J. Gau
	2400	73	J. Gau

ACTIVATED 1245

ACTIVATED 1500

DEACTIVATED 2055

DEACTIVATED 2000

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/ 19/ 24	0100	70	J.Garcia
	0200	69	J.Garcia
	0300	68	J.Garcia
	0400	68	J.Garcia
	0500	67	J.Garcia
	0600	65	C.Bogard
	0700	67	C.Bogard
	0800	72	C.Bogard
	0900	74	C.Bogard
	1000	73	C.Bogard
	1100	74	C.Bogard
	1200	76	C.Bogard
	1300	79	C.Bogard
	1400	82	C.Bogard
	1500	84	C.Bogard
	1600	86	C.Bogard
	1700	86	C.Bogard
	1800	84	C.Bogard
	1900	84	C.Bogard
	2000	80	C.Bogard
	2100	84	C.Bogard
	2200	84	J.Garcia
	2300	81	E.Ramirez
	2400	77	E.Ramirez

Date	Time	Temp.	Printed Name
8/ 20	0100	73	J.Garcia
	0200	70	E.Ramirez
	0300	69	J.Garcia
	0400	66	J.Garcia
	0500	66	J.Garcia
	0600	65	S.Garcia
	0700	71	S.Garcia
	0800	73	S.Garcia
	0900	77	S.Garcia
	1000	77	S.Garcia
	1100	85	S.Garcia
	1200	89	S.Garcia
	1300	91	S.Garcia
	1400	94	C.Perez
	1500	96	C.Perez
	1600	97	C.Perez
	1700	98	C.Perez
	1800	97	C.Perez
	1900	94	C.Perez
	2000	89	C.Perez
	2100	84	C.Perez
	2200	80	E.Ramirez
	2300	76	J.Garcia
	2400	74	E.Ramirez

ACTIVATED 1330

ACTIVATED 1230

DEACTIVATED 2120

DEACTIVATED 2100

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8 21	0100	72	E.Ramirez
	0200	71	J.Garcia
	0300	68	J.Garcia
	0400	64	J.Garcia
	0500	64	J.Garcia
	0600	67	Gaudynski
	0700	69	Gaudynski
	0800	73	Gaudynski
	0900	76	Gaudynski
	1000	80	Sch
	1100	84	Sch
	1200	83	Sch
	1300	80	Sch
	1400	82	C.Bogard
	1500	84	C.Bogard
	1600	95	C.Bogard
	1700	96	C.Bogard
	1800	96	C.Bogard
	1900	94	C.Bogard
	2000	89	C.Bogard
	2100	84	C.Bogard
	2200	77	J.Garcia
	2300	77	Ellsworth
	2400	77	J.Garcia

Date	Time	Temp.	Printed Name
8 22	0100	77	J.Garcia
	0200	75	J.Garcia
	0300	73	J.Garcia
	0400	70	J.Garcia
	0500	66	J.Garcia
	0600	69	Scholar
	0700	72	Scholar
	0800	75	Scholar
	0900	77	Scholar
	1000	79	Scholar
	1100	84	Scholar
	1200	87	Scholar
	1300	90	Scholar
	1400	93	C.Bogard
	1500	94	C.Bogard
	1600	94	C.Bogard
	1700	94	C.Bogard
	1800	92	C.Bogard
	1900	88	C.Bogard
	2000	81	C.Bogard
	2100	78	C.Bogard
	2200	75	Ellsworth
	2300	71	Ellsworth
	2400	69	Ellsworth

ACTIVATED 1230

ACTIVATED 1300

DEACTIVATED 2050

DEACTIVATED 1950

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8 — 23 — 24	0100	67	Elsner
	0200	65	Elsner
	0300	63	Elsner
	0400	62	Elsner
	0500	61	Elsner
	0600	60	Gaudynski
	0700	60	Gaudynski
	0800	65	Gaudynski
	0900	65	Gaudynski
	1000	71	Gaudynski
	1100	74	Sokol
	1200	76	Sokol
	1300	78	Sokol
	1400	79	Elsner
	1500	80	Elsner
	1600	82	Elsner
	1700	83	Elsner
	1800	82	Elsner
	1900	79	Elsner
	2000	77	Elsner
	2100	72	CNov
	2200	70	CNov
	2300	67	E.Ramirez
	2400	65	E.Ramirez

Date	Time	Temp.	Printed Name
8 — 24 — 24	0100	64	E.Ramirez
	0200	63	E.Ramirez
	0300	62	E.Ramirez
	0400	60	E.Ramirez
	0500	59	E.Ramirez
	0600	59	Gaudynski
	0700	64	Gaudynski
	0800	65	Gaudynski
	0900	69	Gaudynski
	1000	70	Gaudynski
	1100	74	Elsner
	1200	75	Gaudynski
	1300	77	Gaudynski
	1400	81	Elsner
	1500	83	Elsner
	1600	83	Elsner
	1700	83	Elsner
	1800	82	Elsner
	1900	81	Elsner
	2000	79	Elsner
	2100	73	Elsner
	2200	71	Elsner
	2300	70	Elsner
	2400	69	Elsner

ACTIVATED _____

ACTIVATED _____

DEACTIVATED _____

DEACTIVATED _____

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8 28 29 29	0100	68	E Nov
	0200	67	E Nov
	0300	65	E Nov
	0400	63	E Nov
	0500	61	E Nov
	0600	62	J. SAEZIAS
	0700	62	J. SAEZIAS
	0800	66	J. SAEZIAS
	0900	68	J. SAEZIAS
	1000	71	J. SAEZIAS
	1100	74	J. SAEZIAS
	1200	74	J. SAEZIAS
	1300	82	J. SAEZIAS
	1400	84	J. SAEZIAS
	1500	86	J. SAEZIAS
	1600	86	J. SAEZIAS
	1700	86	J Garcia
	1800	83	J Garcia
	1900	79	J Garcia
	2000	78	J Garcia
	2100	75	J Garcia
	2200	75	J Garcia
	2300	71	J Garcia
	2400	64	J Garcia

Date	Time	Temp.	Printed Name
8 26 24	0100	65	J Garcia
	0200	67	J Garcia
	0300	63	J Garcia
	0400	62	J Garcia
	0500	61	J Garcia
	0600	65	M. Sturges
	0700	68	M. Sturges
	0800	71	M. Sturges
	0900	80	M. Sturges
	1000	84	M. Sturges
	1100	85	M. Sturges
	1200	84	M. Sturges
	1300	89	M. Sturges
	1400	90	M. Sturges
	1500	91	C. G. Gau
	1600	93	C. G. Gau
	1700	94	C. G. Gau
	1800	93	C. G. Gau
	1900	91	C. G. Gau
	2000	88	C. G. Gau
	2100	80	C. G. Gau
	2200	74	J Garcia
	2300	70	J Garcia
	2400	69	J Garcia

ACTIVATED _____

ACTIVATED 1340

DEACTIVATED _____

DEACTIVATED 2030

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/27/24	0100	67	J GARCIA
	0200	66	J GARCIA
	0300	65	J GARCIA
	0400	65	J GARCIA
	0500	65	J GARCIA
	0600	64	M. STURGE
	0700	70	M. STURGE
	0800	74	M. STURGES
	0900	80	M. STURGES
	1000	82	M. STURGES
	1100	86	M. STURGES
	1200	89	M. STURGES
	1300	91	M. STURGES
	1400	94	C. BOGARIN
	1500	96	C. BOGARIN
	1600	98	C. BOGARIN
	1700	98	C. BOGARIN
	1800	95	C. BOGARIN
	1900	93	C. BOGARIN
	2000	89	C. BOGARIN
	2100	82	C. BOGARIN
	2200	78	E. Ramirez
	2300	77	E. Ramirez
	2400	77	E. Ramirez

Date	Time	Temp.	Printed Name
8/28/24	0100	75	E. Ramirez
	0200	72	E. Ramirez
	0300	72	E. Ramirez
	0400	68	E. Ramirez
	0500	68	E. Ramirez
	0600	66	M. STURGES
	0700	69	M. STURGES
	0800	74	M. STURGES
	0900	85	M. STURGES
	1000	88	M. STURGES
	1100	92	M. STURGES
	1200	98	M. STURGES
	1300	97	M. STURGES
	1400	99	M. STURGES
	1500	100	C. Bo
	1600	101	C. Bo
	1700	103	C. Bo
	1800	99	C. Bo
	1900	95	C. Bo
	2000	80	C. Bo
	2100	85	C. Bo
	2200	83	E. Ram
	2300	79	E. Ram
	2400	78	E. Ram

ACTIVATED 1225

ACTIVATED 1040

DEACTIVATED 2020

DEACTIVATED 2030

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8	0100	79	E. Gove
8	0200	71	E. Gove
8	0300	68	E. Gove
8	0400	67	E. Gove
8	0500	65	E. Gove
8	0600	65	Gaudynski
8	0700	69	Gaudynski
8	0800	71	Gaudynski
8	0900	76	Gaudynski
8	1000	82	Gaudynski
8	1100	86	Gaudynski
8	1200	89	Gaudynski
8	1300	96	Gaudynski
8	1400	96	G. Gove
8	1500	96	G. Gove
8	1600	99	G. Gove
8	1700	99	G. Gove
8	1800	97	G. Gove
8	1900	97	G. Gove
8	2000	69	G. Gove
8	2100	63	G. Gove
8	2200	80	E. Gove
8	2300	79	E. Gove
8	2400	76	E. Gove

Date	Time	Temp.	Printed Name
8/1	0100	74	E. Gove
8/1	0200	71	E. Gove
8/1	0300	70	E. Gove
8/1	0400	69	E. Gove
8/1	0500	68	E. Gove
8/1	0600	68	M. Stoenes
8/1	0700	70	M. Stoenes
8/1	0800	74	M. Stoenes
8/1	0900	76	M. Stoenes
8/1	1000	86	M. Stoenes
8/1	1100	85	M. Stoenes
8/1	1200	85	M. Stoenes
8/1	1300	93	M. Stoenes
8/1	1400	95	M. Stoenes
8/1	1500	93	G. Gove
8/1	1600	99	G. Gove
8/1	1700	99	G. Gove
8/1	1800	94	G. Gove
8/1	1900	92	G. Gove
8/1	2000	89	G. Gove
8/1	2100	86	G. Gove
8/1	2200	81	E. Gove
8/1	2300	79	E. Gove
8/1	2400	77	E. Benner

ACTIVATED 1218

DEACTIVATED 2250

ACTIVATED 1210 Hare's

DEACTIVATED 2100

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9 31 24	0100	74	E. Ramirez
	0200	74	E. Ramirez
	0300	72	E. Ramirez
	0400	70	E. Ramirez
	0500	69	E. Ramirez
	0600	68	Gaudynski
	0700	70	Gaudynski
	0800	75	Gaudynski
	0900	79	Gaudynski
	1000	82	Gaudynski
	1100	87	Gaudynski
	1200	89	Gaudynski
	1300	91	Gaudynski
	1400	96	
	1500	93	
	1600	100	
	1700	100	
	1800	98	
	1900	94	
	2000	90	
	2100	87	
	2200	84	J. Parker
	2300	79	J. Parker
	2400	76	J. Parker

Date	Time	Temp.	Printed Name
9 1 24	0100	74	J. Parker
	0200	72	J. Parker
	0300	70	J. Parker
	0400	70	J. Parker
	0500	68	J. Parker
	0600	69	P. Esparza
	0700		P. Esparza
	0800		P. Esparza
	0900		P. Esparza
	1000		P. Esparza
	1100		P. Esparza
	1200		P. Esparza
	1300		P. Esparza
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

ACTIVATED 1205

ACTIVATED _____

DEACTIVATED 2120

DEACTIVATED _____

Meeting Minutes	Daily Heat Plan Meeting		
	Wasco State Prison (WSP)		
Minutes taken by: C. Pfeiffer	Date of Meeting: August 2, 2024	Meeting Place and Time Executive Conference Room; 3:30 PM	

ATTENDEES				
	NAME	TITLE	NAME	TITLE
X	C. Pfeiffer	WARDEN	D. Aviles	CBM I
X	I. Alomari	CDW	S. De Gough	CPM
X	T. Jackson	AW, BS	K. Carpenter	HCA Captain
X	M. Martin	AW, CO	E. Bustos	Custody Captain
X	J. Diaz	AW C&P	X	J. Guerra Facility A Captain
X	R. Nicholas	AW HCA	X	K. Jackson Facility B Captain
X	T. Gonzalez	AW ADA	X	J. Johnson Facility C&H Captain
X	A. Lucas	C&PR	X	B. Robison Facility D Captain

A. Garcia

DRP CCIII

Facility A & M:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

Facility B:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

Facility C&H:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

Facility D:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

HCAU Captain:

- Facility clinics were cool with no reported room temperature issues.
- _____
- _____

Custody Captain:

- Visiting: Cambrios, ice, water.
- _____
- _____








Plant Operations (Correctional Business Manager I):

- Pending Work Orders: 0
- Issues: none

Correctional Business Manager:


- Issues: NOP -

STAFF MEETING OR CONFERENCE ATTENDANCE SIGN IN SHEET

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (Last, First)	WORK CLASS	TODAYS WORK HOURS	TIME IN	TIME OUT	WORK AREA	LAST 4	SIGNATURE
1		C. Pfeiffer	WDN	0800-1630	1530	1600	ADMIN	XXXX	
2		I. Alomari	CDW	0800-1630	1530	1600	ADMIN	XXXX	
3		D. Pierce	AW	0800-1630	1530	1600	RC	XXXX	
4		T. Jackson	AW	0800-1630	1530	1600	BS	XXXX	
5		T. Gonzalez	AW	0800-1630	1530	1600	ADA	XXXX	
6		R. Nicholas	AW	0800-1630	1530	1600	HCA	XXXX	
7		J. Diaz	AW	0800-1630	1530	1600	C&P	XXXX	
8		M. Martin	AW	0800-1630	1530	1600	C&H	XXXX	
9		E. Bustos	CAPT	0800-1630	1530	1600	Custody	XXXX	
10		B. Robison	CAPT	0800-1630	1530	1600	D	XXXX	
11		J. Guerra	CAPT	0800-1630	1530	1600	A	XXXX	
12		K. Jackson	CAPT	0800-1630	1530	1600	B	XXXX	
13		J. Johnson	CAPT	0800-1630	1530	1600	C/H	XXXX	
14		K. Carpenter	CAPT	0800-1630	1530	1600	HCA	XXXX	
15		R. Hammond	CCIII	0800-1630	1530	1600	CSR	XXXX	
16		M. King	CCIII	0800-1630	1530	1600	CSR	XXXX	
17		A. Lucas	CCIII	0800-1630	1530	1600	C&PR	XXXX	
18		A. House	CCIII	0800-1630	1530	1600	CSR	XXXX	
19		A. Hurtado	CCIII	0800-1630	1530	1600	CSR	XXXX	
20		A. Garcia	CCIII	0800-1630	1530	1600	DRP	XXXX	
21		S. DeGough	CPMII	0800-1630	1530	1600	Plant Ops	XXXX	
22		D. Aviles	CBM-I	0800-1630	1530	1600	BS	XXXX	
23		C. Saldana	CRM	0800-1630	1530	1600	C&P	XXXX	
24		J. Farley	LT	0800-1600	1530	1600	AA/PIO	XXXX	

ALL COLUMNS MUST BE COMPLETED

SIGNATURE



PERNER

Topics:

Executive Extreme Heat Meeting 08/02/2024

Information Provided:

*****NOTE: NOT TO BE USED FOR OJT PURPOSES, ONLY FOR MEETINGS AND CONFERENCES*****

*When relevant, attach copies of meeting material for future reference purposes. Note: Confidential Material will be handled as such.

Meeting Minutes	Daily Heat Plan Meeting	
	Wasco State Prison (WSP)	
Minutes taken by: C. Pfeiffer / I. Alomari	Date of Meeting: August 09, 2024	Meeting Place and Time Executive Conference Room; 3:30 PM

ATTENDEES			
NAME	TITLE	NAME	TITLE
C. Pfeiffer	WARDEN	D. Aviles	CBM I
X I. Alomari	CDW	S. De Gough	CPM
X T. Jackson	AW, BS	K. Carpenter	HCA Captain
X M. Martin	AW, CO	X E. Bustos	Custody Captain
X J. Diaz	AW C&P	J. Guerra	Facility A Captain
X R. Nicholas	AW HCA	K. Jackson	Facility B Captain
X T. Gonzalez	AW ADA	X J. Johnson	Facility C&H Captain
A. Lucas	C&PR	X B. Robison	Facility D Captain
X P. Shank	CEO		

Facility A & M:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

Facility B:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

Facility C&H:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

Facility D:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

HCAU Captain:

- Facility clinics were cool with no reported room temperature issues.
- _____
- _____

Custody Captain:

- Visiting: N/A
- _____
- _____








Plant Operations (Correctional Business Manager I):

- Pending Work Orders: _____
- Issues: _____

Correctional Business Manager:

- Issues: N/A

STAFF MEETING OR CONFERENCE ATTENDANCE SIGN IN SHEET

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (Last, First)	WORK CLASS	TODAYS WORK HOURS	TIME IN	TIME OUT	WORK AREA	LAST 4	SIGNATURE
1		C. Pfeiffer	WDN	0800-1630	1530	1600	ADMIN	XXXX	
2		I. Alomari	CDW	0800-1630	1530	1600	ADMIN	XXXX	
3		D. Pierce	AW	0800-1630	1530	1600	RC	XXXX	
4		T. Jackson	AW	0800-1630	1530	1600	BS	XXXX	
5		T. Gonzalez	AW	0800-1630	1530	1600	ADA	XXXX	
6		R. Nicholas	AW	0800-1630	1530	1600	HCA	XXXX	
7		J. Diaz	AW	0800-1630	1530	1600	C&P	XXXX	
8		M. Martin	AW	0800-1630	1530	1600	C&H	XXXX	
9		E. Bustos	CAPT	0800-1630	1530	1600	Custody	XXXX	
10		B. Robison	CAPT	0800-1630	1530	1600	D	XXXX	
11		J. Guerra	CAPT	0800-1630	1530	1600	A	XXXX	
12		K. Jackson	CAPT	0800-1630	1530	1600	B	XXXX	
13		J. Johnson	CAPT	0800-1630	1530	1600	C/H	XXXX	
14		K. Carpenter	CAPT	0800-1630	1530	1600	HCA	XXXX	
15		R. Hammond	CCIII	0800-1630	1530	1600	CSR	XXXX	
16		M. King	CCIII	0800-1630	1530	1600	CSR	XXXX	
17		A. Lucas	CCIII	0800-1630	1530	1600	C&PR	XXXX	
18		A. House	CCIII	0800-1630	1530	1600	CSR	XXXX	
19		A. Hurtado	CCIII	0800-1630	1530	1600	CSR	XXXX	
20		A. Garcia	CCIII	0800-1630	1530	1600	DRP	XXXX	
21		S. DeGough	CPMII	0800-1630	1530	1600	Plant Ops	XXXX	
22		D. Aviles	CBM-I	0800-1630	1530	1600	BS	XXXX	
23		C. Saldana	CRM	0800-1630	1530	1600	C&P	XXXX	
24		J. Farley	LT	0800-1600	1530	1600	AA/PIO	XXXX	

ALL COLUMNS MUST BE COMPLETED

SIGNATURE 

PERNR 

Topics: P. Shank, CEO

Executive Extreme Heat Meeting

08/07/2024

Information Provided:

*****NOTE: NOT TO BE USED FOR OJT PURPOSES, ONLY FOR MEETINGS AND CONFERENCES*****

*When relevant, attach copies of meeting material for future reference purposes. Note: Confidential Material will be handled as such.

Meeting Minutes	Daily Heat Plan Meeting		
	Wasco State Prison (WSP)		
Minutes taken by: C. Pfeiffer	Date of Meeting: August 9, 2024	Meeting Place and Time Executive Conference Room; 3:30 PM	

ATTENDEES				
	NAME	TITLE	NAME	TITLE
X	C. Pfeiffer	WARDEN	D. Aviles	CBM I
X	I. Alomari	CDW	S. De Gough	CPM
X	T. Jackson	AW, BS	X K. Carpenter	HCA Captain
X	M. Martin	AW, CO	E. Bustos	Custody Captain
X	J. Diaz	AW C&P	J. Guerra	Facility A Captain
X	R. Nicholas	AW HCA	K. Jackson	Facility B Captain
X	T. Gonzalez	AW ADA	X J. Johnson	Facility C&H Captain
	A. Lucas	C&PR	B. Robison	Facility D Captain
	E. Alvarado	C&PR(A)	X A. Ruiz	DRB CCIII

Facility A & M:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

Facility B:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

Facility C&H:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

Facility D:

- Cambro's with ice and water in the housing unit.
- Thermometers are functional and properly located in the housing units.
- Heat Logs were verified to have been completed properly and timely.
- _____
- _____

HCAU Captain:

- Facility clinics were cool with no reported room temperature issues.
- _____
- _____

Custody Captain:

- Visiting: _____.
- _____
- _____

Plant Operations (Correctional Business Manager I):

- Pending Work Orders: 0
- Issues: N/A

Correctional Business Manager:

- Issues: N/A

STAFF MEETING OR CONFERENCE ATTENDANCE SIGN IN SHEET

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (Last, First)	WORK CLASS	TODAYS WORK HOURS	TIME IN	TIME OUT	WORK AREA	LAST 4	SIGNATURE
1		C. Pfeiffer	WDN	0800-1630	1530	1600	ADMIN	XXXX	
2		I. Alomari	CDW	0800-1630	1530	1600	ADMIN	XXXX	<i>S. Alomari</i>
3		D. Pierce	AW	0800-1630	1530	1600	RC	XXXX	<i>Walter</i>
4		T. Jackson	AW	0800-1630	1530	1600	BS	XXXX	<i>T. Jackson</i>
5		T. Gonzalez	AW	0800-1630	1530	1600	ADA	XXXX	<i>T. Gonzalez</i>
6		R. Nicholas	AW	0800-1630	1530	1600	HCA	XXXX	<i>R. Nicholas</i>
7		J. Diaz	AW	0800-1630	1530	1600	C&P	XXXX	<i>J. Diaz</i>
8		M. Martin	AW	0800-1630	1530	1600	C&H	XXXX	<i>M. Martin</i>
9		E. Bustos	CAPT	0800-1630	1530	1600	Custody	XXXX	
10		B. Robison	CAPT	0800-1630	1530	1600	D	XXXX	
11		J. Guerra	CAPT	0800-1630	1530	1600	A	XXXX	
12		K. Jackson	CAPT	0800-1630	1530	1600	B	XXXX	
13		J. Johnson	CAPT	0800-1630	1530	1600	C/H	XXXX	<i>J. Johnson</i>
14		K. Carpenter	CAPT	0800-1630	1530	1600	HCA	XXXX	<i>K. Carpenter</i>
15		R. Hammond	CCIII	0800-1630	1530	1600	CSR	XXXX	<i>R. Hammond</i>
16		M. King	CCIII	0800-1630	1530	1600	CSR	XXXX	
17		A. Lucas	CCIII	0800-1630	1530	1600	C&PR	XXXX	
18		A. House	CCIII	0800-1630	1530	1600	CSR	XXXX	
19		A. Hurtado	CCIII	0800-1630	1530	1600	CSR	XXXX	
20		A. Garcia	CCIII	0800-1630	1530	1600	DRP	XXXX	<i>A. Garcia</i>
21		S. DeGough	CPMII	0800-1630	1530	1600	Plant Ops	XXXX	<i>S. DeGough</i>
22		D. Aviles	CBM-I	0800-1630	1530	1600	BS	XXXX	
23		C. Saldana	CRM	0800-1630	1530	1600	C&P	XXXX	
24		J. Farley	LT	0800-1600	1530	1600	AA/PIO	XXXX	

ALL COLUMNS MUST BE COMPLETED

SIGNATURE

PERNR.

Topics:

Executive Extreme Heat Meeting 08/09/2024

Information Provided:

*****NOTE: NOT TO BE USED FOR OJT PURPOSES, ONLY FOR MEETINGS AND CONFERENCES*****

*When relevant, attach copies of meeting material for future reference purposes. Note: Confidential Material will be handled as such.



CALIFORNIA CORRECTIONAL
HEALTH CARE SERVICES



MEMORANDUM

Date : September 3, 2024

To : Nicarlo Ibarra
Litigation Coordinator
Wasco State Prison - Reception Center

From : KATHY P. SALAZAR
Chief Nurse Executive (A)

Subject : HEAT RELATED ILLNESS

This memorandum is to inform you that there was (1) heat related illnesses reported from August 1, 2024, through August 31, 2024. Please see attached CDCR MH-7711, Heat Incident Log.

If you have any questions or need further information please contact support staff R. Stein,
AGPA at extension [redacted]

DocuSigned by:

Kathy Salazar

AC84E79B6EE499..

KATHY P. SALAZAR, RN, BSN
Chief Nurse Executive (A)
Wasco State Prison -Reception Center

Heat Incident Log

Institution: WSP-RC	Date: Aug 3, 2024	Number of Heat Incidents:
1. Patient Name: [REDACTED]	CDCR#:	Housing: [REDACTED]
MHSDS Designation:	Level of Care: EOP	Date of Heat Incident: 8/3/24
Location of Incident: [REDACTED]	Change in Level of Care: _____	
List of Heat Risk Medications: Quetiapine, Aripiprazole		
Chief Medical Complaint: Dizziness		
Diagnosis of Heat Related Illness (specify): Dizziness, dehydration		
Treatment Rendered: IV fluid		
Medication Changes Made: None		
Ultimate Disposition of Patient: Return to custody		
Clinician's Name and Title: Dr. Rizk		
2. Patient Name: _____	CDCR#:	Housing: _____
MHSDS Designation: _____	Level of Care: EOP	Date of Heat Incident: 8/3/24
Location of Incident: _____	Change in Level of Care: _____	
List of Heat Risk Medications: _____		
Chief Medical Complaint: _____		
Diagnosis of Heat Related Illness (specify): _____		
Treatment Rendered: _____		
Medication Changes Made: _____		
Ultimate Disposition of Patient: _____		
Clinician's Name and Title: _____		
3. Patient Name: _____	CDCR#:	Housing: _____
MHSDS Designation: _____	Level of Care: _____	Date of Heat Incident: 8/3/24
Location of Incident: _____	Change in Level of Care: _____	
List of Heat Risk Medications: _____		
Chief Medical Complaint: _____		
Diagnosis of Heat Related Illness (specify): _____		
Treatment Rendered: _____		
Medication Changes Made: _____		
Ultimate Disposition of Patient: _____		
Clinician's Name and Title: _____		

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log (continued)

4. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 8/3/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
5. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 8/3/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
6. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 8/3/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log (continued)

7. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 8/3/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
8. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 8/3/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
9. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 8/3/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log (continued)

10. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 8/3/24

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

11. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 8/3/24

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

12. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 8/3/24

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information