

**Monthly Summary Report**Institution: SCC**Memorandum**Date: 07/02/2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - June 2024

The following is a summary of the heat related activity for the month of June 2024at SCC (Institution)1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: YesNumber of days Stage I Alert initiated: 302. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? YesNumber of days Stage II Alert initiated: 123. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? NoNumber of days Stage III Alert initiated: 04. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.0. List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

J. Prudhel (A)


Warden Name



Warden Signature

M. Diaz CEO (A)

Chief Executive Officer Name

DocuSigned by:  
  
 708551BC0F7C454

Chief Executive Officer Signature

## Memorandum

Date: July 10, 2024

To: J. Prudhel  
WARDEN (A)

Subject: **HEAT RELATED PATHOLOGIES PLAN – OUTSIDE TEMPERATURE RECORDS AND HEAT PLAN ACTIVATION REPORT MISSING DOCUMENTATION**

This memorandum is submitted regarding missing signatures from Officer J. Chavez Jr. on The Heat Plan Activation Report for June 2024.

Officer J. Chavez Jr. failed to provide signatures and daily temperatures, and will receive training upon his return July 15, 2024.

As it is necessary for all original supporting documentation for OP #005 to be completed each day, and submitted each week to the Health Care Access Captain's office for submission to the California Department of Corrections and Rehabilitation Statewide Division of Health Care Services, it is important to ensure all custody staff are aware of the reporting requirements to enter temperature readings once every three hours for dorms where inmate patients reside who are sensitive to heat and are on the Heat Risk medication list.

Using the Heat Plan Activation Report as submitted daily to the Health Care Access office by Plaza Control and the Watch Commander's Office, this memorandum will serve as explanation for the Coleman auditors in place of the incomplete/missing documentation.

If you have any questions, please contact me at extension [REDACTED]



B. Arnold  
Health Care Access Lieutenant  
Sierra Conservation Center

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: JUN 01 2020

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	' STAGES						Activation = A and Deactivation = D		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	RZ									
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	-90										
1100	-90										
1200	-90										
1300	-90										
1400	-90										
1500	-90										
1600	-90										
1700	-90										
1800	-90										
1900	-90										
2000	-90										
2100	-90										
2200	-90										
2300	-90										
2400	-90	BG									

Captain P. J. Pace Date 7-3-24

Associate Warden Programs Division

Date 7/18/24

COMMENT:

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 5/1/2020

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts at 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D			
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit	Yard
0100	-90											
0200	-90											
0300	-90	RJG										
0400	-90	RJG										
0500	-90	RJG										
0600	-90	RJG										
0700	-90	RJG										
0800	-90	RJG										
0900	-90	RJG										
1000	-90	RJG										
1100	-90	RJG										
1200	-90	RJG										
1300	-90	RJG										
1400	-90	M. VEN										
1500	-90	M. VEN										
1600	-90	M. VEN										
1700	-90	M. VEN										
1800	-90	M. VEN										
1900	-90	M. VEN										
2000	-90	M. VEN										
2100	-90	M. VEN										
2200	-90	M. VEN										
2300	-90	M. VEN										
2400	-90	M. VEN										

Captain J. He Date 7-3-20 Associate Warden Programs Division Date 7/8/20  
 COMMENT:

# HEAT PLAN ACTIVATION REPORT

DATE: JUNE 03, 2024

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D				
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit	Vard	Clinic
0100	-90	R. Kue											
0200	-90	R. Kue											
0300	-90	R. Kue											
0400	-90	R. Kue											
0500	-90	R. Kue											
0600	-90	R. Kue											
0700	-90	R. Kue											
0800	-90	R. Kue											
0900	-90	R. Kue											
1000	-90	R. Kue											
1100	-90	R. Kue											
1200	-90	R. Kue											
1300	-90	R. Kue											
1400	-90	R. A. -010											
1500	-90	R. A. -010											
1600	-90	R. A. -010											
1700	-90	R. A. -010											
1800	-90	R. A. -010											
1900	-90	R. A. -010											
2000	-90	R. A. -010											
2100	-90	R. A. -010											
2200	-90	R. A. -010											
2300	-90	R. A. -010											
2400	-90	R. A. -010											

Captain Jeffre Date 7-3-24 Associate Warden, Programs Division Date 7/6/24  
COMMENT:

## HEAT PLAN ACTIVATION REPORT

SIERRA CONSERVATION CENTER

Attachment F  
Revised 04/2020

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

Captain COMMENT:	<i>D. K. H.</i>	Date	<i>7-3-24</i>
Associate Warden, <i>Programs Division</i>	<i>D. K.</i>	Date	<i>7/8/24</i>

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 5/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit
0100	-90	RJ									
0200	-90	RJ									
0300	-90	RJ									
0400	-90	RJ									
0500	-90	RJ									
0600	-90	RJ									
0700	-90	RJ									
0800	-90	RJ									
0900	-90	RJ									
1000	-90	RJ									
1100	91	X									
1200	94	X									
1300	96	X									
1400	99	X									
1500	103	X									
1600	102	X									
1700	102	X									
1800	102	X									
1900	99	X									
2000	96	X									
2100	91	X									
2200	87	X									
2300	80	X									
2400	70	X									

Captain RJ Date 7-3-24

COMMENT:

Associate Warden Programs Division

Date 7/18/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: May 6, 2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	OUTSIDE	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
				A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit
0100	-90	RJ										
0200	-90	RJ										
0300	-90	RJ										
0400	-90	RJ										
0500	-90	RJ										
0600	-70	RJ										
0700	-70	RJ										
0800	-90	RJ										
0900	-90	RJ										
1000	92	RJ										
1100	96	RJ										
1200	99	RJ										
1300	101	RJ										
1400	101	Schulz										
1500	102	Schulz										
1600	103	Schulz										
1700	102	Schulz										
1800	99	Schulz										
1900	97	Schulz										
2000	93	Schulz										
2100	94	Schulz										
2200	96	Schulz										
2300	90	RJ										
2400	-90	RJ										

Captain RJ Date 7-3-24

COMMENT: Associate Warden, Programs Division Date 7/6/24

# HEAT PLAN ACTIVATION REPORT

DATE: 6-7-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A <u>I</u>	D <u>I</u>	A <u>II</u>	D <u>II</u>	A <u>III</u>	D <u>III</u>	Warden/ AOD	CME/ POC	Unit
0100	-90										
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	-90										
1100	-90										
1200	95										
1300	98										
1400	98										
1500	100										
1600	102										
1700	99										
1800	96										
1900	90										
2000	87										
2100	-90										
2200	-90										
2300	-90										
2400	-90										

Captain Mark Date 7-7-24 Associate Warden, *Programs* Division Date 7/8/24  
COMMENT:

# HEAT PLAN ACTIVATION REPORT

SIERRA CONSERVATION CENTER

DATE: 6-8-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Programs Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			I	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	<i>RJ</i>									
0200	-90	<i>RJ</i>									
0300	-90	<i>RJ</i>									
0400	-90										
0500	-90										
0600	-90	<i>RJ</i>									
0700	-90	<i>RJ</i>									
0800	-90	<i>RJ</i>									
0900	-90	<i>RJ</i>									
1000	-90	<i>RJ</i>									
1100	-90	<i>RJ</i>									
1200	-90	<i>RJ</i>									
1300	-90	<i>RJ</i>									
1400	-90	<i>RJ</i>									
1500	-90	<i>RJ</i>									
1600	-90	<i>RJ</i>									
1700	-90	<i>RJ</i>									
1800	-90	<i>RJ</i>									
1900	-90	<i>RJ</i>									
2000	-90	<i>RJ</i>									
2100	-90	<i>RJ</i>									
2200	-90	<i>RJ</i>									
2300	-90	<i>RJ</i>									
2400	-90	<i>RJ</i>									

Captain *JR* Date 7-22-24 Associate Warden, *Programs Division* Date 7/18/24  
COMMENT:

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 6-9-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat plan is activated. Enter the time in the box under the appropriate action taken. If for example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES					Activation = A and Deactivation = D			
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	RJ									
0200	-90	RJ POC									
0300	-90	RJ RJ									
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	-90										
1100	-90										
1200	-90										
1300	-90										
1400	-90										
1500	-90										
1600	91	M TCR					X				
1700	91	M TCR					X				
1800	90	M TCR					X				
1900	90	M TCR					X				
2000	90	M TCR					X				
2100	90	M TCR					X				
2200	90	M TCR					X				
2300	90	M TCR					X				
2400	90	M TCR					X				

Captain Jeffre Date 7-3-24  
 COMMENT: J

Associate Warden, *Program Division*Date 7/16/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**

DATE:

05/10/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. If for example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	Mr. G									
0200	-90	Mr. G									
0300	-90	Mr. G									
0400	-90	Mr. G									
0500	-90	Mr. G									
0600	-90	Mr. G									
0700	-90	Mr. G									
0800	-90	Mr. G									
0900	-90	Mr. G									
1000	-90	Mr. G									
1100	-90	Mr. G									
1200	-90	Mr. G									
1300	93	Mr. G									
1400	93	Mr. G									
1500	92	Mr. G									
1600	93	B. Arnold									
1700	94	B. Arnold									
1800	94	B. Arnold									
1900	92	B. Arnold									
2000	92	B. Arnold									
2100	93	B. Arnold									
2200											
2300	-90	Mr. G									
2400	-90	Mr. G									

Captain ✓ Date 7.3.24  
 COMMENT:

Associate Warden, *Program Division*Date 7/10/24

# HEAT PLAN ACTIVATION REPORT

DATE: 05/01/2020

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES						Activation = A and Deactivation = D			
			A I	D II	A III	D IV	Warden/ AOD	CME/ POC	Unit LT.	Yard	Clinic	
0100	-90	<del>Duty Shift</del>										
0200	-90	<del>Duty Shift</del>										
0300	-90	<del>Duty Shift</del>										
0400	-90	<del>Duty Shift</del>										
0500	-90	<del>Duty Shift</del>										
0600	-90	<del>Duty Shift</del>										
0700	-90	<del>J. Henauer</del>										
0800	-90	<del>J. Schamber</del>										
0900	-90	<del>J. Schamber</del>										
1000	-90	<del>J. Schamber</del>										
1100	92	<del>J. Schamber</del>										
1200	95	<del>J. Schamber</del>										
1300	96	<del>J. Schamber</del>										
1400	98	<del>J. Schamber</del>										
1500	101	<del>J. Schamber</del>										
1600	102	<del>J. Schamber</del>										
1700	102	<del>J. Schamber</del>										
1800	100	<del>J. Schamber</del>										
1900	98	<del>J. Schamber</del>										
2000	94	<del>J. Schamber</del>										
2100	89	<del>J. Schamber</del>										
2200	-90	<del>J. Schamber</del>										
2300	-90	<del>J. Schamber</del>										
2400	-90	<del>J. Schamber</del>										

Captain M. Her Date 7-3-24  
COMMENT:  

Associate Warden, *Program Division*

Date 7/01/24

# SIERRA CONSERVATION CENTER HEAT PLAN ACTIVATION REPORT

DATE: 6-12-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	X STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	RJ									
0200	-90	RJ									
0300	-90	RJ									
0400	-90	RJ									
0500	-90	RJ									
0600	-90	RJ									
0700	-90	RJ									
0800	-90	RJ									
0900	-90	RJ									
1000	-90	RJ									
1100	-93	C									
1200	-95	C									
1300	-99	C									
1400	-99	C									
1500	-100	C									
1600	-101	C									
1700	-100	C									
1800	-98	C									
1900	-91	C									
2000	-86	Dou									
2100	-86	Dou									
2200	-86	Dou									
2300	-86	Dou									
2400	-86	Dou									

Captain  Date 7-22-24

COMMENT: Stage II still active.

Associate Warden, *Programs Division*Date 7/02/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 07/13/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit L.T.
0100	-90	<i>Doyle</i>									
0200	-90	<i>Doyle</i>									
0300	-90	<i>Doyle</i>									
0400	-90	<i>Doyle</i>									
0500	-90	<i>Doyle</i>									
0600	-90	<i>Doyle</i>									
0700	-90	<i>Doyle</i>									
0800	-90	<i>Doyle</i>									
0900	-90	<i>Doyle</i>									
1000	-90	<i>Doyle</i>									
1100	-90	<i>Doyle</i>									
1200	91	<i>Doyle</i>									
1300	92	<i>Doyle</i>									
1400	94	<i>Doyle</i>									
1500	96	<i>Doyle</i>									
1600	96	<i>Doyle</i>									
1700	97	<i>Doyle</i>									
1800	95	<i>Doyle</i>									
1900	93	<i>Doyle</i>									
2000	-90	<i>Doyle</i>									
2100	-90	<i>Doyle</i>									
2200	-90	<i>Doyle</i>									
2300	-90	<i>Doyle</i>									
2400	-90	<i>Doyle</i>									

Captain J. M. M. Date 7/3/24 Associate Warden, *Program Division* Date 7/6/24  
 COMMENT: Sierra Actuated from previous day

# HEAT PLAN ACTIVATION REPORT

DATE: 06/14/24

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES					Activation = A and Deactivation = D			
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	RJ									
0200	-96	RJ									
0300	-96	RJ									
0400	-96										
0500	-90										
0600	-70	Chamberlain									
0700	-70	Chamberlain									
0800	-50	Chamberlain									
0900	-50	Chamberlain									
1000	-50	Chamberlain									
1100	-50	Chamberlain									
1200	-70	Chamberlain									
1300	-70	Chamberlain	X								
1400	-75	Chamberlain									
1500	-76	Chamberlain									
1600	-97	Chamberlain									
1700	-96	Chamberlain									
1800	-94	Chamberlain									
1900	-90	Chamberlain									
2000	-70	Chamberlain									
2100	-70	Chamberlain									
2200	-90	Chamberlain									
2300	-90	RJ									
2400	-90	RJ									

Captain J. R. H. Date 7-3-24  
 COMMENT:

Associate Warden, Program DivisionDate 7/01/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**

DATE:

6-15-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. If for example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOB	CME/ POC	Unit LT.
0100	-90	RJ PS									
0200	-90	RJ PS									
0300	-90	RJ PS									
0400	-90	RJ PS									
0500	-90	RJ PS									
0600	-90	RJ PS									
0700	-90	RJ PS									
0800	-90	RJ PS									
0900	-90	RJ PS									
1000	-90	RJ PS									
1100	-90	RJ PS									
1200	-90	RJ PS									
1300	-90	RJ PS									
1400	-90	RJ PS									
1500	-90	RJ PS									
1600	-90	RJ PS									
1700	-90	RJ PS									
1800	-90	RJ PS									
1900	-90	RJ PS									
2000	-90	RJ PS									
2100	-90	RJ PS									
2200	-90	RJ PS									
2300	-90	RJ PS									
2400	-90	RJ PS									

Captain *MPC* Date 7.3.24  
COMMENT: *MR. YER*

Associate Warden, *Program Division*

Date 7/6/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**

DATE:

6-16-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	AS									
0200	-90	AS									
0300	-90	AS									
0400	-90										
0500	-90										
0600	-90	U	L	S	K	T	E	C			
0700	-90	K	L	S	K	T	E	C			
0800	-90	K	L	S	K	T	E	C			
0900	-90	K	L	S	K	T	E	C			
1000	-90	K	L	S	K	T	E	C			
1100	-90	K	L	S	K	T	E	C			
1200	-90	K	L	S	K	T	E	C			
1300	-90	K	L	S	K	T	E	C			
1400	-90	K	L	S	K	T	E	C			
1500	-90	R	U	C	S	A	D				
1600	-90	M	U	C	S	A	D				
1700	-90	M	U	C	S	A	D				
1800	-90	M	U	C	S	A	D				
1900	-90	M	U	C	S	A	D				
2000	-90	M	U	C	S	A	D				
2100	-90	M	U	C	S	A	D				
2200	-90	M	U	C	S	A	D				
2300	-90	M	U	C	S	A	D				
2400	-90	M	U	C	S	A	D				

Captain AS Date 7-3-24  
 COMMENT: None Associate Warden, Programs Division Date 7/10/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 6/17/2021

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A <input type="checkbox"/>	D <input type="checkbox"/>	A <input type="checkbox"/>	D <input type="checkbox"/>	A <input type="checkbox"/>	D <input type="checkbox"/>	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	<i>M. Yer</i>									
0200	-90	<i>M. Yer</i>									
0300	-90	<i>M. Yer</i>									
0400	-90	<i>M. Yer</i>									
0500	-90	<i>M. Yer</i>									
0600	-90	<i>M. Yer</i>									
0700	-90	<i>M. Yer</i>									
0800	-70	<i>M. Yer</i>									
0900	-90	<i>M. Yer</i>									
1000	-90	<i>M. Yer</i>									
1100	-90	<i>M. Yer</i>									
1200	-90	<i>M. Yer</i>									
1300	-90	<i>M. Yer</i>									
1400	-90	<i>M. Yer</i>									
1500	-90	<i>M. Yer</i>									
1600	-90	<i>M. Yer</i>									
1700	-90	<i>M. Yer</i>									
1800	-90	<i>M. Yer</i>									
1900	-90	<i>M. Yer</i>									
2000	-90	<i>M. Yer</i>									
2100	-90	<i>M. Yer</i>									
2200	-90	<i>M. Yer</i>									
2300	-90	<i>M. Yer</i>									
2400	-90	<i>M. Yer</i>									

Captain

Date 7-3-24

COMMENT:

Associate Warden, Program Division

Date 7/6/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 6/18/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D			CONTACTS MADE		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.	Vard Clinic		
0100	-90													
0200	-90													
0300	-90													
0400	-90													
0500	-90													
0600	-90													
0700	-90													
0800	-90													
0900	-90	Milano												
1000	-90	Milano												
1100	-90	Milano												
1200	-90	Milano												
1300	-90	Milano												
1400	-90	Duty Officer												
1500	-90	Duty Officer												
1600	-90	Duty Officer												
1700	-90	Duty Officer												
1800	-90	Duty Officer												
1900	-90	Duty Officer												
2000	-90	Duty Officer												
2100	-90	Duty Officer												
2200	-90	Duty Officer												
2300	-90	Duty Officer												
2400	-90	Duty Officer												

Captain PM Date 7/3/24 Associate Warden, *Programs Division* Date 7/18/24  
 COMMENT:

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 05/01/20

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
Outside		SIGNATURE									
0100	-90	Peter Jr									
0200	-90	Peter Jr									
0300	-90	Peter Jr									
0400	-90	Peter Jr									
0500	-90	Peter Jr									
0600	-90	Peter Jr									
0700	-90	Wine									
0800	-90	Wine									
0900	-90	Wine									
1000	-90	Wine									
1100	-90	Wine									
1200	-90	Wine									
1300	-90	Wine									
1400	-90										
1500	-90										
1600	-90										
1700	-90										
1800	-90										
1900	-90										
2000	-90										
2100	-90										
2200	-90										
2300	-90										
2400	-90										

Captain

Date

7-3-20

COMMENT:

Associate Warden, *Programs Division*

Date 7/8/20

# HEAT PLAN ACTIVATION REPORT

DATE: 05/01/2020

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	<i>Watch Commander</i>									
0200	-90	<i>Watch Commander</i>									
0300	-90	<i>Watch Commander</i>									
0400	-90	<i>Watch Commander</i>									
0500	-90	<i>Watch Commander</i>									
0600	-90	<i>Watch Commander</i>									
0700	-90	<i>Watch Commander</i>									
0800	-90	<i>Watch Commander</i>									
0900	-90	<i>Watch Commander</i>									
1000	-90	<i>Watch Commander</i>									
1100	-90	<i>Watch Commander</i>									
1200	-90	<i>Watch Commander</i>									
1300	-90	<i>Watch Commander</i>									
1400	-90	<i>Watch Commander</i>									
1500	-90	<i>Watch Commander</i>									
1600	-90	<i>Watch Commander</i>									
1700	-90	<i>Watch Commander</i>									
1800	-90	<i>Watch Commander</i>									
1900	-90	<i>Watch Commander</i>									
2000	-90	<i>Watch Commander</i>									
2100	-90	<i>Watch Commander</i>									
2200	-90	<i>R.S.</i>									
2300	-90	<i>R.S.</i>									
2400	-90	<i>R.S.</i>									

Captain *R.S.* Date 7/10/2024

COMMENT:

Associate Warden, *Program Division*Date 7/10/2024

# SIERRA CONSERVATION CENTER HEAT PLAN ACTIVATION REPORT

DATE: 6-21-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES					Activation = A and Deactivation = D				
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.	Yard
0100	-90	<i>RJ</i>										
0200	-90	<i>RJ</i>										
0300	-90											
0400	-90											
0500	-90											
0600	-90	<i>RJ</i>										
0700	-90	<i>JL Chamberlain</i>										
0800	-90	<i>JL Chamberlain</i>										
0900	-90	<i>JL Chamberlain</i>										
1000	-90	<i>JL Chamberlain</i>										
1100	-90	<i>JL Chamberlain</i>										
1200	-90	<i>JL Chamberlain</i>										
1300	-90	<i>JL Chamberlain</i>										
1400	-95	<i>JL Chamberlain</i>										
1500	-96	<i>JL Chamberlain</i>										
1600	-97	<i>JL Chamberlain</i>										
1700	-98	<i>JL Chamberlain</i>										
1800	-98	<i>JL Chamberlain</i>										
1900	-93	<i>JL Chamberlain</i>										
2000	-88	<i>JL Chamberlain</i>										
2100	-85	<i>JL Chamberlain</i>										
2200	-90	<i>JL Chamberlain</i>										
2300	-70	<i>JL</i>										
2400	-70	<i>JL</i>										

Captain *M. Phe* Date 7/3/24

COMMENT:

Associate Warden, *Program Division*

Date 7/8/24

# HEAT PLAN ACTIVATION REPORT

DATE: 6-22-24

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D				
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.	Vard	Clinic
0100	-90	LB											
0200	-90	PD											
0300	-90	PZ											
0400	-90	SP											
0500	-90	SP											
0600	-90	PC											
0700	-90	PC											
0800	-90	PC											
0900	-90	PC											
1000	90	PC											
1100	94	PC											
1200	94	PC											
1300	99	PC											
1400	100	PC											
1500	103	PC											
1600	105	PC											
1700	106	PC											
1800	106	PC											
1900	102	PC											
2000	104	PC											
2100	91	PC											
2200	88	PC											
2300	90	PC											
2400	-90	PC											

Captain

MJ      Date 7-22

COMMENT:

Associate Warden, *Program Division*

Date 7/18/24

# HEAT PLAN ACTIVATION REPORT

DATE: 6-23-24

SIERRA CONSERVATION CENTER

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	<i>RJ</i>									
0200	-96	<i>No AD</i>									
0300	-96	<i>No AD</i>									
0400	-98	<i>LS</i>									
0500	-98	<i>LS</i>									
0600	-98	<i>LS</i>									
0700	-98	<i>LS</i>									
0800	-98	<i>LS</i>									
0900	-98	<i>LS</i>									
1000	94	<i>LS</i>									
1100	98	<i>LS</i>									
1200	100	<i>LS</i>									
1300	102	<i>LS</i>									
1400	105	<i>LS</i>									
1500	106	<i>LS</i>									
1600	106	<i>LS</i>									
1700	106	<i>LS</i>									
1800	107	<i>LS</i>									
1900	108	<i>LS</i>									
2000	95	<i>LS</i>									
2100	89	<i>LS</i>									
2200	-79	<i>LS</i>									
2300	-79	<i>LS</i>									
2400	-79	<i>LS</i>									

Captain Phil Date 7.3.24  
 COMMENT: 5 Stage Stages.

Associate Warden, *Programs Division*Date 7/10/24

# SIERRA CONSERVATION CENTER HEAT PLAN ACTIVATION REPORT

DATE:

6/24/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES						ACTIVATION = A and Deactivation = D CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOB	CME/ POC	Unit LT.
0100	-90	Watch Commander									
0200	-90	Watch Commander									
0300	-90	Watch Commander									
0400	-90	Watch Commander									
0500	-90	Watch Commander									
0600	-90	Watch Commander									
0700	-90	Watch Commander									
0800	-90	Watch Commander									
0900	-90	Watch Commander									
1000	92	Watch Commander	X								
1100	96	Watch Commander									
1200	100	Watch Commander									
1300	101	Watch Commander									
1400	104	Watch Commander									
1500	103	Watch Commander									
1600	97	Watch Commander									
1700	103	Watch Commander									
1800	104	Watch Commander									
1900	98	Watch Commander									
2000	93	Watch Commander									
2100	88	Watch Commander									
2200	86	Watch Commander									
2300	~90	Watch Commander									
2400	~90	Watch Commander									

Captain John Date 7/3/24 Associate Warden, Programs Division Date 7/10/24

COMMENT: Stage II Active from Previous Day

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 6/25/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOB	CME/ POC	Unit LT.
0100	-90										
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90	✓ Chambers									
0700	-90	✓ Chambers									
0800	-90	✓ Chambers									
0900	-90	✓ Chambers									
1000	93	✓ Chambers									
1100	97	✓ Chambers									
1200	99	✓ Chambers									
1300	100	✓ Chambers									
1400	102	✓ Chambers									
1500	104	✓ Chambers									
1600	103	✓ Chambers									
1700	102	✓ Chambers									
1800	97	✓ Chambers									
1900	96	✓ Chambers									
2000	93	✓ Chambers									
2100	97	✓ Chambers									
2200	-90	✓ Chambers									
2300	-90	✓ Chambers									
2400	-90	✓ Chambers									

Captain J. Kuehne Date 7-22-24 Associate Warden, Programs Division Date 7/01/24

COMMENT: Stage II still active from previous day.

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 6/26/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	-90										
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90	JF Chamberlain									
1000	-90	JF Chamberlain									
1100	-90	JF Chamberlain									
1200	-93	JF Chamberlain									
1300	-93	JF Chamberlain									
1400	-94	JF Chamberlain									
1500	-96	JF Chamberlain									
1600	-97	JF Chamberlain									
1700	-98	JF Chamberlain									
1800	-98	JF Chamberlain									
1900	-99	JF Chamberlain									
2000	-99	JF Chamberlain									
2100	-99	JF Chamberlain									
2200	-99	JF Chamberlain									
2300	-99	JF Chamberlain									
2400	-99	JF Chamberlain									

Captain

Date

7-3-24

COMMENT: *STLIC 07/01/2024*Associate Warden, *Program Division*

Date

7/6/24

# SIERRA CONSERVATION CENTER

## HEAT PLAN ACTIVATION REPORT

DATE:

6/27/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit L.T.
0100	-90										
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	-90										
1100	-90										
1200	90										
1300	90										
1400	90										
1500	90										
1600	90										
1700	90										
1800	90										
1900	90										
2000	85										
2100	82										
2200	-90	John Chambers									
2300	-90	John Chambers									
2400	-90	John Chambers									

Captain

Date

Associate Warden, *Programs Division*Date 7/6/24COMMENT:  
*Since our SMC 2*

# HEAT PLAN ACTIVATION REPORT

DATE:

6/28/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
			A	D	A	D	A	D	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	J. Chambers									
0200	-90	J. Chambers									
0300	-90	J. Chambers									
0400	-90	J. Chambers									
0500	-90	J. Chambers									
0600	-90	J. Chambers									
0700	-90	J. Chambers									
0800	-90	J. Chambers									
0900	-90	J. Chambers									
1000	-90	J. Chambers									
1100	-90	J. Chambers									
1200	93								X	X	X
1300	96								X	X	X
1400	97										
1500	100										
1600	99										
1700	101										
1800	99										
1900	95										
2000	89										
2100	86										
2200	-90	J. Chambers							X	X	X
2300	-90	J. Chambers							X	X	X
2400	-90	J. Chambers									

Captain

Date

Associate Warden, *Programs Division*

Date 7/3/24

COMMENT:

STILL ON STAGE II - DEACTIVATED @ 8:00PM

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 4/29/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under temperature next to 1300 hours. In the same row, check the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Programs Division office.

TIME	TEMP	OUTSIDE	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D		
				A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.
0100	~90		JAC Chambers									
0200	-70		JAC Chambers									
0300	-70		JAC Chambers									
0400	-70		JAC Chambers									
0500	-50		JAC Chambers									
0600	-70		JAC Chambers									
0700	-90		JAC Chambers									
0800	-90		JAC Chambers									
0900	-90		JAC Chambers									
1000	-90		JAC Chambers									
1100	-92		JAC Chambers									
1200	-94		JAC Chambers	X								
1300	-77		JAC Chambers									
1400	-99		JAC Chambers									
1500	100°		JAC Chambers									
1600	100°		JAC Chambers									
1700	99°		JAC Chambers									
1800	99°		JAC Chambers									
1900	99°		JAC Chambers									
2000	-83		JAC Chambers									
2100	-70		JAC Chambers									
2200	-70		JAC Chambers									
2300	-60		JAC Chambers									
2400	-60		JAC Chambers									

Captain ✓ Date 7-3-24 Associate Warden, Programs Division Date 7/8/24

COMMENT:

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 6/30/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander will sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/20 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of *Program Division* office.

TIME	TEMP	WATCH COMMANDER	STAGES						Activation = A and Deactivation = D CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	<i>PJ</i>									
0200	-90	<i>PJ</i>							X		
0300	-90	<i>PJ</i>							X		
0400	-90	<i>PJ</i>							X		
0500	-90	<i>PJ</i>							X		
0600	-90	<i>PJ</i>							X		
0700	-90	<i>PJ</i>							X		
0800	-90	<i>PJ</i>							X		
0900	-90	<i>PJ</i>							X		
1000	-90	<i>PJ</i>							X		
1100	91	<i>PJ</i>							X		
1200	94	<i>PJ</i>							X		
1300	95	<i>PJ</i>							X		
1400	97	<i>Renneberg</i>							X		
1500	96	<i>Gennettem</i>							X		
1600	98	<i>Renneberg</i>							X		
1700	98	<i>Renneberg</i>							X		
1800	98	<i>Renneberg</i>							X		
1900	99	<i>Renneberg</i>							X		
2000	99	<i>Renneberg</i>							X		
2100	-90	<i>Renneberg</i>							X		
2200	-90	<i>Renneberg</i>							X		
2300	-90	<i>Renneberg</i>							X		
2400	-90	<i>Renneberg</i>							X		

Captain *[Signature]* Date 7/3/24

COMMENT: *See Skin on Stage II @ 0000hrs*

Associate Warden, *Programs Division*

Date 7/6/24

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

06 - 01

Date	Time	Temp.	Printed Name
	0100	70	Grandstaff
+ 2024	0200	68	Grandstaff
	0300	67	Grandstaff
	0400	65	J. Mastoles
	0500	65	J. Mastoles
	0600	64	Rangel
	0700	61	Rangel
	0800	74	Rangel
	0900	79	Rangel
	1000	84	Rangel
	1100	85	Rangel
	1200	86	Rangel
	1300	89	Gutierrez
	1400	89	Craig Jr
	1500	91	Craig Jr
	1600	91	Craig Jr
	1700	88	Craig Jr
	1800	88	Craig Jr
	1900	83	Craig Jr
	2000	78	Angeley
	2100	72	Angeley
	2200	71	MILLS
	2300	68	MILLS
	2400	67	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

*5 - 2 - 2024*

Date	Time	Temp.	Printed Name
	0100	65	MILLS
	0200	63	MILLS
	0300	61	MILLS
	0400	60	MILLS
	0500	59	MILLS
	0600	60	V. SQU
	0700	61	V. SQU
	0800	61	V. SQU
	0900	69	V. SQU
	1000	74	V. SQU
	1100	76	V. SQU
	1200	78	V. SQU
	1300	81	V. SQU
	1400	86	MILLS
	1500	87	THALMAN
	1600	86	THALMAN
	1700	88	THALMAN
	1800	86	THALMAN
	1900	83	THALMAN
	2000	79	THALMAN
	2100	75	THALMAN
	2200	73	MILLS
	2300	71	MILLS
	2400	69	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6 - 3 - 2024

Date	Time	Temp.	Printed Name
	0100	68	MILLS
	0200	66	MILLS
	0300	65	MILLS
	0400	64	MILLS
	0500	64	MILLS
	0600	63	VAZQUEZ
	0700	65	VAZQUEZ
	0800	67	VAZQUEZ
	0900	69	VAZQUEZ
	1000	71	VAZQUEZ
	1100	76	VAZQUEZ
	1200	78	VAZQUEZ
	1300	79	VAZQUEZ
	1400	83	VAZQUEZ
	1500	83	THALMAN
	1600	83	THALMAN
	1700	83	THALMAN
	1800	83	THALMAN
	1900	78	THALMAN
	2000	74	THALMAN
	2100	70	THALMAN
	2200	69	MILLS
	2300	67	MILLS
	2400	65	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6 - 4

Date	Time	Temp.	Printed Name
2024	0100	66	MILLS
	0200	65	MILLS
	0300	65	MILLS
	0400	64	MILLS
	0500	62	MILLS
	0600	64	VAZQUEZ
	0700	66	VAZQUEZ
	0800	71	VAZQUEZ
	0900	75	VAZQUEZ
	1000	78	VAZQUEZ
	1100	84	VAZQUEZ
	1200	88	VAZQUEZ
	1300	92	VAZQUEZ
	1400	94	VAZQUEZ
	1500	98	THALMAN
	1600	98	THALMAN
	1700	98	THALMAN
	1800	97	THALMAN
	1900	97	THALMAN
	2000	94	THALMAN
	2100	88	THALMAN
	2200	84	GONZALES
	2300	82	GONZALES
	2400	79	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6-5

Date	Time	Temp.	Printed Name
2024	0100	76	GONZALES
	0200	75	GONZALES
	0300	73	GONZALES
	0400	72	GONZALES
	0500	71	GONZALES
	0600	71	VAZQUEZ
	0700	75	VAZQUEZ
	0800	79	VAZQUEZ
	0900	82	VAZQUEZ
	1000	88	VAZQUEZ
	1100	91	VAZQUEZ
	1200	94	VAZQUEZ
	1300	96	VAZQUEZ
	1400	99.5	VAZQUEZ
	1500	103.0	Isaman
	1600	102.2	Isaman
	1700	102.4	Isaman
	1800	102.4	Isaman
	1900	99.2	Isaman
	2000	96.1	Isaman
	2100	91.3	ISaman
	2200	87	GONZALES
	2300	83	GONZALES
	2400	81	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6 - 6 - 2024

Date	Time	Temp.	Printed Name
	0100	80	GONZALES
	0200	79	GONZALES
	0300	77	GONZALES
	0400	76	GONZALES
	0500	75	GONZALES
	0600	78	VAZQUEZ
	0700	80	VAZQUEZ
	0800	83	VAZQUEZ
	0900	88	VAZQUEZ
	1000	92	VAZQUEZ
	1100	96	VAZQUEZ
	1200	99	VAZQUEZ
	1300	101	VAZQUEZ
	1400	101	VAZQUEZ
	1500	105	Flores
	1600	105	Flores
	1700	102	Flores
	1800	99	Flores
	1900	97	Flores
	2000	93	Flores
	2100	86	Flores
	2200	84	Grandstaff
	2300	81	GrandStaff
	2400	79	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6 - 7 - 2024

Date	Time	Temp.	Printed Name
	0100	79	Grandstaff
	0200	77	Grandstaff
	0300	75	Grandstaff
	0400	73	Grandstaff
	0500	72	Grandstaff
	0600	72	Ranger 61
	0700	77	Ranger
	0800	81	Ranger
	0900	85	Ranger
	1000	89	Ranger
	1100	91	Ranger
	1200	95	Ranger
	1300	98	Ranger
	1400	98	Ranger 61
	1500	100	Ranger 61
	1600	102	Ranger 61
	1700	99	Ranger
	1800	96	Ranger
	1900	90	Ranger 61
	2000	84	Ranger 61
	2100	82	Ranger 61
	2200	77	Grandstaff
	2300	73	Grandstaff
	2400	71	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

1st/W                           
Print and Sign

2nd/W                           
Print and Sign

3rd/W                           
Print and Sign

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6 - 8 - 2024

Date	Time	Temp.	Printed Name
	0100	68	Grandstaff
	0200	66	Grandstaff
	0300	64	Grandstaff
	0400	63	Grandstaff
	0500	62	Grandstaff
	0600	62	MARTINEZ
	0700	63	MARTINEZ
	0800	70	MARTINEZ
	0900	74	MARTINEZ
	1000	80	MARTINEZ
	1100	83	MARTINEZ
	1200	86	MARTINEZ
	1300	88	MARTINEZ
	1400	89	Palecek
	1500	90	Palecek
	1600	90.2	Palecek
	1700	90.5	Palecek
	1800	92.0	Palecek
	1900	87	Palecek
	2000	83	Palecek
	2100	77	Palecek
	2200	74	WILSON
	2300	73	WILSON
	2400	73	WILSON

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

1st/W

Print and Sign

2nd/W

Print and Sign

3rd/W

Print and Sign

**INSTITUTION: Sierra Conservation Center**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza control

**Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
6-9-24	0100	71	WILSON
	0200	71	WILSON
	0300	68	WILSON
	0400	68	WILSON
	0500	61	WILSON
	0600	61	WILSON
	0700	65	Vasquez
	0800	67	Vasquez
	0900	77	Vasquez
	1000	79	Vasquez
	1100	82	Vasquez
	1200	84	Vasquez
	1300	85	Vasquez
	1400	85	MILLS
	1500	89	BIXLER
	1600	91	BIXLER
	1700	91	BIXLER
	1800	91	BIXLER
	1900	89	BIXLER
	2000	85	BIXLER
	2100	77	BIXLER
	2200	75	MILLS
	2300	72	MILLS
	2400	71	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

1st/W A. MILLS  
Print and Sign

2nd/W Bixler  
Print and Sign

3rd/W Bixler  
Print and Sign

**INSTITUTION: Sierra Conservation Center**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

*Plaza Control*

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

*6/10/24*

Date	Time	Temp.	Printed Name
	0100	69	MILLS
	0200	68	MILLS
	0300	67	MILLS
	0400	66	MILLS
	0500	65	MILLS
	0600	63	VAZQUEZ
	0700	69	VAZQUEZ
	0800	72	VAZQUEZ
	0900	77	VAZQUEZ
	1000	82	VAZQUEZ
	1100	85	VAZQUEZ
	1200	87	VAZQUEZ
	1300	91	VAZQUEZ
	1400	93	THALMAN
	1500	92	THALMAN
	1600	93	THALMAN
	1700	94	THALMAN
	1800	94	THALMAN
	1900	92	THALMAN
	2000	88	THALMAN
	2100	83	THALMAN
	2200	80	MILLS
	2300	78	MILLS
	2400	77	MILLS

1st/W A. MILLS  
Print and Sign

2nd/W VAZQUEZ  
Print and Sign

3rd/W Hst  
Print and Sign

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: PLAZA CONTROL

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6-11

Date	Time	Temp.	Printed Name
	0100	77	MILLS
	0200	75	MILLS
	0300	74	MILLS
	0400	73	MILLS
	0500	73	MILLS
	0600	71	VAZQUEZ
	0700	74	VAZQUEZ
	0800	79	VAZQUEZ
	0900	83	VAZQUEZ
	1000	87	VAZQUEZ
	1100	92	VAZQUEZ
	1200	95	VAZQUEZ
	1300	96	VAZQUEZ
	1400	98	VAZQUEZ
	1500	101	THALMAN
	1600	102	THALMAN
	1700	102	THALMAN
	1800	100	THALMAN
	1900	98	THALMAN
	2000	94	THALMAN
	2100	89	THALMAN
	2200	86	GONZALES
	2300	84	GONZALES
	2400	82	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: PLAZA CONTROL

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6-12-24

Date	Time	Temp.	Printed Name
	0100	81	GONZALES
	0200	79	GONZALES
	0300	77	GONZALES
	0400	75	GONZALES
	0500	74	GONZALES
	0600	73	VAZQUEZ
	0700	74	VAZQUEZ
	0800	81	VAZQUEZ
	0900	85	VAZQUEZ
	1000	89	VAZQUEZ
	1100	93	VAZQUEZ
	1200	95	VAZQUEZ
	1300	99	VAZQUEZ
	1400	99	GARDNER
	1500	100	GARDNER
	1600	101	GARDNER
	1700	100	GARDNER
	1800	98	GARDNER
	1900	91	GARDNER
	2000	86	GARDNER
	2100	83	GARDNER
	2200	79	GONZALES
	2300	77	GONZALES
	2400	76	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week:

Thermometer Location: PLAZA Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-13-24	0100	74	GONZALES
	0200	72	GONZALES
	0300	71	GONZALES
	0400	70	GONZALES
	0500	69	GONZALES
	0600	68	VAZQUEZ
	0700	70	VAZQUEZ
	0800	73	VAZQUEZ
	0900	78	VAZQUEZ
	1000	82	VAZQUEZ
	1100	87	VAZQUEZ
	1200	91	VAZQUEZ
	1300	92	VAZQUEZ
	1400	94	VAZQUEZ
	1500	96	Young
	1600	96	Young
	1700	97	Young
	1800	93	Young
	1900	93	Young
	2000	84	Young
	2100	80	Young
	2200	76	F. Mendoza
	2300	71	Mendoza
	2400	68	Mendoza

Date	Time	Temp.	Printed Name
6-14-24	0100	67	Mendoza
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-14-20	0100	67	Mendoza
	0200	70	Mendoza
	0300	70	Mendoza
	0400	70	Mendoza
	0500	69	Mendoza
	0600	63	Rangel
	0700	68	Rangel
	0800	74	Rangel
	0900	80	Rangel
	1000	80	Rangel
	1100	85	Rangel
	1200	88	Rangel
	1300	90	Rangel
	1400	95	THALMAN
	1500	96	THALMAN
	1600	97	THALMAN
	1700	96	THALMAN
	1800	94	THALMAN
	1900	90	THALMAN
	2000	83	T-halman
	2100	78	F-A-Z-E-Z
	2200	76	Grandstaff
	2300	72	Grandstaff
	2400	70	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-15-24	0100	68	Grandstaff
	0200	65	Grandstaff
	0300	65	Grandstaff
	0400	63	Grandstaff
	0500	61	Grandstaff
	0600	59	Rangel
	0700	62	Rangel
	0800	61	Rangel
	0900	71	Rangel
	1000	74	Rangel
	1100	80	Rangel
	1200	82	Rangel
	1300	84	Rangel
	1400	87	ThAlMaN
	1500	88	THALMAN
	1600	89	THALMAN
	1700	89	THALMAN
	1800	88	ThAlMaN
	1900	86	THALMAN
	2000	81	THALMAN
	2100	79	THALMAN
	2200	76	Strader
	2300	73	Strader
	2400	71	Strader

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

*6-16*

Date	Time	Temp.	Printed Name
	0100	57	Strader
	0200	58	Strader
	0300	59	Strader
	0400	60	Strader
	0500	61	Strader
	0600	63	VAZQUEZ
	0700	64	VAZQUEZ
	0800	70	VAZQUEZ
	0900	74	VAZQUEZ
	1000	80	VAZQUEZ
	1100	83	VAZQUEZ
	1200	85	VAZQUEZ
	1300	88	VAZQUEZ
	1400	89	VAZQUEZ
	1500	89	THALMAN
	1600	88	THALMAN
	1700	89	THALMAN
	1800	88	Thalman
	1900	86	Thalman
	2000	80	T-halman
	2100	75	THALMAN
	2200	73	MILLS
	2300	71	MILLS
	2400	68	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-17-24	0100	65	MILLS
	0200	63	MILLS
	0300	62	MILLS
	0400	60	MILLS
	0500	59	MILLS
	0600	58	VAZQUEZ
	0700	59	VAZQUEZ
	0800	65	VAZQUEZ
	0900	69	VAZQUEZ
	1000	73	VAZQUEZ
	1100	76	VAZQUEZ
	1200	78	VAZQUEZ
	1300	80	VAZQUEZ
	1400	83	VAZQUEZ
	1500	85	THALMAN
	1600	85	THALMAN
	1700	83	THALMAN
	1800	80	THALMAN
	1900	78	THALMAN
	2000	76	THALMAN
	2100	74	THALMAN
	2200	72	MILLS
	2300	72	MILLS
	2400	68	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-18-24	0100	63	MILLS
	0200	62	MILLS
	0300	62	MILLS
	0400	61	MILLS
	0500	60	MILLS
	0600	59	BIXLER
	0700	61	BIXLER
	0800	68	BIXLER
	0900	73	BIXLER
	1000	78	BIXLER
	1100	82	BIXLER
	1200	84	BIXLER
	1300	86	BIXLER
	1400	89	THALMAN
	1500	89	THALMAN
	1600	88	THALMAN
	1700	88	THALMAN
	1800	88	thalman
	1900	86	thalman
	2000	82	thalman
	2100	77	T-halman
	2200	74	C. GONZALES
	2300	69	C. GONZALES
	2400	67	C. GONZALES

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Central

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-19-24	0100	66	C. GONZALES
	0200	65	C. GONZALES
	0300	64	C. GONZALES
	0400	63	C. GONZALES
	0500	62	C. GONZALES
	0600	62	VAZQUEZ
	0700	64	VAZQUEZ
	0800	72	VAZQUEZ
	0900	74	VAZQUEZ
	1000	79	VAZQUEZ
	1100	84	VAZQUEZ
	1200	86	VAZQUEZ
	1300	88	VAZQUEZ
	1400	88	VAZQUEZ
	1500	88	Mackenzie
	1600	88	Mackenzie
	1700	89	Mackenzie
	1800	89	Mackenzie
	1900	86	Mackenzie
	2000	82	Mackenzie
	2100	77	Mackenzie
	2200	73	GONZALES
	2300	70	GONZALES
	2400	68	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-20-24	0100	67	GONZALES
	0200	65	GONZALES
	0300	64	GONZALES
	0400	63	GONZALES
	0500	62	GONZALES
	0600	62	VAZQUEZ
	0700	65	VAZQUEZ
	0800	68	VAZQUEZ
	0900	72	VAZQUEZ
	1000	77	VAZQUEZ
	1100	84	VAZQUEZ
	1200	83	VAZQUEZ
	1300	87	VAZQUEZ
	1400	88	Niday
	1500	88	Niday
	1600	89	Niday
	1700	89	Niday
	1800	89	Niday
	1900	86	Niday
	2000	83	Niday
	2100	78	Niday
	2200	75	Grandstaff
	2300	72	Grandstaff
	2400	70	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-21-24	0100	69	Grandstaff
	0200	68	Grandstaff
	0300	67	Grandstaff
	0400	65	Grandstaff
	0500	64	Grandstaff
	0600	64	Ranger
	0700	65	Ranger
	0800	70	Ranger
	0900	76	Ranger
	1000	81	Ranger
	1100	85	Ranger
	1200	88	Ranger
	1300	92	Ranger
	1400	95	THalman
	1500	96	THalman
	1600	97	THalman
	1700	98	thalman
	1800	96	THALMAN
	1900	93	THALMAN
	2000	88	T halman
	2100	85	tHalman
	2200	82	Grandstaff
	2300	80	Grandstaff
	2400	76	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-22-24	0100	75	Grandstaff
	0200	73	Grandstaff
	0300	72	Grandstaff
	0400	71	Grandstaff
	0500	70	Grandstaff
	0600	71	Ranger
	0700	74	Ranger
	0800	80	Ranger
	0900	85	Ranger
	1000	90	G.Hernandez
	1100	94	G.Hernandez
	1200	96	G.Hernandez
	1300	99	G.Hernandez
	1400	100	THALMAN
	1500	103	THALMAN
	1600	105	THALMAN
	1700	106	thalman
	1800	106	T halman
	1900	102	T halman
	2000	96	THALMAN
	2100	91	THALMAN
	2200	88	THALMAN
	2300	84	THALMAN
	2400	81	THALMAN

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6-23-24

Date	Time	Temp.	Printed Name
	0100	81	Thalman
	0200	79	T halman
	0300	78	TAL mAn
	0400	77	tHALMan
	0500	76	ThAlman
	0600	74	THALMAN
	0700	77	VAZQUEZ
	0800	84	VAZQUEZ
	0900	88	VAZQUEZ
	1000	94	VAZQUEZ
	1100	98	VAZQUEZ
	1200	102	VAZQUEZ
	1300	103	VAZQUEZ
	1400	105	VAZQUEZ
	1500	106	THALMAN
	1600	106	ThAI Man
	1700	106	THALMAN
	1800	103	Th ALMAN
	1900	100	THACMAN
	2000	95	FIGUEZ
	2100	89	THALMAN
	2200	88	MILLS
	2300	83	MILLS
	2400	82	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6-24-24	0100	78	MILLS		0100		
	0200	77	MILLS		0200		
	0300	76	MILLS		0300		
	0400	75	MILLS		0400		
	0500	74	MILLS		0500		
	0600	74	VAZQUEZ		0600		
	0700	78	VAZQUEZ		0700		
	0800	81	VAZQUEZ		0800		
	0900	88	VAZQUEZ		0900		
	1000	93	VAZQUEZ		1000		
	1100	98	VAZQUEZ		1100		
	1200	100	VAZQUEZ		1200		
	1300	101	VAZQUEZ		1300		
	1400	104	VAZQUEZ		1400		
	1500	103	THALMAN		1500		
	1600	97	THALMAN		1600		
	1700	103	thalman		1700		
	1800	100	HALMAN		1800		
	1900	98	HALMAN		1900		
	2000	93	T Halman		2000		
	2100	88	THALMAN		2100		
	2200	86	MILLS		2200		
	2300	83	MILLS		2300		
	2400	83	MILLS		2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6-25-24

Date	Time	Temp.	Printed Name
	0100	81	MILLS
	0200	78	MILLS
	0300	77	MILLS
	0400	77	MILLS
	0500	76	MILLS
	0600	76	VAZQUEZ
	0700	78	VAZQUEZ
	0800	82	VAZQUEZ
	0900	88	VAZQUEZ
	1000	93	VAZQUEZ
	1100	95	VAZQUEZ
	1200	99	VAZQUEZ
	1300	100	VAZQUEZ
	1400	102	VAZQUEZ
	1500	104	THALMAN
	1600	103	T hALMAN
	1700	102	thalman
	1800	97	ThAlMan
	1900	96	xhalman
	2000	93	ThAlMan
	2100	87	THALMAN
	2200	83	GONZALES
	2300	81	GONZALES
	2400	79	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-26-24	0100	78	GONZALES
	0200	76	GONZALES
	0300	75	GONZALES
	0400	74	GONZALES
	0500	73	GONZALES
	0600	73	VAZQUEZ
	0700	77	VAZQUEZ
	0800	80	VAZQUEZ
	0900	84	VAZQUEZ
	1000	86	VAZQUEZ
	1100	90	VAZQUEZ
	1200	93	VAZQUEZ
	1300	93	VAZQUEZ
	1400	94	VAZQUEZ
	1500	96	Isaman
	1600	97	Isaman
	1700	96	Isaman
	1800	96	Isaman
	1900	89	Isaman
	2000	86	Isaman
	2100	82	Isaman
	2200	79	GONZALES
	2300	76	GONZALES
	2400	74	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6-27-24

Date	Time	Temp.	Printed Name
	0100	70	GONZALES
	0200	69	GONZALES
	0300	68	GONZALES
	0400	67	GONZALES
	0500	65	GONZALES
	0600	65	VAZQUEZ
	0700	67	VAZQUEZ
	0800	71	VAZQUEZ
	0900	77	VAZQUEZ
	1000	81	VAZQUEZ
	1100	77	VAZQUEZ
	1200	90	VAZQUEZ
	1300	90	VAZQUEZ
	1400	91	VAZQUEZ
	1500	91	S.TYSON
	1600	93	S.TYSON
	1700	94	S.TYSON
	1800	92	S.TYSON
	1900	89	S.TYSON
	2000	85	Ubaldo
	2100	82	Ubaldo
	2200	78	Grand Staff
	2300	74	Grand Staff
	2400	72	Grand Staff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
6-28-24	0100	71	Grandstaff		0100		
	0200	71	Grandstaff		0200		
	0300	69	Grandstaff		0300		
	0400	67	Grandstaff		0400		
	0500	67	Grandstaff		0500		
	0600	66	Ranger		0600		
	0700	70	Ranger		0700		
	0800	75	Ranger		0800		
	0900	81	Ranger		0900		
	1000	85	Ranger		1000		
	1100	87	Ranger		1100		
	1200	93	Ranger		1200		
	1300	96	Ranger		1300		
	1400	97	THALMAN		1400		
	1500	100	T-Halman		1500		
	1600	99	THALMAN		1600		
	1700	101	tHalman		1700		
	1800	99	ThAlMAN		1800		
	1900	95	Lxxwman		1900		
	2000	89	THALMAN		2000		
	2100	86	THALMAN		2100		
	2200	82	Grandstaff		2200		
	2300	80	Grandstaff		2300		
	2400	77	Grandstaff		2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-29-24	0100	73	Grandstaff
	0200	72	Grandstaff
	0300	71	Grandstaff
	0400	71	Grandstaff
	0500	71	Grandstaff
	0600	69	RangEL
	0700	72	RangEL
	0800	79	RangEL
	0900	84	RangEL
	1000	87	RangEL
	1100	92	RangEL
	1200	94	RangEL
	1300	91	RangEL
	1400	99	THALMAN
	1500	100	thalman
	1600	100	ThAlMaN
	1700	99	tHalMaN
	1800	98	FEVER
	1900	94	Lamont
	2000	89	T halman
	2100	85	THALMAN
	2200	81	MILLS
	2300	80	MILLS
	2400	77	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

6-30-24

Date	Time	Temp.	Printed Name
	0100	75	MILLS
	0200	74	MILLS
	0300	73	MILLS
	0400	71	MILLS
	0500	89	MILLS
	0600	68	Vasque
	0700	68	Vasque
	0800	75	Vasque
	0900	83	Vasque
	1000	87	Vasque
	1100	91	Vasque
	1200	94	Vasque
	1300	95	Vasque
	1400	97	MILLS
	1500	96	THALMAN
	1600	98	T halman
	1700	98	tHalman
	1800	98	thaiman
	1900	94	THALMAN
	2000	89	THALMAN
	2100	84	THALMAN
	2200	82	MILLS
	2300	81	MILLS
	2400	79	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 65      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/27	0300	71	G-1
	0600	71	CARDOZA
	0900	73	CARDOZA
	1200	75	CARDOZA
	1500	76	Praido
	1800	75	Praido
	2100	74	Praido
	2400	77	Rippled

**Tuesday**

Date	Time	Temp.	Name (Print)
5/28	0300	76	Rippled
	0600	79	Rippled
	0900	78	Rippled
	1200	80	Rippled
	1500	81	Sanchez
	1800	82	Sanchez
	2100	81	Gibbons
	2400	79	Gibbons

**Wednesday**

Date	Time	Temp.	Name (Print)
5/29	0300	73	Rippled
	0600	71	ANNA
	0900	66	ARTHUR
	1200	80	ARTHUR
	1500	90	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	80	Rosas

**Thursday**

Date	Time	Temp.	Name (Print)
5/30	0300	78	Rosas
	0600	86	CARDOZA
	0900	80	CARDOZA
	1200	82	CARDOZA
	1500	90	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	80	Rosas

**Friday**

Date	Time	Temp.	Name (Print)
5/31	0300	86	Rosas
	0600	82	CARDOZA
	0900	85	CARDOZA
	1200	85	CARDOZA
	1500	84	UBALDO
	1800	83	UBALDO
	2100	83	UBALDO
	2400	82	G-1

**Saturday**

Date	Time	Temp.	Name (Print)
6/1	0300	82	G-1
	0600	83	CARDOZA
	0900	84	CARDOZA
	1200	86	CARDOZA
	1500	93	Praido
	1800	89	Praido
	2100	81	Praido
	2400	81	G-1

**Sunday**

Date	Time	Temp.	Name (Print)
6/2	0300	77	G-1
	0600	80	CARDOZA
	0900	80	CARDOZA
	1200	82	CARDOZA
	1500	83	Praido
	1800	81	Praido
	2100	80	Praido
	2400	73	G-1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 66      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300	77	Aldava
	0600	78	Neil
	0900	78	Robles
	1200	78	Robles
	1500	79	Cotillo
	1800	80	Cotillo
	2100	80	Cotillo
5/27	2400	80	Aldava

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300	79	Aldava
	0600	80	✓
	0900	81	✓
	1200	82	✓
	1500	84	✓
	1800	85	✓
	2100	84	✓
5/28	2400	82	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300	80	Kimbrell
	0600	80	Krahn
	0900	81	KRAHN
	1200	82	KRAHN
	1500	84	✓
	1800	85	✓
	2100	85	✓
5/29	2400	84	GEMERIANI

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	84	GEMERIANI
	0600	78	KRAHN
	0900	80	KRAHN
	1200	81	KRAHN
	1500	88	✓
	1800	89	✓
	2100	90	✓
5/30	2400	80	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
	0300	80	Kimbrell
	0600	80	KRAHN
	0900	82	KRAHN
	1200	84	KRAHN
	1500	86	BALKER
	1800	87	BALKER
	2100	87	BALKER
5/31	2400	87	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	80	Kimbrell
	0600	80	KRAHN
	0900	84	KRAHN
	1200	85	KRAHN
	1500	90	KRAHN
	1800	89	KRAHN
	2100	82	KRAHN
6/1	2400	81	Frazier

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	78	Frazier
	0600	78	Robles
	0900	79	Robles
	1200	80	Robles
	1500	85	BAINS
	1800	85	BAINS
	2100	83	BAINS
6/2	2400	80	BAINS

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 67      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/27	0300	72	6'1
	0600	71	CARDONA
	0900	72	CARDONA
	1200	74	CARDONA
	1500	74	PRAZIO
	1800	75	PRAZIO
	2100	75	PRAZIO
	2400	77	Rappel

**Tuesday**

Date	Time	Temp.	Name (Print)
5/28	0300	76	Rappel
	0600	77	Rables
	0900	78	Rables
	1200	80	Rabin
	1500	82	Garcia
	1800	82	Garcia
	2100	81	Garcia
	2400	80	Rappel

**Wednesday**

Date	Time	Temp.	Name (Print)
5/29	0300	78	Rappel
	0600	78	ABAN
	0900	79	ABAN
	1200	80	ADAN
	1500	81	SANCHEZ
	1800	81	SANCHEZ
	2100	82	SANCHEZ
	2400	81	Prasas

**Thursday**

Date	Time	Temp.	Name (Print)
5/30	0300	78	Rosas
	0600	80	CARDONA
	0900	80	CARDONA
	1200	82	CARDONA
	1500	83	SANCHEZ
	1800	83	SANCHEZ
	2100	84	SANCHEZ
	2400	82	Rosas

**Friday**

Date	Time	Temp.	Name (Print)
5/31	0300	81	Rosas
	0600	83	CARDONA
	0900	86	CARDONA
	1200	86	CARDONA
	1500	85	UBALDO
	1800	84	UBALDO
	2100	84	UBALDO
	2400	82	c-1

**Saturday**

Date	Time	Temp.	Name (Print)
6/1	0300	81	c-1
	0600	83	CARDONA
	0900	87	CARDONA
	1200	87	CARDONA
	1500	85	Prazeo
	1800	84	Prazeo
	2100	82	Prazeo
	2400	81	c-1

**Sunday**

Date	Time	Temp.	Name (Print)
6/2	0300	79	c-1
	0600	80	CARDONA
	0900	81	CARDONA
	1200	83	CARDONA
	1500	82	Prazeo
	1800	81	Prazeo
	2100	80	Prazeo
	2400	79	c-1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 68      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>5/27</u>	0300	77	Aldava
	0600	78	Whe
	0900	78	Robin
	1200	80	Hawley
	1500	80	Cestillo
	1800	81	Cestillo
	2100	80	Cestillo
	2400	80	Aldava

Tuesday			
Date	Time	Temp.	Name (Print)
<u>5/28</u>	0300	80	Aldava
	0600	78	✓
	0900	79	✓
	1200	81	✓
	1500	83	✓
	1800	84	✓
	2100	83	✓
	2400	80	Kimbrell

Wednesday			
Date	Time	Temp.	Name (Print)
<u>5/29</u>	0300	78	Kimbrell
	0600	78	Asana
	0900	78	Asana
	1200	80	Asana
	1500	84	✓
	1800	84	✓
	2100	84	✓
	2400	84	CHERONIAN

Thursday			
Date	Time	Temp.	Name (Print)
<u>5/30</u>	0300	84	CHERONIAN
	0600	78	KRAHN
	0900	80	KRAHN
	1200	82	KRAHN
	1500	85	✓
	1800	86	✓
	2100	88	✓
	2400	80	Kimbrell

Friday			
Date	Time	Temp.	Name (Print)
<u>5/31</u>	0300	80	Kimbrell
	0600	80	KRAHN
	0900	82	KRAHN
	1200	84	KRAHN
	1500	85	Duper
	1800	86	BELLEW
	2100	84	BELLEW
	2400	82	Kimbrell

Saturday			
Date	Time	Temp.	Name (Print)
<u>6/1</u>	0300	80	Kimbrell
	0600	80	KRAHN
	0900	84	KRAHN
	1200	85	KRAHN
	1500	88	KRAHN
	1800	86	KRAHN
	2100	84	KRAHN
	2400	81	Frazier

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 69      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/27	0300	72	col 1
	0600	71	CARDONA
	0900	73	CARDOZA
	1200	75	CARDONA
	1500	76	PRADO
	1800	75	PRADO
	2100	75	PRADO
	2400	78	Ruppel

**Tuesday**

Date	Time	Temp.	Name (Print)
5/28	0300	76	Ruppel
	0600	77	Ruppel
	0900	78	Ruppel
	1200	80	Ruppel
	1500	81	grace
	1800	82	grace
	2100	81	grace
	2400	80	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
5/29	0300	78	Ruppel
	0600	79	ABRAHAM
	0900	79	MENOR
	1200	79	SANCHEZ
	1500	80	SANCHEZ
	1800	80	SANCHEZ
	2100	80	SANCHEZ
	2400	80	Rosas

**Thursday**

Date	Time	Temp.	Name (Print)
5/30	0300	78	Rosas
	0600	80	CARDONA
	0900	80	CARDONA
	1200	82	CARDONA
	1500	82	SANCHEZ
	1800	83	SANCHEZ
	2100	83	SANCHEZ
	2400	81	Rosas

**Friday**

Date	Time	Temp.	Name (Print)
5/31	0300	80	Rosas
	0600	82	CARDONA
	0900	85	CARDONA
	1200	85	CARDONA
	1500	84	UBALDO
	1800	84	UBALDO
	2100	84	UBALDO
	2400	82	col 1

**Saturday**

Date	Time	Temp.	Name (Print)
6/1	0300	82	col 1
	0600	83	CARDONA
	0900	86	CARDONA
	1200	86	CARDONA
	1500	85	Prado
	1800	84	Prado
	2100	82	Prado
	2400	80	col 1

**Sunday**

Date	Time	Temp.	Name (Print)
6/2	0300	78	col 1
	0600	80	CARDONA
	0900	81	CARDONA
	1200	82	CARDONA
	1500	83	Prado
	1800	83	Prado
	2100	80	Prado
	2400	78	col 1

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 70      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 71      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
5/27	0300	72	gr 1
	0600	72	CARDOZA
	0900	72	CARDOZA
	1200	75	CARDOZA
	1500	76	PRAZIO
	1800	75	PRAZIO
	2100	75	PRAZIO
	2400	77	Ruppel

Tuesday			
Date	Time	Temp.	Name (Print)
5/28	0300	76	Ruppel
	0600	77	Reyes
	0900	78	Reyes
	1200	80	Reyes
	1500	82	SANCHEZ
	1800	82	SANCHEZ
	2100	81	SANCHEZ
	2400	81	Ruppel

Wednesday			
Date	Time	Temp.	Name (Print)
5/29	0300	78	Ruppel
	0600	79	MARIA
	0900	79	MARIA
	1200	80	MARIA
	1500	80	SANCHEZ
	1800	81	SANCHEZ
	2100	82	SANCHEZ
	2400	80	Rosas

Thursday			
Date	Time	Temp.	Name (Print)
5/30	0300	78	Rosas
	0600	80	CARDOZA
	0900	80	CARDOZA
	1200	82	CARDOZA
	1500	83	SANCHEZ
	1800	84	SANCHEZ
	2100	85	SANCHEZ
	2400	83	Rosas

Friday			
Date	Time	Temp.	Name (Print)
5/31	0300	81	Rosas
	0600	84	CARDOZA
	0900	85	CARDOZA
	1200	85	CARDOZA
	1500	85	UBALDO
	1800	85	UBALDO
	2100	84	UBALDO
	2400	82	gr 1

Saturday			
Date	Time	Temp.	Name (Print)
6/1	0300	81	gr 1
	0600	83	CARDOZA
	0900	85	CARDOZA
	1200	86	CARDOZA
	1500	85	PRAZIO
	1800	85	PRAZIO
	2100	82	PRAZIO
	2400	82	gr 1

Sunday			
Date	Time	Temp.	Name (Print)
6/2	0300	72	gr 1
	0600	79	CARDOZA
	0900	80	CARDOZA
	1200	81	CARDOZA
	1500	83	PRAZIO
	1800	83	PRAZIO
	2100	80	PRAZIO
	2400	78	gr 1

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 72      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300	72	Aldava
	0600	78	Reyes
	0900	75	Ruth
	1200	80	Lobley
5/27	1500	65	Cesena
	1800	81	Castillo
	2100	82	Castillo
	2400	80	Aldava

Tuesday			
Date	Time	Temp.	Name (Print)
	0300	84	Aldava
	0600	78	~
	0900	78	~
	1200	80	~
5/28	1500	82	~
	1800	84	~
	2100	84	~
	2400	82	Kimbrell

Wednesday			
Date	Time	Temp.	Name (Print)
	0300	80	Kimbrell
	0600	81	Morgan
	0900	82	ABANIA
	1200	82	ABANIA
5/29	1500	82	~
	1800	84	~
	2100	83	~
	2400	83	GREGGIANI

Thursday			
Date	Time	Temp.	Name (Print)
	0300	81	GREGGIANI
	0600	78	KRAHN
	0900	80	KRAHN
	1200	80	~
5/30	1500	84	~
	1800	86	~
	2100	86	~
	2400	82	Kimbrell

Friday			
Date	Time	Temp.	Name (Print)
	0300	80	Kimbrell
	0600	80	KRAHN
	0900	82	KRAHN
	1200	84	KRAHN
5/31	1500	65	BURNS
	1800	80	BURNS
	2100	87	BURNS
	2400	82	Kimbrell

Saturday			
Date	Time	Temp.	Name (Print)
	0300	80	Kimbrell
	0600	80	KRAHN
	0900	84	KRAHN
	1200	85	KRAHN
6/1	1500	85	KRAHN
	1800	83	KRAHN
	2100	83	KRAHN
	2400	81	Frazier

Sunday			
Date	Time	Temp.	Name (Print)
	0300	78	Frazier
	0600	78	Reyes
	0900	79	Ruth
	1200	80	Ruth
6/2	1500	85	BAINS
	1800	83	BAINS
	2100	80	BAINS
	2400	80	BAINS

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 73      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
5/27	0300	73	Gil
	0600	72	CARDOSA
	0900	75	CARDOSA
	1200	75	CARDOSA
	1500	74	PRAEDO
	1800	75	PRAEDO
	2100	75	PRAEDO
	2400	78	Rupped

**Tuesday**

Date	Time	Temp.	Name (Print)
5/28	0300	74	Rupped
	0600	77	Rupped
	0900	78	Rupped
	1200	80	Rupped
	1500	82	Garcia
	1800	82	Garcia
	2100	81	Garcia
	2400	80	Rupped

**Wednesday**

Date	Time	Temp.	Name (Print)
5/29	0300	73	Rupped
	0600	74	Rosie
	0900	78	Asante
	1200	78	Pharoa
	1500	79	SANCHEZ
	1800	79	SANCHEZ
	2100	79	SANCHEZ
	2400	79	Rosie

**Thursday**

Date	Time	Temp.	Name (Print)
5/30	0300	78	Rosie
	0600	80	CARDOSA
	0900	80	CARDOSA
	1200	82	CARDOSA
	1500	80	SANCHEZ
	1800	81	SANCHEZ
	2100	82	SANCHEZ
	2400	81	Rosie

**Friday**

Date	Time	Temp.	Name (Print)
5/31	0300	80	Rosie
	0600	82	CARDOSA
	0900	85	CARDOSA
	1200	85	CARDOSA
	1500	86	UBALDO
	1800	84	UBALDO
	2100	83	UBALDO
	2400	82	as 1

**Saturday**

Date	Time	Temp.	Name (Print)
6/1	0300	81	a 1
	0600	83	CARDOSA
	0900	87	CARDOSA
	1200	88	CARDOSA
	1500	85	Praedo
	1800	84	Praedo
	2100	82	Praedo
	2400	81	a 1

**Sunday**

Date	Time	Temp.	Name (Print)
6/2	0300	78	as 1
	0600	80	CARDOSA
	0900	80	CARDOSA
	1200	82	CARDOSA
	1500	83	PRAEDO
	1800	83	PRAEDO
	2100	80	PRAEDO
	2400	78	as 1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 74      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/27	0300	72	Aldava
	0600	78	Neb
	0900	78	Pete
	1200	79	Rubler
	1500	80	Castillo
	1800	81	Castillo
	2100	79	Castillo
	2400	80	Aldava

**Tuesday**

Date	Time	Temp.	Name (Print)
5/28	0300	80	Aldava
	0600	78	~
	0900	75	~
	1200	71	~
	1500	82	~
	1800	88	~
	2100	83	~
	2400	80	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
5/29	0300	78	Kimbrell
	0600	80	RAHN
	0900	81	RAHN
	1200	82	RAHN
	1500	83	~
	1800	84	~
	2100	82	~
	2400	84	GEMIGUANI

**Thursday**

Date	Time	Temp.	Name (Print)
5/30	0300	82	GEMIGUANI
	0600	78	KRAHN
	0900	80	KRAHN
	1200	82	KRAHN
	1500	85	~
	1800	87	~
	2100	88	~
	2400	80	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
5/31	0300	80	Kimbrell
	0600	80	KRAHN
	0900	82	KRAHN
	1200	84	KRAHN
	1500	87	BIVICK
	1800	84	BIVICK
	2100	84	BIVICK
	2400	80	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
6/1	0300	78	Kimbrell
	0600	80	KRAHN
	0900	84	KRAHN
	1200	85	KRAHN
	1500	85	KRAHN
	1800	85	KRAHN
	2100	83	KRAHN
	2400	81	Frazier

**Sunday**

Date	Time	Temp.	Name (Print)
6/2	0300	78	Frazier
	0600	78	Reber
	0900	79	Reber
	1200	80	Reber
	1500	85	Bains
	1800	87	Bains
	2100	84	Bains
	2400	81	Bains

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 75      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/27	0300	72	cel
	0600	72	CARDONA
	0900	75	CARDONA
	1200	75	CARDONA
	1500	76	PRAODO
	1800	75	PRAODO
	2100	73	PRAODO
	2400	78	Ruppel

**Tuesday**

Date	Time	Temp.	Name (Print)
5/28	0300	77	Ruppel
	0600	77	Reales
	0900	78	Robles
	1200	80	Rubel
	1500	82	Sanchez
	1800	82	Sanchez
	2100	81	Garcia
	2400	80	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
5/29	0300	78	Ruppel
	0600	80	ATALIA
	0900	81	ATALIA
	1200	82	ATALIA
	1500	80	SANCHEZ
	1800	81	SANCHEZ
	2100	81	SANCHEZ
	2400	80	Rosas

**Thursday**

Date	Time	Temp.	Name (Print)
5/30	0300	78	Rosas
	0600	80	CARDONA
	0900	80	CARDONA
	1200	82	CARDONA
	1500	80	SANCHEZ
	1800	82	SANCHEZ
	2100	83	SANCHEZ
	2400	82	Rosas

**Friday**

Date	Time	Temp.	Name (Print)
5/31	0300	80	Rosas
	0600	83	CARDONA
	0900	85	CARDONA
	1200	85	CARDONA
	1500	86	UBALDO
	1800	84	UBALDO
	2100	83	UBALDO
	2400	82	cel

**Saturday**

Date	Time	Temp.	Name (Print)
6/1	0300	82	cel
	0600	82	CARDONA
	0900	85	CARDONA
	1200	87	CARDONA
	1500	85	PRAODO
	1800	85	PRAODO
	2100	81	PRAODO
	2400	80	cel

**Sunday**

Date	Time	Temp.	Name (Print)
6/2	0300	78	cel
	0600	80	CARDONA
	0900	80	CARDONA
	1200	82	CARDONA
	1500	83	PRAODO
	1800	83	PRAODO
	2100	80	PRAODO
	2400	78	cel

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 76      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>5/27</u>	0300	79	Atchua
	0600	78	Royer
	0900	79	Royer
	1200	86	Robles
	1500	82	Costillo
	1800	82	Costillo
	2100	81	Costillo
	2400	80	Alcava

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>5/29</u>	0300	80	Kimball
	0600	80	Alcava
	0900	81	Alcava
	1200	82	Alcava
	1500	83	
	1800	84	
	2100	84	
	2400	84	Gennarini

**Friday**

Date	Time	Temp.	Name (Print)
<u>5/31</u>	0300	80	Kimball
	0600	80	Krahn
	0900	82	Krahn
	1200	84	Krahn
	1500	87	Bryant
	1800	84	Bryant
	2100	85	Bryant
	2400	82	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
<u>6/2</u>	0300	78	Frazier
	0600	78	Nobles
	0900	79	Robles
	1200	80	Robles
	1500	85	Bains
	1800	83	Bains
	2100	82	Bains
	2400	80	Bains

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>5/28</u>	0300	80	Alcava
	0600	78	
	0900	79	
	1200	81	
	1500	87	
	1800	84	
	2100	84	
	2400	82	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
<u>5/30</u>	0300	83	Gennarini
	0600	78	KRAHN
	0900	80	KRAHN
	1200	81	KRAHN
	1500	85	
	1800	87	
	2100	81	
	2400	82	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
<u>6/1</u>	0300	80	Kimball
	0600	80	KRAHN
	0900	84	KRAHN
	1200	85	KRAHN
	1500	86	KRAHN
	1800	85	KRAHN
	2100	87	Frazier
	2400	81	Frazier

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 65      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	78	Garcia
	0600	78	CARDONA
	0900	78	CARDONA
	1200	78	GARCIA
	1500	78	GARCIA
	1800	78	GARCIA
	2100	79	GARCIA
	2400	79	Ruppel

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	78	Ruppel
	0600	75	Frazier
	0900	80	Frazier
	1200	82	Frazier
	1500	83	PRAUDO
	1800	81	PRAUDO
	2100	80	PRAUDO
	2400	83	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	81	Ruppel
	0600	82	HILGEN
	0900	84	HILGEN
	1200	85	HILGEN
	1500	84	SANCHEZ
	1800	86	SANCHEZ
	2100	89	SANCHEZ
	2400	87	Reyes

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	86	Rosas
	0600	87	CARDONA
	0900	87	CARDONA
	1200	88	CARDONA
	1500	89	SANCHEZ
	1800	84	SANCHEZ
	2100	80	SANCHEZ
	2400	81	Reyes

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	87	Rosas
	0600	89	CARDONA
	0900	90	CARDONA
	1200	91	CARDONA
	1500	91	Ubald
	1800	93	Ubald
	2100	89	Ubald
	2400	90	g 1

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	87	g 1
	0600	88	CARDONA
	0900	87	CARDONA
	1200	87	CARDONA
	1500	85	GARIBAY
	1800	84	GARIBAY
	2100	84	GARIBAY
	2400	83	g 1

**Sunday**

Date	Time	Temp.	Name (Print)
6/29	0300	79	g 1
	0600	80	CARDONA
	0900	82	CARDONA
	1200	82	CARDONA
	1500	91	Niday
	1800	87	Niday
	2100	82	Niday
	2400	80	g 1

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 66      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	76	A. Aldama
	0600	76	M. Hobbs
	0900	76	M. Hobbs
	1200	77	M. Hobbs
	1500	77	Castillo
	1800	78	Castillo
	2100	79	Castillo
	2400	79	A. Aldama

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	79	A. Aldama
	0600	80	KRAHN
	0900	80	KRAHN
	1200	84	KRAHN
	1500	90	KRAHN
	1800	93	KRAHN
	2100	90	KRAHN
	2400	90	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	82	Kimball
	0600	84	KRAHN
	0900	85	KRAHN
	1200	87	KRAHN
	1500	89	
	1800	90	
	2100	89	
	2400	88	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	87	Kimball
	0600	87	KRAHN
	0900	90	KRAHN
	1200	92	KRAHN
	1500	93	
	1800	94	
	2100	94	
	2400	92	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	91	Kimball
	0600	90	KRAHN
	0900	92	KRAHN
	1200	91	KRAHN
	1500	93	
	1800	94	
	2100	94	
	2400	91	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	88	
	0600	88	
	0900	89	
	1200	89	
	1500	89	
	1800	89	
	2100	89	
	2400	89	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
6/9	0300	89	Kimball
	0600	86	Robles
	0900	86	Rob
	1200	86	Rob
	1500	88	Castillo
	1800	87	Castillo
	2100	86	Castillo
	2400	86	Aldama

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 67      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	72	car /
	0600	78	CARDONA
	0900	78	CARDONA
	1200	78	GARCIA
	1500	78	SANCHEZ
	1800	79	SANCHEZ
	2100	79	SANCHEZ
	2400	80	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	81	Ruppel
	0600	85	HILLMAN
	0900	84	HILLMAN
	1200	85	KILGER
	1500	87	SANCHEZ
	1800	88	SANCHEZ
	2100	90	SANCHEZ
	2400	89	Rosas

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	90	Rosas
	0600	89	CARDONA
	0900	90	CARDONA
	1200	90	CARDONA
	1500	92	Ubald 0
	1800	93	Ubald 0
	2100	89	Ubald 0
	2400	90	c /

**Sunday**

Date	Time	Temp.	Name (Print)
6/19	0300	77	car /
	0600	78	CARDONA
	0900	81	CARDONA
	1200	81	CARDONA
	1500	90	NIDAY
	1800	86	NIDAY
	2100	81	NIDAY
	2400	80	car /

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	79	Ruppel
	0600	79	Frazier
	0900	80	Frazier
	1200	82	Frazier
	1500	83	PATRICK
	1800	81	PATRICK
	2100	80	PATRICK
	2400	82	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	88	Rosas
	0600	88	CARDONA
	0900	88	CARDONA
	1200	89	CARDONA
	1500	90	SANCHEZ
	1800	91	SANCHEZ
	2100	92	SANCHEZ
	2400	91	Rosas

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	89	c /
	0600	84	CARDONA
	0900	85	CARDONA
	1200	86	LAROSA
	1500	85	GARIBAY
	1800	84	GARIBAY
	2100	82	GARIBAY
	2400	81	c /

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 68      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/3	0300	76	A. Aldana
	0600	76	M. Del
	0900	76	M. Lohse
	1200	77	M. N.
	1500	78	Castillo
	1800	77	Castillo
	2100	76	Castillo
	2400	78	A. Aldana

#### Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	80	Kimbrell
	0600	80	KRAHN
	0900	83	KRAHN
	1200	83	KRAHN
	1500	87	
	1800	88	
	2100	89	
	2400	88	Kimbrell

#### Friday

Date	Time	Temp.	Name (Print)
6/7	0300	90	Kimbrell
	0600	88	KRAHN
	0900	90	KRAHN
	1200	90	KRAHN
	1500	92	
	1800	93	
	2100	93	
	2400	90	an1

#### Sunday

Date	Time	Temp.	Name (Print)
6/9 6/10	0300	84	Kimbrell
	0600	82	Robles
	0900	84	Rei
	1200	86	Nan
	1500	88	Castillo
	1800	87	Castillo
	2100	86	Castillo
	2400	80	Aldana

#### Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	79	A. Aldana
	0600	80	KRAHN
	0900	80	KRAHN
	1200	84	KRAHN
	1500	85	KRAHN
	1800	87	KRAHN
	2100	84	KRAHN
	2400	82	Kimbrell

#### Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	87	Kimbrell
	0600	87	KRAHN
	0900	87	KRAHN
	1200	88	KRAHN
	1500	91	
	1800	92	
	2100	91	
	2400	90	Kimbrell

#### Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	89	
	0600	86	
	0900	86	
	1200	87	
	1500	88	
	1800	89	
	2100	88	
	2400	86	Kimbrell

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 69      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	76	GUL
	0600	78	CARDONA
	0900	78	CARDONA
	1200	78	GARCIA
	1500	78	GARCIA
	1800	79	GARCIA
	2100	79	GARCIA
	2400	80	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	81	Ruppel
	0600	82	LICEN
	0900	83	LICEN
	1200	84	HILLEN
	1500	87	SANCHEZ
	1800	88	SANCHEZ
	2100	89	SANCHEZ
	2400	88	Ross

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	90	Ross
	0600	90	CARDONA
	0900	90	CARDONA
	1200	90	CARDONA
	1500	92	Ubaldo
	1800	90	Ubaldo
	2100	88	Ubaldo
	2400	90	G1

**Sunday**

Date	Time	Temp.	Name (Print)
6/8/9	0300	76	G1
	0600	80	CARDONA
	0900	81	CARDONA
	1200	82	CARDONA
	1500	90	Nidal
	1800	87	Nidal
	2100	80	Nidal
	2400	78	G1

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	78	Ruppel
	0600	78	Frazier
	0900	80	Frazier
	1200	82	Frazier
	1500	82	PRAPO
	1800	80	PRAPO
	2100	80	PRAPO
	2400	82	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	87	Rosas
	0600	88	CARDONA
	0900	89	CARDONA
	1200	90	CARDONA
	1500	91	SANCHEZ
	1800	93	SANCHEZ
	2100	92	SANCHEZ
	2400	91	Rosas

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	88	G1
	0600	85	CARDONA
	0900	85	CARDONA
	1200	85	CARDONA
	1500	83	GARIBAY
	1800	84	GARIBAY
	2100	82	GARIBAY
	2400	81	G1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA.  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 70      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	89	Kumball

**Friday**

Date	Time	Temp.	Name (Print)
	0300	88	Kumball
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 71 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/3	0300	71	Garcia
	0600	76	CARDONA
	0900	76	CARDONA
	1200	76	GARCIA
	1500	77	CHAVEZ
	1800	78	CHAVEZ
	2100	78	CHAVEZ
	2400	79	Ruppel

#### Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	82	Ruppel
	0600	83	ELLEN
	0900	84	ELLEN
	1200	84	ELLEN
	1500	88	SANCHEZ
	1800	89	SANCHEZ
	2100	89	SANCHEZ
	2400	88	Ross

#### Friday

Date	Time	Temp.	Name (Print)
6/7	0300	92	Ross
	0600	91	CARDONA
	0900	90	CARDONA
	1200	90	CARDONA
	1500	92	Ubaldo
	1800	93	Ubaldo
	2100	89	Ubaldo
	2400	90	G 1

#### Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	78	G 1
	0600	80	CARDONA
	0900	82	CARDONA
	1200	82	CARDONA
	1500	89	NICOLAY
	1800	80	NICOLAY
	2100	80	NICOLAY
	2400	78	G 1

#### Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	78	Ruppel
	0600	80	Frazier
	0900	80	Frazier
	1200	82	Frazier
	1500	82	PRAKOD
	1800	81	PRAKOD
	2100	80	PRAKOD
	2400	82	Ruppel

#### Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	88	Ross
	0600	88	CARDONA
	0900	90	CARDONA
	1200	90	CARDONA
	1500	92	SANCHEZ
	1800	93	SANCHEZ
	2100	94	SANCHEZ
	2400	94	Ross

#### Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	88	G 1
	0600	85	CARDONA
	0900	85	CARDONA
	1200	85	CARDONA
	1500	85	GARIBAY
	1800	84	GARIBAY
	2100	82	GARIBAY
	2400	82	G 1

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 72 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	75	A. Aldava
	0600	76	M. Nolte
	0900	76	M. Nolte
	1200	77	M. Nolte
	1500	78	Cestillo
	1800	79	Cestillo
	2100	77	Cestillo
	2400	78	A. Aldava

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	80	Kimbrell
	0600	80	KRAHN
	0900	80	KRAHN
	1200	82	KRAHN
	1500	85	
	1800	88	
	2100	87	
	2400	86	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	88	Kimbrell
	0600	88	KRAHN
	0900	88	KRAHN
	1200	88	KRAHN
	1500	91	
	1800	92	
	2100	92	
	2400	90	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
6/9 6/10	0300	84	Kimbrell
	0600	82	Rodney
	0900	84	Rod
	1200	86	Rod
	1500	88	Cestillo
	1800	88	Cestillo
	2100	87	Cestillo
	2400	80	Aldava

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	82	A. Aldava
	0600	80	KRAHN
	0900	80	KRAHN
	1200	84	KRAHN
	1500	85	KRAHN
	1800	85	KRAHN
	2100	83	KRAHN
	2400	82	Krahn

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	85	Kimbrell
	0600	85	KRAHN
	0900	87	KRAHN
	1200	88	KRAHN
	1500	90	
	1800	92	
	2100	91	
	2400	89	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	88	
	0600	87	
	0900	87	
	1200	88	
	1500	89	
	1800	89	
	2100	88	
	2400	86	Kimbrell

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 73      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/3	0300	75	c /
	0600	77	CARDOZA
	0900	78	CARDOZA
	1200	78	GARCIA
	1500	78	CHAVEZ
	1800	78	CHAVEZ
	2100	79	CHAVEZ
	2400	80	Ruppel

#### Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	82	Ruppel
	0600	88	LESTER
	0900	83	LESTER
	1200	85	LESTER
	1500	86	SANCHEZ
	1800	88	SANCHEZ
	2100	90	SANCHEZ
	2400	89	Rosa

#### Friday

Date	Time	Temp.	Name (Print)
6/7	0300	89	Rosa
	0600	89	CARDOZA
	0900	88	CARDOZA
	1200	89	CARDOZA
	1500	91	Ubaldo
	1800	93	Ubaldo
	2100	90	Ubaldo
	2400	90	c /

#### Sunday

Date	Time	Temp.	Name (Print)
6/19	0300	80	c /
	0600	80	CARDOZA
	0900	82	CARDOZA
	1200	82	CARDOZA
	1500	90	Nicay
	1800	84	Nicay
	2100	81	Nicay
	2400	78	c /

#### Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	80	Ruppel
	0600	80	Frazier
	0900	80	Frazier
	1200	82	Frazier
	1500	82	PRAVO
	1800	81	PRAVO
	2100	80	PRAVO
	2400	83	Ruppel

#### Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	88	Rosa
	0600	88	CARDOZA
	0900	88	CARDOZA
	1200	89	CARDOZA
	1500	91	SANCHEZ
	1800	91	SANCHEZ
	2100	91	SANCHEZ
	2400	90	Rosa

#### Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	87	c /
	0600	84	CARDOZA
	0900	84	CARDOZA
	1200	85	CARDOZA
	1500	89	GARIBAY
	1800	87	GARIBAY
	2100	85	GARIBAY
	2400	81	c /

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: SCC      Housing Unit: 74      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	76	A. Aldana
	0600	76	M. Neff
	0900	76	M. Roby
	1200	77	M. Roby
	1500	78	C. Castillo
	1800	79	C. Castillo
	2100	77	C. Castillo
	2400	76	A. Aldana

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	80	Kimbrell
	0600	80	KRAHN
	0900	82	KRAHN
	1200	83	KRAHN
	1500	83	
	1800	87	
	2100	87	
	2400	84	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	81	Kimbrell
	0600	85	KRAHN
	0900	87	KRAHN
	1200	88	KRAHN
	1500	90	
	1800	89	
	2100	89	
	2400	86	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
6/9	0300	82	Kimbrell
	0600	84	Robles
	0900	86	Neft
	1200	82	Neft
	1500	89	C. Castillo
	1800	87	C. Castillo
	2100	87	C. Castillo
	2400	86	Aldana

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	79	A. Aldana
	0600	80	KRAHN
	0900	80	KRAHN
	1200	84	KRAHN
	1500	85	KRAHN
	1800	85	KRAHN
	2100	84	KRAHN
	2400	82	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	83	Kimbrell
	0600	84	KRAHN
	0900	87	KRAHN
	1200	87	KRAHN
	1500	90	
	1800	81	
	2100	91	
	2400	88	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	88	
	0600	87	
	0900	87	
	1200	88	
	1500	89	
	1800	89	
	2100	88	
	2400	84	Kimbrell

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 75      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	77	cu 1
	0600	78	CARDONA
	0900	78	CARDONA
	1200	78	GARCIA
	1500	78	CHAVEZ
	1800	79	CHALEZ
	2100	79	CHALEZ
	2400	80	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	92	Ruppel
	0600	82	HIGGEN
	0900	84	HIGGEN
	1200	84	HIGGEN
	1500	85	SANCHEZ
	1800	87	SANCHEZ
	2100	89	SANCHEZ
	2400	88	Rosas

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	89	Rosas
	0600	89	CARDONA
	0900	89	CARDONA
	1200	88	CARDONA
	1500	91	UBALDO
	1800	93	UBALDO
	2100	89	UBALDO
	2400	90	a-1

**Sunday**

Date	Time	Temp.	Name (Print)
6/8/9	0300	80	cu 1
	0600	80	CARDONA
	0900	80	CARDONA
	1200	80	CARDONA
	1500	89	NICDAY
	1800	86	NICDAY
	2100	80	NICDAY
	2400	77	cu 1

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	79	Ruppel
	0600	80	Frazier
	0900	80	Frazier
	1200	82	Frazier
	1500	83	PRADO
	1800	83	PRADO
	2100	81	PRADO
	2400	82	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	87	Rosas
	0600	87	CARDONA
	0900	88	CARDONA
	1200	88	CARDONA
	1500	89	SANCHEZ
	1800	89	SANCHEZ
	2100	90	SANCHEZ
	2400	89	Rosas

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	87	cu 1
	0600	84	CARDONA
	0900	84	CARDONA
	1200	84	CARDONA
	1500	85	GARIBAY
	1800	84	GARIBAY
	2100	82	GARIBAY
	2400	82	cu 1

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C.  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC. Housing Unit: 76 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	75	A. Aldava
	0600	76	M. Rehn
	0900	77	M. Rehn
	1200	77	M. Rehn
	1500	76	Castillo
	1800	79	Castillo
	2100	76	Castillo
	2400	79	A. Aldava

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	80	Kimbrell
	0600	86	KRAHN
	0900	82	KRAHN
	1200	83	KRAHN
	1500	88	
	1800	88	
	2100	86	
	2400	86	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	88	Kimbrell
	0600	85	KRAHN
	0900	82	KRAHN
	1200	84	KRAHN
	1500	89	
	1800	90	
	2100	91	
	2400	90	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
6/9 6/10	0300	84	Kimbrell
	0600	86	Rehn
	0900	86	Rehn
	1200	87	Rehn
	1500	89	Castillo
	1800	87	Castillo
	2100	87	Castillo
	2400	86	A. Aldava

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	79	A. Aldava
	0600	80	KRAHN
	0900	80	KRAHN
	1200	84	KRAHN
	1500	85	KRAHN
	1800	85	KRAHN
	2100	83	KRAHN
	2400	82	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	85	Kimbrell
	0600	85	KRAHN
	0900	87	KRAHN
	1200	87	KRAHN
	1500	90	
	1800	91	
	2100	91	
	2400	88	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	87	
	0600	85	
	0900	85	
	1200	86	
	1500	87	
	1800	87	
	2100	86	
	2400	86	Kimbrell

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 65      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	76	avt
	0600	79	CARDONA
	0900	80	CARDONA
	1200	80	CARDONA
	1500	84	Garcia
	1800	88	Garcia
	2100	86	Garcia
	2400	85	Ryant

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	89	Ryant
	0600	87	HILGEN
	0900	89	HILGEN
	1200	90	HILGEN
	1500	86	SANCHEZ
	1800	86	SANCHEZ
	2100	87	SANCHEZ
	2400	86	Olie

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	85	avt
	0600	86	Masters
	0900	86	Masters
	1200	87	Masters
	1500	86	Praido
	1800	87	Praido
	2100	87	Praido
	2400	86	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	78	avt
	0600	80	CARDONA
	0900	82	CARDONA
	1200	82	CARDONA
	1500	83	Praido
	1800	82	Praido
	2100	82	Praido
	2400	80	Bogle

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	84	Ryant
	0600	86	Nobles
	0900	85	Ryant
	1200	82	Nobles
	1500	90	Garcia
	1800	91	Garcia
	2100	90	Garcia
	2400	90	Ryant

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	86	Olie
	0600	87	Galvan
	0900	88	Galvan
	1200	89	Galvan
	1500	95	SANCHEZ
	1800	86	SANCHEZ
	2100	86	SANCHEZ
	2400	86	avt

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	86	Chang
	0600	82	CARDONA
	0900	82	CARDONA
	1200	82	CARDONA
	1500	85	Praido
	1800	86	Praido
	2100	84	Praido
	2400	82	avt

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 66      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	77	Aldava
	0600	76	Aldava
	0900	77	Bob
	1200	73	Nettie
	1500	76	Castillo
	1800	79	Castillo
	2100	80	Castillo
	2400	80	Aldava

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	89	Kimbrell
	0600	89	KRAHN
	0900	89	KRAHN
	1200	90	KRAHN
	1500	91	
	1800	93	
	2100	94	
	2400	90	Kimbrell

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	89	Kimbrell
	0600	88	KRAHN
	0900	88	KRAHN
	1200	88	KRAHN
	1500	89	Niday
	1800	90	Niday
	2100	88	Niday
	2400	88	Kimbrell

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	84	Kimbrell
	0600	83	Parker
	0900	82	Parker
	1200	88	Parker
	1500	87	Cestillo
	1800	87	Cestillo
	2100	87	Cestillo
	2400	86	Allen

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	75	Aldava
	0600	84	Tables
	0900	85	
	1200	86	
	1500	88	
	1800	90	
	2100	92	
	2400	90	Kimbrell

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	89	Kimbrell
	0600	89	KRAHN
	0900	89	KRAHN
	1200	90	KRAHN
	1500	92	UPALIO
	1800	92	UPALIO
	2100	92	UPALIO
	2400	90	Kimbrell

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	87	Kimbrell
	0600	83	KRAHN
	0900	85	KRAHN
	1200	86	KRAHN
	1500	86	KRAHN
	1800	89	KRAHN
	2100	88	KRAHN
	2400	88	Kimbrell

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 67      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/10	0300	75	carl
	0600	78	CARONA
	0900	80	CARONA
	1200	80	CARONA
	1500	84	Garcia
	1800	88	Garcia
	2100	86	Garcia
	2400	85	Hoppel

#### Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	84	Hoppel
	0600	87	HIGGINS
	0900	83	HIGGINS
	1200	90	HIGGINS
	1500	91	SANCHEZ
	1800	91	SANCHEZ
	2100	90	SANCHEZ
	2400	89	JUE

#### Friday

Date	Time	Temp.	Name (Print)
6/14	0300	86	carl
	0600	86	Masterson
	0900	86	Masterson
	1200	87	Masterson
	1500	88	Priado
	1800	87	Priado
	2100	87	Priado
	2400	86	chang

#### Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	79	carl
	0600	80	CARONA
	0900	82	CARONA
	1200	82	CARONA
	1500	83	Priado
	1800	82	Priado
	2100	82	Priado
	2400	80	Bogle

#### Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	83	Hoppel
	0600	84	Hoppel
	0900	86	Hoppel
	1200	88	Hoppel
	1500	90	Garcia
	1800	91	Garcia
	2100	90	Garcia
	2400	91	Hoppel

#### Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	89	JUE
	0600	88	Galvan
	0900	88	Galvan
	1200	88	Galvan
	1500	95	SANCHEZ
	1800	94	SANCHEZ
	2100	95	SANCHEZ
	2400	88	carl

#### Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	86	chang
	0600	84	CARONA
	0900	82	CARONA
	1200	83	CARONA
	1500	86	Priado
	1800	86	Priado
	2100	85	Priado
	2400	84	carl

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 68      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	77	Aldava
	0600	75	Aldava
	0900	76	Rebello
	1200	77	Nicole
	1500	78	Castillo
	1800	80	Castillo
	2100	79	Castillo
	2400	80	Aldava

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	76	A. Aldava
	0600	84	Rebello
	0900	83	~
	1200	85	~
	1500	86	~
	1800	87	~
	2100	88	~
	2400	89	Kumbell

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	86	Kumbell
	0600	87	KRAHN
	0900	87	KRAHN
	1200	88	KRAHN
	1500	89	~
	1800	90	~
	2100	90	~
	2400	89	Kumbell

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	89	Kumbell
	0600	88	KRAHN
	0900	88	KRAHN
	1200	88	KRAHN
	1500	91	Ubaldo
	1800	90	Ubaldo
	2100	88	Ubaldo
	2400	88	Kumbell

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	86	Kumbell
	0600	86	KRAHN
	0900	86	KRAHN
	1200	86	KRAHN
	1500	89	Nicole
	1800	89	Nicole
	2100	88	Nicole
	2400	88	Kumbell

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	86	Kumbell
	0600	84	Krahn
	0900	84	KRAHN
	1200	84	KRAHN
	1500	88	KRAHN
	1800	88	KRAHN
	2100	87	KRAHN
	2400	86	Kumbell

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	84	Kumbell
	0600	85	Allen
	0900	86	Rebello
	1200	88	Rebello
	1500	87	Castillo
	1800	88	Castillo
	2100	87	Castillo
	2400	86	Allen

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 69      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/10	0300	76	or 1
	0600	79	CARDONA
	0900	80	CARDONA
	1200	80	CARDONA
	1500	84	Garcia
	1800	88	Garcia
	2100	86	Garcia
	2400	84	Hupel

#### Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	84	Hupel
	0600	86	Rebels
	0900	88	Rebels
	1200	88	Rebels
	1500	90	Garcia
	1800	91	Garcia
	2100	89	Garcia
	2400	80	Hupel

#### Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	89	Hupel
	0600	89	FLORES
	0900	89	HILTON
	1200	90	HILTON
	1500	92	SANCHEZ
	1800	92	SANCHEZ
	2100	91	SANCHEZ
	2400	91	VUE

#### Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	89	VUE
	0600	87	Galvan
	0900	87	Galvan
	1200	88	Galvan
	1500	90	SANCHEZ
	1800	91	SANCHEZ
	2100	91	SANCHEZ
	2400	85	or 1

#### Friday

Date	Time	Temp.	Name (Print)
6/14	0300	85	or 1
	0600	86	MATSON
	0900	86	MATSON
	1200	87	MATSON
	1500	88	Prado
	1800	87	Prado
	2100	87	Prado
	2400	86	Chang

#### Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	86	Chang
	0600	82	CARDONA
	0900	82	CARDONA
	1200	85	CARDONA
	1500	86	Prado
	1800	86	Prado
	2100	85	Prado
	2400	85	or 1

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 70 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 71      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	75	caul
	0600	79	CAROONA
	0900	80	CAROONA
	1200	80	CAROONA
	1500	84	bancus
	1800	83	booneut
	2100	86	bancus
	2400	86	Rippel

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	84	Rippel
	0600	86	Debbie
	0900	88	Robles
	1200	88	Robles
	1500	90	Garcia
	1800	91	Garcia
	2100	90	Garcia
	2400	91	Rippel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	90	Rippel
	0600	89	HILLER
	0900	89	HILLER
	1200	90	HILLER
	1500	92	SANCHEZ
	1800	92	SANCHEZ
	2100	92	SANCHEZ
	2400	92	VUE

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	92	VUE
	0600	87	Galvan
	0900	88	Galvan
	1200	88	Galvan
	1500	90	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	90	ca 1

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	88	caul
	0600	88	Masterson
	0900	88	Masterson
	1200	88	Masterson
	1500	88	Prado
	1800	87	Prado
	2100	87	Prado
	2400	86	Chang

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	86	Chang
	0600	82	CAROONA
	0900	82	CAROONA
	1200	83	CAROONA
	1500	90	Prado
	1800	91	Prado
	2100	93	Prado
	2400	82	ca 1

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	82	ca 1
	0600	86	CAROONA
	0900	84	CAROONA
	1200	84	CAROONA
	1500	84	Prado
	1800	82	Prado
	2100	82	Prado
	2400	80	Boyle

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 72 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/10	0300	77	Aldava
	0600	75	Aldava
	0900	76	Park
	1200	78	Wor
	1500	78	COSTILL
	1800	80	COSTILL
	2100	79	COSTILL
	2400	80	A. Aldava

#### Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	86	Kimbrell
	0600	86	KRAHN
	0900	87	KRAHN
	1200	88	KRAHN
	1500	89	
	1800	89	
	2100	90	
	2400	89	Kimbrell

#### Friday

Date	Time	Temp.	Name (Print)
6/14	0300	86	Kimbrell
	0600	86	KRAHN
	0900	87	KRAHN
	1200	87	KRAHN
	1500	90	Nicay
	1800	89	Nicay
	2100	89	Nicay
	2400	88	Kimbrell

#### Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	84	Kimbrell
	0600	85	Park
	0900	86	Park
	1200	87	Park
	1500	86	COSTILL
	1800	87	COSTILL
	2100	86	COSTILL
	2400	86	Allen

#### Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	77	Aldava
	0600	85	
	0900	85	
	1200	85	
	1500	86	
	1800	87	
	2100	88	
	2400	88	Kimbrell

#### Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	89	Kimbrell
	0600	88	KRAHN
	0900	88	KRAHN
	1200	89	KRAHN
	1500	91	UBALDO
	1800	89	UBALDO
	2100	88	UBALDO
	2400	88	Kimbrell

#### Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	86	Kimbrell
	0600	85	KRAHN
	0900	86	KRAHN
	1200	86	KRAHN
	1500	86	KRAHN
	1800	88	KRAHN
	2100	87	KRAHN
	2400	86	Kimbrell

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 73      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	77	ca 1
	0600	79	CARDONA
	0900	80	CARDONA
	1200	80	CARDONA
	1500	84	Gutierrez
	1800	83	Garcia
	2100	86	Garcia
	2400	85	Hoppel

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	84	Hoppel
	0600	86	Rebles
	0900	88	Rebles
	1200	88	Rebles
	1500	90	Garcia
	1800	91	Garcia
	2100	90	Garcia
	2400	90	Hoppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	88	Hoppel
	0600	86	Heigen
	0900	88	Heigen
	1200	89	Heigen
	1500	90	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	89	Due

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	89	Due
	0600	86	Galvan
	0900	88	Galvan
	1200	87	Galvan
	1500	87	SANCHEZ
	1800	87	SANCHEZ
	2100	86	SANCHEZ
	2400	86	Gu

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	86	ca 1
	0600	86	Mashkin
	0900	87	Mashkin
	1200	87	Mashkin
	1500	88	Prieto
	1800	87	Prieto
	2100	87	Prieto
	2400	84	Chang

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	86	Chang
	0600	84	CARDONA
	0900	82	CARDONA
	1200	83	CARDONA
	1500	86	Prieto
	1800	87	Prieto
	2100	88	Prieto
	2400	83	ca 1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 74 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	75	Aldava
	0600	77	Aldava
	0900	77	Rebol
	1200	78	Rebol
	1500	78	Castillo
	1800	80	Castillo
	2100	80	Castillo
	2400	81	A. Aldava

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	85	Kimbrell
	0600	85	KRAHN
	0900	86	KRAHN
	1200	87	KRAHN
	1500	85	~
	1800	90	~
	2100	90	~
	2400	88	Kimbrell

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	84	Kimbrell
	0600	85	KRAHN
	0900	86	KRAHN
	1200	86	KRAHN
	1500	89	Nicoley
	1800	89	Nicoley
	2100	88	Nicoley
	2400	86	Kimbrell

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	82	Kimbrell
	0600	84	Nicoley
	0900	86	Nicoley
	1200	86	Nicoley
	1500	86	Costillo
	1800	87	Costillo
	2100	87	Costillo
	2400	86	Allan

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	76	Aldava
	0600	81	Rubles
	0900	83	~
	1200	83	~
	1500	85	~
	1800	87	~
	2100	88	~
	2400	98	Kimbrell

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	86	Kimbrell
	0600	86	KRAHN
	0900	87	KRAHN
	1200	88	KRAHN
	1500	90	Ubald O
	1800	89	Ubald O
	2100	80	Ubald O
	2400	86	Kimbrell

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	84	Kimbrell
	0600	83	KRAHN
	0900	83	KRAHN
	1200	84	KRAHN
	1500	86	KRAHN
	1800	87	KRAHN
	2100	87	KRAHN
	2400	84	Kimbrell

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 75      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	76	carl
	0600	78	CARDONA
	0900	80	CARDONA
	1200	80	CARDONA
	1500	84	Garcia
	1800	88	Garcia
	2100	86	Garcia
	2400	84	Garcia

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	83	Lopez
	0600	85	Hector
	0900	86	Hector
	1200	87	Hector
	1500	89	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	89	Que

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	87	Misteron
	0600	87	Misteron
	0900	88	Misteron
	1200	88	Misteron
	1500	89	Praido
	1800	87	Praido
	2100	87	Praido
	2400	86	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	80	G1
	0600	82	CARDONA
	0900	82	CARDONA
	1200	82	CARDONA
	1500	84	Praido
	1800	85	Praido
	2100	82	Praido
	2400	80	Bogie

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	84	Lopez
	0600	86	Rebles
	0900	88	Rebles
	1200	88	Rebles
	1500	90	Garcia
	1800	91	Garcia
	2100	90	Garcia
	2400	90	Lopez

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	89	JUE
	0600	86	Galvan
	0900	87	Galvan
	1200	87	Galvan
	1500	88	SANCHEZ
	1800	89	SANCHEZ
	2100	89	SANCHEZ
	2400	88	carl

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	86	Chang
	0600	82	CARDONA
	0900	82	CARDONA
	1200	82	CARDONA
	1500	88	Praido
	1800	89	Praido
	2100	88	Praido
	2400	84	carl

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 76      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/10	0300	77	Aldava
	0600	76	Aldava
	0900	77	Royer
	1200	78	Neh
	1500	74	Castillo
	1800	77	Castillo
	2100	80	Castillo
	2400	80	A. Aldava

#### Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	76	A. Aldava
	0600	82	Royer
	0900	83	
	1200	85	
	1500	87	
	1800	88	
	2100	87	
	2400	87	Kimbrell

#### Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	85	Kimbrell
	0600	85	KRAHN
	0900	86	KRAHN
	1200	88	KRAHN
	1500	90	
	1800	89	
	2100	89	
	2400	88	Kimbrell

#### Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	88	Kimbrell
	0600	87	KRAHN
	0900	87	KRAHN
	1200	88	KRAHN
	1500	92	Ubaldo
	1800	90	Ubaldo
	2100	89	Ubaldo
	2400	88	Kimbrell

#### Friday

Date	Time	Temp.	Name (Print)
6/14	0300	86	Kimbrell
	0600	86	KRAHN
	0900	87	KRAHN
	1200	88	KRAHN
	1500	90	Niday
	1800	89	Niday
	2100	89	Niday
	2400	88	Kimbrell

#### Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	87	Kimbrell
	0600	83	KRAHN
	0900	84	KRAHN
	1200	86	KRAHN
	1500	87	KRAHN
	1800	87	KRAHN
	2100	85	KRAHN
	2400	84	Kimbrell

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 65      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	80	Boogle
	0600	80	CARODNA
	0900	82	CARODNA
	1200	82	CARODNA
	1500	84	Goreau
	1800	82	Goreau
	2100	82	Goreau
	2400	80	Ruppel

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	77	Ruppel
	0600	78	GUTTERREZ
	0900	78	GUTTERREZ
	1200	80	GUTTERREZ
	1500	81	FJ
	1800	81	FJ
	2100	81	FJ
	2400	80	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	77	Ruppel
	0600	78	HIGGINS
	0900	80	HIGGINS
	1200	82	HIGGINS
	1500	80	SANCHEZ
	1800	80	SANCHEZ
	2100	80	SANCHEZ
	2400	79	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	78	Ruppel
	0600	77	CARODNA
	0900	80	CARODNA
	1200	80	CARODNA
	1500	90	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	78	ce 1

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	76	ce 1
	0600	78	ce 1
	0900	79	ce 1
	1200	80	ce 1
	1500	84	Prado
	1800	88	Prado
	2100	83	Prado
	2400	82	Chang

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	82	ce 1 Chang
	0600	83	CARODNA
	0900	85	CARODNA
	1200	89	CARODNA
	1500	90	KRAHN
	1800	93	KRAHN
	2100	92	KRAHN
	2400	91	ce 1

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	84	ce 1
	0600	84	CARODNA
	0900	91	CARODNA
	1200	94	CARODNA
	1500	94	Prado
	1800	93	Prado
	2100	90	Prado
	2400	89	ce 1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 7066      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	83	Allen
	0600	84	Allen
	0900	85	Allen
	1200	86	Allen
	1500	87	Castillo
	1800	86	Castillo
	2100	86	Castillo
	2400	86	Thompson

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	86	Thompson
	0600	82	
	0900	82	
	1200	81	
	1500	83	
	1800	83	
	2100	84	
	2400	84	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	84	Kimball
	0600	84	KRAHW
	0900	85	KRAHW
	1200	88	KRAHW
	1500	86	
	1800	86	
	2100	87	
	2400	85	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	83	Kimball
	0600	80	KRAHW
	0900	82	KRAHW
	1200	84	KRAHW
	1500	84	
	1800	84	
	2100	85	
	2400	84	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	82	Kimball
	0600	82	KRAHW
	0900	85	KRAHW
	1200	87	KRAHW
	1500	86	BURTON
	1800	87	BURTON
	2100	86	BURTON
	2400	84	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	82	Kimball
	0600	84	KRAHW
	0900	85	KRAHW
	1200	81	KRAHW
	1500	91	PIAGI
	1800	91	PIAGI
	2100	90	PIAGI
	2400	88	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	88	Kimball
	0600	81	Kimball
	0900	89	Kimball
	1200	89	Kimball
	1500	90	Castillo
	1800	90	Castillo
	2100	88	Castillo
	2400	89	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign:

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 67      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/17	0300	79	Bogle
	0600	79	CARDONA
	0900	80	CARDONA
	1200	81	CARDONA
	1500	84	Garcia
	1800	81	Garcia
	2100	81	Garcia
	2400	80	Rippl

#### Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	77	Rippl
	0600	77	Gutierrez
	0900	77	Gutierrez
	1200	85	
	1500	84	Fitz
	1800	81	Fitz
	2100	81	Fitz
	2400	80	Rippl

#### Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	77	Rippl
	0600	78	Hillman
	0900	80	Hillman
	1200	81	Hillman
	1500	82	SANCHEZ
	1800	82	SANCHEZ
	2100	82	SANCHEZ
	2400	80	Rippl

#### Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	79	Rippl
	0600	75	CARDONA
	0900	78	CARDONA
	1200	80	CARDONA
	1500	82	SANCHEZ
	1800	82	SANCHEZ
	2100	83	SANCHEZ
	2400	80	all

#### Friday

Date	Time	Temp.	Name (Print)
6/21	0300	78	g 1
	0600	79	g -
	0900	79	g -
	1200	79	g -
	1500	83	Prado
	1800	86	Prado
	2100	83	Prado
	2400	82	Chang

#### Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	82	Chang
	0600	84	CARDONA
	0900	87	CARDONA
	1200	89	CARDONA
	1500	91	KRAHN
	1800	93	KRAHN
	2100	93	KRAHN
	2400	80	g 1

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 2068      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	82	Allen
	0600	84	Lyon
	0900	85	Miller
	1200	86	Poblete
	1500	77	Castillo
	1800	80	Castillo
	2100	86	Castillo
	2400	84	Thompson

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	82	Thompson
	0600	81	✓
	0900	81	✓
	1200	82	✓
	1500	83	✓
	1800	83	✓
	2100	84	✓
	2400	88	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	86	Kimbrell
	0600	85	KRAHN
	0900	85	KRAHN
	1200	84	KRAHN
	1500	85	✓
	1800	85	✓
	2100	86	✓
	2400	84	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	83	Kimbrell
	0600	76	KRAHN
	0900	78	KRAHN
	1200	81	KRAHN
	1500	82	✓
	1800	82	✓
	2100	83	✓
	2400	83	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	81	Kimbrell
	0600	80	KRAHN
	0900	83	KRAHN
	1200	85	KRAHN
	1500	84	DUCERAN
	1800	87	BURKE
	2100	85	BURKE
	2400	83	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	81	Kimbrell
	0600	84	KRAHN
	0900	88	KRAHN
	1200	90	KRAHN
	1500	91	Prado
	1800	91	Prado
	2100	90	Prado
	2400	88	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	88	Kimbrell
	0600	87	✓
	0900	89	Miller
	1200	87	Poblete
	1500	89	Castillo
	1800	87	Castillo
	2100	88	Castillo
	2400	90	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 69      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	79	Bogle
	0600	78	CARDONA
	0900	80	CARDONA
	1200	80	CARDONA
	1500	84	Garcia
	1800	82	Garcia
	2100	81	Garcia
	2400	80	Ruppel

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	78	Ruppel
	0600	72	GUTIERREZ
	0900	72	GUTIERREZ
	1200	80	GUTIERREZ
	1500	84	Faj
	1800	84	Faj
	2100	82	Faj
	2400	80	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	78	Ruppel
	0600	79	Faj
	0900	81	Faj
	1200	81	Faj
	1500	81	SANCHEZ
	1800	81	SANCHEZ
	2100	80	SANCHEZ
	2400	79	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	78	Ruppel
	0600	77	CARDONA
	0900	79	CARDONA
	1200	80	CARDONA
	1500	81	SANCHEZ
	1800	81	SANCHEZ
	2100	82	SANCHEZ
	2400	80	-

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	78	-
	0600	78	-
	0900	79	-
	1200	80	-
	1500	83	PRADE
	1800	86	PRADE
	2100	82	PRADE
	2400	82	Chang

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	82	Chang
	0600	86	CARDONA
	0900	89	CARDONA
	1200	89	CARDONA
	1500	90	KRAHN
	1800	90	KRAHN
	2100	92	KRAHN
	2400	90	-

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	88	-
	0600	89	CARDONA
	0900	90	CARDONA
	1200	94	CARDONA
	1500	94	PRADE
	1800	92	PRADE
	2100	90	PRADE
	2400	88	-

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 70      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300		
	0600	80	
	0900	80	
	1200	81	
	1500	81	
	1800	82	
	2100	82	
	2400	82	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	82	Kimbrell
	0600	82	KRAHN
	0900	83	KRAHN
	1200	85	KRAHN
	1500	85	
	1800	86	
	2100	86	
	2400	84	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	82	Kimbrell
	0600	78	KRAHN
	0900	78	KRAHN
	1200	80	KRAHN
	1500	81	
	1800	82	
	2100	82	
	2400	82	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	80	Kimbrell
	0600	80	KRAHN
	0900	82	KRAHN
	1200	85	KRAHN
	1500	85	Schaer
	1800	87	Burton
	2100	85	BAXLED
	2400	83	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	81	Kimbrell
	0600	82	KRAHN
	0900	82	KRAHN
	1200	84	KRAHN
	1500	86	Pladd
	1800	87	Pladd
	2100	87	Pladd
	2400	87	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	87	Kimbrell
	0600	86	Hahn
	0900	88	Rodgers
	1200	88	Dobro
	1500	89	Castillo
	1800	90	Castillo
	2100	89	Castillo
	2400	88	Aiken

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 71      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	80	Bogle
	0600	80	CARDONA
	0900	80	CARDONA
	1200	81	CARDONA
	1500	84	Garcia
	1800	84	Garcia
	2100	84	Garcia
	2400	80	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	77	Ruppel
	0600	78	FIZZIGEN
	0900	80	Wise
	1200	81	Wise
	1500	82	SANCHEZ
	1800	83	SANCHEZ
	2100	83	SANCHEZ
	2400	79	Ruppel

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	78	G-
	0600	78	G-
	0900	78	G-
	1200	79	G-
	1500	83	Prado
	1800	86	Prado
	2100	82	Prado
	2400	82	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	87	G-
	0600	88	CARDONA
	0900	89	CARDONA
	1200	94	CARDONA
	1500	94	Prado
	1800	91	Prado
	2100	89	Prado
	2400	90	G-

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	77	Ruppel
	0600	71	GUTIERREZ
	0900	71	GUTIERREZ
	1200	80	GUTIERREZ
	1500	84	F-
	1800	82	F-
	2100	82	F-
	2400	80	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	76	Ruppel
	0600	75	CARDONA
	0900	77	CARDONA
	1200	79	CARDONA
	1500	82	SANCHIZ
	1800	83	SANCHIZ
	2100	84	SANCHIZ
	2400	80	G-

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	82	Chang
	0600	86	CARDONA
	0900	87	CARDONA
	1200	88	CARDONA
	1500	90	KRATHA
	1800	91	KRATHA
	2100	91	KRATHA
	2400	89	G-

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 72      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	82	Allen
	0600	84	Allen
	0900	85	Allen
	1200	86	Allen
	1500	87	Capriola
	1800	87	Castillo
	2100	86	Castillo
	2400	87	Thompson

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	85	Thompson
	0600	82	—
	0900	82	—
	1200	81	—
	1500	82	—
	1800	82	—
	2100	83	—
	2400	83	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	82	Kimball
	0600	82	KRAHN
	0900	82	KRAHN
	1200	83	KRAHN
	1500	84	—
	1800	84	—
	2100	85	—
	2400	84	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	82	Kimball
	0600	78	KRAHN
	0900	78	KRAHN
	1200	80	KRAHN
	1500	81	—
	1800	81	—
	2100	82	—
	2400	82	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	80	Kimball
	0600	83	KRAHN
	0900	82	KRAHN
	1200	84	KRAHN
	1500	84	—
	1800	86	PANIER
	2100	85	PANIER
	2400	83	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	81	Kimball
	0600	83	KRAHN
	0900	87	KRAHN
	1200	89	KRAHN
	1500	90	Prado
	1800	91	Prado
	2100	89	Prado
	2400	87	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	87	Kimball
	0600	86	—
	0900	89	Dobie
	1200	89	Dobie
	1500	90	Castillo
	1800	89	Castillo
	2100	89	Castillo
	2400	88	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 73      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	80	Bogie
	0600	80	CARDOZA
	0900	82	CARDOZA
	1200	82	CARDOZA
	1500	84	Garcia
	1800	82	Garcia
	2100	82	Garcia
	2400	80	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	78	Ruppel
	0600	78	HILGEN
	0900	79	HILGEN
	1200	71	HILGEN
	1500	80	SANCHEZ
	1800	80	SANCHEZ
	2100	79	SANCHEZ
	2400	79	Ruppel

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	77	GT
	0600	78	GT
	0900	78	GT
	1200	79	GT
	1500	83	Priado
	1800	80	Priado
	2100	83	Priado
	2400	82	chang

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	84	GT
	0600	87	CARDOZA
	0900	88	CARDOZA
	1200	94	CARDOZA
	1500	94	Priado
	1800	93	Priado
	2100	91	Priado
	2400	89	GT

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	77	Ruppel
	0600	79	GUTIERREZ
	0900	79	GUTIERREZ
	1200	81	GUTIERREZ
	1500	81	FZ
	1800	82	FZ
	2100	82	FZ
	2400	80	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	74	Ruppel
	0600	73	CARDOZA
	0900	75	CARDOZA
	1200	77	CARDOZA
	1500	90	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	78	GT

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	82	chang
	0600	84	CARDOZA
	0900	86	CARDOZA
	1200	84	CARDOZA
	1500	90	KLEATH
	1800	91	KLEATH
	2100	93	KLEATH
	2400	91	GT

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 74      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	83	Allen
	0600	84	Robbie
	0900	85	Lebler
	1200	86	Lebler
	1500	86	(S)4110
	1800	87	Castillo
	2100	86	Castillo
	2400	87	Thompson

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	80	Kimbrell
	0600	80	KRAHN
	0900	82	KRAHN
	1200	84	KRAHN
	1500	85	
	1800	85	
	2100	86	
	2400	84	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	78	Kimbrell
	0600	80	KRAHN
	0900	82	KRAHN
	1200	83	KRAHN
	1500	83	BIXLER
	1800	84	BIXLER
	2100	85	BIXLER
	2400	82	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	87	Kimbrell
	0600	86	Nyle
	0900	85	Nyle
	1200	80	Dale
	1500	89	Castillo
	1800	87	Castillo
	2100	87	(C)ST110
	2400	90	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	85	Rampton
	0600	81	
	0900	81	
	1200	82	
	1500	83	
	1800	83	
	2100	84	
	2400	82	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	80	Kimbrell
	0600	73	KRAHN
	0900	75	KRAHN
	1200	78	KRAHN
	1500	80	
	1800	81	
	2100	81	
	2400	80	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	80	Kimbrell
	0600	82	KRAHN
	0900	85	KRAHN
	1200	88	KRAHN
	1500	91	Priado
	1800	91	Priado
	2100	91	Priado
	2400	87	Kimbrell

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 75 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	80	Bogle
	0600	80	CARDONA
	0900	80	CARDONA
	1200	80	CARDONA
	1500	84	Barrett
	1800	81	Graeber
	2100	82	Graeber
	2400	80	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	78	Ruppel
	0600	78	Villanueva
	0900	79	Filcek
	1200	81	Filcek
	1500	81	SANCHEZ
	1800	81	SANCHEZ
	2100	82	SANCHEZ
	2400	80	J. Chavez Jr

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	78	ca
	0600	78	ca
	0900	78	ca
	1200	78	ca
	1500	83	Plado
	1800	83	Plado
	2100	82	Plado
	2400	82	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	82	ca
	0600	88	CARDONA
	0900	88	CARDONA
	1200	93	CARDONA
	1500	93	Plado
	1800	91	Plado
	2100	90	Plado
	2400	90	ca

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	78	Ruppel
	0600	79	GUTIERREZ
	0900	79	GUTIERREZ
	1200	81	GUTIERREZ
	1500	84	Frazier
	1800	87	Frazier
	2100	88	Frazier
	2400	80	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	77	J. Chavez Jr
	0600	78	J. Chavez Jr
	0900	86	CARDONA
	1200	80	CARDONA
	1500	81	SANCHEZ
	1800	82	SANCHEZ
	2100	83	SANCHEZ
	2400	81	ca

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	82	Chang
	0600	84	CARDONA
	0900	85	CARDONA
	1200	88	CARDONA
	1500	90	KRAHN
	1800	81	KRAHN
	2100	91	KRAHN
	2400	90	ca

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 76      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	84	Allen
	0600	85	Nebles
	0900	86	Notley
	1200	86	Notley
	1500	88	Castillo
	1800	86	Castillo
	2100	84	Castillo
	2400	84	Thompson

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	82	Kimball
	0600	82	KRAHN
	0900	83	KRAHN
	1200	83	KRAHN
	1500	83	
	1800	83	
	2100	83	
	2400	84	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	82	Kimball
	0600	86	KRAHN
	0900	82	KRAHN
	1200	84	KRAHN
	1500	84	Brown
	1800	86	Brown
	2100	85	DIXON
	2400	84	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	88	Kimball
	0600	87	Nebles
	0900	86	Nebles
	1200	88	Neble
	1500	88	Castillo
	1800	87	Castillo
	2100	90	Castillo
	2400	90	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	84	Thompson
	0600	80	
	0900	80	
	1200	81	
	1500	82	
	1800	82	
	2100	82	
	2400	82	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	83	Kimberly
	0600	78	KRAHN
	0900	78	KRAHN
	1200	80	KRAHN
	1500	82	
	1800	83	
	2100	83	
	2400	83	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	82	Kimball
	0600	84	KRAHN
	0900	85	KRAHN
	1200	88	KRAHN
	1500	91	Plano
	1800	91	Plano
	2100	90	Plano
	2400	88	Kimball

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign:

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 65      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/24	0300	87	G /
	0600	88	CARDONA
	0900	90	CARDONA
	1200	90	CARDONA
	1500	90	Garcia
	1800	91	Garcia
	2100	91	Garcia
	2400	90	Ruppel

#### Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	90	Ruppel
	0600	90	Ruppel
	0900	89	Ruppel
	1200	89	Ruppel
	1500	90	Barrera
	1800	91	Garcia
	2100	90	Garcia
	2400	91	Ruppel

#### Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	90	Ruppel
	0600	92	Garcia
	0900	92	Garcia
	1200	92	Garcia
	1500	96	SANCHEZ
	1800	96	SANCHEZ
	2100	96	SANCHEZ
	2400	86	Kimbrell

#### Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	86	Jimenez J-
	0600	84	CARDONA
	0900	84	CARDONA
	1200	88	CARDONA
	1500	83	SANCHEZ
	1800	83	SANCHEZ
	2100	84	SANCHEZ
	2400	88	car /

#### Friday

Date	Time	Temp.	Name (Print)
6/28	0300	86	G /
	0600	84	CARDONA
	0900	84	CARDONA
	1200	86	CARDONA
	1500	87	Prado
	1800	88	Prado
	2100	86	Prado
	2400	86	Chang

#### Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	86	Chang
	0600	84	CARDONA
	0900	84	CARDONA
	1200	90	CARDONA
	1500	90	Prado
	1800	90	Prado
	2100	90	Prado
	2400	88	car /

#### Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	86	G /
	0600	84	CARDONA
	0900	88	CARDONA
	1200	89	CARDONA
	1500	89	Prado
	1800	90	Prado
	2100	89	Prado
	2400	90	G /

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC . Housing Unit: 7B 66 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	88	Allen
	0600	89	Robles
	0900	89	Robles
	1200	90	Robles
	1500	89	Castillo
	1800	90	Castillo
	2100	89	Castillo
	2400	89	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	89	Kimbrell
	0600	91	<del>                  </del>
	0900	91	<del>                  </del>
	1200	92	<del>                  </del>
	1500	92	<del>                  </del>
	1800	91	<del>                  </del>
	2100	90	<del>                  </del>
	2400	90	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	89	Kimbrell
	0600	87	<del>                  </del>
	0900	87	<del>                  </del>
	1200	88	<del>                  </del>
	1500	89	<del>                  </del>
	1800	91	<del>                  </del>
	2100	91	<del>                  </del>
	2400	90	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	89	Kimbrell
	0600	93	<del>                  </del>
	0900	88	<del>                  </del>
	1200	89	<del>                  </del>
	1500	92	Birk
	1800	92	Birk
	2100	92	Birk
	2400	91	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	88	Allen
	0600	88	<del>                  </del>
	0900	81	<del>                  </del>
	1200	85	<del>                  </del>
	1500	89	<del>                  </del>
	1800	90	<del>                  </del>
	2100	90	<del>                  </del>
	2400	90	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	90	Kimbrell
	0600	85	<del>                  </del>
	0900	86	<del>                  </del>
	1200	88	<del>                  </del>
	1500	88	<del>                  </del>
	1800	89	<del>                  </del>
	2100	90	<del>                  </del>
	2400	90	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	89	Kimbrell
	0600	87	<del>                  </del>
	0900	88	<del>                  </del>
	1200	88	<del>                  </del>
	1500	84	KRAHN
	1800	91	KRAHN
	2100	94	KRAHN
	2400	91	Kimbrell

**Notes & Signatures**

1st/W - Print & Sign:

*Joe Story*

2nd/W - Print & Sign:

*Joe Story*

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 67      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	88	carl
	0600	88	CARDONA
	0900	88	CARDONA
	1200	90	CARDONA
	1500	90	Garcia
	1800	91	Garcia
	2100	91	Garcia
	2400	90	Rogel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	90	Rogel
	0600	91	GARCIA
	0900	91	GARCIA
	1200	92	GARCIA
	1500	94	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	89	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	86	carl
	0600	82	CARDONA
	0900	86	CARDONA
	1200	88	CARDONA
	1500	88	Prado
	1800	88	Prado
	2100	86	Prado
	2400	86	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	86	carl
	0600	84	CARDONA
	0900	86	CARDONA
	1200	88	CARDONA
	1500	89	Prado
	1800	90	Prado
	2100	88	Prado
	2400	88	carl

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	90	Rogel
	0600	70	Rebekah
	0900	82	Rebekah
	1200	89	Rebekah
	1500	90	GARcia
	1800	91	Garcia
	2100	90	Garcia
	2400	91	Rogel

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	88	J. Chavez Jr
	0600	86	CARDONA
	0900	86	CARDONA
	1200	88	CARDONA
	1500	87	SANCHEZ
	1800	89	SANCHEZ
	2100	87	SANCHEZ
	2400	86	carl

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	86	Chang
	0600	84	CARDONA
	0900	84	CARDONA
	1200	90	CARDONA
	1500	96	Prado
	1800	90	Prado
	2100	89	Prado
	2400	87	carl

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC . Housing Unit: 7B68 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	89	Allen
	0600	85	Robles
	0900	89	Robles
	1200	90	Robles
	1500	90	Castillo
	1800	90	Castillo
	2100	86	Castillo
	2400	88	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	88	Kimbrell
	0600	87	
	0900	89	
	1200	86	
	1500	81	CB
	1800	81	CB
	2100	90	
	2400	90	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	87	Kimbrell
	0600	86	
	0900	87	
	1200	87	
	1500	88	
	1800	89	
	2100	89	
	2400	88	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	88	Kimbrell
	0600	88	Robles
	0900	88	Robles
	1200	89	Robles
	1500	90	Birk
	1800	90	Birk
	2100	91	Birk
	2400	90	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	88	Allen
	0600	88	
	0900	88	
	1200	88	
	1500	88	
	1800	89	
	2100	89	
	2400	89	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	88	Kimbrell
	0600	84	
	0900	85	
	1200	87	
	1500	87	
	1800	88	
	2100	88	
	2400	88	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	87	Kimbrell
	0600	85	
	0900	86	
	1200	86	
	1500	84	KRAHN
	1800	90	LILAHN
	2100	92	LILAHN
	2400	90	Kimbrell

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 69      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	89	G 1
	0600	88	CARDONA
	0900	88	CARDONA
	1200	88	CARDONA
	1500	90	Garcia
	1800	91	Garcia
	2100	91	Garcia
	2400	90	Rippled

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	90	Rippled
	0600	90	Rippled
	0900	88	Rippled
	1200	90	Rippled
	1500	90	Garcia
	1800	91	Garcia
	2100	90	Garcia
	2400	91	Rippled

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	90	Rippled
	0600	91	GARCIA
	0900	91	GARCIA
	1200	92	GARCIA
	1500	89	SANCHEZ
	1800	89	SANCHEZ
	2100	89	SANCHEZ
	2400	89	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	89	J. CHAVEZ JR
	0600	82	CARDONA
	0900	82	CARDONA
	1200	86	CARDONA
	1500	86	SANCHEZ
	1800	86	SANCHEZ
	2100	86	SANCHEZ
	2400	86	G 1

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	86	G 1
	0600	84	CARDONA
	0900	88	CARDONA
	1200	88	CARDONA
	1500	88	Prado
	1800	88	Prado
	2100	88	Prado
	2400	86	Chang

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	86	Chang
	0600	84	CARDONA
	0900	84	CARDONA
	1200	90	CARDONA
	1500	90	Prado
	1800	90	Prado
	2100	90	Prado
	2400	88	G 1

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	87	G 1
	0600	85	CARDONA
	0900	86	CARDONA
	1200	89	CARDONA
	1500	90	Prado
	1800	90	Prado
	2100	91	Prado
	2400	87	G 1

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 10 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	89	Allen
	0600	90	Nester
	0900	99	Rodgers
	1200	90	Rodgers
	1500	88	Castillo
	1800	90	Castillo
	2100	90	Castillo
	2400	90	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	89	Allen
	0600	84	<del>Jane</del>
	0900	89	<del>Jane</del>
	1200	89	<del>Jane</del>
	1500	90	L
	1800	90	L
	2100	91	<del>Kimball</del>
	2400	90	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	89	Kimball
	0600	88	<del>Jane</del>
	0900	89	<del>Jane</del>
	1200	89	<del>Jane</del>
	1500	90	EZB
	1800	90	EZB
	2100	90	<del>Jane</del>
	2400	89	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	88	Kimball
	0600	84	<del>Jane</del>
	0900	85	<del>Jane</del>
	1200	88	<del>Jane</del>
	1500	88	L
	1800	88	<del>Jane</del>
	2100	89	<del>Jane</del>
	2400	89	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	87	Kimball
	0600	86	<del>Jane</del>
	0900	87	<del>Jane</del>
	1200	88	<del>Jane</del>
	1500	89	<del>Jane</del>
	1800	89	<del>Jane</del>
	2100	90	<del>Jane</del>
	2400	88	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	87	Kimball
	0600	82	<del>Jane</del>
	0900	84	<del>Jane</del>
	1200	85	<del>Jane</del>
	1500	87	KRAHN
	1800	87	KLAHN
	2100	91	<del>Jane</del>
	2400	89	Kimball

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 71      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	88	G 1
	0600	88	CARDOZA
	0900	88	CARDOZA
	1200	89	CARDOZA
	1500	90	Garcia
	1800	91	Garcia
	2100	91	Garcia
	2400	90	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	91	Ruppel
	0600	91	GARCIA
	0900	91	SANCHEZ
	1200	92	GARCIA
	1500	92	SANCHEZ
	1800	92	SANCHEZ
	2100	92	SANCHEZ
	2400	91	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	88	G 1
	0600	84	CARDOZA
	0900	86	CARDOZA
	1200	88	CARDOZA
	1500	88	Prado
	1800	90	Prado
	2100	90	Prado
	2400	88	chang

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	88	G 1
	0600	87	CARDOZA
	0900	87	CARDOZA
	1200	89	CARDOZA
	1500	91	Prado
	1800	91	Prado
	2100	90	Prado
	2400	88	G 1

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	90	Ruppel
	0600	90	Reidy
	0900	87	Reidy
	1200	88	Reidy
	1500	90	barrera
	1800	91	Garcia
	2100	90	Garcia
	2400	91	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	88	J. chavez Jr
	0600	87	CARDOZA
	0900	86	CARDOZA
	1200	88	CARDOZA
	1500	89	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	90	G 1

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	88	Chang
	0600	86	CARDOZA
	0900	86	CARDOZA
	1200	90	CARDOZA
	1500	91	Prado
	1800	91	Prado
	2100	91	Prado
	2400	90	G 1

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC . Housing Unit: 7512 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	88	Allen
	0600	89	Nylas
	0900	87	Pables
	1200	90	Pables
	1500	90	Castillo
	1800	87	Castillo
	2100	90	Castillo
	2400	89	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	89	Kimbrell
	0600	89	<del>Jean</del>
	0900	90	<del>Jean</del>
	1200	90	<del>Jean</del>
	1500	93	<del>Edu</del>
	1800	95	<del>Edu</del>
	2100	91	<del>Jean</del>
	2400	90	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	86	Kimbrell
	0600	86	<del>Jean</del>
	0900	87	<del>Jean</del>
	1200	87	<del>Jean</del>
	1500	88	<del>Jean</del>
	1800	89	<del>Jean</del>
	2100	90	<del>Jean</del>
	2400	88	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	87	Kimbrell
	0600	88	<del>12pables</del>
	0900	88	Pables
	1200	89	Pables
	1500	90	<del>Birk</del>
	1800	90	<del>Birk</del>
	2100	91	<del>Birk</del>
	2400	89	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	89	Allen
	0600	84	<del>Jean</del>
	0900	89	<del>Jean</del>
	1200	88	<del>Jean</del>
	1500	90	<del>Jean</del>
	1800	91	<del>Jean</del>
	2100	91	<del>Jean</del>
	2400	90	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	88	Kimbrell
	0600	84	<del>Jean</del>
	0900	85	<del>Jean</del>
	1200	82	<del>Jean</del>
	1500	88	<del>Jean</del>
	1800	88	<del>Jean</del>
	2100	91	<del>Jean</del>
	2400	89	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	87	Kimbrell
	0600	82	<del>Jean</del>
	0900	84	<del>Jean</del>
	1200	85	<del>Jean</del>
	1500	88	<del>Jean</del>
	1800	89	<del>Jean</del>
	2100	92	<del>Jean</del>
	2400	89	Kimbrell

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 73      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	87	cu 1
	0600	88	CARDOZA
	0900	88	CARDOZA
	1200	89	CARDOZA
	1500	90	Garcia
	1800	91	Garcia
	2100	91	Garcia
	2400	90	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	90	Ruppel
	0600	90	GARCIA
	0900	91	GARCIA
	1200	92	GARCIA
	1500	99	SANCHEZ
	1800	89	SANCHEZ
	2100	99	SANCHEZ
	2400	88	Kunzball

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	86	cu 1
	0600	89	CARDOZA
	0900	86	CARDOZA
	1200	88	CARDOZA
	1500	98	Prado
	1800	90	Prado
	2100	90	Prado
	2400	86	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	86	cu 1
	0600	87	CARDOZA
	0900	87	CARDOZA
	1200	89	CARDOZA
	1500	90	Prado
	1800	90	Prado
	2100	89	Prado
	2400	88	cu

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	89	Ruppel
	0600	88	Ruppel
	0900	87	Ruppel
	1200	89	Ruppel
	1500	90	Garcia
	1800	91	Garcia
	2100	90	Garcia
	2400	90	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	87	J. chavez J-
	0600	83	CARDOZA
	0900	84	CARDOZA
	1200	88	CARDOZA
	1500	86	SANCHEZ
	1800	86	SANCHEZ
	2100	86	SANCHEZ
	2400	86	cu 1

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	86	Chang
	0600	84	CARDOZA
	0900	85	CARDOZA
	1200	90	CARDOZA
	1500	90	Garcia Prado
	1800	90	Prado
	2100	89	Prado
	2400	88	cu

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC . Housing Unit: 4574 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	89	Allen
	0600	84	Rubin
	0900	89	Rubles
	1200	90	Rubles
	1500	90	Castillo
	1800	91	Castillo
	2100	90	Castillo
	2400	88	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	88	Kimball
	0600	87	<del>Kim</del>
	0900	88	<del>Kim</del>
	1200	88	<del>Kim</del>
	1500	90	<del>Kim</del>
	1800	90	<del>Kim</del>
	2100	91	<del>Kim</del>
	2400	88	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	84	Kimball
	0600	83	<del>Kim</del>
	0900	83	<del>Kim</del>
	1200	84	<del>Kim</del>
	1500	86	<del>Kim</del>
	1800	87	<del>Kim</del>
	2100	90	<del>Kim</del>
	2400	87	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	86	Kimball
	0600	86	<del>Kim</del>
	0900	86	Rubles
	1200	88	Rubles
	1500	91	BPK
	1800	91	BPK
	2100	90	BPK
	2400	88	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	88	Allen
	0600	88	<del>Kim</del>
	0900	89	<del>Kim</del>
	1200	89	<del>Kim</del>
	1500	89	<del>Kim</del>
	1800	90	<del>Kim</del>
	2100	90	<del>Kim</del>
	2400	90	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	84	Kimball
	0600	82	<del>Kim</del>
	0900	83	<del>Kim</del>
	1200	85	<del>Kim</del>
	1500	86	<del>Kim</del>
	1800	86	<del>Kim</del>
	2100	87	<del>Kim</del>
	2400	86	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	85	Kimball
	0600	84	<del>Kim</del>
	0900	85	<del>Kim</del>
	1200	85	<del>Kim</del>
	1500	88	<del>Kim</del>
	1800	89	<del>Kim</del>
	2100	91	<del>Kim</del>
	2400	88	Kimball

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 75      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	88	or 1
	0600	88	CARDOZA
	0900	88	CARDOZA
	1200	89	CARDOZA
	1500	90	Garcia
	1800	91	Garcia
	2100	91	Garcia
	2400	90	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	89	Ruppel
	0600	90	GARCIA
	0900	91	GARCIA
	1200	92	GARCIA
	1500	90	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	90	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	86	or 1
	0600	84	CARDOZA
	0900	84	CARDOZA
	1200	86	CARDOZA
	1500	86	Prado
	1800	87	Prado
	2100	87	Prado
	2400	87	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	87	or 1
	0600	84	CARDOZA
	0900	86	CARDOZA
	1200	89	CARDOZA
	1500	89	Prado
	1800	90	Prado
	2100	89	Prado
	2400	88	or 1

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	91	Ruppel
	0600	90	Ruppel
	0900	87	or 1
	1200	89	or 1
	1500	90	Garcia
	1800	91	Garcia
	2100	90	Garcia
	2400	90	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	88	J. Chavez Jr
	0600	86	CARDOZA
	0900	86	CARDOZA
	1200	87	CARDOZA
	1500	87	SANCHEZ
	1800	89	SANCHEZ
	2100	89	SANCHEZ
	2400	87	or 1

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	87	Chang
	0600	86	CARDOZA
	0900	86	CARDOZA
	1200	90	CARDOZA
	1500	90	Prado
	1800	90	Prado
	2100	89	Prado
	2400	88	or 1

**Notes & Signatures**

1st/W - Print & Sign:

 Stony

2nd/W - Print & Sign:

 Stony

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC . Housing Unit: 76 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	88	Allen
	0600	89	Nobles
	0900	89	Allen
	1200	90	Pobler
	1500	90	(Castillo)
	1800	91	Castillo
	2100	89	Castillo
	2400	89	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	88	Allen
	0600	88	<del>Allen</del>
	0900	88	<del>Allen</del>
	1200	88	<del>Allen</del>
	1500	88	<del>Allen</del>
	1800	89	<del>Allen</del>
	2100	88	<del>Allen</del>
	2400	89	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	88	Kimbrell
	0600	87	<del>Allen</del>
	0900	88	<del>Allen</del>
	1200	87	<del>Allen</del>
	1500	89	<del>Allen</del>
	1800	89	<del>Allen</del>
	2100	90	<del>Allen</del>
	2400	88	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	86	Kimbrell
	0600	87	<del>Allen</del>
	0900	84	<del>Allen</del>
	1200	85	<del>Allen</del>
	1500	86	<del>Allen</del>
	1800	86	<del>Allen</del>
	2100	87	<del>Allen</del>
	2400	86	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	84	Kimbrell
	0600	83	<del>Allen</del>
	0900	84	<del>Allen</del>
	1200	84	<del>Allen</del>
	1500	86	<del>Allen</del>
	1800	87	<del>Allen</del>
	2100	88	<del>Allen</del>
	2400	87	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	85	Kimbrell
	0600	84	<del>Allen</del>
	0900	85	<del>Allen</del>
	1200	85	<del>Allen</del>
	1500	87	<del>Allen</del>
	1800	90	<del>Allen</del>
	2100	91	<del>Allen</del>
	2400	88	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	86	Kimbrell
	0600	88	<del>Allen</del>
	0900	88	Nobles
	1200	89	Nobles
	1500	90	Birk
	1800	90	Birk
	2100	91	Birk
	2400	89	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

ATT.C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: See Housing Unit: FAC-C, B-1 Temp. Reading Location: 2nd floor  
(e.g., 1<sup>st</sup> tier; 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

This image shows a high-contrast, black-and-white scan of a document page. The majority of the page is filled with a dense, dark, speckled texture, likely representing a heavily redacted or heavily noisy section of the original document. To the right of this textured area, there is a vertical strip of paper that appears to have horizontal lines on it, possibly a header or footer area that was not redacted.

Tuesday

A large black rectangular area representing a redacted section of the document.

## Wednesday

Thursday

**Friday**

This block contains a large, rectangular, black and white textured area. The texture is grainy and noisy, suggesting it might be a placeholder for an image or a heavily redacted section of a document. There are some very faint, thin horizontal lines visible on the right side, which could be the edges of other pages or scanning artifacts.

## Saturday

Date	Time	Temp.	Name (Print)
26.5.1	0300	72	Matheray
	0600	72	Matheray
	0900	72	Pisotka
	1200	73	Pisotka
	1500	73	Mackenzie
	1800	73	Mackenzie
	2100	73	Mackenzie
	2400	73	Pentlin

## Sunday

Date	Time	Temp.	Name (Print)
06/02	0300	72	Burden
	0600	72	M-GALVAN
	0900	72	M-GALVAN
	1200	72	M-GALVAN
	1500	73	Glover
	1800	74	Glovin
	2100	75	Glover
	2400	74	Hecmon

### Notes & Signatures

1st/W - Print & Sign

2nd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION


From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.


Institution: See Housing Unit: B2 Temp. Reading Location: Top tier, 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.


Monday




Tuesday




Wednesday



Thursday



Friday



Saturday

Date	Time	Temp.	Name (Print)
06/21	0300	72	A-NGUYEN
	0600	72	A-NGUYEN
	0900	72	Anthony
	1200	74	Anthony
	1500	74	S-TYSON
	1800	76	S-TYSON
	2100	74	S-TYSON
	2400	72	S-TYSON

Sunday

Date	Time	Temp.	Name (Print)
06/22	0300	70	S-TYSON
	0600	70	S-TYSON
	0900	72	OISON
	1200	74	OISON
	1500	74	A-VUE
	1800	74	A-VUE
	2100	74	A-VUE
	2400	73	Frazier

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: B.E.C. Housing Unit: BUILDING 3 Temp. Reading Location: DOOR/ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Tuesday

This image consists of a dark, textured rectangular area on the left side, possibly a book cover or endpaper, and a series of thin, light-colored horizontal lines on the right side, which appear to be the edges of several pages.

Wednesday

**Thursday**

This is a high-contrast, black-and-white image of a rectangular object, possibly a book cover or endpaper. The majority of the image is a dark, mottled texture. Along the right edge, there is a vertical strip of significantly lighter material, which appears to be a binding or a different type of paper. This strip has a subtle, horizontal striped pattern, suggesting it might be made of cloth or a similar fabric.

Friday

This block contains a high-contrast, black-and-white image with a grainy, textured appearance. It is enclosed within a thick black rectangular border. The image itself is mostly dark, with some subtle vertical banding and noise, suggesting it might be a scan of a physical document or a low-quality video frame.

## Saturday

Date	Time	Temp.	Name (Print)
06/11/	0300	36°	Martinez
	0600	61°	Martinez
	0900	70	Candela
	1200	70	Lopez
	1500	78	A. Alcazar
	1800	78	A. Alcazar
	2100	78	A. Alcazar
	2400	78	Hurtado

Sunday

Date	Time	Temp.	Name (Print)
Sept:	0300	70	HILLARD
	0600	70	SATURDAY
	0900	72	SATURDAY
	1200	74	SATURDAY
	1500	70	Her
	1800	(69)	Her
	2100	(68)	Her
	2400	68	HILLARD

### Notes & Signatures

**1st/W - Print & Sign:**

2nd/W - Print & Sign:

3rdNW - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)


From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.


Institution: See Housing Unit: 4 Temp. Reading Location: Device 4  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday




Tuesday




Wednesday



Thursday



Friday



Saturday

Date	Time	Temp.	Name (Print)
06/01	0300	75	CW
	0600	73	
	0900	73	
	1200	73	
	1500	74	M. YSIANO
	1800	74	M. YSIANO
	2100	74	ZMOOL
	2400	73	ZMOOL

Sunday

Date	Time	Temp.	Name (Print)
06/02	0300	72	ZMOOL
	0600	73	ZMOOL
	0900	73	ZMOOL
	1200	73	ZMOOL
	1500	74	ZMOOL
	1800	74	ZMOOL
	2100	74	ZMOOL
	2400	74	CW

Notes & Signatures

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.


Institution: SAC Housing Unit: C-5 Temp. Reading Location: Dormitory  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.


Monday




Tuesday




Wednesday



Thursday



Friday



Saturday

Date	Time	Temp.	Name (Print)
06/02	0300	72	Collins
	0600	72	LUTZ
	0900	73	LUTZ
	1200	74	LUTZ
	1500	75	RANDT
	1800	75	RANDT
	2100	74	RANDT
	2400	74	Collins

Sunday

Date	Time	Temp.	Name (Print)
06/02	0300	73	Collins
	0600	71	Rison
	0900	72	Giron
	1200	72	Giron
	1500	72	Lutze
	1800	73	Lutze
	2100	74	Lutze
	2400	72	Collins

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: FAC. C #1 Temp. Reading Location: Daycare  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/03	0300	73	HERNANDEZ
	0600	73	HERNANDEZ
	0900	73	M. GALVAN
	1200	73	M. GALVAN
	1500	74	D. MERCADO
	1800	74	D. MERCADO
	2100	73	D. MERCADO
	2400	72	HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
06/04	0300	72	HERNANDEZ
	0600	73	M. GALVAN
	0900	73	M. GALVAN
	1200	73	M. GALVAN
	1500	75	D. MERCADO
	1800	75	D. MERCADO
	2100	75	D. MERCADO
	2400	74	OSEGURA

Wednesday

Date	Time	Temp.	Name (Print)
06/05	0300	74	OSEGURA
	0600	75	BALDONADO
	0900	75	BALDONADO
	1200	77	BALDONADO
	1500	77	D. MERCADO
	1800	77	D. MERCADO
	2100	77	D. MERCADO
	2400	75	OSEGURA

Thursday

Date	Time	Temp.	Name (Print)
06/06	0300	75	OSEGURA
	0600	75	PRIADO
	0900	77	PRIADO
	1200	77	PRIADO
	1500	77	D. MERCADO
	1800	78	D. MERCADO
	2100	78	D. MERCADO
	2400	78	OSEGURA

Friday

Date	Time	Temp.	Name (Print)
06/07	0300	73	Osegura
	0600	73	A. Rissetto
	0900	73	A. Kicello
	1200	78	A. Risetto
	1500	79	D. RAPISURA
	1800	79	D. RAPISURA
	2100	79	D. RAPISURA
	2400	79	C. WILSON

Saturday

Date	Time	Temp.	Name (Print)
06/08	0300	78	C. WILSON
	0600	78	Rissetto
	0900	78	Rissetto
	1200	78	Rissetto
	1500	76-77	Glover
	1800	79	Glover
	2100	79	Glover
	2400	79	C. Wilson

Sunday

Date	Time	Temp.	Name (Print)
06/09	0300	78	S. Thompson
	0600	74	M. GALVAN
	0900	74	M. GALVAN
	1200	74	M. GALVAN
	1500	75	Glover
	1800	74	Glover
	2100	74	Glover
	2400	79	S. Thompson

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: FAC C, B2 Temp. Reading Location: Dormitory 2nd floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
06/03	0300	71	Frazier
	0600	72	Olson
	0900	73	Olson
	1200	74	Olson
	1500	76	SALZER
	1800	75	SALZER
	2100	74	SALZER
	2400	73	SALZER

**Wednesday**

Date	Time	Temp.	Name (Print)
06/05	0300	73	MARSH
	0600	73	MARSH
	0900	74	MARTHEY
	1200	76	MARTHEY
	1500	78	FLORES
	1800	80	FLORES
	2100	80	FLORES
	2400	80	JMOLY

**Friday**

Date	Time	Temp.	Name (Print)
06/07	0300	77	A. NGUYEN
	0600	78	MARTHEY
	0900	79	MARTHEY
	1200	79	MARTHEY
	1500	79	MARTHEY
	1800	79	MARTHEY
	2100	79	MARTHEY
	2400	77	A. NGUYEN

**Sunday**

Date	Time	Temp.	Name (Print)
06/09	0300	74	LO
	0600	73	LO
	0900	73	Garcia
	1200	74	Garcia
	1500	75	A. VUE
	1800	76	A. VUE
	2100	75	A. VUE
	2400	75	PONTE

**Tuesday**

Date	Time	Temp.	Name (Print)
06/09	0300	71	SALZER
	0600	72	SALZER
	0900	72	MARTHEY
	1200	74	MARTHEY
	1500	74	MUNOC
	1800	75	MUNOC
	2100	73	MUNOC
	2400	74	JMOLY

**Thursday**

Date	Time	Temp.	Name (Print)
06/09	0300	74	JMOLY
	0600	74	JMOLY
	0900	76	MARTHEY
	1200	78	MARTHEY
	1500	80	A. VUE
	1800	80	A. VUE
	2100	80	A. VUE
	2400	78	A. NGUYEN

**Saturday**

Date	Time	Temp.	Name (Print)
06/09	0300	75	A. NGUYEN
	0600	74	A. NGUYEN
	0900	76	MARTHEY
	1200	76	MARTHEY
	1500	77	A. VUE
	1800	77	A. VUE
	2100	77	A. VUE
	2400	75	LO

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: Building # 3 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
06/03	0300	67	HILLARY
	0600	67	Hernandez
	0900	68	Hernandez
	1200	68	Hernandez
	1500	72	J. Brown Jr
	1800	71	D. Chavez Jr
	2100	68	J. Chavez Jr
	2400	68	HILLARY

**Tuesday**

Date	Time	Temp.	Name (Print)
06/04	0300	68	HILLARY
	0600	68	Hernandez
	0900	68	Hernandez
	1200	69	Hernandez
	1500	69	Alvarez
	1800	69	Alvarez
	2100	69	Alvarez
	2400	69	HILLARY

**Wednesday**

Date	Time	Temp.	Name (Print)
06/05	0300	68	HILLARY
	0600	68	Hernandez
	0900	68	Hernandez
	1200	68	Hernandez
	1500	69	Alvarez
	1800	70	Alvarez
	2100	70	Alvarez
	2400	70	HILLARY

**Thursday**

Date	Time	Temp.	Name (Print)
06/06	0300	68	HILLARY
	0600	70	Cervantes
	0900	70	Cervantes
	1200	70	Cervantes
	1500	72	Alvarez
	1800	72	Alvarez
	2100	72	Alvarez
	2400	71	B. Brown

**Friday**

Date	Time	Temp.	Name (Print)
06/07	0300	70	B. Brown
	0600	70	B. Brown
	0900	70	C. Couto
	1200	71	C. Couto
	1500	71	Alvarez
	1800	71	Alvarez
	2100	71	Alvarez
	2400	70	B. Brown

**Saturday**

Date	Time	Temp.	Name (Print)
06/07	0300	70	B. Brown
	0600	70	B. Brown
	0900	73	Peralta, D.
	1200	71	B. Colombo
	1500	71	A. Alvarez
	1800	71	A. Alvarez
	2100	70	A. Alvarez
	2400	70	HILLARY

**Sunday**

Date	Time	Temp.	Name (Print)
06/07	0300	70	HILLARY
	0600	70	S. Hessler
	0900	70	S. Hessler
	1200	70	S. Hessler
	1500	70	Z. Chang
	1800	70	Z. Chang
	2100	70	Z. Chang
	2400	70	HILLARY

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 4 Temp. Reading Location: Day Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
06/03	0300	72	<u>John</u>
	0600	72	<u>Craig</u>
	0900	72	<u>Craig</u>
	1200	72	<u>Craig</u>
	1500	72	<u>David</u>
	1800	72	<u>David</u>
	2100	71	<u>David</u>
	2400	72	<u>John</u>

**Tuesday**

Date	Time	Temp.	Name (Print)
06/04	0300	72	<u>John</u>
	0600	73	<u>MILLER</u>
	0900	74	<u>MILLER</u>
	1200	74	<u>MILLER</u>
	1500	74	<u>Gersh</u>
	1800	75	<u>Gersh</u>
	2100	75	<u>Gersh</u>
	2400	75	<u>John</u>

**Wednesday**

Date	Time	Temp.	Name (Print)
06/05	0300	77	<u>John</u>
	0600	74	<u>John</u>
	0900	73	<u>John</u>
	1200	76	<u>John</u>
	1500	76	<u>John</u>
	1800	76	<u>John</u>
	2100	76	<u>John</u>
	2400	78	<u>John</u>

**Thursday**

Date	Time	Temp.	Name (Print)
06/06	0300	76	<u>John</u>
	0600	78	<u>John</u>
	0900	78	<u>John</u>
	1200	78	<u>John</u>
	1500	78	<u>John</u>
	1800	76	<u>John</u>
	2100	76	<u>John</u>
	2400	78	<u>John</u>

**Friday**

Date	Time	Temp.	Name (Print)
06/07	0300	76	<u>Jacobs</u>
	0600	78	<u>GEMIGNANI</u>
	0900	78	<u>GEMIGNANI</u>
	1200	72	<u>M. YOUNG</u>
	1500	72	<u>M. YOUNG</u>
	1800	71	<u>M. YOUNG</u>
	2100	71	<u>M. YOUNG</u>
	2400	76	<u>M. YOUNG</u>

**Saturday**

Date	Time	Temp.	Name (Print)
06/08	0300	75	<u>GARIBAY</u>
	0600	74	<u>GARIBAY</u>
	0900	75	<u>GARIBAY</u>
	1200	76	<u>GARIBAY</u>
	1500	76	<u>M. YOUNG</u>
	1800	76	<u>M. YOUNG</u>
	2100	76	<u>M. YOUNG</u>
	2400	75	<u>WALUMA</u>

**Sunday**

Date	Time	Temp.	Name (Print)
06/09	0300	74	<u>WEDDING</u>
	0600	74	<u>B. COOK</u>
	0900	74	<u>B. COOK</u>
	1200	74	<u>B. COOK</u>
	1500	75	<u>BOGUE</u>
	1800	74	<u>BOGUE</u>
	2100	74	<u>BOGUE</u>
	2400	74	<u>G. L.</u>

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C-5 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
06/03	0300	72	R. GARIBAY
	0600	70	R. GARIBAY
	0900	71	GARIBAY
	1200	72	GARIBAY
	1500	73	Lupin
	1800	73	Lupin
	2100	73	Lupin
	2400	72	Cervantes

**Tuesday**

Date	Time	Temp.	Name (Print)
06/04	0300	72	Cervantes
	0600	72	R.GARCIA
	0900	74	R.GARCIA
	1200	74	R.GARCIA
	1500	74	Lupin
	1800	75	Lupin
	2100	75	Lupin
	2400	74	Cervantes

**Wednesday**

Date	Time	Temp.	Name (Print)
06/05	0300	74	Cervantes
	0600	74	Mckibbin
	0900	74	Mckibbin
	1200	76	Mckibbin
	1500	76	Lupin
	1800	77	Lupin
	2100	74	Lupin
	2400	76	Cervantes

**Thursday**

Date	Time	Temp.	Name (Print)
06/06	0300	76	Cervantes
	0600	75	C. Kao
	0900	76	Mckibbin
	1200	76	Mckibbin
	1500	76	Cervantes
	1800	76	Cervantes
	2100	76	Cervantes
	2400	75	FLORES

**Friday**

Date	Time	Temp.	Name (Print)
06/07	0300	75	Flores
	0600	75	Flores
	0900	74	lam
	1200	75	lam
	1500	75	BRADFORD
	1800	75	BRADFORD
	2100	75	BRADFORD
	2400	75	Collins

**Saturday**

Date	Time	Temp.	Name (Print)
06/08	0300	75	Collins
	0600	75	Codoy E
	0900	78	Codoy E
	1200	80	Codoy E
	1500	79	J. CHAVEZ JR
	1800	79	CHAVEZ JR
	2100	78	CHAVEZ JR
	2400	78	Collins

**Sunday**

Date	Time	Temp.	Name (Print)
06/09	0300	76	Collins
	0600	74	Mckibbin
	0900	76	Mckibbin
	1200	76	Mckibbin
	1500	73	Lupin
	1800	78	Lupin
	2100	78	Lupin
	2400	78	Codoy

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: FAC-C #1 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/11/20	0300	76	S. HERNANDEZ
	0600	76	S. HERNANDEZ
	0900	74	M. GALVAN
	1200	74	M. GALVAN
	1500	74	P. AVILA
	1800	76	P. AVILA
	2100	76	P. AVILA
	2400	76	A. NGUYEN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/12/20	0300	76	A. NGUYEN
	0600	75	A. NGUYEN
	0900	74	M. GALVAN
	1200	76	M. GALVAN
	1500	77	R. Raine x
	1800	77	R. Raine y
	2100	76	R. Raine x
	2400	77	R. Raine y

**Wednesday**

Date	Time	Temp.	Name (Print)
5/13/20	0300	79	Quinton
	0600	78	Quinton
	0900	78	Rainer
	1200	79	Rainer
	1500	79	Rainer x
	1800	80	Rainer y
	2100	80	Rainer x
	2400	80	VIVERA

**Thursday**

Date	Time	Temp.	Name (Print)
5/14/20	0300	78	Vivera
	0600	78	Vivera
	0900	80	PRIADO
	1200	80	PRIADO
	1500	80	R. Rainer x
	1800	80	R. Rainer y
	2100	79	R. Rainer y
	2400	77	Anthony

**Friday**

Date	Time	Temp.	Name (Print)
5/15/20	0300	76	Anthony
	0600	76	Anthony
	0900	76	Risotto
	1200	76	Risotto
	1500	76	Burkhardt
	1800	76	Burkhardt
	2100	76	Burkhardt
	2400	76	Anthony

**Saturday**

Date	Time	Temp.	Name (Print)
5/16/20	0300	74	Anthony
	0600	74	Anthony
	0900	74	Risotto
	1200	74	Risotto
	1500	74	Anthony
	1800	75	Anthony
	2100	75	Anthony
	2400	74	Anthony

**Sunday**

Date	Time	Temp.	Name (Print)
5/17/20	0300	74	Hernandez
	0600	74	M. GALVAN
	0900	74	M. GALVAN
	1200	74	M. GALVAN
	1500	74	P. KING
	1800	74	P. KING
	2100	74	P. KING
	2400	74	Silva Cam

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: FAC C, B2 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/11/20	0300	72	Person
	0600	72	LEMOIS
	0900	74	Person
	1200	76	Person
	1500	79	SACER
	1800	80	SACER
	2100	78	SACER
	2400	75	JM

**Tuesday**

Date	Time	Temp.	Name (Print)
5/11/20	0300	77	JM
	0600	77	JM
	0900	75	CARNEIRO
	1200	76	CARNEIRO
	1500	77	Machado
	1800	77	Machado
	2100	77	Machado
	2400	76	JM

**Wednesday**

Date	Time	Temp.	Name (Print)
5/12/20	0300	76	JM
	0600	76	JM
	0900	77	GALLARDO
	1200	78	GALLARDO
	1500	80	FLORES
	1800	80	FLORES
	2100	80	FLORES
	2400	80	JM

**Thursday**

Date	Time	Temp.	Name (Print)
5/13/20	0300	79	JM
	0600	79	JM
	0900	76	MARTINEZ
	1200	77	MARTINEZ
	1500	77	GALLARDO
	1800	77	GALLARDO
	2100	77	GALLARDO
	2400	75	A.NGUYEN

**Friday**

Date	Time	Temp.	Name (Print)
5/14/20	0300	74	A.NGUYEN
	0600	74	A.NGUYEN
	0900	75	Martinez
	1200	76	Martinez
	1500	76	Person
	1800	75	Person
	2100	73	Person
	2400	74	A.NGUYEN

**Saturday**

Date	Time	Temp.	Name (Print)
5/15/20	0300	73	A.NGUYEN
	0600	72	A.NGUYEN
	0900	71	S. DIGR
	1200	72	S. DIGR
	1500	74	A.VUE
	1800	75	A.VUE
	2100	74	A.VUE
	2400	73	L.A.C

**Sunday**

Date	Time	Temp.	Name (Print)
5/16/20	0300	73	Lo C
	0600	73	Lo C
	0900	74	Person
	1200	74	Person
	1500	75	A.VUE
	1800	74	A.VUE
	2100	73	A.VUE
	2400	72	Person

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BUILDING 3 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/18	0300	68	Hillard
	0600	68	Garcia
	0900	69	Garcia
	1200	68	Garcia
	1500	72	J. Chavez
	1800	69	J. Chavez
	2100	67	J. Chavez
	2400	67	Hillard

**Tuesday**

Date	Time	Temp.	Name (Print)
5/19	0300	68	Hillard
	0600	70	R.Garcia
	0900	71	L.Garcia
	1200	71	R.Garcia
	1500	72	R.Brown
	1800	72	P.Brown
	2100	72	R.Brown
	2400	74	D.Pritchett

**Wednesday**

Date	Time	Temp.	Name (Print)
5/19	0300	70	D.Pritchett
	0600	70	Pritchett
	0900	72	
	1200	72	
	1500	72	
	1800	70	R.Brown
	2100	70	R.Brown
	2400	70	Hillard

**Thursday**

Date	Time	Temp.	Name (Print)
5/19	0300	70	Hillard
	0600	70	Maijalaen
	0900	70	Maijalaen
	1200	70	Maijalaen
	1500	70	Brown
	1800	70	Brown
	2100	70	Brown
	2400	70	B.Brown

**Friday**

Date	Time	Temp.	Name (Print)
5/19	0300	70	B.Brown
	0600	70	T.B.Brown
	0900	70	
	1200	70	
	1500	70	Krahn
	1800	70	Krahn
	2100	70	Krahn
	2400	70	B.Brown

**Saturday**

Date	Time	Temp.	Name (Print)
5/19	0300	69	B.Brown
	0600	69	P.Brown
	0900	69	M.Hernandez
	1200	69	M.Hernandez
	1500	70	A.Aldeava
	1800	77	A.Aldeava
	2100	77	A.Aldeava
	2400	70	Hillard

**Sunday**

Date	Time	Temp.	Name (Print)
5/10	0300	69	Hillard
	0600	69	Hernandez
	0900	69	Hernandez
	1200	69	Hernandez
	1500	68	Leez
	1800	70	Leez
	2100	70	Leez
	2400	70	Hillard

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 500 Housing Unit: 4 Temp. Reading Location: 2nd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/11/20	0300	74	<u>C</u>
	0600	72	Rodriguez
	0900	74	Rodriguez
	1200	74	Rodriguez
	1500	75	Bogie
	1800	76	Bogie
	2100	77	Bogie
	2400	76	<u>C</u>

**Tuesday**

Date	Time	Temp.	Name (Print)
5/12/20	0300	76	<u>C</u>
	0600	72	<u>D</u>
	0900	74	<u>D</u>
	1200	74	PE-123
	1500	77	Castillo
	1800	77	Castillo
	2100	78	Castillo
	2400	78	<u>C</u>

**Wednesday**

Date	Time	Temp.	Name (Print)
5/13/20	0300	77	<u>C</u>
	0600	75	<u>D</u>
	0900	77	<u>D</u>
	1200	77	<u>D</u>
	1500	78	Castillo
	1800	78	Castillo
	2100	78	Castillo
	2400	77	<u>C</u>

**Thursday**

Date	Time	Temp.	Name (Print)
5/14/20	0300	76	<u>C-C</u>
	0600	76	<u>D</u>
	0900	76	<u>D</u>
	1200	76	<u>D</u>
	1500	77	Castillo
	1800	78	Castillo
	2100	78	Castillo
	2400	78	JACOB

**Friday**

Date	Time	Temp.	Name (Print)
5/15/20	0300	76	JACOB
	0600	74	M. YSIANO
	0900	76	M. YSIANO
	1200	76	M. YSIANO
	1500	76	M. YSIANO
	1800	76	M. YSIANO
	2100	76	M. YSIANO
	2400	71	Deon

**Saturday**

Date	Time	Temp.	Name (Print)
5/16/20	0300	74	Reid
	0600	74	Reid
	0900	74	<u>D</u>
	1200	74	<u>D</u>
	1500	74	M. YSIANO
	1800	74	M. YSIANO
	2100	74	M. YSIANO
	2400	73	MARTINEZ

**Sunday**

Date	Time	Temp.	Name (Print)
5/17/20	0300	70	Martinez
	0600	74	Martinez
	0900	74	<u>D</u>
	1200	74	<u>D</u>
	1500	75	Bogie
	1800	74	Bogie
	2100	74	Bogie
	2400	72	18. Brown

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C-5 Temp. Reading Location: Top tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
06/10	0300	77	Cervantes
	0600	74	Lupian
	0900	74	Mylet
	1200	74	Mylet
	1500	78	Lupian
	1800	79	Lupian
	2100	78	Lupian
	2400	75	Cervantes

**Tuesday**

Date	Time	Temp.	Name (Print)
06/11	0300	75	Cervantes
	0600	75	Mylet
	0900	74	Mylet
	1200	74	Mylet
	1500	77	Lupian
	1800	78	Lupian
	2100	77	Lupian
	2400	78	Cervantes

**Wednesday**

Date	Time	Temp.	Name (Print)
06/12	0300	76	Cervantes
	0600	77	
	0900	77	
	1200	78	
	1500	79	Lupian
	1800	79	Lupian
	2100	78	Lupian
	2400	76	Cervantes

**Thursday**

Date	Time	Temp.	Name (Print)
06/13	0300	76	Cervantes
	0600	76	Sikes
	0900	76	Mylet
	1200	77	Mylet
	1500	77	Craig
	1800	77	Craig
	2100	77	Craig
	2400	74	Cervantes

**Friday**

Date	Time	Temp.	Name (Print)
06/14	0300	74	Cervantes
	0600	74	
	0900	75	
	1200	75	
	1500	75	Bradford
	1800	75	Bradford
	2100	75	Bradford
	2400	75	Collins

**Saturday**

Date	Time	Temp.	Name (Print)
06/15	0300	74	Collins
	0600	75	S. Y.
	0900	74	S. Y.
	1200	74	S. Y.
	1500	75	S. Y.
	1800	75	Perez
	2100	75	Collins
	2400	74	Collins

**Sunday**

Date	Time	Temp.	Name (Print)
06/16	0300	74	Collins
	0600	74	Mylet
	0900	74	Mylet
	1200	74	Mylet
	1500	74	Lupian
	1800	73	Lupian
	2100	73	Lupian
	2400	73	Ellis

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SC Housing Unit: Building 1 Temp. Reading Location: Division  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/17	0300	73	S. Hernandez
	0600	73	S. Hernandez
	0900	73	M. GALVAN
	1200	73	M. GALVAN
	1500	73	D. MERCADO
	1800	73	D. MERCADO
	2100	73	D. MERCADO
	2400	73	D. Castillo

Tuesday

Date	Time	Temp.	Name (Print)
5/18	0300	73	D. Castillo
	0600	72	D. Castillo
	0900	72	N. FORTUNATO
	1200	72	N. FORTUNATO
	1500	73	D. MERCADO
	1800	73	D. MERCADO
	2100	73	D. MERCADO
	2400	73	CASTILLO

Wednesday

Date	Time	Temp.	Name (Print)
5/19	0300	72	CASTILLO
	0600	72	BALDONADO
	0900	72	BALDONADO
	1200	73	BALDONADO
	1500	72	MERCADO
	1800	72	MERCADO
	2100	72	MERCADO
	2400	72	EASTER

Thursday

Date	Time	Temp.	Name (Print)
5/20	0300	72	EASTER
	0600	72	Nicay
	0900	72	Nicay
	1200	73	Nicay
	1500	74	MERCADO
	1800	74	MERCADO
	2100	74	MERCADO
	2400	72	Glover

Friday

Date	Time	Temp.	Name (Print)
5/21	0300	72	Glover
	0600	73	Nicay Rissetto
	0900	74	Nicay Rissetto
	1200	74	Nicay Rissetto
	1500	74	MERCADO
	1800	74	MERCADO
	2100	75	MERCADO
	2400	75	Glover

Saturday

Date	Time	Temp.	Name (Print)
5/22	0300	74	Glover
	0600	74	KISSEFF
	0900	75	Rissetto
	1200	75	Rissetto
	1500	76	Glover
	1800	76	Glover
	2100	77	Glover
	2400	75	B. Rondon

Sunday

Date	Time	Temp.	Name (Print)
5/23	0300	75	B. Rondon
	0600	74	B. Rondon
	0900	76	B. Rondon
	1200	77	B. Rondon
	1500	78	Glover
	1800	78	Glover
	2100	78	Glover
	2400	77	Hernandez

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BSC Housing Unit: FAC C BDP2 Temp. Reading Location: 2nd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/17	0300	72	HERNANDEZ
	0600	71	P. KING
	0900	71	P. KING
	1200	72	P. KING
	1500	72	R. GARRIBAY
	1800	72	R. GARRIBAY
	2100	72	R. GARRIBAY
	2400	72	BROWN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/18	0300	71	BROWN
	0600	70	Muthay
	0900	71	Muthay
	1200	72	Muthay
	1500	72	Machado
	1800	72	Machado
	2100	71	Machado
	2400	70	MISELMY

**Wednesday**

Date	Time	Temp.	Name (Print)
5/19	0300	69	Anselmi
	0600	69	Muthay
	0900	71	Muthay
	1200	71	Muthay
	1500	72	A. Funes
	1800	72	A. Funes
	2100	72	A. Funes
	2400	71	Muthay

**Thursday**

Date	Time	Temp.	Name (Print)
5/20	0300	71	Muthay
	0600	70	Muthay
	0900	71	Muthay
	1200	72	Muthay
	1500	72	Gallardo
	1800	72	Gallardo
	2100	72	Gallardo
	2400	72	Muthay

**Friday**

Date	Time	Temp.	Name (Print)
5/21	0300	72	Muthay
	0600	71	Muthay
	0900	72	Muthay
	1200	73	Muthay
	1500	74	A. VUE
	1800	74	A. VUE
	2100	74	A. VUE
	2400	74	ALPERZ

**Saturday**

Date	Time	Temp.	Name (Print)
5/22	0300	72	ALPERZ
	0600	72	Muthay
	0900	73	Muthay
	1200	75	Muthay
	1500	76	A. VUE
	1800	77	A. VUE
	2100	77	A. VUE
	2400	76	Lo, C

**Sunday**

Date	Time	Temp.	Name (Print)
5/23	0300	74	BROWN
	0600	72	MEDINA
	0900	72	MEDINA
	1200	72	MEDINA
	1500	78	A. VUE
	1800	78	A. VUE
	2100	78	A. VUE
	2400	78	BROWN

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 500 Housing Unit: Building 3 Temp. Reading Location: Door  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	67	Hillary
	0600	69	Hernandez
	0900	68	Hernandez
	1200	68	Hernandez
	1500	70	J. Deval
	1800	65	J. Deval
	2100	66	J. Deval
	2400	68	Hillary

**Tuesday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	67	Hillary
	0600	67	Hernandez
	0900	67	Hernandez
	1200	67	Hernandez
	1500	68	J. Deval
	1800	67	J. Deval
	2100	68	J. Deval
	2400	62	J. Deval

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	62	J. Deval
	0600	62	J. Deval
	0900	63	Hernandez
	1200	64	Hernandez
	1500	64	Gunn
	1800	65	Gunn
	2100	68	Sims
	2400	62	Hillary

**Thursday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	64	Hillary
	0600	64	Madsen
	0900	67	ON
	1200	69	ON
	1500	68	C. Walker
	1800	68	C. Walker
	2100	68	J. Walker
	2400	68	P. Brown

**Friday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	68	B. Brown
	0600	68	B. Brown
	0900	69	RESSETTO
	1200	70	RESSETTO
	1500	70	C. Ellis
	1800	70	C. Ellis
	2100	68	C. Ellis
	2400	68	B. Brown

**Saturday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	68	B. Brown
	0600	68	B. Brown
	0900	68	Hernandez
	1200	68	Hernandez
	1500	69	Ellis
	1800	70	Ellis
	2100	70	Ellis
	2400	70	Hillary

**Sunday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	66	Hillary
	0600	68	Hernandez
	0900	69	Hernandez
	1200	70	Hernandez
	1500	71	P. King
	1800	71	P. King
	2100	71	P. King
	2400	68	Hillary

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 4 Temp. Reading Location: Prison  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/17	0300	72	T.S. Brown
	0600	71	B. Brown
	0900	72	Classifer
	1200	72	G. Gove
	1500	74	BOGIE
	1800	73	B. Gove
	2100	72	B. Gove
	2400	72	Franklin

**Tuesday**

Date	Time	Temp.	Name (Print)
5/18	0300	71	FRANKENSTEIN
	0600	71	Derry
	0900	72	Craig
	1200	72	Craig
	1500	72	D. Castillo
	1800	72	D. Castillo
	2100	72	D. Castillo
	2400	71	BABASA

**Wednesday**

Date	Time	Temp.	Name (Print)
5/19	0300	71	Franklin
	0600	71	Franklin
	0900	72	Franklin
	1200	72	Franklin
	1500	72	D. Castillo
	1800	73	D. Castillo
	2100	73	D. Castillo
	2400	71	J. Waddell

**Thursday**

Date	Time	Temp.	Name (Print)
5/20	0300	71	J. Waddell
	0600	71	
	0900	71	
	1200	73	
	1500	74	GIANEINE
	1800	73	GIANNINA
	2100	73	GIANNINI
	2400	73	J. MARQUARDT

**Friday**

Date	Time	Temp.	Name (Print)
5/21	0300	72	J. MARQUARDT
	0600	72	J. MARQUARDT
	0900	72	M. YIANG
	1200	72	M. YIANG
	1500	73	M. YIANG
	1800	74	M. YIANG
	2100	74	M. YIANG
	2400	73	MARQUARDT

**Saturday**

Date	Time	Temp.	Name (Print)
5/22	0300	69	MARTINEZ
	0600	69	MARTINEZ
	0900	72	YSIANO
	1200	73	YSIANO
	1500	75	M. YIANG
	1800	75	M. YIANG
	2100	76	M. YIANG
	2400	75	A. NGUYEN

**Sunday**

Date	Time	Temp.	Name (Print)
5/23	0300	75	A. NGUYEN
	0600	75	A. NGUYEN
	0900	75	J. Lewis
	1200	76	J. Lewis
	1500	77	BOGLE
	1800	76	BOGLE
	2100	76	BOGLE
	2400	76	

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: C 5 Temp. Reading Location: Dormitory  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	72	ELLIS
	0600	72	COOK
	0900	72	COOK
	1200	73	COOK
	1500	74	LUPIAN
	1800	74	LUPIAN
	2100	73	LUPIAN
	2400	74	Cervantes

**Tuesday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	74	Cervantes
	0600	74	MCKEELEN
	0900	74	MCKEELEN
	1200	74	MCKEELEN
	1500	74	LUPIAN
	1800	74	LUPIAN
	2100	74	LUPIAN
	2400	74	Cervantes

**Wednesday**

Date	Time	Temp.	Name (Print)
5/2/18	0300	74	Cervantes
	0600	74	MCKEELEN
	0900	74	MCKEELEN
	1200	74	MCKEELEN
	1500	74	LUPIAN
	1800	73	LUPIAN
	2100	73	LUPIAN
	2400	73	Cervantes

**Thursday**

Date	Time	Temp.	Name (Print)
5/2/18	0300	74	Cervantes
	0600	74	MCKEELEN
	0900	74	MCKEELEN
	1200	74	MCKEELEN
	1500	75	CHANEY
	1800	75	CHANEY
	2100	75	CHANEY
	2400	75	Cervantes

**Friday**

Date	Time	Temp.	Name (Print)
5/2/18	0300	75	Cervantes
	0600	75	RAM
	0900	75	RAM
	1200	76	RAM
	1500	76	BRADFORD
	1800	76	BRADFORD
	2100	76	BRADFORD
	2400	77	Collins

**Saturday**

Date	Time	Temp.	Name (Print)
5/2/18	0300	76	Collins
	0600	73	Mackenzie
	0900	75	Mackenzie
	1200	79	Mackenzie
	1500	79	J. Chanez Jr
	1800	80	J. Chanez Jr
	2100	79	J. Chanez Jr
	2400	79	Collins

**Sunday**

Date	Time	Temp.	Name (Print)
5/2/18	0300	74	Collins
	0600	78	Garcia
	0900	79	Garcia
	1200	80	Garcia
	1500	81	LUPIAN
	1800	81	LUPIAN
	2100	80	LUPIAN
	2400	70	Cervantes

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 1 control Temp. Reading Location: Daytime  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/14	0300	77	S'lerman
5/14	0600	77	S'lerman
5/14	0900	78	A. Her
5/14	1200	79	A. Her
5/14	1500	79	D. MERCADO
5/14	1800	78	D. MERCADO
5/14	2100	78	D. MERCADO
5/14	2400	78	GEMIGNANI

**Tuesday**

Date	Time	Temp.	Name (Print)
5/15	0300	78	GEMIGNANI
5/15	0600	78	GEMIGNANI
5/15	0900	79	
5/15	1200	77	
5/15	1500	78	D. MERCADO
5/15	1800	79	D. MERCADO
5/15	2100	78	D. MERCADO
5/15	2400	78	Quinto

**Wednesday**

Date	Time	Temp.	Name (Print)
5/16	0300	78	Quinto
5/16	0600	78	Quinto
5/16	0900	73	BALDONADO
5/16	1200	76	BALDONADO
5/16	1500	77	mered
5/16	1800	78	mered
5/16	2100	72	mered
5/16	2400	77	Quinto

**Thursday**

Date	Time	Temp.	Name (Print)
5/17	0300	77	Quinto
5/17	0600	77	Quinto
5/17	0900	76	V. Gutierrez
5/17	1200	74	V. Gutierrez
5/17	1500	75	D. MERCADO
5/17	1800	76	D. MERCADO
5/17	2100	76	D. MERCADO
5/17	2400	75	Martinez

**Friday**

Date	Time	Temp.	Name (Print)
5/18	0300	75	Martinez
5/18	0600	74	Martinez
5/18	0900	74	Juanita
5/18	1200	76	Juanita
5/18	1500	76	D. MERCADO
5/18	1800	76	D. MERCADO
5/18	2100	76	D. MERCADO
5/18	2400	76	Martinez

**Saturday**

Date	Time	Temp.	Name (Print)
5/19	0300	75	Martinez
5/19	0600	75	Martinez
5/19	0900	76	Rosette
5/19	1200	76	Rosette
5/19	1500	77	Gloew
5/19	1800	77	Gloew
5/19	2100	77	Gloew
5/19	2400	78	S. Hernandez

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign: Campbell / Z  
3rd/W - Print & Sign: Flores, J 85

Date	Time	Temp.	Name (Print)
5/20	0300	76	S'lerman
5/20	0600	76	S'lerman
5/20	0900	78	Grand Staff
5/20	1200	77	
5/20	1500	77	
5/20	1800	77	
5/20	2100	78	
5/20	2400	78	S'lerman

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 3 Control Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/24	0300	78	Penit
	0600	75	COOK
	0900	76	COOK
	1200	77	COOK
99	1500	78	COOK
	1800	74	Cota
	2100	79	Garcia
	2400	79	Lang 61

**Tuesday**

Date	Time	Temp.	Name (Print)
5/25	0300	77	Lang 61
	0600	76	COOK
	0900	76	COOK
	1200	77	COOK
99	1500	80	ELLIS
	1800	79	ELLIS
	2100	74	ELLIS
	2400	75	CHEN

**Wednesday**

Date	Time	Temp.	Name (Print)
5/26	0300	74	CHEN
	0600	75	CHEN
	0900	75	QUARDO
	1200	76	QUARDO
99	1500	78	EWING
	1800	78	EWING
	2100	76	EWING
	2400	74	EWING

**Thursday**

Date	Time	Temp.	Name (Print)
5/27	0300	76	CHEN
	0600	75	CHEN
	0900	73	MATHEWS
	1200	74	MATHEWS
99	1500	75	GALLARDO
	1800	75	GALLARDO
	2100	75	GALLARDO
	2400	74	A-NGUYEN

**Friday**

Date	Time	Temp.	Name (Print)
5/28	0300	73	A-NGUYEN
	0600	73	A-NGUYEN
	0900	74	MATHEWS
	1200	75	MATHEWS
99	1500	76	A.VUE
	1800	76	A.VUE
	2100	76	A.VUE
	2400	75	A-NGUYEN

**Saturday**

Date	Time	Temp.	Name (Print)
5/29	0300	75	A-NGUYEN
	0600	74	A-NGUYEN
	0900	74	MATHEWS
	1200	75	MATHEWS
99	1500	77	A.VUE
	1800	77	A.VUE
	2100	77	A.VUE
	2400	74	MATHEWS

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign: Cooper, T

3rd/W - Print & Sign: Flores, JCB

Date	Time	Temp.	Name (Print)
5/30	0300	75	BICK
	0600	75	BICK
	0900	76	BICK
99	1200	76	BICK
	1500	77	A.VUE
	1800	77	A.VUE
	2100	77	A.VUE
	2400	76	NW

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 3 Control Temp. Reading Location: Prison  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/12/24	0300	68	Huay
	0600	68	M. Hernandez
	0900	70	M. Hernandez
	1200	72	M. Hernandez
	1500	76	J. Chavez Jr
OP	1800	75	J. Chavez Jr
	2100	69	J. Chavez Jr.
	2400	68	Huay

Tuesday

Date	Time	Temp.	Name (Print)
5/12/24	0300	68	Huay
	0600	68	Hernandez
	0900	70	Hernandez
	1200	72	Hernandez
	1500	72	Burton
OP	1800	72	Burton
	2100	72	Burton
	2400	76	Huay

Wednesday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	Huay
	0600	70	Hernandez
	0900	71	Hernandez
	1200	72	Hernandez
	1500	72	R. Burton
OP	1800	72	R. Burton
	2100	72	R. Burton
	2400	70	Huay

Thursday

Date	Time	Temp.	Name (Print)
5/14/24	0300	68	Huay
	0600	69	M. Hansen
	0900	70	M. Hansen
	1200	70	M. Hansen
	1500	72	R. Burton
OP	1800	72	R. Burton
	2100	70	R. Burton
	2400	70	B. Brown

Friday

Date	Time	Temp.	Name (Print)
5/15/24	0300	69	R. Brown
	0600	69	R. Brown
	0900	70	C. Canto
	1200	71	C. Canto
	1500	71	R. Burton
OP	1800	71	R. Burton
	2100	71	R. Burton
	2400	70	B. Brown

Saturday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	B. Brown
	0600	70	B. Brown
	0900	71	J. Chavez
	1200	71	J. Chavez
	1500	71	R. Burton
OP	1800	71	R. Burton
	2100	71	R. Burton
	2400	71	D. Casilla

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign: Comptn 1/2

3rd/W - Print & Sign: Flores, J. 04

Date	Time	Temp.	Name (Print)
5/17/24	0300	71	D. Casilla
	0600	71	D. Casilla
	0900	71	S. Kessler
	1200	72	S. Kessler
	1500	72	E. Ariza
OP	1800	72	E. Ariza
	2100	72	E. Ariza
	2400	70	Huay

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 4 Temp. Reading Location: Daytona  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/24	0300	76	(initials)
	0600	76	Coxon
	0900	76	Coxon L
	1200	77	Coxon
088	1500	78	BOGLE
	1800	77	Bogle
	2100	77	BOGLE
	2400	77	(initials)

**Tuesday**

Date	Time	Temp.	Name (Print)
5/25	0300	76	(initials)
	0600	77	Coxon
	0900	77	Coxon
	1200	77	Coxon
	1500	77	Castillo
088	1800	78	Cash
	2100	78	Cash
	2400	77	Castillo

**Wednesday**

Date	Time	Temp.	Name (Print)
5/26	0300	75	(initials)
	0600	75	(initials)
	0900	76	(initials)
	1200	76	(initials)
088	1500	76	D. Casillo
	1800	77	D. Casillo
	2100	77	D. Casillo
	2400	77	(initials)

**Thursday**

Date	Time	Temp.	Name (Print)
5/27	0300	74	(initials)
	0600	74	(initials)
	0900	74	(initials)
	1200	75	(initials)
	1500	75	D. Casillo
088	1800	76	D. Casillo
	2100	76	D. Casillo
	2400	76	(initials)

**Friday**

Date	Time	Temp.	Name (Print)
5/28	0300	76	(initials)
	0600	75	Pearl
	0900	75	Mercado
	1200	76	Mercado
088	1500	76	M. Ysiano
	1800	76	M. Ysiano
	2100	75	M. Ysiano
	2400	75	Pearl

**Saturday**

Date	Time	Temp.	Name (Print)
5/29	0300	75	Pearl
	0600	75	(initials)
	0900	76	(initials)
	1200	76	(initials)
	1500	76	M. Ysiano
088	1800	76	M. Ysiano
	2100	76	M. Ysiano
	2400	75	Pearl

**Sunday**

Date	Time	Temp.	Name (Print)
5/30	0300	75	Pearl
	0600	-	Pearl
	0900	73	Mercury
	1200	76	Mercury
088	1500	77	BOGLE
	1800	76	Bogle
	2100	76	Bogle
	2400	76	(initials)

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print & Sign: Cooper 1/2  
3rd/W - Print & Sign: Flores 1/2

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: S-5 Housing Unit: C-5 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/24	0300	80	Cervantes
	0600	80	Birk
	0900	80	Birk
	1200	80	Birk
	1500	81	Lupiano
	1800	80	Lupiano
	2100	80	Lupiano
	2400	78	Cervantes

Wednesday

Date	Time	Temp.	Name (Print)
5/26	0300	76	Cervantes
	0600	76	Wolfgang Cash
	0900	77	Wolfgang Cash
	1200	78	Wolfgang Cash
	1500	79	Rosales
	1800	79	Rosales
	2100	79	Rosales
	2400	79	Cervantes

Friday

Date	Time	Temp.	Name (Print)
5/28	0300	76	Cervantes
	0600	77	nm
	0900	79	nm
	1200	80	nm
	1500	80	JL
	1800	80	JL
	2100	81	JL
	2400	78	Collins

Sunday

Date	Time	Temp.	Name (Print)
5/30	0300	77	Collins
	0600	77	Barc
	0900	78	Barc
	1200	79	Barc
	1500	77	Hernandez
	1800	80	Hernandez
	2100	80	Hernandez
	2400	80	Cervantes

Tuesday

Date	Time	Temp.	Name (Print)
5/25	0300	78	Cervantes
	0600	78	Garcia
	0900	78	Garcia
	1200	80	Garcia
	1500	80	Garcia
	1800	80	Cervantes
	2100	80	Cervantes
	2400	80	Cervantes

Thursday

Date	Time	Temp.	Name (Print)
5/27	0300	77	Cervantes
	0600	77	Kew
	0900	79	Kew
	1200	80	Kew
	1500	80	C. Walker
	1800	80	C. Walker
	2100	79	C. Walker
	2400	78	Cervantes

Saturday

Date	Time	Temp.	Name (Print)
5/29	0300	77	A. Collins
	0600	76	B. Mackenzie
	0900	77	B. Mackenzie
	1200	78	B. Mackenzie
	1500	79	J. Inverz.
	1800	80	J. Inverz.
	2100	78	J. Inverz.
	2400	78	Collins

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign: Cooper Off

3rd/W - Print & Sign: Flowers Off

## Memorandum

Date: March 26, 2024

To: All Staff  
General Inmate Population  
Facility A, B, and C

Subject: **ICE DISTRIBUTION**

Effective May 1, 2024, Sierra Conservation Center will begin distribution of ice in Facilities A, B, and C. Ice will be distributed as follows:

1. If the temperature reaches 90 degrees prior to 1200 noon, ice will be distributed at 1300 hours and again at 1900 hours.
2. If the temperature does not reach 90 degrees until after 1200 hours, ice will be distributed at 1900 hours.
3. If the temperature drops below 90 degrees before 1800 hours, an assessment of the inside temperature of the dorms/cells will be made by the Program Lieutenant, prior to the 1900 hours ice distribution being cancelled.
4. Upon activation of the "First Stage Heat Alert," designated inmates from F Section, Dorms 66 through 76, and Facility C "Heat Risk" inmates will report to their housing units, unless they are working in a building where the temperature is below 90 degrees. Two coolers will be provided for each building in Facility C and each dorm in Facility A and B Units. Only F Section dorms can receive additional cooling beverage as needed.

A minimum of three Inmate Advisory Council representatives, when available will meet a Correctional Officer at Culinary at 1230 hours (when #1 or #3 apply) and/or 1830 hours (when #2 or #3 apply) to set up for the ice distribution. Ice distribution will continue until 1330 hours and 1930 hours, or 30 minutes for the total distribution. Any housing unit that does not send a representative by the end of ice distribution, forfeits ice for that time. The representative(s) must show his green ID before receiving ice. Custody staff will ensure the distribution of ice to all heat medication housing units/dorms.

Ice will be distributed from the front doors of Dining Rooms 1 for Facility A and 2 for Facility B. Each dorm will be provided one cooler and each building on Facility C will be provided two coolers. The igloo will be filled with ice to allow each dorm to use half the ice to fill the second cooler. Each building on Facility C will be provided enough ice to fill each cooler half full. Each igloo will then be filled with water to make a cooling liquid.



JOSHUA PRUDHEL  
Warden (A)  
Sierra Conservation Center