

Monthly Summary Report

Institution: CIM

Memorandum

Date: June 6, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CIM

The following is a summary of the heat related activity for the month of May

at CIM (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? No

Number of days Stage I Alert initiated: N/A

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: N/A

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: N/A

4. Weekly list of heat risk patients archived? Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Travis Pennington

Warden Name

DocuSigned by:

4

A1ED706AA2FD42F...

Warden Signature

Louie Escobell

Chief Executive Officer Name

Chief Executive Officer Signature

CIM HEAT LOG "DUE LIST"

MONTH OF MAY 2024
Updated Weekly

(Numbers indicate the highest recorded inside temperature when cooling procedures were implemented.)

(X=Documented)

(Yellow squares denote missing Heat Logs)

(N=Temperature gage out of order)

(M=Memorandum submitted for temperature log)

(Red squares denote Missing Heat Logs)

| HOUSING UNIT | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 |
|------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| D-CONTROL | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| D-1 SOUTH DORM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-2 WEST DORM UP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-2 WEST DORM LOW | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-3 ELM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-4 WILLOW | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-5 SPRUCE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-6 CEDER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-7 OAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-8 PINE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-9 REDWOOD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-10 ALDER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-11 JUNIFER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D-12 MAGNOLIA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-1 FLOOR 1 ALPINE LOW | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| C-1 FLOOR 2 ALPINE UP | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| C-2 FLOOR 1 BUTTE LOW | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| C-2 FLOOR 2 BUTTE UP | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| C-3 FLOOR 2 COLUSA UP | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| C-3 FLOOR 1 COLUSA LOW | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| C-4 FL 2 DEL NORTE UP | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| C-4 FL 1 DEL NORTE LOW | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| B-1 CYPRESS | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| B-2 BIRCH | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| B-3 PALM | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| B-4 MADRONE | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| B-5 SYCAMORE | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| A-1 BORREGO | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| A-2 LAGUNA | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| A-3 SEQUOIA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A-4 CLEVELAND | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| A-5 MARIPOSA | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| A-6 JOSHUA | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| A-7 OTAY | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| A-8 ANGELES | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| HOUSING UNIT | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 |

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A1 Temp. Reading Location: East / west side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7142 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/29/24 | 0300 | 68 | BORGES |
| | 0600 | 69 | Hernandez |
| | 0900 | 70 | Hernandez |
| | 1200 | 71 | Hernandez |
| | 1500 | 73 | Borden |
| | 1800 | 73 | Borden |
| | 2100 | 72 | Borden |
| | 2400 | 71 | Ducler |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/30/24 | 0300 | 70 | Pruke |
| | 0600 | 71 | Hernandez |
| | 0900 | 71 | Hernandez |
| | 1200 | 72 | Hernandez |
| | 1500 | 73 | ATABLE |
| | 1800 | 73 | ATABLE |
| | 2100 | 71 | ATABLE |
| | 2400 | 70 | BRANT |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/1/24 | 0300 | 69 | D-BRANT |
| | 0600 | 70 | Hernandez |
| | 0900 | 71 | Hernandez |
| | 1200 | 73 | Hernandez |
| | 1500 | 73 | MAGAFIN |
| | 1800 | 73 | MAGAFIN |
| | 2100 | 72 | MAGAFIN |
| | 2400 | 70 | D-BRANT |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/2/24 | 0300 | 69 | D-BRANT |
| | 0600 | 70 | Hernandez |
| | 0900 | 72 | Hernandez |
| | 1200 | 73 | Hernandez |
| | 1500 | 73 | MAGAFIN |
| | 1800 | 72 | MAGAFIN |
| | 2100 | 71 | MAGAFIN |
| | 2400 | 70 | Haley |

Friday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/3/24 | 0300 | 68 | Haley |
| | 0600 | 70 | NICHOLS |
| | 0900 | 71 | NICHOLS |
| | 1200 | 72 | NICHOLS |
| | 1500 | 72 | MAGAFIN |
| | 1800 | 71 | MAGAFIN |
| | 2100 | 70 | MAGAFIN |
| | 2400 | 70 | D-BRANT |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/4/24 | 0300 | 70 | D-BRANT |
| | 0600 | 70 | NICHOLS |
| | 0900 | 71 | NICHOLS |
| | 1200 | 71 | Nichols |
| | 1500 | 71 | MAGAFIN |
| | 1800 | 70 | MAGAFIN |
| | 2100 | 70 | MAGAFIN |
| | 2400 | 70 | ATABLE |

Sunday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/5/24 | 0300 | 70 | ATABLE |
| | 0600 | 70 | Hernandez |
| | 0900 | 71 | Hernandez |
| | 1200 | 73 | Hernandez |
| | 1500 | 76 | CERETTI |
| | 1800 | 75 | CERETTI |
| | 2100 | 74 | CERETTI |
| | 2400 | 74 | C. H. |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-2 Temp. Reading Location: EAST/west side

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0900 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0900 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/1 | 0300 | 71 | Lagrmas |
| 1 | 0600 | 70 | J. Kelly |
| | 0900 | 72 | J. Kelly |
| | 1200 | 74 | J. Kelly |
| | 1500 | 76 | Tommy |
| | 1800 | 74 | Tommy |
| | 2100 | 76 | Tommy |
| | 2400 | 70 | Lagrmas |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/2 | 0300 | 66 | Lagrmas |
| | 0600 | 69 | J. Kelly |
| | 0900 | 71 | J. Kelly |
| | 1200 | 73 | J. Kelly |
| | 1500 | 74 | Tommy |
| | 1800 | 72 | Tommy |
| | 2100 | 70 | Tommy |
| | 2400 | 69 | Lagrmas |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/3 | 0300 | 69 | Lagrmas |
| | 0600 | 70 | J. Kelly |
| | 0900 | 72 | J. Kelly |
| | 1200 | 74 | J. Kelly |
| | 1500 | 76 | Tommy |
| | 1800 | 74 | Tommy |
| | 2100 | 71 | Tommy |
| | 2400 | 71 | Lagrmas |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/4 | 0300 | 66 | Lagrmas |
| | 0600 | 74 | Tessell |
| | 0900 | 73 | Tessell |
| | 1200 | 72 | Tessell |
| | 1500 | 73 | Tessell |
| | 1800 | 71 | Tessell |
| | 2100 | 71 | Tessell |
| | 2400 | 69 | Wmdey |

Notes

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/5 | 0300 | 70 | Dwne |
| | 0600 | 71 | Maurice |
| | 0900 | 72 | Leah |
| | 1200 | 72 | Leah |
| | 1500 | 73 | Tessell |
| | 1800 | 74 | Tessell |
| | 2100 | 72 | Tessell |
| | 2400 | 69 | Dwne |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A4

Temp. Reading Location: EAST / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/14 | 0300 | 70 | J. GALTOR |
| | 0600 | 73 | M. Bonifacio |
| | 0900 | 72 | M. Bonifacio |
| | 1200 | 76 | M. Bonifacio |
| | 1500 | 76 | S. Anderson |
| | 1800 | 75 | S. Anderson |
| | 2100 | 74 | S. Anderson |
| | 2400 | 71 | S. Anderson |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 68 | S. O'DEA |
| | 0600 | 69 | Varela |
| | 0900 | 71 | Varela |
| | 1200 | 72 | Varela |
| | 1500 | 73 | S. Aguirre |
| | 1800 | 73 | S. Aguirre |
| | 2100 | 72 | S. Aguirre |
| | 2400 | 72 | S. Aguirre |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | J. AGUIRRE |
| | 0600 | 70 | J. Aguirre |
| | 0900 | 71 | J. Aguirre |
| | 1200 | 72 | J. Aguirre |
| | 1500 | 73 | J. Aguirre |
| | 1800 | 73 | J. Aguirre |
| | 2100 | 71 | J. Aguirre |
| | 2400 | 70 | J. AGUIRRE |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 69 | J. AGUIRRE |
| | 0600 | 72 | J. GARCIA |
| | 0900 | 72 | J. GARCIA |
| | 1200 | 72 | J. GARCIA |
| | 1500 | 71 | J. GARCIA |
| | 1800 | 72 | J. GARCIA |
| | 2100 | 72 | J. GARCIA |
| | 2400 | 73 | J. LOREMAN |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/15 | 0300 | 72° | Lorenman |
| | 0600 | 72° | M. Hernandez |
| | 0900 | 72° | M. Hernandez |
| | 1200 | 72° | M. Hernandez |
| | 1500 | 72 | P. Garcia |
| | 1800 | 70 | P. Garcia |
| | 2100 | 70 | P. Garcia |
| | 2400 | 71 | J. SICERO |

Notes

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A5

Temp. Reading Location: EAST / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-1-24 | 0300 | 70 | M. Hernandez |
| | 0600 | 70 | J. Gutierrez |
| | 0900 | 70 | J. Gutierrez |
| | 1200 | 70 | J. Gutierrez |
| | 1500 | 73 | S. Tamps |
| | 1800 | 73 | S. Tamps |
| | 2100 | 73 | S. Tamps |
| | 2400 | 69 | Canales |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-2-24 | 0300 | 68 | Canales |
| | 0600 | 68 | J. Gutierrez |
| | 0900 | 70 | J. Gutierrez |
| | 1200 | 71 | J. Gutierrez |
| | 1500 | 73 | S. Tamps |
| | 1800 | 73 | S. Tamps |
| | 2100 | 73 | S. Tamps |
| | 2400 | 71 | J. Gutierrez |

Friday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-3-24 | 0300 | 71 | J. Gutierrez |
| | 0600 | 70 | J. Gutierrez |
| | 0900 | 70 | J. Gutierrez |
| | 1200 | 70 | J. Gutierrez |
| | 1500 | 73 | S. Tamps |
| | 1800 | 73 | S. Tamps |
| | 2100 | 73 | S. Tamps |
| | 2400 | 71 | M. Hernandez |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-4-24 | 0300 | 71 | M. Hernandez |
| | 0600 | 71 | D. Luna |
| | 0900 | 70 | D. Luna |
| | 1200 | 69 | D. Luna |
| | 1500 | 70 | E. Santos |
| | 1800 | 71 | E. Santos |
| | 2100 | 70 | E. Santos |
| | 2400 | 70 | M. Hernandez |

Notes

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-5-24 | 0300 | 69 | M. Hernandez |
| | 0600 | 70 | D. Luna |
| | 0900 | 70 | D. Luna |
| | 1200 | 70 | D. Luna |
| | 1500 | 71 | E. Santos |
| | 1800 | 71 | E. Santos |
| | 2100 | 71 | E. Santos |
| | 2400 | 70 | M. Hernandez |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: A10

Temp. Reading Location: EAST / WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/1/24 | 0300 | 72 | K. HONUS |
| | 0600 | 72 | C. GONZALEZ |
| | 0900 | 72 | C. GONZALEZ |
| | 1200 | 72 | C. GONZALEZ |
| | 1500 | 70 | O. CERETTE |
| | 1800 | 70 | O. CERETTE |
| | 2100 | 70 | O. CERETTE |
| | 2400 | 70 | K. HONUS |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/2 | 0300 | 71 | K. HONUS |
| | 0600 | 71 | C. GONZALEZ |
| | 0900 | 70 | C. GONZALEZ |
| | 1200 | 72 | C. GONZALEZ |
| | 1500 | 73 | E. Bautista |
| | 1800 | 71 | E. Bautista |
| | 2100 | 76 | E. Bautista |
| | 2400 | 70 | K. HONUS |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/3 | 0300 | 70 | K. HONUS |
| | 0600 | 72 | C. GONZALEZ |
| | 0900 | 72 | C. GONZALEZ |
| | 1200 | 71 | S. VERA |
| | 1500 | 71 | A. TERRIGAN |
| | 1800 | 71 | A. TERRIGAN |
| | 2100 | 70 | A. TERRIGAN |
| | 2400 | 71 | K. HONUS |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/4 | 0300 | 71 | K. HONUS |
| | 0600 | 71 | C. GONZALEZ |
| | 0900 | 71 | C. GONZALEZ |
| | 1200 | 71 | C. GONZALEZ |
| | 1500 | 70 | DICKENS |
| | 1800 | 70 | DICKENS |
| | 2100 | 69 | DICKENS |
| | 2400 | 70 | S. AGUILAR |

Notes

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/5/24 | 0300 | 69 | J. AGUILAR |
| | 0600 | 69 | C. GONZALEZ |
| | 0900 | 70 | C. GONZALEZ |
| | 1200 | 71 | C. GONZALEZ |
| | 1500 | 71 | A. TERRIGAN |
| | 1800 | 70 | A. TERRIGAN |
| | 2100 | 70 | A. TERRIGAN |
| | 2400 | 70 | J. JAMES |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C14 Housing Unit: A7

Temp. Reading Location: EAST/WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees, when the Inside air temperature reaches

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/1/24 | 0300 | 73 | Hegrett |
| | 0600 | 71 | L-CORONA |
| | 0900 | 72 | L-CORONA |
| | 1200 | 74 | L-CORONA |
| | 1500 | 73 | L-CORONA |
| | 1800 | 73 | L-CORONA |
| | 2100 | 73 | L-CORONA |
| | 2400 | 73 | Hegrett |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/2/24 | 0300 | 72 | Hegrett |
| | 0600 | 70 | L-CORONA |
| | 0900 | 71 | L-CORONA |
| | 1200 | 74 | L-CORONA |
| | 1500 | 72 | L-CORONA |
| | 1800 | 72 | L-CORONA |
| | 2100 | 72 | L-CORONA |
| | 2400 | 73 | Hegrett |

Friday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/3/24 | 0300 | 67 | Hegrett |
| | 0600 | 70 | L-CORONA |
| | 0900 | 71 | L-CORONA |
| | 1200 | 72 | L-CORONA |
| | 1500 | 72 | L-CORONA |
| | 1800 | 72 | L-CORONA |
| | 2100 | 72 | L-CORONA |
| | 2400 | 67 | Hegrett |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/4/24 | 0300 | 67 | Hegrett |
| | 0600 | 70 | L-CORONA |
| | 0900 | 72 | L-CORONA |
| | 1200 | 74 | L-CORONA |
| | 1500 | 72 | L-CORONA |
| | 1800 | 72 | L-CORONA |
| | 2100 | 72 | L-CORONA |
| | 2400 | 70 | Hegrett |

Notes

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/5/24 | 0300 | 71 | Hegrett |
| | 0600 | 72 | D.L. |
| | 0900 | 73 | 3.5 MA |
| | 1200 | 75 | 3.5 MA |
| | 1500 | 71 | L-CORONA |
| | 1800 | 71 | L-CORONA |
| | 2100 | 71 | L-CORONA |
| | 2400 | 71 | MARIN |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A8

Temp. Reading Location: EAST / WEST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-1-24 | 0300 | 74 | Garcia |
| | 0600 | 71 | A.MENCHACA |
| | 0900 | 75 | A.MENCHACA |
| | 1200 | 75 | A.MENCHACA |
| | 1500 | 71 | J.CAMACHO |
| | 1800 | 72 | J.CAMACHO |
| | 2100 | 74 | J.CAMACHO |
| | 2400 | 73 | J.Avalos |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-2-24 | 0300 | 72 | J.Avalos |
| | 0600 | 72 | A.MENCHACA |
| | 0900 | 72 | A.MENCHACA |
| | 1200 | 73 | A.MENCHACA |
| | 1500 | 72 | J.GARCIA |
| | 1800 | 72 | J.GARCIA |
| | 2100 | 74 | J.GARCIA |
| | 2400 | 72 | Pineda |

Friday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-3-24 | 0300 | 72 | P.Hernandez |
| | 0600 | 74 | A.MARAZO |
| | 0900 | 73 | A.MARAZO |
| | 1200 | 75 | A.MARAZO |
| | 1500 | 74 | J.CAMACHO |
| | 1800 | 74 | J.CAMACHO |
| | 2100 | 75 | J.CAMACHO |
| | 2400 | 73 | J.Miller |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-4-24 | 0300 | 73 | Diaz |
| | 0600 | 73 | A.MENCHACA |
| | 0900 | 73 | A.MENCHACA |
| | 1200 | 73 | A.MENCHACA |
| | 1500 | 74 | V.Ulloa |
| | 1800 | 73 | V.Ulloa |
| | 2100 | 73 | V.Ulloa |
| | 2400 | 72 | I.Moreno |

Notes

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-5-24 | 0300 | 72 | J.Moreno |
| | 0600 | 69 | O.Hernandez |
| | 0900 | 70 | O.Hernandez |
| | 1200 | 71 | O.Hernandez |
| | 1500 | 71 | J.miller |
| | 1800 | 71 | J.miller |
| | 2100 | 71 | J.miller |
| | 2400 | 72 | moreno |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A-1

Temp. Reading Location: EAST / WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | C. WILLIAMS |
| 5/4 | 0600 | 72 | Hernandez, m |
| | 0900 | 69 | Hernandez, m |
| | 1200 | 71 | Hernandez, m |
| | 1500 | 74 | Angon |
| | 1800 | 71 | Angon |
| | 2100 | 69 | Angon |
| | 2400 | 68 | GILES |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/7 | 0300 | 67 | C. WILLIAMS |
| | 0600 | 72 | Hernandez, m |
| | 0900 | 69 | Hernandez, m |
| | 1200 | 73 | Hernandez, m |
| | 1500 | 72 | MATTHEW |
| | 1800 | 73 | MATTHEW |
| | 2100 | 73 | MATTHEW |
| | 2400 | 73 | C. WILLIAMS |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/8 | 0300 | 71 | C. WILLIAMS |
| | 0600 | 70 | Hernandez, m |
| | 0900 | 70 | Hernandez, m |
| | 1200 | 71 | Hernandez, m |
| | 1500 | 71 | MATTHEW |
| | 1800 | 71 | MATTHEW |
| | 2100 | 71 | MATTHEW |
| | 2400 | 71 | Holsey |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/9 | 0300 | 70 | Holsey |
| | 0600 | 68 | Hernandez, m |
| | 0900 | 68 | Hernandez, m |
| | 1200 | 71 | Hernandez, m |
| | 1500 | 71 | MATTHEW |
| | 1800 | 71 | MATTHEW |
| | 2100 | 71 | MATTHEW |
| | 2400 | 72 | Holsey |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/10 | 0300 | 70 | Holsey |
| | 0600 | 69 | R. NICHOLS |
| | 0900 | 74 | R. NICHOLS |
| | 1200 | 76 | R. NICHOLS |
| | 1500 | 75 | MATTHEW |
| | 1800 | 73 | MATTHEW |
| | 2100 | 75 | MATTHEW |
| | 2400 | 72 | C. WILLIAMS |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/11 | 0300 | 70 | C. WILLIAMS |
| | 0600 | 71 | R. NICHOLS |
| | 0900 | 71 | R. NICHOLS |
| | 1200 | 72 | R. NICHOLS |
| | 1500 | 72 | MATTHEW |
| | 1800 | 72 | MATTHEW |
| | 2100 | 72 | MATTHEW |
| | 2400 | 71 | C. WILLIAMS |

Notes

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/12 | 0300 | 69 | C. WILLIAMS |
| | 0600 | 71 | Hernandez, m |
| | 0900 | 70 | Hernandez, m |
| | 1200 | 72 | Hernandez, m |
| | 1500 | 74 | Angon |
| | 1800 | 72 | Angon |
| | 2100 | 71 | Angon |
| | 2400 | 70 | C. WILLIAMS |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A2 Temp. Reading Location: EAST / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/6 | 0300 | 68 | P. Mire |
| | 0600 | 73 | R. Nichols |
| | 0900 | 71 | R. Nichols |
| | 1200 | 73 | R. Nichols |
| | 1500 | 76 | Torres |
| | 1800 | 74 | Torment |
| | 2100 | 71 | Torment |
| | 2400 | 71 | Torment |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/7 | 0300 | 70 | J. Lee |
| | 0600 | 70 | J. Lee |
| | 0900 | 72 | J. Lee |
| | 1200 | 74 | J. Lee |
| | 1500 | 76 | Torment |
| | 1800 | 74 | Torment |
| | 2100 | 73 | Torment |
| | 2400 | 72 | Torment |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/8 | 0300 | 71 | J. Lee |
| | 0600 | 79 | J. Lee |
| | 0900 | 79 | J. Lee |
| | 1200 | 79 | J. Lee |
| | 1500 | 77 | Torment |
| | 1800 | 75 | Torment |
| | 2100 | 72 | Torment |
| | 2400 | 72 | Torment |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/9 | 0300 | 70 | J. Lee |
| | 0600 | 70 | J. Lee |
| | 0900 | 73 | J. Lee |
| | 1200 | 75 | J. Lee |
| | 1500 | 77 | Torment |
| | 1800 | 75 | Torment |
| | 2100 | 72 | Torment |
| | 2400 | 72 | Torment |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/10 | 0300 | 70 | J. Lee |
| | 0600 | 76 | J. Lee |
| | 0900 | 72 | J. Lee |
| | 1200 | 72 | J. Lee |
| | 1500 | 76 | Torment |
| | 1800 | 74 | Torment |
| | 2100 | 73 | Torment |
| | 2400 | 72 | J. Lee |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/11 | 0300 | 71 | J. Lee |
| | 0600 | 71 | J. Lee |
| | 0900 | 74 | J. Lee |
| | 1200 | 76 | J. Lee |
| | 1500 | 76 | Torment |
| | 1800 | 76 | Torment |
| | 2100 | 74 | Torment |
| | 2400 | 72 | J. Lee |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/12 | 0300 | 70 | J. Lee |
| | 0600 | 73 | R. Nichols |
| | 0900 | 71 | R. Nichols |
| | 1200 | 74 | R. Nichols |
| | 1500 | 75 | Torment |
| | 1800 | 77 | Torment |
| | 2100 | 76 | Torment |
| | 2400 | 75 | S. Ojeda |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-4 Temp. Reading Location: Eastside-westside
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday:

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/6 | 0300 | 75 | J. SIEVA |
| | 0600 | 71 | P. LUNA |
| | 0900 | 71 | P. LUNA |
| | 1200 | 74 | P. LUNA |
| | 1500 | 74 | A. HAWAII |
| | 1800 | 77 | A. HAWAII |
| | 2100 | 76 | A. HAWAII |
| | 2400 | 75 | J. SIEVA |

Wednesday:

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/8 | 0300 | 74 | S. SIEVA |
| | 0600 | 72 | J. HAWAII |
| | 0900 | 73 | J. HAWAII |
| | 1200 | 74 | K. KILO |
| | 1500 | 74 | S. ALEXANDRA |
| | 1800 | 73 | S. ALEXANDRA |
| | 2100 | 72 | S. ALEXANDRA |
| | 2400 | 73 | S. SIEVA |

Friday:

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/10 | 0300 | 72 | J. AGUILAR |
| | 0600 | 72 | S. SWA |
| | 0900 | 73 | S. SWA |
| | 1200 | 74 | S. SWA |
| | 1500 | 75 | S. ANDROM |
| | 1800 | 74 | S. ANDROM |
| | 2100 | 73 | S. ANDROM |
| | 2400 | 72 | J. CALVER |

Sunday:

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/12 | 0300 | 74 | C. BRAYBOY |
| | 0600 | 72 | S. SWA |
| | 0900 | 74 | GALVAN |
| | 1200 | 75 | GALVAN |
| | 1500 | 75 | C. CONETTI |
| | 1800 | 74 | C. CONETTI |
| | 2100 | 74 | C. CONETTI |
| | 2400 | 72 | J. SIEVA |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday:

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/1 | 0300 | 73 | J. SIEVA |
| | 0600 | 70 | P. LUNA |
| | 0900 | 74 | P. LUNA |
| | 1200 | 73 | P. LUNA |
| | 1500 | 74 | L. VASINO |
| | 1800 | 74 | M. VASINO |
| | 2100 | 72 | M. VASINO |
| | 2400 | 73 | J. SIEVA |

Thursday:

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/9 | 0300 | 73 | J. SIEVA |
| | 0600 | 70 | C. MELVIN |
| | 0900 | 74 | C. MELVIN |
| | 1200 | 75 | C. MELVIN |
| | 1500 | 75 | S. ANDROM |
| | 1800 | 79 | S. ANDROM |
| | 2100 | 73 | S. ANDROM |
| | 2400 | 73 | J. AGUILAR |

Saturday:

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/11 | 0300 | 71 | J. GARCIA |
| | 0600 | 72 | S. SWA |
| | 0900 | 73 | S. SWA |
| | 1200 | 75 | S. SWA |
| | 1500 | 75 | S. SWA |
| | 1800 | 74 | S. SWA |
| | 2100 | 73 | S. SWA |
| | 2400 | 76 | C. BRAYBOY |

Notes:

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-5

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|---------------|
| 5-6-24 | 0300 | 69 | M.A.Hernandez |
| | 0600 | 69 | K.Zuniga |
| | 0900 | 69 | K.Zuniga |
| | 1200 | 70 | K.Zuniga |
| | 1500 | 70 | Morales |
| | 1800 | 71 | Morales |
| | 2100 | 70 | Morales |
| | 2400 | 70 | M.A.Hernandez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|---------------|
| 5-7-24 | 0300 | 69 | M.A.Hernandez |
| | 0600 | 69 | K.Zuniga |
| | 0900 | 72 | K.Zuniga |
| | 1200 | 72 | K.Zuniga |
| | 1500 | 72 | Morales |
| | 1800 | 72 | Morales |
| | 2100 | 72 | Morales |
| | 2400 | 70 | M.A.Hernandez |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|---------------|
| 5-8-24 | 0300 | 69 | M.A.Hernandez |
| | 0600 | 71 | K.Zuniga |
| | 0900 | 72 | K.Zuniga |
| | 1200 | 72 | K.Zuniga |
| | 1500 | 70 | Morales |
| | 1800 | 70 | Morales |
| | 2100 | 70 | Morales |
| | 2400 | 70 | M.A.Hernandez |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|---------------|
| 5-9-24 | 0300 | 70 | M.A.Hernandez |
| | 0600 | 70 | K.Zuniga |
| | 0900 | 71 | K.Zuniga |
| | 1200 | 71 | K.Zuniga |
| | 1500 | 71 | S.TOKI |
| | 1800 | 71 | S.TOKI |
| | 2100 | 70 | S.TOKI |
| | 2400 | 70 | S.J.Martinez |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-10-24 | 0300 | 70 | J.Malib |
| | 0600 | 67 | K.Zuniga |
| | 0900 | 70 | K.Zuniga |
| | 1200 | 70 | K.Zuniga |
| | 1500 | 70 | Morales |
| | 1800 | 70 | Morales |
| | 2100 | 70 | Morales |
| | 2400 | 70 | M.Malin |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-11-24 | 0300 | 70 | M.Malin |
| | 0600 | 67 | P.Luna |
| | 0900 | 69 | P.Luna |
| | 1200 | 70 | P.Luna |
| | 1500 | 72 | Pickens |
| | 1800 | 75 | Pickens |
| | 2100 | 77 | Pickens |
| | 2400 | 73 | R.MAY |

Notes

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-12-24 | 0300 | 73 | R.MAY |
| | 0600 | 72 | P.Luna |
| | 0900 | 72 | P.Luna |
| | 1200 | 72 | P.Luna |
| | 1500 | 72 | E.SANTOS |
| | 1800 | 71 | E.SANTOS |
| | 2100 | 71 | E.SANTOS |
| | 2400 | 73 | Garcia |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-10 Temp. Reading Location: East/Westside
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/6/14 | 0300 | 64° | S. JAMES |
| | 0600 | 65 | S. HERNANDEZ |
| | 0900 | 66 | S. HERNANDEZ |
| | 1200 | 67 | S. HERNANDEZ |
| | 1500 | 69 | Terrion |
| | 1800 | 70 | Terrion |
| | 2100 | 69 | Terrion |
| | 2400 | 69 | K. HOMAS |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5.7 | 0300 | 70 | K. HOMAS |
| | 0600 | 69 | Figueroa |
| | 0900 | 68 | Figueroa |
| | 1200 | 68 | Figueroa |
| | 1500 | 69 | Figueroa |
| | 1800 | 69 | Figueroa |
| | 2100 | 70 | Figueroa |
| | 2400 | 70 | K. HOMAS |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5.8 | 0300 | 70 | K. HOMAS |
| | 0600 | 70 | S. HERNANDEZ |
| | 0900 | 70 | S. HERNANDEZ |
| | 1200 | 71 | S. HERNANDEZ |
| | 1500 | 71 | K. GILES |
| | 1800 | 71 | K. GILES |
| | 2100 | 70 | K. GILES |
| | 2400 | 70 | K. HOMAS |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5.9 | 0300 | 70 | K. HOMAS |
| | 0600 | 70 | S. HERNANDEZ |
| | 0900 | 70 | S. HERNANDEZ |
| | 1200 | 71 | S. HERNANDEZ |
| | 1500 | 69 | J. Peon |
| | 1800 | 69 | J. Peon |
| | 2100 | 70 | J. Peon |
| | 2400 | 70 | K. HOMAS |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5.10 | 0300 | 70 | K. HOMAS |
| | 0600 | 72 | Figueroa |
| | 0900 | 72 | S. HERNANDEZ |
| | 1200 | 72 | Figueroa |
| | 1500 | 71 | J. Peon |
| | 1800 | 71 | J. Peon |
| | 2100 | 71 | J. Peon |
| | 2400 | 71 | K. HOMAS |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|---------------|
| 5.11 | 0300 | 71 | K. HOMAS |
| | 0600 | 71 | Figueroa |
| | 0900 | 72 | Figueroa |
| | 1200 | 72 | Figueroa |
| | 1500 | 70 | J. Peon |
| | 1800 | 70 | M. TUCCIARONE |
| | 2100 | 70 | M. TUCCIARONE |
| | 2400 | 70 | M. TUCCIARONE |

Notes

| Date | Time | Temp. | Name (Print) |
|------|------|-------|---------------|
| 5.12 | 0300 | 71 | M. TUCCIARONE |
| | 0600 | 72 | Figueroa |
| | 0900 | 73 | Figueroa |
| | 1200 | 72 | Figueroa |
| | 1500 | 71 | Terrion |
| | 1800 | 71 | A. GILES |
| | 2100 | 70 | Terrion |
| | 2400 | 73 | S. JAMES |

DISTRIBUTION: Original: Institution/Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN - FAA Housing Unit: A7

Temp. Reading Location: 1st

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|--------|------|--------|--------------|
| 5-6-24 | 0300 | 71 | J. Mann |
| | 0600 | 70 | M. Mann |
| | 0900 | 72 | M. Mann |
| | 1200 | 72 | M. Mann |
| | 1500 | 73.2°F | D. Price |
| | 1800 | 71.1°F | D. Price |
| | 2100 | 70.7°F | D. Price |
| | 2400 | 71 | J. Mann |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|---------------------|
| 5-8-24 | 0300 | 70.1 | L. Acuña |
| | 0600 | 70 | M. Hernandez |
| | 0900 | 73 | M. Hernandez |
| | 1200 | 73 | M. Hernandez |
| | 1500 | 71 | L. Acuña |
| | 1800 | 72 | L. Acuña |
| | 2100 | 72 | L. Acuña |
| | 2400 | 71 | L. Acuña |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------------|
| 5-10-24 | 0300 | 70 | L. Acuña |
| | 0600 | 70 | L. Acuña |
| | 0900 | 70 | L. Acuña |
| | 1200 | 72 | L. Acuña |
| | 1500 | 73 | L. Acuña |
| | 1800 | 73 | L. Acuña |
| | 2100 | 73 | L. Acuña |
| | 2400 | 73 | L. Acuña |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-12-24 | 0300 | 71 | L. Acuña |
| | 0600 | 70 | L. Acuña |
| | 0900 | 70 | L. Acuña |
| | 1200 | 72 | L. Acuña |
| | 1500 | 73 | L. Acuña |
| | 1800 | 73 | L. Acuña |
| | 2100 | 71 | L. Acuña |
| | 2400 | 71 | L. Acuña |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

| Date | Time | Temp. | Name (Print) |
|--------|------|--------|--------------|
| 5-7-24 | 0300 | 71 | M. Price |
| | 0600 | 71 | M. Price |
| | 0900 | 72 | M. Price |
| | 1200 | 73 | M. Price |
| | 1500 | 75.2°F | D. Price |
| | 1800 | 73.8°F | D. Price |
| | 2100 | 72.9°F | D. Price |
| | 2400 | 71.3 | L. Acuña |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-9-24 | 0300 | 70 | L. Acuña |
| | 0600 | 70 | L. Acuña |
| | 0900 | 70 | L. Acuña |
| | 1200 | 71 | L. Acuña |
| | 1500 | 72 | L. Acuña |
| | 1800 | 72 | L. Acuña |
| | 2100 | 71 | L. Acuña |
| | 2400 | 71 | L. Acuña |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------------|
| 5-11-24 | 0300 | 71 | L. Acuña |
| | 0600 | 72 | Garcia |
| | 0900 | 72 | Garcia |
| | 1200 | 72 | Garcia |
| | 1500 | 73 | L. Acuña |
| | 1800 | 73 | L. Acuña |
| | 2100 | 73 | L. Acuña |
| | 2400 | 72 | L. Acuña |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-8 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-6-24 | 0300 | 72 | J. MORENO |
| | 0600 | 75 | ALVARADO |
| | 0900 | 73 | P. WATSON |
| | 1200 | 75 | P. WATSON |
| | 1500 | 71 | J. CAMACHO |
| | 1800 | 71 | J. CAMACHO |
| | 2100 | 73 | J. CAMACHO |
| | 2400 | 71 | J. MORENO |

Tuesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-7-24 | 0300 | 71 | J. MORENO |
| | 0600 | 73 | A. MENCHACA |
| | 0900 | 73 | A. MENCHACA |
| | 1200 | 73 | A. MENCHACA |
| | 1500 | 71 | J. CAMACHO |
| | 1800 | 70 | J. CAMACHO |
| | 2100 | 73 | J. CAMACHO |
| | 2400 | 72 | J. MORENO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-8-24 | 0300 | 73 | J. MORENO |
| | 0600 | 74 | A. MENCHACA |
| | 0900 | 74 | A. MENCHACA |
| | 1200 | 74 | A. MENCHACA |
| | 1500 | 73 | J. CAMACHO |
| | 1800 | 71 | J. CAMACHO |
| | 2100 | 73 | J. CAMACHO |
| | 2400 | 72 | J. MORENO |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-9-24 | 0300 | 71 | J. MORENO |
| | 0600 | 72 | TOMMIE |
| | 0900 | 74 | TOMMIE |
| | 1200 | 76 | TOMMIE |
| | 1500 | 72 | J. CAMACHO |
| | 1800 | 71 | J. CAMACHO |
| | 2100 | 73 | J. CAMACHO |
| | 2400 | 72 | Dineda |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-10-24 | 0300 | 72 | Dineda |
| | 0600 | 74 | A. MENCHACA |
| | 0900 | 73 | A. MENCHACA |
| | 1200 | 73 | A. MENCHACA |
| | 1500 | 71 | J. CAMACHO |
| | 1800 | 71 | J. CAMACHO |
| | 2100 | 73 | J. CAMACHO |
| | 2400 | 70 | P. mella |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-11-24 | 0300 | 72 | P. mella |
| | 0600 | 74 | ALVARADO |
| | 0900 | 74 | A. MENCHACA |
| | 1200 | 74 | A. MENCHACA |
| | 1500 | 71 | J. Brown |
| | 1800 | 72 | J. Brown |
| | 2100 | 71 | J. Brown |
| | 2400 | 72 | J. MORENO |

Notes

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-12-24 | 0300 | 73 | J. MORENO |
| | 0600 | 69 | O. Hernandez |
| | 0900 | 70 | O. Hernandez |
| | 1200 | 70 | O. Hernandez |
| | 1500 | 72 | J. Brown |
| | 1800 | 73 | J. Brown |
| | 2100 | 73 | J. Brown |
| | 2400 | 73 | J. MORENO |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-PAM Housing Unit: A-1

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/13/24 | 0300 | 69 | C. WILLIAMS |
| | 0600 | 71 | Hernandez, M |
| | 0900 | 71 | Hernandez, M |
| | 1200 | 72 | Hernandez, M |
| | 1500 | 73 | |
| | 1800 | 71 | Angon |
| | 2100 | 70 | Angon |
| | 2400 | 70 | C. WILLIAMS |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/15/24 | 0300 | 70 | C. WILLIAMS |
| | 0600 | 73 | Hernandez, M |
| | 0900 | 70 | Hernandez, M |
| | 1200 | 70 | Hernandez, M |
| | 1500 | 72 | MATTAU |
| | 1800 | 70 | MATTAU |
| | 2100 | 70 | MATTAU |
| | 2400 | 70 | Halsey |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/17/24 | 0300 | 69 | Halsey |
| | 0600 | 70 | R. Nichols |
| | 0900 | 71 | R. Nichols |
| | 1200 | 71 | R. Nichols |
| | 1500 | 71 | MATTAU |
| | 1800 | 71 | MATTAU |
| | 2100 | 71 | MATTAU |
| | 2400 | 71 | C. WILLIAMS |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/19/24 | 0300 | 70 | C. WILLIAMS |
| | 0600 | 71 | Hernandez, M |
| | 0900 | 70 | Hernandez, M |
| | 1200 | 73 | Hernandez, M |
| | 1500 | 73 | Hernandez |
| | 1800 | 73 | L. Tijjano |
| | 2100 | 71 | L. Tijjano |
| | 2400 | 70 | C. WILLIAMS |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/14/24 | 0300 | 68 | C. WILLIAMS |
| | 0600 | 71 | Hernandez, M |
| | 0900 | 69 | Hernandez, M |
| | 1200 | 70 | Hernandez, M |
| | 1500 | 75 | MATTAU |
| | 1800 | 72 | MATTAU |
| | 2100 | 72 | MATTAU |
| | 2400 | 71 | C. WILLIAMS |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/16/24 | 0300 | 70 | Halsey |
| | 0600 | 68 | Hernandez, M |
| | 0900 | 69 | Hernandez, M |
| | 1200 | 69 | Hernandez, M |
| | 1500 | 69 | MATTAU |
| | 1800 | 69 | MATTAU |
| | 2100 | 69 | MATTAU |
| | 2400 | 70 | Halsey |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/18/24 | 0300 | 69 | C. WILLIAMS |
| | 0600 | 70 | R. Nichols |
| | 0900 | 73 | R. Nichols |
| | 1200 | 75 | R. Nichols |
| | 1500 | 75 | MATTAU |
| | 1800 | 70 | MATTAU |
| | 2100 | 73 | MATTAU |
| | 2400 | 72 | C. WILLIAMS |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-2 Temp. Reading Location: EAST SIDE / vert side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/1 | 0300 | 74 | S. OSCEOLA |
| 5/1 | 0600 | 74 | R. NICHOLS |
| 5/1 | 0900 | 74 | R. NICHOLS |
| 5/1 | 1200 | 75 | R. NICHOLS |
| 5/1 | 1500 | 77 | TORRES-T |
| 5/1 | 1800 | 75 | TORRES-T |
| 5/1 | 2100 | 73 | TORRES-T |
| 5/1 | 2400 | 72 | D. HAGEN |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/1 | 0300 | 70 | D. HAGEN |
| 5/15 | 0600 | 72 | J. REED |
| 5/15 | 0900 | 72 | J. REED |
| 5/15 | 1200 | 73 | J. REED |
| 5/15 | 1500 | 76 | TORRES-T |
| 5/15 | 1800 | 74 | TORRES-T |
| 5/15 | 2100 | 72 | TORRES-T |
| 5/15 | 2400 | 72 | D. HAGEN |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/17 | 0300 | 70 | D. HAGEN |
| 5/17 | 0600 | 69 | J. REED |
| 5/17 | 0900 | 71 | J. REED |
| 5/17 | 1200 | 73 | J. REED |
| 5/17 | 1500 | 75 | TORRES-T |
| 5/17 | 1800 | 73 | TORRES-T |
| 5/17 | 2100 | 71 | TORRES-T |
| 5/17 | 2400 | 70 | D. HAGEN |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/19 | 0300 | 72 | D. MORESCO |
| 5/19 | 0600 | 67 | J. REED |
| 5/19 | 0900 | 69 | J. REED |
| 5/19 | 1200 | 72 | J. REED |
| 5/19 | 1500 | 73 | TORRES-T |
| 5/19 | 1800 | 73 | TORRES-T |
| 5/19 | 2100 | 72 | TORRES-T |
| 5/19 | 2400 | 70 | P. MCCR |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/14 | 0300 | 71 | D. HAGEN |
| 5/14 | 0600 | 71 | J. REED |
| 5/14 | 0900 | 72 | J. REED |
| 5/14 | 1200 | 72 | J. REED |
| 5/14 | 1500 | 77 | TORRES-T |
| 5/14 | 1800 | 74 | TORRES-T |
| 5/14 | 2100 | 74 | TORRES-T |
| 5/14 | 2400 | 71 | D. HAGEN |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/16 | 0300 | 71 | D. HAGEN |
| 5/16 | 0600 | 71 | J. REED |
| 5/16 | 0900 | 72 | J. REED |
| 5/16 | 1200 | 72 | J. REED |
| 5/16 | 1500 | 75 | TORRES-T |
| 5/16 | 1800 | 74 | TORRES-T |
| 5/16 | 2100 | 72 | TORRES-T |
| 5/16 | 2400 | 72 | D. HAGEN |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/18 | 0300 | 68 | D. MORESCO |
| 5/18 | 0600 | 69 | J. REED |
| 5/18 | 0900 | 71 | J. REED |
| 5/18 | 1200 | 72 | J. REED |
| 5/18 | 1500 | 73 | TORRES-T |
| 5/18 | 1800 | 77 | TORRES-T |
| 5/18 | 2100 | 76 | TORRES-T |
| 5/18 | 2400 | 75 | D. MORESCO |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-4 Temp. Reading Location: Eastside-westside
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/13 | 0300 | 75 | J. SILVA |
| | 0600 | 70 | P. LIMA |
| | 0900 | 72 | P. LIMA |
| | 1200 | 74 | P. LIMA |
| | 1500 | 74 | A. MATA |
| | 1800 | 73 | A. MATA |
| | 2100 | 73 | J. SILVA |
| | 2400 | 74 | J. SILVA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/14 | 0300 | 73 | J. SILVA |
| | 0600 | 72 | P. LIMA |
| | 0900 | 71 | P. LIMA |
| | 1200 | 73 | P. LIMA |
| | 1500 | 73 | J. SILVA |
| | 1800 | 72 | M. MATA |
| | 2100 | 72 | M. MATA |
| | 2400 | 73 | J. SILVA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/15 | 0300 | 73 | J. SILVA |
| | 0600 | 72 | V. ALVAREZ |
| | 0900 | 73 | V. ALVAREZ |
| | 1200 | 73 | V. ALVAREZ |
| | 1500 | 73 | S. ANTR |
| | 1800 | 72 | S. ANTR |
| | 2100 | 72 | S. ANTR |
| | 2400 | 74 | J. SILVA |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/16 | 0300 | 73 | J. SILVA |
| | 0600 | 70 | V. ALVAREZ |
| | 0900 | 73 | V. ALVAREZ |
| | 1200 | 73 | V. ALVAREZ |
| | 1500 | 73 | S. ANTR |
| | 1800 | 72 | S. ANTR |
| | 2100 | 72 | S. ANTR |
| | 2400 | 70 | J. SILVA |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/17 | 0300 | 71 | V. ALVAREZ |
| | 0600 | 71 | V. ALVAREZ |
| | 0900 | 73 | V. ALVAREZ |
| | 1200 | 73 | V. ALVAREZ |
| | 1500 | 74 | S. ANTR |
| | 1800 | 73 | S. ANTR |
| | 2100 | 72 | S. ANTR |
| | 2400 | 72 | S. ANTR |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/18 | 0300 | 72 | A. MATA, J. |
| | 0600 | 71 | V. ALVAREZ |
| | 0900 | 72 | V. ALVAREZ |
| | 1200 | 74 | V. ALVAREZ |
| | 1500 | 76 | A. MATA |
| | 1800 | 77 | A. MATA |
| | 2100 | 70 | V. ALVAREZ |
| | 2400 | 74 | J. SILVA |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/19 | 0300 | 74 | J. SILVA |
| | 0600 | 71 | V. ALVAREZ |
| | 0900 | 73 | V. ALVAREZ |
| | 1200 | 73 | V. ALVAREZ |
| | 1500 | 71 | A. MATA |
| | 1800 | 71 | A. MATA |
| | 2100 | 71 | A. MATA |
| | 2400 | 74 | J. SILVA |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-5

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ 90 degrees and again at 95 degrees, when the inside air temperature reaches _____

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-13-24 | 0300 | 73 | C. SANCHEZ |
| | 0600 | 75 | C. SANCHEZ |
| | 0900 | 75 | C. SANCHEZ |
| | 1200 | 77 | C. SANCHEZ |
| | 1500 | 79 | M. Hernaldo |
| | 1800 | 77 | M. Hernaldo |
| | 2100 | 76 | M. Hernaldo |
| | 2400 | 72 | M. Hernaldo |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 5-15-24 | 0300 | 70 | M.B. Hernando |
| | 0600 | 71 | C. SANCHEZ |
| | 0900 | 71 | C. SANCHEZ |
| | 1200 | 71 | C. SANCHEZ |
| | 1500 | 71 | M. Morales |
| | 1800 | 71 | M. Morales |
| | 2100 | 70 | M. Morales |
| | 2400 | 70 | M. Morales |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-17-24 | 0300 | 70 | M. Luna |
| | 0600 | 73 | K. Lopez |
| | 0900 | 72 | K. Lopez |
| | 1200 | 70 | K. Lopez |
| | 1500 | 71 | M. Morales |
| | 1800 | 70 | M. Morales |
| | 2100 | 70 | M. Morales |
| | 2400 | 71 | M. Luna |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-19-24 | 0300 | 68 | V. Lopez |
| | 0600 | 70 | P. Luna |
| | 0900 | 70 | P. Luna |
| | 1200 | 70 | P. Luna |
| | 1500 | 72 | E. Santos |
| | 1800 | 71 | E. Santos |
| | 2100 | 71 | E. Santos |
| | 2400 | 70 | E. Santos |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-14-24 | 0300 | 70 | M. Hernandez |
| | 0600 | 71 | C. Sanchez |
| | 0900 | 71 | C. Sanchez |
| | 1200 | 71 | C. Sanchez |
| | 1500 | 71 | M. Morales |
| | 1800 | 71 | M. Morales |
| | 2100 | 70 | M. Morales |
| | 2400 | 70 | M. Hernandez |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-16-24 | 0300 | 70 | M. Hernandez |
| | 0600 | 70 | C. Sanchez |
| | 0900 | 70 | C. Sanchez |
| | 1200 | 70 | C. Sanchez |
| | 1500 | 71 | M. Morales |
| | 1800 | 71 | M. Morales |
| | 2100 | 70 | M. Morales |
| | 2400 | 70 | M. Hernandez |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-18-24 | 0300 | 70 | J. Lopez |
| | 0600 | 65 | P. Luna |
| | 0900 | 68 | P. Luna |
| | 1200 | 69 | P. Luna |
| | 1500 | 71 | E. Santos |
| | 1800 | 70 | E. Santos |
| | 2100 | 70 | E. Santos |
| | 2400 | 70 | E. Santos |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-16 Temp. Reading Location: FAST/WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/13/21 | 0300 | 71 | J. JAMES |
| | 0600 | 71 | Figueroa |
| | 0900 | 71 | Figueroa |
| | 1200 | 71 | Figueroa |
| | 1500 | 71 | Terriguez |
| | 1800 | 69 | J. Lewis |
| | 2100 | 69 | J. Lewis |
| | 2400 | 70 | K. HOWS |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/15 | 0300 | 71 | K. HOWS |
| | 0600 | 71 | S. HERNANDEZ |
| | 0900 | 71 | S. HERNANDEZ |
| | 1200 | 71 | S. HERNANDEZ |
| | 1500 | 70 | J. Perez |
| | 1800 | 70 | J. Perez |
| | 2100 | 70 | S. Perez |
| | 2400 | 70 | K. HOWS |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/17 | 0300 | 71 | K. HOWS |
| | 0600 | 73 | J. Rodriguez |
| | 0900 | 73 | J. Rodriguez |
| | 1200 | 73 | J. Rodriguez |
| | 1500 | 72 | J. Perez |
| | 1800 | 70 | J. Perez |
| | 2100 | 69 | J. Perez |
| | 2400 | 71 | K. HOWS |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 67 | D. Morgan |
| | 0600 | 71 | M. Martinez |
| | 0900 | 73 | M. Martinez |
| | 1200 | 73 | M. Martinez |
| | 1500 | 71 | G. Flores |
| | 1800 | 71 | G. Flores |
| | 2100 | 70 | Torres |
| | 2400 | 69 | S. Soto |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/14 | 0300 | 71 | K. HOWS |
| | 0600 | 71 | S. HERNANDEZ |
| | 0900 | 71 | S. HERNANDEZ |
| | 1200 | 71 | S. HERNANDEZ |
| | 1500 | 70 | J. Perez |
| | 1800 | 70 | J. Perez |
| | 2100 | 71 | J. Perez |
| | 2400 | 71 | K. HOWS |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/16 | 0300 | 71 | K. HOWS |
| | 0600 | 71 | S. HERNANDEZ |
| | 0900 | 71 | S. HERNANDEZ |
| | 1200 | 71 | S. HERNANDEZ |
| | 1500 | 68 | J. Perez |
| | 1800 | 69 | J. Perez |
| | 2100 | 70 | J. Perez |
| | 2400 | 71 | K. HOWS |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/18 | 0300 | 72 | K. HOWS |
| | 0600 | 73 | S. SOTO |
| | 0900 | 71 | D. DURAN |
| | 1200 | 70 | D. DURAN |
| | 1500 | 70 | J. Perez |
| | 1800 | 70 | J. Perez |
| | 2100 | 69 | J. Perez |
| | 2400 | 68 | J. Perez |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2034 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILIT.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: A-7 Housing Unit: A-7

Temp. Reading Location: 1st

Immediately notify the Watch Commander at extension 7132 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|--------|--------------|
| 5.13.24 | 0300 | 71 | J. MCGOWAN |
| | 0600 | 69 | J. BACON |
| | 0900 | 68 | J. BACON |
| | 1200 | 68 | J. BACON |
| | 1500 | 67.3°F | J. BACON |
| | 1800 | 66.6°F | J. BACON |
| | 2100 | 67.1°F | J. BACON |
| | 2400 | 68 | J. BACON |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5.15.24 | 0900 | 69 | D. DIAZ |
| | 0600 | 69 | L. COLONA |
| | 0900 | 70 | L. COLONA |
| | 1200 | 71 | L. COLONA |
| | 1500 | 71 | L. COLONA |
| | 1800 | 72 | E. GILLON |
| | 2100 | 70 | E. GILLON |
| | 2400 | 72 | E. GILLON |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5.17.24 | 0300 | 71 | L. COLONA |
| | 0600 | 70 | L. COLONA |
| | 0900 | 70 | L. COLONA |
| | 1200 | 71 | L. COLONA |
| | 1500 | 71 | L. COLONA |
| | 1800 | 71 | L. COLONA |
| | 2100 | 72 | L. COLONA |
| | 2400 | 73 | L. COLONA |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5.19.24 | 0300 | 71 | O. RICO |
| | 0600 | 72 | R. GARCIA |
| | 0900 | 73 | R. GARCIA |
| | 1200 | 73 | R. GARCIA |
| | 1500 | 74 | R. GARCIA |
| | 1800 | 69 | E. CARRASCO |
| | 2100 | 69 | E. CARRASCO |
| | 2400 | 69 | E. CARRASCO |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|--------|--------------|
| 5.19.24 | 0300 | 68 | J. MCGOWAN |
| | 0600 | 68 | L. COLONA |
| | 0900 | 69 | L. COLONA |
| | 1200 | 71 | L. COLONA |
| | 1500 | 69.1°F | P. DIAZ |
| | 1800 | 67.8°F | P. DIAZ |
| | 2100 | 66.6°F | P. DIAZ |
| | 2400 | 69 | J. MCGOWAN |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5.16.24 | 0300 | 70 | H. HERNANDEZ |
| | 0600 | 71 | L. COLONA |
| | 0900 | 71 | L. COLONA |
| | 1200 | 70 | L. COLONA |
| | 1500 | 69 | L. COLONA |
| | 1800 | 69 | L. COLONA |
| | 2100 | 69 | L. COLONA |
| | 2400 | 71 | H. HERNANDEZ |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5.18.24 | 0300 | 74 | H. HERNANDEZ |
| | 0600 | 71 | L. COLONA |
| | 0900 | 72 | L. COLONA |
| | 1200 | 74 | L. COLONA |
| | 1500 | 74 | L. COLONA |
| | 1800 | 74 | L. COLONA |
| | 2100 | 70 | L. COLONA |
| | 2400 | 71 | O. RICO |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A - 8

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-13-24 | 0300 | 73 | J. MORENO |
| | 0600 | 74 | MARIA |
| | 0900 | 74 | MARIA |
| | 1200 | 74 | MARIA |
| | 1500 | 73 | SCARLETT |
| | 1800 | 71 | SCARLETT |
| | 2100 | 69 | SCARLETT |
| | 2400 | 70 | J. MORENO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-15-24 | 0300 | 72 | J. MORENO |
| | 0600 | 74 | A. MENCHACA |
| | 0900 | 74 | A. MENCHACA |
| | 1200 | 75 | A. MENCHACA |
| | 1500 | 74 | F. Alvarado |
| | 1800 | 71 | F. Alvarado |
| | 2100 | 70 | Z. OLFERTY |
| | 2400 | 72 | J. MORENO |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-17-24 | 0300 | 70 | Pineda |
| | 0600 | 74 | A. MENCHACA |
| | 0900 | 74 | A. MENCHACA |
| | 1200 | 75 | A. MENCHACA |
| | 1500 | 75 | Pineda |
| | 1800 | 73 | Pineda |
| | 2100 | 74 | Pineda |
| | 2400 | 73 | Pineda |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-19-24 | 0300 | 72 | J. MORENO |
| | 0600 | 70 | O. Hernandez |
| | 0900 | 71 | O. Hernandez |
| | 1200 | 73 | O. Hernandez |
| | 1500 | 73 | I. CHAVEZ |
| | 1800 | 73 | I. CHAVEZ |
| | 2100 | 72 | I. CHAVEZ |
| | 2400 | 72 | J. MORENO |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-14-24 | 0300 | 74 | J. MORENO |
| | 0600 | 79 | MARIA |
| | 0900 | 79 | MARIA |
| | 1200 | 74 | MARIA |
| | 1500 | 73 | O. Hernandez |
| | 1800 | 72 | O. Hernandez |
| | 2100 | 73 | O. Hernandez |
| | 2400 | 73 | J. MORENO |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-16-24 | 0300 | 73 | J. MORENO |
| | 0600 | 74 | A. MENCHACA |
| | 0900 | 74 | A. MENCHACA |
| | 1200 | 74 | A. MENCHACA |
| | 1500 | 74 | Pineda |
| | 1800 | 70 | Pineda |
| | 2100 | 70 | Pineda |
| | 2400 | 72 | Pineda |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-18-24 | 0300 | 73 | K. Brown |
| | 0600 | 74 | K. Brown |
| | 0900 | 74 | A. MENCHACA |
| | 1200 | 74 | A. MENCHACA |
| | 1500 | 73 | J. Brown |
| | 1800 | 72 | J. Brown |
| | 2100 | 74 | J. Brown |
| | 2400 | 73 | J. MORENO |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FM Housing Unit: A-1 Temp. Reading Location: EAST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | | Tuesday | | | |
|----------------|------|-------|---------------|----------------|------|-------|---------------|
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| <i>5/20/24</i> | 0300 | 69 | C. WILLIAMS | <i>5/21/24</i> | 0300 | 70 | C. WILLIAMS |
| | 0600 | 71 | Hernandez, M | | 0600 | 70 | Hernandez, M |
| | 0900 | 69 | Hernandez, M | | 0900 | 72 | Miller, M |
| | 1200 | 71 | Hernandez, M | | 1200 | 74 | Miller, M |
| | 1500 | 74 | Dixon | | 1500 | 70 | Dixon |
| | 1800 | 73 | Dixon | | 1800 | 70 | Williams, M |
| | 2100 | 71 | Dixon | | 2100 | 70 | Williams, M |
| | 2400 | 70 | C. WILLIAMS | | 2400 | 70 | C. WILLIAMS |
| Wednesday | | | | Thursday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| <i>5/22/24</i> | 0300 | 69 | C. WILLIAMS | <i>5/23/24</i> | 0300 | 69 | Halsey |
| | 0600 | 70 | Hernandez, M | | 0600 | 69 | Hernandez, M |
| | 0900 | 71 | Hernandez, M | | 0900 | 69 | Hernandez, M |
| | 1200 | 71 | Hernandez, M | | 1200 | 71 | Hernandez, M |
| | 1500 | 71 | C. BROWN | | 1500 | 71 | M. ROJAS |
| | 1800 | 71 | C. BROWN | | 1800 | 71 | M. ROJAS |
| | 2100 | 70 | M. ROJAS | | 2100 | 71 | M. ROJAS |
| | 2400 | 70 | Halsey | | 2400 | 70 | Halsey |
| Friday | | | | Saturday | | | |
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| <i>5/24/24</i> | 0300 | 69 | Halsey | <i>5/25/24</i> | 0300 | 69 | C. WILLIAMS |
| | 0600 | 68 | M. Valdovinos | | 0600 | 72 | J. Lewis |
| | 0900 | 71 | M. Valdovinos | | 0900 | 72 | J. Lewis |
| | 1200 | 73 | M. Valdovinos | | 1200 | 73 | J. Lewis |
| | 1500 | 73 | M. Valdovinos | | 1500 | 73 | M. Valdovinos |
| | 1800 | 75 | M. Valdovinos | | 1800 | 77 | M. Valdovinos |
| | 2100 | 75 | M. Valdovinos | | 2100 | 72 | M. Valdovinos |
| | 2400 | 74 | C. WILLIAMS | | 2400 | 71 | C. WILLIAMS |
| Sunday | | | | Notes | | | |
| Date | Time | Temp. | Name (Print) | | | | |
| <i>5/26/24</i> | 0300 | 68 | C. WILLIAMS | | | | |
| | 0600 | 68 | Garcia | | | | |
| | 0900 | 71 | Garcia | | | | |
| | 1200 | 73 | Garcia | | | | |
| | 1500 | 73 | Taylor | | | | |
| | 1800 | 72 | Taylor | | | | |
| | 2100 | 77 | Taylor | | | | |
| | 2400 | 77 | M. Hernandez | | | | |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-2 Temp. Reading Location: EAST SIDE/WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/20 | 0300 | 72 | Pineda |
| | 0600 | 73 | M.Valdainas |
| | 0900 | 75 | M.Valdainas |
| | 1200 | 76 | M.Valdainas |
| | 1500 | 75 | TORRESAT |
| | 1800 | 73 | TORRESAT |
| | 2100 | 71 | TORRESAT |
| | 2400 | 70 | D.Harris |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/21 | 0300 | 68 | D.Harris |
| | 0600 | 70 | J.Kelly |
| | 0900 | 72 | J.Kelly |
| | 1200 | 74 | J.Kelly |
| | 1500 | 75 | TORRESAT |
| | 1800 | 73 | TORRESAT |
| | 2100 | 71 | TORRESAT |
| | 2400 | 70 | D.Harris |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/22 | 0300 | 68 | D.Harris |
| | 0600 | 69 | J.Kelly |
| | 0900 | 71 | J.Kelly |
| | 1200 | 73 | J.Kelly |
| | 1500 | 75 | TORRESAT |
| | 1800 | 74 | TORRESAT |
| | 2100 | 72 | TORRESAT |
| | 2400 | 72 | D.Harris |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/23 | 0300 | 71 | D.Harris |
| | 0600 | 71 | J.Kelly |
| | 0900 | 72 | J.Kelly |
| | 1200 | 74 | J.Kelly |
| | 1500 | 74 | A.MENCHACA |
| | 1800 | 75 | A.MENCHACA |
| | 2100 | 75 | A.MENCHACA |
| | 2400 | 74 | D.Harris |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|-------------------|
| 5/24 | 0300 | 72 | D.Harris |
| | 0600 | 73 | TORRESAT |
| | 0900 | 74 | TORRESAT |
| | 1200 | 75 | TORRESAT |
| | 1500 | 74 | TORRESAT TORRESAT |
| | 1800 | 73 | TORRESAT TORRESAT |
| | 2100 | 71 | TORRESAT TORRESAT |
| | 2400 | 70 | S.OSEDA |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/25 | 0300 | 70 | S.OSEDA |
| | 0600 | 71 | J.Kelly |
| | 0900 | 71 | J.Kelly |
| | 1200 | 71 | J.Kelly |
| | 1500 | 73 | PICKENS |
| | 1800 | 72 | PICKENS |
| | 2100 | 71 | PICKENS |
| | 2400 | 70 | D.MORESCO |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/26 | 0300 | 69 | D.MORESCO |
| | 0600 | 69 | M.CORTES |
| | 0900 | 70 | M.CORTES |
| | 1200 | 72 | M.CORTES |
| | 1500 | 73 | TORRESAT |
| | 1800 | 75 | TORRESAT |
| | 2100 | 75 | TORRESAT |
| | 2400 | 70 | Pineda |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAT Housing Unit: A-4 Temp. Reading Location: WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | |
|-------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| <u>5/20</u> | 0300 | 74 | J. SIEVA |
| | 0600 | 70 | P. Luna |
| | 0900 | 70 | P. Luna |
| | 1200 | 72 | P. Luna |
| | 1500 | 72 | MARIA |
| | 1800 | 70 | MARIA |
| | 2100 | 70 | MARIA |
| | 2400 | 74 | J. SIEVA |

| Tuesday | | | |
|-------------|------|-------|---------------|
| Date | Time | Temp. | Name (Print) |
| <u>5/21</u> | 0300 | 74 | J. SIEVA |
| | 0600 | 72 | M A Hernandez |
| | 0900 | 72 | M A Hernandez |
| | 1200 | 72 | M A Hernandez |
| | 1500 | 76 | M PATINO |
| | 1800 | 75 | M PATINO |
| | 2100 | 75 | M PATINO |
| | 2400 | 75 | J. SIEVA |

| Wednesday | | | |
|-------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| <u>5/22</u> | 0300 | 74 | J. SIEVA |
| | 0600 | 74 | V. Hernandez |
| | 0900 | 70 | V. Hernandez |
| | 1200 | 73 | V. Hernandez |
| | 1500 | 73 | S. Anderson |
| | 1800 | 72 | S. Anderson |
| | 2100 | 72 | S. Anderson |
| | 2400 | 72 | A. URIO |

| Thursday | | | |
|-------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| <u>5/23</u> | 0300 | 72 | QUINTA |
| | 0600 | 72 | VALLEJO |
| | 0900 | 72 | VALLEJO |
| | 1200 | 73 | VALLEJO |
| | 1500 | 74 | J. Anderson |
| | 1800 | 73 | S. Anderson |
| | 2100 | 73 | S. Anderson |
| | 2400 | 72 | OBAMA |

| Friday | | | |
|-------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| <u>5/24</u> | 0300 | 70 | OBAMA |
| | 0600 | 71 | OBAMA |
| | 0900 | 72 | OBAMA |
| | 1200 | 72 | OBAMA |
| | 1500 | 73 | S. Anderson |
| | 1800 | 73 | S. Anderson |
| | 2100 | 72 | S. Anderson |
| | 2400 | 71 | OBAMA |

| Saturday | | | |
|-------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) |
| <u>5/25</u> | 0300 | 70 | OBAMA |
| | 0600 | 70 | OBAMA |
| | 0900 | 72 | OBAMA |
| | 1200 | 74 | OBAMA |
| | 1500 | 73 | OBAMA |
| | 1800 | 71 | OBAMA |
| | 2100 | 70 | OBAMA |
| | 2400 | 75 | J. SIEVA |

| Sunday | | | |
|-------------|------|-------|---------------|
| Date | Time | Temp. | Name (Print) |
| <u>5/26</u> | 0300 | 74 | J. SIEVA |
| | 0600 | 72 | M A Hernandez |
| | 0900 | 72 | M A Hernandez |
| | 1200 | 73 | M A Hernandez |
| | 1500 | 71 | MARIA |
| | 1800 | 72 | MARIA |
| | 2100 | 71 | MARIA |
| | 2400 | 74 | J. SIEVA |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-6

Temp. Reading Location: WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 5-20-24 | 0300 | 70 | M A Hernandez |
| | 0600 | 70 | J. Gutierrez |
| | 0900 | 70 | J. Gutierrez |
| | 1200 | 72 | J. Gutierrez |
| | 1500 | 72 | Morales |
| | 1800 | 73 | Morales |
| | 2100 | 74 | Morales |
| | 2400 | 70 | M A Hernandez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 5-21-24 | 0300 | 70 | M A Hernandez |
| | 0600 | 70 | J. Gutierrez |
| | 0900 | 70 | J. Gutierrez |
| | 1200 | 70 | J. Gutierrez |
| | 1500 | 70 | Morales |
| | 1800 | 70 | Morales |
| | 2100 | 70 | Morales |
| | 2400 | 70 | M A Hernandez |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 5-22-24 | 0300 | 70 | M A Hernandez |
| | 0600 | 70 | J. Gutierrez |
| | 0900 | 70 | J. Gutierrez |
| | 1200 | 70 | J. Gutierrez |
| | 1500 | 70 | J. Gutierrez |
| | 1800 | 71 | J. Gutierrez |
| | 2100 | 72 | J. Gutierrez |
| | 2400 | 72 | P. IBARRA |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-23-24 | 0300 | 71 | P. IBARRA |
| | 0600 | 70 | J. Gutierrez |
| | 0900 | 70 | J. Gutierrez |
| | 1200 | 70 | J. Gutierrez |
| | 1500 | 70 | Morales |
| | 1800 | 70 | Morales |
| | 2100 | 70 | Morales |
| | 2400 | 70 | Morales |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 5-24-24 | 0300 | 70 | M A Hernandez |
| | 0600 | 70 | J. Gutierrez |
| | 0900 | 70 | J. Gutierrez |
| | 1200 | 70 | J. Gutierrez |
| | 1500 | 70 | J. Gutierrez |
| | 1800 | 70 | J. Gutierrez |
| | 2100 | 70 | J. Gutierrez |
| | 2400 | 70 | J. Gutierrez |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 5-25-24 | 0300 | 70 | J. Gutierrez |
| | 0600 | 70 | P. Luna |
| | 0900 | 69 | P. Luna |
| | 1200 | 70 | P. Luna |
| | 1500 | 72 | E. SANTOS |
| | 1800 | 70 | E. SANTOS |
| | 2100 | 69 | E. SANTOS |
| | 2400 | 70 | M A Hernandez |

Notes

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|---------------|
| 5-26-24 | 0300 | 70 | M A Hernandez |
| | 0600 | 70 | P. Luna |
| | 0900 | 69 | P. Luna |
| | 1200 | 70 | P. Luna |
| | 1500 | 70 | E. SANTOS |
| | 1800 | 70 | E. SANTOS |
| | 2100 | 71 | E. SANTOS |
| | 2400 | 70 | M A Hernandez |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-10 Temp. Reading Location: EAST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | | Tuesday | | | | Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | |
|----------------|------|-------|--------------|----------------|------|-------|--------------|----------------|------|-------|--------------|----------------|------|-------|--------------|----------------|------|-------|--------------|----------------|------|-------|--------------|
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) |
| <i>5/20/24</i> | 0300 | 67 | K. Smith | <i>5/21/24</i> | 0300 | 69 | K. Hayes | <i>5/22/24</i> | 0300 | 69 | K. Hayes | <i>5/23/24</i> | 0300 | 69 | K. Hayes | <i>5/24/24</i> | 0300 | 69 | K. Hayes | <i>5/25/24</i> | 0300 | 69 | K. Hayes |
| | 0600 | 69 | S. Hernandez | | 0600 | 69 | S. Hernandez | | 0600 | 70 | S. Hernandez |
| | 0900 | 69 | S. Hernandez | | 0900 | 70 | S. Hernandez |
| | 1200 | 69 | S. Hernandez | | 1200 | 70 | S. Hernandez |
| | 1500 | 70 | A. Terriera | | 1500 | 71 | J. Peas |
| | 1800 | 70 | A. Terriera | | 1800 | 70 | J. Peas |
| | 2100 | 70 | A. Terriera | | 2100 | 70 | J. Peas |
| | 2400 | 70 | K. Hayes |
| Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Notes | | | | | | | |
| <i>5/22/24</i> | 0300 | 69 | K. Hayes | <i>5/23/24</i> | 0300 | 69 | K. Hayes | <i>5/24/24</i> | 0300 | 69 | K. Hayes | <i>5/25/24</i> | 0300 | 69 | K. Hayes | <i>5/26/24</i> | 0300 | 69 | K. Hayes | <i>5/27/24</i> | 0300 | 69 | K. Hayes |
| | 0600 | 69 | S. Hernandez | | 0600 | 70 | S. Hernandez |
| | 0900 | 70 | S. Hernandez |
| | 1200 | 71 | S. Hernandez |
| | 1500 | 71 | J. Peas |
| | 1800 | 71 | J. Peas |
| | 2100 | 71 | J. Peas |
| | 2400 | 70 | K. Hayes |
| Sunday | | | | Notes | | | | | | | | | | | | | | | | | | | |
| <i>5/25/24</i> | 0300 | 68 | J. Peas | <i>5/26/24</i> | 0300 | 69 | Figueroa | <i>5/27/24</i> | 0300 | 69 | K. Hayes | <i>5/28/24</i> | 0300 | 69 | M. Monte | <i>5/29/24</i> | 0300 | 69 | J. Peas | <i>5/30/24</i> | 0300 | 69 | J. Peas |
| | 0600 | 64 | Figueroa | | 0600 | 69 | Figueroa | | 0600 | 70 | Figueroa |
| | 0900 | 69 | Figueroa | | 0900 | 71 | Torres |
| | 1200 | 69 | Figueroa | | 1200 | 71 | Torres |
| | 1500 | 71 | Torres |
| | 1800 | 69 | A. Terriera | | 1800 | 71 | J. Peas |
| | 2100 | 69 | D. Turner | | 2100 | 70 | D. Turner |
| | 2400 | 70 | K. Smith | | 2400 | 70 | K. Hayes |

DISTRIBUTION: Original; Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSID (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-SAC Housing Unit: A7

Temp. Reading Location:

EAST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 732 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|--------|--------------|
| 5/20 | 0300 | 72 | J. MILES |
| | 0600 | 73 | S. SWART |
| | 0900 | 74 | S. SWART |
| | 1200 | 75 | S. SWART |
| | 1500 | 71.8°F | D. Diep |
| | 1800 | 73.2°F | D. Diep |
| | 2100 | 72.0°F | D. Diep |
| | 2400 | 72 | SWART |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/22 | 0300 | 71 | Hegardt |
| | 0600 | 70 | L-CORONA |
| | 0900 | 70 | L-CORONA |
| | 1200 | 71 | L-CORONA |
| | 1500 | 71 | L-CORONA |
| | 1800 | 71 | L-CORONA |
| | 2100 | 71 | L-CORONA |
| | 2400 | 71 | Hegardt |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/24 | 0300 | 70 | SALAS |
| | 0600 | 70 | L-CORONA |
| | 0900 | 70 | L-CORONA |
| | 1200 | 70 | L-CORONA |
| | 1500 | 70 | L-CORONA |
| | 1800 | 71 | L-CORONA |
| | 2100 | 71 | L-CORONA |
| | 2400 | 71 | L-CORONA |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/26 | 0300 | 71 | R. MAY |
| | 0600 | 72 | S. GARCIA |
| | 0900 | 72 | S. GARCIA |
| | 1200 | 73 | S. GARCIA |
| | 1500 | 71 | S. GARCIA |
| | 1800 | 71 | S. GARCIA |
| | 2100 | 71 | S. GARCIA |
| | 2400 | 71 | MARIN, J. |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|--------|--------------|
| 5/21 | 0300 | 72 | MARIN, J. |
| | 0600 | 70 | L-CORONA |
| | 0900 | 71 | L-CORONA |
| | 1200 | 71 | L-CORONA |
| | 1500 | 69.1°F | D. Diep |
| | 1800 | 68.9°F | D. Diep |
| | 2100 | 69.4°F | D. Diep |
| | 2400 | 71 | Hegardt |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/23 | 0300 | 71 | Hegardt |
| | 0600 | 70 | L-CORONA |
| | 0900 | 70 | L-CORONA |
| | 1200 | 71 | L-CORONA |
| | 1500 | 72 | L-CORONA |
| | 1800 | 73 | L-CORONA |
| | 2100 | 73 | L-CORONA |
| | 2400 | 72 | -ACAS |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/25 | 0300 | 70 | DOE |
| | 0600 | 70 | L-CORONA |
| | 0900 | 70 | L-CORONA |
| | 1200 | 71 | L-CORONA |
| | 1500 | 72 | L-CORONA |
| | 1800 | 73 | L-CORONA |
| | 2100 | 73 | L-CORONA |
| | 2400 | 71 | R. MAY |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-8 Temp. Reading Location: EAST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

| Monday | | | | Tuesday | | | | Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|------|-------|--------------|-----------------|------|-------|--------------|----------------|------|-------|--------------|-----------------|------|-------|--------------|----------------|------|-------|--------------|----------------|------|-------|--------------|----------------|------|-------|--------------|----------------|------|------|-------------|--|--|------|----|--|--|------|----|--|--|------|----|--|--|------|----|--|--|------------------|------|----|--|-----------------|------|----|--|---------------|------|----|--|-----------------|------|----|--|---------------|------|----|--|--------------|------|----|--|--|------------------|------|----|----------------|-----------------|------|-----------|----------------|---------------|------|-----------|----------------|-----------------|------|-----------|----------------|---------------|------|--------|----------------|--------------|------|-----------|----------------|------|------------------|-----------|----------------|----------------|-----------------|-----------|----------------|----------------|---------------|-----------|-----------|----------------|-----------------|--------|-----------|----------------|---------------|--------|--------|----------------|--------------|--------|-----------|----------------|------|------------------|-----------|----------------|----------------|-----------------|-----------|----------------|----------------|---------------|-----------|-----------|----------------|-----------------|--------|-----------|----------------|---------------|--------|--------|----------------|--------------|--------|-----------|----------------|--------|------------------|-----------|----------------|----------------|-----------------|-----------|----------------|----------------|---------------|-----------|-----------|----------------|-----------------|--------|-----------|----------------|---------------|--------|--------|----------------|--------------|--------|-----------|----------------|--------|------------------|-----------|----------------|----------------|-----------------|-----------|----------------|----------------|---------------|-----------|-----------|----------------|-----------------|--------|-------------|----------------|---------------|--------|-------------|----------------|--------------|--------|-------------|----------------|--------|-------------|-------------|----------------|----------------|-------------|-------------|----------------|----------------|-------------|-----------|-----------|----------------|-------------|--------|-------------|----------------|-------------|--------|-------------|----------------|--------|-------------|-------------|----------------|--------|-------------|-------------|----------------|--------|-------------|-------------|----------------|-------------|-------------|-----------|--------|-------------|-------------|--------|-------------|-------------|-------------|--------|-------------|-------------|------------|-------------|-------------|-------------|------------|-------------|-------------|--------|-------------|-------------|-------------|--------|-------------|-------------|--------|--------|-------------|-------------|--------|-------------|-------------|-------------|--------|-------------|-------------|------------|-------------|-------------|-------------|------------|-------------|-------------|------------|-------------|-------------|-------------|------------|-------------|-------------|--------|-------------|-------------|-------------|--------|-------------|-------------|------------|--------|-------------|-------------|------------|-------------|-------------|-------------|------------|-------------|-------------|------------|-------------|-------------|-------------|------------|-------------|-------------|-----------|-------------|-------------|-------------|-----------|-------------|-------------|------------|--------|-------------|-------------|------------|-------------|-------------|------------|------------|-------------|-------------|------------|-------------|-------------|-------------|------------|-------------|-------------|---------------|-------------|-------------|-------------|-----------------|-------------|-------------|------------|---------------|-------------|-------------|------------|-------------|-------------|------------|------------|-------------|-------------|------------|-------------|-------------|-----------|------------|-------------|-------------|---------------|-------------|-------------|----------------|-----------------|-------------|-------------|----------------|---------------|-------------|-------------|----------------|--------|-------------|------------|----------------|--------|-------------|------------|----------------|--------|-----------|------------|----------------|--------|---------------|-------------|----------------|----------------|-----------------|-------------|----------------|----------------|---------------|-------------|-------------|----------------|--------|-------------|------------|----------------|--------|-------------|------------|----------------|--------|-------------|------------|----------------|--------|---------------|-------------|----------------|----------------|-----------------|-------------|----------------|----------------|---------------|-------------|--------|----------------|-------------|-------------|-----------|----------------|-------------|-------------|-----------|----------------|-------------|-------------|-----------|----------------|-------------|---------------|-----------|----------------|----------------|-----------------|-----------|----------------|----------------|---------------|-----------|--------|----------------|-------------|----------|-----------|----------------|-------------|----------|-----------|----------------|-------------|-------------|-----------|----------------|-------------|---------------|-----------|----------------|----------------|-----------------|-----------|----------------|----------------|---------------|-----------|-------------|----------------|-------------|----------|-------------|----------------|-------------|----------|-------------|----------------|-------------|-------------|-------------|----------------|-------------|-------------|-------------|----------------|----------------|-------------|-------------|----------------|----------------|-------------|-----------|-------------|----------------|-------------|----------|-------------|----------------|-------------|----------|-------------|----------------|-------------|-------------|-------------|----------------|-------------|-------------|-------------|----------------|-------------|-------------|-------------|----------------|-------------|-------------|-----------|-------------|-------------|-------------|----------|-------------|-------------|-------------|----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------|-------------|-------------|-------------|--------|-------------|-------------|-------------|--------|-------------|-------------|-------------|--------|-------------|-------------|-------------|--------|-------------|-------------|-------------|--------|-------------|-------------|-------------|--------|--------|-------------|-------------|--------|--------|-------------|-------------|--------|--------|-------------|-------------|--------|--------|-------------|-------------|--------|--------|-------------|-------------|--------|--------|-------------|-------------|--------|--------|--------|-------------|--------|--------|--------|-------------|--------|--------|--------|-------------|--------|--------|--------|-------------|--------|--------|--------|-------------|--------|--------|--------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|--------|--------|--------|------|--------|--------|--------|------|--------|--------|--------|------|--------|--------|--------|------|--------|--------|--------|------|--------|--------|--------|------|------|--------|--------|------|------|--------|--------|------|------|--------|--------|------|------|--------|--------|------|------|--------|--------|------|------|--------|--------|--|------|----|--------|--|------|----|--------|--|------|----|--------|--|------|----|--------|--|------|----|--------|--|------|----|--------|
| Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | Date | Time | Temp. | Name (Print) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>5.20.24</i> | 0300 | 73 | J. MORENO | <i>5.21.24</i> | 0300 | 73 | J. MORENO | <i>5.22.24</i> | 0300 | 73 | J. MORENO | <i>5.23.24</i> | 0300 | 72 | J. MORENO | <i>5.24.24</i> | 0300 | 72 | J. MORENO | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0600 | 71 | | | 0600 | 72 | | | 0600 | 73 | | | 0600 | 73 | | | 0600 | 72 | | | 0600 | 74 | | | | 0900 | 74 | | | 0900 | 74 | | | 0900 | 74 | | | 0900 | 74 | | | 0900 | 74 | | | 0900 | 74 | | | | 1200 | 74 | | | 1200 | 73 | | | 1200 | 73 | | | 1200 | 73 | | | 1200 | 73 | | | 1200 | 73 | | | | 1500 | 74 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | | 1800 | 73 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | | 2100 | 73 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | | Notes | | | | | | | | <i>5.22.24</i> | 0300 | 73 | J. MORENO | <i>5.23.24</i> | 0300 | 72 | J. MORENO | <i>5.24.24</i> | 0300 | 72 | J. MORENO | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 71 | TORRES | | 0900 | 71 | TORRES | | 0900 | 74 | TORRES | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 74 | TORRES | | 1200 | 74 | TORRES | | 1200 | 73 | TORRES | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | Friday | | | | Saturday | | | | Sunday | | | | | | | | | | | | | | | | | | | | <i>5.24.24</i> | 0300 | 72 | D. MEDINA | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | <i>5.30.24</i> | 0300 | 72 | J. MORENO | <i>5.31.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | Z. AVILA | | 0600 | 71 | Z. AVILA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1500 | 70 | Pineda | | 1500 | 70 | Pineda | | 1500 | 73 | Pineda | | 1800 | 70 | Pineda | | 1800 | 70 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 2100 | 70 | Pineda | | 2100 | 70 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2400 | 70 | Pineda | | 2400 | 70 | Pineda | | 2400 | 72 | Pineda |
| | 0900 | 74 | | | 0900 | 74 | | | 0900 | 74 | | | 0900 | 74 | | | 0900 | 74 | | | 0900 | 74 | | | | 1200 | 74 | | | 1200 | 73 | | | 1200 | 73 | | | 1200 | 73 | | | 1200 | 73 | | | 1200 | 73 | | | | 1500 | 74 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | | 1800 | 73 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | | 2100 | 73 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | | Notes | | | | | | | | <i>5.22.24</i> | 0300 | 73 | J. MORENO | <i>5.23.24</i> | 0300 | 72 | J. MORENO | <i>5.24.24</i> | 0300 | 72 | J. MORENO | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 71 | TORRES | | 0900 | 71 | TORRES | | 0900 | 74 | TORRES | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 74 | TORRES | | 1200 | 74 | TORRES | | 1200 | 73 | TORRES | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | Friday | | | | Saturday | | | | Sunday | | | | | | | | | | | | | | | | | | | | <i>5.24.24</i> | 0300 | 72 | D. MEDINA | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | <i>5.30.24</i> | 0300 | 72 | J. MORENO | <i>5.31.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | Z. AVILA | | 0600 | 71 | Z. AVILA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1500 | 70 | Pineda | | 1500 | 70 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1800 | 70 | Pineda | | 1800 | 70 | Pineda | | 1800 | 73 | Pineda | | 2100 | 70 | Pineda | | 2100 | 70 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2400 | 70 | Pineda | | 2400 | 70 | Pineda | | 2400 | 72 | Pineda | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1200 | 74 | | | 1200 | 73 | | | 1200 | 73 | | | 1200 | 73 | | | 1200 | 73 | | | 1200 | 73 | | | | 1500 | 74 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | | 1800 | 73 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | | 2100 | 73 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | | Notes | | | | | | | | <i>5.22.24</i> | 0300 | 73 | J. MORENO | <i>5.23.24</i> | 0300 | 72 | J. MORENO | <i>5.24.24</i> | 0300 | 72 | J. MORENO | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 71 | TORRES | | 0900 | 71 | TORRES | | 0900 | 74 | TORRES | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 74 | TORRES | | 1200 | 74 | TORRES | | 1200 | 73 | TORRES | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | Friday | | | | Saturday | | | | Sunday | | | | | | | | | | | | | | | | | | | | <i>5.24.24</i> | 0300 | 72 | D. MEDINA | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | <i>5.30.24</i> | 0300 | 72 | J. MORENO | <i>5.31.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | Z. AVILA | | 0600 | 71 | Z. AVILA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1500 | 70 | Pineda | | 1500 | 70 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1800 | 70 | Pineda | | 1800 | 70 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 2100 | 70 | Pineda | | 2100 | 70 | Pineda | | 2100 | 73 | Pineda | | 2400 | 70 | Pineda | | 2400 | 70 | Pineda | | 2400 | 72 | Pineda | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1500 | 74 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | 1500 | 71 | | | | 1800 | 73 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | | 2100 | 73 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | | Notes | | | | | | | | <i>5.22.24</i> | 0300 | 73 | J. MORENO | <i>5.23.24</i> | 0300 | 72 | J. MORENO | <i>5.24.24</i> | 0300 | 72 | J. MORENO | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 71 | TORRES | | 0900 | 71 | TORRES | | 0900 | 74 | TORRES | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 74 | TORRES | | 1200 | 74 | TORRES | | 1200 | 73 | TORRES | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | Friday | | | | Saturday | | | | Sunday | | | | | | | | | | | | | | | | | | | | <i>5.24.24</i> | 0300 | 72 | D. MEDINA | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | <i>5.30.24</i> | 0300 | 72 | J. MORENO | <i>5.31.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | Z. AVILA | | 0600 | 71 | Z. AVILA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1500 | 70 | Pineda | | 1500 | 70 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1800 | 70 | Pineda | | 1800 | 70 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 2100 | 70 | Pineda | | 2100 | 70 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2400 | 70 | Pineda | | 2400 | 70 | Pineda | | 2400 | 72 | Pineda | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1800 | 73 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | 1800 | 72 | | | | 2100 | 73 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | | Notes | | | | | | | | <i>5.22.24</i> | 0300 | 73 | J. MORENO | <i>5.23.24</i> | 0300 | 72 | J. MORENO | <i>5.24.24</i> | 0300 | 72 | J. MORENO | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 71 | TORRES | | 0900 | 71 | TORRES | | 0900 | 74 | TORRES | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 74 | TORRES | | 1200 | 74 | TORRES | | 1200 | 73 | TORRES | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | Friday | | | | Saturday | | | | Sunday | | | | | | | | | | | | | | | | | | | | <i>5.24.24</i> | 0300 | 72 | D. MEDINA | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | <i>5.30.24</i> | 0300 | 72 | J. MORENO | <i>5.31.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | Z. AVILA | | 0600 | 71 | Z. AVILA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1500 | 70 | Pineda | | 1500 | 70 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1800 | 70 | Pineda | | 1800 | 70 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 2100 | 70 | Pineda | | 2100 | 70 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2400 | 70 | Pineda | | 2400 | 70 | Pineda | | 2400 | 72 | Pineda | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2100 | 73 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | 2100 | 74 | | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | | Notes | | | | | | | | <i>5.22.24</i> | 0300 | 73 | J. MORENO | <i>5.23.24</i> | 0300 | 72 | J. MORENO | <i>5.24.24</i> | 0300 | 72 | J. MORENO | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 71 | TORRES | | 0900 | 71 | TORRES | | 0900 | 74 | TORRES | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 74 | TORRES | | 1200 | 74 | TORRES | | 1200 | 73 | TORRES | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | Friday | | | | Saturday | | | | Sunday | | | | | | | | | | | | | | | | | | | | <i>5.24.24</i> | 0300 | 72 | D. MEDINA | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | <i>5.30.24</i> | 0300 | 72 | J. MORENO | <i>5.31.24</i> | 0300 | 72 | J. MORENO | | 0600 | 72 | Z. AVILA | | 0600 | 71 | Z. AVILA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1500 | 70 | Pineda | | 1500 | 70 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1800 | 70 | Pineda | | 1800 | 70 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 2100 | 70 | Pineda | | 2100 | 70 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2400 | 70 | Pineda | | 2400 | 70 | Pineda | | 2400 | 72 | Pineda | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | 2400 | 72 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Wednesday | | | | Thursday | | | | Friday | | | | Saturday | | | | Sunday | | | | Notes | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>5.22.24</i> | 0300 | 73 | J. MORENO | <i>5.23.24</i> | 0300 | 72 | J. MORENO | <i>5.24.24</i> | 0300 | 72 | J. MORENO | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0600 | 72 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | TORRES | | 0600 | 73 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0900 | 71 | TORRES | | 0900 | 71 | TORRES | | 0900 | 74 | TORRES | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1200 | 74 | TORRES | | 1200 | 74 | TORRES | | 1200 | 73 | TORRES | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | TORRES | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | 1500 | 71 | A. MENCHACA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 71 | J. CANACIO | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | 1800 | 70 | B. SOUTISTA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | J. CANACIO | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | 2100 | 73 | B. SOUTISTA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | J. MORENO | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Friday | | | | Saturday | | | | Sunday | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>5.24.24</i> | 0300 | 72 | D. MEDINA | <i>5.25.24</i> | 0300 | 70 | Pineda | <i>5.26.24</i> | 0300 | 72 | J. MORENO | <i>5.27.24</i> | 0300 | 72 | J. MORENO | <i>5.28.24</i> | 0300 | 72 | J. MORENO | <i>5.29.24</i> | 0300 | 72 | J. MORENO | <i>5.30.24</i> | 0300 | 72 | J. MORENO | <i>5.31.24</i> | 0300 | 72 | J. MORENO | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0600 | 72 | Z. AVILA | | 0600 | 71 | Z. AVILA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | 0600 | 74 | A. MENCHACA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0900 | 73 | A. MENCHACA | | 0900 | 73 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | 0900 | 74 | A. MENCHACA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1200 | 73 | A. MENCHACA | | 1200 | 73 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | 1200 | 74 | A. MENCHACA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1500 | 70 | Pineda | | 1500 | 70 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | 1500 | 73 | Pineda | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1800 | 70 | Pineda | | 1800 | 70 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | 1800 | 73 | Pineda | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2100 | 70 | Pineda | | 2100 | 70 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | 2100 | 73 | Pineda | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2400 | 70 | Pineda | | 2400 | 70 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | 2400 | 72 | Pineda | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

MAY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: 4-1

Temp. Reading Location:

WEST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/27/24 | 0300 | 70 | M. Hernandez |
| | 0600 | 70 | Hernandez, m |
| | 0900 | 71 | Hernandez, m |
| | 1200 | 73 | Hernandez, m |
| | 1500 | 75 | Argon |
| | 1800 | 74 | Argon |
| | 2100 | 71 | Argon |
| | 2400 | 76 | JUAREZ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5-28 | 0300 | 70 | JUAREZ |
| | 0600 | 70 | Hernandez, m |
| | 0900 | 71 | Hernandez, m |
| | 1200 | 73 | Hernandez, m |
| | 1500 | 72 | NAPATAN |
| | 1800 | 72 | NAPATAN |
| | 2100 | 70 | NAPATAN |
| | 2400 | 71 | JUAREZ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5-29 | 0300 | 69 | JUAREZ |
| | 0600 | 70 | Hernandez, m |
| | 0900 | 69 | Hernandez, m |
| | 1200 | 73 | Hernandez, m |
| | 1500 | 72 | NAPATAN |
| | 1800 | 72 | NAPATAN |
| | 2100 | 77 | NAPATAN |
| | 2400 | 71 | Halsey |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5-30 | 0300 | 70 | Halsey |
| | 0600 | 69 | Hernandez, m |
| | 0900 | 70 | Hernandez, m |
| | 1200 | 74 | Hernandez, m |
| | 1500 | 74 | NAPATAN |
| | 1800 | 74 | NAPATAN |
| | 2100 | 73 | NAPATAN |
| | 2400 | 77 | Halsey |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5-31 | 0300 | 70 | Halsey |
| | 0600 | 70 | R. NICHOLS |
| | 0900 | 71 | R. NICHOLS |
| | 1200 | 75 | R. NICHOLS |
| | 1500 | 75 | NAPATAN |
| | 1800 | 74 | NAPATAN |
| | 2100 | 77 | NAPATAN |
| | 2400 | 74 | M. Hernandez |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 6-1 | 0300 | 72 | M. Hernandez |
| | 0600 | 71 | R. NICHOLS |
| | 0900 | 72 | R. NICHOLS |
| | 1200 | 73 | R. NICHOLS |
| | 1500 | 71 | NAPATAN |
| | 1800 | 71 | NAPATAN |
| | 2100 | 73 | NAPATAN |
| | 2400 | 72 | M. Hernandez |

Notes

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 6-2 | 0300 | 71 | M. Hernandez |
| | 0600 | 70 | Hernandez, m |
| | 0900 | 63 | Hernandez, m |
| | 1200 | 70 | Hernandez, m |
| | 1500 | 72 | RODRIGUEZ |
| | 1800 | 73 | RODRIGUEZ |
| | 2100 | 71 | RODRIGUEZ |
| | 2400 | 72 | J. AGUILAR |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: 4-2 Temp. Reading Location: EAST SIDE/WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/27 | 0300 | 72 | Pineda |
| | 0600 | 72 | Harkness |
| | 0900 | 72 | Hughes |
| | 1200 | 74 | Harkness |
| | 1500 | 76 | Torres |
| | 1800 | 75 | Torres |
| | 2100 | 73 | Torres |
| | 2400 | 73 | Ramirez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/28 | 0300 | 73 | Ramirez |
| | 0600 | 72 | J. GUY |
| | 0900 | 73 | J. GUY |
| | 1200 | 76 | J. GUY |
| | 1500 | 79 | J. GUY |
| | 1800 | 77 | J. GUY |
| | 2100 | 75 | J. GUY |
| | 2400 | 74 | J. GUY |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/29 | 0300 | 72 | D. Hargrave |
| | 0600 | 72 | M. Aguilar |
| | 0900 | 74 | M. Aguilar |
| | 1200 | 77 | M. Aguilar |
| | 1500 | 76 | Torres |
| | 1800 | 76 | Torres |
| | 2100 | 74 | Torres |
| | 2400 | 73 | D. Hargrave |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/30 | 0300 | 72 | D. Hargrave |
| | 0600 | 75 | H. Zuniga |
| | 0900 | 76 | H. Zuniga |
| | 1200 | 77 | H. Zuniga |
| | 1500 | 77 | Torres |
| | 1800 | 75 | Torres |
| | 2100 | 73 | Torres |
| | 2400 | 72 | D. Hargrave |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/31 | 0300 | 71 | D. Hargrave |
| | 0600 | 72 | S. Johnson |
| | 0900 | 74 | S. Johnson |
| | 1200 | 76 | S. Johnson |
| | 1500 | 75 | R. Lewis |
| | 1800 | 74 | R. Lewis |
| | 2100 | 73 | R. Lewis |
| | 2400 | 72 | D. Hargrave |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 6/1 | 0300 | 70 | D. Hargrave |
| | 0600 | 73 | K. Lopez |
| | 0900 | 74 | K. Lopez |
| | 1200 | 74 | K. Lopez |
| | 1500 | 73 | K. Lopez |
| | 1800 | 72 | K. Lopez |
| | 2100 | 71 | Nunez |
| | 2400 | 70 | D. Morello |

Notes

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 6/2 | 0300 | 69 | D. Morello |
| | 0600 | 69 | R. Nichols |
| | 0900 | 72 | R. Nichols |
| | 1200 | 71 | R. Nichols |
| | 1500 | 72 | Torres |
| | 1800 | 70 | Torres |
| | 2100 | 69 | Torres |
| | 2400 | 70 | Pineda |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-F&R Housing Unit: 100

Temp. Reading Location: INSIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/21 | 0300 | 74 | J. SIEVA |
| | 0600 | 69 | P. LUNA |
| | 0900 | 74 | P. LUNA |
| | 1200 | 76 | P. LUNA |
| | 1500 | 75 | A. MATA |
| | 1800 | 73 | D. VELASCO |
| | 2100 | 72 | A. MATA |
| | 2400 | 74 | J. SIEVA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/22 | 0300 | 74 | J. SIEVA |
| | 0600 | 70 | P. LUNA |
| | 0900 | 70 | P. LUNA |
| | 1200 | 75 | P. LUNA |
| | 1500 | 76 | D. VELASCO |
| | 1800 | 70 | J. LARSON |
| | 2100 | 72 | J. LARSON |
| | 2400 | 75 | J. SIEVA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/23 | 0300 | 74 | J. SIEVA |
| | 0600 | 73 | V. VARELA |
| | 0900 | 74 | V. VARELA |
| | 1200 | 74 | V. VARELA |
| | 1500 | 75 | S. ALVARADO |
| | 1800 | 74 | S. ALVARADO |
| | 2100 | 73 | S. ALVARADO |
| | 2400 | 74 | J. SIEVA |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/25 | 0300 | 74 | J. AGUILAR |
| | 0600 | 74 | V. VARELA |
| | 0900 | 75 | V. VARELA |
| | 1200 | 76 | V. VARELA |
| | 1500 | 75 | S. ALVARADO |
| | 1800 | 74 | S. ALVARADO |
| | 2100 | 74 | S. ALVARADO |
| | 2400 | 74 | J. AGUILAR |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 6/1 | 0300 | 69 | W. DIAZ |
| | 0600 | 69 | V. VARELA |
| | 0900 | 71 | V. VARELA |
| | 1200 | 72 | V. VARELA |
| | 1500 | 71 | D. VELASCO |
| | 1800 | 71 | D. VELASCO |
| | 2100 | 71 | D. VELASCO |
| | 2400 | 70 | J. DIAZ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/30 | 0300 | 74 | J. SIEVA |
| | 0600 | 74 | V. VARELA |
| | 0900 | 76 | V. VARELA |
| | 1200 | 77 | V. VARELA |
| | 1500 | 76 | S. ALVARADO |
| | 1800 | 75 | S. ALVARADO |
| | 2100 | 74 | S. ALVARADO |
| | 2400 | 74 | J. AGUILAR |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 6/1 | 0300 | 72 | J. AGUILAR |
| | 0600 | 73 | V. VARELA |
| | 0900 | 77 | V. VARELA |
| | 1200 | 75 | V. VARELA |
| | 1500 | 71 | A. ALVARADO |
| | 1800 | 74 | A. ALVARADO |
| | 2100 | 73 | A. ALVARADO |
| | 2400 | 71 | M. GOMEZ |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN-FAA Housing Unit: A-5

Temp. Reading Location:

EAST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7152 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-27-24 | 0300 | 70 | MA Hernandez |
| | 0600 | 70 | C. Davis |
| | 0900 | 70 | C. Davis |
| | 1200 | 72 | C. Davis |
| | 1500 | 70 | Morales |
| | 1800 | 70 | Morales |
| | 2100 | 70 | Morales |
| | 2400 | 70 | MA Hernandez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-28-24 | 0300 | 70 | MA Hernandez |
| | 0600 | 69 | S. Avila |
| | 0900 | 70 | S. Avila |
| | 1200 | 70 | S. Avila |
| | 1500 | 70 | Morales |
| | 1800 | 70 | Morales |
| | 2100 | 70 | Morales |
| | 2400 | 70 | MA Hernandez |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-29-24 | 0300 | 70 | MA Hernandez |
| | 0600 | 69 | AVILA |
| | 0900 | 69 | AVILA |
| | 1200 | 70 | AVILA |
| | 1500 | 70 | A. corona |
| | 1800 | 68 | D. Rayal |
| | 2100 | 69 | D. Rayal |
| | 2400 | 68 | MA Hernandez |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-30-24 | 0300 | 68 | MA Hernandez |
| | 0600 | 69 | AVILA |
| | 0900 | 70 | AVILA |
| | 1200 | 71 | AVILA |
| | 1500 | 70 | Morales |
| | 1800 | 70 | Morales |
| | 2100 | 70 | Morales |
| | 2400 | 70 | J. corona |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-31-24 | 0300 | 70 | J. corona |
| | 0600 | 69 | AVILA |
| | 0900 | 69 | AVILA |
| | 1200 | 70 | AVILA |
| | 1500 | 70 | Morales |
| | 1800 | 70 | Morales |
| | 2100 | 70 | Morales |
| | 2400 | 70 | MA Hernandez |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|----------------------|
| 6-1-24 | 0300 | 72 | P. Luna |
| | 0600 | 71 | P. Luna |
| | 0900 | 69 | P. Luna |
| | 1200 | 70 | P. Luna |
| | 1500 | 71 | I. SANTOS |
| | 1800 | 69 | I. SANTOS |
| | 2100 | 68 | I. SANTOS |
| | 2400 | 67 | I. SANTOS |

Notes

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|-------------------------|
| 6-2-24 | 0300 | 68 | J. corona |
| | 0600 | 67 | P. Luna |
| | 0900 | 62 | P. Luna |
| | 1200 | 67 | P. Luna |
| | 1500 | 70 | E. SANTOS |
| | 1800 | 68 | E. SANTOS |
| | 2100 | 69 | E. SANTOS |
| | 2400 | 69 | MA Hernandez |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. ~~LAST~~ ~~1/2~~

Institution: CIM-FAA Housing Unit: 4-18 Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/24/24 | 0300 | 70 | S. HERNANDEZ |
| | 0600 | 70 | S. HERNANDEZ |
| | 0900 | 71 | S. HERNANDEZ |
| | 1200 | 70 | S. HERNANDEZ |
| | 1500 | 71 | A. Terrero |
| | 1800 | 71 | A. Terrero |
| | 2100 | 70 | Torres |
| | 2400 | 70 | K. Flores |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/26/24 | 0300 | 69 | K. Flores |
| | 0600 | 69 | S. HERNANDEZ |
| | 0900 | 70 | S. HERNANDEZ |
| | 1200 | 70 | J. Lopez |
| | 1500 | 70 | J. Lopez |
| | 1800 | 71 | J. Lopez |
| | 2100 | 71 | J. Lopez |
| | 2400 | 70 | K. Flores |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/31/24 | 0300 | 70 | K. Flores |
| | 0600 | 73 | K. Lopez |
| | 0900 | 77 | S. HERNANDEZ |
| | 1200 | 72 | S. HERNANDEZ |
| | 1500 | 71 | J. Lopez |
| | 1800 | 70 | J. Lopez |
| | 2100 | 70 | J. Lopez |
| | 2400 | 70 | K. Flores |

Sunday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 6/2/24 | 0300 | 71 | Lopez |
| | 0600 | 68 | Figueroa |
| | 0900 | 70 | Figueroa |
| | 1200 | 71 | Figueroa |
| | 1500 | 70 | Terrero |
| | 1800 | 70 | Torres |
| | 2100 | 69 | Torres |
| | 2400 | 69 | K. Flores |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/27/24 | 0300 | 70 | K. Flores |
| | 0600 | 70 | S. HERNANDEZ |
| | 0900 | 70 | S. HERNANDEZ |
| | 1200 | 70 | J. Lopez |
| | 1500 | 70 | J. Lopez |
| | 1800 | 69 | J. Lopez |
| | 2100 | 68 | J. Lopez |
| | 2400 | 69 | K. Flores |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/29/24 | 0300 | 70 | K. Flores |
| | 0600 | 70 | S. HERNANDEZ |
| | 0900 | 70 | S. HERNANDEZ |
| | 1200 | 70 | J. Lopez |
| | 1500 | 70 | J. Lopez |
| | 1800 | 70 | J. Lopez |
| | 2100 | 70 | J. Lopez |
| | 2400 | 70 | K. Flores |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 6/1/24 | 0300 | 70 | K. Flores |
| | 0600 | 70 | Figueroa |
| | 0900 | 72 | Figueroa |
| | 1200 | 72 | Figueroa |
| | 1500 | 72 | Zavala |
| | 1800 | 71 | Zavala |
| | 2100 | 76 | Zavala |
| | 2400 | 70 | Aguilar |

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORONA Housing Unit: 7

Temp. Reading Location:

EAST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------------|------|--------|--------------|
| <u>5/27/24</u> | 0300 | 71 | J. Maran |
| | 0600 | 66 | K. Lopez |
| | 0900 | 67 | K. Lopez |
| | 1200 | 69 | K. Lopez |
| | 1500 | 69.4°F | D. Diaz |
| | 1800 | 67.5°F | D. Diaz |
| | 2100 | 69.6°F | D. Diaz |
| | 2400 | 70 | J. Maran |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|--------------|
| <u>5/29/24</u> | 0300 | 71 | J. Maran |
| | 0600 | 71 | L. Corona |
| | 0900 | 71 | L. Corona |
| | 1200 | 71 | L. Corona |
| | 1500 | 71 | L. Corona |
| | 1800 | 70 | L. Corona |
| | 2100 | 71 | L. Corona |
| | 2400 | 70 | S. Avila |

Friday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|--------------|
| <u>5/31/24</u> | 0300 | 72 | Hernandez |
| | 0600 | 71 | L. Corona |
| | 0900 | 71 | L. Corona |
| | 1200 | 71 | L. Corona |
| | 1500 | 71 | L. Corona |
| | 1800 | 71 | L. Corona |
| | 2100 | 71 | L. Corona |
| | 2400 | 68 | Hernandez |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------------|------|-------|--------------|
| <u>6/2/24</u> | 0300 | 72 | Hernandez |
| | 0600 | 71 | E. Gomez |
| | 0900 | 72 | E. Gomez |
| | 1200 | 72 | E. Gomez |
| | 1500 | 71 | E. Gomez |
| | 1800 | 71 | E. Gomez |
| | 2100 | 71 | E. Gomez |
| | 2400 | 71 | J. Maran |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------------|------|--------|--------------|
| <u>5/28/24</u> | 0300 | 70 | J. Maran |
| | 0600 | 69 | L. Corona |
| | 0900 | 70 | L. Corona |
| | 1200 | 71 | L. Corona |
| | 1500 | 70.2°F | D. Diaz |
| | 1800 | 70.0°F | D. Diaz |
| | 2100 | 69.9°F | D. Diaz |
| | 2400 | 71 | Hernandez |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|--------------|
| <u>5/30/24</u> | 0300 | 69 | S. Avila |
| | 0600 | 69 | L. Corona |
| | 0900 | 70 | L. Corona |
| | 1200 | 71 | L. Corona |
| | 1500 | 70 | Hernandez |
| | 1800 | 70 | Hernandez |
| | 2100 | 70 | Hernandez |
| | 2400 | 72 | Hernandez |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------------|------|-------|--------------|
| <u>6/1/24</u> | 0300 | 68 | Hernandez |
| | 0600 | 70 | L. Corona |
| | 0900 | 71 | L. Corona |
| | 1200 | 71 | L. Corona |
| | 1500 | 70 | Hernandez |
| | 1800 | 70 | Hernandez |
| | 2100 | 70 | Hernandez |
| | 2400 | 72 | Hernandez |

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: 101 Temp. Reading Location: EAST / WESTSIDE

Immediately notify the Watch Commander at extension 7142 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-27-24 | 0300 | 71 | J. MORENO |
| | 0600 | 73 | ALVARADO |
| | 0900 | 73 | ALVARADO |
| | 1200 | 74 | ALVARADO |
| | 1500 | 72 | J. GAMACHE |
| | 1800 | 72 | J. GAMACHE |
| | 2100 | 73 | J. GAMACHE |
| | 2400 | 72 | J. GAMACHE |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-29-24 | 0300 | 70 | D. ROMAÑA |
| | 0600 | 73 | A. MENCHACA |
| | 0900 | 71 | A. MENCHACA |
| | 1200 | 71 | A. MENCHACA |
| | 1500 | 71 | J. CEMACCO |
| | 1800 | 72 | J. CEMACCO |
| | 2100 | 74 | J. CEMACCO |
| | 2400 | 73 | J. CEMACCO |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-31-24 | 0300 | 74 | J. GARCIA |
| | 0600 | 73 | PLATILLADO |
| | 0900 | 73 | A-MENCHACA |
| | 1200 | 73 | A-MENCHACA |
| | 1500 | 72 | J-CAMACIO |
| | 1800 | 71 | J-CAMACIO |
| | 2100 | 73 | J-CAMACIO |
| | 2400 | 73 | Luis |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-28-24 | 0300 | 73 | J. DIAZ |
| | 0600 | 72 | A. MENCHACA |
| | 0900 | 74 | A. MENCHACA |
| | 1200 | 74 | A. MENCHACA |
| | 1500 | 71 | J. CAMACHO |
| | 1800 | 72 | J. CAMACHO |
| | 2100 | 73 | J. CAMACHO |
| | 2400 | 72 | D. RAMIREZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-30-24 | 0300 | 72 | J. MORENO |
| | 0600 | 72 | Fuentes |
| | 0900 | 75 | D. Fuentes |
| | 1200 | 74 | DFuentes |
| | 1500 | 72 | J. CAMACHO |
| | 1800 | 71 | J. CAMACHO |
| | 2100 | 73 | J. CAMACHO |
| | 2400 | 74 | J. CAMACHO |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

| Year | Population |
|------|------------|
| 1900 | 1,000 |
| 1910 | 1,200 |
| 1920 | 1,400 |
| 1930 | 1,600 |
| 1940 | 1,800 |
| 1950 | 2,000 |
| 1960 | 2,200 |
| 1970 | 2,400 |
| 1980 | 2,600 |
| 1990 | 2,800 |
| 2000 | 3,000 |
| 2010 | 3,200 |
| 2020 | 3,400 |

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJM · Housing Unit: 8-1 CYPRESS Temp. Reading Location: 75° TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/1/24 | 0300 | 67 | HERMOSILLO |
| | 0600 | 66 | J. PEREZ |
| | 0900 | 69 | J. PEREZ |
| | 1200 | 71 | J. PEREZ |
| | 1500 | 72 | GRANADA |
| | 1800 | 69 | GRANADA |
| | 2100 | 67 | GRANADA |
| | 2400 | 64 | HERMOSILLO |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/2/24 | 0300 | 66 | HERMOSILLO |
| | 0600 | 66 | J. PEREZ |
| | 0900 | 64 | J. PEREZ |
| | 1200 | 70 | J. PEREZ |
| | 1500 | 71 | GRANADA |
| | 1800 | 70 | GRANADA |
| | 2100 | 69 | GRANADA |
| | 2400 | 69 | HERMOSILLO |

Friday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/3/24 | 0300 | 68 | HERMOSILLO |
| | 0600 | 69 | J. PEREZ |
| | 0900 | 69 | J. PEREZ |
| | 1200 | 69 | J. PEREZ |
| | 1500 | 71 | GRANADA |
| | 1800 | 71 | L. WILSON |
| | 2100 | 70 | GRANADA |
| | 2400 | 68 | HERMOSILLO |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/4/24 | 0300 | 67 | HERMOSILLO |
| | 0600 | 70 | J. PEREZ |
| | 0900 | 69 | J. PEREZ |
| | 1200 | 70 | J. PEREZ |
| | 1500 | 70 | SALAS |
| | 1800 | 68 | SALAS |
| | 2100 | 66 | SALAS |
| | 2400 | 66 | GRANADA J |

Sunday 5-5-2024

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/5/24 | 0300 | 66 | GRANADA J |
| | 0600 | 65 | BROWN |
| | 0900 | 62 | BROWN |
| | 1200 | 63 | BROWN |
| | 1500 | 66 | GRANADA |
| | 1800 | 67 | GRANADA |
| | 2100 | 67 | GRANADA |
| | 2400 | 67 | J. MATEZ |

Notes

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM · Housing Unit: BRIGHT HALL Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7137 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0500 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0500 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 05-01-24 | 0300 | 73 | MACH |
| | 0600 | 75 | FIGUEROA |
| | 0900 | 75 | BOMESTE |
| | 1200 | 76 | GARIBAY |
| | 1500 | 75 | NEZER |
| | 1800 | 76 | CASAREZ |
| | 2100 | 76 | SANCHEZ |
| | 2400 | 75 | ALBRECHT |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 05-02-24 | 0300 | 75 | R. RICHARD |
| | 0600 | 74 | R. NICHOLS |
| | 0900 | 74 | R. NICHOLS |
| | 1200 | 75 | R. NICHOLS |
| | 1500 | 75 | CRIBBLE |
| | 1800 | 79 | CRIMIN |
| | 2100 | 75 | CRIMIN |
| | 2400 | 74 | J. NUNES |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 05-03-24 | 0300 | 74 | J. NUNES |
| | 0600 | 74 | GARIBAY |
| | 0900 | 74 | CARDENAS |
| | 1200 | 73 | GARIBAY |
| | 1500 | 75 | CARDENAS |
| | 1800 | 74 | CARDENAS |
| | 2100 | 74 | CARDENAS |
| | 2400 | 73 | J. NUNES |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 05-04-24 | 0300 | 71 | J. NUNES |
| | 0600 | 71 | FIGUEROA |
| | 0900 | 71 | FIGUEROA |
| | 1200 | 72 | FIGUEROA |
| | 1500 | 71 | FIGUEROA |
| | 1800 | 72 | FIGUEROA |
| | 2100 | 71 | FIGUEROA |
| | 2400 | 71 | CARDENAS |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 05-05-24 | 0300 | 70 | CARDENAS |
| | 0600 | 70 | A. BROWN |
| | 0900 | 70 | C. YOUNG |
| | 1200 | 70 | N. YOUNG |
| | 1500 | 71 | S. ZAMBRANO |
| | 1800 | 71 | S. ZAMBRANO |
| | 2100 | 71 | S. ZAMBRANO |
| | 2400 | 70 | CARDENAS |

Notes

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C 1 W Housing Unit: B 3 Temp. Reading Location: 3rd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/1/2024 | 0300 | | |
| | 0600 | 63.4 | JARAMILLO |
| | 0900 | 65.8 | JARAMILLO |
| | 1200 | 69.3 | JARAMILLO |
| | 1500 | 71 | ALLEN |
| | 1800 | 70 | ALLEN |
| | 2100 | 70 | ALLEN |
| | 2400 | 68 | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 6 | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/1-2024 | 0300 | 69 | VALDERRAMA |
| | 0600 | 63.9 | JARAMILLO |
| | 0900 | 65.8 | JARAMILLO |
| | 1200 | 69.3 | JARAMILLO |
| | 1500 | 71 | ALLEN |
| | 1800 | 70 | ALLEN |
| | 2100 | 70 | ALLEN |
| | 2400 | 68 | VALDERRAMA |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/2/2024 | 0300 | 67 | VALDERRAMA |
| | 0600 | 68.0 | JARAMILLO |
| | 0900 | 68.3 | JARAMILLO |
| | 1200 | 69 | JARAMILLO |
| | 1500 | 70 | ALLEN |
| | 1800 | 69 | ALLEN |
| | 2100 | 69 | ALLEN |
| | 2400 | 67 | VALDERRAMA |

Friday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/3/24 | 0300 | 67 | VALDERRAMA |
| | 0600 | 67 | RAMOS |
| | 0900 | 66.0 | JARAMILLO |
| | 1200 | 67.0 | JARAMILLO |
| | 1500 | 67 | J. AGUILAR |
| | 1800 | 68 | J. AGUILAR |
| | 2100 | 67 | J. AGUILAR |
| | 2400 | | |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/4/24 | 0300 | | |
| | 0600 | 69 | BRISENDEN |
| | 0900 | 67 | BRISENDEN |
| | 1200 | 68 | BRISENDEN |
| | 1500 | 68.3 | JARAMILLO |
| | 1800 | 69.0 | JARAMILLO |
| | 2100 | 67.0 | JARAMILLO |
| | 2400 | 67.0 | RAMOS |

Notes

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/5/24 | 0300 | 66 | RAMOS |
| | 0600 | 65 | RAMOS |
| | 0900 | 66 | BRISENDEN |
| | 1200 | 69 | BRISENDEN |
| | 1500 | 68 | MELERA |
| | 1800 | 67 | MELERA |
| | 2100 | 67 | MELERA |
| | 2400 | | |

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/15)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CDM Housing Unit: BA Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 05/01/2024 | 0300 | 69 | RAMIREZ |
| 05/01/2024 | 0600 | 72 | G. CABEZA |
| 05/01/2024 | 0900 | 71 | CABEZA |
| 05/01/2024 | 1200 | 73 | CABEZA |
| 05/01/2024 | 1500 | 77 | HOOPER |
| 05/01/2024 | 1800 | 76 | HOOPER |
| 05/01/2024 | 2100 | 77 | HOOPER |
| 05/01/2024 | 2400 | 76 | HOOPER |

Thursday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 05/02/2024 | 0300 | 71 | CABEZA |
| 05/02/2024 | 0600 | 72 | CABEZA |
| 05/02/2024 | 0900 | 69 | CABEZA |
| 05/02/2024 | 1200 | 67 | CABEZA |
| 05/02/2024 | 1500 | 74 | ARMANDO |
| 05/02/2024 | 1800 | 73 | ARMANDO |
| 05/02/2024 | 2100 | 72 | ARMANDO |
| 05/02/2024 | 2400 | 71 | ARMANDO |

Friday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 05/03/2024 | 0300 | 71 | GUTIERREZ |
| 05/03/2024 | 0600 | 70 | G. CABEZA |
| 05/03/2024 | 0900 | 70 | CABEZA |
| 05/03/2024 | 1200 | 71 | CABEZA |
| 05/03/2024 | 1500 | 72 | ARMANDO |
| 05/03/2024 | 1800 | 73 | ARMANDO |
| 05/03/2024 | 2100 | 73 | S. ZUNIGAS |
| 05/03/2024 | 2400 | 69 | J. LUNA |

Saturday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 05/04/2024 | 0300 | 69 | J. LUNA |
| 05/04/2024 | 0600 | 70 | J. LUNA |
| 05/04/2024 | 0900 | 70 | J. LUNA |
| 05/04/2024 | 1200 | 70 | J. LUNA |
| 05/04/2024 | 1500 | 74 | J. LUNA |
| 05/04/2024 | 1800 | 73 | J. LUNA |
| 05/04/2024 | 2100 | 73 | J. LUNA |
| 05/04/2024 | 2400 | 69 | J. LUNA |

Notes

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| 05/05/2024 | 0300 | 69 | LUNA |
| 05/05/2024 | 0600 | 69 | CABEZA |
| 05/05/2024 | 0900 | 69 | CABEZA |
| 05/05/2024 | 1200 | 69 | CABEZA |
| 05/05/2024 | 1500 | 70 | CABEZA |
| 05/05/2024 | 1800 | 70 | CABEZA |
| 05/05/2024 | 2100 | 69 | CABEZA |
| 05/05/2024 | 2400 | 69 | CABEZA |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

May 1st, 2024 - May 5, 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM · Housing Unit: B5 · Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 732 when the Inside air temperature reaches 90.degrees and again at 95.degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/11 | 0300 | 71 | B. Hayes |
| | 0600 | 71 | B. Hayes |
| | 0900 | 70 | B. Hayes |
| | 1200 | 71 | B. Hayes |
| | 1500 | 73 | B. Hayes |
| | 1800 | 73 | B. Hayes |
| | 2100 | 73 | B. Hayes |
| | 2400 | 73 | B. Hayes |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/3 | 0300 | 71 | BATCHET |
| | 0600 | 74 | DALE |
| | 0900 | 74 | JAN |
| | 1200 | 79 | JOHN H. |
| | 1500 | 71 | PAUL |
| | 1800 | 73 | ROBERT |
| | 2100 | 77 | RONALD |
| | 2400 | 71 | RONALD L.S. |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| S/5 | 0300 | 71 | J. Dike |
| | 0600 | 65 | V. Diaz |
| | 0900 | 64 | V. Diaz |
| | 1200 | 67 | V. Diaz |
| | 1500 | 73 | C. White |
| | 1800 | 67 | Gutierrez |
| | 2100 | 68 | J. White |
| | 2400 | 66 | M. Diaz |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/2 | 0300 | 73 | |
| | 0600 | 72 | V. Diaz |
| | 0900 | 73 | B. Hayes |
| | 1200 | 73 | B. Hayes |
| | 1500 | 73 | P. Jackson |
| | 1800 | 73 | P. Jackson |
| | 2100 | 73 | P. Jackson |
| | 2400 | 72 | P. Jackson |

Saturday

| Date | Time | Temp: | Name (Print) |
|------|------|-------|--------------|
| 5/4 | 0300 | 72 | D. Gonzalez |
| | 0600 | 69 | M. Diaz |
| | 0900 | 68 | V. Diaz |
| | 1200 | 68 | V. Diaz |
| | 1500 | 70 | Guzman |
| | 1800 | 68 | Guzman |
| | 2100 | 67 | Guzman |
| | 2400 | 72 | A. Diaz |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: B1-CYPRESS Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/6 | 0300 | 63 | J-NUNEZ |
| | 0600 | 68 | R.Hansen |
| | 0900 | 66 | R.Hansen |
| | 1200 | 67 | R.Hansen |
| | 1500 | 68 | Sampson |
| | 1800 | 65 | Granada |
| | 2100 | 68 | Sampson |
| | 2400 | 67 | HERmosillo |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/8 | 0300 | 67 | HERmosillo |
| | 0600 | 66 | J.PEREZ |
| | 0900 | 66 | J.PEREZ |
| | 1200 | 69 | J.PEREZ |
| | 1500 | 70 | Granada |
| | 1800 | 70 | Granada |
| | 2100 | 68 | Granada |
| | 2400 | 60 | HERmosillo |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/10 | 0300 | 67 | HERmosillo |
| | 0600 | 67 | J.PEREZ |
| | 0900 | 68 | J.PEREZ |
| | 1200 | 70 | J.PEREZ |
| | 1500 | 71 | SAMPSON |
| | 1800 | 70 | SAMPSON |
| | 2100 | 69 | SAMPSON |
| | 2400 | 68 | HERmosillo |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/12 | 0300 | 66 | J-NUNEZ |
| | 0600 | 66 | J.PEREZ |
| | 0900 | 66 | J.PEREZ |
| | 1200 | 69 | J.PEREZ |
| | 1500 | 71 | SAMPSON |
| | 1800 | 71 | GRANADA |
| | 2100 | 69 | GRANADA |
| | 2400 | 68 | BOCIN |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/11 | 0300 | 68 | HERmosillo |
| | 0600 | 68 | GREEN |
| | 0900 | 69 | GREEN |
| | 1200 | 68 | R.Hansen |
| | 1500 | 72 | N.Granada |
| | 1800 | 70 | GRANADA |
| | 2100 | 69 | GRANADA |
| | 2400 | 68 | HERmosillo |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/11 | 0300 | 68 | HERmosillo |
| | 0600 | 67 | Bonadie |
| | 0900 | 67 | J.PEREZ |
| | 1200 | 68 | J.PEREZ |
| | 1500 | 71 | C.BROWN |
| | 1800 | 73 | C.BROWN |
| | 2100 | 68 | C.BROWN |
| | 2400 | 67 | HERmosillo |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/11 | 0300 | 68 | HERmosillo |
| | 0600 | 67 | J.PEREZ |
| | 0900 | 69 | GREEN |
| | 1200 | 70 | GREEN |
| | 1500 | 71 | Gamez |
| | 1800 | 71 | Gamez |
| | 2100 | 69 | Gamez |
| | 2400 | 66 | J.NUNEZ |

Notes

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM · Housing Unit: BIRCH HALL · Temp. Reading Location: THE 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------------|------|-------|--------------|
| <u>5/6/18</u> | 0300 | 70 | CARDENAS |
| | 0600 | 69 | C. PRINCE |
| | 0900 | 69 | C. PRINCE |
| | 1200 | 70 | C. PRINCE |
| | 1500 | 71 | S. ZENGAR |
| | 1800 | 73 | S. ZENGAR |
| | 2100 | 71 | S. ZENGAR |
| | 2400 | 71 | MARSH |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | ARELL |
| | 0600 | 70 | PRINCE |
| | 0900 | 71 | PRINCE |
| | 1200 | 72 | PRINCE |
| | 1500 | 72 | SANDRA |
| | 1800 | 72 | SANDRA |
| | 2100 | 73 | SANDRA |
| | 2400 | 72 | MARSH |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | ARELL |
| | 0600 | 71 | STEWART |
| | 0900 | 71 | STEWART |
| | 1200 | 72 | STEWART |
| | 1500 | 72 | CASHIER |
| | 1800 | 71 | CASHIER |
| | 2100 | 73 | CASHIER |
| | 2400 | 71 | MARSH |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | CARDENAS |
| | 0600 | 71 | STEWART |
| | 0900 | 73 | STEWART |
| | 1200 | 73 | STEWART |
| | 1500 | 75 | CASHIER |
| | 1800 | 74 | CASHIER |
| | 2100 | 72 | CASHIER |
| | 2400 | 74 | J. NUNEZ |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 74 | J. NUNEZ |
| | 0600 | 74 | STEWART |
| | 0900 | 74 | STEWART |
| | 1200 | 75 | STEWART |
| | 1500 | 75 | CASHIER |
| | 1800 | 73 | CASHIER |
| | 2100 | 75 | CASHIER |
| | 2400 | 74 | J. NUNEZ |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|--------------|
| <u>5/11/18</u> | 0300 | 75 | J. NUNEZ |
| | 0600 | 75 | CASHIER |
| | 0900 | 73 | STEWART |
| | 1200 | 75 | STEWART |
| | 1500 | 75 | STEWART |
| | 1800 | 75 | NZJ |
| | 2100 | 75 | NZJ |
| | 2400 | 75 | CARDENAS |

Notes

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 75 | CARDENAS |
| | 0600 | 74 | STEWART |
| | 0900 | 71 | STEWART |
| | 1200 | 73 | STEWART |
| | 1500 | 74 | CASHIER |
| | 1800 | 75 | CASHIER |
| | 2100 | 73 | CASHIER |
| | 2400 | 74 | CARDENAS |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C I W Housing Unit: B - 3 Temp. Reading Location: 3RD Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-6-24 | 0300 | 61 | Ortega |
| | 0600 | 62.4 | JARAMILLO |
| | 0900 | 63.0 | JARAMILLO |
| | 1200 | 67.0 | JARAMILLO |
| | 1500 | 68.0 | BRAYBOY |
| | 1800 | 67.0 | BRAYBOY |
| | 2100 | 65.0 | BRAYBOY |
| | 2400 | 66 | Ortega |

Tuesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-7-24 | 0300 | 66 | Ortega |
| | 0600 | 63.0 | JARAMILLO |
| | 0900 | 64.3 | JARAMILLO |
| | 1200 | 67.0 | JARAMILLO |
| | 1500 | 69 | Allen |
| | 1800 | 69 | Allen |
| | 2100 | 67 | Allen |
| | 2400 | 66 | A. Ortega |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-8-24 | 0300 | 66 | A. Ortega |
| | 0600 | 66 | A. Ortega |
| | 0900 | 67.3 | JARAMILLO |
| | 1200 | 69.0 | JARAMILLO |
| | 1500 | 70 | Allen |
| | 1800 | 69 | Allen |
| | 2100 | 68 | Allen |
| | 2400 | 67 | A. Ortega |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-9-24 | 0300 | 64 | A. Ortega |
| | 0600 | 65.0 | JARAMILLO |
| | 0900 | 67.0 | JARAMILLO |
| | 1200 | 70.1 | JARAMILLO |
| | 1500 | 73 | Allen |
| | 1800 | 70 | Allen |
| | 2100 | 69 | Allen |
| | 2400 | 68 | A. Ortega |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-10-24 | 0300 | 66 | A. Ortega |
| | 0600 | 65 | D. Campos |
| | 0900 | 66.3 | JARAMILLO |
| | 1200 | 67.0 | JARAMILLO |
| | 1500 | 71 | A. Ortega |
| | 1800 | 70 | A. Ortega |
| | 2100 | 70 | A. Ortega |
| | 2400 | 70 | A. Ortega |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-11-24 | 0300 | 66 | J. Atila |
| | 0600 | 70 | D. Davis |
| | 0900 | 69 | D. Davis |
| | 1200 | 71 | D. Davis |
| | 1500 | 71 | NAVARRO |
| | 1800 | 70 | NAVARRO |
| | 2100 | 72 | NAVARRO |
| | 2400 | 68 | Barker |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-12-24 | 0300 | 65 | Barker |
| | 0600 | 69 | Briseno |
| | 0900 | 68 | Briseno |
| | 1200 | 70 | Briseno |
| | 1500 | 73 | Melena |
| | 1800 | 71 | Melena |
| | 2100 | 70 | Melena |
| | 2400 | 69 | Christensen |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B4 (MAIN ZONE) Temp. Reading Location: TIER 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/6/24 | 0300 | 69 | J. LUNA |
| | 0600 | 66 | CARRERA |
| | 0900 | 57 | CARRERA |
| | 1200 | 61 | CARRERA |
| | 1500 | 71 | W. SULLIVAN |
| | 1800 | 72 | VASQUEZ |
| | 2100 | 69 | VASQUEZ |
| | 2400 | 69 | CARRERA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|-----------------|
| 5/7/24 | 0300 | 57 | CARRERA |
| | 0600 | 64 | CARRERA |
| | 0900 | 69 | CARRERA |
| | 1200 | 70 | CARRERA |
| | 1500 | 71 | C. CARRERA, JR. |
| | 1800 | 72 | VASQUEZ |
| | 2100 | 69 | VASQUEZ |
| | 2400 | 68 | CARRERA |

Wednesday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|-----------------|
| 5/8/24 | 0300 | 68 | CARRERA |
| | 0600 | 69 | CARRERA |
| | 0900 | 69 | CARRERA |
| | 1200 | 71 | CARRERA |
| | 1500 | 71 | C. CARRERA, JR. |
| | 1800 | 72 | VASQUEZ |
| | 2100 | 70 | C. CARRERA, JR. |
| | 2400 | 70 | CARRERA |

Thursday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/9/24 | 0300 | 70 | CARRERA |
| | 0600 | 70 | CARRERA |
| | 0900 | 68 | CARRERA |
| | 1200 | 69 | CARRERA |
| | 1500 | 74 | ABRAHAM |
| | 1800 | 72 | ABRAHAM |
| | 2100 | 70 | ABRAHAM |
| | 2400 | 70 | BRAYBOY |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/10/24 | 0300 | 69 | B. PAYBOY |
| | 0600 | 69 | VERGNE |
| | 0900 | 69 | VERGNE |
| | 1200 | 70 | VERGNE |
| | 1500 | 73 | VERGNE |
| | 1800 | 72 | ABRAHAM |
| | 2100 | 70 | ABRAHAM |
| | 2400 | 69 | J. LUNA |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/11/24 | 0300 | 69 | J. LUNA |
| | 0600 | 70 | J. LUNA |
| | 0900 | 70 | J. LUNA |
| | 1200 | 71 | J. LUNA |
| | 1500 | 71 | J. LUNA |
| | 1800 | 70 | J. LUNA |
| | 2100 | 70 | J. LUNA |
| | 2400 | 69 | J. LUNA |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/12/24 | 0300 | 69 | J. LUNA |
| | 0600 | 70 | CARRERA |
| | 0900 | 71 | CARRERA |
| | 1200 | 72 | CARRERA |
| | 1500 | 73 | TUCCIARONE |
| | 1800 | 72 | TUCCIARONE |
| | 2100 | 72 | TUCCIARONE |
| | 2400 | 69 | J. LUNA |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/18)

DATE: _____
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIP Housing Unit: B5

Temp. Reading Location: 3rd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 5 / 6 | 0300 | 67 | MURRAY |
| | 0600 | 67 | MURRAY |
| | 0900 | 65 | E. GOMEZ |
| | 1200 | 67 | B. HAYES |
| | 1500 | 67 | L. COOK |
| | 1800 | 69 | L. COOK |
| | 2100 | 69 | L. COOK |
| | 2400 | 66 | S. ALVAREZ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 5 / 8 | 0300 | 66 | MURRAY |
| | 0600 | 68 | B. HAYES |
| | 0900 | 66 | B. HAYES |
| | 1200 | 68 | B. HAYES |
| | 1500 | 70 | R. PADILLA |
| | 1800 | 70 | R. PADILLA |
| | 2100 | 69 | R. PADILLA |
| | 2400 | 67 | MURRAY |

Friday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5 / 10 | 0300 | 69 | D. GOMEZ |
| | 0600 | 71 | D. GOMEZ |
| | 0900 | 71 | R. PADILLA |
| | 1200 | 71 | R. PADILLA |
| | 1500 | 72 | R. PADILLA |
| | 1800 | 72 | R. PADILLA |
| | 2100 | 72 | R. PADILLA |
| | 2400 | 70 | D. GOMEZ |

Sunday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5 / 12 | 0300 | 68 | D. GOMEZ |
| | 0600 | 69 | G. MURRAY |
| | 0900 | 74 | S. ALVAREZ |
| | 1200 | 74 | S. ALVAREZ |
| | 1500 | 74 | G. MURRAY |
| | 1800 | 74 | G. MURRAY |
| | 2100 | 77 | G. MURRAY |
| | 2400 | 70 | A. PACHECO |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 5 / 7 | 0300 | 66 | J. GARCIA |
| | 0600 | 65 | B. HAYES |
| | 0900 | 65 | B. HAYES |
| | 1200 | 68 | B. HAYES |
| | 1500 | 68 | B. HAYES |
| | 1800 | 68 | B. HAYES |
| | 2100 | 67 | B. HAYES |
| | 2400 | 67 | MURRAY |

Thursday

| Date | Time | Temp. | Name (Print) |
|-------|------|-------|--------------|
| 5 / 9 | 0300 | 69 | MURRAY |
| | 0600 | 66 | B. HAYES |
| | 0900 | 67 | B. HAYES |
| | 1200 | 66 | B. HAYES |
| | 1500 | 70 | P. PADILLA |
| | 1800 | 72 | P. PADILLA |
| | 2100 | 70 | P. PADILLA |
| | 2400 | 70 | SEN |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5 / 11 | 0300 | 69 | P. GONZALES |
| | 0600 | 68 | P. GONZALES |
| | 0900 | 68 | P. GONZALES |
| | 1200 | 70 | P. GONZALES |
| | 1500 | 70 | P. GONZALES |
| | 1800 | 70 | P. GONZALES |
| | 2100 | 70 | P. GONZALES |
| | 2400 | 69 | P. GONZALES |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

5076

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: B1 Temp. Reading Location: 3rd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7172 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 05/13/2024

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/13 | 0300 | 62 | Bogard |
| | 0600 | 68 | Green Jr. |
| | 0900 | 68 | Green Jr. |
| | 1200 | 69 | D. Acosta |
| | 1500 | 71 | Smocum |
| | 1800 | 71 | Smocum |
| | 2100 | 69 | Smocum |
| | 2400 | 69° | A. Aguirre |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/15 | 0300 | 63° | A. Aguirre |
| | 0600 | 67 | J. Perez |
| | 0900 | 67 | J. Perez |
| | 1200 | 67 | J. Perez |
| | 1500 | 63 | J. Gomes |
| | 1800 | 60 | Gomes |
| | 2100 | 60 | Gomes |
| | 2400 | 67° | A. Aguirre |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/17 | 0300 | 67 | J. Aviles |
| | 0600 | 67 | J. Perez |
| | 0900 | 67 | J. Perez |
| | 1200 | 67 | J. Perez |
| | 1500 | 68 | J. Perez |
| | 1800 | 68 | J. Perez |
| | 2100 | 68 | J. Perez |
| | 2400 | 67 | A. Aguirre |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/19 | 0300 | 67 | V. Limon |
| | 0600 | 67 | V. Limon |
| | 0900 | 69 | V. Limon |
| | 1200 | 69 | V. Diaz |
| | 1500 | 69 | V. Diaz |
| | 1800 | 69 | V. Diaz |
| | 2100 | 69 | V. Diaz |
| | 2400 | 69 | J. Perez |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/14 | 0300 | 67 | A. Aguirre |
| | 0600 | 68 | O. Hernandez |
| | 0900 | 68 | O. Hernandez |
| | 1200 | 69 | 92. Transter |
| | 1500 | 71 | G. Gwynn |
| | 1800 | 70 | J. Schafe |
| | 2100 | 67 | G. Gwynn |
| | 2400 | 68° | A. Aguirre |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/16 | 0300 | 67° | A. Aguirre |
| | 0600 | 67 | J. Perez |
| | 0900 | 67 | J. Perez |
| | 1200 | 67 | J. Perez |
| | 1500 | 68 | P. Hernandez |
| | 1800 | 68 | G. Gwynn, J. |
| | 2100 | 67 | G. Gwynn, J. |
| | 2400 | 67 | J. Aviles |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/19 | 0300 | 68° | A. Aguirre |
| | 0600 | 68 | J. Perez |
| | 0900 | 67 | J. Perez |
| | 1200 | 69 | J. Perez |
| | 1500 | 69 | S. Saman |
| | 1800 | 68 | S. Saman |
| | 2100 | 68 | S. Saman |
| | 2400 | 68 | C. Alvarado |

Notes

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: All-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJM · Housing Unit: B10C1-HM1 Temp. Reading Location: TIEZ
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/13 | 0300 | 74 | J. CARDENAS |
| | 0600 | 74 | C. PAULINE |
| | 0800 | 74 | C. PAULINE |
| | 1200 | 75 | C. PAULINE |
| | 1500 | 75 | S. TENG |
| | 1800 | 74 | S. TENG |
| | 2100 | 74 | S. TENG |
| | 2400 | 75 | S. TENG |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 75 | C. PAULINE |
| | 0600 | 74 | C. PAULINE |
| | 0900 | 74 | C. PAULINE |
| | 1200 | 74 | C. PAULINE |
| | 1500 | 73 | DANIS |
| | 1800 | 73 | DANIS |
| | 2100 | 74 | DANIS |
| | 2400 | 74 | DANIS |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | C. PAULINE |
| | 0600 | 73 | C. PAULINE |
| | 0800 | 73 | C. PAULINE |
| | 1200 | 72 | C. PAULINE |
| | 1500 | 73 | C. PAULINE |
| | 1800 | 73 | C. PAULINE |
| | 2100 | 72 | C. PAULINE |
| | 2400 | 72 | C. PAULINE |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 74 | C. PAULINE |
| | 0600 | 73 | C. PAULINE |
| | 0900 | 72 | C. PAULINE |
| | 1200 | 71 | C. PAULINE |
| | 1500 | 71 | C. PAULINE |
| | 1800 | 71 | C. PAULINE |
| | 2100 | 71 | C. PAULINE |
| | 2400 | 71 | C. PAULINE |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | C. PAULINE |
| | 0600 | 73 | C. PAULINE |
| | 0900 | 71 | C. PAULINE |
| | 1200 | 71 | C. PAULINE |
| | 1500 | 74 | C. PAULINE |
| | 1800 | 74 | C. PAULINE |
| | 2100 | 73 | C. PAULINE |
| | 2400 | 72 | C. PAULINE |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 71 | C. PAULINE |
| | 0600 | 71 | C. PAULINE |
| | 0900 | 73 | C. PAULINE |
| | 1200 | 73 | E. ZENG |
| | 1500 | 73 | E. ZENG |
| | 1800 | 72 | C. PAULINE |
| | 2100 | 72 | C. PAULINE |
| | 2400 | 71 | C. PAULINE |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/19 | 0300 | 71 | LUCAS |
| 19 | 0600 | 73 | STENG |
| | 0800 | 73 | STENG |
| | 1200 | 73 | STENG |
| | 1500 | 73 | STENG |
| | 1800 | 72 | STENG |
| | 2100 | 72 | STENG |
| 21 | 2400 | 73 | STENG |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
DE TEMPERATURE RECORD
R 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned Housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B-3 Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/13/24 | 0300 | 66 | Christensen |
| | 0600 | 66.9 | JARAMILLO |
| | 0900 | 68.0 | JARAMILLO |
| | 1200 | 70.3 | JARAMILLO |
| | 1500 | 71.0 | Benites |
| | 1800 | 70.8 | Benites |
| | 2100 | 70.0 | Benites |
| | 2400 | 69 | Christensen |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/14/24 | 0300 | 69 | Christensen |
| | 0600 | 65.3 | JARAMILLO |
| | 0900 | 66.0 | JARAMILLO |
| | 1200 | 68.0 | JARAMILLO |
| | 1500 | 70 | L ALLEN |
| | 1800 | 69 | L ALLEN |
| | 2100 | 69 | L ALLEN |
| | 2400 | 67 | CAMPUS |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/15/24 | 0300 | 66 | CAMPUS |
| | 0600 | 65 | CAMPUS |
| | 0900 | 67.4 | JARAMILLO |
| | 1200 | 68.3 | JARAMILLO |
| | 1500 | 69 | L ALLEN |
| | 1800 | 68 | L ALLEN |
| | 2100 | 67 | L ALLEN |
| | 2400 | 66 | Christensen |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/16/24 | 0300 | 65 | Christensen |
| | 0600 | 65.3 | JARAMILLO |
| | 0900 | 66.1 | JARAMILLO |
| | 1200 | 66.3 | JARAMILLO |
| | 1500 | 68 | ALLEN |
| | 1800 | 67 | L ALLEN |
| | 2100 | 67 | L ALLEN |
| | 2400 | 66 | A. ORTEGA |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/17/24 | 0300 | 66 | A. ORTEGA |
| | 0600 | 67.3 | JARAMILLO |
| | 0900 | 68.4 | JARAMILLO |
| | 1200 | 68.3 | JARAMILLO |
| | 1500 | 69 | Christensen |
| | 1800 | 67 | Christensen |
| | 2100 | 67 | Christensen |
| | 2400 | 66 | Christensen |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/18/24 | 0300 | 66 | Christensen |
| | 0600 | 66 | CAMPUS |
| | 0900 | 67 | BRISSENDEN |
| | 1200 | 69 | BRISSENDEN |
| | 1500 | 70 | BRUNITES |
| | 1800 | 70 | BRUNITES |
| | 2100 | 70 | BRUNITES |
| | 2400 | 68 | CAMPUS |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/19/24 | 0300 | 67 | CAMPUS |
| | 0600 | 67 | CAMPUS |
| | 0900 | 69 | BRISSENDEN |
| | 1200 | 70 | BRISSENDEN |
| | 1500 | 71 | MELINA |
| | 1800 | 71 | MELINA |
| | 2100 | 70.9 | MELINA |
| | 2400 | 68 | J. DIAZ |

Notes

Attachment E

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B4 (MAB20NB) Temp. Reading Location: 3RD TIER.

Immediately notify the Watch Commander at extension 7132 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/13/23 | 0300 | 69 | LUNA |
| | 0800 | 71 | CARRECA |
| | 0900 | 72 | OLIVERA |
| | 1200 | 72 | CABEZA |
| | 1500 | 74 | C DELVANTE |
| | 1800 | 72 | MOSQUITO |
| | 2100 | 70 | VALDERRAMA |
| | 2400 | 69 | LUNA |

Wednesday

| Wednesday | | Date: | Time | Temp. | Name (Print) |
|-----------|--|-------|------|-------|--------------|
| 5/15/24 | | | 0300 | 61 | Lindsey |
| | | | 0600 | 70 | Leah |
| | | | 0900 | 70 | Christina |
| | | | 1200 | 69 | Christina |
| | | | 1500 | 71 | Wesley |
| | | | 1800 | 73 | Wesley |
| | | | 2100 | 70 | Wesley |
| | | | 2400 | 70 | Christina |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/17/24 | 0300 | 68 | GIA-DOG |
| | 0600 | 69 | VALERIE |
| | 0900 | 70 | KAREN |
| | 1200 | 69 | KAREN |
| | 1500 | 73 | ANGELA |
| | 1800 | 71 | ANGELA |
| | 2100 | 69 | ANGELA |
| | 2400 | 68 | ANGELA |

Sunday

| Sunday | | Date | Time | Temp. | Name (Print) |
|--------|--|---------|------|-------|--------------|
| | | 5/19/24 | 0300 | 67 | ✓ LUNA |
| | | | 0600 | 61 | ✓ DIAZ |
| | | | 0900 | 69 | ✓ KARL |
| | | | 1200 | 70 | ✓ KELLY |
| | | | 1500 | 73 | ✓ JESSIE |
| | | | 1800 | 73 | ✓ ASHLEY |
| | | | 2100 | 69 | ✓ ALEXANDRA |
| | | | 2400 | 69 | ✓ ALEXANDRA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/14/24 | 0300 | 69 | LUNA |
| | 0600 | 70 | CASPERIA |
| | 0800 | 71 | CASPERIA |
| | 1200 | 71 | CASPERIA |
| | 1500 | 71 | C. CERVANTES |
| | 1800 | 73 | M. M. Valdez |
| | 2100 | 70 | W. S. Grier |
| | 2400 | 69 | W. S. Grier |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/16/24 | 0300 | 70 | Campes |
| | 0600 | 69 | Campes |
| | 0800 | 71 | Richard |
| | 1200 | 72 | Paez |
| | 1500 | 71 | Mariana |
| | 1800 | 70 | Sabrina |
| | 2100 | 70 | Maria |
| | 2400 | 69 | Gutierrez |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5/18/5 | 0300 | 42 | RAINYER |
| | 0600 | 45 | KING |
| | 0900 | 45 | KING |
| | 1200 | 69 | KING |
| | 1500 | 77 | ATOMIC |
| | 1800 | 77 | ATOMIC |
| | 2100 | 70 | ATOMIC |
| | 2400 | 69 | LUNK |

Notes

DISTRIBUTION: California (includes San Joaquin River basin), Oregon, and Washington.

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM · Housing Unit: B 5 · Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 5-13-9 | 0300 | 70 | A. ORTIZ |
| | 0600 | 70 | G. MUNIZ |
| | 0900 | 71 | R. BAUTISTA |
| | 1200 | 73 | L. LAMBERT |
| | 1500 | 71 | J. HAYES |
| | 1800 | 73 | T. HAYES |
| | 2100 | 73 | C. CONDE |
| | 2400 | 74 | R. PACHECO |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/14 | 0300 | 70 | P. MUNIZ |
| | 0600 | 70 | G. MUNIZ |
| | 0900 | 71 | G. MUNIZ |
| | 1200 | 71 | R. BAUTISTA |
| | 1500 | 72 | L. LAMBERT |
| | 1800 | 73 | L. LAMBERT |
| | 2100 | 73 | C. CONDE |
| | 2400 | 69 | C. CONDE |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/15 | 0300 | 69 | B. HAYES |
| | 0600 | 69 | B. HAYES |
| | 0900 | 70 | B. HAYES |
| | 1200 | 70 | V. DIAZ |
| | 1500 | 71 | C. CONDE |
| | 1800 | 69 | C. CONDE |
| | 2100 | 69 | E. HAYES |
| | 2400 | 70 | P. MUNIZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/16 | 0300 | 68 | P. MUNIZ |
| | 0600 | 71 | B. HAYES |
| | 0900 | 68 | B. HAYES |
| | 1200 | 68 | V. DIAZ |
| | 1500 | 71 | R. PACHECO |
| | 1800 | 71 | R. PACHECO |
| | 2100 | 71 | R. PACHECO |
| | 2400 | 71 | R. PACHECO |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | P. MUNIZ |
| | 0600 | 69 | V. DIAZ |
| | 0900 | 68 | V. DIAZ |
| | 1200 | 68 | S. TORRES |
| | 1500 | 71 | R. PACHECO |
| | 1800 | 72 | R. PACHECO |
| | 2100 | 72 | R. PACHECO |
| | 2400 | 70 | G. RIVERA |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 69 | R. PACHECO |
| | 0600 | 71 | R. PACHECO |
| | 0900 | 69 | R. PACHECO |
| | 1200 | 69 | R. PACHECO |
| | 1500 | 73 | R. PACHECO |
| | 1800 | 73 | R. PACHECO |
| | 2100 | 72 | R. PACHECO |
| | 2400 | 70 | W. WILSON |

Notes

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 69 | R. PACHECO |
| | 0600 | 70 | G. MUNIZ |
| | 0900 | 70 | G. MUNIZ |
| | 1200 | 70 | V. DIAZ |
| | 1500 | 71 | G. MUNIZ |
| | 1800 | 71 | G. MUNIZ |
| | 2100 | 71 | G. MUNIZ |
| | 2400 | 70 | L. GOMEZ |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B1 Temp. Reading Location: 3RD TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/20 | 0300 | 68 | J. NUNEZ |
| | 0600 | 68 | Hanseth |
| | 0900 | 68 | Hanseth |
| | 1200 | 69 | Hanseth |
| | 1500 | 69 | Grimm |
| | 1800 | 70 | Arriaga |
| | 2100 | 68 | GRANADA |
| | 2400 | 68 | SHADEZ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/21 | 0300 | 67 | XARIZ |
| | 0600 | 68 | R. Hansen |
| | 0900 | 68 | GREEN |
| | 1200 | 69 | GREEN |
| | 1500 | 70 | GRIMM |
| | 1800 | 72 | GRIMM |
| | 2100 | 69 | GRIMM |
| | 2400 | 69 | GRIMM |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/22 | 0300 | 69 | CERETTE |
| | 0600 | 67 | J. PEREZ |
| | 0900 | 66 | J. PEREZ |
| | 1200 | 69 | J. PEREZ |
| | 1500 | 70 | GRIMM |
| | 1800 | 69 | GRIMM |
| | 2100 | 68 | GRIMM |
| | 2400 | 67 | Hernandez |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/23 | 0300 | 67 | HERNANDEZ |
| | 0600 | 67 | J. PEREZ |
| | 0900 | 67 | J. PEREZ |
| | 1200 | 68 | J. PEREZ |
| | 1500 | 69 | GRIMM |
| | 1800 | 69 | CERETTE |
| | 2100 | 68 | CERETTE |
| | 2400 | 67 | HERNANDEZ |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/24 | 0300 | 67 | HERNANDEZ |
| | 0600 | 67 | J. PEREZ |
| | 0900 | 67 | J. PEREZ |
| | 1200 | 69 | J. PEREZ |
| | 1500 | 68 | GOMEZ |
| | 1800 | 69 | GOMEZ |
| | 2100 | 67 | DIAZ |
| | 2400 | 67 | TERMOSEN |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/25 | 0300 | 67 | HERNANDEZ |
| | 0600 | 66 | J. PEREZ |
| | 0900 | 67 | TERMOSEN |
| | 1200 | 67 | J. PEREZ |
| | 1500 | 68 | GRIMM |
| | 1800 | 69 | GRIMM |
| | 2100 | 68 | GRIMM |
| | 2400 | 67 | GRIMM |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/26 | 0300 | 64 | LIMON |
| | 0600 | 67 | LIMON |
| | 0900 | 67 | LIMON |
| | 1200 | 68 | LIMON |
| | 1500 | 70 | GRIMM |
| | 1800 | 67 | GRIMM |
| | 2100 | 69 | GRIMM |
| | 2400 | 63 | TERMOSEN |

Notes

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM - Housing Unit: BIRCH HALL Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132, when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-20-24 | 0300 | 72 | ARELLANO, R. |
| | 0600 | 71 | PRINCE |
| | 0900 | 73 | PRINCE |
| | 1200 | 74 | PRINCE |
| | 1500 | 74 | C. Treadon |
| | 1800 | 72 | E. Zuluay |
| | 2100 | 71 | E. Zuluay |
| | 2400 | 73 | ARELLANO, R. |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-22-24 | 0300 | 75 | ARELLANO, R. |
| | 0600 | 71 | SPARKS |
| | 0900 | 71 | SPARKS |
| | 1200 | 71 | SPARKS |
| | 1500 | 72 | CASAREZ |
| | 1800 | 71 | CASAREZ |
| | 2100 | 73 | CASAREZ |
| | 2400 | 72 | ARELLANO, R. |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-24-24 | 0300 | 73 | S. SPARKS |
| | 0600 | 72 | SPARKS |
| | 0900 | 72 | SPARKS |
| | 1200 | 73 | SPARKS |
| | 1500 | 72 | CASAREZ |
| | 1800 | 71 | CASAREZ |
| | 2100 | 71 | CASAREZ |
| | 2400 | 70 | R. O'Bryan |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-26-24 | 0300 | 70 | J. TATE |
| | 0600 | 70 | S. SPARKS |
| | 0900 | 72 | SPARKS |
| | 1200 | 71 | SPARKS |
| | 1500 | 71 | SPARKS |
| | 1800 | 71 | SPARKS |
| | 2100 | 70 | S. SPARKS |
| | 2400 | 70 | S. SPARKS |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-21-24 | 0300 | 73 | ARELLANO, R. |
| | 0600 | 71 | PRINCE |
| | 0900 | 72 | PRINCE |
| | 1200 | 73 | PRINCE |
| | 1500 | 73 | Davis |
| | 1800 | 75 | Davis |
| | 2100 | 72 | Davis |
| | 2400 | 72 | ARELLANO, R. |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-23-24 | 0300 | 70 | ARELLANO, R. |
| | 0600 | 71 | SPARKS |
| | 0900 | 71 | SPARKS |
| | 1200 | 72 | SPARKS |
| | 1500 | 72 | CASAREZ |
| | 1800 | 72 | CASAREZ |
| | 2100 | 73 | CASAREZ |
| | 2400 | 73 | S. SPARKS |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5-25-24 | 0300 | 70 | R. O'BRYAN |
| | 0600 | 71 | C. PRINCE |
| | 0900 | 71 | C. PRINCE |
| | 1200 | 72 | C. PRINCE |
| | 1500 | 72 | K. LEE |
| | 1800 | 73 | K. LEE |
| | 2100 | 71 | K. LEE |
| | 2400 | 70 | MARC |

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: CIM Housing Unit: B3 Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/21 | 0300 | 69 | J-D TIER |
| | 0600 | 66.3 | JARAMILLO |
| | 0900 | 67.4 | JARAMILLO |
| | 1200 | 68.6 | JARAMILLO |
| | 1500 | 69.0 | PENITES, M. |
| | 1800 | 69.0 | BONITAS, M. |
| | 2100 | 69 | BONITAS, M. |
| | 2400 | 68 | Guzman |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/21 | 0300 | 68 | Guzman |
| | 0600 | 66.1 | JARAMILLO |
| | 0900 | 69.3 | JARAMILLO |
| | 1200 | 70.0 | JARAMILLO |
| | 1500 | 71 | L ALLEN |
| | 1800 | 70 | L ALLEN |
| | 2100 | 70 | L ALLEN |
| | 2400 | 68 | Guzman |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/22 | 0300 | 67 | Guzman |
| | 0600 | 62 | E. P. BROWN |
| | 0900 | 66 | D. MENDOT |
| | 1200 | 67 | D. MENDOT |
| | 1500 | 70 | L ALLEN |
| | 1800 | 70 | L ALLEN |
| | 2100 | 68 | L ALLEN |
| | 2400 | 67 | Guzman |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/23 | 0300 | 67 | Guzman |
| | 0600 | 66.1 | JARAMILLO |
| | 0900 | 67.3 | JARAMILLO |
| | 1200 | 68.0 | JARAMILLO |
| | 1500 | 69 | L ALLEN |
| | 1800 | 69 | L ALLEN |
| | 2100 | 68 | L ALLEN |
| | 2400 | 68 | Guzman |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/24 | 0300 | 67 | Guzman |
| | 0600 | 66 | M. HERNANDEZ |
| | 0900 | 68 | M. HERNANDEZ |
| | 1200 | 67 | M. HERNANDEZ |
| | 1500 | 68 | F. ALVAREZ |
| | 1800 | 68 | F. ALVAREZ |
| | 2100 | 67 | F. ALVAREZ |
| | 2400 | 67 | CAMPES |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/25 | 0300 | 67 | CAMPES |
| | 0600 | 66 | CAMPES |
| | 0900 | 67 | BRISBONO |
| | 1200 | 68 | BRISBONO |
| | 1500 | 69 | MELENA |
| | 1800 | 69 | MELENA |
| | 2100 | 69 | MELENA |
| | 2400 | 69 | CAMPES |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/26 | 0300 | 68 | CAMPES |
| | 0600 | 66 | CAMPES |
| | 0900 | 67 | BRISBONO |
| | 1200 | 69 | BRISBONO |
| | 1500 | 71 | MELENA |
| | 1800 | 70 | MELENA |
| | 2100 | 69 | MELENA |
| | 2400 | 69 | OCEAN |

Notes:

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B4 (MADZONE) Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/20/24 | 0300 | 69 | LUNA |
| | 0600 | 70 | CAROLINA |
| | 0900 | 71 | KELVIN |
| | 1200 | 71 | ROBERT |
| | 1500 | 72 | C. CERANTO |
| | 1800 | 70 | NASURO |
| | 2100 | 69 | MAGNUS |
| | 2400 | 69 | BRON |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/21/24 | 0300 | 68 | LUNA |
| | 0600 | 69 | CAROLINA |
| | 0900 | 71 | KELVIN |
| | 1200 | 70 | CAROLINA |
| | 1500 | 71 | NASURO |
| | 1800 | 72 | MAGNUS |
| | 2100 | 71 | BRON |
| | 2400 | 70 | BRON |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/22/24 | 0300 | 69 | LUNA |
| | 0600 | 69 | CAROLINA |
| | 0900 | 69 | CAROLINA |
| | 1200 | 70 | CAROLINA |
| | 1500 | 71 | C. CERANTO |
| | 1800 | 72 | NASURO |
| | 2100 | 70 | MAGNUS |
| | 2400 | 72 | CAMPBELL |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/23/24 | 0300 | 69 | CAROLINA |
| | 0600 | 69 | CAROLINA |
| | 0900 | 69 | CAROLINA |
| | 1200 | 70 | CAROLINA |
| | 1500 | 70 | NASURO |
| | 1800 | 70 | MAGNUS |
| | 2100 | 70 | MAGNUS |
| | 2400 | 68 | GUTIERREZ |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/24/24 | 0300 | 69 | CAROLINA |
| | 0600 | 68 | CAROLINA |
| | 0900 | 69 | CAROLINA |
| | 1200 | 69 | CAROLINA |
| | 1500 | 69 | ARMANDO |
| | 1800 | 69 | MAGNUS |
| | 2100 | 68 | AUGUSTIN |
| | 2400 | 69 | LUNA |

Saturday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/25/24 | 0300 | 69 | LUNA |
| | 0600 | 69 | VENUE |
| | 0900 | 69 | LUNA |
| | 1200 | 69 | KELVIN |
| | 1500 | 69 | ROBERT |
| | 1800 | 70 | BRON |
| | 2100 | 70 | BRON |
| | 2400 | 69 | LUNA |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/26/24 | 0300 | 69 | J. LUNA |
| | 0600 | 69 | G. CAROLINA |
| | 0900 | 69 | CAROLINA |
| | 1200 | 69 | CAROLINA |
| | 1500 | 70 | NASURO |
| | 1800 | 72 | MAGNUS |
| | 2100 | 71 | MAGNUS |
| | 2400 | 69 | LUNA |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT E

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat-risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJW Housing Unit: B5

Temp. Reading Location: 3rd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90-degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 70 | Luna |
| | 0600 | 72 | GALVAN |
| | 0900 | 70 | BAUTISTA |
| | 1200 | 70 | Borden |
| | 1500 | 71 | Garcia |
| | 1800 | 71 | Garcia |
| | 2100 | 69 | Garcia |
| | 2400 | 69 | WINSLET |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/22 | 0300 | 69 | WINSLET |
| | 0600 | 69 | B. Hayes |
| | 0900 | 70 | B. Hayes |
| | 1200 | 72 | B. Hayes |
| | 1500 | 71 | Garcia |
| | 1800 | 71 | Garcia |
| | 2100 | 69 | Garcia |
| | 2400 | 69 | WINSLET |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/24 | 0300 | 69 | WINSLET |
| | 0600 | 69 | GALVAN |
| | 0900 | 69 | Diaz |
| | 1200 | 69 | Diaz |
| | 1500 | 69 | Borden |
| | 1800 | 69 | Borden |
| | 2100 | 69 | Borden |
| | 2400 | 68 | JAMES |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/26 | 0300 | 69 | JAMES |
| | 0600 | 69 | GALVAN |
| | 0900 | 71 | GALVAN |
| | 1200 | 71 | GALVAN |
| | 1500 | 71 | Luna |
| | 1800 | 71 | Luna |
| | 2100 | 70 | WINSLET |
| | 2400 | 70 | WINSLET |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/21 | 0300 | 69 | WINSLET |
| | 0600 | 70 | BAUTISTA |
| | 0900 | 68 | BAUTISTA |
| | 1200 | 69 | DAVISON |
| | 1500 | 70 | DAVISON |
| | 1800 | 70 | Luna |
| | 2100 | 69 | Luna |
| | 2400 | 69 | WINSLET |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/23 | 0300 | 69 | WINSLET |
| | 0600 | 69 | B. Hayes |
| | 0900 | 69 | V. Diaz |
| | 1200 | 69 | V. Diaz |
| | 1500 | 70 | Borden |
| | 1800 | 70 | Borden |
| | 2100 | 70 | Borden |
| | 2400 | 69 | WINSLET |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/25 | 0300 | 67 | JAMES |
| | 0600 | 67 | GALVAN |
| | 0900 | 69 | Diaz |
| | 1200 | 70 | Diaz |
| | 1500 | 70 | Luna |
| | 1800 | 69 | Luna |
| | 2100 | 69 | Luna |
| | 2400 | 68 | J. DIAZ |

Notes

Attachment E

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (94/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B1-CYPRESS Temp. Reading Location: 3 DD Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|-------------------|
| <u>5/23/2024</u> | 0300 | 63 | <u>HERNANDEZ</u> |
| | 0600 | 66 | <u>C. SANCHEZ</u> |
| | 0900 | 62 | <u>P. HANSEN</u> |
| | 1200 | 69 | <u>P. HANSEN</u> |
| | 1500 | 71 | <u>GRANADA</u> |
| | 1800 | 70 | <u>GRANADA</u> |
| | 2100 | 69 | <u>GRANADA</u> |
| | 2400 | 68 | <u>HERNANDEZ</u> |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|-------------------|
| <u>5/29/2024</u> | 0300 | 68 | <u>HERNANDEZ</u> |
| | 0600 | 69 | <u>C. SANCHEZ</u> |
| | 0900 | 69 | <u>M. DIAZ</u> |
| | 1200 | 69 | <u>C. SANCHEZ</u> |
| | 1500 | 71 | <u>GRANADA</u> |
| | 1800 | 71 | <u>GRANADA</u> |
| | 2100 | 70 | <u>C. SANCHEZ</u> |
| | 2400 | 69 | <u>HERNANDEZ</u> |

Friday 5/31/2024

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|------------------|
| <u>5/31/2024</u> | 0300 | 68 | <u>HERNANDEZ</u> |
| | 0600 | 69 | <u>URIBE</u> |
| | 0900 | 69 | <u>URIBE</u> |
| | 1200 | 70 | <u>URIBE</u> |
| | 1500 | 71 | <u>GRANADA</u> |
| | 1800 | 71 | <u>GRANADA</u> |
| | 2100 | 69 | <u>GRANADA</u> |
| | 2400 | 69 | <u>HERNANDEZ</u> |

Sunday

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|--------------|
| <u>5/31/2024</u> | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|------------------|
| <u>5/30/2024</u> | 0300 | 69 | <u>HERNANDEZ</u> |
| | 0600 | 67 | <u>P. HANSEN</u> |
| | 0900 | 68 | <u>P. HANSEN</u> |
| | 1200 | 69 | <u>P. HANSEN</u> |
| | 1500 | 71 | <u>GRANADA</u> |
| | 1800 | 71 | <u>GRANADA</u> |
| | 2100 | 69 | <u>GRANADA</u> |
| | 2400 | 69 | <u>HERNANDEZ</u> |

Thursday

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|-------------------|
| <u>5/30/2024</u> | 0300 | 67 | <u>HERNANDEZ</u> |
| | 0600 | 68 | <u>C. SANCHEZ</u> |
| | 0900 | 68 | <u>C. SANCHEZ</u> |
| | 1200 | 70 | <u>C. SANCHEZ</u> |
| | 1500 | 72 | <u>J. GRANADA</u> |
| | 1800 | 71 | <u>GRANADA</u> |
| | 2100 | 72 | <u>GRANADA</u> |
| | 2400 | 69 | <u>HERNANDEZ</u> |

Saturday

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|--------------|
| <u>5/30/2024</u> | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDDR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM · Housing Unit: BIRCH HALL Temp. Reading Location: 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|--------------|
| <u>5-27-24</u> | 0300 | 73 | Ramirez |
| | 0600 | 73 | NOJ |
| | 0900 | 72 | NOJ |
| | 1200 | 74 | NOJ |
| | 1500 | 75 | Zendales |
| | 1800 | 73 | Zendales |
| | 2100 | 74 | Zendales |
| | 2400 | 73 | O. GALVAN |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|--------------|
| <u>5-28-24</u> | 0300 | 71 | O. GALVAN |
| | 0600 | 71 | NOJ |
| | 0900 | 71 | NOJ |
| | 1200 | 73 | NOJ |
| | 1500 | 71 | MENTERIA |
| | 1800 | 74 | MENTERIA |
| | 2100 | 74 | MENTERIA |
| | 2400 | 71 | NOJ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|--------------|
| <u>5/29/24</u> | 0300 | 70 | RODRIGO |
| | 0600 | 72 | NOJ |
| | 0900 | 72 | Stewart |
| | 1200 | 73 | Stewart |
| | 1500 | 73 | CRISTOBAL |
| | 1800 | 74 | CRISTOBAL |
| | 2100 | 74 | CRISTOBAL |
| | 2400 | 73 | ABRAHAM |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------------|------|-------|--------------|
| <u>5/30/24</u> | 0300 | 75 | ABRAHAM |
| | 0600 | 74 | Calvillo |
| | 0900 | 74 | Calvillo |
| | 1200 | 75 | Stewart |
| | 1500 | 76 | CRISTOBAL |
| | 1800 | 78 | CRISTOBAL |
| | 2100 | 73 | CRISTOBAL |
| | 2400 | 74 | J. NUNES |

Friday

| Date | Time | Temp. | Name (Print) |
|-------------|------|-------|--------------|
| <u>5/31</u> | 0300 | 75 | J. NUNES |
| | 0600 | 73 | Stewart |
| | 0900 | 74 | Stewart |
| | 1200 | 73 | Stewart |
| | 1500 | 76 | CRISTOBAL |
| | 1800 | 77 | CRISTOBAL |
| | 2100 | 78 | CRISTOBAL |
| | 2400 | 77 | J. NUNES |

Saturday

| Date | Time | Temp. | Name (Print) |
|------------|------|-------|--------------|
| <u>6/1</u> | 0300 | 75 | J. NUNES |
| | 0600 | 73 | Stewart |
| | 0900 | 73 | Stewart |
| | 1200 | 75 | CRISTOBAL |
| | 1500 | 76 | CRISTOBAL |
| | 1800 | 75 | CRISTOBAL |
| | 2100 | 71 | CRISTOBAL |
| | 2400 | 73 | CRISTOBAL |

Sunday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | 73 | J. NUNES |
| | 0600 | 73 | NOJ |
| | 0900 | 73 | NOJ |
| | 1200 | 74 | Stewart |
| | 1500 | 74 | S. Zendales |
| | 1800 | 74 | S. Zendales |
| | 2100 | 73 | S. Zendales |
| | 2400 | 73 | S. Zendales |

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B3

Temp. Reading Location: 3rd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| | 0300 | 67 | S-OSEDA |
| 5-27-24 | 0600 | 66.3 | JARAU.110 |
| | 0900 | 66.9 | JARAU.110 |
| | 1200 | 70.0 | JARAU.110 |
| | 1500 | 71 | L ALLEN |
| | 1800 | 70 | L ALLEN |
| | 2100 | 68 | L ALLEN |
| | 2400 | 68 | VANDER |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/29/24 | 0300 | 68 | VANDER |
| | 0600 | 66.3 | JARAU.110 |
| | 0900 | 67.0 | JARAU.110 |
| | 1200 | 67.3 | JARAU.110 |
| | 1500 | 71 | L ALLEN |
| | 1800 | 71 | L ALLEN |
| | 2100 | 70 | L ALLEN |
| | 2400 | 69 | A. ORTEGA |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/31/24 | 0300 | 69 | VANDER |
| | 0600 | 69.1 | JARAU.110 |
| | 0900 | 68.9 | JARAU.110 |
| | 1200 | 70.1 | JARAU.110 |
| | 1500 | 71 | Allen |
| | 1800 | 71 | Allen |
| | 2100 | 70 | Allen |
| | 2400 | 70 | VANDER |

Sunday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 6/02/24 | 0300 | 69 | CAMPUS |
| | 0600 | 69 | CAMPUS |
| | 0900 | 68 | E. LOSBOS |
| | 1200 | 69.4 | E. LOSBOS |
| | 1500 | 71 | MELINA |
| | 1800 | 70 | MELINA |
| | 2100 | 69 | MELINA |
| | 2400 | 68 | D. GONZALES |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/28/24 | 0300 | 67 | VANDER |
| | 0600 | 66.1 | JARAU.110 |
| | 0900 | 69.0 | JARAU.110 |
| | 1200 | 70.3 | JARAU.110 |
| | 1500 | 71 | L ALLEN |
| | 1800 | 71 | L ALLEN |
| | 2100 | 70 | L ALLEN |
| | 2400 | 69 | VANDER |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/30/24 | 0300 | 67 | A. ORTEGA |
| | 0600 | 66.9 | JARAU.110 |
| | 0900 | 67.3 | JARAU.110 |
| | 1200 | 71.0 | JARAU.110 |
| | 1500 | 73 | L ALLEN |
| | 1800 | 72 | L ALLEN |
| | 2100 | 71 | L ALLEN |
| | 2400 | 71 | VANDER |

Saturday

| Date | Time | Temp. | Name (Print) |
|--------|------|-------|--------------|
| 6/1/24 | 0300 | 69 | VANDER |
| | 0600 | 69 | Hernandez |
| | 0900 | 68 | Gonzales |
| | 1200 | 71 | Hernandez |
| | 1500 | 72 | Melena |
| | 1800 | 72 | Melena |
| | 2100 | 71 | Melena |
| | 2400 | 70 | CAMPUS |

Notes

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B4 (WAPPAVE) Temp. Reading Location: 3RD TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/27/24 | 0300 | 69 | LUNA |
| | 0600 | 70 | KENDALL |
| | 0900 | 68 | KENDALL |
| | 1200 | 70 | KENDALL |
| | 1500 | 72 | VASQUEZ |
| | 1800 | 70 | VASQUEZ |
| | 2100 | 72 | VASQUEZ |
| | 2400 | 70 | VASQUEZ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/28/24 | 0300 | 69 | Conde |
| | 0600 | 70 | CAROLINA |
| | 0900 | 69 | CAROLINA |
| | 1200 | 70 | CAROLINA |
| | 1500 | 70 | CAROLINA |
| | 1800 | 72 | VASQUEZ |
| | 2100 | 70 | VASQUEZ |
| | 2400 | 70 | VASQUEZ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/29/24 | 0300 | 69 | Conde |
| | 0600 | 69 | CAROLINA |
| | 0900 | 70 | CAROLINA |
| | 1200 | 70 | CAROLINA |
| | 1500 | 71 | C. DELVANTO |
| | 1800 | 72 | VASQUEZ |
| | 2100 | 72 | VASQUEZ |
| | 2400 | 72 | CAMPES |

Thursday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/30/24 | 0300 | 71 | CAMPES |
| | 0600 | 71 | CAMPES |
| | 0900 | 71 | RICHARD |
| | 1200 | 72 | RICHARD |
| | 1500 | 75 | CERATO |
| | 1800 | 73 | CERATO |
| | 2100 | 71 | CERATO |
| | 2400 | 72 | CERATO |

Friday

| Date | Time | Temp. | Name (Print) |
|---------|------|-------|--------------|
| 5/31/24 | 0300 | 73 | CONDE |
| | 0600 | 72 | KENDALL |
| | 0900 | 69 | KENDALL |
| | 1200 | 71 | KENDALL |
| | 1500 | 73 | ALVAREZ |
| | 1800 | 75 | ROBADA |
| | 2100 | 72 | ROBADA |
| | 2400 | 72 | E. CROWN |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJM Housing Unit: B5 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/29 | 0300 | 70 | Murphy |
| | 0600 | 74 | Gardner |
| | 0900 | 75 | Gardner |
| | 1200 | 71 | Gardner |
| | 1500 | 71 | Barden |
| | 1800 | 72 | Conde |
| | 2100 | 70 | Conde |
| | 2400 | 70 | Kimball |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/29 | 0300 | 70 | Murphy |
| | 0600 | 72 | Gardner |
| | 0900 | 72 | L.Sander |
| | 1200 | 74 | L.Sander |
| | 1500 | 74 | Conde |
| | 1800 | 72 | Conde |
| | 2100 | 71 | Conde |
| | 2400 | 71 | O'Brien |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/29 | 0300 | 68 | O'Brien |
| | 0600 | 70 | B.Hayes |
| | 0900 | 70 | B.Hayes |
| | 1200 | 71 | B.Hayes |
| | 1500 | 73 | Conde |
| | 1800 | 73 | Conde |
| | 2100 | 71 | Conde |
| | 2400 | 71 | Murphy |

Thursday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/30 | 0300 | 70 | Murphy |
| | 0600 | 72 | B.Hayes |
| | 0900 | 72 | B.Hayes |
| | 1200 | 73 | B.Hayes |
| | 1500 | 76 | Barden |
| | 1800 | 75 | Conde |
| | 2100 | 75 | Barden |
| | 2400 | 75 | SALAS |

Friday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 5/31 | 0300 | 71 | SALAS |
| | 0600 | 73 | Gonzales |
| | 0900 | 73 | Gonzales |
| | 1200 | 75 | Gonzales |
| | 1500 | 72 | Barden |
| | 1800 | 72 | Barden |
| | 2100 | 72 | Barden |
| | 2400 | 71 | Gonzales |

Saturday

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 6/1 | 0300 | 70 | D.Gonzales |
| | 0600 | 71 | Gonzales |
| | 0900 | 71 | Diaz |
| | 1200 | 71 | Diaz |
| | 1500 | 69 | Luna |
| | 1800 | 69 | Luna |
| | 2100 | 69 | Luna |
| | 2400 | 70 | D.Gonzales |

Notes

| Date | Time | Temp. | Name (Print) |
|------|------|-------|--------------|
| 6/2 | 0300 | 71 | D.Gonzales |
| | 0600 | 71 | Gonzales |
| | 0900 | 70 | G.Muniz |
| | 1200 | 69 | G.Muniz |
| | 1500 | 69 | G.Muniz |
| | 1800 | 67 | Luna |
| | 2100 | 67 | Luna |
| | 2400 | 71 | Luna |

DISTRIBUTION: Original: Institution Heat Plan Coordinator

May 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 COCR 2023 (04/83)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CA1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/29/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/30/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/1/2024 | 0300 | 69 | VELAZQUEZ |
| | 0600 | 69 | Rosales |
| | 0900 | 76 | Rosales |
| | 1200 | 73 | Rosales |
| | 1500 | 74 | S. GONZALEZ |
| | 1800 | 73 | S. GONZALEZ |
| | 2100 | 73 | S. GONZALEZ |
| | 2400 | 70 | VELAZQUEZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/2/2024 | 0300 | 70 | VELAZQUEZ |
| | 0600 | 70 | Rosales |
| | 0900 | 73 | Rosales |
| | 1200 | 74 | Rosales |
| | 1500 | 75 | S. GONZALEZ |
| | 1800 | 70 | S. GONZALEZ |
| | 2100 | 71 | S. GONZALEZ |
| | 2400 | 70 | S. GONZALEZ |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/3/2024 | 0300 | 70 | S. GONZALEZ |
| | 0600 | 70 | R. Rosales |
| | 0900 | 73 | R. Rosales |
| | 1200 | 73 | R. Rosales |
| | 1500 | 73 | S. GONZALEZ |
| | 1800 | 72 | S. GONZALEZ |
| | 2100 | 72 | Bellkey |
| | 2400 | 73 | Traig III |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/4/2024 | 0300 | 73 | Traig III |
| | 0600 | 73 | Traig III |
| | 0900 | 73 | Traig III |
| | 1200 | 74 | Rosales |
| | 1500 | 74 | MORONES |
| | 1800 | 73 | MORONES |
| | 2100 | 70 | MORONES |
| | 2400 | 70 | KASIR |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/5/2024 | 0300 | 69 | KASIR |
| | 0600 | 69 | ZADEEN |
| | 0900 | 72 | ZADEEN |
| | 1200 | 73 | ZADEEN |
| | 1500 | 70 | JVRADDO |
| | 1800 | 71 | JVRADDO |
| | 2100 | 70 | JVRADDO |
| | 2400 | 68 | VELAZQUEZ |

DISTRIBUTION: Original Institution Heat Plan Coordinator

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2021 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CA2 Temp. Reading Location: 2nd
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/29/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/1/2024 | 0300 | 79 | JAGUAR |
| | 0600 | 73 | L. AGUILAR |
| | 0900 | 72 | L. AGUILAR |
| | 1200 | 78 | L. AGUILAR |
| | 1500 | 75 | D. DUNCAN |
| | 1800 | 75 | J. DUNCAN |
| | 2100 | 75 | D. DUNCAN |
| | 2400 | 75 | Health |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/3/2024 | 0300 | 74 | Health |
| | 0600 | 70 | M. AGUILAR |
| | 0900 | 70 | AGUILAR |
| | 1200 | 70 | AGUILAR |
| | 1500 | 74 | DUNCAN |
| | 1800 | 74 | DUNCAN |
| | 2100 | 74 | DUNCAN |
| | 2400 | 75 | Health |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/5/2024 | 0300 | 70 | Trijillo |
| | 0600 | 70 | Trijillo |
| | 0900 | 70 | Bonaparte |
| | 1200 | 70 | Bonaparte |
| | 1500 | 71 | Bonaparte |
| | 1800 | 70 | Bonaparte |
| | 2100 | 70 | Bonaparte |
| | 2400 | 68 | Amiri |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/30/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/2/2024 | 0300 | 75 | Health |
| | 0600 | 72 | MUNIZ |
| | 0900 | 72 | MUNIZ |
| | 1200 | 77 | MUNIZ |
| | 1500 | 75 | DUNCAN |
| | 1800 | 75 | DUNCAN |
| | 2100 | 75 | DUNCAN |
| | 2400 | 74 | Health |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/4/2024 | 0300 | 73 | Health |
| | 0600 | 72 | Bonaparte |
| | 0900 | 71 | Bonaparte |
| | 1200 | 70 | Bonaparte |
| | 1500 | 72 | DUNCAN |
| | 1800 | 72 | DUNCAN |
| | 2100 | 72 | DUNCAN |
| | 2400 | 72 | Trijillo |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR 2031 (04/21)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CB1 | Temp. Reading Location: | 1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/29/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/30/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/1/2024 | 0300 | 60 | 69 OF 100 |
| | 0600 | 69 | 69 TOTAL |
| | 0900 | 70 | TOTAL |
| | 1200 | 70 | TOTAL |
| | 1500 | 66 | GAYAS |
| | 1800 | 67 | GRANT |
| | 2100 | 67 | GAYAS |
| | 2400 | 64 | GAYAS |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/2/2024 | 0300 | 66 | J. MAY |
| | 0600 | 67 | R. MAY |
| | 0900 | 68 | R. MAY |
| | 1200 | 69 | R. MAY |
| | 1500 | 70 | R. MAY |
| | 1800 | 69 | L. MAY |
| | 2100 | 69 | R. MAY |
| | 2400 | 69 | J. MAY |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/3/2024 | 0300 | 66 | S. GAYAS |
| | 0600 | 66 | TORNEY |
| | 0900 | 68 | TORNEY |
| | 1200 | 69 | TORNEY |
| | 1500 | 69 | R. MAY |
| | 1800 | 69 | R. MAY |
| | 2100 | 68 | R. MAY |
| | 2400 | 69 | J. MAY |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/4/2024 | 0300 | 65 | J. GAYAS |
| | 0600 | 66 | TORNEY |
| | 0900 | 66 | TORNEY |
| | 1200 | 66 | TORNEY |
| | 1500 | 67 | TORNEY |
| | 1800 | 69 | GAYAS |
| | 2100 | 69 | GAYAS |
| | 2400 | 69 | J. GAYAS |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/5/2024 | 0300 | 66 | J. GAYAS |
| | 0600 | 66 | TORNEY |
| | 0900 | 66 | TORNEY |
| | 1200 | 66 | TORNEY |
| | 1500 | 66 | TORNEY |
| | 1800 | 66 | TORNEY |
| | 2100 | 66 | TORNEY |
| | 2400 | 67 | R. K. MAY |

DISTRIBUTION: Original Institution Heat Plan Coordinator

Notes

May 2024

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/01)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CB2 Temp. Reading Location: 2nd
(e.g. 1st tier, 2nd tier, 3rd tier,
etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/29/2024 | 0300 | 70 | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/30/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/1/2024 | 0300 | 70 | A DURAN |
| | 0600 | 74 | Stewart |
| | 0900 | 71 | Stewart |
| | 1200 | 77 | Stewart |
| | 1500 | 76 | BARROW |
| | 1800 | 70 | BARRON |
| | 2100 | 75 | BARRON |
| | 2400 | 72 | B. BARRON |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/2/2024 | 0300 | 70 | B. ESTRADA |
| | 0600 | 79 | Stewart |
| | 0900 | 72 | Stewart |
| | 1200 | 72 | Stewart |
| | 1500 | 77 | BARRON |
| | 1800 | 77 | BARRON |
| | 2100 | 79 | BARRON |
| | 2400 | 72 | B. ESTRADA |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/3/2024 | 0300 | 70 | B. ESTRADA |
| | 0600 | 71 | Stewart |
| | 0900 | 71 | Stewart |
| | 1200 | 72 | Stewart |
| | 1500 | 73 | BARRON |
| | 1800 | 73 | BARRON |
| | 2100 | 73 | BARRON |
| | 2400 | 71 | A DURAN |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/4/2024 | 0300 | 70 | A DURAN |
| | 0600 | 70 | S. Stewart |
| | 0900 | 70 | Stewart |
| | 1200 | 72 | Stewart |
| | 1500 | 72 | BARRON |
| | 1800 | 71 | BARRON |
| | 2100 | 72 | BARRON |
| | 2400 | 71 | A DURAN |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/5/2024 | 0300 | 70 | A DURAN |
| | 0600 | 77 | Stewart |
| | 0900 | 73 | Stewart |
| | 1200 | 72 | Stewart |
| | 1500 | 71 | BARRON |
| | 1800 | 71 | BARRON |
| | 2100 | 71 | BARRON |
| | 2400 | 70 | John |

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CCR 2021 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CC1 Temp. Reading Location: 1st
(e.g. 1st tier, 2nd tier, 3rd tier,
etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/29/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/1/2024 | 0300 | 68 | Onate |
| | 0600 | 68 | Jackson |
| | 0900 | 69 | Jackson |
| | 1200 | 71 | Jackson |
| | 1500 | 70 | Sarmo |
| | 1800 | 69 | Sarmo |
| | 2100 | 70 | DeM |
| | 2400 | 70 | Onate |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/3/2024 | 0300 | 67 | Onate |
| | 0600 | 67 | Guzman |
| | 0900 | 67 | Guzman |
| | 1200 | 68 | Guzman |
| | 1500 | 69 | Onate |
| | 1800 | 70 | Onate |
| | 2100 | 69 | Onate |
| | 2400 | 67 | Onate |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/5/2024 | 0300 | 66 | Onate |
| | 0600 | 66 | Guzman |
| | 0900 | 67 | Guzman |
| | 1200 | 67 | Guzman |
| | 1500 | 69 | Onate |
| | 1800 | 68 | Onate |
| | 2100 | 69 | Onate |
| | 2400 | 68 | Onate |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/30/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/2/2024 | 0300 | 69 | Onate |
| | 0600 | 69 | Guzman |
| | 0900 | 70 | Guzman |
| | 1200 | 71 | Guzman |
| | 1500 | 70 | Onate |
| | 1800 | 69 | Onate |
| | 2100 | 68 | Onate |
| | 2400 | 70 | M. BANISTER |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/4/2024 | 0300 | 67 | Onate |
| | 0600 | 68 | Guzman |
| | 0900 | 67 | Guzman |
| | 1200 | 67 | Guzman |
| | 1500 | 66 | Jackson |
| | 1800 | 66 | Jackson |
| | 2100 | 66 | Jackson |
| | 2400 | 66 | Jackson |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CORR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CC2 | Temp. Reading Location: | 2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/29/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/30/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/1/2024 | 0300 | 67 | |
| | 0600 | 65 | JONES |
| | 0900 | 70 | JACKSON |
| | 1200 | 71 | JONES |
| | 1500 | 71 | JACKSON |
| | 1800 | 71 | JONES |
| | 2100 | 70 | JACKSON |
| | 2400 | 70 | JONES |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/2/2024 | 0300 | 69 | TREVINO |
| | 0600 | 68 | JONES |
| | 0900 | 69 | JONES |
| | 1200 | 72 | JONES |
| | 1500 | 72 | JACKSON |
| | 1800 | 70 | JONES |
| | 2100 | 68 | JONES |
| | 2400 | 69 | TREVINO |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/3/2024 | 0300 | 70 | TREVINO |
| | 0600 | 65 | JONES |
| | 0900 | 69 | JONES |
| | 1200 | 70 | SANCHEZ |
| | 1500 | 72 | JACKSON |
| | 1800 | 72 | JACKSON |
| | 2100 | 70 | JACKSON |
| | 2400 | 70 | TREVINO |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/4/2024 | 0300 | 69 | TREVINO |
| | 0600 | 70 | JONES |
| | 0900 | 70 | JONES |
| | 1200 | 73 | JONES |
| | 1500 | 70 | FABIAN |
| | 1800 | 70 | FABIAN |
| | 2100 | 69 | FABIAN |
| | 2400 | 69 | M. DOMINGUEZ |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/5/2024 | 0300 | 67 | M. DOMINGUEZ |
| | 0600 | 68 | JONES |
| | 0900 | 69 | M. DOMINGUEZ |
| | 1200 | 70 | M. DOMINGUEZ |
| | 1500 | 72 | M. DOMINGUEZ |
| | 1800 | 72 | M. DOMINGUEZ |
| | 2100 | 71 | M. DOMINGUEZ |
| | 2400 | 71 | M. DOMINGUEZ |

DISTRIBUTION: Original Institution Heat Plan Coordinator

May 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2021 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CD1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/29/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/30/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/1/2024 | 0300 | 67 | J. CARMELO |
| | 0600 | 68 | J. CARMELO |
| | 0900 | 67 | J. CARMELO |
| | 1200 | 68 | J. CARMELO |
| | 1500 | 71 | 100-20 |
| | 1800 | 70 | 100-20 |
| | 2100 | 68 | 100-20 |
| | 2400 | 68 | J. CARMELO |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/2/2024 | 0300 | 66 | K. ABIR |
| | 0600 | 65 | K. ABIR |
| | 0900 | 66 | K. ABIR |
| | 1200 | 69 | K. ABIR |
| | 1500 | 72 | 100-20 |
| | 1800 | 70 | 100-20 |
| | 2100 | 70 | 100-20 |
| | 2400 | 69 | K. ABIR |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/3/2024 | 0300 | 68 | K. ABIR |
| | 0600 | 66 | K. ABIR |
| | 0900 | 68 | K. ABIR |
| | 1200 | 69 | K. ABIR |
| | 1500 | 70 | K. ABIR |
| | 1800 | 70 | K. ABIR |
| | 2100 | 69 | K. ABIR |
| | 2400 | 67 | K. ABIR |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/4/2024 | 0300 | 67 | K. ABIR |
| | 0600 | 66 | K. ABIR |
| | 0900 | 67 | K. ABIR |
| | 1200 | 68 | K. ABIR |
| | 1500 | 68.7 | CHAMALA |
| | 1800 | 68.4 | CHAMALA |
| | 2100 | 67.6 | CHAMALA |
| | 2400 | 66 | J. AYALA |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/5/2024 | 0300 | 67 | J. AYALA |
| | 0600 | 68 | J. AYALA |
| | 0900 | 68 | J. AYALA |
| | 1200 | 69 | J. AYALA |
| | 1500 | 68 | J. AYALA |
| | 1800 | 69 | J. AYALA |
| | 2100 | 69 | J. AYALA |
| | 2400 | 68 | J. AYALA |

Notes

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |

May 2024

STATE OF CALIFORNIA:

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CD2 Temp. Reading Location: 2nd

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/29/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 4/30/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/1/2024 | 0300 | 65 | |
| | 0600 | 69 | I. AGUILAR |
| | 0900 | 70 | I. AGUILAR |
| | 1200 | 71 | I. AGUILAR |
| | 1500 | 74 | SANCHEZ |
| | 1800 | 74 | SANCHEZ |
| | 2100 | 73 | SANCHEZ |
| | 2400 | 72 | DAVIE |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/2/2024 | 0300 | 71 | DAVIE |
| | 0600 | 69 | I. AGUILAR |
| | 0900 | 70 | I. AGUILAR |
| | 1200 | 72 | I. AGUILAR |
| | 1500 | 73 | SANCHEZ |
| | 1800 | 74 | SANCHEZ |
| | 2100 | 73 | SANCHEZ |
| | 2400 | 70 | J. MURRAY |

Friday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/3/2024 | 0300 | 68 | J. MURRAY |
| | 0600 | 68 | S. JONES |
| | 0900 | 67 | S. JONES |
| | 1200 | 67 | S. JONES |
| | 1500 | 69 | SANCHEZ |
| | 1800 | 71 | SANCHEZ |
| | 2100 | 68 | SANCHEZ |
| | 2400 | 68 | BROWN |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/4/2024 | 0300 | 68 | REGINA |
| | 0600 | 70 | S. JONES |
| | 0900 | 68 | S. JONES |
| | 1200 | 66 | S. JONES |
| | 1500 | 68 | HOLLUM |
| | 1800 | 66 | HOLLUM |
| | 2100 | 68 | HOLLUM |
| | 2400 | 65 | R. MAY |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/5/2024 | 0300 | 68 | R. MAY |
| | 0600 | 67 | S. JONES |
| | 0900 | 66 | S. JONES |
| | 1200 | 65 | S. JONES |
| | 1500 | 71 | P. LEE |
| | 1800 | 68 | P. LEE |
| | 2100 | 68 | P. LEE |
| | 2400 | 69 | W. |

DISTRIBUTION: Original Institution Heat Plan Coordinator.

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2021 (04/21)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CA1 Temp. Reading Location: 1st
 {e.g. 1st tier, 2nd tier, 3rd tier,
 etc.}

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/6/2024 | 0300 | 68 | VELAZQUEZ |
| | 0600 | 66 | R. MAY |
| | 0900 | 68 | R. MAY |
| | 1200 | 69 | SANTA CRUZ |
| | 1500 | 72 | Romero |
| | 1800 | 72 | Romero |
| | 2100 | 68 | Romero |
| | 2400 | 67 | VELAZQUEZ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/8/2024 | 0300 | 71 | JUAREZ |
| | 0600 | 71 | Romero |
| | 0900 | 72 | Romero |
| | 1200 | 74 | Romero |
| | 1500 | 74 | S. GARCIA |
| | 1800 | 73 | S. GARCIA |
| | 2100 | 73 | S. GARCIA |
| | 2400 | 70 | JUAREZ |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/10/2024 | 0300 | 71 | TIJUANA |
| | 0600 | 71 | TIJUANA |
| | 0900 | 73 | Romero |
| | 1200 | 74 | Romero |
| | 1500 | 74 | N. GARCIA |
| | 1800 | 74 | N. GARCIA |
| | 2100 | 73 | L. ROMERO |
| | 2400 | 72 | J. JAMES |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/12/2024 | 0300 | 71 | GARZA |
| | 0600 | 71 | JUAREZ |
| | 0900 | 72 | JUAREZ |
| | 1200 | 73 | JUAREZ |
| | 1500 | 70 | S. GARCIA |
| | 1800 | 75 | S. GARCIA |
| | 2100 | 79 | S. GARCIA |
| | 2400 | 77 | GARZA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/7/2024 | 0300 | 68 | VELAZQUEZ |
| | 0600 | 68 | Rosales |
| | 0900 | 70 | Rosales |
| | 1200 | 73 | Rosales |
| | 1500 | 74 | SANTACRUZ |
| | 1800 | 73 | S. GARCIA |
| | 2100 | 71 | S. GARCIA |
| | 2400 | 72 | JUAREZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/9/2024 | 0300 | 69 | S. AVILA |
| | 0600 | 69 | Quiros |
| | 0900 | 71 | Rosales |
| | 1200 | 73 | Rosales |
| | 1500 | 77 | S. GARCIA |
| | 1800 | 76 | S. GARCIA |
| | 2100 | 72 | S. GARCIA |
| | 2400 | 72 | TIJUANA |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/11/2024 | 0300 | 68 | J. JAMES |
| | 0600 | 69 | R. Rosales |
| | 0900 | 71 | L. ROMERO |
| | 1200 | 74 | R. Rosales |
| | 1500 | 75 | S. BELLAMY |
| | 1800 | 75 | S. BELLAMY |
| | 2100 | 71 | S. BELLAMY |
| | 2400 | 71 | L. ROMERO |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|--|
| Institution: | CIM | Housing Unit: | CA2 | Temp. Reading Location: | 2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|--|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/6/2024 | 0300 | 68 | Dreyer |
| | 0600 | 67 | L. Ayala |
| | 0900 | 70 | L. Ayala |
| | 1200 | 70 | L. Ayala |
| | 1500 | 71 | Gonzales |
| | 1800 | 71 | Gonzales |
| | 2100 | 71 | Gonzales |
| | 2400 | 71 | Health |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/8/2024 | 0300 | 72 | Health |
| | 0600 | 70 | Muniz |
| | 0900 | 70 | Muniz |
| | 1200 | 70 | Muniz |
| | 1500 | 72 | Duncan |
| | 1800 | 72 | Duncan |
| | 2100 | 72 | Duncan |
| | 2400 | 73 | Health |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/10/2024 | 0300 | 71 | Health |
| | 0600 | 71 | Gonzales |
| | 0900 | 71 | Gonzales |
| | 1200 | 71 | Gonzales |
| | 1500 | 74 | Duncan |
| | 1800 | 74 | Duncan |
| | 2100 | 74 | Duncan |
| | 2400 | 74 | Health |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/12/2024 | 0300 | 73 | Torillo |
| | 0600 | 73 | Torillo |
| | 0900 | 74 | Brenapart |
| | 1200 | 74 | Brenapart |
| | 1500 | 74 | Brenapart |
| | 1800 | 74 | Brenapart |
| | 2100 | 73 | Brenapart |
| | 2400 | 73 | Torillo |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/7/2024 | 0300 | 70 | Health |
| | 0600 | 68 | Gonzales |
| | 0900 | 68 | Gonzales |
| | 1200 | 68 | Gonzales |
| | 1500 | 70 | Duncan |
| | 1800 | 73 | Duncan |
| | 2100 | 73 | Duncan |
| | 2400 | 72 | Health |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/9/2024 | 0300 | 72 | Health |
| | 0600 | 71 | Muniz |
| | 0900 | 71 | Muniz |
| | 1200 | 71 | Muniz |
| | 1500 | 72 | Duncan |
| | 1800 | 72 | Duncan |
| | 2100 | 72 | Duncan |
| | 2400 | 73 | Health |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/11/2024 | 0300 | 73 | Health |
| | 0600 | 72 | Gonzales |
| | 0900 | 72 | Muniz |
| | 1200 | 72 | Muniz |
| | 1500 | 72 | Muniz |
| | 1800 | 72 | Muniz |
| | 2100 | 72 | Muniz |
| | 2400 | 72 | Health |

Notes

May 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CCR 2051 (04/03)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|--|
| Institution: | CIM | Housing Unit: | CB1 | Temp. Reading Location: | 1st |
| | | | | | (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/6/2024 | 0300 | 67 | B. ESTOADA |
| | 0600 | 75 | TOKAI |
| | 0900 | 78 | TOKAI |
| | 1200 | 78 | TOKAI |
| | 1500 | 78 | CHILL |
| | 1800 | 78 | CHILL |
| | 2100 | 68 | CHILL |
| | 2400 | 68 | TRUJILLO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/8/2024 | 0300 | 77 | SUDARTH |
| | 0600 | 70 | TOKAI |
| | 0900 | 70 | TOKAI |
| | 1200 | 71 | TOKAI |
| | 1500 | 76 | MARSHALL |
| | 1800 | 75 | MARSHALL |
| | 2100 | 71 | SUDARTH |
| | 2400 | 76 | SUDARTH |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/10/2024 | 0300 | 69 | J. LIMON |
| | 0600 | 69 | TOKAI |
| | 0900 | 69 | TOKAI |
| | 1200 | 71 | R. MAY |
| | 1500 | 69 | R. MAY |
| | 1800 | 69 | May |
| | 2100 | 69 | May |
| | 2400 | 69 | SUDARTH |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/12/2024 | 0300 | 69 | SUDARTH |
| | 0600 | 72 | TOKAI |
| | 0900 | 69 | TOKAI |
| | 1200 | 70 | TOKAI |
| | 1500 | 71 | GARIBAN |
| | 1800 | 70 | GARIBAN |
| | 2100 | 69 | GARIBAN |
| | 2400 | 69 | SUDARTH |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/7/2024 | 0300 | 67 | TRUJILLO |
| | 0600 | 67 | TRUJILLO |
| | 0900 | 66 | TOKAI |
| | 1200 | 70 | TOKAI |
| | 1500 | 70 | DONALDSON |
| | 1800 | 70 | DONALDSON |
| | 2100 | 70 | PENTERIA |
| | 2400 | 70 | SUDARTH |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/9/2024 | 0300 | 69 | SUDARTH |
| | 0600 | 64 | TOMAS |
| | 0900 | 68 | TOMAS |
| | 1200 | 69 | TOMAS |
| | 1500 | 70 | BETHUEL |
| | 1800 | 69 | R. MAY |
| | 2100 | 69 | R. MAY |
| | 2400 | 69 | J. LIMON |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/11/2024 | 0300 | 69 | SUDARTH |
| | 0600 | 68 | TOKAI |
| | 0900 | 69 | TOKAI |
| | 1200 | 69 | TOKAI |
| | 1500 | 65 | TOKAI |
| | 1800 | 69 | TOKAI |
| | 2100 | 69 | TOKAI |
| | 2400 | 69 | SUDARTH |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CiCR 2024 (04/21)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CB2 | Temp. Reading Location: | 2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 98 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/6/2024 | 0300 | 67 | BOGLIO |
| | 0600 | 70 | ZELAYA |
| | 0900 | 70 | ZELAYA |
| | 1200 | 72 | ZELAYA |
| | 1500 | 70 | BARTON |
| | 1800 | 75 | BARTON |
| | 2100 | 74 | BARTON |
| | 2400 | 70 | WILLIAMS |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/8/2024 | 0300 | 70 | BOGLIO |
| | 0600 | 71 | BONIFACIO |
| | 0900 | 72 | BONIFACIO |
| | 1200 | 73 | BONIFACIO |
| | 1500 | 78 | GARRON |
| | 1800 | 74 | GARRON |
| | 2100 | 74 | GARRON |
| | 2400 | 74 | GARRON |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/10/2024 | 0300 | 72 | BONIFACIO |
| | 0600 | 71 | BONIFACIO |
| | 0900 | 73 | BONIFACIO |
| | 1200 | 75 | BONIFACIO |
| | 1500 | 78 | BARRON |
| | 1800 | 74 | BARRON |
| | 2100 | 74 | BARRON |
| | 2400 | 73 | HERNANDEZ |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/12/2024 | 0300 | 73 | KABIR |
| | 0600 | 73 | BONIFACIO |
| | 0900 | 74 | BONIFACIO |
| | 1200 | 70 | BONIFACIO |
| | 1500 | 75 | BARRON |
| | 1800 | 75 | BARRON |
| | 2100 | 75 | BARRON |
| | 2400 | 73 | CIVILLAN |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/7/2024 | 0300 | 70 | WILLIAMS |
| | 0600 | 70 | ZELAYA |
| | 0900 | 72 | ZELAYA |
| | 1200 | 72 | ZELAYA |
| | 1500 | 74 | BARTON |
| | 1800 | 75 | BARTON |
| | 2100 | 75 | BARTON |
| | 2400 | 73 | BOGLIO |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/9/2024 | 0300 | 71 | RODRIGUEZ |
| | 0600 | 71 | BONIFACIO |
| | 0900 | 73 | BONIFACIO |
| | 1200 | 74 | BONIFACIO |
| | 1500 | 77 | GARRON |
| | 1800 | 76 | GARRON |
| | 2100 | 75 | GARRON |
| | 2400 | 73 | HERNANDEZ |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/11/2024 | 0300 | 72 | HERNANDEZ |
| | 0600 | 72 | AIRAH |
| | 0900 | 74 | AIRAH |
| | 1200 | 74 | AIRAH |
| | 1500 | 78 | BARRON |
| | 1800 | 77 | BARRON |
| | 2100 | 77 | BARRON |
| | 2400 | 74 | KABIR |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

05012031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CC1 | Temp. Reading Location: | 1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches:

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/6/2024 | 0300 | 65 | PEREZ |
| | 0600 | 64 | Guzman |
| | 0900 | 66 | Guzman |
| | 1200 | 69 | Guzman |
| | 1500 | 70 | Sánchez |
| | 1800 | 69 | Sánchez |
| | 2100 | 71 | Sánchez |
| | 2400 | 70 | Sánchez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/7/2024 | 0300 | 69 | PEREZ |
| | 0600 | 65 | Sánchez |
| | 0900 | 69 | Sánchez |
| | 1200 | 70 | Sánchez |
| | 1500 | 71 | Sánchez |
| | 1800 | 70 | Sánchez |
| | 2100 | 69 | Sánchez |
| | 2400 | 68 | PEREZ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/8/2024 | 0300 | 64 | JONES |
| | 0600 | 66 | Jackson |
| | 0900 | 67 | Jones |
| | 1200 | 69 | Jones |
| | 1500 | 68 | Juno |
| | 1800 | 69 | Juno |
| | 2100 | 69 | Juno |
| | 2400 | 68 | Juno |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/9/2024 | 0300 | 68 | PEREZ |
| | 0600 | 69 | Guzman |
| | 0900 | 70 | Guzman |
| | 1200 | 71 | Guzman |
| | 1500 | 68 | Jones |
| | 1800 | 67 | Jones |
| | 2100 | 67 | Juno |
| | 2400 | 67 | M. BONILLA |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/10/2024 | 0300 | 61 | M. BONILLA |
| | 0600 | 69 | Guzman |
| | 0900 | 71 | Guzman |
| | 1200 | 73 | Guzman |
| | 1500 | 70 | Jones |
| | 1800 | 69 | Juno |
| | 2100 | 69 | Juno |
| | 2400 | 69 | M. BONILLA |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/11/2024 | 0300 | 66 | M. BONILLA |
| | 0600 | 69 | Guzman |
| | 0900 | 71 | Guzman |
| | 1200 | 73 | Guzman |
| | 1500 | 74 | Guzman |
| | 1800 | 73 | Chavez |
| | 2100 | 72 | Chavez |
| | 2400 | 69 | PEREZ |

Notes

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/12/2024 | 0300 | 66 | PEREZ |
| | 0600 | 69 | Guzman |
| | 0900 | 71 | Guzman |
| | 1200 | 73 | Guzman |
| | 1500 | 72 | Juno |
| | 1800 | 68 | Juno |
| | 2100 | 68 | Juno |
| | 2400 | 68 | PEREZ |

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/82)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CC2 Temp. Reading Location: 2nd
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees:

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/6/2024 | 0300 | 64 | M. BONILLA |
| | 0600 | 67 | MURENO |
| | 0900 | 63 | MURENO |
| | 1200 | 69 | MURENO |
| | 1500 | 70 | MURENO |
| | 1800 | 76 | MURENO |
| | 2100 | 71 | MURENO |
| | 2400 | 70 | TREVINO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/8/2024 | 0300 | 70 | Trevino |
| | 0600 | 70 | GALVAN |
| | 0900 | 71 | GALVAN |
| | 1200 | 73 | GALVAN |
| | 1500 | 72 | Rodriguez |
| | 1800 | 71 | Rodriguez |
| | 2100 | 76 | Rodriguez |
| | 2400 | 69 | Trevino |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/10/2024 | 0300 | 69 | Trevino |
| | 0600 | 69 | Mark |
| | 0900 | 70 | Mark |
| | 1200 | 71 | Mark |
| | 1500 | 74 | Mark |
| | 1800 | 78 | C. Brown |
| | 2100 | 72 | C. Brown |
| | 2400 | 72 | Mark |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/12/2024 | 0300 | 66 | M. BONILLA |
| | 0600 | 67 | Mark |
| | 0900 | 68 | Mark |
| | 1200 | 71 | Mark |
| | 1500 | 72 | Mark |
| | 1800 | 71 | Mark |
| | 2100 | 70 | Mark |
| | 2400 | 70 | M. BONILLA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/7/2024 | 0300 | 70 | Trevino |
| | 0600 | 70 | MURENO |
| | 0900 | 70 | MURENO |
| | 1200 | 70 | MURENO |
| | 1500 | 70 | Trevino |
| | 1800 | 69 | Trevino |
| | 2100 | 68 | Trevino |
| | 2400 | 67 | Trevino |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/9/2024 | 0300 | 70 | Trevino |
| | 0600 | 70 | GALVAN |
| | 0900 | 71 | GALVAN |
| | 1200 | 72 | GALVAN |
| | 1500 | 72 | SANCHEZ |
| | 1800 | 71 | SANCHEZ |
| | 2100 | 70 | SANCHEZ |
| | 2400 | 69 | Trevino |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/11/2024 | 0300 | 69 | Mark |
| | 0600 | 69 | GODINEZ |
| | 0900 | 71 | GODINEZ |
| | 1200 | 72 | GODINEZ |
| | 1500 | 73 | Mark |
| | 1800 | 72 | Mark |
| | 2100 | 70 | Mark |
| | 2400 | 71 | M. GODINEZ |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/21)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CD1 | Temp. Reading Location: | 1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/6/2024 | 0300 | 66 | J. Avila |
| | 0600 | 67 | R. Rojas |
| | 0900 | 70 | R. Flores |
| | 1200 | 73 | R. Flores |
| | 1500 | 74 | LW/C20 |
| | 1800 | 72 | LW/C20 |
| | 2100 | 69 | LW/C20 |
| | 2400 | 69 | Garcia |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/8/2024 | 0300 | 66 | C. GRAYBOY |
| | 0600 | 63 | lano |
| | 0900 | 67 | lano |
| | 1200 | 70 | lano |
| | 1500 | 73 | LW/C20 |
| | 1800 | 70 | LW/C20 |
| | 2100 | 69 | LW/C20 |
| | 2400 | 67 | Wilked |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/10/2024 | 0300 | 67 | KABIR |
| | 0600 | 66 | lano |
| | 0900 | 70 | lano |
| | 1200 | 71 | lano |
| | 1500 | 74 | Kunchen |
| | 1800 | 70 | YSA/INDAEZ |
| | 2100 | 69 | SOMONIET |
| | 2400 | 68 | KABIR |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/12/2024 | 0300 | 67 | Wilked |
| | 0600 | 68 | lano |
| | 0900 | 67 | lano |
| | 1200 | 70 | lano |
| | 1500 | 72 | KABIR |
| | 1800 | 72 | KABIR |
| | 2100 | 71 | KABIR |
| | 2400 | 70 | Wilked |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/7/2024 | 0300 | 68 | Garcia |
| | 0600 | 68 | L. Ayala |
| | 0900 | 69 | L. Ayala |
| | 1200 | 70 | L. Ayala |
| | 1500 | 73 | L. Ayala |
| | 1800 | 70 | L. Ayala |
| | 2100 | 69 | L. Ayala |
| | 2400 | 69 | KABIR |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/9/2024 | 0300 | 66 | W. tel |
| | 0600 | 68 | lano |
| | 0900 | 68 | lano |
| | 1200 | 70 | lano |
| | 1500 | 72 | L. Ayala |
| | 1800 | 70 | L. Ayala |
| | 2100 | 68 | L. Ayala |
| | 2400 | 68 | KABIR |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/11/2024 | 0300 | 67 | KABIR |
| | 0600 | 68 | lano |
| | 0900 | 69 | Ram |
| | 1200 | 71 | Ram |
| | 1500 | 72 | Suzanne |
| | 1800 | 70 | Suzanne |
| | 2100 | 69 | Suzanne |
| | 2400 | 68 | W. tel |

Notes

May 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CD2 Temp. Reading Location: 2nd
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/6/2024 | 0300 | 71 | M. Lopez |
| | 0600 | 72 | S. Lopez |
| | 0900 | 71 | S. Lopez |
| | 1200 | 71 | S. Lopez |
| | 1500 | 72 | A. Lopez |
| | 1800 | 72 | A. Lopez |
| | 2100 | 71 | A. Lopez |
| | 2400 | 71 | M. Lopez |

Wednesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/8/2024 | 0300 | 65 | J. Medea |
| | 0600 | 68 | J. Medea |
| | 0900 | 68 | J. Medea |
| | 1200 | 71 | J. Medea |
| | 1500 | 73 | SANTEL |
| | 1800 | 72 | SANTEL |
| | 2100 | 70 | SANTEL |
| | 2400 | 69 | J. Medea |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/10/2024 | 0300 | 69 | M. Lopez |
| | 0600 | 69 | S. Lopez |
| | 0900 | 70 | S. Lopez |
| | 1200 | 70 | S. Lopez |
| | 1500 | 71 | S. Lopez |
| | 1800 | 72 | SANTEL |
| | 2100 | 69 | SANTEL |
| | 2400 | 69 | D. TEJEDA |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/12/2024 | 0300 | 68 | S. Lopez |
| | 0600 | 69 | S. Lopez |
| | 0900 | 69 | S. Lopez |
| | 1200 | 69 | S. Lopez |
| | 1500 | 69 | S. Lopez |
| | 1800 | 69 | S. Lopez |
| | 2100 | 68 | S. Lopez |
| | 2400 | 68 | M. Lopez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/7/2024 | 0300 | 69 | M. Lopez |
| | 0600 | 68 | S. Lopez |
| | 0900 | 67 | S. Lopez |
| | 1200 | 65 | S. Lopez |
| | 1500 | 64 | SANTEL |
| | 1800 | 76 | SANTEL |
| | 2100 | 70 | SANTEL |
| | 2400 | 68 | J. Medea |

Thursday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 5/9/2024 | 0300 | 67 | J. Medea |
| | 0600 | 68 | J. Medea |
| | 0900 | 68 | J. Medea |
| | 1200 | 69 | J. Medea |
| | 1500 | 72 | J. Medea |
| | 1800 | 72 | J. Medea |
| | 2100 | 71 | J. Medea |
| | 2400 | 70 | H. Edwards |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/11/2024 | 0300 | 68 | D. TEJEDA |
| | 0600 | 69 | S. Lopez |
| | 0900 | 69 | S. Lopez |
| | 1200 | 69 | S. Lopez |
| | 1500 | 73 | S. Lopez |
| | 1800 | 72 | S. Lopez |
| | 2100 | 71 | S. Lopez |
| | 2400 | 70 | E. Edwards |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2991 (09/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CAI | Temp. Reading Location: | 3st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/13/2024 | 0300 | 67 | GRENADA |
| | 0600 | 70 | R. MAY |
| | 0900 | 72 | D. MAY |
| | 1200 | 72 | D. MAY |
| | 1500 | 74 | S. GONZALEZ |
| | 1800 | 73 | S. GONZALEZ |
| | 2100 | 71 | S. GONZALEZ |
| | 2400 | 70 | VELAZQUEZ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/15/2024 | 0300 | 66 | VELAZQUEZ |
| | 0600 | 69 | Rosales |
| | 0900 | 70 | Rosales |
| | 1200 | 73 | Rosales |
| | 1500 | 74 | S. GONZALEZ |
| | 1800 | 72 | S. GONZALEZ |
| | 2100 | 70 | S. GONZALEZ |
| | 2400 | 69 | VELAZQUEZ |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/17/2024 | 0300 | 73 | Trejillo |
| | 0600 | 72 | Trejillo |
| | 0900 | 75 | Rosales |
| | 1200 | 73 | Rosales |
| | 1500 | 75 | Quintana |
| | 1800 | 71 | Quintana |
| | 2100 | 70 | Quintana |
| | 2400 | 73 | Trejillo |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/19/2024 | 0300 | 69 | VELAZQUEZ |
| | 0600 | 71 | RAJESKI |
| | 0900 | 71 | IZADSEA |
| | 1200 | 71 | IZADSEA |
| | 1500 | 75 | A. URIBE |
| | 1800 | 73 | A. URIBE |
| | 2100 | 72 | A. URIBE |
| | 2400 | 71 | VELAZQUEZ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/14/2024 | 0300 | 68 | VELAZQUEZ |
| | 0600 | 68 | Rosales |
| | 0900 | 71 | Rosales |
| | 1200 | 75 | Rosales |
| | 1500 | 76 | S. GONZALEZ |
| | 1800 | 75 | S. GONZALEZ |
| | 2100 | 72 | S. GONZALEZ |
| | 2400 | 70 | VELAZQUEZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/16/2024 | 0300 | 68 | VELAZQUEZ |
| | 0600 | 68 | Rosales |
| | 0900 | 71 | Rosales |
| | 1200 | 73 | Rosales |
| | 1500 | 72 | S. GONZALEZ |
| | 1800 | 72 | S. GONZALEZ |
| | 2100 | 71 | S. GONZALEZ |
| | 2400 | 73 | Trejillo |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/18/2024 | 0300 | 73 | Trejillo |
| | 0600 | 73 | Trejillo |
| | 0900 | 72 | BONAPARTE |
| | 1200 | 74 | BONAPARTE |
| | 1500 | 74 | BONAPARTE |
| | 1800 | 73 | BONAPARTE |
| | 2100 | 72 | BONAPARTE |
| | 2400 | 70 | VELAZQUEZ |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|--|
| Institution: | CIM | Housing Unit: | CA2 | Temp. Reading Location: | 2nd <small>(e.g. 1st tier, 2nd tier, 3rd tier, etc.)</small> |
|--------------|-----|---------------|-----|-------------------------|--|

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/13/2024 | 0300 | 73 | Troyville |
| | 0600 | 73 | Troyville |
| | 0900 | 73 | Gonzales |
| | 1200 | 74 | Gonzales |
| | 1500 | 74 | Bonaduce |
| | 1800 | 74 | Pearlspointe |
| | 2100 | 74 | Riviera Park |
| | 2400 | 74 | Health |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/15/2024 | 0300 | 72 | E. G.A.C. |
| | 0600 | 70 | A. TAYLOR |
| | 0900 | 71 | A. TAYLOR |
| | 1200 | 71 | A. TAYLOR |
| | 1500 | 71 | D. FEWKES |
| | 1800 | 69 | A. STODDARD |
| | 2100 | 70 | D. FEWKES |
| | 2400 | 74 | RUCKER |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/17/2024 | 0300 | 72 | Health |
| | 0600 | 71 | Gonzales |
| | 0900 | 71 | Gonzales |
| | 1200 | 71 | Gonzales |
| | 1500 | 74 | A. FEWKES |
| | 1800 | 71 | D. FEWKES |
| | 2100 | 71 | D. FEWKES |
| | 2400 | 73 | Health |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/19/2024 | 0300 | 71 | C. JAMES |
| | 0600 | 70 | C. JAMES |
| | 0900 | 71 | C. JAMES |
| | 1200 | 73 | Bonaduce |
| | 1500 | 72 | Bonaduce |
| | 1800 | 73 | Bonaduce |
| | 2100 | 73 | Bonaduce |
| | 2400 | 73 | L. TROYVILLE |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/14/2024 | 0300 | 74 | Health |
| | 0600 | 73 | Savardia |
| | 0900 | 74 | Savardia |
| | 1200 | 71 | Savardia |
| | 1500 | 71 | Fawkes |
| | 1800 | 75 | Fawkes |
| | 2100 | 71 | Fawkes |
| | 2400 | 73 | E. G.A.C. |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/16/2024 | 0300 | 78 | Health |
| | 0600 | 74 | M. RONALD |
| | 0900 | 71 | M. RONALD |
| | 1200 | 80 | M. RONALD |
| | 1500 | 72 | D. FEWKES |
| | 1800 | 73 | D. FEWKES |
| | 2100 | 70 | D. FEWKES |
| | 2400 | 73 | Health |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/18/2024 | 0300 | 73 | Health |
| | 0600 | 71 | M. RONALD |
| | 0900 | 71 | A. TAYLOR |
| | 1200 | 72 | A. TAYLOR |
| | 1500 | 73 | I. CHAVEZ |
| | 1800 | 72 | I. CHAVEZ |
| | 2100 | 72 | I. CHAVEZ |
| | 2400 | 71 | C. JAMES |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

OCCR 2033 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week:

| | | |
|-------------------------|--------------------------|--|
| Institution: <u>CIM</u> | Housing Unit: <u>CB1</u> | Temp. Reading Location: <u>1st</u> (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|-------------------------|--------------------------|--|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/13/2024 | 0300 | 70 | JAVILA |
| | 0600 | 71 | TORAL |
| | 0900 | 70 | TORAL |
| | 1200 | 71 | TORAL |
| | 1500 | 74 | MARSHALL |
| | 1800 | 74 | MARSHALL |
| | 2100 | 74 | MARSHALL |
| | 2400 | 73 | Trujillo |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/15/2024 | 0300 | 67 | JAVILA |
| | 0600 | 68 | TORAL |
| | 0900 | 68 | TORAL |
| | 1200 | 70 | TORAL |
| | 1500 | 71 | MARSHALL |
| | 1800 | 70 | MARSHALL |
| | 2100 | 70 | MARSHALL |
| | 2400 | 69 | Siddarth |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/17/2024 | 0300 | 69 | Siddarth |
| | 0600 | 69 | TRUJILLO |
| | 0900 | 72 | TRUJILLO |
| | 1200 | 72 | TRUJILLO |
| | 1500 | 73 | D. MURIEL |
| | 1800 | 73 | D. MURIEL |
| | 2100 | 70 | D. MURIEL |
| | 2400 | 70 | TRUJILLO |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/19/2024 | 0300 | 69 | Siddarth |
| | 0600 | 69 | TORAL |
| | 0900 | 69 | TORAL |
| | 1200 | 71 | TORAL |
| | 1500 | 73 | K. KING |
| | 1800 | 73 | K. KING |
| | 2100 | 73 | K. KING |
| | 2400 | 73 | K. KING |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/14/2024 | 0300 | 72 | Trujillo |
| | 0600 | 72 | Trujillo |
| | 0900 | 72 | Trujillo |
| | 1200 | 72 | Trujillo |
| | 1500 | 73 | ESCRADA |
| | 1800 | 71 | ESCRADA |
| | 2100 | 69 | ESCRADA |
| | 2400 | 69 | Siddarth |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/16/2024 | 0300 | 69 | Siddarth |
| | 0600 | 70 | HEMM |
| | 0900 | 70 | HEMM |
| | 1200 | 71 | HEMM |
| | 1500 | 72 | R. MAY |
| | 1800 | 71 | R. MAY |
| | 2100 | 70 | L. MAY |
| | 2400 | 69 | Siddarth |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/18/2024 | 0300 | 71 | SAROONI |
| | 0600 | 70 | SAROONI |
| | 0900 | 70 | Siddarth |
| | 1200 | 70 | Siddarth |
| | 1500 | 73 | ESTRADA |
| | 1800 | 73 | ESTRADA |
| | 2100 | 71 | ESTRADA |
| | 2400 | 69 | Siddarth |

Notes

DISTRIBUTION: Original Institution Heat Plan Coordinator

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CB2 Temp. Reading Location: 2nd
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/13/2024 | 0300 | 72 | THOMAS |
| | 0600 | 70 | THOMAS |
| | 0900 | 72 | THOMAS |
| | 1200 | 72 | THOMAS |
| | 1500 | 74 | THOMAS |
| | 1800 | 75 | THOMAS |
| | 2100 | 74 | THOMAS |
| | 2400 | 72 | THOMAS |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/15/2024 | 0300 | 70 | BARRON |
| | 0600 | 72 | BARRON |
| | 0900 | 73 | BARRON |
| | 1200 | 73 | BARRON |
| | 1500 | 76 | BARRON |
| | 1800 | 74 | BARRON |
| | 2100 | 74 | BARRON |
| | 2400 | 72 | BARRON |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/17/2024 | 0300 | 70 | BARRON |
| | 0600 | 72 | BARRON |
| | 0900 | 72 | BARRON |
| | 1200 | 73 | BARRON |
| | 1500 | 73 | BARRON |
| | 1800 | 73 | BARRON |
| | 2100 | 73 | BARRON |
| | 2400 | 71 | BARRON |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/19/2024 | 0300 | 71 | KABIR |
| | 0600 | 73 | KABIR |
| | 0900 | 75 | KABIR |
| | 1200 | 73 | KABIR |
| | 1500 | 73 | KABIR |
| | 1800 | 73 | KABIR |
| | 2100 | 73 | KABIR |
| | 2400 | 72 | KABIR |

DISTRIBUTION: Original Institution Heat Plan Coordinator

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/14/2024 | 0300 | 72 | WILLIAMS |
| | 0600 | 70 | WILLIAMS |
| | 0900 | 74 | WILLIAMS |
| | 1200 | 74 | WILLIAMS |
| | 1500 | 76 | WILLIAMS |
| | 1800 | 77 | WILLIAMS |
| | 2100 | 74 | WILLIAMS |
| | 2400 | 74 | WILLIAMS |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/16/2024 | 0300 | 70 | B. ESTRELLA |
| | 0600 | 71 | R. MAY |
| | 0900 | 70 | DIAZ |
| | 1200 | 71 | DIAZ |
| | 1500 | 74 | DIAZ |
| | 1800 | 73 | DIAZ |
| | 2100 | 73 | DIAZ |
| | 2400 | 71 | B. ESTRELLA |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/18/2024 | 0300 | 70 | ROGERS |
| | 0600 | 71 | ALVAREZ |
| | 0900 | 71 | ALVAREZ |
| | 1200 | 74 | ALVAREZ |
| | 1500 | 74 | ALVAREZ |
| | 1800 | 73 | ALVAREZ |
| | 2100 | 72 | ALVAREZ |
| | 2400 | 72 | ALVAREZ |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

cccr2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CC1 Temp. Reading Location: 1st
(e.g. 1st tier, 2nd tier, 3rd tier,
etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/13/2024 | 0300 | 67 | SANCHEZ |
| | 0600 | 69 | GUZMAN |
| | 0900 | 71 | GUZMAN |
| | 1200 | 71 | GUZMAN |
| | 1500 | 74 | Rosario |
| | 1800 | 73 | Ronke |
| | 2100 | 70 | Ronke |
| | 2400 | 69 | PENZ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/15/2024 | 0300 | 68 | SANCHEZ |
| | 0600 | 68 | SANCHEZ |
| | 0900 | 70 | SANCHEZ |
| | 1200 | 71 | SANCHEZ |
| | 1500 | 69 | DIAZO |
| | 1800 | 67 | DIAZO |
| | 2100 | 67 | DIAZO |
| | 2400 | 67 | PENZ |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/17/2024 | 0300 | 69 | M. BENAVIDES |
| | 0600 | 67 | GUZMAN |
| | 0900 | 69 | GUZMAN |
| | 1200 | 70 | GUZMAN |
| | 1500 | 69 | DIAZO |
| | 1800 | 67 | DIAZO |
| | 2100 | 69 | DIAZO |
| | 2400 | 69 | M. BENAVIDES |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/19/2024 | 0300 | 68 | PENZ |
| | 0600 | 67 | GUZMAN |
| | 0900 | 69 | GUZMAN |
| | 1200 | 71 | GUZMAN |
| | 1500 | 72 | ANALA |
| | 1800 | 72 | ANALA |
| | 2100 | 71 | ANALA |
| | 2400 | 71 | PENZ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/14/2024 | 0300 | 68 | SANCHEZ |
| | 0600 | 68 | SANCHEZ |
| | 0900 | 69 | SANCHEZ |
| | 1200 | 70 | SANCHEZ |
| | 1500 | 71 | DIAZO |
| | 1800 | 72 | DIAZO |
| | 2100 | 71 | Rodriguez |
| | 2400 | 69 | Rodriguez |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/16/2024 | 0300 | 68 | SANCHEZ |
| | 0600 | 68 | GUZMAN |
| | 0900 | 69 | GUZMAN |
| | 1200 | 70 | GUZMAN |
| | 1500 | 69 | DIAZO |
| | 1800 | 68 | DIAZO |
| | 2100 | 69 | DIAZO |
| | 2400 | 68 | M. BENAVIDES |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/18/2024 | 0300 | 69 | M. BENAVIDES |
| | 0600 | 69 | GUZMAN |
| | 0900 | 70 | GUZMAN |
| | 1200 | 71 | GUZMAN |
| | 1500 | 70 | DIAZO |
| | 1800 | 69 | DIAZO |
| | 2100 | 69 | DIAZO |
| | 2400 | 69 | M. BENAVIDES |

Notes:

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CCR 2031 (04/03)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CC2 | Temp. Reading Location: | 2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/13/2024 | 0300 | 66 | M. BONILLA |
| | 0600 | 68° | MORENO |
| | 0900 | 71 | MORENO |
| | 1200 | 73 | MORENO |
| | 1500 | 72 | GALINDO |
| | 1800 | 73 | GALINDO |
| | 2100 | 71 | GALINDO |
| | 2400 | 70 | THOMAS |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/15/2024 | 0300 | 70 | TREVINO |
| | 0600 | 69 | GALINDO |
| | 0900 | 70 | GALINDO |
| | 1200 | 71 | GALINDO |
| | 1500 | 72 | BELNICKY |
| | 1800 | 72 | BELNICKY |
| | 2100 | 70 | BELNICKY |
| | 2400 | 70 | TREVINO |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/17/2024 | 0300 | 68 | SIEBA |
| | 0600 | 67 | GALINDO |
| | 0900 | 70 | GALINDO |
| | 1200 | 71 | GALINDO |
| | 1500 | 72 | BELNICKY |
| | 1800 | 71 | BELNICKY |
| | 2100 | 70 | BELNICKY |
| | 2400 | 70 | RUCKENFELS |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/19/2024 | 0300 | 66 | M. BONILLA |
| | 0600 | 67 | L. AYALA |
| | 0900 | 64 | L. AYALA |
| | 1200 | 71 | L. AYALA |
| | 1500 | 71 | L. AYALA |
| | 1800 | 71 | L. AYALA |
| | 2100 | 70 | L. AYALA |
| | 2400 | 70 | M. BONILLA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/14/2024 | 0300 | 69 | THOMAS |
| | 0600 | 72 | MORENO |
| | 0900 | 72 | MORENO |
| | 1200 | 74 | MORENO |
| | 1500 | 73 | GALINDO |
| | 1800 | 73 | GALINDO |
| | 2100 | 72 | GALINDO |
| | 2400 | 71 | THOMAS |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/16/2024 | 0300 | 69 | THOMAS |
| | 0600 | 69 | GALINDO |
| | 0900 | 71 | GALINDO |
| | 1200 | 71 | GALINDO |
| | 1500 | 69 | GALINDO |
| | 1800 | 69 | GALINDO |
| | 2100 | 69 | GALINDO |
| | 2400 | 68 | GALINDO |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/18/2024 | 0300 | 70 | RUCKENFELS |
| | 0600 | 70 | SIEBA |
| | 0900 | 70 | SIEBA |
| | 1200 | 71 | SIEBA |
| | 1500 | 72 | M. BONILLA |
| | 1800 | 71 | M. BONILLA |
| | 2100 | 70 | M. BONILLA |
| | 2400 | 70 | M. BONILLA |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CD1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/13/2024 | 0300 | 65 | m-kel |
| | 0600 | 71 | D. Zeng |
| | 0900 | 73 | J. Moyer |
| | 1200 | 75 | D. Zeng |
| | 1500 | 75 | L. (020) |
| | 1800 | 72 | L. (020) |
| | 2100 | 70 | L. (020) |
| | 2400 | 68 | m-kel |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/15/2024 | 0300 | 68 | m-kel |
| | 0600 | 71 | D. Moyer |
| | 0900 | 70 | D. Moyer |
| | 1200 | 71 | D. Moyer |
| | 1500 | 72 | L. (020) |
| | 1800 | 70 | L. (020) |
| | 2100 | 68 | L. (020) |
| | 2400 | 64 | m-kel |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/17/2024 | 0300 | 64 | KABIR |
| | 0600 | 67 | lens |
| | 0900 | 68 | lens |
| | 1200 | 70 | lens |
| | 1500 | 69 | V. ROSAS |
| | 1800 | 70 | V. ROSAS |
| | 2100 | 68 | V. ROSAS |
| | 2400 | 64 | KABIR |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/19/2024 | 0300 | 68 | m-kel |
| | 0600 | 69 | lens |
| | 0900 | 68 | lens |
| | 1200 | 70 | lens |
| | 1500 | 74 | L. (020) |
| | 1800 | 71 | L. (020) |
| | 2100 | 69 | L. (020) |
| | 2400 | 68 | m-kel |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/14/2024 | 0300 | 68 | m-kel |
| | 0600 | 73 | M. Martin |
| | 0900 | 70 | M. Martin |
| | 1200 | 71 | M. Martin |
| | 1500 | 73 | L. (020) |
| | 1800 | 71 | L. (020) |
| | 2100 | 69 | L. (020) |
| | 2400 | 68 | m-kel |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/16/2024 | 0300 | 65 | m-kel |
| | 0600 | 66 | T. (020) |
| | 0900 | 66.5 | T. (020) |
| | 1200 | 68 | T. (020) |
| | 1500 | 69 | V. ROSAS |
| | 1800 | 69 | D. Clark |
| | 2100 | 69 | D. Clark |
| | 2400 | 65 | KABIR |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/18/2024 | 0300 | 65 | KABIR |
| | 0600 | 66 | lens |
| | 0900 | 65 | lens |
| | 1200 | 69 | lens |
| | 1500 | 73 | V. ROSAS |
| | 1800 | 70 | V. ROSAS |
| | 2100 | 69 | V. ROSAS |
| | 2400 | 68 | m-kel |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CD2 Temp. Reading Location: 2nd
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/13/2024 | 0300 | 69 | LAUNDRY |
| | 0600 | 70 | S. Lopez |
| | 0900 | 71 | S. Lopez |
| | 1200 | 72 | S. Lopez |
| | 1500 | 72 | M. Bonilla |
| | 1800 | 72 | M. Bonilla |
| | 2100 | 71 | M. Bonilla |
| | 2400 | 71 | M. Bonilla |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/15/2024 | 0300 | 67 | J. Medrano |
| | 0600 | 67 | J. Medrano |
| | 0900 | 68 | J. Medrano |
| | 1200 | 70 | J. Medrano |
| | 1500 | 72 | Sanchez |
| | 1800 | 74 | Sanchez |
| | 2100 | 72 | Sanchez |
| | 2400 | 71 | Sanchez |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/17/2024 | 0300 | 65 | J. Medrano |
| | 0600 | 67 | J. Medrano |
| | 0900 | 68 | J. Medrano |
| | 1200 | 71 | J. Medrano |
| | 1500 | 70 | G. Diaz |
| | 1800 | 70 | G. Diaz |
| | 2100 | 69 | J. Medrano |
| | 2400 | 69 | J. Medrano |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/19/2024 | 0300 | 65 | J. Medrano |
| | 0600 | 68 | D. M. M. |
| | 0900 | 69 | D. M. M. |
| | 1200 | 71 | D. M. M. |
| | 1500 | 69 | V. Rosas |
| | 1800 | 69 | V. Rosas |
| | 2100 | 69 | V. Rosas |
| | 2400 | 69 | LOCK D. |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/14/2024 | 0300 | 66 | M. Bonilla |
| | 0600 | 67 | S. Lopez |
| | 0900 | 69 | S. Lopez |
| | 1200 | 71 | S. Lopez |
| | 1500 | 72 | Sanchez |
| | 1800 | 72 | Sanchez |
| | 2100 | 71 | Sanchez |
| | 2400 | 69 | J. Medrano |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/16/2024 | 0300 | 69 | J. Medrano |
| | 0600 | 67 | J. Medrano |
| | 0900 | 68 | J. Medrano |
| | 1200 | 70 | J. Medrano |
| | 1500 | 72 | Sanchez |
| | 1800 | 72 | Sanchez |
| | 2100 | 72 | Sanchez |
| | 2400 | 68 | J. Medrano |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/18/2024 | 0300 | 65 | J. Medrano |
| | 0600 | 67 | S. Lopez |
| | 0900 | 69 | S. Lopez |
| | 1200 | 71 | S. Lopez |
| | 1500 | 73 | Sanchez |
| | 1800 | 72 | Sanchez |
| | 2100 | 69 | Sanchez |
| | 2400 | 67 | J. Medrano |

Notes:

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR 2052 (04/83)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CA1 | Temp. Reading Location: | 1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/20/2024 | 0300 | 70 | VELAZQUEZ |
| | 0600 | 70 | Gunn |
| | 0900 | 70 | Gunn |
| | 1200 | 70 | Gunn |
| | 1500 | 75 | S.GOODRIDGE |
| | 1800 | 74 | S.GOODRIDGE |
| | 2100 | 71 | S.GOODRIDGE |
| | 2400 | 69 | VELAZQUEZ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/22/2024 | 0300 | 70 | VELAZQUEZ |
| | 0600 | 70 | Rosales |
| | 0900 | 72 | Rosales |
| | 1200 | 76 | Rosales |
| | 1500 | 75 | S.GOODRIDGE |
| | 1800 | 74 | S.GOODRIDGE |
| | 2100 | 72 | S.GOODRIDGE |
| | 2400 | 70 | VELAZQUEZ |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/24/2024 | 0300 | 69 | Angon |
| | 0600 | 70 | Rosales |
| | 0900 | 72 | Rosales |
| | 1200 | 74 | Rosales |
| | 1500 | 74 | ADMUR |
| | 1800 | 71 | ADMUR |
| | 2100 | 71 | ADMUR |
| | 2400 | 72 | Timilla |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/26/2024 | 0300 | 69 | VELAZQUEZ |
| | 0600 | 69.3 | SANTA CRUZ |
| | 0900 | 68.7 | SANTA CRUZ |
| | 1200 | 72 | SANTA CRUZ |
| | 1500 | 73 | S.GOODRIDGE |
| | 1800 | 71 | S.GOODRIDGE |
| | 2100 | 72 | SANTA CRUZ |
| | 2400 | 70 | VELAZQUEZ |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/21/2024 | 0300 | 68 | VELAZQUEZ |
| | 0600 | 69 | MIRONES |
| | 0900 | 70 | MIRONES |
| | 1200 | 72 | MIRONES |
| | 1500 | 74 | S.GOODRIDGE |
| | 1800 | 73 | S.GOODRIDGE |
| | 2100 | 72 | S.GOODRIDGE |
| | 2400 | 71 | VELAZQUEZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|-----------------|
| 5/23/2024 | 0300 | 70 | ADMUR VELAZQUEZ |
| | 0600 | 70 | Rosales |
| | 0900 | 73 | Rosales |
| | 1200 | 73 | Rosales |
| | 1500 | 75 | S.GOODRIDGE |
| | 1800 | 74 | S.GOODRIDGE |
| | 2100 | 72 | S.GOODRIDGE |
| | 2400 | 71 | Angon |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/25/2024 | 0300 | 73 | Timilla |
| | 0600 | 74 | Timilla |
| | 0900 | 74 | Rosales |
| | 1200 | 74 | Rosales |
| | 1500 | 73 | ZARZUELA |
| | 1800 | 73 | ZARZUELA |
| | 2100 | 73 | ZARZUELA |
| | 2400 | 72 | VELAZQUEZ |

Notes

May 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|--|
| Institution: | CIM | Housing Unit: | CA2 | Temp. Reading Location: | 2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|--|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/20/2024 | 0300 | 72 | L. Trujillo |
| | 0600 | 72 | L. Trujillo |
| | 0900 | 72 | Gonzales |
| | 1200 | 72 | Gonzales |
| | 1500 | 72 | Gonzales |
| | 1800 | 72 | GONZALEZ |
| | 2100 | 72 | GONZALEZ |
| | 2400 | 72 | Heath |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/22/2024 | 0300 | 73 | Heath |
| | 0600 | 71 | D. DUNN |
| | 0900 | 71 | D. DUNN |
| | 1200 | 72 | D. DUNN |
| | 1500 | 73 | D. DUNN |
| | 1800 | 73 | D. DUNN |
| | 2100 | 73 | D. DUNN |
| | 2400 | 73 | Heath |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/24/2024 | 0300 | 72 | Heath |
| | 0600 | 71 | Gonzales |
| | 0900 | 71 | Gonzales |
| | 1200 | 71 | Gonzales |
| | 1500 | 70 | DUNN |
| | 1800 | 70 | DUNN |
| | 2100 | 70 | DUNN |
| | 2400 | 71 | Heath |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/26/2024 | 0300 | 69 | Trujillo |
| | 0600 | 69 | Trujillo |
| | 0900 | 69 | VELAZQUEZ |
| | 1200 | 70 | VELAZQUEZ |
| | 1500 | 70 | CEMETTE |
| | 1800 | 71 | CEMETTE |
| | 2100 | 70 | CEMETTE |
| | 2400 | 69 | TRUJILLO |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/21/2024 | 0300 | 72 | Heath |
| | 0600 | 71 | Gonzales |
| | 0900 | 70 | Gonzales |
| | 1200 | 70 | Gonzales |
| | 1500 | 74 | DUNCAN |
| | 1800 | 73 | DUNN |
| | 2100 | 73 | DUNN |
| | 2400 | 74 | Heath |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/23/2024 | 0300 | 73 | Heath |
| | 0600 | 73 | R. McNeely |
| | 0900 | 73 | P. McNeely |
| | 1200 | 72 | McNeely |
| | 1500 | 73 | DUNCAN |
| | 1800 | 73 | DUNN |
| | 2100 | 73 | DUNN |
| | 2400 | 73 | Heath |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/25/2024 | 0300 | 71 | Heath |
| | 0600 | 70 | Gonzales |
| | 0900 | 70 | AGUILAR |
| | 1200 | 70 | ARGUELLO |
| | 1500 | 69 | DUNCAN |
| | 1800 | 70 | DUNN |
| | 2100 | 70 | DUNN |
| | 2400 | 70 | Trujillo |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/03)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: C81 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/20/2024 | 0300 | 66 | CASH |
| | 0600 | 68 | TORAN |
| | 0900 | 69 | TORAN |
| | 1200 | 69 | TORAN |
| | 1500 | 69 | DR |
| | 1800 | 68 | ROYAL |
| | 2100 | 69 | ROYES |
| | 2400 | 70 | Torilla |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/22/2024 | 0300 | 68 | Angie |
| | 0600 | 68 | TORAN |
| | 0900 | 69 | TORAN |
| | 1200 | 69 | TORAN |
| | 1500 | 70 | MICHAEL |
| | 1800 | 69 | MICHAEL |
| | 2100 | 69 | MICHAEL |
| | 2400 | 68 | Angie |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/24/2024 | 0300 | 65 | |
| | 0600 | 66 | Dave |
| | 0900 | 67 | Dave |
| | 1200 | 68 | DR |
| | 1500 | 67 | DR |
| | 1800 | 67 | DR |
| | 2100 | 69 | DR |
| | 2400 | 70 | DR |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/26/2024 | 0300 | 67 | |
| | 0600 | 68 | TORAN |
| | 0900 | 69 | TORAN |
| | 1200 | 70 | TORAN |
| | 1500 | 70 | TORAN |
| | 1800 | 70 | TORAN |
| | 2100 | 70 | TORAN |
| | 2400 | 68 | B. REED |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/21/2024 | 0300 | 70 | Torilla |
| | 0600 | 70 | Torilla |
| | 0900 | 70 | TORAN |
| | 1200 | 71 | TORAN |
| | 1500 | 71 | MICHAEL |
| | 1800 | 72 | MICHAEL |
| | 2100 | 69 | MICHAEL |
| | 2400 | 68 | Angie |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/23/2024 | 0300 | 70 | Angie |
| | 0600 | 70 | TORAN |
| | 0900 | 70 | TORAN |
| | 1200 | 71 | VANESSA |
| | 1500 | 70 | Randy |
| | 1800 | 69 | Randy |
| | 2100 | 68 | Randy |
| | 2400 | 65 | |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/25/2024 | 0300 | 69 | |
| | 0600 | 68 | TORAN |
| | 0900 | 70 | TORAN |
| | 1200 | 70 | TORAN |
| | 1500 | 71 | BONNIE |
| | 1800 | 70 | BONNIE |
| | 2100 | 68 | BONNIE |
| | 2400 | 68 | |

Notes

May 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2021 (04/21)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CB2 | Temp. Reading Location: | 2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches:

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/20/2024 | 0300 | 71 | LAGRIMA'S |
| | 0600 | 79 | VALMYA |
| | 0900 | 71 | MARINA |
| | 1200 | 72 | ZELAYA |
| | 1500 | 74 | BARRON |
| | 1800 | 75 | BARRON |
| | 2100 | 74 | BARRON |
| | 2400 | 72 | LAGRIMA'S |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/22/2024 | 0300 | 74 | LAGRIMA'S |
| | 0600 | 79 | SOUTHERN |
| | 0900 | 70 | SOUTHERN |
| | 1200 | 70 | SOUTHERN |
| | 1500 | 74 | BARRON |
| | 1800 | 74 | BARRON |
| | 2100 | 74 | BARRON |
| | 2400 | 73 | SOUTHERN |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/24/2024 | 0300 | 72 | BARRON |
| | 0600 | 74 | JEONG |
| | 0900 | 74 | JEONG |
| | 1200 | 74 | JEONG |
| | 1500 | 77 | BARRON |
| | 1800 | 77 | BARRON |
| | 2100 | 77 | BARRON |
| | 2400 | 74 | LAGRIMA'S |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/26/2024 | 0300 | 70 | HOLMES |
| | 0600 | 74 | HOLMES |
| | 0900 | 71 | VALMYA |
| | 1200 | 73 | VALMYA |
| | 1500 | 78 | BARRON |
| | 1800 | 78 | BARRON |
| | 2100 | 78 | BARRON |
| | 2400 | 77 | Anyam |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/21/2024 | 0300 | 70 | LAGRIMA'S |
| | 0600 | 72 | VALMYA |
| | 0900 | 72 | VALMYA |
| | 1200 | 72 | VALMYA |
| | 1500 | 75 | BARRON |
| | 1800 | 76 | BARRON |
| | 2100 | 75 | BARRON |
| | 2400 | 74 | LAGRIMA'S |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/23/2024 | 0300 | 71 | BARRON |
| | 0600 | 71 | SOUTHERN |
| | 0900 | 73 | SOUTHERN |
| | 1200 | 75 | SOUTHERN |
| | 1500 | 76 | BARRON |
| | 1800 | 76 | BARRON |
| | 2100 | 76 | BARRON |
| | 2400 | 74 | BARRON |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/25/2024 | 0300 | 71 | LAGRIMA'S |
| | 0600 | 75 | VALMYA |
| | 0900 | 75 | VALMYA |
| | 1200 | 75 | VALMYA |
| | 1500 | 77 | BARRON |
| | 1800 | 78 | BARRON |
| | 2100 | 78 | BARRON |
| | 2400 | 75 | HOLMES |

Notes:

May 2024

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2001 (04/81)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|--------------------------|---|
| Institution: | CIM | Housing Unit: | CC1 | Temp. Reading Locations: | 1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|--------------------------|---|

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/20/2024 | 0300 | 68 | Perez |
| | 0600 | 68 | Guzman |
| | 0900 | 67 | Guzman |
| | 1200 | 69 | Guzman |
| | 1500 | 70 | V. Rosas |
| | 1800 | 66 | V. Rosas |
| | 2100 | 68 | V. Rosas |
| | 2400 | 68 | Perez |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/22/2024 | 0300 | 67 | Jones |
| | 0600 | 66 | Jackson |
| | 0900 | 68 | Jackson |
| | 1200 | 70 | Jackson |
| | 1500 | 69 | Jahiro |
| | 1800 | 68 | Jahiro |
| | 2100 | 67 | Jahiro |
| | 2400 | 67 | Jones |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/24/2024 | 0300 | 64 | M. Bonilla |
| | 0600 | 68 | Guzman |
| | 0900 | 69 | Guzman |
| | 1200 | 68 | Guzman |
| | 1500 | 69 | Dario |
| | 1800 | 68 | Dario |
| | 2100 | 67 | Dario |
| | 2400 | 67 | M. Bonilla |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/26/2024 | 0300 | 67 | Perez |
| | 0600 | 68 | Guzman |
| | 0900 | 68 | Guzman |
| | 1200 | 69 | Guzman |
| | 1500 | 69 | Dario |
| | 1800 | 68 | Dario |
| | 2100 | 68 | Dario |
| | 2400 | 67 | Perez |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/21/2024 | 0300 | 67 | Perez |
| | 0600 | 66 | Sanchez |
| | 0900 | 68 | Sanchez |
| | 1200 | 69 | Sanchez |
| | 1500 | 71 | V. Rosas |
| | 1800 | 69 | V. Rosas |
| | 2100 | 67 | V. Rosas |
| | 2400 | 68 | Perez |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/23/2024 | 0300 | 67 | Perez |
| | 0600 | 67 | Guzman |
| | 0900 | 69 | Guzman |
| | 1200 | 70 | Guzman |
| | 1500 | 70 | Tahiro |
| | 1800 | 68 | Tahiro |
| | 2100 | 66 | Tahiro |
| | 2400 | 69 | M. Bonilla |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/25/2024 | 0300 | 64 | M. Bonilla |
| | 0600 | 66 | Guzman |
| | 0900 | 67 | Guzman |
| | 1200 | 69 | Guzman |
| | 1500 | 68 | Dario |
| | 1800 | 69 | Dario |
| | 2100 | 64 | Dario |
| | 2400 | 68 | Perez |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CC2 | Temp. Reading Location: | 2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|-----------------|
| 5/20/2024 | 0300 | 66 | M. BONIACO |
| | 0600 | 67 | D. MURRAY |
| | 0900 | 68 | D. MURRAY |
| | 1200 | 69 | D. MURRAY |
| | 1500 | 70 | Washburn, Jr. |
| | 1800 | 69 | Washburn, Jr. |
| | 2100 | 68 | Washington, Jr. |
| | 2400 | 69 | M. MONTE |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/21/2024 | 0300 | 68 | M. MONTE |
| | 0600 | 69 | D. MURRAY |
| | 0900 | 69 | MURRAY |
| | 1200 | 70 | MURRAY |
| | 1500 | 71 | L. CORONA |
| | 1800 | 71 | L. CORONA |
| | 2100 | 70 | L. CORONA |
| | 2400 | 68 | M. MONTE |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/22/2024 | 0300 | 67 | M. MONTE |
| | 0600 | 69 | GALVAN |
| | 0900 | 70 | GALVAN |
| | 1200 | 71 | GALVAN |
| | 1500 | 70 | |
| | 1800 | 69 | |
| | 2100 | 68 | |
| | 2400 | 69 | M. MONTE |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/23/2024 | 0300 | 67 | M. MONTE |
| | 0600 | 68 | GALVAN |
| | 0900 | 69 | GALVAN |
| | 1200 | 70 | GALVAN |
| | 1500 | 69 | C. COASTMAN |
| | 1800 | 69 | COASTMAN |
| | 2100 | 69 | C. COASTMAN |
| | 2400 | 68 | M. MONTE |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/24/2024 | 0300 | 67 | M. MONTE |
| | 0600 | 67 | J. TAYLOR |
| | 0900 | 70 | J. TAYLOR |
| | 1200 | 72 | J. TAYLOR |
| | 1500 | 70 | J. TAYLOR |
| | 1800 | 69 | J. TAYLOR |
| | 2100 | 68 | J. TAYLOR |
| | 2400 | 69 | M. MONTE |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/25/2024 | 0300 | 67 | M. MONTE |
| | 0600 | 66 | |
| | 0900 | 67 | |
| | 1200 | 69 | |
| | 1500 | 72 | |
| | 1800 | 72 | |
| | 2100 | 71 | |
| | 2400 | 71 | M. MONTE |

Notes

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/26/2024 | 0300 | 66 | M. BONIACO |
| | 0600 | 67 | |
| | 0900 | 68 | |
| | 1200 | 69 | |
| | 1500 | 72 | A. McMillan |
| | 1800 | 72 | A. McMillan |
| | 2100 | 70 | A. McMillan |
| | 2400 | 69 | M. BONIACO |

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR 2031 (04/83)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CD1 | Temp. Reading Location: | 1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/20/2024 | 0300 | 66 | markel |
| | 0600 | 69 | SANTA CRUZ |
| | 0900 | 68.2 | SANTA CRUZ |
| | 1200 | 77 | SANTA CRUZ |
| | 1500 | 73 | Lopez R |
| | 1800 | 70 | Lopez R |
| | 2100 | 76 | Lopez R |
| | 2400 | 68 | markel |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/22/2024 | 0300 | 69.2 | markel |
| | 0600 | 71 | SANTA |
| | 0900 | 68 | SANTA |
| | 1200 | 70 | Barreto |
| | 1500 | 71 | Lopez |
| | 1800 | 70 | Lopez |
| | 2100 | 70 | Lopez |
| | 2400 | 68 | markel |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/24/2024 | 0300 | 67 | KABIR |
| | 0600 | 63 | liso |
| | 0900 | 66 | liso |
| | 1200 | 68 | liso |
| | 1500 | 71 | Rosas V |
| | 1800 | 69 | Rosas V |
| | 2100 | 70 | Rosas V |
| | 2400 | 64 | KABIR |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/26/2024 | 0300 | 68.5 | markel |
| | 0600 | 66 | markel |
| | 0900 | 68 | markel |
| | 1200 | 70 | liso |
| | 1500 | 72 | Lopez O |
| | 1800 | 70 | Lopez O |
| | 2100 | 70 | Lopez O |
| | 2400 | 67 | markel |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/21/2024 | 0300 | 66.5 | markel |
| | 0600 | 68 | D.Wilson |
| | 0900 | 69 | D.Wilson |
| | 1200 | 71 | D.Wilson |
| | 1500 | 73 | Lopez D |
| | 1800 | 71 | Lopez D |
| | 2100 | 70 | Lopez D |
| | 2400 | 68 | markel |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/23/2024 | 0300 | 68.5 | markel |
| | 0600 | 68 | Rosa |
| | 0900 | 68 | Rosa |
| | 1200 | 70 | Rosa |
| | 1500 | 72 | Rosa |
| | 1800 | 70 | Rosa |
| | 2100 | 69 | Rosa |
| | 2400 | 65 | KABIR |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/25/2024 | 0300 | 65 | KABIR |
| | 0600 | 68 | liso |
| | 0900 | 68 | liso |
| | 1200 | 68 | liso |
| | 1500 | 69 | Rosas V |
| | 1800 | 70 | Rosas V |
| | 2100 | 68.5 | Rosas V |
| | 2400 | 66 | markel |

Notes

May 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 COCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CD2 | Temp. Reading Location: | 2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/20/2024 | 0300 | 69 | LOCK D. |
| | 0600 | 70 | LOCK D. |
| | 0900 | 70 | S. LOPEZ |
| | 1200 | 71 | S. LOPEZ |
| | 1500 | 71 | A. MULLER |
| | 1800 | 71 | A. MULLER |
| | 2100 | 70 | A. MULLER |
| | 2400 | 70 | M. BONILLA |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/21/2024 | 0300 | 69 | M. BONILLA |
| | 0600 | 70 | S. LOPEZ |
| | 0900 | 70 | S. LOPEZ |
| | 1200 | 70 | S. LOPEZ |
| | 1500 | 70 | M. G. |
| | 1800 | 70 | M. G. |
| | 2100 | 70 | M. G. |
| | 2400 | 69 | BOZINO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/22/2024 | 0300 | 69 | BOZINO |
| | 0600 | 70 | L. AGUILAR |
| | 0900 | 70 | L. AGUILAR |
| | 1200 | 70 | L. AGUILAR |
| | 1500 | 70 | WONG |
| | 1800 | 70 | WONG |
| | 2100 | 70 | WONG |
| | 2400 | 71 | ODIN |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/23/2024 | 0300 | 69 | ODIN |
| | 0600 | 70 | L. AGUILAR |
| | 0900 | 70 | L. AGUILAR |
| | 1200 | 70 | L. AGUILAR |
| | 1500 | 70 | WONG |
| | 1800 | 70 | WONG |
| | 2100 | 71 | WONG |
| | 2400 | 69 | JAMES |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/24/2024 | 0300 | 69 | JAMES |
| | 0600 | 69 | S. LOPEZ |
| | 0900 | 70 | S. LOPEZ |
| | 1200 | 70 | S. LOPEZ |
| | 1500 | 70 | WONG |
| | 1800 | 70 | WONG |
| | 2100 | 70 | WONG |
| | 2400 | 70 | JAMES |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/25/2024 | 0300 | 68 | KABIR |
| | 0600 | 67 | S. LOPEZ |
| | 0900 | 67 | S. LOPEZ |
| | 1200 | 65 | S. LOPEZ |
| | 1500 | 65 | B. GARCIA |
| | 1800 | 69 | B. GARCIA |
| | 2100 | 70 | B. GARCIA |
| | 2400 | 69 | KABIR |

Notes

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/26/2024 | 0300 | 66 | KABIR |
| | 0600 | 71 | C. BROWN |
| | 0900 | 72 | C. BROWN |
| | 1200 | 72 | C. BROWN |
| | 1500 | 70 | V. RIOS |
| | 1800 | 71 | V. RIOS |
| | 2100 | 71 | V. RIOS |
| | 2400 | 70 | LOCK D. |

May 2024

STATE OF CALIFORNIA.

INSIDE TEMPERATURE RECORD

CORR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CA1 | Temp. Reading Location: | 1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/27/2024 | 0300 | 71 | VALAROUEL |
| | 0600 | 69 | R-MAY |
| | 0900 | 71 | R-MAY |
| | 1200 | 72 | R-MAY |
| | 1500 | 74 | S-GARDNER |
| | 1800 | 75 | S-LAWRENCE |
| | 2100 | 74 | S-GARDNER |
| | 2400 | 74 | VALAROUEL |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/29/2024 | 0300 | 71 | VALAROUEL |
| | 0600 | 74 | Rosales |
| | 0900 | 73 | Rosales |
| | 1200 | 77 | Rosales |
| | 1500 | 77 | S-GARDNER |
| | 1800 | 76 | S-GARDNER |
| | 2100 | 75 | S-GARDNER |
| | 2400 | 74 | VALAROUEL |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/31/2024 | 0300 | 72 | VALAROUEL |
| | 0600 | 73 | Angon |
| | 0900 | 75 | Conville |
| | 1200 | 76 | Rosales |
| | 1500 | 76 | Inspect |
| | 1800 | 77 | Conville |
| | 2100 | 77 | Conville |
| | 2400 | 76 | Thigill |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/2/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/28/2024 | 0300 | 73 | VALAROUEL |
| | 0600 | 73 | Rosales |
| | 0900 | 75 | Rosales |
| | 1200 | 76 | Rosales |
| | 1500 | 76 | S-GARDNER |
| | 1800 | 75 | S-GARDNER |
| | 2100 | 74 | S-GARDNER |
| | 2400 | 74 | VALAROUEL |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/30/2024 | 0300 | 73 | VALAROUEL |
| | 0600 | 74 | Rosales |
| | 0900 | 76 | Rosales |
| | 1200 | 76 | Rosales |
| | 1500 | 75 | S-GARDNER |
| | 1800 | 74 | S-GARDNER |
| | 2100 | 73 | S-GARDNER |
| | 2400 | 73 | VALAROUEL |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/1/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR 2001 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CA2 Temp. Reading Location: 2nd
 [e.g. 1st tier, 2nd tier, 3rd tier,
 etc.]

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the Inside air temperature reaches

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/27/2024 | 0300 | 69 | Torilla |
| | 0600 | 69 | Torilla |
| | 0900 | 71 | Gonzales |
| | 1200 | 72 | Gonzales |
| | 1500 | 73 | Gonzales |
| | 1800 | 73 | Gonzales |
| | 2100 | 72 | Gonzales |
| | 2400 | 72° | Aguirre |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/29/2024 | 0300 | 69 | Christensen |
| | 0600 | 68 | L. Aguado |
| | 0900 | 68 | L. Aguado |
| | 1200 | 70 | L. Aguado |
| | 1500 | 71 | D. Duncan |
| | 1800 | 71 | D. Duncan |
| | 2100 | 71 | D. Duncan |
| | 2400 | 72° | A. Aguirre |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/31/2024 | 0300 | 71° | A. Aguirre |
| | 0600 | 70 | Gonzales |
| | 0900 | 70 | Gonzales |
| | 1200 | 70 | Gonzales |
| | 1500 | 73 | D. Duncan |
| | 1800 | 75 | D. Duncan |
| | 2100 | 74 | D. Duncan |
| | 2400 | 72 | Aguirre |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/2/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/28/2024 | 0300 | 72° | Aguirre |
| | 0600 | 72 | Gonzales |
| | 0900 | 72 | Gonzales |
| | 1200 | 72 | Gonzales |
| | 1500 | 72 | Duncan |
| | 1800 | 72 | Duncan |
| | 2100 | 72 | Duncan |
| | 2400 | 72 | Christensen |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/30/2024 | 0300 | 71° | Aguirre |
| | 0600 | 70 | |
| | 0900 | 70 | |
| | 1200 | 70 | |
| | 1500 | 73 | D. Duncan |
| | 1800 | 73 | D. Duncan |
| | 2100 | 73 | D. Duncan |
| | 2400 | 72° | A. Aguirre |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/1/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

May 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit [e.g. top tier] where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CB1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/27/2024 | 0300 | 70 | B.ESQUEDA |
| | 0600 | 68 | TORAL |
| | 0900 | 70 | TORAL |
| | 1200 | 75 | TORAL |
| | 1500 | 75 | Centeno |
| | 1800 | 74 | Pentena |
| | 2100 | 73 | Ramirez |
| | 2400 | 73 | Trujillo |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/29/2024 | 0300 | 69 | Suddeth |
| | 0600 | 69 | TORAL |
| | 0900 | 73 | TORAL |
| | 1200 | 74 | TORAL |
| | 1500 | 74 | Bautista |
| | 1800 | 77 | Bautista |
| | 2100 | 77 | Bautista |
| | 2400 | 69 | Suddeth |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/31/2024 | 0300 | 69 | Suddeth |
| | 0600 | 69 | D.WILSON |
| | 0900 | 73 | D.WILSON |
| | 1200 | 75 | D.WILSON |
| | 1500 | 77 | R.MAY |
| | 1800 | 77 | R.MAY |
| | 2100 | 77 | R.MAY |
| | 2400 | 73 | Trujillo |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/2/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/28/2024 | 0300 | 73 | Trujillo |
| | 0600 | 73 | Trujillo |
| | 0900 | 75 | TORAL |
| | 1200 | 75 | TORAL |
| | 1500 | 75 | Trujillo |
| | 1800 | 75 | Centeno |
| | 2100 | 75 | Centeno |
| | 2400 | 69 | Trujillo |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/30/2024 | 0300 | 69 | Orladrath |
| | 0600 | 71 | R.MAY |
| | 0900 | 73 | R.MAY |
| | 1200 | 75 | R.MAY |
| | 1500 | 77 | R.MAY |
| | 1800 | 78 | R.MAY |
| | 2100 | 78 | R.MAY |
| | 2400 | 69 | Suddeth |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/1/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

| | |
|--|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|--|
| Institution: | CIM | Housing Unit: | CB2 | Temp. Reading Location: | 2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|--|

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/27/2024 | 0300 | 70 | Ange |
| | 0600 | 70 | ZELAYA |
| | 0900 | 72 | ZELAYA |
| | 1200 | 72 | ZELAYA |
| | 1500 | 73 | ZELAYA |
| | 1800 | 73 | ZELAYA |
| | 2100 | 75 | ZELAYA |
| | 2400 | 73 | Ange |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/28/2024 | 0300 | 72 | ZELAYA |
| | 0600 | 75 | ZELAYA |
| | 0900 | 75 | ZELAYA |
| | 1200 | 75 | ZELAYA |
| | 1500 | 77 | ZELAYA |
| | 1800 | 77 | ZELAYA |
| | 2100 | 76 | ZELAYA |
| | 2400 | 73 | Ange |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/29/2024 | 0300 | 73 | JAY |
| | 0600 | 75 | BONNIE |
| | 0900 | 76 | BONNIE |
| | 1200 | 78 | BONNIE |
| | 1500 | 78 | BONNIE |
| | 1800 | 78 | L. CORONA |
| | 2100 | 77 | L. CORONA |
| | 2400 | 75 | B. ESTRELLA |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/30/2024 | 0300 | 73 | B. ESTRELLA |
| | 0600 | 75 | BONNIE |
| | 0900 | 73 | PAULISTEL |
| | 1200 | 73 | PAULISTEL |
| | 1500 | 79 | BARROW |
| | 1800 | 79 | BARROW |
| | 2100 | 79 | BARROW |
| | 2400 | 77 | B. ESTRELLA |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/31/2024 | 0300 | 75 | B. ESTRELLA |
| | 0600 | 74 | Leanne |
| | 0900 | 76 | Leanne |
| | 1200 | 78 | Leanne |
| | 1500 | 78 | Leanne |
| | 1800 | 78 | GADSON |
| | 2100 | 78 | GADSON |
| | 2400 | 72 | Ange |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/1/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/2/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

May 2024

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2051 (04/82)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CC1 | Temp. Reading Location: | 1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/27/2024 | 0300 | 67 | PENZ |
| | 0600 | 69 | GUERRERO |
| | 0900 | 70 | GUERRERO |
| | 1200 | 71 | GUERRERO |
| | 1500 | 74 | V. ROSAS |
| | 1800 | 70 | V. ROSAS |
| | 2100 | 71 | V. ROSAS |
| | 2400 | 70 | PENZ |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|----------------|
| 5/29/2024 | 0300 | 69 | PENZ |
| | 0600 | 69 | Mitchell |
| | 0900 | 70 | J. GARCIA DIKE |
| | 1200 | 70 | J. GARCIA DIKE |
| | 1500 | 69 | DIAZ |
| | 1800 | 69 | DIAZ |
| | 2100 | 69 | DIAZ |
| | 2400 | 69 | PENZ |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/31/2024 | 0300 | 64 | M. BONILLA |
| | 0600 | 69 | GUERRERO |
| | 0900 | 70 | GUERRERO |
| | 1200 | 72 | GUERRERO |
| | 1500 | 69 | DIAZ |
| | 1800 | 69 | DIAZ |
| | 2100 | 69 | DIAZ |
| | 2400 | 69 | M. BONILLA |

Sunday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/2/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/28/2024 | 0300 | 67 | PENZ |
| | 0600 | 69 | SANCHEZ |
| | 0900 | 68 | SANCHEZ |
| | 1200 | 69 | SANCHEZ |
| | 1500 | 74 | V. ROSAS |
| | 1800 | 69 | V. ROSAS |
| | 2100 | 70 | V. ROSAS |
| | 2400 | 69 | PENZ |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/30/2024 | 0300 | 67 | PENZ |
| | 0600 | 66 | GUERRERO |
| | 0900 | 68 | GUERRERO |
| | 1200 | 70 | GUERRERO |
| | 1500 | 70 | PENZ |
| | 1800 | 69 | PENZ |
| | 2100 | 68 | PENZ |
| | 2400 | 69 | M. BONILLA |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/1/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/21)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|------------|---------------|------------|-------------------------|---|
| Institution: | <u>CIM</u> | Housing Unit: | <u>CD1</u> | Temp. Reading Location: | <u>1st</u> (e.g. 1 st Tier, 2 nd Tier, 3 rd Tier, etc.) |
|--------------|------------|---------------|------------|-------------------------|---|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132

when the inside air temperature reaches

Monday

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|--------------|
| <u>5/27/2024</u> | 0300 | 68 | Winkel |
| | 0600 | 68 | D. Wilson |
| | 0900 | 69 | D. Wilson |
| | 1200 | 71 | D. Wilson |
| | 1500 | 73 | Lopez |
| | 1800 | 71 | Lopez |
| | 2100 | 70 | Lopez |
| | 2400 | 68 | Winkel |

Wednesday

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|--------------|
| <u>5/29/2024</u> | 0300 | 66 | Winkel |
| | 0600 | 68 | Lopez |
| | 0900 | 68 | Lopez |
| | 1200 | 71 | Lopez |
| | 1500 | 73 | Lopez |
| | 1800 | 71 | Lopez |
| | 2100 | 70 | Lopez |
| | 2400 | 68 | Winkel |

Friday

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|--------------|
| <u>5/31/2024</u> | 0300 | 68 | KABIR |
| | 0600 | 68 | KABIR |
| | 0900 | 69 | KABIR |
| | 1200 | 71 | KABIR |
| | 1500 | 74 | V. Rosas |
| | 1800 | 73 | V. Rosas |
| | 2100 | 72 | V. Rosas |
| | 2400 | 70 | KABIR |

Sunday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|--------------|
| <u>6/2/2024</u> | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Tuesday

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|--------------|
| <u>5/28/2024</u> | 0300 | 64 | Winkel |
| | 0600 | 69 | D. Wilson |
| | 0900 | 70 | D. Wilson |
| | 1200 | 71 | D. Wilson |
| | 1500 | 72 | Lopez |
| | 1800 | 70 | Lopez |
| | 2100 | 69 | Lopez |
| | 2400 | 68 | Winkel |

Thursday

| Date | Time | Temp. | Name (Print) |
|------------------|------|-------|--------------|
| <u>5/30/2024</u> | 0300 | 66 | Winkel |
| | 0600 | 67 | Lopez |
| | 0900 | 68 | Lopez |
| | 1200 | 69 | Lopez |
| | 1500 | 72 | Lopez |
| | 1800 | 71 | Lopez |
| | 2100 | 70 | Lopez |
| | 2400 | 70 | KABIR |

Saturday

| Date | Time | Temp. | Name (Print) |
|-----------------|------|-------|--------------|
| <u>6/1/2024</u> | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |

May 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

| | | | | | |
|--------------|-----|---------------|-----|-------------------------|---|
| Institution: | CIM | Housing Unit: | CD2 | Temp. Reading Location: | 2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.) |
|--------------|-----|---------------|-----|-------------------------|---|

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/27/2024 | 0300 | 71 | LOCK D. |
| | 0600 | 71 | LOCK D. |
| | 0900 | 73 | J. CAPPS |
| | 1200 | 73 | J. CAPPS |
| | 1500 | 74 | J. CAPPS |
| | 1800 | 73 | J. CAPPS |
| | 2100 | 72 | J. CAPPS |
| | 2400 | 71 | M. CONNORS |

Tuesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/28/2024 | 0300 | 68 | M. CONNORS |
| | 0600 | 70 | HOLLINS |
| | 0900 | 72 | HOLLINS |
| | 1200 | 74 | HOLLINS |
| | 1500 | 75 | SANCHEZ |
| | 1800 | 72 | SANCHEZ |
| | 2100 | 68 | SANCHEZ |
| | 2400 | 68 | J. MEDRANO |

Wednesday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/29/2024 | 0300 | 65 | J. MEDRANO |
| | 0600 | 68 | J. MEDRANO |
| | 0900 | 69 | J. MEDRANO |
| | 1200 | 71 | J. MEDRANO |
| | 1500 | 74 | SANCHEZ |
| | 1800 | 73 | SANCHEZ |
| | 2100 | 72 | SANCHEZ |
| | 2400 | 69 | J. MEDRANO |

Thursday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/30/2024 | 0300 | 65 | J. MEDRANO |
| | 0600 | 68 | J. MEDRANO |
| | 0900 | 69 | J. MEDRANO |
| | 1200 | 71 | J. MEDRANO |
| | 1500 | 74 | SANCHEZ |
| | 1800 | 73 | SANCHEZ |
| | 2100 | 71 | SANCHEZ |
| | 2400 | 70 | J. MEDRANO |

Friday

| Date | Time | Temp. | Name (Print) |
|-----------|------|-------|--------------|
| 5/31/2024 | 0300 | 67 | J. MEDRANO |
| | 0600 | 69 | SANCHEZ |
| | 0900 | 69 | SANCHEZ |
| | 1200 | 71 | SANCHEZ |
| | 1500 | 74 | SANCHEZ |
| | 1800 | 74 | SANCHEZ |
| | 2100 | 71 | SANCHEZ |
| | 2400 | 70 | J. MEDRANO |

Saturday

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/1/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

Notes

| Date | Time | Temp. | Name (Print) |
|----------|------|-------|--------------|
| 6/2/2024 | 0300 | | |
| | 0600 | | |
| | 0900 | | |
| | 1200 | | |
| | 1500 | | |
| | 1800 | | |
| | 2100 | | |
| | 2400 | | |

DISTRIBUTION: Original Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDRR 3030 (04/18)

State Department of Corrections and Rehabilitation

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OSSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 59° | F. Bradford |
| | 0200 | 57° | F. Bradford |
| | 0300 | 56° | F. Bradford |
| | 0400 | 55° | F. Bradford |
| | 0500 | 54° | F. Bradford |
| | 0600 | 53° | F. Bradford |
| | 0700 | 55 | Tur |
| | 0800 | 57 | Tur |
| | 0900 | 60 | Tur |
| | 1000 | 65 | Tur |
| | 1100 | 70 | Tur |
| | 1200 | 73 | Tur |
| | 1300 | 74 | Tur |
| | 1400 | 74 | Tur |
| | 1500 | 73 | Tur |
| | 1600 | 76 | Tur |
| | 1700 | 72 | Tur |
| | 1800 | 70 | Tur |
| | 1900 | 66 | Tur |
| | 2000 | 63 | Tur |
| | 2100 | 60 | Tur |
| | 2200 | 58 | Tur |
| | 2300 | 57° | F. Bradford |
| | 2400 | 56° | F. Bradford |

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 55 | F. Bradford |
| | 0200 | 54 | F. Bradford |
| | 0300 | 53 | F. Bradford |
| | 0400 | 53 | F. Bradford |
| | 0500 | 52 | F. Bradford |
| | 0600 | 54 | F. Bradford |
| | 0700 | 56 | Tur |
| | 0800 | 60 | Tur |
| | 0900 | 65 | Tur |
| | 1000 | 70 | Tur |
| | 1100 | 72 | Tur |
| | 1200 | 74 | Tur |
| | 1300 | 74 | Tur |
| | 1400 | 74 | Tur |
| | 1500 | 75 | Aley |
| | 1600 | 76 | ur |
| | 1700 | 74 | ur |
| | 1800 | 73 | ur |
| | 1900 | 72 | ur |
| | 2000 | 71 | ur |
| | 2100 | 70 | ur |
| | 2200 | 69 | |
| | 2300 | 56° | F. Bradford |
| | 2400 | 56° | F. Bradford |

APR 30 2024

DISTRIBUTION: Original Institution ADA Coordinator

**STATE: CALIFORNIA
OUTSIDE TEMPERATURE RECORD
YEAR 1930 (64/TB)**

University of Michigan College of Pharmacy, Ann Arbor, MI 48106-1073

INSTITUTION: CIV

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 30 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | | |
| | 0200 | | |
| | 0300 | | |
| | 0400 | | |
| | 0500 | | |
| | 0600 | | |
| | 0700 | | |
| | 0800 | | |
| | 0900 | | |
| | 1000 | | |
| | 1100 | | |
| | 1200 | | |
| | 1300 | | |
| | 1400 | | |
| | 1500 | | |
| | 1600 | | |
| | 1700 | | |
| | 1800 | | |
| | 1900 | | |
| | 2000 | | |
| | 2100 | | |
| | 2200 | | |
| | 2300 | | |
| | 2400 | | |

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 56° | F.Mead Ford |
| | 0200 | 56° | F.Mead Ford |
| | 0300 | 54° | F.Mead Ford |
| | 0400 | 53° | F.Mead Ford |
| | 0500 | 52° | F.Mead Ford |
| | 0600 | 52° | F.Mead Ford |
| | 0700 | 52° | F.Mead Ford |
| | 0800 | 60° | Tur |
| | 0900 | 64° | Tur |
| | 1000 | 66° | Tur |
| | 1100 | 70° | Tur |
| | 1200 | 72° | Tur |
| | 1300 | 72° | Tur |
| | 1400 | 72° | Tur |
| | 1500 | 72° | Tur |
| | 1600 | 72° | Tur |
| | 1700 | 70° | Tur |
| | 1800 | 68° | Tur |
| | 1900 | 68° | Tur |
| | 2000 | 65° | Tur |
| | 2100 | 63° | Tur |
| | 2200 | 61° | Tur |
| | 2300 | 57° | F.Mead Ford |
| | 2400 | 56° | F.Mead Ford |

DISTRIBUTION: Original Institution ABA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR-2050 (04/18)

OUTSIDE TEMPERATURE RECORDS AND LOGS

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat-neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 55° | F. Bradford |
| | 0200 | 55° | F. Bradford |
| | 0300 | 54° | F. Bradford |
| | 0400 | 54° | F. Bradford |
| | 0500 | 53° | F. Bradford |
| | 0600 | 53° | F. Bradford |
| | 0700 | 55 | Turton |
| | 0800 | 58 | Turton |
| | 0900 | 65 | Turton |
| | 1000 | 68 | Turton |
| | 1100 | 70 | Turton |
| | 1200 | 70 | Turton |
| | 1300 | 70 | Turton |
| | 1400 | 71 | Turton |
| | 1500 | 73 | Cervantes |
| | 1600 | 73 | Cervantes |
| | 1700 | 72 | Cervantes |
| | 1800 | 72 | Cervantes |
| | 1900 | 71 | Cervantes |
| | 2000 | 69 | Cervantes |
| | 2100 | 67 | Cervantes |
| | 2200 | 58° | F. Bradford |
| | 2300 | 57° | F. Bradford |
| | 2400 | 56° | F. Bradford |

MAY 03 2024

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 55 | F. Bradford |
| | 0200 | 56° | F. Bradford |
| | 0300 | 54° | F. Bradford |
| | 0400 | 55° | F. Bradford |
| | 0500 | 55° | F. Bradford |
| | 0600 | 55° | F. Bradford |
| | 0700 | 56 | E. Brown |
| | 0800 | 58 | E. Brown |
| | 0900 | 60 | E. Brown |
| | 1000 | 61 | E. Brown |
| | 1100 | 62 | E. Brown |
| | 1200 | 63 | E. Brown |
| | 1300 | 65 | E. Brown |
| | 1400 | 68 | Adams |
| | 1500 | 66 | Adams |
| | 1600 | 65 | Adams |
| | 1700 | 65 | Adams |
| | 1800 | 64 | Adams |
| | 1900 | 63 | Adams |
| | 2000 | 61 | Adams |
| | 2100 | 61 | Adams |
| | 2200 | 61 | Adams |
| | 2300 | 58 | Adams |
| | 2400 | 55 | Adams |

MAY 04 2024

DISTRIBUTION: Original; Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
Code 3900 (64/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------------|------|-------|--------------|
| MAY 0 2024 | 0100 | 55 | AUGUSTO |
| | 0200 | 55 | AUGUSTO |
| | 0300 | 55 | AUGUSTO |
| | 0400 | 54 | AUGUSTO |
| | 0500 | 53 | AUGUSTO |
| | 0600 | 54 | TANAGIN |
| | 0700 | 53 | TANAGIN |
| | 0800 | 53 | TANAGIN |
| | 0900 | 55 | TANAGIN |
| | 1000 | 55 | TANAGIN |
| | 1100 | 59 | TANAGIN |
| | 1200 | 61 | TANAGIN |
| | 1300 | 62 | TANAGIN |
| | 1400 | 65 | TANAGIN |
| | 1500 | 67 | TANAGIN |
| | 1600 | 68 | TANAGIN |
| | 1700 | 67 | TANAGIN |
| | 1800 | 65 | TANAGIN |
| | 1900 | 62 | TANAGIN |
| | 2000 | 59 | TANAGIN |
| | 2100 | 57 | TANAGIN |
| | 2200 | 57 | TANAGIN |
| | 2300 | 53 | AUGUSTO |
| | 2400 | 52 | AUGUSTO |

| Date | Time | Temp. | Printed Name |
|------------|------|-------|--------------|
| MAY 0 2024 | 0100 | 51 | AGUILLO |
| | 0200 | 50 | AGUILLO |
| | 0300 | 49 | AGUILLO |
| | 0400 | 48 | AGUILLO |
| | 0500 | 47 | AGUILLO |
| | 0600 | 50 | TURO |
| | 0700 | 55 | TURO |
| | 0800 | 58 | TURO |
| | 0900 | 62 | TURO |
| | 1000 | 65 | TURO |
| | 1100 | 68 | TURO |
| | 1200 | 70 | TURO |
| | 1300 | 72 | TURO |
| | 1400 | 72 | TURO |
| | 1500 | 75 | TANAGIN |
| | 1600 | 75 | TANAGIN |
| | 1700 | 72 | TANAGIN |
| | 1800 | 70 | TANAGIN |
| | 1900 | 65 | TANAGIN |
| | 2000 | 62 | TANAGIN |
| | 2100 | 59 | TANAGIN |
| | 2200 | 57 | TANAGIN |
| | 2300 | 56 | FORTNELL |
| | 2400 | 56 | FORTNELL |

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR 2000 (04/74)

Information of questionable authenticity

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 55° | Braeford |
| | 0200 | 53° | Braeford |
| | 0300 | 52° | Braeford |
| | 0400 | 51° | Braeford |
| | 0500 | 50° | Braeford |
| | 0600 | 50° | Braeford |
| | 0700 | 55 | Turner |
| | 0800 | 58 | Turner |
| | 0900 | 60 | Turner |
| | 1000 | 64 | Turner |
| | 1100 | 66 | Turner |
| | 1200 | 70 | Turner |
| | 1300 | 72 | Turner |
| | 1400 | 72 | Turner |
| | 1500 | 72 | S. Lopez |
| | 1600 | 69 | S. Lopez |
| | 1700 | 69 | S. Lopez |
| | 1800 | 68 | S. Lopez |
| | 1900 | 67 | S. Lopez |
| | 2000 | 65 | S. Lopez |
| | 2100 | 65 | S. Lopez |
| | 2200 | 65 | S. Lopez |
| | 2300 | 68° | Braeford |
| | 2400 | 58° | Braeford |

MAY 07 2024

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 57° | Braeford |
| | 0200 | 56° | Braeford |
| | 0300 | 55° | Braeford |
| | 0400 | 54° | Braeford |
| | 0500 | 54° | Braeford |
| | 0600 | 54° | Braeford |
| | 0700 | 58 | Turner |
| | 0800 | 60 | Turner |
| | 0900 | 65 | Turner |
| | 1000 | 67 | Turner |
| | 1100 | 70 | Turner |
| | 1200 | 74 | Turner |
| | 1300 | 76 | Turner |
| | 1400 | 78 | Turner |
| | 1500 | 76 | Tarzagin |
| | 1600 | 72 | Tarzagin |
| | 1700 | 70 | Tarzagin |
| | 1800 | 68 | Tarzagin |
| | 1900 | 65 | Tarzagin |
| | 2000 | 61 | Tarzagin |
| | 2100 | 59 | Tarzagin |
| | 2200 | 57 | Tarzagin |
| | 2300 | 57° | Braeford |
| | 2400 | 57° | Braeford |

MAY 08 2024

DISTRIBUTION: Original Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
ICCCR 2020 (04/18)

THIS FORM IS FOR THE USE OF INSTITUTIONS ONLY. IT IS NOT TO BE USED BY CONTRACTORS OR OTHER AGENTS.

INSTITUTION: CIVI

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp: | Printed Name |
|------|------|-------|--------------|
| | 0100 | 55° | Ford, Fordy |
| | 0200 | 54° | Ford, Fordy |
| | 0300 | 52° | Ford, Fordy |
| | 0400 | 51° | Ford, Fordy |
| | 0500 | 52° | Ford, Fordy |
| | 0600 | 52° | Ford, Fordy |
| | 0700 | 58 | Turner |
| | 0800 | 65 | Turner |
| | 0900 | 66 | Turner |
| | 1000 | 68 | Turner |
| | 1100 | 73 | Turner |
| | 1200 | 75 | Turner |
| | 1300 | 77 | Turner |
| | 1400 | 78 | Turner |
| | 1500 | 79 | Torres, J. |
| | 1600 | 80 | Torres, J. |
| | 1700 | 76 | Torres, J. |
| | 1800 | 70 | Torres, J. |
| | 1900 | 63 | Torres, J. |
| | 2000 | 61 | Torres, J. |
| | 2100 | 58 | Torres, J. |
| | 2200 | 58 | Torres, J. |
| | 2300 | 60° | Ford, Fordy |
| | 2400 | 59° | Ford, Fordy |

MAY 09 2024

| Date | Time | Temp: | Printed Name |
|------|------|-------|--------------|
| | 0100 | 58° | Ford, Fordy |
| | 0200 | 57 | Ford, Fordy |
| | 0300 | 56° | Ford, Fordy |
| | 0400 | 56° | Ford, Fordy |
| | 0500 | 55° | Ford, Fordy |
| | 0600 | 55° | Ford, Fordy |
| | 0700 | 55 | Ford, Fordy |
| | 0800 | 60 | Turner |
| | 0900 | 65 | Turner |
| | 1000 | 70 | Turner |
| | 1100 | 72 | Turner |
| | 1200 | 74 | Turner |
| | 1300 | 78 | Turner |
| | 1400 | 79 | Turner |
| | 1500 | 79 | Torres, J. |
| | 1600 | 78 | Torres, J. |
| | 1700 | 77 | Torres, J. |
| | 1800 | 76 | Torres, J. |
| | 1900 | 74 | Torres, J. |
| | 2000 | 74 | Torres, J. |
| | 2100 | 74 | Torres, J. |
| | 2200 | 59° | Ford, Fordy |
| | 2300 | 59° | Ford, Fordy |
| | 2400 | 59° | Ford, Fordy |

MAY 10 2024

DISTRIBUTION: Original: Institution ATIS Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
OCRR 3606 (Rev. 8)

Use and keep off public property and institutions

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 11 2024 | 0100 | 57° | F. Arad Jr. |
| | 0200 | 57° | F. Arad Jr. |
| | 0300 | 56° | F. Arad Jr. |
| | 0400 | 56° | F. Arad Jr. |
| | 0500 | 56° | F. Arad Jr. |
| | 0600 | 56° | F. Arad Jr. |
| | 0700 | 55° | F. Arad Jr. |
| | 0800 | 58° | S. Bethley |
| | 0900 | 59° | S. Bethley |
| | 1000 | 62° | S. Bethley |
| | 1100 | 67° | S. Bethley |
| | 1200 | 74° | S. Bethley |
| | 1300 | 75° | S. Bethley |
| | 1400 | 78° | S. Bethley |
| | 1500 | 79° | S. Bethley |
| | 1600 | 77° | G. Pineda |
| | 1700 | 79° | G. Pineda |
| | 1800 | 78° | G. Pineda |
| | 1900 | 73° | G. Pineda |
| | 2000 | 69° | G. Pineda |
| | 2100 | 65° | G. Pineda |
| | 2200 | 63° | G. Pineda |
| | 2300 | 58° | Arguello |
| | 2400 | 58° | Arguello |

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 12 2024 | 0100 | 58 | Arguello |
| | 0200 | 56 | Arguello |
| | 0300 | 56 | Arguello |
| | 0400 | 55 | Arguello |
| | 0500 | 54 | Arguello |
| | 0600 | 56 | VELA |
| | 0700 | 62 | VELA |
| | 0800 | 67 | VELA |
| | 0900 | 69 | VELA |
| | 1000 | 72 | VELA |
| | 1100 | 73 | VELA |
| | 1200 | 73 | VELA |
| | 1300 | 74 | VELA |
| | 1400 | 74 | TARAGAN |
| | 1500 | 78 | TARAGAN |
| | 1600 | 77 | TARAGAN |
| | 1700 | 76 | TARAGAN |
| | 1800 | 72 | TARAGAN |
| | 1900 | 69 | TARAGAN |
| | 2000 | 63 | TARAGAN |
| | 2100 | 61 | TARAGAN |
| | 2200 | 60 | TARAGAN |
| | 2300 | 61 | Arguello |
| | 2400 | 60 | Arguello |

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR-3000 (04/18)

California Department of Corrections and Rehabilitation

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 13 2024 | 0100 | 59° | ARGUELLO |
| | 0200 | 58° | ARGUELLO |
| | 0300 | 57° | ARGUELLO |
| | 0400 | 56° | ARGUELLO |
| | 0500 | 56° | ARGUELLO |
| | 0600 | 60 | Tunen |
| | 0700 | 65 | Tunen |
| | 0800 | 67 | Tunen |
| | 0900 | 69 | Tunen |
| | 1000 | 72 | Tunen |
| | 1100 | 74 | Tunen |
| | 1200 | 75 | Tunen |
| | 1300 | 75 | Tunen |
| | 1400 | 75 | Tunen |
| | 1500 | 75 | 71-AHD |
| | 1600 | 72 | JARNAGIN |
| | 1700 | 70 | JARNAGIN |
| | 1800 | 68 | JARNAGIN |
| | 1900 | 69 | JARNAGIN |
| | 2000 | 60 | JARNAGIN |
| | 2100 | 58 | JARNAGIN |
| | 2200 | 57 | JARNAGIN |
| | 2300 | 57° | F. grad foy |
| | 2400 | 57° | F. grad foy |

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 14 2024 | 0100 | 56° | F. grad foy |
| | 0200 | 56° | F. grad foy |
| | 0300 | 56° | F. grad foy |
| | 0400 | 56° | F. grad foy |
| | 0500 | 56° | F. grad foy |
| | 0600 | 56° | F. grad foy |
| | 0700 | 60 | Tunen |
| | 0800 | 65 | Tunen |
| | 0900 | 67 | Tunen |
| | 1000 | 70 | Tunen |
| | 1100 | 72 | Tunen |
| | 1200 | 75 | Tunen |
| | 1300 | 75 | Tunen |
| | 1400 | 75 | Tunen |
| | 1500 | 72 | JARNAGIN |
| | 1600 | 72 | JARNAGIN |
| | 1700 | 70 | JARNAGIN |
| | 1800 | 68 | JARNAGIN |
| | 1900 | 63 | JARNAGIN |
| | 2000 | 61 | JARNAGIN |
| | 2100 | 57 | JARNAGIN |
| | 2200 | 57 | JARNAGIN |
| | 2300 | 57° | F. grad foy |
| | 2400 | 58° | F. grad foy |

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
ECCR 1030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

b

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat-neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 15 2024 | 0100 | 56° | F. Bradford |
| | 0200 | 56° | F. Bradford |
| | 0300 | 56° | F. Bradford |
| | 0400 | 56° | F. Bradford |
| | 0500 | 56° | F. Bradford |
| | 0600 | 56° | F. Bradford |
| | 0700 | 60 | Turner |
| | 0800 | 65 | Turner |
| | 0900 | 69 | Turner |
| | 1000 | 69 | Turner |
| | 1100 | 70 | Turner |
| | 1200 | 71 | Turner |
| | 1300 | 72 | Turner |
| | 1400 | 72 | Turner |
| | 1500 | 67 | Torres |
| | 1600 | 67 | Torres |
| | 1700 | 67 | Torres |
| | 1800 | 64 | Torres |
| | 1900 | 62 | C. Torres |
| | 2000 | 61 | Torres |
| | 2100 | 59 | Torres |
| | 2200 | 57 | Torres |
| | 2300 | 57 | F. Bradford |
| | 2400 | 57° | F. Bradford |

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 16 2024 | 0100 | 57° | F. Bradford |
| | 0200 | 57° | F. Bradford |
| | 0300 | 57° | F. Bradford |
| | 0400 | 57° | F. Bradford |
| | 0500 | 57° | F. Bradford |
| | 0600 | 57° | F. Bradford |
| | 0700 | 66 | Turner |
| | 0800 | 63 | Turner |
| | 0900 | 65 | Turner |
| | 1000 | 68 | Turner |
| | 1100 | 70 | Turner |
| | 1200 | 71 | Turner |
| | 1300 | 71 | Turner |
| | 1400 | 71 | Turner |
| | 1500 | 72 | Torres |
| | 1600 | 70 | Torres |
| | 1700 | 66 | Torres |
| | 1800 | 65 | Torres |
| | 1900 | 64 | Torres |
| | 2000 | 61 | Torres |
| | 2100 | 59 | Torres |
| | 2200 | 58 | Torres |
| | 2300 | 57° | F. Bradford |
| | 2400 | 57° | F. Bradford |

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR 3030 (04/18)

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 58° | F. grad fort |
| | 0200 | 57° | F. grad fort |
| | 0300 | 58° | F. grad fort |
| | 0400 | 58° | F. grad fort |
| | 0500 | 58° | F. grad fort |
| | 0600 | 58° | F. grad fort |
| | 0700 | 63 | Turner |
| | 0800 | 65 | Turner |
| | 0900 | 68 | Turner |
| | 1000 | 70 | Turner |
| | 1100 | 71 | Turner |
| | 1200 | 71 | Turner |
| | 1300 | 71 | Turner |
| | 1400 | 71 | Turner |
| | 1500 | 76 | V. VASQUEZ |
| | 1600 | 76 | V. VASQUEZ |
| | 1700 | 76 | V. VASQUEZ |
| | 1800 | 72 | V. VASQUEZ |
| | 1900 | 69 | V. VASQUEZ |
| | 2000 | 64 | V. VASQUEZ |
| | 2100 | 62 | V. VASQUEZ |
| | 2200 | 61 | V. VASQUEZ |
| | 2300 | 59 | F. grad fort |
| | 2400 | 58° | F. grad fort |

MAY 17 2024

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 58° | F. grad fort |
| | 0200 | 58° | F. grad fort |
| | 0300 | 57° | F. grad fort |
| | 0400 | 57° | F. grad fort |
| | 0500 | 57° | F. grad fort |
| | 0600 | 57° | F. grad fort |
| | 0700 | 58 | ELIZABETH |
| | 0800 | 60 | ELIZABETH |
| | 0900 | 61 | ELIZABETH |
| | 1000 | 62 | ELIZABETH |
| | 1100 | 66 | ELIZABETH |
| | 1200 | 70 | ELIZABETH |
| | 1300 | 73 | ELIZABETH |
| | 1400 | 73 | Adams |
| | 1500 | 74 | Adams |
| | 1600 | 74 | Adams |
| | 1700 | 74 | Adams |
| | 1800 | 76 | Adams |
| | 1900 | 75 | Adams |
| | 2000 | 75 | Adams |
| | 2100 | 73 | Adams |
| | 2200 | 73 | Adams |
| | 2300 | 56 | MARIELO |
| | 2400 | 57 | MARIELO |

MAY 18 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
RSGP-2630 (04/10)

RECEIVED - DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 19 2024 | 0100 | 56 | Arguello |
| | 0200 | 55 | Arguello |
| | 0300 | 55 | Arguello |
| | 0400 | 54 | Arguello |
| | 0500 | 54 | Arguello |
| | 0600 | 59 | Eldren |
| | 0700 | 59 | Eldren |
| | 0800 | 59 | Eldren |
| | 0900 | 62 | Eldren |
| | 1000 | 64 | Eldren |
| | 1100 | 67 | Eldren |
| | 1200 | 71 | Eldren |
| | 1300 | 71 | Eldren |
| | 1400 | 72 | Eldren |
| | 1500 | 72 | Torngan |
| | 1600 | 71 | Torngan |
| | 1700 | 70 | Torngan |
| | 1800 | 67 | Torngan |
| | 1900 | 64 | Torngan |
| | 2000 | 61 | Torngan |
| | 2100 | 59 | Torngan |
| | 2200 | 57 | Torngan |
| | 2300 | 58 | Arguello |
| | 2400 | 56 | Arguello |

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 20 2024 | 0100 | 55 | Arguello |
| | 0200 | 54 | Arguello |
| | 0300 | 54 | Arguello |
| | 0400 | 53 | Arguello |
| | 0500 | 53 | Arguello |
| | 0600 | 60 | Tur |
| | 0700 | 65 | Tur |
| | 0800 | 66 | Tur |
| | 0900 | 67 | Tur |
| | 1000 | 67 | Tur |
| | 1100 | 67 | Tur |
| | 1200 | 67 | Tur |
| | 1300 | 62 | Tur |
| | 1400 | 70 | Torngan |
| | 1500 | 68 | Torngan |
| | 1600 | 68 | Torngan |
| | 1700 | 67 | Torngan |
| | 1800 | 65 | Torngan |
| | 1900 | 62 | Torngan |
| | 2000 | 61 | Torngan |
| | 2100 | 59 | Torngan |
| | 2200 | 56 | Torngan |
| | 2300 | 57 | Torngan |
| | 2400 | 58 | Torngan |

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CICR-3000 (04/18)

DO NOT TURN OR BEND RECORDS OVER

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 57° | Fitzgerald |
| | 0200 | 57° | Fitzgerald |
| | 0300 | 56° | Fitzgerald |
| | 0400 | 56° | Fitzgerald |
| | 0500 | 56° | Fitzgerald |
| | 0600 | 55° | Fitzgerald |
| | 0700 | 60° | Turner |
| | 0800 | 65° | Turner |
| | 0900 | 68° | Turner |
| | 1000 | 72° | Turner |
| | 1100 | 72° | Turner |
| | 1200 | 73° | Turner |
| | 1300 | 73° | Turner |
| | 1400 | 74° | Turner |
| | 1500 | 73° | Turner |
| | 1600 | 72° | Turner |
| | 1700 | 71° | Turner |
| | 1800 | 69° | Turner |
| | 1900 | 65° | Turner |
| | 2000 | 63° | Turner |
| | 2100 | 60° | Turner |
| | 2200 | 69° | Turner |
| | 2300 | 68° | Dymond |
| | 2400 | 69° | Dymond |

MAY 21 2024

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 67° | Dymond |
| | 0200 | 68° | Dymond |
| | 0300 | 68° | Dymond |
| | 0400 | 67° | Dymond |
| | 0500 | 67° | Dymond |
| | 0600 | 65° | Dymond |
| | 0700 | 68° | Dymond |
| | 0800 | 70° | Turner |
| | 0900 | 72° | Turner |
| | 1000 | 72° | Turner |
| | 1100 | 74° | Turner |
| | 1200 | 74° | Turner |
| | 1300 | 74° | Turner |
| | 1400 | 74° | Turner |
| | 1500 | 72° | Turner |
| | 1600 | 71° | Turner |
| | 1700 | 69° | Turner |
| | 1800 | 67° | Turner |
| | 1900 | 64° | Turner |
| | 2000 | 60° | Turner |
| | 2100 | 58° | Turner |
| | 2200 | 57° | Turner |
| | 2300 | 58° | Fitzgerald |
| | 2400 | 58° | Fitzgerald |

MAY 22 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR-2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 24 2024 | 0100 | 57° | F.grad.frd |
| | 0200 | 57° | F.grad.frd |
| | 0300 | 57° | F.grad.frd |
| | 0400 | 57° | F.grad.frd |
| | 0500 | 57° | F.grad.frd |
| | 0600 | 57° | F.grad.frd |
| | 0700 | 60 | TWILL |
| | 0800 | 65 | TWILL |
| | 0900 | 66 | TWILL |
| | 1000 | 68 | TWILL |
| | 1100 | 70 | TWILL |
| | 1200 | 72 | TWILL |
| | 1300 | 72 | TWILL |
| | 1400 | 72 | TWILL |
| | 1500 | 68 | TOMMY |
| | 1600 | 67 | TOMMY |
| | 1700 | 65 | TOMMY |
| | 1800 | 65 | TOMMY |
| | 1900 | 64 | TOMMY |
| | 2000 | 62 | TOMMY |
| | 2100 | 59 | TOMMY |
| | 2200 | 59 | TOMMY |
| | 2300 | 59° | F.grad.frd |
| | 2400 | 58° | F.grad.frd |

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 24 2024 | 0100 | 57° | F.grad.frd |
| | 0200 | 57° | F.grad.frd |
| | 0300 | 57° | F.grad.frd |
| | 0400 | 57° | F.grad.frd |
| | 0500 | 57° | F.grad.frd |
| | 0600 | 57° | F.grad.frd |
| | 0700 | 60 | TWILL |
| | 0800 | 65 | TWILL |
| | 0900 | 68 | TWILL |
| | 1000 | 70 | TWILL |
| | 1100 | 70 | TWILL |
| | 1200 | 72 | TWILL |
| | 1300 | 72 | TWILL |
| | 1400 | 72 | TWILL |
| | 1500 | 72 | V.VASQUEZ |
| | 1600 | 71 | V.VASQUEZ |
| | 1700 | 70 | V.VASQUEZ |
| | 1800 | 68 | V.VASQUEZ |
| | 1900 | 65 | V.VASQUEZ |
| | 2000 | 62 | V.VASQUEZ |
| | 2100 | 60 | V.VASQUEZ |
| | 2200 | 59° | F.grad.frd |
| | 2300 | 59° | F.grad.frd |
| | 2400 | 58° | F.grad.frd |

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR 2630 (04/18)

LINE AUTHORITY OF CORRECTIONAL ADMINISTRATOR FOR THIS

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 26 2014 | 0100 | 58° | F. Bradford |
| | 0200 | 57° | F. Bradford |
| | 0300 | 57° | F. Bradford |
| | 0400 | 57° | F. Bradford |
| | 0500 | 57° | F. Bradford |
| | 0600 | 57° | F. Bradford |
| | 0700 | 57 | E. BRENT |
| | 0800 | 60 | E. BRENT |
| | 0900 | 62 | E. BRENT |
| | 1000 | 62 | E. BRENT |
| | 1100 | 63 | E. BRENT |
| | 1200 | 66 | E. BRENT |
| | 1300 | 67 | E. BRENT |
| | 1400 | 69 | E. BRENT |
| | 1500 | 72° | V. NASSER |
| | 1600 | 71° | V. NASSER |
| | 1700 | 70° | V. NASSER |
| | 1800 | 67° | V. NASSER |
| | 1900 | 66° | V. NASSER |
| | 2000 | 62° | V. NASSER |
| | 2100 | 60° | V. NASSER |
| | 2200 | 58 | A. Arguello |
| | 2300 | 56 | A. Arguello |
| | 2400 | 55 | A. Arguello |

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 26 2014 | 0100 | 57 | A. Arguello |
| | 0200 | 56 | A. Arguello |
| | 0300 | 53 | A. Arguello |
| | 0400 | 53 | A. Arguello |
| | 0500 | 54 | A. Arguello |
| | 0600 | 58 | E. BRENT |
| | 0700 | 58 | E. BRENT |
| | 0800 | 60 | E. BRENT |
| | 0900 | 61 | E. BRENT |
| | 1000 | 63 | E. BRENT |
| | 1100 | 65 | E. BRENT |
| | 1200 | 66 | E. BRENT |
| | 1300 | 69 | E. BRENT |
| | 1400 | 73 | J. MARGAYN |
| | 1500 | 73 | J. MARGAYN |
| | 1600 | 72 | J. MARGAYN |
| | 1700 | 71 | J. MARGAYN |
| | 1800 | 69 | J. MARGAYN |
| | 1900 | 67 | J. MARGAYN |
| | 2000 | 64 | J. MARGAYN |
| | 2100 | 62 | J. MARGAYN |
| | 2200 | 60 | J. MARGAYN |
| | 2300 | 60 | A. Arguello |
| | 2400 | 58 | A. Arguello |

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR 2630 (04/18)

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 57 | Arguello |
| | 0200 | 55 | Arguello |
| | 0300 | 51 | Arguello |
| | 0400 | 53 | Arguello |
| | 0500 | 53 | Arguello |
| | 0600 | 58 | Turner |
| | 0700 | 60 | Turner |
| | 0800 | 65 | Turner |
| | 0900 | 70 | Turner |
| | 1000 | 72 | Turner |
| | 1100 | 75 | Turner |
| | 1200 | 77 | Turner |
| | 1300 | 77 | Turner |
| | 1400 | 77 | Turner |
| | 1500 | 76 | Turner |
| | 1600 | 79 | Turner |
| | 1700 | 75 | Turner |
| | 1800 | 70 | Turner |
| | 1900 | 68 | Turner |
| | 2000 | 64 | Turner |
| | 2100 | 59 | Turner |
| | 2200 | 59 | Turner |
| | 2300 | 60° F | Bradford |
| | 2400 | 59° F | Bradford |

May 27

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| | 0100 | 58° F | Bradford |
| | 0200 | 67° F | Bradford |
| | 0300 | 67° F | Bradford |
| | 0400 | 67° F | Bradford |
| | 0500 | 67° F | Bradford |
| | 0600 | 66° F | Bradford |
| | 0700 | 60 | Turner |
| | 0800 | 65 | Turner |
| | 0900 | 68 | Turner |
| | 1000 | 70 | Turner |
| | 1100 | 74 | Turner |
| | 1200 | 76 | Turner |
| | 1300 | 77 | Turner |
| | 1400 | 78 | Turner |
| | 1500 | 76 | Turner |
| | 1600 | 77 | Turner |
| | 1700 | 75 | Turner |
| | 1800 | 70 | Turner |
| | 1900 | 64 | Turner |
| | 2000 | 61 | Turner |
| | 2100 | 60 | Turner |
| | 2200 | 59 | Turner |
| | 2300 | 59° F | Bradford |
| | 2400 | 58° F | Bradford |

May 28

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
COCR 2630 (04/75 B)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st; the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 29 2024 | 0100 | 59° | Floyd forl |
| | 0200 | 67° | Floyd forl |
| | 0300 | 68° | Floyd forl |
| | 0400 | 67° | Floyd forl |
| | 0500 | 67° | Floyd forl |
| | 0600 | 67° | Floyd forl |
| | 0700 | 66 | Turner |
| | 0800 | 65 | Turner |
| | 0900 | 68 | Turner |
| | 1000 | 70 | Turner |
| | 1100 | 72 | Turner |
| | 1200 | 72 | Turner |
| | 1300 | 74 | Turner |
| | 1400 | 75 | Turner |
| | 1500 | 78 | Turner |
| | 1600 | 75 | Turner |
| | 1700 | 74 | Turner |
| | 1800 | 71 | Turner |
| | 1900 | 68 | Turner |
| | 2000 | 63 | Turner |
| | 2100 | 62 | Turner |
| | 2200 | 59 | Turner |
| | 2300 | 61° | Floyd forl |
| | 2400 | 60° | Floyd forl |

| Date | Time | Temp. | Printed Name |
|-------------|------|-------|--------------|
| MAY 30 2024 | 0100 | 59° | Floyd forl |
| | 0200 | 70° | Floyd forl |
| | 0300 | 69° | Floyd forl |
| | 0400 | 68° | Floyd forl |
| | 0500 | 67° | Floyd forl |
| | 0600 | 67° | Floyd forl |
| | 0700 | 66 | Turner |
| | 0800 | 65 | Turner |
| | 0900 | 70 | Turner |
| | 1000 | 74 | Turner |
| | 1100 | 76 | Turner |
| | 1200 | 79 | Turner |
| | 1300 | 80 | Turner |
| | 1400 | 80 | Turner |
| | 1500 | 82 | Turner |
| | 1600 | 83 | Turner |
| | 1700 | 78 | Turner |
| | 1800 | 70 | Turner |
| | 1900 | 68 | Turner |
| | 2000 | 62 | Turner |
| | 2100 | 61 | Turner |
| | 2200 | 60 | Turner |
| | 2300 | 61° | Floyd forl |
| | 2400 | 60° | Floyd forl |

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: CIM

From May 1st through October 31st, the warden shall desl
OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat
taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extansio
90 degrees.

| Date | Time | Temp. | Printed Name |
|------|------|-------|--------------|
| 5/3 | 0100 | 59° | F. grad ford |
| | 0200 | 59° | F. grad ford |
| | 0300 | 58° | F. grad ford |
| | 0400 | 58° | F. grad ford |
| | 0500 | 58° | F. grad ford |
| | 0600 | 57° | F. grad ford |
| | 0700 | 60 | T. M. W. |
| | 0800 | 65 | A. M. D. |
| | 0900 | 70 | T. M. W. |
| | 1000 | 74 | T. M. W. |
| | 1100 | 74 | T. M. W. |
| | 1200 | 75 | T. M. W. |
| | 1300 | 77 | T. M. W. |
| | 1400 | 77 | T. M. W. |
| | 1500 | 79 | V. VASQUEZ |
| | 1600 | 78 | V. VASQUEZ |
| | 1700 | 76 | V. VASQUEZ |
| | 1800 | 73 | V. VASQUEZ |
| | 1900 | 70 | V. VASQUEZ |
| | 2000 | 65 | V. VASQUEZ |
| | 2100 | 63 | V. VASQUEZ |
| | 2200 | | F. grad ford |
| | 2300 | | F. grad ford |
| | 2400 | 57° | F. grad ford |