Monthly Summary Report

Institution: SVSP

Memorandum

Date: July 11, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Salinas Valley State Prison

The following is a summary of the heat related activity for the month of June 2024, at SVSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes
   Number of days Stage I Alert initiated: 3

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No
   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No
   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Carlos Arce
Warden Name

Warden Signature

Scott Langevin
Chief Executive Officer Name

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-2 Temp. Reading Location: Central Bank
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5572 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	68	Tom Tom
	0600	68	Corona J.
	0900	68	Corona J.
	1200	68	Corona J
	1500	69	Hernandez A
	1800	69	Hernandez A
	2100	69	Hernandez A
	2400	68	espino

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	68	espino
	0600	70	Corona
	0900	70	Corona
	1200	70	Corona
	1500	70	Hernandez A
	1800	70	Hernandez A
	2100	70	Hernandez A
	2400	71	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	70	Garcia A
	0600	62	Garcia A
	0900	70	J. Corona
	1200	71	Corona J
	1500	71	Hernandez A
	1800	71	Hernandez A
	2100	71	Hernandez A
	2400	70	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	71	Garcia A
	0600	71	Garcia A
	0900	70	Corona
	1200	70	Corona
	1500	70	Hernandez A
	1800	70	Hernandez A
	2100	70	Hernandez A
	2400	70	Garcia A

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	70	Garcia A
	0600	70	Garcia A
	0900	70	Corona
	1200	70	Corona J.
	1500	70	Lizardi
	1800	69	Lizardi
	2100	69	Lizardi
	2400	68	R. Gil

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	68	R. Gil
	0600	70	R. Gil
	0900	70	Marquez J.
	1200	70	Marquez J.
	1500	71	C. Rodriguez
	1800	67	C. Rodriguez
	2100	69	C. Rodriguez
	2400	69	NGUYEN

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	67	NGUYEN
	0600	70	A. Mendez
	0900	71	A. Mendez
	1200	70	A. Mendez
	1500	70	Hernandez A.
	1800	69	Hernandez A
	2100	68	Hernandez A.
	2400	69	Tom Tom

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 Temp. Reading Location: B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	69°	E FERNANDEZ
	0600	69°	E. Fernandez
	0900	69°	E. Fernandez
	1200	69°	E. Fernandez
	1500	70°	P. Miller
	1800	70°	P. Miller
	2100	69°	P. Miller
	2400	69°	Tom Tom

Tuesday

Dat	Time	Temp.	Name (Print)
6/4	0300	69°	Tom Tom
	0600	69°	Tom Tom
	0900	69	A. FERNANDEZ
	1200	70	M. Cuevas
	1500	70	O. Camacho
	1800	70	O. Camacho
	2100	70	O. Camacho
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300		
	0600	69	A. FERNANDEZ
	0900	70	A. FERNANDEZ
	1200	70	A. FERNANDEZ
	1500	71	C. Chavez
	1800	71	C. Chavez
	2100	71	C. Chavez
	2400		

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300		
	0600	68	A. FERNANDEZ
	0900	68	A. FERNANDEZ
	1200	70	A. FERNANDEZ
	1500		
	1800		
	2100		
	2400	71	E FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	70	E FERNANDEZ
	0600	70	A Pantoja
	0900	70	A Pantoja
	1200	70	A Pantoja
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300		
	0600	69	V. RIOS
	0900	70	V. RIOS
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300		
	0600	68	A. Fernandez
	0900	69	A. FERNANDEZ
	1200	69	A. FERNANDEZ
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Temp. Reading Location: B Pod / 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/03/24	0300	71.1°	GARIBAY
	0600	70.7°	GARIBAY
	0900	70.9	MADRIGAL
	1200	70.9	MADRIGAL
	1500	71.2	JIMENEZ
	1800	71.2	JIMENEZ
	2100	71.2	JIMENEZ
	2400	70.7°	GARIBAY

Tuesday

Dat	Time	Temp.	Name (Print)
06/04/24	0300	70.9	GARIBAY
	0600	70.5°	GARIBAY
	0900	70.7°	JKERSCH
	1200	71.4°	JKERSCH
	1500		
	1800		
	2100		
	2400	72.°	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
06/05/24	0300	71.4°	GARIBAY
	0600	71.4°	GARIBAY
	0900	71.6°	JKERSCH
	1200	71.6	JKERSCH
	1500	73.0	JIMENEZ
	1800	73.2	JIMENEZ
	2100	72.9	JIMENEZ
	2400	72.7	RIEMEDIO

Thursday

Date	Time	Temp.	Name (Print)
06/06/24	0300	72.3	RIEMEDIO
	0600	72.1	JKERSCH
	0900	72.1	JKERSCH
	1200	72.1	JKERSCH
	1500	72.9	JIMENEZ
	1800	72.9	JIMENEZ
	2100	72.9	JIMENEZ
	2400	72.3	RIEMEDIO

Friday

Date	Time	Temp.	Name (Print)
06/07/24	0300	72.1	RIEMEDIO
	0600	72.°	JKERSCH
	0900	72°	JKERSCH
	1200	72.1	JKERSCH
	1500	72	Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	71.4	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
06/08/24	0300	70.9°	GARIBAY
	0600	70.7°	GARIBAY
	0900	70.7°	JKERSCH
	1200	71.4°	JKERSCH
	1500	71.4	E. Suarez
	1800	71.4	E. Suarez
	2100	71.2	E. Suarez
	2400	70.7	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
06/09/24	0300	70.5°	GARIBAY
	0600	70.3°	GARIBAY
	0900	70.2	Andrade
	1200	70.3	Andrade
	1500	70.9	Lopez
	1800	70.9	Lopez
	2100	70.9	Lopez
	2400	70.3°	GARIBAY

Notes

6/5/24 STAGE 1 HEAT ALERT 104 SHAS.

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-5 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	69	J. Vasquez
	0600	69	J. Vasquez
	0900	69	Castillon
	1200	69	Castillon
	1500	70	E. Ivy
	1800	70	E. Ivy
	2100	70	E. Ivy
	2400	69	J. Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
6/4/24	0300	69	J. Vasquez
	0600	69	J. Vasquez
	0900	69	F. Castillon
	1200	69	F. Castillon
	1500	71	E. Ivy
	1800	71	E. Ivy
	2100	71	E. Ivy
	2400	71	E. Ivy

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	E. Ivy
	0600	70	E. Ivy
	0900	70	Castillon
	1200	70	Castillon
	1500	70	E. Ivy
	1800	70	E. Ivy
	2100	70	E. Ivy
	2400	70	ESPINO

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	69	ESPINO
	0600	69	ESPINO
	0900	71	Suarez
	1200	71	Suarez
	1500	71.8	P. Miller
	1800	71.8	P. Miller
	2100		
	2400	70°	J. Rincon

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	70°	J. Rincon
	0600	70	~~A. Suarez~~ J. Rincon
	0900	70	Castillon
	1200	70	Castillon
	1500	71°	P. Miller
	1800	71°	P. Miller
	2100		
	2400	71	Thornton

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	70	Thornton
	0600	70	Castillon
	0900	70	Castillon
	1200	70	Castillon
	1500	70	REYES
	1800	70	REYES
	2100	70	REYES
	2400	70	Thornton

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	69	Thornton
	0600	69	Castillon
	0900	69	Castillon
	1200	69	Castillon
	1500	70	REYES
	1800	70	REYES
	2100	70	REYES
	2400	70	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D6 Temp. Reading Location: 2ND TIER B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	71.8	G. Gonzalez
	0600	71.9	C. Munoz
	0900	72.3	C. Munoz
	1200	72.5	C. Munoz
	1500	73.4	C. Munoz
	1800	73.4	C. Munoz
	2100	73.2	C. Munoz
	2400	73.0	G. Gonzalez

Tuesday

Dat	Time	Temp.	Name (Print)
6/4	0300	73.0	G. Gonzalez
	0600	73	Martinez
	0900	73	Martinez
	1200	74	Martinez
	1500	74	Martinez
	1800	74	Martinez
	2100	73	Martinez
	2400	74	Avina

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	72	Avina
	0600	73.2	Martinez
	0900	74	Martinez
	1200	73.8	Martinez
	1500	74	Martinez
	1800	74	Martinez
	2100	73	Martinez
	2400	72	Avina

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	72	Avina
	0600	73	Aguayo
	0900	74	Aguayo
	1200	74	Aguayo
	1500	74	J. Macias
	1800	74	J. Macias
	2100	73	J. Macias
	2400	73	Avina

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	72	Avina
	0600	72	J Macias
	0900	73	J Macias
	1200	72	J Macias
	1500	72	T. Castillon
	1800	72	T. Castillon
	2100	72	T. Castillon
	2400	72	Avina

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	72	Avina
	0600	72.0	Munoz
	0900	72.1	Munoz
	1200	72.0	Munoz
	1500	72.0	Munoz
	1800	72.3	Munoz
	2100	72.0	Munoz
	2400	72	Avina

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	72	Avina
	0600	70.9	C. Munoz
	0900	71.4	C. Munoz
	1200	71.4	C. Munoz
	1500	71.4	Royal
	1800	71.8	J. Cam
	2100	71.4	J. Perez
	2400	72	J. Perez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	69	G ESPINOZA
	0600	69	G ESPINOZA
	0900	70	A. Villaseñor
	1200	70	A. Villaseñor
	1500		
	1800		
	2100		
	2400	69	G ESPINOZA

Tuesday

Dat	Time	Temp.	Name (Print)
6-4-24	0300	68	G ESPINOZA
	0600	68	G ESPINOZA
	0900	69	C. Felix
	1200	69	R. PUENTE
	1500	69	S. Magdaleno
	1800	69	S. Magdaleno
	2100	70	S. Magdaleno
	2400	69	G ESPINOZA

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	69	G ESPINOZA
	0600	69	G ESPINOZA
	0900	70	A. Villaseñor
	1200	70	A. Villaseñor
	1500	70	C. MORA
	1800	70	C. MORA
	2100	70	C. MORA
	2400	70	G ESPINOZA

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	70	G ESPINOZA
	0600	69	G ESPINOZA
	0900	69	L. BAUTISTA
	1200	69	L. BAUTISTA
	1500		
	1800		
	2100		
	2400	70	G ESPINOZA

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	70	G ESPINOZA
	0600	70	G ESPINOZA
	0900	69	L. BAUTISTA
	1200	69	L. BAUTISTA
	1500	69	L. BAUTISTA
	1800	69	L. BAUTISTA
	2100	69	L. BAUTISTA
	2400	70	G. ROCHA

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	70	G. ROCHA
	0600	69	L. BAUTISTA
	0900	69	L. BAUTISTA
	1200	69	L. BAUTISTA
	1500	69	L. BAUTISTA
	1800	69	L. BAUTISTA
	2100	69	L. BAUTISTA
	2400	69	J. Perez

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	70°	J. Perez
	0600	70°	J. Perez
	0900		
	1200	71°	G. Brown
	1500	71°	B. Solorio
	1800	70°	B. Solorio
	2100	70°	B. Solorio
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: D8 Temp. Reading Location: B-pod 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	70°	Mendez R
	0600	70°	V. Mora
	0900	70°	V. Mora
	1200	70°	V. Mora
	1500	70	V. Mora
	1800	70°	V. Mora
	2100	70°	V. Mora
	2400	70	Mendez

Tuesday

Dat	Time	Temp.	Name (Print)
6/4/24	0300	70	Mendez
	0600	69.8	E. Ammari
	0900	70	E. Ammari
	1200	69.9	E. Ammari
	1500	71°	V. Mora
	1800	70°	V. Mora
	2100	70°	V. Mora
	2400	70	Lows

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	Lows
	0600	70.3°	R. Borrego
	0900	71.1°	R. Borrego
	1200	70.5°	R. Borrego
	1500	71	Castillon
	1800	71	Castillon
	2100	71	Castillon
	2400	72	A. Farias

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	71	A. Farias
	0600	70	A. Farias
	0900	70.7°	R. Borrego
	1200	71.2°	R. Borrego
	1500	70°	Vasquez
	1800	70°	Vasquez
	2100	70°	B. Rocha
	2400	70°	B. Rocha

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	70	B. Rocha
	0600	70.7°	R. Borrego
	0900	70.8°	R. Borrego
	1200	71.1°	R. Borrego
	1500	70.9°	R. Borrego
	1800	71.4°	R. Borrego
	2100	70.7°	R. Borrego
	2400	70°	A. Sanudo

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	70	A. Sanudo
	0600	70°	V. Mora
	0900	70°	V. Mora
	1200	71°	V. Mora
	1500	72°	D. Perez
	1800	72°	G. Rangel
	2100	72	G. Rangel
	2400	71	Mendez

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	71°	Mendez
	0600	71°	V. Mora
	0900	71°	V. Mora
	1200	70°	V. Mora
	1500	71°	V. Mora
	1800	71°	V. Mora
	2100	70°	V. Mora
	2400	71	J. Arellano

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-2 Temp. Reading Location: B-POD (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	70	Tom Tom
	0600	70	Tom Tom
	0900	68°	B. Solorio
	1200	68	B. Solorio
	1500	69°	B. Solorio
	1800	69°	Hernandez A
	2100	68°	Hernandez A.
	2400	68	Garcia

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	71	Garcia
	0600	71	Corone
	0900	70	Corone
	1200	68	Corone
	1500	68	Hernandez. A
	1800	69	Hernandez. A
	2100	69	Hernandez A
	2400	67	Espino

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	68.	Espino
	0600	69	J. Corona
	0900	69	J. Corona
	1200	69	J. Corona
	1500	69	Hernandez HA
	1800	69	Hernandez A
	2100	70	Hernandez
	2400	68	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	68	Garcia A
	0600	68	Garcia A
	0900	67	Burrola
	1200	67	Burrola
	1500	67	Hernandez
	1800	66	Hernandez
	2100	66	Hernandez
	2400	67	Fuente

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	67	Fuente
	0600	67	J. LARA
	0900	67	J. LARA
	1200	67	J. LARA
	1500	68	R. Lizardi
	1800	68	R. Lizardi
	2100	68	R. Lizardi
	2400	68	A Garcia

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	70	Garcia A
	0600	71	Garcia A
	0900	67	J. Fernandez
	1200	67	J. Fernandez
	1500	69	J. Martinez
	1800	69	R. Lizardi
	2100	67	R. Lizardi
	2400	67	R. Lizardi

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	67	Burrola
	0600	67	Tom Tom
	0900	67	Garcia
	1200	65	Garcia
	1500	67	Garcia
	1800	65	Garcia
	2100	67	[illegible]
	2400	67	Tom Tom

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	67	A. Fernandez
	0600	68	A. FERNANDEZ
	0900	68	A. FERNANDEZ
	1200	70	A. FERNANDEZ
	1500	71	A. Fernandez
	1800	71	A. Fernandez
	2100	70	A. Fernandez
	2400	68	Tom Tom

Tuesday

Dat	Time	Temp.	Name (Print)
6/11	0300	68	Tom Tom
	0600	69	A. FERNANDEZ
	0900	70	A. FERNANDEZ
	1200	70	A. FERNANDEZ
	1500	69	O. Camacho
	1800	69	O. Camacho
	2100	69	O. Camacho
	2400	69	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	69	[illegible]
	0600	69	A. FERNANDEZ
	0900	70	A. FERNANDEZ
	1200	71	A. FERNANDEZ
	1500	69	O. Camacho
	1800	71	O. Camacho
	2100	71	O. Camacho
	2400	71	O. Camacho

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	67	A. Fernandez
	0600	67	A. FERNANDEZ
	0900	68	A. FERNANDEZ
	1200	68	A. FERNANDEZ
	1500	68	A. Fernandez
	1800	66	A. Fernandez
	2100	66	A. Fernandez
	2400	68	E. FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	68	E. FERNANDEZ
	0600	67	F. PEREZ
	0900	67	F. PEREZ
	1200	67	F. PEREZ
	1500	68	F. PEREZ
	1800	68	F. PEREZ
	2100	67	F. PEREZ
	2400	68	E. FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	68	E. FERNANDEZ
	0600	68	M. Flores
	0900	68	M. Flores
	1200	68	F. PEREZ
	1500	68	F. PEREZ
	1800	68	F. PEREZ
	2100	68	F. PEREZ
	2400	68	E. FERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	68	E. FERNANDEZ
	0600	67	F. PEREZ
	0900	67	F. Perez
	1200	69	F. Perez
	1500	68	F. Perez
	1800	68	F. Perez
	2100	68	F. Perez
	2400	68	F. Perez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Temp. Reading Location: B POD / 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/10/24	0300	70.3°	GARIBAY
	0600	70.2°	GARIBAY
	0900	69.8	P. Anguiano
	1200	70.3	P. Anguiano
	1500	70.7	U. JIMENEZ
	1800	71.2	U. JIMENEZ
	2100	70.3	U. JIMENEZ
	2400	70.2°	GARIBAY

Tuesday

Dat	Time	Temp.	Name (Print)
6/11/24	0300	70.0°	GARIBAY
	0600	70.0°	GARIBAY
	0900	70°	JKERSCH
	1200	71.1°	JKERSCH
	1500	71.3	JIMENEZ
	1800	71.6	JIMENEZ
	2100	71.8	JIMENEZ
	2400	71.1	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
06/12/24	0300	71.1°	GARIBAY
	0600	70.6	GARIBAY
	0900	70.7°	JKERSCH
	1200	70.7°	JKERSCH
	1500	70.9	JIMENEZ
	1800	71.4	JIMENEZ
	2100	71.2	JIMENEZ
	2400	70.9	R RIEMEDIO

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	70.5	R RIEMEDIO
	0600	70.3°	JKERSCH
	0900	70.7°	JKERSCH
	1200	70.9°	JKERSCH
	1500	70.9	V. ESCATEL
	1800	70.7	V. ESCATEL
	2100	70.7	V. ESCATEL
	2400		ESPINOZA

Friday

Date	Time	Temp.	Name (Print)
06/14/24	0300	70	A. ESPINOZA
	0600	70°	JKERSCH
	0900	70°	JKERSCH
	1200	70°	J. KERSCH
	1500	71	J. KERSCH
	1800	71	J. KERSCH
	2100	71	J. KERSCH
	2400	70.5°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70.0°	GARIBAY
	0600	69.6	GARIBAY
	0900	69.6°	JKERSCH
	1200	69.8	JKERSCH
	1500	70.0	B. ADAMS
	1800	70.2	B. ADAMS
	2100	70.0	B. ADAMS
	2400	69.0	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
06/16/24	0300	69.6	GARIBAY
	0600	69.6	GARIBAY
	0900	69.6	GARIBAY
	1200	69.6	GARIBAY
	1500	69	Mendez
	1800	69.6	Mendez
	2100	69.6	Mendez
	2400	69.4°	GARIBAY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D5 Temp. Reading Location: B POD 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10	0300	69	VASQUEZ
	0600	69	CASTILLON
	0900	69	CASTILLON
	1200	69	CASTILLON
	1500	70	COY
	1800	70	COY
	2100	70	COY
	2400	70	J. Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
6-11	0300	70	J. Vasquez
	0600	70	J. Vasquez
	0900	70	CASTILLON
	1200	70	CASTILLON
	1500	70	COY
	1800	70	COY
	2100	70	COY
	2400	70	J. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
6-12	0300	70	J. Vasquez
	0600	70	J. Vasquez
	0900	70	CASTILLON
	1200	69	CASTILLON
	1500	69	CASTILLON
	1800	69	COY
	2100	69	COY
	2400	70	J. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
6-13	0300	69	J. Vasquez
	0600	69	J. Vasquez
	0900	69	Hernandez
	1200	68.9	Hernandez
	1500	68.9	P. Miller
	1800	69.0	P. Miller
	2100	69	J. Vasquez
	2400	69	J. Vasquez

Friday

Date	Time	Temp.	Name (Print)
6-14	0300	69	J. Vasquez
	0600	69	J. Vasquez
	0900	69	CASTILLON
	1200	69	CASTILLON
	1500	69	P. Miller
	1800	69	P. Miller
	2100	69	P. Miller
	2400	69	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
6-15	0300	69	[illegible]
	0600	69	CASTILLON
	0900	69	CASTILLON
	1200	69	CASTILLON
	1500	69	REYES
	1800	69	REYES
	2100	69	REYES
	2400	69	Leal

Sunday

Date	Time	Temp.	Name (Print)
6-16	0300	69	Mleal
	0600	69	Mleal
	0900	69	CASTILLON
	1200	69	CASTILLON
	1500	68	REYES
	1800	68	REYES
	2100	69	REYES
	2400	69	Mleal

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: DC Temp. Reading Location: 2ND TIER B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	73	J. Perez
	0600	70.3	J. Perez
	0900	70	C. Munoz
	1200	71.9	C. Munoz
	1500	71.1	C. Munoz
	1800	71.1	C. Munoz
	2100	71.1	C. Munoz
	2400	71.0	J. Perez

Tuesday

Dat	Time	Temp.	Name (Print)
6/11	0300	71.3	J. Perez
	0600	70.8	J. Perez
	0900	70	Martinez
	1200	70	Martinez
	1500	70	Martinez
	1800	71	Martinez
	2100	71	Martinez
	2400	71	Avina

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	71	Avina
	0600	71	J Lopez
	0900	71	J Lopez
	1200	71	J Lopez
	1500	71	Martinez
	1800	71	Martinez
	2100	71	Martinez
	2400	71	Avina

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	71	Avina
	0600	70.3	Lizardi
	0900	70.3	Lizardi
	1200	70.9	Lizardi
	1500	70	Martinez
	1800	71	Martinez
	2100	70	Martinez
	2400	71	Avina

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	71	Avina
	0600	71	J Gomez
	0900	70	J Gomez
	1200	70	J Gomez
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	70	Avina

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	70	Avina
	0600	70.0	C Munoz
	0900	70.0	C Munoz
	1200	70.4	C. Munoz
	1500	70.7	C. Munoz
	1800	70.7	C. Munoz
	2100	70.2	C Munoz
	2400	71	Avina

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	71	Avina
	0600	70	C Munoz
	0900	70	C. Munoz
	1200	70	C Munoz
	1500	70	I. Rubles
	1800	70.3	I. Rubles
	2100	70.2	I. Rubles
	2400	70	J Perez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-7 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	70°	P. Guzman
	0600	70°	P. Guzman
	0900	70	Zamorano
	1200	71°	Zamorano
	1500	70°	Mreza
	1800	70°	Mreza
	2100	70°	Mreza
	2400	70	G Espinoza

Tuesday

Dat	Time	Temp.	Name (Print)
6-11-24	0300	70	G Espinoza
	0600	70	G Espinoza
	0900	69	L. Bautista
	1200	70	L. Bautista
	1500	70	I. Castillo
	1800	70	I. Castillo
	2100	70	I. Castillo
	2400	70	G Espinoza

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	70	G Espinoza
	0600	70	G Espinoza
	0900	69	L. Bautista
	1200	69	L. Bautista
	1500	69	L. Bautista
	1800	69	L. Bautista
	2100	69	L. Bautista
	2400	70	G Espinoza

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	70	G Espinoza
	0600	70	G Espinoza
	0900	70	R Camorano
	1200	70	R Zamorano
	1500	70	L. Bautista
	1800	70	L. Bautista
	2100	70	L. Bautista
	2400	69	G Espinoza

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	69	G Espinoza
	0600	69	G Espinoza
	0900	69	L. Bautista
	1200	69	L. Bautista
	1500	69	C. Mora
	1800	70	C. Mora
	2100	70	C. Mora
	2400	70	C Mora

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	70°	J. Perez
	0600	70°	J. Perez
	0900	71°	A. Martinez
	1200	71°	A. Martinez
	1500	70	C. Mora
	1800	70	C. Mora
	2100	70	C. Mora
	2400	70	C. Mora

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	69°	J. Perez
	0600	70°	J. Perez
	0900	71°	A. Martinez
	1200	71°	A. Martinez
	1500	71°	J. Garcia
	1800	71°	J. Garcia
	2100	71°	J. Garcia
	2400	70	G Espinoza

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: D8 Temp. Reading Location: BPDO 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/2019	0300	69.0	J. Bermudez
	0600	69°	J. Bermudez
	0900	70°	J. Lucero
	1200	70°	J. Lucero
	1500	70°	J. Arreno
	1800	71°	J. Arreno
	2100	70°	J. Arreno
	2400	71	R. Infante

Tuesday

Dat	Time	Temp.	Name (Print)
6/11	0300	70	R. Infante
	0600	70	R. Infante
	0900	70.3	E. Ammari
	1200	70.2	E. Ammari
	1500	71.0	A. Martinez
	1800	71°	A. Martinez
	2100	69	A. Martinez
	2400	70	R. Infante

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	68	R. Infante
	0600	69	R. Infante
	0900	70.2°	R. Borrego
	1200	70.3°	R. Borrego
	1500	70.7	A. Velarde
	1800	70.7	A. Velarde
	2100	70.8	A. Velarde
	2400	70°.7	D. Moreno

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	70°.7	D. Moreno
	0600	70.2°	R. Borrego
	0900	70.2°	R. Borrego
	1200	70.3°	R. Borrego
	1500	70.3°	R. Borrego
	1800	70.3	D. Vazquez
	2100	70.2	Liscani
	2400	69.0	J. Cruz

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	69°	J. Cruz
	0600	70.3°	R. Borrego
	0900	69.6°	R. Borrego
	1200	70.7°	R. Borrego
	1500	70.9°	R. Borrego
	1800	70.5°	R. Borrego
	2100	70.5°	R. Borrego
	2400	70.5°	C. Inzunza

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300		
	0600	70.0°	R. Borrego
	0900	70.0°	R. Borrego
	1200	70.3°	R. Borrego
	1500	70.3°	R. Borrego
	1800	70.3°	R. Borrego
	2100	70.3°	R. Borrego
	2400	70	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	70	[illegible]
	0600	69.4	J. Martinez
	0900	69.6	J. Martinez
	1200	70.9	J. Martinez
	1500	70.7	J. Martinez
	1800	71	J. Martinez
	2100	70.9	J. Martinez
	2400	70.3	A. Farias

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-2 Temp. Reading Location: Control Booth 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	67	Tomlom
	0600	67	J. Brewer
	0900	67	J Brewer
	1200	67	J Brewer
	1500	70	C. Magdaleno
	1800	68	S. Magdaleno
	2100	68	S. Magdaleno
	2400	68	Garcia A.

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	68	Garcia A
	0600	68	Garcia A
	0900	68	J Brewer
	1200	68	J Brewer
	1500	68	Rico
	1800	68	Rico
	2100	67	Rico
	2400	68	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	67	Garcia A
	0600	67	Garcia A
	0900	67	J Brewer
	1200	68	J Brewer
	1500	67	J. Santana
	1800	67	J. Santana
	2100	67	J. Santana
	2400	66	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	68	Garcia A
	0600	68	Garcia A
	0900	68	J Brewer
	1200	68	J Brewer
	1500	68	
	1800	68	
	2100	68	
	2400	68	

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	~~Fuentes 69~~	Fuentes
	0600	69	Lopez
	0900	69	Lopez
	1200	69	Lopez
	1500	68	Lizardi
	1800	66	Lizardi
	2100	66	Lizardi
	2400	67	Schl

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	67	Schl
	0600	67	Schl
	0900	67	Rodriguez
	1200	69	Rodriguez
	1500	91	Rodriguez
	1800	69	Rodriguez
	2100	68	Rodriguez
	2400	67	C Navarro

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	67	C Navarro
	0600	67	C Navarro
	0900	67	E. Ammari
	1200	68	E. Ammari
	1500	69	Hernandez A
	1800	69°	Hernandez A
	2100	68°	Hernandez A
	2400	66°	Tomlom

Notes

2024

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 Temp. Reading Location: D3 B Pod [illegible]
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5342 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	60	A FERNANDEZ
	0600	68	A. FERNANDEZ
	0900	70	A. FERNANDEZ
	1200	70	A. FERNANDEZ
	1500	60	CAMACHO
	1800	68	CAMACHO
	2100	68	CAMACHO
	2400	69	Torez Torez

Tuesday

Dat	Time	Temp.	Name (Print)
6/18	0300	68	Torez Torez
	0600	67	A. FERNANDEZ
	0900	68	A. FERNANDEZ
	1200	69	A. FERNANDEZ
	1500	68	CAMACHO
	1800	68	CAMACHO
	2100	68	CAMACHO
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300		
	0600	68	A. FERNANDEZ
	0900	68	A. FERNANDEZ
	1200	69	A. FERNANDEZ
	1500	69	O. Camacho
	1800	68	O. Camacho
	2100	68	O. Camacho
	2400	68	E FERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	68	E. FERNANDEZ
	0600	67	A. FERNANDEZ
	0900	67	A. FERNANDEZ
	1200	68	A. FERNANDEZ
	1500	68	O. Camacho
	1800	67	O. Camacho
	2100	67	O. Camacho
	2400	67	Spno

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	69	Espino
	0600	69	SUAREZ
	0900	68	SUAREZ
	1200	68	SUAREZ
	1500	68	CAMACHO
	1800	68	CAMACHO
	2100	68	CAMACHO
	2400	67	E FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	67	E FERNANDEZ
	0600	67	J. Martinez
	0900	67	J. Martinez
	1200	68	J. Martinez
	1500	68	C. Chavez
	1800	68	C. Chavez
	2100	67	C. Chavez
	2400	67	E FERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	67	E FERNANDEZ
	0600	67	A FERNANDEZ
	0900	68	A FERNANDEZ
	1200	68	A FERNANDEZ
	1500	68	Lizardi
	1800	69	Lizardi
	2100	68	Lizardi
	2400	68	E FERNANDEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Temp. Reading Location: B POD / 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/17/24	0300	70.2°	GARIBAY
	0600	70.0°	GARIBAY
	0900	69.4	TOLBERT
	1200	69.4	TOLBERT
	1500	70.0	Andrade
	1800	70.0	Andrade
	2100	70.0	Andrade
	2400	69.6°	GARIBAY

Tuesday

Dat	Time	Temp.	Name (Print)
06/18/24	0300	69.4°	GARIBAY
	0600	69.1°	GARIBAY
	0900	69.1°	JKERSCH
	1200	69.6°	JKERSCH
	1500	69.8	U. JIMENEZ
	1800	70.0	U. JIMENEZ
	2100	70.0	U. JIMENEZ
	2400	69.6°	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
06/19/24	0300	69.4°	GARIBAY
	0600	69.4	GARIBAY
	0900	69.4°	JKERSCH
	1200	69.4°	JKERSCH
	1500	70.2	U. JIMENEZ
	1800	70.0	U. JIMENEZ
	2100	70.0	U. JIMENEZ
	2400	70.1	R. RIEMEDIO

Thursday

Date	Time	Temp.	Name (Print)
06/20/24	0300	70.2	R RIEMEDIO
	0600	70.2	JKERSCH
	0900	69.6	JKERSCH
	1200	69.6	JKERSCH
	1500	70.2	U. JIMENEZ
	1800	70.2	U. JIMENEZ
	2100	69.8	U. JIMENEZ
	2400	69.8	R RIEMEDIO

Friday

Date	Time	Temp.	Name (Print)
06/21/24	0300	69.4	R RIEMEDIO
	0600	69.1	JKERSCH
	0900	70.1	JKERSCH
	1200	70.4°	JKERSCH
	1500	70.0	MURRIETA
	1800	70	MURRIETA
	2100	69.4	MURRIETA
	2400	69.1°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
06/22/24	0300	69.4	GARIBAY
	0600	69.9°	GARIBAY
	0900	70.1°	JKERSCH
	1200	69.8°	JKERSCH
	1500	70	D. VAZQUEZ
	1800	69	D. VAZQUEZ
	2100	68	D. VAZQUEZ
	2400	70.0°	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
06/23/24	0300	69.8°	GARIBAY
	0600	69.6°	GARIBAY
	0900	69.4	R. SILVA
	1200	70.0	R. SILVA
	1500	70.0	P. Miller
	1800	70.0	P. Miller
	2100	70.0	P. Miller
	2400	70.0°	GARIBAY

Notes

2/W 6.22.24 STAGE 1" HEAT ALERT

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D5 Temp. Reading Location: B POD 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17	0300	69	VASQUEZ
	0600	69	CASTILLON
	0900	69	CASTILLON
	1200	69	CASTILLON
	1500	69	GARCIA
	1800	69	Garcia
	2100	69	Garcia
	2400	69°	J. Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
6-18	0300	69	J. Vasquez
	0600	69	J. Vasquez
	0900	69	CASTILLON
	1200	69	CASTILLON
	1500	69	E. Coy
	1800	68	E. Coy
	2100	68	E. Coy
	2400	68	J. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
6-19	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	68°	J. Macias
	1200	68°	J. Macias
	1500	68	E. Coy
	1800	68	E. Coy
	2100	68	E. Coy
	2400	68	J. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
6-20	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	68	J. Macias
	1200	68	J. Macias
	1500	68	LOPEZ
	1800	68	LOPEZ
	2100	68	LOPEZ
	2400	68°	J. Vasquez

Friday

Date	Time	Temp.	Name (Print)
6-21	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	69	CASTILL
	1200	69	CASTILL
	1500	68	P. Miller
	1800	68	P. Miller
	2100	67	P. Miller
	2400	67	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
6-22	0300	67	[illegible]
	0600	68	CASTILLON
	0900	69	CASTILLON
	1200	69	CASTILLON
	1500	69	COY
	1800	69	COY
	2100	69	COY
	2400	69	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
6-23	0300	69	[illegible]
	0600	69	CASTILLON
	0900	69	CASTILLON
	1200	69	CASTILLON
	1500	69	E. Coy
	1800	69	E. Coy
	2100	69	E. Coy
	2400	68	J. Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D6 Temp. Reading Location: 2nd Tier B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	69	J PEREZ
	0600	69.4	C. MUNOZ
	0900	70	C. MUNOZ
	1200	70.3	C. MUNOZ
	1500	70	C. MUNOZ
	1800	70	C. MUNOZ
	2100	70	C. MUNOZ
	2400	70	J-Perez

Tuesday

Dat	Time	Temp.	Name (Print)
6/18	0300	69	B. AVINA
	0600	69	Martinez
	0900	69	Martinez
	1200	70	Martinez
	1500	70	Martinez
	1800	70	Martinez
	2100	69.6	Martinez
	2400	70	AVINA

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	69.6	J. Perez
	0600	69.8	J-Perez
	0900	69	[illegible]
	1200	70	[illegible]
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	B. AVINA

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	68	AVINA
	0600	69.4	S Alvarez
	0900	69.8	S. Alvarez
	1200	69.8	S. Alvarez
	1500	70	Martinez
	1800	71	Martinez
	2100	71	Martinez
	2400	71	AVINA

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	69	B. AVINA
	0600	69.4	S Alvarez
	0900	69.4	S Alvarez
	1200	70	S. Alvarez
	1500	70.0	Martinez
	1800	71.0	Martinez
	2100	71.0	Martinez
	2400	69	B. AVINA

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	69	B AVINA
	0600	69.4	C MUNOZ
	0900	70.0	C Munoz
	1200	70.2	C Munoz
	1500	70.3	C MUNOZ
	1800	70.3	C MUNOZ
	2100	70.3	C MUNOZ
	2400	70	B. AVINA

Sunday

Date	Time	Temp.	Name (Print)
~~6/20~~ 6/23	0300	69	B AVINA
	0600	70.0	C. MUNOZ
	0900	70.4	C. MUNOZ
	1200	71.1	C. MUNOZ
	1500	71	AMEZQUITA
	1800	71	AMEZQUITA
	2100	70	AMEZQUITA
	2400	70	MARTINEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D7 Temp. Reading Location: BPod 2tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5342 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	71	ESPINOZA
	0600	71	BRUNN
	0900	71	BRUNN
	1200	71	BRUNN
	1500	71	L. Mora
	1800	71	L. HERNANDEZ.
	2100	71	L. Mora
	2400	71	L. Mora

Tuesday

Dat	Time	Temp.	Name (Print)
6/18	0300	69	ESPINOZA
	0600	68	L. BRUNN
	0900	70	L. BRUNN
	1200	70	L. BRUNN
	1500	71	J. HARGRAVE
	1800	70	L. Mora
	2100	70	L. Mora
	2400	71	L. Mora

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	70	ESPINOZA
	0600	71	L. BRUNN
	0900	70	L. BRUNN
	1200	70	L. BRUNN
	1500	70	L. BRUNN
	1800	70	L. BRUNN
	2100	71	L. BRUNN
	2400	71	L. Mora

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	72	ESPINOZA
	0600	71	L. BRUNN
	0900	70	L. BRUNN
	1200	69	L. BRUNN
	1500	68	L. Mora
	1800	70	O. Mena
	2100	69	L. Mora
	2400	70	L. Mora

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	69	O. Mena
	0600	70	L. BRUNN
	0900	70	L. BRUNN
	1200	70	L. BRUNN
	1500	71	C. MERA
	1800	70	C. MERA
	2100	70	C. MERA
	2400	71	L. Mora

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	71	D. RECHA
	0600	73	C. MERA
	0900	73	C. MERA
	1200	71	C. MERA
	1500	70	C. MERA
	1800	70	C. MERA
	2100	70	C. MERA
	2400	70	L. Mora

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	72	C. GONZALEZ
	0600	71	L. Mora
	0900	70	L. Mora
	1200	71	D. ADAMS
	1500	70	L. Mora
	1800	71	L. Mora
	2100	70	Y. DELGADO.
	2400	71	L. Mora

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70.2	A. FARIAS
	0600	70.2	A. FARIAS
	0900	70°	V. Mora
	1200	70°	V. Mora
	1500	70°	V. Mora
	1800	70°	V. Mora
	2100	70°	V. Mora
	2400	71	Mendez

Tuesday

Dat	Time	Temp.	Name (Print)
6/18/24	0300	71	Mendez
	0600	71.2	Ammari
	0900	71.0	Ammari
	1200	71°	Ammari
	1500	70°	V. Mora
	1800	70°	V. Mora
	2100	70°	V. Mora
	2400	70	A. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	A. Garcia
	0600	70.2°	R. Borrego
	0900	70.3°	R. Borrego
	1200	70.9°	R. Borrego
	1500	71	J Garcia
	1800	70	J Garcia
	2100	71	J Garcia
	2400	71	A. FARIAS

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70	A. FARIAS
	0600	69.8	A. FARIAS
	0900	69.4	R. Borrego
	1200	69.8	R. Borrego
	1500	70	R. Lizardi
	1800	69.3	R. Lizardi
	2100	69.1	R. Lizardi
	2400	64.0	M. Avila

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	68.0	M. Avila
	0600	68.9°	R. Borrego
	0900	69.1°	R. Borrego
	1200	69.3°	R. Borrego
	1500	70.2°	R. Borrego
	1800	70.0°	R. Borrego
	2100	69.1°	R. Borrego
	2400	69°	Sanudo

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	69°	Sanudo
	0600	69°	V. Mora
	0900	70°	V. Mora
	1200	72°	V. Mora
	1500	69°	V. Mora
	1800	69°	V. Mora
	2100	69°	V. Mora
	2400	69°	A. FARIAS

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	68.9°	A. FARIAS
	0600	68.9°	V. Mora
	0900	69°	V. Mora
	1200	70°	V. Mora
	1500	70°	V. Mora
	1800	70°	V. Mora
	2100	70°	V. Mora
	2400	70°	Mendez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-2 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	67°	Tom Tom
	0600	69°	Tom Tom
	0900	67°	A. Pantoja
	1200	69°	A. Pantoja
	1500	69°	A. Hernandez
	1800	69°	A. Hernandez
	2100	70°	A. Hernandez
	2400	70°	A Garcia

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	70	Garcia A
	0600	71	Garcia A
	0900	70	J Brewer
	1200	70	J Brewer
	1500	70°	Hernandez A
	1800	70°	Hernandez A
	2100	70°	Hernandez A
	2400	70	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	70	Garcia A
	0600	70	Garcia A
	0900	69	J Brewer
	1200	69	J Brewer
	1500	70°	Hernandez A
	1800	70°	Hernandez A
	2100	70°	Hernandez A
	2400	69	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	69	Garcia A
	0600	70	Garcia A
	0900	68	Ledezma
	1200	68	Ledezma
	1500	69	Zamorano
	1800	69	ZAMORANO
	2100	69	Zamorano
	2400	69	Garcia A

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	68	R. Lizardi
	0600	68	Martinez
	0900	69	Martinez
	1200	69	Martinez
	1500	69	R. Lizardi
	1800	69	R. Lizardi
	2100	68	R. Lizardi
	2400	68	R. Lizardi

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	68	Torres Torres
	0600	68	M. Cuevas
	0900	68	M. Cuevas
	1200	68	M. Cuevas
	1500	68	B. ADAMS
	1800	68	B. ADAMS
	2100	68	B. ADAMS
	2400	68	Tom Tom

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	68°	Tom Tom
	0600	70°	A. Hernandez
	0900	68°	A. Hernandez
	1200	71°	A. Hernandez
	1500	71°	E. SALAS
	1800	71°	E. SALAS
	2100	70°	E. SALAS
	2400	70	B. ADAMS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 Temp. Reading Location: CTRL BOOTH D Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	68	E FERNANDEZ
	0600	68	A. FERNANDEZ
	0900	68	A. FERNANDEZ
	1200	68	A. FERNANDEZ
	1500	69	E. alvarado
	1800	69	P. Miller
	2100	69	P. Miller
	2400	69	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
6/25	0300	68	[illegible]
	0600	68	A. FERNANDEZ
	0900	69	A. FERNANDEZ
	1200	70	A. FERNANDEZ
	1500	70	O. CAMACHO
	1800	70	O. CAMACHO
	2100	70	O. CAMACHO
	2400	70	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	69	[illegible]
	0600	69	A. FERNANDEZ
	0900	69	A. FERNANDEZ
	1200	69	A. FERNANDEZ
	1500	69	A. FERNANDEZ
	1800	69	A. FERNANDEZ
	2100	69	A. FERNANDEZ
	2400	69	E FERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	69	E FERNANDEZ
	0600	69	A. FERNANDEZ
	0900	69	A. FERNANDEZ
	1200	69	A. FERNANDEZ
	1500	69	O. CAMACHO
	1800	70	O. CAMACHO
	2100	69	O. CAMACHO
	2400	69	E FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	69	E. FERNANDEZ
	0600	69	E. FERNANDEZ
	0900	69	E. SUAREZ
	1200	69	E. SUAREZ
	1500	69	O. CAMACHO
	1800	69	O. CAMACHO
	2100	69	O. CAMACHO
	2400	68	E FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	68	E FERNANDEZ
	0600	68	G. Felix
	0900	68	G. Felix
	1200	68	G. Felix
	1500	69	I. ROBLES
	1800	69	I. ROBLES
	2100	69	I. ROBLES
	2400	68	A. ESTRADA

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	69	A. ESTRADA
	0600	69	A. ESTRADA
	0900	69	M. Flores
	1200	70	G. MURRIETA
	1500	70	G. MURRIETA
	1800	70	G. MURRIETA
	2100	70	G. MURRIETA
	2400	70	A. CUMGA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Temp. Reading Location: BPOD / 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
04/24/24	0300	70.0°	GARIBAY
	0600	70.0°	GARIBAY
	0900	70.4	GARIBAY
	1200	70.4	GARIBAY
	1500	71.4	ACEVEDO
	1800	72	HUERTA
	2100	71.2	HUERTA
	2400	70.7°	GARIBAY

Tuesday

Dat	Time	Temp.	Name (Print)
04/25/24	0300	70.9°	GARIBAY
	0600	70.5°	GARIBAY
	0900	70.7°	JKERSCH
	1200	71.2°	JKERSCH
	1500	71.8°	U. JIMENEZ
	1800	72.0°	U. JIMENEZ
	2100	72.0	U. Jimenez
	2400	71.4°	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
04/26/24	0300	71.2°	GARIBAY
	0600	71.1°	GARIBAY
	0900	70.9°	JKERSCH
	1200	71.6°	JKERSCH
	1500	71°	S. Magdaleno
	1800	71°	S. Magdaleno
	2100	70°	S. Magdaleno
	2400	71	J Marquez

Thursday

Date	Time	Temp.	Name (Print)
04/27/24	0300	71	Marquez
	0600	71	Marquez
	0900	71.1	JKERSCH
	1200	71.2°	JKERSCH
	1500	71.8°	U. JIMENEZ
	1800	71.8°	U. JIMENEZ
	2100	71.2°	U. JIMENEZ
	2400	71.1	RIEMEDIO

Friday

Date	Time	Temp.	Name (Print)
04/28/24	0300	70.7	RIEMEDIO
	0600	70.7	JKERSCH
	0900	70.7	JKERSCH
	1200	71.1	JKERSCH
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70.7°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
04/29/24	0300	70.3°	GARIBAY
	0600	70.5°	GARIBAY
	0900	70.5°	JKERSCH
	1200	70.7°	JKERSCH
	1500	70.0	P. Miller
	1800	70.0	P. Miller
	2100	70.0	P. Miller
	2400	70.7°	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
04/30/24	0300	70.7°	GARIBAY
	0600	70.5°	GARIBAY
	0900	70	Fernandez
	1200	70	Fernandez
	1500	71	BRAVO
	1800	70	BRAVO
	2100	70	BRAVO
	2400	70	B. ADAMS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-5 Temp. Reading Location: Control Booth B Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	68	Castillon
	1200	68	Castillon
	1500	69	E. Coy
	1800	69	E. Coy
	2100	69	E. Coy
	2400	69	J. Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
6/25	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	69	Castillon
	1200	69	Castillon
	1500	69	E. Coy
	1800	69	E. Coy
	2100	69	E. Coy
	2400	68	J. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	69	Castillon
	1200	69	Castillon
	1500	70	CALLEJA
	1800	70	CALLEJA
	2100	69	CALLEJA
	2400	68	J. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
6-27	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	68.9	A. Mendez
	1200	69.9	[illegible] - Gamaba
6/13	1500	68.9°	Lopez
	1800	69.0°	Lopez
	2100	70	Lopez
	2400	68	J. Vasquez

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	69	Castillon
	1200	69	Castillon
	1500	69	P. Miller
	1800	69	P. Miller
	2100	69	P. Miller
	2400	69	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	69	[illegible]
	0600	69	Castillon
	0900	69	Castillon
	1200	69	Castillon
	1500	69	E. Coy
	1800	69	E. Coy
	2100	69	E. Coy
	2400	69	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	68	[illegible]
	0600	68	[illegible]
	0900	68	[illegible]
	1200	68	[illegible]
	1500	69	E. Coy
	1800	69	E. Coy
	2100	69	E. Coy
	2400	68	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D6 Temp. Reading Location: 2nd Tier B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	70	I-MARTINEZ
	0600	70.3	C MUNOZ
	0900	70.5	C MUNOZ
	1200	70.9	C MUNOZ
	1500	71.4	C MUNOZ
	1800	71.8	C MUNOZ
	2100	71.0	C MUNOZ
	2400	70.7	T-SANTOS

Tuesday

Dat	Time	Temp.	Name (Print)
6/25	0300	70	T. SANTOS
	0600	70	Martinez
	0900	71	Martinez
	1200	72	Martinez
	1500	72	Martinez
	1800	71	Martinez
	2100	71	Martinez
	2400	71	AVILA

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	71	B AVILA
	0600	70	C. MUNOZ
	0900	70	C. MUNOZ
	1200	70	C. MUNOZ
	1500	71	E Martinez
	1800	71	E Martinez
	2100	71	E Martinez
	2400	71	B AVILA

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	71.2	B AVILA
	0600	70.3	S. Alvarez
	0900	71.00	S. Alvarez
	1200	71.1	S. Alvarez
	1500	71	Martinez
	1800	71	Martinez
	2100	71	Martinez
	2400	71	B AVILA

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	70	AVILA
	0600	70.3	ZAMORANO
	0900	70.7	ZAMORANO
	1200	70.7	ZAMORANO
	1500	72	Martinez
	1800	71	Martinez
	2100	71	Martinez
	2400	71	AVILA

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	70	AVILA
	0600	70	C. MUNOZ
	0900	70.2	C MUNOZ
	1200	70.6	C MUNOZ
	1500	70.8	C MUNOZ
	1800	70.4	C MUNOZ
	2100	70.2	C MUNOZ
	2400	70	AVILA

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	71	AVILA
	0600	70.9	I. Bautista
	0900	70.9	I. Bautista
	1200	70.9	I. Bautista
	1500	71.6	R. PUENTE
	1800	71.6	R. PUENTE
	2100	71.4	R. PUENTE
	2400	71.0	R. PUENTE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: D-7 Temp. Reading Location: 2ND TIER BLOCK
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	70	G ESPINOZA
	0600	70	G ESPINOZA
	0900	68	G Gonzales
	1200	70	G. Gonzales
	1500	70	G. Gonzales
	1800	71	G. Gonzales
	2100	70	G ESPINOZA
	2400	69	G ESPINOZA

Tuesday

Dat	Time	Temp.	Name (Print)
6-25-24	0300	69	G ESPINOZA
	0600	69	G ESPINOZA
	0900	69	M. Avila
	1200	69	M. Avila
	1500	70	C. Soto
	1800	70	C. Soto
	2100	70	C. Soto
	2400	70	G ESPINOZA

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	69	G ESPINOZA
	0600	70	G ESPINOZA
	0900	69	L. BAUTISTA
	1200	69	L. BAUTISTA
	1500	69	C. MORA
	1800	69	C. MORA
	2100	69	C. MORA
	2400	69	G. ESPINOZA

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	70	G ESPINOZA
	0600	70	G ESPINOZA
	0900	70	L Bautista
	1200	69	D. Avalos
	1500	69	C. MORA
	1800	69	C. MORA
	2100	70	C. MORA
	2400	70	G ESPINOZA

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	69	G ESPINOZA
	0600	68	G ESPINOZA
	0900	68	L. BAUTISTA
	1200	69	L. BAUTISTA
	1500	69	C. MORA
	1800	69	C. MORA
	2100	69	C. MORA
	2400	69	T. Santos

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	68	T. Santos
	0600	68	L. BAUTISTA
	0900	68	L. BAUTISTA
	1200	69	L. BAUTISTA
	1500	68	L. BAUTISTA
	1800	68	L. BAUTISTA
	2100	68	L. BAUTISTA
	2400	68	T. Santos

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	68	T. Santos
	0600	68	C. Alvarado
	0900	68	C. Alvarado
	1200	69	C. Alvarado
	1500	69	C. MORA
	1800	69	C. MORA
	2100	69	C. MORA
	2400	69	C. Mora

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D8 Temp. Reading Location: 2nd Tier B Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	100°	Y. Delgado
	0600	100	Y. Delgado
	0900	69°	Y. Delgado
	1200	70°	Y. Delgado
	1500	71°	Y. Delgado
	1800	70°	V. Mora
	2100	70°	V. Mora
	2400	70°	Mendez, R.

Tuesday

Dat	Time	Temp.	Name (Print)
6/25/24	0300	70°	Mendez R
	0600	71	Ammari
	0900	70°	Amari
	1200	70°	Amari
	1500	70°	V. mora
	1800	70°	V. mora
	2100	70°	V. mora
	2400	70°	A. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	70°	A. Garcia
	0600	70.0°	R. Borrego
	0900	69.6°	R. Borrego
	1200	70.2°	R. Borrego
	1500	70	M. Garcia
	1800	70	M. Garcia
	2100	70	M. Garcia
	2400	69°	A. Farias

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	69°	A. Farias
	0600	69.4°	R. Borrego
	0900	69.6°	R. Borrego
	1200	69.6°	R. Borrego
	1500	70°	P. Perez
	1800	70°	P. Perez
	2100	70°	P. Perez
	2400	69.8	T. Santos

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	69°	T. Santos
	0600	69.3°	R. Borrego
	0900	68.9°	R. Borrego
	1200	70.0°	R. Borrego
	1500	70.5°	R. Borrego
	1800	70.2°	R. Borrego
	2100	70°	R. Borrego
	2400	68°	Timenguzin

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	68°	Timenguzin
	0600	68°	V. mora
	0900	69°	V. mora
	1200	69°	V. mora
	1500	70°	V. mora
	1800	70°	V. mora
	2100	70°	V. mora
	2400	69.6	A. Farias

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	68.9°	A. Farias
	0600	68.9°	V. mora
	0900	68.9°	V. mora
	1200	70°	V. mora
	1500	69°	V. mora
	1800	69°	V. mora
	2100	69°	V. mora
	2400	69°	V. mora

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: A Housing Unit: 1 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	66	Manzur
	0600	66°	D. Brambila
	0900	66°	D. Brambila
	1200	70°	D. Brambila
	1500	71	GARCIA
	1800	69	GARCIA
	2100	69	GARCIA
	2400	67	R. ZAMARRIPA

Tuesday

Dat	Time	Temp.	Name (Print)
6/4/24	0300	67	R. ZAMARRIPA
	0600	67	R. ZAMARRIPA.
	0900	66	I. LOPEZ
	1200	70	I. LOPEZ
	1500	71	GARCIA
	1800	70	GARCIA
	2100	66	GARCIA
	2400	65	Perez

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	65	Perez
	0600	65	MARQUEZ
	0900	69	MARQUEZ
	1200	71	MARQUEZ
	1500	71	GARCIA
	1800	70	GARCIA
	2100	69	GARCIA
	2400	66	Ponce

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	65	Ponce
	0600	65	Ponce
	0900	65	~~Ponce~~ Marquez
	1200	65	MARQUEZ
	1500	67°	E. BENITEZ
	1800	67°	E. BENITEZ
	2100	65°	E. BENITEZ
	2400	64	H. MANZUR

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	65	Ponce
	0600	65	Ponce
	0900	67	Manzur
	1200	68	Manzur
	1500	69	Manzur
	1800	67	Manzur
	2100	66	Manzur
	2400	65	H. Manzur

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	63	H. Manzur
	0600	63	R. Andrade
	0900	64	R. Andrade
	1200	66	R. Andrade
	1500	66°	A. Vasquez
	1800	65°	A. Vasquez
	2100	64°	A. Vasquez
	2400	64	A. Vasquez

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	66	Perez
	0600	61°	I. ROBLES
	0900	64°	I. ROBLES
	1200	65°	I. ROBLES
	1500	66°	I. ROBLES
	1800	65	I. ROBLES
	2100	63°	I. ROBLES
	2400	62	R. ZAMARRIPA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A2 Temp. Reading Location: A2 Second Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6-3

Date	Time	Temp.	Name (Print)
6/2	0300	61°	SILVA
	0600	61°	A. VEGA
	0900	65°	E. BENITEZ
	1200	66°	E. BENITEZ
	1500	68	E. BENITEZ
	1800	68°	E. BENITEZ
	2100	66°	E. BENITEZ
	2400	64°	M. MUNOZ

Tuesday 6-4

Date	Time	Temp.	Name (Print)
6/4	0300	64°	MUNOZ
	0600	65°	E. BENITEZ
	0900	69	E. BENITEZ
	1200	67	E. BENITEZ
	1500	68° 74°	A. Vasquez JVarsen
	1800	69° 74°	A. Vasquez JVarsen
	2100	68° 74°	A. Vasquez JVarsen 74°
	2400	64°	MUNOZ

Wednesday 6-5

Date	Time	Temp.	Name (Print)
6/5	0300	62	MUNOZ
	0600	64°	E. BENITEZ
	0900	67°	E. BENITEZ
	1200	67°	E. BENITEZ
	1500	76°	V. Polanco
	1800	74°	V. Polanco
	2100	69°	V. Polanco
	2400	67°	A. BARRAGAN

Thursday 6-6

Date	Time	Temp.	Name (Print)
6/6	0300	64°	A. BARRAGAN
	0600	64	Ponce
	0900	66	Ponce
	1200	69	Ponce
	1500	70	V. POLANCO
	1800	69°	V. POLANCO
	2100	65°	V. Polanco
	2400	65	Ponce

Friday 6-7

Date	Time	Temp.	Name (Print)
6/7	0300	64	Ponce
	0600	64	Jchavarin
	0900	64	Jchav
	1200	66	Jchav
	1500	67°	V. Polanco
	1800	69	V. Polanco
	2100	64°	V. POLANCO
	2400	63	J. Aguilar

Saturday 6-8

Date	Time	Temp.	Name (Print)
6/8	0300	59	J. Aguilar
	0600	60°	E. BENITEZ
	0900	63°	E. BENITEZ
	1200	65°	E. BENITEZ
	1500	66	V. POLANCO
	1800	67°	V. POLANCO
	2100	64	V. POLANCO
	2400	63	J. Aguilar

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	59	J. Aguilar
	0600	63	BENITEZ
	0900	65	BENITEZ
	1200	67	BENITEZ
	1500	66	POLANCO
	1800	65	POLANCO
	2100	64	POLANCO
	2400	64	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A - 3 Temp. Reading Location: 2nd Tier "A" Sect
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300		J. DE Franco
	0600	67°	J. DEFrance
	0900	69°	J. DEFrance
	1200	67°	J. DEFrance
	1500	67°	SAMEI
	1800	68	SAMEI
	2100	65	SAMEI
	2400	65	J. Rincon

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	65	J. Rincon
	0600	65	J. Rincon
	0900	69°	Muro
	1200	69°	Muro
	1500	73°	A. Vasquez
	1800	74°	A. Vasquez
	2100	71°	A. Vasquez
	2400	70°	Villalpando D

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	65°	Villalpando D
	0600	65°	J. DEFrance
	0900	65	J. DEFrance
	1200	73°	J. DEFrance
	1500	74	R. ALVAREZ
	1800	74	R. ALVAREZ
	2100	75	R. ALVAREZ
	2400	67°	Villalpando

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	65°	Villalpando
	0600	65°	J. DEFrance
	0900	66	J. DEFrance
	1200	65	J. DEFrance
	1500	69	SAMEI
	1800	68	SAMEI
	2100	65	SAMEI
	2400	65°	Villalpando

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	64°	Villalpando
	0600	62	Muro
	0900	64	Muro
	1200	67	Muro
	1500	67	SAMEI
	1800	65	SAMEI
	2100	63	SAMEI
	2400	63	Ponce

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	62	Ponce
	0600	62	Gallegos E
	0900	63	Gallegos
	1200	63	Gallegos
	1500	66	SAMEI
	1800	66	SAMEI
	2100	63	SAMEI
	2400	62	Ponce

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	61	Ponce
	0600	63°	Rocha
	0900	64°	Rocha
	1200	66	Rocha
	1500	65°	S. Haid
	1800	64°	S. Haid
	2100	63°	S. Haid
	2400	62	A. Jacobs

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A4 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	64	ROSALES
	0600	65°	F. ROCHA
	0900	65°	F. ROCHA
	1200	67°	F. ROCHA
	1500	67°	E. BENITEZ
	1800	67°	E. BENITEZ
	2100	67°	E. BENITEZ
	2400	68	D Maldonado

Tuesday

Dat	Time	Temp	Name (Print)
6/4	0300	65	D Maldonado
	0600	66°	D. Maldonado
	0900	66°	F. ROCHA
	1200	67°	F. ROCHA
	1500	67°	F. ROCHA
	1800	72°	E. SALAS
	2100	71°	E. SALAS
	2400	68°	D. Maldonado

Wednesday

Date	Time	Temp	Name (Print)
6/5	0300	66	D Maldonado
	0600	66°	D. Maldonado
	0900	66°	M. URIBE
	1200	70	M. URIBE
	1500	72°	M. Garcia
	1800	69	J. Guzman
	2100	69	J. Guzman
	2400	66°	D Maldonado

Thursday

Date	Time	Temp	Name (Print)
6/6	0300	65	D Maldonado
	0600	66	D Maldonado
	0900	66	M. URIBE
	1200	67	Uribe
	1500	69	Garcia, V.
	1800	68	Garcia, V.
	2100	68	Garcia, V.
	2400	66°	D. Maldonado

Friday

Date	Time	Temp	Name (Print)
6/7	0300	65	D Maldonado
	0600	65°	D. Maldonado
	0900	66	M. URIBE
	1200	66	M. URIBE
	1500	66°	J. TOLEDO
	1800	65	J. TOLEDO
	2100	65	J. TOLEDO
	2400	65°	D Maldonado

Saturday

Date	Time	Temp	Name (Print)
6/8	0300	64	D Maldonado
	0600	64°	D Maldonado
	0900	63	L. Hernandez
	1200	66	L. Hernandez
	1500	66	L. Hernandez
	1800	66	L. Hernandez
	2100	66	F. Rosales
	2400	62	F. Rosales

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	64	Rosales
	0600	64°	A. Escalante
	0900	64°	A. Escalante
	1200	64°	A. Escalante
	1500	66	J Garcia
	1800	66	J Garcia
	2100	65	J Garcia
	2400	64	Rosales

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A5 Temp. Reading Location: control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	66	[illegible]
	0600	66	[illegible]
	0900	68	R. ALVAREZ
	1200	69	R. ALVAREZ
	1500	690	S. Salomares
	1800	68	S. Salomares
	2100	68	S. Salomares
	2400	64	J. BERMUDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
6/4/24	0300	64	J. BERMUDEZ
	0600	66	R. ALVAREZ
	0900	68	R. ALVAREZ
	1200	71	R. ALVAREZ
	1500	73	R. ALVAREZ
	1800	73	Keo
	2100	70	Keo
	2400	69	Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	63	Garcia
	0600	63	R. ALVAREZ
	0900	72	R. ALVAREZ
	1200	73	R. ALVAREZ
	1500	74	Keo
	1800	73	Keo
	2100	72	Keo
	2400	70	Garcia

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	68	Garcia
	0600	63	R. ALVAREZ
	0900	67	R. ALVAREZ
	1200	68	R. ALVAREZ
	1500	690°	S. Salomares
	1800	670	S. Salomares
	2100	640	S. Salomares
	2400	63°	A. BARRAGAN

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	62°	A. BARRAGAN
	0600	62	A. AVILA
	0900	64	A. AVILA
	1200	65	A. AVILA
	1500	650	S. Salomares
	1800	650	S. Salomares
	2100	630	S. Salomares
	2400	64°	A. BARRAGAN

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	64°	A. BARRAGAN
	0600	63°	F. ROCHA
	0900	64°	F. ROCHA
	1200	66°	F. ROCHA
	1500	66	Garcia, V.
	1800	67	Garcia, V.
	2100	62	Garcia
	2400	62	Garcia

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	59	Garcia
	0600	59	Garcia, V.
	0900	62	Garcia, V.
	1200	66	Garcia, V.
	1500	67	Garcia, V.
	1800	63	Garcia, V.
	2100	62	Garcia, V.
	2400	61	L. Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

~~2023~~ / ~~2023~~ / ~~2023~~ / ~~2023~~ / ~~2023~~

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A 1 Temp. Reading Location _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	62	R. ZAMARRIPA
	0600	62	R. ZAMARRIPA
	0900	63	[illegible]
	1200	65	[illegible]
	1500	65	E. BENITEZ
	1800	63°	E. BENITEZ
	2100	65°	E. BENITEZ
	2400	62	R. ZAMARRIPA

Tuesday

Dat	Time	Temp.	Name (Print)
6/11/24	0300	62	R. ZAMARRIPA
	0600	62	R. ZAMARRIPA
	0900	65	GARCIA
	1200	64	GARCIA
	1500	64	GARCIA
	1800	67	GARCIA
	2100	65	GARCIA
	2400	65°	J. Rincon

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	65°	J. Rincon
	0600	65°	J. Rincon
	0900	65	MARQUEZ
	1200	65	MARQUEZ
	1500	66	GARCIA
	1800	63	GARCIA
	2100	63	GARCIA
	2400	62	Ponce

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	62	Ponce
	0600	62	MARQUEZ
	0900	63	MARQUEZ
	1200	65	MARQUEZ
	1500	65	GARCIA
	1800	64	GARCIA
	2100	64	GARCIA
	2400	62	VILLA

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	62	VILLA
	0600	62	MARQUEZ
	0900	63	MARQUEZ
	1200	65	MARQUEZ
	1500	67	GARCIA
	1800	66	GARCIA
	2100	65	GARCIA
	2400	61	MANZUR

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	59	MANZUR
	0600	61	BOURBON
	0900	63	MARQUEZ
	1200	64	MARQUEZ
	1500	68	GARCIA
	1800	67	GARCIA
	2100	65	GARCIA
	2400	62	MANZUR

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	62	MANZUR
	0600	62	MANZUR
	0900	63	MARQUEZ
	1200	64	MARQUEZ
	1500	65	GARCIA
	1800	66	GARCIA
	2100	66	GARCIA
	2400	64	ZAMARRIPA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ESVSP Housing Unit: A-2 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6-10-2024

Date	Time	Temp.	Name (Print)
	0300	62°	E. Benitez
	0600	64°	E. Benitez
	0900	66°	E. Benitez
	1200	68°	E. Benitez
	1500	68°	E. Benitez
	1800	68°	M. Martinez
	2100	68	J. Ramirez
	2400	68	J. Ramirez

Tuesday 6-11-2024

Date	Time	Temp.	Name (Print)
	0300	67	J. Ramirez
	0600	68	E. Benitez
	0900	71	E. Benitez
	1200	73	E. Benitez
	1500	73	V. Polanco
	1800	71	V. Polanco
	2100	67	V. Polanco
	2400	65°	M. Castro

Wednesday 6-12-2024

Date	Time	Temp.	Name (Print)
	0300	64°	M. Castro
	0600	65°	E. Benitez
	0900	65°	E. Benitez
	1200	65°	E. Benitez
	1500	64°	V. Polanco
	1800	65	V. Polanco
	2100	63	V. Polanco
	2400	62°	A. Barragan

Thursday 6-13-2024

Date	Time	Temp.	Name (Print)
	0300	61°	A. Barragan
	0600	61	C. Davalos
	0900	62	C. Davalos
	1200	64	C. Davalos
	1500	65	V. Polanco
	1800	64	V. Polanco
	2100	62	V. Polanco
	2400	60	D. Ponce

Friday 6-14-2024

Date	Time	Temp.	Name (Print)
	0300	59	D. Ponce
	0600	59	C. Foster
	0900	60	C. Foster
	1200	65	C. Foster
	1500	67	V. Polanco
	1800	68	V. Polanco
	2100	65	V. Polanco
	2400	64	J. Aguilar

Saturday 6-15-2024

Date	Time	Temp.	Name (Print)
	0300	58	J. Aguilar
	0600	61°	E. Benitez
	0900	63°	E. Benitez
	1200	65°	E. Benitez
	1500	67	J. Guzman
	1800	67	J. Guzman
	2100	63	J. Guzman
	2400	63	J. Aguilar

Sunday 6-16-2024

Date	Time	Temp.	Name (Print)
	0300	59	J. Aguilar
	0600	63°	Gallegos
	0900	65°	Gallegos
	1200	67°	Gallegos
	1500	68°	A. Vasquez
	1800	66	A. Vasquez
	2100	64°	A. Vasquez
	2400	62°	Perez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment #

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit Facility A3 Temp. Reading Location: 2nd tier
(e.g., 1st tier 2nd tier 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	62°	VILLALPANDO
	0600	61	Villagomez
	0900	62°	Villagomez
	1200	66°	Villagomez
	1500	72°	Perez
	1800	69°	Perez
	2100	65°	Perez
	2400	62°	VILLALPANDO

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	61°	VILLALPANDO J
	0600	61	Villagomez
	0900	63	Villagomez
	1200	69	Villagomez
	1500	72°	A. Vasquez
	1800	70°	A. Vasquez
	2100	67°	A. Vasquez
	2400	63°	VILLALPANDO

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	61°	VILLALPANDO
	0600	62	Villagomez
	0900	62°	Villagomez
	1200	65	Villagomez
	1500	66	Garcia, V.
	1800	64	Garcia, V.
	2100		
	2400	62°	VILLALPANDO

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	61°	VILLALPANDO J
	0600	62	Villagomez
	0900	62	Villagomez
	1200	65	Villagomez
	1500	65	Garcia
	1800	63	Garcia
	2100	62	Garcia
	2400	62°	VILLALPANDO, J

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	60°	VILLALPANDO, J
	0600	60	Villagomez
	0900	62	Villagomez
	1200	65	Villagomez
	1500	67°	J. DeFrance
	1800	67°	J. DeFrance
	2100	67	J. DeFrance
	2400	63°	R. ANDERSON

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	62°	R. ANDERSON
	0600	61°	R. ANDERSON
	0900	69°	Garcia
	1200	69°	Garcia
	1500	67	J. DeFrance
	1800	68	J. DeFrance
	2100	67	J. DeFrance
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	58	A. AVILA
	0600	59	A. AVILA
	0900	62°	Garcia
	1200	69°	Garcia
	1500	67	J. DeFrance
	1800	67	J. DeFrance
	2100	67	J. DeFrance
	2400	64	Garcia

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A4 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10	0300	42°	Perez
	0600	65	C Alvarado
	0900	65	C Alvarado
	1200	66	C Alvarado
	1500	67°	J. Garcia
	1800	67°	J. Garcia
	2100	66°	J. Garcia
	2400	65°	D Maldonado

Tuesday

Dat	Time	Temp.	Name (Print)
6-11	0300	65°	D Maldonado
	0600	68	D Maldonado
	0900	70	Rolland
	1200	71	AVILA
	1500	70	G. MURRIETA
	1800	69	G. MURRIETA
	2100	69	MURRIETA
	2400	68°	D. Maldonado

Wednesday

Date	Time	Temp.	Name (Print)
6-12	0300	66°	D Maldonado
	0600	65°	D Maldonado
	0900	66°	ESCAMILLA
	1200	67°	ESCAMILLA
	1500	69°	M. Garcia
	1800	65°	M. Garcia
	2100	65°	M. GARCIA
	2400	65°	D Maldonado

Thursday

Date	Time	Temp.	Name (Print)
6-13	0300	64°	D Maldonado
	0600	64°	D. Maldonado
	0900	64	A. Escamilla
	1200	64	A. Escamilla
	1500	65	V. Garcia
	1800	64	V. Garcia
	2100	64	V. Garcia
	2400	64	[illegible]

Friday

Date	Time	Temp.	Name (Print)
6-14	0300	65°	R. [illegible]
	0600	65°	R. PEREZ
	0900	66°	TOLEDO
	1200	67°	TOLEDO
	1500	65	A Rico
	1800	65	A Rico
	2100	64	A Rico
	2400	64	N. [illegible]

Saturday

Date	Time	Temp.	Name (Print)
6-15	0300	64	N. [illegible]
	0600	64	N. [illegible]
	0900	66°	P. MILLER
	1200	66°	P. MILLER
	1500	66°	F. ROCHA
	1800	65°	F. ROCHA
	2100	64°	F. ROCHA
	2400	64°	ROSALES

Sunday

Date	Time	Temp.	Name (Print)
6-16	0300	65°	ROSALES
	0600	65°	K. SILVA
	0900	66°	K. SILVA
	1200	66°	K. SILVA
	1500	67°	E. SALAS
	1800	66°	E. SALAS
	2100	64°	E. SALAS
	2400	64°	ROSALES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	60°	Garcia
	0600	61°	R. ALVAREZ
	0900	63	R. ALVAREZ
	1200	64	R. ALVAREZ
	1500	68°	Salomares
	1800	67°	Salomares
	2100	62°	Salomares
	2400	62	Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
6/11	0300	61	Garcia
	0600	63	R. ALVAREZ
	0900	65	R. ALVAREZ
	1200	68	R. ALVAREZ
	1500	70°	Salomares
	1800	69°	Salomares
	2100	64	Salomares
	2400	62	L. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	62	L. Garcia
	0600	62	V. Garcia
	0900	63	V. Garcia
	1200	66	V. Garcia
	1500	66°	Salomares
	1800	64°	Salomares
	2100	62°	Garcia
	2400	63	Garcia

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	62	Garcia
	0600	63	Garcia, V.
	0900	64	Garcia, V.
	1200	64	Garcia, V.
	1500	65°	Salomares
	1800	64°	Salomares
	2100	61°	[illegible]
	2400	61°	A. BARRAGAN

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	60°	A. BARRAGAN
	0600	63	Avila
	0900	64	Avila
	1200	63	Avila
	1500	67°	Salomares
	1800	65°	Salomares
	2100	65°	Salomares
	2400	61°	A. BARRAGAN

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	60°	A. BARRAGAN
	0600	60°	F. ROCHA
	0900	63°	F. ROCHA
	1200	65°	F. ROCHA
	1500	68	R. ALVAREZ
	1800	64	R. ALVAREZ
	2100	64°	R. ALVAREZ
	2400	62	Garcia

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	64	Garcia
	0600	65	R. ALVAREZ
	0900	66	R. ALVAREZ
	1200	67	R. ALVAREZ
	1500	68	R. ALVAREZ
	1800	66	R. ALVAREZ
	2100	63	R. ALVAREZ
	2400	61	L. Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/17	0300	64	[illegible]
	0600	65	BALDERAS
	0900	65	BALDERAS
	1200	68	BALDERAS
	1500	69	GARCIA
	1800	68	GARCIA
	2100	66	GARCIA
	2400	64	Villa

Tuesday

Dat	Time	Temp.	Name (Print)
06/18	0300	62	Villa
	0600	61	D. Alcantar
	0900	66	MARQUEZ
	1200	68	MARQUEZ
	1500	67	GARCIA
	1800	66	GARCIA
	2100	64	GARCIA
	2400	62	DLARosa

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	61	DELAROSA
	0600	61	DELAROSA
	0900	63	MARQUEZ
	1200	65	MARQUEZ
	1500	66	GARCIA
	1800	64	GARCIA
	2100	62	GARCIA
	2400	62	VILLA

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	61	N. Perez
	0600	61	N. Perez
	0900	63	MARQUEZ
	1200	65	MARQUEZ
	1500	65	MARQUEZ
	1800	63	MARQUEZ
	2100	62	MARQUEZ
	2400	61	C. Villa

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	61	C. Villa
	0600	61	MARQUEZ
	0900	62	MARQUEZ
	1200	65	MARQUEZ
	1500	66°	A. Vasquez
	1800	65°	A. Vasquez
	2100	64	A. Vasquez
	2400	61	MARQUEZ

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	61	MARQUEZ
	0600	63	MARQUEZ
	0900	65	MARQUEZ
	1200	65	MARQUEZ
	1500	67°	A. Vasquez
	1800	65°	A. Vasquez
	2100	63	A. Vasquez
	2400	63	MARQUEZ

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	61	MARQUEZ
	0600	62	Alvarado
	0900	64	Alvarado
	1200	67	Alvarado
	1500	68	GARCIA
	1800	67	GARCIA
	2100	65	GARCIA
	2400	63	R. ZAMPIRIPA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-2 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	63	[illegible]
	0600	63	E. BENITEZ
	0900	66	E. BENITEZ
	1200	65	E. BENITEZ
	1500	69°	B. Solorio
	1800	67°	B. Solorio
	2100	67	B. Solorio
	2400	64	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	63	LUJOS
	0600	65°	E. BENITEZ
	0900	65°	E. BENITEZ
	1200	66	E. BENITEZ
	1500	65	V. Polanco
	1800	64	V. Polanco
	2100	63	V. Polanco
	2400	62	A. BARRAGAN

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	62	LUJOS
	0600	62	E. BENITEZ
	0900	63	E. BENITEZ
	1200	64°	E. BENITEZ
	1500	63	V. Polanco
	1800	64	V. Polanco
	2100	61	V. Polanco
	2400	60°	A. BARRAGAN

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	58°	A. BARRAGAN
	0600	59	A. Hernandez
	0900	63	A. Hernandez
	1200	64	A. Hernandez
	1500	64	D. VAZQUEZ
	1800	62	D. VAZQUEZ
	2100	62	Ponce
	2400	61	Ponce

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	58	Ponce
	0600	61	[illegible]
	0900	62	[illegible]
	1200	63	[illegible]
	1500	64	V. Polanco
	1800	63	V. Polanco
	2100	61	V. Polanco
	2400	61	J. Aguilar

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	59	J. Aguilar
	0600	61°	La Guardia
	0900	63°	La Guardia
	1200	65°	La Guardia
	1500	65	V. Polanco
	1800	64	V. Polanco
	2100	64	V. Polanco
	2400	62	J. Aguilar

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	59	J. Aguilar
	0600	65°	Galleyos
	0900	67°	Galleyos
	1200	67°	Galleyos
	1500	66°	A. Vasquez
	1800	64°	A. Vasquez
	2100	63°	A. Vasquez
	2400	63°	A. Barragan

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment #

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-3 Temp. Reading Location: 2nd tier
(e.g., 1st tier 2nd tier 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	64	Villapando
	0600	64°	Villagomez
	0900	65	Villagomez
	1200	66	Villagomez
	1500	68	Martinez
	1800	68	Martinez
	2100	66	Martinez
	2400	64	O. RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	62	O. RAMIREZ
	0600	62	Villagomez
	0900	64	Villagomez
	1200	68	Villagomez
	1500	69	Corona
	1800	67	Martinez
	2100	67	Martinez
	2400	64°	VILLALPANDO J

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	61°	VILLALPANDO
	0600	61	Villagomez
	0900	62°	Villagomez
	1200	66	Villagomez
	1500	66	R. ALVAREZ
	1800	66	R. ALVAREZ
	2100	65	R. ALVAREZ
	2400	62°	VILLALPANDO

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	60°	VILLALPANDO
	0600	60°	Villagomez
	0900	61	Villagomez
	1200	64°	Villagomez
	1500	65	R. ALVAREZ
	1800	63	R. ALVAREZ
	2100	62	R. ALVAREZ
	2400	61°	VILLALPANDO J

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	60°	VILLALPANDO
	0600	60°	Villagomez
	0900	60°	Villagomez
	1200	64°	Villagomez
	1500	65	M. Garcia
	1800	64°	M. Garcia
	2100	61	M. Garcia
	2400	61	Ponce

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	59	Ponce
	0600	60	Cuevas
	0900	62	Cuevas
	1200	68	Cuevas
	1500	68	[illegible]
	1800	66	[illegible]
	2100	64	[illegible]
	2400	62	M. Picazo

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	62	M. PICAZO
	0600	60	AVILA
	0900	64	AVILA
	1200	68	AVILA
	1500	68	JAMES
	1800	67	JAMES
	2100	64	JAMES
	2400	63°	M. CASTRO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A4 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17	0300	64°	LOBLES
	0600	65°	F. ROCHA
	0900	66°	F. ROCHA
	1200	66°	F. ROCHA
	1500	67°	A. RICO
	1800	66°	A. RICO
	2100	66°	A. RICO
	2400	65°	D. Maldon

Tuesday

Dat	Time	Temp.	Name (Print)
6-18	0300	64°	D Maldonado
	0600	65	D Maldonado
	0900	65	F. ROCHA
	1200	66	F. ROCHA
	1500	68	G. MUREIETA
	1800	67	G. MUREIETA
	2100	66	G. MUREIETA
	2400	65°	D. Maldonado

Wednesday

Date	Time	Temp.	Name (Print)
6-19	0300	64°	D Maldonado
	0600	65°	D Maldonado
	0900	66	S. Haid
	1200	66°	S. Haid
	1500	66°	M. Garcia
	1800	65°	M. Garcia
	2100	64°	M. Garcia
	2400	64°	D Maldonado

Thursday

Date	Time	Temp.	Name (Print)
6-20	0300	63°	D. Maldonado
	0600	64	D. Maldonado
	0900	64°	HAID
	1200	65°	HAID
	1500	66	Martinez
	1800	66°	GARCIA
	2100	67°	GARCIA
	2400	65°	D Maldonado

Friday

Date	Time	Temp.	Name (Print)
6-21	0300	63°	D Maldonado
	0600	64°	D. Maldonado
	0900	62°	E. ACEVEDO
	1200	65°	E. ACEVEDO
	1500	66	V. Garcia
	1800	65	V. Garcia
	2100	64	V. Garcia
	2400	64°	D Maldonado

Saturday

Date	Time	Temp.	Name (Print)
6-22	0300	63°	D Maldonado
	0600	64	D Maldonado
	0900	64°	S. Haid
	1200	69°	S. Haid
	1500	68	I. ROBLES
	1800	67	I. ROBLES
	2100	65	I. ROBLES
	2400	64°	GUIAN

Sunday

Date	Time	Temp.	Name (Print)
6-23	0300	62°	GUIAN
	0600	62°	S. Haid
	0900	65°	S. Haid
	1200	69°	S. Haid
	1500	69	J. Garcia
	1800	67	J Garcia
	2100	66	J Garcia
	2400	64°	INFANTE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-S Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	59	ochoa
	0600	61	ochoa
	0900	61	ochoa
	1200	62	ochoa
	1500	62	ochoa
	1800	62	ochoa
	2100	63	L-Garcia
	2400	61	L-Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
6/18	0300	58	Garcia
	0600	59	R. ALVAREZ
	0900	63	R. ALVAREZ
	1200	66	R ALVAREZ
	1500	69°	Spalomares
	1800	67°	Spalomares
	2100	64	Spalomares
	2400	60	Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	62	Garcia
	0600	64	R. ALVAREZ
	0900	65	R. ALVAREZ
	1200	66°	R. ALVAREZ
	1500	67	CUEVAS
	1800	67°	Spalomares
	2100	63°	Spalomares
	2400	61	Garcia

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	60	Garcia
	0600	63	R ALVAREZ
	0900	64	R. ALVAREZ
	1200	65	R. ALVAREZ
	1500	65°	Spalomares
	1800	65°	Spalomares
	2100	61°	Spalomares
	2400	62°	BARRAGAN

Friday

Date	Time	Temp.	Name (Print)
6-21	0300	62°	BARRAGAN
	0600	62°	F. ROCHA
	0900	62	F. ROCHA
	1200	64	F. ROCHA
	1500	64	L. Hernandez
	1800	63	L. Hernandez
	2100	63	L. Hernandez
	2400	61	BARRAGAN

Saturday

Date	Time	Temp.	Name (Print)
6-22	0300	62	BARRAGAN
	0600	64	F. ROCHA
	0900	65	F. ROCHA
	1200	67	F. ROCHA
	1500	70	Garcia, V.
	1800	65	Garcia, V.
	2100	63	Garcia, V.
	2400	61	Garcia, L

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	60	Garcia, L
	0600	60	Garcia, V.
	0900	65	Garcia, V.
	1200	70	Garcia, V.
	1500	69	Garcia, V.
	1800	66	Garcia, V.
	2100	66	Garcia, V.
	2400	61	L. Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A 1 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	63	R. ZAMARRIPA
	0600	63	P. Anguiano
	0900	64	P. Anguiano
	1200	69	P. Anguiano
	1500	69	G. Arzola
	1800	69	G. Arzola
	2100	65	G. Arzola
	2400	64	R. ZAMARRIPA

Tuesday

Dat	Time	Temp.	Name (Print)
6/25	0300	64	R. ZAMARRIPA.
	0600	64	D. Arcentar
	0900	66	MARQUEZ, G.
	1200	68	MARQUEZ G
	1500	68	A. Arteaga
	1800	67	G. Garcia
	2100	65	G. Arteaga
	2400	64	Ponce

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	63	Ponce
	0600	63	D. Arcentar
	0900	65	MARQUEZ
	1200	66	MARQUEZ
	1500	67	G. Garcia
	1800	66	G. Arteaga
	2100	65	G. Arteaga
	2400	63	Ponce

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	62	Ponce
	0600	62	MARQUEZ
	0900	63	MARQUEZ
	1200	64	MARQUEZ
	1500	67	G. Arteaga
	1800	65	G. Arteaga
	2100	64	G. Arteaga
	2400	63	D. BITTNER

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	63	D. BITTNER
	0600	63	MARQUEZ
	0900	64	MARQUEZ
	1200	66	MARQUEZ
	1500	66°	A. Vasquez
	1800	65°	A. Vasquez
	2100	63°	A. Vasquez
	2400	63	HUIPE

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	62	HUIPE
	0600	62	MARQUEZ
	0900	64	MARQUEZ
	1200	66	MARQUEZ
	1500	69°	A. Vasquez
	1800	67°	A. Vasquez
	2100	66°	A. Vasquez
	2400	65	A. Vasquez

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	63	HUIPE
	0600	62	J. Martinez
	0900	65	J. Martinez
	1200	69	J. Martinez
	1500	70	G. Arteaga
	1800	68	G. Arteaga
	2100	66	G. Arteaga
	2400	64	A. Jaquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-2 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6-24

Date	Time	Temp.	Name (Print)
6/24	0300	61°	R. Ruiz
	0600	61°	E. Benitez
	0900	65°	E. Benitez
	1200	67°	E. Benitez
	1500	65°	A. Vasquez
	1800	65°	A. Vasquez
	2100	68°	A. Vasquez
	2400	67°	Montes

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	66	Alvarez
	0600	67°	E. Benitez
	0900	67°	E. Benitez
	1200	65	R. Andrade
	1500	66	G. Murrieta
	1800	65	G. Murrieta
	2100	63	G. Murrieta
	2400	63	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	63	Munoz
	0600	63°	E. Benitez
	0900	64°	E. Benitez
	1200	66°	E. Benitez
	1500	66	Polanco
	1800	64	Polanco
	2100	62	Polanco
	2400	61	Arbuckle

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	59	Arbuckle
	0600	64	Bandoth
	0900	64	Bandoth
	1200	64	Bandoth
	1500	64	V. Polanco
	1800	64	V. Polanco
	2100	64	V. Polanco
	2400	63	Ponce

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	60	Ponce
	0600	60	Alvarado
	0900	62	Alvarado
	1200	64	Alvarado
	1500	64	V. Polanco
	1800	64	V. Polanco
	2100	62	V. Polanco
	2400	61	J. Aguilar

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	59	J. Aguilar
	0600	59°	E. Benitez
	0900	60°	E. Benitez
	1200	65°	E. Benitez
	1500	65°	V. Polanco
	1800	64°	V. Polanco
	2100	63°	V. Polanco
	2400	62	J. Aguilar

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	59	J. Aguilar
	0600	60	Benitez
	0900	61	Benitez
	1200	64	Benitez
	1500	65°	A. Vasquez
	1800	65°	A. Vasquez
	2100	65	Montes
	2400	62	A. Polanco

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment #

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-3 Temp. Reading Location: 2ND TIER
(e.g., 1st tier 2nd tier 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	62°	M. CASTRO
	0600	62	J. Garcia
	0900	67	J. Garcia
	1200	69	J. Garcia
	1500	69	JAMES
	1800	68	JAMES
	2100	66	JAMES
	2400	65°	J. Rincon

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	65°	J. Rincon
	0600	65°	J. Rincon
	0900	67	J Garcia
	1200	68	J Garcia
	1500	69°	A. Vasquez
	1800	67°	A. Vasquez
	2100	64°	A. Vasquez
	2400	64°	VILLALPANDO

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	62°	VILLALPANDO
	0600	66	J Garcia
	0900	67	J Garcia
	1200	67	J Garcia
	1500	69°	P. Perez
	1800	67°	P. Perez
	2100	64°	V. Keo
	2400	63°	VILLALPANDO

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	62°	VILLALPANDO J
	0600	60	J Garcia
	0900	64	J Garcia
	1200	67	J. Garcia
	1500	67	JAMES
	1800	67	JAMES
	2100	64	JAMES
	2400	63	[illegible]

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	62	[illegible]
	0600	61	J Garcia
	0900	63	J Garcia
	1200	67	J Garcia
	1500	67	JAMES
	1800	65	JAMES
	2100	63	JAMES
	2400	62	Ponce

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	61	Ponce
	0600	61	Gallegos
	0900	63	Gallegos
	1200	65	Gallegos
	1500	68	JAMES
	1800	66	JAMES
	2100	64	JAMES
	2400	62	PICAZO

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	62	PICAZO
	0600	60	AVILA
	0900	65	AVILA
	1200	68	AVILA
	1500	70	JAMES
	1800	68	JAMES
	2100	64	JAMES
	2400	62	NGUYEN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A4 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24	0300	62°	INFANTE
	0600	64°	F. ROCHA
	0900	66°	F. ROCHA
	1200	68°	F. ROCHA
	1500	69°	L. Hernandez
	1800	66°	L. Hernandez
	2100	66°	L. Hernandez
	2400	63	D Maldonado

Tuesday

Dat	Time	Temp.	Name (Print)
6-25	0300	64°	D Maldonado
	0600	65°	D Maldonado
	0900	67°	F. ROCHA
	1200	69°	F. ROCHA
	1500	64°	A. Rico
	1800	67°	A. Rico
	2100	66	A Rico
	2400	64°	D Maldonado

Wednesday

Date	Time	Temp.	Name (Print)
6-26	0300	64°	D Maldonado
	0600	65°	D. Maldonado
	0900	65	S Haid
	1200	65	S. Haid
	1500	69	A. VELARDE
	1800	68	A VELARDE
	2100	68	A VELARDE
	2400	65°	D. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
6-27	0300	64°	D. Maldonado
	0600	65°	D. Maldonado
	0900	66°	S. HAID
	1200	68	S. HAID
	1500	69°	VALDEZ
	1800	68°	VALDEZ
	2100	66°	VALDEZ
	2400	64°	D Maldonado

Friday

Date	Time	Temp.	Name (Print)
6-28	0300	64°	D Maldonado
	0600	65	D. Maldonado
	0900	65	S. HAID
	1200	66	S. HAID
	1500	67	V. Garcia
	1800	65	V. Garcia
	2100	65	D. MALDONADO
	2400	65°	D. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
6-29	0300	64°	D Maldonado
	0600	65	D. Maldonado
	0900	63	J. Martinez
	1200	67	J. Martinez
	1500	67	L. OCHOA
	1800	67	L. OCHOA
	2100	67	L. OCHOA
	2400	64°	INFANTE

Sunday

Date	Time	Temp.	Name (Print)
6-30	0300	64°	INFANTE
	0600	65°	S. HAID
	0900	63°	S. HAID
	1200	69°	S. HAID
	1500	69	L. OCHOA
	1800	69	L. OCHOA
	2100	65	L. OCHOA
	2400	64	A. Arcade

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: S.V.S.P. Housing Unit: A-S Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/21	0300	64	Garcia
	0600	63	R. ALVAREZ
	0900	65	R. ALVAREZ
	1200	65	R. ALVAREZ
	1500	68°	Palomares
	1800	69	Palomares
	2100	64	Palomares
	2400	63	L. Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
6/22	0300	63	L. Garcia
	0600	64	R. ALVAREZ
	0900	65	R. ALVAREZ
	1200	68	R. ALVAREZ
	1500	69°	Palomares
	1800	68	Palomares
	2100	65°	Palomares
	2400	64	Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/23	0300	63	Garcia
	0600	64	R. ALVAREZ
	0900	63	R. ALVAREZ
	1200	65	R. ALVAREZ
	1500	670	Palomares
	1800	67	Palomares
	2100	65	Palomares
	2400	61	L. Garcia

Thursday

Date	Time	Temp.	Name (Print)
6/24	0300	61	Garcia
	0600	62	Perez
	0900	63	Perez
	1200	65	Perez
	1500	67	S. Palomares
	1800	670	Palomares
	2100	63	Palomares
	2400	62°	INFANTE

Friday

Date	Time	Temp.	Name (Print)
6/25	0300	61°	INFANTE
	0600	61°	ROCHA
	0900	62°	ROCHA
	1200	63	ROCHA
	1500	670	Palomares
	1800	640	Palomares
	2100	61	Palomares
	2400	61	L. Garcia

Saturday

Date	Time	Temp.	Name (Print)
6/26	0300	[illegible]	Garcia
	0600	61	V. Garcia
	0900	63	V. Garcia
	1200	67	[illegible]
	1500	68	V. Garcia
	1800	66	V. Garcia
	2100	63	V. Garcia
	2400	62	Garcia

Sunday

Date	Time	Temp.	Name (Print)
6/27	0300	63	Garcia
	0600	60	V. Garcia
	0900	65	V. Garcia
	1200	68	V. Garcia
	1500	70	V. Garcia
	1800	69	V. Garcia
	2100	64	V. Garcia
	2400	[illegible]	Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	68	REQUA
	0600	68	REQUA
	0900	68	ESPINOZA
	1200	68	ESPINOZA
	1500	69	TORRES
	1800	69	TORRES
	2100	69	TORRES
	2400	68	REQUA

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	~~68 REQUA~~	REQUA
	0600	68	REQUA
	0900	68	ZUNIGA
	1200	68	ZUNIGA
	1500	69	CORDOVA
	1800	69	CORDOVA
	2100	69	CORDOVA
	2400	68	R. GIR

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C2 Temp. Reading Location: B POD /2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06/01/24	0300	69°	K. EMPANTE
	0600	69°	K. EMPANTE
	0900	69°	F. ZUNIGA
	1200	69°	F. ZUNIGA
	1500	69	A. VELARDE
	1800	69	A. VELARDE
	2100	68	A. VELARDE
	2400	69	K. EMPANTE

Sunday

Date	Time	Temp.	Name (Print)
06/02/24	0300	69°	K. EMPANTE
	0600	69°	K. EMPANTE
	0900	68.9	E. AMMARI
	1200	69.1	E. AMMARI
	1500	69	A. Zamudio
	1800	70	A. Zamudio
	2100	69	A. Zamudio
	2400	69	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper "B" POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	69	VASQUEZ
	0600	69	CELIS
	0900	69	CELIS
	1200	69	CELIS
	1500	69	CELIS
	1800	69	CELIS
	2100	69	CELIS
	2400	69	R-GIR

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	69	RGIR
	0600	69	RGIR
	0900	69°	J. Celis
	1200	69°	J. Celis
	1500	69°	I. ROBLES
	1800	69°	I. ROBLES
	2100	69°	I ROBLES
	2400	68°	E. Beasley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C4 Temp. Reading Location: Bpod 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	71	Tran
	0600	71	Tran
	0900	71	M. Espinoza
6/1/24	1200	71	M. Espinoza
	1500	71	Díaz
	1800	71	Díaz
	2100	71	Díaz
	2400	71	Tran

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	Tran
	0600	70	Tran
	0900	70	Lasancnez.
6/2/24	1200	71	B. ADAMS
	1500	71	D. VAZQUEZ
	1800	72	D. VAZQUEZ
	2100	70	D. VAZQUEZ
	2400	71	Tran

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	69°	Green
	0600	69°	Tran
	0900	69°	Tran
	1200	70°	Tran
	1500	69	R. Cortez
	1800	69°	R. Cortez
	2100	69°	R. Cortez
	2400	69	MENDEZ

Sunday

Date	Time	Temp.	Name (Print)
	0300	68	MENDEZ
	0600	69	NGUYEN
	0900	70	NGUYEN
	1200	71	NGUYEN
	1500	69	RCORTEZ
	1800	69	RCORTEZ
	2100	69	RCORTEZ
	2400	69°	L.A. Chavez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	67	GIR
	0600	67	CORTEZ
	0900	67	CORTEZ
	1200	68	CORTEZ
	1500	68	ROCHA
	1800	67	ROCHA
	2100	67	ROCHA
	2400	67	GREEN

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	66	GREEN
	0600	66	CORTEZ
	0900	67	CORTEZ
	1200	68	CORTEZ
	1500	68	WEBB
	1800	67	WEBB
	2100	67	WEBB
	2400	67	ACOSTA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: B Pod 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	73	M TAMEZ
	0600	73	J. ROSAS
	0900	73	J. ROSAS
	1200	73	J. ROSAS
	1500	73.6	C-Chavez
	1800	73.4	C-Chavez
	2100	73.4	C-Chavez
	2400	73	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C8 Temp. Reading Location: CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	L. Stepp
	0600	71	L. Stepp
	0900	71	J. ROSAS
	1200	72	J. ROSAS
	1500	72	R. Santiago
	1800	73	R. Santiago
	2100	73	R. Santiago
	2400	72	Chavez, LA

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	72	Chavez, L.A
	0600	72	Chavez, L.A
	0900	72	R SANTIAGO
	1200	72	R. SANTIAGO
	1500	72	R. SANTIAGO
	1800	72	R. SANTIAGO
	2100	71	R. SANTIAGO
	2400	71	F. Valdez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	68	R. GIL
	0600	68	R. GIL
	0900	69	Lepe
	1200	69	Lepe
	1500	69	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	69	Empanto

Tuesday

Dat	Time	Temp.	Name (Print)
6/4	0300	69	Empanto
	0600	69	Empanto
	0900	68	Lmartin
	1200	68	Lmartin
	1500	69	[illegible]
	1800	69	[illegible]
	2100	70	[illegible]
	2400	69°	REQUA

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	69°	REQUA
	0600	69°	REQUA
	0900	69	Lmartin
	1200	69	Lmartin
	1500	70	Lopez
	1800	71	TORREJON
	2100	70	TORREJON
	2400	70°	REQUA

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	70°	REQUA
	0600	69°	REQUA
	0900	69	Lmartin
	1200	70	Lmartin
	1500	70	TORREJON
	1800	70°	TORREJON
	2100	70	TORREJON
	2400	70	REQUA

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	69°	REQUA
	0600	69°	REQUA
	0900	69	Lmartin
	1200	70	Lmartin
	1500	69°	A. Perez
	1800	69°	A. Perez
	2100	68°	A. Perez
	2400	68°	REQUA

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	68°	REQUA
	0600	68°	REQUA
	0900	68	Lmartin
	1200	69	Lmartin
	1500	69	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	69	J. Barrazza

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	69	J. Barrazza
	0600	68	F. Zuniga
	0900	68	F. Zuniga
	1200	69	F. Zuniga
	1500	69	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	69	Cordova

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C2 Temp. Reading Location: B pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	65	Jaime
	0600	68	Jaime
	0900	69	Mendoza
	1200	70	Mendoza
	1500	70	A. Zamudio
	1800	70	A. Zamudio
	2100	69	A. Zamudio
	2400	70	R Canasio

Tuesday

Dat	Time	Temp.	Name (Print)
6/4	0300	70.	R. Canasio.
	0600	70	Mendoza
	0900	70	Mendoza
	1200	70	Mendoza
	1500	72	A Zamudio
	1800	72	A. Zamudio
	2100	70	A. Zamudio
	2400	68	R. Canasio

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	68.	R Canasio
	0600	68	Mendoza
	0900	70	Mendoza
	1200	72	Mendoza
	1500	73	A. Zamudio
	1800	72	A. Zamudio
	2100	70	A. Zamudio
	2400	68	R Canasio

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	68.	R Canasio.
	0600	67	Mendoza
	0900	69	Mendoza
	1200	70	Mendoza
	1500	70	A Zamudio
	1800	70	A. Zamudio
	2100	69	A. Zamudio
	2400	70	R Canasio.

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	70	R Canasio.
	0600	71°	F. ZUNIGA
	0900	71°	F. ZUNIGA
	1200	71°	F. ZUNIGA
	1500	71	C. TORREJON
	1800	71	C. TORREJON
	2100	71	C. TORREJON
	2400	70	Schly

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	69	Schly
	0600	68	Schly
	0900	71	F. Zuniga
	1200	71	F. ZUNIGA
	1500	71	J. Fernandez
	1800	71	J. YADAO
	2100	71.2	J. YADAO
	2400	71	K. EMPANTO

Sunday

Date	Time	Temp.	Name (Print)
	0300	70°	K. EMPANTO
	0600	70	Mendoza
	0900	70	Mendoza
	1200	70	Mendoza
	1500	71	Garcia
	1800	70	Garcia
	2100	70	Garcia
	2400	70	M. Castro

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

M

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper "B" POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-03-24	0300	68°	E. Beasley
	0600	68°	E. Beasley
	0900	68°	M Hullrow
	1200	69.	M Hullrow
	1500	68.	C-Diaz
	1800	68.	C-Diaz
	2100	68.	C Diaz
	2400	68°	G. Smith

Tuesday

Dat	Time	Temp.	Name (Print)
06-04-24	0300	68°	G. Smith
	0600	68°	I. Celis
	0900	68.	M Hullrow
	1200	69°	I. Celis
	1500	69	Bunnock
	1800	70.	Pacheco
	2100	69	Pacheco
	2400	70.	J. Rincon

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	70°	J Rincon
	0600	70°	J. Rincon
	0900	70°	I. Celis
	1200	71°	I. Celis
	1500	71°	I. Celis
	1800	71°	I. Celis
	2100	71°	I. Celis
	2400	70°F	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	71°F	J. Garcia
	0600	71°F	J. Gonzalez
	0900	71°F	J. Gonzalez
	1200	71°F	J. Gonzalez
	1500	71°F	R. Pacheco
	1800	71°F	R. Pacheco
	2100	71F	R. Pacheco
	2400	69°	G. Smith

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	69°	G. Smith
	0600	69	M. Espinoza
	0900	69	M. Espinoza
	1200	69	M. Espinoza
	1500	70	R. Pacheco
	1800	70	R. Pacheco
	2100	71.	R. Pacheco
	2400	70°	J. Baraja

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	70°	J. Baraja
	0600	70	J. Barajas
	0900	70.	R. Pacheco
	1200	70.	R. Pacheco
	1500	70.	R. Pacheco
	1800	70.	R. Pacheco
	2100	70°	R. Pacheco
	2400	69	G. Smith

Sunday

Date	Time	Temp.	Name (Print)
06-09-24	0300	69°	E. Beasley
	0600	69°	E. Beasley
	0900	69°	I. Celis
	1200	69°	I. Celis
	1500	70	C. Torrejon
	1800	70	C. Torrejon
	2100	69	C. Torrejon
	2400	69°	E. Beasley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 5542 C4 Temp. Reading Location: Bed 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	70	Tan
	0600	70	Tan
	0900	71	Llanes
	1200	72	Llanes
	1500	72	D. Garcia
	1800	72	D. Garcia
	2100	72	D. Garcia
	2400	71	Tan

Tuesday

Dat	Time	Temp.	Name (Print)
6/4/24	0300	71°F	J. Garcia
	0600	71.2°F	J. Galvan
	0900	71.6	A. Villasana
	1200	71.9	J. Galvan
	1500	71	Ochoa
	1800	72	Ochoa
	2100	72	Ochoa
	2400	72°F	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	72°F	J. Garcia
	0600	72.5	J. Galvan
	0900	73.2 F	J. Galvan
	1200	73.2 F	J. Galvan
	1500	72.1	L. OCHOA
	1800	73	J. Fernandez
	2100	73	J. Fernandez
	2400	73	Tan

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	72	Tan
	0600	71	Tan
	0900	71.2	J. Galvan
	1200	71.2	J. Galvan
	1500	73	J. Fernandez
	1800	73	J. Fernandez
	2100	73	J. Fernandez
	2400	73	Tan

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	72	Tan
	0600	72	Tan
	0900	72	J. Galvan
	1200	73	J. Galvan
	1500	73	J. Fernandez
	1800	73	J. Fernandez
	2100	73	J. Fernandez
	2400	73	Moreno

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	72	Mayor
	0600	72.5	C. Alvarado
	0900	72.5	C. Alvarado
	1200	72.5	C. Alvarado
	1500	73	[illegible]
	1800	73	[illegible]
	2100	73	[illegible]
	2400	73	Tan

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	72	Tan
	0600	71	Tan
	0900	72°	Lozano
	1200	72	[illegible]
	1500	72	L. Hernandez
	1800	72	L. Hernandez
	2100	72	L. Hernandez
	2400	72	Tan

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	69°	L.A. Chavez
	0600	69°	L.A. Chavez
	0900	69°	L. Sanchez.
	1200	70°	L Sanchez
	1500	70	Guardado
	1800	70	Guardado
	2100	70	Guardado
	2400	70°	U Sandoval

Tuesday

Dat	Time	Temp.	Name (Print)
6-4-24	0300	70°	U Sandoval
	0600	70°	L. Sanchez
	0900	70°	L. Sanchez
	1200	70°	L Sanchez
	1500	72	Guardado
	1800	72	Guardado
	2100	71	Guardado
	2400	70°	Atrisco

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	70°	Atrisco
	0600	70°	M. Miranda
	0900	70°	M. Miranda
	1200	70°	M Miranda
	1500	73°	D. SANDQUIST
	1800	72°	D. SANDQUIST
	2100	72°	D. SANDQUIST
	2400	70°	Atrisco

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	70	Atrisco
	0600	70	I. ORTIZ
	0900	70	I. ORTIZ
	1200	71	I. ORTIZ
	1500	71	INFANTE
	1800	71	INFANTE
	2100	70	INFANTE
	2400	70	Atrisco

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	70°	Atrisco
	0600	70°	[illegible]
	0900	70°	[illegible]
	1200	70°	[illegible]
	1500	70°	R. Garcia
	1800	70°	P. Garcia
	2100	70°	P. Garcia
	2400	70°	Atrisco

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	70°	Atrisco
	0600	69	Reyes
	0900	69.4	Reyes
	1200	69	Reyes
	1500	69°	R. Cortez
	1800	69°	R Cortez
	2100	69°	R Cortez
	2400	70°	Atrisco

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	70	Atrisco
	0600	65	Perez
	0900	65	Perez
	1200	69	Perez
	1500	69	R Gomez
	1800	69	R Gomez
	2100	69	R Cortez
	2400	69°	Sandoval

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C6 Temp. Reading Location: B SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	68	Acors
	0600	68	Guardado
	0900	67	Guardado
	1200	67	Guardado
	1500	67	Webb
	1800	67	Webb
	2100	67	Webb
	2400	67	Acors

Tuesday

Dat	Time	Temp.	Name (Print)
6/4	0300	67	Acors
	0600	67	Guardado
	0900	68	Guardado
	1200	69	Guardado
	1500	70°	Green
	1800	70°	Green
	2100	70°	Green
	2400	70°	U Sandard

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	70°	U Sandard
	0600	70°	J. Lopez
	0900	70°	J. Lopez
	1200	72°	J. Lopez
	1500	72°	Green
	1800	72°	Green
	2100	71°	Green
	2400	70°	U Sandard

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	70	U-Sandard
	0600	70	J. ROSAS
	0900	70	J. ROSAS
	1200	70	J. ROSAS
	1500	71	J. ROSAS
	1800	71°	Green
	2100	70°	Green
	2400	70	SILVA

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	67	SILVA
	0600	69	NGUYEN
	0900	69	NGUYEN
	1200	70	NGUYEN
	1500	70	J. ROSAS
	1800	69	J. ROSAS
	2100	69	J. ROSAS
	2400	68	J. BRAZILEN

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	68	J. BRAZILEN
	0600	69	R CORTEL
	0900	69	R CORTEL
	1200	69	R CORTEL
	1500	69	G. Perez
	1800	68	G. Perez
	2100	68	G. Perez
	2400	67	Acors

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	67	Acors
	0600	68	R CORTEL
	0900	69	R CORTEL
	1200	68	R CORTEL
	1500	69	Webb
	1800	67	Webb
	2100	67	Webb
	2400	67	Acors

Notes

Allen Cos Lt. Appeal

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: B-Pod 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	73	Webb
	0600	73	Webb
	0900	73	Smith
	1200	73	Smith
	1500	74	Smith
	1800	73	Smith
	2100		Smith
	2400	73	Webb

Tuesday

Dat	Time	Temp.	Name (Print)
6/4	0300	73	Webb
	0600	73	Webb
	0900	73	Soto
	1200	75	Soto
	1500	75	J Acuna
	1800	75	Smith
	2100	73	Green
	2400	72	Green

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	75°	Green
	0600	75	Soto
	0900	75	Soto
	1200	76	Soto
	1500	76	Soto
	1800		
	2100		
	2400	75°	Green

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	76°	Green
	0600	75	Soto
	0900	76	Soto
	1200	76	Soto
	1500	72	Coron
	1800	72	Coron
	2100	72	Coron
	2400	76°	Green

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	75°F	J. Garcia
	0600	75°	Soto
	0900	75°	Soto
	1200		
	1500	74.5	A. Jalomo
	1800	74.8	A. Jalomo
	2100	74.5	A. Jalomo
	2400	74°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	74°F	J. Garcia
	0600	74	Miranda
	0900	74	Miranda
	1200	74	Miranda
	1500	74	Valadez
	1800	74	Valadez
	2100	74	Valadez
	2400	74	R. Gir

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	74	R. Gir
	0600	74	R Gir
	0900	74	J. Rosas
	1200	74	J. Rosas
	1500	74	A. Rico
	1800	74	Webb
	2100	74	Webb
	2400	74	Webb

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Dney

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C8 Temp. Reading Location: Control / B Pod 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	72	F. Valdez
	0600	71	F. Valdez
	0900	72	H. Zavala
	1200	72	H. Zavala
	1500	73	R. SANTIAGO
	1800	73	R. SANTIAGO
	2100	73	R. SANTIAGO
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
6/4	0300	72	L. Stepp
	0600	71	L. Stepp
	0900	72	H. Zavala
	1200	72	H. Zavala
	1500	73	H. Zavala
	1800	73	H. Zavala
	2100	72	H. Zavala
	2400	72	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	75	L. Stepp
	0600	72	L. Stepp
	0900	74	H. Zavala
	1200	75	S. [illegible]
	1500	75	S. [illegible]
	1800	75	S. [illegible]
	2100	74	S. [illegible]
	2400	73	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	73	L. Stepp
	0600	72	L. Stepp
	0900	73	H. Zavala
	1200	74	H. Zavala
	1500	74	S. [illegible]
	1800	74	S. [illegible]
	2100	74	S. [illegible]
	2400	74	L. Stepp

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	73	L. Stepp
	0600	73	L. Stepp
	0900	74	J. ROSAS
	1200	73	J. ROSAS
	1500	73	R. SANTIAGO
	1800	73	R. SANTIAGO
	2100	73	R. SANTIAGO
	2400	74	L. Stepp

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	72	L. Stepp
	0600	72	L. Stepp
	0900	73	J. ROSAS
	1200	73	J. ROSAS
	1500	73	R. SANTIAGO
	1800	73	R. SANTIAGO
	2100	74	R. SANTIAGO
	2400	73	L. Stepp

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	73°	U. Sandoval
	0600	72°	R. SANTIAGO
	0900	72°	R. SANTIAGO
	1200	73°	R. SANTIAGO
	1500	73°	R. SANTIAGO
	1800	72°	R. SANTIAGO
	2100	72°	R. SANTIAGO
	2400	70°	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-1 Temp. Reading Location: 2ND TIER / B-SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	68°	K. EMPANTE
	0600	68°	K. EMPANTE
	0900	68	F. Zuniga
	1200	69	F. Zuniga
	1500	69	Cordova
	1800	69	Cordova
	2100	68	Cordova
	2400	68°	K. EMPANTE

Tuesday

Dat	Time	Temp.	Name (Print)
6/11/24	0300	68°	K. EMPANTE
	0600	68°	K. EMPANTE
	0900	68	Lmartin
	1200	69	Lmartin
	1500	69	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	69°	REQUA

Wednesday

Date	Time	Temp.	Name (Print)
06/12/24	0300	69°	REQUA
	0600	69°	REQUA
	0900	68	Lmartin
	1200	69	Lmartin
	1500	69	C TORREJON
	1800	69	C. TORREJON
	2100	69°	C. TORREJON
	2400	68°	REQUA

Thursday

Date	Time	Temp.	Name (Print)
06/13/24	0300	68°	REQUA
	0600	68°	REQUA
	0900	68	Lmartin
	1200	69	Lmartin
	1500	69	C TORREJON
	1800	68	C TORREJON
	2100	68	C TORREJON
	2400	68°	J. Rincon

Friday

Date	Time	Temp.	Name (Print)
06/14/24	0300	68°	J. Rincon
	0600	68°	J. Rincon
	0900	68	Lmartin
	1200	68	Lmartin
	1500	68	Lmartin
	1800	68°	A. Perez
	2100	66°	A Perez
	2400	68°	REQUA

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	68°	REQUA
	0600	68°	REQUA
	0900	68	SANCHEZ
	1200	68	SANCHEZ
	1500	68	UELARDE
	1800	68	~~UELARDE~~ Cordova
	2100	67	Cordova
	2400	67°	REQUA

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	67°	REQUA
	0600	67°	REQUA
	0900	67°	F. Zuniga
	1200	67°	F. Zuniga
	1500	68°	B. Torres
	1800	68°	B. Torres
	2100	68	B. Torres
	2400	67°	K. EMPANTE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-2 Temp. Reading Location: 2ND TIER B-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	70	M. CASTRO
	0600	70	Mendoza
	0900	70	Mendoza
10	1200	70	Mendoza
	1500	70	A. Zamudio
24	1800	70	A. Zamudio
	2100	69	A. Zamudio
	2400	70	R. Carrasco

Tuesday

Dat	Time	Temp.	Name (Print)
6/11	0300	70	R. Carrasco
	0600	70	Mendoza
	0900	68	Mendoza
	1200	70	Mendoza
	1500	72	A. Zamudio
	1800	71	A. Zamudio
	2100	70	A. Zamudio
	2400	70	R. Carrasco

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	70	R. Carrasco
	0600	70	Mendoza
	0900	70	Mendoza
	1200	68	Mendoza
	1500	69	A. Zamudio
	1800	68	A. Zamudio
	2100	69	A. Zamudio
	2400	70	R. Carrasco

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	70	R. Carrasco
	0600		
	0900		
	1200		
	1500	68	A. Zamudio
	1800	65	A. Zamudio
	2100	68	A. Zamudio
	2400	69	R. Carrasco

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	69	R. Carrasco
	0600	69	B. Avalos
	0900	69	B. Avalos
	1200	70	B. Avalos
	1500	70	C. TORREJON
	1800	70	C. TORREJON
	2100	70°	C. Torrejon
	2400	70°	J. Rincon

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	70°	J. Rincon
	0600	70°	J. Rincon
	0900	69	F. ZUNIGA
	1200	69.4	F. ZUNIGA
	1500	70.3	C. TORREJON
	1800	70.2	C. TORREJON
	2100	69.8	C. TORREJON
	2400	69.	K. Empanto

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	69.	K. Empanto
	0600	69.	K. Empanto
	0900	68	Mendoza
	1200	68	Mendoza
	1500	68	Buzo
	1800	68	Buzo
	2100	68	Buzo
	2400	68	Lopez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Cont. Temp. Reading Location: Upper "B" Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-10-24	0300	69°	E. Beasley
	0600	69°	I. Celis
	0900	68°	I. Celis
	1200	69°	I. Celis
	1500	69°	C. Diaz
	1800	70°	C. Diaz
	2100	70°	C. Diaz
	2400	69°	E. Beasley

Tuesday

Dat	Time	Temp.	Name (Print)
06-11-24	0300	69°	E. Beasley
	0600	69°	E. Beasley
	0900	69°	I. Celis
	1200	70°	I. Celis
	1500	70°	I. Celis
	1800	70°	I. Celis
	2100	70°	I. Celis
	2400	69°	E. Beasley

Wednesday

Date	Time	Temp.	Name (Print)
06-12-24	0300	70	R. Gil
	0600	69	R. Gil
	0900	68°	I. Celis
	1200	65°	R. Pacheco
	1500	65°	R. Pacheco
	1800	69°	R. Pacheco
	2100	70°	R. Pacheco
	2400	69°F	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
06-13-24	0300	69°F	J. Garcia
	0600	69°F	R. Ysanka
	0900	69°F	R. Ysanka
	1200	70°F	R. Ysanka
	1500	70°F	R. Pacheco
	1800	70°F	R. Pacheco
	2100	70°F	R. Pacheco
	2400	68°	K. Empante

Friday

Date	Time	Temp.	Name (Print)
06-14-24	0300	68°	K. Empante
	0600	68°	K. Empante
	0900	68°	L. Sanchez
	1200	68°	L. Sanchez
	1500	68°	R. Pacheco
	1800	68°	R. Pacheco
	2100	68°	R. Pacheco
	2400	69°	J. Barajas

Saturday

Date	Time	Temp.	Name (Print)
06-15-24	0300	69°	J. Barajas
	0600	69°	J. Barajas
	0900	68°	R. Pacheco
	1200	69°	R. Pacheco
	1500	70°	R. Pacheco
	1800	68°	R. Pacheco
	2100	68°	R. Pacheco
	2400	68°	G. Smith

Sunday

Date	Time	Temp.	Name (Print)
06-16-24	0300	68°	E. Beasley
	0600	68°	I. Celis
	0900	68°	I. Celis
	1200	68°	I. Celis
	1500	68°	C. Thorpe
	1800	68°	C. Thorpe
	2100	68°	E. Beasley
	2400	68°	E. Beasley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C4 Temp. Reading Location: Bpd 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	72	Tm
	0600	71	Tm
	0900	71.8°F	J. GALVAN
	1200	72.1°F	J. GALVAN
	1500	72	J. Fernandez
	1800	72	J. Fernandez
	2100	72	J. Fernandez
	2400	72°F	J. Garcia.

Tuesday

Dat	Time	Temp.	Name (Print)
6/11/24	0300	72°F	J. Garcia.
	0600	71.8	A. Villasenor
	0900	72	J. Galvan
	1200	72	J. Galvan
	1500	72	J. Fernandez
	1800	72	J. Fernandez
	2100	72	J. Fernandez
	2400	72°F	J. Garcia.

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	72°F	J. Garcia.
	0600	72.1F	J. Galvan
	0900	72.1	J. Galvan
	1200	72.	J. Galvan
	1500	72	J. Fernandez
	1800	72	J. Fernandez
	2100	72	J. Fernandez
	2400	71	Tm

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	71	Tm
	0600	71	Tm
	0900	72	J Galvan
	1200	72	J. Galvan
	1500	71	M. Garcia
	1800	71.8°	M. Garcia
	2100	71	M. Garcia
	2400	71	Tm

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	70	Tm
	0600	70	Tm
	0900	70	Villasenor
	1200	70	Villasenor
	1500	71	J. Fernandez
	1800	71	J. Fernandez
	2100	71	J. Fernandez
	2400	71	Marquez

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	Marquez
	0600	70	Marquez
	0900	70	C. Diaz
	1200	71	C. Diaz
	1500	71	C. Diaz
	1800	71	C. Diaz
	2100	71	C. Diaz
	2400	71	Tm

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	Tm
	0600	70	Tm
	0900	70°	Lsanchez
	1200	70°	Lsanchez
	1500	70°	Lsanchez
	1800	71.1	A Tolbert
	2100	71.4	A. Tolbert
	2400	71	Tm

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C5 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	69	U Sandoval
	0600	69	L Sanchez
	0900	69	L Sanchez
	1200	70	L Sanchez
	1500	70	Guardado
	1800	71	Guardado
	2100	70	Guardado
	2400	70°	U Sandoval

Tuesday

Dat	Time	Temp.	Name (Print)
6-11-24	0300	70°	U. Sandoval
	0600	70	L Sanchez
	0900	70	L. Sanchez
	1200	70	L Sanchez
	1500	71	Guardado
	1800	71	Guardado
	2100	70	Guardado
	2400	70°	Atrisco

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	70°	Atrisco
	0600	70°	Cagwimbal
	0900	69.4°	Cagwimbal
	1200	69.4	Cagwimbal
	1500	69	R Cortez
	1800	70	R Cortez
	2100	70	R Cortez
	2400	79	Atrisco

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	79°	Atrisco
	0600	67	Jane
	0900	69	L. ORTIZ
	1200	69.0	Jane
	1500	70	R. Infante
	1800	70	R. Infante
	2100	70	R. Infante
	2400	79°	Atrisco

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	79°	Atrisco
	0600	69	Tra
	0900	69	Tra
	1200	70	Tra
	1500	70	Shempert
	1800	70	Shempert
	2100	70	Shempert
	2400	69	Atrisco

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	69	Atrisco
	0600	69	Webb
	0900	70	Webb
	1200	70	Webb
	1500	69	R Cortez
	1800	69	R Cortez
	2100	69	R Cortez
	2400	69°F	J. Garcia

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	70°F	J. Garcia
	0600	69.6°F	M. Miranda
	0900	70.F	M. Miranda
	1200	70.F	M Miranda
	1500	70°	R Cortez
	1800	70°	R Cortez
	2100	70°	R Cortez
	2400	69°	U Sandoval

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C6 Temp. Reading Location: B SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	69	Acuns
	0600	68	Guardado
	0900	68	Guardado
	1200	69	Guardado
	1500	68	Webb
	1800	68	Webb
	2100	69	Webb
	2400	68	Acuns

Tuesday

Dat	Time	Temp.	Name (Print)
6/11	0300	67	Acuns
	0600	67	Guardado
	0900	67	Guardado
	1200	70	Guardado
	1500	70°	Green
	1800	70°	Green
	2100	69°	Green
	2400	69°	U Sandard

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	69°	U Sandard
	0600	69	Gil-Rosas
	0900	68	Gil-Rosas
	1200	70	Gil-Rosas
	1500	69°	Green
	1800	69°	Green
	2100	68°	Green
	2400	68	U Sandard

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	68°	U Sandard
	0600	69°	A. Miranda
	0900	68°	A. Miranda
	1200	68°	Green
	1500	68°	Green
	1800	67°	Green
	2100	69	Green
	2400	69	Acuns

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	69	Acuns
	0600	69	Webb
	0900	69	Webb
	1200	69	Webb
	1500	69	J. Rosas
	1800	69	J. Rosas
	2100	69	J. Rosas
	2400	68	Acuns

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	68	Acuns
	0600	69	Mendoza
	0900	68	R Cortez
	1200	68	R Cortez
	1500	68	Perez
	1800	69	Perez
	2100	68	Perez
	2400	68	Acuns

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	68	Acuns
	0600	68	R Cortez
	0900	69	R Cortez
	1200	69	R Cortez
	1500	69	Webb
	1800	69	Webb
	2100	69	Webb
	2400	67	Acuns

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C #7 Temp. Reading Location: 2ND tier, B-Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	74	Webb
	0600	74	Webb
	0900	74	Simon
	1200	74	Simon
	1500	74	Simon
	1800	74	Simon
	2100	74	Simon
	2400	74	Webb

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	74	Webb
	0600	74	Webb
	0900	73	Soto
	1200	75	Soto
	1500	75	~~Simon~~
	1800	75	Simon
	2100	75	Simon
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	74°	Green
	0600	74	Soto
	0900	74	Soto
	1200	74	Vazquez
	1500	74	Vazquez
	1800	74	Vazquez
	2100	70	Vazquez
	2400	74°	Green

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	73°	Green
	0600	73	Soto
	0900	74	Soto
	1200	74	Soto
	1500	73.4	A. Jacobs
	1800	73.4	A. Jacobs
	2100	73	A. Jacobs
	2400	73°	Green

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	73°F	J. Garcia
	0600	73	Soto
	0900	73	Soto
	1200	73	Soto
	1500	73.6	Hernandez
	1800	73.9	Hernandez
	2100	73.1	Hernandez
	2400	73°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	73°F	J. Garcia
	0600	73°F	M. Miranda
	0900	73°F	M. Miranda
	1200	73	M. Miranda
	1500	73.8	C. Chavez
	1800	73	C. Chavez
	2100	73	C. Chavez
	2400	73	Webb

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	73	Webb
	0600	73	Webb
	0900	73	Rodriguez
	1200	73	Rodriguez
	1500	73.8	C. Chavez
	1800	73.8	C. Chavez
	2100	73.9	C. Chavez
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C8 Temp. Reading Location: B Pod / 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	69	Espino
	0600	69	Espino
	0900	71	H. Zavala
	1200	72	H. Zavala
	1500	72	R. Santiago
	1800	72	R. Santiago
	2100	72	R. Santiago
	2400	72	L. Stepp

Tuesday

Dat	Time	Temp.	Name (Print)
6/11	0300	72	L. Stepp
	0600	72	L. Stepp
	0900	71	H. Zavala
	1200	71	H. Zavala
	1500	72	H. Zavala
	1800	72	H. Zavala
	2100	71	H. Zavala
	2400	72	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	72	L. Stepp
	0600	71	L. Stepp
	0900	71	H. Zavala
	1200	71	H. Zavala
	1500	72	J. Hernandez
	1800	72	J. Hernandez
	2100		J. Hernandez
	2400	72	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	71	L. Stepp
	0600	71	L. Stepp
	0900	72	J. Hernandez
	1200		J. Hernandez
	1500		J. Hernandez
	1800		J. Hernandez
	2100		J. Hernandez
	2400	72	L. Stepp

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	72	L. Stepp
	0600	71	L. Stepp
	0900	72	J. Rosas
	1200	72	J. Rosas
	1500	72	R. Santiago
	1800	73	R. Santiago
	2100	73	R. Santiago
	2400	72	L. Stepp

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	72	L. Stepp
	0600	71	L. Stepp
	0900	71	J. Rosas
	1200	71	J. Rosas
	1500	72	N. Perez
	1800	72	R. Santiago
	2100	72	G. Montes
	2400	72	L. Stepp

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	72°	U. Sandard
	0600	71	C. Davalos
	0900	71	C. Davalos
	1200	72	C. Davalos
	1500	72	C. Davalos
	1800	72	R. Santiago
	2100	71	R. Santiago
	2400	72	J. Crawford

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-1 Temp. Reading Location: B-SECTION / 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/17/24	0300	67°	K. EMPANTE
	0600	67°	K. EMPANTE
	0900	67	Cordova
	1200	67	Cordova
	1500	67	Cordova
	1800	68	Cordova
	2100	68	Cordova
	2400	67°	K. EMPANTE

Tuesday

Dat	Time	Temp.	Name (Print)
06/18/24	0300	67°	K. EMPANTE
	0600	67°	K. EMPANTE
	0900	67	Lmartin
	1200	68	Lmartin
	1500	68	Cordova
	1800	68°	cordova
	2100	67°	cordova
	2400	67°	REQUA

Wednesday

Date	Time	Temp.	Name (Print)
06/19/24	0300	67°	REQUA
	0600	67°	REQUA
	0900	67	Lmartin
	1200	68	Lmartin
	1500	68°	Lmartin
	1800	68°	J DOMINEZ
	2100	68°	J DOMINEZ
	2400	67°	REQUA

Thursday

Date	Time	Temp.	Name (Print)
06/20/24	0300	67°	REQUA
	0600	67°	REQUA
	0900	67	Lmartin
	1200	68	Lmartin
	1500	68	CTORREJON
	1800	67	CTORREJON
	2100	67	M. Espinoza
	2400	67°	REQUA

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	67°	REQUA
	0600	67°	REQUA
	0900	67	Lmartin
	1200	68	Lmartin
	1500	68	Zuniga
	1800	68	Zuniga
	2100	68	Zuniga
	2400	67°	REQUA

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	67°	REQUA
	0600	67°	REQUA
	0900	67°	WARD
	1200	67	WARD
	1500	69	B. Torres
	1800	69°	B. Torres
	2100	68°	B. Torres
	2400	67°	REQUA

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	67°	REQUA
	0600	67°	REQUA
	0900	67°	F. ZUNIGA
	1200	68	F. ZUNIGA
	1500	68	cordova
	1800	68	cordova
	2100	68	cordova
	2400	68	K. EMPANTE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-2 Temp. Reading Location: 2nd Tier B-Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5200 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	67	Lopez
	0600	67	Lopez
	0900	68.8	E. Mares
	1200	68	E. Mares
	1500	68	A. Zamudio
	1800	68	A. Zamudio
	2100	68	A. Zamudio
	2400	68	R Canasco

Tuesday

Dat	Time	Temp.	Name (Print)
6/18	0300	68	R Canasco
	0600	68	Mendoza
	0900	68	Mendoza
	1200	69	Mendoza
	1500	70	A. Zamudio
	1800	70	A. Zamudio
	2100	68	A. Zamudio
	2400	69	R Canasco

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	69	R Canasco
	0600	69	Mendoza
	0900	67	Mendoza
	1200	68	Mendoza
	1500	69	A. Zamudio
	1800	69	A. Zamudio
	2100	68	A. Zamudio
	2400	68	R. Canasco

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	68	R. Canasco
	0600	68	Mendoza
	0900	68	Mendoza
	1200	68	Mendoza
	1500	68	A. Zamudio
	1800	69	A. Zamudio
	2100	68	A. Zamudio
	2400	68	M. CASTRO

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	68°	M. CASTRO
	0600	68°	F. Zuniga
	0900	68°	F. Zuniga
	1200	69°	F. Zuniga
	1500	69	C Torrejon
	1800	69	C Torrejon
	2100	69	C Torrejon
	2400	69	K. Emparto

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	68	K. Emparto
	0600	68	K. Emparto
	0900	68	F. Zuniga
	1200	69	F. Zuniga
	1500	69	A. Rico
	1800	69	A. Rico
	2100	69	A. Rico
	2400	69	K. Emparto

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	68	K. Emparto
	0600	69	Mendoza
	0900	69	Mendoza
	1200	70	Mendoza
	1500	69	E. SALAS
	1800	69	E. SALAS
	2100	67	E. SALAS
	2400	67	Lopez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper "B" 40D
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-17-24	0300	68°	E. Beasley
	0600	68°	E. Beasley
	0900	68°	I. Celis
	1200	68°	I. Celis
	1500	68°	C. Diaz
	1800	68°	C. Diaz
	2100	68°	C. Diaz
	2400	68°	E. Beasley

Tuesday

Dat	Time	Temp.	Name (Print)
06-18-24	0300	68°	E. Beasley
	0600	68°	E. Beasley
	0900	67°	I. Celis
	1200	68°	I. Celis
	1500	68°	R. Pacheco
	1800	68	R. Pacheco
	2100	67	R. Pacheco
	2400	68°	E. Beasley

Wednesday

Date	Time	Temp.	Name (Print)
06-19-24	0300	68°	E. Beasley
	0600	68°	E. Beasley
	0900	68°	R. Pacheco
	1200	70°	R. Pacheco
	1500	70	R. Pacheco
	1800	68°	R. Pacheco
	2100	68	R. Pacheco
	2400	68°	E. Beasley

Thursday

Date	Time	Temp.	Name (Print)
06-20-24	0300	68°F	J. Garcia
	0600	68	J. Barajas
	0900	69°	J. Barajas
	1200	69°	J. Barajas
	1500	68°	R. Pacheco
	1800	69°	R. Pacheco
	2100	68°	R. Pacheco
	2400	67°	M. Gutierrez

Friday

Date	Time	Temp.	Name (Print)
06-21-24	0300	67°	A. Gutierrez
	0600	67	M. Espinoza
	0900	67	M. Espinoza
	1200	68°	M. Espinoza
	1500	67°	R. Pacheco
	1800	67°	R. Pacheco
	2100	68	R. Pacheco
	2400	68°	G. Smith

Saturday

Date	Time	Temp.	Name (Print)
06-22-24	0300	68°	G. Smith
	0600	67°	I. Celis
	0900	67°	I. Celis
	1200	68°	I. Celis
	1500	68°	I. Celis
	1800	68°	I. Celis
	2100	68°	I. Celis
	2400	68°	E. Beasley

Sunday

Date	Time	Temp.	Name (Print)
06-23-24	0300	68°	E. Beasley
	0600	68°	E. Beasley
	0900	67°	I. Celis
	1200	68°	I. Celis
	1500	69°	G. Smith
	1800	69°	G. Smith
	2100	69°	G. Smith
	2400	68°	E. Beasley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C4 Temp. Reading Location: Bpod 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	Tr
	0600	70	Tr
	0900	70.7	J. GALVAN
	1200	71.2	J Galvan
	1500	71	J. Fernandez
	1800	71	J. Fernandez
	2100	71	J. Fernandez
	2400	71°F	J. Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
6/18/24	0300	71°F	J. Garcia
	0600	70.7	J. Galvan
	0900	70.8	J. GALVAN
	1200	71	J. GALVAN
	1500	71	J. Fernandez
	1800	71	J. Fernandez
	2100	71	Matins
	2400	71°F	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	71°F	J. Garcia
	0600	71.1	J. GALVAN
	0900	71.2	J GALVAN
	1200	71.4	J. GALVAN
	1500	71°	J Fernandez
	1800	71°	J. Fernandez
	2100	71°	J. Fernandez
	2400	71	Tr

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70	Tr
	0600	70	Tr
	0900	71.2	J. GALVAN
	1200	71.2	J. GALVAN
	1500	72.	J Mclay
	1800	72.	J Mclay
	2100	72	J Mclay
	2400	70	Marquez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	70	Marquez
	0600	70	Marquez
	0900	70.7	J. CHAVEZ
	1200	70.9	J CHAVEZ
	1500	71	J. Fernandez
	1800	71	J. Fernandez
	2100	71	J. Fernandez
	2400	70°	J. Rincon

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	70°	J. Rincon
	0600	70°	J. Rincon
	0900	70	L Sanchez
	1200	70	L Sanchez
	1500	71.8	Diaz
	1800	72.3	Diaz
	2100	71.6	Diaz
	2400	70	Marquez

Sunday

Date	Time	Temp.	Name (Print)
06/23/24	0300	69	Marquez
	0600	70	L Sanchez
	0900	70°	L Sanchez
	1200	70	L Sanchez
	1500	72.0	Diaz
	1800	72.0	Diaz
	2100	72.0	Diaz
	2400	72	Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C5 Temp. Reading Location: 2nd tier B pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	69°	U Sandard
	0600	69°	L Sanchez
	0900	69°	L Sanchez
	1200	70°	L. Sanchez
	1500	70	Guardado
	1800	70	Guardado
	2100	70	Guardado
	2400	70°	U Sandoval

Tuesday

Dat	Time	Temp.	Name (Print)
6-18-24	0300	70°	U Sandoval
	0600	70°	L. Sanchez
	0900	70°	L. sanchez
	1200	70	GOMEZ
	1500	70	Guardado
	1800	69	Guardado
	2100	70	Guardado
	2400	70	

Wednesday

Date	Time	Temp.	Name (Print)
6/19/20	0300	70	
	0600	70	
	0900	68.9	R. Reyes
	1200		R. Reyes
	1500	69.6	R Cortez
	1800	69.6	R Cortez
	2100	69.6	R Cortez
	2400	69	Pirlewitt

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	69	PIRLEWITT
	0600	69	PIRLEWITT
	0900	69	Webb
	1200	69	Webb
	1500	69	Webb
	1800	69	Webb
	2100	69	Webb
	2400	69	FLETES

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	69	FLETES
	0600	69	FLETES
	0900	68.5	Reyes
	1200	68.9	Reyes
	1500	68	Webb
	1800	67	Webb
	2100	67	Webb
	2400	69	

Saturday

Date	Time	Temp.	Name (Print)
06/22/24	0300	69	Webb
	0600	69	Webb
	0900	69	Webb
	1200	69	Webb
	1500	70	R Cortez
	1800	70	R Cortez
	2100	70	R Cortez
	2400	70	J. Calderas

Sunday

Date	Time	Temp.	Name (Print)
06/23/24	0300	69	J. Calderas
	0600	69	J. Calderas
	0900	69	G. Martin
	1200	71	G. Martin
	1500	71	R Cortez
	1800	70	R Cortez
	2100	70	R Cortez
	2400	70	U Sandoval

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C6 Temp. Reading Location: B SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	68	Acors
	0600	68	Guardado
	0900	68	Guardado
	1200	69	Guardado
	1500	69	Webb
	1800	69	Webb
	2100	69	Webb
	2400	67	Acors

Tuesday

Dat	Time	Temp.	Name (Print)
6/18	0300	67	Acors
	0600	68	Rugama
	0900	68	Guardado
	1200	69	Guardado
	1500	70°	Green
	1800	70°	Green
	2100	69°	Green
	2400	69°	L.A. Chavez

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	69°	L.A. Chavez
	0600	69°	L.A. Chavez
	0900	68	M. Pulido
	1200	67	M. Pulido
	1500	69°	Green
	1800	69°	Green
	2100	68°	Green
	2400	68°	L.A. Chavez

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	68	L.A. Chavez
	0600	68	L.A. Chavez
	0900	68	J. Rosas
	1200	68	J. Rosas
	1500	68°	A. Martinez
	1800	72°	A. Martinez
	2100	69	Martinez
	2400	67	Acors

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	69	Acors
	0600	69	Webb
	0900	69	Webb
	1200	69	Webb
	1500	69	J. Rosas
	1800	69	J. Rosas
	2100	67	J. Rosas
	2400	67	Acors

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	67	Acors
	0600	68	Rgonzez
	0900	69	Rgonzez
	1200	69	Rgonzez
	1500	69	J. Fernandez
	1800	69	J. Fernandez
	2100	68	J. Fernandez
	2400	68	Acors

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	68	Acors
	0600	69	Cortez
	0900	67	Cortez
	1200	69	Cortez
	1500	69	Webb
	1800	69	Webb
	2100	67	Webb
	2400	67	Acors

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: 2ND tier, B-Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	73	Webb
	0600	73	Shumaker
	0900	73	Shumaker
	1200	73	Shumaker
	1500	73	Shumaker
	1800	72	Shumaker
	2100	72	Shumaker
	2400	73	Webb

Tuesday

Dat	Time	Temp.	Name (Print)
6/18/24	0300	73	Webb
	0600	73	Webb
	0900	73	Soto
	1200	73	Soto
	1500	73	Lopez
	1800	73	Lopez
	2100	73	Lopez
	2400	73	Webb

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	73	Webb
	0600	73	Webb
	0900	73	Soto
	1200	74	Soto
	1500	74	M. ON
	1800	74	M. ON
	2100	74	M. ON
	2400	73°	Green

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	73°	Green
	0600	73	Soto
	0900	73	Soto
	1200	73	Soto
	1500	73	VELARDE
	1800	73	VELARDE
	2100	73	VELARDE
	2400	73°	Green

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	73°F	J. Garcia
	0600	73	Garcia
	0900	74	Garcia
	1200	74	Garcia
	1500	74	[illegible]
	1800	74	[illegible]
	2100	74	[illegible]
	2400	73°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	73°F	J. Garcia
	0600	73°F	M. Miranda
	0900	73 F	M. Miranda
	1200	73.9 F	M. Miranda
	1500	73.9 F	B. Solorio
	1800	74.3 F	B. Solorio
	2100	74.3 F	B. Solorio
	2400	74	Webb

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	74	Webb
	0600	74	Webb
	0900	74	J. Rosas
	1200	74	Salgadas
	1500	74	Salgadas
	1800	75	Salgadas
	2100	75	[illegible]
	2400	75	Webb

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C 8 Temp. Reading Location: tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	71	J. Crawford
	0600	71	J. Crawford
	0900	70	H. Zavala
	1200	71	H. Zavala
	1500	71	R. SANTIAGO
	1800	71	R. SANTIAGO
	2100	71	R. SANTIAGO
	2400	71	L. Stepp

Tuesday

Dat	Time	Temp.	Name (Print)
6/18	0300	71	L. Stepp
	0600	72	L. Stepp
	0900	71	H. Zavala
	1200	71	H. Zavala
	1500	71	H. Zavala
	1800	71	H. Zala
	2100	71	H. Zavala
	2400	71	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	71	L. Stepp
	0600	71	L. Stepp
	0900	70	H. Zala
	1200	[illegible]	H. Zala
	1500	71	[illegible]
	1800	71	[illegible]
	2100	72	[illegible]
	2400	71	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	71	L. Stepp
	0600	71	L. Stepp
	0900	71	H. Zala
	1200	71	H. Zavala
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	71	L. Stepp

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	71	L. Stepp
	0600	71	L. Stepp
	0900	71	J. Rosas
	1200	71	J. Rosas
	1500	71	R. SANTIAGO
	1800	71	R. SANTIAGO
	2100	71	R. SANTIAGO
	2400	71	L. Stepp

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	71	L. Stepp
	0600	71	L. Stepp
	0900	71	J. Rosas
	1200	72	J. Rosas
	1500	72	R. SANTIAGO
	1800	73	R. SANTIAGO
	2100	73	R. SANTIAGO
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300		
	0600	72	R. SANTIAGO
	0900	72	R. SANTIAGO
	1200	72	R. SANTIAGO
	1500	73	R. SANTIAGO
	1800	73	R. SANTIAGO
	2100	73	R. SANTIAGO
	2400	73	F. Valdez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-1 Temp. Reading Location: B-SECTION TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/24/24	0300	67°	K. EMPANTE
	0600	67°	K. EMPANTE
	0900	68	F. ZUNIGA
	1200	68	F. ZUNIGA
	1500	69	Cordova
	1800	69	DEMESA
	2100	68	Cordova
	2400	67	K. EMPANTE

Tuesday

Dat	Time	Temp.	Name (Print)
06/25/24	0300	67°	K. EMPANTE
	0600	68	Lmartin
	0900	68	Lmartin
	1200	68	Lmartin
	1500	68	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	69	REQUA

Wednesday

Date	Time	Temp.	Name (Print)
06/26/24	0300	69°	REQUA
	0600	69°	REQUA
	0900	69	Lmartin
	1200	69	Lmartin
	1500	69	C. TORREON
	1800	69	C. TORREON
	2100	69	C. TORREON
	2400	69	REQUA

Thursday

Date	Time	Temp.	Name (Print)
06/27/24	0300	68°	REQUA
	0600	68	REQUA
	0900	68	Lmartin
	1200	69	Lmartin
	1500	69	C. TORREON
	1800	70	C. TORREON
	2100	69	C. TORREON
	2400	69	REQUA

Friday

Date	Time	Temp.	Name (Print)
06/28/24	0300	68°	REQUA
	0600	68°	REQUA
	0900	68	Lmartin
	1200	69	Lmartin
	1500	68	M. Espinoza
	1800	68	A. Perez
	2100	68	A. Perez
	2400	68	REQUA

Saturday

Date	Time	Temp.	Name (Print)
06/29/24	0300	67°	REQUA
	0600	67°	REQUA
	0900	68	Fernandez
	1200	68	Fernandez
	1500	68	B. TORRES
	1800	68	B. TORRES
	2100	68	B. TORRES
	2400	68°	M. CASTRO

Sunday

Date	Time	Temp.	Name (Print)
06/30/24	0300	67°	M. CASTRO
	0600	67°	F. ZUNIGA
	0900	67°	F. ZUNIGA
	1200	68°	F. ZUNIGA
	1500	68	Cordova
	1800	68	Cordova
	2100	69	Cordova
	2400	68°	K. EMPANTE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	66	M. Lopez
	0600	66	M. Lopez
	0900	67	Mendoza
	1200	70	Mendoza
	1500	71	A. Zamudio
	1800	71	A. Zamudio
	2100	69	A. Zamudio
	2400	70	R. Carrasco

Tuesday

Dat	Time	Temp.	Name (Print)
6/25	0300	70	R. Carrasco
	0600	70	Mendoza
	0900	69	Mendoza
	1200	70	Mendoza
	1500	71	A. Zamudio
	1800	70	A. Zamudio
	2100		
	2400	70	R. Carrasco

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	70	R. Carrasco
	0600	69	Mendoza
	0900	69	Mendoza
	1200	69	Mendoza
	1500	69	A. Zamudio
	1800	69	A. Zamudio
	2100	68	A. Zamudio
	2400	70	R. Carrasco

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	70	R. Carrasco
	0600	70	Mendoza
	0900	70	Mendoza
	1200	69	Mendoza
	1500	69	A. Zamudio
	1800	69	A. Zamudio
	2100	69	A. Zamudio
	2400	70	R. Carrasco

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	70	R. Carrasco
	0600	70	F. Zuniga
	0900	69	F. Zuniga
	1200	70	F. Zuniga
	1500	70	Mendoza
	1800	70	Mendoza
	2100	69	Mendoza
	2400	68°	K. Emparto

Saturday

Date	Time	Temp.	Name (Print)
	0300	68°	K. Emparto
	0600	68°	K. Emparto
	0900	68°	F. Zuniga
	1200	68°	F. Zuniga
	1500	69°	C. Torrejon
	1800	69°	C. Torrejon
	2100	68°	C. Torrejon
	2400	67	K. Emparto

Sunday

Date	Time	Temp.	Name (Print)
	0300	67	K. Emparto
	0600	67	K. Emparto
	0900	68	[illegible]
	1200	69	[illegible]
	1500	70	Dorado
	1800	70	Dorado
	2100	68	Dorado
	2400	67	M. Lopez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper "B" POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-24-24	0300	68°	E. Beasley
	0600	68°	E. Beasley
	0900	68°	I. Celis
	1200	68°	I. Celis
	1500	69°	C. Diaz
	1800	69°	C. Diaz
	2100	68°	C. Diaz
	2400	68°	E. Beasley

Tuesday

Dat	Time	Temp.	Name (Print)
06-25-24	0300	68°	E. Beasley
	0600	68°	E. Beasley
	0900	68°	I. Celis
	1200	69°	I. Celis
	1500	68	R. Pacheco
	1800	68°	R. Pacheco
	2100	68°	R. Pacheco
	2400	68°	M. Castro

Wednesday

Date	Time	Temp.	Name (Print)
06-26-24	0300	68°	M. Castro
	0600	69°	R. Pacheco
	0900	69°	R. Pacheco
	1200	69°	R. Pacheco
	1500	69°	R. Pacheco
	1800	69°	R. Pacheco
	2100	69°	R. Pacheco
	2400	69°F	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
06-27-24	0300	69°F	J. Garcia
	0600	69F	T. Burra
	0900	69°	T. Burra
	1200	69°	F. Zuniga
	1500	69°	R. Pacheco
	1800	69°	R. Pacheco
	2100	69°	R. Pacheco
	2400	69°	I. Lopez

Friday

Date	Time	Temp.	Name (Print)
06-28-24	0300	68°	I. Lopez
	0600	69	M. Espinoza
	0900	69°	M. Espinoza
	1200	69°	M. Espinoza
	1500	69°	R. Pacheco
	1800	69°	R. Pacheco
	2100	69°	R. Pacheco
	2400	68°	J. Barajas

Saturday

Date	Time	Temp.	Name (Print)
06-29-24	0300	68°	J. Barajas
	0600	69°	J. Barajas
	0900	69°	I. Celis
	1200	69°	I. Celis
	1500	69°	I. Celis
	1800	69°	I. Celis
	2100	69°	I. Celis
	2400	68°	E. Beasley

Sunday

Date	Time	Temp.	Name (Print)
06-30-24	0300	68°	E. Beasley
	0600	68°	E. Beasley
	0900	68°	I. Celis
	1200	68°	I. Celis
	1500	70°	C. Torrejon
	1800	70°	C. Torrejon
	2100	69°	C. Torrejon
	2400	68°	E. Beasley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: CH Temp. Reading Location: 2nd Tier B/POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	72'	Garcia A
	0600	70	Garcia A
	0900	72.1	J GALVAN
	1200	72.1	J. GALVAN
	1500	72.1	E. SALAS
	1800	72.1	E. SALAS
	2100	72.0	E. SALAS
	2400	71	Marquez

Tuesday

Dat	Time	Temp.	Name (Print)
6/25	0300	69	Marquez
	0600	69	Marquez
	0900	72.1	J GALVAN
	1200	72.1	J GALVAN
	1500	72°	Avila
	1800	71°	Avila
	2100	72.5°	Avila
	2400	72°F	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	72°F	J. Garcia
	0600	72.3	J GALVAN
	0900	72.8	J GALVAN
	1200	72.3	J GALVAN
	1500	72.1	M. Garcia
	1800	72.5	M. Garcia
	2100	72.1	M. Garcia
	2400	72	EMPARTE

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	72	EMPARTE
	0600	72.3	J. GALVAN
	0900	72.3	J GALVAN
	1200	72.1	J. GALVAN
	1500	72	FERNANDEZ
	1800	72	FERNANDEZ
	2100	72	FERNANDEZ
	2400	72.1°	GARIBAY

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	72.1°	GARIBAY
	0600	72.0°	GARIBAY
	0900	71	GALVAN
	1200	71	GALVAN
	1500	72.1	E. SALAS
	1800	72.3	E. SALAS
	2100	72.3	E. SALAS
	2400	72	Tom Tom

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	72	Tom Tom
	0600	70	L Sanchez
	0900	70	L Sanchez
	1200	72	L Sanchez
	1500	71.8	C. Diaz
	1800	71.	C. Diaz
	2100	71.	C. Diaz
	2400	70	EMPARTE

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	70	EMPARTE
	0600	71	L. Sanchez.
	0900	71	L. Sanchez
	1200	72'	L. Sanchez.
	1500	72	C. Diaz
	1800	72	C. Diaz
	2100	72	C. Diaz
	2400	72	Marquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-5 Temp. Reading Location: 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	70	U Sandal
	0600	69	L Sanchez
	0900	70	L Sanchez
	1200	70	L Sanchez
	1500	70	G Guardado
	1800	69	G Guardado
	2100	69	G Guardado
	2400	69	J Ramirez

Tuesday

Dat	Time	Temp.	Name (Print)
6-25-24	0300	69°	J. Ramirez
	0600	69°	L Sanchez
	0900	70°	L Sanchez
	1200	70°	L Sanchez
	1500	70	G Guardado
	1800	71	G Guardado
	2100	70	G Guardado
	2400	70	Prevatt

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	69	Prevatt
	0600	69	Prevatt
	0900	71	Pulazo
	1200	70.3	Pulazo
	1500	70	R Cortez
	1800	70	R Cortez
	2100	70	R Cortez
	2400	68	F Perez

Thursday

Date	Time	Temp.	Name (Print)
06/27/24	0300	69°	F. Perez
	0600	68°	F. Perez
	0900	70	Garcia
	1200	70	Garcia
	1500	71°	A Tapia
	1800	71	A Tapia
	2100	70	A Tapia
	2400	70	Torres Ibarra

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	70	Torres Ibarra
	0600	70.2	Pulazo
	0900	70.3	Pulazo
	1200	70.3	Pulazo
	1500	70	A Tapia
	1800	70	A Tapia
	2100	70	A Tapia
	2400	70	Webb

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	70	Webb
	0600	70	Webb
	0900	69.4	Reyes
	1200	69.6	Reyes
	1500	70	R Cortez
	1800	70	R Cortez
	2100	70	R Cortez
	2400	69°	R. Salazar

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	69°	R. Salazar
	0600	69	C. Ruiz
	0900	69	C. Ruiz
	1200	70	C. Ruiz
	1500	70	R Cortez
	1800	70	R Cortez
	2100	70	R Cortez
	2400	70°	U Sandal

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C6 Temp. Reading Location: B SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	68	Adams
	0600	70	Guardado
	0900	68	Guardado
	1200	71	Guardado
	1500	70	Webb
	1800	68	Webb
	2100	68	Webb
	2400	68	Adams

Tuesday

Dat	Time	Temp.	Name (Print)
6/25	0300	68	Adams
	0600	70	Guardado
	0900	70	Guardado
	1200	70	Guardado
	1500	71°	Green
	1800	71°	Green
	2100	70°	Green
	2400	70	Adams

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	70	Adams
	0600	70	PULIDO
	0900	70	PULIDO
	1200	70	PULIDO
	1500	70°	Green
	1800	70°	Green
	2100	70°	Green
	2400	70	U. Sandal

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	70	U Sandal
	0600	69	J. ROSAS
	0900	69	J. ROSAS
	1200	70	J. ROSAS
	1500	70	Garcia
	1800	71	Garcia
	2100	70	Garcia
	2400	70	Adams

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	70	Adams
	0600	70	NGUYEN
	0900	70	NGUYEN
	1200	71	NGUYEN
	1500	70	J. ROSAS
	1800	68	J. ROSAS
	2100	68	J. ROSAS
	2400	68	Adams

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	68	Adams
	0600	69	RCORTEL
	0900	69	RCORTEL
	1200	69	RCORTEL
	1500	70	Y. Delgado
	1800	70	Y. Delgado
	2100	69	Y. Delgado
	2400	69	C. MOORE

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	68	C. MOORE
	0600	68	RCORTEL
	0900	69	RCORTEL
	1200	69	RCORTEL
	1500	69	Webb
	1800	68	Webb
	2100	68	Webb
	2400	69	Sim

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: B-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	73	Webb
	0600	73	Webb
	0900	73	Simm
	1200	73	S Hem
	1500	73	S Hem
	1800	73	S Hem
	2100	73	S Hem
	2400	73	Webb

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	73	Webb
	0600	73	Webb
	0900	73	Soto
	1200	74	Soto
	1500	74	S Hem
	1800	73	S Hem
	2100	73	S Hem
	2400	73	Webb

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	74°	Green
	0600	72	J. Soto
	0900	72	J. Soto
	1200	73	J. Soto
	1500	73	HERNANDEZ
	1800	74	HERNANDEZ
	2100	74	HERNANDEZ
	2400	75°	Green

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	74°	Green
	0600	73	Soto
	0900	73	Soto
	1200	74	Soto
	1500	74	HERNANDEZ
	1800	74	HERNANDEZ
	2100	74	HERNANDEZ
	2400	74°	Green

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	74°F	J. Garcia
	0600	74°F	J Garcia
	0900	74°F	C. Zavala
	1200	74°	C Zavala
	1500	73°	C. Zavala
	1800	77°	C Zavala
	2100	75	Zavala
	2400	74°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	74°F	J. Garcia
	0600	74	HERNANDEZ
	0900	74	HERNANDEZ
	1200	74	HERNANDEZ
	1500	74	J. ROSAS
	1800	74	J. Guzman
	2100	74	J. Guzman
	2400	74	Webb

Sunday

Date	Time	Temp.	Name (Print)
	0300	74	Webb
	0600	74	Webb
	0900	74	J. ROSAS
	1200	74	J Rosas
	1500	75.6	M. Garcia
	1800	75.7	M. Garcia
	2100	75.2	M. Garcia
	2400	75	Webb

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: CHARLIE 8 Temp. Reading Location: B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/24/24	0300	73	L STEPP
	0600	73	J. LOPEZ
	0900	73	J. LOPEZ
	1200	73	Tamberlyn
	1500	73°	R. SANTIAGO
	1800	74°	R. SANTIAGO
	2100	74°	R. SANTIAGO
	2400	73	L. Stepp

Tuesday

Dat	Time	Temp.	Name (Print)
6/25/24	0300	72	L. Stepp
	0600	72	L. Stepp
	0900	72	H. Zavala
	1200	72	H. Zaly
	1500	72	JOLOPO
	1800	72	JOLOPO
	2100	72	JOLOPO
	2400	73	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	72	L. Stepp
	0600	72	L. Stepp
	0900	73	S [illegible]
	1200	73	S [illegible]
	1500	73	S [illegible]
	1800	73	S [illegible]
	2100	73	S [illegible]
	2400	73	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	72	L. Stepp
	0600	72	L. Stepp
	0900	73	S [illegible]
	1200	73	S [illegible]
	1500	73	S [illegible]
	1800	74	S [illegible]
	2100	74	S [illegible]
	2400	73	L. Stepp

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	73	L. Stepp
	0600	73	L. Stepp
	0900	73	J. ROSAS
	1200	73	J. ROSAS
	1500	73	R. SANTIAGO
	1800	72	R. SANTIAGO
	2100	72	R. SANTIAGO
	2400	72	G. Navarro

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	72	G. Navarro
	0600	72	G. Navarro
	0900	72	J. ROSAS
	1200	72	J. ROSAS
	1500	73	R. SANTIAGO
	1800	73	R. SANTIAGO
	2100	73	R. SANTIAGO
	2400	73°	U. Sanders

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	73°	U. Sanders
	0600	72	R. SANTIAGO
	0900	73°	R. SANTIAGO
	1200	74°	R. SANTIAGO
	1500	74°	R. SANTIAGO
	1800	74°	R. SANTIAGO
	2100	74°	R. SANTIAGO
	2400	73	J. Santana

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

2024

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC-INFIRMARY

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRMARY

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6.01	0100	72	H. Teixeira
6.01	0400	73	H. Teixeira
06-01-24	0700	74°	S. CAMACHO
06-01-24	1000	74°	S. CAMACHO
06-01-24	1300	75°	S. CAMACHO
06/01/24	1600	77°	R. HERMOSILLO
06/01/24	1900	76°	R. HERMOSILLO
06/01/24	2200	75°	R. HERMOSILLO

Attachment B

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC-INFIRMARY

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1St through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRMARY

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
06/02/24	0100	75°	R. HERMOSILLO
06/02/24	0400	76°	R. HERMOSILLO
06/02/24	0700	77°	R. HERMOSILLO
06/02/24	1000	78°	R. HERMOSILLO
06/02/24	1300	77°	R. HERMOSILLO
06/02/24	1600	76°	R. HERMOSILLO
06/02/24	1900	75°	R. HERMOSILLO
06/02/24	2200	77°	R. HERMOSILLO

Attachment B

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRM

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/3/24	0100	72°	R. CANETY
6/3/24	0400	72°	R. CANETY
6·3·24	0700	72°	F. Burton
6·3·24	1000	72°	F. Burton
6·3·24	1300	72°	F. Burton
6·3·24	1600	76°	R. HERMOSILLO
6-3-24	1900	75°	R. HERMOSILLO
6-3-24	2200	72°	R. HERMOSILLO

Attachment B

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1St through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRMARY

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/4/24	0100	72°	R. CANETY
6/4/24	0400	72°	R. CANETY
6/4/24	0700	72°	F. Burton
6/4/24	1000	72°	F. Burton
6/4/24	1300	72°	F. Burton
6.04	1600	73	S. CAMACHO
6.04	1900	74	S. CAMACHO
6.04	2200	74	S. CAMACHO

Attachment B

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRMARY

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/5/24	0100	72°	R. CANETY
6/5/24	0400	72°	R. CANETY
6/5/24	0700	75°	F. Burton
6/5/24	1000	75°	F. Burton
6/5/24	1300	75°	F. Burton
6/5/24	1600	80°	Uribe
6/5/24	1900	80°	Uribe
6/5/24	2200	75	Uribe

Attachment B

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRMARY

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/6/24	0100	70°	R. CANEY
6/6/24	0400	70°	R. CANEY
6/6/24	0700	72°	F. Burton
6/6/24	1000	72°	F. Burton
6/6/24	1300	72°	F. Burton
6/6/24	1600	74°	A. Uribe
6/6/24	1900	72°	A. Uribe
6/6/24	2200	72°	A. Uribe

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRMARY

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6.07	0100	70	H. Tereka
6.07	0400	71	M. Tereka
6.07	0700	71	V. Valdez
6.07	1000	73	V. Valdez
6.07	1300	74	V. Valdez
6/7/24	1600	74°	S. CAMACHO
6/7/24	1900	72°	S. CAMACHO
6/7/24	2200	72	A. Uribe

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRMARY

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/8/24	0100	72°	TEREKX
6/8/24	0400	72°	TEREKX
6/8/24	0700	70°	A. Uribe
6/8/24	1000	70°	A. Uribe
6/8/24	1300	71°	A. Uribe
6/8/24	1600	73°	S. CAMACHO
6/8/24	1900	74°	S. CAMACHO
6/8/24	2200	74°	S. CAMACHO

Attachment B

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC INFIRMARY

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING:_____

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/9/24	0100	71°	Terera
6/9/24	0400	71°	Terera
6.09	0700	71°	Rangel
6.09	1000	72	V. Valdez
6.09	1300	72	V. Valdez
6.09	1600	73	D. Leon
6.09	1900	73	D. Leon
6.09	2200	73	D. Leon

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat-Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRM

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/10/24	0100	70°	R. CANETY
6/10/24	0400	70°	R. CANETY
6/10/24	0700	70°	Y. Pacheco
6/10/24	1000	70°	Y. Pacheco
6/10/24	1300	72	Y. Pacheco
6/10/24	1600	72	A. Uribe
6/10/24	1900	72	A. Uribe
6/10/24	2200	70	A. Uribe

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC INF.

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1St through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INF.

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/11/24	0100	71°	R. CANETY
6/11/24	0400	71°	R. CANETY
6/11/24	0700	72°	Rangel
6/11/24	1000	72°	Rangel
6/11/24	1300	72°	[illegible]
6/11/24	1600	74°	S. CAMACHO
6/11/24	1900	73°	S. CAMACHO
6/11/24	2200	72°	S. CAMACHO

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INTERM.

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/12/24	0100	70°	R. CANETY
6/12/24	0400	70°	R. CANETY
6/12/24	0700	70°	Rangel
6/12/24	1000	72°	Rangel
6/12/24	1300	72°	Rangel
6.12	1600	73	D. Leon
6.12	1900	73	D. Leon
6.12	2200	73	D. Leon

Attachment B

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INF.

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/13	0100	70'	R. CANETA
6/13	0400	70	R. CANETA
6/13	0700	70°	Rangel
6/13	1000	72°	Rangel
6/13	1300	72°	Rangel
6.13	1600	72	A. Uribe
6.13	1900	73	A. Uribe
6.13	2200	72	A. Uribe

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat-Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRM.

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/14/24	0100	70°	R. CANEY
6/14/24	0400	70°	R. CANEY
6/14/24	0700	70°	Rangel
6.14	1000	71	A. Urbe
6.14	1300	71	A. Urbe
6.14	1600	72	J. Rangel
6.14	1900	72	J. Rangel
6.14	2200	72	J. Rangel

Attachment B

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC INFIRMARY

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRMARY

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/15/24	0100	70°	Terera
6/15/24	0400	70°	Terera
6/15/24	0700	72°	Terera
6/15/24	1000	72°	Terera
6/15/24	1300	72°	Terera
6/15/24	1600	74°	Camacho
6/15/24	1900	74°	Camacho
6/15/24	2200	72°	Camacho

Attachment E

2024

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CRC - Infirmary

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: Infirmary

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6.16	0100	70	H. Tereza
6.16	0400	70	H. Tereza
6.16	0700	71	A Carrera
6.16	1000	72	A Carrera
6.16	1300	72	A. Carrera
6.16	1600	73	A Carrera
6.16	1900	73	A Carrera
6.16	2200	72	A Carrera

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRMARY

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/17/24	0100	70°	R. CANETY
6/17/24	0400	70°	R. CANETY
6/17/24	0700	70°	F. Burton
6/17/24	1000	70°	F. Burton
6/17/24	1300	70°	F. Burton
6/17/24	1600	70°	A. Uribe
6/17/24	1900	70°	A. Uribe
6/17/24	2200	70°	A. Uribe

Attachment B

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat-Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRM

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/18/24	0100	72°	BOWANDS
6/18/24	0400	72°	BOWANDS
6/18/24	0700	72°	F Burdes
6/18/24	1000	72°	F. Burdes
6/18/24	1300	72°	F. Burdes
6/18	1600	73°	A. Uribe
6/18	1900	71	A. Uribe
6/18	2200	70	A. Uribe

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFORM

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/19/24	0100	71°	R. CANETY
6/19/24	0400	71°	R. CANETY
6/19/24	0700	72°	F. Burton
6/19/24	1000	72°	F. Burton
6/19/24	1300	72°	F. Burton
6.19	1600	72	A. Urbe
6.19	1900	72	A. Urbe
6.19	2200	72	A. Urbe

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INTERM

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/20/24	0100	70°	R. CANETY
6/20/24	0400	70°	R. CANETY
6/20/24	0700	70°	F. Burton
6/20/24	1000	70°	F. Burton
6/20/24	1300	70°	F. Burton
6/20/24	1600	70°	Uribe
6/20	1900	70°	Uribe
6/20	2200	70°	Uribe

Attachment B

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat-Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INTERM

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/21/24	0100	70	R. CANETY
6/21/24	0400	70	R. CANETY
6.21	0700	71	J. Rangel
6.21	1000	72	J. Rangel
6.21	1300	72	J. Rangel
6.21	1600	73	J. Rangel
6.21	1900	73	J. Rangel
6.21	2200	74	J. Rangel

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1St through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRMARY

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6.22	0100	71	M. Tereza
6.22	0400	71	M. Tereza
6/22/24	0700	72°	S. Camacho
6/22/24	1000	73°	S. Camacho
6/22/24	1300	75°	S. Camacho
6/22/24	1600	76°	S. Camacho
6/22/24	1900	74°	S. Camacho
6/22/24	2200	74°	S. Camacho

Attachment E

2024

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRM

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6.23	0100	71	M. Teresa
6.23	0400	71	M. Teresa
6/23/24	0700	72°	F. Burton
6/23/24	1000	72°	F. Burton
6/23/24	1300	72°	F. Burton
6.23	1600	73	G. Garcia
6.23	1900	73	G. Garcia
6.23	2200	72	G. Garcia

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIRM

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6.24	0100	71	M. Tereka
6.24	0400	71	M. Tereka
6/24/24	0700	72°	F. Burton
6/24/24	1000	72°	F. Burton
6/24/24	1300	72°	F. Burton
6.24	1600	72	A. Bolaños
6.24	1900	73	A. Bolanos
6/24/24	2200	72	A. BOLAÑOS

Attachment E

2024

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CAC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INFIR

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6/25/24	0100	72	BOMANOS
6/25/24	0400	72	BOMANOS
6/25/24	0700	72°	Rangel
6/25/24	1000	73°	Rangel
6/25/24	1300	73°	Rangel
6/25/24	1600	72°	Rangel
6/25/24	1900	72°	Rangel
6/25/24	2200	72°	Rangel

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INF.

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6-26	0100	71	V. Antony
6/26	0400	71	V. Antony
6/26/24	0700	72°	F. Burton
6/26/24	1000	72°	F. Burton
6/26/24	1300	72°	F. Burton
6-26-24	1600	72°	D. Leon
6-26-24	1900	72°	D. Leon
6-26-24	2200	70	D. Leon

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INF.

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6.27	0100	70	J. Dominguez
6.27	0400	70	J Dominguez
6/27/24	0700	70°	F. Burton
6/27/24	1000	70°	F. Burton
6/27/24	1300	72°	F. Burton
6.27	1600	72	G. Cacerna
6.27	1900	73	G. Cacerna
6.27	2200	73	G. Cacerna

Attachment E

SALINAS VALLEY STATE PRISON 2024
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: Infirmary

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6.28	0100	72	H. Tereza
6.28	0400	71	H. Tereza
6.28	0700	72	J Rangel
6.28	1000	73	J. Rangel
6.28	1300	73	J Rangel
6.28	1600	74	D. Leon
6.28	1900	74	D. Leon
6.28	2200	73	D. Leon

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

2024

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: Infirmary

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6.29	0100	72	H. Tercera
6.29	0400	72	H. Tercera
6.29	0700	73	V. Garcia
6.29	1000	73	V. Garcia
6.29	1300	74	V. Garcia
6.29	1600	74	F. Lucio
6.29	1900	74	F. Lucio
6.29	2200	74	F. Lucio

Attachment E

SALINAS VALLEY STATE PRISON
Soledad, California

INSIDE TEMPERATURE RECORD

HOUSING UNIT CTC

Temperature is to be taken every three (3) hours on the highest tier an inmate on the Heat- Risk list is housed, seven days a week from May 1st through October 31st each year.

SPECIFIC LOCATION OF TEMPERATURE READING: INF.

Immediately notify the Watch Commander at extension 5542 when the temperature reaches 90 degrees (Fahrenheit) and again at 95 degrees (Fahrenheit).

DATE	TIME	TEMPERATURE	PRINTED NAME
6.30	0100	72	V. Ventura
6:30	0400	72	V. Ventura
6/30/24	0700	72°	F. Burton
6/30/24	1000	72°	F. Burton
6/30/24	1300	72°	F. Burton
	1600		
	1900		
	2200		

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC1 Temp. Reading Location: LOBBY (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	71	Martinez
	0600	71	Martinez
	0900	72	
	1200	72	
	1500	72	Espinoza
	1800	72	Espinoza
	2100	72	Espinoza
	2400	71	Martinez

Sunday

Date	Time	Temp.	Name (Print)
	0300	71	Martinez
	0600	71	Martinez
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC1 Temp. Reading Location: Lobby
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	71	Z. Pesl
	0600	71	Z. Pesl
	0900	71	[illegible]
	1200	71	[illegible]
	1500	72	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	71	Z. Pesl

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	[illegible]	D. Hooks
	0600	71	J. Garcia
	0900	71	J. Garcia
	1200	72	J. Garcia
	1500	72.9	[illegible]
	1800	72.9	[illegible]
	2100	72.9	[illegible]
	2400	72	D. Hooks

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	72	D. Hooks
	0600	72	J. Garcia
	0900	72	[illegible]
	1200	73	J. Garcia
	1500	74.8	[illegible]
	1800	74.1	[illegible]
	2100	74	[illegible]
	2400	72	D. Hooks

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	72	D. Hooks
	0600	72	J. Garcia
	0900	72	J. Garcia
	1200	72	J. Garcia
	1500	72	S. Shuff
	1800	72	S. Shuff
	2100	72	S. Shuff
	2400	72	D. Hooks

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	72	D. Hooks
	0600	72	I. Gam
	0900	72	I. Gam
	1200	71	J. Garcia
	1500	71	J. Garcia
	1800	71	J. Garcia
	2100	71	J. Garcia
	2400	72	D. Hooks

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	72	D. Hooks
	0600	72	I. Gam
	0900	72	I. Gam
	1200	72	I. Gam
	1500	72	[illegible]
	1800		
	2100		
	2400	72	D. Hooks

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	71	Z. Pesl
	0600	71	Z. Pesl
	0900	71	J. Garcia
	1200	72	J. Garcia
	1500	72	[illegible]
	1800	72	[illegible]
	2100	71	[illegible]
	2400	71	Z. Pesl

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC 1 Temp. Reading Location: Lobby
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	71	2. Reil
	0600	71	2. Reil
	0900	71	I. Reye
	1200	71.5	I. Rey
	1500	71.2	I. Rey
	1800	71	I. R
	2100	71	R
	2400	71	2. Reil

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	71	D. Hicks
	0600	71	J. Garcia
	0900	71	I. Reyes
	1200	71	I. Rey
	1500	74	I. R
	1800	72	D. R
	2100	72	
	2400	71	D. Hicks

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	71	D. Hicks
	0600	71	J. Garcia
	0900	72.1	A. Delia
	1200	72	
	1500	71	I. R
	1800	71	I. R
	2100	71	I
	2400	71	D. Hicks

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	71	D. Hicks
	0600	71	J. Garcia
	0900	71	J. Garcia
	1200	72	J. Garcia
	1500	72	J. Domenez
	1800	72	J. Domenez
	2100	72	J. Domenez
	2400	71	D. Hicks

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	71	J. Domenez
	0600	71	J. Domenez
	0900	71	Singh
	1200	71	Singh
	1500	72	M. On
	1800	72	M. On
	2100	72	M. On
	2400	68	M. On

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	70	M. On
	0600	70	M. On
	0900	70	Singh
	1200	71	Singh
	1500	72	M. On
	1800	72	M. On
	2100	71	M. On
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	71	2. Reil
	0600	71	2. Reil
	0900	72	J. Garcia
	1200	71	J. Garcia
	1500	72.0	[illegible]
	1800	71.6	R. Zimmerman
	2100	71	R. [illegible]
	2400	71	2. Reil

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOAP Housing Unit: TC1 Temp. Reading Location: Lobby
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/21	0300	70	Z. Perl
	0600	70	Z. Perl
	0900	72	[illegible]
	1200	73	[illegible]
	1500	73.2	[illegible]
	1800	71.0	[illegible]
	2100	71.0	[illegible]
	2400	70	Z. Perl

Tuesday

Dat	Time	Temp.	Name (Print)
6/22	0300	71	D. Hester
	0600	70	J. Martin
	0900	71	I. Reyes
	1200	72	J. Martin
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	71	D. Hester

Wednesday

Date	Time	Temp.	Name (Print)
6/23	0300	71	D. Hester
	0600	70	J. Martin
	0900	70	J. Garcia
	1200	71	J. Garcia
	1500	72	I. Reyes
	1800	72	I. Reyes
	2100	71	I. Reyes
	2400	71	D. Hester

Thursday

Date	Time	Temp.	Name (Print)
6/24	0300	71	D. Hester
	0600	70	J. Garcia
	0900	70	J. Martin
	1200	71	J. Martin
	1500	72.1	A. DeLira
	1800	71.8	A. DeLira
	2100	71.8	A. DeLira
	2400	71	D. Hester

Friday

Date	Time	Temp.	Name (Print)
6/25	0300	71	D. Hester
	0600	70.7	A. DeLira
	0900	70	De Lira
	1200	71.0	De Lira
	1500	73.4	I. Reyes
	1800	71.0	[illegible]
	2100	71.0	[illegible]
	2400	71	D. Hester

Saturday

Date	Time	Temp.	Name (Print)
6/26	0300		
	0600	70	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	73	M. ON
	1800	72	M. ON
	2100	72	M. ON
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/27	0300	70	Z. Perl
	0600	70	Z. Perl
	0900	70	J. Martin
	1200	71.2	J. Martin
	1500	71	J. Garcia
	1800	71	J. Garcia
	2100	71	J. Garcia
	2400	70	Z. Perl

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: GVSP Housing Unit: TC2 Temp. Reading Location: Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	70.9	prayton
	0600	70.9	prayton
	0900	70.0	I Cordova
	1200	69.6	I Cordova
	1500	67.8	I Cordova
	1800	68.7	I Cordova
	2100	67.0	I Cordova
	2400	68.7	M. ON

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	69.2	M. ON
	0600	70.5	M. ON
	0900	70.7	AVila
	1200	69	Cbelmonte
	1500	69.4	Cbelmonte
	1800	70.2	Cbelmonte
	2100	69.8	Cbelmonte
	2400	70	NAREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC2 Temp. Reading Location: Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	71	NAREZ
	0600	70.0	C-Espan
	0900	71.2	C-Espan
	1200	73.2	C-Espan
	1500	72.3	Avila
	1800	71.8	Cbelmontes
	2100	72	Cbelmontes
	2400	72	NAREZ

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	72	NAREZ
	0600	71.4	C-Espan
	0900	72.1	C-Espan
	1200	73.8	C-Espan
	1500	79	Avila
	1800	79.9	Avila
	2100	76.3	Avila
	2400	75	NAREZ

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	73	NAREZ
	0600	70.1	C-Espan
	0900	71.7	C-Espan
	1200	75.6	Avila
	1500	76.5	Avila
	1800	76.5	Avila
	2100	75.7	Avila
	2400	72	NAREZ

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	73	NAREZ
	0600	73.0	Espan
	0900	72.9	Espan
	1200	73.6	Espan
	1500	73.8	Espan
	1800	72.7	Espan
	2100	68.4	Espan
	2400	72	Narez

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	72	Narez
	0600	71.4	Espan
	0900	71.5	Espan
	1200	71.3	Espan
	1500	71	Correa
	1800	70	Correa
	2100	69	Correa
	2400	69	Z. Pesl

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	69	Z. Pesl
	0600	70	Z. Pesl
	0900	71.1	CBC
	1200	70	CBC
	1500	70	Cuarado
	1800	70	Cuarado
	2100	69	Cuarado
	2400	67	Z. Pesl

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	65	NAREZ
	0600	71.1	STRZWGER
	0900	71.1	J. AYALA
	1200	71.4	J. AYALA
	1500	71	Avila
	1800	71	Avila
	2100	68	Avila
	2400	68	NAREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC2 Temp. Reading Location: Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	62	NAREZ
	0600	70	AVILA
	0900	71	AVILA
	1200	71.2	AVILA
	1500	70	Avila
	1800	69	Avila
	2100	61	Avila
	2400	67	NAREZ

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	68	NAREZ
	0600	71.6	SPRINGER
	0900	72	R. Ambriz
	1200	73	R Ambriz
	1500	73	Avila
	1800	73	Avila
	2100	73	Avila
	2400	73	NAREZ

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	71	NAREZ
	0600	70°	W. Welch
	0900	70	W. Welch
	1200	70	W. Welch
	1500	70	Avila
	1800	71	Avila
	2100	71	Avila
	2400	71	NAREZ

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	71	NAREZ
	0600	71.4	A. DHANOTA
	0900	70.9	A. DHANOTA
	1200	70.0	A. DHANOTA
	1500	69.3	A. DHANOTA
	1800	66.0	A. DHANOTA
	2100	67.1	A. DHANOTA
	2400	67.0	PRAYTOR

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	67	PRAYTOR
	0600	68	Welch
	0900	68	Welch
	1200	70	WELCH
	1500	70	MENDOZA
	1800	70	MENDOZA
	2100	70	MENDOZA
	2400	70	Z. PESL

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	71	Z. Pesl
	0600	74	Z. Pesl
	0900	70.2	A. DHANOTA
	1200	72.3	A. DHANOTA
	1500	72.9	A. DHANOTA
	1800	72.5	A. DHANOTA
	2100	72.0	A. DHANOTA
	2400	70	Z. Pesl

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	70	M. NAREZ
	0600	69.4	A. DHANOTA
	0900	70.0	A. DHANOTA
	1200	72.0	A. DHANOTA
	1500	72.5	A DHANOTA
	1800	72.5	A DHANOTA
	2100	72.0	A. DHANOTA
	2400	70	M. NAREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: TC2 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	71	M. NAREZ
	0600	72.1	Espan
	0900	71.4	Espan
	1200	72	Espan
	1500	73	Colmontes
	1800	72	C Belmontes
	2100	72	C. Belmontes
	2400	71	NAREZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	70	NAREZ
	0600	72°	J-Goodwin
	0900	72.1	J-Goodwin
	1200	72°	J Goodwin
	1500	73	Avila
	1800	74	Avila
	2100	74	Avila
	2400	73	NAREZ

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	73	NAREZ
	0600	72.1	Espan
	0900	70.5	Espan
	1200	72.5	Espan
	1500	71.6	Avila
	1800	72.2	Avila
	2100	72	Avila
	2400	68	NAREZ

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	68	NAREZ
	0600	71°	J-Goodwin
	0900	72.0°	J Goodwin
	1200	70°	J Goodwin
	1500	68°	J Goodwin
	1800	68°	J Goodwin
	2100	70°	J Goodwin
	2400	68°	Brayton

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	73°	Brayton
	0600	69°	J-Goodwin
	0900	70.2°	J-Goodwin
	1200	71.4°	J Goodwin
	1500	72.3°	A. DHANOTA
	1800	70.0°	A. DHANOTA
	2100	65.7°	A. DHANOTA
	2400	68°	PEZL

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	70	Z. Perez
	0600	70	Z. Perez
	0900	70.7	A. DHANOTA
	1200	72.7	A. DHANOTA
	1500	75.4	A. DHANOTA
	1800	73	A. DHANOTA
	2100	71	A. DHANOTA
	2400	68	Z. Perez

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	72	M. ON
	0600	72	M. ON
	0900	71°	J. Goodwin
	1200	72°	J-Goodwin
	1500	75°	J Goodwin
	1800	71	J Goodwin
	2100	73	J Goodwin
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC2 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	72	E. BURO
	0600	72	E. BURO
	0900	72.9	Espana C
	1200	73.9	Espana
	1500	74	Avila
	1800	74	Avila
	2100	74	Avila
	2400	73	NAREZ

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	73	NAREZ
	0600	72°	R. Alvarez
	0900	72°	R. Alvarez
	1200	74°	R. Alvarez
	1500	75	cbelmontes
	1800	75	cbelmontes
	2100	75	cbelmontes
	2400	72	M. NAREZ

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	72	M. NAREZ
	0600	72	J. SANCHEZ
	0900	72	J. SANCHEZ
	1200	74	J. SANCHEZ
	1500	73	cbelmontes
	1800	72	cbelmontes
	2100	71	cbelmontes
	2400	68	NAREZ

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	68	NAREZ
	0600	72°	J. Goodwin
	0900	71°	J. Goodwin
	1200	72.1°	J. Goodwin
	1500	72°	J. Goodwin
	1800	73°	J. Goodwin
	2100	67.8°	J. Goodwin
	2400	70°	Brayton

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	70°	Brayton
	0600	70°	J. Goodwin
	0900	71.4	J. Goodwin
	1200	71°	J. Goodwin
	1500	72.9°	A. DHANOTA
	1800	71.9°	A. DHANOTA
	2100	67.8°	A. DHANOTA
	2400	67°	Perez

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	70°	Z. Perez
	0600	70°	Z. Perez
	0900	71°	J. Goodwin
	1200	71°	J. Goodwin
	1500	72°	J. Goodwin
	1800	71°	J. Goodwin
	2100	67°	J. Goodwin
	2400	67	Z. Perez

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	70	Nguyen
	0600	71	Welch
	0900	71	welch
	1200	73	welch
	1500	75	cbelmontes
	1800	76	Prieto
	2100	70	Prieto
	2400	67	nguyen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	68	Munz
6/	0600	69	J. Marquez
1/	0900	69	J. Marquez
	1200	69	J. Marquez
	1500	70°	A. Mendoza
24	1800	70°	A. Mendoza
	2100	70°	A. Mendoza
	2400	70	Munz

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	Munz
6/	0600	70	Tom
	0900	70	Tom
2/	1200	70	Tom
	1500	70	Vega
24	1800	71	Vega
	2100	71	Vega
	2400	70	Barrios

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	70	BOLANO
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	67°	GARIBAY
	1800	69°	GARIBAY
	2100	69	GARIBAY
	2400	68	GARIBAY

Tuesday

Dat	Time	Temp.	Name (Print)
6/4/24	0300	70°	J. Guevara
	0600	70°	D.C. Tom
	0900	70°	D.C. Tom
	1200	69°	D.C. Tom
	1500	69.	BOLANO
	1800	69.	BOLANO
	2100	69.	BOLANO
	2400	70	J. Guevara

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	66	J. Guevara
	0600	68	D.C. Tom
	0900	68°	D.C. Tom
	1200	68°	D.C. Tom
	1500	68.	BOLANO
	1800	68.	BOLANO
	2100	68.	BOLANO
	2400	65	J. Guevara

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	68	J. Guevara
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	Garibay
	1800	69	Garibay
	2100	69	Garibay
	2400	69	J. Guevara

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	69	Sum
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	C. MOORE
	1800	69	C. MOORE
	2100	70	C. MOORE
	2400	[illegible]	Sum

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	69	Sum
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	C. MOORE
	1800	69	C. MOORE
	2100	69	C. MOORE
	2400	68	Sum

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	70	J. Guevara
	0600	70	—
	0900	70	—
	1200	70	—
	1500	70	VENTURA
	1800	70	VENTURA
	2100	70	VENTURA
	2400	71	J. Guevara

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	68	Tom
	0600	68	Marquez
	0900	68	Marquez
	1200	68	Marquez
	1500	68	Marquez
	1800	69	Marquez
	2100	69	Marquez
	2400	68	Tom

Tuesday

Dat	Time	Temp.	Name (Print)
6/11/24	0300	70	J. Guerrero
	0600	68°	D.C. Tom
	0900	68°	D.C. Tom
	1200	68°	D.C. Tom
	1500	69°	D.C. Tom
	1800	69°	D.C. Tom
	2100	68°	D.C. Tom
	2400	70	J. Guerrero

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	69	J. Guerrero
	0600	69°	D.C. Tom
	0900	69°	D.C. Tom
	1200	69°	D.C. Tom
	1500	69	Bowards
	1800	69	Bowards
	2100	69	Bowards
	2400	69	J. Guerrero

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	68	J. Guerrero
	0600	68	Marquez
	0900	68	Marquez
	1200	69	Marquez
	1500	69	Fernandez
	1800	68	Fernandez
	2100	68	Fernandez
	2400	69	J. Guerrero

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	69	Muniz
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	70	C. Moore
	1800	70	C. Moore
	2100	69	C. Moore
	2400	68	Tom

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	68	Muniz
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	68	J. Guerrero
	1800	69	J. Guerrero
	2100	69	J. Guerrero
	2400	68	Tom

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	69	J. Guerrero
	0600	70	Tom
	0900	70	Tom
	1200	70	Tom
	1500	70	Ventura
	1800	70	Ventura
	2100	70	Ventura
	2400	69	J. Guerrero

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	[illegible]
	0600	70	Tomlon
	0900	70	Tomlon
	1200	70	Tomlon
	1500	69	MEHAFEY
	1800	67	M Chavez
	2100	69	M Cisneros
	2400	70	Tom

Tuesday

Dat	Time	Temp.	Name (Print)
6/18/24	0300	69	J. Lucero
	0600	68	D.C. Tom
	0900	69	D.C. Tom
	1200	68	D.C. Tom
	1500	68.	BOWANS
	1800	68.	Bowans
	2100	69.	Bowans
	2400	70	J. Lucero

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	69	J. Lucero
	0600	69	D.C. Tom
	0900	69	D.C. Tom
	1200	68	D.C. Tom
	1500	68	Bowans
	1800	68	Bowans
	2100	68	Bowans
	2400	69	J. Lucero

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	68	[illegible]
	0600	67	[illegible]
	0900	68	Marquez
	1200	69	Marquez
	1500	69.	Ventura
	1800	69.	Ventura
	2100	69.	Ventura
	2400	69	Marquez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	69	Marquez
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	C. MOORE
	1800	69	C. MOORE
	2100	69	C. MOORE
	2400	67	Smith

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	69	Marquez
	0600	69	Marquez
	0900	69	Marquez
	1200	70	Marquez
	1500	70	C. MOORE
	1800	70	C. MOORE
	2100	69	C. MOORE
	2400	69	BOWANS

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	69	BOWANS
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	Eforet
	1800	69	Eforet
	2100	69	Eforet
	2400	69	[illegible]

Notes

6/22/24 - Stage 1 heat alert
6/23/24 - Stage 1 heat alert 1200
6/24/24 - Stage 1 heat alert

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	69	[illegible]
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	65°	GARIBAY
	1800	64°	GARIBAY
	2100	67°	GARIBAY
	2400	69°	G. Bailey

Tuesday

Dat	Time	Temp.	Name (Print)
6/25/24	0300	69°	G. Bailey
	0600	69°	G. Bailey
	0900	67.	D.C. [illegible]
	1200	67.	D.C. [illegible]
	1500	66.	D.C. [illegible]
	1800	65°	BONANOS
	2100	65.	BONANO
	2400	65.	BONANO

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	69	J. Cuevas
	0600	69°	D.C. [illegible]
	0900	69°	D.C. [illegible]
	1200	69°	D.C. [illegible]
	1500	69°	Barnes
	1800	67°	Barnes
	2100	69°	Barnes
	2400	69	J. Cuevas

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	69	J. Cuevas
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	Ventura
	1800	69	Ventura
	2100	69	Ventura
	2400	69	J. Cuevas

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	68	[illegible]
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	C. MOORE
	1800	69	C. MOORE
	2100	69	C. MOORE
	2400	69	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	69	[illegible]
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	69	C. MOORE
	1800	69	C. MOORE
	2100	69	C. MOORE
	2400	69	Ventura

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	69	J. Cuevas
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	Ventura
	1800	69	Ventura
	2100	69	Ventura
	2400	70	J. Cuevas

Notes

6/24/24 - Stage 1 heat

DISTRIBUTION: Original: Institution ADA Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 01.20 24	0100	57	L.G
	0200	55	L.G
	0300	57	L.G
	0400	55	L.G
	0500	56	L.G
	0600	55	L.G
	0700	57	B.V
	0800	65	B.V
	0900	70	B.V
	1000	72	B.V
	1100	72	B.V
	1200	73	B.V
	1300	71	B.V
	1400	71	B.V
	1500	71	N.S.
	1600	69	N.S.
	1700	67	N.S.
	1800	65	N.S.
	1900	62	N.S.
	2000	59	N.S.
	2100	57	N.S.
	2200	55	B.V
	2300	54	L.G
	2400	54	L.G

Date	Time	Temp.	Printed Name
6/2/24	0100	55	L.G
	0200	55	LG
	0300	53	LG
	0400	53	LG
	0500	54	BV
	0600	55	BV
	0700	70	B.V
	0800	73	B.V
	0900	69	B.V
	1000	73	B.V
	1100	74	B.V
	1200	74	B.V
	1300	73	B.V
	1400	72	B.V
	1500	71	C.S.
	1600	70	C.S.
	1700	68	C.S.
	1800	66	C.S.
	1900	64	C.S.
	2000	64	C.S.
	2100	63	C.S.
	2200	62	C.S.
	2300	62	C.S.
	2400	61	C.S.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/3/24	0100	60	C.S.
	0200	59	C.S.
	0300	59	C.S.
	0400	58	C.S
	0500	58	C.S.
	0600	58	TR
	0700	58	TR
	0800	59	TR
	0900	61	TR
	1000	79	TR
	1100	81	TR
	1200	81	TR
	1300	78	TR
	1400	79	TR
	1500	78	CS
	1600	78	CS
	1700	77	CS
	1800	75	CS
	1900	72	CS
	2000	69	CS
	2100	67	CS
	2200	63	CS
	2300	61	CS
	2400	60	CS

Date	Time	Temp.	Printed Name
6/4/24	0100	58	CS
	0200	57	CS
	0300	56	CS
	0400	56	CS
	0500	55	CS
	0600	55	TR
	0700	70	TR
	0800	78	TR
	0900	80	TR
	1000	82	TR
	1100	84	TR
	1200	87	TR
	1300	89	TR
	1400	88	TR
	1500	89	N.S.
	1600	87	N.S.
	1700	87	N.S.
	1800	86	N.S.
	1900	84	N.S.
	2000	80	N.S.
	2100	75	N.S.
	2200	71	TR
	2300	70	TR
	2400	68	TR

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/5/24	0100	66	TR
	0200	65	TR
	0300	64	TR
	0400	64	TR
	0500	65	TR
	0600	65	TR
	0700	75	TR
	0800	82	TR
	0900	89	TR
	1000	88	TR
	1100	93	TR
	1200	94	TR
	1300	93	TR
	1400	92	TR
	1500	91	N.S.
	1600	89	N.S.
	1700	84	N.S.
	1800	82	N.S.
	1900	77	N.S.
	2000	75	N.S.
	2100	76	N.S.
	2200	74	N.S.
	2300	71	N.S.
	2400		

10:45 - Stage I Heat Alert.

1700 Stage I de Activated.

Date	Time	Temp.	Printed Name
6/6/24	0100		
	0200		
	0300		
	0400		
	0500		
	0600	57	TR
	0700	72	TR
	0800	74	TR
	0900	77	TR
	1000	77	TR
	1100	80	TR
	1200	81	TR
	1300	81	TR
	1400	80	TR
	1500	78	N.S.
	1600	77	N.S.
	1700	75	N.S.
	1800	71	N.S.
	1900	67	N.S.
	2000	62	N.S.
	2100	59	N.S.
	2200	58	TR
	2300	56	TR
	2400	56	TR

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/7/24	0100	58	TR
	0200	58	TR
	0300	57	TR
	0400	57	TR
	0500	56	TR
	0600	56	TR
	0700	65	AV
	0800	68	AV
	0900	71	AV
	1000	72	AV
	1100	73	KM
	1200	73	AV
	1300	69	AV
	1400	72	N.S.
	1500	71	N.S.
	1600	69	N.S.
	1700	67	N.S.
	1800	65	N.S.
	1900	62	N.S.
	2000	59	N.S.
	2100	58	N.S.
	2200	58	N.S.
	2300	58	N.S.
	2400	58	N.S.

Date	Time	Temp.	Printed Name
6/8/24	0100	57	N.S. [illegible]
	0200	57	N.S.
	0300	58	N.S.
	0400	58	N.S.
	0500	58	N.S.
	0600	58	N.S.
	0700	59	BV
	0800	58	BV
	0900	60	BV
	1000	63	BV
	1100	70	BV
	1200	72	BV
	1300	75	BV
	1400	76	N.S.
	1500	73	N.S.
	1600	71	N.S.
	1700	71	N.S.
	1800	70	N.S.
	1900	68	N.S.
	2000	65	N.S.
	2100	61	N.S.
	2200	59	N.S.
	2300	60	LG
	2400	59	LG

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/9/24	0100	58	LG
	0200	58	LG
	0300	58	LG
	0400	52	LG
	0500	58	LG
	0600	58	LG
	0700	52	B.V
	0800	68	B.V
	0900	79	B.V
	1000	78	B.V
	1100	79	B.V
	1200	78	B.V
	1300	78	B.V
	1400	78	B.V
	1500	76	CS
	1600	73	CS
	1700	68	C.S
	1800	66	C.S
	1900	64	C.S
	2000	62	CS
	2100	59	C.S
	2200	57	CS
	2300	56	CS
	2400	57	CS

Date	Time	Temp.	Printed Name
6/10/24	0100	57	C.S
	0200	56	C.S
	0300	58	CS
	0400	57	CS
	0500	56	CS
	0600	53	TR
	0700	58	TR
	0800	59	TR
	0900	63	TR
	1000	67	TR
	1100	72	TR
	1200	76	TR
	1300	80	TR
	1400	83	TR
	1500	80	IL
	1600	75	IL
	1700	70	IL
	1800	68	IL
	1900	66	IL
	2000	61	IL
	2100	59	IL
	2200	58	CS
	2300	57	CS
	2400	58	CS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/11/24	0100	57	CJ
	0200	57	CJ
	0300	56	CJ
	0400	56	CJ
	0500	56	CJ
	0600	55	TR
	0700	60	TR
	0800	67	TR
	0900	70	TR
	1000	77	TR
	1100	81	TR
	1200	90	TR
	1300	91	TR
	1400	90	TR
	1500	90	N.S
	1600	88	N.S.
	1700	84	N.S
	1800	80	N.S
	1900	77	N.S
	2000	72	N.S.
	2100	65	N.S
	2200	63	TR
	2300	61	TR
	2400	60	TR

Date	Time	Temp.	Printed Name
6/12/24	0100	60	TR
	0200	58	TR
	0300	57	TR
	0400	57	TR
	0500	57	TR
	0600	57	TR
	0700	58	TR
	0800	58	TR
	0900	60	TR
	1000	69	TR
	1100	73	TR
	1200	75	TR
	1300	72	TR
	1400	72	TR
	1500	71	N.S.
	1600	69	N.S.
	1700	67	N.S.
	1800	64	N.S.
	1900	62	N.S.
	2000	60	N.S.
	2100	60	N.S
	2200	60	N.S
	2300	59	LG
	2400	59	LG

1200 - Stage 1 Heat Alert 90°
1700 - — Deactivated.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/13/24	0100	59	LG
	0200	59	LG
	0300	59	LG
	0400	59	LG
	0500	59	LG
	0600	59	LG
	0700	57	TR
	0800	59	TR
	0900	59	TR
	1000	61	TR
	1100	68	TR
	1200	73	TR
	1300	72	TR
	1400	71	TR
	1500	70	N.S.
	1600	68	N.S.
	1700	66	N.S.
	1800	65	N.S.
	1900	62	N.S.
	2000	58	N.S.
	2100	57	N.S.
	2200	56	L.G
	2300	56	L.G
	2400	56	L.G

Date	Time	Temp.	Printed Name
6/14/24	0100	56	LG
	0200	56	L.G
	0300	56	L.G
	0400	55	L.G
	0500	55	L.G
	0600	55	L.G
	0700	68	BV
	0800	69	BV
	0900	68	BV
	1000	70	BV
	1100	74	BV
	1200	75	BV
	1300	78	BV
	1400	79.	N.S
	1500	78	N.S.
	1600	78	N.S.
	1700	77	N.S.
	1800	75	N.S
	1900	72.	N.S.
	2000	68	N.S.
	2100	65	N.S.
	2200	64	N.S.
	2300		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/15/24	0100	57	LG
	0200	57	LG
	0300	57	LG
	0400	57	LG
	0500	56	LG
	0600	57	B.V
	0700	72	B.V
	0800	77	B.V
	0900	85	B.V
	1000	77	B.V
	1100	79	B.V
	1200	79	BV
	1300	79	BV
	1400	79	BV
	1500	77	N.S.
	1600	75	N.S
	1700	72	N.S.
	1800	69	N.S.
	1900	66	N.S.
	2000	61	N.S.
	2100	61	N.S
	2200	59	N.S.
	2300	58	LG
	2400	57	LG

Date	Time	Temp.	Printed Name
6/16/24	0100	56	LG
	0200	56	LG
	0300	55	LG
	0400	54	LG
	0500	53	LG
	0600	53	LG
	0700	53	LG
	0800	65	LG
	0900	75	LG
	1000	75	LG
	1100	76	LG
	1200		LG
	1300		LG
	1400		LG
	1500	74	CS
	1600	72	CS
	1700	70	CS
	1800	68	CS
	1900	67	CS
	2000	66	CS
	2100	63	CS
	2200	62	CS
	2300	61	CS
	2400	60	CS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/17/24	0100	59	CS
	0200	59	CS
	0300	58	CS
	0400	58	CS
	0500	58	CS
	0600	57	TR
	0700	72	TR
	0800	74	TR
	0900	85	TR
	1000	77	TR
	1100	79	TR
	1200	81	TR
	1300	80	TR
	1400	81	TR
	1500	82	CS
	1600	81	CS
	1700	81	CS
	1800	78	CS
	1900	75	CS
	2000	69	CS
	2100	67	CS
	2200	66	CS
	2300	62	CS
	2400	61	CS

Date	Time	Temp.	Printed Name
6/18/24	0100	60	CS
	0200	59	CS
	0300	57	CS
	0400	55	CS
	0500	52	CS
	0600	54	TR
	0700	64	TR
	0800	75	TR
	0900	82	TR
	1000	83	TR
	1100	84	TR
	1200	86	TR
	1300	87	TR
	1400	86	TR
	1500	82	N.S.
	1600	80	N.S.
	1700	75	N.S.
	1800	73	N.S.
	1900	72	N.S.
	2000	70	N.S.
	2100	63	N.S.
	2200	60	TR
	2300	58	TR
	2400	57	TR

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/19/24	0100	56	TR
	0200	55	TR
	0300	55	TR
	0400	54	TR
	0500	54	TR
	0600	54	TR
	0700	54	TR
	0800	67	TR
	0900	81	TR
	1000	76	TR
	1100	78	TR
	1200	77	TR
	1300	77	TR
	1400	77	TR
	1500	76	N.S.
	1600	75	N.S.
	1700	72	N.S.
	1800	68	N.S.
	1900	65	N.S.
	2000	61	N.S.
	2100	58.3	[illegible]
	2200	58	LG
	2300	58	
	2400	57	

Date	Time	Temp.	Printed Name
6/20/24	0100	58	LG
	0200	58	LG
	0300	58	LG
	0400	58	LG
	0500	57	LG
	0600	56	LG
	0700	55	TR
	0800	56	TR
	0900	79	TR
	1000	71.	TR
	1100	73	TR
	1200	76	TR
	1300	75	TR
	1400	75	N.S.
	1500	72.	N.S.
	1600	70	N.S.
	1700	68	N.S.
	1800	64	N.S.
	1900	61	N.S.
	2000	58	N.S.
	2100	56	N.S.
	2200	56	LG
	2300	56	LG
	2400	56	LG

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/21/24	0100	55	LG
	0200	55	LG
	0300	55	LG
	0400	55	LG
	0500	55	LG
	0600	55	LG
	0700	51	BV
	0800	60	BV
	0900	63	BV
	1000	70	BV
	1100	70	BV
	1200	78	BV
	1300	78	BV
	1400	77	N.S
	1500	76	N.S
	1600	73	N.S
	1700	70	N.S
	1800	66	N.S
	1900	63	N.S
	2000	61	N.S
	2100	57	N.S.
	2200	55	LG
	2300	55	LG
	2400	55	LG

Date	Time	Temp.	Printed Name
6/22/24	0100	55	LG
	0200	55	LG
	0300	55	LG
	0400	55	LG
	0500	54	LG
	0600	54	LG
	0700	54	ME
	0800	57	ME
	0900	79	ME
	1000	86	ME
	1100	92	ME
	1200	91	ME
	1300	89	ME
	1400	86	N.S
	1500	83	N.S.
	1600	79	N.S
	1700	75	N.S
	1800	72	N.S
	1900	68	N.S
	2000	63	N.S
	2100	60	N.S.
	2200	59	N.S
	2300	58	N.S
	2400	57	N.S

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/23/24	0100	57	N.S
	0200	56	N.S
	0300	56	N.S
	0400	56	N.S
	0500	56	N.S
	0600	56	B.V
	0700	72	B.V
	0800	82	B.V
	0900	84	B.V
	1000	86	B.V
	1100	88	B.V
	1200	90	B.V
	1300	85	BV
	1400	83	CS
	1500	80	CS
	1600	76	CS
	1700	74	CS
	1800	70	CS
	1900	67	CS
	2000	64	CS
	2100	60	CS
	2200	61	CS
	2300	61	CS
	2400	60	CS

1155 - Stage 1 Heat Alert

Date	Time	Temp.	Printed Name
6/24/24	0100	60	C.S
	0200	59	C.S
	0300	59	C.S
	0400	58	C.S
	0500	58	CS
	0600	63	AC
	0700	70	AC
	0800	75	AC
	0900	80	AC
	1000	88	AC
	1100	90	AC
	1200	91	AC
	1300	91	AC
	1400	90	AC
	1500	88	CS
	1600	87	CS
	1700	80	CS
	1800	77	CS
	1900	72	CS
	2000	67	CS
	2100	66	CS
	2200	65	CS
	2300	64	CS
	2400	64	CS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/25/24	0100	63	C.S
	0200	63	C.S
	0300	63	C.S
	0400	62	C.S
	0500	61	C.S
	0600	61	TR
	0700	68	TR
	0800	80	TR
	0900	85	TR
	1000	82	TR
	1100	88	TR
	1200	85	TR
	1300	86	TR
	1400	86	TR
	1500	84	M.P.
	1600	85	M.P
	1700	85	M.P
	1800	80	M.P
	1900	74	M.P
	2000	70	M.P.
	2100	66	M.P.
	2200	59	TR
	2300	58	TR
	2400	58	TR

Date	Time	Temp.	Printed Name
6/26/24	0100	57	TR
	0200	57	TR
	0300	57	TR
	0400	56	TR
	0500	56	TR
	0600	56	TR
	0700	57	TR
	0800	66	TR
	0900	84	TR
	1000	77	TR
	1100	82	TR
	1200	82	TR
	1300	81	TR
	1400	81	TR
	1500	80	MP
	1600	78	MP
	1700	74	MP
	1800	72	MP
	1900	65	MP
	2000	63	MP
	2100	62	M.P
	2200	60	M.P
	2300	62	TR
	2400	61	TR

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/27/24	0100	58	TR
	0200	57	TR
	0300	56	TR
	0400	55	TR
	0500	55	TR
	0600	54	TR
	0700	62	TR
	0800	84	TR
	0900	87	TR
	1000	77	TR
	1100	79	TR
	1200	80	TR
	1300	80	TR
	1400	80	TR
	1500	75	M.P.
	1600	73	M.P.
	1700	72	M.P.
	1800	71	M.P.
	1900	67	M.P.
	2000	63	M.P.
	2100	60	M.P.
	2200	59	M.P.
	2300	60	R. Corona
	2400	60	R. Corona

Date	Time	Temp.	Printed Name
6/28/24	0100	57	R. Corona
	0200	57	R. Corona
	0300	56	R. Corona
	0400	56	R. Corona
	0500	55	R. Corona
	0600	55	R. Corona
	0700	57	R. Corona
	0800	58	R. Corona
	0900	69	R. Corona
	1000	76	R. Corona
	1100	76	R. Corona
	1200	78	R. Corona
	1300	80	R. Corona
	1400	79	M. PRADO
	1500	78	M. PRADO
	1600	77	M. PRADO
	1700	75	M. PRADO
	1800	69	M. PRADO
	1900	67	M. PRADO
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/29/24	0100		
	0200		
	0300		
	0400		
	0500		
	0600	55	N. Perez
	0700	55	N. Perez
	0800	61	TR
	0900	67	TR
	1000	70	TR
	1100	78	TR
	1200	80	TR
	1300	82	TR
	1400	84	TR
	1500	84	CS
	1600	83	CS
	1700	81	CS
	1800	78	CS
	1900	74	CS
	2000	69	CS
	2100	65	CS
	2200	61	CS
	2300	58.	R Godinez
	2400	56	R. Godinez

Date	Time	Temp.	Printed Name
6/30/24	0100	56	R. Godinez
	0200	54	R. Godinez
	0300	54	R. Godinez
	0400	55	R. Godinez
	0500	55	R. Godinez
	0600	56	TK
	0700	58	TK
	0800	61	TK
	0900	63	TK
	1000	68	TK
	1100	73	TK
	1200	78	TK
	1300	84	TK
	1400	92	CS
	1500	90	CS
	1600	87	CS
	1700	80	CS
	1800	74	CS
	1900	71	CS
	2000	66	CS
	2100	62	CS
	2200	62	CS
	2300	59	CS
	2400	58	CS

DISTRIBUTION: Original: Institution Heat Plan Coordinator